This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 10/18/2015-10/24/2015														
10/18/2015 0:00	0.6	BDL	BDL	10.0	BDL	2.1	11.0	6.0	7.9	338	12	44.4	55	1022
10/18/2015 1:00	0.6	BDL	BDL	13.5	BDL	2.1	7.0	6.0	8.0	339	11	43.9	47	1022
10/18/2015 2:00	0.7	BDL	BDL	16.6	BDL	2.0	4.0	5.0	8.6	344	10	43.1	46	1022
10/18/2015 3:00	0.5	BDL	BDL	12.0	BDL	2.1	7.0	8.0	6.5	316	11	42.0	53	1022
10/18/2015 4:00	0.5	BDL	BDL	12.6	BDL	2.2	9.0	7.0	4.2	293	10	41.1	61	1023
10/18/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	11.0	5.0	3.8	294	10	39.5	78	1023
10/18/2015 6:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	8.0	5.0	3.6	298	12	39.0	83	1024
10/18/2015 7:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	9.0	4.0	5.6	303	12	40.7	74	1024
10/18/2015 8:00	0.6	BDL	BDL	7.7	BDL	2.1	8.0	2.0	8.7	322	13	43.8	61	1025
10/18/2015 9:00	0.5	BDL	BDL	6.0	BDL	2.1	7.0	2.0	9.3	328	14	45.7	50	1025
10/18/2015 10:00	0.4	BDL	BDL	3.9	BDL	2.0	9.0	2.0	9.6	320	14	47.3	44	1024
10/18/2015 11:00	BDL	BDL	BDL	3.1	BDL	2.0	10.0	3.0	9.6	317	16	48.3	42	1024
10/18/2015 12:00	BDL	BDL	BDL	1.6	BDL	2.0	8.0	4.0	11.4	310	12	49.1	41	1023
10/18/2015 13:00	BDL	BDL	BDL	2.1	BDL	2.0	7.0	5.0	10.1	317	14	49.3	39	1023
10/18/2015 14:00	BDL	BDL	BDL	3.1	BDL	2.0	18.0	4.0	10.1	316	16	49.4	41	1023
10/18/2015 15:00	BDL	BDL	BDL	4.5	BDL	2.0	7.0	5.0	8.2	295	13	47.7	50	1024
10/18/2015 16:00	BDL	BDL	BDL	9.0	BDL	2.2	6.0	5.0	7.3	278	15	45.8	63	1024
10/18/2015 17:00	BDL	BDL	BDL	4.1	BDL	2.0	7.0	4.0	7.0	311	13	44.4	69	1025
10/18/2015 18:00	BDL	BDL	BDL	5.1	BDL	2.0	8.0	7.0	5.3	303	8	43.7	75	1026
10/18/2015 19:00	BDL	BDL	BDL	10.1	BDL	2.0	14.0	6.0	5.8	302	7	42.8	80	1026
10/18/2015 20:00	BDL	BDL	BDL	10.0	BDL	2.1	11.0	11.0	7.5	311	8	41.7	80	1026
10/18/2015 21:00	0.5	BDL	BDL	21.4	BDL	2.3	8.0	9.0	6.7	326	12	41.2	78	1027
10/18/2015 22:00	0.4	BDL	BDL	19.8	BDL	2.3	9.0	10.0	6.2	332	13	40.6	76	1028
10/18/2015 23:00	0.6	BDL	BDL	22.0	BDL	2.4	7.0	10.0	6.1	332	12	40.3	73	1028
10/19/2015 0:00	0.4	BDL	BDL	18.2	BDL	2.4	12.0	8.0	5.0	316	10	39.0	81	1028
10/19/2015 1:00	0.4	BDL	BDL	18.5	BDL	2.2	12.0	6.0	5.8	303	8	37.8	84	1028
10/19/2015 2:00	BDL	BDL	BDL	22.5	BDL	2.3	11.0	7.0	4.2	309	10	37.5	86	1029
10/19/2015 3:00	0.5	BDL	BDL	24.5	BDL	2.4	11.0	6.0	5.4	330	11	37.6	80	1029
10/19/2015 4:00	0.5	BDL	BDL	22.3	BDL	2.3	13.0	6.0	5.8	306	8	36.7	84	1030
10/19/2015 5:00	Calibration	Calibration	Calibration	Calibration	BDL	Calibration	10.0	8.0	5.5	305	10	35.8	87	1030
10/19/2015 6:00	Calibration	Calibration	Calibration	Calibration	BDL	Calibration	14.0	9.0	3.7	302	9	35.7	88	1030
10/19/2015 7:00	Too few samples	Too few samples	Too few samples	Too few samples	0.2	2.5	17.0	8.0	2.5	310	16	38.0	73	1031
10/19/2015 8:00	0.9	BDL	BDL	29.3	0.05	2.16	9.0	6.0	2.1	258	40	41.4	53	1031
10/19/2015 9:00	0.7	BDL	BDL	16.5	Calibration	1.99	12.0	3.0	3.1	243	28	44.0	46	1031
10/19/2015 10:00	0.8	BDL	BDL	10.2	Calibration	1.95	7.0	3.0	3.9	244	37	45.9	43	1031
10/19/2015 11:00	0.8	BDL	BDL	5.1	Calibration	1.92	5.0	4.0	4.1	232	43	47.8	38	1030
10/19/2015 12:00	---	---	---	---	---	---	---	---	---	---	---	---	---	---
10/19/2015 13:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	6.0	4.0	Too few samples	Too few samples	---	Too few samples	Too few samples	Too few samples
10/19/2015 14:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	8.0	2.0	5.1	227	43	50.8	40	1028
10/19/2015 15:00	0.8	BDL	BDL	7.0	BDL	1.9	9.0	5.0	7.5	221	19	52.0	41	1027
10/19/2015 16:00	1.3	BDL	BDL	8.9	BDL	1.9	18.0	7.0	7.8	219	18	52.6	41	1026
10/19/2015 17:00	0.9	BDL	BDL	8.6	BDL	2	17.0	6.0	7.7	214	16	52.0	47	1026
10/19/2015 18:00	1.5	BDL	BDL	16.4	BDL	2	13.0	5.0	7.8	214	14	50.6	53	1026
10/19/2015 19:00	2.6	BDL	BDL	23.6	BDL	2	13.0	6.0	7.0	212	14	49.6	56	1026
10/19/2015 20:00	0.5	BDL	BDL	9.8	BDL	1.9	12.0	8.0	6.4	201	11	47.3	63	1026
10/19/2015 21:00	0.6	BDL	BDL	9.8	BDL	1.9	14.0	7.0	5.8	196	11	46.4	66	1026
10/19/2015 22:00	0.6	BDL	BDL	11.0	BDL	1.9	11.0	5.0	5.8	199	10	45.6	69	1025
10/19/2015 23:00	0.7	BDL	BDL	11.8	BDL	1.9	16.0	6.0	6.5	200	12	45.1	72	1025
10/20/2015 0:00	0.6	BDL	BDL	13.4	BDL	2.1	15.0	7.0	6.2	218	16	45.6	74	1024
10/20/2015 1:00	BDL	BDL	BDL	12.1	BDL	2.3	15.0	6.0	7.5	222	15	46.0	78	1024
10/20/2015 2:00	BDL	BDL	BDL	12.2	BDL	2.1	11.0	4.0	7.6	223	14	45.9	81	1024
10/20/2015 3:00	0.8	BDL	BDL	18.6	BDL	2.4	10.0	5.0	7.3	221	13	45.9	83	1024
10/20/2015 4:00	0.4	BDL	BDL	14.6	BDL	2.1	21.0	6.0	6.3	225	15	45.8	84	1023
10/20/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	10.0	6.0	5.7	231	15	46.8	81	1024
10/20/2015 6:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	20.0	6.0	4.2	238	18	47.2	81	1024
10/20/2015 7:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	21.0	10.0	6.1	223	16	47.8	76	1024
10/20/2015 8:00	2.4	BDL	BDL	27.7	BDL	2.0	18.0	13.0	7.9	227	15	49.1	71	1024
10/20/2015 9:00	1.5	BDL	BDL	16.3	BDL	2.0	20.0	9.0	8.3	231	16	51.9	65	1024
10/20/2015 10:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	Calibration	31.0	21.0	8.6	234	15	55.3	57	1024
10/20/2015 11:00	1.4	BDL	BDL	13.5	BDL	2.0	18.0	10.0	9.2	216	15	58.1	53	1024
10/20/2015 12:00	1.9	BDL	BDL	14.8	BDL	2.1	26.0	9.0	9.3	218	17	61.1	47	1023
10/20/2015 13:00	1.5	BDL	BDL	14.0	BDL	2.3	21.0	8.0	9.9	218	16	64.3	40	1022
10/20/2015 14:00	1.3	BDL	BDL	13.4	BDL	2.2	29.0	6.0	10.9	218	15	66.9	36	1021
10/20/2015 15:00	1.4	BDL	BDL	12.1	BDL	2.1	32.0	8.0	11.2	217	14	68.4	33	1021
10/20/2015 16:00	1.6	BDL	BDL	13.6	BDL	2.0	27.0	6.0	9.7	225	16	68.8	32	1021
10/20/2015 17:00	2.1	BDL	BDL	18.3	BDL	2.1	19.0	3.0	7.8	228	15	67.2	36	1020
10/20/2015 18:00	2.4	BDL	0.9	25.0	BDL	2.2	18.0	5.0	4.7	234	16	65.5	40	1021
10/20/2015 19:00	3.5	0.6	0.9	32.5	BDL	2.3	24.0	7.0	4.9	234	17	63.8	47	1022
10/20/2015 20:00	3.1	BDL	BDL	24.8	BDL	2.4	22.0	9.0	5.0	220	15	62.0	54	1022
10/20/2015 21:00	3.4	BDL	BDL	30.5	BDL	2.3	32.0	12.0	4.9	226	16	60.3	59	1022
10/20/2015 22:00	2.1	BDL	BDL	28.5	BDL	2.4	22.0	11.0	5.2	212	13	58.4	64	1023
10/20/2015 23:00	1.7	BDL	BDL	21.2	BDL	2.0	24.0	10.0	5.3	213	13	57.0	68	1023
10/21/2015 0:00	1.0	BDL	BDL	16.6	BDL	2.6	24.0	12.0	4.3	221	18	56.0	71	1023
10/21/2015 1:00	0.5	BDL	BDL	19.5	BDL	2.7	24.0	11.0	3.2	212	15	54.6	76	1023
10/21/2015 2:00	0.4	BDL	BDL	17.6	BDL	4.1	25.0	11.0	3.4	214	16	53.7	79	1023
10/21/2015 3:00	0.8	BDL	1.5	22.6	BDL	4.1	21.0	15.0	2.6	220	16	53.0	82	1023
10/21/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	35.0	13.0	2.5	224	14	52.5	85	1023
10/21/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	25.0	12.0	3.8	208	11	51.5	88	1024
10/21/2015 6:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	43.0	18.0	2.6	203	11	50.8	92	1024
10/21/2015 7:00	1.6	1.1	BDL	78.9	0.1	2.1	54.0	23.0	3.5	203	9	50.5	93	1024
10/21/2015 8:00	2.7	BDL	BDL	46.5	0.1	2.2	35.0	17.0	4.1	224	13	53.0	86	1025
10/21/2015 9:00	Too few samples	0.4	BDL	Too few samples	Too few samples	Too few samples	41.0	20.0	3.7	214	19	55.8	79	1025
10/21/2015 10:00	5.5	BDL	BDL	58.4	0.1	2.2	39.0	18.0	4.2	224	18	60.7	68	1025
10/21/2015 11:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	Calibration	38.0	18.0	4.7	210	15	65.0	57	1024
10/21/2015 12:00	4.6	BDL	BDL	37.0	0.1	2.3	35.0	18.0	3.9	218	20	69.6	46	1024
10/21/2015 13:00	2.7	BDL	BDL	21.9	BDL	2.2	40.0	11.0	4.4	210	20	71.7	40	1023
10/21/2015 14:00	1.6	BDL	BDL	12.9	BDL	2.3	36.0	9.0	4.4	204	18	73.5	36	1022
10/21/2015 15:00	1.2	BDL	BDL	13.2	BDL	2.0	44.0	11.0	4.8	197	16	73.8	34	1022
10/21/2015 16:00	1.3	BDL	BDL	12.9	BDL	2.1	44.0	13.0	4.5	218	21	74.0	32	1022
10/21/2015 17:00	1.1	BDL	BDL	14.4	BDL	2.2	25.0	11.0	3.9	236	17	72.6	36	1022
10/21/2015 18:00	1.8	BDL	BDL	34.9	BDL	2.2	56.0	14.0	3.7	198	9	69.1	44	1022
10/21/2015 19:00	0.8	BDL	BDL	28.7	BDL	2.4	31.0	13.0	3.1	201	12	65.8	55	1023
10/21/2015 20:00	1.0	BDL	BDL	16.8	BDL	2.0	24.0	14.0	3.3	203	11	62.7	64	1023
10/21/2015 21:00	1.0	BDL	BDL	11.9	BDL	1.9	20.0	15.0	3.5	208	12	60.1	69	1023
10/21/2015 22:00	0.8	BDL	BDL	15.4	BDL	2.0	21.0	13.0	3.5	206	13	58.4	76	1023
10/21/2015 23:00	1.1	BDL	BDL	30.9	0.1	2.8	23.0	11.0	2.7	218	17	56.9	82	1023

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 10/18/2015-10/24/2015														
10/22/2015 0:00	1.2	BDL	BDL	27.3	BDL	2.1	26.0	20.0	3.3	198	11	56.2	83	1022
10/22/2015 1:00	0.4	BDL	0.4	18.5	BDL	2.0	27.0	13.0	3.8	204	11	54.9	81	1022
10/22/2015 2:00	0.4	BDL	BDL	20.0	BDL	2.4	33.0	15.0	2.8	197	11	53.8	82	1022
10/22/2015 3:00	0.9	BDL	BDL	33.5	BDL	2.5	28.0	17.0	3.2	199	10	53.2	83	1021
10/22/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	21.0	12.0	2.6	219	20	52.6	86	1021
10/22/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	24.0	16.0	1.5	208	19	51.5	92	1022
10/22/2015 6:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	23.0	13.0	2.2	202	19	51.3	93	1022
10/22/2015 7:00	0.5	0.7	0.6	33.9	BDL	2.2	27.0	16.0	2.8	206	12	51.3	96	1022
10/22/2015 8:00	2.9	1.4	0.6	53.0	0.1	2.0	34.0	16.0	4.2	209	16	53.7	89	1022
10/22/2015 9:00	2.0	1.1	0.8	33.1	BDL	2.2	25.0	18.0	5.8	217	17	57.1	81	1022
10/22/2015 10:00	3.4	BDL	BDL	29.4	BDL	2.0	28.0	14.0	6.5	235	16	61.3	68	1021
10/22/2015 11:00	2.9	BDL	BDL	25.5	BDL	1.8	30.0	16.0	5.8	216	16	64.9	62	1021
10/22/2015 12:00	3.0	BDL	BDL	22.8	BDL	1.8	28.0	13.0	6.1	229	20	69.7	49	1020
10/22/2015 13:00	2.6	BDL	BDL	21.2	BDL	1.9	32.0	11.0	7.1	222	18	72.5	43	1019
10/22/2015 14:00	2.3	BDL	BDL	16.5	BDL	1.9	25.0	9.0	7.3	231	18	73.9	40	1018
10/22/2015 15:00	2.0	BDL	BDL	11.7	BDL	2.0	34.0	10.0	9.4	221	15	74.5	39	1017
10/22/2015 16:00	2.6	BDL	BDL	14.9	BDL	2.1	29.0	10.0	8.8	221	16	74.6	40	1017
10/22/2015 17:00	2.1	BDL	BDL	17.0	BDL	2.1	38.0	12.0	6.9	213	15	72.9	47	1016
10/22/2015 18:00	4.3	BDL	BDL	36.4	0.1	2.3	35.0	11.0	4.9	228	15	71.5	50	1017
10/22/2015 19:00	5.3	BDL	BDL	42.0	0.1	2.3	41.0	11.0	6.4	229	15	70.5	51	1017
10/22/2015 20:00	3.3	BDL	0.5	30.3	0.1	2.1	30.0	14.0	6.3	228	13	69.1	53	1017
10/22/2015 21:00	3.4	BDL	BDL	32.1	0.1	2.2	29.0	14.0	6.7	223	14	68.0	55	1017
10/22/2015 22:00	2.1	BDL	BDL	22.6	BDL	2.2	28.0	14.0	6.0	223	14	66.4	60	1017
10/22/2015 23:00	1.4	1.5	1.2	17.8	BDL	2.0	23.0	14.0	5.1	238	14	64.9	65	1017
10/23/2015 0:00	1.2	BDL	0.9	27.2	0.1	2.0	19.0	13.0	4.0	243	11	63.0	72	1017
10/23/2015 1:00	0.7	BDL	0.6	23.5	0.1	2.1	24.0	13.0	2.5	256	16	61.5	79	1017
10/23/2015 2:00	0.8	BDL	BDL	22.5	0.1	2.0	26.0	16.0	3.7	312	17	61.1	79	1018
10/23/2015 3:00	1.9	BDL	BDL	15.4	BDL	1.7	28.0	16.0	8.7	345	14	61.8	69	1018
10/23/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	33.0	21.0	7.9	346	18	59.5	70	1019
10/23/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	36.0	19.0	7.7	346	18	57.5	65	1019
10/23/2015 6:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	23.0	11.0	6.3	348	18	55.8	65	1020
10/23/2015 7:00	1.2	BDL	BDL	17.2	BDL	1.6	25.0	14.0	7.2	341	15	54.1	65	1021
10/23/2015 8:00	1.4	BDL	BDL	22.5	BDL	1.6	33.0	17.0	8.8	339	13	54.1	62	1021
10/23/2015 9:00	1.6	BDL	BDL	17.6	BDL	1.5	35.0	8.0	8.3	353	21	55.3	55	1022
10/23/2015 10:00	Calibration	Too few samples	Too few samples	10.5	Calibration	Calibration	21.0	5.0	8.9	334	16	56.8	51	1022
10/23/2015 11:00	BDL	BDL	BDL	8.6	BDL	16.2	23.0	5.0	8.9	329	24	58.8	45	1022
10/23/2015 12:00	0.5	BDL	BDL	8.4	BDL	1.8	21.0	4.0	10.4	327	13	60.3	39	1021
10/23/2015 13:00	0.8	BDL	BDL	9.2	BDL	1.8	26.0	6.0	8.8	333	20	61.8	36	1021
10/23/2015 14:00	1.0	BDL	BDL	7.9	BDL	1.7	19.0	5.0	8.9	336	19	62.5	34	1020
10/23/2015 15:00	0.9	BDL	BDL	7.0	BDL	1.7	14.0	3.0	7.9	348	23	62.8	30	1020
10/23/2015 16:00	1.4	BDL	BDL	8.3	BDL	1.7	18.0	3.0	7.3	351	23	62.4	30	1020
10/23/2015 17:00	1.5	BDL	BDL	8.3	BDL	1.7	14.0	3.0	5.4	14	21	61.5	33	1021
10/23/2015 18:00	1.0	BDL	BDL	10.3	BDL	1.8	16.0	1.0	5.6	358	21	59.9	35	1022
10/23/2015 19:00	BDL	BDL	BDL	16.7	BDL	1.8	18.0	3.0	4.4	43	16	58.1	36	1023
10/23/2015 20:00	BDL	BDL	BDL	18.4	BDL	2.0	16.0	5.0	4.6	56	10	56.7	38	1023
10/23/2015 21:00	BDL	BDL	BDL	28.4	BDL	1.9	17.0	7.0	4.8	57	14	55.1	43	1024
10/23/2015 22:00	BDL	BDL	BDL	14.3	BDL	1.8	18.0	5.0	8.7	63	12	52.5	48	1024
10/23/2015 23:00	BDL	BDL	BDL	10.3	BDL	1.75	14.0	5.0	7.5	63	12	49.9	56	1025
10/24/2015 0:00	BDL	BDL	BDL	11.6	BDL	1.82	11.0	5.0	7.3	60	11	48.7	59	1025
10/24/2015 1:00	BDL	BDL	BDL	18.6	BDL	1.96	17.0	4.0	5.9	59	13	47.9	62	1025
10/24/2015 2:00	BDL	BDL	BDL	18.5	BDL	1.88	14.0	4.0	6.4	41	13	46.9	60	1025
10/24/2015 3:00	BDL	BDL	BDL	14.4	BDL	1.82	10.0	4.0	6.2	45	12	45.9	62	1025
10/24/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	9.0	5.0	6.6	50	11	45.2	65	1025
10/24/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	26.0	4.0	6.1	51	12	45.0	68	1025
10/24/2015 6:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	20.0	4.0	5.2	41	15	44.6	68	1026
10/24/2015 7:00	BDL	BDL	BDL	29.2	BDL	1.8	15.0	4.0	6.0	48	11	43.8	71	1026
10/24/2015 8:00	0.4	BDL	BDL	23.1	BDL	1.8	22.0	4.0	6.7	54	12	45.2	69	1026
10/24/2015 9:00	BDL	BDL	BDL	20.6	BDL	1.8	13.0	4.0	6.8	54	12	47.0	68	1026
10/24/2015 10:00	0.4	BDL	BDL	19.1	BDL	1.8	22.0	5.0	5.5	61	16	49.9	63	1026
10/24/2015 11:00	0.4	BDL	BDL	18.8	BDL	1.8	22.0	4.0	4.2	87	25	52.6	59	1026
10/24/2015 12:00	BDL	BDL	BDL	11.1	BDL	1.7	12.0	3.0	3.8	118	29	55.9	54	1025
10/24/2015 13:00	BDL	BDL	BDL	4.6	BDL	1.6	12.0	2.0	4.2	137	37	58.5	47	1024
10/24/2015 14:00	BDL	BDL	BDL	4.0	BDL	1.6	11.0	2.0	3.6	177	36	60.0	44	1023
10/24/2015 15:00	BDL	BDL	BDL	8.1	BDL	1.6	8.0	1.0	4.5	159	27	60.8	46	1023
10/24/2015 16:00	BDL	BDL	BDL	12.8	BDL	1.6	7.0	BDL	4.5	153	15	60.9	51	1023
10/24/2015 17:00	BDL	BDL	BDL	7.2	BDL	1.7	8.0	3.0	5.3	160	12	60.2	55	1022
10/24/2015 18:00	BDL	BDL	BDL	9.7	BDL	1.7	13.0	5.0	5.3	156	13	59.4	59	1022
10/24/2015 19:00	BDL	BDL	BDL	17.0	BDL	1.6	12.0	5.0	7.5	160	12	57.9	65	1022
10/24/2015 20:00	BDL	BDL	BDL	6.8	BDL	1.6	8.0	5.0	7.2	148	14	56.5	71	1022
10/24/2015 21:00	BDL	BDL	BDL	5.8	BDL	1.6	13.0	4.0	5.7	143	15	56.1	74	1022
10/24/2015 22:00	BDL	BDL	BDL	10.3	BDL	1.8	12.0	4.0	4.2	150	17	55.9	76	1021
10/24/2015 23:00	BDL	BDL	BDL	9.2	BDL	1.7	11.0	3.0	4.4	157	15	55.8	79	1021

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 10/25/2015-10/31/2015														
10/25/2015 0:00	BDL	BDL	BDL	9.0	BDL	1.7	11.0	4.0	5.0	156	13	56.1	81	1020
10/25/2015 1:00	BDL	BDL	BDL	5.5	BDL	1.6	11.0	2.0	5.9	166	11	56.6	81	1019
10/25/2015 2:00	BDL	BDL	BDL	4.3	BDL	1.6	9.0	5.0	4.9	168	12	56.6	82	1018
10/25/2015 3:00	BDL	BDL	BDL	5.0	BDL	1.6	9.0	4.0	4.2	171	12	56.8	83	1017
10/25/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	8.0	3.0	3.7	171	13	56.8	84	1017
10/25/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	7.0	3.0	5.0	178	13	56.8	84	1016
10/25/2015 6:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	9.0	2.0	5.7	198	13	56.8	86	1016
10/25/2015 7:00	BDL	BDL	BDL	3.9	BDL	1.7	11.0	6.0	6.4	198	12	56.9	87	1016
10/25/2015 8:00	BDL	BDL	BDL	3.7	BDL	1.6	10.0	5.0	7.8	200	12	57.3	88	1016
10/25/2015 9:00	BDL	BDL	BDL	5.1	BDL	1.7	8.0	3.0	7.6	209	13	58.0	89	1016
10/25/2015 10:00	0.6	BDL	BDL	9.6	BDL	1.7	13.0	4.0	7.4	232	16	59.0	87	1017
10/25/2015 11:00	1.4	BDL	BDL	10.4	BDL	1.7	13.0	3.0	7.7	230	17	60.7	82	1016
10/25/2015 12:00	0.9	BDL	BDL	10.7	BDL	1.8	19.0	6.0	5.2	231	18	63.1	75	1016
10/25/2015 13:00	0.7	BDL	BDL	6.7	BDL	1.6	21.0	7.0	5.7	295	16	66.8	63	1016
10/25/2015 14:00	BDL	BDL	BDL	3.9	BDL	1.6	12.0	6.0	9.4	319	12	67.9	61	1015
10/25/2015 15:00	0.4	BDL	BDL	4.5	BDL	1.6	13.0	6.0	11.2	321	11	67.1	61	1015
10/25/2015 16:00	BDL	BDL	BDL	4.0	BDL	1.6	10.0	8.0	10.3	323	11	67.2	56	1016
10/25/2015 17:00	BDL	BDL	BDL	5.1	BDL	1.6	12.0	5.0	9.1	319	10	65.8	55	1017
10/25/2015 18:00	BDL	BDL	BDL	5.0	BDL	1.7	8.0	3.0	9.5	314	7	63.4	59	1018
10/25/2015 19:00	0.9	BDL	BDL	6.3	BDL	1.9	14.0	4.0	10.7	327	12	61.7	59	1019
10/25/2015 20:00	1.0	BDL	BDL	11.3	BDL	1.6	13.0	9.0	11.3	340	12	59.1	54	1021
10/25/2015 21:00	0.4	BDL	BDL	16.1	BDL	1.6	7.0	6.0	9.3	341	12	57.2	55	1022
10/25/2015 22:00	0.6	BDL	BDL	14.0	BDL	1.6	4.0	6.0	9.7	343	13	55.6	56	1022
10/25/2015 23:00	1.3	BDL	BDL	10.4	BDL	1.6	12.0	8.0	8.1	347	16	54.4	56	1023
10/26/2015 0:00	1.7	BDL	BDL	10.8	BDL	1.6	9.0	6.0	5.5	358	19	53.3	58	1023
10/26/2015 1:00	0.5	BDL	BDL	16.3	BDL	1.6	6.0	2.0	6.4	345	13	52.5	59	1024
10/26/2015 2:00	1.8	BDL	BDL	10.0	BDL	1.7	4.0	1.0	6.6	348	14	51.6	61	1024
10/26/2015 3:00	0.5	BDL	BDL	19.8	BDL	1.7	5.0	2.0	6.8	345	11	50.8	62	1025
10/26/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	3.0	6.0	5.6	347	14	50.0	66	1025
10/26/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	8.0	8.0	6.0	7	20	50.1	67	1026
10/26/2015 6:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	13.0	6.0	6.5	350	15	49.0	68	1027
10/26/2015 7:00	0.8	BDL	BDL	36.0	BDL	1.8	15.0	4.0	8.0	335	12	48.4	69	1027
10/26/2015 8:00	0.7	BDL	BDL	39.0	BDL	1.8	26.0	10.0	7.5	336	13	48.5	69	1028
10/26/2015 9:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	10.0	6.0	6.1	18	19	50.2	63	1029
10/26/2015 10:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	14.0	6.0	6.5	359	18	50.4	62	1029
10/26/2015 11:00	0.9	BDL	BDL	19.5	BDL	1.7	17.0	6.0	6.3	6	19	51.5	60	1029
10/26/2015 12:00	0.9	BDL	BDL	15.8	BDL	1.7	13.0	4.0	5.8	1	26	53.0	55	1029
10/26/2015 13:00	0.5	BDL	BDL	13.9	BDL	1.7	12.0	4.0	4.7	29	29	54.3	48	1028
10/26/2015 14:00	0.5	BDL	BDL	14.7	BDL	1.7	19.0	1.0	3.0	74	63	56.2	41	1028
10/26/2015 15:00	BDL	BDL	BDL	17.4	BDL	1.7	14.0	3.0	4.5	148	32	56.7	44	1027
10/26/2015 16:00	BDL	BDL	BDL	21.5	BDL	1.7	16.0	7.0	4.1	149	15	57.3	44	1027
10/26/2015 17:00	BDL	BDL	BDL	26.3	BDL	1.7	16.0	6.0	3.5	168	11	56.7	50	1028
10/26/2015 18:00	BDL	BDL	BDL	24.4	BDL	1.7	55.0	9.0	2.5	174	10	54.7	58	1028
10/26/2015 19:00	BDL	BDL	BDL	27.7	BDL	2.0	14.0	8.0	1.9	159	14	53.3	65	1029
10/26/2015 20:00	BDL	BDL	BDL	26.5	BDL	2.5	12.0	6.0	1.3	196	17	52.0	70	1029
10/26/2015 21:00	BDL	BDL	BDL	29.6	BDL	2.2	16.0	9.0	2.7	149	23	50.5	73	1030
10/26/2015 22:00	BDL	BDL	BDL	25.1	BDL	1.6	13.0	8.0	1.8	180	27	49.1	77	1030
10/26/2015 23:00	BDL	BDL	BDL	21.5	BDL	1.6	18.0	8.0	0.7	196	27	48.5	80	1031
10/27/2015 0:00	BDL	BDL	BDL	36.0	0.08	2.5	17.0	10.0	0.6	279	33	47.3	85	1030
10/27/2015 1:00	0.9	1.0	BDL	78.4	0.37	4.4	18.0	9.0	0.6	275	22	47.1	91	1030
10/27/2015 2:00	1.2	1.2	BDL	99.3	0.51	3.7	20.0	9.0	0.9	264	21	46.1	92	1030
10/27/2015 3:00	1.3	1.5	BDL	108.3	0.41	4.2	23.0	17.0	0.7	355	56	45.8	93	1030
10/27/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	29.0	13.0	0.4	24	48	45.7	93	1030
10/27/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	45.0	16.0	3.1	74	11	44.7	94	1030
10/27/2015 6:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	38.0	8.0	3.8	48	12	45.6	80	1030
10/27/2015 7:00	1.5	BDL	BDL	66.0	0.3	1.9	34.0	13.0	3.8	47	14	45.9	74	1031
10/27/2015 8:00	Too few samples	BDL	BDL	Too few samples	Too few samples	Too few samples	27.0	13.0	5.1	46	12	46.7	69	1031
10/27/2015 9:00	1.3	0.6	BDL	71.1	0.3	2.4	36.0	10.0	5.6	49	13	48.4	68	1032
10/27/2015 10:00	0.9	BDL	BDL	55.8	0.1	2.3	38.0	14.0	6.3	53	10	51.1	66	1032
10/27/2015 11:00	0.8	BDL	BDL	44.7	0.1	2.3	47.0	9.0	6.9	64	16	55.0	62	1032
10/27/2015 12:00	BDL	BDL	BDL	23.7	BDL	2.1	22.0	7.0	7.5	81	15	57.7	60	1031
10/27/2015 13:00	BDL	BDL	BDL	11.6	BDL	2.1	22.0	3.0	7.5	91	15	59.0	59	1030
10/27/2015 14:00	BDL	BDL	BDL	13.2	BDL	2.0	27.0	BDL	8.4	81	14	59.6	59	1029
10/27/2015 15:00	BDL	BDL	BDL	7.9	BDL	2.0	27.0	4.0	8.7	88	14	59.2	60	1029
10/27/2015 16:00	BDL	BDL	BDL	5.7	BDL	2.0	19.0	8.0	8.6	88	14	58.2	62	1028
10/27/2015 17:00	BDL	BDL	BDL	9.9	BDL	2.0	27.0	5.0	9.3	81	13	56.8	65	1028
10/27/2015 18:00	BDL	BDL	BDL	7.8	BDL	2.0	21.0	2.0	8.9	77	13	55.8	68	1028
10/27/2015 19:00	BDL	BDL	BDL	6.7	BDL	2.0	19.0	2.0	8.8	66	13	55.2	70	1029
10/27/2015 20:00	BDL	BDL	BDL	7.5	BDL	2.0	12.0	5.0	8.0	58	12	54.5	72	1029
10/27/2015 21:00	BDL	BDL	BDL	7.7	BDL	2.0	10.0	3.0	7.7	61	11	53.8	75	1029
10/27/2015 22:00	BDL	BDL	BDL	8.4	BDL	2.0	7.0	4.0	7.9	59	11	53.5	78	1028
10/27/2015 23:00	BDL	BDL	BDL	7.9	BDL	2.0	8.0	6.0	8.4	58	10	53.4	79	1028
10/28/2015 0:00	BDL	BDL	BDL	9.3	BDL	2.0	18.0	5.0	8.5	55	11	53.4	80	1027
10/28/2015 1:00	BDL	BDL	BDL	8.1	BDL	2.0	12.0	2.0	9.2	56	11	53.4	82	1026
10/28/2015 2:00	BDL	BDL	BDL	5.6	BDL	2.0	13.0	3.0	10.4	56	11	53.7	84	1025
10/28/2015 3:00	BDL	BDL	BDL	7.4	BDL	1.9	21.0	4.0	9.1	58	10	53.8	88	1024
10/28/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	10.0	5.0	8.1	62	11	53.8	93	1023
10/28/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	17.0	6.0	7.8	62	11	54.6	96	1022
10/28/2015 6:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	17.0	6.0	8.0	73	13	56.8	94	1021
10/28/2015 7:00	0.4	BDL	BDL	17.2	BDL	2.1	15.0	7.0	8.5	73	13	57.9	92	1020
10/28/2015 8:00	0.4	BDL	BDL	17.8	BDL	1.8	16.0	7.0	9.7	83	12	58.5	96	1020
10/28/2015 9:00	BDL	BDL	BDL	9.0	BDL	1.6	13.0	5.0	9.1	87	13	59.6	96	1019
10/28/2015 10:00	BDL	BDL	BDL	6.6	BDL	1.0	20.0	5.0	9.8	96	13	61.5	92	1018
10/28/2015 11:00	BDL	BDL	BDL	7.4	BDL	BDL	22.0	7.0	9.6	102	14	63.1	89	1016
10/28/2015 12:00	BDL	BDL	BDL	6.7	BDL	0.4	18.0	5.0	12.0	106	14	63.8	91	1014
10/28/2015 13:00	BDL	BDL	BDL	7.0	BDL	0.5	20.0	4.0	11.7	104	15	64.4	93	1012
10/28/2015 14:00	BDL	BDL	BDL	12.0	BDL	1.3	7.0	5.0	11.9	111	12	65.1	96	1010
10/28/2015 15:00	0.4	BDL	BDL	19.1	BDL	1.5	5.0	5.0	8.2	119	14	65.8	98	1009
10/28/2015 16:00	BDL	BDL	BDL	16.8	BDL	1.9	4.0	3.0	6.9	146	18	66.9	98	1008
10/28/2015 17:00	BDL	BDL	BDL	18.4	BDL	1.9	3.0	BDL	7.9	146	21	67.9	97	1007
10/28/2015 18:00	BDL	BDL	BDL	10.0	BDL	1.8	10.0	BDL	9.5	156	12	68.4	95	1006
10/28/2015 19:00	BDL	BDL	BDL	5.9	BDL	1.8	11.0	BDL	10.9	160	12	68.6	95	1005
10/28/2015 20:00	0.4	BDL	BDL	12.9	BDL	1.8	6.0	1.0	12.5	157	13	68.6	95	1003
10/28/2015 21:00	BDL	BDL	BDL	2.8	BDL	1.7	3.0	1.0	16.9	171	12	69.1	94	1002
10/28/2015 22:00	BDL	BDL	BDL	4.0	BDL	1.7	4.0	BDL	16.8	184	13	69.5	91	1002
10/28/2015 23:00	BDL	BDL	BDL	3.5	BDL	1.7	13.0	5.0	12.8	188	13	69.3	91	1002

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 10/25/2015-10/31/2015														
10/29/2015 0:00	BDL	BDL	BDL	6.4	BDL	1.7	7.0	6.0	11.2	189	12	68.8	92	1001
10/29/2015 1:00	BDL	BDL	BDL	5.1	BDL	1.7	5.0	3.0	12.0	193	12	69.0	90	1000
10/29/2015 2:00	BDL	BDL	BDL	2.3	BDL	1.9	6.0	1.0	10.1	229	17	66.8	92	1000
10/29/2015 3:00	0.4	BDL	BDL	2.4	BDL	1.9	2.0	2.0	4.6	278	25	62.2	98	1000
10/29/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	2.0	1.0	3.1	205	27	62.3	100	1000
10/29/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	4.0	2.0	4.8	230	18	62.8	99	1000
10/29/2015 6:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	5.0	6.0	4.6	207	13	62.2	99	1000
10/29/2015 7:00	0.5	BDL	BDL	16.7	BDL	25.48	5.0	5.0	5.1	211	14	62.3	99	1001
10/29/2015 8:00	BDL	BDL	BDL	35.1	BDL	2.2	21.0	8.0	5.6	201	13	63.2	96	1001
10/29/2015 9:00	0.6	BDL	BDL	20.1	BDL	2.46	15.0	8.0	6.1	221	15	64.2	94	1002
10/29/2015 10:00	1.2	BDL	BDL	18.8	BDL	2.22	18.0	10.0	7.3	236	17	66.2	85	1002
10/29/2015 11:00	1.3	BDL	BDL	17.0	BDL	1.97	12.0	10.0	9.1	236	15	68.0	78	1002
10/29/2015 12:00	1.0	BDL	BDL	8.0	BDL	2	9.0	7.0	10.5	286	13	69.0	62	1002
10/29/2015 13:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	8.0	4.0	11.4	302	10	68.1	48	1001
10/29/2015 14:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	9.0	1.0	9.2	288	15	68.4	45	1001
10/29/2015 15:00	0.4	BDL	BDL	3.0	BDL	1.9	11.0	2.0	9.4	274	17	68.1	37	1001
10/29/2015 16:00	BDL	BDL	BDL	4.1	BDL	1.9	8.0	2.0	9.0	270	17	67.4	38	1001
10/29/2015 17:00	0.4	BDL	BDL	2.7	BDL	1.9	7.0	2.0	9.5	288	13	65.2	36	1002
10/29/2015 18:00	0.4	BDL	BDL	4.4	BDL	2.0	8.0	4.0	5.8	268	15	63.1	39	1003
10/29/2015 19:00	0.5	BDL	BDL	11.0	BDL	2.1	7.0	5.0	4.7	247	16	61.6	44	1004
10/29/2015 20:00	BDL	BDL	BDL	5.1	BDL	2.0	12.0	3.0	6.5	281	12	60.6	45	1004
10/29/2015 21:00	BDL	BDL	BDL	4.4	BDL	2.1	9.0	4.0	6.2	270	14	60.5	46	1005
10/29/2015 22:00	BDL	BDL	BDL	4.3	BDL	3.8	10.0	5.0	4.4	274	12	59.2	49	1006
10/29/2015 23:00	0.4	BDL	BDL	6.1	BDL	2.7	8.0	5.0	4.6	268	14	57.7	53	1007
10/30/2015 0:00	0.4	BDL	BDL	4.6	BDL	2.2	14.0	4.0	5.1	276	12	56.8	53	1007
10/30/2015 1:00	0.7	BDL	BDL	5.2	BDL	2.0	9.0	5.0	5.5	293	8	55.5	53	1008
10/30/2015 2:00	0.7	BDL	BDL	12.0	BDL	2.1	13.0	6.0	4.7	292	8	53.8	58	1008
10/30/2015 3:00	0.6	BDL	BDL	11.1	BDL	2.1	10.0	5.0	3.4	288	19	52.1	62	1009
10/30/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	10.0	4.0	5.8	299	11	50.7	58	1009
10/30/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	9.0	6.0	4.1	285	18	49.2	61	1010
10/30/2015 6:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	14.0	7.0	4.3	272	20	47.8	66	1011
10/30/2015 7:00	0.4	BDL	BDL	21.2	BDL	2.1	16.0	5.0	4.5	262	16	47.2	66	1011
10/30/2015 8:00	0.5	BDL	BDL	22.6	BDL	2.1	12.0	3.0	4.6	262	18	48.0	60	1012
10/30/2015 9:00	0.4	BDL	BDL	12.7	BDL	2.1	10.0	3.0	6.4	287	16	49.9	55	1013
10/30/2015 10:00	BDL	BDL	BDL	5.5	BDL	2.2	9.0	1.0	8.4	303	13	52.3	54	1013
10/30/2015 11:00	BDL	BDL	BDL	4.5	BDL	2.2	8.0	BDL	11.7	308	12	52.9	56	1013
10/30/2015 12:00	BDL	BDL	BDL	4.5	BDL	2.0	8.0	2.0	10.4	311	13	53.6	56	1014
10/30/2015 13:00	0.4	BDL	BDL	3.8	BDL	1.9	6.0	3.0	8.7	305	15	55.5	51	1013
10/30/2015 14:00	0.4	BDL	BDL	3.9	BDL	1.9	4.0	3.0	9.4	307	17	56.9	49	1013
10/30/2015 15:00	BDL	BDL	BDL	3.7	BDL	1.9	6.0	2.0	10.1	311	13	57.6	48	1013
10/30/2015 16:00	0.4	BDL	BDL	4.0	BDL	2.0	4.0	5.0	9.6	305	14	57.6	48	1013
10/30/2015 17:00	BDL	BDL	BDL	4.5	BDL	1.9	4.0	3.0	7.5	301	10	56.9	51	1014
10/30/2015 18:00	BDL	BDL	BDL	6.9	BDL	2.0	7.0	2.0	5.1	292	10	55.4	55	1015
10/30/2015 19:00	BDL	BDL	BDL	10.7	BDL	2.2	9.0	6.0	5.1	278	13	53.9	59	1016
10/30/2015 20:00	BDL	BDL	BDL	13.3	BDL	2.1	6.0	7.0	4.9	307	10	52.1	64	1016
10/30/2015 21:00	0.5	BDL	BDL	13.9	BDL	2.1	10.0	7.0	5.7	316	14	51.5	63	1017
10/30/2015 22:00	0.4	BDL	BDL	21.8	0.1	2.6	12.0	10.0	3.8	297	36	50.3	68	1018
10/30/2015 23:00	0.7	BDL	BDL	15.3	BDL	2.1	13.0	6.0	4.9	36	22	50.3	56	1017
10/31/2015 0:00	0.5	BDL	BDL	26.3	0.1	3.1	10.0	4.0	1.7	306	45	48.6	64	1018
10/31/2015 1:00	0.6	BDL	BDL	23.2	BDL	2.3	12.0	4.0	4.0	1	26	48.1	63	1018
10/31/2015 2:00	BDL	BDL	BDL	30.8	0.1	2.4	14.0	10.0	4.1	303	16	45.7	72	1019
10/31/2015 3:00	0.4	BDL	BDL	31.2	0.1	2.5	12.0	8.0	3.8	307	10	44.7	75	1020
10/31/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	10.0	6.0	4.9	1	19	46.1	67	1020
10/31/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	9.0	8.0	5.8	353	16	45.7	66	1021
10/31/2015 6:00	Calibration	Too few samples	BDL	Calibration	Calibration	Calibration	10.0	7.0	3.0	339	45	43.8	71	1021
10/31/2015 7:00	0.6	BDL	BDL	26.2	0.04	2.3	12.0	8.0	2.9	44	39	43.1	74	1021
10/31/2015 8:00	0.8	BDL	BDL	27.8	BDL	2.2	16.0	8.0	3.8	49	17	44.0	66	1021
10/31/2015 9:00	0.8	BDL	BDL	29.6	0.05	2.1	11.0	10.0	1.7	68	49	45.8	58	1022
10/31/2015 10:00	0.7	BDL	BDL	25.2	BDL	2.1	11.0	7.0	1.9	128	47	47.4	54	1022
10/31/2015 11:00	0.9	BDL	BDL	26.1	BDL	2.2	17.0	11.0	2.4	136	34	49.2	53	1021
10/31/2015 12:00	0.8	BDL	BDL	19.9	BDL	2.1	15.0	9.0	3.2	179	47	51.4	49	1021
10/31/2015 13:00	1.5	BDL	BDL	11.7	BDL	1.9	6.0	6.0	5.1	225	30	53.7	45	1020
10/31/2015 14:00	1.1	BDL	BDL	9.0	BDL	1.9	8.0	6.0	5.3	218	20	54.6	48	1019
10/31/2015 15:00	0.7	BDL	BDL	7.2	BDL	1.9	7.0	6.0	4.8	218	27	56.4	45	1018
10/31/2015 16:00	0.9	BDL	BDL	8.8	BDL	1.9	11.0	5.0	4.4	239	19	57.1	47	1018
10/31/2015 17:00	1.2	BDL	BDL	11.0	BDL	2.1	12.0	6.0	4.3	218	14	56.8	51	1018
10/31/2015 18:00	0.8	BDL	BDL	13.7	BDL	2.0	10.0	6.0	2.6	194	18	54.6	59	1018
10/31/2015 19:00	0.8	BDL	BDL	12.5	BDL	1.9	10.0	8.0	2.0	208	18	54.0	63	1018
10/31/2015 20:00	0.4	BDL	BDL	14.0	BDL	1.9	15.0	8.0	2.7	203	15	52.9	67	1018
10/31/2015 21:00	BDL	BDL	BDL	12.2	BDL	1.9	14.0	9.0	4.9	176	12	51.7	71	1017
10/31/2015 22:00	0.4	BDL	BDL	20.7	BDL	1.8	11.0	8.0	5.1	169	11	51.2	74	1016
10/31/2015 23:00	BDL	BDL	BDL	20.4	BDL	1.9	13.0	14.0	3.9	157	13	50.4	78	1016

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 11/1/2015-11/7/2015														
11/1/2015 0:00	BDL	0.5	0.7	10.8	BDL	2.0	11.0	13.0	3.4	188	18	50.5	80	1015
11/1/2015 1:00	BDL	1.0	1.3	7.9	BDL	1.8	11.0	8.0	4.0	199	12	51.3	81	1015
11/1/2015 2:00	0.4	1.3	1.5	25.4	BDL	1.9	9.0	8.0	3.8	163	14	51.2	84	1014
11/1/2015 3:00	BDL	1.2	1.4	7.2	BDL	2.4	9.0	8.0	2.2	230	25	51.9	85	1015
11/1/2015 4:00	Calibration	Calibration	Calib	Calibration	Calibration	Calibration	8.0	11.0	3.9	157	27	52.0	87	1014
11/1/2015 5:00	Calibration	Calibration	Calib	Calibration	Calibration	Calibration	7.0	10.0	6.2	169	12	52.3	88	1013
11/1/2015 6:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	Calibration	9.0	8.0	8.3	197	13	54.1	84	1012
11/1/2015 7:00	0.4	BDL	BDL	3.5	BDL	1.7	11.0	9.0	7.7	198	12	54.5	83	1012
11/1/2015 8:00	BDL	BDL	0.4	3.7	BDL	1.7	10.0	9.0	8.9	200	12	55.4	81	1012
11/1/2015 9:00	1.2	BDL	0.4	11.8	BDL	2.0	8.0	10.0	9.3	216	14	57.0	78	1012
11/1/2015 10:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	Calibration	13.0	11.0	8.0	220	16	58.1	78	1012
11/1/2015 11:00	1.2	BDL	BDL	11.0	BDL	2.1	13.0	9.0	10.3	227	14	58.9	81	1012
11/1/2015 12:00	0.9	BDL	BDL	8.3	BDL	2.1	19.0	10.0	9.7	226	16	60.0	80	1011
11/1/2015 13:00	0.9	BDL	BDL	6.5	BDL	2.1	21.0	14.0	9.2	225	15	61.0	77	1011
11/1/2015 14:00	0.8	BDL	BDL	5.8	BDL	2.2	12.0	14.0	9.0	221	16	62.2	74	1010
11/1/2015 15:00	1.3	BDL	BDL	9.9	BDL	2.1	13.0	18.0	7.8	229	15	63.3	72	1010
11/1/2015 16:00	1.6	BDL	BDL	12.2	BDL	2.2	10.0	13.0	7.0	227	15	63.8	72	1010
11/1/2015 17:00	2.3	BDL	BDL	17.9	0.1	2.5	12.0	15.0	6.3	223	14	63.2	74	1011
11/1/2015 18:00	2.1	BDL	BDL	22.2	0.1	2.6	8.0	15.0	6.1	221	14	62.1	77	1011
11/1/2015 19:00	3.8	BDL	BDL	32.3	0.1	2.6	14.0	17.0	6.0	227	13	61.5	80	1012
11/1/2015 20:00	3.8	1.0	1.4	35.1	0.1	2.3	13.0	20.0	4.9	227	14	60.8	82	1013
11/1/2015 21:00	2.2	1.3	3.2	23.2	0.1	2.5	7.0	22.0	4.0	233	14	59.8	86	1013
11/1/2015 22:00	2.7	3.2	3.7	31.3	0.1	2.5	4.0	17.0	4.2	233	15	59.0	89	1014
11/1/2015 23:00	1.3	3.1	1.0	19.8	0.1	2.6	12.0	19.0	4.4	238	15	58.4	92	1014
11/2/2015 0:00	0.8	2.4	1.7	19.8	0.1	2.9	9.0	21.0	3.2	234	17	57.8	94	1015
11/2/2015 1:00	0.4	BDL	2.7	22.9	0.1	3.7	6.0	21.0	2.9	223	14	57.3	95	1015
11/2/2015 2:00	BDL	1.2	3.3	22.2	0.1	3.4	4.0	22.0	2.7	221	13	56.7	96	1015
11/2/2015 3:00	BDL	BDL	1.4	21.8	0.1	3.7	5.0	21.0	2.9	219	14	56.3	97	1015
11/2/2015 4:00	Calibration	Calibration	Calib	Calibration	Calibration	Calibration	3.0	18.0	1.7	244	15	55.1	97	1015
11/2/2015 5:00	Calibration	Calibration	Calib	Calibration	Calibration	Calibration	8.0	17.0	3.6	301	8	54.8	97	1015
11/2/2015 6:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	Calibration	13.0	15.0	1.9	272	17	54.2	93	1015
11/2/2015 7:00	0.9	BDL	BDL	43.6	0.1	Calibration	15.0	16.0	2.0	271	18	54.3	88	1016
11/2/2015 8:00	1.3	BDL	BDL	45.6	0.2	3.6	26.0	11.0	2.2	276	16	55.4	80	1016
11/2/2015 9:00	1.4	BDL	BDL	53.6	0.2	2.6	10.0	15.0	2.0	255	33	57.0	75	1017
11/2/2015 10:00	1.3	BDL	BDL	48.7	0.2	2.6	14.0	12.0	2.1	244	26	58.7	70	1017
11/2/2015 11:00	1.1	BDL	BDL	38.0	0.2	2.3	17.0	10.0	1.1	266	36	60.0	66	1017
11/2/2015 12:00	1.2	BDL	BDL	40.9	0.1	2.3	13.0	10.0	1.1	151	49	60.7	62	1017
11/2/2015 13:00	1.3	BDL	BDL	37.6	0.1	2.2	12.0	7.0	1.6	61	67	61.4	56	1016
11/2/2015 14:00	1.0	BDL	BDL	27.8	0.1	2.0	19.0	7.0	2.7	306	18	62.9	52	1016
11/2/2015 15:00	0.8	BDL	BDL	18.6	BDL	1.9	14.0	6.0	2.1	296	44	63.3	50	1016
11/2/2015 16:00	0.9	BDL	BDL	35.9	0.1	2.2	16.0	13.0	1.9	178	13	62.0	58	1016
11/2/2015 17:00	0.9	BDL	BDL	40.2	0.1	2.1	16.0	12.0	2.6	176	11	60.1	65	1016
11/2/2015 18:00	1.3	BDL	BDL	61.0	0.2	2.1	55.0	16.0	2.4	205	10	59.2	70	1017
11/2/2015 19:00	1.6	0.6	BDL	65.8	0.6	2.9	14.0	17.0	2.2	217	11	57.8	76	1018
11/2/2015 20:00	1.9	0.7	BDL	76.1	0.5	3.4	12.0	17.0	1.1	247	25	55.7	85	1018
11/2/2015 21:00	1.3	1.2	BDL	82.4	0.6	4.6	16.0	14.0	1.2	207	18	54.1	87	1018
11/2/2015 22:00	1.4	2.7	1.3	100.0	0.6	3.9	13.0	17.0	1.8	203	18	53.0	91	1018
11/2/2015 23:00	1.8	2.6	0.8	117.3	0.9	4.1	18.0	21.0	1.8	276	16	51.9	94	1018
11/3/2015 0:00	1.6	1.3	BDL	103.3	0.9	3.5	17.0	15.0	1.9	264	14	51.1	94	1018
11/3/2015 1:00	1.3	1.0	BDL	85.1	0.7	3.8	18.0	20.0	1.2	236	36	50.4	94	1018
11/3/2015 2:00	1.2	BDL	BDL	68.7	0.5	3.6	20.0	20.0	2.0	264	13	49.9	95	1019
11/3/2015 3:00	1.1	BDL	BDL	68.2	0.5	3.3	23.0	21.0	2.3	266	10	49.0	95	1018
11/3/2015 4:00	Calibration	Calibration	Calib	Calibration	Calibration	Calibration	29.0	20.0	1.2	300	55	48.8	96	1018
11/3/2015 5:00	Calibration	Calibration	Calib	Calibration	Calibration	Calibration	45.0	17.0	1.1	243	20	48.9	95	1019
11/3/2015 6:00	Calibration	Calibration	Calib	Calibration	Calibration	Calibration	38.0	24.0	1.8	252	12	48.2	95	1019
11/3/2015 7:00	1.7	1.3	BDL	102.5	0.5	3.2	34.0	20.0	1.8	275	16	47.4	96	1020
11/3/2015 8:00	1.8	1.2	BDL	107.1	0.5	2.7	27.0	16.0	1.1	251	40	49.3	87	1021
11/3/2015 9:00	2.9	2.2	BDL	128.0	0.6	2.4	36.0	31.0	1.8	188	14	54.2	77	1021
11/3/2015 10:00	6.6	1.7	0.4	127.1	0.5	1.8	38.0	34.0	2.1	198	25	58.1	69	1020
11/3/2015 11:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	Calibration	47.0	19.0	2.1	235	26	63.5	51	1020
11/3/2015 12:00	4.3	BDL	BDL	33.1	0.04	2.1	22.0	14.0	4.2	192	22	66.1	48	1020
11/3/2015 13:00	2.9	BDL	BDL	28.2	0.1	2.2	22.0	9.0	3.1	212	25	69.6	42	1020
11/3/2015 14:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	27.0	9.0	5.8	182	16	69.7	44	1019
11/3/2015 15:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	27.0	7.0	5.3	213	17	72.6	36	1019
11/3/2015 16:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	19.0	8.0	4.1	206	15	73.0	36	1019
11/3/2015 17:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	27.0	9.0	4.0	201	9	70.1	45	1020
11/3/2015 18:00	2.0	BDL	BDL	34.4	0.04	2.0	21.0	11.0	3.8	204	10	66.0	54	1020
11/3/2015 19:00	5.1	2.4	1.7	53.6	0.2	2.8	19.0	14.0	2.7	224	16	64.3	59	1021
11/3/2015 20:00	4.2	3.0	4.3	59.0	0.2	3.1	12.0	14.0	2.3	226	11	61.2	66	1021
11/3/2015 21:00	3.8	1.0	1.1	65.7	0.2	2.6	10.0	14.0	2.3	218	11	59.2	71	1022
11/3/2015 22:00	3.9	0.5	BDL	71.7	0.2	3.0	7.0	20.0	1.9	241	13	57.6	76	1022
11/3/2015 23:00	1.4	0.9	BDL	80.7	0.4	3.2	8.0	20.0	2.4	306	16	57.0	80	1022
11/4/2015 0:00	1.1	0.7	BDL	71.3	0.4	3.6	18.0	18.0	1.8	243	21	55.6	79	1023
11/4/2015 1:00	1.4	8.3	5.0	101.4	0.6	6.2	12.0	21.0	1.7	243	17	54.3	84	1023
11/4/2015 2:00	1.5	3.3	2.6	105.8	0.6	5.2	13.0	20.0	1.3	249	22	53.0	90	1023
11/4/2015 3:00	1.1	1.9	BDL	83.2	0.5	4.8	21.0	19.0	1.3	284	20	52.7	92	1023
11/4/2015 4:00	Calibration	Calibration	Calib	Calibration	Calibration	Calibration	10.0	21.0	1.1	31	24	52.7	86	1023
11/4/2015 5:00	Calibration	Calibration	Calib	Calibration	Calibration	Calibration	17.0	17.0	1.3	222	64	52.9	86	1024
11/4/2015 6:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	Calibration	17.0	21.0	1.3	217	22	51.7	89	1024
11/4/2015 7:00	1.6	2.9	1.0	112.8	0.5	3.8	15.0	21.0	0.7	254	45	51.0	91	1024
11/4/2015 8:00	2.7	3.2	1.0	179.7	0.7	3.6	16.0	31.0	2.0	79	27	53.1	81	1025
11/4/2015 9:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	Calibration	13.0	22.0	3.7	61	15	58.2	65	1025
11/4/2015 10:00	1.9	1.0	BDL	85.1	0.4	3.0	20.0	20.0	4.0	64	15	62.2	56	1025
11/4/2015 11:00	1.4	0.4	BDL	68.7	0.3	3.0	22.0	17.0	3.9	65	19	66.2	49	1025
11/4/2015 12:00	1.3	BDL	BDL	45.7	0.1	2.7	18.0	11.0	2.8	70	37	70.4	42	1024
11/4/2015 13:00	1.2	BDL	BDL	18.8	BDL	2.3	20.0	9.0	3.1	80	31	73.5	36	1023
11/4/2015 14:00	0.9	BDL	BDL	15.4	BDL	2.3	7.0	7.0	3.6	97	25	75.6	34	1023
11/4/2015 15:00	0.7	BDL	BDL	13.4	BDL	2.3	5.0	5.0	3.1	134	25	76.6	32	1023
11/4/2015 16:00	1.1	BDL	BDL	18.7	BDL	2.8	4.0	4.0	4.4	191	16	76.3	35	1023
11/4/2015 17:00	4.3	BDL	BDL	58.6	0.2	3.5	3.0	13.0	3.6	171	15	73.4	46	1023
11/4/2015 18:00	0.8	BDL	BDL	42.6	0.1	2.5	10.0	12.0	4.1	142	16	68.6	57	1024
11/4/2015 19:00	0.9	BDL	BDL	42.8	0.1	2.8	11.0	17.0	3.2	147	13	65.3	67	1024
11/4/2015 20:00	0.5	BDL	BDL	30.7	0.1	2.4	6.0	17.0	3.3	123	15	63.3	74	1024
11/4/2015 21:00	BDL	BDL	BDL	26.1	0.1	2.3	3.0	18.0	3.3	122	16	60.9	83	1024
11/4/2015 22:00	BDL	BDL	BDL	28.8	0.1	2.5	4.0	19.0	1.5	160	21	58.9	89	1025
11/4/2015 23:00	BDL	BDL	BDL	20.6	0.1	3.0	13.0	22.0	1.0	204	29	57.2	94	1024

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 11/1/2015-11/7/2015														
11/5/2015 0:00	BDL	0.7	0.8	29.2	0.2	3.9	7.0	22.0	0.5	253	53	56.6	97	1024
11/5/2015 1:00	BDL	0.4	0.5	29.1	0.2	4.2	5.0	24.0	0.9	280	60	56.6	97	1024
11/5/2015 2:00	BDL	BDL	BDL	37.2	0.2	4.6	6.0	25.0	1.0	98	43	57.2	96	1024
11/5/2015 3:00	0.5	0.4	BDL	56.2	0.2	4.4	2.0	28.0	1.1	145	27	57.1	94	1024
11/5/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	2.0	28.0	2.8	87	17	56.7	96	1023
11/5/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	4.0	24.0	2.6	77	13	56.4	96	1023
11/5/2015 6:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	Calibration	5.0	23.0	2.1	78	14	56.3	95	1023
11/5/2015 7:00	0.8	0.8	BDL	64.6	0.2	2.6	5.0	22.0	1.5	93	22	56.8	94	1024
11/5/2015 8:00	1.0	1.7	0.8	85.1	0.2	2.5	21.0	25.0	1.3	149	33	57.4	94	1024
11/5/2015 9:00	1.6	1.6	0.4	127.2	0.4	2.6	15.0	27.0	2.5	95	16	57.6	99	1024
11/5/2015 10:00	1.4	1.2	BDL	115.5	0.4	2.1	18.0	28.0	2.0	122	16	59.8	97	1023
11/5/2015 11:00	0.9	0.7	BDL	76.1	0.3	1.8	12.0	25.0	1.8	127	20	62.4	96	1023
11/5/2015 12:00	0.4	BDL	BDL	27.9	0.1	1.5	9.0	11.0	3.5	173	16	66.2	90	1022
11/5/2015 13:00	0.5	BDL	BDL	17.7	BDL	1.7	8.0	10.0	5.4	204	14	67.9	88	1021
11/5/2015 14:00	0.5	BDL	BDL	19.5	BDL	1.4	9.0	13.0	4.7	215	15	66.8	90	1020
11/5/2015 15:00	0.6	BDL	BDL	17.2	0.04	1.6	11.0	13.0	3.5	229	20	67.6	86	1020
11/5/2015 16:00	0.5	BDL	BDL	26.1	BDL	2.7	8.0	20.0	2.6	172	12	65.9	93	1020
11/5/2015 17:00	---	---	---	---	---	---	7.0		---	---		---	---	
11/5/2015 18:00	BDL	BDL	0.4	24.4	BDL	1.5	8.0	9.0	2.6	204	14	65.6	97	1019
11/5/2015 19:00	1.0	BDL	BDL	36.7	0.1	1.6	7.0	14.0	2.6	199	11	65.6	97	1019
11/5/2015 20:00	1.0	BDL	0.4	32.3	0.1	1.6	12.0	11.0	3.6	203	11	65.8	97	1019
11/5/2015 21:00	1.4	0.8	0.9	26.6	0.1	1.9	9.0	16.0	4.3	222	15	66.4	95	1019
11/5/2015 22:00	0.9	0.9	0.9	21.7	BDL	1.8	10.0	10.0	4.6	210	14	66.1	95	1019
11/5/2015 23:00	0.4	BDL	0.6	15.9	BDL	1.4	8.0	6.0	4.8	200	11	65.5	97	1018
11/6/2015 0:00	BDL	BDL	BDL	6.9	BDL	1.3	14.0	9.0	5.0	206	11	64.9	99	1018
11/6/2015 1:00	BDL	0.6	BDL	11.3	BDL	1.6	9.0	11.0	2.7	218	18	64.7	100	1018
11/6/2015 2:00	BDL	0.5	BDL	15.2	BDL	1.3	13.0	9.0	2.6	187	17	64.4	100	1017
11/6/2015 3:00	BDL	0.5	0.9	13.5	BDL	1.5	10.0	8.0	2.3	182	14	64.4	100	1017
11/6/2015 4:00	Calibration	Calibration	Calib	Calibration	Calibration	Calibration	10.0	7.0	2.9	162	13	64.5	100	1016
11/6/2015 5:00	Calibration	Calibration	Calib	Calibration	Calibration	Calibration	9.0	13.0	3.7	175	13	64.7	100	1016
11/6/2015 6:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	Calibration	14.0	8.0	4.1	214	15	65.1	100	1016
11/6/2015 7:00	BDL	BDL	0.7	18.0	BDL	1.5	16.0	8.0	4.3	191	13	65.3	100	1015
11/6/2015 8:00	BDL	BDL	0.4	20.9	BDL	1.3	12.0	13.0	6.1	198	13	65.5	98	1015
11/6/2015 9:00	Calibration	BDL	BDL	66.5	3.0	11.0	10.0	15.0	7.5	202	12	66.2	95	1015
11/6/2015 10:00	Calibration	Calib	Calib	Calibration	Calibration	Calibration	9.0	14.0	8.2	198	12	66.6	92	1014
11/6/2015 11:00	0.4	BDL	BDL	10.9	BDL	2.1	8.0	14.0	9.3	212	14	68.2	87	1014
11/6/2015 12:00	1.0	BDL	BDL	13.1	BDL	2.1	8.0	14.0	11.4	225	14	68.8	83	1013
11/6/2015 13:00	0.8	BDL	BDL	9.8	BDL	2.1	6.0	10.0	10.1	219	15	69.1	82	1011
11/6/2015 14:00	0.6	BDL	BDL	10.7	BDL	1.9	4.0	10.0	9.9	208	14	70.0	80	1010
11/6/2015 15:00	0.5	BDL	BDL	9.3	BDL	2.0	6.0	11.0	9.2	214	14	72.1	76	1009
11/6/2015 16:00	0.9	BDL	BDL	12.3	BDL	2.2	4.0	15.0	7.0	226	16	74.7	70	1009
11/6/2015 17:00	1.7	BDL	BDL	20.3	BDL	2.5	4.0	12.0	7.0	225	14	74.6	72	1010
11/6/2015 18:00	2.6	BDL	BDL	25.6	0.04	2.2	7.0	15.0	4.7	212	12	73.7	75	1010
11/6/2015 19:00	1.9	BDL	BDL	19.0	Calibration	2.0	9.0	10.0	6.0	212	11	72.7	77	1010
11/6/2015 20:00	3.3	BDL	BDL	39.7	0.1	2.4	6.0	14.0	5.8	224	13	72.8	76	1011
11/6/2015 21:00	2.0	0.7	BDL	22.0	0.04	2.1	10.0	12.0	5.2	237	14	71.0	82	1011
11/6/2015 22:00	1.8	3.1	6.1	26.5	0.1	2.4	12.0	16.0	4.5	231	14	70.4	84	1012
11/6/2015 23:00	2.6	2.9	4.2	41.6	0.2	2.6	13.0	11.0	3.6	236	13	69.2	84	1012
11/7/2015 0:00	1.8	2.9	3.7	28.9	0.2	2.9	10.0	12.0	3.7	238	14	68.6	85	1012
11/7/2015 1:00	1.3	1.1	1.2	27.7	0.1	2.9	12.0	13.0	3.5	236	13	67.9	87	1012
11/7/2015 2:00	1.5	1.8	2.2	24.6	0.1	2.8	14.0	12.0	4.0	236	14	68.0	80	1012
11/7/2015 3:00	1.4	1.8	2.1	22.4	BDL	3.6	12.0	15.0	3.1	226	13	66.8	78	1012
11/7/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	10.0	14.0	3.0	218	14	66.2	77	1012
11/7/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	9.0	12.0	3.7	237	15	64.9	78	1013
11/7/2015 6:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	Calibration	10.0	13.0	3.8	239	13	64.5	78	1013
11/7/2015 7:00	1.0	0.6	BDL	28.7	0.1	3.0	12.0	9.0	3.0	245	14	63.2	81	1014
11/7/2015 8:00	1.0	0.8	1.1	40.4	0.2	2.9	16.0	9.0	3.4	270	15	63.1	81	1015
11/7/2015 9:00	0.9	0.9	1.0	27.0	0.1	2.6	11.0	8.0	3.7	296	9	63.7	77	1015
11/7/2015 10:00	0.9	BDL	BDL	8.7	BDL	2.0	11.0	7.0	7.2	307	10	64.1	64	1016
11/7/2015 11:00	0.7	BDL	BDL	5.0	BDL	2.1	17.0	5.0	8.3	315	9	63.4	58	1016
11/7/2015 12:00	0.5	BDL	BDL	7.0	BDL	2.0	15.0	3.0	5.4	297	11	61.4	66	1015
11/7/2015 13:00	0.4	BDL	BDL	6.1	BDL	2.1	6.0	4.0	5.4	297	14	61.3	57	1015
11/7/2015 14:00	BDL	BDL	BDL	5.0	BDL	2.0	8.0	4.0	9.1	313	8	59.6	53	1015
11/7/2015 15:00	BDL	BDL	BDL	4.9	BDL	1.9	7.0	4.0	8.1	310	9	58.8	53	1014
11/7/2015 16:00	BDL	BDL	BDL	4.2	BDL	2.4	11.0	4.0	9.5	315	10	57.8	51	1014
11/7/2015 17:00	BDL	BDL	BDL	3.9	BDL	2.0	12.0	5.0	9.2	309	9	57.2	53	1015
11/7/2015 18:00	BDL	BDL	BDL	4.4	BDL	2.1	10.0	8.0	8.5	309	8	56.8	54	1016
11/7/2015 19:00	BDL	BDL	BDL	5.8	BDL	1.9	10.0	5.0	6.5	306	9	56.8	54	1016
11/7/2015 20:00	BDL	BDL	BDL	5.5	BDL	1.8	15.0	4.0	5.7	300	10	56.7	55	1017
11/7/2015 21:00	BDL	BDL	BDL	4.2	BDL	1.8	14.0	5.0	6.7	301	9	56.4	56	1018
11/7/2015 22:00	BDL	BDL	BDL	3.2	BDL	1.8	11.0	4.0	6.4	300	10	55.7	56	1018
11/7/2015 23:00	BDL	BDL	BDL	3.9	BDL	1.8	13.0	5.0	8.0	308	9	54.3	57	1019

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 11/8/2015-11/14/2015														
11/8/2015 0:00	BDL	BDL	BDL	3.6	BDL	2.0	7.0	7.0	11.7	314	8	53.6	53	1020
11/8/2015 1:00	0.5	BDL	BDL	4.6	BDL	2.2	5.0	4.0	10.2	316	9	53.3	51	1021
11/8/2015 2:00	BDL	BDL	BDL	4.6	BDL	2.1	8.0	3.0	9.1	313	8	52.3	52	1022
11/8/2015 3:00	BDL	BDL	BDL	4.2	BDL	2.1	8.0	4.0	8.4	312	8	51.2	54	1022
11/8/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	7.0	4.0	6.3	306	9	50.2	56	1023
11/8/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	6.0	3.0	7.5	311	7	48.8	60	1023
11/8/2015 6:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	Calibration	6.0	6.0	7.1	314	8	47.9	61	1024
11/8/2015 7:00	0.6	BDL	BDL	7.0	BDL	2.3	8.0	5.0	5.4	303	8	46.9	65	1025
11/8/2015 8:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	Calibration	8.0	6.0	6.2	309	8	47.1	63	1026
11/8/2015 9:00	0.8	BDL	BDL	8.5	BDL	2.3	7.0	4.0	8.4	320	12	49.1	59	1027
11/8/2015 10:00	0.6	BDL	BDL	9.6	BDL	2.3	6.0	2.0	8.9	328	15	50.9	54	1027
11/8/2015 11:00	0.5	BDL	BDL	6.0	BDL	2.2	7.0	5.0	6.6	337	24	52.3	48	1028
11/8/2015 12:00	BDL	BDL	BDL	5.3	BDL	2.1	7.0	4.0	6.1	322	24	54.0	41	1027
11/8/2015 13:00	BDL	BDL	BDL	6.9	BDL	2.1	7.0	2.0	5.5	318	28	55.4	37	1027
11/8/2015 14:00	BDL	BDL	BDL	7.4	BDL	2.1	5.0	5.0	4.2	336	36	55.9	35	1026
11/8/2015 15:00	BDL	BDL	BDL	3.3	BDL	2.1	3.0	5.0	4.3	311	21	56.9	35	1026
11/8/2015 16:00	BDL	BDL	BDL	2.3	BDL	2.2	7.0	5.0	4.5	298	29	56.8	35	1026
11/8/2015 17:00	BDL	BDL	BDL	2.2	BDL	2.1	8.0	4.0	4.1	298	12	56.1	38	1026
11/8/2015 18:00	BDL	BDL	BDL	7.1	BDL	4.9	8.0	5.0	2.1	294	22	54.4	48	1027
11/8/2015 19:00	BDL	BDL	BDL	21.8	0.1	4.2	13.0	8.0	1.9	252	20	52.2	59	1027
11/8/2015 20:00	BDL	BDL	BDL	21.3	0.1	2.9	16.0	11.0	3.2	285	13	51.3	57	1028
11/8/2015 21:00	BDL	BDL	BDL	25.7	0.2	3.4	16.0	11.0	2.1	247	20	49.4	63	1028
11/8/2015 22:00	BDL	0.6	1.3	29.5	0.2	3.9	19.0	10.0	1.3	237	26	48.8	67	1028
11/8/2015 23:00	0.5	1.7	2.0	46.7	0.3	4.0	22.0	16.0	1.2	257	20	47.7	70	1028
11/9/2015 0:00	0.5	BDL	BDL	37.0	0.4	3.6	18.0	21.0	1.1	269	18	46.2	73	1029
11/9/2015 1:00	0.7	BDL	BDL	54.1	0.4	4.0	25.0	17.0	1.0	257	33	45.0	78	1029
11/9/2015 2:00	0.8	BDL	BDL	50.8	0.4	3.5	28.0	22.0	1.3	265	21	44.0	79	1029
11/9/2015 3:00	0.9	BDL	BDL	56.5	0.4	3.7	21.0	16.0	1.4	279	17	43.9	82	1029
11/9/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	27.0	21.0	0.8	267	43	43.3	83	1028
11/9/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	27.0	21.0	0.9	281	23	42.5	87	1028
11/9/2015 6:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	Calibration	37.0	22.0	0.5	119	48	42.1	91	1028
11/9/2015 7:00	2.1	3.2	0.8	152.1	0.7	4.3	54.0	27.0	1.3	102	30	41.5	96	1029
11/9/2015 8:00	Too few samples	3.4	BDL	Too few samples	0.7	5.6	76.0	29.0	1.0	90	38	42.3	90	1029
11/9/2015 9:00	2.0	2.2	BDL	133.9	0.5	18.1	62.0	32.0	1.9	97	21	44.8	71	1030
11/9/2015 10:00	1.4	0.7	BDL	77.5	0.2	2.5	42.0	18.0	2.9	86	18	49.3	54	1029
11/9/2015 11:00	1.5	BDL	BDL	57.2	0.1	2.1	40.0	16.0	3.2	68	28	52.5	46	1029
11/9/2015 12:00	1.3	BDL	BDL	39.5	0.1	2.1	33.0	14.0	2.6	150	39	55.4	41	1028
11/9/2015 13:00	0.8	BDL	BDL	24.5	BDL	2.0	23.0	8.0	1.9	134	50	56.7	37	1027
11/9/2015 14:00	0.5	BDL	BDL	15.5	BDL	2.0	14.0	7.0	2.3	141	33	58.7	36	1026
11/9/2015 15:00	BDL	BDL	BDL	9.3	BDL	1.8	11.0	6.0	1.7	174	31	59.0	36	1026
11/9/2015 16:00	0.4	BDL	BDL	18.2	BDL	1.8	24.0	8.0	1.3	172	31	59.2	37	1026
11/9/2015 17:00	0.4	BDL	BDL	21.7	BDL	1.9	29.0	8.0	2.8	84	17	58.6	40	1025
11/9/2015 18:00	BDL	BDL	BDL	26.4	BDL	1.9	30.0	7.0	3.2	79	13	57.9	44	1025
11/9/2015 19:00	BDL	BDL	BDL	23.3	BDL	1.9	22.0	10.0	4.4	90	13	57.2	48	1025
11/9/2015 20:00	BDL	BDL	BDL	19.2	BDL	1.8	24.0	9.0	4.6	74	15	56.3	55	1025
11/9/2015 21:00	0.6	BDL	BDL	14.9	BDL	1.7	30.0	19.0	4.1	62	14	56.2	57	1025
11/9/2015 22:00	0.4	BDL	BDL	21.2	BDL	1.7	18.0	12.0	5.4	55	14	55.9	57	1024
11/9/2015 23:00	0.4	BDL	~~0.4~~	18.8	BDL	1.8	21.0	9.0	4.9	68	13	55.5	58	1024
11/10/2015 0:00	BDL	BDL	BDL	20.9	BDL	1.7	11.0	9.0	5.0	58	14	55.1	61	1023
11/10/2015 1:00	BDL	BDL	BDL	15.3	BDL	1.7	13.0	8.0	6.7	64	12	54.6	67	1021
11/10/2015 2:00	BDL	BDL	BDL	12.9	BDL	1.7	12.0	5.0	5.3	40	16	53.9	78	1021
11/10/2015 3:00	BDL	BDL	BDL	16.4	4.0	1.8	13.0	4.0	7.6	59	11	53.4	84	1021
11/10/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	12.0	4.0	6.8	63	10	53.4	95	1019
11/10/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	9.0	4.0	6.9	30	16	53.5	97	1018
11/10/2015 6:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	Calibration	9.0	6.0	8.9	45	14	54.0	98	1017
11/10/2015 7:00	BDL	BDL	BDL	18.4	BDL	1.5	5.0	5.0	8.5	44	12	55.5	99	1016
11/10/2015 8:00	BDL	BDL	BDL	29.2	0.1	1.6	3.0	9.0	6.4	35	17	55.8	98	1016
11/10/2015 9:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	Calibration	4.0	8.0	7.6	36	15	56.8	98	1016
11/10/2015 10:00	BDL	BDL	BDL	23.3	Calibration	2.0	7.0	5.0	11.1	53	10	57.7	98	1014
11/10/2015 11:00	BDL	BDL	Too few samples	17.3	Calibration	1.9	4.0	6.0	10.8	55	11	58.6	98	1014
11/10/2015 12:00	BDL	BDL	BDL	14.0	Calibration	1.9	2.0	4.0	11.9	59	12	59.4	96	1012
11/10/2015 13:00	Too few samples	BDL	BDL	Too few samples	Too few samples	Too few samples	3.0	0.0	12.5	61	12	59.8	94	1011
11/10/2015 14:00	BDL	BDL	BDL	11.8	BDL	1.8	3.0	-1.0	12.4	57	11	59.5	94	1010
11/10/2015 15:00	BDL	BDL	BDL	12.0	BDL	1.8	2.0	0.0	11.3	54	10	58.9	97	1009
11/10/2015 16:00	BDL	BDL	BDL	12.8	BDL	1.7	5.0	2.0	10.1	50	11	58.7	99	1008
11/10/2015 17:00	BDL	BDL	BDL	11.2	BDL	1.8	5.0	2.0	8.8	49	11	58.3	100	1007
11/10/2015 18:00	BDL	BDL	BDL	15.4	BDL	1.8	3.0	1.0	7.3	48	11	58.1	100	1007
11/10/2015 19:00	BDL	BDL	BDL	12.2	BDL	1.9	1.0	2.0	7.3	48	20	58.0	100	1006
11/10/2015 20:00	BDL	BDL	BDL	9.9	BDL	1.9	0.0	2.0	8.4	46	13	57.9	100	1006
11/10/2015 21:00	BDL	BDL	BDL	7.4	BDL	2.0	1.0	2.0	5.9	32	17	57.7	100	1005
11/10/2015 22:00	BDL	BDL	BDL	11.1	BDL	1.9	1.0	1.0	7.6	353	18	57.5	100	1005
11/10/2015 23:00	BDL	BDL	BDL	20.8	BDL	2.0	3.0	2.0	11.7	341	9	56.1	98	1005
11/11/2015 0:00	BDL	BDL	BDL	19.1	BDL	2.0	6.0	4.0	10.8	335	12	54.6	97	1005
11/11/2015 1:00	0.6	BDL	BDL	20.7	BDL	1.9	4.0	1.0	11.5	342	10	53.9	95	1005
11/11/2015 2:00	0.6	BDL	BDL	10.7	BDL	1.9	7.0	8.0	11.3	340	12	53.9	92	1006
11/11/2015 3:00	0.8	BDL	BDL	7.5	BDL	1.9	7.0	6.0	8.0	355	17	53.7	91	1006
11/11/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	3.0	1.0	7.6	323	14	53.5	90	1006
11/11/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	0.0	2.0	7.7	311	8	53.2	90	1007
11/11/2015 6:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	Calibration	0.0	4.0	7.6	309	7	53.8	90	1007
11/11/2015 7:00	0.4	BDL	BDL	7.8	BDL	2.1	3.0	3.0	7.8	312	7	53.8	91	1008
11/11/2015 8:00	BDL	BDL	BDL	9.4	BDL	16.6	1.0	4.0	8.5	317	8	53.8	93	1008
11/11/2015 9:00	BDL	BDL	BDL	10.6	BDL	2.0	3.0	3.0	7.7	313	9	55.1	90	1008
11/11/2015 10:00	BDL	BDL	BDL	13.1	BDL	2.0	10.0	4.0	8.4	319	10	56.5	87	1009
11/11/2015 11:00	BDL	BDL	BDL	13.2	BDL	2.0	6.0	7.0	9.4	314	10	58.0	81	1010
11/11/2015 12:00	BDL	BDL	BDL	11.8	BDL	1.9	4.0	4.0	9.8	317	10	58.8	80	1009
11/11/2015 13:00	BDL	BDL	BDL	9.7	BDL	1.9	3.0	3.0	10.9	318	10	60.2	74	1009
11/11/2015 14:00	BDL	BDL	BDL	8.3	BDL	1.8	-1.0	3.0	12.1	322	11	61.8	69	1008
11/11/2015 15:00	BDL	BDL	BDL	6.9	BDL	1.9	1.0	3.0	11.0	318	10	61.9	69	1009
11/11/2015 16:00	BDL	BDL	BDL	11.8	BDL	1.9	11.0	2.0	10.2	326	11	62.1	68	1010
11/11/2015 17:00	BDL	BDL	BDL	10.5	BDL	2.0	6.0	2.0	7.6	316	10	60.8	71	1010
11/11/2015 18:00	BDL	BDL	BDL	8.2	BDL	1.9	8.0	3.0	9.0	309	8	59.4	76	1011
11/11/2015 19:00	BDL	BDL	BDL	10.1	BDL	2.0	9.0	3.0	6.1	305	8	57.8	80	1012
11/11/2015 20:00	BDL	BDL	BDL	10.5	BDL	2.2	9.0	7.0	4.7	297	9	56.4	84	1012
11/11/2015 21:00	BDL	BDL	BDL	9.5	BDL	2.2	10.0	5.0	4.7	300	10	55.6	85	1012
11/11/2015 22:00	BDL	BDL	BDL	12.0	BDL	2.2	11.0	5.0	4.1	306	17	55.1	85	1013
11/11/2015 23:00	BDL	BDL	BDL	13.5	BDL	2.2	11.0	5.0	4.7	304	12	54.7	84	1012

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 11/8/2015-11/14/2015														
11/12/2015 0:00	BDL	BDL	BDL	11.6	BDL	2.6	9.0	4.0	2.8	239	19	54.3	85	1012
11/12/2015 1:00	BDL	2.2	2.0	17.9	0.05	3.8	30.0	7.0	2.2	218	14	53.5	86	1012
11/12/2015 2:00	BDL	BDL	1.0	12.7	BDL	2.6	17.0	9.0	2.3	290	30	53.0	87	1012
11/12/2015 3:00	BDL	BDL	BDL	23.7	BDL	3.1	12.0	10.0	1.8	174	34	51.9	90	1012
11/12/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	13.0	8.0	1.8	176	21	51.1	95	1012
11/12/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	13.0	12.0	1.8	149	24	51.1	95	1011
11/12/2015 6:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	Calibration	18.0	9.0	3.0	184	18	51.4	95	1012
11/12/2015 7:00	0.7	BDL	BDL	Calibration	BDL	2.2	20.0	12.0	3.1	136	16	51.3	94	1011
11/12/2015 8:00	Too few samples	BDL	BDL	Too few samples	Too few samples	Too few samples	17.0	11.0	3.8	130	16	51.7	95	1010
11/12/2015 9:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	12.0	9.0	3.0	162	19	53.5	94	1010
11/12/2015 10:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	13.0	7.0	5.1	158	15	54.3	93	1009
11/12/2015 11:00	0.5	BDL	BDL	22.3	BDL	1.8	12.0	8.0	4.9	190	14	55.7	92	1009
11/12/2015 12:00	BDL	BDL	BDL	14.5	BDL	1.7	10.0	8.0	8.4	161	14	55.1	96	1007
11/12/2015 13:00	BDL	BDL	BDL	17.5	BDL	1.6	14.0	6.0	8.3	165	13	56.2	93	1005
11/12/2015 14:00	0.4	BDL	BDL	27.9	BDL	1.6	11.0	7.0	8.6	165	13	57.3	92	1002
11/12/2015 15:00	0.4	BDL	BDL	27.4	BDL	1.5	9.0	7.0	6.9	157	12	57.8	92	1001
11/12/2015 16:00	BDL	BDL	BDL	14.6	BDL	1.4	9.0	6.0	6.6	178	13	58.8	91	1000
11/12/2015 17:00	0.4	BDL	BDL	17.3	BDL	1.4	10.0	9.0	5.1	193	14	59.5	88	1000
11/12/2015 18:00	0.4	BDL	BDL	11.9	BDL	1.4	13.0	6.0	5.4	193	12	59.1	87	1000
11/12/2015 19:00	BDL	BDL	BDL	9.6	BDL	1.4	17.0	7.0	5.1	173	11	57.2	90	999
11/12/2015 20:00	0.4	BDL	BDL	11.6	BDL	1.5	16.0	7.0	5.1	202	12	57.6	89	999
11/12/2015 21:00	0.7	BDL	0.7	15.4	BDL	2	19.0	10.0	5.7	266	17	57.3	87	999
11/12/2015 22:00	0.4	BDL	BDL	12.5	BDL	1.6	15.0	14.0	6.0	297	8	56.2	89	1000
11/12/2015 23:00	0.6	BDL	BDL	6.4	BDL	1.5	15.0	11.0	10.9	295	10	57.2	72	1001
11/13/2015 0:00	0.6	BDL	BDL	3.2	BDL	1.5	9.0	8.0	10.7	288	12	56.7	57	1002
11/13/2015 1:00	BDL	BDL	BDL	3.4	BDL	1.9	8.0	5.0	6.0	267	14	55.6	60	1002
11/13/2015 2:00	0.4	BDL	BDL	8.6	BDL	3	5.0	5.0	5.4	248	14	55.0	63	1002
11/13/2015 3:00	1.2	BDL	BDL	10.9	BDL	2.2	11.0	8.0	6.7	240	13	55.5	64	1002
11/13/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	12.0	7.0	6.7	245	12	54.4	67	1002
11/13/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	10.0	6.0	5.8	256	16	54.2	65	1003
11/13/2015 6:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	Calibration	12.0	8.0	6.2	243	15	54.4	59	1003
11/13/2015 7:00	Too few samples	BDL	BDL	Too few samples	Too few samples	Too few samples	14.0	8.0	6.9	243	13	53.4	64	1004
11/13/2015 8:00	2.0	BDL	0.4	25.0	BDL	2.0	13.0	9.0	6.9	236	14	54.4	58	1004
11/13/2015 9:00	0.8	BDL	BDL	16.8	BDL	2.1	11.0	6.0	7.9	248	16	55.9	49	1005
11/13/2015 10:00	0.5	BDL	BDL	6.0	BDL	1.6	15.0	4.0	10.3	280	15	56.6	44	1005
11/13/2015 11:00	0.4	BDL	BDL	4.4	BDL	1.3	7.0	4.0	13.5	293	15	56.8	40	1005
11/13/2015 12:00	BDL	BDL	BDL	5.2	BDL	1.4	16.0	4.0	12.7	284	17	57.5	38	1005
11/13/2015 13:00	BDL	BDL	BDL	3.4	BDL	1.4	14.0	6.0	14.8	283	16	57.1	37	1005
11/13/2015 14:00	BDL	BDL	BDL	3.9	BDL	1.5	18.0	6.0	13.3	293	15	57.1	37	1004
11/13/2015 15:00	BDL	BDL	BDL	5.6	BDL	1.6	12.0	4.0	13.9	294	16	56.3	36	1005
11/13/2015 16:00	BDL	BDL	BDL	3.2	BDL	1.6	11.0	1.0	11.0	288	14	55.8	36	1006
11/13/2015 17:00	BDL	BDL	BDL	3.7	BDL	2.0	13.0	5.0	9.5	284	13	54.8	38	1006
11/13/2015 18:00	BDL	BDL	BDL	7.1	BDL	1.6	15.0	10.0	5.6	292	9	53.1	42	1007
11/13/2015 19:00	BDL	BDL	BDL	11.1	BDL	1.9	12.0	7.0	5.4	272	15	52.2	45	1008
11/13/2015 20:00	BDL	BDL	BDL	5.2	BDL	1.8	18.0	6.0	8.8	284	13	51.4	38	1009
11/13/2015 21:00	BDL	BDL	BDL	3.5	BDL	1.8	10.0	5.0	10.1	287	13	50.6	34	1010
11/13/2015 22:00	0.4	BDL	BDL	2.8	BDL	2.0	10.0	4.0	13.7	290	13	49.9	33	1010
11/13/2015 23:00	0.4	BDL	BDL	2.9	BDL	1.8	7.0	2.0	10.0	281	14	48.8	36	1010
11/14/2015 0:00	0.4	BDL	0	4.1	BDL	1.8	7.0	3.0	7.7	280	13	47.8	38	1011
11/14/2015 1:00	0.5	BDL	BDL	3.3	BDL	1.8	4.0	5.0	8.1	276	13	47.0	40	1011
11/14/2015 2:00	1.3	BDL	BDL	5.3	BDL	1.7	7.0	6.0	5.7	256	15	46.2	44	1012
11/14/2015 3:00	1.2	BDL	BDL	7.5	BDL	1.6	8.0	5.0	6.3	249	14	45.5	47	1013
11/14/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	6.0	4.0	6.5	270	16	44.8	51	1013
11/14/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	6.0	4.0	5.4	254	15	43.9	53	1013
11/14/2015 6:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	Calibration	9.0	4.0	5.1	259	15	43.4	58	1014
11/14/2015 7:00	0.8	BDL	BDL	9.7	BDL	1.8	9.0	6.0	6.0	259	15	44.5	57	1015
11/14/2015 8:00	Calibration	BDL	Too few samples	Calibration	Calibration	Calibration	15.0	5.0	8.7	276	15	46.3	55	1016
11/14/2015 9:00	BDL	BDL	BDL	2.8	BDL	2.4	5.0	2.0	10.2	296	13	46.6	53	1017
11/14/2015 10:00	BDL	BDL	BDL	2.4	BDL	2.3	3.0	5.0	13.4	309	10	47.1	48	1018
11/14/2015 11:00	BDL	BDL	BDL	3.2	BDL	2.0	8.0	1.0	15.1	314	10	47.5	47	1018
11/14/2015 12:00	BDL	BDL	BDL	4.7	BDL	2.0	8.0	0.0	16.6	318	10	48.2	45	1018
11/14/2015 13:00	BDL	BDL	BDL	2.5	BDL	1.9	9.0	2.0	16.6	310	12	49.1	41	1018
11/14/2015 14:00	BDL	BDL	BDL	2.2	BDL	1.9	6.0	4.0	15.3	312	10	48.9	42	1018
11/14/2015 15:00	BDL	BDL	BDL	3.2	BDL	1.9	4.0	4.0	12.9	317	10	49.2	42	1018
11/14/2015 16:00	BDL	BDL	BDL	2.6	BDL	2.0	5.0	4.0	12.8	315	11	49.0	40	1019
11/14/2015 17:00	BDL	BDL	BDL	2.7	BDL	1.9	5.0	4.0	11.3	313	9	48.1	45	1020
11/14/2015 18:00	BDL	BDL	BDL	4.8	BDL	1.9	7.0	3.0	8.2	309	7	46.8	49	1021
11/14/2015 19:00	BDL	BDL	BDL	8.5	BDL	2.0	7.0	2.0	6.7	308	8	45.6	52	1022
11/14/2015 20:00	BDL	BDL	BDL	8.6	BDL	2.1	6.0	2.0	5.4	301	7	44.7	55	1022
11/14/2015 21:00	BDL	BDL	BDL	10.8	BDL	2.2	5.0	6.0	5.9	302	7	43.7	57	1023
11/14/2015 22:00	BDL	BDL	BDL	13.2	BDL	3.2	12.0	6.0	3.4	280	13	43.1	60	1024
11/14/2015 23:00	BDL	BDL	BDL	17.8	BDL	3.0	11.0	9.0	3.8	283	19	41.9	64	1024

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 11/15/2015-11/21/2015														
11/15/2015 0:00	BDL	BDL	BDL	11.5	BDL	2.2	8.0	8.0	3.6	285	14	41.5	64	1024
11/15/2015 1:00	BDL	BDL	BDL	8.0	BDL	2.2	8.0	6.0	3.1	279	14	41.3	65	1024
11/15/2015 2:00	BDL	2.1	1.3	18.4	BDL	3.0	11.0	8.0	3.3	233	12	40.4	69	1024
11/15/2015 3:00	BDL	BDL	BDL	24.6	BDL	2.4	12.0	9.0	3.7	243	13	40.3	69	1024
11/15/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	17.0	11.0	2.8	242	13	39.4	78	1024
11/15/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	14.0	12.0	2.5	251	22	38.9	81	1024
11/15/2015 6:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	Calibration	17.0	18.0	3.0	248	14	38.8	83	1025
11/15/2015 7:00	0.8	BDL	BDL	42.4	0.1	2.5	21.0	13.0	2.7	242	12	38.9	84	1025
11/15/2015 8:00	1.7	1.1	0.9	39.0	0.1	2.4	14.0	14.0	4.9	246	13	40.9	76	1025
11/15/2015 9:00	2.9	BDL	BDL	25.6	BDL	2.2	13.0	12.0	6.4	242	13	44.1	67	1026
11/15/2015 10:00	5.3	BDL	BDL	24.8	BDL	2.1	19.0	12.0	6.0	235	16	48.3	59	1025
11/15/2015 11:00	3.3	BDL	BDL	18.4	BDL	2.0	16.0	7.0	8.9	230	12	52.0	45	1024
11/15/2015 12:00	2.0	BDL	BDL	14.6	BDL	1.9	35.0	4.0	9.2	230	14	54.7	40	1024
11/15/2015 13:00	2.3	BDL	BDL	15.4	BDL	1.8	19.0	6.0	9.1	233	15	57.6	37	1022
11/15/2015 14:00	1.9	BDL	BDL	12.0	BDL	1.8	9.0	5.0	8.9	225	15	59.4	35	1021
11/15/2015 15:00	1.7	BDL	BDL	13.3	BDL	1.8	17.0	3.0	9.7	220	13	59.2	38	1021
11/15/2015 16:00	1.5	BDL	BDL	13.8	BDL	1.9	15.0	5.0	10.0	220	13	59.3	37	1021
11/15/2015 17:00	2.2	BDL	BDL	25.4	BDL	2.1	13.0	8.0	8.2	221	12	58.8	38	1021
11/15/2015 18:00	2.7	BDL	BDL	33.4	0.1	2.6	30.0	10.0	5.6	218	12	58.2	43	1021
11/15/2015 19:00	4.2	BDL	BDL	38.2	0.1	2.4	21.0	11.0	5.5	214	13	56.9	47	1021
11/15/2015 20:00	3.8	BDL	BDL	33.5	0.1	2.3	18.0	11.0	7.4	223	12	55.5	51	1021
11/15/2015 21:00	2.9	0.8	0.7	27.8	0.04	1.9	17.0	12.0	6.5	228	13	54.5	55	1021
11/15/2015 22:00	1.9	1.6	2.1	21.5	BDL	1.9	13.0	9.0	5.8	236	12	53.0	59	1021
11/15/2015 23:00	1.9	0.9	2.2	26.5	BDL	2.0	18.0	13.0	4.7	240	13	52.5	61	1021
11/16/2015 0:00	1.5	BDL	BDL	40.7	0.1	2.3	17.0	13.0	2.7	238	13	51.2	66	1021
11/16/2015 1:00	0.8	4.1	4.8	29.1	0.1	2.6	19.0	12.0	1.8	219	22	50.5	68	1021
11/16/2015 2:00	1.0	BDL	1.0	36.0	0.2	1.7	19.0	10.0	2.8	200	11	49.5	71	1021
11/16/2015 3:00	0.7	BDL	BDL	25.9	0.2	2.5	17.0	14.0	3.2	223	11	48.5	70	1021
11/16/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	20.0	10.0	3.2	232	11	48.5	68	1021
11/16/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	20.0	13.0	4.0	223	12	49.0	67	1022
11/16/2015 6:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	Calibration	18.0	12.0	2.6	226	11	48.1	70	1022
11/16/2015 7:00	Too few samples	0.4	BDL	Too few samples	Too few samples	Too few samples	29.0	19.0	2.8	222	12	47.6	72	1022
11/16/2015 8:00	Too few samples	Too few samples	BDL	Too few samples	Too few samples	Too few samples	71.0	20.0	2.2	228	15	48.3	67	1022
11/16/2015 9:00	2.4	1.5	1.2	59.0	0.1	17.0	39.0	15.0	3.4	228	13	52.3	57	1022
11/16/2015 10:00	2.6	1.1	0.6	50.6	0.1	2.6	40.0	14.0	3.6	230	14	57.8	44	1022
11/16/2015 11:00	2.0	BDL	BDL	17.5	BDL	2.1	16.0	8.0	5.7	310	21	62.6	35	1022
11/16/2015 12:00	1.2	BDL	BDL	8.1	BDL	2.0	12.0	6.0	5.4	303	17	65.5	31	1021
11/16/2015 13:00	0.8	BDL	BDL	6.3	BDL	1.9	16.0	7.0	6.3	302	16	67.1	29	1020
11/16/2015 14:00	0.9	BDL	BDL	6.8	BDL	1.9	11.0	6.0	5.5	283	16	68.3	26	1019
11/16/2015 15:00	0.8	BDL	BDL	4.8	BDL	1.8	12.0	8.0	7.5	294	13	68.0	26	1019
11/16/2015 16:00	1.1	BDL	BDL	6.6	BDL	1.8	15.0	7.0	6.2	281	14	67.0	29	1020
11/16/2015 17:00	1.0	BDL	BDL	10.5	BDL	2.0	16.0	7.0	4.1	276	11	64.8	37	1020
11/16/2015 18:00	0.7	BDL	BDL	26.2	0.1	2.5	30.0	9.0	2.8	261	8	61.2	46	1021
11/16/2015 19:00	0.6	BDL	BDL	38.0	0.1	4.9	32.0	16.0	2.6	258	9	59.1	50	1021
11/16/2015 20:00	0.5	BDL	BDL	43.5	0.4	3.3	34.0	16.0	1.9	246	8	56.8	58	1021
11/16/2015 21:00	2.4	0.8	BDL	69.0	0.5	6.9	44.0	25.0	1.3	252	46	54.3	68	1022
11/16/2015 22:00	1.9	1.5	0.7	72.6	0.5	5.0	37.0	23.0	1.2	189	35	52.5	72	1022
11/16/2015 23:00	1.3	1.6	1.0	68.2	0.4	4.5	33.0	21.0	0.7	156	52	51.2	82	1023
11/17/2015 0:00	2.0	2.6	1.4	96.4	0.6	5.3	41.0	24.0	1.8	33	29	51.2	77	1023
11/17/2015 1:00	1.3	0.5	BDL	58.3	0.3	2.6	27.0	16.0	4.2	58	11	53.0	61	1024
11/17/2015 2:00	2.6	0.9	BDL	68.5	0.3	2.8	34.0	15.0	3.2	73	13	51.6	65	1024
11/17/2015 3:00	1.4	BDL	BDL	37.5	0.1	2.2	24.0	16.0	8.9	53	10	51.1	60	1025
11/17/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	19.0	13.0	8.4	49	10	50.1	56	1026
11/17/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	16.0	12.0	8.7	45	11	49.5	52	1026
11/17/2015 6:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	Calibration	17.0	7.0	10.7	50	10	48.0	57	1027
11/17/2015 7:00	BDL	BDL	BDL	14.4	BDL	1.8	22.0	4.0	10.9	53	10	46.6	63	1028
11/17/2015 8:00	Data handling issue	---	---	---	---	---	---	---	---	---	---	---	---	---
11/17/2015 9:00	BDL	BDL	BDL	16.7	BDL	1.9	31.0	6.0	12.3	51	11	46.2	61	1029
11/17/2015 10:00	BDL	BDL	BDL	18.9	BDL	2.1	28.0	7.0	10.6	60	14	47.9	60	1030
11/17/2015 11:00	BDL	BDL	BDL	13.8	BDL	2.1	32.0	6.0	11.3	60	13	49.6	61	1030
11/17/2015 12:00	BDL	BDL	BDL	11.6	BDL	2.1	36.0	5.0	10.5	65	15	51.5	61	1030
11/17/2015 13:00	BDL	BDL	BDL	6.9	BDL	1.9	24.0	5.0	8.2	73	17	52.6	60	1030
11/17/2015 14:00	BDL	BDL	BDL	8.4	BDL	1.9	34.0	6.0	6.9	74	18	53.6	58	1030
11/17/2015 15:00	BDL	BDL	BDL	9.7	BDL	1.9	Audit	Audit	7.3	73	17	53.8	57	1029
11/17/2015 16:00	BDL	BDL	BDL	9.1	BDL	2.0	28.0	10.0	6.8	82	14	53.5	56	1029
11/17/2015 17:00	BDL	BDL	BDL	9.2	BDL	1.9	14.0	7.0	7.4	89	13	52.3	60	1030
11/17/2015 18:00	BDL	BDL	BDL	6.7	BDL	1.9	16.0	7.0	8.1	90	12	50.4	64	1030
11/17/2015 19:00	BDL	BDL	BDL	11.8	BDL	2.0	16.0	6.0	6.4	89	11	48.8	66	1031
11/17/2015 20:00	BDL	BDL	BDL	12.8	BDL	2.1	18.0	5.0	4.9	90	12	47.7	69	1031
11/17/2015 21:00	BDL	BDL	BDL	22.3	BDL	1.9	15.0	7.0	3.9	80	12	46.6	72	1031
11/17/2015 22:00	BDL	BDL	BDL	17.0	BDL	2.0	17.0	9.0	4.7	63	10	45.4	75	1031
11/17/2015 23:00	BDL	BDL	BDL	21.9	BDL	2.0	20.0	7.0	4.5	61	10	44.7	77	1031
11/18/2015 0:00	BDL	BDL	BDL	23.8	BDL	2.0	17.0	5.0	4.6	61	10	43.9	80	1031
11/18/2015 1:00	BDL	BDL	BDL	20.1	BDL	2.1	19.0	11.0	5.2	63	11	43.5	81	1030
11/18/2015 2:00	BDL	BDL	BDL	22.8	BDL	1.9	18.0	9.0	4.9	63	10	43.0	82	1030
11/18/2015 3:00	BDL	BDL	BDL	21.8	BDL	2.0	15.0	5.0	4.3	60	8	42.4	85	1030
11/18/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	17.0	6.0	4.6	50	9	43.0	84	1030
11/18/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	20.0	10.0	4.7	61	10	43.5	85	1030
11/18/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	BDL	2.1	19.0	9.0	5.8	63	12	43.6	85	1029
11/18/2015 7:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	26.0	12.0	5.4	57	10	43.3	86	1029
11/18/2015 8:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	30.0	14.0	5.6	54	10	44.4	84	1029
11/18/2015 9:00	0.8	BDL	BDL	45.0	0.1	2.2	31.0	13.0	5.8	54	11	46.8	79	1029
11/18/2015 10:00	1.2	BDL	BDL	50.4	0.1	2.3	35.0	9.0	6.5	61	13	50.5	73	1029
11/18/2015 11:00	BDL	BDL	BDL	16.6	BDL	1.5	Maintenance	Maintenance	6.8	93	15	55.2	71	1028
11/18/2015 12:00	BDL	BDL	BDL	12.4	BDL	1.7	27.0	1.0	5.1	102	16	57.7	72	1027
11/18/2015 13:00	BDL	BDL	BDL	7.7	BDL	1.3	19.0	2.0	7.5	95	14	59.3	70	1027
11/18/2015 14:00	0.4	BDL	BDL	9.2	BDL	25.5	18.0	5.0	7.2	100	14	60.1	71	1026
11/18/2015 15:00	BDL	BDL	BDL	11.7	BDL	0.2	24.0	7.0	7.5	109	13	60.6	71	1025
11/18/2015 16:00	BDL	BDL	BDL	15.6	BDL	0.5	22.0	7.0	7.4	105	14	60.2	74	1025
11/18/2015 17:00	BDL	BDL	BDL	9.8	BDL	BDL	19.0	4.0	7.0	100	15	59.4	77	1025
11/18/2015 18:00	BDL	BDL	BDL	6.6	BDL	BDL	13.0	3.0	6.2	91	12	58.5	80	1025
11/18/2015 19:00	BDL	BDL	BDL	6.6	BDL	BDL	19.0	7.0	5.9	94	16	58.2	84	1025
11/18/2015 20:00	BDL	BDL	BDL	7.8	BDL	BDL	15.0	6.0	4.5	89	14	58.1	87	1025
11/18/2015 21:00	BDL	BDL	BDL	6.2	BDL	BDL	15.0	4.0	4.6	88	13	58.3	87	1024
11/18/2015 22:00	BDL	BDL	BDL	4.4	BDL	BDL	15.0	4.0	6.6	86	12	58.3	88	1024
11/18/2015 23:00	BDL	BDL	BDL	4.3	BDL	BDL	18.0	3.0	5.1	92	12	58.2	89	1022

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 11/15/2015-11/21/2015														
11/19/2015 0:00	BDL	BDL	BDL	8.2	BDL	BDL	15.0	8.0	3.2	77	14	57.7	91	1022
11/19/2015 1:00	BDL	BDL	BDL	11.1	BDL	BDL	17.0	6.0	3.1	60	10	56.7	94	1022
11/19/2015 2:00	BDL	BDL	BDL	17.0	BDL	BDL	15.0	5.0	3.6	63	9	56.2	96	1022
11/19/2015 3:00	BDL	BDL	BDL	14.7	BDL	BDL	12.0	3.0	3.7	69	10	56.6	96	1021
11/19/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	9.0	6.0	3.7	80	13	57.2	93	1021
11/19/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	14.0	6.0	4.3	95	15	58.3	89	1021
11/19/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	BDL	Too few samples	16.0	4.0	6.4	117	16	59.5	86	1020
11/19/2015 7:00	0.4	BDL	BDL	20.8	BDL	BDL	12.0	5.0	6.3	127	16	60.7	84	1019
11/19/2015 8:00	BDL	BDL	BDL	22.2	BDL	BDL	17.0	4.0	5.9	122	16	61.0	84	1019
11/19/2015 9:00	BDL	BDL	BDL	14.6	BDL	0.6	18.0	7.0	6.0	125	16	61.8	81	1018
11/19/2015 10:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	Calibration	13.0	7.0	4.4	146	17	63.0	79	1018
11/19/2015 11:00	BDL	BDL	BDL	25.9	BDL	2.3	10.0	5.0	7.5	150	13	64.4	77	1017
11/19/2015 12:00	BDL	BDL	BDL	14.1	BDL	1.7	14.0	4.0	10.2	162	13	64.6	82	1016
11/19/2015 13:00	BDL	BDL	BDL	10.3	BDL	1.5	12.0	6.0	10.8	160	13	64.0	87	1015
11/19/2015 14:00	BDL	BDL	BDL	9.9	BDL	1.5	10.0	5.0	10.3	160	11	63.1	92	1014
11/19/2015 15:00	BDL	BDL	BDL	8.4	BDL	1.6	8.0	2.0	11.0	164	12	62.3	96	1013
11/19/2015 16:00	BDL	BDL	BDL	11.9	BDL	1.4	5.0	0.0	11.9	158	12	61.7	96	1013
11/19/2015 17:00	BDL	BDL	BDL	8.3	BDL	1.6	4.0	1.0	11.7	156	12	61.4	98	1012
11/19/2015 18:00	BDL	BDL	BDL	4.0	BDL	1.4	2.0	1.0	11.9	156	11	61.6	99	1011
11/19/2015 19:00	BDL	BDL	BDL	3.6	BDL	1.4	2.0	2.0	12.8	177	16	62.8	99	1011
11/19/2015 20:00	BDL	BDL	BDL	15.3	BDL	1.8	3.0	4.0	6.5	229	16	62.1	99	1012
11/19/2015 21:00	BDL	BDL	BDL	11.9	BDL	1.5	1.0	3.0	5.8	207	12	62.5	99	1012
11/19/2015 22:00	0.7	BDL	BDL	29.8	0.2	1.9	5.0	4.0	3.5	220	14	62.0	99	1012
11/19/2015 23:00	0.5	BDL	BDL	24.6	0.1	1.4	6.0	4.0	3.6	255	15	61.8	99	1012
11/20/2015 0:00	BDL	BDL	0.4	20.4	0.04	1.5	10.0	3.0	1.9	245	24	61.4	100	1012
11/20/2015 1:00	BDL	BDL	BDL	17.4	0.1	2.9	7.0	6.0	2.2	253	16	60.6	100	1012
11/20/2015 2:00	BDL	BDL	BDL	7.1	BDL	1.9	13.0	5.0	4.1	287	10	60.3	99	1013
11/20/2015 3:00	BDL	BDL	BDL	7.6	BDL	2.4	12.0	2.0	6.6	308	8	58.9	91	1013
11/20/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	9.0	5.0	12.4	314	8	56.9	72	1014
11/20/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	7.0	4.0	12.2	315	8	54.6	65	1015
11/20/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	BDL	Too few samples	12.0	2.0	10.6	317	9	52.9	60	1016
11/20/2015 7:00	BDL	BDL	BDL	7.4	BDL	3.1	10.0	6.0	10.3	309	9	50.9	57	1017
11/20/2015 8:00	BDL	BDL	BDL	15.7	BDL	3.5	15.0	7.0	9.0	316	9	49.9	55	1018
11/20/2015 9:00	0.4	BDL	BDL	8.9	BDL	15.36	9.0	6.0	10.5	314	10	49.9	49	1019
11/20/2015 10:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	12.0	4.0	12.5	316	10	50.7	47	1019
11/20/2015 11:00	BDL	BDL	BDL	7.8	BDL	3.7	9.0	3.0	12.0	316	11	51.3	41	1019
11/20/2015 12:00	BDL	BDL	BDL	6.1	BDL	3.1	7.0	0.0	13.0	314	10	52.0	36	1019
11/20/2015 13:00	BDL	BDL	BDL	5.0	BDL	2.9	6.0	1.0	13.5	311	11	52.8	33	1019
11/20/2015 14:00	BDL	BDL	BDL	5.7	BDL	3.2	6.0	2.0	11.2	315	12	52.6	33	1019
11/20/2015 15:00	BDL	BDL	BDL	5.9	BDL	3.9	Audit	Audit	9.6	318	13	52.6	31	1018
11/20/2015 16:00	BDL	BDL	BDL	3.8	BDL	3.9	7.0	2.0	8.8	308	10	52.1	31	1019
11/20/2015 17:00	BDL	BDL	BDL	5.3	BDL	3.9	10.0	4.0	8.2	310	9	51.0	33	1019
11/20/2015 18:00	BDL	BDL	BDL	15.3	BDL	4.0	13.0	4.0	4.5	298	7	49.8	36	1020
11/20/2015 19:00	BDL	BDL	BDL	19.9	BDL	3.6	12.0	6.0	3.6	283	13	48.6	42	1021
11/20/2015 20:00	BDL	BDL	BDL	31.6	0.1	4.4	14.0	6.0	4.0	289	13	46.8	45	1021
11/20/2015 21:00	0.5	BDL	BDL	40.3	0.2	4.2	12.0	6.0	4.4	298	8	45.4	46	1021
11/20/2015 22:00	0.5	BDL	BDL	39.0	0.2	4.2	18.0	7.0	5.0	311	7	44.4	47	1021
11/20/2015 23:00	0.6	BDL	BDL	32.6	0.1	4.1	14.0	9.0	6.0	327	9	44.9	44	1021
11/21/2015 0:00	0.9	BDL	BDL	32.4	BDL	4.0	15.0	6.0	6.5	333	13	45.2	38	1022
11/21/2015 1:00	1.0	BDL	BDL	29.4	BDL	4.0	10.0	4.0	5.8	331	13	44.0	42	1022
11/21/2015 2:00	1.4	BDL	BDL	31.3	BDL	4.1	12.0	8.0	5.3	336	14	43.3	43	1022
11/21/2015 3:00	1.3	BDL	BDL	30.0	BDL	3.9	13.0	6.0	6.0	3	18	43.6	44	1022
11/21/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	13.0	7.0	7.6	2	17	43.8	47	1021
11/21/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	14.0	6.0	7.3	3	17	43.4	49	1022
11/21/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	BDL	3.9	15.0	8.0	5.9	29	16	42.8	51	1022
11/21/2015 7:00	0.4	BDL	BDL	15.3	BDL	3.7	10.0	5.0	6.8	53	11	42.2	52	1022
11/21/2015 8:00	BDL	BDL	BDL	20.3	BDL	3.8	7.0	2.0	6.4	57	14	41.4	54	1022
11/21/2015 9:00	BDL	BDL	BDL	15.6	BDL	3.8	13.0	5.0	7.5	57	15	42.2	52	1023
11/21/2015 10:00	0.5	BDL	BDL	13.4	BDL	3.9	12.0	6.0	8.5	57	15	44.0	51	1023
11/21/2015 11:00	0.4	BDL	BDL	12.0	BDL	3.8	16.0	7.0	6.5	85	20	46.0	47	1022
11/21/2015 12:00	BDL	BDL	BDL	8.5	BDL	3.7	11.0	4.0	5.7	106	20	48.0	46	1021
11/21/2015 13:00	BDL	BDL	BDL	8.2	BDL	3.6	11.0	4.0	5.0	102	23	49.9	43	1020
11/21/2015 14:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	Calibration	10.0	6.0	5.4	90	24	51.3	43	1018
11/21/2015 15:00	BDL	BDL	BDL	4.8	BDL	3.9	12.0	3.0	4.4	108	19	52.5	42	1017
11/21/2015 16:00	BDL	BDL	BDL	5.2	BDL	3.7	12.0	3.0	6.5	119	18	52.7	49	1017
11/21/2015 17:00	BDL	BDL	BDL	5.0	BDL	3.6	7.0	3.0	7.2	115	14	51.1	59	1016
11/21/2015 18:00	BDL	BDL	BDL	12.8	BDL	3.5	16.0	5.0	5.8	118	12	49.8	66	1016
11/21/2015 19:00	BDL	BDL	BDL	6.1	BDL	3.5	15.0	6.0	8.1	107	13	48.5	68	1015
11/21/2015 20:00	BDL	BDL	BDL	6.0	BDL	3.5	14.0	7.0	5.6	89	13	46.9	74	1014
11/21/2015 21:00	BDL	BDL	BDL	6.6	BDL	3.4	20.0	6.0	5.9	107	12	47.0	77	1014
11/21/2015 22:00	BDL	BDL	BDL	8.7	BDL	3.3	23.0	9.0	4.4	125	17	47.9	80	1013
11/21/2015 23:00	BDL	BDL	BDL	6.1	BDL	3.0	16.0	7.0	4.9	115	14	48.6	81	1012

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 11/22/2015-11/28/2015														
11/22/2015 0:00	BDL	BDL	BDL	8.2	BDL	3.1	18.0	9.0	5.0	114	12	48.8	83	1024
11/22/2015 1:00	BDL	BDL	BDL	7.3	BDL	3.0	17.0	8.0	5.1	132	14	49.1	86	1024
11/22/2015 2:00	BDL	BDL	BDL	9.4	BDL	3.7	19.0	10.0	3.0	216	27	49.4	89	1024
11/22/2015 3:00	BDL	BDL	BDL	11.5	0.1	4.5	21.0	6.0	2.6	229	18	50.2	88	1024
11/22/2015 4:00	BDL	Calibration	Calibration	Calibration	Calibration	Calibration	20.0	6.0	5.0	223	14	50.5	90	1024
11/22/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	18.0	6.0	4.4	231	15	50.2	91	1024
11/22/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	BDL	Too few samples	22.0	8.0	4.7	253	15	50.3	87	1025
11/22/2015 7:00	0.8	BDL	BDL	4.8	BDL	3.0	11.0	7.0	8.6	292	12	50.6	63	1025
11/22/2015 8:00	0.4	BDL	BDL	3.4	BDL	3.1	10.0	7.0	10.7	310	12	48.9	63	1025
11/22/2015 9:00	0.7	BDL	BDL	3.7	BDL	3.2	7.0	6.0	12.3	313	10	47.6	55	1026
11/22/2015 10:00	0.9	BDL	BDL	4.8	BDL	3.2	6.0	6.0	12.7	316	11	47.2	52	1025
11/22/2015 11:00	0.9	BDL	BDL	5.7	BDL	3.3	7.0	7.0	12.6	318	9	47.0	52	1024
11/22/2015 12:00	0.8	BDL	BDL	5.0	BDL	3.2	12.0	6.0	11.0	314	10	47.5	47	1024
11/22/2015 13:00	0.7	BDL	BDL	7.2	BDL	3.2	7.0	5.0	10.9	318	11	47.5	45	1022
11/22/2015 14:00	0.7	BDL	BDL	6.6	BDL	3.1	8.0	6.0	10.5	319	11	47.5	44	1021
11/22/2015 15:00	0.7	BDL	BDL	6.4	BDL	3.1	7.0	5.0	11.1	318	10	47.5	45	1021
11/22/2015 16:00	0.9	BDL	BDL	9.1	BDL	3.0	6.0	5.0	10.8	322	9	47.1	46	1021
11/22/2015 17:00	0.8	BDL	BDL	7.8	BDL	3.1	7.0	6.0	10.3	319	9	46.6	47	1021
11/22/2015 18:00	0.5	BDL	BDL	5.4	BDL	3.1	10.0	7.0	10.6	314	9	45.9	48	1021
11/22/2015 19:00	0.4	BDL	BDL	6.9	BDL	3.1	8.0	6.0	10.6	317	8	45.0	49	1021
11/22/2015 20:00	0.4	BDL	BDL	8.4	BDL	3.1	6.0	5.0	10.8	318	8	44.4	49	1021
11/22/2015 21:00	0.4	BDL	BDL	6.9	BDL	3.0	6.0	5.0	12.2	316	8	43.3	50	1021
11/22/2015 22:00	0.6	BDL	BDL	10.4	BDL	3.0	7.0	3.0	11.4	321	8	42.3	53	1021
11/22/2015 23:00	0.6	BDL	BDL	16.9	BDL	3.1	9.0	4.0	9.9	331	11	41.7	59	1021
11/23/2015 0:00	0.4	BDL	BDL	13.1	BDL	3.1	8.0	4.0	9.9	329	10	40.3	58	1021
11/23/2015 1:00	0.4	BDL	BDL	12.0	BDL	3.1	8.0	7.0	11.2	325	10	39.3	57	1021
11/23/2015 2:00	BDL	BDL	BDL	8.7	BDL	3.3	11.0	6.0	11.8	322	10	38.1	55	1021
11/23/2015 3:00	BDL	BDL	BDL	7.5	BDL	3.4	10.0	3.0	11.3	320	10	37.0	52	1021
11/23/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	8.0	4.0	10.1	320	10	35.9	53	1021
11/23/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	7.0	6.0	9.9	317	9	34.7	57	1022
11/23/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	BDL	Too few samples	8.0	4.0	9.9	313	8	33.5	59	1022
11/23/2015 7:00	0.7	BDL	BDL	9.0	BDL	3.6	6.0	6.0	10.3	312	8	33.0	58	1022
11/23/2015 8:00	0.8	BDL	BDL	12.0	BDL	3.6	11.0	6.0	12.2	315	9	33.0	57	1022
11/23/2015 9:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	Calibration	17.0	4.0	13.6	321	10	34.4	55	1022
11/23/2015 10:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	13.0	5.0	14.0	324	11	36.3	54	1022
11/23/2015 11:00	0.4	BDL	BDL	10.8	BDL	1.8	16.0	6.0	13.5	324	10	38.1	50	1022
11/23/2015 12:00	BDL	BDL	BDL	9.7	BDL	1.8	19.0	6.0	12.5	322	11	39.7	47	1021
11/23/2015 13:00	BDL	BDL	BDL	7.7	BDL	1.1	17.0	5.0	12.7	321	12	39.8	46	1020
11/23/2015 14:00	BDL	BDL	BDL	7.4	BDL	1.6	11.0	5.0	11.6	318	14	39.6	45	1019
11/23/2015 15:00	BDL	BDL	BDL	5.1	BDL	1.1	11.0	6.0	12.1	315	14	39.9	40	1019
11/23/2015 16:00	BDL	BDL	BDL	7.0	BDL	1.8	8.0	6.0	11.5	318	11	39.6	40	1020
11/23/2015 17:00	BDL	BDL	BDL	7.3	BDL	1.9	10.0	3.0	9.0	308	10	39.4	39	1020
11/23/2015 18:00	BDL	BDL	BDL	9.0	BDL	2.2	8.0	7.0	6.2	300	8	38.5	39	1021
11/23/2015 19:00	BDL	BDL	BDL	9.8	BDL	2.4	10.0	7.0	5.0	294	8	37.6	39	1021
11/23/2015 20:00	BDL	BDL	BDL	~~17.0~~	BDL	2.6	10.0	6.0	4.4	295	10	36.8	42	1021
11/23/2015 21:00	0.5	BDL	BDL	31.3	0.1	2.7	12.0	6.0	4.3	290	7	36.5	45	1022
11/23/2015 22:00	0.6	BDL	BDL	38.1	0.1	2.9	17.0	7.0	4.4	296	7	35.4	47	1022
11/23/2015 23:00	0.7	BDL	BDL	40.1	0.1	3.1	13.0	14.0	3.4	284	11	34.4	50	1023
11/24/2015 0:00	0.8	BDL	BDL	36.8	0.1	3.2	19.0	13.0	3.5	285	10	33.2	53	1023
11/24/2015 1:00	0.7	BDL	BDL	36.3	0.1	2.3	19.0	12.0	1.9	251	23	32.9	56	1024
11/24/2015 2:00	0.8	1.4	BDL	35.4	0.4	3.4	19.0	12.0	1.3	201	32	33.4	56	1024
11/24/2015 3:00	1.3	BDL	BDL	45.0	0.1	3.0	19.0	11.0	1.8	222	22	34.6	59	1025
11/24/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	20.0	14.0	1.4	217	23	34.7	61	1026
11/24/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	19.0	16.0	2.8	200	12	34.2	72	1026
11/24/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	0.1	Too few samples	28.0	17.0	2.4	201	13	35.1	70	1027
11/24/2015 7:00	Data handling issue	Data handling issue	---	---	---	---		---	---	---	---	---	---	1028
11/24/2015 8:00	Calibration	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	24.0	12.0	3.6	178	13	36.2	67	
11/24/2015 9:00	1.0	1.0	1.1	26.4	BDL	2.6	25.0	10.0	6.2	201	13	37.7	60	1029
11/24/2015 10:00	1.6	BDL	BDL	18.9	BDL	2.5	16.0	8.0	8.8	228	14	41.1	53	1030
11/24/2015 11:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	Calibration	19.0	12.0	6.2	236	15	43.4	51	1030
11/24/2015 12:00	1.9	BDL	BDL	21.0	BDL	2.5	18.0	9.0	6.7	273	20	45.4	44	1030
11/24/2015 13:00	0.8	BDL	BDL	8.5	BDL	2.6	14.0	11.0	6.4	288	17	47.3	39	1030
11/24/2015 14:00	0.7	BDL	BDL	9.9	BDL	2.5	19.0	9.0	5.9	276	21	48.3	39	1030
11/24/2015 15:00	Too few samples	BDL	BDL	Too few samples	Too few samples	Too few samples	11.0	8.0	5.7	292	23	48.8	40	1029
11/24/2015 16:00	0.5	BDL	BDL	7.6	BDL	2.6	15.0	9.0	7.3	304	23	48.4	43	1029
11/24/2015 17:00	0.8	BDL	BDL	11.0	BDL	2.6	22.0	13.0	5.9	307	9	47.1	48	1030
11/24/2015 18:00	0.8	BDL	BDL	15.2	BDL	2.7	24.0	15.0	5.0	306	7	46.9	50	1030
11/24/2015 19:00	0.7	BDL	BDL	23.2	BDL	3.0	17.0	19.0	6.1	312	11	46.0	52	1031
11/24/2015 20:00	1.0	BDL	BDL	20.3	BDL	2.8	18.0	12.0	5.5	359	17	46.0	50	1031
11/24/2015 21:00	0.8	BDL	BDL	15.8	BDL	2.9	16.0	13.0	3.8	1	23	44.9	51	1031
11/24/2015 22:00	0.7	BDL	BDL	11.1	BDL	3.0	16.0	10.0	3.8	344	22	44.8	50	1031
11/24/2015 23:00	1.2	BDL	BDL	56.3	0.3	3.7	20.0	17.0	2.2	330	35	43.3	59	1031
11/25/2015 0:00	1.7	1.0	BDL	112.3	0.7	5.0	34.0	26.0	1.3	239	28	40.9	73	1031
11/25/2015 1:00	1.8	1.1	BDL	113.8	0.7	5.1	36.0	25.0	1.2	253	45	39.8	76	1030
11/25/2015 2:00	1.8	1.3	BDL	124.2	0.8	6.6	36.0	27.0	0.7	229	27	38.7	82	1030
11/25/2015 3:00	2.2	1.9	BDL	162.6	1.0	7.6	40.0	29.0	0.6	240	20	37.8	87	1030
11/25/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	33.0	29.0	0.8	185	25	37.1	88	1030
11/25/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	44.0	31.0	1.4	69	38	36.5	90	1030
11/25/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	0.8	Too few samples	40.0	29.0	1.1	80	32	36.6	89	1029
11/25/2015 7:00	2.5	2.9	BDL	189.5	0.8	5.6	49.0	28.0	1.8	74	14	36.6	88	1029
11/25/2015 8:00	3.6	4.0	0.4	253.8	0.9	Too few samples	55.0	37.0	2.3	76	13	36.7	83	1029
11/25/2015 9:00	Calibration	2.4	Too few samples	Calibration	Calibration	Calibration	81.0	36.0	3.3	72	13	38.9	71	1029
11/25/2015 10:00	Calibration	BDL	Too few samples	Calibration	Calibration	Calibration	55.0	21.0	5.7	71	12	42.3	55	1029
11/25/2015 11:00	0.9	BDL	BDL	57.0	0.1	2.3	48.0	17.0	5.9	76	16	45.5	46	1028
11/25/2015 12:00	BDL	BDL	BDL	24.0	BDL	2.0	28.0	12.0	5.0	79	20	47.3	41	1027
11/25/2015 13:00	BDL	BDL	BDL	15.9	BDL	1.9	23.0	14.0	4.6	79	24	48.8	39	1027
11/25/2015 14:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	Calibration	27.0	8.0	3.7	97	26	50.4	39	1026
11/25/2015 15:00	BDL	BDL	BDL	11.7	BDL	2.2	26.0	10.0	4.4	83	21	51.5	39	1025
11/25/2015 16:00	BDL	BDL	BDL	11.2	BDL	2.0	16.0	11.0	3.7	125	18	52.3	41	1025
11/25/2015 17:00	0.4	BDL	BDL	15.3	BDL	2.2	16.0	15.0	3.3	107	15	51.5	46	1025
11/25/2015 18:00	BDL	BDL	BDL	20.5	BDL	2.0	23.0	12.0	4.7	124	16	49.3	55	1025
11/25/2015 19:00	BDL	BDL	BDL	12.9	BDL	2.0	18.0	11.0	6.2	110	14	46.7	63	1025
11/25/2015 20:00	BDL	BDL	BDL	16.3	BDL	2.5	15.0	14.0	5.1	93	12	45.0	66	1025
11/25/2015 21:00	BDL	BDL	BDL	15.3	BDL	2.8	17.0	17.0	4.4	88	12	43.7	69	1024
11/25/2015 22:00	BDL	BDL	BDL	19.9	BDL	2.8	19.0	14.0	3.6	90	12	42.5	73	1024
11/25/2015 23:00	BDL	BDL	BDL	26.5	BDL	2.8	26.0	21.0	3.4	83	12	41.8	77	1022

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 11/22/2015-11/28/2015														
11/26/2015 0:00	BDL	BDL	BDL	23.5	BDL	2.8	28.0	22.0	2.7	51	16	41.9	79	1022
11/26/2015 1:00	BDL	BDL	BDL	32.0	0.1	3.3	27.0	24.0	2.3	69	13	41.1	81	1022
11/26/2015 2:00	BDL	BDL	BDL	37.8	0.1	2.9	30.0	21.0	3.0	52	11	40.1	83	1022
11/26/2015 3:00	BDL	BDL	BDL	37.6	0.1	2.9	25.0	22.0	3.1	62	16	39.6	84	1021
11/26/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	23.0	17.0	3.1	63	11	39.2	85	1021
11/26/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	27.0	20.0	1.9	43	15	39.9	87	1021
11/26/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	0.4	Too few samples	28.0	24.0	1.6	38	19	40.4	85	1020
11/26/2015 7:00	1.0	0.5	BDL	81.2	0.5	5.3	30.0	21.0	1.3	78	31	39.8	88	1019
11/26/2015 8:00	1.2	0.6	BDL	88.5	0.4	5.3	29.0	23.0	1.3	90	47	40.1	85	1019
11/26/2015 9:00	1.1	BDL	BDL	58.7	0.3	3.5	25.0	23.0	2.0	61	34	42.5	76	1018
11/26/2015 10:00	0.9	BDL	BDL	38.7	0.1	2.7	30.0	19.0	2.5	97	21	46.3	72	1018
11/26/2015 11:00	0.6	BDL	BDL	31.5	0.1	2.6	25.0	17.0	1.6	97	39	50.0	65	1017
11/26/2015 12:00	0.4	BDL	BDL	22.2	0.1	2.5	13.0	15.0	1.5	74	47	54.8	60	1016
11/26/2015 13:00	0.8	BDL	BDL	17.1	0.1	2.4	13.0	7.0	2.3	271	39	59.7	52	1015
11/26/2015 14:00	0.9	BDL	BDL	10.7	BDL	2.0	15.0	7.0	3.1	240	34	62.4	48	1014
11/26/2015 15:00	BDL	BDL	BDL	5.0	BDL	1.8	12.0	6.0	4.7	241	18	63.1	48	1013
11/26/2015 16:00	0.4	BDL	BDL	6.8	BDL	1.7	9.0	5.0	3.5	243	18	62.2	49	1013
11/26/2015 17:00	0.4	1.6	2.3	10.5	BDL	2.0	11.0	6.0	1.6	223	16	60.1	58	1012
11/26/2015 18:00	1.0	BDL	BDL	22.5	BDL	3.3	16.0	6.0	1.4	152	13	55.8	71	1011
11/26/2015 19:00	1.3	BDL	BDL	26.1	BDL	4.6	21.0	9.0	1.2	115	10	53.0	80	1011
11/26/2015 20:00	0.9	BDL	BDL	37.0	BDL	7.0	18.0	11.0	1.1	107	13	51.9	84	1012
11/26/2015 21:00	0.6	BDL	BDL	46.5	BDL	3.7	16.0	10.0	1.3	177	23	51.2	84	1012
11/26/2015 22:00	BDL	3.3	1.4	40.1	0.4	5.0	22.0	14.0	1.3	215	12	49.3	86	1012
11/26/2015 23:00	0.6	4.7	5.2	70.4	0.8	5.5	28.0	12.0	1.4	226	11	48.0	92	1012
11/27/2015 0:00	0.6	2.7	2.6	71.0	0.7	4.5	22.0	17.0	1.2	271	37	47.6	94	1012
11/27/2015 1:00	0.8	1.2	0.6	84.6	0.8	4.9	21.0	16.0	1.0	241	26	46.5	96	1012
11/27/2015 2:00	1.2	1.4	BDL	99.7	0.8	5.7	26.0	21.0	1.5	212	33	45.9	98	1013
11/27/2015 3:00	0.7	0.7	BDL	79.0	0.6	3.8	21.0	13.0	1.4	233	20	45.2	99	1013
11/27/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	33.0	24.0	1.5	260	27	44.4	100	1014
11/27/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	24.0	21.0	1.3	156	20	44.3	100	1015
11/27/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	1.1	Too few samples	28.0	23.0	1.5	270	17	43.4	100	1016
11/27/2015 7:00	1.7	2.7	1.2	137.0	0.7	3.9	26.0	16.0	2.0	233	31	43.0	100	1017
11/27/2015 8:00	1.2	3.4	2.7	116.6	0.8	2.6	18.0	15.0	1.8	157	22	43.0	100	1018
11/27/2015 9:00	1.3	2.9	1.5	111.2	0.6	2.4	48.0	27.0	1.7	215	27	45.1	100	1019
11/27/2015 10:00	1.3	3.9	2.8	96.6	0.4	13.2	28.0	26.0	1.5	244	23	48.3	95	1019
11/27/2015 11:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	Calibration	23.0	17.0	3.2	221	17	51.8	82	1019
11/27/2015 12:00	1.9	0.4	BDL	36.7	BDL	1.1	20.0	13.0	5.0	218	17	55.9	74	1019
11/27/2015 13:00	1.2	BDL	BDL	15.7	BDL	0.7	17.0	11.0	6.6	227	16	60.8	65	1019
11/27/2015 14:00	0.7	BDL	BDL	14.2	BDL	0.7	15.0	9.0	7.9	215	14	62.5	60	1019
11/27/2015 15:00	0.7	BDL	BDL	14.1	BDL	0.6	14.0	7.0	7.3	213	14	63.6	55	1018
11/27/2015 16:00	0.8	BDL	BDL	13.7	BDL	0.4	12.0	6.0	6.6	209	11	63.2	52	1019
11/27/2015 17:00	0.6	BDL	BDL	13.7	BDL	BDL	12.0	6.0	4.5	193	11	60.5	59	1019
11/27/2015 18:00	0.4	BDL	BDL	17.9	BDL	BDL	11.0	5.0	3.8	203	10	57.8	67	1020
11/27/2015 19:00	BDL	BDL	BDL	15.1	0.1	BDL	13.0	4.0	3.4	202	8	55.9	71	1021
11/27/2015 20:00	BDL	BDL	BDL	19.6	BDL	BDL	9.0	4.0	3.6	198	10	55.0	77	1021
11/27/2015 21:00	0.7	1.2	1.7	~~37.4~~	0.4	1.6	19.0	9.0	2.7	223	15	53.9	81	1021
11/27/2015 22:00	0.5	BDL	BDL	29.8	0.1	3.4	15.0	8.0	2.1	242	15	52.5	84	1021
11/27/2015 23:00	0.7	0.7	1.1	36.8	0.2	1.9	13.0	9.0	3.2	203	15	51.6	87	1021
11/28/2015 0:00	0.5	BDL	0.4	19.0	BDL	BDL	16.0	11.0	3.5	205	8	51.5	87	1022
11/28/2015 1:00	0.4	0.6	BDL	20.7	0.1	0.4	13.0	9.0	4.0	223	14	51.6	86	1022
11/28/2015 2:00	BDL	0.6	0.6	18.4	BDL	BDL	13.0	7.0	4.3	234	15	51.2	87	1022
11/28/2015 3:00	BDL	0.5	BDL	20.6	0.2	BDL	14.0	8.0	3.4	216	12	50.3	91	1022
11/28/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	11.0	10.0	3.5	230	15	50.5	91	1021
11/28/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	12.0	9.0	2.3	224	16	50.0	94	1022
11/28/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	0.4	1.0	15.0	12.0	2.5	214	16	49.9	95	1022
11/28/2015 7:00	0.6	BDL	BDL	28.6	0.2	BDL	17.0	11.0	3.0	233	17	50.7	95	1022
11/28/2015 8:00	0.7	BDL	BDL	29.9	0.4	0.3	23.0	11.0	3.0	247	16	51.1	93	1022
11/28/2015 9:00	0.9	BDL	BDL	32.3	0.1	BDL	20.0	10.0	2.2	240	18	52.1	89	1023
11/28/2015 10:00	2.9	0.5	BDL	67.8	0.2	0.2	28.0	22.0	4.2	219	13	53.5	87	1023
11/28/2015 11:00	2.7	BDL	BDL	44.8	0.2	BDL	21.0	17.0	3.9	233	19	55.5	81	1022
11/28/2015 12:00	2.6	BDL	BDL	48.0	0.2	BDL	23.0	13.0	2.5	219	22	56.8	79	1021
11/28/2015 13:00	4.1	BDL	BDL	46.9	0.2	BDL	32.0	13.0	3.6	232	17	58.5	74	1020
11/28/2015 14:00	2.9	BDL	BDL	41.2	0.2	BDL	27.0	14.0	2.0	258	19	58.7	74	1018
11/28/2015 15:00	2.6	1.6	0.9	58.3	0.4	0.84	25.0	19.0	1.6	221	31	58.9	76	1017
11/28/2015 16:00	1.6	BDL	BDL	48.1	0.3	1.4	30.0	18.0	1.1	285	61	58.2	79	1017
11/28/2015 17:00	1.6	BDL	BDL	65.2	0.3	0.5	27.0	21.0	1.7	349	59	57.8	84	1016
11/28/2015 18:00	1.2	BDL	BDL	18.0	BDL	BDL	18.0	11.0	4.4	345	17	57.3	85	1016
11/28/2015 19:00	0.9	BDL	BDL	21.8	0.1	BDL	23.0	14.0	2.8	28	27	56.5	88	1015
11/28/2015 20:00	0.6	BDL	BDL	16.1	0.1	BDL	17.0	12.0	5.1	36	14	55.2	90	1014
11/28/2015 21:00	0.5	BDL	BDL	11.1	BDL	BDL	13.0	7.0	7.1	10	19	53.7	86	1014
11/28/2015 22:00	0.4	BDL	BDL	10.4	BDL	BDL	8.0	5.0	6.6	28	17	51.6	84	1013
11/28/2015 23:00	BDL	BDL	BDL	9.8	BDL	BDL	12.0	5.0	4.3	58	18	49.7	92	1012

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 11/29/2015-12/5/2015						BDL								
11/29/2015 0:00	BDL	BDL	BDL	6.9	BDL	BDL	14.0	6.0	6.6	49	13	49.9	87	1020
11/29/2015 1:00	BDL	BDL	BDL	5.3	BDL	BDL	11.0	6.0	7.0	49	11	49.6	82	1020
11/29/2015 2:00	BDL	BDL	BDL	6.3	BDL	BDL	8.0	4.0	6.5	60	11	49.2	81	1020
11/29/2015 3:00	BDL	BDL	BDL	6.0	BDL	BDL	8.0	3.0	6.3	53	11	48.9	78	1020
11/29/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	7.0	3.0	6.8	53	11	47.9	79	1020
11/29/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	8.0	5.0	6.4	60	10	46.4	84	1020
11/29/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	BDL	Too few samples	8.0	4.0	7.8	45	16	45.1	87	1020
11/29/2015 7:00	BDL	BDL	BDL	9.2	BDL	BDL	8.0	4.0	6.9	29	15	44.2	85	1021
11/29/2015 8:00	BDL	BDL	BDL	5.7	BDL	BDL	8.0	5.0	5.8	37	17	42.9	88	1022
11/29/2015 9:00	BDL	BDL	BDL	8.2	BDL	BDL	10.0	5.0	4.4	21	19	41.8	89	1022
11/29/2015 10:00	BDL	BDL	BDL	8.7	BDL	BDL	8.0	6.0	5.5	56	14	42.0	86	1022
11/29/2015 11:00	BDL	BDL	BDL	10.6	BDL	BDL	7.0	3.0	4.6	43	18	42.4	82	1022
11/29/2015 12:00	BDL	BDL	BDL	8.7	BDL	BDL	6.0	4.0	4.9	357	19	43.1	77	1022
11/29/2015 13:00	0.4	BDL	BDL	9.6	BDL	BDL	9.0	5.0	4.7	353	21	43.9	73	1021
11/29/2015 14:00	BDL	BDL	BDL	9.7	BDL	BDL	10.0	6.0	4.3	345	22	44.8	67	1021
11/29/2015 15:00	0.5	BDL	BDL	11.5	BDL	BDL	10.0	7.0	4.1	347	22	45.6	64	1021
11/29/2015 16:00	BDL	BDL	BDL	9.6	BDL	BDL	11.0	8.0	4.6	325	17	46.2	64	1021
11/29/2015 17:00	BDL	BDL	BDL	8.8	BDL	0.05	12.0	5.0	4.5	347	16	46.4	59	1021
11/29/2015 18:00	BDL	BDL	BDL	12.3	BDL	BDL	10.0	5.0	4.4	33	15	46.1	55	1021
11/29/2015 19:00	BDL	BDL	BDL	23.5	0.1	BDL	11.0	6.0	4.2	44	11	45.8	53	1022
11/29/2015 20:00	0.4	BDL	BDL	32.6	0.2	BDL	14.0	9.0	3.8	40	13	45.0	55	1023
11/29/2015 21:00	BDL	BDL	BDL	20.7	0.1	BDL	10.0	11.0	6.9	42	13	44.8	50	1024
11/29/2015 22:00	BDL	BDL	BDL	12.1	BDL	BDL	11.0	11.0	7.9	37	13	43.1	52	1024
11/29/2015 23:00	BDL	BDL	BDL	12.3	BDL	BDL	16.0	10.0	8.4	38	13	41.3	56	1025
11/30/2015 0:00	BDL	BDL	BDL	11.9	BDL	0.1	10.0	8.0	8.7	37	14	39.9	58	1025
11/30/2015 1:00	BDL	BDL	BDL	8.4	BDL	0.2	11.0	7.0	9.1	34	15	38.6	59	1026
11/30/2015 2:00	BDL	BDL	BDL	9.8	BDL	0.2	10.0	9.0	8.4	42	13	37.5	62	1026
11/30/2015 3:00	BDL	BDL	BDL	10.0	BDL	0.3	6.0	8.0	8.7	40	14	37.0	63	1026
11/30/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	8.0	6.0	6.5	37	14	36.7	64	1026
11/30/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	9.0	6.0	8.3	39	14	36.7	64	1026
11/30/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	BDL	0.3	10.0	5.0	7.6	40	14	36.4	66	1026
11/30/2015 7:00	BDL	BDL	BDL	20.4	BDL	0.3	10.0	5.0	8.1	39	13	36.1	67	1027
11/30/2015 8:00	BDL	BDL	BDL	24.6	BDL	0.4	16.0	8.0	8.9	39	13	35.7	68	1027
11/30/2015 9:00	0.4	BDL	BDL	Calibration	0.04	0.5	18.0	8.0	8.8	41	14	36.1	68	1028
11/30/2015 10:00	0.4	BDL	BDL	Calibration	BDL	0.5	25.0	11.0	9.7	45	13	37.4	69	1028
11/30/2015 11:00	0.5	BDL	BDL	27.5	BDL	0.3	21.0	12.0	10.3	49	12	39.4	69	1028
11/30/2015 12:00	0.5	BDL	BDL	28.4	BDL	0.1	22.0	8.0	8.8	48	15	41.3	69	1027
11/30/2015 13:00	0.5	BDL	BDL	34.2	0.04	0.1	27.0	12.0	7.6	42	13	42.0	70	1026
11/30/2015 14:00	0.5	BDL	BDL	37.3	0.1	BDL	28.0	10.0	7.8	40	13	43.0	72	1026
11/30/2015 15:00	0.5	BDL	BDL	36.8	0.1	BDL	29.0	12.0	8.3	46	12	44.0	73	1025
11/30/2015 16:00	0.4	BDL	BDL	38.5	0.1	BDL	31.0	11.0	8.9	44	11	44.4	72	1025
11/30/2015 17:00	BDL	BDL	BDL	33.6	0.1	BDL	26.0	11.0	8.0	47	11	45.0	76	1025
11/30/2015 18:00	BDL	BDL	BDL	24.9	BDL	BDL	21.0	11.0	7.5	49	11	45.0	77	1025
11/30/2015 19:00	BDL	BDL	BDL	27.1	BDL	BDL	21.0	7.0	7.8	51	11	44.8	76	1025
11/30/2015 20:00	BDL	BDL	BDL	24.6	BDL	BDL	21.0	8.0	7.5	52	10	45.0	78	1024
11/30/2015 21:00	BDL	BDL	BDL	28.0	BDL	BDL	21.0	10.0	6.7	50	11	44.9	81	1024
11/30/2015 22:00	BDL	BDL	BDL	33.0	0.1	BDL	20.0	11.0	6.3	43	11	44.6	85	1024
11/30/2015 23:00	BDL	BDL	BDL	41.8	0.1	BDL	18.0	10.0	7.1	45	11	43.8	91	1023
12/1/2015 0:00	BDL	BDL	BDL	44.0	0.1	BDL	20.0	9.0	7.8	45	12	43.5	94	1022
12/1/2015 1:00	BDL	BDL	BDL	40.3	0.1	BDL	8.0	8.0	7.1	54	17	43.5	98	1022
12/1/2015 2:00	BDL	BDL	BDL	36.3	0.1	BDL	13.0	7.0	7.1	53	23	43.9	100	1021
12/1/2015 3:00	BDL	BDL	BDL	28.8	BDL	BDL	11.0	9.0	7.7	51	12	44.6	100	1021
12/1/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	8.0	10.0	6.9	55	29	45.0	100	1021
12/1/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	7.0	6.0	7.8	54	10	45.6	100	1020
12/1/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	BDL	BDL	7.0	4.0	7.6	55	9	46.6	100	1019
12/1/2015 7:00	BDL	BDL	BDL	27.6	BDL	BDL	8.0	6.0	6.4	56	9	47.5	100	1019
12/1/2015 8:00	BDL	BDL	BDL	36.2	7.0	BDL	9.0	7.0	5.2	66	10	49.1	100	1019
12/1/2015 9:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	Calibration	6.0	5.0	6.2	76	13	52.1	100	1019
12/1/2015 10:00	BDL	BDL	BDL	32.3	BDL	BDL	8.0	5.0	5.7	82	14	53.1	100	1019
12/1/2015 11:00	BDL	BDL	BDL	16.3	BDL	BDL	7.0	4.0	7.3	89	23	53.6	100	1018
12/1/2015 12:00	BDL	BDL	BDL	16.9	BDL	BDL	4.0	1.0	5.8	90	13	53.5	100	1018
12/1/2015 13:00	BDL	BDL	BDL	24.4	BDL	BDL	4.0	3.0	4.3	83	15	53.8	100	1017
12/1/2015 14:00	BDL	BDL	BDL	23.1	BDL	BDL	6.0	3.0	3.7	75	18	54.2	100	1017
12/1/2015 15:00	BDL	BDL	BDL	24.8	BDL	BDL	4.0	4.0	4.7	77	13	54.2	99	1016
12/1/2015 16:00	BDL	BDL	BDL	25.0	BDL	BDL	2.0	3.0	3.9	82	14	54.1	99	1015
12/1/2015 17:00	BDL	BDL	BDL	21.4	BDL	BDL	4.0	2.0	4.9	90	12	54.0	99	1015
12/1/2015 18:00	BDL	BDL	BDL	18.5	BDL	BDL	2.0	2.0	5.2	107	15	53.8	99	1014
12/1/2015 19:00	BDL	BDL	BDL	11.7	BDL	BDL	1.0	1.0	4.0	67	17	53.5	98	1015
12/1/2015 20:00	BDL	BDL	BDL	13.9	BDL	BDL	3.0	1.0	4.5	70	12	52.7	100	1015
12/1/2015 21:00	BDL	BDL	BDL	14.5	BDL	BDL	3.0	4.0	4.7	84	29	52.2	100	1014
12/1/2015 22:00	BDL	BDL	BDL	15.4	BDL	BDL	1.0	4.0	5.8	77	23	52.0	100	1013
12/1/2015 23:00	BDL	BDL	BDL	20.4	BDL	BDL	4.0	5.0	2.7	108	17	52.2	100	1013
12/2/2015 0:00	BDL	BDL	BDL	24.0	BDL	BDL	9.0	4.0	2.7	120	22	52.1	100	1013
12/2/2015 1:00	BDL	BDL	BDL	9.2	BDL	BDL	7.0	4.0	4.8	202	12	52.0	100	1013
12/2/2015 2:00	BDL	BDL	BDL	16.3	BDL	BDL	9.0	5.0	3.4	204	12	51.5	100	1012
12/2/2015 3:00	BDL	BDL	BDL	19.7	BDL	BDL	8.0	6.0	2.2	191	13	51.3	100	1012
12/2/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	13.0	14.0	2.5	209	13	51.3	100	1011
12/2/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	10.0	10.0	3.1	205	9	51.0	100	1011
12/2/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	BDL	BDL	8.0	6.0	2.4	198	15	51.0	100	1011
12/2/2015 7:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	7.0	6.0	1.3	208	41	51.3	100	1010
12/2/2015 8:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	Too few samples	12.0	9.0	1.8	269	26	51.3	100	1010
12/2/2015 9:00	0.7	BDL	BDL	51.6	0.2	BDL	13.0	14.0	3.5	291	41	51.6	100	1011
12/2/2015 10:00	0.9	0.5	BDL	61.7	0.2	BDL	14.0	11.0	2.7	283	72	52.1	100	1010
12/2/2015 11:00	1.0	0.6	BDL	68.0	0.2	BDL	20.0	17.0	1.4	136	32	52.7	100	1010
12/2/2015 12:00	1.0	0.5	BDL	60.2	0.1	BDL	13.0	11.0	1.6	119	27	53.5	100	1008
12/2/2015 13:00	0.6	0.4	BDL	31.2	BDL	BDL	9.0	6.0	3.3	193	25	54.6	100	1007
12/2/2015 14:00	0.6	BDL	BDL	22.7	BDL	BDL	8.0	9.0	3.5	202	16	55.1	99	1006
12/2/2015 15:00	0.4	BDL	BDL	16.6	BDL	BDL	8.0	10.0	4.4	187	14	55.3	99	1005
12/2/2015 16:00	0.5	BDL	0.4	33.5	BDL	BDL	6.0	6.0	3.9	135	14	55.2	100	1004
12/2/2015 17:00	BDL	BDL	BDL	13.0	BDL	BDL	6.0	4.0	6.6	163	14	56.2	100	1002
12/2/2015 18:00	BDL	BDL	BDL	12.8	BDL	BDL	8.0	4.0	6.8	224	16	57.0	99	1003
12/2/2015 19:00	0.6	BDL	BDL	20.0	BDL	BDL	8.0	6.0	7.7	227	12	57.1	99	1003
12/2/2015 20:00	0.7	BDL	BDL	23.1	BDL	BDL	9.0	7.0	7.5	225	13	56.8	99	1004
12/2/2015 21:00	0.5	BDL	BDL	17.1	BDL	BDL	7.0	7.0	7.8	248	15	56.7	99	1004
12/2/2015 22:00	BDL	BDL	BDL	12.0	BDL	BDL	4.0	5.0	9.4	306	8	55.6	84	1004
12/2/2015 23:00	BDL	BDL	BDL	13.8	BDL	BDL	3.0	4.0	5.4	295	12	54.9	81	1004

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 11/29/2015-12/5/2015														
12/3/2015 0:00	BDL	BDL	BDL	8.9	BDL	BDL	7.0	4.0	5.3	297	11	54.1	71	1005
12/3/2015 1:00	BDL	BDL	BDL	6.8	BDL	BDL	6.0	9.0	5.3	296	11	53.3	67	1005
12/3/2015 2:00	0.4	BDL	BDL	5.7	BDL	BDL	8.0	9.0	5.3	285	11	52.2	67	1005
12/3/2015 3:00	0.6	BDL	BDL	5.5	BDL	BDL	10.0	7.0	6.4	282	13	51.4	67	1005
12/3/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	14.0	11.0	6.6	273	14	50.5	67	1005
12/3/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	10.0	8.0	7.3	288	12	49.7	68	1006
12/3/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	BDL	BDL	8.0	7.0	8.4	291	11	48.5	69	1007
12/3/2015 7:00	0.6	BDL	BDL	4.9	BDL	BDL	10.0	7.0	10.7	286	13	47.2	66	1009
12/3/2015 8:00	0.7	BDL	BDL	6.6	BDL	BDL	7.0	9.0	11.0	277	14	46.1	67	1010
12/3/2015 9:00	1.3	BDL	BDL	8.3	BDL	BDL	10.0	9.0	12.7	282	14	45.2	65	1011
12/3/2015 10:00	0.8	BDL	BDL	5.2	BDL	BDL	8.0	8.0	12.9	301	12	44.0	61	1012
12/3/2015 11:00	0.8	BDL	BDL	6.0	BDL	BDL	7.0	8.0	13.8	302	11	44.5	59	1013
12/3/2015 12:00	BDL	BDL	BDL	5.6	BDL	BDL	7.0	5.0	12.4	301	13	46.2	56	1013
12/3/2015 13:00	BDL	BDL	BDL	5.3	BDL	BDL	6.0	3.0	13.7	306	11	47.0	56	1013
12/3/2015 14:00	BDL	BDL	BDL	4.3	BDL	BDL	4.0	4.0	16.3	313	10	46.6	57	1014
12/3/2015 15:00	BDL	BDL	BDL	5.2	BDL	BDL	9.0	6.0	12.7	310	12	47.2	56	1015
12/3/2015 16:00	BDL	BDL	BDL	3.7	BDL	BDL	8.0	4.0	12.9	304	12	47.0	55	1016
12/3/2015 17:00	BDL	BDL	BDL	4.0	BDL	BDL	8.0	3.0	9.5	294	13	46.4	56	1017
12/3/2015 18:00	BDL	BDL	BDL	5.0	BDL	BDL	8.0	4.0	8.3	283	13	45.3	60	1019
12/3/2015 19:00	BDL	BDL	BDL	5.1	BDL	BDL	7.0	8.0	9.0	282	12	44.6	63	1020
12/3/2015 20:00	BDL	BDL	BDL	5.8	BDL	BDL	11.0	7.0	7.2	284	11	43.9	65	1021
12/3/2015 21:00	BDL	BDL	BDL	6.1	BDL	BDL	12.0	7.0	5.9	283	12	43.6	67	1021
12/3/2015 22:00	0.4	BDL	BDL	6.9	BDL	BDL	13.0	10.0	6.6	273	13	43.2	68	1022
12/3/2015 23:00	0.5	BDL	BDL	7.7	BDL	BDL	17.0	12.0	4.9	280	12	42.8	70	1022
12/4/2015 0:00	0.5	BDL	BDL	11.8	BDL	BDL	14.0	8.0	3.7	256	15	42.2	72	1023
12/4/2015 1:00	0.4	BDL	BDL	15.0	BDL	BDL	15.0	15.0	3.6	250	13	41.4	76	1024
12/4/2015 2:00	0.5	BDL	BDL	15.5	BDL	BDL	13.0	11.0	4.7	263	13	40.7	77	1024
12/4/2015 3:00	BDL	BDL	BDL	10.8	BDL	0.2	15.0	13.0	5.8	272	10	40.6	76	1025
12/4/2015 4:00	Calibration	Calibration	Calib	Calibration	Calibration	Calibration	15.0	12.0	5.2	277	12	41.8	73	1025
12/4/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	14.0	10.0	3.9	264	17	42.7	71	1026
12/4/2015 6:00	Too few samples	Too few samples	Calibration	Too few samples	BDL	Too few samples	16.0	9.0	3.8	251	17	43.4	70	1026
12/4/2015 7:00	0.4	BDL	Too few samples	25.6	BDL	0.1	15.0	10.0	4.0	258	17	43.6	70	1027
12/4/2015 8:00	0.4	BDL	BDL	32.1	BDL	0.3	18.0	12.0	3.8	265	18	43.3	68	1028
12/4/2015 9:00	0.4	BDL	BDL	Calibration	BDL	0.4	18.0	12.0	3.9	267	17	44.8	58	1029
12/4/2015 10:00	BDL	BDL	BDL	Calibration	BDL	0.3	10.0	10.0	7.5	298	13	46.1	56	1029
12/4/2015 11:00	BDL	BDL	BDL	Calibration	BDL	0.4	10.0	7.0	8.0	298	17	47.2	55	1030
12/4/2015 12:00	BDL	BDL	BDL	Calibration	BDL	0.3	12.0	6.0	8.0	305	16	48.4	54	1029
12/4/2015 13:00	BDL	BDL	BDL	Calibration	BDL	BDL	13.0	7.0	6.0	275	19	49.8	48	1029
12/4/2015 14:00	BDL	BDL	BDL	8.4	BDL	BDL	10.0	9.0	5.3	283	23	50.7	48	1028
12/4/2015 15:00	BDL	BDL	BDL	6.8	BDL	BDL	11.0	7.0	5.7	293	15	51.0	47	1028
12/4/2015 16:00	BDL	BDL	BDL	6.9	BDL	BDL	13.0	11.0	5.5	283	17	50.8	48	1029
12/4/2015 17:00	BDL	BDL	BDL	8.2	BDL	0.3	19.0	13.0	6.1	298	8	49.3	54	1030
12/4/2015 18:00	BDL	BDL	BDL	15.7	BDL	0.6	18.0	13.0	4.9	302	6	47.7	59	1030
12/4/2015 19:00	BDL	BDL	BDL	23.3	BDL	1.0	21.0	16.0	3.6	293	8	46.6	64	1031
12/4/2015 20:00	0.4	BDL	BDL	36.5	0.2	1.1	24.0	15.0	4.3	297	5	45.4	67	1032
12/4/2015 21:00	0.7	BDL	BDL	52.9	0.3	1.0	29.0	19.0	4.9	301	7	44.4	69	1032
12/4/2015 22:00	0.7	BDL	BDL	56.6	0.3	1.7	27.0	22.0	2.6	289	27	43.3	73	1033
12/4/2015 23:00	0.7	BDL	BDL	38.9	0.2	1.3	23.0	18.0	2.0		45	43.4	70	1034
12/5/2015 0:00	0.7	BDL	BDL	36.1	0.2	1.3	21.0	12.0	0.9	43	72	43.2	73	1034
12/5/2015 1:00	1.1	BDL	BDL	48.7	0.2	1.6	18.0	15.0	1.2	299	35	42.1	74	1034
12/5/2015 2:00	1.0	BDL	BDL	50.7	0.3	1.8	25.0	18.0	2.1	325	40	41.7	75	1035
12/5/2015 3:00	0.9	BDL	BDL	49.5	0.2	1.6	18.0	18.0	5.4	312	9	40.9	74	1035
12/5/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	21.0	14.0	6.0	309	6	39.2	78	1035
12/5/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	15.0	15.0	5.9	312	7	38.5	80	1035
12/5/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	0.1	1.6	19.0	10.0	5.4	312	7	38.2	81	1036
12/5/2015 7:00	0.7	BDL	BDL	34.2	0.04	1.5	17.0	13.0	5.6	328	10	38.6	79	1036
12/5/2015 8:00	0.5	BDL	BDL	25.1	BDL	1.4	17.0	14.0	6.9	339	11	39.3	75	1037
12/5/2015 9:00	0.7	BDL	BDL	34.6	BDL	1.6	19.0	13.0	5.4	333	13	40.6	72	1037
12/5/2015 10:00	1.7	BDL	BDL	24.9	BDL	1.6	22.0	13.0	3.4	15	25	42.7	66	1037
12/5/2015 11:00	1.7	BDL	BDL	23.9	BDL	1.6	20.0	17.0	2.5	53	28	44.0	60	1037
12/5/2015 12:00	1.2	BDL	BDL	22.7	BDL	1.4	20.0	14.0	1.7	342	60	46.2	54	1037
12/5/2015 13:00	1.0	BDL	BDL	21.8	BDL	1.3	22.0	16.0	2.6	148	45	47.6	54	1036
12/5/2015 14:00	1.0	BDL	BDL	23.7	BDL	1.3	24.0	19.0	2.9	157	31	48.4	55	1036
12/5/2015 15:00	1.3	BDL	BDL	23.8	BDL	1.2	21.0	18.0	4.4	179	24	49.3	55	1035
12/5/2015 16:00	1.1	BDL	BDL	28.0	BDL	1.1	23.0	18.0	3.7	181	14	49.7	56	1035
12/5/2015 17:00	1.2	BDL	BDL	35.8	BDL	1.1	21.0	20.0	2.4	177	11	49.0	60	1035
12/5/2015 18:00	1.0	BDL	BDL	45.1	0.1	1.4	30.0	20.0	1.8	200	13	46.2	70	1035
12/5/2015 19:00	0.9	BDL	BDL	40.4	0.1	1.7	26.0	20.0	0.8	181	33	45.4	76	1036
12/5/2015 20:00	0.8	BDL	BDL	43.2	0.3	2.4	29.0	22.0	1.4	233	12	44.0	81	1036
12/5/2015 21:00	1.3	0.5	BDL	77.3	0.5	4.1	31.0	21.0	1.7	257	14	42.9	84	1036
12/5/2015 22:00	1.7	1.0	BDL	98.7	0.7	3.4	36.0	28.0	1.5	222	18	41.5	84	1035
12/5/2015 23:00	2.0	1.2	BDL	114.7	0.9	3.2	46.0	35.0	1.3	247	33	40.7	87	1035

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 12/6/2015-12/12/2015														
12/6/2015 0:00	1.2	1.2	BDL	94.7	0.7	2.4	42.0	33.0	0.9	159	21	39.7	91	1035
12/6/2015 1:00	1.1	1	BDL	99.1	0.8	2.7	42.0	32.0	1.0	225	20	38.7	96	1035
12/6/2015 2:00	1.8	1.7	BDL	139.8	1.1	3.8	50.0	39.0	0.8	228	31	37.9	96	1034
12/6/2015 3:00	2.4	2.3	BDL	176.5	1.3	4.4	49.0	38.0	1.0	253	18	37.1	97	1034
12/6/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	44.0	38.0	1.8	256	18	36.0	95	1033
12/6/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	43.0	36.0	1.4	242	18	35.6	94	1033
12/6/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	0.5	2.7	41.0	35.0	1.3	217	22	35.2	94	1032
12/6/2015 7:00	1.1	1.2	BDL	94.5	0.5	3.4	38.0	34.0	1.8	247	28	35.0	95	1032
12/6/2015 8:00	1.3	1.1	BDL	111.1	0.7	2.2	39.0	34.0	1.0	232	18	34.7	94	1032
12/6/2015 9:00	1.8	0.7	BDL	95.4	0.5	2.2	40.0	33.0	2.1	265	19	37.0	82	1032
12/6/2015 10:00	1.2	BDL	BDL	43.7	0.1	21.7	35.0	29.0	1.8	185	27	41.0	72	1031
12/6/2015 11:00	2.6	BDL	BDL	37.8	0.2	0.6	31.0	28.0	3.9	239	19	46.1	61	1031
12/6/2015 12:00	6.4	BDL	BDL	27.2	0.1	0.2	33.0	32.0	5.7	210	17	48.2	63	1030
12/6/2015 13:00	5.2	BDL	BDL	21.1	BDL	BDL	32.0	29.0	5.3	212	18	50.2	60	1028
12/6/2015 14:00	4.0	BDL	BDL	17.3	BDL	BDL	33.0	27.0	5.7	215	19	51.6	56	1028
12/6/2015 15:00	3.9	BDL	BDL	17.1	BDL	BDL	35.0	26.0	5.6	207	16	52.0	55	1027
12/6/2015 16:00	3.5	BDL	BDL	16.8	BDL	BDL	33.0	29.0	4.8	205	14	51.9	58	1027
12/6/2015 17:00	2.8	BDL	BDL	19.5	BDL	BDL	34.0	32.0	4.3	198	11	49.7	67	1026
12/6/2015 18:00	4.4	BDL	BDL	24.6	BDL	BDL	36.0	36.0	3.3	197	14	47.4	73	1026
12/6/2015 19:00	6.6	BDL	BDL	21.2	BDL	BDL	42.0	36.0	3.2	203	11	46.2	74	1025
12/6/2015 20:00	5.8	BDL	BDL	34.0	0.1	BDL	44.0	42.0	3.0	236	14	45.3	78	1025
12/6/2015 21:00	4.4	BDL	0.4	31.2	0.1	BDL	52.0	45.0	1.6	231	16	44.2	81	1025
12/6/2015 22:00	4.0	0.7	BDL	53.7	0.3	0.4	50.0	43.0	2.3	215	13	43.1	84	1024
12/6/2015 23:00	3.7	0.4	BDL	61.7	0.3	BDL	44.0	42.0	2.9	203	10	42.4	88	1024
12/7/2015 0:00	1.5	BDL	BDL	29.7	0.1	BDL	44.0	39.0	3.4	207	11	41.6	92	1023
12/7/2015 1:00	1.3	0.6	BDL	35.9	0.1	BDL	46.0	40.0	2.4	251	18	41.2	92	1023
12/7/2015 2:00	1.6	0.5	BDL	60.1	0.3	0.2	51.0	42.0	2.0	276	27	40.2	93	1022
12/7/2015 3:00	1.5	0.4	BDL	59.7	0.4	BDL	46.0	40.0	1.8	210	17	39.7	92	1022
12/7/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	48.0	39.0	1.2	231	19	38.9	95	1021
12/7/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	48.0	40.0	1.3	216	17	38.4	98	1021
12/7/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	48.0	39.0	1.2	194	25	38.0	99	1021
12/7/2015 7:00	1.3	2.1	0.7	94.3	0.2	0.4	48.0	39.0	1.6	233	45	37.8	99	1021
12/7/2015 8:00	1.9	2.1	0.4	138.4	0.7	0.7	59.0	45.0	2.9	224	36	37.9	99	1020
12/7/2015 9:00	2.8	1.9	BDL	142.9	0.7	0.1	62.0	49.0	1.7	279	19	39.6	92	1020
12/7/2015 10:00	3.1	1.5	BDL	115.5	0.5	BDL	62.0	44.0	3.5	217	16	43.5	77	1020
12/7/2015 11:00	3.6	1.4	BDL	87.5	0.3	BDL	59.0	49.0	5.6	221	16	46.2	75	1020
12/7/2015 12:00	3.4	0.6	BDL	60.9	0.2	BDL	47.0	39.0	2.9	255	26	49.7	58	1018
12/7/2015 13:00	4.7	0.4	BDL	56.5	0.2	BDL	44.0	34.0	3.4	223	34	52.4	55	1017
12/7/2015 14:00	5.0	BDL	BDL	43.3	0.1	BDL	35.0	22.0	3.6	248	32	54.5	48	1016
12/7/2015 15:00	3.1	BDL	BDL	21.8	BDL	BDL	31.0	20.0	5.0	308	13	54.3	48	1016
12/7/2015 16:00	3.2	BDL	BDL	19.7	BDL	BDL	20.0	14.0	5.5	301	11	53.3	45	1016
12/7/2015 17:00	2.5	BDL	BDL	19.8	BDL	BDL	28.0	16.0	2.3	282	18	52.2	47	1016
12/7/2015 18:00	2.4	BDL	BDL	42.7	0.1	0.8	39.0	23.0	2.6	291	16	50.7	53	1016
12/7/2015 19:00	2.2	BDL	BDL	50.3	0.3	2.7	34.0	22.0	1.9	256	21	49.3	59	1017
12/7/2015 20:00	2.2	0.6	BDL	77.3	0.5	0.3	39.0	23.0	2.8	275	10	48.5	63	1017
12/7/2015 21:00	2.5	BDL	BDL	62.8	0.3	BDL	27.0	21.0	5.9	304	6	48.4	55	1017
12/7/2015 22:00	2.0	BDL	BDL	31.0	0.1	BDL	21.0	12.0	7.2	318	9	47.7	51	1017
12/7/2015 23:00	1.7	BDL	BDL	27.3	BDL	BDL	14.0	12.0	7.9	333	11	47.5	47	1017
12/8/2015 0:00	1.6	BDL	BDL	30.8	BDL	BDL	14.0	13.0	7.1	338	13	47.0	50	1017
12/8/2015 1:00	1.7	BDL	BDL	22.1	BDL	BDL	22.0	12.0	6.2	350	15	45.8	53	1016
12/8/2015 2:00	1.7	BDL	BDL	26.7	BDL	BDL	21.0	16.0	7.5	342	13	44.4	57	1016
12/8/2015 3:00	1.5	BDL	BDL	32.7	15.0	BDL	17.0	15.0	7.2	330	13	42.9	62	1016
12/8/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	17.0	14.0	7.6	338	12	42.0	65	1017
12/8/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	20.0	17.0	7.2	319	13	40.1	73	1017
12/8/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	BDL	Too few samples	21.0	20.0	6.3	335	18	39.5	75	1017
12/8/2015 7:00	Too few samples	BDL	BDL	Too few samples	Too few samples	Too few samples	26.0	20.0	6.4	346	17	38.8	77	1017
12/8/2015 8:00	Calibration	BDL	Too few samples	Calibration	Calibration	Calibration	34.0	25.0	6.9	316	14	37.4	79	1018
12/8/2015 9:00	Too few samples	Too few samples	BDL	Too few samples	Too few samples	Too few samples	32.0	25.0	8.6	325	10	38.3	75	1019
12/8/2015 10:00	Audit	Audit	Audit	Audit	Audit	Audit	31.0	23.0	8.5	335	14	40.1	68	1019
12/8/2015 11:00	Audit	Audit	Audit	Audit	Audit	Audit	35.0	19.0	5.8	354	19	41.7	64	1019
12/8/2015 12:00	Audit	Audit	Audit	Audit	Audit	Audit	25.0	19.0	5.4	316	21	44.0	59	1018
12/8/2015 13:00	Audit	Audit	Audit	Audit	Audit	Audit	28.0	17.0	3.9	308	23	45.8	54	1017
12/8/2015 14:00	Audit	Audit	Audit	Audit	Audit	Audit	25.0	15.0	4.8	302	21	47.8	51	1017
12/8/2015 15:00	Audit	Audit	Audit	Audit	Audit	Audit	18.0	14.0	6.0	310	17	48.4	50	1017
12/8/2015 16:00	Audit	Audit	Audit	Audit	Audit	Audit	16.0	18.0	5.4	305	10	47.6	54	1017
12/8/2015 17:00	Audit	Audit	Audit	Audit	Audit	Audit	20.0	12.0	5.0	305	9	47.1	56	1017
12/8/2015 18:00	Too few samples	Too few samples	Audit	Audit	Audit	Audit	27.0	17.0	4.5	298	9	45.9	61	1017
12/8/2015 19:00	0.7	BDL	BDL	48.4	0.2	3.2	38.0	26.0	1.9	242	41	44.6	66	1018
12/8/2015 20:00	0.8	1.5	0.9	63.7	0.3	3.5	32.0	19.0	1.1	237	48	43.0	71	1018
12/8/2015 21:00	1.3	2.4	0.9	83.4	0.4	3.3	33.0	26.0	1.5	207	22	40.7	79	1018
12/8/2015 22:00	1.1	1.5	BDL	72.5	0.4	3.4	35.0	25.0	1.1	226	18	40.3	81	1018
12/8/2015 23:00	1.1	1.2	0.6	56.7	0.3	3.0	44.0	33.0	0.9	253	46	40.0	82	1018
12/9/2015 0:00	1.1	BDL	BDL	50.9	0.3	3.5	47.0	36.0	0.7	164	49	39.6	86	1018
12/9/2015 1:00	1.3	0.8	BDL	66.5	0.3	3.2	41.0	37.0	2.1	196	48	39.9	87	1018
12/9/2015 2:00	1.6	2.3	1.1	91.5	0.4	3.3	48.0	37.0	1.1	230	25	39.3	89	1018
12/9/2015 3:00	1.8	1.4	BDL	106.5	0.6	3.8	53.0	38.0	1.0	221	20	39.0	87	1018
12/9/2015 4:00	1.2	1.0	BDL	77.7	0.3	3.0	51.0	38.0	0.7	146	37	38.7	89	1018
12/9/2015 5:00	1.2	1.6	BDL	89.7	0.2	3.7	47.0	39.0	1.3	108	24	37.7	95	1018
12/9/2015 6:00	2.2	2.5	BDL	142.1	0.5	4.0	60.0	41.0	1.4	75	11	36.7	95	1019
12/9/2015 7:00	2.6	3.2	0.6	186.7	0.6	4.5	69.0	46.0	1.6	101	9	37.0	93	1019
12/9/2015 8:00	2.4	2.6	0.4	155.4	0.4	3.3	68.0	44.0	1.0	130	30	37.2	90	1019
12/9/2015 9:00	BDL	BDL	BDL	14.7	BDL	0.3	58.0	43.0	1.3	146	23	38.8	78	1019
12/9/2015 10:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	45.0	37.0	2.1	124	21	41.3	71	1019
12/9/2015 11:00	Too few samples	Calibration	Calibration	Calibration	Too few samples	Too few samples	48.0	32.0	3.8	130	19	46.7	67	1019
12/9/2015 12:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	31.0	22.0	8.0	165	13	51.5	68	1017
12/9/2015 13:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	27.0	18.0	9.0	167	13	53.2	69	1016
12/9/2015 14:00	0.7	5.4	11.0	5.5	BDL	1.4	27.0	19.0	8.2	179	12	54.0	70	1015
12/9/2015 15:00	0.7	BDL	BDL	3.6	BDL	1.3	15.0	16.0	8.5	166	12	54.3	69	1014
12/9/2015 16:00	0.5	BDL	BDL	5.1	BDL	1.3	22.0	13.0	8.8	161	12	54.4	70	1014
12/9/2015 17:00	0.6	BDL	BDL	4.9	BDL	1.2	13.0	13.0	8.6	160	12	53.3	73	1014
12/9/2015 18:00	0.6	BDL	BDL	4.5	BDL	1.2	14.0	14.0	9.5	160	11	52.4	77	1014
12/9/2015 19:00	0.6	BDL	BDL	6.2	BDL	1.1	17.0	10.0	8.7	161	11	51.8	81	1014
12/9/2015 20:00	0.6	BDL	BDL	10.9	BDL	1.2	19.0	12.0	7.2	159	11	51.6	83	1014
12/9/2015 21:00	0.5	BDL	BDL	27.2	BDL	1.4	21.0	11.0	6.2	169	14	51.9	84	1013
12/9/2015 22:00	BDL	BDL	BDL	3.8	BDL	1.4	18.0	12.0	4.1	195	18	52.2	82	1013
12/9/2015 23:00	BDL	BDL	BDL	7.1	BDL	1.3	19.0	11.0	3.3	181	17	52.0	82	1013

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 12/6/2015-12/12/2015														
12/10/2015 0:00	BDL	BDL	BDL	22.6	BDL	1.9	21.0	11.0	2.4	150	18	51.1	84	1013
12/10/2015 1:00	BDL	BDL	BDL	25.3	BDL	1.9	20.0	10.0	1.7	160	28	50.5	85	1012
12/10/2015 2:00	BDL	BDL	BDL	14.7	BDL	1.3	20.0	15.0	2.5	181	14	50.6	85	1012
12/10/2015 3:00	BDL	BDL	0.4	22.6	BDL	1.3	16.0	11.0	2.3	191	16	51.0	84	1012
12/10/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	15.0	12.0	2.2	211	12	50.1	85	1012
12/10/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	19.0	11.0	2.2	241	17	49.7	87	1012
12/10/2015 6:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	22.0	13.0	1.5	243	39	48.9	89	1012
12/10/2015 7:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	26.0	20.0	2.5	213	9	47.9	92	1013
12/10/2015 8:00	1.1	1.3	0.5	73.3	0.6	3.2	25.0	18.0	2.0	259	14	47.0	95	1014
12/10/2015 9:00	1.2	1.0	BDL	73.6	0.6	2.7	34.0	22.0	2.5	278	11	48.6	87	1014
12/10/2015 10:00	0.9	BDL	BDL	31.2	0.4	1.9	28.0	24.0	4.7	303	11	50.6	79	1014
12/10/2015 11:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	pm	pm	2.5	281	23	52.5	70	1014
12/10/2015 12:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	30.0	22.0	3.2	292	18	56.1	62	1013
12/10/2015 13:00	Audit	Audit	Audit	Audit	Audit	Audit	27.0	24.0	2.7	310	39	57.7	58	1012
12/10/2015 14:00	Calibration	Audit	Audit	Audit	Audit	Audit	30.0	20.0	3.3	184	29	58.3	59	1012
12/10/2015 15:00	2.1	BDL	BDL	43.1	0.3	BDL	31.0	22.0	3.0	130	20	58.2	58	1011
12/10/2015 16:00	1.6	BDL	BDL	29.7	0.3	BDL	31.0	15.0	2.2	136	18	58.2	58	1012
12/10/2015 17:00	1.6	BDL	BDL	36.7	0.4	BDL	31.0	16.0	2.7	198	11	56.6	62	1012
12/10/2015 18:00	1.9	BDL	BDL	45.0	0.4	0.4	29.0	18.0	2.8	216	9	54.3	67	1012
12/10/2015 19:00	3.6	0.6	BDL	72.6	0.6	2.3	32.0	20.0	2.6	200	9	54.2	67	1013
12/10/2015 20:00	4.6	1.3	BDL	100.8	0.5	2.6	38.0	22.0	1.7	168	22	52.5	72	1012
12/10/2015 21:00	1.9	0.7	BDL	48.6	0.4	3.1	30.0	22.0	1.7	210	9	50.5	76	1012
12/10/2015 22:00	1.3	0.9	0.7	56.2	0.4	2.4	25.0	27.0	1.7	173	20	49.2	82	1012
12/10/2015 23:00	1.3	0.6	BDL	57.5	0.5	1.6	36.0	28.0	2.7	188	11	48.8	83	1012
12/11/2015 0:00	1.1	1.1	1.0	47.8	0.5	1.8	35.0	28.0	2.2	206	14	48.2	85	1012
12/11/2015 1:00	0.7	0.8	0.6	29.4	0.4	1.4	27.0	25.0	2.4	210	10	47.8	86	1011
12/11/2015 2:00	0.7	0.5	BDL	35.2	0.4	1.3	28.0	26.0	0.8	160	39	47.3	89	1011
12/11/2015 3:00	BDL	0.6	0.4	28.0	0.3	2.0	27.0	26.0	0.9	198	41	45.9	93	1011
12/11/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	34.0	24.0	1.1	163	20	45.7	96	1011
12/11/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	27.0	25.0	1.5	130	32	45.4	97	1010
12/11/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	34.0	27.0	1.3	146	22	45.4	99	1010
12/11/2015 7:00	0.5	0.5	BDL	53.0	0.3	1.6	35.0	25.0	1.5	160	16	44.9	99	1011
12/11/2015 8:00	0.9	1.7	BDL	77.7	0.4	3.9	39.0	27.0	1.6	184	21	44.6	100	1011
12/11/2015 9:00	0.6	1.1	BDL	61.3	0.4	1.7	36.0	24.0	1.8	171	26	46.1	95	1012
12/11/2015 10:00	Calibration	2.1	1.7	159.0	6.5	1.2	40.0	32.0	3.0	195	16	49.1	89	1012
12/11/2015 11:00	Calibration	4.8	Calibration	Calibration	Calibration	Calibration	38.0	23.0	5.4	218	15	52.3	82	1012
12/11/2015 12:00	2.8	0.7	0.4	34.3	0.3	0.6	31.0	26.0	6.6	226	15	54.1	78	1012
12/11/2015 13:00	3.2	0.5	0.4	24.3	0.3	BDL	29.0	22.0	7.1	227	13	56.3	72	1011
12/11/2015 14:00	2.5	BDL	BDL	24.1	0.3	BDL	28.0	22.0	6.8	221	13	57.8	69	1011
12/11/2015 15:00	3.0	BDL	BDL	33.1	0.4	BDL	35.0	19.0	6.2	211	13	58.3	69	1011
12/11/2015 16:00	1.9	0.7	BDL	50.5	0.4	BDL	36.0	22.0	3.7	203	12	57.8	74	1011
12/11/2015 17:00	2.1	BDL	BDL	36.7	0.4	BDL	27.0	20.0	4.5	219	15	58.0	75	1012
12/11/2015 18:00	1.3	BDL	BDL	38.1	0.5	BDL	32.0	22.0	3.4	208	14	55.6	80	1013
12/11/2015 19:00	2.6	0.7	0.5	65.2	0.6	0.7	34.0	24.0	3.4	219	11	54.3	84	1014
12/11/2015 20:00	3.6	0.9	BDL	71.4	0.6	0.3	35.0	25.0	4.0	226	11	54.8	82	1014
12/11/2015 21:00	1.4	0.7	BDL	47.3	0.5	0.2	35.0	24.0	3.5	246	13	53.9	85	1014
12/11/2015 22:00	1.7	1.6	0.4	66.7	0.7	1.2	39.0	29.0	3.6	215	10	53.2	86	1015
12/11/2015 23:00	3.0	0.7	BDL	73.5	0.7	2.1	36.0	28.0	4.0	221	13	53.0	86	1015
12/12/2015 0:00	2.2	0.5	BDL	51.2	0.5	2.7	33.0	26.0	3.5	216	14	53.3	86	1015
12/12/2015 1:00	1.5	0.4	BDL	43.5	0.5	3.8	29.0	25.0	2.3	219	17	52.7	87	1016
12/12/2015 2:00	1.1	1.2	1.0	39.3	0.5	2.4	31.0	28.0	1.2	237	28	51.7	90	1016
12/12/2015 3:00	0.9	0.8	BDL	47.1	0.6	2.6	31.0	27.0	1.8	201	14	51.3	91	1016
12/12/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	33.0	26.0	1.2	195	21	50.5	92	1016
12/12/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	37.0	27.0	1.4	244	29	49.7	95	1016
12/12/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	38.0	29.0	1.8	213	18	49.6	96	1017
12/12/2015 7:00	0.8	1.5	0.8	54.7	0.5	2.7	39.0	27.0	1.9	269	23	49.7	97	1018
12/12/2015 8:00	0.6	1.5	0.9	52.2	0.5	3.0	43.0	27.0	1.7	221	25	49.3	98	1019
12/12/2015 9:00	1.2	1.9	1.2	65.6	0.5	21.9	41.0	31.0	1.9	181	18	50.5	95	1019
12/12/2015 10:00	3.1	2.2	2.6	61.2	0.5	2.3	52.0	38.0	2.2	218	18	54.2	84	1019
12/12/2015 11:00	5.3	2.0	1.4	72.9	0.6	1.7	46.0	39.0	1.8	192	20	58.3	73	1019
12/12/2015 12:00	5.2	1.0	0.5	54.9	0.5	0.8	46.0	26.0	4.1	207	14	61.9	69	1018
12/12/2015 13:00	2.8	BDL	BDL	20.4	0.3	1.7	36.0	20.0	3.6	223	19	65.4	59	1017
12/12/2015 14:00	1.6	BDL	BDL	13.5	0.3	2.1	31.0	18.0	5.3	223	17	67.4	55	1016
12/12/2015 15:00	1.2	BDL	BDL	15.4	0.3	2.2	23.0	21.0	5.4	233	13	68.3	52	1017
12/12/2015 16:00	1.1	BDL	BDL	19.3	0.4	3.2	28.0	14.0	3.5	234	13	66.5	57	1017
12/12/2015 17:00	1.4	0.8	1.1	27.4	0.5	4.1	27.0	19.0	2.2	215	11	64.1	64	1017
12/12/2015 18:00	1.9	BDL	BDL	31.3	0.4	0.6	26.0	18.0	2.8	189	8	62.0	69	1018
12/12/2015 19:00	1.0	0.9	0.9	24.5	0.4	0.4	23.0	17.0	3.3	211	10	60.4	73	1018
12/12/2015 20:00	2.9	1.9	1.0	52.9	0.5	0.9	27.0	22.0	3.3	224	10	59.9	77	1019
12/12/2015 21:00	0.8	2.6	3.0	38.7	0.5	1.2	29.0	23.0	2.4	223	15	58.3	82	1019
12/12/2015 22:00	2.7	1.7	1.4	60.3	0.5	0.9	30.0	26.0	2.9	212	10	57.4	84	1019
12/12/2015 23:00	1.4	1.6	1.3	39.1	0.4	1.7	29.0	25.0	3.4	218	11	56.8	85	1019

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 12/13/2015-12/19/2015														
12/13/2015 0:00	0.8	1.7	2.1	38.7	0.5	2.1	34.0	22.0	2.4	223	11	55.9	87	1018
12/13/2015 1:00	0.9	1.6	1.5	34.2	0.4	0.7	30.0	26.0	2.5	212	13	55.6	87	1018
12/13/2015 2:00	0.7	1.5	1.6	29.5	0.4	1.4	36.0	26.0	1.9	217	15	55.3	88	1018
12/13/2015 3:00	BDL	1.3	1.2	25.0	0.4	1.4	32.0	26.0	2.7	222	12	55.4	88	1018
12/13/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	32.0	26.0	1.5	217	15	54.3	90	1018
12/13/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	38.0	27.0	1.7	233	12	53.5	93	1018
12/13/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	40.0	33.0	2.1	231	20	53.0	93	1018
12/13/2015 7:00	0.8	1.8	1.6	49.6	0.5	2.9	36.0	33.0	1.9	236	14	53.7	94	1019
12/13/2015 8:00	0.6	1.2	0.9	38.5	0.5	2.9	42.0	30.0	1.2	263	15	52.8	95	1019
12/13/2015 9:00	1.2	1.7	0.9	62.1	0.5	4.9	42.0	37.0	0.8	114	40	53.7	94	1019
12/13/2015 10:00	2.9	2.4	1.0	94.7	0.6	3.0	54.0	41.0	2.1	187	18	56.2	85	1019
12/13/2015 11:00	5.2	1.9	1.4	61.4	0.7	1.6	47.0	42.0	3.7	227	13	60.6	76	1019
12/13/2015 12:00	4.0	0.9	BDL	46.6	0.6	2.5	46.0	32.0	3.8	227	15	64.9	66	1018
12/13/2015 13:00	8.4	BDL	BDL	27.5	0.4	2.6	27.0	22.0	3.8	213	14	68.0	63	1017
12/13/2015 14:00	5.7	BDL	BDL	24.3	0.4	2.1	27.0	18.0	3.6	204	13	69.6	63	1017
12/13/2015 15:00	2.8	0.6	0.4	29.3	0.4	2.1	27.0	18.0	3.3	196	14	69.2	65	1017
12/13/2015 16:00	2.4	BDL	BDL	21.4	0.4	1.7	26.0	17.0	2.2	196	10	67.8	68	1017
12/13/2015 17:00	2.2	0.7	0.8	21.8	0.4	1.6	28.0	16.0	2.6	194	8	66.0	73	1017
12/13/2015 18:00	2.6	1.0	0.7	55.9	0.4	3.2	32.0	25.0	1.9	169	12	63.3	80	1017
12/13/2015 19:00	1.2	0.5	0.5	22.8	0.4	3.6	29.0	22.0	1.9	174	14	62.1	84	1017
12/13/2015 20:00	1.2	1.0	0.8	32.3	0.4	5.6	28.0	24.0	2.1	159	13	61.0	87	1017
12/13/2015 21:00	1.4	1.4	0.7	63.1	0.5	1.9	31.0	25.0	1.9	137	16	60.7	87	1017
12/13/2015 22:00	0.6	0.8	0.4	38.1	0.5	1.1	29.0	22.0	1.5	139	25	58.3	92	1017
12/13/2015 23:00	0.6	0.6	BDL	39.1	0.6	0.7	34.0	27.0	2.9	69	38	57.7	94	1016
12/14/2015 0:00	0.4	0.5	0.4	26.4	0.5	BDL	30.0	25.0	3.9	67	14	56.8	96	1016
12/14/2015 1:00	BDL	0.4	0.5	15.5	0.4	BDL	31.0	23.0	4.9	66	10	55.0	98	1016
12/14/2015 2:00	BDL	0.5	0.6	15.3	0.4	BDL	39.0	27.0	4.8	63	10	54.1	99	1015
12/14/2015 3:00	BDL	0.5	0.6	14.4	0.4	0.3	34.0	31.0	4.9	65	12	53.3	100	1015
12/14/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	33.0	24.0	3.5	79	14	52.9	100	1014
12/14/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	29.0	23.0	2.8	93	16	52.9	100	1013
12/14/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	23.0	24.0	2.6	83	14	53.1	100	1012
12/14/2015 7:00	0.5	0.8	0.5	41.4	0.4	0.3	21.0	20.0	3.5	64	12	53.2	100	1012
12/14/2015 8:00	0.9	1.2	0.7	66.1	0.5	0.3	26.0	20.0	3.0	60	10	53.7	100	1011
12/14/2015 9:00	1.1	1.7	1.1	81.4	0.5	0.1	40.0	30.0	1.8	60	42	54.3	100	1011
12/14/2015 10:00	1.3	2.0	1.0	95.5	0.6	BDL	47.0	27.0	1.6	99	20	55.3	100	1010
12/14/2015 11:00	0.9	1.3	0.8	55.4	0.4	BDL	26.0	20.0	1.4	145	27	57.1	100	1010
12/14/2015 12:00	1.4	1.4	0.9	61.1	0.5	BDL	28.0	20.0	2.5	191	20	60.1	94	1008
12/14/2015 13:00	1.0	0.7	0.7	23.9	0.3	0.1	20.0	14.0	2.8	228	27	65.9	74	1007
12/14/2015 14:00	1.2	BDL	BDL	18.8	0.3	BDL	16.0	10.0	5.9	214	15	68.8	71	1006
12/14/2015 15:00	1.5	BDL	BDL	23.8	0.3	BDL	22.0	8.0	4.1	211	17	68.6	70	1005
12/14/2015 16:00	0.9	BDL	BDL	23.1	0.2	BDL	16.0	7.0	6.8	163	11	67.7	71	1004
12/14/2015 17:00	0.6	BDL	BDL	20.2	0.2	BDL	10.0	4.0	7.1	168	12	66.4	72	1002
12/14/2015 18:00	0.5	BDL	BDL	16.8	0.2	BDL	13.0	5.0	8.0	169	11	65.4	74	1002
12/14/2015 19:00	0.4	BDL	BDL	3.7	0.2	BDL	7.0	5.0	7.6	179	13	61.6	92	1001
12/14/2015 20:00	BDL	BDL	BDL	2.3	0.2	BDL	3.0	3.0	9.1	181	12	61.9	97	999
12/14/2015 21:00	BDL	BDL	BDL	0.7	0.2	BDL	9.0	2.0	12.0	183	12	62.7	96	998
12/14/2015 22:00	BDL	BDL	0.4	BDL	0.2	BDL	7.0	2.0	11.8	188	12	63.6	97	996
12/14/2015 23:00	BDL	BDL	0.5	BDL	0.2	BDL	5.0	4.0	10.7	196	11	65.0	95	995
12/15/2015 0:00	BDL	BDL	0.6	2.8	0.2	BDL	4.0	6.0	9.7	209	12	66.8	92	995
12/15/2015 1:00	0.4	BDL	0.5	5.5	0.2	BDL	8.0	7.0	10.1	218	15	67.1	90	994
12/15/2015 2:00	BDL	BDL	1.2	1.8	0.2	BDL	8.0	6.0	11.0	252	19	65.8	88	994
12/15/2015 3:00	BDL	BDL	0.6	0.8	0.2	BDL	10.0	3.0	3.0	244	19	60.3	96	995
12/15/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	6.0	2.0	3.3	223	12	60.6	96	996
12/15/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	6.0	2.0	5.5	254	14	60.6	83	996
12/15/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	7.0	1.0	8.2	297	12	59.6	71	997
12/15/2015 7:00	BDL	BDL	BDL	1.5	0.2	BDL	5.0	~~0.0~~	10.4	295	12	59.0	63	999
12/15/2015 8:00	0.4	BDL	BDL	3.8	0.2	BDL	5.0	~~0.0~~	8.3	293	10	57.5	63	1000
12/15/2015 9:00	BDL	BDL	BDL	3.3	0.2	BDL	4.0	3.0	12.9	300	10	57.4	57	1001
12/15/2015 10:00	Too few samples	Too few samples	Too few samples	Too few samples	0.2	35.3	5.0	4.0	13.9	304	10	57.9	53	1002
12/15/2015 11:00	BDL	BDL	BDL	2.6	0.2	3.7	3.0	3.0	15.1	299	12	58.2	53	1002
12/15/2015 12:00	0.4	BDL	BDL	1.7	0.2	3.0	2.0	2.0	14.7	300	11	57.6	54	1002
12/15/2015 13:00	0.5	BDL	BDL	1.5	0.2	2.8	5.0	3.0	13.2	299	11	57.6	55	1002
12/15/2015 14:00	BDL	BDL	BDL	2.5	0.2	2.8	7.0	3.0	13.1	292	14	58.5	52	1002
12/15/2015 15:00	0.4	BDL	BDL	3.4	0.2	2.8	7.0	7.0	13.6	282	13	58.2	50	1003
12/15/2015 16:00	0.4	BDL	BDL	2.8	0.2	2.9	5.0	5.0	13.0	294	12	57.2	52	1004
12/15/2015 17:00	BDL	BDL	BDL	3.0	0.2	3.1	5.0	1.0	12.8	299	10	55.1	54	1005
12/15/2015 18:00	BDL	BDL	BDL	3.0	0.2	4.3	8.0	1.0	10.4	296	11	53.3	57	1006
12/15/2015 19:00	BDL	BDL	BDL	1.7	0.2	5.2	12.0	7.0	10.1	293	11	51.7	60	1007
12/15/2015 20:00	BDL	BDL	BDL	1.8	0.2	5.7	8.0	7.0	8.2	289	12	50.8	61	1008
12/15/2015 21:00	BDL	BDL	BDL	2.3	0.2	5.8	5.0	4.0	6.4	288	13	50.2	63	1009
12/15/2015 22:00	BDL	BDL	BDL	2.0	0.2	6.0	6.0	5.0	5.8	287	12	49.6	65	1010
12/15/2015 23:00	BDL	BDL	BDL	4.9	0.2	6.3	7.0	6.0	3.8	260	16	49.5	67	1010
12/16/2015 0:00	BDL	BDL	BDL	10.1	0.3	6.7	7.0	3.0	3.5	260	15	49.3	68	1011
12/16/2015 1:00	BDL	BDL	BDL	8.2	0.3	6.6	6.0	3.0	3.4	263	19	48.8	70	1011
12/16/2015 2:00	BDL	BDL	BDL	9.1	0.3	6.6	8.0	5.0	4.2	264	12	49.3	69	1012
12/16/2015 3:00	BDL	BDL	BDL	7.6	0.2	6.7	8.0	6.0	5.0	306	14	50.2	69	1013
12/16/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	8.0	4.0	7.5	348	18	51.4	67	1013
12/16/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	6.0	4.0	8.6	341	12	50.7	67	1014
12/16/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	7.0	4.0	7.3	350	20	49.9	67	1015
12/16/2015 7:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	14.0	4.0	7.2	355	20	49.5	66	1016
12/16/2015 8:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	13.0	5.0	6.3	27	21	49.0	67	1017
12/16/2015 9:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	23.0	4.0	6.9	52	14	48.7	66	1017
12/16/2015 10:00	BDL	BDL	BDL	9.3	0.2	2.5	21.0	3.0	6.0	55	16	48.7	65	1018
12/16/2015 11:00	BDL	BDL	BDL	8.4	0.2	2.6	19.0	5.0	5.1	76	21	49.2	63	1018
12/16/2015 12:00	BDL	BDL	BDL	7.3	0.2	2.5	10.0	5.0	4.3	125	20	49.9	62	1018
12/16/2015 13:00	BDL	BDL	BDL	5.2	0.2	2.4	7.0	3.0	3.7	128	24	50.5	62	1017
12/16/2015 14:00	BDL	BDL	BDL	4.4	0.2	2.4	3.0	3.0	3.6	157	18	51.2	62	1017
12/16/2015 15:00	BDL	BDL	BDL	6.3	0.2	2.3	3.0	5.0	3.8	131	17	51.1	64	1017
12/16/2015 16:00	BDL	BDL	BDL	5.6	0.2	2.3	4.0	6.0	3.8	140	15	51.2	65	1017
12/16/2015 17:00	BDL	BDL	BDL	11.5	0.2	2.4	5.0	6.0	3.5	144	14	51.2	67	1017
12/16/2015 18:00	BDL	BDL	BDL	13.8	0.2	2.4	9.0	5.0	5.0	117	15	49.9	69	1017
12/16/2015 19:00	BDL	BDL	BDL	19.3	0.2	2.4	12.0	5.0	5.7	118	15	49.3	72	1017
12/16/2015 20:00	BDL	BDL	BDL	32.5	0.2	2.4	13.0	5.0	4.8	111	15	48.9	74	1017
12/16/2015 21:00	BDL	BDL	BDL	23.9	0.2	2.5	17.0	8.0	4.1	117	15	49.2	75	1018
12/16/2015 22:00	BDL	BDL	BDL	17.9	0.2	2.4	7.0	7.0	5.3	110	11	49.0	76	1018
12/16/2015 23:00	BDL	BDL	BDL	10.0	0.2	2.3	6.0	5.0	5.6	113	14	49.1	77	1017

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 12/13/2015-12/19/2015														
12/17/2015 0:00	BDL	BDL	BDL	17.9	0.2	2.3	8.0	2.0	4.2	119	12	49.4	78	1016
12/17/2015 1:00	BDL	BDL	BDL	13.6	0.2	2.1	14.0	6.0	4.4	108	13	49.1	79	1015
12/17/2015 2:00	BDL	BDL	BDL	9.4	0.2	2.1	10.0	6.0	4.5	107	12	48.8	81	1014
12/17/2015 3:00	BDL	BDL	BDL	12.3	0.2	2.1	9.0	4.0	2.2	78	13	48.0	85	1015
12/17/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	18.0	5.0	2.1	80	10	47.6	88	1014
12/17/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	23.0	9.0	1.9	70	23	47.6	89	1014
12/17/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	32.0	6.0	3.4	78	12	47.6	90	1014
12/17/2015 7:00	0.6	BDL	BDL	38.5	0.3	1.9	18.0	7.0	3.9	78	16	48.3	92	1013
12/17/2015 8:00	0.7	0.5	BDL	50.7	0.4	1.9	24.0	7.0	2.4	90	26	49.2	92	1013
12/17/2015 9:00	0.7	0.6	BDL	57.2	0.4	1.9	23.0	7.0	2.9	89	16	49.8	95	1012
12/17/2015 10:00	1.1	0.9	0.4	84.4	0.5	1.8	21.0	6.0	3.5	63	16	50.8	96	1011
12/17/2015 11:00	0.8	0.8	BDL	63.3	0.5	2.2	16.0	10.0	3.2	53	17	51.8	98	1010
12/17/2015 12:00	0.7	0.6	BDL	55.8	0.5	1.2	18.0	14.0	3.9	55	11	52.5	99	1009
12/17/2015 13:00	0.8	1.0	BDL	66.3	0.5	1.1	14.0	11.0	3.4	62	11	52.7	100	1007
12/17/2015 14:00	0.9	1.0	BDL	72.0	0.5	1.0	14.0	9.0	2.8	53	16	53.3	100	1006
12/17/2015 15:00	0.9	1.0	0.4	70.4	0.6	2.5	9.0	9.0	2.1	58	31	54.4	100	1005
12/17/2015 16:00	1.0	1.1	0.4	76.3	0.7	4.5	9.0	7.0	3.6	305	11	55.0	100	1004
12/17/2015 17:00	1.3	1.4	0.7	87.3	0.8	1.4	8.0	10.0	2.1	126	34	54.9	100	1003
12/17/2015 18:00	1.7	2.0	0.6	117.1	0.8	1.0	13.0	13.0	1.2	219	29	54.1	100	1003
12/17/2015 19:00	1.2	1.5	0.5	88.4	0.8	1.6	16.0	11.0	2.1	262	26	54.5	100	1003
12/17/2015 20:00	0.6	0.8	BDL	51.5	0.6	0.5	9.0	7.0	3.3	257	14	54.4	100	1004
12/17/2015 21:00	BDL	0.4	BDL	32.8	0.5	0.6	8.0	6.0	3.8	264	14	53.7	100	1004
12/17/2015 22:00	BDL	BDL	BDL	30.8	0.5	0.8	7.0	6.0	2.8	267	18	53.5	100	1004
12/17/2015 23:00	BDL	BDL	BDL	22.5	0.4	0.6	6.0	4.0	3.4	280	17	53.8	100	1004
12/18/2015 0:00	BDL	BDL	BDL	7.8	0.3	0.5	7.0	7.0	5.1	288	17	53.8	95	1004
12/18/2015 1:00	BDL	BDL	BDL	5.9	0.3	0.8	11.0	9.0	3.3	270	24	53.7	90	1004
12/18/2015 2:00	BDL	BDL	BDL	9.8	0.3	1.2	18.0	12.0	4.1	252	16	53.2	91	1005
12/18/2015 3:00	BDL	BDL	BDL	9.2	0.3	0.8	10.0	11.0	4.2	246	13	52.6	91	1005
12/18/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	15.0	12.0	5.2	276	13	52.0	90	1006
12/18/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	14.0	14.0	7.6	299	11	50.6	83	1005
12/18/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	13.0	9.0	9.7	311	9	48.4	81	1006
12/18/2015 7:00	BDL	BDL	BDL	2.4	0.2	0.8	11.0	6.0	11.0	311	10	45.1	78	1006
12/18/2015 8:00	BDL	BDL	BDL	6.3	0.2	16.4	6.0	8.0	9.4	315	10	43.5	76	1007
12/18/2015 9:00	BDL	BDL	BDL	8.0	0.2	0.9	6.0	5.0	9.2	314	9	42.9	75	1007
12/18/2015 10:00	BDL	BDL	BDL	8.2	0.2	1.0	7.0	6.0	9.1	314	10	42.5	76	1007
12/18/2015 11:00	BDL	BDL	BDL	11.8	0.2	1.0	10.0	8.0	9.0	314	10	42.4	77	1007
12/18/2015 12:00	BDL	BDL	BDL	7.5	0.2	0.9	10.0	7.0	10.0	318	9	43.0	73	1006
12/18/2015 13:00	BDL	BDL	BDL	5.5	0.2	0.8	8.0	7.0	10.2	322	12	43.7	67	1005
12/18/2015 14:00	BDL	BDL	BDL	4.6	0.2	0.8	10.0	6.0	9.2	312	11	45.1	62	1004
12/18/2015 15:00	BDL	BDL	BDL	2.0	0.2	0.6	10.0	7.0	10.8	308	12	45.9	58	1004
12/18/2015 16:00	BDL	BDL	BDL	0.9	0.2	0.6	10.0	7.0	12.8	311	10	45.2	55	1004
12/18/2015 17:00	BDL	BDL	BDL	1.8	0.2	0.7	8.0	8.0	12.2	308	9	43.9	56	1005
12/18/2015 18:00	BDL	BDL	BDL	0.8	0.2	0.8	6.0	5.0	9.5	296	10	43.3	55	1007
12/18/2015 19:00	BDL	BDL	BDL	1.2	0.2	1.0	11.0	6.0	9.5	291	11	42.3	57	1008
12/18/2015 20:00	BDL	BDL	BDL	1.3	0.2	1.1	10.0	8.0	8.4	293	11	40.9	57	1008
12/18/2015 21:00	BDL	BDL	BDL	BDL	0.2	1.1	9.0	8.0	9.9	293	11	40.0	56	1009
12/18/2015 22:00	BDL	BDL	BDL	BDL	0.2	1.2	9.0	10.0	12.0	296	12	39.6	55	1009
12/18/2015 23:00	BDL	BDL	BDL	BDL	0.2	1.3	10.0	9.0	10.8	295	12	39.2	53	1010
12/19/2015 0:00	0.4	BDL	BDL	BDL	0.2	1.3	14.0	9.0	11.7	290	12	38.6	54	1011
12/19/2015 1:00	1.0	BDL	BDL	0.6	0.2	1.5	10.0	12.0	11.3	289	12	37.9	54	1012
12/19/2015 2:00	1.0	BDL	BDL	BDL	0.2	1.8	12.0	12.0	11.6	287	12	37.0	55	1013
12/19/2015 3:00	0.8	BDL	BDL	0.8	0.2	2.1	12.0	8.0	7.7	273	14	36.0	58	1013
12/19/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	11.0	9.0	6.1	260	16	35.6	60	1014
12/19/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	10.0	10.0	10.9	285	14	34.9	60	1015
12/19/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	11.0	8.0	10.5	291	13	33.8	56	1016
12/19/2015 7:00	BDL	BDL	BDL	BDL	0.2	2.2	9.0	6.0	7.7	286	13	33.1	54	1017
12/19/2015 8:00	0.5	BDL	BDL	2.1	0.2	2.4	11.0	6.0	5.7	267	16	32.7	56	1018
12/19/2015 9:00	0.9	BDL	BDL	5.9	0.2	2.6	10.0	7.0	6.0	261	18	33.6	51	1018
12/19/2015 10:00	0.4	BDL	BDL	1.9	0.2	2.5	10.0	6.0	9.7	263	18	35.6	47	1019
12/19/2015 11:00	0.5	BDL	BDL	BDL	0.2	2.5	11.0	7.0	9.7	272	18	37.6	44	1019
12/19/2015 12:00	0.4	BDL	BDL	BDL	0.2	2.5	9.0	10.0	11.9	277	15	39.4	41	1019
12/19/2015 13:00	BDL	BDL	BDL	BDL	0.2	2.4	10.0	7.0	12.4	281	17	39.4	42	1019
12/19/2015 14:00	BDL	BDL	BDL	BDL	0.2	2.5	11.0	10.0	12.9	277	16	39.9	41	1019
12/19/2015 15:00	BDL	BDL	BDL	BDL	0.2	2.6	9.0	7.0	11.6	274	15	40.1	41	1019
12/19/2015 16:00	BDL	BDL	BDL	BDL	0.2	2.6	15.0	7.0	11.8	283	14	40.0	40	1020
12/19/2015 17:00	BDL	BDL	BDL	BDL	0.2	2.7	15.0	11.0	10.6	281	12	39.4	41	1021
12/19/2015 18:00	BDL	BDL	BDL	1.3	0.2	2.9	13.0	9.0	10.1	278	13	38.6	44	1022
12/19/2015 19:00	0.8	BDL	BDL	1.9	0.2	3.3	13.0	10.0	8.2	281	13	37.6	46	1023
12/19/2015 20:00	1.1	BDL	BDL	5.0	0.2	3.2	13.0	11.0	6.9	257	14	36.8	50	1024
12/19/2015 21:00	0.6	BDL	BDL	6.8	0.2	3.3	12.0	9.0	6.6	245	14	36.2	53	1025
12/19/2015 22:00	0.5	BDL	BDL	4.7	0.2	3.3	12.0	10.0	7.4	257	14	35.5	56	1025
12/19/2015 23:00	0.4	BDL	BDL	6.6	0.2	3.4	14.0	11.0	6.2	259	14	34.6	58	1026

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 12/20/2015-12/26/2015														
12/20/2015 0:00	0.5	BDL	BDL	4.9	0.2	3.4	12.0	14.0	5.9	254	14	34.2	59	1026
12/20/2015 1:00	BDL	BDL	BDL	7.3	0.3	3.5	18.0	13.0	6.1	248	14	33.3	62	1027
12/20/2015 2:00	BDL	BDL	BDL	6.7	0.2	3.6	17.0	9.0	6.7	248	14	33.1	62	1027
12/20/2015 3:00	BDL	BDL	BDL	4.8	0.2	3.9	13.0	16.0	6.5	253	16	32.8	62	1028
12/20/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	17.0	12.0	5.1	256	15	32.4	63	1028
12/20/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	17.0	13.0	5.0	250	13	31.8	64	1029
12/20/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	13.0	10.0	4.8	269	15	31.6	64	1030
12/20/2015 7:00	BDL	BDL	BDL	7.9	0.2	4.0	14.0	13.0	3.8	251	15	31.5	64	1030
12/20/2015 8:00	BDL	BDL	BDL	9.2	0.2	4.1	12.0	12.0	4.1	255	16	31.3	64	1031
12/20/2015 9:00	BDL	BDL	BDL	6.2	0.2	32.9	16.0	13.0	6.2	287	12	32.6	56	1032
12/20/2015 10:00	BDL	BDL	BDL	2.7	0.2	4.8	11.0	8.0	6.1	304	13	34.7	52	1032
12/20/2015 11:00	BDL	BDL	BDL	1.1	0.2	4.9	11.0	8.0	6.3	303	16	37.4	48	1033
12/20/2015 12:00	BDL	BDL	BDL	BDL	0.2	4.8	7.0	7.0	4.9	280	21	39.9	42	1032
12/20/2015 13:00	BDL	BDL	BDL	1.2	0.2	4.7	6.0	8.0	3.9	253	33	41.1	40	1031
12/20/2015 14:00	0.7	BDL	BDL	5.9	0.2	4.6	11.0	9.0	7.2	218	16	41.6	45	1031
12/20/2015 15:00	0.9	BDL	BDL	6.1	0.2	4.6	14.0	11.0	8.0	226	15	42.1	44	1031
12/20/2015 16:00	0.7	BDL	BDL	5.4	0.2	4.7	12.0	13.0	8.6	217	14	41.6	46	1031
12/20/2015 17:00	1.1	BDL	BDL	8.2	0.2	4.8	18.0	14.0	6.0	213	12	40.8	49	1030
12/20/2015 18:00	1.3	BDL	BDL	12.7	0.3	5.8	16.0	10.0	5.7	222	13	39.8	52	1031
12/20/2015 19:00	1.6	BDL	BDL	34.0	0.3	4.6	12.0	9.0	2.7	219	23	39.3	55	1031
12/20/2015 20:00	1.3	BDL	BDL	22.8	0.3	4.3	16.0	13.0	3.9	183	15	38.0	61	1030
12/20/2015 21:00	BDL	BDL	BDL	11.9	0.3	4.3	20.0	15.0	4.8	199	12	36.8	63	1030
12/20/2015 22:00	BDL	BDL	BDL	10.9	0.2	4.3	11.0	9.0	3.4	194	17	36.8	61	1030
12/20/2015 23:00	BDL	BDL	BDL	15.2	0.2	4.2	16.0	12.0	2.9	171	13	36.2	62	1030
12/21/2015 0:00	BDL	BDL	BDL	11.9	0.2	4.1	17.0	15.0	2.9	180	13	36.0	64	1029
12/21/2015 1:00	0.4	BDL	BDL	11.6	0.2	4.0	12.0	10.0	3.0	209	13	36.0	66	1028
12/21/2015 2:00	BDL	BDL	BDL	4.5	0.2	3.8	10.0	10.0	3.5	208	14	37.0	65	1028
12/21/2015 3:00	BDL	0.5	BDL	17.1	0.2	4.8	12.0	11.0	2.8	233	15	37.3	68	1027
12/21/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	12.0	10.0	2.0	242	21	37.6	73	1027
12/21/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	11.0	9.0	3.5	214	18	39.7	80	1026
12/21/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	15.0	6.0	3.3	245	17	40.7	83	1025
12/21/2015 7:00	0.6	BDL	BDL	21.4	0.3	3.8	12.0	5.0	4.9	229	16	41.8	83	1026
12/21/2015 8:00	0.4	BDL	BDL	14.4	0.2	3.3	12.0	6.0	7.3	205	12	43.1	81	1025
12/21/2015 9:00	BDL	BDL	BDL	14.4	0.2	3.2	13.0	4.0	8.3	201	11	43.9	78	1024
12/21/2015 10:00	BDL	BDL	BDL	9.3	0.2	3.2	15.0	4.0	10.5	203	13	46.5	69	1024
12/21/2015 11:00	0.9	BDL	BDL	10.2	0.2	3.3	20.0	3.0	10.6	208	13	48.7	60	1024
12/21/2015 12:00	1.0	BDL	BDL	11.0	0.2	3.3	22.0	7.0	11.6	216	14	49.7	58	1023
12/21/2015 13:00	0.7	BDL	BDL	6.7	0.2	3.3	16.0	6.0	9.9	220	13	51.3	56	1022
12/21/2015 14:00	0.6	BDL	BDL	7.5	0.2	2.9	21.0	6.0	10.2	226	14	53.0	54	1021
12/21/2015 15:00	1.1	BDL	BDL	10.4	0.2	3.0	17.0	9.0	10.2	222	13	54.0	57	1019
12/21/2015 16:00	0.9	BDL	BDL	12.4	0.3	2.6	14.0	9.0	8.2	233	15	54.4	61	1019
12/21/2015 17:00	1.1	BDL	BDL	16.6	0.3	2.4	11.0	10.0	6.4	210	14	54.1	67	1018
12/21/2015 18:00	0.4	BDL	BDL	4.0	0.2	2.1	12.0	7.0	9.6	204	11	54.9	67	1018
12/21/2015 19:00	BDL	BDL	BDL	2.9	0.2	2.1	11.0	6.0	10.0	202	11	54.9	71	1018
12/21/2015 20:00	0.9	BDL	BDL	9.8	0.2	2.1	12.0	5.0	8.3	209	12	55.0	74	1017
12/21/2015 21:00	1.1	BDL	BDL	13.3	0.2	2.3	10.0	5.0	7.6	219	13	55.1	76	1017
12/21/2015 22:00	1.5	BDL	BDL	19.0	0.3	2.1	9.0	10.0	8.6	221	12	54.9	78	1017
12/21/2015 23:00	1.1	BDL	BDL	12.2	0.3	2.1	9.0	9.0	7.0	219	13	54.6	81	1017
12/22/2015 0:00	0.9	BDL	BDL	13.8	0.4	2.1	8.0	7.0	6.9	221	13	54.8	81	1017
12/22/2015 1:00	0.9	BDL	BDL	9.1	0.2	1.9	9.0	6.0	6.5	214	12	55.2	82	1017
12/22/2015 2:00	0.4	BDL	BDL	2.5	0.2	1.7	12.0	8.0	4.1	210	13	55.1	82	1016
12/22/2015 3:00	0.6	BDL	BDL	8.1	0.2	1.9	8.0	9.0	5.0	211	13	55.1	83	1016
12/22/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	9.0	8.0	5.9	198	12	54.8	84	1016
12/22/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	13.0	5.0	5.5	193	11	54.3	87	1015
12/22/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	13.0	5.0	4.8	169	11	54.0	89	1015
12/22/2015 7:00	0.6	0.7	0.5	24.0	0.2	1.6	12.0	9.0	5.0	182	12	54.2	90	1015
12/22/2015 8:00	0.5	0.7	0.6	18.3	0.2	18.0	11.0	9.0	5.7	201	11	54.6	91	1015
12/22/2015 9:00	BDL	BDL	BDL	20.8	0.2	14.1	10.0	11.0	6.8	188	10	53.8	98	1014
12/22/2015 10:00	BDL	BDL	BDL	15.8	0.2	1.3	10.0	7.0	7.1	195	14	54.7	99	1014
12/22/2015 11:00	BDL	BDL	BDL	18.5	0.2	0.8	7.0	6.0	7.9	200	12	55.5	98	1014
12/22/2015 12:00	BDL	BDL	0.5	13.1	0.2	0.4	7.0	6.0	6.4	197	14	55.4	99	1012
12/22/2015 13:00	BDL	BDL	0.6	11.1	0.2	BDL	6.0	6.0	6.9	204	11	56.8	99	1012
12/22/2015 14:00	BDL	BDL	BDL	8.0	0.3	BDL	5.0	3.0	9.1	213	13	58.3	97	1011
12/22/2015 15:00	BDL	BDL	0.4	14	0.3	BDL	11.0	9.0	7.4	229	14	58.3	97	1011
12/22/2015 16:00	BDL	BDL	BDL	13.4	0.4	BDL	8.0	7.0	6.9	231	13	58.4	96	1012
12/22/2015 17:00	0.5	BDL	BDL	18.6	0.4	BDL	7.0	6.0	6.9	232	13	58.2	95	1012
12/22/2015 18:00	1.0	BDL	BDL	21.5	0.3	BDL	9.0	8.0	7.8	235	13	57.9	94	1013
12/22/2015 19:00	1.5	BDL	BDL	28.5	0.5	BDL	17.0	10.0	5.9	234	14	57.7	94	1014
12/22/2015 20:00	0.5	BDL	BDL	20.3	0.3	BDL	11.0	9.0	3.8	241	16	57.4	94	1015
12/22/2015 21:00	BDL	BDL	0.4	16.6	0.3	BDL	14.0	10.0	3.7	239	14	57.4	94	1016
12/22/2015 22:00	BDL	BDL	BDL	14.7	0.3	BDL	15.0	8.0	3.5	197	13	56.8	95	1016
12/22/2015 23:00	0.4	BDL	BDL	20.6	0.3	BDL	18.0	11.0	2.8	179	13	56.1	97	1017
12/23/2015 0:00	BDL	BDL	BDL	20.1	0.3	BDL	12.0	11.0	1.9	208	16	56.3	97	1017
12/23/2015 1:00	0.5	BDL	BDL	28.6	0.3	BDL	16.0	13.0	1.2	182	23	56.2	97	1017
12/23/2015 2:00	BDL	BDL	BDL	27.4	0.3	1.2	17.0	12.0	1.0	175	42	55.5	98	1017
12/23/2015 3:00	BDL	BDL	BDL	38.5	0.3	0.4	15.0	13.0	2.5	165	16	55.5	98	1018
12/23/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	20.0	18.0	2.1	123	14	55.8	98	1018
12/23/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	12.0	8.0	2.3	114	14	55.9	98	1018
12/23/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	17.0	11.0	2.4	82	11	55.9	99	1018
12/23/2015 7:00	BDL	0.4	BDL	45.5	0.3	0.1	25.0	12.0	3.3	75	13	56.2	98	1018
12/23/2015 8:00	BDL	BDL	BDL	43.7	0.3	0.1	18.0	10.0	4.7	92	11	56.8	97	1018
12/23/2015 9:00	BDL	BDL	BDL	29.3	0.3	BDL	27.0	10.0	5.6	82	12	57.2	99	1018
12/23/2015 10:00	BDL	BDL	BDL	24.6	0.3	0.03	15.0	10.0	6.0	92	11	57.6	99	1018
12/23/2015 11:00	BDL	0.4	BDL	18.8	0.3	BDL	9.0	8.0	5.4	91	13	58.1	99	1018
12/23/2015 12:00	BDL	BDL	BDL	21.0	0.3	BDL	10.0	11.0	5.2	89	13	58.7	99	1017
12/23/2015 13:00	BDL	BDL	BDL	9.7	0.3	BDL	9.0	8.0	6.5	93	12	59.1	99	1015
12/23/2015 14:00	BDL	BDL	BDL	9.0	0.2	BDL	5.0	4.0	6.8	99	13	59.6	98	1014
12/23/2015 15:00	BDL	BDL	BDL	9.6	0.2	BDL	3.0	5.0	5.2	96	18	59.7	99	1013
12/23/2015 16:00	BDL	BDL	BDL	10.5	0.2	BDL	2.0	3.0	3.5	99	42	59.4	100	1013
12/23/2015 17:00	BDL	BDL	0.4	25.9	0.3	BDL	5.0	4.0	2.4	94	38	59.7	100	1012
12/23/2015 18:00	BDL	BDL	BDL	16.6	0.2	BDL	5.0	4.0	3.2	120	16	61.7	100	1011
12/23/2015 19:00	BDL	BDL	BDL	11.2	0.2	BDL	3.0	1.0	3.2	95	13	62.3	100	1010
12/23/2015 20:00	BDL	BDL	BDL	19.3	0.2	BDL	4.0	BDL	6.6	129	15	63.2	100	1009
12/23/2015 21:00	BDL	BDL	BDL	2.2	0.2	BDL	4.0	2.0	13.1	182	13	66.5	97	1009
12/23/2015 22:00	BDL	BDL	0.5	1.6	0.2	0.1	5.0	2.0	11.0	182	11	66.6	99	1009
12/23/2015 23:00	BDL	BDL	BDL	2.2	0.2	BDL	4.0	3.0	10.7	179	11	67.5	99	1008

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 12/20/2015-12/26/2015														
12/24/2015 0:00	BDL	BDL	BDL	0.7	0.2	0.1	6.0	3.0	10.2	189	11	67.3	98	1008
12/24/2015 1:00	BDL	0.6	0.9	2.9	0.2	0.1	8.0	5.0	9.6	196	10	67.3	98	1008
12/24/2015 2:00	BDL	BDL	0.5	1.0	0.2	0.4	11.0	5.0	9.2	206	12	68.2	95	1008
12/24/2015 3:00	BDL	BDL	0.4	2.3	0.2	0.5	9.0	7.0	7.4	207	11	68.5	92	1008
12/24/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	8.0	6.0	8.5	195	12	67.4	94	1008
12/24/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	6.0	6.0	11.5	204	12	68.1	89	1008
12/24/2015 6:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	7.0	4.0	11.2	212	13	68.2	86	1009
12/24/2015 7:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	6.0	7.0	12.2	213	13	67.9	86	1010
12/24/2015 8:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	6.0	5.0	10.2	213	13	66.8	88	1011
12/24/2015 9:00	1.4	BDL	BDL	10.1	0.3	1.0	3.0	3.0	11.0	214	15	66.3	88	1012
12/24/2015 10:00	BDL	BDL	BDL	3.4	0.2	0.3	7.0	3.0	10.3	205	13	65.6	95	1012
12/24/2015 11:00	0.8	BDL	0.4	8.5	0.3	0.3	7.0	2.0	12.5	212	11	67.0	92	1013
12/24/2015 12:00	1.1	BDL	0.4	12.6	0.4	0.4	5.0	6.0	10.6	224	12	68.0	90	1013
12/24/2015 13:00	1.0	BDL	BDL	14.9	0.3	BDL	6.0	6.0	8.9	228	11	68.0	90	1013
12/24/2015 14:00	0.8	BDL	BDL	20.3	0.3	BDL	6.0	4.0	8.9	233	12	68.2	89	1013
12/24/2015 15:00	0.8	BDL	BDL	13.8	0.3	0.04	6.0	6.0	6.6	237	13	67.7	90	1013
12/24/2015 16:00	0.9	BDL	BDL	19.0	0.4	0.4	9.0	6.0	6.2	224	13	67.2	91	1014
12/24/2015 17:00	0.9	BDL	BDL	18.5	0.4	0.4	13.0	6.0	5.0	231	13	66.8	93	1015
12/24/2015 18:00	1.1	BDL	BDL	25.1	0.5	1.2	7.0	7.0	4.2	214	11	66.1	93	1016
12/24/2015 19:00	0.7	BDL	BDL	19.7	0.3	0.3	11.0	4.0	2.9	195	9	65.0	96	1017
12/24/2015 20:00	0.4	BDL	0.5	24	0.3	0.8	7.0	2.0	2.2	158	19	64.3	98	1017
12/24/2015 21:00	BDL	BDL	BDL	16.8	0.3	0.6	Sample system issue	5.0	2.2	189	42	63.7	99	1017
12/24/2015 22:00	BDL	0.5	0.7	17.8	0.3	0.7	Sample system issue	4.0	1.7	197	23	63.7	99	1018
12/24/2015 23:00	BDL	0.6	0.8	21.3	0.2	3.0	Sample system issue	3.0	1.2	119	22	62.5	99	1017
12/25/2015 0:00	BDL	0.7	0.7	40.8	0.3	2.2	Sample system issue	2.0	1.2	178	16	62.0	99	1017
12/25/2015 1:00	0.4	0.7	0.9	39.7	0.3	2.1	Sample system issue	5.0	2.0	161	13	62.3	100	1017
12/25/2015 2:00	BDL	0.6	1.0	8.0	0.3	1.8	Sample system issue	3.0	2.0	202	20	62.4	100	1017
12/25/2015 3:00	BDL	1.0	1.2	15.1	0.4	1.8	Sample system issue	4.0	1.9	219	18	62.3	100	1017
12/25/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	Sample system issue	4.0	2.1	245	18	62.3	100	1017
12/25/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	Sample system issue	3.0	2.3	191	13	61.6	100	1017
12/25/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	Sample system issue	2.0	2.2	228	13	61.5	100	1017
12/25/2015 7:00	BDL	0.7	1.0	15.5	0.3	2.1	Sample system issue	5.0	3.5	227	16	62.2	100	1018
12/25/2015 8:00	BDL	BDL	0.4	13.7	0.3	2.1	Sample system issue	6.0	4.1	205	10	61.8	100	1019
12/25/2015 9:00	1.0	0.4	0.4	33.4	0.6	2.7	Sample system issue	8.0	3.9	226	13	62.1	100	1019
12/25/2015 10:00	0.8	BDL	BDL	17.4	0.3	2.2	Sample system issue	7.0	4.8	219	13	62.3	100	1020
12/25/2015 11:00	0.9	BDL	BDL	9.5	0.3	1.3	Sample system issue	5.0	5.1	241	16	63.1	99	1020
12/25/2015 12:00	1.1	BDL	BDL	6.9	0.3	0.8	Sample system issue	5.0	2.5	262	23	63.5	94	1019
12/25/2015 13:00	0.8	BDL	BDL	9.8	0.3	0.6	Sample system issue	9.0	4.2	178	15	63.7	89	1018
12/25/2015 14:00	1.6	BDL	BDL	11.9	0.3	0.5	Sample system issue	10.0	5.1	202	12	65.0	90	1017
12/25/2015 15:00	1.1	BDL	BDL	13.5	0.3	0.7	Sample system issue	7.0	3.0	211	37	65.5	89	1017
12/25/2015 16:00	0.7	BDL	BDL	16.2	0.4	1.3	Sample system issue	7.0	1.3	87	42	64.7	93	1017
12/25/2015 17:00	0.6	0.4	BDL	43.1	0.3	0.9	Sample system issue	11.0	2.1	153	26	63.3	97	1018
12/25/2015 18:00	BDL	BDL	BDL	27.2	0.4	0.9	Sample system issue	9.0	1.5	354	51	63.4	99	1019
12/25/2015 19:00	BDL	BDL	0.4	26.0	0.4	1.2	Sample system issue	13.0	2.4	210	62	63.3	99	1019
12/25/2015 20:00	BDL	0.4	0.4	35.7	0.4	1.6	Sample system issue	13.0	3.9	127	19	62.4	100	1019
12/25/2015 21:00	BDL	BDL	BDL	17.2	0.3	1.5	Sample system issue	9.0	2.0	170	31	61.5	99	1020
12/25/2015 22:00	BDL	BDL	BDL	10.2	0.2	1.9	Sample system issue	6.0	1.7	142	47	61.6	96	1021
12/25/2015 23:00	BDL	BDL	BDL	15.8	0.3	2.5	Sample system issue	5.0	1.7	241	37	61.3	96	1021
12/26/2015 0:00	BDL	BDL	BDL	5.1	0.3	3.1	Sample system issue	4.0	1.0	281	30	60.2	97	1021
12/26/2015 1:00	BDL	BDL	BDL	13.9	0.4	3.3	Sample system issue	5.0	5.7	334	13	61.1	96	1021
12/26/2015 2:00	BDL	BDL	BDL	8.6	0.4	2.7	Sample system issue	12.0	6.8	356	15	61.6	97	1022
12/26/2015 3:00	BDL	BDL	BDL	9.9	0.3	2.8	Sample system issue	9.0	8.2	15	19	61.3	85	1023
12/26/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	Sample system issue	6.0	8.9	34	15	58.7	74	1024
12/26/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	Sample system issue	7.0	10.0	41	14	56.8	75	1024
12/26/2015 6:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	Sample system issue	9.0	10.4	45	12	55.3	65	1026
12/26/2015 7:00	BDL	BDL	BDL	1.9	0.2	3.6	Sample system issue	6.0	10.1	48	11	54.3	58	1027
12/26/2015 8:00	Too few samples	Too few samples	Too few samples	Too few samples	0.2	11.7	Sample system issue	2.0	10.3	52	11	53.4	57	1028
12/26/2015 9:00	BDL	BDL	BDL	5.5	0.2	4.1	Sample system issue	5.0	9.9	49	11	52.9	53	1028
12/26/2015 10:00	BDL	BDL	BDL	6.9	0.2	4.3	Sample system issue	5.0	9.2	51	12	52.8	53	1029
12/26/2015 11:00	BDL	BDL	BDL	6.4	0.2	4.3	Sample system issue	3.0	10.1	57	12	53.0	52	1029
12/26/2015 12:00	BDL	BDL	BDL	3.6	0.2	4.1	Sample system issue	3.0	10.1	60	12	53.4	53	1028
12/26/2015 13:00	BDL	BDL	BDL	2.9	0.2	4.0	Sample system issue	4.0	9.1	59	12	53.9	55	1028
12/26/2015 14:00	BDL	BDL	BDL	2.0	0.2	3.9	Sample system issue	4.0	9.7	75	14	54.4	60	1027
12/26/2015 15:00	BDL	BDL	BDL	1.7	0.2	3.9	Sample system issue	7.0	10.6	77	13	54.1	62	1027
12/26/2015 16:00	BDL	BDL	BDL	0.4	0.2	3.9	Sample system issue	5.0	8.7	66	12	53.0	66	1027
12/26/2015 17:00	BDL	BDL	BDL	1.0	0.2	3.9	Sample system issue	4.0	9.4	68	13	52.0	71	1027
12/26/2015 18:00	BDL	BDL	BDL	1.8	0.2	3.9	Sample system issue	6.0	8.5	69	12	51.4	76	1027
12/26/2015 19:00	BDL	BDL	BDL	1.2	0.2	3.8	Sample system issue	8.0	8.0	64	12	51.0	80	1027
12/26/2015 20:00	BDL	BDL	BDL	1.9	0.2	3.7	Sample system issue	5.0	7.2	66	13	50.9	81	1026
12/26/2015 21:00	BDL	BDL	BDL	4.6	0.2	3.8	Sample system issue	12.0	5.7	82	15	51.0	81	1026
12/26/2015 22:00	BDL	BDL	BDL	1.7	0.2	3.6	Sample system issue	9.0	5.6	80	15	50.5	85	1025
12/26/2015 23:00	BDL	BDL	BDL	1.9	0.2	3.3	Sample system issue	7.0	4.8	54	12	49.6	92	1024

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 12/27/2015-1/2/2016														
12/27/2015 0:00	BDL	BDL	BDL	3.2	0.2	3.2	Sample system issue	6.0	4.8	58	11	48.7	99	1023
12/27/2015 1:00	BDL	BDL	BDL	10.0	0.3	2.9	Sample system issue	13.0	4.5	53	10	48.7	99	1021
12/27/2015 2:00	BDL	BDL	BDL	3.5	0.2	2.8	Sample system issue	9.0	4.1	51	16	48.5	100	1020
12/27/2015 3:00	BDL	BDL	BDL	5.4	0.2	2.7	Sample system issue	10.0	1.4	53	58	48.4	100	1019
12/27/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	Sample system issue	9.0	1.2	224	23	49.1	100	1019
12/27/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	Sample system issue	6.0	2.6	205	21	49.7	100	1017
12/27/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	Sample system issue	7.0	3.9	245	15	50.0	100	1016
12/27/2015 7:00	BDL	BDL	BDL	13.4	0.4	2.3	Sample system issue	10.0	6.4	226	13	50.4	100	1016
12/27/2015 8:00	BDL	BDL	BDL	11.2	0.3	2.3	Sample system issue	8.0	7.4	221	13	50.6	100	1015
12/27/2015 9:00	BDL	BDL	BDL	13.6	0.3	2.0	Sample system issue	9.0	8.6	219	20	51.4	100	1015
12/27/2015 10:00	BDL	BDL	BDL	10.3	0.3	1.8	Sample system issue	7.0	7.6	228	14	52.5	100	1014
12/27/2015 11:00	BDL	BDL	BDL	13.4	0.3	1.7	Sample system issue	8.0	7.3	223	14	54.2	100	1013
12/27/2015 12:00	BDL	BDL	BDL	15.4	0.3	1.3	Sample system issue	9.0	8.2	229	13	56.1	100	1012
12/27/2015 13:00	BDL	BDL	BDL	9.6	0.3	1.1	Sample system issue	8.0	8.4	229	12	57.8	99	1010
12/27/2015 14:00	0.6	BDL	BDL	11.5	0.4	0.9	Sample system issue	10.0	9.1	230	13	60.6	96	1009
12/27/2015 15:00	1.0	BDL	BDL	10.4	0.4	0.6	Sample system issue	7.0	9.9	228	12	62.4	91	1008
12/27/2015 16:00	1.4	BDL	BDL	9.5	0.3	0.2	Sample system issue	7.0	10.5	226	13	63.3	89	1008
12/27/2015 17:00	1.3	BDL	BDL	12.8	0.3	BDL	Sample system issue	6.0	8.8	227	12	63.0	90	1008
12/27/2015 18:00	0.7	BDL	BDL	11.0	0.3	BDL	Sample system issue	5.0	5.9	244	14	62.4	91	1008
12/27/2015 19:00	BDL	BDL	BDL	9.6	0.3	0.6	Sample system issue	5.0	6	310	13	61.8	95	1009
12/27/2015 20:00	BDL	BDL	BDL	3.6	0.3	1.0	Sample system issue	6.0	6.7	313	8	60.9	99	1010
12/27/2015 21:00	BDL	BDL	BDL	12.6	0.2	1.4	Sample system issue	5.0	12.7	337	11	57.6	80	1012
12/27/2015 22:00	BDL	BDL	BDL	9.5	0.2	1.7	Sample system issue	4.0	12.1	334	13	53.2	79	1014
12/27/2015 23:00	BDL	BDL	BDL	16.4	0.2	2.0	Sample system issue	3.0	13.3	341	12	49.0	78	1016
12/28/2015 0:00	BDL	BDL	BDL	10.6	0.2	2.2	Sample system issue	1.0	12.1	339	12	46.9	74	1017
12/28/2015 1:00	0.4	BDL	BDL	7.9	0.2	2.4	Sample system issue	8.0	12.2	342	12	45.2	69	1018
12/28/2015 2:00	0.6	BDL	BDL	6.7	0.2	2.5	Sample system issue	9.0	11.6	340	13	44.0	69	1019
12/28/2015 3:00	1.6	BDL	BDL	9.2	0.2	2.7	Sample system issue	6.0	10.6	337	12	42.8	70	1021
12/28/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	Sample system issue	12.0	11.2	340	10	42.0	70	1021
12/28/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	Sample system issue	9.0	9.9	345	17	41.7	70	1022
12/28/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	Sample system issue	5.0	7.8	5	20	41.4	70	1023
12/28/2015 7:00	BDL	BDL	BDL	5.6	0.2	3.3	Sample system issue	3.0	8.2	14	18	40.6	68	1025
12/28/2015 8:00	BDL	BDL	BDL	10.4	0.2	3.5	Sample system issue	3.0	7.9	18	16	40.1	66	1025
12/28/2015 9:00	BDL	BDL	BDL	9.4	0.2	3.7	Sample system issue	4.0	8.5	35	17	40.4	64	1027
12/28/2015 10:00	BDL	BDL	BDL	7.7	0.2	3.8	Sample system issue	5.0	9	36	17	40.6	61	1028
12/28/2015 11:00	BDL	BDL	BDL	5.8	0.2	3.8	Sample system issue	2.0	9	41	17	41.4	58	1028
12/28/2015 12:00	BDL	BDL	BDL	4.5	0.2	3.7	Sample system issue	3.0	9.4	57	15	41.7	59	1028
12/28/2015 13:00	BDL	BDL	BDL	4.9	0.2	3.7	Sample system issue	5.0	7.3	45	15	42.2	58	1028
12/28/2015 14:00	BDL	BDL	BDL	9.9	0.2	3.7	Sample system issue	4.0	6.5	53	16	42.9	58	1028
12/28/2015 15:00	BDL	BDL	BDL	15.8	0.2	3.7	Sample system issue	4.0	9.7	64	12	43.0	63	1027
12/28/2015 16:00	BDL	BDL	BDL	11.4	0.2	3.8	Sample system issue	3.0	10.1	79	14	42.6	56	1028
12/28/2015 17:00	BDL	BDL	BDL	6.9	0.2	3.9	Sample system issue	2.0	9.7	77	15	41.7	53	1028
12/28/2015 18:00	BDL	BDL	BDL	4.1	0.2	3.9	Sample system issue	5.0	10.3	73	15	41.1	65	1028
12/28/2015 19:00	BDL	BDL	BDL	3.0	0.2	3.9	Sample system issue	4.0	9.8	70	13	41.0	70	1028
12/28/2015 20:00	BDL	BDL	BDL	2.3	0.2	3.7	Sample system issue	3.0	12.2	67	13	41.1	73	1028
12/28/2015 21:00	BDL	BDL	BDL	3.8	0.2	3.6	Sample system issue	4.0	12.1	82	13	41.5	78	1027
12/28/2015 22:00	BDL	BDL	BDL	1.9	0.2	3.5	Sample system issue	4.0	10.6	71	12	40.4	85	1026
12/28/2015 23:00	BDL	BDL	BDL	1.6	0.2	3.4	Sample system issue	4.0	10.3	69	12	39.9	95	1026
12/29/2015 0:00	BDL	BDL	BDL	1.5	0.2	3.3	Sample system issue	4.0	13.2	77	13	40.4	94	1025
12/29/2015 1:00	BDL	BDL	BDL	0.8	0.2	3	Sample system issue	2.0	11.1	72	13	39.9	98	1023
12/29/2015 2:00	BDL	BDL	BDL	0.4	0.2	2.7	Sample system issue	3.0	11	68	13	40.4	99	1021
12/29/2015 3:00	BDL	BDL	BDL	BDL	0.2	2.5	Sample system issue	3.0	9	63	11	41.5	100	1021
12/29/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	Sample system issue	3.0	10.4	62	11	42.6	100	1018
12/29/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	Sample system issue	4.0	8.2	60	14	44.2	100	1017
12/29/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	Sample system issue	2.0	7.1	49	12	45.6	100	1016
12/29/2015 7:00	BDL	BDL	BDL	10.8	0.2	1.6	Sample system issue	2.0	9.1	54	10	46.8	100	1014
12/29/2015 8:00	BDL	BDL	BDL	11.9	0.2	1.3	Sample system issue	1.0	7.7	54	15	48.2	100	1013
12/29/2015 9:00	BDL	BDL	BDL	19.7	0.3	1.2	Sample system issue	1.0	6.2	58	20	49.1	100	1012
12/29/2015 10:00	BDL	BDL	BDL	19.8	0.3	1.4	Sample system issue	2.0	4	14	45	50.2	100	1012
12/29/2015 11:00	BDL	BDL	BDL	25.6	0.3	1.4	Sample system issue	3.0	4.9	8	19	50.2	100	1012
12/29/2015 12:00	BDL	BDL	BDL	23.0	0.4	1.2	Sample system issue	5.0	3.2	44	27	49.9	99	1011
12/29/2015 13:00	BDL	BDL	BDL	21.9	0.3	1.2	Sample system issue	6.0	4.3	316	28	49.7	97	1011
12/29/2015 14:00	BDL	BDL	BDL	25.2	0.4	1.4	Sample system issue	6.0	5.2	316	9	49.2	96	1011
12/29/2015 15:00	BDL	BDL	BDL	27.9	0.4	1.5	11.0	8.0	5.1	311	9	49.4	95	1012
12/29/2015 16:00	BDL	BDL	BDL	31.7	0.4	1.7	15.0	8.0	4.3	313	12	49.7	95	1012
12/29/2015 17:00	BDL	BDL	BDL	29.9	0.4	1.7	11.0	8.0	3.6	324	15	49.7	95	1013
12/29/2015 18:00	BDL	BDL	BDL	24.9	0.4	1.8	16.0	10.0	5.2	324	11	49.2	96	1015
12/29/2015 19:00	BDL	BDL	BDL	19.7	0.3	2.0	15.0	13.0	4.9	316	13	48.6	96	1016
12/29/2015 20:00	BDL	BDL	BDL	16.2	0.3	2.2	10.0	14.0	4.2	310	17	48.4	96	1017
12/29/2015 21:00	BDL	BDL	BDL	12.8	0.3	2.2	11.0	13.0	3.1	298	13	48.0	96	1018
12/29/2015 22:00	BDL	BDL	BDL	9.0	0.3	2.4	21.0	13.0	6	309	10	47.5	95	1019
12/29/2015 23:00	BDL	BDL	BDL	7.3	0.3	2.4	13.0	15.0	5	297	8	47.1	95	1019
12/30/2015 0:00	BDL	BDL	BDL	8.6	0.3	2.6	15.0	15.0	5.8	310	8	46.4	96	1020
12/30/2015 1:00	BDL	BDL	BDL	12.4	0.3	2.6	14.0	15.0	1.6	311	36	46.4	96	1020
12/30/2015 2:00	BDL	BDL	BDL	14.1	0.3	2.7	17.0	16.0	1.4	249	30	46.4	95	1020
12/30/2015 3:00	BDL	BDL	BDL	23.4	0.3	3.0	22.0	17.0	1.6	66	58	46.2	96	1021
12/30/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	20.0	18.0	2.9	102	15	45.6	97	1021
12/30/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	20.0	22.0	2.9	99	19	45.2	96	1022
12/30/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	21.0	17.0	3.4	99	14	44.9	97	1022
12/30/2015 7:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	17.0	15.0	2.9	109	24	44.9	97	1023
12/30/2015 8:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	13.0	12.0	3.5	66	13	44.7	96	1024
12/30/2015 9:00	BDL	BDL	BDL	20.2	0.3	3.2	16.0	12.0	4.4	89	17	44.5	96	1024
12/30/2015 10:00	BDL	BDL	BDL	10.2	0.3	3.2	10.0	9.0	4.4	97	19	44.8	96	1024
12/30/2015 11:00	BDL	BDL	BDL	13.6	0.3	3.1	13.0	7.0	3.2	92	19	45.7	93	1024
12/30/2015 12:00	BDL	BDL	BDL	24.5	0.3	3.0	21.0	12.0	4.3	64	18	47.1	89	1023
12/30/2015 13:00	BDL	BDL	BDL	19.1	0.3	2.8	17.0	10.0	3	108	19	48.3	88	1022
12/30/2015 14:00	BDL	BDL	BDL	16.6	0.3	2.7	15.0	7.0	3	107	17	49.3	87	1021
12/30/2015 15:00	BDL	BDL	BDL	13.1	0.3	2.7	13.0	7.0	4.1	99	14	49.8	86	1020
12/30/2015 16:00	BDL	BDL	BDL	13.2	0.3	2.6	14.0	7.0	2.8	108	16	50.4	87	1020
12/30/2015 17:00	BDL	BDL	BDL	9.8	0.3	2.5	13.0	7.0	4.1	97	14	50.5	87	1019
12/30/2015 18:00	BDL	BDL	BDL	6.4	0.3	2.4	17.0	4.0	4.2	91	12	50.5	87	1019
12/30/2015 19:00	BDL	BDL	BDL	10.2	0.3	2.3	11.0	6.0	4.9	98	13	50.3	89	1018
12/30/2015 20:00	BDL	BDL	BDL	3.6	0.2	2.1	15.0	5.0	4.9	89	15	49.4	96	1017
12/30/2015 21:00	BDL	BDL	BDL	10.9	0.3	2.1	14.0	7.0	2.5	100	18	49.3	99	1017
12/30/2015 22:00	BDL	BDL	BDL	12.4	0.3	1.9	9.0	9.0	1.8	49	21	49.3	99	1016
12/30/2015 23:00	BDL	BDL	BDL	17.1	0.4	2.3	7.0	7.0	6.1	306	37	49.9	100	1016

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 12/27/2015-1/2/2016														
12/31/2015 0:00	BDL	BDL	BDL	15.2	0.4	2.3	5.0	4.0	6.7	311	9	49.7	100	1016
12/31/2015 1:00	BDL	BDL	BDL	16.7	0.4	2.1	5.0	4.0	4.8	312	7	49.6	100	1015
12/31/2015 2:00	BDL	BDL	BDL	13.6	0.4	2.0	4.0	6.0	4	299	14	49.9	99	1015
12/31/2015 3:00	BDL	BDL	BDL	15.8	0.3	2.1	4.0	5.0	5.2	310	7	49.4	98	1015
12/31/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	5.0	7.0	5.4	304	8	49.1	98	1015
12/31/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	6.0	7.0	3	307	9	48.6	98	1015
12/31/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	12.0	7.0	2.9	289	15	47.8	99	1015
12/31/2015 7:00	BDL	BDL	BDL	18.4	0.4	2.1	13.0	9.0	5.3	310	12	48.1	95	1016
12/31/2015 8:00	BDL	BDL	BDL	14.6	0.3	10.6	12.0	10.0	4.2	295	19	47.4	92	1017
12/31/2015 9:00	BDL	BDL	BDL	16.6	0.3	2.4	12.0	9.0	4	288	13	47.7	87	1018
12/31/2015 10:00	BDL	BDL	BDL	6.4	0.2	2.3	9.0	7.0	6.9	306	10	47.7	79	1018
12/31/2015 11:00	BDL	BDL	BDL	3.5	0.2	2.3	9.0	11.0	10.4	312	10	48.2	73	1018
12/31/2015 12:00	BDL	BDL	BDL	2.3	0.2	2.3	7.0	9.0	11.1	316	10	48.2	70	1017
12/31/2015 13:00	BDL	BDL	BDL	2.0	0.2	2.2	8.0	8.0	10.1	310	11	49.5	67	1017
12/31/2015 14:00	BDL	BDL	BDL	1.9	0.2	2.0	10.0	6.0	10.7	311	10	49.7	67	1016
12/31/2015 15:00	BDL	BDL	BDL	1.0	0.2	2.0	8.0	4.0	11.6	304	11	50.0	62	1016
12/31/2015 16:00	BDL	BDL	BDL	1.2	0.2	2.0	11.0	11.0	10.5	300	11	49.2	63	1016
12/31/2015 17:00	BDL	BDL	BDL	1.5	0.2	2.1	9.0	8.0	10.4	305	11	46.9	64	1017
12/31/2015 18:00	BDL	BDL	BDL	2.4	0.2	2.2	8.0	8.0	8.7	312	11	45.0	66	1018
12/31/2015 19:00	BDL	BDL	BDL	3.2	0.2	2.3	10.0	8.0	8.5	315	10	43.7	68	1018
12/31/2015 20:00	BDL	BDL	BDL	2.0	0.2	2.3	6.0	8.0	7.7	310	9	43.1	68	1018
12/31/2015 21:00	BDL	BDL	BDL	1.4	0.2	2.3	10.0	8.0	8.3	308	10	42.9	68	1018
12/31/2015 22:00	BDL	BDL	BDL	BDL	0.2	2.4	8.0	5.0	9	312	10	42.3	66	1019
12/31/2015 23:00	BDL	BDL	BDL	0.5	0.2	2.3	11.0	6.0	8.2	312	9	41.8	66	1018
1/1/2016 0:00	BDL	BDL	BDL	BDL	0.2	2.4	9.0	6.0	7.9	309	9	41.4	68	1018
1/1/2016 1:00	BDL	BDL	BDL	BDL	0.2	2.5	7.0	6.0	9.4	307	9	40.6	68	1017
1/1/2016 2:00	BDL	BDL	BDL	BDL	0.2	2.2	7.0	6.0	9	309	11	40.0	68	1017
1/1/2016 3:00	BDL	BDL	BDL	BDL	0.2	2.2	7.0	4.0	9	310	11	39.6	67	1018
1/1/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	5.0	5.0	5.3	294	12	40.0	65	1018
1/1/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	7.0	6.0	5.4	286	17	39.9	66	1017
1/1/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	8.0	7.0	4.8	280	17	39.6	68	1017
1/1/2016 7:00	0.6	BDL	BDL	0.8	0.2	2.1	13.0	7.0	4.6	287	14	39.5	68	1017
1/1/2016 8:00	BDL	BDL	BDL	0.6	0.2	2.1	7.0	6.0	4.4	280	13	39.3	66	1017
1/1/2016 9:00	BDL	BDL	BDL	1.0	0.2	2.2	7.0	6.0	4.4	285	13	39.3	66	1017
1/1/2016 10:00	BDL	BDL	BDL	BDL	0.2	2.2	7.0	5.0	5.6	279	15	40.1	62	1017
1/1/2016 11:00	BDL	BDL	BDL	BDL	0.2	2.1	7.0	5.0	6.8	290	15	40.6	61	1017
1/1/2016 12:00	BDL	BDL	BDL	BDL	0.2	2.0	9.0	6.0	9.6	289	16	41.5	60	1016
1/1/2016 13:00	BDL	BDL	BDL	BDL	0.2	1.9	10.0	10.0	11.8	285	13	41.7	59	1016
1/1/2016 14:00	BDL	BDL	BDL	BDL	0.2	1.8	6.0	8.0	11.7	301	12	40.6	59	1015
1/1/2016 15:00	BDL	BDL	BDL	BDL	0.2	1.7	4.0	6.0	9.7	294	12	40.2	56	1015
1/1/2016 16:00	BDL	BDL	BDL	BDL	0.2	1.7	6.0	6.0	9.7	287	15	40.2	56	1015
1/1/2016 17:00	BDL	BDL	BDL	BDL	0.2	1.7	7.0	6.0	7.9	285	13	40.0	55	1015
1/1/2016 18:00	BDL	BDL	BDL	BDL	0.2	1.8	6.0	7.0	7.7	283	13	39.7	54	1015
1/1/2016 19:00	BDL	BDL	BDL	BDL	0.2	1.9	8.0	10.0	7.3	299	10	38.9	57	1016
1/1/2016 20:00	BDL	BDL	BDL	0.7	0.2	2.0	11.0	10.0	6	297	11	37.8	58	1017
1/1/2016 21:00	BDL	BDL	BDL	1.2	0.2	2.1	9.0	9.0	4.6	283	13	37.3	60	1017
1/1/2016 22:00	BDL	BDL	BDL	4.1	0.2	2.1	14.0	8.0	3.6	267	13	36.3	64	1017
1/1/2016 23:00	BDL	BDL	BDL	7.7	0.2	2.2	13.0	9.0	3.5	267	14	35.5	65	1017
1/2/2016 0:00	BDL	BDL	BDL	7.9	0.3	2.3	17.0	11.0	4.1	277	11	35.0	65	1017
1/2/2016 1:00	BDL	BDL	BDL	7.1	0.3	2.4	17.0	12.0	3.5	269	21	34.6	66	1017
1/2/2016 2:00	BDL	BDL	BDL	9.1	0.3	2.8	14.0	14.0	3.6	274	12	34.4	66	1017
1/2/2016 3:00	BDL	BDL	BDL	11.7	0.3	2.4	18.0	16.0	4	276	10	33.9	69	1017
1/2/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	18.0	13.0	3.3	271	15	33.3	71	1017
1/2/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	17.0	13.0	3.6	281	14	33.6	70	1017
1/2/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	18.0	15.0	2.5	236	12	32.5	75	1017
1/2/2016 7:00	BDL	BDL	BDL	27.9	0.3	2.4	18.0	17.0	2.9	256	13	32.5	77	1017
1/2/2016 8:00	BDL	BDL	BDL	35.5	0.4	2.6	16.0	12.0	3.3	277	13	32.4	75	1018
1/2/2016 9:00	0.5	BDL	BDL	27.5	0.3	2.8	17.0	11.0	3.8	270	14	33.5	65	1018
1/2/2016 10:00	BDL	BDL	BDL	3.7	0.2	2.5	11.0	9.0	5.1	276	17	36.1	51	1019
1/2/2016 11:00	BDL	BDL	BDL	0.7	0.2	2.3	11.0	11.0	5.9	289	18	37.4	49	1018
1/2/2016 12:00	BDL	BDL	BDL	1.2	0.2	2.1	11.0	11.0	6.4	264	20	39.4	47	1017
1/2/2016 13:00	BDL	BDL	BDL	1.0	0.2	1.9	12.0	13.0	7.4	256	24	40.9	47	1016
1/2/2016 14:00	BDL	BDL	BDL	1.6	0.2	1.7	14.0	14.0	7.6	250	20	41.8	46	1014
1/2/2016 15:00	BDL	BDL	BDL	1.3	0.2	1.7	16.0	11.0	7.6	267	21	42.6	46	1014
1/2/2016 16:00	BDL	BDL	BDL	1.1	0.2	1.6	15.0	10.0	7.3	295	13	42.3	50	1014
1/2/2016 17:00	BDL	BDL	BDL	0.7	0.2	1.5	10.0	14.0	5.8	293	12	42.0	51	1014
1/2/2016 18:00	BDL	BDL	BDL	3.5	0.2	1.7	9.0	9.0	3.6	288	11	41.0	55	1015
1/2/2016 19:00	BDL	BDL	BDL	9.9	0.3	2.2	17.0	8.0	1.8	252	23	39.7	61	1015
1/2/2016 20:00	BDL	BDL	BDL	18.1	0.3	2.2	17.0	17.0	1.6	229	17	39.0	63	1015
1/2/2016 21:00	BDL	BDL	0.4	24.8	0.3	1.9	18.0	15.0	1.6	210	15	37.7	70	1014
1/2/2016 22:00	BDL	0.8	0.5	45.8	0.6	3.3	27.0	20.0	2.3	261	22	36.5	77	1014
1/2/2016 23:00	1.0	0.8	BDL	70.4	0.8	2.5	37.0	27.0	3.2	291	11	35.5	75	1014

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 1/3/2016-1/9/2016														
1/3/2016 0:00	1.0	0.9	BDL	67.6	0.7	2.6	34.0	30.0	2.1	311	19.1	35.6	74	1013
1/3/2016 1:00	1.3	1.2	BDL	90.2	0.9	3.4	37.0	30.0	2.0	254	27	34.4	79	1013
1/3/2016 2:00	1.4	1.8	0.4	110.1	1.1	3.0	38.0	30.0	1.5	234	24	33.2	82	1012
1/3/2016 3:00	0.7	1.7	0.8	75.7	0.8	2.5	35.0	28.0	2.3	192	15	32.6	84	1012
1/3/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	27.0	24.0	2.8	187	12	32.4	86	1011
1/3/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	21.0	22.0	3.5	230	16	32.6	82	1010
1/3/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	23.0	19.0	3.0	233	23	32.4	84	1010
1/3/2016 7:00	0.4	0.4	0.4	30.8	0.4	1.2	22.0	19.0	4.0	219	16	32.8	87	1010
1/3/2016 8:00	0.7	0.7	0.5	39.4	0.5	1.3	21.0	20.0	3.5	218	13	33.1	89	1010
1/3/2016 9:00	1.8	0.5	BDL	33.1	0.4	1.1	19.0	17.0	5.8	212	13	35.0	86	1010
1/3/2016 10:00	1.6	0.4	BDL	30.4	0.3	1.0	19.0	15.0	6.0	219	14	38.2	79	1010
1/3/2016 11:00	2.6	BDL	BDL	25.3	0.3	1.0	17.0	20.0	8.3	232	15	43.0	64	1010
1/3/2016 12:00	1.6	BDL	BDL	17.2	0.3	0.7	12.0	7.0	10.3	236	13	46.4	48	1008
1/3/2016 13:00	0.9	BDL	BDL	3.6	0.2	0.5	7.0	5.0	9.1	275	19	47.9	36	1008
1/3/2016 14:00	0.7	BDL	BDL	4.9	0.2	1.1	5.0	5.0	8.5	290	15	48.5	36	1008
1/3/2016 15:00	0.5	BDL	BDL	0.4	0.2	0.7	5.0	7.0	12.1	315	10	46.7	41	1008
1/3/2016 16:00	0.8	BDL	BDL	3.9	0.2	0.7	9.0	7.0	11.0	324	11	45.0	46	1008
1/3/2016 17:00	0.9	BDL	BDL	4.6	0.2	1.0	16.0	11.0	12.3	324	11	42.2	54	1009
1/3/2016 18:00	BDL	BDL	BDL	1.1	0.2	1.0	7.0	7.0	11.9	314	9	40.0	56	1011
1/3/2016 19:00	BDL	BDL	BDL	1.6	0.2	1.0	7.0	8.0	6.6	306	10	38.8	59	1011
1/3/2016 20:00	BDL	BDL	BDL	3.3	0.2	1.2	9.0	9.0	3.0	277	14	38.2	62	1011
1/3/2016 21:00	BDL	BDL	BDL	9.3	0.2	1.2	14.0	7.0	3.1	269	16	37.1	66	1011
1/3/2016 22:00	BDL	BDL	BDL	14.5	0.3	1.3	13.0	7.0	2.8	238	15	36.1	68	1011
1/3/2016 23:00	BDL	BDL	BDL	12.8	0.3	1.3	13.0	10.0	2.4	242	15	35.7	70	1011
1/4/2016 0:00	BDL	BDL	BDL	12.0	0.3	1.3	13.0	10.0	2.7	258	13	35.3	72	1011
1/4/2016 1:00	BDL	BDL	BDL	11.7	0.3	1.3	8.0	8.0	2.4	261	16	35.0	74	1011
1/4/2016 2:00	BDL	BDL	BDL	12.5	0.3	1.8	14.0	11.0	3.6	276	9	34.6	73	1011
1/4/2016 3:00	BDL	BDL	BDL	17.4	0.3	3.1	10.0	8.0	4.5	299	6	34.1	73	1011
1/4/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	8.0	6.0	6.0	306	7	33.2	72	1011
1/4/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	5.0	4.0	9.2	310	8	32.9	60	1011
1/4/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	7.0	7.0	11.4	327	10	32.8	59	1012
1/4/2016 7:00	0.6	BDL	BDL	9.7	0.2	1.3	12.0	7.0	11.6	337	12	31.3	55	1013
1/4/2016 8:00	1.0	BDL	BDL	10.9	0.2	12.8	15.0	5.0	10.1	342	17	29.7	53	1014
1/4/2016 9:00	2.4	BDL	BDL	12.0	0.2	1.8	21.0	6.0	10.1	338	14	29.1	54	1015
1/4/2016 10:00	2.7	BDL	BDL	10.4	0.2	1.8	17.0	4.0	11.9	333	12	29.0	50	1016
1/4/2016 11:00	1.2	BDL	BDL	7.9	0.2	1.9	15.0	4.0	12.3	328	14	29.7	48	1016
1/4/2016 12:00	0.4	BDL	BDL	6.4	0.2	1.8	14.0	6.0	12.7	324	14	30.0	43	1016
1/4/2016 13:00	0.7	BDL	BDL	11.6	0.2	1.8	20.0	7.0	11.2	335	19	30.5	38	1016
1/4/2016 14:00	BDL	BDL	BDL	7.3	0.2	1.8	21.0	5.0	14.7	328	13	30.7	37	1016
1/4/2016 15:00	0.4	BDL	BDL	9.2	0.2	1.9	29.0	5.0	13.8	334	15	29.8	38	1016
1/4/2016 16:00	BDL	BDL	BDL	8.7	0.2	2.1	20.0	5.0	14.0	334	12	28.6	41	1017
1/4/2016 17:00	BDL	BDL	BDL	12.3	0.2	2.3	30.0	8.0	13.7	339	13	26.9	41	1019
1/4/2016 18:00	0.4	BDL	BDL	12.3	0.2	2.5	28.0	9.0	14.3	338	12	24.2	42	1020
1/4/2016 19:00	0.4	BDL	BDL	12.2	0.2	2.8	38.0	8.0	13.5	340	12	21.8	44	1022
1/4/2016 20:00	BDL	BDL	BDL	11.4	0.2	3.0	36.0	10.0	14.7	341	13	19.4	46	1023
1/4/2016 21:00	BDL	BDL	BDL	11.4	0.2	3.2	39.0	10.0	15.1	342	12	17.5	48	1025
1/4/2016 22:00	BDL	BDL	BDL	11.1	0.2	3.4	20.0	12.0	15.2	339	12	16.2	51	1026
1/4/2016 23:00	BDL	BDL	BDL	12.7	0.2	3.7	12.0	9.0	13.6	338	11	14.6	53	1027
1/5/2016 0:00	BDL	BDL	BDL	12.1	0.2	4.0	16.0	6.0	13.1	339	13	13.4	54	1028
1/5/2016 1:00	BDL	BDL	BDL	10.8	0.2	4.3	14.0	11.0	12.4	340	11	12.8	54	1028
1/5/2016 2:00	BDL	BDL	BDL	9.5	0.2	4.5	11.0	8.0	11.3	337	14	12.6	56	1029
1/5/2016 3:00	BDL	BDL	BDL	13.0	0.2	4.8	13.0	11.0	11.2	338	12	12.3	54	1030
1/5/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	17.0	10.0	11.1	341	13	12.2	54	1031
1/5/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	11.0	10.0	10.9	342	14	12.0	54	1031
1/5/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	14.0	12.0	9.0	351	20	12.1	56	1031
1/5/2016 7:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	16.0	12.0	9.2	341	13	12.0	52	1033
1/5/2016 8:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	23.0	10.0	9.3	343	16	12.3	52	1033
1/5/2016 9:00	0.5	BDL	BDL	17.5	0.2	5.2	24.0	12.0	8.2	341	14	13.1	50	1034
1/5/2016 10:00	0.5	BDL	BDL	16.6	0.2	5.1	16.0	9.0	5.9	13	24	15.8	44	1034
1/5/2016 11:00	0.4	BDL	BDL	15.3	0.2	5.3	19.0	8.0	6.6	353	19	19.2	39	1035
1/5/2016 12:00	0.4	BDL	BDL	18.8	0.2	5.3	19.0	9.0	6.3	329	25	21.8	36	1035
1/5/2016 13:00	BDL	BDL	BDL	17.6	0.2	5.2	16.0	10.0	4.8	328	22	24.8	32	1034
1/5/2016 14:00	0.4	BDL	BDL	19.0	0.2	5.0	16.0	7.0	6.3	329	21	27.5	30	1034
1/5/2016 15:00	BDL	BDL	BDL	13.1	0.2	5.0	19.0	6.0	5.4	342	37	29.1	28	1033
1/5/2016 16:00	BDL	BDL	BDL	13.9	0.2	5.0	16.0	7.0	3.4	338	36	30.0	27	1034
1/5/2016 17:00	BDL	BDL	BDL	13.6	0.2	5.0	16.0	6.0	5.6	307	12	30.3	30	1034
1/5/2016 18:00	BDL	BDL	BDL	18.9	0.3	5.2	21.0	6.0	5.0	299	8	29.6	34	1035
1/5/2016 19:00	BDL	BDL	BDL	30.4	0.4	5.3	16.0	6.0	5.2	298	7	29.4	36	1035
1/5/2016 20:00	1.0	BDL	BDL	56.1	0.5	5.5	18.0	11.0	5.0	298	6	28.9	38	1035
1/5/2016 21:00	1.5	0.6	BDL	77.7	0.7	6.1	27.0	18.0	2.6	273	13	27.7	48	1035
1/5/2016 22:00	1.6	0.7	BDL	76.8	0.7	6.0	analyzer malfunction	17.0	2.5	266	13	26.7	53	1035
1/5/2016 23:00	1.5	0.8	BDL	73.1	0.7	5.8	32.0	19.0	3.5	290	9	26.1	52	1035
1/6/2016 0:00	1.0	0.6	BDL	61.2	0.7	5.6	27.0	19.0	2.8	299	9	25.1	54	1035
1/6/2016 1:00	0.9	0.4	BDL	49.6	0.5	5.3	30.0	16.0	2.4	290	11	24.8	55	1034
1/6/2016 2:00	1.0	0.8	BDL	66.6	0.6	5.7	33.0	20.0	2.6	248	14	23.5	64	1034
1/6/2016 3:00	1.0	1.2	BDL	78.8	0.5	5.4	analyzer malfunction	19.0	1.4	244	17	23.2	65	1034
1/6/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	analyzer malfunction	21.0	2.1	250	17	22.5	69	1034
1/6/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	analyzer malfunction	23.0	1.7	250	13	21.7	74	1033
1/6/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	analyzer malfunction	19.0	2.6	261	12	21.0	75	1034
1/6/2016 7:00	1.9	2.1	0.5	134.2	0.8	5.8	analyzer malfunction	23.0	1.8	256	16	20.6	79	1034
1/6/2016 8:00	1.7	2.4	0.6	132.3	0.7	5.9	analyzer malfunction	24.0	2.7	280	11	21.0	82	1034
1/6/2016 9:00	2.1	1.9	0.6	100.2	0.7	5.5	analyzer malfunction	21.0	2.5	231	15	23.0	60	1034
1/6/2016 10:00	1.4	0.7	BDL	49.6	0.4	5.2	analyzer malfunction	985.0	2.9	242	19	27.1	45	1034
1/6/2016 11:00	2.6	BDL	BDL	33.8	0.3	5.0	21.0	15.0	3.0	260	25	30.9	36	1034
1/6/2016 12:00	2.5	BDL	BDL	29.3	0.3	4.8	22.0	11.0	2.8	229	22	33.6	32	1033
1/6/2016 13:00	4.2	BDL	BDL	39.0	0.3	4.6	26.0	17.0	3.8	207	22	35.4	33	1031
1/6/2016 14:00	5.1	BDL	BDL	36.6	0.3	4.4	30.0	19.0	4.3	205	18	36.9	33	1030
1/6/2016 15:00	3.6	0.6	BDL	31.5	0.3	4.2	34.0	14.0	5.4	196	16	37.9	34	1030
1/6/2016 16:00	2.1	BDL	BDL	20.3	0.2	4.1	21.0	14.0	5.8	192	13	38.1	33	1029
1/6/2016 17:00	3.5	BDL	BDL	16.6	0.2	4.2	22.0	12.0	4.7	208	11	37.2	34	1029
1/6/2016 18:00	4.7	BDL	BDL	28.2	0.3	4.6	27.0	19.0	2.7	238	17	35.5	38	1029
1/6/2016 19:00	4.0	BDL	BDL	42.4	0.3	4.1	24.0	16.0	2.9	198	14	34.0	44	1029
1/6/2016 20:00	2.4	0.5	BDL	34.3	0.3	4.6	25.0	17.0	2.1	195	11	32.8	53	1029
1/6/2016 21:00	1.6	0.6	BDL	29.9	0.3	4.2	19.0	16.0	2.4	222	16	31.5	57	1029
1/6/2016 22:00	1.3	0.9	0.8	52.0	0.4	4.6	22.0	17.0	1.8	240	19	31.0	55	1029
1/6/2016 23:00	1.3	1.0	0.4	55.7	0.5	5	25.0	17.0	1.8	269	19	30.4	62	1028

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 1/3/2016-1/9/2016														
1/7/2016 0:00	1.8	1.8	0.7	87.5	0.7	5.1	33.0	24.0	1.5	209	23	29.5	69	1028
1/7/2016 1:00	1.0	1.6	0.9	63.9	0.5	4.3	27.0	15.0	1.9	200	21	28.8	70	1027
1/7/2016 2:00	1.2	1.9	1.5	76.2	0.6	5.0	23.0	21.0	2.7	302	19	29.1	72	1027
1/7/2016 3:00	2.1	1.8	0.7	97.2	0.7	4.8	31.0	27.0	1.5	290	59	30.7	72	1026
1/7/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	29.0	20.0	2.2	199	32	30.4	70	1026
1/7/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	28.0	23.0	2.2	284	14	31.2	68	1026
1/7/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	27.0	25.0	1.7	281	20	31.1	70	1026
1/7/2016 7:00	2.4	1.4	0.6	107.3	0.7	4.4	32.0	24.0	1.6	252	31	31.1	69	1026
1/7/2016 8:00	2.8	2.9	0.7	138	0.8	4.5	58.0	21.0	0.7	183	56	31.5	70	1026
1/7/2016 9:00	3.0	2.7	0.7	134.8	0.8	4.6	60.0	26.0	1.0	232	52	33.0	67	1025
1/7/2016 10:00	3.6	3.7	1.2	175.1	0.9	4.6	63.0	35.0	2.0	182	33	34.7	64	1025
1/7/2016 11:00	3.9	3.8	1.2	182.3	0.9	4.6	58.0	34.0	1.2	177	54	36.6	58	1025
1/7/2016 12:00	3.5	2.5	0.8	119	0.7	4.1	46.0	27.0	0.9	275	62	39.0	50	1024
1/7/2016 13:00	4.1	2.1	0.9	121.5	0.7	3.9	74.0	35.0	1.5	95	49	40.1	50	1023
1/7/2016 14:00	3.3	2.0	BDL	105.6	0.6	3.7	58.0	28.0	1.9	147	37	42.1	53	1022
1/7/2016 15:00	2.1	1.1	BDL	60.8	0.5	3.3	30.0	17.0	2.0	222	24	43.4	63	1021
1/7/2016 16:00	2.2	1.0	BDL	71.9	0.5	3.3	34.0	22.0	3.6	153	33	43.0	71	1021
1/7/2016 17:00	2.0	1.3	BDL	78.5	0.5	3.0	44.0	26.0	1.7	188	23	42.6	76	1022
1/7/2016 18:00	2.3	1.4	BDL	95.8	0.5	5.5	49.0	31.0	0.9	142	57	42.1	77	1022
1/7/2016 19:00	2.6	2.1	BDL	123.9	0.7	5.9	67.0	38.0	1.2	142	23	41.8	77	1022
1/7/2016 20:00	2.6	3.0	0.7	160	0.9	5.2	78.0	48.0	1.4	122	28	40.8	82	1021
1/7/2016 21:00	2.5	3.4	0.8	184.8	0.9	4.3	78.0	41.0	1.0	148	28	38.9	86	1021
1/7/2016 22:00	2.1	2.6	0.7	147.3	0.9	3.8	54.0	29.0	2.1	75	8	38.9	85	1021
1/7/2016 23:00	2.1	2.3	0.6	131.6	1	3.8	49.0	27.0	1.8	316	28	40.2	80	1020
1/8/2016 0:00	2.3	2.5	0.5	141.9	1.1	5.1	43.0	26.0	1.2	279	51	39.3	81	1019
1/8/2016 1:00	1.8	2.3	0.5	126.9	0.9	3.4	40.0	26.0	1.7	108	16	37.9	86	1019
1/8/2016 2:00	1.7	1.8	BDL	108.9	0.8	3.8	35.0	28.0	0.8	211	47	38.7	81	1019
1/8/2016 3:00	1.8	1.3	BDL	94.9	0.8	3.5	30.0	20.0	1.0	342	38	39.5	74	1020
1/8/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	26.0	20.0	5.5	55	10	39.0	72	1019
1/8/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	36.0	24.0	3.1	72	31	38.6	75	1019
1/8/2016 6:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	35.0	25.0	1.1	176	35	38.8	76	1020
1/8/2016 7:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	32.0	29.0	1.7	98	44	38.6	80	1020
1/8/2016 8:00	0.6	BDL	BDL	44.5	0.5	12.5	38.0	27.0	4.9	55	11	38.9	83	1020
1/8/2016 9:00	1.6	0.7	BDL	72.6	0.6	2.8	43.0	25.0	6.0	60	11	39.2	72	1020
1/8/2016 10:00	1.4	0.8	BDL	57.0	0.5	2.6	45.0	27.0	7.7	52	12	39.3	69	1020
1/8/2016 11:00	1.5	0.8	BDL	61.8	0.5	2.8	49.0	27.0	7.1	48	13	39.5	63	1021
1/8/2016 12:00	1.6	0.8	BDL	60.7	0.5	2.6	50.0	24.0	7.7	57	11	40.1	58	1020
1/8/2016 13:00	1.6	0.7	BDL	63.6	0.5	2.5	53.0	25.0	7.8	49	12	41.1	54	1019
1/8/2016 14:00	1.8	0.9	BDL	68.6	0.5	2.7	53.0	25.0	7.0	47	13	41.4	53	1019
1/8/2016 15:00	1.5	1.0	BDL	68.5	0.5	2.4	49.0	19.0	6.7	46	14	42.3	56	1018
1/8/2016 16:00	0.7	0.6	BDL	45.4	0.4	2.1	44.0	16.0	5.8	55	12	43.4	62	1018
1/8/2016 17:00	BDL	BDL	BDL	26.8	0.4	2.2	24.0	13.0	5.2	59	10	43.3	68	1019
1/8/2016 18:00	BDL	BDL	BDL	34.7	0.4	2.4	33.0	17.0	4.3	53	11	43.1	69	1019
1/8/2016 19:00	BDL	BDL	BDL	26.7	0.4	2.3	32.0	12.0	4.9	45	10	42.8	75	1019
1/8/2016 20:00	BDL	BDL	BDL	24.1	0.3	2.4	30.0	10.0	3.8	51	21	42.7	79	1019
1/8/2016 21:00	BDL	BDL	BDL	26.6	0.4	2.4	29.0	10.0	5.1	52	17	42.7	80	1020
1/8/2016 22:00	BDL	BDL	BDL	40.7	0.5	2.4	30.0	17.0	5.9	51	10	41.5	80	1019
1/8/2016 23:00	BDL	BDL	BDL	33.1	0.4	2.4	33.0	16.0	6.2	53	11	40.9	83	1019
1/9/2016 0:00	BDL	BDL	BDL	26.3	0.4	2.5	27.0	14.0	4.9	48	14	41.5	84	1019
1/9/2016 1:00	BDL	BDL	BDL	20.6	0.3	2.3	28.0	11.0	6.1	52	10	41.7	86	1018
1/9/2016 2:00	BDL	BDL	BDL	14.0	0.3	2.2	24.0	9.0	6.6	46	11	41.6	86	1018
1/9/2016 3:00	BDL	BDL	BDL	8.5	0.2	2.3	23.0	9.0	7.6	45	11	41.6	85	1019
1/9/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	22.0	9.0	7.2	54	12	41.4	85	1018
1/9/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	23.0	11.0	6.2	54	11	41.3	86	1018
1/9/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	23.0	10.0	6.0	53	10	41.4	87	1018
1/9/2016 7:00	BDL	BDL	BDL	14.0	0.3	2.0	25.0	10.0	6.5	49	11	41.1	87	1018
1/9/2016 8:00	BDL	BDL	BDL	14.3	0.3	2.1	29.0	18.0	6.7	53	10	41.0	88	1018
1/9/2016 9:00	BDL	BDL	BDL	17.0	0.3	2.2	31.0	17.0	5.2	47	13	41.5	87	1019
1/9/2016 10:00	BDL	BDL	BDL	17.7	0.3	2.4	31.0	16.0	6.2	52	13	42.2	88	1019
1/9/2016 11:00	BDL	BDL	BDL	20.1	0.3	2.5	46.0	19.0	5.0	53	13	43.5	85	1020
1/9/2016 12:00	BDL	BDL	BDL	19.0	0.3	2.3	44.0	12.0	5.4	48	15	45.5	82	1019
1/9/2016 13:00	BDL	BDL	BDL	14.8	0.3	2.0	45.0	18.0	5.7	64	15	48.2	79	1017
1/9/2016 14:00	BDL	BDL	BDL	6.5	0.2	1.7	34.0	8.0	5.0	66	16	50.7	79	1017
1/9/2016 15:00	BDL	BDL	BDL	4.4	0.2	1.7	33.0	10.0	5.2	79	14	51.8	80	1016
1/9/2016 16:00	BDL	BDL	BDL	10.1	0.2	1.6	47.0	12.0	7.3	63	13	51.0	83	1016
1/9/2016 17:00	BDL	BDL	BDL	12.3	0.3	1.7	65.0	13.0	6.5	53	11	49.4	86	1017
1/9/2016 18:00	BDL	BDL	BDL	10.5	0.3	1.8	78.0	14.0	6.8	60	11	48.8	91	1017
1/9/2016 19:00	BDL	BDL	BDL	9.8	0.3	1.8	73.0	12.0	6.7	55	10	47.9	96	1017
1/9/2016 20:00	BDL	BDL	BDL	8.2	0.3	1.6	35.0	10.0	7.3	58	10	47.3	100	1017
1/9/2016 21:00	BDL	BDL	BDL	6.7	0.2	1.5	27.0	10.0	7.1	59	12	47.4	100	1016
1/9/2016 22:00	BDL	BDL	BDL	5.5	0.2	1.2	20.0	8.0	7.7	86	23	47.5	100	1015
1/9/2016 23:00	BDL	BDL	BDL	6.9	0.2	1.0	15.0	7.0	8.0	64	22	47.8	100	1014

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 1/10/2016-1/16/2016														
1/10/2016 0:00	BDL	BDL	BDL	5.3	0.2	0.7	10.0	8.0	9.7	64	11	48.37	100	1012
1/10/2016 1:00	BDL	BDL	BDL	4.7	0.2	0.4	15.0	7.0	9.7	66	12	49.0	100	1011
1/10/2016 2:00	BDL	BDL	BDL	7.7	0.2	BDL	26.0	5.0	9.8	63	11	50.0	100	1009
1/10/2016 3:00	BDL	BDL	BDL	4.7	0.2	BDL	12.0	4.0	10.4	68	11	51.6	100	1007
1/10/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	6.0	4.0	6.8	72	14	53.0	100	1005
1/10/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	1.0	2.0	6.9	76	14	54.0	100	1003
1/10/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	1.0	BDL	8.7	108	14	56.1	99	1001
1/10/2016 7:00	BDL	BDL	BDL	6.9	0.2	BDL	BDL	BDL	8.4	128	15	56.7	99	999
1/10/2016 8:00	BDL	BDL	BDL	16.8	0.2	BDL	BDL	1.0	8.3	152	13	57.2	100	998
1/10/2016 9:00	BDL	BDL	BDL	2.6	0.2	BDL	11.0	1.0	10.8	170	11	57.9	99	997
1/10/2016 10:00	BDL	BDL	BDL	BDL	0.2	BDL	9.0	3.0	9.5	182	13	59.1	96	996
1/10/2016 11:00	BDL	BDL	BDL	BDL	0.2	BDL	10.0	4.0	9.0	184	12	59.3	95	995
1/10/2016 12:00	BDL	BDL	BDL	BDL	0.2	BDL	9.0	2.0	10.8	187	11	60.5	91	994
1/10/2016 13:00	BDL	BDL	BDL	BDL	0.2	BDL	11.0	3.0	12.2	185	12	61.8	86	992
1/10/2016 14:00	BDL	BDL	BDL	BDL	0.2	BDL	8.0	5.0	14.0	196	12	62.4	78	991
1/10/2016 15:00	0.6	BDL	BDL	4.0	0.2	BDL	8.0	6.0	14.6	235	13	61.0	72	991
1/10/2016 16:00	BDL	BDL	BDL	BDL	0.2	BDL	6.0	2.0	11.9	253	16	59.5	69	991
1/10/2016 17:00	0.8	BDL	BDL	5.3	0.2	BDL	5.0	BDL	8.9	244	13	57.7	69	992
1/10/2016 18:00	0.6	BDL	BDL	4.6	0.2	BDL	6.0	5.0	11.9	253	14	55.0	69	994
1/10/2016 19:00	BDL	BDL	BDL	BDL	0.2	BDL	5.0	4.0	16.3	273	16	50.5	60	996
1/10/2016 20:00	BDL	BDL	BDL	BDL	0.2	BDL	3.0	5.0	15.3	275	15	45.8	56	998
1/10/2016 21:00	BDL	BDL	BDL	BDL	0.2	BDL	1.0	4.0	14.4	282	13	43.3	54	1000
1/10/2016 22:00	BDL	BDL	BDL	BDL	0.2	BDL	1.0	2.0	12.6	281	14	42.0	58	1001
1/10/2016 23:00	BDL	BDL	BDL	BDL	0.2	BDL	BDL	2.0	13.2	278	14	41.0	57	1003
1/11/2016 0:00	BDL	BDL	BDL	BDL	0.2	BDL	3.0	2.0	12.4	282	14	40.1	54	1003
1/11/2016 1:00	BDL	BDL	BDL	BDL	0.1	BDL	5.0	3.0	13.1	285	14	38.3	52	1004
1/11/2016 2:00	BDL	BDL	BDL	BDL	0.1	BDL	2.0	4.0	11.9	293	12	36.4	51	1006
1/11/2016 3:00	BDL	BDL	BDL	BDL	0.1	BDL	6.0	3.0	12.7	297	11	34.8	51	1007
1/11/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	7.0	6.0	10.9	294	12	32.6	47	1008
1/11/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	7.0	6.0	9.3	292	12	31.5	50	1009
1/11/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	7.0	4.0	7.9	287	12	30.9	52	1010
1/11/2016 7:00	BDL	BDL	BDL	BDL	0.2	0.5	7.0	6.0	10.3	298	9	29.5	52	1011
1/11/2016 8:00	BDL	BDL	BDL	1.1	0.2	0.9	6.0	5.0	9.8	287	12	28.2	50	1012
1/11/2016 9:00	BDL	BDL	BDL	4.3	0.2	1.4	10.0	5.0	8.7	285	13	28.6	48	1013
1/11/2016 10:00	0.4	BDL	BDL	5.1	0.2	1.2	10.0	8.0	9.4	267	19	29.7	45	1014
1/11/2016 11:00	BDL	BDL	BDL	2.0	0.2	1.1	10.0	6.0	10.1	273	18	31.0	40	1015
1/11/2016 12:00	BDL	BDL	BDL	0.5	0.2	1.1	9.0	4.0	10.5	272	19	32.4	37	1014
1/11/2016 13:00	BDL	BDL	BDL	0.4	0.1	1.0	6.0	2.0	10.1	269	19	33.3	36	1014
1/11/2016 14:00	BDL	BDL	BDL	BDL	0.1	1.0	7.0	1.0	10.2	276	17	34.1	34	1013
1/11/2016 15:00	0.4	BDL	BDL	BDL	0.1	1.0	7.0	5.0	11.4	286	14	34.3	33	1014
1/11/2016 16:00	BDL	BDL	BDL	BDL	0.2	1.1	9.0	6.0	11.7	279	14	33.8	32	1014
1/11/2016 17:00	0.4	BDL	BDL	0.8	0.2	1.3	10.0	5.0	9.8	284	16	32.8	34	1015
1/11/2016 18:00	BDL	BDL	BDL	3.0	0.2	1.5	11.0	6.0	6.1	291	11	31.9	39	1016
1/11/2016 19:00	BDL	BDL	BDL	6.5	0.2	1.5	11.0	7.0	3.9	298	14	31.3	42	1017
1/11/2016 20:00	BDL	BDL	BDL	13.6	0.2	1.7	14.0	6.0	5.2	311	8	30.4	45	1017
1/11/2016 21:00	BDL	BDL	BDL	14.5	0.3	1.9	12.0	7.0	4.7	302	18	30.1	43	1017
1/11/2016 22:00	0.4	BDL	BDL	12.8	0.3	1.9	10.0	9.0	3.7	292	13	29.5	43	1018
1/11/2016 23:00	0.4	BDL	BDL	15.4	0.2	2.6	10.0	10.0	1.2	70	64	28.7	46	1018
1/12/2016 0:00	0.4	BDL	BDL	28.5	0.3	2.2	13.0	10.0	1.4	265	73	28.2	52	1017
1/12/2016 1:00	0.4	BDL	BDL	40.8	0.3	2.4	17.0	15.0	2.4	89	25	27.2	54	1017
1/12/2016 2:00	BDL	BDL	BDL	36.4	0.4	2.5	21.0	17.0	3.8	88	12	26.9	56	1017
1/12/2016 3:00	BDL	BDL	BDL	43.6	0.4	2.5	18.0	17.0	3.0	81	12	26.0	56	1017
1/12/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	26.0	17.0	2.7	76	11	25.6	55	1017
1/12/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	13.0	12.0	5.0	98	12	26.0	54	1016
1/12/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	11.0	10.0	5.8	103	13	26.1	51	1015
1/12/2016 7:00	0.5	BDL	BDL	23.3	0.2	0.9	11.0	8.0	5.5	122	14	26.3	53	1014
1/12/2016 8:00	0.4	BDL	BDL	20.8	0.2	0.7	12.0	8.0	4.2	132	16	25.9	56	1013
1/12/2016 9:00	0.6	0.5	BDL	42.3	0.3	0.7	14.0	9.0	4.6	145	15	27.3	56	1013
1/12/2016 10:00	BDL	BDL	BDL	19.8	0.2	0.5	15.0	10.0	7.3	151	14	31.6	53	1012
1/12/2016 11:00	BDL	0.5	0.6	5.3	0.2	0.3	22.0	6.0	11.0	177	12	36.3	54	1010
1/12/2016 12:00	BDL	BDL	0.4	6.9	0.2	BDL	26.0	4.0	11.3	192	13	39.3	50	1008
1/12/2016 13:00	BDL	BDL	BDL	9.7	0.2	BDL	24.0	6.0	9.6	187	12	40.9	49	1006
1/12/2016 14:00	BDL	BDL	BDL	3.9	0.2	BDL	26.0	10.0	11.9	195	14	43.1	46	1003
1/12/2016 15:00	BDL	BDL	BDL	4.2	0.2	BDL	32.0	8.0	16.6	229	16	42.8	48	1003
1/12/2016 16:00	0.6	BDL	BDL	7.0	0.2	BDL	12.0	6.0	12.5	241	14	42.4	51	1003
1/12/2016 17:00	1.0	BDL	BDL	10.4	0.2	BDL	10.0	4.0	9.9	231	13	43.0	47	1003
1/12/2016 18:00	1.9	BDL	BDL	13.5	0.2	BDL	13.0	5.0	8.4	242	13	42.2	44	1003
1/12/2016 19:00	2.5	BDL	BDL	29.0	0.3	BDL	15.0	7.0	7.2	231	14	41.1	49	1003
1/12/2016 20:00	BDL	BDL	BDL	3.0	0.2	BDL	18.0	7.0	13.4	273	16	38.6	62	1004
1/12/2016 21:00	BDL	BDL	BDL	BDL	0.2	BDL	5.0	7.0	11.5	289	12	34.2	78	1005
1/12/2016 22:00	0.6	BDL	BDL	BDL	0.2	BDL	10.0	6.0	12.2	294	13	32.8	75	1006
1/12/2016 23:00	0.4	BDL	BDL	BDL	0.1	BDL	9.0	10.0	17.0	298	13	29.8	48	1008
1/13/2016 0:00	BDL	BDL	BDL	BDL	0.2	~~0.01~~	16.0	10.0	13.3	292	12	27.7	43	1009
1/13/2016 1:00	0.4	BDL	BDL	BDL	0.2	0.3	18.0	14.0	13.4	292	11	26.4	47	1010
1/13/2016 2:00	1.2	BDL	BDL	BDL	0.2	0.7	20.0	11.0	13.8	289	12	25.4	50	1010
1/13/2016 3:00	1.2	BDL	BDL	2.2	0.2	1.2	21.0	12.0	13.1	287	12	24.4	52	1012
1/13/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	16.0	9.0	11.9	283	12	23.5	53	1013
1/13/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	15.0	10.0	10.9	279	14	22.9	55	1014
1/13/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	17.0	12.0	10.8	269	14	22.2	57	1015
1/13/2016 7:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	19.0	11.0	9.0	257	16	21.4	58	1016
1/13/2016 8:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	25.0	10.0	9.6	253	17	21.0	59	1016
1/13/2016 9:00	0.5	BDL	BDL	5.4	0.2	1.7	17.0	13.0	10.0	264	17	21.7	54	1017
1/13/2016 10:00	1.2	BDL	BDL	2.6	0.2	2.1	17.0	10.0	10.7	278	15	23.6	48	1017
1/13/2016 11:00	1.4	BDL	BDL	1.0	0.2	1.9	14.0	10.0	12.9	293	13	24.7	45	1017
1/13/2016 12:00	1.2	BDL	BDL	1.1	0.2	1.4	18.0	10.0	13.4	298	13	25.8	44	1017
1/13/2016 13:00	1.0	BDL	BDL	1.2	0.2	1.3	16.0	9.0	12.8	294	14	26.4	42	1016
1/13/2016 14:00	1.0	BDL	BDL	1.7	0.2	1.6	16.0	9.0	11.0	293	15	27.1	42	1015
1/13/2016 15:00	0.4	BDL	BDL	1.3	0.2	1.4	16.0	8.0	10.0	286	15	27.1	42	1015
1/13/2016 16:00	BDL	BDL	BDL	2.7	0.2	1.3	20.0	8.0	9.5	276	17	26.9	44	1015
1/13/2016 17:00	1.5	BDL	BDL	2.8	0.2	1.2	18.0	13.0	10.7	281	13	26.4	44	1015
1/13/2016 18:00	1.4	BDL	BDL	4.7	0.2	1.3	17.0	12.0	8.3	281	13	25.6	48	1016
1/13/2016 19:00	0.9	BDL	BDL	5.4	0.2	1.4	13.0	9.0	5.5	268	17	25.1	50	1016
1/13/2016 20:00	BDL	BDL	BDL	2.8	0.2	1.4	13.0	9.0	6.1	270	15	25.3	47	1016
1/13/2016 21:00	BDL	BDL	BDL	6.5	0.2	1.4	15.0	9.0	5.7	252	16	25.3	46	1016
1/13/2016 22:00	0.6	BDL	BDL	6.9	0.2	1.3	14.0	7.0	6.8	272	16	25.0	46	1015
1/13/2016 23:00	0.7	BDL	BDL	2.1	0.2	1.6	17.0	6.0	7.7	297	12	24.9	43	1015

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 1/10/2016-1/16/2016														
1/14/2016 0:00	0.9	BDL	BDL	3.2	0.2	1.2	13.0	11.0	4.1	264	18	25.4	44	1015
1/14/2016 1:00	1.1	BDL	BDL	5.0	0.2	1.3	16.0	11.0	3.6	273	17	25.4	45	1014
1/14/2016 2:00	1.2	BDL	BDL	5.0	0.2	0.9	13.0	9.0	2.8	246	18	25.1	46	1014
1/14/2016 3:00	1.3	BDL	BDL	5.5	0.2	1.0	14.0	11.0	4.1	229	17	25.2	47	1013
1/14/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	16.0	12.0	4.1	200	10	25.2	54	1013
1/14/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	18.0	10.0	4.0	197	13	25.5	52	1013
1/14/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	15.0	9.0	4.6	198	13	26.0	55	1012
1/14/2016 7:00	1.0	BDL	BDL	9.0	0.2	0.6	16.0	8.0	5.2	203	12	26.5	55	1012
1/14/2016 8:00	1.7	0.6	BDL	49.7	0.3	0.8	46.0	15.0	4.0	208	13	26.7	58	1012
1/14/2016 9:00	3.3	BDL	BDL	34.1	0.3	0.7	29.0	10.0	7.2	222	13	28.6	53	1012
1/14/2016 10:00	3.1	BDL	BDL	23.2	0.3	0.9	20.0	12.0	8.2	235	13	31.1	51	1013
1/14/2016 11:00	2.7	BDL	BDL	22.6	0.3	1.0	31.0	11.0	9.3	231	14	33.4	49	1013
1/14/2016 12:00	1.9	BDL	BDL	18.4	0.3	0.9	24.0	15.0	9.3	229	13	36.0	49	1012
1/14/2016 13:00	2.0	BDL	BDL	15.5	0.2	0.9	23.0	7.0	9.8	233	15	39.0	45	1012
1/14/2016 14:00	1.6	BDL	BDL	12.7	0.2	0.6	14.0	10.0	10.4	232	14	42.8	41	1010
1/14/2016 15:00	1.7	BDL	BDL	9.7	0.2	0.4	21.0	10.0	10.2	224	14	44.5	40	1010
1/14/2016 16:00	1.9	BDL	BDL	12.0	0.2	0.5	21.0	9.0	10.5	224	13	45.1	41	1011
1/14/2016 17:00	2.4	BDL	BDL	19.8	0.3	0.8	22.0	14.0	7.2	231	12	44.5	44	1011
1/14/2016 18:00	3.0	BDL	BDL	33.8	0.4	1.1	24.0	10.0	4.3	226	13	43.7	48	1012
1/14/2016 19:00	3.3	0.5	0.6	42.6	0.4	1.0	22.0	16.0	4.2	212	14	43.4	51	1012
1/14/2016 20:00	1.0	0.5	BDL	26.2	0.3	0.8	19.0	12.0	2.8	199	8	40.5	60	1012
1/14/2016 21:00	0.6	0.8	0.7	25.4	0.2	0.7	16.0	10.0	2.6	205	11	39.6	64	1012
1/14/2016 22:00	0.8	BDL	BDL	20.4	0.3	0.7	15.0	9.0	2.9	208	11	39.6	64	1012
1/14/2016 23:00	1.3	0.5	BDL	41.6	0.4	1.6	16.0	13.0	1.3	248	35	37.9	71	1012
1/15/2016 0:00	1.0	0.8	BDL	51.9	0.4	1.8	18.0	16.0	1.1	160	22	36.0	78	1012
1/15/2016 1:00	0.5	1.1	0.4	54.9	0.3	2.2	17.0	15.0	1.1	157	18	35.5	86	1011
1/15/2016 2:00	0.6	1.5	0.7	72.7	0.4	3.1	26.0	21.0	0.8	215	25	34.3	86	1011
1/15/2016 3:00	1.1	2.4	0.9	97.0	0.6	4.5	29.0	21.0	0.5	114	46	34.1	89	1012
1/15/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	35.0	22.0	1.2	151	19	33.2	90	1011
1/15/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	26.0	16.0	0.9	144	46	33.1	93	1011
1/15/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	27.0	20.0	0.9	88	33	32.8	94	1011
1/15/2016 7:00	3.8	6.7	2.2	300.3	1.2	2.7	60.0	28.0	2.4	77	24	33.0	89	1011
1/15/2016 8:00	4.0	6.7	2.0	282.9	1.3	2.6	72.0	38.0	3.4	66	15	32.6	84	1011
1/15/2016 9:00	2.9	4.2	1.5	186.4	1.1	1.8	54.0	33.0	4.3	81	27	34.1	78	1011
1/15/2016 10:00	2.7	4.3	1.6	180.3	1	1.6	41.0	26.0	1.0	107	42	36.3	75	1011
1/15/2016 11:00	1.7	2.7	1.2	102.7	0.6	1.1	31.0	26.0	1.5	144	35	40.6	69	1010
1/15/2016 12:00	1.1	1.2	0.7	36.7	0.3	0.4	22.0	12.0	1.7	164	49	46.0	58	1009
1/15/2016 13:00	1.1	0.9	0.8	15.3	0.2	0.1	23.0	15.0	3.9	208	31	50.7	52	1007
1/15/2016 14:00	0.8	1.1	1.0	16.7	0.2	BDL	25.0	7.0	7.0	188	13	50.9	53	1006
1/15/2016 15:00	0.5	0.4	0.6	10.6	0.2	BDL	20.0	10.0	5.2	199	11	50.2	56	1005
1/15/2016 16:00	0.7	0.7	0.5	24.9	0.3	BDL	19.0	18.0	3.3	171	13	49.7	58	1004
1/15/2016 17:00	BDL	BDL	BDL	8.5	0.2	BDL	20.0	15.0	6.0	183	11	49.9	58	1005
1/15/2016 18:00	0.4	BDL	BDL	12.6	0.2	BDL	20.0	13.0	4.8	194	12	49.1	60	1004
1/15/2016 19:00	0.6	0.7	0.8	14.3	0.3	BDL	19.0	18.0	1.9	205	43	47.8	63	1004
1/15/2016 20:00	0.7	0.8	0.9	27.6	0.4	0.6	27.0	19.0	3.2	309	62	46.1	74	1003
1/15/2016 21:00	0.7	0.9	0.5	49.7	0.3	0.5	24.0	16.0	2.0	105	28	45.3	80	1002
1/15/2016 22:00	0.6	1.0	0.5	55.1	0.3	BDL	29.0	22.0	2.6	115	40	44.0	87	1001
1/15/2016 23:00	BDL	0.5	0.4	20.6	0.3	BDL	20.0	18.0	1.8	336	25	43.4	91	999
1/16/2016 0:00	BDL	0.6	0.5	28.2	0.4	BDL	16.0	16.0	4.1	337	26	44.1	91	997
1/16/2016 1:00	BDL	0.8	0.6	37.3	0.4	BDL	15.0	11.0	3.9	43	51	43.7	95	995
1/16/2016 2:00	BDL	0.4	BDL	14.7	0.3	BDL	10.0	8.0	7.8	54	12	44.6	91	994
1/16/2016 3:00	BDL	0.4	0.4	8.5	0.3	BDL	13.0	8.0	8.5	41	13	43.3	92	993
1/16/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	12.0	9.0	7.0	1	16	44.3	88	993
1/16/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	12.0	11.0	5.8	311	12	42.6	94	993
1/16/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	16.0	13.0	5.7	301	9	41.4	98	994
1/16/2016 7:00	BDL	BDL	0.4	20.8	0.4	BDL	21.0	24.0	5.0	291	11	41.5	96	995
1/16/2016 8:00	BDL	0.4	0.4	18.8	0.4	BDL	23.0	22.0	2.8	265	16	41.8	95	996
1/16/2016 9:00	BDL	BDL	BDL	18.5	0.4	BDL	20.0	19.0	4.4	248	14	42.7	94	997
1/16/2016 10:00	BDL	BDL	BDL	8.9	0.3	BDL	21.0	20.0	5.2	269	14	44.3	88	998
1/16/2016 11:00	0.5	BDL	BDL	3.9	0.3	BDL	14.0	12.0	9.4	294	14	48.7	73	998
1/16/2016 12:00	BDL	BDL	BDL	0.9	0.2	BDL	12.0	7.0	10.9	297	14	51.2	61	999
1/16/2016 13:00	BDL	BDL	BDL	1.0	0.2	BDL	10.0	16.0	10.2	303	12	50.4	62	999
1/16/2016 14:00	BDL	BDL	BDL	BDL	0.2	BDL	8.0	8.0	10.9	296	11	50.7	59	999
1/16/2016 15:00	BDL	BDL	BDL	0.9	0.2	BDL	8.0	8.0	8.0	287	12	50.4	62	1000
1/16/2016 16:00	BDL	BDL	BDL	0.7	0.2	BDL	8.0	8.0	11.3	294	11	48.8	66	1001
1/16/2016 17:00	BDL	BDL	BDL	0.9	0.2	BDL	8.0	10.0	10.9	294	10	46.4	65	1003
1/16/2016 18:00	BDL	BDL	BDL	BDL	0.2	BDL	11.0	7.0	8.0	282	13	45.5	63	1004
1/16/2016 19:00	BDL	BDL	BDL	1.4	0.2	BDL	11.0	13.0	6.1	282	13	45.0	61	1005
1/16/2016 20:00	BDL	BDL	BDL	0.9	0.2	BDL	10.0	9.0	6.6	298	9	44.0	64	1006
1/16/2016 21:00	BDL	BDL	BDL	1.8	0.2	BDL	16.0	11.0	7.4	294	11	43.8	64	1007
1/16/2016 22:00	0.7	BDL	BDL	2.4	0.2	BDL	9.0	9.0	7.4	295	10	42.4	66	1007
1/16/2016 23:00	BDL	BDL	BDL	3.6	0.3	BDL	9.0	8.0	5.5	290	10	41.3	69	1007

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 1/17/2016-1/23/2016														
1/17/2016 12:00 AM	BDL	BDL	BDL	7.9	0.3	BDL	10.0	7.0	4.5	289	12.1	40.7	70	1008
1/17/2016 1:00 AM	BDL	BDL	BDL	1.0	0.2	BDL	8.0	5.0	8.9	310	10	40.4	64	1008
1/17/2016 2:00 AM	BDL	BDL	BDL	BDL	0.2	BDL	6.0	4.0	9.4	312	8	39.5	61	1008
1/17/2016 3:00 AM	BDL	BDL	BDL	BDL	0.2	0.1	6.0	4.0	10.5	317	8	38.8	59	1009
1/17/2016 4:00 AM	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	6.0	5.0	8.9	316	10	38.0	60	1009
1/17/2016 5:00 AM	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	6.0	4.0	7.7	313	7	37.0	61	1009
1/17/2016 6:00 AM	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	4.0	6.0	8.1	325	10	36.4	60	1008
1/17/2016 7:00 AM	BDL	BDL	BDL	12.9	0.2	0.3	4.0	6.0	7.3	339	12	36.2	58	1008
1/17/2016 8:00 AM	0.5	BDL	BDL	10.3	0.2	0.1	6.0	7.0	5.5	354	17	36.3	60	1009
1/17/2016 9:00 AM	0.8	BDL	BDL	11.1	0.2	BDL	5.0	6.0	5.8	10	20	36.4	60	1009
1/17/2016 10:00 AM	BDL	BDL	BDL	8.2	0.2	0.2	8.0	4.0	5.5	57	14	36.5	58	1010
1/17/2016 11:00 AM	BDL	BDL	BDL	2.6	0.2	0.1	8.0	3.0	7.6	60	11	36.0	58	1009
1/17/2016 12:00 PM	BDL	BDL	BDL	5.2	0.2	0.03	7.0	5.0	6.4	63	12	36.0	58	1009
1/17/2016 1:00 PM	BDL	BDL	BDL	5.2	0.2	BDL	6.0	7.0	6.0	51	15	35.7	61	1007
1/17/2016 2:00 PM	BDL	BDL	BDL	5.0	0.2	BDL	8.0	7.0	5.8	52	19	33.5	80	1007
1/17/2016 3:00 PM	BDL	BDL	BDL	5.5	0.2	BDL	7.0	6.0	5.7	2	20	31.4	97	1006
1/17/2016 4:00 PM	BDL	BDL	BDL	6.3	0.2	BDL	11.0	6.0	6.5	338	11	31.6	96	1005
1/17/2016 5:00 PM	BDL	BDL	BDL	7.7	0.2	BDL	7.0	7.0	5.1	318	17	31.7	97	1005
1/17/2016 6:00 PM	BDL	BDL	BDL	11.9	0.3	BDL	10.0	12.0	4.6	340	18	32.1	93	1005
1/17/2016 7:00 PM	BDL	BDL	BDL	7.8	0.2	BDL	11.0	9.0	7.0	306	9	31.9	90	1005
1/17/2016 8:00 PM	BDL	BDL	BDL	6.1	0.2	BDL	15.0	11.0	4.7	292	13	32.1	90	1006
1/17/2016 9:00 PM	BDL	BDL	BDL	6.8	0.3	0.5	15.0	13.0	2.6	270	19	31.5	92	1005
1/17/2016 10:00 PM	BDL	BDL	BDL	19.8	0.4	2.5	14.0	17.0	3.2	249	13	30.9	95	1005
1/17/2016 11:00 PM	BDL	BDL	BDL	17.6	0.4	0.5	16.0	19.0	3.6	264	14	30.8	96	1005
1/18/2016 12:00 AM	BDL	BDL	BDL	14.2	0.4	BDL	23.0	24.0	4.3	260	13	30.2	96	1005
1/18/2016 1:00 AM	BDL	BDL	BDL	13.9	0.3	BDL	28.0	22.0	4.7	255	14	29.7	96	1005
1/18/2016 2:00 AM	BDL	BDL	BDL	9.2	0.3	BDL	25.0	19.0	5.4	267	15	30.1	89	1005
1/18/2016 3:00 AM	BDL	BDL	BDL	1.7	0.2	BDL	12.0	14.0	8.8	296	12	30.0	73	1006
1/18/2016 4:00 AM	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	11.0	9.0	12.0	296	11	29.0	64	1006
1/18/2016 5:00 AM	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	16.0	10.0	15.8	303	10	27.4	62	1007
1/18/2016 6:00 AM	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	9.0	8.0	16.9	300	11	23.7	53	1008
1/18/2016 7:00 AM	BDL	BDL	BDL	BDL	0.2	BDL	13.0	6.0	14.4	296	13	20.8	47	1010
1/18/2016 8:00 AM	BDL	BDL	BDL	BDL	0.2	0.03	10.0	7.0	10.7	298	12	19.8	49	1011
1/18/2016 9:00 AM	BDL	BDL	BDL	0.5	0.2	BDL	13.0	8.0	12.3	301	13	20.0	50	1011
1/18/2016 10:00 AM	BDL	BDL	BDL	BDL	0.2	0.1	13.0	6.0	13.5	299	11	20.9	49	1012
1/18/2016 11:00 AM	BDL	BDL	BDL	0.7	0.2	0.3	15.0	4.0	13.8	303	11	22.2	49	1012
1/18/2016 12:00 PM	0.4	BDL	BDL	0.6	0.2	0.3	12.0	5.0	13.1	299	12	23.3	49	1012
1/18/2016 1:00 PM	0.4	BDL	BDL	BDL	0.2	0.2	13.0	8.0	14.0	301	14	23.8	49	1012
1/18/2016 2:00 PM	BDL	BDL	BDL	BDL	0.2	0.2	9.0	8.0	13.0	297	15	24.7	47	1011
1/18/2016 3:00 PM	BDL	BDL	BDL	BDL	0.2	0.3	14.0	7.0	14.1	298	11	24.5	44	1012
1/18/2016 4:00 PM	BDL	BDL	BDL	BDL	0.2	0.3	10.0	6.0	14.5	298	13	24.4	41	1012
1/18/2016 5:00 PM	0.4	BDL	BDL	0.5	0.2	0.3	13.0	6.0	14.7	307	12	23.0	42	1013
1/18/2016 6:00 PM	0.6	BDL	BDL	0.6	0.2	0.6	16.0	6.0	12.3	295	11	21.6	43	1014
1/18/2016 7:00 PM	0.6	BDL	BDL	BDL	0.2	1.0	14.0	6.0	13.0	295	12	20.5	44	1015
1/18/2016 8:00 PM	1.0	BDL	BDL	BDL	0.2	1.3	11.0	7.0	13.3	295	12	19.4	44	1016
1/18/2016 9:00 PM	0.8	BDL	BDL	BDL	0.2	1.6	11.0	10.0	11.6	290	12	18.5	45	1017
1/18/2016 10:00 PM	0.8	BDL	BDL	0.6	0.2	1.8	14.0	8.0	11.6	285	12	17.5	49	1017
1/18/2016 11:00 PM	0.7	BDL	BDL	0.4	0.2	1.9	11.0	6.0	12.2	287	13	17.0	51	1017
1/19/2016 12:00 AM	1.0	BDL	BDL	0.4	0.2	2.0	15.0	8.0	13.1	288	11	16.6	52	1018
1/19/2016 1:00 AM	2.0	BDL	BDL	1.6	0.2	2.0	14.0	9.0	12.3	291	12	16.2	53	1017
1/19/2016 2:00 AM	2.4	BDL	BDL	2.3	0.2	2.0	12.0	10.0	12.1	290	12	16.0	54	1017
1/19/2016 3:00 AM	2.2	BDL	BDL	2.4	7.0	2.1	12.0	7.0	12.4	295	10	15.7	54	1018
1/19/2016 4:00 AM	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	14.0	11.0	11.0	297	11	15.5	54	1018
1/19/2016 5:00 AM	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	12.0	8.0	11.1	300	11	15.3	55	1018
1/19/2016 6:00 AM	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	13.0	9.0	12.6	299	11	15.2	55	1019
1/19/2016 7:00 AM	1.2	BDL	BDL	3.4	0.2	2.3	11.0	12.0	11.6	297	12	15.0	56	1019
1/19/2016 8:00 AM	1.2	BDL	BDL	4.7	0.2	2.4	10.0	9.0	10.5	294	12	15.1	56	1019
1/19/2016 9:00 AM	Too few samples	Too few samples	Too few samples	Too few samples	0.2	11.1	10.0	7.0	10.8	300	13	16.3	53	1019
1/19/2016 10:00 AM	1.3	BDL	BDL	3.4	0.2	1.9	15.0	8.0	13.1	295	13	18.3	49	1019
1/19/2016 11:00 AM	0.8	BDL	BDL	1.4	0.2	1.6	12.0	6.0	13.5	296	14	21.1	46	1019
1/19/2016 12:00 PM	BDL	BDL	BDL	0.7	0.2	1.6	34.0	8.0	16.6	306	12	23.0	45	1018
1/19/2016 1:00 PM	BDL	BDL	BDL	BDL	0.1	1.4	17.0	6.0	15.9	307	12	24.6	43	1018
1/19/2016 2:00 PM	BDL	BDL	BDL	BDL	0.1	1.4	20.0	6.0	17.0	305	11	25.8	41	1017
1/19/2016 3:00 PM	BDL	BDL	BDL	BDL	0.1	1.4	9.0	9.0	14.7	299	13	26.8	39	1017
1/19/2016 4:00 PM	BDL	BDL	BDL	BDL	0.2	1.6	11.0	11.0	14.0	293	13	27.2	39	1018
1/19/2016 5:00 PM	BDL	BDL	BDL	BDL	0.2	2.0	12.0	10.0	14.0	302	11	26.8	42	1018
1/19/2016 6:00 PM	BDL	BDL	BDL	0.4	0.2	2.0	13.0	8.0	11.0	293	12	26.1	45	1019
1/19/2016 7:00 PM	BDL	BDL	BDL	0.7	0.2	1.9	12.0	6.0	10.5	290	12	25.6	47	1020
1/19/2016 8:00 PM	BDL	BDL	BDL	BDL	0.2	2.1	13.0	5.0	10.2	286	14	24.5	50	1021
1/19/2016 9:00 PM	BDL	BDL	BDL	BDL	0.2	2.0	10.0	7.0	12.4	297	11	23.7	53	1021
1/19/2016 10:00 PM	BDL	BDL	BDL	BDL	0.2	2.1	9.0	5.0	11.8	296	12	23.5	54	1021
1/19/2016 11:00 PM	BDL	BDL	BDL	BDL	0.2	2.0	8.0	6.0	12.3	302	11	23.1	55	1021
1/20/2016 12:00 AM	BDL	BDL	BDL	BDL	0.1	2.1	8.0	5.0	9.8	301	14	22.8	55	1021
1/20/2016 1:00 AM	BDL	BDL	BDL	BDL	0.1	2.2	6.0	7.0	7.4	295	16	22.9	57	1022
1/20/2016 2:00 AM	BDL	BDL	BDL	BDL	0.2	2.3	5.0	6.0	6.4	289	16	23.1	59	1022
1/20/2016 3:00 AM	BDL	BDL	BDL	1.5	0.2	2.4	6.0	4.0	5.2	276	16	23.1	62	1022
1/20/2016 4:00 AM	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	15.0	3.0	4.2	263	16	22.5	66	1022
1/20/2016 5:00 AM	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	7.0	5.0	5.4	281	19	23.0	66	1022
1/20/2016 6:00 AM	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	6.0	7.0	3.4	260	25	22.9	69	1023
1/20/2016 7:00 AM	BDL	BDL	BDL	10.7	0.2	2.5	8.0	6.0	5.3	295	14	24.2	68	1022
1/20/2016 8:00 AM	BDL	BDL	BDL	40.9	0.3	2.7	26.0	10.0	3.3	251	18	23.4	71	1023
1/20/2016 9:00 AM	0.4	0.4	BDL	41.2	0.4	2.8	20.0	8.0	4.0	257	15	25.3	62	1023
1/20/2016 10:00 AM	BDL	BDL	BDL	8.2	0.2	2.6	10.0	6.0	7.7	314	11	28.5	60	1023
1/20/2016 11:00 AM	BDL	BDL	BDL	4.1	0.2	2.6	12.0	7.0	8.9	313	11	29.4	61	1022
1/20/2016 12:00 PM	BDL	BDL	BDL	3.3	0.2	2.3	9.0	5.0	5.3	302	20	31.7	54	1022
1/20/2016 1:00 PM	BDL	BDL	BDL	1.8	0.2	2.1	8.0	4.0	6.2	304	19	33.4	52	1020
1/20/2016 2:00 PM	BDL	BDL	BDL	1.9	0.2	1.8	7.0	4.0	5.4	306	22	33.8	53	1019
1/20/2016 3:00 PM	BDL	BDL	BDL	3.4	0.2	1.8	12.0	3.0	4.5	297	21	33.9	53	1018
1/20/2016 4:00 PM	BDL	BDL	BDL	2.5	0.2	1.5	11.0	6.0	4.8	299	19	33.8	54	1018
1/20/2016 5:00 PM	BDL	BDL	BDL	3.8	0.2	1.7	11.0	8.0	4.5	277	14	33.3	54	1018
1/20/2016 6:00 PM	BDL	BDL	BDL	7.7	0.2	2.7	14.0	9.0	3.9	265	15	32.4	58	1017
1/20/2016 7:00 PM	BDL	BDL	BDL	9.2	0.2	4.6	15.0	8.0	4.7	261	14	31.4	60	1018
1/20/2016 8:00 PM	BDL	BDL	BDL	9.5	0.2	2.4	15.0	9.0	4.4	255	17	30.6	61	1018
1/20/2016 9:00 PM	BDL	BDL	BDL	8.4	0.2	2.2	20.0	13.0	4.2	254	16	30.0	61	1018
1/20/2016 10:00 PM	BDL	BDL	BDL	7.4	0.2	2.2	21.0	15.0	4.2	259	15	29.7	61	1017
1/20/2016 11:00 PM	BDL	BDL	BDL	7.0	0.2	2	23.0	15.0	3.9	259	17	29.4	61	1017

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 1/17/2016-1/23/2016														
1/21/2016 12:00 AM	0.8	BDL	BDL	6.0	0.2	4.9	22.0	16.0	4.9	275	13	29.3	58	1017
1/21/2016 1:00 AM	1.2	BDL	BDL	8.0	0.2	2.3	24.0	18.0	4.7	290	13	29.2	58	1017
1/21/2016 2:00 AM	1.3	BDL	BDL	9.3	0.2	1.3	26.0	21.0	5.9	303	10	29.0	59	1017
1/21/2016 3:00 AM	0.8	BDL	BDL	10.4	0.2	1.4	22.0	17.0	7.1	310	9	28.9	61	1017
1/21/2016 4:00 AM	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	22.0	18.0	9.0	313	7	28.5	63	1017
1/21/2016 5:00 AM	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	21.0	13.0	5.9	301	8	28.3	65	1017
1/21/2016 6:00 AM	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	17.0	11.0	7.9	315	10	27.3	71	1018
1/21/2016 7:00 AM	BDL	BDL	BDL	15.6	0.2	1.9	15.0	12.0	7.7	309	9	26.9	71	1019
1/21/2016 8:00 AM	BDL	BDL	BDL	16.4	0.2	2.0	14.0	13.0	8.7	324	12	26.8	68	1020
1/21/2016 9:00 AM	0.4	BDL	BDL	17.3	0.2	2.0	26.0	13.0	8.6	326	13	27.7	64	1020
1/21/2016 10:00 AM	BDL	BDL	BDL	4.5	0.2	2.3	15.0	9.0	9.2	307	11	29.4	60	1021
1/21/2016 11:00 AM	BDL	BDL	BDL	3.2	0.2	2.4	14.0	11.0	9.0	316	11	30.6	57	1022
1/21/2016 12:00 PM	BDL	BDL	BDL	4.7	0.2	2.4	21.0	10.0	11.3	317	11	31.6	56	1021
1/21/2016 1:00 PM	BDL	BDL	BDL	5.4	0.2	2.0	15.0	9.0	10.7	321	11	32.0	55	1020
1/21/2016 2:00 PM	BDL	BDL	BDL	2.6	0.2	2.1	17.0	10.0	11.4	313	12	33.3	50	1020
1/21/2016 3:00 PM	BDL	BDL	BDL	2.2	0.2	2.0	14.0	12.0	11.7	312	13	34.0	47	1020
1/21/2016 4:00 PM	0.7	BDL	BDL	5.2	0.2	2.1	18.0	11.0	11.7	322	12	33.7	47	1020
1/21/2016 5:00 PM	0.9	BDL	BDL	5.6	0.2	2.1	17.0	11.0	11.2	315	10	33.0	48	1020
1/21/2016 6:00 PM	0.5	BDL	BDL	6.9	0.2	3.0	16.0	13.0	10.1	317	10	31.9	50	1021
1/21/2016 7:00 PM	BDL	BDL	BDL	6.6	0.2	2.4	18.0	10.0	7.0	305	9	31.4	50	1022
1/21/2016 8:00 PM	0.8	BDL	BDL	10.1	0.3	2.3	14.0	11.0	4.8	297	8	30.9	52	1022
1/21/2016 9:00 PM	BDL	BDL	BDL	8.9	0.2	2.5	13.0	11.0	6.1	303	10	30.7	52	1022
1/21/2016 10:00 PM	0.4	BDL	BDL	12.5	0.3	3.0	16.0	9.0	3.6	275	9	29.7	57	1022
1/21/2016 11:00 PM	0.7	BDL	BDL	25.6	0.4	3.1	20.0	13.0	3.7	282	11	28.7	59	1023
1/22/2016 12:00 AM	0.4	BDL	BDL	23.6	0.3	2.7	13.0	12.0	5.1	299	10	28.5	58	1023
1/22/2016 1:00 AM	0.6	BDL	BDL	12.5	0.2	2.7	14.0	17.0	9.0	339	12	28.2	57	1023
1/22/2016 2:00 AM	1.0	BDL	BDL	6.4	0.2	2.4	13.0	11.0	10.5	341	14	26.9	54	1023
1/22/2016 3:00 AM	0.5	BDL	BDL	9.0	0.2	2.4	11.0	10.0	7.8	338	15	25.7	54	1023
1/22/2016 4:00 AM	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	8.0	6.0	7.7	331	14	24.7	58	1023
1/22/2016 5:00 AM	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	6.0	6.0	7.1	338	14	24.0	58	1023
1/22/2016 6:00 AM	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	6.0	9.0	7.2	305	7	23.3	62	1024
1/22/2016 7:00 AM	BDL	BDL	BDL	20.3	0.2	2.7	6.0	8.0	7.7	324	11	22.7	64	1024
1/22/2016 8:00 AM	0.5	BDL	BDL	20.2	0.2	2.4	20.0	7.0	7.3	342	17	22.7	64	1024
1/22/2016 9:00 AM	0.5	BDL	BDL	13.4	0.2	2.6	16.0	9.0	6.7	5	21	22.8	64	1024
1/22/2016 10:00 AM	BDL	BDL	BDL	16.4	0.2	2.5	11.0	8.0	7.2	32	16	23.1	57	1024
1/22/2016 11:00 AM	BDL	BDL	BDL	11.6	0.2	2.6	28.0	4.0	7.4	50	17	23.6	49	1024
1/22/2016 12:00 PM	BDL	BDL	BDL	10.5	0.2	2.3	22.0	3.0	7.7	57	12	23.8	49	1023
1/22/2016 1:00 PM	BDL	BDL	BDL	11.8	0.2	2.1	24.0	5.0	7.1	64	15	24.7	48	1022
1/22/2016 2:00 PM	BDL	BDL	BDL	12.1	0.2	1.8	27.0	6.0	7.1	62	12	25.2	48	1021
1/22/2016 3:00 PM	BDL	BDL	BDL	14.7	0.2	1.7	21.0	4.0	6.1	69	15	25.6	48	1020
1/22/2016 4:00 PM	BDL	BDL	BDL	14.9	0.3	1.7	21.0	6.0	6.3	59	17	25.9	48	1020
1/22/2016 5:00 PM	BDL	BDL	BDL	12.7	0.3	1.7	13.0	6.0	5.8	48	17	26.1	49	1019
1/22/2016 6:00 PM	BDL	BDL	BDL	12.1	0.3	1.6	12.0	4.0	6.4	50	14	26.0	49	1019
1/22/2016 7:00 PM	BDL	BDL	BDL	8.8	0.2	1.6	11.0	6.0	7.7	57	15	25.7	52	1019
1/22/2016 8:00 PM	BDL	BDL	BDL	9.5	0.2	1.4	21.0	8.0	9.3	48	11	23.0	87	1019
1/22/2016 9:00 PM	BDL	BDL	BDL	14.2	0.2	1.3	11.0	11.0	8.5	60	11	22.5	97	1018
1/22/2016 10:00 PM	BDL	BDL	BDL	18.6	0.3	1.1	11.0	9.0	8.8	50	11	22.7	98	1017
1/22/2016 11:00 PM	BDL	BDL	BDL	20.5	0.3	0.9	13.0	10.0	11.9	45	12	23.1	98	1015
1/23/2016 12:00 AM	BDL	BDL	BDL	20.7	0.3	0.4	17.0	8.0	11.6	36	14	23.0	98	1013
1/23/2016 1:00 AM	BDL	BDL	BDL	16.5	0.3	0.03	12.0	6.0	14.0	38	13	22.9	98	1011
1/23/2016 2:00 AM	BDL	BDL	BDL	12.5	0.2	BDL	16.0	7.0	17.3	39	12	23.3	98	1009
1/23/2016 3:00 AM	BDL	BDL	BDL	13.2	0.2	BDL	12.0	8.0	16.1	39	13	23.7	98	1007
1/23/2016 4:00 AM	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	12.0	7.0	14.9	41	24	24.0	99	1006
1/23/2016 5:00 AM	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	11.0	7.0	16.5	47	49	23.7	99	1004
1/23/2016 6:00 AM	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	11.0	4.0	18.9	42	17	23.3	99	1003
1/23/2016 7:00 AM	BDL	BDL	BDL	7.0	0.2	BDL	9.0	3.0	19.3	41	12	23.9	98	1001
1/23/2016 8:00 AM	BDL	BDL	BDL	8.1	0.2	BDL	6.0	5.0	19.4	40	13	25.5	96	1000
1/23/2016 9:00 AM	BDL	BDL	BDL	9.6	0.2	BDL	4.0	4.0	15.3	35	14	26.4	97	1000
1/23/2016 10:00 AM	Too few samples	Too few samples	Too few samples	Too few samples	0.2	8.9	7.0	6.0	14.7	33	17	26.9	98	999
1/23/2016 11:00 AM	BDL	BDL	BDL	6.2	0.2	BDL	7.0	6.0	14.2	33	15	27.0	98	999
1/23/2016 12:00 PM	BDL	BDL	BDL	7.4	0.2	BDL	5.0	4.0	14.6	29	14	27.5	96	999
1/23/2016 1:00 PM	BDL	BDL	BDL	5.2	0.2	BDL	5.0	4.0	13.7	32	15	28.4	93	998
1/23/2016 2:00 PM	BDL	BDL	BDL	5.8	0.2	BDL	6.0	4.0	14.3	30	14	28.9	90	998
1/23/2016 3:00 PM	BDL	BDL	BDL	9.3	0.2	BDL	8.0	3.0	13.7	25	14	28.8	92	998
1/23/2016 4:00 PM	BDL	BDL	BDL	9.9	0.2	BDL	8.0	4.0	13.4	24	16	29.3	86	999
1/23/2016 5:00 PM	BDL	BDL	BDL	10.0	0.2	BDL	10.0	4.0	12.3	15	16	28.6	90	999
1/23/2016 6:00 PM	BDL	BDL	BDL	8.0	0.2	BDL	12.0	3.0	12.5	9	23	27.0	99	1001
1/23/2016 7:00 PM	BDL	BDL	BDL	7.7	0.3	BDL	8.0	4.0	11.7	8	28	27.2	99	1001
1/23/2016 8:00 PM	0.8	BDL	BDL	8.1	0.3	BDL	10.0	6.0	11.8	6	17	27.3	97	1002
1/23/2016 9:00 PM	1.6	BDL	BDL	8.9	0.3	BDL	18.0	13.0	11.6	359	19	27.3	97	1003
1/23/2016 10:00 PM	1.7	BDL	BDL	7.8	0.3	BDL	18.0	12.0	11.3	349	17	27.4	93	1004
1/23/2016 11:00 PM	0.4	BDL	BDL	8.6	0.2	BDL	11.0	11.0	13.8	340	13	26.9	82	1004

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 1/24/2016-1/30/2016														
1/24/2016 0:00	1.3	BDL	BDL	7.6	0.2	BDL	13.0	13.0	10.9	343	15	27.9	73	1005
1/24/2016 1:00	1.2	BDL	BDL	6.8	0.2	BDL	16.0	11.0	9.3	353	17	28.9	68	1006
1/24/2016 2:00	0.5	BDL	BDL	16.8	0.2	BDL	6.0	7.0	9.1	341	12	29.0	59	1006
1/24/2016 3:00	BDL	BDL	BDL	11.1	0.2	BDL	10.0	5.0	10.7	331	10	28.3	59	1007
1/24/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	10.0	5.0	10.1	329	9	25.1	63	1008
1/24/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	11.0	6.0	8.5	330	12	22.9	65	1008
1/24/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	9.0	8.0	9.0	326	11	22.2	67	1009
1/24/2016 7:00	BDL	BDL	BDL	8.6	0.2	5.9	9.0	7.0	9.3	325	10	21.6	68	1011
1/24/2016 8:00	BDL	BDL	BDL	7.3	0.2	6.9	8.0	7.0	10.0	331	10	21.2	70	1012
1/24/2016 9:00	BDL	BDL	BDL	6.4	0.2	6.0	5.0	7.0	11.7	318	9	21.1	67	1013
1/24/2016 10:00	BDL	BDL	BDL	5.6	0.2	0.5	6.0	6.0	11.0	323	10	23.0	62	1014
1/24/2016 11:00	0.6	BDL	BDL	4.8	0.2	0.8	9.0	5.0	11.4	320	9	24.3	58	1014
1/24/2016 12:00	0.7	BDL	BDL	3.9	0.2	0.8	10.0	7.0	12.9	317	9	25.7	55	1014
1/24/2016 13:00	0.8	BDL	BDL	3.7	0.2	0.7	8.0	8.0	11.4	318	8	27.3	53	1014
1/24/2016 14:00	1.1	BDL	BDL	3.5	0.2	0.7	9.0	8.0	9.8	315	10	29.0	49	1014
1/24/2016 15:00	1.0	BDL	BDL	3.7	0.2	0.8	8.0	6.0	10.2	317	8	30.3	48	1014
1/24/2016 16:00	1.0	BDL	BDL	4.5	0.2	0.8	11.0	6.0	7.5	312	9	31.4	46	1015
1/24/2016 17:00	0.7	BDL	BDL	2.3	0.2	0.8	9.0	7.0	8.2	305	9	30.9	47	1015
1/24/2016 18:00	BDL	BDL	BDL	5.3	0.2	1.0	19.0	10.0	3.8	283	14	29.5	53	1016
1/24/2016 19:00	BDL	BDL	BDL	10.8	0.3	1.4	27.0	11.0	3.4	261	13	28.0	59	1016
1/24/2016 20:00	BDL	BDL	BDL	19.8	0.4	2.7	58.0	21.0	2.7	261	13	26.8	64	1017
1/24/2016 21:00	BDL	BDL	BDL	19.4	0.4	1.8	25.0	18.0	3.8	273	11	26.5	63	1017
1/24/2016 22:00	BDL	BDL	BDL	30.6	0.4	2.0	60.0	27.0	2.4	238	18	26.1	66	1018
1/24/2016 23:00	BDL	BDL	BDL	27.2	0.3	2.3	46.0	20.0	2.9	233	12	27.6	64	1018
1/25/2016 0:00	1.0	0.7	BDL	57.8	0.4	2.1	40.0	23.0	2.9	224	11	27.5	69	1018
1/25/2016 1:00	0.7	0.9	BDL	56.9	0.4	2.4	34.0	29.0	3.5	213	12	26.4	73	1019
1/25/2016 2:00	0.4	0.5	BDL	44.4	0.4	2.2	34.0	31.0	2.8	215	8	24.4	77	1019
1/25/2016 3:00	0.7	0.8	BDL	58.3	0.4	2.5	36.0	27.0	3.1	229	9	23.3	81	1020
1/25/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	34.0	25.0	2.4	242	9	23.4	85	1020
1/25/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	28.0	28.0	3.0	339	27	24.1	80	1020
1/25/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	25.0	19.0	8.4	343	10	29.7	53	1021
1/25/2016 7:00	4.5	BDL	BDL	26.9	0.3	1.8	24.0	20.0	4.6	351	16	27.5	61	1021
1/25/2016 8:00	4.1	0.6	BDL	49.7	0.4	2.7	26.0	26.0	2.5	301	36	26.3	66	1022
1/25/2016 9:00	5.6	2.4	0.6	133.8	0.9	3.8	60.0	41.0	4.2	237	9	26.3	61	1023
1/25/2016 10:00	4.3	1.3	BDL	71.7	0.5	3.6	53.0	30.0	2.3	229	15	28.9	52	1024
1/25/2016 11:00	4.9	0.7	BDL	52.2	0.4	3.4	51.0	28.0	1.9	175	20	31.1	47	1025
1/25/2016 12:00	6.1	1.4	BDL	93.1	0.4	3.3	61.0	33.0	2.5	142	21	32.7	48	1024
1/25/2016 13:00	5.7	BDL	BDL	42.6	0.3	3.0	27.0	19.0	2.2	159	25	34.6	43	1024
1/25/2016 14:00	4.6	BDL	BDL	35.0	0.3	2.8	31.0	21.0	2.4	188	19	36.1	43	1023
1/25/2016 15:00	3.8	BDL	BDL	23.9	0.2	2.6	27.0	18.0	2.0	195	21	36.8	43	1023
1/25/2016 16:00	3.7	BDL	BDL	19.3	0.2	2.6	24.0	17.0	2.1	175	23	37.8	39	1023
1/25/2016 17:00	2.8	BDL	BDL	13.4	0.2	2.8	27.0	16.0	2.5	195	14	38.1	44	1023
1/25/2016 18:00	2.6	BDL	BDL	23.1	0.2	2.7	36.0	18.0	2.4	193	8	35.8	50	1023
1/25/2016 19:00	2.2	BDL	BDL	26.9	0.3	2.7	38.0	19.0	3.1	173	8	34.2	56	1023
1/25/2016 20:00	1.7	BDL	BDL	26.9	0.3	3.1	24.0	18.0	3.0	134	13	33.7	57	1023
1/25/2016 21:00	1.2	BDL	BDL	27.4	0.4	3.0	27.0	22.0	2.8	123	16	32.3	67	1023
1/25/2016 22:00	0.9	BDL	BDL	27.1	0.3	2.6	21.0	19.0	2.1	154	19	32.0	76	1022
1/25/2016 23:00	0.6	BDL	BDL	23.0	0.3	4.3	24.0	17.0	1.0	127	29	30.9	83	1022
1/26/2016 0:00	BDL	0.6	0.4	44.3	0.4	5.7	30.0	23.0	1.1	90	11	29.6	88	1021
1/26/2016 1:00	0.5	1.6	0.4	77.0	0.4	3.8	28.0	25.0	2.3	39	25	29.3	89	1020
1/26/2016 2:00	0.4	1.3	0.4	74.7	0.4	3.4	27.0	19.0	1.2	122	22	28.8	93	1020
1/26/2016 3:00	0.7	1.8	0.6	106.0	0.4	3.8	24.0	19.0	1.4	91	20	27.5	96	1019
1/26/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	28.0	23.0	0.8	92	46	27.4	96	1019
1/26/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	20.0	20.0	1.6	103	8	27.6	99	1018
1/26/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	19.0	16.0	0.5	214	40	27.7	97	1017
1/26/2016 7:00	BDL	1.3	0.4	68.9	0.3	2.3	17.0	15.0	2.0	185	26	28.8	99	1017
1/26/2016 8:00	BDL	1.2	0.7	55.7	0.3	1.9	15.0	13.0	3.4	209	11	32.7	90	1017
1/26/2016 9:00	1.3	2.0	0.8	98.1	0.6	2.6	22.0	16.0	3.5	260	22	35.1	79	1017
1/26/2016 10:00	1.4	1.8	0.8	69.5	0.4	1.6	19.0	13.0	4.0	187	19	37.3	76	1017
1/26/2016 11:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	18.0	10.0	6.4	218	14	42.5	66	1016
1/26/2016 12:00	2.1	0.4	0.4	13.1	0.2	1.3	17.0	8.0	7.7	216	13	44.4	62	1015
1/26/2016 13:00	2.1	0.4	BDL	18.3	0.3	1.0	18.0	11.0	6.8	223	13	46.1	56	1014
1/26/2016 14:00	1.7	BDL	BDL	12.0	0.2	0.5	15.0	15.0	7.9	207	11	47.3	54	1013
1/26/2016 15:00	1.7	BDL	BDL	7.7	0.2	0.4	14.0	11.0	8.1	209	11	47.3	55	1013
1/26/2016 16:00	1.9	BDL	BDL	15.5	0.3	0.6	22.0	11.0	7.0	210	11	47.8	55	1013
1/26/2016 17:00	2.4	BDL	BDL	22.6	0.3	0.4	22.0	13.0	5.1	200	10	46.8	59	1013
1/26/2016 18:00	2.4	BDL	BDL	30.8	0.3	1.8	30.0	15.0	3.5	211	13	45.6	61	1013
1/26/2016 19:00	3.4	0.5	BDL	46.2	0.4	1.4	34.0	15.0	3.3	224	15	45.2	62	1013
1/26/2016 20:00	2.7	0.6	BDL	44.7	0.4	1.0	26.0	17.0	2.9	207	11	44.2	65	1013
1/26/2016 21:00	1.8	0.7	0.5	24.2	0.3	0.5	31.0	16.0	2.1	209	12	42.9	69	1013
1/26/2016 22:00	2.5	0.9	0.7	43.4	0.4	0.8	36.0	17.0	2.6	201	11	42.6	71	1013
1/26/2016 23:00	1.9	1.1	1.0	35.9	0.4	1.7	29.0	18.0	2.0	220	13	42.1	73	1013
1/27/2016 0:00	2.1	1.6	1.2	47.2	0.4	1.1	25.0	19.0	3.5	206	8	41.9	76	1013
1/27/2016 1:00	1.2	1.6	1.4	27.5	0.3	0.9	20.0	17.0	2.9	216	15	42.0	77	1012
1/27/2016 2:00	1.1	1.8	1.7	39.9	0.4	1.0	26.0	17.0	2.9	250	12	41.2	79	1012
1/27/2016 3:00	1.4	2.3	1.5	74.1	0.4	3.1	31.0	21.0	2.8	227	9	40.2	81	1012
1/27/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	27.0	24.0	5.1	300	13	41.4	81	1013
1/27/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	19.0	16.0	8.3	310	9	40.9	74	1013
1/27/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	14.0	12.0	9.0	310	9	40.0	69	1014
1/27/2016 7:00	BDL	0.7	5.6	1.7	0.2	0.9	14.0	14.0	9.8	309	9	39.1	68	1015
1/27/2016 8:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	17.0	10.0	12.4	309	9	38.3	68	1017
1/27/2016 9:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	12.0	11.0	10.7	314	8	37.9	66	1017
1/27/2016 10:00	0.5	BDL	BDL	1.9	0.2	1.5	11.0	14.0	10.9	309	10	38.1	64	1018
1/27/2016 11:00	BDL	BDL	BDL	BDL	0.2	1.7	Invalid	Invalid	10.3	308	11	38.8	52	1018
1/27/2016 12:00	BDL	BDL	BDL	BDL	0.2	1.5	9.0	BDL	8.8	298	14	40.4	43	1018
1/27/2016 13:00	0.4	BDL	BDL	BDL	0.2	1.3	9.0	4.0	9.3	291	13	41.7	40	1017
1/27/2016 14:00	0.4	BDL	BDL	BDL	0.2	1.3	7.0	4.0	12.2	307	11	41.8	42	1017
1/27/2016 15:00	0.4	BDL	BDL	BDL	0.2	1.3	6.0	3.0	12.0	313	10	41.2	45	1017
1/27/2016 16:00	0.4	BDL	BDL	BDL	0.2	1.4	8.0	3.0	10.7	312	11	40.8	48	1017
1/27/2016 17:00	0.4	BDL	BDL	1.1	0.2	1.4	7.0	6.0	10.7	316	9	40.4	50	1017
1/27/2016 18:00	0.4	BDL	BDL	2.3	0.2	1.6	8.0	6.0	6.8	304	10	39.3	52	1018
1/27/2016 19:00	0.4	BDL	BDL	9.3	0.3	2.0	14.0	7.0	5.2	299	7	38.1	55	1018
1/27/2016 20:00	0.5	BDL	BDL	18.0	0.4	1.7	13.0	7.0	4.6	297	11	36.3	59	1018
1/27/2016 21:00	0.5	BDL	BDL	20.0	0.4	1.4	13.0	7.0	6.0	304	7	34.9	61	1018
1/27/2016 22:00	0.5	BDL	BDL	19.9	0.3	1.8	14.0	8.0	3.5	278	15	33.5	64	1018
1/27/2016 23:00	0.8	BDL	BDL	31.9	0.4	Too few samples	16.0	8.0	3.1	215	14	31.7	70	1019

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 1/24/2016-1/30/2016														
1/28/2016 0:00	0.4	BDL	BDL	33.2	0.4	Analyzer issue	20.0	13.0	2.8	218	12	30.0	76	1019
1/28/2016 1:00	0.4	0.4	BDL	32.6	0.4	Analyzer issue	20.0	12.0	2.3	232	12	29.6	78	1019
1/28/2016 2:00	0.6	0.5	BDL	48.2	0.4	Analyzer issue	25.0	16.0	2.2	211	19	28.4	80	1018
1/28/2016 3:00	0.7	0.9	BDL	55.7	0.4	Analyzer issue	23.0	15.0	2.4	253	23	28.0	82	1018
1/28/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	16.0	14.0	1.1	285	52	27.9	81	1017
1/28/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	17.0	16.0	1.1	210	19	26.4	86	1016
1/28/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	29.0	14.0	1.5	226	14	25.3	89	1015
1/28/2016 7:00	2.2	2.9	1.0	151.3	0.8	Too few samples	23.0	19.0	1.3	253	17	25.1	90	1015
1/28/2016 8:00	2.8	3.5	0.8	186.9	1.2	Analyzer issue	39.0	22.0	1.1	229	16	25.0	89	1015
1/28/2016 9:00	Too few samples	Too few samples	Too few samples	Too few samples	1.2	Calibration	66.0	44.0	1.5	190	16	27.6	74	1014
1/28/2016 10:00	5.3	3.2	1.1	132.5	0.7	2.1	48.0	27.0	1.6	167	25	30.9	64	1014
1/28/2016 11:00	2.1	1.1	0.5	49.5	0.3	1.2	31.0	21.0	3.6	203	21	35.2	54	1014
1/28/2016 12:00	1.5	0.4	BDL	19.9	0.2	0.7	18.0	9.0	6.6	210	16	38.5	48	1013
1/28/2016 13:00	1.2	BDL	BDL	3.9	0.2	0.2	9.0	6.0	7.8	214	15	39.9	46	1011
1/28/2016 14:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	10.0	7.0	7.3	223	17	40.8	45	1010
1/28/2016 15:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	15.0	13.0	6.3	213	17	40.7	48	1009
1/28/2016 16:00	1.2	BDL	BDL	5.6	0.2	BDL	17.0	9.0	6.2	206	12	40.1	51	1008
1/28/2016 17:00	0.9	0.5	BDL	8.4	0.3	BDL	20.0	14.0	3.6	203	14	39.7	55	1007
1/28/2016 18:00	1.5	0.6	BDL	17.9	0.3	BDL	19.0	17.0	3.3	207	11	38.7	58	1007
1/28/2016 19:00	1.3	0.6	BDL	21.8	0.3	BDL	21.0	14.0	2.0	192	19	36.5	64	1006
1/28/2016 20:00	1.4	0.7	BDL	25.6	0.3	BDL	20.0	12.0	1.9	188	16	35.8	66	1006
1/28/2016 21:00	1.0	1.1	BDL	56.4	0.3	BDL	24.0	19.0	1.6	146	18	35.0	72	1005
1/28/2016 22:00	1.1	1.1	BDL	50.6	0.4	BDL	26.0	22.0	1.6	170	14	34.3	71	1004
1/28/2016 23:00	0.8	0.9	BDL	30.8	0.4	BDL	27.0	19.0	1.4	183	36	34.3	73	1003
1/29/2016 0:00	1.0	1.3	0.5	35.6	0.4	BDL	27.0	17.0	1.9	253	22	35.1	72	1003
1/29/2016 1:00	0.7	1.0	BDL	26.0	0.4	BDL	23.0	18.0	1.3	183	28	34.4	73	1002
1/29/2016 2:00	0.9	1.3	BDL	44.9	0.4	BDL	27.0	18.0	1.3	221	30	32.7	81	1001
1/29/2016 3:00	0.8	1.5	0.5	50.1	0.4	BDL	28.0	17.0	2.1	207	16	31.8	83	1000
1/29/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	25.0	22.0	1.8	210	14	31.3	87	999
1/29/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	23.0	19.0	2.6	274	14	31.1	87	998
1/29/2016 6:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	28.0	17.0	1.7	213	18	29.4	92	998
1/29/2016 7:00	1.7	3.1	1.3	105.6	0.6	BDL	33.0	24.0	2.2	199	12	29.1	94	998
1/29/2016 8:00	2.2	4.3	1.9	152.5	0.8	BDL	32.0	27.0	4.0	259	11	29.8	95	998
1/29/2016 9:00	2.7	4.3	1.7	150.9	0.9	BDL	43.0	28.0	4.2	244	13	31.8	86	998
1/29/2016 10:00	2	2.9	1.2	79.4	0.6	BDL	52.0	32.0	4.4	241	15	33.2	78	998
1/29/2016 11:00	1.7	1.2	0.4	35.4	0.4	BDL	53.0	24.0	5.0	269	16	36.6	70	998
1/29/2016 12:00	1.4	0.6	BDL	8.0	0.3	BDL	19.0	12.0	9.6	298	11	39.1	71	998
1/29/2016 13:00	1.0	0.5	BDL	6.1	0.3	BDL	16.0	18.0	11.0	303	11	37.5	81	999
1/29/2016 14:00	0.8	0.4	BDL	4.8	0.2	BDL	15.0	14.0	14.3	309	10	37.9	68	999
1/29/2016 15:00	0.6	BDL	BDL	BDL	0.2	BDL	7.0	9.0	11.5	303	11	38.9	54	999
1/29/2016 16:00	0.5	BDL	BDL	BDL	0.2	BDL	9.0	5.0	13.1	305	10	38.9	48	1001
1/29/2016 17:00	0.4	BDL	BDL	BDL	0.2	BDL	7.0	4.0	14.4	304	11	37.7	50	1002
1/29/2016 18:00	0.4	BDL	BDL	BDL	0.2	BDL	6.0	4.0	13.7	300	10	36.7	50	1004
1/29/2016 19:00	0.4	BDL	BDL	BDL	0.2	BDL	6.0	5.0	11.6	302	11	35.7	51	1005
1/29/2016 20:00	0.5	BDL	BDL	BDL	0.2	BDL	7.0	5.0	10.8	301	11	34.8	53	1006
1/29/2016 21:00	0.5	BDL	BDL	BDL	0.2	BDL	6.0	6.0	10.3	299	13	33.6	55	1008
1/29/2016 22:00	0.4	BDL	BDL	BDL	0.2	BDL	5.0	4.0	9.8	303	11	32.7	57	1009
1/29/2016 23:00	0.4	BDL	BDL	BDL	0.2	BDL	6.0	4.0	9.0	300	10	32.1	58	1010
1/30/2016 0:00	0.4	BDL	BDL	BDL	0.2	0.1	8.0	5.0	7.1	299	10	31.4	59	1011
1/30/2016 1:00	0.4	BDL	BDL	0.5	0.2	0.03	6.0	5.0	6.0	288	10	30.7	60	1011
1/30/2016 2:00	0.5	BDL	BDL	BDL	0.2	0.2	10.0	6.0	7.0	284	11	29.6	62	1012
1/30/2016 3:00	0.4	BDL	BDL	BDL	0.2	0.3	8.0	6.0	7.1	293	12	28.6	63	1013
1/30/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	8.0	5.0	7.3	289	14	27.9	64	1014
1/30/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	11.0	6.0	5.6	265	16	27.1	66	1015
1/30/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	8.0	6.0	5.0	282	12	26.6	65	1016
1/30/2016 7:00	0.5	BDL	BDL	3.6	0.2	1.0	7.0	6.0	4.9	295	11	26.3	66	1017
1/30/2016 8:00	0.6	BDL	BDL	6.2	0.2	1.2	10.0	6.0	3.5	280	22	26.2	65	1017
1/30/2016 9:00	0.5	BDL	BDL	11.1	0.3	1.6	17.0	11.0	2.7	260	26	28.1	54	1017
1/30/2016 10:00	0.9	BDL	BDL	4.0	0.2	1.6	10.0	9.0	3.4	275	22	31.1	48	1018
1/30/2016 11:00	0.9	BDL	BDL	3.2	0.2	1.5	10.0	8.0	2.9	246	26	33.6	44	1018
1/30/2016 12:00	2.0	BDL	BDL	9.7	0.2	1.4	12.0	8.0	5.7	206	17	33.9	51	1017
1/30/2016 13:00	1.8	BDL	BDL	12.5	0.2	1.3	13.0	7.0	6.9	211	17	35.9	48	1017
1/30/2016 14:00	1.4	BDL	BDL	8.8	0.2	1.1	12.0	8.0	8.2	200	17	36.5	48	1016
1/30/2016 15:00	1.8	BDL	BDL	3.4	0.2	1.0	13.0	10.0	8.3	208	14	37.7	48	1015
1/30/2016 16:00	1.5	BDL	BDL	1.1	0.2	1.0	12.0	9.0	7.8	207	12	38.2	49	1015
1/30/2016 17:00	1.3	BDL	BDL	BDL	0.2	0.8	10.0	8.0	7.6	199	12	38.8	49	1015
1/30/2016 18:00	1.1	BDL	BDL	4.7	0.2	0.7	12.0	11.0	6.8	181	11	37.0	57	1015
1/30/2016 19:00	1.1	BDL	BDL	2.4	0.2	0.8	17.0	16.0	5.9	185	11	36.1	59	1015
1/30/2016 20:00	0.9	BDL	BDL	3.7	0.2	0.9	14.0	10.0	4.4	199	15	35.4	64	1015
1/30/2016 21:00	0.7	0.5	BDL	8.6	0.2	0.7	17.0	12.0	4.0	185	13	34.5	70	1015
1/30/2016 22:00	0.5	0.7	BDL	4.5	0.2	0.6	14.0	11.0	3.7	192	12	34.1	72	1014
1/30/2016 23:00	0.6	0.9	0.5	21.7	0.2	0.8	16.0	16.0	2.9	177	11	34.0	74	1014

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 1/31/2016-2/6/2016														
1/31/2016 0:00	0.4	0.8	0.4	5.2	0.2	0.6	12.0	6.0	3.7	206	11	34.4	73	1014
1/31/2016 1:00	0.5	0.7	0.4	5.9	0.3	0.4	14.0	10.0	2.2	205	13	33.9	75	1013
1/31/2016 2:00	0.6	0.9	0.5	19.6	0.4	1.7	15.0	11.0	1.2	298	27	32.7	81	1013
1/31/2016 3:00	0.4	0.9	0.4	18.3	0.3	2.1	17.0	10.0	0.7	200	28	32.1	86	1013
1/31/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	0.1	16.0	12.0	1.7	186	10	31.9	86	1012
1/31/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	BDL	17.0	13.0	1.4	216	13	31.8	86	1012
1/31/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	0.6	19.0	13.0	0.7	206	25	31.2	89	1013
1/31/2016 7:00	0.9	1.9	0.9	46.4	0.4	1.2	20.0	15.0	1.1	202	13	31.2	89	1013
1/31/2016 8:00	1.1	2.0	1.0	47.2	0.4	1.3	20.0	17.0	0.8	203	30	31.6	88	1013
1/31/2016 9:00	1.7	1.6	0.7	36.7	0.4	1.1	19.0	15.0	2.6	228	21	34.8	78	1013
1/31/2016 10:00	2.0	1.1	0.4	21.2	0.3	0.8	21.0	11.0	5.8	225	15	38.8	69	1014
1/31/2016 11:00	3.4	0.8	BDL	18.9	0.3	0.5	16.0	13.0	6.2	224	15	42.9	60	1013
1/31/2016 12:00	2.6	0.6	BDL	13.3	0.3	0.6	17.0	10.0	5.2	226	16	46.4	52	1012
1/31/2016 13:00	3.1	0.5	BDL	14.9	0.3	0.6	18.0	12.0	6.2	217	16	50.1	46	1011
1/31/2016 14:00	2.5	0.7	BDL	9.6	0.2	0.1	19.0	8.0	5.4	200	16	52.1	45	1010
1/31/2016 15:00	2.0	BDL	BDL	1.9	0.2	BDL	16.0	6.0	6.8	207	13	54.6	41	1009
1/31/2016 16:00	2.7	BDL	BDL	6.4	0.3	0.6	21.0	10.0	3.9	222	16	55.8	40	1008
1/31/2016 17:00	2.4	0.8	BDL	19.5	0.3	BDL	19.0	9.0	4.7	203	14	54.8	48	1008
1/31/2016 18:00	1.2	0.8	0.4	9.6	0.2	BDL	19.0	7.0	6.1	197	10	52.3	55	1008
1/31/2016 19:00	1.0	0.7	BDL	4.5	0.2	BDL	18.0	13.0	6.1	201	11	51.2	59	1009
1/31/2016 20:00	1.1	0.8	BDL	13.9	0.3	BDL	17.0	13.0	4.5	198	11	49.7	64	1008
1/31/2016 21:00	1.8	0.8	BDL	13.7	0.3	BDL	19.0	17.0	4.2	213	10	48.7	66	1008
1/31/2016 22:00	2.9	1.0	BDL	42.2	0.4	1.7	26.0	17.0	2.2	220	14	47.2	71	1008
1/31/2016 23:00	3.7	1.7	BDL	80.6	0.5	0.4	28.0	20.0	3.0	209	7	44.6	76	1007
2/1/2016 0:00	1.6	1.4	0.4	44.1	0.4	0.4	22.0	20.0	2.5	222	22	44.1	79	1007
2/1/2016 1:00	1.0	1.6	1.0	29.8	0.3	BDL	17.0	14.0	3.7	260	16	45.4	77	1007
2/1/2016 2:00	1.0	1.8	1.2	21.0	0.3	0.1	16.0	14.0	4.5	243	12	44.8	78	1007
2/1/2016 3:00	1.1	1.7	1.2	16.4	0.3	BDL	17.0	12.0	6.3	241	11	45.3	76	1006
2/1/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	19.0	17.0	4.1	242	12	44.7	77	1006
2/1/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	24.0	17.0	5.0	224	12	45.5	77	1006
2/1/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	19.0	17.0	4.0	211	8	44.9	78	1006
2/1/2016 7:00	1.6	1.2	BDL	44.3	0.6	0.8	19.0	17.0	4.2	219	11	45.4	79	1007
2/1/2016 8:00	1.7	1.3	0.4	36.5	0.6	BDL	18.0	12.0	4.9	228	12	46.0	79	1007
2/1/2016 9:00	2.1	1.0	BDL	40.0	0.4	0.2	19.0	13.0	5.4	223	12	47.2	77	1008
2/1/2016 10:00	2.1	0.8	BDL	31.5	0.4	BDL	23.0	12.0	5.9	228	13	49.2	74	1008
2/1/2016 11:00	1.6	0.8	BDL	37.6	0.4	BDL	35.0	12.0	4.6	245	21	49.9	73	1008
2/1/2016 12:00	2.4	1.1	BDL	47.6	0.4	BDL	25.0	16.0	4.0	215	14	52.5	69	1008
2/1/2016 13:00	2.3	1.1	BDL	36.8	0.4	BDL	36.0	15.0	3.9	246	15	56.2	61	1008
2/1/2016 14:00	1.2	0.4	BDL	3.5	0.3	BDL	16.0	10.0	9.6	315	8	56.7	64	1008
2/1/2016 15:00	1.0	BDL	BDL	5.6	0.3	BDL	16.0	13.0	11.2	320	9	55.8	62	1008
2/1/2016 16:00	0.9	BDL	BDL	8.2	0.3	0.1	18.0	10.0	10.4	317	9	52.3	68	1010
2/1/2016 17:00	0.7	BDL	BDL	13.1	0.3	BDL	15.0	12.0	5.1	305	7	48.8	85	1011
2/1/2016 18:00	0.8	0.4	BDL	18.6	0.4	0.6	13.0	15.0	3.7	292	13	47.9	88	1011
2/1/2016 19:00	0.6	0.6	BDL	34.6	0.5	1.0	33.0	18.0	2.8	273	19	46.5	94	1012
2/1/2016 20:00	0.8	0.8	BDL	48.1	0.5	1.5	23.0	20.0	2.6	228	27	45.6	95	1013
2/1/2016 21:00	1.0	1.1	BDL	68.1	0.5	1.4	27.0	18.0	1.6	192	42	45.1	98	1014
2/1/2016 22:00	0.8	1.0	BDL	50.0	0.6	1.9	24.0	15.0	1.8	218	33	43.9	97	1014
2/1/2016 23:00	1.2	0.9	BDL	38.8	0.5	1.7	21.0	14.0	4.1	347	37	45.4	85	1015
2/2/2016 0:00	1.1	0.5	BDL	21.2	0.3	1.1	15.0	12.0	6.2	7	20	45.4	72	1016
2/2/2016 1:00	1.0	0.4	BDL	16.0	0.3	1.3	10.0	9.0	5.8	19	19	43.8	68	1017
2/2/2016 2:00	1.0	BDL	BDL	8.9	0.2	1.3	10.0	7.0	6.7	2	17	43.3	64	1017
2/2/2016 3:00	0.7	BDL	BDL	8.5	0.2	1.6	13.0	5.0	6.8	347	15	41.3	67	1019
2/2/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	16.0	6.0	7.1	6	17	41.0	66	1019
2/2/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	9.0	9.0	6.2	7	18	40.8	66	1020
2/2/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	9.0	8.0	4.5	35	16	39.4	68	1021
2/2/2016 7:00	1.2	BDL	BDL	20.8	0.3	2.4	12.0	4.0	4.5	359	19	39.1	68	1022
2/2/2016 8:00	1.2	0.4	BDL	23.9	0.4	3.0	11.0	5.0	5.4	355	18	39.3	67	1024
2/2/2016 9:00	1.5	0.4	BDL	22.5	0.3	2.3	15.0	7.0	5.0	8	20	40.2	64	1025
2/2/2016 10:00	1.2	BDL	BDL	26.5	0.3	3.1	16.0	12.0	5.4	41	13	41.6	60	1025
2/2/2016 11:00	1.0	BDL	BDL	21.0	0.3	3.2	19.0	7.0	5.3	52	15	44.2	53	1026
2/2/2016 12:00	0.7	BDL	BDL	9.3	0.2	3.3	14.0	6.0	6.4	61	17	46.3	47	1025
2/2/2016 13:00	0.6	BDL	BDL	4.5	0.2	3.1	15.0	6.0	7.0	73	16	47.4	44	1025
2/2/2016 14:00	0.5	BDL	BDL	7.1	0.2	2.9	15.0	7.0	5.2	100	22	48.2	41	1024
2/2/2016 15:00	0.5	BDL	BDL	7.2	0.2	3.0	14.0	7.0	4.2	94	26	48.9	38	1024
2/2/2016 16:00	0.7	BDL	BDL	13.3	0.2	2.9	17.0	6.0	2.0	150	43	50.1	36	1024
2/2/2016 17:00	0.6	BDL	BDL	23.3	0.2	2.9	13.0	6.0	1.4	178	29	49.9	39	1024
2/2/2016 18:00	0.6	0.4	BDL	37.2	0.3	3.1	17.0	4.0	1.9	122	18	47.9	47	1024
2/2/2016 19:00	0.5	0.6	BDL	41.3	0.3	3.5	14.0	7.0	4.0	152	23	45.2	52	1025
2/2/2016 20:00	BDL	BDL	BDL	9.6	0.2	3.1	7.0	6.0	4.3	172	11	42.9	62	1026
2/2/2016 21:00	0.4	0.5	BDL	26.0	0.2	3.0	10.0	5.0	2.6	143	14	41.2	67	1025
2/2/2016 22:00	BDL	0.4	BDL	26.9	0.3	2.6	14.0	7.0	2.7	135	15	40.2	72	1025
2/2/2016 23:00	BDL	BDL	BDL	18.6	0.3	2.5	13.0	7.0	1.9	172	15	38.8	75	1025
2/3/2016 0:00	BDL	0.5	BDL	32.9	0.3	3.0	14.0	7.0	2.2	133	14	38.0	80	1024
2/3/2016 1:00	BDL	0.4	BDL	22.7	0.3	3.3	14.0	10.0	2.4	90	25	37.6	84	1024
2/3/2016 2:00	BDL	0.4	BDL	19.1	0.3	2.6	11.0	7.0	3.9	76	13	37.5	85	1023
2/3/2016 3:00	BDL	BDL	BDL	10.7	0.2	3.1	11.0	6.0	3.2	86	16	40.4	85	1022
2/3/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	10.0	7.0	2.2	57	44	41.9	85	1022
2/3/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	16.0	6.0	4.6	68	11	42.6	85	1020
2/3/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	12.0	4.0	3.5	61	11	42.3	87	1020
2/3/2016 7:00	0.6	0.7	BDL	37.4	0.4	1.8	17.0	3.0	3.1	51	15	42.3	91	1019
2/3/2016 8:00	0.8	1.4	BDL	63.9	0.4	1.7	23.0	8.0	4.3	66	11	43.9	92	1018
2/3/2016 9:00	0.8	0.8	BDL	37.6	0.3	8.6	17.0	8.0	3.9	105	18	47.7	89	1017
2/3/2016 10:00	0.6	0.7	BDL	33.9	0.2	0.8	18.0	7.0	4.5	144	16	51.7	88	1015
2/3/2016 11:00	0.6	0.4	BDL	11.0	0.3	0.2	13.0	4.0	10.1	167	12	57.1	84	1014
2/3/2016 12:00	0.5	BDL	BDL	0.7	0.3	BDL	14.0	4.0	12.7	171	12	58.6	88	1012
2/3/2016 13:00	2.5	BDL	BDL	2.8	0.3	BDL	18.0	6.0	11.8	177	12	59.0	87	1011
2/3/2016 14:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	14.0	6.0	7.0	185	11	59.9	87	1011
2/3/2016 15:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	16.0	8.0	4.1	152	19	60.2	90	1010
2/3/2016 16:00	0.4	0.7	0.6	14.2	0.4	2.4	10.0	10.0	6.0	276	16	57.0	97	1011
2/3/2016 17:00	0.5	0.9	0.5	38.0	0.3	2.2	8.0	6.0	3.0	161	40	54.1	99	1011
2/3/2016 18:00	0.6	0.9	0.6	37.6	0.3	2.4	6.0	5.0	4.4	149	16	53.8	100	1010
2/3/2016 19:00	BDL	0.6	0.5	18.8	0.3	1.3	3.0	5.0	9.0	159	10	54.2	100	1010
2/3/2016 20:00	BDL	0.4	0.4	9.3	0.3	1.3	1.0	4.0	12.6	148	39	55.8	96	1007
2/3/2016 21:00	0.5	0.5	0.4	11.9	0.3	1.8	8.0	3.0	5.6	241	21	56.9	92	1009
2/3/2016 22:00	1.0	0.7	0.6	20.7	0.3	1.9	7.0	7.0	7.7	237	12	54.4	93	1010
2/3/2016 23:00	0.7	0.8	0.8	17.0	0.4	2.5	5.0	7.0	5.3	232	13	52.4	97	1010

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 1/31/2016-2/6/2016														
2/4/2016 0:00	0.6	0.7	0.9	5.8	0.3	1.1	Sampling system issue	Sampling system issue	10.3	202	12	54.3	99	1010
2/4/2016 1:00	0.5	0.9	0.9	5.0	0.2	0.2	Sampling system issue	Sampling system issue	6.3	193	12	54.6	100	1010
2/4/2016 2:00	BDL	0.7	0.8	7.7	0.3	2.5	Sampling system issue	Sampling system issue	3.8	213	12	55.0	99	1010
2/4/2016 3:00	0.4	0.8	0.9	14.3	0.3	2.6	Sampling system issue	Sampling system issue	2.3	240	20	54.2	99	1009
2/4/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	Sampling system issue	Sampling system issue	2.1	247	16	53.7	99	1009
2/4/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	Sampling system issue	Sampling system issue	2.3	252	16	53.9	100	1009
2/4/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	Sampling system issue	Sampling system issue	3.2	252	17	53.4	100	1010
2/4/2016 7:00	0.6	1.4	1.4	21.9	0.3	1.9	Sampling system issue	Sampling system issue	8.9	307	11	53.6	97	1011
2/4/2016 8:00	0.6	0.4	0.4	12.9	0.3	2.8	Sampling system issue	Sampling system issue	10.2	318	9	51.5	88	1012
2/4/2016 9:00	0.8	BDL	BDL	14.7	0.3	2.7	12.0	10.0	8.2	318	11	49.6	79	1014
2/4/2016 10:00	0.9	BDL	BDL	16.9	0.3	2.9	18.0	8.0	9.0	324	13	49.6	73	1015
2/4/2016 11:00	0.7	BDL	BDL	14.0	0.2	2.9	11.0	7.0	11.4	327	12	49.4	63	1015
2/4/2016 12:00	0.6	BDL	BDL	10.2	0.2	3.1	9.0	6.0	10.7	320	11	48.8	61	1016
2/4/2016 13:00	0.5	BDL	0.4	9.4	0.2	2.9	9.0	4.0	8.3	320	10	48.8	60	1015
2/4/2016 14:00	0.5	0.5	0.4	13.3	0.2	3.0	10.0	9.0	8.7	328	13	48.6	58	1015
2/4/2016 15:00	0.5	0.4	BDL	11.8	0.2	2.8	10.0	7.0	8.7	323	14	47.9	57	1014
2/4/2016 16:00	0.4	BDL	BDL	9.3	0.2	2.9	8.0	5.0	9.7	321	9	47.6	52	1015
2/4/2016 17:00	0.5	BDL	BDL	6.9	0.2	3.0	8.0	1.0	8.3	315	8	47.4	53	1015
2/4/2016 18:00	0.5	BDL	BDL	9.4	0.2	3.1	9.0	1.0	7.1	311	9	47.0	55	1016
2/4/2016 19:00	0.5	BDL	BDL	13.6	0.2	3.1	10.0	3.0	6.9	308	9	46.4	55	1016
2/4/2016 20:00	0.5	BDL	BDL	15.9	0.3	3.1	12.0	3.0	8.3	316	7	46.1	57	1016
2/4/2016 21:00	0.5	0.4	BDL	18.5	0.3	3.2	14.0	4.0	6.9	325	11	46.5	57	1016
2/4/2016 22:00	0.8	BDL	BDL	16.4	0.3	3.1	15.0	8.0	7.9	343	15	45.8	59	1016
2/4/2016 23:00	1.1	BDL	BDL	13.6	0.3	3.0	16.0	11.0	7.1	350	16	44.9	62	1016
2/5/2016 0:00	1.1	BDL	BDL	11.6	0.2	3.0	10.0	14.0	7.8	344	15	44.1	62	1016
2/5/2016 1:00	0.8	BDL	BDL	11.1	0.2	3.0	8.0	7.0	7.9	355	16	42.7	70	1016
2/5/2016 2:00	0.9	BDL	BDL	10.6	0.2	2.9	10.0	5.0	8.2	360	18	39.6	85	1015
2/5/2016 3:00	0.5	BDL	BDL	9.2	0.2	2.9	11.0	5.0	8.3	358	16	36.6	95	1016
2/5/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	6.0	4.0	6.9	355	18	34.8	99	1016
2/5/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	8.0	5.0	7.0	6	20	34.7	99	1016
2/5/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	7.0	5.0	7.9	359	22	34.0	100	1016
2/5/2016 7:00	1.0	BDL	BDL	15.6	0.2	3.1	12.0	13.0	9.9	349	16	34.2	98	1017
2/5/2016 8:00	0.8	BDL	BDL	12.8	0.2	3.2	9.0	7.0	7.8	360	17	34.4	97	1017
2/5/2016 9:00	1.0	BDL	BDL	16.9	0.2	3.3	12.0	11.0	8.6	346	17	35.1	88	1018
2/5/2016 10:00	1.0	BDL	BDL	15.4	0.2	3.5	13.0	9.0	7.1	355	19	35.8	80	1019
2/5/2016 11:00	0.6	BDL	BDL	24.8	0.2	3.5	10.0	6.0	8.2	339	12	35.8	79	1018
2/5/2016 12:00	0.6	BDL	BDL	18.0	0.2	3.7	8.0	7.0	9.1	319	12	38.3	74	1019
2/5/2016 13:00	BDL	BDL	BDL	7.9	0.2	3.6	7.0	7.0	11.7	319	10	40.3	60	1019
2/5/2016 14:00	BDL	BDL	BDL	4.6	0.2	3.6	9.0	5.0	12.7	309	11	40.9	52	1019
2/5/2016 15:00	BDL	BDL	BDL	4.0	0.2	3.7	11.0	4.0	14.1	311	10	40.9	49	1019
2/5/2016 16:00	BDL	BDL	BDL	3.3	0.2	4.1	8.0	6.0	13.4	309	10	40.8	51	1020
2/5/2016 17:00	BDL	BDL	BDL	3.4	0.2	4.4	6.0	4.0	14.7	310	9	40.1	46	1021
2/5/2016 18:00	BDL	BDL	BDL	5.8	0.2	4.5	5.0	4.0	12.4	314	8	39.2	46	1022
2/5/2016 19:00	BDL	BDL	BDL	9.0	0.2	4.8	7.0	5.0	9.7	317	9	38.3	49	1024
2/5/2016 20:00	BDL	BDL	BDL	11.2	0.2	4.9	8.0	4.0	8.3	319	11	37.2	51	1024
2/5/2016 21:00	BDL	BDL	BDL	9.4	0.2	5.0	7.0	4.0	6.9	308	9	36.4	51	1025
2/5/2016 22:00	BDL	BDL	BDL	13.3	0.2	5.1	6.0	7.0	6.0	322	14	35.7	53	1025
2/5/2016 23:00	BDL	BDL	BDL	17.9	0.2	5.2	9.0	5.0	5.1	320	12	35.0	56	1026
2/6/2016 0:00	BDL	BDL	BDL	20.9	0.3	5.3	8.0	4.0	4.7	302	13	34.4	59	1026
2/6/2016 1:00	0.6	BDL	BDL	30.1	0.4	5.7	15.0	11.0	4.8	274	10	33.1	65	1026
2/6/2016 2:00	0.6	0.5	BDL	45.6	0.4	5.9	14.0	9.0	1.6	256	61	31.9	69	1026
2/6/2016 3:00	0.9	0.8	BDL	52.9	0.5	6.3	16.0	13.0	2.6	257	22	31.3	74	1026
2/6/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	17.0	14.0	2.0	243	23	30.2	78	1026
2/6/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	19.0	14.0	2.0	247	21	29.6	81	1027
2/6/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	15.0	16.0	1.9	198	24	28.8	80	1028
2/6/2016 7:00	0.6	0.7	BDL	50.1	0.4	6.8	17.0	15.0	2.6	221	12	29.1	79	1028
2/6/2016 8:00	0.6	0.7	BDL	41.4	0.4	6.5	19.0	13.0	3.0	235	13	29.5	74	1028
2/6/2016 9:00	1.3	0.8	BDL	50.2	0.4	6.6	19.0	16.0	2.9	217	15	31.2	67	1029
2/6/2016 10:00	1.8	1.1	0.4	46.1	0.4	6.4	23.0	14.0	3.1	243	20	35.4	55	1029
2/6/2016 11:00	3.6	BDL	BDL	27.0	0.2	6.0	14.0	12.0	5.5	231	16	37.9	47	1029
2/6/2016 12:00	1.2	BDL	BDL	12.1	0.2	5.9	10.0	8.0	6.6	216	16	38.1	49	1028
2/6/2016 13:00	0.9	BDL	BDL	9.2	0.2	5.5	9.0	8.0	7.3	202	17	38.5	49	1027
2/6/2016 14:00	0.7	BDL	BDL	6.1	0.2	5.4	9.0	6.0	7.6	210	18	39.2	49	1025
2/6/2016 15:00	0.6	BDL	BDL	4.9	0.2	4.7	7.0	7.0	7.3	216	18	40.9	45	1025
2/6/2016 16:00	0.6	BDL	BDL	4.0	0.2	4.7	8.0	7.0	7.9	206	15	40.8	48	1024
2/6/2016 17:00	0.9	BDL	BDL	4.4	0.2	4.7	11.0	8.0	7.0	205	13	40.7	50	1024
2/6/2016 18:00	0.6	BDL	BDL	4.6	0.2	4.6	12.0	11.0	6.4	202	9	38.9	56	1024
2/6/2016 19:00	0.6	BDL	BDL	13.4	0.2	4.6	15.0	13.0	5.1	194	11	37.9	61	1024
2/6/2016 20:00	0.5	0.5	0.4	11.4	0.2	4.6	13.0	11.0	4.8	197	12	37.0	65	1024
2/6/2016 21:00	0.5	0.7	0.8	12.5	0.2	4.6	11.0	12.0	5.1	198	10	36.1	70	1024
2/6/2016 22:00	BDL	1.1	1.1	11.9	0.2	4.6	16.0	11.0	3.0	209	14	35.1	77	1024
2/6/2016 23:00	BDL	0.6	0.7	9.7	0.2	4.6	13.0	9.0	2.7	204	11	34.3	82	1024

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 2/7/2016-2/13/2016														
2/7/2016 0:00	0.4	0.8	0.7	26.7	0.3	4.5	14.0	14.0	2.5	187	11	33	86	1023
2/7/2016 1:00	BDL	0.9	0.9	16.5	0.2	4.3	14.0	11.0	1.5	187	13	33	88	1022
2/7/2016 2:00	BDL	1.0	0.8	26.5	0.3	4.4	17.0	14.0	2.4	169	11	32	90	1022
2/7/2016 3:00	BDL	0.8	0.8	14.2	0.2	4.3	16.0	9.0	2.6	206	10	32	84	1022
2/7/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	18.0	10.0	1.2	273	30	32	82	1021
2/7/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	16.0	20.0	1.0	191	25	31	86	1021
2/7/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	18.0	16.0	1.5	205	25	31	89	1021
2/7/2016 7:00	0.8	1.6	0.9	69.2	0.6	6.7	22.0	18.0	2.5	298	21	31	91	1020
2/7/2016 8:00	1.1	1.8	0.6	72.2	0.6	5.3	20.0	19.0	2.0	273	37	31	86	1020
2/7/2016 9:00	1.7	1.4	0.5	64.3	0.6	5.3	22.0	18.0	1.7	191	17	32	78	1020
2/7/2016 10:00	2.4	1.2	0.6	57.9	0.5	4.3	35.0	18.0	2.7	229	18	36	67	1020
2/7/2016 11:00	2.2	1.1	0.5	47.3	0.4	4.0	27.0	19.0	5.1	308	21	39	64	1019
2/7/2016 12:00	2.3	0.6	BDL	26.9	0.3	3.7	23.0	12.0	3.8	29	25	42	50	1018
2/7/2016 13:00	2.1	0.5	BDL	31.8	0.3	3.3	27.0	19.0	3.9	92	23	43	48	1018
2/7/2016 14:00	2.0	0.8	BDL	39.7	0.4	3.4	29.0	20.0	3.7	95	22	43	49	1017
2/7/2016 15:00	1.7	0.5	BDL	20.7	0.3	3.1	15.0	16.0	5.8	70	14	44	45	1015
2/7/2016 16:00	2.3	0.4	BDL	18.5	0.3	2.6	25.0	17.0	6.2	62	12	44	45	1014
2/7/2016 17:00	3.2	BDL	BDL	16.7	0.3	2.7	20.0	14.0	5.7	68	12	43	46	1014
2/7/2016 18:00	2.6	0.4	BDL	20.9	0.3	2.8	30.0	19.0	5.8	61	10	42	50	1013
2/7/2016 19:00	1.9	0.4	BDL	23.9	0.3	2.8	30.0	15.0	5.4	52	11	42	52	1013
2/7/2016 20:00	1.8	0.5	BDL	21.6	0.3	2.4	27.0	16.0	7.1	55	11	41	52	1012
2/7/2016 21:00	1.6	0.6	0.4	20.2	0.3	2.5	24.0	15.0	7.1	60	11	40	55	1012
2/7/2016 22:00	1.4	0.5	0.4	18.7	0.3	2.0	23.0	16.0	6.8	41	14	39	57	1011
2/7/2016 23:00	1.7	0.5	0.4	26.0	0.3	1.9	26.0	17.0	8.2	34	15	40	59	1010
2/8/2016 0:00	1.8	0.7	0.4	31.9	0.4	1.7	32.0	19.0	8.8	33	16	40	58	1009
2/8/2016 1:00	1.7	0.7	0.4	30.5	0.3	1.9	27.0	18.0	8.8	29	17	40	58	1008
2/8/2016 2:00	1.7	0.8	0.4	27.8	0.3	0.7	29.0	18.0	9.3	27	16	39	62	1006
2/8/2016 3:00	1.6	0.7	0.6	23.7	0.3	1.4	21.0	17.0	8.3	17	16	39	63	1005
2/8/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	18.0	12.0	9.3	29	16	38	57	1004
2/8/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	15.0	12.0	9.7	33	15	38	56	1004
2/8/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	19.0	14.0	9.4	39	13	37	62	1005
2/8/2016 7:00	0.8	BDL	BDL	17.0	0.2	0.2	19.0	11.0	8.5	29	16	37	69	1005
2/8/2016 8:00	1.0	0.7	0.4	23.4	0.3	0.7	18.0	9.0	6.6	14	19	38	72	1006
2/8/2016 9:00	1.1	0.6	0.4	25.5	0.3	0.7	23.0	10.0	6.4	11	19	38	71	1006
2/8/2016 10:00	1.0	0.6	0.4	23.2	0.3	0.8	25.0	9.0	6.0	16	18	39	69	1007
2/8/2016 11:00	0.8	0.5	0.4	19.9	0.3	0.7	26.0	8.0	6.9	24	21	39	68	1006
2/8/2016 12:00	0.5	0.4	BDL	13.6	0.2	0.4	29.0	9.0	8.1	43	15	40	65	1005
2/8/2016 13:00	0.4	0.4	BDL	12.0	0.2	0.3	26.0	8.0	8.8	45	16	40	64	1004
2/8/2016 14:00	BDL	BDL	BDL	11.3	0.2	0.3	21.0	8.0	8.6	61	15	40	62	1004
2/8/2016 15:00	BDL	BDL	BDL	10.5	0.2	BDL	22.0	6.0	6.4	61	18	40	59	1004
2/8/2016 16:00	BDL	BDL	BDL	10.5	0.2	0.2	21.0	8.0	5.4	76	17	41	58	1004
2/8/2016 17:00	0.5	0.4	BDL	18.9	0.2	0.5	23.0	9.0	3.7	105	20	41	59	1004
2/8/2016 18:00	0.4	BDL	BDL	16.2	0.2	0.5	24.0	8.0	7.0	77	13	39	62	1005
2/8/2016 19:00	BDL	BDL	BDL	10.2	0.2	0.8	11.0	5.0	7.6	91	12	37	63	1005
2/8/2016 20:00	BDL	BDL	BDL	8.5	0.2	0.9	8.0	4.0	6.5	93	13	36	65	1005
2/8/2016 21:00	0.6	BDL	BDL	11.4	0.2	0.7	9.0	6.0	7.8	108	15	36	68	1005
2/8/2016 22:00	BDL	BDL	BDL	11.7	0.2	1.2	8.0	7.0	6.8	126	15	34	80	1005
2/8/2016 23:00	BDL	BDL	BDL	9.7	0.2	0.6	12.0	5.0	6.1	94	13	31	94	1005
2/9/2016 0:00	BDL	BDL	BDL	15.2	0.2	0.5	9.0	6.0	5.8	85	13	31	96	1004
2/9/2016 1:00	BDL	0.4	BDL	15.9	0.2	0.2	9.0	8.0	6.1	75	14	31	95	1004
2/9/2016 2:00	BDL	BDL	BDL	8.9	0.2	BDL	9.0	10.0	7.6	64	12	31	94	1003
2/9/2016 3:00	BDL	BDL	0.4	7.6	8.0	BDL	8.0	8.0	7.2	64	12	31	94	1002
2/9/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	9.0	7.0	8.8	59	11	31	92	1001
2/9/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	13.0	5.0	8.4	57	11	31	92	1001
2/9/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	9.0	6.0	7.8	67	13	31	91	1001
2/9/2016 7:00	BDL	0.4	0.4	14.9	0.2	BDL	8.0	8.0	8.2	68	13	31	91	1001
2/9/2016 8:00	BDL	0.4	0.4	12.8	0.2	10.4	11.0	7.0	8.2	58	12	31	91	1001
2/9/2016 9:00	BDL	0.5	0.4	17.3	0.2	BDL	18.0	9.0	8.2	51	13	31	93	1001
2/9/2016 10:00	BDL	0.5	0.4	16.8	0.2	BDL	17.0	9.0	8.1	49	12	32	93	1001
2/9/2016 11:00	0.4	0.6	0.4	21.0	0.3	BDL	20.0	12.0	7.7	46	13	32	90	1000
2/9/2016 12:00	0.4	0.6	0.4	19.2	0.2	BDL	17.0	11.0	7.2	49	13	33	87	1000
2/9/2016 13:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	22.0	12.0	6.5	50	13	34	85	999
2/9/2016 14:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	22.0	14.0	6.1	51	15	35	83	998
2/9/2016 15:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	18.0	12.0	7.7	52	13	34	87	998
2/9/2016 16:00	0.5	0.6	0.5	23.4	0.3	1.5	21.0	10.0	7.9	58	13	34	89	999
2/9/2016 17:00	BDL	0.5	0.4	16.8	0.3	1.8	15.0	15.0	7.3	55	11	34	90	999
2/9/2016 18:00	BDL	0.6	0.4	22.2	0.3	2.0	19.0	12.0	5.3	56	11	33	98	1000
2/9/2016 19:00	BDL	0.6	0.4	26.1	0.3	2.3	23.0	16.0	4.8	62	10	33	100	1000
2/9/2016 20:00	BDL	0.7	0.5	24.2	0.3	2.3	18.0	10.0	3.7	68	12	33	99	1001
2/9/2016 21:00	BDL	0.7	0.5	26.3	0.3	2.5	16.0	12.0	3.9	91	12	33	98	1001
2/9/2016 22:00	BDL	0.6	0.4	22.2	0.3	2.3	16.0	16.0	1.8	58	30	33	98	1001
2/9/2016 23:00	0.4	0.7	0.5	29.5	0.3	2.4	20.0	18.0	1.9	279	18	33	99	1001
2/10/2016 0:00	0.4	0.8	0.5	35.6	0.4	2.5	17.0	17.0	2.6	258	16	34	99	1001
2/10/2016 1:00	0.5	0.8	0.5	30.0	0.4	2.5	19.0	19.0	4.8	277	13	34	97	1001
2/10/2016 2:00	0.6	0.6	0.5	15.7	0.3	2.7	22.0	21.0	4.9	275	14	33	92	1001
2/10/2016 3:00	0.9	0.5	0.5	11.5	0.2	2.3	13.0	15.0	5.2	277	14	33	89	1001
2/10/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	17.0	9.0	5.7	276	14	32	88	1001
2/10/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	15.0	16.0	5.0	257	15	32	90	1001
2/10/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	16.0	16.0	5.1	263	16	31	91	1002
2/10/2016 7:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	23.0	19.0	5.4	242	14	31	95	1002
2/10/2016 8:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	19.0	16.0	5.4	264	16	30	95	1003
2/10/2016 9:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	17.0	16.0	7.5	272	14	30	89	1004
2/10/2016 10:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	20.0	14.0	6.4	259	17	31	88	1004
2/10/2016 11:00	4.5	0.4	0.8	13.5	0.4	3.1	13.0	12.0	9.9	283	13	34	69	1004
2/10/2016 12:00	1.6	0.5	0.5	8.3	0.2	1.9	15.0	9.0	11.2	281	14	35	62	1004
2/10/2016 13:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	11.0	8.0	11.8	289	14	34	60	1004
2/10/2016 14:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	13.0	9.0	11.7	291	14	34	58	1004
2/10/2016 15:00	1.2	BDL	0.6	4.7	0.2	2.9	10.0	6.0	10.5	289	14	34	57	1004
2/10/2016 16:00	1.1	BDL	0.4	4.1	0.2	3.0	12.0	8.0	10.0	289	14	34	58	1005
2/10/2016 17:00	0.9	0.4	0.5	4.4	0.2	3.1	17.0	11.0	9.9	279	14	33	56	1005
2/10/2016 18:00	0.8	BDL	0.4	4.6	0.2	3.3	9.0	10.0	8.9	279	14	33	56	1006
2/10/2016 19:00	0.5	BDL	0.4	5.0	0.2	3.4	11.0	7.0	6.3	276	14	32	57	1007
2/10/2016 20:00	0.6	BDL	0.4	4.5	0.2	3.5	13.0	6.0	7.4	272	14	32	57	1007
2/10/2016 21:00	0.6	BDL	BDL	3.6	0.2	3.5	9.0	11.0	6.2	277	13	31	57	1007
2/10/2016 22:00	1.1	BDL	BDL	3.4	0.2	3.8	9.0	7.0	8.7	283	12	31	56	1007
2/10/2016 23:00	1.2	BDL	0.4	2.5	0.2	3.6	12.0	7.0	10.4	287	12	29	55	1008

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 2/7/2016-2/13/2016														
2/11/2016 0:00	1.4	BDL	0.4	2.9	0.2	3.6	9.0	12.0	11.6	295	13	28	57	1008
2/11/2016 1:00	1.2	BDL	BDL	2.9	0.2	3.6	12.0	12.0	10.4	294	13	26	61	1009
2/11/2016 2:00	1.2	BDL	0.4	3.3	0.2	3.7	11.0	11.0	10.1	295	12	25	62	1009
2/11/2016 3:00	1.3	BDL	BDL	3.8	0.2	3.9	12.0	11.0	9.3	284	13	25	64	1009
2/11/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	12.0	8.0	8.9	288	12	24	66	1009
2/11/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	16.0	10.0	8.3	289	12	23	68	1010
2/11/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	13.0	18.0	7.7	282	13	22	68	1011
2/11/2016 7:00	1.4	BDL	0.4	8.2	0.2	5.2	17.0	9.0	7.7	280	13	22	61	1012
2/11/2016 8:00	1.0	BDL	0.4	8.7	0.2	7.0	13.0	9.0	8.4	277	13	22	58	1012
2/11/2016 9:00	1.2	BDL	0.4	5.9	0.2	4.4	19.0	8.0	10.8	274	16	23	53	1013
2/11/2016 10:00	1.2	BDL	BDL	4.7	0.2	4.9	15.0	6.0	12.1	282	16	23	50	1014
2/11/2016 11:00	0.8	BDL	BDL	6.9	0.2	5.1	18.0	6.0	13.4	286	15	23	49	1014
2/11/2016 12:00	BDL	BDL	BDL	0.9	0.2	4.8	11.0	5.0	14.4	288	12	24	40	1014
2/11/2016 13:00	84.2	2.4	0.5	154.4	8.6	5.0	11.0	2.0	16.4	288	12	25	36	1014
2/11/2016 14:00	263.4	4.5	3.6	245.3	15	4.1	12.0	1.0	16.2	290	15	25	38	1014
2/11/2016 15:00	3.2	BDL	1.6	1.2	0.3	4.8	10.0	2.0	13.8	291	13	25	38	1014
2/11/2016 16:00	BDL	BDL	0.5	0.4	0.2	4.8	12.0	3.0	15.7	295	12	24	38	1015
2/11/2016 17:00	BDL	BDL	0.5	0.9	0.2	5.3	13.0	3.0	13.8	287	12	24	40	1016
2/11/2016 18:00	BDL	BDL	0.5	0.9	0.2	5.6	11.0	5.0	13.0	288	13	24	40	1017
2/11/2016 19:00	BDL	BDL	0.4	1.4	0.2	6.1	13.0	4.0	9.6	280	13	23	42	1019
2/11/2016 20:00	0.4	BDL	0.4	1.5	0.2	6.4	9.0	7.0	8.9	277	14	23	42	1019
2/11/2016 21:00	0.4	BDL	0.4	3.4	0.2	6.8	9.0	6.0	8.0	278	14	22	44	1020
2/11/2016 22:00	BDL	BDL	BDL	3.8	0.2	7.3	7.0	5.0	9.6	290	13	22	40	1021
2/11/2016 23:00	0.4	BDL	BDL	1.0	0.2	7.5	8.0	5.0	8.6	294	11	21	41	1022
2/12/2016 0:00	0.4	BDL	BDL	1.9	0.2	7.5	7.0	5.0	7.6	294	12	20	43	1022
2/12/2016 1:00	BDL	BDL	BDL	1.1	0.2	7.5	8.0	3.0	7.7	295	13	20	44	1023
2/12/2016 2:00	BDL	BDL	BDL	1.5	0.2	7.6	10.0	3.0	6.6	290	13	19	45	1023
2/12/2016 3:00	0.4	BDL	BDL	2.3	0.2	8	9.0	4.0	5.1	275	14	19	49	1023
2/12/2016 4:00	0.6	Calibration	Calibration	Calibration	Calibration	Calibration	10.0	4.0	4.0	264	16	18	51	1024
2/12/2016 5:00	64.6	Calibration	Calibration	Calibration	Calibration	Calibration	8.0	4.0	4.1	276	14	18	54	1024
2/12/2016 6:00	45.7	Too few samples	Too few samples	Too few samples	Calibration	Calibration	7.0	4.0	4.6	291	10	17	55	1024
2/12/2016 7:00	0.6	BDL	BDL	20.6	0.3	8.2	12.0	7.0	3.4	261	16	17	58	1024
2/12/2016 8:00	0.7	0.5	BDL	23.8	0.3	8.2	14.0	7.0	4.3	257	14	17	55	1024
2/12/2016 9:00	0.9	0.4	BDL	16.5	0.3	12.3	8.0	7.0	4.6	287	14	19	47	1023
2/12/2016 10:00	0.7	BDL	BDL	8.4	0.2	20.2	9.0	6.0	3.8	249	34	21	41	1023
2/12/2016 11:00	204.9	4.5	0.7	220.6	12.1	Too few samples	10.0	4.0	5.0	233	26	22	39	1022
2/12/2016 12:00	2.5	Calibration	Calibration	Calibration	Calibration	Calibration	14.0	6.0	6.0	238	26	23	43	1021
2/12/2016 13:00	0.8	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	12.0	5.0	6.1	239	24	24	42	1020
2/12/2016 14:00	58.9	0.6	1.5	Too few samples	4.5	4.2	12.0	5.0	6.7	236	23	24	43	1018
2/12/2016 15:00	1.3	BDL	0.5	9.1	0.2	5.1	12.0	6.0	6.3	238	21	24	44	1017
2/12/2016 16:00	1.5	0.4	0.5	7.8	0.2	5.0	12.0	6.0	5.3	220	20	24	45	1016
2/12/2016 17:00	1.6	0.5	0.5	7.6	0.2	4.9	10.0	4.0	4.9	214	24	24	47	1015
2/12/2016 18:00	1.6	0.5	0.6	8.6	0.2	4.8	9.0	5.0	3.1	238	42	24	50	1015
2/12/2016 19:00	1.1	0.4	0.5	8.8	0.2	4.9	14.0	8.0	4.3	188	28	22	73	1015
2/12/2016 20:00	0.9	0.5	0.5	12.4	0.2	5.1	10.0	7.0	3.7	203	17	21	91	1014
2/12/2016 21:00	1.7	0.8	0.6	20.2	0.3	5.1	21.0	12.0	3.5	217	21	22	88	1013
2/12/2016 22:00	2.8	0.8	0.6	23.7	0.3	5.0	25.0	18.0	3.8	228	15	22	84	1013
2/12/2016 23:00	3.0	0.8	0.6	26.3	0.3	5.1	28.0	18.0	4.2	242	16	23	84	1013
2/13/2016 0:00	1.8	0.6	0.5	14.7	0.3	4.9	24.0	17.0	5.2	269	17	23	79	1013
2/13/2016 1:00	1.2	0.5	0.5	9.9	0.3	4.8	23.0	22.0	5.7	259	16	22	82	1012
2/13/2016 2:00	1.1	0.5	0.5	10.6	0.3	4.7	24.0	18.0	4.7	262	15	22	83	1012
2/13/2016 3:00	1.1	0.5	0.5	10.9	0.3	4.7	21.0	22.0	4.5	253	15	22	82	1011
2/13/2016 4:00	0.6	Calibration	Calibration	Calibration	Calibration	Calibration	29.0	24.0	5.4	269	13	22	84	1011
2/13/2016 5:00	66.1	Calibration	Calibration	Calibration	Calibration	Calibration	25.0	21.0	8.4	278	12	21	79	1012
2/13/2016 6:00	46.8	Too few samples	Too few samples	Too few samples	Calibration	Calibration	22.0	19.0	9.3	289	11	21	71	1013
2/13/2016 7:00	0.7	BDL	0.4	2.9	0.2	5.4	12.0	9.0	11.5	298	10	21	61	1014
2/13/2016 8:00	0.6	BDL	BDL	2.2	0.2	5.7	22.0	8.0	13.7	307	10	21	56	1015
2/13/2016 9:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	20.0	6.0	15.4	307	10	21	45	1016
2/13/2016 10:00	BDL	BDL	BDL	0.4	0.2	5.6	30.0	4.0	17.2	311	11	21	39	1017
2/13/2016 11:00	BDL	BDL	BDL	BDL	0.2	5.7	17.0	4.0	15.4	304	10	20	42	1018
2/13/2016 12:00	BDL	BDL	BDL	BDL	0.2	6.0	22.0	3.0	16.3	297	11	20	53	1018
2/13/2016 13:00	BDL	BDL	BDL	BDL	0.2	6.0	17.0	5.0	17.4	301	13	21	41	1018
2/13/2016 14:00	BDL	BDL	BDL	BDL	0.2	5.9	21.0	4.0	18.8	302	10	19	37	1019
2/13/2016 15:00	BDL	BDL	BDL	BDL	0.2	6.1	15.0	3.0	18.0	309	11	18	39	1019
2/13/2016 16:00	BDL	BDL	BDL	BDL	0.2	6.4	Issue with analyzer	3.0	18.0	300	11	18	37	1021
2/13/2016 17:00	BDL	BDL	BDL	BDL	0.2	6.8	Issue with analyzer	3.0	19.3	306	11	16	34	1022
2/13/2016 18:00	BDL	BDL	BDL	BDL	0.2	7.3	Issue with analyzer	4.0	16.5	307	11	15	35	1023
2/13/2016 19:00	BDL	BDL	BDL	BDL	0.2	7.8	Issue with analyzer	3.0	14.0	306	11	14	37	1025
2/13/2016 20:00	BDL	BDL	BDL	0.4	0.2	8.2	Issue with analyzer	2.0	10.2	306	11	13	40	1025
2/13/2016 21:00	BDL	BDL	BDL	BDL	0.2	8.3	Issue with analyzer	3.0	9.6	296	12	13	41	1026
2/13/2016 22:00	BDL	BDL	BDL	BDL	0.2	8.4	Issue with analyzer	2.0	9.7	298	13	13	44	1026
2/13/2016 23:00	BDL	BDL	BDL	0.4	0.2	8.4	Issue with analyzer	5.0	7.1	292	13	13	49	1026

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 2/14/2016-2/20/2016														
2/14/2016 0:00	BDL	BDL	BDL	BDL	0.2	8.3	Issue with analyzer	6.0	11.3	303	11	13	44	1026
2/14/2016 1:00	BDL	BDL	BDL	BDL	0.2	8.7	Issue with analyzer	6.0	9.7	300	13	12	45	1027
2/14/2016 2:00	BDL	BDL	BDL	BDL	0.2	9.6	Issue with analyzer	4.0	13.8	307	10	11	44	1027
2/14/2016 3:00	BDL	BDL	BDL	BDL	0.2	10.4	Issue with analyzer	4.0	13.7	311	10	11	44	1027
2/14/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	Issue with analyzer	4.0	13.4	310	10	10	45	1028
2/14/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	Issue with analyzer	3.0	10.7	314	11	10	48	1028
2/14/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	Issue with analyzer	4.0	11.7	323	12	9	48	1030
2/14/2016 7:00	BDL	BDL	BDL	3.4	0.2	9.9	Issue with analyzer	5.0	11.3	320	10	8	47	1031
2/14/2016 8:00	0.4	BDL	BDL	3.9	0.2	10.2	Issue with analyzer	8.0	10.3	321	11	8	47	1032
2/14/2016 9:00	0.5	BDL	BDL	3.4	0.2	10	Issue with analyzer	7.0	12.5	322	13	9	44	1032
2/14/2016 10:00	BDL	BDL	BDL	3.9	0.2	9.8	Issue with analyzer	5.0	12.2	325	14	10	41	1033
2/14/2016 11:00	0.4	BDL	BDL	4.5	0.2	9.5	Issue with analyzer	4.0	8.2	326	22	11	38	1032
2/14/2016 12:00	0.5	BDL	BDL	3.6	0.2	9.2	Issue with analyzer	5.0	7.0	331	31	12	36	1032
2/14/2016 13:00	0.4	BDL	BDL	4.5	0.2	8.8	Issue with analyzer	5.0	6.7	327	24	14	35	1032
2/14/2016 14:00	0.4	BDL	BDL	3.2	0.2	8.5	Issue with analyzer	7.0	5.9	313	31	16	33	1031
2/14/2016 15:00	0.4	BDL	BDL	0.9	0.2	8.6	10.0	8.0	6.9	313	22	17	33	1030
2/14/2016 16:00	0.4	BDL	BDL	1.4	0.2	8.4	8.0	7.0	5.7	308	22	18	32	1030
2/14/2016 17:00	0.4	BDL	BDL	1.9	0.2	8.6	8.0	8.0	5.8	299	24	18	34	1031
2/14/2016 18:00	0.7	BDL	BDL	1.3	0.2	8.7	11.0	5.0	5.1	299	13	18	36	1031
2/14/2016 19:00	1.3	BDL	BDL	3.9	0.2	9.0	14.0	7.0	6.3	304	17	17	39	1031
2/14/2016 20:00	1.6	BDL	BDL	7.9	0.2	9.4	14.0	7.0	4.7	305	16	17	39	1032
2/14/2016 21:00	1.7	BDL	BDL	9.6	0.3	9.6	17.0	10.0	2.5	292	25	17	39	1033
2/14/2016 22:00	1.5	BDL	BDL	13.4	0.3	9.6	19.0	12.0	2.6	271	22	17	42	1032
2/14/2016 23:00	1.4	BDL	BDL	12	0.3	9.6	15.0	8.0	2.3	281	43	17	40	1032
2/15/2016 0:00	1.0	BDL	BDL	18.1	0.3	9.8	23.0	16.0	4.6	111	16	17	49	1032
2/15/2016 1:00	0.8	BDL	BDL	11.8	0.3	9.6	18.0	18.0	4.8	134	14	16	48	1032
2/15/2016 2:00	0.5	BDL	BDL	4.5	0.2	9.6	14.0	11.0	5.8	126	15	16	42	1032
2/15/2016 3:00	0.5	BDL	BDL	3.7	0.2	9.7	14.0	6.0	6.1	116	15	16	41	1032
2/15/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	10.0	8.0	5.0	122	17	16	41	1032
2/15/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	10.0	9.0	4.3	132	16	17	43	1031
2/15/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	11.0	6.0	3.6	101	18	17	43	1031
2/15/2016 7:00	0.5	BDL	BDL	22.0	0.3	9.6	27.0	7.0	4.7	87	15	17	48	1031
2/15/2016 8:00	0.6	0.5	BDL	33.1	0.3	9.4	40.0	11.0	5.1	79	13	18	51	1031
2/15/2016 9:00	Too few samples	Too few samples	Too few samples	Too few samples	0.3	24.5	50.0	11.0	5.3	73	14	19	53	1030
2/15/2016 10:00	0.7	0.8	BDL	39.2	0.3	2.2	49.0	14.0	5.0	79	15	20	57	1030
2/15/2016 11:00	0.5	0.6	BDL	31.1	0.3	1.8	44.0	12.0	5.5	71	13	21	61	1029
2/15/2016 12:00	BDL	0.6	BDL	27.3	0.3	1.4	27.0	12.0	5.0	63	13	21	75	1028
2/15/2016 13:00	BDL	0.7	BDL	29.4	0.3	1.0	17.0	10.0	5.5	59	12	21	92	1027
2/15/2016 14:00	BDL	0.9	0.4	40.2	0.4	0.7	23.0	16.0	5.0	50	12	22	95	1025
2/15/2016 15:00	BDL	0.8	0.4	37.7	0.4	0.4	22.0	13.0	5.9	49	13	23	97	1025
2/15/2016 16:00	0.5	1.2	0.5	56.2	0.5	0.3	25.0	17.0	5.5	42	13	24	98	1024
2/15/2016 17:00	0.4	1.2	0.6	57.2	0.5	BDL	26.0	12.0	6.2	50	13	26	99	1022
2/15/2016 18:00	BDL	1.1	0.4	48.4	0.5	BDL	20.0	19.0	7.0	48	17	27	100	1021
2/15/2016 19:00	0.4	1.3	0.6	56.2	0.5	BDL	24.0	12.0	6.7	45	13	28	100	1020
2/15/2016 20:00	0.5	1.4	0.6	65.9	0.6	BDL	20.0	17.0	5.1	41	22	29	100	1019
2/15/2016 21:00	0.9	1.8	0.8	85.0	0.7	BDL	24.0	18.0	4.5	29	27	30	100	1018
2/15/2016 22:00	1.0	2.0	0.9	98.7	0.8	BDL	22.0	15.0	3.6	52	23	31	100	1017
2/15/2016 23:00	1.3	2.4	1.0	115.5	0.9	BDL	28.0	25.0	2.4	70	26	32	100	1016
2/16/2016 0:00	1.4	2.7	1.1	128.8	1	BDL	25.0	21.0	1.0	48	55	32	100	1016
2/16/2016 1:00	1.7	3.4	1.1	161.6	1.1	BDL	22.0	19.0	2.3	70	31	32	100	1015
2/16/2016 2:00	2.0	3.6	1.3	174.0	1.1	BDL	22.0	18.0	2.1	347	50	33	100	1014
2/16/2016 3:00	2.8	4.7	1.7	236.6	1.3	BDL	29.0	22.0	1.9	62	23	34	100	1013
2/16/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	26.0	14.0	4.8	150	32	39	100	1011
2/16/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	17.0	8.0	11.1	158	11	48	96	1010
2/16/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	17.0	7.0	11.7	154	12	50	88	1008
2/16/2016 7:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	20.0	7.0	13.0	150	13	52	85	1007
2/16/2016 8:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	20.0	9.0	14.3	154	12	54	83	1006
2/16/2016 9:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	21.0	7.0	16.2	158	12	56	82	1005
2/16/2016 10:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Issue with analyzer	3.0	14.1	150	13	57	82	1003
2/16/2016 11:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	17.0	6.0	16.0	147	13	56	88	1001
2/16/2016 12:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	8.0	8.0	18.0	152	13	56	94	998
2/16/2016 13:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	8.0	5.0	20.8	175	18	56	93	996
2/16/2016 14:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	5.0	3.0	7.4	198	13	52	98	996
2/16/2016 15:00	6.8	BDL	0.7	15.0	0.6	1.1	6.0	4.0	8.7	226	13	51	99	995
2/16/2016 16:00	0.7	BDL	0.5	7.6	0.3	1.6	4.0	4.0	8.6	247	15	50	85	997
2/16/2016 17:00	0.9	BDL	0.4	4.0	0.3	5.9	4.0	3.0	12.8	277	13	49	75	999
2/16/2016 18:00	1.9	BDL	0.4	6.2	0.3	3.4	7.0	5.0	12.1	290	12	45	71	1000
2/16/2016 19:00	1.4	BDL	BDL	5.7	0.3	2.4	6.0	6.0	8.8	295	12	43	70	1002
2/16/2016 20:00	0.8	BDL	BDL	7.9	0.3	2.8	7.0	9.0	6.7	281	13	42	73	1003
2/16/2016 21:00	0.5	BDL	BDL	5.6	0.3	3.1	7.0	9.0	5.6	265	13	40	75	1004
2/16/2016 22:00	0.4	BDL	BDL	7.8	0.3	3.6	8.0	7.0	5.1	254	13	39	76	1007
2/16/2016 23:00	BDL	BDL	BDL	10.6	0.3	4.0	14.0	11.0	4.8	268	16	38	79	1008
2/17/2016 0:00	BDL	BDL	BDL	11.0	0.3	4.7	12.0	11.0	4.0	263	17	37	80	1009
2/17/2016 1:00	BDL	BDL	BDL	14.9	0.4	7.0	10.0	12.0	2.7	274	26	37	81	1009
2/17/2016 2:00	BDL	BDL	BDL	9.9	0.3	4.8	9.0	8.0	5.3	292	8	37	77	1008
2/17/2016 3:00	BDL	BDL	BDL	5.0	0.3	3.7	7.0	7.0	4.7	296	9	38	74	1008
2/17/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	8.0	6.0	2.8	282	12	38	76	1009
2/17/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	12.0	9.0	2.1	263	13	36	80	1010
2/17/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	26.0	14.0	3.2	214	8	35	83	1011
2/17/2016 7:00	0.7	0.5	BDL	46.0	0.4	6.8	17.0	14.0	4.6	237	11	37	81	1012
2/17/2016 8:00	Too few samples	Too few samples	Too few samples	Too few samples	0.4	5.5	19.0	18.0	4.9	252	12	37	79	1013
2/17/2016 9:00	BDL	4.7	BDL	21.7	0.3	5.2	22.0	11.0	5.7	272	11	38	75	1014
2/17/2016 10:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	15.0	11.0	8.3	304	10	38	68	1014
2/17/2016 11:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	9.0	10.0	9.9	311	11	39	64	1015
2/17/2016 12:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	9.0	7.0	9.7	301	12	40	59	1015
2/17/2016 13:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	14.0	7.0	10.6	296	12	40	58	1015
2/17/2016 14:00	0.6	5.6	3.8	3.1	0.2	5.3	12.0	8.0	11.9	303	11	40	57	1015
2/17/2016 15:00	0.9	BDL	BDL	3.1	0.2	5.5	13.0	8.0	13.2	305	11	40	56	1016
2/17/2016 16:00	0.4	BDL	BDL	2.5	0.2	5.6	13.0	10.0	10.7	303	12	40	55	1016
2/17/2016 17:00	BDL	BDL	BDL	2.4	0.2	5.8	12.0	9.0	9.2	306	9	39	58	1017
2/17/2016 18:00	BDL	BDL	BDL	3.3	0.3	5.9	15.0	9.0	6.2	299	10	39	59	1019
2/17/2016 19:00	0.5	BDL	BDL	4.1	0.3	6.3	15.0	15.0	4.7	286	12	39	60	1020
2/17/2016 20:00	0.7	BDL	BDL	8.0	0.3	6.5	18.0	13.0	4.5	293	8	38	62	1020
2/17/2016 21:00	1.0	BDL	BDL	8.8	0.3	6.7	24.0	16.0	4.1	283	11	38	65	1021
2/17/2016 22:00	0.9	BDL	BDL	9.3	0.3	6.7	18.0	15.0	5.1	288	10	37	67	1021
2/17/2016 23:00	0.6	BDL	BDL	12.7	0.3	6.8	20.0	17.0	4.6	285	10	36	70	1022

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 2/14/2016-2/20/2016														
2/18/2016 0:00	0.5	BDL	BDL	10.2	0.3	6.8	15.0	16.0	4.3	291	9	35	69	1022
2/18/2016 1:00	0.4	BDL	BDL	11.5	0.3	6.9	17.0	16.0	4.8	283	10	34	71	1022
2/18/2016 2:00	0.4	BDL	BDL	12.9	0.3	7.0	16.0	14.0	3.5	282	12	33	73	1023
2/18/2016 3:00	BDL	BDL	BDL	17.1	0.3	7.4	19.0	19.0	2.9	263	12	32	77	1023
2/18/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	13.0	13.0	4.9	288	13	32	66	1024
2/18/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	9.0	9.0	5.7	293	8	32	55	1024
2/18/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	6.0	7.0	7.1	301	7	31	55	1025
2/18/2016 7:00	BDL	BDL	BDL	9.6	0.2	7.5	7.0	5.0	8.4	310	7	31	56	1026
2/18/2016 8:00	0.4	BDL	BDL	14.6	0.3	8.1	10.0	3.0	9.6	318	10	30	58	1027
2/18/2016 9:00	0.5	BDL	BDL	14.2	0.2	8.0	20.0	8.0	10.0	341	13	30	60	1028
2/18/2016 10:00	BDL	BDL	BDL	10.6	0.2	8.3	17.0	7.0	11.2	333	14	30	54	1029
2/18/2016 11:00	BDL	BDL	BDL	5.5	0.2	8.5	8.0	5.0	12.0	324	13	30	50	1029
2/18/2016 12:00	0.4	BDL	BDL	7.3	0.2	8.7	19.0	8.0	11.0	328	14	31	48	1030
2/18/2016 13:00	BDL	BDL	BDL	6.9	0.2	8.7	10.0	8.0	11.1	330	15	32	46	1029
2/18/2016 14:00	BDL	BDL	BDL	6.4	0.2	8.6	21.0	6.0	11.4	325	16	33	43	1028
2/18/2016 15:00	BDL	BDL	BDL	2.9	0.2	8.5	12.0	5.0	11.1	322	16	34	39	1029
2/18/2016 16:00	BDL	BDL	BDL	5.2	0.2	8.6	15.0	6.0	10.7	328	14	35	37	1029
2/18/2016 17:00	0.4	BDL	BDL	8.4	0.2	8.6	16.0	9.0	11.9	331	14	35	35	1029
2/18/2016 18:00	BDL	BDL	BDL	6.3	0.2	8.6	11.0	5.0	11.2	324	9	34	36	1030
2/18/2016 19:00	BDL	BDL	BDL	16.4	0.2	8.8	11.0	6.0	7.6	334	12	33	37	1031
2/18/2016 20:00	BDL	BDL	BDL	17.6	0.2	8.9	14.0	6.0	8.2	334	13	32	38	1031
2/18/2016 21:00	0.6	BDL	BDL	11.2	0.2	8.9	14.0	9.0	9.1	342	17	31	38	1032
2/18/2016 22:00	0.5	BDL	BDL	8.5	0.2	8.8	11.0	9.0	9.1	342	14	30	41	1032
2/18/2016 23:00	0.4	BDL	BDL	8.3	0.2	8.8	14.0	7.0	6.2	356	17	29	45	1032
2/19/2016 0:00	0.5	BDL	BDL	10.0	0.3	8.8	13.0	5.0	6.2	353	18	28	45	1032
2/19/2016 1:00	0.4	BDL	BDL	13.3	0.3	9.0	18.0	6.0	6.5	345	15	28	45	1032
2/19/2016 2:00	0.6	BDL	BDL	10.8	0.3	9.0	15.0	8.0	5.5	0	19	27	47	1032
2/19/2016 3:00	0.6	BDL	BDL	13.9	0.3	9.1	12.0	10.0	4.7	18	18	27	47	1032
2/19/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	12.0	9.0	4.6	6	19	26	48	1032
2/19/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	10.0	8.0	4.3	38	11	25	50	1032
2/19/2016 6:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	33.0	24.0	2.3	17	31	25	51	1033
2/19/2016 7:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	13.0	7.0	4.6	42	10	25	49	1033
2/19/2016 8:00	1.0	1.0	0.5	63.2	0.5	10.0	43.0	11.0	2.3	67	22	26	47	1034
2/19/2016 9:00	0.4	0.8	0.4	40.8	0.4	9.5	32.0	11.0	4.5	73	15	27	42	1034
2/19/2016 10:00	0.5	0.8	0.4	42.6	0.4	9.5	28.0	8.0	4.0	88	17	28	41	1034
2/19/2016 11:00	0.4	0.6	BDL	28.8	0.3	9.4	19.0	7.0	2.2	149	39	30	39	1034
2/19/2016 12:00	BDL	BDL	BDL	21.5	0.3	9.2	9.0	7.0	3.4	151	30	32	40	1032
2/19/2016 13:00	BDL	BDL	BDL	16.9	0.3	8.8	10.0	4.0	4.1	158	23	34	39	1031
2/19/2016 14:00	BDL	BDL	BDL	11.9	0.2	8.3	9.0	4.0	5.7	166	15	35	40	1029
2/19/2016 15:00	BDL	BDL	BDL	12.3	0.2	8.0	12.0	6.0	6.6	170	15	37	40	1028
2/19/2016 16:00	BDL	0.4	0.4	12.3	0.2	7.8	10.0	4.0	7.4	188	13	37	45	1026
2/19/2016 17:00	BDL	0.7	0.8	9.0	0.2	7.4	15.0	6.0	8.8	188	12	36	57	1025
2/19/2016 18:00	BDL	0.6	0.7	16.5	0.2	7.0	16.0	5.0	9.9	162	12	35	60	1024
2/19/2016 19:00	BDL	0.7	0.6	11.6	0.2	6.9	15.0	4.0	9.7	159	12	35	66	1023
2/19/2016 20:00	BDL	0.4	0.5	8.3	0.2	6.7	12.0	6.0	9.4	168	12	35	73	1023
2/19/2016 21:00	BDL	0.4	0.5	2.2	0.2	6.9	8.0	9.0	7.0	181	11	35	79	1023
2/19/2016 22:00	BDL	BDL	0.4	2.0	0.2	7.4	9.0	5.0	6.6	171	13	35	81	1022
2/19/2016 23:00	BDL	BDL	0.5	0.4	0.2	6.4	13.0	4.0	9.8	181	13	37	81	1021
2/20/2016 0:00	BDL	BDL	0.5	BDL	0.2	5.9	13.0	3.0	12.0	182	12	38	78	1019
2/20/2016 1:00	BDL	BDL	0.5	0.5	0.2	5.6	12.0	3.0	8.7	191	13	39	69	1018
2/20/2016 2:00	BDL	0.4	0.7	1.0	0.2	5.4	10.0	6.0	10.2	201	12	40	68	1016
2/20/2016 3:00	BDL	0.6	0.9	BDL	0.2	5.1	11.0	5.0	10.2	196	12	40	69	1015
2/20/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	10.0	4.0	8.7	200	12	40	68	1014
2/20/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	11.0	4.0	8.3	197	12	41	66	1014
2/20/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	11.0	9.0	8.9	213	13	42	62	1014
2/20/2016 7:00	1.0	0.5	0.6	10.2	0.3	5.4	13.0	8.0	7.5	216	12	42	61	1014
2/20/2016 8:00	1.6	0.6	0.6	19.2	0.3	5.3	15.0	9.0	7.0	213	11	42	60	1014
2/20/2016 9:00	Calibration	Calibration	Calibration	Calibration	Calibration	Too few samples	15.0	10.0	7.7	218	12	44	57	1015
2/20/2016 10:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	15.0	9.0	9.0	222	12	46	56	1014
2/20/2016 11:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	17.0	9.0	9.3	224	12	48	53	1014
2/20/2016 12:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	17.0	9.0	9.2	223	13	51	50	1014
2/20/2016 13:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	17.0	9.0	9.2	221	12	53	49	1013
2/20/2016 14:00	1.6	BDL	BDL	12.1	0.3	4.8	18.0	12.0	8.7	220	13	55	48	1012
2/20/2016 15:00	2.7	0.4	BDL	21.1	0.4	4.6	21.0	10.0	8.9	220	13	56	46	1011
2/20/2016 16:00	1.4	BDL	BDL	12.8	0.3	4.5	19.0	8.0	9.0	213	12	58	45	1010
2/20/2016 17:00	1.6	BDL	BDL	13.0	0.3	4.1	17.0	13.0	8.5	205	11	57	48	1009
2/20/2016 18:00	0.6	0.4	BDL	8.1	0.3	4.0	15.0	11.0	8.8	205	11	56	51	1009
2/20/2016 19:00	0.6	0.4	BDL	7.8	0.3	4.1	20.0	10.0	6.1	202	11	53	57	1010
2/20/2016 20:00	0.8	0.4	BDL	6.4	0.3	4.2	18.0	11.0	5.7	206	11	52	62	1010
2/20/2016 21:00	1.8	0.6	BDL	20.6	0.4	4.5	22.0	23.0	5.3	213	12	50	66	1010
2/20/2016 22:00	2.5	0.8	BDL	25.0	0.4	5.0	16.0	15.0	5.4	223	14	50	68	1010
2/20/2016 23:00	1.3	0.7	BDL	14.9	0.4	4.2	22.0	17.0	6.1	229	12	49	68	1009

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 2/21/2016-2/27/2016														
2/21/2016 0:00	0.9	0.6	BDL	13.1	0.4	4.3	21.0	13.0	6.0	232	11	49	70	1009
2/21/2016 1:00	0.6	0.4	BDL	10.2	0.3	4.1	22.0	11.0	5.3	232	10	48	72	1009
2/21/2016 2:00	0.9	0.5	BDL	16.1	0.3	4.9	21.0	14.0	6.6	239	14	48	73	1010
2/21/2016 3:00	1.1	0.4	BDL	12.9	0.4	4.7	21.0	17.0	6.3	241	14	48	74	1010
2/21/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	33.0	16.0	4.0	219	11	46	80	1010
2/21/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	25.0	22.0	3.4	214	9	44	84	1010
2/21/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	27.0	24.0	2.2	207	10	42	89	1011
2/21/2016 7:00	1.4	1.2	BDL	55.3	0.5	5.5	34.0	26.0	1.8	206	17	41	92	1011
2/21/2016 8:00	1.6	1.1	BDL	58.5	0.6	7.2	38.0	30.0	1.9	209	18	41	91	1012
2/21/2016 9:00	2.2	1.7	BDL	79.2	0.8	8.1	38.0	33.0	1.0	231	61	44	85	1012
2/21/2016 10:00	2.4	1.3	BDL	57.0	0.7	6.0	36.0	28.0	2.2	242	19	49	75	1012
2/21/2016 11:00	1.4	0.8	BDL	26.1	0.5	5.4	32.0	21.0	1.4	259	40	52	67	1012
2/21/2016 12:00	2.0	1.4	BDL	55.4	0.6	8.8	41.0	28.0	3.2	126	54	52	72	1012
2/21/2016 13:00	2.1	1.2	BDL	57.2	0.6	5.1	37.0	19.0	4.4	90	37	54	57	1010
2/21/2016 14:00	1.8	0.7	BDL	33.3	0.4	4.7	31.0	13.0	3.6	103	27	56	47	1009
2/21/2016 15:00	1.5	0.6	BDL	25.3	0.5	4.5	26.0	17.0	5.7	42	21	57	47	1009
2/21/2016 16:00	1.0	0.4	BDL	13.3	0.4	4.1	22.0	11.0	6.6	52	12	56	48	1009
2/21/2016 17:00	0.9	BDL	BDL	10.6	0.3	4.2	19.0	7.0	4.9	54	15	55	49	1009
2/21/2016 18:00	0.9	BDL	BDL	14.7	0.4	4.4	19.0	7.0	6.0	65	9	55	51	1009
2/21/2016 19:00	0.8	BDL	BDL	20.5	0.4	4.3	24.0	7.0	4.5	65	11	54	54	1010
2/21/2016 20:00	0.8	0.4	BDL	21.9	0.4	4.4	23.0	10.0	5.6	34	20	53	56	1010
2/21/2016 21:00	0.7	0.4	BDL	11.6	0.4	4.7	12.0	9.0	7.4	7	19	50	78	1011
2/21/2016 22:00	0.6	BDL	BDL	11.7	0.4	4.7	10.0	9.0	7.4	6	18	48	90	1012
2/21/2016 23:00	0.4	BDL	BDL	8.3	0.4	4.7	13.0	6.0	7.8	43	15	46	93	1012
2/22/2016 0:00	BDL	BDL	BDL	7.7	0.3	4.7	11.0	5.0	7.4	50	12	46	88	1012
2/22/2016 1:00	0.6	BDL	BDL	9.3	0.3	4.8	9.0	6.0	7.2	16	19	46	81	1012
2/22/2016 2:00	0.7	BDL	BDL	8.9	0.3	4.8	8.0	6.0	7.4	14	17	45	70	1013
2/22/2016 3:00	0.6	BDL	BDL	7.3	0.3	5	7.0	4.0	6.9	6	17	44	70	1013
2/22/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	5.0	6.0	6.9	6	19	43	72	1014
2/22/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	12.0	6.0	6.7	3	20	42	71	1014
2/22/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	11.0	8.0	5.7	2	20	41	72	1016
2/22/2016 7:00	0.9	BDL	BDL	9.7	0.3	5.7	8.0	8.0	5.1	4	21	40	73	1017
2/22/2016 8:00	0.9	BDL	BDL	15.1	0.3	6.0	11.0	9.0	6.0	8	20	39	72	1018
2/22/2016 9:00	0.9	BDL	BDL	16.0	0.3	6.0	10.0	7.0	7.0	13	17	41	65	1019
2/22/2016 10:00	0.6	BDL	BDL	15.8	0.3	6.2	14.0	4.0	6.8	22	22	42	61	1019
2/22/2016 11:00	0.4	BDL	BDL	9.5	0.3	6.2	15.0	2.0	6.2	52	19	43	55	1019
2/22/2016 12:00	0.5	BDL	BDL	10.4	0.3	6.1	13.0	6.0	4.3	59	49	45	52	1019
2/22/2016 13:00	0.4	BDL	BDL	12.5	0.3	6.0	12.0	6.0	3.8	168	38	47	49	1018
2/22/2016 14:00	0.5	BDL	BDL	14.7	0.3	6.1	20.0	7.0	4.0	118	28	48	47	1017
2/22/2016 15:00	0.5	BDL	BDL	15.8	0.3	6.0	14.0	7.0	4.3	160	21	49	45	1017
2/22/2016 16:00	0.6	BDL	BDL	13.9	0.3	6.0	14.0	6.0	3.6	180	23	50	43	1018
2/22/2016 17:00	0.7	BDL	BDL	15.6	0.3	6.1	13.0	5.0	4.2	181	16	51	44	1018
2/22/2016 18:00	0.7	BDL	BDL	29.2	0.3	6.2	11.0	7.0	2.7	155	13	50	47	1019
2/22/2016 19:00	0.9	0.7	BDL	60.4	0.3	6.3	19.0	10.0	2.3	181	11	47	54	1019
2/22/2016 20:00	0.6	1.1	BDL	38.0	0.3	6.6	10.0	7.0	4.2	126	15	45	63	1020
2/22/2016 21:00	BDL	0.5	BDL	10.4	0.3	6.5	8.0	8.0	4.7	143	14	42	69	1021
2/22/2016 22:00	BDL	0.4	BDL	15.1	0.3	6.5	11.0	7.0	3.0	149	11	41	74	1021
2/22/2016 23:00	BDL	0.6	BDL	23.4	0.3	6.5	9.0	8.0	1.9	160	16	40	78	1021
2/23/2016 0:00	BDL	BDL	BDL	17.0	0.3	6.9	16.0	10.0	2.7	78	13	39	81	1021
2/23/2016 1:00	BDL	0.4	BDL	23.5	0.4	6.7	18.0	7.0	3.7	65	11	39	83	1021
2/23/2016 2:00	BDL	0.4	BDL	19.4	0.3	6.7	14.0	8.0	5.1	53	10	38	85	1021
2/23/2016 3:00	BDL	BDL	BDL	14.6	5.0	6.9	14.0	5.0	8.3	48	9	38	85	1021
2/23/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	14.0	5.0	8.7	52	10	38	85	1021
2/23/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	11.0	6.0	8.7	53	11	38	85	1021
2/23/2016 6:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	13.0	7.0	8.1	44	12	38	78	1021
2/23/2016 7:00	0.6	BDL	BDL	20.0	0.3	6.6	18.0	6.0	10.1	46	11	37	67	1021
2/23/2016 8:00	0.5	0.4	BDL	23.2	0.3	6.7	25.0	6.0	9.8	47	12	38	67	1022
2/23/2016 9:00	0.4	0.5	BDL	28.5	0.4	6.9	23.0	9.0	9.5	43	13	38	76	1022
2/23/2016 10:00	BDL	0.6	BDL	36.9	0.4	6.9	14.0	7.0	7.8	39	14	38	87	1022
2/23/2016 11:00	BDL	0.7	BDL	34.6	0.4	6.7	Audit	Audit	9.4	44	14	39	93	1021
2/23/2016 12:00	BDL	0.4	BDL	23.9	0.4	6.4	Audit	Audit	10.2	48	12	41	96	1020
2/23/2016 13:00	BDL	BDL	BDL	7.8	0.3	6.1	12.0	7.0	12.4	56	10	41	95	1019
2/23/2016 14:00	BDL	BDL	BDL	10.1	0.3	6.1	11.0	6.0	10.7	47	11	41	96	1019
2/23/2016 15:00	BDL	BDL	BDL	13.0	0.3	6.1	10.0	5.0	10.4	46	12	41	98	1018
2/23/2016 16:00	BDL	BDL	BDL	10.7	0.3	6.1	7.0	4.0	11.7	41	13	40	98	1019
2/23/2016 17:00	BDL	BDL	BDL	8.5	0.3	6.0	6.0	2.0	12.9	47	11	40	97	1018
2/23/2016 18:00	BDL	BDL	BDL	5.7	0.3	5.9	5.0	4.0	13.3	52	11	39	96	1018
2/23/2016 19:00	BDL	BDL	BDL	4.2	0.3	5.9	6.0	4.0	13.8	55	11	39	95	1019
2/23/2016 20:00	BDL	BDL	BDL	3.9	0.3	6.0	7.0	4.0	13.4	57	11	39	97	1019
2/23/2016 21:00	BDL	BDL	BDL	3.3	0.3	5.9	6.0	4.0	13.3	55	10	38	97	1019
2/23/2016 22:00	BDL	BDL	BDL	3.1	0.3	5.9	6.0	4.0	12.7	54	10	38	98	1018
2/23/2016 23:00	BDL	BDL	BDL	4.5	0.3	5.8	4.0	4.0	11.2	53	11	38	99	1018
2/24/2016 0:00	BDL	BDL	BDL	4.2	0.3	5.6	4.0	6.0	11.5	55	11	38	99	1017
2/24/2016 1:00	BDL	BDL	BDL	4.8	0.3	5.5	6.0	6.0	11.5	53	10	39	100	1017
2/24/2016 2:00	BDL	BDL	BDL	3.8	0.3	5.3	7.0	3.0	10.9	52	10	39	100	1016
2/24/2016 3:00	BDL	BDL	BDL	6.2	0.3	5.1	6.0	3.0	8.4	48	11	39	100	1015
2/24/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	3.0	5.0	8.1	43	12	40	100	1014
2/24/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	3.0	5.0	8.5	48	11	40	100	1013
2/24/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	3.0	4.0	7.7	45	12	40	100	1013
2/24/2016 7:00	Calibration	Audit	Audit	Audit	Calibration	Calibration	3.0	2.0	8.9	52	10	41	100	1012
2/24/2016 8:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	3.0	2.0	8.4	52	11	42	100	1011
2/24/2016 9:00	BDL	BDL	BDL	17.8	0.4	4.2	7.0	5.0	8.5	55	11	42	100	1010
2/24/2016 10:00	BDL	BDL	BDL	18.9	0.4	3.9	7.0	7.0	8.2	54	11	44	100	1009
2/24/2016 11:00	BDL	0.4	BDL	22.7	0.4	3.5	6.0	6.0	8.4	62	16	45	100	1007
2/24/2016 12:00	BDL	0.5	BDL	28.7	0.4	3.4	7.0	5.0	3.9	36	21	48	100	1006
2/24/2016 13:00	0.6	0.9	BDL	55.2	0.6	3.3	14.0	4.0	3.0	33	19	49	100	1004
2/24/2016 14:00	0.5	0.9	BDL	31.4	0.3	2.4	8.0	2.0	9.2	165	23	57	98	1002
2/24/2016 15:00	0.5	BDL	BDL	15.2	0.1	1.6	7.0	4.0	14.9	161	11	61	93	1000
2/24/2016 16:00	0.4	BDL	BDL	5.8	0.1	1.6	11.0	4.0	14.6	163	12	62	91	999
2/24/2016 17:00	BDL	BDL	BDL	1.3	0.1	1.2	11.0	6.0	16.7	168	12	62	93	998
2/24/2016 18:00	BDL	BDL	BDL	1.6	0.1	0.8	7.0	6.0	17.1	164	11	62	94	996
2/24/2016 19:00	BDL	0.4	BDL	6.1	0.1	0.5	6.0	8.0	20.1	162	12	62	94	995
2/24/2016 20:00	BDL	0.5	BDL	5.8	0.1	0.2	6.0	7.0	23.2	166	11	62	91	993
2/24/2016 21:00	BDL	0.4	BDL	BDL	0.1	BDL	20.0	9.0	23.0	165	11	63	91	991
2/24/2016 22:00	BDL	0.4	BDL	BDL	0.1	BDL	14.0	9.0	21.3	180	15	62	93	991
2/24/2016 23:00	BDL	0.5	BDL	2.3	0.1	BDL	8.0	4.0	15.7	203	16	59	99	990

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 2/21/2016-2/27/2016														
2/25/2016 0:00	BDL	0.4	BDL	BDL	0.1	BDL	5.0	5.0	13.5	184	11	61	94	989
2/25/2016 1:00	BDL	0.4	BDL	BDL	0.1	BDL	15.0	7.0	12.6	188	11	60	91	989
2/25/2016 2:00	BDL	0.4	BDL	1.2	0.2	BDL	12.0	8.0	10.7	190	10	60	86	989
2/25/2016 3:00	0.4	0.4	0.4	12.5	0.3	BDL	14.0	9.0	9.8	198	11	59	83	989
2/25/2016 4:00	0.6	0.5	BDL	5.9	0.3	0.1	15.0	8.0	12.5	220	13	58	73	989
2/25/2016 5:00	0.7	0.4	BDL	7.7	0.3	0.4	7.0	6.0	10.7	224	12	55	64	989
2/25/2016 6:00	0.5	0.5	BDL	13.7	0.3	0.2	13.0	5.0	8.9	205	11	53	71	989
2/25/2016 7:00	0.8	0.5	BDL	8.3	0.3	BDL	8.0	5.0	13.5	212	12	52	69	989
2/25/2016 8:00	1.0	0.5	BDL	13.4	0.4	0.3	7.0	8.0	10.0	235	15	51	76	990
2/25/2016 9:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	7.0	6.0	8.6	272	14	47	90	991
2/25/2016 10:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	6.0	3.0	9.6	277	14	46	86	992
2/25/2016 11:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	4.0	4.0	11.2	274	16	47	67	992
2/25/2016 12:00	0.7	0.4	BDL	4.6	0.3	0.5	4.0	4.0	10.9	261	18	47	59	992
2/25/2016 13:00	0.6	0.5	BDL	4.5	0.3	0.5	3.0	1.0	11.3	256	17	47	55	992
2/25/2016 14:00	0.5	BDL	BDL	3.5	0.3	0.6	6.0	3.0	12.1	259	16	47	54	993
2/25/2016 15:00	0.4	BDL	BDL	4.3	0.3	1.0	6.0	5.0	14.1	273	14	44	59	994
2/25/2016 16:00	BDL	BDL	BDL	1.8	0.3	1.3	6.0	4.0	13.8	269	15	42	62	995
2/25/2016 17:00	0.4	BDL	BDL	2.7	0.3	1.3	6.0	4.0	13.9	263	17	41	66	996
2/25/2016 18:00	0.4	BDL	BDL	2.0	0.3	1.4	7.0	5.0	13.1	254	16	41	69	997
2/25/2016 19:00	1.0	BDL	BDL	7.0	0.3	1.6	6.0	3.0	12.8	249	15	41	70	998
2/25/2016 20:00	0.4	BDL	BDL	0.5	0.2	1.7	5.0	4.0	11.9	260	16	41	67	999
2/25/2016 21:00	0.4	BDL	BDL	1.1	0.3	1.9	5.0	4.0	11.5	256	16	40	70	1000
2/25/2016 22:00	0.4	BDL	BDL	1.4	0.3	2.2	7.0	3.0	8.3	260	17	40	70	1000
2/25/2016 23:00	0.4	BDL	BDL	0.6	0.2	2.4	4.0	4.0	10.9	286	15	39	62	1001
2/26/2016 0:00	BDL	BDL	BDL	BDL	0.2	2.4	3.0	1.0	13.6	289	12	38	51	1002
2/26/2016 1:00	BDL	BDL	BDL	BDL	0.2	2.6	4.0	BDL	11.5	297	12	38	54	1003
2/26/2016 2:00	BDL	BDL	BDL	BDL	0.2	2.8	6.0	3.0	10.2	293	13	37	62	1004
2/26/2016 3:00	BDL	BDL	BDL	BDL	0.2	3	6.0	4.0	9.7	273	14	36	67	1005
2/26/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	5.0	4.0	11.7	288	12	36	63	1005
2/26/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	6.0	6.0	12.9	303	11	35	57	1006
2/26/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	7.0	5.0	12.3	304	10	34	55	1007
2/26/2016 7:00	BDL	BDL	BDL	BDL	0.2	3.6	8.0	3.0	11.9	297	11	34	54	1008
2/26/2016 8:00	BDL	BDL	BDL	0.6	0.2	3.8	6.0	2.0	12.6	296	11	34	55	1009
2/26/2016 9:00	BDL	BDL	BDL	BDL	0.2	4.2	5.0	3.0	15.3	300	11	34	47	1010
2/26/2016 10:00	BDL	BDL	BDL	BDL	0.2	4.5	7.0	3.0	15.3	303	14	35	42	1011
2/26/2016 11:00	BDL	BDL	BDL	BDL	0.2	4.7	8.0	3.0	16.8	303	15	36	43	1011
2/26/2016 12:00	BDL	BDL	BDL	BDL	0.2	4.6	7.0	4.0	15.3	302	12	36	44	1011
2/26/2016 13:00	BDL	BDL	BDL	BDL	0.2	4.6	6.0	2.0	16.5	309	12	37	43	1012
2/26/2016 14:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	4.0	3.0	15.7	306	11	37	42	1012
2/26/2016 15:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	4.0	3.0	15.6	312	11	38	40	1012
2/26/2016 16:00	BDL	BDL	BDL	BDL	0.2	4.9	5.0	2.0	14.4	310	13	38	37	1013
2/26/2016 17:00	BDL	BDL	BDL	BDL	0.2	5.0	6.0	3.0	15.1	310	10	38	35	1013
2/26/2016 18:00	BDL	BDL	BDL	BDL	0.2	5.1	5.0	2.0	12.9	303	10	37	35	1014
2/26/2016 19:00	BDL	BDL	BDL	0.8	0.2	5.4	6.0	3.0	12.7	308	8	36	36	1015
2/26/2016 20:00	BDL	BDL	BDL	1.6	0.2	5.5	7.0	2.0	11.5	309	8	35	36	1016
2/26/2016 21:00	BDL	BDL	BDL	0.7	0.2	5.5	6.0	1.0	10.2	308	9	34	38	1017
2/26/2016 22:00	BDL	BDL	BDL	2.7	0.2	5.7	7.0	3.0	8.3	305	10	34	39	1017
2/26/2016 23:00	BDL	BDL	BDL	1.6	0.2	6.0	5.0	2.0	8.2	309	9	33	41	1018
2/27/2016 0:00	BDL	BDL	BDL	4.8	0.2	6.0	5.0	1.0	6.9	305	10	32	42	1018
2/27/2016 1:00	BDL	BDL	BDL	5.9	0.2	6.0	6.0	3.0	6.5	310	11	32	45	1018
2/27/2016 2:00	BDL	BDL	BDL	3.9	0.2	6.0	6.0	3.0	7.2	309	9	31	45	1018
2/27/2016 3:00	BDL	BDL	BDL	7.2	0.2	6.0	5.0	4.0	5.6	300	7	30	47	1018
2/27/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	8.0	5.0	3.4	262	16	29	55	1018
2/27/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	8.0	5.0	4.0	276	13	29	60	1019
2/27/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	5.0	8.0	4.5	285	11	28	60	1019
2/27/2016 7:00	0.4	BDL	BDL	12.2	0.3	6.2	5.0	7.0	3.9	268	12	27	63	1019
2/27/2016 8:00	0.5	BDL	BDL	13.6	0.3	6.4	6.0	7.0	5.2	274	13	28	56	1019
2/27/2016 9:00	0.5	BDL	BDL	3.7	0.2	6.4	8.0	6.0	6.9	296	14	30	50	1020
2/27/2016 10:00	0.4	BDL	BDL	1.6	0.2	6.4	10.0	4.0	7.0	312	18	32	49	1019
2/27/2016 11:00	0.4	BDL	BDL	BDL	0.2	6.3	7.0	4.0	7.2	311	14	33	47	1019
2/27/2016 12:00	BDL	BDL	BDL	BDL	0.2	6.2	4.0	3.0	6.2	300	21	36	41	1018
2/27/2016 13:00	BDL	BDL	BDL	BDL	0.2	5.9	6.0	5.0	6.7	253	25	39	39	1017
2/27/2016 14:00	0.4	BDL	BDL	0.7	0.2	5.7	11.0	7.0	8.7	248	22	41	38	1016
2/27/2016 15:00	0.7	BDL	BDL	0.9	0.2	5.6	9.0	8.0	7.9	255	22	42	36	1015
2/27/2016 16:00	1.0	BDL	BDL	1.4	0.2	5.5	11.0	9.0	8.5	262	19	42	37	1015
2/27/2016 17:00	0.4	BDL	BDL	BDL	0.2	5.4	13.0	8.0	8.5	264	20	42	39	1015
2/27/2016 18:00	BDL	BDL	BDL	0.6	0.2	5.5	11.0	9.0	8.2	268	16	42	43	1015
2/27/2016 19:00	BDL	BDL	BDL	5.2	0.3	5.5	13.0	9.0	4.4	252	14	41	48	1015
2/27/2016 20:00	0.9	BDL	BDL	14.4	0.3	5.9	14.0	10.0	5.5	226	13	40	52	1015
2/27/2016 21:00	1.1	BDL	BDL	10.3	0.3	6	15.0	13.0	7.5	221	13	39	56	1015
2/27/2016 22:00	1.6	BDL	BDL	18.3	0.3	6.1	14.0	9.0	6.6	219	12	38	58	1015
2/27/2016 23:00	1.0	BDL	BDL	13.1	0.3	5.9	12.0	10.0	7.0	224	13	38	61	1015

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 02/28/2016-03/05/2016														
2/28/2016 0:00	0.6	BDL	BDL	9.1	0.3	5.8	10.0	10.0	7.3	231	13	37	64	1015
2/28/2016 1:00	0.7	BDL	BDL	16.9	0.3	5.9	14.0	13.0	5.6	227	13	37	68	1015
2/28/2016 2:00	1.0	0.4	BDL	19.3	0.3	5.9	19.0	13.0	5.7	231	13	37	69	1015
2/28/2016 3:00	1.4	BDL	BDL	20.9	0.3	5.7	15.0	12.0	5.4	238	12	37	68	1014
2/28/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	13.0	14.0	5.4	219	12	36	71	1014
2/28/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	13.0	12.0	5.9	218	12	35	75	1014
2/28/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	16.0	12.0	5.9	222	12	36	75	1015
2/28/2016 7:00	0.6	BDL	BDL	19.2	0.3	5.6	12.0	15.0	5.2	212	13	35	77	1015
2/28/2016 8:00	1.0	BDL	BDL	17.8	0.3	5.9	14.0	10.0	6.6	219	13	36	73	1015
2/28/2016 9:00	1.7	0.4	BDL	20.8	0.4	5.6	14.0	10.0	9.8	233	12	40	62	1015
2/28/2016 10:00	1.9	BDL	BDL	17.4	0.3	5.7	14.0	14.0	8.7	231	13	45	53	1015
2/28/2016 11:00	2.0	BDL	BDL	16.0	0.3	5.5	10.0	9.0	8.4	238	14	49	43	1014
2/28/2016 12:00	1.5	BDL	BDL	8.7	0.3	5.3	12.0	5.0	10.1	238	14	54	37	1013
2/28/2016 13:00	0.9	BDL	BDL	3.2	0.2	5.0	10.0	6.0	12.3	226	15	58	35	1012
2/28/2016 14:00	0.9	BDL	BDL	5.0	0.2	4.8	11.0	5.0	15.7	225	13	60	32	1010
2/28/2016 15:00	0.9	BDL	BDL	4.8	0.2	4.6	11.0	7.0	15.0	225	13	61	30	1010
2/28/2016 16:00	1.0	BDL	BDL	3.6	0.3	4.5	7.0	6.0	13.6	227	13	62	28	1009
2/28/2016 17:00	0.7	BDL	BDL	1.9	0.2	4.3	9.0	2.0	12.4	211	12	61	30	1009
2/28/2016 18:00	BDL	BDL	BDL	1.3	0.2	4.0	6.0	1.0	11.3	201	10	58	34	1008
2/28/2016 19:00	0.5	BDL	BDL	3.4	0.2	3.9	8.0	4.0	7.9	200	10	55	41	1008
2/28/2016 20:00	1.2	0.5	BDL	10.6	0.3	3.9	12.0	6.0	7.4	195	11	53	50	1008
2/28/2016 21:00	1.2	0.7	BDL	8.8	0.3	3.9	10.0	7.0	5.9	212	13	52	54	1008
2/28/2016 22:00	0.6	0.4	BDL	2.4	0.3	3.7	11.0	10.0	6.1	199	11	51	56	1007
2/28/2016 23:00	0.9	0.6	0.4	6.7	0.3	3.6	13.0	9.0	5.3	205	12	50	59	1007
2/29/2016 0:00	0.5	0.6	0.4	2.0	0.3	3.6	14.0	6.0	6.1	210	13	49	59	1006
2/29/2016 1:00	0.5	0.7	0.4	2.5	0.3	3.4	10.0	8.0	7.0	204	12	49	61	1005
2/29/2016 2:00	BDL	0.7	0.4	7.1	0.3	3.2	12.0	8.0	7.5	202	10	48	60	1004
2/29/2016 3:00	0.7	0.9	BDL	30.7	0.3	2.9	23.0	10.0	4.4	191	12	48	61	1003
2/29/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	14.0	9.0	4.0	174	9	46	64	1002
2/29/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	17.0	10.0	3.7	182	10	46	66	1002
2/29/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	12.0	9.0	5.1	205	12	46	64	1001
2/29/2016 7:00	0.9	0.4	BDL	11.0	0.3	2.4	17.0	11.0	6.7	219	13	47	62	1001
2/29/2016 8:00	1.5	0.7	BDL	21.7	0.4	2.6	24.0	16.0	7.6	225	12	48	60	1001
2/29/2016 9:00	1.8	0.6	BDL	25.6	0.4	2.8	26.0	13.0	8.2	230	12	49	60	1002
2/29/2016 10:00	1.5	0.6	BDL	24.4	0.4	2.9	2.9	24.0	14	7.2	226	14	50	63
2/29/2016 11:00	1.9	0.7	BDL	29.3	0.4	2.9	2.9	22.0	16	6.8	232	13	50	68
2/29/2016 12:00	2.0	0.6	BDL	19.3	0.4	2.8	17.0	12.0	9.9	232	13	53	61	1003
2/29/2016 13:00	1.3	0.5	BDL	15.2	0.4	3.1	18.0	12.0	11.4	256	16	59	48	1002
2/29/2016 14:00	0.5	BDL	BDL	2.7	0.3	3.1	10.0	8.0	14.1	283	16	60	47	1003
2/29/2016 15:00	BDL	BDL	BDL	0.4	0.3	3.2	8.0	5.0	15.6	294	12	60	46	1004
2/29/2016 16:00	BDL	BDL	BDL	BDL	0.3	3.8	12.0	4.0	14.9	278	13	58	42	1006
2/29/2016 17:00	BDL	BDL	BDL	0.6	0.3	3.9	15.0	7.0	13.9	280	14	55	44	1007
2/29/2016 18:00	0.6	BDL	BDL	1.7	0.3	4.1	6.0	7.0	11.0	281	12	53	46	1009
2/29/2016 19:00	0.6	BDL	BDL	3.0	0.3	4.4	10.0	9.0	8.3	286	11	51	49	1010
2/29/2016 20:00	0.5	BDL	BDL	3.9	0.3	4.7	11.0	7.0	6.8	277	11	50	51	1012
2/29/2016 21:00	0.4	BDL	BDL	11.5	0.4	4.9	9.0	5.0	4.3	251	12	49	55	1012
2/29/2016 22:00	0.4	BDL	BDL	16.9	0.4	5.1	12.0	4.0	3.6	252	17	48	55	1012
2/29/2016 23:00	0.6	0.6	BDL	27.7	0.4	5.5	15.0	6.0	3.3	244	17	47	57	1013
3/1/2016 0:00	0.6	0.7	BDL	35.6	0.5	6.0	16.0	9.0	2.9	260	16	46	62	1014
3/1/2016 1:00	BDL	0.6	BDL	14.6	0.3	6.0	13.0	8.0	3.7	241	15	46	57	1014
3/1/2016 2:00	0.7	0.7	BDL	30.1	0.4	6.3	17.0	8.0	2.3	238	20	45	62	1015
3/1/2016 3:00	0.4	0.8	BDL	25.3	7.0	5.9	11.0	7.0	4.1	255	12	45	61	1015
3/1/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	10.0	9.0	3.6	252	13	45	58	1015
3/1/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	15.0	10.0	3.3	223	10	43	62	1016
3/1/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	17.0	11.0	1.9	233	12	41	71	1017
3/1/2016 7:00	1.2	1.7	0.4	90.3	0.6	7.3	18.0	11.0	1.2	198	28	40	79	1017
3/1/2016 8:00	4.1	2.6	0.7	150.1	0.7	7.2	26.0	18.0	2.0	181	57	42	64	1018
3/1/2016 9:00	1.8	1.5	BDL	57.4	0.5	6.3	30.0	14.0	8.3	58	11	45	57	1018
3/1/2016 10:00	1.0	0.4	BDL	23.7	0.4	6.2	25.0	12.0	6.9	64	16	47	53	1019
3/1/2016 11:00	1.2	0.5	BDL	25.2	0.3	6.3	24.0	8.0	5.3	87	19	50	47	1018
3/1/2016 12:00	1.0	BDL	BDL	15.5	0.3	6.1	17.0	7.0	5.5	93	23	53	42	1017
3/1/2016 13:00	1.0	BDL	BDL	17.3	0.3	6.0	13.0	5.0	5.1	157	30	58	37	1016
3/1/2016 14:00	0.7	0.5	BDL	5.1	0.3	5.2	37.0	4.0	11.1	183	15	61	35	1014
3/1/2016 15:00	0.4	BDL	BDL	3.1	0.3	4.8	17.0	6.0	11.4	170	15	60	33	1013
3/1/2016 16:00	0.5	BDL	BDL	9.5	0.3	4.6	20.0	4.0	10.8	136	17	58	37	1012
3/1/2016 17:00	0.7	BDL	BDL	26.5	0.3	4.2	11.0	4.0	9.7	142	14	56	41	1011
3/1/2016 18:00	0.4	BDL	BDL	8.3	0.3	4.0	10.0	4.0	7.7	132	16	54	47	1011
3/1/2016 19:00	0.4	BDL	BDL	6.7	0.3	3.7	9.0	3.0	6.6	113	16	52	53	1009
3/1/2016 20:00	BDL	BDL	BDL	5.6	0.3	3.5	15.0	8.0	6.3	85	14	50	65	1008
3/1/2016 21:00	BDL	BDL	BDL	5.8	0.3	3.1	15.0	9.0	5.5	89	18	50	77	1006
3/1/2016 22:00	BDL	0.4	BDL	4.5	0.3	3.0	20.0	9.0	3.9	118	22	52	82	1004
3/1/2016 23:00	BDL	0.4	BDL	5.5	0.3	2.3	17.0	12.0	3.0	126	22	52	83	1002
3/2/2016 0:00	0.5	0.8	BDL	35.0	0.4	1.5	37.0	19.0	12.3	176	13	57	71	1000
3/2/2016 1:00	0.5	0.5	BDL	1.8	0.2	1.2	30.0	16.0	14.2	183	12	59	69	998
3/2/2016 2:00	0.4	0.5	BDL	0.4	0.2	1.0	25.0	20.0	10.5	195	11	58	77	998
3/2/2016 3:00	0.4	0.7	0.4	2.5	0.2	1.0	27.0	23.0	9.5	211	12	56	85	997
3/2/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	19.0	20.0	11.7	241	15	56	89	997
3/2/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	12.0	13.0	8.4	247	16	53	89	998
3/2/2016 6:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	10.0	6.0	7.8	233	12	51	83	999
3/2/2016 7:00	0.4	BDL	BDL	3.4	0.3	1.7	6.0	3.0	15.7	291	12	49	64	1000
3/2/2016 8:00	BDL	BDL	BDL	1.9	0.3	2.2	9.0	4.0	14.9	294	12	45	57	1002
3/2/2016 9:00	0.5	BDL	BDL	1.9	0.3	2.5	7.0	6.0	16.8	294	11	43	55	1004
3/2/2016 10:00	BDL	BDL	BDL	1.4	0.2	2.9	7.0	8.0	15.3	301	12	39	50	1006
3/2/2016 11:00	BDL	BDL	BDL	1.2	0.2	3.1	8.0	5.0	17.4	315	12	39	45	1007
3/2/2016 12:00	BDL	BDL	BDL	BDL	0.2	3.2	4.0	3.0	19.6	314	11	39	43	1007
3/2/2016 13:00	BDL	BDL	BDL	0.4	0.2	3.1	4.0	2.0	19.3	311	10	39	41	1007
3/2/2016 14:00	BDL	BDL	BDL	BDL	0.2	3.1	4.0	2.0	16.5	303	12	40	39	1007
3/2/2016 15:00	BDL	BDL	BDL	BDL	0.2	3.4	4.0	3.0	16.4	310	13	41	38	1008
3/2/2016 16:00	BDL	BDL	BDL	BDL	0.2	3.6	7.0	3.0	15.4	310	14	41	38	1009
3/2/2016 17:00	BDL	BDL	BDL	BDL	0.2	3.6	10.0	3.0	15.7	305	10	39	40	1010
3/2/2016 18:00	BDL	BDL	BDL	BDL	0.2	3.9	8.0	4.0	15.0	307	9	38	42	1012
3/2/2016 19:00	BDL	BDL	BDL	1.6	0.2	4.2	11.0	6.0	13.1	310	10	36	45	1013
3/2/2016 20:00	BDL	BDL	BDL	2.1	0.2	4.4	9.0	5.0	13.1	306	10	35	45	1014
3/2/2016 21:00	BDL	BDL	BDL	BDL	0.2	4.7	5.0	4.0	13.6	305	10	34	44	1016
3/2/2016 22:00	BDL	BDL	BDL	2.1	0.2	4.9	5.0	3.0	13.4	308	9	33	47	1017
3/2/2016 23:00	BDL	BDL	BDL	1.3	0.2	5.1	6.0	3.0	10.6	304	9	32	48	1018

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 02/28/2016-03/05/2016														
3/3/2016 0:00	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	5.0	3.0	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issu
3/3/2016 1:00	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	5.0	2.0	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issu
3/3/2016 2:00	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	3.0	3.0	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issu
3/3/2016 3:00	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	5.0	5.0	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issu
3/3/2016 4:00	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	4.0	5.0	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issu
3/3/2016 5:00	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	5.0	5.0	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issu
3/3/2016 6:00	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	7.0	4.0	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issu
3/3/2016 7:00	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	6.0	8.0	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issu
3/3/2016 8:00	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	8.0	6.0	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issu
3/3/2016 9:00	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	11.0	5.0	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issu
3/3/2016 10:00	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	15.0	7.0	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issu
3/3/2016 11:00	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	12.0	6.0	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issu
3/3/2016 12:00	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	12.0	6.0	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issu
3/3/2016 13:00	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	9.0	6.0	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issu
3/3/2016 14:00	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	14.0	8.0	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issu
3/3/2016 15:00	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	12.0	10.0	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issu
3/3/2016 16:00	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	10.0	10.0	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issu
3/3/2016 17:00	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	17.0	10.0	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issu
3/3/2016 18:00	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	13.0	9.0	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issu
3/3/2016 19:00	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	17.0	9.0	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issu
3/3/2016 20:00	0.7	0.9	BDL	36.2	0.3	8.0	17.0	9.0	5.7	199	13	36	44	1021
3/3/2016 21:00	BDL	BDL	BDL	5.4	0.2	6.7	12.0	10.0	5.6	209	13	36	46	1021
3/3/2016 22:00	0.6	BDL	BDL	15.3	0.3	6.3	17.0	11.0	6.7	205	16	36	53	1021
3/3/2016 23:00	0.4	0.5	BDL	29.1	0.3	6.0	21.0	16.0	4.8	189	16	33	72	1020
3/4/2016 0:00	BDL	0.5	0.4	17.5	0.3	6.0	18.0	13.0	3.7	166	17	31	95	1019
3/4/2016 1:00	BDL	BDL	BDL	8.3	0.3	5.6	15.0	11.0	3.5	126	16	30	95	1019
3/4/2016 2:00	BDL	BDL	BDL	14.8	0.3	6.4	16.0	15.0	3.7	152	13	30	96	1019
3/4/2016 3:00	BDL	BDL	BDL	9	0.3	5.6	13.0	13.0	3.8	97	16	30	96	1018
3/4/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	13.0	15.0	6.2	68	12	30	96	1017
3/4/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	12.0	9.0	7.4	60	10	30	95	1017
3/4/2016 6:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	11.0	13.0	8.0	59	10	30	98	1017
3/4/2016 7:00	BDL	0.4	0.4	15.8	0.3	5.4	17.0	14.0	6.5	54	12	30	99	1017
3/4/2016 8:00	BDL	0.6	0.4	24.1	0.4	5.3	17.0	14.0	7.0	42	12	30	100	1017
3/4/2016 9:00	BDL	0.6	0.4	27.0	0.4	5.2	19.0	13.0	8.2	40	14	31	100	1017
3/4/2016 10:00	BDL	0.7	0.4	29.5	0.4	5.1	19.0	13.0	9.3	39	14	32	98	1016
3/4/2016 11:00	0.4	0.5	BDL	27.0	0.4	5.0	17.0	12.0	9.5	40	15	32	93	1016
3/4/2016 12:00	0.4	0.5	BDL	22.4	0.4	5.0	16.0	13.0	11.2	42	14	33	82	1016
3/4/2016 13:00	0.5	0.5	0.4	26.0	0.4	4.8	13.0	13.0	8.6	26	18	34	80	1015
3/4/2016 14:00	0.6	0.6	0.4	28.8	0.4	4.6	20.0	15.0	8.3	24	20	35	77	1014
3/4/2016 15:00	0.4	0.5	0.4	15.9	0.3	4.6	15.0	13.0	8.6	32	19	36	69	1014
3/4/2016 16:00	0.8	0.4	0.4	15.7	0.3	4.6	15.0	9.0	7.8	8	20	38	67	1014
3/4/2016 17:00	0.8	BDL	BDL	13.3	0.3	4.6	15.0	12.0	6.6	2	22	39	65	1014
3/4/2016 18:00	0.8	BDL	BDL	8.0	0.3	4.7	20.0	17.0	8.9	352	17	39	58	1014
3/4/2016 19:00	0.8	BDL	BDL	9.7	0.3	4.8	15.0	14.0	7.0	4	20	38	60	1015
3/4/2016 20:00	0.8	BDL	BDL	11.8	0.3	4.8	22.0	15.0	7.6	341	15	37	59	1015
3/4/2016 21:00	0.4	BDL	BDL	12.1	0.3	5.1	21.0	10.0	7.8	326	9	37	60	1016
3/4/2016 22:00	0.4	BDL	BDL	11.4	0.3	5.3	17.0	12.0	9.1	320	9	36	63	1017
3/4/2016 23:00	0.4	BDL	BDL	9.4	0.3	5.3	16.0	17.0	9.6	326	10	35	62	1017
3/5/2016 0:00	BDL	BDL	BDL	9.4	0.3	5.4	17.0	11.0	8.4	322	9	34	62	1018
3/5/2016 1:00	BDL	BDL	BDL	13.0	0.3	5.5	14.0	14.0	7.7	327	11	34	64	1018
3/5/2016 2:00	BDL	BDL	BDL	10.9	0.3	5.6	15.0	11.0	8.0	326	10	33	66	1019
3/5/2016 3:00	BDL	BDL	BDL	9.9	0.3	5.5	13.0	12.0	8.7	322	10	32	67	1019
3/5/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	18.0	11.0	8.9	320	9	31	67	1019
3/5/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	16.0	11.0	8.0	326	10	31	67	1019
3/5/2016 6:00	Too few samples	Calibration	Calibration	Too few samples	Calibration	Calibration	15.0	8.0	8.3	319	8	30	68	1020
3/5/2016 7:00	BDL	BDL	BDL	16.5	0.3	5.8	17.0	8.0	7.7	332	10	30	66	1020
3/5/2016 8:00	0.4	BDL	BDL	18.5	0.3	6.0	14.0	10.0	7.8	331	13	30	62	1021
3/5/2016 9:00	BDL	BDL	BDL	9.9	0.3	6.3	11.0	8.0	8.3	320	14	32	55	1021
3/5/2016 10:00	BDL	BDL	BDL	7.9	0.3	6.3	7.0	7.0	5.7	323	20	34	47	1021
3/5/2016 11:00	BDL	BDL	BDL	4.4	0.2	6.0	10.0	6.0	4.7	329	30	36	43	1021
3/5/2016 12:00	BDL	BDL	BDL	4.4	0.3	5.2	9.0	8.0	3.3	260	38	37	39	1021
3/5/2016 13:00	BDL	BDL	BDL	3.4	0.2	5.9	10.0	7.0	3.8	294	40	38	39	1020
3/5/2016 14:00	BDL	BDL	BDL	5.3	0.2	5.7	10.0	5.0	3.7	191	59	38	41	1019
3/5/2016 15:00	BDL	BDL	BDL	1.4	0.2	5.7	14.0	4.0	4.4	226	38	40	38	1019
3/5/2016 16:00	BDL	BDL	BDL	5.8	0.3	5.7	12.0	6.0	4.9	195	23	40	41	1019
3/5/2016 17:00	0.9	BDL	BDL	5.5	0.3	5.7	16.0	5.0	4.9	213	30	41	41	1018
3/5/2016 18:00	1.0	BDL	BDL	6.3	0.3	5.8	12.0	11.0	5.2	222	18	40	46	1019
3/5/2016 19:00	0.6	BDL	0.4	7.9	0.3	5.8	17.0	12.0	5.1	213	13	39	53	1019
3/5/2016 20:00	0.6	BDL	BDL	14.0	0.3	6.0	23.0	20.0	3.1	243	13	39	56	1019
3/5/2016 21:00	0.6	BDL	BDL	12.7	0.4	6.1	27.0	22.0	2.1	252	14	37	59	1020
3/5/2016 22:00	0.5	BDL	BDL	20.0	0.4	6.4	34.0	23.0	2.4	218	11	36	66	1020
3/5/2016 23:00	0.9	0.5	0.4	32.7	0.4	5.9	32.0	23.0	2.7	201	13	35	70	1020

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 3/6/2016-3/12/2016														
3/06/16 0:00	0.7	0.7	0.4	31.9	0.4	6.6	27.0	22.0	2.7	221	14	36	71	1021
3/06/16 1:00	0.4	0.5	0.4	21.5	0.4	6.2	25.0	17.0	3.3	191	13	35	71	1021
3/06/16 2:00	BDL	0.7	0.6	23.2	0.3	6.1	20.0	23.0	2.4	158	18	35	75	1021
3/06/16 3:00	BDL	0.6	0.4	16.0	0.3	6.4	20.0	17.0	2.4	207	15	35	77	1021
3/06/16 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	21.0	18.0	2.6	282	14	35	78	1021
3/06/16 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	24.0	22.0	2.6	289	11	36	74	1021
3/06/16 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	28.0	27.0	1.6	327	44	36	65	1021
3/06/16 7:00	0.9	0.6	0.5	25.5	0.5	6.9	33.0	26.0	1.9	53	39	36	63	1022
3/06/16 8:00	0.8	0.6	BDL	32.4	0.5	6.9	30.0	23.0	4.9	52	10	35	63	1023
3/06/16 9:00	0.4	0.4	BDL	21.0	0.4	7.0	22.0	14.0	5.9	58	11	35	64	1023
3/06/16 10:00	0.5	BDL	BDL	21.3	0.4	7.1	22.0	14.0	6.7	60	12	35	64	1024
3/06/16 11:00	0.5	BDL	BDL	19.1	0.4	7.2	24.0	14.0	6.2	62	15	36	56	1024
3/06/16 12:00	0.6	BDL	BDL	14.4	0.4	7.1	17.0	15.0	4.8	74	19	37	51	1024
3/06/16 13:00	0.6	BDL	BDL	10.7	0.3	7.2	22.0	17.0	3.5	95	52	39	50	1024
3/06/16 14:00	1.3	BDL	BDL	12.0	0.3	7.0	22.0	16.0	2.6	307	66	42	44	1023
3/06/16 15:00	0.9	BDL	BDL	6.7	0.3	6.9	17.0	12.0	4.7	275	33	44	45	1023
3/06/16 16:00	0.6	BDL	BDL	5.1	0.3	6.8	15.0	14.0	5.6	317	23	44	47	1023
3/06/16 17:00	0.6	BDL	BDL	2.7	0.3	6.8	15.0	13.0	5.0	308	37	44	45	1022
3/06/16 18:00	0.5	BDL	BDL	6.0	0.3	7.2	21.0	14.0	3.3	321	50	43	47	1023
3/06/16 19:00	0.4	BDL	BDL	5.8	0.3	7.3	20.0	12.0	1.4	261	23	42	54	1023
3/06/16 20:00	0.6	BDL	BDL	18.6	0.4	7.1	22.0	18.0	2.5	177	11	41	62	1023
3/06/16 21:00	0.4	BDL	BDL	22.3	0.4	7.2	30.0	22.0	1.5	166	24	40	69	1024
3/06/16 22:00	0.4	0.4	BDL	32.2	0.5	7.2	34.0	30.0	2.6	181	20	38	72	1024
3/06/16 23:00	0.6	0.9	0.7	38.9	0.5	7.5	34.0	31.0	2.3	151	21	37	72	1024
3/07/16 0:00	0.5	0.6	BDL	39.6	0.5	7.7	31.0	36.0	2.5	156	15	36	74	1024
3/07/16 1:00	0.4	0.5	BDL	28.6	0.5	9.1	33.0	24.0	2.7	208	16	35	76	1024
3/07/16 2:00	0.5	0.7	0.4	30.2	0.5	7.8	35.0	28.0	2.1	204	15	35	78	1024
3/07/16 3:00	0.4	0.7	0.5	29.0	0.4	7.3	34.0	25.0	3.0	213	16	34	81	1023
3/07/16 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	35.0	30.0	3.9	200	12	34	86	1023
3/07/16 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	35.0	30.0	4.4	223	13	34	88	1023
3/07/16 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	31.0	29.0	5.6	218	13	34	88	1023
3/07/16 7:00	0.4	1.9	2.0	22.2	0.4	6.9	34.0	30.0	4.9	197	11	34	90	1023
3/07/16 8:00	0.6	2.2	2.1	28	0.4	6.5	40.0	29.0	5.4	204	13	35	86	1023
3/07/16 9:00	1.4	1.6	1.4	29.4	0.4	7.1	38.0	30.0	8.0	222	14	39	79	1023
3/07/16 10:00	1.1	0.7	0.6	11.5	0.3	7.2	32.0	19.0	10.4	220	14	43	71	1022
3/07/16 11:00	1.3	BDL	BDL	15.5	0.3	6.9	29.0	21.0	11.4	219	14	48	63	1022
3/07/16 12:00	0.9	BDL	BDL	7.0	0.3	6.7	34.0	16.0	13.6	223	14	52	58	1021
3/07/16 13:00	0.6	BDL	BDL	7.9	0.3	6.3	22.0	13.0	13.0	219	13	54	54	1019
3/07/16 14:00	0.6	BDL	BDL	8.3	0.3	5.9	26.0	15.0	12.3	220	15	57	49	1017
3/07/16 15:00	0.9	BDL	BDL	9.4	0.3	5.7	19.0	13.0	12.6	230	15	59	43	1016
3/07/16 16:00	1.4	BDL	BDL	8.0	0.3	5.6	29.0	15.0	13.1	226	15	59	44	1015
3/07/16 17:00	1.4	BDL	BDL	10.2	0.4	5.4	18.0	13.0	11.8	236	14	59	45	1015
3/07/16 18:00	2.1	BDL	BDL	16.6	0.4	5.8	21.0	16.0	7.4	229	13	58	48	1015
3/07/16 19:00	3.4	0.5	BDL	31.8	0.4	6.7	22.0	15.0	5.7	218	14	57	52	1016
3/07/16 20:00	1.5	0.6	0.4	17.3	0.4	5.7	16.0	11.0	5.9	203	9	54	58	1016
3/07/16 21:00	0.6	0.4	0.4	10.5	0.4	5.5	18.0	10.0	4.9	202	10	52	62	1016
3/07/16 22:00	1.1	0.6	0.6	19.7	0.4	5.5	19.0	13.0	4.7	204	8	51	66	1017
3/07/16 23:00	1.2	0.7	0.6	22.7	0.5	7.6	19.0	16.0	4.2	214	9	50	68	1017
3/08/16 0:00	1.1	0.7	0.5	28.8	0.5	7.0	19.0	16.0	3.1	223	12	49	68	1017
3/08/16 1:00	1.0	0.7	0.6	32.9	0.5	6.3	18.0	15.0	4.1	237	10	49	70	1017
3/08/16 2:00	0.9	0.9	0.7	30.6	0.5	6.5	23.0	14.0	3.5	240	12	48	71	1017
3/08/16 3:00	1.0	0.9	0.5	35.8	0.4	7.5	21.0	16.0	2.5	228	18	48	72	1017
3/08/16 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	23.0	15.0	3.4	235	10	48	71	1017
3/08/16 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	24.0	15.0	4.2	237	10	49	70	1017
3/08/16 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	27.0	14.0	2.3	221	14	48	70	1018
3/08/16 7:00	3.1	2.4	0.8	113.4	0.7	10.0	30.0	21.0	2.3	222	22	48	72	1018
3/08/16 8:00	2.8	2.4	0.9	108.8	0.8	11.2	63.0	22.0	2.0	233	16	50	65	1019
3/08/16 9:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	43.0	25.0	3.6	214	13	54	55	1019
3/08/16 10:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	35.0	22.0	2.3	208	18	60	40	1019
3/08/16 11:00	3.9	1.4	0.5	61.6	0.5	7.1	34.0	16.0	2.5	175	25	64	34	1019
3/08/16 12:00	3.3	1.2	0.5	51.1	0.5	6.4	27.0	11.0	3.0	132	31	66	33	1019
3/08/16 13:00	2.0	0.8	0.5	29.2	0.3	4.4	25.0	10.0	3.7	133	21	68	31	1017
3/08/16 14:00	1.4	0.4	BDL	9.2	0.3	3.4	21.0	9.0	5.5	237	28	71	27	1017
3/08/16 15:00	1.3	BDL	BDL	9.5	0.3	4.5	25.0	7.0	6.0	212	23	72	25	1016
3/08/16 16:00	1.2	BDL	0.4	10.1	0.3	4.9	25.0	6.0	8.3	228	14	72	24	1016
3/08/16 17:00	2.2	0.6	0.5	14.8	0.3	4.2	17.0	10.0	6.3	218	14	71	25	1016
3/08/16 18:00	1.3	0.5	0.4	18.9	0.3	3.0	38.0	14.0	5.9	198	10	68	31	1016
3/08/16 19:00	1.0	1.0	1.2	21.2	0.3	3.1	27.0	12.0	4.1	197	9	65	35	1017
3/08/16 20:00	0.8	1.1	0.9	16.0	0.3	3.8	20.0	9.0	4.1	202	10	63	40	1017
3/08/16 21:00	0.5	1.1	1.3	12.5	0.3	7.6	19.0	13.0	3.1	216	11	60	45	1017
3/08/16 22:00	1.8	1.4	1.3	19.2	0.4	6.8	14.0	11.0	3.3	210	12	58	46	1018
3/08/16 23:00	2.3	1.5	1.3	36.7	0.4	6.4	19.0	10.0	2.2	186	10	56	50	1018
3/09/16 0:00	1.5	1.2	1.0	33.2	0.4	6.2	17.0	15.0	2.5	166	10	55	52	1018
3/09/16 1:00	0.9	1.0	0.8	21.6	0.4	6.2	13.0	11.0	1.4	180	10	53	54	1018
3/09/16 2:00	0.8	0.9 BDL	0.7	28.7	0.4	6.7	21.0	14.0	1.1	168	26	51	62	1018
3/09/16 3:00	0.6	1.2	0.8	42.7	0.4	7.2	22.0	18.0	1.7	207	22	49	68	1017
3/09/16 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	22.0	17.0	0.9	249	23	48	74	1017
3/09/16 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	26.0	21.0	0.9	293	14	47	80	1018
3/09/16 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	29.0	20.0	1.3	153	33	46	79	1018
3/09/16 7:00	1.8	3.0	1.0	135.7	0.7	11.3	53.0	26.0	1.0	246	22	46	81	1019
3/09/16 8:00	3.1	4.6	1.4	205.8	0.8	10.3	84.0	32.0	1.5	190	22	49	68	1019
3/09/16 9:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	39.0	23.0	2.8	193	14	54	55	1019
3/09/16 10:00	4.4	1.8	1.0	50.6	0.5	7.0	34.0	13.0	5.7	226	13	60	45	1019
3/09/16 11:00	5.1	1.5	0.9	51.9	0.5	6.3	35.0	14.0	5.4	226	18	64	40	1018
3/09/16 12:00	3.0	1.6	1.1	41.0	0.4	5.3	37.0	13.0	5.8	221	18	69	35	1017
3/09/16 13:00	2.2	1.2	0.9	32.8	0.4	5.8	30.0	11.0	7.4	212	13	74	31	1016
3/09/16 14:00	2.0	0.7	0.6	33.3	0.3	6.3	39.0	12.0	7.8	210	15	77	29	1015
3/09/16 15:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	40.0	14.0	7.7	214	16	79	26	1014
3/09/16 16:00	1.3	0.7	0.4	4.6	0.3	5.9	34.0	10.0	9.8	211	12	79	25	1014
3/09/16 17:00	1.6	BDL	0.4	6.5	0.3	5.6	31.0	11.0	9.7	206	11	77	28	1014
3/09/16 18:00	1.5	0.5	0.6	7.4	0.3	4.7	24.0	12.0	9.0	207	11	73	31	1014
3/09/16 19:00	1.2	0.6	0.6	23.0	0.4	3.3	25.0	14.0	5.4	204	8	69	38	1015
3/09/16 20:00	1.0	1.2	1.0	32.5	0.4	2.9	33.0	17.0	3.3	200	10	65	53	1015
3/09/16 21:00	0.8	0.9	0.8	23.6	0.4	3.1	24.0	17.0	3.7	200	9	63	56	1015
3/09/16 22:00	1.1	1.0	0.9	34.1	0.4	4.4	19.0	10.0	2.2	212	16	62	58	1015
3/09/16 23:00	0.9	1.6	1.5	30.6	0.3	5.9	26.0	21.0	2.3	214	15	62	62	1015

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 3/6/2016-3/12/2016														
3/10/16 0:00	1.6	1.4	1.3	27.8	0.3	6.5	27.0	19.0	4.5	225	12	62	63	1015
3/10/16 1:00	0.8	1.0	1.0	17.4	0.22	6.1	27.0	17.0	4.8	210	10	61	66	1015
3/10/16 2:00	1.0	0.8	0.8	17.6	0.19	6.8	24.0	15.0	4.7	220	11	60	67	1015
3/10/16 3:00	0.5	0.6	0.6	15.7	0.23	5.8	25.0	14.0	5.4	218	11	60	69	1014
3/10/16 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	20.0	17.0	4.8	227	13	60	70	1014
3/10/16 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	26.0	13.0	5.5	223	12	59	71	1015
3/10/16 6:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	33.0	16.0	5.7	223	11	58	72	1015
3/10/16 7:00	1.5	0.8	0.5	40.2	0.4	6.4	40.0	22.0	4.5	223	13	58	73	1015
3/10/16 8:00	2.2	0.9	0.5	49.5	0.32	6.2	41.0	17.0	4.9	225	14	60	68	1015
3/10/16 9:00	3.6	1.1	0.5	45.0	0.35	2.9	37.0	17.0	7.3	224	14	62	63	1015
3/10/16 10:00	3.5	0.7	0.6	21.4	0.25	3.7	33.0	14.0	9.6	224	15	66	58	1015
3/10/16 11:00	3.5	0.5	0.4	23.1	0.21	4.7	40.0	16.0	8.4	225	16	70	51	1015
3/10/16 12:00	2.2	BDL	BDL	16.8	0.16	5.9	38.0	16.0	9.2	218	14	74	44	1014
3/10/16 13:00	1.6	BDL	0.4	10.4	0.16	5.7	36.0	15.0	9.5	222	14	77	39	1013
3/10/16 14:00	1.3	0.4	0.4	5.8	0.15	5.4	37.0	13.0	8.5	242	23	80	35	1012
3/10/16 15:00	1.3	BDL	0.5	8.5	0.16	5.3	50.0	13.0	9.9	211	13	79	37	1011
3/10/16 16:00	1.5	0.4	0.4	8.6	0.18	5.4	38.0	17.0	10	216	13	79	37	1010
3/10/16 17:00	1.5	BDL	BDL	8.9	0.17	4.8	55.0	21.0	10.2	204	10	76	44	1010
3/10/16 18:00	1.9	BDL	0.4	10.1	0.19	5.3	37.0	18.0	8.6	212	12	75	46	1010
3/10/16 19:00	2.5	0.5	0.6	18.0	0.23	4.4	37.0	19.0	7.8	210	12	72	54	1010
3/10/16 20:00	2.9	0.9	0.9	31.0	0.3	3.2	34.0	18.0	5.7	214	13	70	59	1010
3/10/16 21:00	1.8	0.8	0.8	22.0	0.2	2.6	31.0	15.0	5.7	228	13	69	62	1011
3/10/16 22:00	2.3	0.7	0.6	25.3	0.2	3.0	27.0	17.0	5.1	234	15	68	64	1011
3/10/16 23:00	1.9	0.7	0.6	29.7	0.3	3.0	31.0	17.0	3.3	218	12	67	66	1010
3/11/16 0:00	2.3	1.0	0.7	63.3	0.3	2.9	29.0	15.0	3.8	196	9	64	71	1010
3/11/16 1:00	1.1	1.0	0.6	36.7	0.2	2.5	28.0	17.0	2.8	262	29	65	71	1010
3/11/16 2:00	0.8	BDL	0.8	37.3	0.2	3.9	29.0	19.0	2.6	213	10	63	74	1010
3/11/16 3:00	1.0	1.3	0.8	65.4	0.3	4.9	37.0	21.0	1.8	205	15	61	78	1010
3/11/16 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	29.0	18.0	6.6	316	27	63	77	1011
3/11/16 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	20.0	7.0	9.5	5	17	61	71	1012
3/11/16 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	13.0	6.0	9.5	355	17	60	72	1014
3/11/16 7:00	BDL	BDL	BDL	8.4	0.1	3.3	17.0	3.0	4.0	31	29	58	77	1015
3/11/16 8:00	BDL	0.4	BDL	12.8	0.2	3.8	8.0	1.0	3.8	290	25	58	79	1016
3/11/16 9:00	Too few samples	Too few samples	Too few samples	Too few samples	0.1	17.9	8.0	4.0	3.9	294	15	60	70	1017
3/11/16 10:00	BDL	BDL	0.4	7.7	0.2	3.5	20.0	5.0	8.6	327	14	63	64	1017
3/11/16 11:00	BDL	BDL	0.4	10.5	0.2	3.5	41.0	9.0	10.4	339	14	63	62	1018
3/11/16 12:00	BDL	BDL	BDL	8.3	0.3	4.4	25.0	8.0	10.3	334	15	63	53	1018
3/11/16 13:00	BDL	BDL	BDL	7.0	0.3	5.7	18.0	6.0	10.2	326	14	64	45	1018
3/11/16 14:00	BDL	BDL	BDL	5.2	0.3	6.2	24.0	4.0	9.9	324	15	66	36	1018
3/11/16 15:00	0.6	BDL	BDL	5.9	0.3	5.8	26.0	6.0	8.4	348	21	66	31	1019
3/11/16 16:00	0.6	BDL	0.4	6.9	0.3	4.6	23.0	8.0	8.4	359	25	66	30	1019
3/11/16 17:00	0.5	BDL	BDL	8.4	0.3	4.4	16.0	6.0	9.8	339	14	65	29	1021
3/11/16 18:00	0.4	BDL	BDL	4.5	0.3	4.5	16.0	6.0	8.1	341	18	64	34	1021
3/11/16 19:00	0.4	BDL	BDL	5.8	0.3	4.8	18.0	6.0	8.3	348	17	62	32	1022
3/11/16 20:00	BDL	BDL	BDL	8.1	0.3	5.7	8.0	5.0	7.8	8	18	60	35	1023
3/11/16 21:00	0.6	BDL	BDL	8.2	0.3	6.1	14.0	4.0	6.9	13	18	58	40	1024
3/11/16 22:00	0.5	BDL	BDL	9.7	0.3	6.3	8.0	3.0	6.6	11	18	56	42	1024
3/11/16 23:00	0.4	BDL	BDL	8.5	0.3	6.8	7.0	2.0	5.2	28	20	54	40	1025
3/12/16 0:00	BDL	BDL	BDL	6.2	0.3	7.3	11.0	2.0	6.3	49	13	52	38	1025
3/12/16 1:00	BDL	BDL	BDL	7.3	0.3	7.7	12.0	3.0	5.2	4	19	51	40	1026
3/12/16 2:00	BDL	BDL	BDL	12.0	0.3	8.2	8.0	5.0	3.8	329	33	49	45	1026
3/12/16 3:00	BDL	BDL	BDL	4.8	0.2	8.4	6.0	4.0	5.6	45	11	49	40	1026
3/12/16 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	9.0	3.0	6.7	53	11	47	43	1025
3/12/16 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	7.0	6.0	4.7	54	13	46	47	1025
3/12/16 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	82.0	5.0	4.3	62	12	44	52	1025
3/12/16 7:00	BDL	BDL	BDL	17.9	0.3	9.1	25.0	7.0	4.0	55	13	44	54	1025
3/12/16 8:00	Too few samples	Too few samples	Too few samples	Too few samples	0.3	9.0	17.0	7.0	4.5	65	13	45	53	1025
3/12/16 9:00	0.4	BDL	BDL	13.1	0.3	7.5	13.0	6.0	4.1	89	17	46	53	1025
3/12/16 10:00	BDL	BDL	BDL	12.1	0.3	7.9	10.0	4.0	3.0	131	30	49	48	1024
3/12/16 11:00	BDL	BDL	BDL	5.9	0.3	5.9	10.0	1.0	3.4	183	28	53	43	1023
3/12/16 12:00	0.8	BDL	BDL	5.1	0.3	5.8	11.0	1.0	5.4	208	24	58	39	1023
3/12/16 13:00	1.0	BDL	BDL	5.9	0.3	5.2	10.0	3.0	7.7	224	16	59	42	1022
3/12/16 14:00	0.7	BDL	BDL	5.7	0.3	4.9	8.0	4.0	7.5	223	15	59	45	1021
3/12/16 15:00	0.6	0.4	0.5	7.6	0.3	4.8	11.0	5.0	8.2	201	11	57	48	1019
3/12/16 16:00	BDL	BDL	0.5	4.3	0.3	4.6	14.0	6.0	7.0	203	17	56	46	1018
3/12/16 17:00	BDL	0.5	0.7	8.0	0.3	4.8	10.0	4.0	4.2	250	18	56	48	1018
3/12/16 18:00	1.9	0.6	0.8	10.3	0.3	5.0	10.0	5.0	5.3	249	16	55	53	1018
3/12/16 19:00	3.4	0.9	1.0	22.6	0.4	5.3	15.0	6.0	5.5	232	13	54	58	1017
3/12/16 20:00	3.6	1.2	1.1	27.2	0.4	5.4	14.0	6.0	4.4	237	16	52	62	1017
3/12/16 21:00	1.0	0.9	0.9	13.5	0.4	5.4	12.0	8.0	4.4	240	18	52	64	1017
3/12/16 22:00	1.2	1.2	1.1	15.0	0.4	5.5	15.0	7.0	4.0	237	15	52	66	1016
3/12/16 23:00	1.0	1.5	1.4	27.9	0.4	5.6	12.0	8.0	3.4	209	14	50	70	1016

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 3/13/2016-3/19/2016 . Daylight Savings Time on 3/13/16. All timestamps are Eastern Standard Time.														
3/13/16 0:00	1.3	1.7	1.5											
3/13/16 1:00	0.6	1.5	1.5	38.3	0.5	6.2	19.0	13.0	3.0	220	14	50	73	1015
3/13/16 2:00	0.5	2.1	2.0	20.8	0.5	6.2	18.0	10.0	2.4	286	15	50	74	1015
3/13/16 3:00	0.6	2.3	2.1	27.2	0.5	5.9	18.0	8.0	2.0	226	24	50	75	1015
3/13/16 4:00	Calibration	Calibration	Calibration	34.7	0.5	6.5	16.0	11.0	2.5	211	16	50	77	1014
3/13/16 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	20.0	10.0	1.9	262	18	50	76	1014
3/13/16 6:00	Too few samples	Too few samples	Too few samples	Calibration	Calibration	Calibration	17.0	13.0	2.6	243	17	50	78	1014
3/13/16 7:00	0.7	1.5	1.2	Too few samples	Calibration	Calibration	21.0	17.0	1.3	303	56	51	77	1013
3/13/16 8:00	1.7	2.2	1.5	34.7	0.5	9.1	26.0	14.0	1.8	223	29	51	78	1014
3/13/16 9:00	2.4	2.4	1.9	57.9	0.6	6.4	39.0	18.0	2.3	179	39	50	80	1015
3/13/16 10:00	1.8	1.4	1.2	68.8	0.6	6.2	28.0	17.0	1.7	179	30	52	78	1015
3/13/16 11:00	0.9	0.5	0.4	36.0	0.5	5.5	26.0	16.0	3.3	59	58	55	61	1015
3/13/16 12:00	0.6	BDL	0.4	10.7	0.4	4.5	19.0	5.0	5.6	57	15	58	47	1015
3/13/16 13:00	0.7	0.4	0.4	8.2	0.3	4.1	17.0	6.0	4.9	70	21	58	44	1015
3/13/16 14:00	0.5	BDL	BDL	7.4	0.3	4.3	16.0	6.0	4.3	101	17	59	44	1015
3/13/16 15:00	0.4	BDL	0.4	7.9	0.3	3.7	13.0	7.0	4.5	125	16	60	45	1015
3/13/16 16:00	BDL	0.4	0.4	5.8	0.3	3.8	19.0	6.0	1.7	191	24	59	51	1015
3/13/16 17:00	BDL	0.5	0.4	8.3	0.4	2.9	11.0	9.0	1.8	194	55	58	61	1015
3/13/16 18:00	BDL	0.4	0.4	29.4	0.3	5.7	9.0	7.0	5.1	156	17	54	68	1016
3/13/16 19:00	BDL	0.4	0.4	10.1	0.3	4.6	12.0	5.0	3.8	138	28	51	83	1016
3/13/16 20:00	BDL	BDL	0.4	18.3	0.4	5.1	13.0	6.0	3.7	121	15	51	83	1016
3/13/16 21:00	BDL	0.4	0.4	7.5	0.4	5.3	11.0	8.0	5.6	69	14	51	78	1016
3/13/16 22:00	BDL	BDL	BDL	5.2	0.3	5.3	7.0	10.0	8.0	73	13	51	71	1016
3/13/16 23:00	BDL	BDL	BDL	4.0	0.3	5.5	12.0	8.0	7.9	85	15	49	74	1016
3/14/16 0:00	BDL	BDL	0.4	1.9	0.3	5.5	7.0	6.0	10.8	66	11	48	73	1016
3/14/16 1:00	BDL	BDL	BDL	2.9	0.3	5.5	8.0	6.0	8.4	66	12	48	78	1015
3/14/16 2:00	BDL	BDL	BDL	2.6	0.3	5.5	10.0	8.0	8.2	75	12	48	86	1015
3/14/16 3:00	BDL	BDL	0.4	5.0	0.3	5.5	7.0	9.0	8.5	71	12	48	90	1015
3/14/16 4:00	Calibration	Calibration	0.5	1.6	0.3	5.3	10.0	6.0	10.2	63	12	47	93	1014
3/14/16 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	10.0	6.0	11.5	61	10	47	94	1013
3/14/16 6:00	Too few samples	Too few samples	Calibration	Calibration	Calibration	Calibration	8.0	6.0	11.2	57	14	46	96	1013
3/14/16 7:00	BDL	BDL	Too few samples	Too few samples	Too few samples	Too few samples	10.0	5.0	11.3	62	12	46	96	1013
3/14/16 8:00	BDL	BDL	BDL	6.6	0.3	5.4	15.0	4.0	8.1	45	18	47	96	1015
3/14/16 9:00	Too few samples	Too few samples	BDL	7.3	0.3	5.4	11.0	10.0	10.3	58	11	46	98	1015
3/14/16 10:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	10.0	7.0	11.9	58	11	46	97	1015
3/14/16 11:00	BDL	BDL	Too few samples	Too few samples	Too few samples	Too few samples	9.0	5.0	13.6	58	11	46	96	1014
3/14/16 12:00	BDL	BDL	BDL	5.7	0.3	5.2	10.0	5.0	12.7	54	11	47	95	1014
3/14/16 13:00	BDL	BDL	BDL	6.3	0.3	5.1	6.0	3.0	12.9	54	10	47	97	1014
3/14/16 14:00	BDL	BDL	BDL	4.1	0.3	4.9	5.0	2.0	13.8	59	11	47	97	1013
3/14/16 15:00	BDL	BDL	BDL	3.8	0.3	4.7	4.0	1.0	15.4	57	11	46	95	1012
3/14/16 16:00	BDL	BDL	BDL	3.5	0.3	4.6	4.0	3.0	14.6	55	11	46	96	1012
3/14/16 17:00	BDL	BDL	BDL	4.0	0.3	4.7	6.0	6.0	12.7	52	12	45	96	1012
3/14/16 18:00	BDL	BDL	BDL	3.8	0.3	4.6	5.0	4.0	12.7	49	11	45	97	1011
3/14/16 19:00	BDL	BDL	BDL	5.1	0.3	4.6	3.0	3.0	11.4	47	13	45	98	1011
3/14/16 20:00	BDL	BDL	0.4	11.9	0.4	4.7	5.0	4.0	9.4	38	14	44	98	1010
3/14/16 21:00	BDL	BDL	0.4	11.9	0.4	4.8	7.0	3.0	9.2	39	14	43	98	1010
3/14/16 22:00	BDL	BDL	0.4	10.2	0.4	4.7	9.0	5.0	10.1	40	13	44	98	1010
3/14/16 23:00	BDL	BDL	0.4	8.7	0.4	4.6	7.0	6.0	9.3	39	15	44	98	1010
3/15/16 0:00	BDL	BDL	BDL	7.8	0.4	4.5	9.0	6.0	8.2	37	15	44	98	1009
3/15/16 1:00	BDL	BDL	0.4	7	0.4	4.4	10.0	5.0	7.0	34	15	44	98	1008
3/15/16 2:00	BDL	BDL	0.4	6.3	0.3	4.4	6.0	5.0	7.1	34	16	44	98	1008
3/15/16 3:00	Calibration	Calibration	BDL	7.7	0.3	4.4	6.0	7.0	7.2	36	17	44	99	1008
3/15/16 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	3.0	6.0	6.1	38	16	45	99	1008
3/15/16 5:00	Too few samples	Too few samples	Calibration	Calibration	Calibration	Calibration	5.0	6.0	5.6	357	20	45	98	1007
3/15/16 6:00	0.6	0.4	Too few samples	Too few samples	Calibration	Calibration	4.0	8.0	5.8	348	17	45	98	1007
3/15/16 7:00	0.5	0.4	0.4	12.0	0.35	3.8	4.0	6.0	6.1	24	18	46	95	1007
3/15/16 8:00	0.4	0.4	0.4	15.2	0.4	3.8	7.0	4.0	7.5	40	14	46	93	1007
3/15/16 9:00	0.4	BDL	0.4	12.2	0.4	3.8	5.0	4.0	7.5	42	16	46	91	1007
3/15/16 10:00	BDL	BDL	BDL	14.3	0.39	3.8	7.0	5.0	5.5	40	16	47	89	1007
3/15/16 11:00	BDL	0.4	0.4	15.0	0.38	3.9	9.0	3.0	4.7	51	18	47	89	1008
3/15/16 12:00	BDL	BDL	0.4	9.0	0.3	3.8	6.0	6.0	7.4	310	17	48	91	1008
3/15/16 13:00	BDL	BDL	0.4	9.5	0.3	3.7	5.0	5.0	7.0	304	8	48	94	1008
3/15/16 14:00	BDL	BDL	BDL	10.6	0.4	3.7	10.0	2.0	6.4	310	9	49	90	1008
3/15/16 15:00	BDL	BDL	BDL	7.3	0.3	3.4	7.0	5.0	6.6	304	12	49	89	1008
3/15/16 16:00	BDL	BDL	0.4	9.8	0.4	3.3	4.0	4.0	6.2	309	12	49	90	1007
3/15/16 17:00	BDL	BDL	BDL	10.2	0.4	3.2	6.0	5.0	5.8	310	10	50	88	1007
3/15/16 18:00	BDL	BDL	0.4	8.9	0.4	3.0	5.0	7.0	5.5	306	10	51	86	1007
3/15/16 19:00	BDL	BDL	0.4	7.9	0.4	2.9	8.0	6.0	4.6	299	11	51	85	1007
3/15/16 20:00	BDL	0.4	0.4	13.7	0.4	4.1	12.0	8.0	3.6	282	13	51	88	1008
3/15/16 21:00	BDL	0.4	0.5	17.2	0.5	4.1	12.0	10.0	1.4	260	20	50	93	1008
3/15/16 22:00	BDL	0.7	0.5	30.6	0.5	6.9	26.0	11.0	2.2	204	9	49	95	1008
3/15/16 23:00	BDL	0.8	0.6	34.5	0.5	6.4	14.0	12.0	1.8	199	19	49	96	1009
3/16/16 0:00	0.5	0.8	0.6	38.6	0.5	4.3	17.0	10.0	2.1	200	10	48	97	1008
3/16/16 1:00	0.5	1.2	0.8	48.3	0.6	5.3	21.0	15.0	2.5	205	11	48	98	1008
3/16/16 2:00	0.7	1.4	0.8	53.4	0.6	16.7	21.0	18.0	2.3	223	25	47	98	1008
3/16/16 3:00	Calibration	1.6	0.9	66.0	0.6	8.4	25.0	17.0	1.7	216	20	46	99	1008
3/16/16 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	29.0	16.0	1.2	207	26	46	100	1008
3/16/16 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	29.0	20.0	1.8	241	28	45	100	1008
3/16/16 6:00	1.6	Too few samples	Too few samples	Calibration	Calibration	Calibration	27.0	20.0	1.4	198	34	45	100	1008
3/16/16 7:00	Calibration	2.8	1.3	116.5	0.8	8.3	28.0	22.0	2.0	217	18	44	100	1009
3/16/16 8:00	Too few samples	Audit	Audit	Calibration	Calibration	Calibration	40.0	25.0	2.0	233	16	45	100	1009
3/16/16 9:00	2.9	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	32.0	28.0	1.9	236	35	47	95	1009
3/16/16 10:00	2.3	2.9	1.3	121.5	0.87	5.5	38.0	30.0	1.7	281	44	51	82	1009
3/16/16 11:00	1.6	2.4	1.0	101.9	0.8	4.1	44.0	27.0	5.3	63	13	55	80	1009
3/16/16 12:00	1.1	1.6	0.9	72.3	0.6	3.0	31.0	20.0	4.9	64	19	58	72	1008
3/16/16 13:00	0.7	0.9	0.7	31.1	0.4	2.2	17.0	6.0	3.7	118	24	60	63	1008
3/16/16 14:00	0.4	0.4	0.4	10.2	0.3	2.6	13.0	6.0	3.8	124	27	64	56	1006
3/16/16 15:00	0.4	BDL	0.4	5.9	0.1	2.8	10.0	4.0	5.5	140	28	67	54	1005
3/16/16 16:00	1.1	0.4	0.4	2.0	0.21	1.3	8.0	2.0	6.6	161	19	68	53	1004
3/16/16 17:00	0.7	0.6	0.7	9.0	0.2	0.7	14.0	5.0	8.2	204	21	67	59	1004
3/16/16 18:00	0.4	0.8	0.9	6.9	0.2	0.3	14.0	7.0	8.0	203	11	64	66	1005
3/16/16 19:00	BDL	0.6	0.7	10.5	0.2	0.6	10.0	11.0	4.8	208	12	61	74	1006
3/16/16 20:00	BDL	0.6	0.6	24.8	0.3	0.8	12.0	8.0	3.8	169	13	60	71	1006
3/16/16 21:00	BDL	0.5	0.5	16.2	0.3	1.3	8.0	6.0	1.9	170	34	58	76	1006
3/16/16 22:00	BDL	0.5	0.5	11.5	0.3	1.7	14.0	4.0	4.8	100	10	57	81	1006
3/16/16 23:00	BDL	0.5	0.6	11.6	0.3	2.2	17.0	16.0	3.4	99	13	54	85	1007
	BDL	0.4	0.5	15.2	0.3	2.6	19.0	15.0	3.7	77	12	53	89	1008

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 3/13/2016-3/19/2016 . All timestamps are Eastern Standard Time.														
3/17/16 0:00	BDL	0.6	0.6	15.4	0.3	3.0	25.0	20.0	3.5	71	12	51	92	1008
3/17/16 1:00	BDL	0.6	0.6	14.9	0.3	3.5	28.0	21.0	3.6	77	11	50	94	1009
3/17/16 2:00	BDL	0.7	0.7	22.4	0.4	3.7	32.0	26.0	2	113	52	49	97	1009
3/17/16 3:00	BDL	0.6	0.6	17.8	0.4	3.8	31.0	25.0	3.7	64	13	48	99	1009
3/17/16 4:00	BDL	0.4	0.5	7.4	0.3	4.0	24.0	18.0	5.1	65	11	48	99	1010
3/17/16 5:00	BDL	0.5	0.5	11.8	0.3	4.4	23.0	16.0	3.3	75	13	47	97	1010
3/17/16 6:00	BDL	0.5	0.5	30.8	0.4	4.9	21.0	12.0	3.2	86	23	47	96	1010
3/17/16 7:00	0.8	1.3	0.9	81.8	0.5	4.6	27.0	19.0	2.2	187	13	46	98	1010
3/17/16 8:00	BDL	BDL	0.5	35.7	0.3	5.6	21.0	17.0	2.7	183	16	47	90	1010
3/17/16 9:00	Maintenance	Maintenance	Maintenance	Maintenance	Maintenance	Maintenance	13.0	9.0	4.4	185	14	48	86	1010
3/17/16 10:00	Maintenance	Maintenance	Maintenance	Maintenance	Maintenance	Maintenance	24.0	16.0	5.9	212	14	51	82	1010
3/17/16 11:00	Maintenance	Maintenance	Maintenance	Maintenance	Maintenance	Maintenance	22.0	15.0	7.9	231	13	53	77	1009
3/17/16 12:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	25.0	16.0	6.1	205	15	58	66	1008
3/17/16 13:00	8.6	Too few samples	Too few samples	19.7	Calibration	4.2	18.0	5.0	9.1	229	19	59	49	1008
3/17/16 14:00	0.4	2.0	0.4	4.4	Maintenance	2.5	9.0	7.0	5.4	266	21	61	43	1007
3/17/16 15:00	BDL	BDL	0.5	2.4	Maintenance	1.9	15.0	6.0	10.4	297	20	55	63	1007
3/17/16 16:00	BDL	0.4	0.5	7.4	Maintenance	2.4	8.0	7.0	5.4	267	24	56	61	1007
3/17/16 17:00	0.5	0.4	0.4	9.6	Maintenance	1.9	17.0	6.0	7.7	324	14	57	50	1007
3/17/16 18:00	BDL	BDL	0.4	7.5	Maintenance	2.1	7.0	9.0	4.4	305	18	56	53	1007
3/17/16 19:00	BDL	0.4	0.4	10.8	Maintenance	3.3	12.0	7.0	3.0	248	17	56	55	1007
3/17/16 20:00	0.8	0.4	0.6	19.5	Maintenance	3.5	12.0	8.0	3.9	242	15	54	55	1008
3/17/16 21:00	BDL	BDL	0.4	3.3	Maintenance	2.5	7.0	6.0	7.0	295	10	55	46	1008
3/17/16 22:00	BDL	BDL	0.5	2.8	Maintenance	2.7	5.0	5.0	7.4	294	12	54	46	1008
3/17/16 23:00	0.4	BDL	0.5	2.1	Maintenance	2.9	7.0	4.0	8.2	293	10	54	44	1008
3/18/16 0:00	BDL	BDL	0.4	1.4	Maintenance	2.9	6.0	9.0	8.2	288	11	53	42	1008
3/18/16 1:00	BDL	BDL	0.5	1.8	Maintenance	3.2	8.0	6.0	6.2	268	12	52	46	1008
3/18/16 2:00	BDL	BDL	0.5	2.7	Maintenance	3.5	7.0	3.0	4.8	265	15	51	48	1008
3/18/16 3:00	0.8	BDL	0.4	1.0	Maintenance	3.6	8.0	1.0	5.0	279	12	50	48	1008
3/18/16 4:00	1.0	BDL	0.4	4.2	Maintenance	3.9	9.0	3.0	5.3	293	9	50	48	1009
3/18/16 5:00	0.6	BDL	0.5	7.2	Maintenance	4.2	12.0	5.0	5.2	261	16	48	49	1009
3/18/16 6:00	1.8	0.7	0.6	31.4	Maintenance	4.8	17.0	8.0	5.1	223	12	47	55	1009
3/18/16 7:00	2.7	1.0	0.8	32.8	Maintenance	4.5	23.0	10.0	6.2	231	12	48	53	1009
3/18/16 8:00	1.3	Calibration	Calibration	22.8	0.3	4.1	20.0	7.0	7.3	248	14	49	44	1010
3/18/16 9:00	0.5	Calibration	Calibration	9.4	0.3	3.5	12.0	6.0	7.0	264	19	52	37	1009
3/18/16 10:00	BDL	Calibration	Calibration	3.4	0.2	2.9	13.0	5.0	9.1	285	16	55	34	1009
3/18/16 11:00	Calibration	0.4	0.7	Calibration	Calibration	12.9	11.0	7.0	12.0	286	18	57	31	1009
3/18/16 12:00	BDL	BDL	0.5	1.2	0.2	3.1	10.0	6.0	14.0	283	15	59	28	1009
3/18/16 13:00	BDL	BDL	6.0	0.8	0.2	5.1	12.0	4.0	11.9	283	17	59	28	1008
3/18/16 14:00	0.6	BDL	0.4	BDL	0.2	4.9	19.0	2.0	15.9	290	15	60	24	1008
3/18/16 15:00	0.5	BDL	0.4	BDL	0.2	4.2	10.0	3.0	13.1	290	14	60	23	1008
3/18/16 16:00	BDL	BDL	0.5	BDL	0.2	4.0	9.0	7.0	13.6	301	13	60	22	1008
3/18/16 17:00	BDL	BDL	0.4	BDL	0.2	4.3	12.0	7.0	13.7	303	13	60	23	1008
3/18/16 18:00	BDL	BDL	0.4	BDL	0.2	4.3	11.0	7.0	11.4	303	11	59	23	1008
3/18/16 19:00	BDL	BDL	0.4	1.6	0.3	4.3	8.0	5.0	5.5	295	9	58	26	1009
3/18/16 20:00	BDL	BDL	0.4	15.5	0.3	4.6	15.0	6.0	3.3	298	10	55	33	1010
3/18/16 21:00	BDL	BDL	0.4	11.2	0.3	5.0	12.0	8.0	4.3	302	5	54	35	1010
3/18/16 22:00	0.4	0.6	0.6	22.4	0.4	5.9	20.0	9.0	6.4	20	16	52	42	1011
3/18/16 23:00	0.4	0.4	0.4	7.9	0.3	5.4	12.0	8.0	8.0	32	14	50	45	1012
3/19/16 0:00	0.6	0.5	0.5	8.3	0.3	6.0	11.0	5.0	8.0	16	17	48	53	1013
3/19/16 1:00	1.0	BDL	0.4	5.0	0.3	6.4	10.0	18.0	10.2	340	14	45	55	1014
3/19/16 2:00	0.8	BDL	BDL	5.6	0.3	7.0	8.0	5.0	7.2	9	18	44	60	1015
3/19/16 3:00	0.6	Calibration	Calibration	3.5	0.3	7.3	7.0	7.0	6.3	22	18	42	61	1015
3/19/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	7.7	10.0	6.0	6.1	2	18	41	63	1016
3/19/16 5:00	Too few samples	BDL	BDL	Too few samples	0.3	8.0	10.0	6.0	6.0	43	15	40	63	1016
3/19/16 6:00	0.4	BDL	BDL	4.7	0.3	8.4	11.0	7.0	6.9	49	15	40	60	1017
3/19/16 7:00	0.5	BDL	BDL	4.6	0.3	8.7	13.0	6.0	8.7	45	15	40	54	1017
3/19/16 8:00	0.4	BDL	BDL	5.9	0.3	8.9	11.0	6.0	8.1	51	14	39	55	1018
3/19/16 9:00	0.4	BDL	BDL	6.0	0.3	9.1	12.0	6.0	6.3	54	18	40	54	1019
3/19/16 10:00	0.7	BDL	BDL	7.2	0.3	8.8	9.0	3.0	5.2	34	24	41	50	1019
3/19/16 11:00	0.5	BDL	BDL	6.4	0.3	8.5	7.0	3.0	5.8	39	22	41	46	1018
3/19/16 12:00	0.4	BDL	BDL	5.4	0.3	8.1	6.0	3.0	6.9	47	17	42	44	1017
3/19/16 13:00	0.5	BDL	BDL	5.1	0.3	7.9	8.0	3.0	6.0	14	34	43	42	1017
3/19/16 14:00	0.5	BDL	BDL	5.0	0.3	7.7	6.0	3.0	4.2	331	41	43	40	1016
3/19/16 15:00	0.7	BDL	BDL	3.2	0.3	7.6	8.0	3.0	6.0	298	30	41	53	1016
3/19/16 16:00	0.6	BDL	BDL	4.9	0.3	8.0	11.0	6.0	4.0	222	34	40	68	1017
3/19/16 17:00	0.4	BDL	BDL	7.2	0.3	8.2	11.0	7.0	4.6	160	16	38	81	1016
3/19/16 18:00	0.4	BDL	BDL	7.0	0.3	8.5	14.0	7.0	2.8	184	20	38	81	1017
3/19/16 19:00	1.9	BDL	BDL	26.0	0.3	8.7	13.0	10.0	3.8	203	20	39	80	1017
3/19/16 20:00	1.5	BDL	BDL	11.1	0.3	8.9	13.0	12.0	3.4	224	16	38	85	1017
3/19/16 21:00	0.7	BDL	BDL	11.6	0.4	8.9	20.0	11.0	3.9	278	18	39	83	1017
3/19/16 22:00	0.8	BDL	BDL	8.7	0.4	8.9	19.0	14.0	4.5	250	12	39	82	1017
3/19/16 23:00	0.6	BDL	BDL	8.7	0.4	8.8	15.0	11.0	2.8	268	29	39	82	1016

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 3/20/2016-3/26/2016														
3/20/16 0:00	0.7	BDL	BDL	18.4	0.5	9.0	22.0	19.0	2.7	232	46	39	81	1016
3/20/16 1:00	0.9	BDL	BDL	23.6	0.5	9.0	26.0	16.0	3.3	341	59	40	75	1016
3/20/16 2:00	0.5	BDL	BDL	5.7	0.3	8.5	7.0	4.0	7.1	40	14	41	42	1016
3/20/16 3:00	0.5	Calibration	Calibration	8.1	0.3	8.5	9.0	8.0	8.6	40	12	40	43	1016
3/20/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	8.6	10.0	5.0	8.1	41	12	38	40	1016
3/20/16 5:00	Too few samples	BDL	BDL	Too few samples	0.28	8.8	6.0	4.0	8.1	46	12	38	42	1017
3/20/16 6:00	0.5	BDL	BDL	7.9	0.28	9.1	6.0	4.0	9.2	43	13	37	41	1017
3/20/16 7:00	0.5	BDL	BDL	8.8	0.3	9.3	7.0	4.0	8.9	44	13	36	42	1017
3/20/16 8:00	0.6	BDL	BDL	8.5	0.3	9.3	5.0	5.0	10.0	50	13	37	46	1018
3/20/16 9:00	0.5	BDL	BDL	5.2	0.3	9.3	7.0	11.0	11.2	54	13	37	48	1018
3/20/16 10:00	0.4	BDL	BDL	0.9	0.3	9.2	13.0	7.0	11.6	56	13	37	48	1018
3/20/16 11:00	0.4	BDL	BDL	0.6	0.3	8.9	12.0	6.0	11.9	58	16	38	43	1018
3/20/16 12:00	0.6	BDL	BDL	1.7	0.3	8.3	8.0	7.0	10.7	53	17	39	45	1017
3/20/16 13:00	BDL	BDL	BDL	BDL	0.3	7.9	10.0	4.0	11.0	57	15	40	50	1016
3/20/16 14:00	0.4	BDL	BDL	BDL	0.3	7.5	15.0	3.0	10.0	52	15	41	55	1015
3/20/16 15:00	BDL	BDL	BDL	0.6	0.3	7.3	20.0	6.0	10.1	59	14	41	59	1014
3/20/16 16:00	BDL	BDL	BDL	BDL	0.3	7.5	12.0	7.0	8.7	55	13	39	74	1014
3/20/16 17:00	BDL	BDL	BDL	2.8	0.3	7.7	16.0	6.0	8.9	52	12	37	87	1014
3/20/16 18:00	BDL	BDL	BDL	2.7	0.2	7.9	11.0	6.0	10.6	52	11	36	91	1013
3/20/16 19:00	BDL	BDL	BDL	1.8	0.2	8.2	9.0	9.0	9.2	56	12	36	91	1013
3/20/16 20:00	BDL	BDL	BDL	3.1	0.2	8.3	11.0	7.0	8.7	57	11	34	97	1013
3/20/16 21:00	0.4	BDL	BDL	5.5	0.2	8.4	14.0	8.0	6.9	54	13	35	96	1013
3/20/16 22:00	0.4	BDL	BDL	5.1	0.2	8.4	13.0	12.0	7.1	44	15	35	92	1012
3/20/16 23:00	0.5	BDL	BDL	8.1	0.3	8.4	14.0	11.0	7.5	32	14	35	92	1012
3/21/16 0:00	0.5	BDL	BDL	12.8	0.3	8.1	19.0	9.0	7.6	54	14	34	95	1011
3/21/16 1:00	0.5	BDL	BDL	12.3	0.3	8.2	17.0	16.0	5.7	32	19	34	96	1011
3/21/16 2:00	0.7	BDL	BDL	11.0	0.3	7.9	21.0	16.0	7.2	345	19	35	89	1010
3/21/16 3:00	1.1	Calibration	Calibration	7.4	0.3	7.7	16.0	9.0	7.0	15	20	35	82	1010
3/21/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	7.5	16.0	16.0	5.4	21	20	35	81	1009
3/21/16 5:00	Too few samples	BDL	BDL	Too few samples	Too few samples	Too few samples	17.0	14.0	3.0	336	51	35	83	1009
3/21/16 6:00	0.9	BDL	BDL	20.6	0.3	7.9	18.0	14.0	4.5	282	9	34	89	1009
3/21/16 7:00	Too few samples	0.5	BDL	Too few samples	Too few samples	8.0	24.0	14.0	3.8	265	15	34	91	1009
3/21/16 8:00	Too few samples	0.6	0.4	Too few samples	Too few samples	8.7	23.0	17.0	5.0	270	17	36	74	1010
3/21/16 9:00	0.9	BDL	BDL	9.6	0.3	7.5	20.0	14.0	7.8	297	15	39	63	1010
3/21/16 10:00	0.8	BDL	BDL	5.0	0.3	6.2	17.0	9.0	10.5	308	13	42	57	1010
3/21/16 11:00	0.9	BDL	BDL	1.4	0.3	5.5	12.0	6.0	12.6	306	12	44	44	1010
3/21/16 12:00	0.6	BDL	BDL	BDL	0.2	5.0	8.0	5.0	13.3	304	11	46	35	1009
3/21/16 13:00	BDL	BDL	BDL	BDL	0.2	4.6	12.0	6.0	14.3	305	15	47	33	1009
3/21/16 14:00	BDL	BDL	BDL	BDL	0.2	4.3	12.0	5.0	14.4	301	16	48	32	1008
3/21/16 15:00	BDL	BDL	BDL	BDL	0.2	3.7	12.0	5.0	14.6	292	13	48	34	1009
3/21/16 16:00	BDL	BDL	BDL	BDL	0.2	4.0	8.0	5.0	15.4	302	12	47	32	1009
3/21/16 17:00	BDL	BDL	BDL	BDL	0.2	4.3	11.0	6.0	16.3	301	12	47	32	1010
3/21/16 18:00	BDL	BDL	BDL	BDL	0.2	4.8	11.0	7.0	14.6	303	10	46	34	1011
3/21/16 19:00	BDL	BDL	BDL	BDL	0.2	5.4	8.0	6.0	15.1	310	9	44	34	1012
3/21/16 20:00	BDL	BDL	BDL	BDL	0.2	6.3	10.0	5.0	14.3	308	9	43	37	1014
3/21/16 21:00	BDL	BDL	BDL	BDL	0.2	6.8	8.0	7.0	10.3	301	10	42	38	1015
3/21/16 22:00	BDL	BDL	BDL	BDL	0.2	7.2	7.0	5.0	10.7	304	8	41	38	1016
3/21/16 23:00	BDL	BDL	BDL	BDL	0.2	7.5	5.0	3.0	9.0	302	8	40	39	1017
3/22/16 0:00	BDL	BDL	BDL	BDL	0.2	7.9	7.0	2.0	6.2	296	10	39	41	1017
3/22/16 1:00	BDL	BDL	BDL	1.1	0.2	8.3	7.0	3.0	5.5	275	11	38	45	1017
3/22/16 2:00	BDL	BDL	BDL	2.0	0.2	8.6	9.0	1.0	5.5	277	10	37	47	1018
3/22/16 3:00	BDL	Calibration	Calibration	6.2	0.2	8.8	6.0	2.0	4.1	260	14	36	51	1018
3/22/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	9.0	6.0	6.0	4.3	255	14	36	54	1019
3/22/16 5:00	Too few samples	BDL	BDL	Too few samples	0.2	9.3	8.0	6.0	3.5	264	13	35	54	1019
3/22/16 6:00	0.5	BDL	BDL	21.9	0.3	9.8	9.0	8.0	3.5	263	14	34	56	1020
3/22/16 7:00	1.0	1.1	0.7	45.9	0.4	10.1	17.0	9.0	3.8	256	14	35	54	1021
3/22/16 8:00	3.5	1.7	0.8	64.3	0.5	9.7	32.0	13.0	4.5	224	15	38	52	1021
3/22/16 9:00	3.5	0.9	0.4	40.9	0.3	8.7	20.0	11.0	7.1	233	14	42	43	1021
3/22/16 10:00	2.1	0.4	BDL	22.9	0.3	7.9	19.0	10.0	7.2	237	18	45	38	1021
3/22/16 11:00	1.3	BDL	BDL	9.5	0.2	7.1	15.0	8.0	8.9	226	18	48	37	1021
3/22/16 12:00	1.3	BDL	BDL	6.2	0.2	6.3	16.0	7.0	10.3	220	16	50	38	1020
3/22/16 13:00	1.6	BDL	BDL	4.0	0.2	5.8	18.0	9.0	12.0	217	16	52	39	1019
3/22/16 14:00	1.1	BDL	BDL	3.6	0.2	5.2	18.0	9.0	11.5	216	17	53	37	1017
3/22/16 15:00	0.6	BDL	BDL	3.9	0.2	4.9	25.0	8.0	11.6	221	16	55	35	1017
3/22/16 16:00	1.2	BDL	BDL	9.9	0.3	4.8	16.0	12.0	11.6	223	16	56	35	1016
3/22/16 17:00	0.9	BDL	BDL	3.8	0.2	4.6	17.0	8.0	12.4	215	15	56	36	1016
3/22/16 18:00	1.0	BDL	BDL	3.7	0.2	4.5	15.0	6.0	10.5	206	13	55	38	1015
3/22/16 19:00	1.3	BDL	BDL	7.9	0.2	4.7	15.0	6.0	6.8	199	11	54	42	1015
3/22/16 20:00	BDL	BDL	BDL	11.6	0.2	5.0	12.0	7.0	4.9	182	13	52	47	1015
3/22/16 21:00	BDL	0.4	0.5	7.6	0.2	5.2	10.0	10.0	6.3	186	13	51	50	1015
3/22/16 22:00	BDL	BDL	0.5	2.8	0.2	5.2	13.0	9.0	7.8	193	13	50	55	1015
3/22/16 23:00	BDL	0.4	0.6	2.5	0.2	5.3	10.0	7.0	6.9	205	12	48	59	1015
3/23/16 0:00	BDL	BDL	BDL	0.9	0.2	5.3	16.0	8.0	7.1	205	11	48	62	1014
3/23/16 1:00	BDL	BDL	BDL	4.5	0.3	5.4	19.0	10.0	6.2	196	10	48	65	1013
3/23/16 2:00	BDL	0.4	0.7	5.8	0.3	5.6	17.0	10.0	5.6	198	11	48	66	1013
3/23/16 3:00	0.9	Calibration	Calibration	3.2	0.27	5.3	16.0	9.0	5.4	204	10	48	67	1012
3/23/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	5.1	19.0	12.0	4.3	206	11	47	69	1012
3/23/16 5:00	Too few samples	0.7	0.7	Too few samples	0.33	5.3	22.0	11.0	4.6	207	10	48	68	1012
3/23/16 6:00	1.7	1.5	1.4	26.9	0.39	5.5	36.0	19.0	5.7	231	13	50	61	1012
3/23/16 7:00	2.0	1.7	1.4	29.2	0.43	5.3	27.0	15.0	6.7	228	13	50	60	1013
3/23/16 8:00	Calibration	1.0	0.6	Calibration	Calibration	3.2	44.0	16.0	Too few samples	Too few samples	Audit	Too few samples	Too few samples	1013
3/23/16 9:00	1.7	0.6	0.5	15.4	0.34	4.7	28.0	17.0	4.8	234	28	67	39	1013
3/23/16 10:00	2.2	0.4	0.4	15.8	0.3	5.2	Audit	Audit	4.0	232	41	41	32	987
3/23/16 11:00	2.5	0.4	BDL	16.7	0.3	4.6	Audit	Audit	Audit	NoData	Audit	Audit	Audit	Audit
3/23/16 12:00	2.2	BDL	BDL	12.3	0.3	4.2	Audit	Audit	Audit	NoData	Audit	Audit	Audit	Audit
3/23/16 13:00	1.3	BDL	0.4	10.0	0.3	4.6	28.0	13.0	10.1	239	16	69	25	1012
3/23/16 14:00	1.8	0.4	0.5	12.8	0.3	4.3	27.0	11.0	9.4	232	15	70	26	1012
3/23/16 15:00	1.3	BDL	0.4	11.1	0.31	3.9	29.0	13.0	8.8	221	15	70	27	1012
3/23/16 16:00	1.4	BDL	0.4	11.2	0.3	3.8	26.0	11.0	9.5	219	15	70	26	1011
3/23/16 17:00	1.4	0.4	0.5	12.2	0.3	4.0	20.0	9.0	8.5	217	13	70	27	1012
3/23/16 18:00	1.5	BDL	0.4	9.7	0.3	2.6	25.0	11.0	7.1	202	11	68	30	1012
3/23/16 19:00	0.9	BDL	0.4	15.2	0.3	2.7	26.0	11.0	3.8	197	10	65	35	1013
3/23/16 20:00	1.7	0.9	0.5	54.3	0.4	4.3	30.0	14.0	2.5	166	8	62	41	1013
3/23/16 21:00	0.7	0.7	BDL	45.2	0.4	5.4	25.0	16.0	3.4	160	10	59	45	1014
3/23/16 22:00	1.0	1.6	1.0	94.3	0.4	3.8	26.0	19.0	3.7	148	10	59	46	1014
3/23/16 23:00	0.5	1.6	1.2	47.4	0.4	4.0	24.0	15.0	2.7	148	12	57	53	1014

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 3/20/2016-3/26/2016														
3/24/16 0:00	0.6	2.1	1.1	58.1	0.4	4.2	23.0	21.0	2.8	149	14	55	57	1014
3/24/16 1:00	BDL	1.0	0.8	14.6	0.4	4.5	27.0	18.0	1.6	140	16.1	54	61	1013
3/24/16 2:00	0.4	1.0	0.9	22.7	0.4	5.1	30.0	20.0	1.2	79	16.1	53	65	1013
3/24/16 3:00	BDL	Calibration	Calibration	28.4	0.3	5.4	28.0	25.0	1.1	61	24	50	79	1013
3/24/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	5.4	36.0	21.0	4.1	58	17	52	68	1013
3/24/16 5:00	Too few samples	0.9	0.8	Too few samples	0.5	5.5	33.0	19.0	6.3	54	10	51	67	1014
3/24/16 6:00	0.5	1.0	0.7	32.8	0.5	5.7	43.0	18.0	8.5	51	11	49	72	1015
3/24/16 7:00	BDL	0.8	0.7	17.3	0.3	5.9	45.0	22.0	8.7	53	11	46	85	1016
3/24/16 8:00	BDL	0.5	0.4	15.4	0.3	5.9	43.0	12.0	9.2	51	13	46	83	1016
3/24/16 9:00	0.5	0.6	0.5	16.4	0.4	5.4	45.0	20.0	6.8	54	16	48	77	1016
3/24/16 10:00	BDL	0.5	0.5	13.2	0.3	4.9	46.0	17.0	6.5	58	20	51	71	1016
3/24/16 11:00	BDL	0.5	0.5	9.3	2.3	Audit	47.0	19.0	7.2	70	18	54	64	1010
3/24/16 12:00	Audit	Audit	Audit	Audit	Audit	Audit	47.0	20.0	6.3	80	23	57	56	1008
3/24/16 13:00	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Too few samples	Audit	Audit	Audit	Audit
3/24/16 14:00	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit	NoData	Audit	Audit	Audit	Audit
3/24/16 15:00	Audit	Audit	Audit	Audit	Audit	Audit	72.0	23.0	Audit	Too few samples	Audit	Audit	Audit	Too few samples
3/24/16 16:00	BDL	Too few samples	Too few samples	4.4	0.2	3.5	49.0	20.0	12.2	58	12	63	55	1010
3/24/16 17:00	BDL	0.4	0.6	8.0	0.3	2.4	41.0	21.0	12.4	59	11	61	59	1009
3/24/16 18:00	BDL	0.4	0.5	9.5	0.3	2.2	43.0	20.0	11.9	54	9	57	67	1008
3/24/16 19:00	BDL	0.4	0.5	6.9	0.3	2.5	39.0	23.0	10.7	57	12	54	75	1008
3/24/16 20:00	BDL	BDL	0.6	10.8	0.3	3.0	43.0	22.0	9.5	59	12	50	83	1008
3/24/16 21:00	BDL	0.5	0.7	7.4	0.2	3.4	36.0	20.0	7.4	65	12	49	88	1008
3/24/16 22:00	BDL	0.7	0.9	18.2	0.3	3.6	42.0	19.0	4.2	64	14	50	88	1007
3/24/16 23:00	BDL	0.9	0.7	31.5	0.3	3.5	44.0	25.0	3.2	67	41	52	88	1007
3/25/16 0:00	BDL	0.6	0.7	BDL	0.1	2.2	15.0	11.0	10.9	182	13	62	78	1006
3/25/16 1:00	BDL	0.5	0.7	BDL	0.1	1.3	19.0	11.0	10.9	184	11	63	78	1005
3/25/16 2:00	BDL	0.6	0.7	BDL	0.1	0.8	56.0	8.0	15.6	196	12	64	76	1004
3/25/16 3:00	BDL	Calibration	Calibration	BDL	0.1	0.4	15.0	10.0	13.3	207	12	63	76	1004
3/25/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	0.3	16.0	8.0	11.6	202	11	62	79	1003
3/25/16 5:00	Too few samples	0.9	1.1	Too few samples	0.1	0.3	20.0	7.0	9.2	195	12	62	81	1003
3/25/16 6:00	BDL	1.0	1.2	8.8	0.1	0.4	14.0	5.0	10.1	196	11	62	82	1004
3/25/16 7:00	BDL	0.6	0.8	7.3	0.1	1.0	Maintenance	Maintenance	12.1	203	12	64	80	Too few samples
3/25/16 8:00	BDL	0.6	0.7	4.4	0.1	2.6	22.0	11.0	12.3	205	12	64	80	1004
3/25/16 9:00	BDL	0.7	0.9	8.4	0.1	2.8	26.0	10.0	12.0	205	12	65	80	1004
3/25/16 10:00	0.6	0.7	0.9	6.3	0.1	3.2	25.0	6.0	13.3	216	13	66	78	1004
3/25/16 11:00	0.7	0.5	0.8	7.7	0.12	3.2	23.0	8.0	10.4	230	15	68	75	1004
3/25/16 12:00	0.6	0.6	0.7	6.0	0.1	3.3	15.0	7.0	5.7	269	14	67	71	1005
3/25/16 13:00	0.4	0.4	0.6	1.2	0.1	3.4	10.0	7.0	5.6	266	16	68	60	1004
3/25/16 14:00	0.6	0.4	0.6	10.1	0.2	3.3	9.0	5.0	6.0	257	17	69	59	1004
3/25/16 15:00	0.4	0.4	0.6	0.9	0.1	3.4	16.0	8.0	7.0	279	14	70	50	1004
3/25/16 16:00	BDL	BDL	0.6	0.6	0.1	3.5	19.0	8.0	7.0	283	17	70	46	1005
3/25/16 17:00	BDL	BDL	0.6	1.2	0.1	3.9	40.0	12.0	14.2	315	10	68	43	1006
3/25/16 18:00	BDL	BDL	0.6	2.9	0.2	4.2	31.0	10.0	14.4	320	10	64	44	1008
3/25/16 19:00	BDL	BDL	0.5	1.2	0.2	4.5	26.0	10.0	15.4	315	9	61	44	1010
3/25/16 20:00	BDL	BDL	0.5	BDL	0.3	4.9	17.0	7.0	13.3	312	8	58	45	1012
3/25/16 21:00	BDL	BDL	0.4	BDL	0.3	5.3	14.0	7.0	10.6	308	9	56	48	1013
3/25/16 22:00	BDL	BDL	BDL	BDL	0.3	5.4	26.0	6.0	9.8	310	8	54	52	1014
3/25/16 23:00	BDL	BDL	0.4	BDL	0.3	5.7	12.0	6.0	9.1	311	7	52	54	1015
3/26/16 0:00	BDL	BDL	0.4	0.8	0.3	6.1	11.0	5.0	9.3	313	7	51	55	1016
3/26/16 1:00	0.5	BDL	BDL	6.2	0.3	6.5	14.0	7.0	11.6	339	12	49	58	1017
3/26/16 2:00	1.5	BDL	BDL	1.8	0.3	7.2	16.0	12.0	8.9	356	18	46	62	1018
3/26/16 3:00	1.1	Calibration	Calibration	1.5	0.3	7.7	18.0	13.0	9.1	346	16	43	63	1019
3/26/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	8.2	18.0	14.0	8.6	349	18	41	65	1019
3/26/16 5:00	Too few samples	BDL	BDL	Too few samples	0.3	9.2	13.0	12.0	8.9	15	17	39	66	1021
3/26/16 6:00	BDL	BDL	BDL	4.4	0.3	9.7	13.0	10.0	8.0	33	16	38	67	1022
3/26/16 7:00	0.4	Too few samples	Too few samples	4.5	0.3	9.6	11.0	8.0	8.7	41	14	38	66	1023
3/26/16 8:00	BDL	Calibration	Calibration	4.8	0.3	8.2	8.0	4.0	8.6	47	12	39	62	1023
3/26/16 9:00	BDL	BDL	BDL	3.4	0.3	8.4	11.0	5.0	7.4	53	16	41	59	1024
3/26/16 10:00	BDL	BDL	BDL	3.9	0.3	8.4	8.0	6.0	5.8	63	24	43	55	1025
3/26/16 11:00	BDL	BDL	BDL	3.9	0.3	8.4	9.0	5.0	5.9	85	23	46	51	1024
3/26/16 12:00	BDL	BDL	BDL	6.8	0.3	8.2	13.0	6.0	5.2	81	38	48	47	1024
3/26/16 13:00	BDL	BDL	BDL	5.5	0.3	7.9	10.0	5.0	4.0	110	34	50	43	1023
3/26/16 14:00	BDL	BDL	BDL	5.0	0.3	7.7	13.0	5.0	2.8	128	47	52	40	1023
3/26/16 15:00	BDL	BDL	BDL	4.1	0.3	7.5	10.0	5.0	3.0	104	44	54	40	1023
3/26/16 16:00	BDL	BDL	BDL	4.6	0.3	7.2	17.0	6.0	2.5	127	65	56	38	1023
3/26/16 17:00	BDL	BDL	BDL	3.9	0.3	7.0	14.0	5.0	2.0	205	69	57	39	1023
3/26/16 18:00	BDL	BDL	BDL	3.4	0.3	6.8	11.0	4.0	5.7	115	21	57	46	1023
3/26/16 19:00	BDL	BDL	BDL	2.3	0.2	7.5	12.0	6.0	10.1	106	12	52	62	1024
3/26/16 20:00	BDL	BDL	BDL	1.6	0.1	8.4	21.0	5.0	10.1	106	12	47	74	1025
3/26/16 21:00	BDL	BDL	BDL	0.5	0.1	9.2	17.0	7.0	7.4	101	14	46	79	1026
3/26/16 22:00	BDL	BDL	BDL	0.7	0.1	9.1	13.0	8.0	6.3	105	15	45	80	1026
3/26/16 23:00	BDL	BDL	BDL	BDL	0.1	8.9	15.0	10.0	5.1	81	15	45	82	1026

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 3/27/2016-4/2/2016														
3/27/16 0:00	BDL	BDL	BDL	0.4	0.1	8.9	12.0	9.0	4.9	85	14	45	84	1026
3/27/16 1:00	BDL	BDL	BDL	BDL	0.1	9.1	23.0	11.0	4.9	85	14	45	84	1026
3/27/16 2:00	BDL	BDL	BDL	0.8	0.1	8.9	19.0	8.0	5.2	80	14	45	85	1026
3/27/16 3:00	BDL	Calibration	Calibration	0.4	0.1	8.8	24.0	9.0	6.0	70	13	45	87	1026
3/27/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	8.7	25.0	8.0	6.1	64	12	44	88	1025
3/27/16 5:00	Too few samples	BDL	BDL	Too few samples	0.1	8.8	25.0	9.0	5.0	68	13	44	89	1025
3/27/16 6:00	BDL	BDL	BDL	2.8	0.1	8.8	17.0	8.0	6.7	61	11	44	89	1026
3/27/16 7:00	BDL	BDL	BDL	2.1	0.1	9.0	17.0	7.0	7.2	73	13	43	90	1026
3/27/16 8:00	BDL	Calibration	Calibration	2.3	0.1	9.0	24.0	9.0	6.7	81	14	44	88	1026
3/27/16 9:00	BDL	Calibration	Calibration	2.4	0.1	9.1	13.0	9.0	7.6	76	15	45	84	1026
3/27/16 10:00	BDL	Calibration	Calibration	2.4	0.1	8.8	16.0	8.0	6.9	67	17	48	76	1026
3/27/16 11:00	BDL	BDL	BDL	1.2	0.1	8.4	9.0	7.0	6.6	76	23	51	69	1025
3/27/16 12:00	BDL	BDL	BDL	BDL	0.1	7.8	22.0	7.0	6.5	73	23	53	65	1025
3/27/16 13:00	BDL	BDL	BDL	BDL	0.1	7.3	15.0	7.0	5.9	87	22	55	62	1024
3/27/16 14:00	BDL	BDL	BDL	BDL	0.1	6.8	12.0	7.0	6.7	98	19	56	60	1023
3/27/16 15:00	BDL	BDL	BDL	BDL	0.1	6.4	10.0	6.0	7.5	98	15	57	60	1022
3/27/16 16:00	BDL	BDL	BDL	BDL	0.1	6.2	10.0	6.0	7.1	100	17	57	59	1021
3/27/16 17:00	BDL	BDL	BDL	BDL	0.1	6.3	13.0	5.0	7.2	98	14	56	61	1021
3/27/16 18:00	BDL	BDL	BDL	BDL	0.1	6.4	10.0	5.0	8.0	104	14	54	65	1021
3/27/16 19:00	BDL	BDL	BDL	BDL	0.1	6.7	12.0	4.0	8.4	102	13	51	70	1020
3/27/16 20:00	BDL	BDL	BDL	BDL	0.1	7.2	14.0	5.0	8.1	88	13	48	73	1020
3/27/16 21:00	BDL	BDL	BDL	1.9	0.1	7.4	12.0	7.0	7.7	85	13	47	80	1020
3/27/16 22:00	BDL	BDL	BDL	1.3	0.1	7.1	12.0	6.0	6.5	71	13	46	84	1019
3/27/16 23:00	BDL	BDL	BDL	1.4	0.1	6.6	7.0	6.0	7.5	71	13	46	91	1017
3/28/16 0:00	BDL	BDL	BDL	1.7	0.1	6.1	8.0	8.0	8.5	76	14	45	96	1015
3/28/16 1:00	BDL	BDL	BDL	1.2	0.1	5.8	7.0	5.0	7.5	65	11	45	98	1014
3/28/16 2:00	BDL	BDL	0.4	3.7	0.1	5.4	11.0	4.0	7.5	56	11	45	99	1013
3/28/16 3:00	BDL	Calibration	Calibration	3.3	0.1	5.0	8.0	3.0	8.0	59	11	45	100	1011
3/28/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	4.5	5.0	2.0	8.7	61	12	45	100	1009
3/28/16 5:00	Too few samples	BDL	0.4	Too few samples	0.1	4.2	4.0	3.0	6.6	66	15	46	100	1008
3/28/16 6:00	BDL	BDL	0.4	6.4	0.1	4.0	2.0	5.0	4.7	56	37	46	100	1007
3/28/16 7:00	BDL	BDL	BDL	11.9	0.1	3.7	2.0	3.0	6.0	55	10	47	100	1006
3/28/16 8:00	BDL	0.4	0.5	18.1	0.2	3.4	5.0	3.0	5.8	56	11	47	99	1005
3/28/16 9:00	BDL	0.5	0.5	20.8	0.2	3.1	9.0	8.0	4.7	51	15	48	98	1003
3/28/16 10:00	BDL	0.6	0.6	22.4	0.2	2.9	10.0	8.0	4.6	72	26	48	98	1002
3/28/16 11:00	0.4	0.8	0.7	35.5	0.2	2.8	9.0	11.0	2.1	128	37	51	92	1001
3/28/16 12:00	1.2	0.9	0.8	35.7	0.2	2.6	16.0	12.0	5.0	248	19	55	83	1001
3/28/16 13:00	0.5	0.9	0.8	11.0	0.2	2.1	13.0	8.0	9.8	284	18	60	68	1000
3/28/16 14:00	BDL	0.5	0.6	0.5	0.1	1.1	7.0	5.0	12.7	285	16	64	51	1000
3/28/16 15:00	BDL	0.4	0.6	0.5	0.2	0.4	9.0	3.0	13.7	287	15	65	44	999
3/28/16 16:00	BDL	0.4	0.5	BDL	0.3	0.4	9.0	5.0	18.2	288	12	63	37	1000
3/28/16 17:00	BDL	BDL	0.5	BDL	0.3	0.7	9.0	5.0	18.3	288	12	60	40	1001
3/28/16 18:00	BDL	BDL	0.5	BDL	0.3	1.3	9.0	4.0	17.8	279	14	58	46	1002
3/28/16 19:00	BDL	BDL	0.6	BDL	0.3	1.8	6.0	3.0	16.1	273	14	57	50	1003
3/28/16 20:00	BDL	BDL	0.5	BDL	0.2	2.4	6.0	5.0	14.5	276	13	55	53	1004
3/28/16 21:00	0.4	BDL	0.5	BDL	0.2	2.9	11.0	7.0	16.0	288	12	55	52	1005
3/28/16 22:00	0.4	BDL	0.4	BDL	0.2	3.4	10.0	7.0	16.0	293	12	53	52	1006
3/28/16 23:00	BDL	BDL	0.4	BDL	0.2	3.8	7.0	5.0	16.0	299	11	52	55	1007
3/29/16 0:00	BDL	BDL	0.4	BDL	0.2	4.3	9.0	4.0	13.7	293	11	51	56	1008
3/29/16 1:00	BDL	BDL	BDL	BDL	0.2	4.4	8.0	5.0	18.5	306	12	50	56	1009
3/29/16 2:00	BDL	BDL	0.4	BDL	0.2	4.5	6.0	6.0	13.8	299	11	49	56	1009
3/29/16 3:00	BDL	Calibration	Calibration	BDL	0.2	4.6	7.0	6.0	13.8	300	10	48	57	1009
3/29/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	4.7	5.0	6.0	13.7	302	10	48	58	1010
3/29/16 5:00	Too few samples	BDL	0.4	Too few samples	0.2	4.9	15.0	7.0	12.8	303	9	47	58	1011
3/29/16 6:00	BDL	BDL	0.4	1.3	0.3	5.1	7.0	7.0	12.5	304	10	46	56	1012
3/29/16 7:00	BDL	BDL	0.4	2.4	0.3	5.4	6.0	6.0	7.7	298	13	46	54	1013
3/29/16 8:00	BDL	BDL	BDL	0.4	0.3	5.7	6.0	4.0	11.2	298	14	47	49	1014
3/29/16 9:00	BDL	BDL	BDL	BDL	0.3	5.8	9.0	5.0	14.3	307	12	48	46	1014
3/29/16 10:00	BDL	BDL	BDL	BDL	0.3	5.6	12.0	3.0	15.4	307	13	50	43	1014
3/29/16 11:00	BDL	Calibration	Calibration	BDL	0.3	5.5	12.0	4.0	13.7	306	13	52	38	1014
3/29/16 12:00	BDL	Calibration	Calibration	BDL	0.3	5.4	9.0	4.0	15.8	306	13	53	34	1014
3/29/16 13:00	BDL	BDL	BDL	BDL	0.2	4.9	15.0	4.0	15.0	307	14	55	31	1014
3/29/16 14:00	BDL	BDL	BDL	BDL	0.2	4.6	14.0	3.0	15.8	310	12	56	28	1014
3/29/16 15:00	BDL	BDL	0.4	3.6	0.2	4.7	30.0	5.0	16.1	324	13	57	25	1014
3/29/16 16:00	BDL	BDL	BDL	1.1	0.2	4.8	27.0	6.0	16.9	319	11	56	22	1015
3/29/16 17:00	BDL	BDL	BDL	1.5	0.2	5.1	20.0	6.0	16.5	319	11	56	22	1015
3/29/16 18:00	BDL	BDL	BDL	BDL	0.2	5.5	9.0	4.0	14.5	316	10	54	23	1017
3/29/16 19:00	BDL	BDL	BDL	BDL	0.2	6.1	10.0	3.0	12.9	312	8	53	24	1018
3/29/16 20:00	BDL	BDL	BDL	7.8	0.2	6.8	10.0	6.0	10.0	334	13	52	24	1019
3/29/16 21:00	BDL	BDL	BDL	10.3	0.2	7.4	9.0	6.0	9.1	340	12	50	23	1020
3/29/16 22:00	0.4	BDL	BDL	9.2	0.2	7.7	12.0	7.0	8.9	340	12	48	25	1021
3/29/16 23:00	BDL	BDL	BDL	10.8	0.2	7.9	10.0	6.0	8.8	336	11	47	27	1022
3/30/16 0:00	0.6	BDL	BDL	6.3	0.3	8.2	10.0	7.0	6.3	350	24	45	29	1023
3/30/16 1:00	0.9	BDL	BDL	5.6	0.3	8.5	10.0	7.0	6.9	1	24	44	31	1024
3/30/16 2:00	0.5	BDL	BDL	8.0	0.2	8.6	6.0	7.0	6.3	355	17	43	32	1024
3/30/16 3:00	0.5	Calibration	Calibration	14.9	0.3	8.6	6.0	6.0	5.9	335	13	42	34	1025
3/30/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	8.7	11.0	8.0	7.1	335	11	41	34	1025
3/30/16 5:00	Calibration	BDL	BDL	Calibration	Calibration	8.7	10.0	6.0	6.9	341	12	41	35	1025
3/30/16 6:00	0.6	BDL	BDL	15	0.3	9.1	23.0	5.0	5.1	35	19	40	38	1026
3/30/16 7:00	0.6	Audit	Audit	21.6	0.4	9.1	21.0	5.0	5.3	50	15	40	34	1026
3/30/16 8:00	0.6	Too few samples	Too few samples	21.8	0.4	9.2	22.0	5.0	5.1	60	16	42	31	1027
3/30/16 9:00	0.7	Too few samples	Too few samples	19.1	0.3	9.1	18.0	6.0	4.7	94	21	43	30	1027
3/30/16 10:00	0.7	Audit	Audit	10.1	0.3	9.0	16.0	6.0	4.4	143	28	46	28	1026
3/30/16 11:00	0.4	1.0	8.0	6.8	0.3	8.8	12.0	6.0	5.3	190	26	49	26	1026
3/30/16 12:00	BDL	BDL	BDL	2.9	0.2	8.3	20.0	5.0	7	201	21	52	25	1025
3/30/16 13:00	BDL	Calibration	Calibration	4.9	0.2	11.6	17.0	3.0	6.9	198	24	54	26	1024
3/30/16 14:00	BDL	Too few samples	Too few samples	1.8	0.3	Too few samples	21.0	3.0	9.7	192	19	55	29	1023
3/30/16 15:00	BDL	BDL	BDL	1.1	0.3	Too few samples	33.0	3.0	11.0	197	16	55	31	1023
3/30/16 16:00	BDL	BDL	BDL	1.3	0.3	1.6	19.0	3.0	10.4	182	16	55	33	1022
3/30/16 17:00	BDL	BDL	BDL	3.0	0.3	1.3	25.0	4.0	11.4	187	15	56	36	1021
3/30/16 18:00	BDL	BDL	BDL	0.8	0.3	1.2	22.0	5.0	12.1	183	12	55	42	1020
3/30/16 19:00	BDL	BDL	BDL	6.3	0.2	1.4	21.0	7.0	10.8	169	11	52	51	1020
3/30/16 20:00	BDL	BDL	BDL	3.4	0.2	1.9	17.0	8.0	8.2	175	12	50	55	1021
3/30/16 21:00	BDL	BDL	0.4	2.3	0.1	2.3	17.0	8.0	6.4	182	12	49	61	1021
3/30/16 22:00	BDL	BDL	0.5	6.1	0.1	2.3	14.0	8.0	7.4	192	12	49	60	1020
3/30/16 23:00	BDL	BDL	0.5	3	0.2	2.3	11.0	7.0	7.7	202	10	49	55	1019

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 3/27/2016-4/2/2016														
3/31/16 0:00	BDL	BDL	0.6	2.2	0.1	2.2	10.0	6.0	9	203	11	49	58	1019
3/31/16 1:00	BDL	BDL	0.5	3.0	0.1	2.4	16.0	6.0	5.8	207	13	49	65	1018
3/31/16 2:00	BDL	BDL	0.5	3.0	0.04	1.7	12.0	7.0	6.6	191	11	50	72	1017
3/31/16 3:00	BDL	Calibration	Calibration	1.6	0.04	1.3	12.0	7.0	7.1	200	11	50	77	1016
3/31/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	1.2	19.0	6.0	7	197	10	51	79	1016
3/31/16 5:00	Too few samples	0.4	0.6	Too few samples	0.04	0.6	8.0	7.0	8.7	193	12	52	79	1015
3/31/16 6:00	BDL	BDL	0.5	3.5	0.1	0.5	16.0	7.0	7.2	204	13	53	79	1015
3/31/16 7:00	BDL	0.5	0.6	19.3	0.1	0.5	28.0	7.0	7.4	195	13	54	77	1015
3/31/16 8:00	BDL	0.4	0.5	5.2	0.1	BDL	31.0	7.0	12.8	190	12	57	70	1014
3/31/16 9:00	BDL	0.5	0.6	4.7	0.1	BDL	42.0	5.0	11.6	197	14	60	65	1014
3/31/16 10:00	BDL	BDL	0.5	2.3	0.1	BDL	82.0	9.0	16.1	203	12	64	58	1013
3/31/16 11:00	BDL	BDL	0.4	BDL	0.1	BDL	125.0	15.0	18.2	202	12	67	52	1012
3/31/16 12:00	BDL	BDL	0.4	0.5	0.1	BDL	66.0	10.0	17.3	203	13	68	51	1011
3/31/16 13:00	BDL	BDL	0.4	0.7	0.1	BDL	48.0	10.0	15.5	207	14	70	49	1011
3/31/16 14:00	0.4	BDL	0.4	1.5	0.1	BDL	37.0	10.0	14.7	210	13	70	49	1010
3/31/16 15:00	0.4	BDL	0.4	3.7	0.1	BDL	55.0	10.0	14.7	209	16	71	49	1009
3/31/16 16:00	BDL	BDL	0.5	1.0	0.1	BDL	69.0	10.0	16.4	203	12	71	48	1009
3/31/16 17:00	BDL	BDL	0.4	BDL	0.1	BDL	30.0	8.0	14.4	200	12	70	50	1008
3/31/16 18:00	BDL	BDL	0.7	3.9	0.1	BDL	23.0	8.0	12	192	12	70	50	1008
3/31/16 19:00	BDL	BDL	0.6	1.4	0.1	BDL	13.0	7.0	9.5	177	11	68	53	1007
3/31/16 20:00	BDL	0.4	0.6	3.4	0.1	BDL	24.0	8.0	9.5	171	11	65	63	1007
3/31/16 21:00	BDL	0.4	0.6	BDL	0.1	BDL	20.0	7.0	10.1	178	11	65	75	1007
3/31/16 22:00	BDL	0.5	0.7	BDL	0.1	BDL	21.0	10.0	11.4	184	13	65	78	1006
3/31/16 23:00	BDL	0.7	1.0	2.4	0.1	BDL	18.0	10.0	12.8	196	12	65	81	1006
4/01/16 0:00	BDL	0.6	0.9	BDL	0.1	BDL	16.0	6.0	10.6	191	13	65	84	1006
4/01/16 1:00	BDL	0.6	0.9	2.7	0.1	BDL	13.0	7.0	10.5	194	13	66	85	1005
4/01/16 2:00	BDL	0.8	1.0	2.4	0.1	BDL	11.0	8.0	10.7	199	12	65	86	1004
4/01/16 3:00	BDL	Calibration	Calibration	6.5	0.1	BDL	12.0	5.0	6.5	187	11	65	88	1004
4/01/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	BDL	9.0	10.0	6.5	173	11	65	92	1003
4/01/16 5:00	Too few samples	0.8	1.0	Too few samples	0.1	BDL	8.0	8.0	7.4	183	12	65	92	1003
4/01/16 6:00	BDL	0.7	1.0	2.9	0.1	BDL	6.0	5.0	9.8	202	11	67	89	1002
4/01/16 7:00	BDL	0.5	0.8	2.1	0.1	BDL	6.0	4.0	12.1	203	11	67	87	1002
4/01/16 8:00	BDL	0.5	0.8	1.4	0.1	BDL	8.0	8.0	12.5	204	11	68	84	1001
4/01/16 9:00	BDL	0.5	0.8	5.1	0.1	BDL	11.0	6.0	12.4	215	13	69	81	1001
4/01/16 10:00	BDL	0.5	0.8	7.1	0.1	BDL	14.0	4.0	12.2	211	13	68	82	1001
4/01/16 11:00	BDL	0.5	0.7	4.0	0.1	BDL	11.0	4.0	10.2	198	12	68	82	1001
4/01/16 12:00	BDL	0.7	1.0	1.5	0.1	BDL	7.0	5.0	12.9	209	13	69	75	1000
4/01/16 13:00	BDL	0.5	0.7	2.0	0.1	BDL	9.0	4.0	14.5	216	13	73	63	999
4/01/16 14:00	0.5	0.5	0.7	3.0	0.1	BDL	8.0	1.0	15.1	229	15	76	53	998
4/01/16 15:00	0.6	0.5	0.7	2.7	0.1	BDL	9.0	2.0	13.1	223	15	77	50	997
4/01/16 16:00	0.6	0.5	0.7	3.6	0.1	BDL	13.0	3.0	13.3	219	15	78	50	996
4/01/16 17:00	0.7	0.5	0.6	1.8	0.1	BDL	11.0	6.0	14.0	210	13	77	54	997
4/01/16 18:00	0.7	0.5	0.7	5.1	0.1	BDL	9.0	5.0	9.6	234	28	75	63	997
4/01/16 19:00	0.6	0.4	0.7	1.2	0.1	BDL	8.0	7.0	3.0	283	23	67	99	999
4/01/16 20:00	0.4	0.7	1.0	13.3	0.2	BDL	13.0	10.0	3.0	185	14	67	97	999
4/01/16 21:00	0.5	0.7	1.2	18.5	0.2	BDL	14.0	9.0	4.7	236	23	67	96	1001
4/01/16 22:00	0.5	0.6	0.7	12.1	0.2	BDL	14.0	8.0	2.8	269	20	66	95	1001
4/01/16 23:00	0.4	0.6	0.7	11.2	0.2	BDL	17.0	7.0	5.3	302	9	66	85	1002
4/02/16 0:00	0.8	0.4	0.6	5.3	0.1	BDL	19.0	11.0	7.9	344	17	66	51	1001
4/02/16 1:00	0.7	0.4	0.6	5.4	0.1	BDL	12.0	9.0	7.7	340	12	65	41	1001
4/02/16 2:00	0.5	0.4	0.6	5.3	0.1	BDL	8.0	5.0	6.7	321	11	64	44	1001
4/02/16 3:00	0.4	Calibration	Calibration	5.6	0.1	BDL	7.0	5.0	6.6	316	8	63	44	1001
4/02/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	BDL	8.0	5.0	9.0	329	11	62	43	1000
4/02/16 5:00	Too few samples	0.4	0.6	Too few samples	0.1	BDL	13.0	9.0	9.2	5	16	59	57	1000
4/02/16 6:00	BDL	0.4	0.6	3.6	0.1	BDL	11.0	6.0	6.8	36	16	57	57	1000
4/02/16 7:00	Calibration	0.4	0.6	Calibration	Calibration	BDL	14.0	7.0	6.5	353	20	55	66	1001
4/02/16 8:00	Calibration	0.5	0.6	Calibration	0.1	Calibration	11.0	7.0	9.1	332	11	53	75	1001
4/02/16 9:00	Calibration	0.4	0.6	Calibration	0.1	4.3	9.0	5.0	7.9	311	9	50	84	1002
4/02/16 10:00	Calibration	BDL	0.5	Calibration	0.1	4.6	6.0	5.0	4.9	302	15	49	85	1001
4/02/16 11:00	Calibration	0.4	0.5	Calibration	0.1	4.6	9.0	4.0	2.9	255	33	50	80	1000
4/02/16 12:00	Calibration	0.4	0.7	Calibration	0.1	4.1	6.0	4.0	3.9	273	22	52	73	998
4/02/16 13:00	Calibration	0.5	0.7	Calibration	0.1	3.7	4.0	4.0	5.3	227	20	53	67	997
4/02/16 14:00	Calibration	0.5	0.6	Calibration	0.1	3.1	8.0	3.0	6.7	205	16	54	62	996
4/02/16 15:00	Calibration	0.9	1.1	Calibration	0.1	2.7	5.0	6.0	6.4	223	22	56	55	994
4/02/16 16:00	Calibration	0.6	0.8	Calibration	0.1	2.5	4.0	6.0	7.1	229	17	57	50	993
4/02/16 17:00	Calibration	0.6	0.7	Calibration	0.1	1.8	7.0	5.0	6.7	194	15	57	55	993
4/02/16 18:00	Calibration	0.6	0.8	Calibration	0.1	1.6	10.0	4.0	7.6	195	13	56	58	992
4/02/16 19:00	Calibration	0.8	1.0	Calibration	0.1	1.9	13.0	5.0	9.5	197	12	53	77	993
4/02/16 20:00	Calibration	0.7	0.9	Calibration	0.1	2.1	9.0	6.0	9.5	193	11	53	83	993
4/02/16 21:00	Calibration	0.7	0.9	Calibration	0.1	2.2	10.0	9.0	9.2	198	13	53	81	993
4/02/16 22:00	Calibration	1.1	1.2	Calibration	0.1	2.1	9.0	7.0	9.8	203	12	53	79	991
4/02/16 23:00	Calibration	0.8	1.0	Calibration	0.04	2.4	10.0	9.0	15.1	261	14	49	82	992

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 4/3/2016-4/9/2016														
4/03/16 0:00	Calibration	0.4	0.7	Calibration	BDL	3.3	6.0	6.0	11.8	283	14	44.87	78.8	993
4/03/16 1:00	Calibration	0.4	0.6	Calibration	0.1	3.6	7.0	4.0	13.2	279	14	45.15	65.4	993
4/03/16 2:00	Calibration	0.4	0.7	Calibration	0.1	4.2	6.0	4.0	15.9	276	14	42.81	52.2	994
4/03/16 3:00	Calibration	Calibration	Calibration	Calibration	0.1	4.6	6.0	5.0	16.9	278	15	42.01	54.4	994
4/03/16 4:00	Calibration	Calibration	Calibration	Calibration	Too few samples	5.2	6.0	9.0	18.7	289	12	40.59	60.6	996
4/03/16 5:00	Calibration	BDL	0.5	Calibration	0.1	6.2	4.0	6.0	20.5	300	12	39.12	57.4	999
4/03/16 6:00	Calibration	BDL	0.4	Calibration	0.1	7.6	10.0	6.0	23.3	308	9	37.16	49.2	1002
4/03/16 7:00	Calibration	BDL	0.4	Calibration	Calibration	8.5	12.0	7.0	24	301	10	35.94	38	1004
4/03/16 8:00	Calibration	BDL	0.5	Calibration	0.2	22.7	9.0	7.0	23.7	308	10	35.14	38.1	1006
4/03/16 9:00	Calibration	BDL	0.4	Calibration	0.2	0.7	5.0	6.0	23.5	307	10	35.06	38.7	1008
4/03/16 10:00	Calibration	BDL	BDL	Calibration	0.2	1.1	2.0	4.0	19.6	305	12	36.27	37.1	1009
4/03/16 11:00	Calibration	BDL	BDL	Calibration	0.2	1.4	5.0	2.0	19.8	306	13	37.3	36.3	1011
4/03/16 12:00	Calibration	BDL	BDL	Calibration	0.2	1.5	5.0	3.0	20.6	309	14	38.24	36.2	1011
4/03/16 13:00	Calibration	BDL	BDL	Calibration	0.3	1.9	2.0	4.0	14.3	297	16	40.06	35	1011
4/03/16 14:00	Calibration	BDL	BDL	Calibration	0.2	2.3	4.0	4.0	13.1	292	17	41.9	32.4	1011
4/03/16 15:00	Calibration	BDL	BDL	Calibration	0.3	2.3	4.0	3.0	13.3	293	13	43.08	30.9	1011
4/03/16 16:00	Calibration	BDL	BDL	Calibration	0.2	2.2	3.0	2.0	14.2	295	16	43.86	30.2	1012
4/03/16 17:00	Calibration	BDL	BDL	Calibration	0.2	2.1	8.0	3.0	10.6	286	16	44.98	30.4	1012
4/03/16 18:00	Calibration	BDL	BDL	Calibration	0.3	1.9	7.0	4.0	10.4	287	16	44.54	31.7	1013
4/03/16 19:00	Calibration	BDL	BDL	Calibration	0.3	2.0	5.0	4.0	6.7	287	13	43.93	33.7	1013
4/03/16 20:00	Calibration	BDL	BDL	Calibration	0.3	2.1	5.0	2.0	3.2	280	15	43.4	35.8	1014
4/03/16 21:00	Calibration	BDL	BDL	Calibration	0.3	2.3	7.0	2.0	1.8	254	26	43.07	37.5	1014
4/03/16 22:00	Calibration	BDL	BDL	Calibration	0.3	2.4	6.0	5.0	1.9	99	37	42.45	39	1014
4/03/16 23:00	Calibration	BDL	BDL	Calibration	0.3	2.5	10.0	8.0	3.4	123	15	42.14	46.9	1014
4/04/16 0:00	Calibration	BDL	BDL	Calibration	0.3	2.3	12.0	7.0	4.1	131	16	41.18	49.9	1014
4/04/16 1:00	Calibration	BDL	BDL	Calibration	0.3	2.2	8.0	6.0	5.7	99	14	40.92	44.9	1014
4/04/16 2:00	Calibration	BDL	0.4	Calibration	0.3	1.9	8.0	5.0	6.8	106	13	41.06	43.7	1013
4/04/16 3:00	Calibration	Calibration	Calibration	Calibration	0.3	1.6	10.0	4.0	6.1	98	13	41.53	47.8	1012
4/04/16 4:00	Calibration	Calibration	Calibration	Calibration	Too few samples	1.4	7.0	5.0	4.4	104	18	42.09	65.4	1010
4/04/16 5:00	Calibration	0.9	1.0	Calibration	0.1	1.3	11.0	7.0	3.9	68	10	41.42	73.1	1010
4/04/16 6:00	BDL	1.9	1.8	42.5	0.2	1.2	15.0	8.0	3.1	65	11	41.04	78.3	1009
4/04/16 7:00	0.6	2.7	2.3	65.6	0.3	1.2	27.0	11.0	2.3	60	10	42.02	78.9	1009
4/04/16 8:00	Calibration	3.0	2.4	Calibration	Calibration	1.4	26.0	11.0	1.7	46	27	44.41	77.2	1009
4/04/16 9:00	1.6	2.7	2.1	61.5	0.3	1.4	27.0	18.0	2.5	153	22	47.76	69.8	1008
4/04/16 10:00	2.5	1.7	1.4	32.9	0.1	1.1	22.0	11.0	4.6	203	15	52.58	59.8	1007
4/04/16 11:00	1.5	1.0	0.9	20.9	0.1	0.7	18.0	8.0	5.7	232	16	57.35	50.7	1006
4/04/16 12:00	1.1	0.8	0.7	19.3	0.1	0.3	21.0	6.0	5.5	225	16	60.57	44.7	1005
4/04/16 13:00	0.9	0.6	0.6	9.9	0.1	BDL	14.0	6.0	7.3	233	15	62.38	39.9	1005
4/04/16 14:00	1.1	0.5	0.5	15.0	0.1	BDL	15.0	7.0	4.7	283	14	62.57	40.5	1005
4/04/16 15:00	0.6	0.8	0.8	19.2	0.2	BDL	26.0	6.0	9	327	12	59.92	48	1005
4/04/16 16:00	0.4	0.7	0.7	14.1	0.2	BDL	17.0	6.0	8.9	312	10	56.18	61.9	1006
4/04/16 17:00	BDL	0.6	0.7	8.0	0.2	BDL	13.0	7.0	5.3	287	13	53.46	87.4	1007
4/04/16 18:00	BDL	0.7	0.8	15.6	0.2	BDL	17.0	14.0	3.4	237	16	52.55	95	1007
4/04/16 19:00	BDL	0.8	1.0	17.4	0.2	BDL	14.0	14.0	7.8	338	19	52.19	91	1008
4/04/16 20:00	1.1	0.7	0.7	18.7	0.2	BDL	13.0	12.0	10.4	13	17	46.44	84.1	1011
4/04/16 21:00	BDL	0.4	0.6	11.4	0.2	BDL	9.0	8.0	9.9	33	15	42.32	81	1012
4/04/16 22:00	BDL	0.4	0.6	10.8	0.2	BDL	13.0	8.0	8.8	19	19	41.01	80.3	1014
4/04/16 23:00	0.6	0.4	0.5	7.5	0.3	BDL	10.0	7.0	9.5	8	18	39.17	77	1015
4/05/16 0:00	0.6	BDL	0.4	7.3	0.3	0.1	10.0	7.0	10.1	4	17	36.38	73.6	1016
4/05/16 1:00	0.9	BDL	0.5	8.0	0.3	0.4	12.0	12.0	11.4	352	19	33.97	71	1016
4/05/16 2:00	1.6	BDL	0.5	7.6	0.3	0.7	12.0	12.0	11.7	353	17	32.85	67.8	1017
4/05/16 3:00	1.2	Calibration	Calibration	9.7	0.3	0.8	18.0	18.0	10.3	348	17	32.42	64.2	1017
4/05/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	1.2	11.0	10.0	9.8	357	20	32.02	64.3	1018
4/05/16 5:00	Too few samples	BDL	0.4	Too few samples	0.27	1.6	10.0	9.0	7.3	359	19	31.53	66.6	1020
4/05/16 6:00	0.6	BDL	0.4	11.5	0.3	1.8	17.0	15.0	11	343	15	30.86	68.4	1020
4/05/16 7:00	BDL	BDL	0.4	11.2	0.3	Too few samples	14.0	8.0	10.2	15	19	29.99	71.8	1022
4/05/16 8:00	0.6	BDL	0.4	12.6	0.3	4.0	9.0	7.0	9.6	16	18	31.29	55.9	1023
4/05/16 9:00	0.4	BDL	0.4	8.7	0.3	3.9	9.0	6.0	10.3	17	17	31.73	43.6	1024
4/05/16 10:00	0.7	BDL	0.4	15.7	0.3	4.1	13.0	8.0	10.6	359	20	33.23	40.7	1025
4/05/16 11:00	0.6	BDL	BDL	7.0	0.3	3.5	12.0	7.0	9.7	4	24	35.21	37.7	1025
4/05/16 12:00	0.4	BDL	BDL	5.8	0.2	19.8	17.0	6.0	9.8	357	24	37.4	38.2	1025
4/05/16 13:00	0.7	BDL	0.4	4.0	0.2	5.8	10.0	5.0	10.1	6	22	39.05	31.9	1025
4/05/16 14:00	0.8	BDL	0.4	6.1	0.2	9.7	11.0	7.0	9.6	348	19	40.84	30.6	1024
4/05/16 15:00	0.5	BDL	0.4	4.9	0.2	1.6	8.0	6.0	9.4	335	21	42.36	30.1	1024
4/05/16 16:00	BDL	BDL	BDL	3.3	0.2	1.5	12.0	6.0	9.5	332	23	42.76	28.4	1024
4/05/16 17:00	BDL	BDL	BDL	4.8	0.2	1.4	8.0	5.0	9.8	327	17	42.9	27.2	1024
4/05/16 18:00	BDL	BDL	BDL	4.2	0.2	BDL	9.0	3.0	10.5	328	15	42.26	26.8	1025
4/05/16 19:00	0.4	BDL	0.4	9.0	0.2	0.6	8.0	6.0	8.6	340	11	41.38	27.4	1025
4/05/16 20:00	BDL	BDL	0.4	7.3	0.3	2.3	8.0	8.0	7.6	342	15	40.52	27.7	1026
4/05/16 21:00	BDL	BDL	BDL	5.1	0.3	3.3	14.0	7.0	7.3	346	17	39.3	29.5	1027
4/05/16 22:00	BDL	BDL	0.4	6.0	0.3	5.5	8.0	5.0	5.6	8	18	38.41	32.1	1027
4/05/16 23:00	BDL	BDL	0.4	8.9	0.3	7.4	7.0	5.0	5.1	22	19	37.13	34.6	1027
4/06/16 0:00	0.4	BDL	BDL	8.1	0.3	7.9	9.0	5.0	5.3	55	11	35.7	35.6	1027
4/06/16 1:00	BDL	BDL	BDL	12.9	0.3	8.0	8.0	6.0	5.5	57	10	35	35.1	1026
4/06/16 2:00	BDL	BDL	BDL	6.8	0.3	7.4	6.0	5.0	5.5	56	10	34.08	37	1026
4/06/16 3:00	BDL	Calibration	Calibration	9.0	0.3	6.9	13.0	6.0	3.9	67	11	33.53	39.2	1026
4/06/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	6.3	12.0	7.0	3.8	77	11	32.85	40.6	1026
4/06/16 5:00	Too few samples	0.5	0.5	Too few samples	0.3	5.9	18.0	6.0	2.8	67	11	32.28	44.4	1026
4/06/16 6:00	BDL	0.6	0.4	38.6	0.4	5.6	15.0	6.0	3.3	72	13	31.93	44.7	1026
4/06/16 7:00	BDL	0.9	0.4	43.8	0.3	5.7	27.0	6.0	2.6	81	21	32.82	40.1	1027
4/06/16 8:00	BDL	0.7	0.4	28.6	0.3	5.4	17.0	7.0	3.8	101	18	34.79	33.9	1027
4/06/16 9:00	0.5	0.5	0.4	27.1	0.4	4.9	9.0	9.0	3.1	114	28	37.22	30.9	1027
4/06/16 10:00	BDL	BDL	BDL	13.4	0.3	3.6	12.0	5.0	6.0	182	27	41.17	30.9	1026
4/06/16 11:00	0.6	BDL	0.4	2.4	0.3	2.1	17.0	7.0	9.2	202	20	44.85	33.4	1025
4/06/16 12:00	BDL	BDL	0.5	2.3	0.3	1.7	20.0	6.0	10.9	188	19	46.68	38.4	1024
4/06/16 13:00	BDL	BDL	0.5	2.0	0.3	1.1	35.0	6.0	13.3	194	16	48.17	37.4	1023
4/06/16 14:00	BDL	BDL	BDL	1.8	0.2	2.7	47.0	9.0	14.0	185	15	49.4	37.9	1021
4/06/16 15:00	BDL	BDL	0.4	1.3	0.1	4.2	27.0	7.0	13.9	181	15	50.26	38.4	1019
4/06/16 16:00	BDL	BDL	0.5	1.2	0.2	4.5	28.0	8.0	14.2	172	14	50.74	37.5	1018
4/06/16 17:00	BDL	0.4	0.5	1.2	0.1	3.3	25.0	7.0	15.0	173	13	51.01	41.5	1016
4/06/16 18:00	BDL	0.4	0.6	BDL	0.1	3.0	18.0	6.0	14.0	173	12	49.75	50.9	1016
4/06/16 19:00	BDL	0.4	0.5	2.3	0.1	2.8	13.0	6.0	11.3	168	12	47.85	61	1015
4/06/16 20:00	BDL	0.5	0.6	6.9	0.04	2.4	14.0	4.0	12	167	12	47.26	65.9	1014
4/06/16 21:00	BDL	0.8	0.7	23.8	0.04	1.9	12.0	5.0	10.9	168	12	46.86	72.5	1014
4/06/16 22:00	BDL	0.4	0.6	1.4	0.04	2.0	11.0	6.0	8.9	166	11	46.59	78.8	1013
4/06/16 23:00	BDL	0.4	0.6	2.0	BDL	1.9	9.0	7.0	8.8	176	12	48.24	80	1012

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 4/3/2016-4/9/2016														
4/07/16 0:00	BDL	0.4	0.6	0.5	BDL	1.7	9.0	6.0	11.0	184	12	50.1	79.6	1011
4/07/16 1:00	BDL	0.4	0.6	BDL	BDL	1.4	10.0	5.0	10.6	186	12	50.93	80.4	1010
4/07/16 2:00	BDL	0.4	0.6	1.0	BDL	1.0	11.0	4.0	10.8	179	13	52.37	79.7	1008
4/07/16 3:00	BDL	Calibration	Calibration	0.9	BDL	0.8	20.0	6.0	12.0	180	12	53.69	78.3	1007
4/07/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	0.7	11.0	8.0	11.0	176	12	54.07	79	1006
4/07/16 5:00	Too few samples	Calibration	Calibration	Too few samples	BDL	0.4	10.0	5.0	11.1	173	12	54.57	79.9	1005
4/07/16 6:00	BDL	Calibration	Calibration	0.9	BDL	0.3	14.0	5.0	11.6	167	11	54.65	81.1	1004
4/07/16 7:00	BDL	Too few samples	Too few samples	4.3	BDL	0.1	9.0	5.0	10.7	177	13	55.1	82.1	1004
4/07/16 8:00	BDL	Calibration	Calibration	1.9	BDL	BDL	11.0	6.0	13.4	167	12	56.63	80.3	1002
4/07/16 9:00	BDL	BDL	BDL	BDL	BDL	BDL	13.0	5.0	14.1	165	13	57.61	80.5	1000
4/07/16 10:00	BDL	BDL	BDL	BDL	BDL	1.8	23.0	4.0	15.7	165	12	58.74	79.8	998
4/07/16 11:00	BDL	BDL	BDL	BDL	BDL	1.2	11.0	2.0	15.6	159	12	58.88	82.1	996
4/07/16 12:00	BDL	BDL	BDL	5.0	BDL	0.7	8.0	6.0	16.9	162	13	58.19	86.7	993
4/07/16 13:00	BDL	BDL	BDL	3.3	BDL	1.0	6.0	7.0	14.5	221	15	56.56	85.4	994
4/07/16 14:00	BDL	BDL	0.4	2.8	0.04	1.1	4.0	4.0	11.1	250	16	57.49	69.2	994
4/07/16 15:00	0.4	BDL	BDL	3.6	0.04	1.2	5.0	2.0	10.8	216	13	57.81	69.2	994
4/07/16 16:00	0.6	BDL	BDL	5.3	0.04	1.4	6.0	6.0	10.6	240	15	59.45	57.3	994
4/07/16 17:00	BDL	BDL	BDL	BDL	BDL	1.6	6.0	4.0	7.6	263	20	60.61	44.7	994
4/07/16 18:00	0.4	BDL	BDL	4.3	BDL	1.4	7.0	3.0	9.5	242	16	56.04	63.4	995
4/07/16 19:00	0.7	0.5	BDL	10.2	0.1	0.8	7.0	6.0	9.7	232	13	52.91	80.6	995
4/07/16 20:00	0.6	BDL	BDL	8.9	0.1	1.9	5.0	6.0	8.1	216	13	51.24	87.3	996
4/07/16 21:00	0.9	BDL	BDL	14.8	0.1	2.7	6.0	6.0	8.7	227	13	50.61	88.8	997
4/07/16 22:00	1.6	0.5	0.5	10.5	0.1	3.7	11.0	6.0	7.8	240	13	50.93	85.1	998
4/07/16 23:00	0.7	BDL	BDL	3.6	0.1	3.4	8.0	5.0	8.4	266	16	50.1	85	998
4/08/16 0:00	BDL	BDL	BDL	1.7	0.04	3.3	5.0	3.0	4.9	253	16	48.06	85.2	998
4/08/16 1:00	BDL	BDL	BDL	1.3	BDL	3.7	3.0	3.0	6.3	248	14	47.4	79.3	999
4/08/16 2:00	BDL	BDL	0.4	3.2	BDL	3.9	4.0	5.0	8.1	245	13	46.75	76.1	999
4/08/16 3:00	BDL	Calibration	Calibration	4.9	0.04	3.8	5.0	7.0	8.2	254	15	45.44	70.3	999
4/08/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	3.7	5.0	6.0	8.1	252	14	44.4	69.7	999
4/08/16 5:00	Too few samples	BDL	BDL	Too few samples	0.1	3.7	7.0	5.0	7.4	250	15	43.65	69.8	999
4/08/16 6:00	0.4	BDL	BDL	12.8	0.1	3.7	8.0	5.0	8.9	244	13	43.02	69.2	1000
4/08/16 7:00	BDL	BDL	BDL	10.6	0.1	3.8	7.0	4.0	10.4	248	15	43.72	62.8	1001
4/08/16 8:00	BDL	BDL	BDL	4.0	0.1	4.3	6.0	4.0	9.9	256	18	45.23	56	1001
4/08/16 9:00	BDL	BDL	BDL	BDL	0.1	4.5	6.0	3.0	11.4	274	16	45.58	53.7	1002
4/08/16 10:00	BDL	BDL	BDL	BDL	0.1	3.7	6.0	2.0	13	282	16	45.43	53.4	1002
4/08/16 11:00	BDL	BDL	BDL	BDL	0.1	3.4	4.0	3.0	13.7	293	14	43.19	54.8	1003
4/08/16 12:00	BDL	BDL	BDL	BDL	0.1	3.6	6.0	4.0	13.3	291	13	45.41	48.6	1003
4/08/16 13:00	BDL	BDL	BDL	BDL	0.1	3.4	6.0	5.0	12.9	279	20	46.94	42.3	1003
4/08/16 14:00	BDL	BDL	BDL	BDL	0.1	3.5	5.0	6.0	13.4	290	14	47.44	41.3	1004
4/08/16 15:00	BDL	BDL	BDL	BDL	0.1	3.7	11.0	7.0	13.3	281	16	48.41	40.9	1004
4/08/16 16:00	BDL	BDL	BDL	BDL	0.1	3.6	8.0	8.0	12.4	293	15	48.09	41.2	1004
4/08/16 17:00	BDL	BDL	BDL	BDL	0.1	3.7	13.0	6.0	10.4	285	16	48.95	39	1005
4/08/16 18:00	BDL	BDL	BDL	BDL	0.1	3.8	10.0	6.0	10	283	14	48.61	38.3	1005
4/08/16 19:00	BDL	BDL	BDL	BDL	0.1	3.7	9.0	5.0	7.2	298	8	47.35	40.5	1006
4/08/16 20:00	BDL	BDL	BDL	3.9	0.1	4.5	12.0	8.0	3.3	287	11	46.53	45.4	1007
4/08/16 21:00	BDL	BDL	BDL	10.7	0.2	5.4	16.0	10.0	1.7	257	18	45.65	49.3	1007
4/08/16 22:00	BDL	BDL	BDL	10.0	0.2	5.2	15.0	10.0	3.1	275	13	44.57	50.8	1007
4/08/16 23:00	BDL	BDL	BDL	14.9	0.2	4.7	10.0	11.0	4.1	301	8	43.73	51.9	1006
4/09/16 0:00	0.6	BDL	BDL	26.7	0.3	4.4	19.0	10.0	2.8	283	15	43.23	54.1	1006
4/09/16 1:00	0.7	0.8	BDL	55.2	0.3	4.6	23.0	12.0	1.9	182	21	42.33	60.6	1006
4/09/16 2:00	0.4	0.7	BDL	39.7	0.2	3.8	19.0	13.0	2.1	183	14	41.62	72.9	1006
4/09/16 3:00	0.4	Calibration	Calibration	29.3	0.1	3.8	17.0	15.0	1.7	144	22	40.48	71.3	1005
4/09/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	3.9	19.0	13.0	3	96	18	39.29	72.1	1005
4/09/16 5:00	Too few samples	0.4	BDL	Too few samples	0.3	3.9	19.0	17.0	3.8	67	10	38.13	72	1005
4/09/16 6:00	BDL	0.4	BDL	31.5	0.2	3.7	17.0	16.0	5.6	59	10	38.04	66	1004
4/09/16 7:00	BDL	0.4	BDL	24.9	0.2	3.4	17.0	12.0	5	64	26	38.08	64.8	1004
4/09/16 8:00	BDL	BDL	BDL	20.9	0.2	3.2	13.0	10.0	2.9	65	22	38.51	63.6	1004
4/09/16 9:00	BDL	BDL	BDL	14.9	0.1	3.1	11.0	12.0	3.6	76	35	38.38	73.1	1003
4/09/16 10:00	BDL	BDL	BDL	14.4	0.1	3.1	12.0	11.0	6.2	61	10	37.99	84.2	1003
4/09/16 11:00	BDL	BDL	BDL	10.5	0.1	3.1	8.0	9.0	6.5	45	19	37.06	92.2	1003
4/09/16 12:00	BDL	BDL	BDL	27.8	0.2	3.1	6.0	7.0	8.3	342	11	35.46	96.3	1003
4/09/16 13:00	BDL	0.5	BDL	37.7	0.2	3.1	5.0	11.0	7.8	340	13	34.93	97.9	1004
4/09/16 14:00	BDL	0.4	BDL	29.9	0.2	3.3	10.0	9.0	9.4	330	12	35.5	98.2	1004
4/09/16 15:00	BDL	BDL	BDL	16.5	0.1	3.7	9.0	8.0	11.5	319	8	34.84	98.5	1005
4/09/16 16:00	BDL	BDL	BDL	12.3	0.1	3.9	6.0	8.0	11.3	317	7	34.56	98.5	1006
4/09/16 17:00	BDL	BDL	BDL	8.9	0.1	4.1	6.0	6.0	10.1	312	9	35.63	97.5	1008
4/09/16 18:00	BDL	BDL	BDL	4.8	0.1	4.3	9.0	5.0	10.9	314	9	37.02	93	1009
4/09/16 19:00	BDL	BDL	BDL	3.7	0.1	4.7	9.0	8.0	9.9	310	8	36.83	94.3	1010
4/09/16 20:00	BDL	BDL	BDL	0.6	BDL	5.2	7.0	7.0	15.6	316	9	36.65	85	1012
4/09/16 21:00	BDL	BDL	BDL	BDL	BDL	5.6	6.0	8.0	15	315	8	36.03	77.2	1014
4/09/16 22:00	BDL	BDL	BDL	1.4	0.1	5.9	9.0	8.0	15.1	319	9	35.67	68.4	1015
4/09/16 23:00	BDL	BDL	BDL	1.9	0.1	6.2	11.0	6.0	13.5	319	9	35.7	62	1016

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 4/10/2016-4/16/2016														
4/10/16 0:00	BDL	BDL	BDL	0.7	0.1	6.4	7.0	6.0	11.1	316	10	35	63	1018
4/10/16 1:00	BDL	BDL	BDL	1.5	0.1	6.6	6.0	4.0	10.8	321	12	34	55	1019
4/10/16 2:00	BDL	BDL	BDL	3.0	0.2	6.8	7.0	5.0	9.9	322	11	34	53	1019
4/10/16 3:00	BDL	Calibration	Calibration	2.4	0.2	7.0	6.0	7.0	8.5	315	10	33	54	1020
4/10/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	7.2	8.0	4.0	7.6	309	9	32	54	1021
4/10/16 5:00	Too few samples	BDL	BDL	Too few samples	0.2	7.4	9.0	6.0	7.0	304	7	32	58	1022
4/10/16 6:00	BDL	BDL	BDL	5.2	0.2	7.7	13.0	9.0	7.4	310	8	31	58	1023
4/10/16 7:00	BDL	Calibration	Calibration	3.5	0.2	7.9	9.0	7.0	7.1	310	11	32	53	1024
4/10/16 8:00	BDL	Calibration	Calibration	4.5	0.2	8.0	6.0	5.0	9.1	324	13	33	50	1025
4/10/16 9:00	BDL	BDL	BDL	3.9	0.2	8.4	8.0	5.0	8.8	326	17	35	47	1026
4/10/16 10:00	BDL	BDL	BDL	1.5	0.2	8.5	6.0	6.0	5.8	319	18	37	44	1026
4/10/16 11:00	BDL	BDL	BDL	BDL	0.2	8.6	8.0	4.0	3.9	286	35	40	38	1026
4/10/16 12:00	BDL	BDL	BDL	0.7	0.2	8.5	5.0	3.0	4.7	240	39	42	36	1026
4/10/16 13:00	BDL	BDL	BDL	BDL	0.2	8.4	8.0	6.0	5.6	215	23	44	36	1025
4/10/16 14:00	0.6	BDL	BDL	0.9	0.1	8.5	8.0	6.0	6.6	223	22	47	35	1025
4/10/16 15:00	0.4	BDL	BDL	BDL	0.1	8.3	8.0	6.0	7.0	220	27	48	34	1024
4/10/16 16:00	BDL	BDL	BDL	BDL	0.1	8.1	7.0	6.0	8.3	206	18	48	36	1024
4/10/16 17:00	BDL	BDL	BDL	BDL	0.1	8.1	6.0	7.0	8.5	216	18	49	36	1024
4/10/16 18:00	BDL	BDL	BDL	BDL	0.1	8.0	11.0	4.0	8.3	214	17	48	39	1024
4/10/16 19:00	BDL	BDL	BDL	BDL	0.1	7.8	10.0	5.0	8.7	201	12	46	45	1024
4/10/16 20:00	BDL	BDL	BDL	0.8	BDL	7.4	8.0	9.0	8.8	187	12	44	60	1024
4/10/16 21:00	BDL	BDL	BDL	9.0	BDL	7.8	16.0	6.0	8.1	165	12	42	69	1024
4/10/16 22:00	BDL	BDL	BDL	23.0	BDL	8.0	13.0	3.0	6.9	164	11	42	75	1024
4/10/16 23:00	BDL	BDL	BDL	12.1	BDL	7.9	9.0	6.0	5.6	168	13	41	75	1024
4/11/16 0:00	BDL	BDL	BDL	3.1	BDL	7.9	9.0	7.0	5.9	171	13	42	75	1024
4/11/16 1:00	BDL	BDL	BDL	1.5	BDL	7.6	9.0	6.0	5.6	176	13	43	73	1023
4/11/16 2:00	BDL	BDL	BDL	BDL	BDL	7.4	7.0	3.0	5.2	193	14	44	70	1023
4/11/16 3:00	BDL	Calibration	Calibration	BDL	BDL	7.5	7.0	6.0	8.0	197	12	44	71	1022
4/11/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	7.4	9.0	6.0	9.4	194	12	44	74	1022
4/11/16 5:00	Too few samples	BDL	BDL	Too few samples	BDL	7.2	12.0	8.0	7.9	177	13	44	77	1021
4/11/16 6:00	BDL	BDL	BDL	6.9	BDL	7.2	15.0	8.0	8.3	192	13	46	78	1021
4/11/16 7:00	BDL	BDL	BDL	17.0	BDL	7.1	18.0	9.0	10.0	189	12	47	75	1022
4/11/16 8:00	BDL	BDL	BDL	4.2	BDL	6.9	12.0	8.0	11.6	183	12	48	75	1021
4/11/16 9:00	BDL	BDL	BDL	6.6	BDL	6.8	13.0	7.0	12.1	192	13	49	70	1020
4/11/16 10:00	BDL	BDL	BDL	8.1	BDL	6.8	16.0	7.0	10.8	197	12	50	68	1020
4/11/16 11:00	BDL	BDL	BDL	5.9	BDL	6.8	23.0	6.0	10.5	192	13	53	62	1019
4/11/16 12:00	BDL	BDL	BDL	1.0	BDL	6.8	35.0	8.0	13.7	207	13	58	49	1018
4/11/16 13:00	BDL	BDL	BDL	0.6	BDL	6.8	35.0	9.0	12.9	211	15	62	42	1017
4/11/16 14:00	BDL	BDL	BDL	0.4	BDL	6.5	32.0	8.0	12.7	207	14	63	40	1016
4/11/16 15:00	BDL	BDL	BDL	BDL	BDL	6.2	39.0	8.0	12.7	207	13	65	41	1015
4/11/16 16:00	BDL	BDL	BDL	5.1	BDL	6.1	28.0	7.0	11.7	203	15	66	43	1014
4/11/16 17:00	BDL	BDL	BDL	3.0	BDL	6.0	40.0	11.0	12.1	200	12	66	45	1014
4/11/16 18:00	BDL	BDL	BDL	1.5	BDL	5.7	19.0	8.0	9.8	188	12	65	48	1013
4/11/16 19:00	BDL	BDL	BDL	2.8	BDL	5.7	14.0	10.0	9.8	171	12	64	54	1013
4/11/16 20:00	BDL	BDL	BDL	1.4	BDL	5.4	20.0	8.0	10.3	161	11	60	65	1013
4/11/16 21:00	BDL	BDL	BDL	0.6	BDL	5.3	19.0	6.0	9.2	169	12	59	72	1013
4/11/16 22:00	BDL	BDL	BDL	BDL	BDL	5.1	19.0	6.0	9.3	174	13	59	72	1013
4/11/16 23:00	BDL	BDL	BDL	BDL	BDL	5.0	18.0	5.0	10.0	181	13	59	73	1012
4/12/16 0:00	BDL	BDL	BDL	BDL	BDL	5.0	14.0	7.0	8.5	183	14	59	76	1012
4/12/16 1:00	BDL	BDL	BDL	2.9	BDL	4.7	16.0	8.0	8.9	188	14	59	76	1011
4/12/16 2:00	BDL	BDL	BDL	BDL	BDL	4.6	15.0	10.0	10.0	194	13	59	76	1011
4/12/16 3:00	BDL	Calibration	Calibration	0.5	BDL	4.5	18.0	10.0	10.9	198	12	59	78	1011
4/12/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	4.6	16.0	10.0	9.4	200	11	59	79	1011
4/12/16 5:00	Too few samples	BDL	BDL	Too few samples	BDL	Too few samples	14.0	11.0	11.0	203	11	60	78	1011
4/12/16 6:00	BDL	Calibration	Calibration	3.9	BDL	4.9	16.0	10.0	9.4	210	13	60	80	1011
4/12/16 7:00	BDL	Too few samples	Too few samples	7.5	0.0	5.0	13.0	9.0	9.2	211	12	59	87	1012
4/12/16 8:00	BDL	BDL	0.6	8.2	0.0	4.0	13.0	9.0	8.0	206	12	58	93	1013
4/12/16 9:00	BDL	BDL	0.4	7.1	0.1	5.1	10.0	7.0	7.8	252	23	57	95	1013
4/12/16 10:00	BDL	BDL	BDL	3.7	0.1	5.6	10.0	7.0	8.5	310	11	55	94	1015
4/12/16 11:00	BDL	BDL	BDL	14.0	0.1	6.1	11.0	7.0	11.2	336	11	49	89	1016
4/12/16 12:00	BDL	BDL	BDL	14.8	0.1	6.0	11.0	7.0	8.7	343	13	49	82	1017
4/12/16 13:00	BDL	BDL	BDL	6.3	BDL	6.3	10.0	6.0	8.9	325	16	51	70	1017
4/12/16 14:00	BDL	BDL	BDL	6.0	0.0	6.5	13.0	6.0	5.5	330	31	55	60	1017
4/12/16 15:00	BDL	BDL	BDL	0.5	BDL	6.8	10.0	7.0	11.4	322	14	59	47	1016
4/12/16 16:00	BDL	BDL	BDL	0.9	BDL	6.8	13.0	8.0	11.2	322	13	60	39	1016
4/12/16 17:00	BDL	BDL	BDL	3.8	BDL	6.9	11.0	7.0	11.3	325	14	60	36	1017
4/12/16 18:00	BDL	BDL	BDL	1.8	BDL	7.0	7.0	6.0	12.9	325	11	58	34	1018
4/12/16 19:00	BDL	BDL	BDL	5.1	BDL	6.6	9.0	7.0	10.2	325	11	56	34	1019
4/12/16 20:00	BDL	BDL	BDL	4.3	BDL	7.2	8.0	4.0	10.7	321	9	54	36	1021
4/12/16 21:00	0.8	BDL	BDL	7.7	0.1	7.5	15.0	11.0	8.6	352	18	52	38	1022
4/12/16 22:00	0.4	BDL	BDL	4.2	0.1	7.7	10.0	8.0	7.0	12	18	50	40	1023
4/12/16 23:00	BDL	BDL	BDL	6.4	0.1	7.8	8.0	6.0	6.7	13	19	49	40	1024
4/13/16 0:00	BDL	BDL	BDL	5.5	0.1	7.9	9.0	8.0	5.8	19	23	47	42	1024
4/13/16 1:00	0.7	BDL	BDL	3.8	0.1	8.0	7.0	6.0	5.5	2	21	46	44	1025
4/13/16 2:00	0.9	BDL	BDL	6.9	0.1	8.1	5.0	5.0	5.7	6	19	45	47	1025
4/13/16 3:00	1.2	Calibration	Calibration	8.0	0.1	8.2	5.0	7.0	6.9	6	18	44	50	1025
4/13/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	8.4	7.0	6.0	6.9	5	18	43	53	1026
4/13/16 5:00	Too few samples	BDL	BDL	Too few samples	Too few samples	8.6	12.0	4.0	5.0	29	19	42	57	1026
4/13/16 6:00	BDL	BDL	BDL	14.3	0.1	Too few samples	11.0	4.0	6.7	41	16	41	58	1028
4/13/16 7:00	BDL	Audit	Audit	9.3	0.1	8.7	9.0	4.0	10.0	46	12	41	57	1028
4/13/16 8:00	BDL	Too few samples	Too few samples	9.8	0.1	8.9	13.0	4.0	9.1	34	16	43	50	1028
4/13/16 9:00	BDL	Calibration	Calibration	6.3	0.1	9.0	13.0	4.0	7.5	31	18	44	46	1028
4/13/16 10:00	BDL	Calibration	Calibration	5.8	0.1	9.0	12.0	1.0	6.9	37	22	46	43	1028
4/13/16 11:00	BDL	BDL	BDL	2.1	0.1	8.8	11.0	6.0	5.9	63	24	48	38	1027
4/13/16 12:00	BDL	BDL	BDL	4.2	0.1	8.8	13.0	6.0	4.9	30	38	50	35	1026
4/13/16 13:00	BDL	BDL	BDL	3.6	0.1	8.9	13.0	4.0	4.8	52	39	52	31	1025
4/13/16 14:00	BDL	BDL	BDL	2.5	0.1	8.9	15.0	4.0	7.7	75	23	53	30	1025
4/13/16 15:00	BDL	BDL	BDL	2.1	0.1	8.7	18.0	5.0	6.7	84	23	54	30	1024
4/13/16 16:00	BDL	BDL	BDL	3.9	0.1	8.8	14.0	6.0	4.8	103	27	55	29	1024
4/13/16 17:00	BDL	BDL	BDL	7.0	0.1	8.5	12.0	6.0	4.6	145	26	56	29	1024
4/13/16 18:00	BDL	BDL	BDL	8.0	0.1	8.1	12.0	6.0	4.1	116	22	55	30	1024
4/13/16 19:00	BDL	BDL	BDL	9.3	0.1	8.0	17.0	8.0	4.8	91	16	55	31	1024
4/13/16 20:00	BDL	BDL	BDL	2.4	BDL	7.0	9.0	7.0	6.8	135	13	51	53	1024
4/13/16 21:00	BDL	BDL	BDL	2.8	BDL	8.0	9.0	7.0	5.6	164	12	48	60	1025
4/13/16 22:00	BDL	BDL	BDL	4.5	BDL	7.9	9.0	6.0	4.3	193	13	47	63	1025
4/13/16 23:00	BDL	BDL	BDL	0.7	BDL	7.8	9.0	6.0	4.8	200	12	45	68	1025

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 4/10/2016-4/16/2016														
4/14/16 0:00	BDL	BDL	BDL	3.9	0.04	8.0	10.0	5.0	2.9	238	21	45	70	1024
4/14/16 1:00	BDL	BDL	0.6	10.3	0.04	8.2	13.0	4.0	2.2	236	17	44	72	1024
4/14/16 2:00	BDL	BDL	BDL	11.6	0.05	8.7	10.0	6.0	2.2	279	11	44	75	1024
4/14/16 3:00	0.4	Calibration	Calibration	17.6	0.07	7.9	12.0	6.0	3	299	9	43	75	1024
4/14/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	8.1	12.0	6.0	2.5	305	11	43	77	1024
4/14/16 5:00	Too few samples	0.8	0.7	Too few samples	0.1	8.0	25.0	9.0	1.7	13	56	43	75	1024
4/14/16 6:00	BDL	1.1	0.8	32.0	0.2	8.3	27.0	8.0	2	339	53	43	75	1025
4/14/16 7:00	0.5	0.9	0.8	42.9	0.2	8.4	44.0	9.0	1.7	20	65	45	66	1025
4/14/16 8:00	0.4	0.4	0.4	30.8	0.2	8.5	29.0	9.0	7.4	54	16	47	53	1026
4/14/16 9:00	BDL	BDL	BDL	24.5	0.1	8.4	23.0	8.0	7.9	57	16	49	43	1026
4/14/16 10:00	BDL	BDL	BDL	18.5	0.1	8.6	22.0	8.0	8.2	64	17	51	39	1026
4/14/16 11:00	BDL	BDL	BDL	12.7	0.1	8.7	19.0	8.0	7.1	59	20	54	37	1026
4/14/16 12:00	BDL	BDL	BDL	8.1	0.1	8.8	17.0	8.0	7	67	22	56	34	1025
4/14/16 13:00	BDL	BDL	BDL	5.7	0.1	8.9	10.0	8.0	6.8	59	29	57	32	1025
4/14/16 14:00	BDL	BDL	BDL	8.7	0.1	9.0	17.0	7.0	6.1	73	35	58	33	1024
4/14/16 15:00	BDL	BDL	BDL	7.8	0.1	8.8	20.0	7.0	5.7	67	39	59	33	1024
4/14/16 16:00	BDL	BDL	BDL	6.6	0.1	8.7	16.0	6.0	5.3	73	41	60	32	1023
4/14/16 17:00	BDL	BDL	BDL	6.9	0.1	8.5	16.0	7.0	3.5	104	49	60	33	1023
4/14/16 18:00	BDL	BDL	BDL	15.4	0.1	7.5	17.0	10.0	4.8	130	20	60	35	1023
4/14/16 19:00	BDL	BDL	BDL	12.6	0.1	8.3	20.0	8.0	6.6	185	13	57	46	1024
4/14/16 20:00	BDL	BDL	BDL	1.1	BDL	8.0	15.0	6.0	6.8	203	10	53	56	1025
4/14/16 21:00	BDL	BDL	BDL	7.3	BDL	8.1	17.0	7.0	5.6	208	12	51	59	1025
4/14/16 22:00	BDL	BDL	BDL	3.7	BDL	8.2	16.0	9.0	5.3	206	13	49	61	1026
4/14/16 23:00	BDL	BDL	BDL	2.7	BDL	8.3	10.0	6.0	4.0	191	12	47	64	1026
4/15/16 0:00	BDL	BDL	BDL	7.3	BDL	8.4	9.0	6.0	3.1	169	12	47	66	1026
4/15/16 1:00	BDL	BDL	BDL	11.8	0.1	8.6	12.0	7.0	3.5	113	15	46	67	1027
4/15/16 2:00	BDL	BDL	BDL	11.4	0.1	8.5	15.0	10.0	3.0	93	11	44	73	1026
4/15/16 3:00	BDL	Calibration	Calibration	13.7	0.04	8.5	13.0	10.0	2.6	85	13	43	76	1026
4/15/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	8.7	25.0	13.0	1.9	87	9	43	77	1026
4/15/16 5:00	Too few samples	0.7	0.5	Too few samples	Too few samples	Too few samples	29.0	12.0	1.3	74	25	42	79	1026
4/15/16 6:00	BDL	0.4	BDL	35.1	0.2	8.8	48.0	16.0	1.3	66	39	43	79	1027
4/15/16 7:00	0.5	1.0	0.4	70.5	0.4	9.2	41.0	14.0	0.7	116	54	45	68	1028
4/15/16 8:00	0.6	0.9	BDL	61.6	0.3	9.2	38.0	14.0	1.5	155	38	48	56	1028
4/15/16 9:00	BDL	BDL	BDL	29.1	0.1	8.6	34.0	12.0	3.1	117	28	50	41	1029
4/15/16 10:00	BDL	BDL	BDL	22.5	0.2	8.4	24.0	10.0	2.4	146	53	52	37	1029
4/15/16 11:00	BDL	BDL	BDL	24	0.1	9.3	28.0	13.0	3.7	161	31	55	37	1029
4/15/16 12:00	BDL	BDL	BDL	17.9	0.1	9.5	30.0	16.0	4.5	132	27	57	34	1028
4/15/16 13:00	BDL	BDL	BDL	11.6	0.1	9.5	24.0	9.0	5.8	120	21	59	31	1028
4/15/16 14:00	BDL	BDL	BDL	6.6	0.2	9.1	20.0	9.0	6.6	105	39	61	27	1027
4/15/16 15:00	BDL	BDL	BDL	3.5	0.2	8.1	21.0	7.0	7.3	92	23	61	25	1027
4/15/16 16:00	BDL	BDL	BDL	4.5	0.3	7.5	15.0	6.0	6.2	92	20	62	26	1026
4/15/16 17:00	BDL	BDL	BDL	5.5	0.3	7.0	15.0	7.0	5.0	101	39	62	26	1026
4/15/16 18:00	BDL	BDL	BDL	4.4	0.2	6.4	13.0	8.0	4.9	103	22	62	26	1026
4/15/16 19:00	BDL	BDL	BDL	8	0.1	7.1	21.0	6.0	7.5	191	17	58	43	1026
4/15/16 20:00	BDL	BDL	BDL	1.2	BDL	8.7	21.0	7.0	6.5	203	11	55	51	1027
4/15/16 21:00	BDL	BDL	BDL	4.8	0.1	8.7	23.0	10.0	6.7	216	13	53	51	1027
4/15/16 22:00	BDL	BDL	BDL	5.3	0.1	8.8	16.0	10.0	6.4	233	14	51	52	1028
4/15/16 23:00	BDL	BDL	BDL	5.3	BDL	9.1	13.0	9.0	5.0	221	13	50	60	1028
4/16/16 0:00	BDL	BDL	0.5	10.2	0.0	8.9	16.0	8.0	3.6	207	14	49	65	1028
4/16/16 1:00	BDL	BDL	BDL	12.8	0.0	8.7	13.0	7.0	2.8	192	12	48	71	1027
4/16/16 2:00	BDL	1.1	1.1	16.1	0.1	9.1	16.0	7.0	2.2	222	24	47	72	1027
4/16/16 3:00	BDL	Calibration	Calibration	23.5	0.1	8.5	20.0	9.0	1.2	172	31	46	76	1027
4/16/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	9.0	21.0	12.0	2.5	196	13	45	79	1026
4/16/16 5:00	Too few samples	3.1	2.7	Too few samples	0.1	9.3	21.0	14.0	1.5	230	21	44	81	1026
4/16/16 6:00	BDL	1.5	1.3	38.6	0.1	9.3	25.0	12.0	2.6	83	46	44	81	1027
4/16/16 7:00	BDL	1.1	0.9	29.4	0.1	8.9	18.0	15.0	6.3	62	10	44	69	1028
4/16/16 8:00	BDL	BDL	0.5	11.7	0.1	9.08	17.0	11.0	7.6	48	14	47	61	1029
4/16/16 9:00	BDL	BDL	0.4	9.4	0.1	8.6	20.0	9.0	8.7	60	16	50	51	1029
4/16/16 10:00	BDL	BDL	BDL	2.4	0.1	9.3	16.0	6.0	7.7	76	19	54	34	1029
4/16/16 11:00	BDL	BDL	BDL	BDL	0.2	8.3	12.0	5.0	7.1	69	26	56	29	1029
4/16/16 12:00	BDL	BDL	BDL	BDL	0.2	7.6	9.0	5.0	5.2	47	31	57	28	1028
4/16/16 13:00	BDL	BDL	BDL	5.5	0.3	7.5	17.0	8.0	5.1	72	53	60	28	1028
4/16/16 14:00	BDL	BDL	BDL	8.3	0.3	7.2	17.0	7.0	5.4	66	35	62	25	1027
4/16/16 15:00	BDL	BDL	BDL	6.0	0.3	6.9	19.0	6.0	6.7	49	30	64	22	1026
4/16/16 16:00	BDL	BDL	BDL	2.2	0.3	6.6	9.0	5.0	6.9	60	29	65	20	1026
4/16/16 17:00	BDL	BDL	BDL	BDL	0.2	6.3	10.0	5.0	5.6	72	19	65	18	1026
4/16/16 18:00	BDL	BDL	BDL	BDL	0.3	5.8	16.0	5.0	5.4	73	18	65	20	1026
4/16/16 19:00	BDL	BDL	BDL	6.5	0.3	4.9	6.0	9.0	4.0	116	12	64	24	1026
4/16/16 20:00	BDL	BDL	BDL	7.4	0.2	6.6	21.0	11.0	3.6	131	15	61	30	1026
4/16/16 21:00	BDL	BDL	BDL	0.5	BDL	8.7	26.0	9.0	4.0	188	13	55	47	1028
4/16/16 22:00	BDL	BDL	BDL	2.7	0.04	9.0	19.0	10.0	3.9	136	16	53	47	1028
4/16/16 23:00	BDL	BDL	BDL	3.3	BDL	9.1	17.0	9.0	4.1	117	16	50	45	1029

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 4/17/2016-4/23/2016														
4/17/16 0:00	BDL	BDL	BDL	BDL	BDL	9.1	14.0	6.0	4.6	91	13	49	56	1029
4/17/16 1:00	BDL	BDL	BDL	1.3	BDL	9.1	18.0	8.0	3.6	73	14	47	65	1029
4/17/16 2:00	BDL	BDL	BDL	BDL	BDL	8.9	16.0	10.0	2.7	56	14	47	68	1029
4/17/16 3:00	BDL	Calibration	Calibration	3.0	BDL	8.8	16.0	8.0	3.8	49	9	46	67	1028
4/17/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	8.9	15.0	6.0	2.7	41	17	46	65	1028
4/17/16 5:00	Too few samples	BDL	BDL	Too few samples	0.1	9.0	15.0	6.0	2.3	46	15	46	62	1028
4/17/16 6:00	BDL	BDL	BDL	13.6	0.1	9.3	21.0	5.0	2.3	338	42	46	64	1029
4/17/16 7:00	BDL	BDL	BDL	10.1	0.1	9.3	16.0	5.0	3.1	11	25	47	58	1029
4/17/16 8:00	BDL	BDL	BDL	8.9	0.1	8.7	14.0	3.0	3.4	49	19	50	45	1029
4/17/16 9:00	BDL	BDL	BDL	4.2	0.1	9.3	11.0	6.0	4.3	70	23	54	35	1029
4/17/16 10:00	BDL	BDL	BDL	4.7	0.1	9.4	8.0	8.0	4.5	53	44	57	31	1029
4/17/16 11:00	BDL	BDL	BDL	3.8	0.2	8.1	16.0	6.0	3.4	284	50	61	28	1028
4/17/16 12:00	0.5	BDL	BDL	18.0	0.2	7.0	19.0	6.0	4.5	159	24	62	30	1027
4/17/16 13:00	0.5	BDL	BDL	19.9	0.2	6.5	19.0	8.0	4.3	163	19	65	28	1026
4/17/16 14:00	0.6	BDL	BDL	15.1	0.2	6.5	18.0	7.0	4.0	151	25	67	25	1025
4/17/16 15:00	0.6	BDL	BDL	8.7	0.2	6.8	20.0	7.0	4.5	147	22	69	24	1025
4/17/16 16:00	0.4	BDL	BDL	5.4	0.2	7.6	17.0	7.0	4.3	146	20	70	22	1024
4/17/16 17:00	BDL	BDL	BDL	4.9	0.1	7.7	16.0	7.0	4.5	141	16	71	23	1023
4/17/16 18:00	BDL	BDL	BDL	8.4	0.2	6.9	18.0	6.0	3.6	165	15	71	25	1023
4/17/16 19:00	0.7	BDL	BDL	13.8	0.2	4.7	37.0	8.0	3.9	193	9	69	29	1023
4/17/16 20:00	0.5	BDL	0.4	13.4	0.1	5.2	24.0	9.0	5.3	194	12	65	35	1023
4/17/16 21:00	BDL	BDL	0.4	5.8	BDL	6.9	22.0	8.0	6.7	199	11	59	50	1023
4/17/16 22:00	0.7	BDL	0.4	8.0	BDL	8.1	14.0	11.0	5.7	220	12	58	45	1023
4/17/16 23:00	BDL	0.7	0.8	3.8	BDL	7.9	11.0	9.0	5.6	225	13	56	44	1023
4/18/16 0:00	BDL	0.8	1.2	4.5	BDL	7.8	10.0	8.0	5.1	236	14	54	49	1023
4/18/16 1:00	BDL	BDL	0.6	4.6	BDL	7.7	6.0	6.0	4.7	239	15	53	56	1023
4/18/16 2:00	BDL	0.7	0.6	14.3	BDL	7.9	11.0	7.0	3.2	214	13	52	64	1022
4/18/16 3:00	BDL	Calibration	Calibration	17.2	0.04	7.9	12.0	7.0	1.9	210	15	51	70	1021
4/18/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	7.8	16.0	8.0	2.3	208	10	51	75	1021
4/18/16 5:00	Too few samples	1.5	2.3	Too few samples	0.1	10.0	25.0	10.0	1.8	228	21	50	76	1021
4/18/16 6:00	1.1	2.0	1.3	67.7	0.2	8.6	37.0	13.0	1.8	168	14	50	78	1022
4/18/16 7:00	1.3	2.7	2.1	74.3	0.3	8.8	78.0	18.0	3.4	286	18	55	62	1022
4/18/16 8:00	1.6	0.5	0.5	19.6	0.2	6.3	55.0	16.0	8.1	342	14	63	34	1021
4/18/16 9:00	1.1	BDL	BDL	16.7	0.2	6.0	21.0	9.0	5.9	19	21	66	31	1021
4/18/16 10:00	BDL	BDL	BDL	11.9	0.2	6.1	25.0	13.0	6.6	50	17	69	26	1021
4/18/16 11:00	BDL	BDL	BDL	5.4	0.1	7.0	28.0	9.0	6.3	63	24	72	23	1020
4/18/16 12:00	BDL	BDL	BDL	4.9	0.1	7.4	22.0	8.0	4.8	51	41	74	21	1020
4/18/16 13:00	BDL	BDL	BDL	1.8	BDL	7.5	21.0	6.0	4.9	21	39	76	19	1019
4/18/16 14:00	BDL	BDL	BDL	0.7	BDL	7.4	20.0	9.0	4.6	306	41	79	17	1018
4/18/16 15:00	BDL	BDL	BDL	1.9	0.04	7.2	22.0	9.0	3.4	227	62	80	16	1018
4/18/16 16:00	BDL	BDL	BDL	BDL	0.04	7.2	20.0	10.0	4.2	316	35	80	15	1017
4/18/16 17:00	BDL	BDL	BDL	BDL	0.04	7.3	15.0	5.0	3.7	291	32	80	14	1017
4/18/16 18:00	BDL	BDL	BDL	BDL	0.04	7.8	13.0	6.0	3.2	290	31	80	15	1017
4/18/16 19:00	1.1	BDL	0.5	17.3	0.1	6.3	32.0	6.0	3.6	220	20	77	21	1016
4/18/16 20:00	0.8	0.6	0.7	20.8	0.1	5.9	29.0	6.0	6.7	165	17	71	30	1016
4/18/16 21:00	BDL	1.0	0.7	48.1	0.1	4.3	21.0	8.0	4.5	164	11	66	38	1017
4/18/16 22:00	BDL	BDL	0.6	6.9	0.1	4.2	21.0	8.0	3.0	203	12	63	42	1017
4/18/16 23:00	1.3	0.9	1.0	16.9	0.1	5.2	18.0	10.0	3.6	225	16	62	42	1016
4/19/16 0:00	BDL	0.7	0.8	10.4	0.1	6.0	22.0	12.0	3.2	282	23	61	45	1017
4/19/16 1:00	0.6	0.5	1.2	12.6	0.1	6.8	22.0	9.0	3.6	212	9	61	50	1016
4/19/16 2:00	1.1	0.7	1.7	21.9	0.1	7.0	24.0	12.0	3.3	227	15	59	58	1015
4/19/16 3:00	0.7	Calibration	Calibration	33.6	0.1	6.4	25.0	18.0	3.1	229	17	58	63	1014
4/19/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	7.1	33.0	20.0	4.2	233	15	57	68	1014
4/19/16 5:00	Too few samples	1.6	2.2	Too few samples	0.2	7.2	45.0	23.0	2.3	222	15	56	77	1014
4/19/16 6:00	2.6	2.4	1.9	90.8	0.3	8.1	100.0	39.0	2.6	197	14	56	76	1014
4/19/16 7:00	3.0	1.9	1.1	75.6	0.3	6.9	64.0	25.0	3.0	191	13	58	68	1014
4/19/16 8:00	3.0	1.9	1.3	62.5	0.4	6.3	46.0	20.0	3.6	280	15	65	43	1013
4/19/16 9:00	0.6	BDL	BDL	7.9	0.1	5.1	82.0	12.0	13.0	320	11	72	28	1013
4/19/16 10:00	0.5	BDL	0.4	3.7	BDL	5.8	63.0	15.0	13.6	321	10	74	31	1013
4/19/16 11:00	0.5	BDL	BDL	2.9	BDL	4.9	45.0	10.0	12.1	322	12	75	31	1013
4/19/16 12:00	1.3	BDL	BDL	9.5	BDL	4.3	99.0	19.0	13.7	337	14	74	33	1013
4/19/16 13:00	0.5	BDL	BDL	11.6	BDL	4.9	101.0	13.0	13.9	336	14	72	31	1013
4/19/16 14:00	BDL	BDL	BDL	2.2	BDL	5.3	41.0	9.0	14.3	325	11	70	34	1014
4/19/16 15:00	BDL	BDL	0.4	2.7	BDL	4.1	28.0	6.0	14.1	323	11	69	35	1014
4/19/16 16:00	BDL	BDL	BDL	1.8	BDL	5.2	23.0	4.0	12.8	322	11	69	29	1015
4/19/16 17:00	BDL	BDL	BDL	0.9	0.1	5.3	15.0	6.0	14.2	320	10	69	23	1015
4/19/16 18:00	BDL	BDL	BDL	5.4	0.2	4.7	21.0	5.0	11.9	331	11	67	25	1015
4/19/16 19:00	BDL	BDL	BDL	4.5	0.2	4.0	15.0	3.0	10.8	326	11	65	28	1016
4/19/16 20:00	BDL	BDL	BDL	13.3	0.2	3.8	20.0	4.0	11.7	341	13	64	24	1017
4/19/16 21:00	BDL	BDL	BDL	13.0	0.2	4.2	21.0	8.0	12.1	341	11	62	23	1018
4/19/16 22:00	0.4	BDL	BDL	14.0	0.1	6.0	25.0	8.0	12.1	341	13	60	26	1019
4/19/16 23:00	BDL	BDL	BDL	12.5	BDL	6.8	16.0	10.0	11.2	342	11	58	29	1019
4/20/16 0:00	1.3	BDL	BDL	3.9	BDL	6.8	21.0	12.0	10.0	345	14	56	33	1020
4/20/16 1:00	1.3	BDL	BDL	3.0	BDL	6.9	23.0	12.0	8.8	353	17	55	35	1020
4/20/16 2:00	1.1	BDL	BDL	1.8	BDL	6.9	25.0	21.0	9.9	342	11	54	36	1020
4/20/16 3:00	1.4	Calibration	Calibration	1.9	0.04	7.1	15.0	11.0	5.7	2	20	52	40	1021
4/20/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	7.3	11.0	8.0	5.9	5	17	52	40	1021
4/20/16 5:00	Too few samples	BDL	BDL	Too few samples	BDL	7.1	15.0	8.0	5.4	353	17	51	40	1021
4/20/16 6:00	0.4	BDL	BDL	14.2	0.1	7.7	24.0	5.0	4.4	336	15	51	42	1022
4/20/16 7:00	BDL	BDL	BDL	21.3	0.1	8.0	17.0	6.0	4.4	277	13	52	40	1022
4/20/16 8:00	0.7	BDL	BDL	15.3	0.1	7.8	22.0	7.0	5.4	330	27	54	36	1023
4/20/16 9:00	0.8	BDL	BDL	10.3	0.04	7.7	24.0	6.0	5.7	13	27	57	33	1023
4/20/16 10:00	BDL	BDL	BDL	7.3	0.1	7.3	22.0	5.0	6.1	338	32	60	26	1023
4/20/16 11:00	BDL	BDL	BDL	4.9	0.2	4.9	10.0	3.0	5.3	351	39	62	20	1023
4/20/16 12:00	BDL	BDL	BDL	1.8	0.2	6.0	12.0	4.0	4.9	305	47	66	16	1022
4/20/16 13:00	BDL	BDL	BDL	1.2	0.2	6.8	10.0	4.0	5.1	325	53	66	16	1021
4/20/16 14:00	BDL	BDL	BDL	1.2	0.2	7.4	15.0	5.0	4.9	337	48	67	15	1021
4/20/16 15:00	BDL	BDL	BDL	5.5	0.2	6.6	14.0	5.0	4.2	151	38	68	15	1021
4/20/16 16:00	BDL	BDL	BDL	6.6	0.2	5.1	19.0	4.0	5.0	115	27	68	16	1020
4/20/16 17:00	BDL	BDL	BDL	4.6	0.2	4.7	14.0	3.0	5.6	149	20	68	16	1020
4/20/16 18:00	BDL	BDL	BDL	14.1	0.2	4.0	14.0	8.0	3.4	162	20	68	17	1020
4/20/16 19:00	0.4	BDL	BDL	31.1	0.2	4.1	28.0	10.0	6.2	165	10	65	30	1020
4/20/16 20:00	BDL	BDL	0.4	BDL	BDL	6.0	17.0	7.0	7.7	193	13	59	46	1021
4/20/16 21:00	BDL	BDL	0.4	1.0	BDL	7.2	15.0	4.0	6.7	199	12	55	50	1021
4/20/16 22:00	BDL	BDL	BDL	0.6	BDL	7.0	16.0	5.0	6.8	203	12	53	52	1021
4/20/16 23:00	BDL	BDL	BDL	BDL	BDL	7.0	12.0	6.0	6.7	204	11	51	59	1021

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 4/17/2016-4/23/2016														
4/21/16 0:00	BDL	BDL	BDL	1.7	BDL	7.0	12.0	4.0	5.5	195	12	50	65	1021
4/21/16 1:00	BDL	BDL	BDL	5.4	BDL	7.0	11.0	6.0	4.8	198	10	50	67	1021
4/21/16 2:00	1.0	BDL	0.5	6.0	BDL	6.9	10.0	6.0	5.3	199	10	49	62	1021
4/21/16 3:00	0.4	Calibration	Calibration	3.5	BDL	6.8	11.0	8.0	5.8	198	10	48	62	1021
4/21/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	6.8	9.0	7.0	5.1	198	11	48	63	1020
4/21/16 5:00	Too few samples	1.2	1.7	Too few samples	BDL	6.8	12.0	6.0	4.9	198	12	47	64	1020
4/21/16 6:00	BDL	1.2	1.3	30.0	BDL	6.8	51.0	11.0	4.5	193	11	47	68	1020
4/21/16 7:00	0.5	2.3	2.1	40.6	BDL	7.0	55.0	14.0	4.9	199	14	49	67	1021
4/21/16 8:00	2.1	1.3	1.4	22.6	0.1	7.2	18.0	11.0	7.5	228	16	54	59	1020
4/21/16 9:00	0.6	BDL	0.5	6.3	BDL	7.1	19.0	7.0	8.8	217	16	58	48	1020
4/21/16 10:00	BDL	BDL	BDL	3.6	BDL	6.6	53.0	8.0	9.3	201	16	61	41	1019
4/21/16 11:00	BDL	BDL	0.4	BDL	0.1	5.1	39.0	6.0	11.6	210	14	64	34	1018
4/21/16 12:00	BDL	BDL	0.4	1.3	BDL	3.2	31.0	9.0	10.6	208	17	67	32	1017
4/21/16 13:00	BDL	BDL	BDL	BDL	BDL	4.5	58.0	9.0	12.4	208	15	69	33	1016
4/21/16 14:00	BDL	BDL	BDL	2.3	BDL	4.8	39.0	7.0	11.6	216	15	70	38	1015
4/21/16 15:00	BDL	BDL	BDL	BDL	BDL	4.4	51.0	13.0	12.1	215	16	71	45	1014
4/21/16 16:00	BDL	BDL	0.4	BDL	BDL	4.7	41.0	13.0	11.4	211	16	71	48	1013
4/21/16 17:00	0.5	BDL	BDL	1.9	0.1	4.2	41.0	14.0	9.5	220	18	70	51	1013
4/21/16 18:00	2.0	BDL	0.6	8.4	0.1	3.3	33.0	15.0	9.1	231	14	70	52	1013
4/21/16 19:00	2.0	0.8	1.0	16.5	0.1	2.7	30.0	14.0	6.9	232	14	69	55	1013
4/21/16 20:00	2.1	0.6	0.8	18.4	0.1	3.4	32.0	12.0	4.2	213	14	67	59	1014
4/21/16 21:00	1.7	BDL	0.4	29.9	0.1	3.1	38.0	18.0	2.4	183	10	66	64	1014
4/21/16 22:00	BDL	0.8	1.0	39.2	0.1	3.2	32.0	17.0	2.6	169	10	65	68	1014
4/21/16 23:00	BDL	1.8	1.6	36.4	0.1	2.9	31.0	16.0	2.5	183	15	64	73	1013
4/22/16 0:00	BDL	2.0	1.6	58.2	0.1	2.9	29.0	15.0	2.8	166	12	63	77	1013
4/22/16 1:00	1.3	1.3	1.3	40.5	0.1	2.8	28.0	11.0	2.3	164	14	62	79	1013
4/22/16 2:00	BDL	1.0	1.1	29.6	0.1	3.5	26.0	16.0	2.9	163	14	62	81	1012
4/22/16 3:00	BDL	1.1	1.0	39.1	0.1	3.7	29.0	15.0	3.0	163	12	61	83	1012
4/22/16 4:00	BDL	1.5	1.6	9.2	0.04	3.4	27.0	16.0	5.1	194	11	61	85	1011
4/22/16 5:00	BDL	2.2	2.7	4.2	BDL	3.48	24.0	Invalid	6.9	198	11	62	85	1011
4/22/16 6:00	BDL	1.2	1.6	8.0	0.0	3.4	Invalid	Invalid	6.5	203	11	62	85	1011
4/22/16 7:00	BDL	1.2	1.5	9.5	0.0	3.5	Invalid	Invalid	6.9	202	10	63	83	1011
4/22/16 8:00	0.7	Calibration	Calibration	11.3	0.1	1.7	Invalid	Invalid	8.4	224	15	66	76	1011
4/22/16 9:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	5.3	27.0	15.0	9.7	228	15	69	70	1011
4/22/16 10:00	0.4	0.4	0.8	5.3	0.1	4.0	35.0	11.0	10.8	223	15	71	65	1011
4/22/16 11:00	BDL	BDL	0.5	2.1	0.1	5.4	33.0	20.0	8.5	222	17	73	59	1010
4/22/16 12:00	0.5	BDL	0.6	3.0	0.1	6.0	39.0	17.0	7.5	221	20	75	55	1010
4/22/16 13:00	0.8	BDL	0.5	2.0	0.1	7.2	37.0	19.0	8.3	219	17	77	49	1009
4/22/16 14:00	0.9	BDL	0.6	4.0	0.1	7.8	39.0	16.0	7.8	227	17	78	46	1008
4/22/16 15:00	0.9	BDL	0.6	2.9	0.1	7.0	37.0	17.0	7.6	214	14	77	48	1008
4/22/16 16:00	1.2	BDL	0.5	8.8	0.1	6.1	42.0	17.0	7.8	214	13	76	52	1008
4/22/16 17:00	1.6	BDL	0.6	10.1	0.1	6.5	38.0	20.0	9.1	222	14	74	56	1008
4/22/16 18:00	1.2	0.8	0.7	12.2	0.1	6.1	34.0	17.0	8.3	228	15	73	57	1008
4/22/16 19:00	1.5	BDL	0.5	14.0	0.1	6.3	27.0	15.0	7.9	219	13	72	58	1008
4/22/16 20:00	1.4	BDL	0.6	13.2	0.1	6.4	28.0	18.0	6.8	221	13	71	63	1008
4/22/16 21:00	1.5	BDL	0.6	17.4	0.1	6.0	20.0	16.0	6.4	203	13	69	68	1008
4/22/16 22:00	0.7	0.7	1.2	4.8	0.1	4.8	21.0	15.0	6.7	169	11	66	83	1008
4/22/16 23:00	BDL	1.3	1.8	6.0	0.0	4.6	14.0	10.0	5.9	191	11	65	84	1008
4/23/16 0:00	BDL	0.9	1.4	0.6	BDL	4.4	9.0	8.0	5.4	201	12	64	87	1008
4/23/16 1:00	BDL	0.4	BDL	2.4	BDL	4.2	10.0	10.0	4.2	191	11	63	93	1007
4/23/16 2:00	BDL	0.7	1.1	1.4	BDL	4.2	7.0	8.0	4.0	193	11	62	96	1007
4/23/16 3:00	BDL	Calibration	Calibration	2.0	BDL	4.2	11.0	10.0	2.3	225	22	62	97	1006
4/23/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	3.7	17.0	12.0	2.7	188	19	62	98	1006
4/23/16 5:00	Too few samples	0.5	1.4	Too few samples	0.1	4.3	17.0	11.0	3.0	240	17	62	98	1006
4/23/16 6:00	BDL	BDL	0.8	9.6	0.1	3.8	16.0	12.0	4.8	312	12	62	95	1006
4/23/16 7:00	BDL	BDL	0.6	10.5	0.1	4.1	16.0	13.0	6.9	336	12	63	83	1007
4/23/16 8:00	BDL	BDL	0.5	6.0	0.1	4.0	19.0	20.0	10.3	339	12	62	82	1007
4/23/16 9:00	BDL	BDL	0.6	4.9	0.1	4.1	18.0	13.0	10.2	339	12	60	89	1008
4/23/16 10:00	0.4	Calibration	Calibration	5.0	0.1	4.3	16.0	17.0	8.1	342	16	60	88	1009
4/23/16 11:00	BDL	Too few samples	Too few samples	11.7	0.1	4.4	16.0	14.0	10.5	341	13	60	83	1009
4/23/16 12:00	BDL	BDL	0.5	12.2	0.1	4.2	13.0	13.0	8.8	340	13	60	81	1009
4/23/16 13:00	BDL	BDL	0.4	5.8	0.0	3.2	10.0	10.0	10.9	323	12	62	69	1009
4/23/16 14:00	BDL	BDL	BDL	6.4	BDL	4.8	10.0	6.0	9.5	331	15	65	57	1008
4/23/16 15:00	BDL	BDL	BDL	2.9	BDL	5.9	17.0	4.0	12.5	322	12	66	51	1008
4/23/16 16:00	BDL	BDL	0.4	4.3	BDL	6.7	9.0	4.0	12.0	328	14	66	46	1008
4/23/16 17:00	BDL	BDL	BDL	4.3	BDL	7.2	7.0	4.0	12.4	328	12	65	41	1009
4/23/16 18:00	BDL	BDL	BDL	5.1	BDL	7.0	8.0	4.0	13.0	323	10	63	42	1009
4/23/16 19:00	BDL	BDL	0.4	3.5	BDL	6.6	9.0	6.0	12.9	322	9	61	44	1010
4/23/16 20:00	BDL	BDL	BDL	6.3	BDL	6.4	6.0	5.0	11.2	324	10	58	45	1011
4/23/16 21:00	BDL	BDL	0.4	8.3	BDL	6.3	6.0	4.0	9.9	325	10	57	45	1012
4/23/16 22:00	BDL	BDL	BDL	10.8	BDL	6.0	11.0	6.0	9.8	329	10	56	45	1012
4/23/16 23:00	BDL	BDL	BDL	12.3	BDL	5.9	11.0	6.0	9.5	336	13	55	40	1013

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 4/24/2016-4/30/2016														
4/24/16 0:00	BDL	BDL	BDL	14	BDL	5.9	9.0	6.0	10.0	341	12	53	36	1013
4/24/16 1:00	0.4	BDL	BDL	12.4	BDL	5.9	9.0	5.0	10.2	341	12	51	36	1014
4/24/16 2:00	0.5	BDL	BDL	16.8	0.04	BDL	8.0	6.0	10.0	343	11	50	36	1014
4/24/16 3:00	0.8	Calibration	Calibration	11.2	0.1	Invalid	10.0	14.0	9.8	339	10	49	37	1014
4/24/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Invalid	14.0	11.0	10.0	341	11	48	38	1015
4/24/16 5:00	Too few samples	BDL	BDL	Too few samples	0.1	Calibration	11.0	10.0	9.5	341	11	47	39	1016
4/24/16 6:00	0.8	BDL	BDL	14.8	0.1	Invalid	17.0	12.0	8.8	339	11	47	39	1017
4/24/16 7:00	0.7	BDL	BDL	13.4	0.1	Invalid	13.0	10.0	8.6	338	11	47	37	1018
4/24/16 8:00	0.7	BDL	BDL	2.5	0.1	Calibration	22.0	10.0	6.3	359	21	50	35	1018
4/24/16 9:00	BDL	BDL	BDL	2.7	0.1	Too few samples	12.0	9.0	5.8	20	27	52	31	1018
4/24/16 10:00	BDL	BDL	BDL	1.8	0.1	1.1	9.0	7.0	7.0	34	25	55	25	1018
4/24/16 11:00	BDL	BDL	BDL	1.8	0.1	1.3	11.0	8.0	4.4	14	48	57	24	1017
4/24/16 12:00	BDL	BDL	BDL	BDL	0.1	1.3	9.0	8.0	3.8	279	62	60	21	1016
4/24/16 13:00	BDL	BDL	BDL	BDL	0.1	1.2	9.0	7.0	4.4	284	52	62	20	1016
4/24/16 14:00	BDL	BDL	BDL	BDL	0.1	1.4	8.0	4.0	3.5	285	60	64	18	1015
4/24/16 15:00	BDL	BDL	BDL	BDL	0.04	2.0	5.0	2.0	4.1	301	56	65	19	1014
4/24/16 16:00	BDL	BDL	BDL	BDL	0.1	2.0	7.0	3.0	4.8	231	36	67	20	1014
4/24/16 17:00	BDL	BDL	BDL	1.0	BDL	2.1	9.0	5.0	6.2	233	42	67	22	1013
4/24/16 18:00	BDL	BDL	BDL	BDL	BDL	2.0	9.0	3.0	6.7	248	21	66	26	1014
4/24/16 19:00	BDL	BDL	BDL	BDL	BDL	1.8	11.0	5.0	6.0	254	14	65	30	1014
4/24/16 20:00	BDL	BDL	BDL	4.4	0.1	2.0	13.0	7.0	3.5	249	14	63	34	1014
4/24/16 21:00	1.1	0.8	0.4	10.1	0.1	2.0	20.0	10.0	4.5	211	16	61	39	1015
4/24/16 22:00	BDL	0.6	1.0	2.2	BDL	1.5	15.0	7.0	6.5	202	11	56	52	1015
4/24/16 23:00	BDL	0.6	0.9	1.2	BDL	1.2	14.0	7.0	5.5	206	12	53	71	1015
4/25/16 0:00	0.6	0.6	1.1	3.8	BDL	1.6	11.0	8.0	3.4	194	14	52	78	1015
4/25/16 1:00	1.1	0.6	1.0	12.5	BDL	1.2	14.0	9.0	3.3	184	14	51	80	1015
4/25/16 2:00	BDL	1.3	1.4	19.0	BDL	1.1	13.0	7.0	2.3	174	13	50	85	1015
4/25/16 3:00	BDL	Calibration	Calibration	14.9	BDL	1.2	14.0	8.0	2.1	195	15	50	83	1015
4/25/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	1.2	23.0	9.0	2.6	184	11	49	82	1015
4/25/16 5:00	Too few samples	0.6	0.8	Too few samples	BDL	1.2	16.0	11.0	2.8	171	11	49	85	1015
4/25/16 6:00	0.5	1.2	1.2	41	BDL	1.3	17.0	10.0	3.1	173	13	49	87	1015
4/25/16 7:00	BDL	1.0	1.1	22.2	BDL	1.1	13.0	10.0	3.4	162	15	50	83	1015
4/25/16 8:00	BDL	0.9	1.1	13.7	BDL	0.9	15.0	8.0	4.6	194	18	54	76	1015
4/25/16 9:00	1.2	0.7	1.0	3.7	BDL	0.8	19.0	6.0	7.4	225	17	59	62	1014
4/25/16 10:00	1.0	0.7	1.0	4.3	BDL	0.8	25.0	6.0	6.6	212	22	62	57	1013
4/25/16 11:00	0.9	BDL	0.6	3.1	BDL	0.6	19.0	9.0	6.3	222	24	65	52	1013
4/25/16 12:00	0.7	BDL	0.4	2.3	BDL	0.5	23.0	7.0	5.3	249	23	68	44	1012
4/25/16 13:00	0.7	BDL	BDL	2.2	BDL	0.6	25.0	7.0	6.5	234	26	71	41	1011
4/25/16 14:00	0.7	BDL	BDL	2.3	BDL	0.8	24.0	10.0	5.4	229	35	73	38	1010
4/25/16 15:00	0.6	BDL	BDL	1.9	BDL	0.8	30.0	11.0	5.3	205	34	73	39	1010
4/25/16 16:00	0.8	BDL	0.4	3.9	BDL	1.0	23.0	13.0	5.2	214	26	75	36	1009
4/25/16 17:00	0.9	BDL	BDL	2.4	BDL	1.1	23.0	10.0	7.0	214	17	75	35	1009
4/25/16 18:00	0.9	BDL	0.4	6.1	BDL	0.9	27.0	15.0	6.4	192	14	74	40	1008
4/25/16 19:00	1.1	BDL	0.4	15.3	0.1	0.6	29.0	16.0	4.3	183	11	71	44	1008
4/25/16 20:00	0.8	BDL	0.4	15.1	0.1	0.7	27.0	12.0	2.9	173	11	70	49	1009
4/25/16 21:00	0.6	BDL	0.4	20.0	0.1	0.8	26.0	13.0	3.4	156	12	68	54	1009
4/25/16 22:00	BDL	BDL	0.5	24.0	0.1	0.9	27.0	15.0	4.3	150	11	65	63	1008
4/25/16 23:00	BDL	BDL	0.8	10.0	0.1	0.4	24.0	13.0	3.6	144	16	64	69	1008
4/26/16 0:00	BDL	1.0	1.2	25.3	0.1	BDL	21.0	12.0	2.1	153	46	63	72	1007
4/26/16 1:00	BDL	1.0	1.2	6.6	BDL	BDL	17.0	10.0	3.6	164	21	62	77	1006
4/26/16 2:00	BDL	0.7	1.0	1.8	BDL	BDL	14.0	11.0	4.2	187	11	61	85	1005
4/26/16 3:00	BDL	Calibration	Calibration	6.4	BDL	BDL	21.0	10.0	4.9	300	16	61	84	1005
4/26/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	BDL	17.0	12.0	2.1	72	30	61	84	1005
4/26/16 5:00	Too few samples	0.8	1.0	Too few samples	0.1	BDL	32.0	17.0	2.4	99	22	60	86	1005
4/26/16 6:00	BDL	0.9	1.0	31.3	0.1	BDL	24.0	13.0	2.5	133	24	59	88	1005
4/26/16 7:00	BDL	1.0	0.8	28.4	0.1	BDL	23.0	13.0	2.3	153	24	60	85	1004
4/26/16 8:00	BDL	1.1	0.9	42.8	0.1	BDL	24.0	16.0	4.1	181	16	63	79	1004
4/26/16 9:00	0.5	0.8	1.1	13.0	0.1	BDL	30.0	11.0	8.0	229	16	68	69	1003
4/26/16 10:00	1.2	0.6	0.9	13.4	0.1	BDL	32.0	17.0	9.3	236	15	71	63	1003
4/26/16 11:00	1.4	BDL	0.5	9.2	0.1	BDL	38.0	10.0	12.9	238	14	76	47	1002
4/26/16 12:00	0.7	BDL	0.5	5.9	0.1	BDL	39.0	12.0	13.9	233	15	78	43	1001
4/26/16 13:00	BDL	BDL	0.5	5.7	BDL	BDL	38.0	9.0	13.7	249	16	82	33	1000
4/26/16 14:00	BDL	BDL	0.6	BDL	BDL	BDL	28.0	6.0	14.3	248	18	84	31	999
4/26/16 15:00	BDL	BDL	0.5	BDL	BDL	BDL	22.0	6.0	13.2	252	18	85	30	999
4/26/16 16:00	0.5	BDL	0.5	11.1	BDL	BDL	25.0	9.0	10.2	334	19	77	47	1000
4/26/16 17:00	BDL	BDL	0.5	5.2	0.1	BDL	13.0	9.0	6.1	322	16	74	66	1000
4/26/16 18:00	BDL	BDL	0.7	4.4	0.1	BDL	20.0	11.0	7.1	303	42	70	77	1002
4/26/16 19:00	BDL	BDL	0.6	12.5	0.1	BDL	22.0	14.0	9.2	60	12	65	85	1003
4/26/16 20:00	BDL	BDL	0.5	11.9	0.1	BDL	22.0	21.0	7.8	64	12	63	90	1004
4/26/16 21:00	BDL	BDL	0.5	6.3	0.1	BDL	20.0	19.0	10.5	75	12	59	92	1005
4/26/16 22:00	BDL	BDL	0.5	3.9	0.04	BDL	27.0	17.0	9.1	85	14	56	94	1007
4/26/16 23:00	BDL	BDL	BDL	0.7	BDL	BDL	19.0	16.0	10.6	68	13	52	95	1007
4/27/16 0:00	BDL	BDL	BDL	BDL	BDL	BDL	17.0	9.0	10.3	62	12	50	95	1008
4/27/16 1:00	BDL	BDL	BDL	1.1	BDL	BDL	25.0	14.0	9.2	78	13	49	94	1008
4/27/16 2:00	BDL	BDL	BDL	BDL	BDL	0.1	17.0	10.0	8.3	74	14	49	94	1009
4/27/16 3:00	BDL	Calibration	Calibration	BDL	BDL	0.3	17.0	12.0	7.3	78	15	49	92	1010
4/27/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	0.3	13.0	10.0	9.0	60	12	49	87	1010
4/27/16 5:00	Calibration	BDL	BDL	Calibration	Calibration	0.2	11.0	9.0	9.0	60	12	49	81	1010
4/27/16 6:00	BDL	BDL	BDL	4.3	BDL	0.4	13.0	8.0	9.8	60	13	49	78	1010
4/27/16 7:00	BDL	Audit	Audit	4.0	BDL	0.6	9.0	7.0	8.9	65	13	49	74	1011
4/27/16 8:00	BDL	Too few samples	Too few samples	7.1	BDL	0.6	13.0	7.0	6.9	77	15	49	74	1012
4/27/16 9:00	BDL	BDL	BDL	4.9	BDL	0.7	14.0	6.0	6.6	89	17	49	74	1012
4/27/16 10:00	BDL	BDL	BDL	5.4	BDL	0.8	12.0	6.0	5.1	84	17	49	75	1012
4/27/16 11:00	BDL	BDL	BDL	6.3	BDL	0.5	16.0	8.0	4.2	100	19	50	76	1012
4/27/16 12:00	BDL	BDL	BDL	5.7	BDL	0.3	18.0	13.0	4.5	93	21	50	73	1011
4/27/16 13:00	BDL	BDL	BDL	5.4	BDL	0.2	20.0	7.0	4.6	75	17	51	70	1011
4/27/16 14:00	BDL	BDL	BDL	7.6	BDL	0.04	19.0	6.0	3.3	75	33	52	68	1011
4/27/16 15:00	BDL	BDL	BDL	10.8	BDL	BDL	17.0	6.0	3.3	139	29	53	69	1011
4/27/16 16:00	BDL	BDL	BDL	16.0	BDL	BDL	19.0	6.0	2.9	193	20	53	70	1011
4/27/16 17:00	0.5	0.9	1.0	19.4	0.1	0.01	20.0	6.0	5.1	185	13	53	75	1011
4/27/16 18:00	0.5	0.4	0.5	14.6	0.1	BDL	22.0	8.0	5.3	191	13	53	79	1011
4/27/16 19:00	1.2	0.4	0.7	18.3	0.1	0.2	23.0	13.0	3.9	218	20	53	78	1011
4/27/16 20:00	1.1	0.4	BDL	13.8	0.1	0.5	20.0	10.0	4.5	204	12	53	79	1011
4/27/16 21:00	0.7	BDL	BDL	12.0	0.0	0.8	16.0	12.0	4.0	210	14	52	83	1011
4/27/16 22:00	BDL	BDL	0.6	11.9	0.04	0.5	21.0	9.0	3.9	217	16	51	87	1011
4/27/16 23:00	BDL	BDL	0.4	16.3	0.1	1.1	19.0	11.0	3.2	267	14	51	88	1011

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 4/24/2016-4/30/2016														
4/28/16 0:00	BDL	BDL	0.5	13.9	0.1	1.4	29.0	20.0	3.8	303	10	51	87	1012
4/28/16 1:00	BDL	1.1	1.2	15.6	0.1	0.8	26.0	19.0	3	282	14	51	88	1011
4/28/16 2:00	BDL	3.4	8.0	13.0	0.1	1.2	35.0	24.0	2.9	242	14	51	89	1011
4/28/16 3:00	BDL	Calibration	Calibration	15.7	0.2	0.9	25.0	19.0	3.4	274	18	50	91	1012
4/28/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	0.9	28.0	24.0	4.3	311	12	50	91	1012
4/28/16 5:00	Too few samples	0.5	0.7	Too few samples	0.1	0.8	34.0	23.0	4.6	35	16	51	80	1013
4/28/16 6:00	0.5	BDL	0.4	13.8	0.1	0.9	24.0	15.0	6.5	44	15	52	61	1013
4/28/16 7:00	BDL	BDL	BDL	16.7	0.1	0.9	24.0	13.0	8.8	48	13	52	54	1014
4/28/16 8:00	BDL	BDL	BDL	18.9	0.1	1.0	25.0	12.0	9.9	60	13	52	62	1014
4/28/16 9:00	BDL	BDL	BDL	17.1	0.1	1.0	23.0	9.0	9.2	72	13	52	57	1015
4/28/16 10:00	BDL	BDL	BDL	9.9	BDL	0.8	19.0	9.0	8.4	69	13	53	47	1015
4/28/16 11:00	BDL	BDL	BDL	6.1	BDL	0.6	14.0	6.0	8.2	79	18	54	40	1015
4/28/16 12:00	BDL	BDL	BDL	4.0	BDL	0.3	14.0	5.0	8.2	78	14	55	37	1015
4/28/16 13:00	BDL	BDL	BDL	14.2	BDL	0.5	13.0	6.0	5.1	112	18	54	49	1015
4/28/16 14:00	BDL	BDL	BDL	9.6	BDL	0.6	11.0	5.0	6.6	102	16	49	73	1015
4/28/16 15:00	BDL	BDL	BDL	6.8	BDL	0.9	9.0	6.0	6.7	93	13	48	75	1015
4/28/16 16:00	BDL	BDL	BDL	3.3	BDL	1.0	7.0	5.0	6.2	66	15	48	74	1015
4/28/16 17:00	BDL	BDL	BDL	0.9	BDL	1.1	9.0	6.0	9.2	53	12	47	72	1015
4/28/16 18:00	BDL	BDL	BDL	2.9	BDL	1.4	7.0	6.0	8	49	15	46	77	1015
4/28/16 19:00	BDL	BDL	BDL	2.0	BDL	1.6	12.0	8.0	7.6	49	12	44	89	1015
4/28/16 20:00	BDL	BDL	BDL	0.6	BDL	1.9	9.0	8.0	7.4	59	11	43	94	1015
4/28/16 21:00	BDL	BDL	BDL	1.9	BDL	2.1	14.0	8.0	5.2	66	14	44	93	1016
4/28/16 22:00	BDL	BDL	BDL	3.0	BDL	2.0	8.0	9.0	5.2	72	13	43	97	1015
4/28/16 23:00	BDL	BDL	BDL	1.2	BDL	2.0	9.0	7.0	5.4	59	12	44	95	1015
4/29/16 0:00	BDL	BDL	BDL	BDL	BDL	1.8	9.0	6.0	5.8	61	12	44	95	1015
4/29/16 1:00	BDL	BDL	BDL	1.6	BDL	1.6	7.0	8.0	6.6	57	12	44	96	1015
4/29/16 2:00	BDL	BDL	BDL	BDL	BDL	1.5	10.0	6.0	6.9	54	12	44	93	1015
4/29/16 3:00	BDL	Calibration	Calibration	BDL	BDL	1.9	8.0	5.0	6.4	59	13	44	90	1015
4/29/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	1.8	13.0	10.0	6.6	57	15	45	89	1015
4/29/16 5:00	Too few samples	BDL	BDL	Too few samples	BDL	1.7	11.0	7.0	7.8	57	12	45	88	1015
4/29/16 6:00	BDL	BDL	BDL	4.9	BDL	1.9	15.0	9.0	7.2	56	12	46	86	1016
4/29/16 7:00	BDL	Audit	Audit	7.6	BDL	1.8	15.0	6.0	8.2	54	11	47	82	1016
4/29/16 8:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	1.6	19.0	7.0	8.3	58	13	48	81	1016
4/29/16 9:00	BDL	BDL	BDL	8.5	BDL	1.2	Invalid	Invalid	8.7	69	14	49	75	1016
4/29/16 10:00	BDL	BDL	BDL	6.5	BDL	1.3	24.0	6.0	9.0	74	14	50	75	1016
4/29/16 11:00	BDL	BDL	BDL	7.6	BDL	1.2	Invalid	7.0	7.9	70	13	50	76	1017
4/29/16 12:00	BDL	BDL	BDL	5.0	BDL	1.1	11.0	5.0	8.1	74	14	50	69	1016
4/29/16 13:00	BDL	BDL	BDL	3.7	BDL	0.8	15.0	6.0	9.0	74	15	51	64	1016
4/29/16 14:00	BDL	BDL	BDL	6.8	BDL	0.6	19.0	6.0	7.0	80	15	51	66	1016
4/29/16 15:00	BDL	BDL	BDL	4.4	BDL	0.7	21.0	6.0	6.8	77	13	50	73	1016
4/29/16 16:00	BDL	BDL	BDL	5.7	BDL	0.8	19.0	6.0	7.1	79	15	50	78	1016
4/29/16 17:00	BDL	BDL	BDL	3.2	BDL	0.9	15.0	8.0	6.6	72	14	49	85	1016
4/29/16 18:00	BDL	BDL	BDL	4.0	BDL	0.8	16.0	8.0	7.3	76	14	49	83	1016
4/29/16 19:00	BDL	BDL	BDL	2.7	BDL	1.1	22.0	7.0	6.7	62	12	48	85	1016
4/29/16 20:00	BDL	BDL	BDL	0.7	BDL	1.3	12.0	7.0	7.6	77	13	48	77	1017
4/29/16 21:00	BDL	BDL	BDL	1.1	BDL	1.6	12.0	6.0	6.1	51	11	48	79	1018
4/29/16 22:00	BDL	BDL	BDL	2.9	BDL	1.8	14.0	5.0	6.0	47	12	48	78	1018
4/29/16 23:00	BDL	BDL	BDL	3.7	BDL	1.9	15.0	6.0	6.7	49	12	47	79	1018
4/30/16 0:00	BDL	BDL	BDL	3.2	BDL	2.2	22.0	7.0	7.3	50	11	47	83	1019
4/30/16 1:00	BDL	BDL	BDL	1.9	BDL	2.3	14.0	7.0	6.5	48	13	46	89	1019
4/30/16 2:00	BDL	BDL	BDL	1.7	BDL	2.2	16.0	9.0	5.7	47	13	46	90	1018
4/30/16 3:00	BDL	Calibration	Calibration	2.4	BDL	2.2	20.0	7.0	4.9	46	16	46	87	1019
4/30/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	2.2	16.0	8.0	4.3	44	15	47	82	1019
4/30/16 5:00	Too few samples	BDL	BDL	Too few samples	BDL	2.3	19.0	7.0	3.9	43	15	47	76	1019
4/30/16 6:00	BDL	BDL	BDL	8.5	0.1	2.6	14.0	7.0	4.0	41	15	47	75	1020
4/30/16 7:00	BDL	BDL	BDL	11.6	0.1	2.7	18.0	9.0	4.4	37	17	48	72	1021
4/30/16 8:00	BDL	BDL	BDL	12.2	0.1	2.6	19.0	9.0	6.2	48	14	48	72	1021
4/30/16 9:00	BDL	BDL	BDL	9.0	0.1	2.4	23.0	13.0	5.8	54	19	50	71	1021
4/30/16 10:00	BDL	BDL	BDL	7.5	BDL	2.1	20.0	10.0	5.1	89	24	52	63	1021
4/30/16 11:00	BDL	BDL	BDL	9.6	BDL	1.6	13.0	6.0	4.4	106	33	54	56	1020
4/30/16 12:00	BDL	BDL	BDL	4.3	BDL	1.4	11.0	5.0	4.4	137	24	56	54	1020
4/30/16 13:00	BDL	BDL	BDL	2.3	BDL	1.4	10.0	5.0	3.7	125	44	57	50	1020
4/30/16 14:00	BDL	BDL	BDL	0.4	BDL	1.5	7.0	6.0	3.8	135	48	59	49	1020
4/30/16 15:00	BDL	BDL	BDL	BDL	BDL	1.5	6.0	3.0	3.9	145	50	60	48	1020
4/30/16 16:00	BDL	BDL	BDL	4.0	BDL	1.2	8.0	5.0	4.5	140	25	61	51	1020
4/30/16 17:00	BDL	BDL	BDL	BDL	BDL	1.2	9.0	7.0	5.4	157	15	60	56	1020
4/30/16 18:00	BDL	BDL	BDL	2.7	BDL	1.3	6.0	8.0	5.8	144	13	59	60	1021
4/30/16 19:00	BDL	BDL	BDL	3.5	BDL	1.4	16.0	6.0	6.3	169	14	57	65	1021
4/30/16 20:00	BDL	BDL	BDL	0.9	BDL	1.5	13.0	3.0	5.9	148	15	56	63	1021
4/30/16 21:00	BDL	BDL	BDL	1.6	BDL	1.8	15.0	3.0	5.7	144	16	54	54	1021
4/30/16 22:00	BDL	BDL	BDL	4.7	BDL	1.9	11.0	8.0	4.8	160	16	52	59	1022
4/30/16 23:00	BDL	BDL	BDL	4.0	BDL	2.1	14.0	6.0	4.5	152	13	52	58	1021

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 5/1/2016-5/7/2016														
5/1/2016 0:00	BDL	BDL	BDL	0.7	BDL	2.2	12.0	10.0	3.7	147	15	51	60	1021
5/01/16 1:00	BDL	BDL	BDL	9.3	BDL	2.2	13.0	7.0	3.5	165	15	50	65	1021
5/01/16 2:00	BDL	BDL	0.4	BDL	BDL	2.4	16.0	5.0	3.8	178	12	49	70	1020
5/01/16 3:00	BDL	Calibration	Calibration	1.5	BDL	2.2	14.0	5.0	3.5	146	18	49	74	1020
5/01/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	2.1	13.0	6.0	3.2	118	26	49	79	1020
5/01/16 5:00	Too few samples	BDL	0.4	Too few samples	BDL	2.1	16.0	5.0	3.2	128	16	49	82	1020
5/01/16 6:00	BDL	BDL	0.4	1.3	BDL	2.3	12.0	5.0	3.1	136	23	48	85	1020
5/01/16 7:00	BDL	BDL	BDL	0.8	BDL	2.6	9.0	6.0	4.3	107	18	47	84	1020
5/01/16 8:00	BDL	BDL	BDL	1.9	BDL	2.7	9.0	6.0	6.0	97	15	46	90	1020
5/01/16 9:00	BDL	BDL	BDL	1.2	BDL	2.7	9.0	8.0	6.6	102	14	46	90	1020
5/01/16 10:00	BDL	BDL	BDL	2.2	BDL	2.6	6.0	5.0	5.0	75	15	46	95	1020
5/01/16 11:00	BDL	BDL	BDL	4.6	BDL	2.3	2.0	7.0	4.9	95	16	48	97	1019
5/01/16 12:00	BDL	BDL	BDL	2.4	BDL	1.9	2.0	5.0	6.5	102	14	49	96	1018
5/01/16 13:00	BDL	BDL	BDL	3.5	BDL	1.7	4.0	3.0	4.3	107	17	50	95	1018
5/01/16 14:00	BDL	BDL	0.4	3.0	BDL	1.4	5.0	4.0	4.6	122	17	50	95	1017
5/01/16 15:00	BDL	BDL	BDL	0.9	BDL	1.3	2.0	2.0	4.2	125	18	51	95	1017
5/01/16 16:00	BDL	BDL	0.4	1.7	BDL	0.9	BDL	1.0	5.0	94	13	51	97	1016
5/01/16 17:00	BDL	BDL	0.4	1.8	BDL	0.7	2.0	2.0	5.1	73	13	51	97	1016
5/01/16 18:00	BDL	BDL	BDL	0.6	BDL	0.6	2.0	2.0	5.6	58	11	51	98	1016
5/01/16 19:00	BDL	BDL	BDL	1.7	BDL	0.7	2.0	4.0	6.7	57	11	51	99	1016
5/01/16 20:00	BDL	BDL	BDL	BDL	BDL	0.8	2.0	5.0	6.0	63	13	51	98	1016
5/01/16 21:00	BDL	BDL	BDL	BDL	BDL	0.7	3.0	4.0	5.8	67	14	50	98	1016
5/01/16 22:00	BDL	BDL	BDL	BDL	BDL	0.8	3.0	3.0	5.7	72	12	50	98	1016
5/01/16 23:00	BDL	BDL	BDL	BDL	BDL	0.8	3.0	3.0	5.2	63	14	49	98	1016
5/02/16 0:00	BDL	BDL	BDL	0.6	BDL	0.9	2.0	4.0	5.9	56	11	49	99	1016
5/02/16 1:00	BDL	BDL	BDL	BDL	BDL	0.8	3.0	3.0	6.1	58	13	48	99	1015
5/02/16 2:00	BDL	BDL	BDL	BDL	BDL	0.8	2.0	2.0	6.4	63	14	47	98	1014
5/02/16 3:00	BDL	Calibration	Calibration	BDL	BDL	0.7	6.0	5.0	5.5	61	13	47	98	1014
5/02/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	0.5	6.0	6.0	5.5	76	13	47	99	1014
5/02/16 5:00	Too few samples	BDL	BDL	Too few samples	Too few samples	Too few samples	6.0	6.0	5.5	73	16	47	99	1013
5/02/16 6:00	BDL	BDL	BDL	4.7	BDL	0.6	5.0	7.0	5.1	88	14	47	99	1013
5/02/16 7:00	BDL	BDL	BDL	10.1	BDL	0.6	8.0	6.0	3.7	84	24	47	99	1014
5/02/16 8:00	BDL	BDL	BDL	13.4	BDL	0.6	9.0	6.0	2.4	69	43	48	96	1014
5/02/16 9:00	BDL	BDL	BDL	18.0	0.04	0.3	13.0	6.0	4.0	105	18	49	94	1013
5/02/16 10:00	BDL	BDL	BDL	10.8	BDL	0.1	9.0	7.0	4.0	105	18	50	95	1013
5/02/16 11:00	BDL	BDL	BDL	8.8	BDL	BDL	7.0	6.0	1.9	119	51	51	91	1012
5/02/16 12:00	BDL	BDL	BDL	17.1	BDL	BDL	10.0	7.0	1.3	102	40	52	91	1012
5/02/16 13:00	BDL	BDL	0.4	12.0	0.1	BDL	15.0	9.0	2.5	313	28	54	90	1011
5/02/16 14:00	BDL	BDL	0.5	11.4	0.1	BDL	14.0	10.0	1.8	246	52	56	85	1011
5/02/16 15:00	BDL	0.4	0.4	14.1	0.1	BDL	22.0	15.0	2.8	180	23	58	84	1010
5/02/16 16:00	BDL	0.4	0.6	11.8	BDL	BDL	15.0	13.0	3.7	192	21	60	82	1010
5/02/16 17:00	BDL	0.4	0.6	11.0	BDL	BDL	12.0	13.0	3.9	180	20	62	79	1010
5/02/16 18:00	0.4	0.4	0.7	11.8	BDL	BDL	15.0	14.0	2.1	123	35	62	79	1010
5/02/16 19:00	0.4	BDL	0.6	13.5	0.1	BDL	22.0	12.0	4.6	65	11	62	81	1010
5/02/16 20:00	BDL	BDL	0.5	22.0	0.2	BDL	29.0	24.0	5.4	68	14	61	83	1010
5/02/16 21:00	BDL	BDL	0.5	25.9	0.2	BDL	30.0	22.0	5.1	60	17	60	84	1010
5/02/16 22:00	BDL	BDL	0.5	18.7	0.2	BDL	27.0	17.0	3.6	65	18	60	87	1010
5/02/16 23:00	BDL	BDL	0.4	19.8	0.2	BDL	24.0	19.0	4.4	60	21	59	93	1011
5/03/16 0:00	BDL	BDL	0.5	16.2	0.2	BDL	16.0	15.0	6.7	87	14	57	98	1010
5/03/16 1:00	BDL	BDL	0.5	4.2	0.1	BDL	14.0	11.0	5.2	87	14	57	97	1009
5/03/16 2:00	BDL	BDL	0.4	4.3	0.04	BDL	10.0	6.0	6.2	74	43	57	96	1008
5/03/16 3:00	BDL	Calibration	Calibration	5.5	BDL	BDL	11.0	4.0	5.0	73	18	56	96	1008
5/03/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	BDL	8.0	10.0	5.9	54	11	55	98	1008
5/03/16 5:00	Too few samples	BDL	0.4	Too few samples	0.04	BDL	4.0	8.0	6.4	59	12	55	99	1008
5/03/16 6:00	BDL	BDL	0.5	8.8	0.1	BDL	6.0	6.0	8.1	69	13	55	98	1007
5/03/16 7:00	BDL	BDL	0.5	8.9	0.1	BDL	5.0	7.0	7.9	60	11	55	96	1007
5/03/16 8:00	BDL	BDL	0.4	10.0	0.1	BDL	6.0	5.0	7.6	61	13	55	95	1007
5/03/16 9:00	BDL	BDL	0.4	6.9	0.1	BDL	11.0	4.0	8.8	57	11	55	94	1007
5/03/16 10:00	BDL	BDL	0.4	6.3	0.1	BDL	6.0	4.0	8.0	55	12	54	96	1007
5/03/16 11:00	BDL	BDL	0.4	6.5	0.1	BDL	2.0	5.0	7.8	56	12	54	98	1008
5/03/16 12:00	BDL	BDL	BDL	6.1	0.1	BDL	4.0	4.0	7.9	48	13	55	94	1007
5/03/16 13:00	BDL	BDL	0.4	5.2	0.1	BDL	4.0	4.0	8.6	54	13	55	90	1007
5/03/16 14:00	BDL	BDL	0.4	4.2	0.1	BDL	3.0	5.0	7.5	59	14	56	87	1007
5/03/16 15:00	BDL	BDL	0.4	6.0	0.1	BDL	6.0	7.0	5.4	41	17	56	87	1007
5/03/16 16:00	BDL	BDL	0.4	5.1	0.1	BDL	8.0	5.0	5.7	49	12	56	86	1007
5/03/16 17:00	BDL	BDL	BDL	3.7	0.1	BDL	5.0	2.0	6.4	52	13	56	87	1007
5/03/16 18:00	BDL	BDL	0.4	5.3	0.1	BDL	7.0	1.0	5.3	78	15	56	87	1007
5/03/16 19:00	BDL	BDL	0.4	6.0	0.04	BDL	7.0	3.0	6.2	81	13	55	86	1007
5/03/16 20:00	BDL	BDL	0.4	6.8	BDL	BDL	10.0	4.0	6.0	86	12	54	88	1008
5/03/16 21:00	BDL	BDL	0.4	2.8	BDL	BDL	6.0	4.0	6.4	73	13	53	89	1008
5/03/16 22:00	BDL	BDL	0.4	3.4	BDL	BDL	6.0	6.0	6.5	81	13	53	90	1007
5/03/16 23:00	BDL	BDL	BDL	1.0	BDL	BDL	4.0	6.0	7.5	85	14	52	91	1007
5/04/16 0:00	BDL	BDL	0.4	1.4	BDL	BDL	3.0	3.0	6.2	89	15	51	93	1007
5/04/16 1:00	BDL	BDL	0.4	BDL	BDL	BDL	4.0	BDL	5.6	66	15	50	93	1007
5/04/16 2:00	BDL	BDL	0.5	BDL	BDL	BDL	5.0	2.0	6.5	66	13	50	91	1006
5/04/16 3:00	BDL	Calibration	Calibration	1.8	BDL	BDL	4.0	3.0	4.8	91	13	50	93	1006
5/04/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	BDL	2.0	3.0	4.1	59	15	50	95	1006
5/04/16 5:00	Too few samples	BDL	0.4	Too few samples	BDL	BDL	3.0	3.0	8.2	57	13	50	94	1006
5/04/16 6:00	BDL	BDL	0.4	2.6	BDL	BDL	5.0	6.0	8.3	65	13	50	94	1006
5/04/16 7:00	BDL	BDL	0.5	5.8	BDL	BDL	4.0	6.0	8.3	65	13	50	94	1006
5/04/16 8:00	BDL	BDL	0.4	11.1	BDL	BDL	5.0	6.0	6.8	76	16	50	93	1006
5/04/16 9:00	BDL	BDL	0.4	7.1	BDL	BDL	4.0	4.0	8.6	70	14	50	91	1005
5/04/16 10:00	BDL	BDL	0.4	5.4	BDL	BDL	4.0	6.0	8.3	76	14	51	88	1005
5/04/16 11:00	BDL	BDL	0.4	3.3	BDL	BDL	8.0	7.0	8.2	63	13	51	88	1005
5/04/16 12:00	BDL	BDL	0.4	3.8	BDL	BDL	6.0	4.0	8	65	13	51	87	1005
5/04/16 13:00	BDL	BDL	0.4	5.9	BDL	BDL	5.0	3.0	8.4	57	14	51	91	1004
5/04/16 14:00	BDL	BDL	0.4	3.4	BDL	BDL	7.0	6.0	9.8	58	13	51	88	1004
5/04/16 15:00	BDL	BDL	0.4	4.0	BDL	BDL	5.0	6.0	8.5	52	13	51	87	1004
5/04/16 16:00	BDL	BDL	0.4	1.1	BDL	BDL	6.0	3.0	8.3	63	14	51	84	1003
5/04/16 17:00	BDL	BDL	0.4	BDL	BDL	BDL	7.0	5.0	9.6	64	13	52	81	1004
5/04/16 18:00	BDL	BDL	0.4	BDL	BDL	BDL	6.0	5.0	8.8	63	14	51	83	1003
5/04/16 19:00	BDL	BDL	0.4	2.5	BDL	BDL	9.0	5.0	9.1	62	13	50	88	1004
5/04/16 20:00	BDL	BDL	0.4	4.1	BDL	BDL	5.0	6.0	8.8	60	13	50	91	1005
5/04/16 21:00	BDL	BDL	0.4	1.2	BDL	BDL	5.0	5.0	8.6	58	13	50	87	1005
5/04/16 22:00	BDL	BDL	0.4	3.7	BDL	BDL	12.0	9.0	7.3	62	13	50	90	1005
5/04/16 23:00	BDL	BDL	0.4	6.6	BDL	BDL	14.0	12.0	5.8	66	13	49	96	1004

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 5/1/2016-5/7/2016														
5/05/16 0:00	BDL	BDL	0.5	5.2	BDL	BDL	13.0	10.0	7.3	66	12	49	95	1004
5/05/16 1:00	BDL	BDL	0.4	3.7	BDL	BDL	11.0	7.0	7.9	69	12	49	97	1004
5/05/16 2:00	BDL	BDL	0.4	1.0	BDL	BDL	7.0	7.0	9.7	61	11	48	91	1004
5/05/16 3:00	BDL	Calibration	Calibration	1.2	BDL	BDL	7.0	6.0	8.1	58	10	48	88	1003
5/05/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	BDL	6.0	9.0	7.4	53	11	48	89	1003
5/05/16 5:00	Too few samples	BDL	0.5	Too few samples	BDL	BDL	12.0	10.0	7.3	39	16	48	89	1002
5/05/16 6:00	BDL	BDL	0.5	5.2	BDL	BDL	10.0	11.0	8.2	42	14	48	88	1003
5/05/16 7:00	BDL	BDL	0.4	7.3	0.1	BDL	9.0	10.0	7.5	39	15	48	88	1003
5/05/16 8:00	BDL	BDL	0.4	7.6	BDL	BDL	9.0	6.0	9	44	13	48	87	1003
5/05/16 9:00	BDL	BDL	BDL	7.3	BDL	BDL	7.0	3.0	9.8	45	14	49	83	1003
5/05/16 10:00	BDL	BDL	0.4	8.4	BDL	BDL	14.0	2.0	9.1	46	14	50	81	1003
5/05/16 11:00	BDL	BDL	0.4	5.9	BDL	BDL	13.0	3.0	8.8	45	14	51	78	1003
5/05/16 12:00	BDL	BDL	0.4	6.5	BDL	BDL	14.0	3.0	8.5	52	15	53	75	1002
5/05/16 13:00	BDL	BDL	0.4	6.4	BDL	BDL	15.0	8.0	8.5	51	16	53	75	1002
5/05/16 14:00	BDL	BDL	0.4	9.8	BDL	BDL	18.0	6.0	9	60	14	54	74	1001
5/05/16 15:00	BDL	BDL	0.4	10.6	0.1	BDL	22.0	5.0	7.9	55	13	55	73	1001
5/05/16 16:00	BDL	BDL	0.4	5.7	0.1	BDL	9.0	3.0	8.8	48	12	55	71	1001
5/05/16 17:00	BDL	BDL	0.4	4.6	0.1	BDL	13.0	3.0	7.9	48	13	56	69	1001
5/05/16 18:00	BDL	BDL	0.4	5.5	0.04	BDL	15.0	5.0	7.1	40	17	57	68	1001
5/05/16 19:00	BDL	BDL	0.4	3.5	BDL	BDL	13.0	4.0	7.3	45	14	57	68	1001
5/05/16 20:00	BDL	BDL	0.4	3.1	0.04	BDL	9.0	4.0	7.6	46	12	56	68	1002
5/05/16 21:00	BDL	BDL	0.5	5.5	0.1	BDL	8.0	4.0	7.2	49	15	56	69	1002
5/05/16 22:00	BDL	BDL	0.4	3.2	BDL	BDL	6.0	4.0	8.9	42	15	56	69	1002
5/05/16 23:00	BDL	BDL	0.4	0.8	BDL	BDL	7.0	6.0	8.4	42	15	55	72	1002
5/06/16 0:00	BDL	BDL	0.4	1.1	BDL	BDL	7.0	7.0	7.5	41	15	54	74	1002
5/06/16 1:00	BDL	BDL	0.4	1.4	BDL	BDL	7.0	5.0	7.5	52	15	54	77	1002
5/06/16 2:00	BDL	BDL	0.4	5.0	BDL	BDL	13.0	4.0	6.5	70	14	52	85	1002
5/06/16 3:00	BDL	Calibration	Calibration	4.9	BDL	BDL	9.0	5.0	5.7	63	13	51	93	1002
5/06/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	BDL	8.0	5.0	6.0	49	13	50	94	1002
5/06/16 5:00	Too few samples	BDL	0.4	Too few samples	BDL	BDL	6.0	3.0	7.6	41	15	50	93	1002
5/06/16 6:00	BDL	BDL	0.5	6.1	BDL	BDL	6.0	4.0	8.0	40	14	49	94	1002
5/06/16 7:00	BDL	BDL	0.5	8.1	BDL	BDL	6.0	5.0	9.6	41	15	50	92	1002
5/06/16 8:00	BDL	BDL	0.5	11.9	0.04	BDL	4.0	5.0	7.7	47	14	49	95	1002
5/06/16 9:00	BDL	BDL	0.5	13.5	BDL	BDL	4.0	4.0	9.5	54	12	49	97	1003
5/06/16 10:00	BDL	BDL	0.5	10.4	BDL	BDL	4.0	5.0	11.0	46	12	49	93	1003
5/06/16 11:00	BDL	BDL	0.4	6.8	BDL	BDL	6.0	2.0	10.7	50	13	49	92	1003
5/06/16 12:00	BDL	BDL	0.5	8.5	BDL	BDL	4.0	2.0	8.3	43	19	49	95	1002
5/06/16 13:00	BDL	BDL	0.4	8.9	BDL	BDL	1.0	6.0	8.2	38	15	50	94	1002
5/06/16 14:00	BDL	BDL	0.4	7.8	BDL	BDL	2.0	5.0	7.7	33	15	50	96	1001
5/06/16 15:00	BDL	BDL	0.5	7.6	BDL	BDL	1.0	2.0	9.1	40	14	51	97	1001
5/06/16 16:00	BDL	BDL	0.5	2.9	BDL	BDL	11.0	2.0	11.4	50	12	52	98	1001
5/06/16 17:00	BDL	BDL	0.4	4.3	BDL	BDL	11.0	6.0	6.9	94	16	53	98	1001
5/06/16 18:00	BDL	BDL	0.4	2.5	BDL	BDL	7.0	5.0	6.6	140	15	53	93	1002
5/06/16 19:00	BDL	BDL	0.5	0.7	BDL	BDL	4.0	5.0	7.2	148	14	52	92	1003
5/06/16 20:00	BDL	BDL	0.4	1.8	BDL	BDL	4.0	3.0	5.2	121	16	52	93	1004
5/06/16 21:00	BDL	BDL	0.4	4.2	BDL	BDL	3.0	3.0	7.8	111	15	51	93	1005
5/06/16 22:00	BDL	BDL	0.4	1.7	BDL	BDL	2.0	3.0	7.2	93	15	50	96	1005
5/06/16 23:00	BDL	BDL	BDL	BDL	BDL	BDL	2.0	3.0	6.2	89	13	50	97	1006
5/07/16 0:00	BDL	BDL	BDL	2.2	BDL	BDL	3.0	4.0	6.8	79	11	49	96	1006
5/07/16 1:00	BDL	BDL	BDL	2.6	BDL	BDL	3.0	3.0	6.5	81	12	49	97	1006
5/07/16 2:00	BDL	BDL	BDL	2.7	BDL	BDL	3.0	1.0	6.6	76	11	49	97	1005
5/07/16 3:00	BDL	Calibration	Calibration	5.5	BDL	BDL	8.0	4.0	5.7	78	12	49	97	1005
5/07/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	BDL	8.0	4.0	5.8	75	12	49	98	1006
5/07/16 5:00	Too few samples	BDL	BDL	Too few samples	BDL	BDL	4.0	3.0	5.3	73	13	49	99	1006
5/07/16 6:00	BDL	BDL	BDL	7	BDL	BDL	3.0	2.0	5.6	63	11	49	99	1006
5/07/16 7:00	BDL	BDL	BDL	6.9	BDL	12.5	8.0	3.0	5.8	59	12	49	98	1006
5/07/16 8:00	BDL	BDL	BDL	7.3	BDL	1.9	6.0	8.0	6.3	57	12	50	96	1007
5/07/16 9:00	BDL	BDL	BDL	1.7	BDL	1.7	4.0	6.0	6.5	62	13	51	91	1007
5/07/16 10:00	BDL	BDL	0.4	1.5	BDL	1.6	6.0	5.0	5.8	58	15	52	85	1006
5/07/16 11:00	BDL	BDL	0.4	1.6	BDL	1.2	6.0	3.0	5.2	64	17	54	81	1006
5/07/16 12:00	BDL	BDL	BDL	1.8	BDL	1.0	3.0	2.0	3.9	65	21	54	79	1006
5/07/16 13:00	BDL	BDL	0.4	1.6	BDL	0.6	5.0	4.0	2.8	46	54	56	69	1005
5/07/16 14:00	BDL	BDL	BDL	3	BDL	0.3	11.0	3.0	2.8	144	38	59	64	1005
5/07/16 15:00	BDL	BDL	BDL	3.4	BDL	0.1	9.0	3.0	3.4	161	16	59	64	1005
5/07/16 16:00	BDL	BDL	BDL	2.6	BDL	0.4	6.0	6.0	4.4	185	12	58	70	1004
5/07/16 17:00	BDL	BDL	0.4	6.5	BDL	0.2	5.0	4.0	3.8	198	13	58	73	1004
5/07/16 18:00	1.2	BDL	0.4	11.8	BDL	0.2	8.0	2.0	2.7	242	20	59	70	1004
5/07/16 19:00	0.7	BDL	0.5	8.6	0.04	0.3	6.0	2.0	3.4	186	12	58	76	1005
5/07/16 20:00	BDL	0.4	0.7	8.9	0.04	1.8	6.0	3.0	2.7	202	13	56	83	1005
5/07/16 21:00	BDL	0.6	0.4	20	0.1	3.2	12.0	8.0	4.0	154	12	54	87	1005
5/07/16 22:00	BDL	BDL	0.4	2.9	0.04	1.1	8.0	6.0	4.6	152	13	53	96	1005
5/07/16 23:00	BDL	BDL	0.7	1.4	BDL	1.1	6.0	3.0	4.4	192	11	52	97	1005

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 5/8/2016-5/14/2016														
5/08/16 0:00	BDL	0.5	0.8	3.5	BDL	1.2	7.0	5.0	3.7	186	14	51	98	1005
5/08/16 1:00	BDL	0.4	0.8	4.8	BDL	1.1	7.0	9.0	3.2	160	13	51	98	1005
5/08/16 2:00	BDL	0.5	0.9	3.2	BDL	0.9	7.0	9.0	4.0	171	13	51	98	1004
5/08/16 3:00	BDL	Calibration	Calibration	BDL	BDL	0.6	7.0	8.0	3.2	169	14	51	98	1003
5/08/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	0.5	7.0	6.0	3.1	166	16	51	98	1003
5/08/16 5:00	Too few samples	BDL	0.6	Too few samples	BDL	0.3	6.0	4.0	3.2	158	21	51	99	1002
5/08/16 6:00	BDL	BDL	0.7	5.3	BDL	0.4	8.0	6.0	3.2	192	13	51	98	1002
5/08/16 7:00	BDL	0.5	1.0	6.8	BDL	0.9	11.0	5.0	2.6	196	16	52	98	1003
5/08/16 8:00	0.8	0.8	1.1	14.4	0.1	0.8	13.0	10.0	1.5	210	40	54	93	1003
5/08/16 9:00	1.2	0.7	0.9	13.0	0.1	0.2	9.0	8.0	5.4	236	18	58	83	1002
5/08/16 10:00	BDL	BDL	0.6	BDL	BDL	BDL	14.0	10.0	10.5	297	13	63	66	1002
5/08/16 11:00	BDL	BDL	0.5	BDL	BDL	BDL	19.0	10.0	12.5	297	13	66	49	1003
5/08/16 12:00	BDL	BDL	0.5	BDL	BDL	BDL	17.0	6.0	13.4	284	14	67	34	1003
5/08/16 13:00	BDL	BDL	0.5	BDL	BDL	BDL	18.0	5.0	15.3	305	14	67	31	1004
5/08/16 14:00	BDL	BDL	0.4	BDL	BDL	BDL	14.0	4.0	17.6	315	10	67	28	1005
5/08/16 15:00	BDL	BDL	0.5	BDL	BDL	0.2	9.0	1.0	17.4	315	10	67	26	1006
5/08/16 16:00	BDL	BDL	0.5	BDL	BDL	0.5	7.0	1.0	15.9	315	12	67	24	1006
5/08/16 17:00	BDL	BDL	0.4	BDL	BDL	0.5	5.0	1.0	11.2	308	13	67	24	1007
5/08/16 18:00	BDL	BDL	0.4	BDL	BDL	0.5	11.0	2.0	9.2	297	14	67	25	1007
5/08/16 19:00	BDL	BDL	0.4	BDL	BDL	0.7	7.0	5.0	5.9	288	12	66	28	1008
5/08/16 20:00	BDL	BDL	0.4	BDL	BDL	1.3	13.0	6.0	5.9	266	30	64	32	1009
5/08/16 21:00	BDL	BDL	0.4	6.1	0.2	4.7	17.0	5.0	2.5	257	16	61	41	1010
5/08/16 22:00	BDL	BDL	0.4	16.2	0.1	10.4	12.0	11.0	3.4	270	11	58	47	1011
5/08/16 23:00	BDL	BDL	0.5	10.9	0.1	2.8	16.0	13.0	4.8	282	9	57	46	1012
5/09/16 0:00	BDL	BDL	0.4	14.1	0.1	3.0	17.0	13.0	4.4	278	9	56	49	1013
5/09/16 1:00	BDL	BDL	0.5	8.1	0.1	3.5	17.0	11.0	2.5	246	11	54	57	1013
5/09/16 2:00	BDL	0.6	1.2	19.8	0.04	3.8	20.0	13.0	4.0	208	19	52	65	1013
5/09/16 3:00	BDL	Calibration	Calibration	27.2	0.04	4.4	21.0	15.0	3.3	212	13	52	66	1013
5/09/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	4.9	15.0	12.0	3.3	216	16	52	65	1013
5/09/16 5:00	Too few samples	1.1	0.7	Too few samples	Too few samples	Too few samples	24.0	12.0	4.1	210	14	51	69	1013
5/09/16 6:00	1.6	0.8	0.6	38.3	0.1	3.9	21.0	13.0	6.2	213	13	51	70	1014
5/09/16 7:00	1.5	1.0	0.7	29.7	0.1	3.6	29.0	12.0	7.2	227	14	55	62	1014
5/09/16 8:00	2.6	0.8	0.7	28.6	0.1	3.0	14.0	8.0	7.6	230	15	59	50	1014
5/09/16 9:00	2.6	0.6	0.6	23.3	0.1	2.8	31.0	6.0	7.7	222	16	63	47	1014
5/09/16 10:00	1.8	0.4	0.5	17.2	0.1	2.5	28.0	7.0	9.7	219	15	66	41	1015
5/09/16 11:00	0.7	BDL	0.4	8.8	BDL	2.6	34.0	9.0	11.6	217	15	68	39	1015
5/09/16 12:00	0.6	BDL	0.4	8.2	BDL	2.6	35.0	8.0	12.4	221	15	67	37	1015
5/09/16 13:00	0.8	BDL	0.4	9.0	BDL	2.3	24.0	7.0	11.6	233	15	67	35	1015
5/09/16 14:00	0.7	BDL	0.4	10.6	BDL	2.4	21.0	5.0	11.2	226	15	67	35	1015
5/09/16 15:00	0.7	BDL	0.5	13.2	0.1	2.4	29.0	6.0	11.1	224	14	66	41	1014
5/09/16 16:00	0.8	BDL	BDL	10.6	0.1	2.3	23.0	8.0	11.5	218	14	65	49	1013
5/09/16 17:00	0.7	BDL	BDL	10.5	0.1	2.4	17.0	12.0	10.6	220	14	64	55	1013
5/09/16 18:00	1.2	BDL	BDL	16.9	0.1	2.8	21.0	10.0	9.1	221	14	63	61	1014
5/09/16 19:00	1.9	0.5	0.5	26.1	0.1	3.2	22.0	17.0	5.5	223	15	62	65	1014
5/09/16 20:00	1.6	0.5	0.7	22.3	0.1	3.8	22.0	15.0	5.2	219	14	61	70	1015
5/09/16 21:00	2.3	0.8	0.8	25.7	0.1	4.1	19.0	16.0	3.9	220	17	60	72	1016
5/09/16 22:00	1.0	1.0	0.9	23.0	0.1	4.4	21.0	19.0	3.4	228	15	59	74	1016
5/09/16 23:00	0.6	0.7	1.0	21.9	0.1	6.0	22.0	19.0	2.6	250	20	58	77	1017
5/10/16 0:00	BDL	0.4	0.5	24.4	0.2	4.3	24.0	24.0	2.7	284	21	56	82	1017
5/10/16 1:00	0.5	0.4	0.6	13.6	0.1	4.2	27.0	18.0	6.8	335	11	57	76	1018
5/10/16 2:00	0.6	0.4	0.6	10.4	0.1	4.1	20.0	16.0	6.2	32	19	58	64	1018
5/10/16 3:00	BDL	Calibration	Calibration	1.6	BDL	4.3	15.0	7.0	9.7	46	13	57	52	1019
5/10/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	4.4	15.0	6.0	8.3	59	12	55	54	1020
5/10/16 5:00	Too few samples	BDL	BDL	Too few samples	BDL	4.7	17.0	5.0	7.4	56	10	54	56	1021
5/10/16 6:00	BDL	BDL	BDL	10.8	BDL	5.0	21.0	7.0	6.9	60	11	53	54	1022
5/10/16 7:00	BDL	BDL	BDL	14.1	BDL	5.3	12.0	8.0	6.2	64	12	52	61	1022
5/10/16 8:00	BDL	BDL	BDL	14.3	BDL	5.5	Audit	Audit	5.8	71	14	52	53	1023
5/10/16 9:00	BDL	BDL	BDL	11.5	BDL	5.7	13.0	3.0	4.7	69	16	52	47	1023
5/10/16 10:00	BDL	BDL	BDL	7.1	BDL	5.5	13.0	5.0	6.1	62	13	53	46	1023
5/10/16 11:00	BDL	BDL	BDL	10.1	BDL	5.5	17.0	5.0	4.7	68	14	53	45	1023
5/10/16 12:00	BDL	BDL	BDL	14.2	BDL	5.0	16.0	6.0	3.1	90	38	54	45	1023
5/10/16 13:00	BDL	BDL	BDL	8.0	BDL	5.1	9.0	6.0	2.3	191	35	55	47	1023
5/10/16 14:00	0.5	BDL	0.4	13.9	BDL	4.5	17.0	6.0	2.4	278	46	57	42	1022
5/10/16 15:00	BDL	BDL	BDL	8.8	BDL	3.9	14.0	5.0	3.0	293	31	59	41	1022
5/10/16 16:00	BDL	BDL	BDL	5.4	BDL	3.8	8.0	9.0	1.9	286	54	58	47	1021
5/10/16 17:00	BDL	BDL	0.4	12.3	BDL	3.7	11.0	8.0	3.4	192	20	59	50	1020
5/10/16 18:00	1.3	0.4	0.6	18.5	BDL	3.5	16.0	8.0	3.7	216	17	58	53	1020
5/10/16 19:00	2.1	0.5	0.5	20.0	BDL	4.2	18.0	8.0	5.1	242	15	58	57	1021
5/10/16 20:00	2.1	1.0	0.9	21.7	0.0	4.8	15.0	9.0	4.0	221	17	57	61	1021
5/10/16 21:00	1.3	0.8	0.7	24.4	0.1	5.2	19.0	9.0	3.7	235	16	56	68	1021
5/10/16 22:00	0.4	0.5	0.6	25.2	0.1	5.2	16.0	9.0	3.3	248	16	55	71	1021
5/10/16 23:00	BDL	1.1	1.3	20.4	0.1	5.5	15.0	10.0	2.5	249	18	55	71	1021
5/11/16 0:00	BDL	1.6	1.9	12.5	0.1	6.2	21.0	9.0	3.4	306	15	54	73	1021
5/11/16 1:00	BDL	1.2	1.4	9.1	BDL	4.5	12.0	11.0	1.9	290	28	54	75	1020
5/11/16 2:00	BDL	1.6	2.3	13.1	0.1	4.9	23.0	13.0	1.1	215	53	54	78	1020
5/11/16 3:00	BDL	Calibration	Calibration	24.8	0.1	5.5	22.0	12.0	1.8	234	30	53	80	1020
5/11/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	4.3	19.0	11.0	1.9	302	17	54	78	1020
5/11/16 5:00	Too few samples	BDL	1.1	Too few samples	0.04	4.0	19.0	14.0	1.8	294	24	54	77	1020
5/11/16 6:00	BDL	BDL	1.0	21.4	0.1	4.8	26.0	17.0	2.1	249	17	54	77	1020
5/11/16 7:00	BDL	Audit	Audit	30.9	0.1	5.3	59.0	27.0	1.5	205	18	55	75	1020
5/11/16 8:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	5.4	40.0	25.0	0.9	248	65	56	71	1020
5/11/16 9:00	1.6	Calibration	Calibration	49.1	0.3	4.6	43.0	23.0	2.0	239	35	58	67	1020
5/11/16 10:00	3.0	Calibration	Calibration	57.1	0.3	4.5	51.0	26.0	2.3	200	25	59	66	1020
5/11/16 11:00	4.4	Too few samples	Too few samples	61.6	0.2	4.1	50.0	21.0	3.8	185	19	61	62	1020
5/11/16 12:00	3.1	1.3	BDL	33.8	0.1	4.0	38.0	21.0	2.6	185	24	62	59	1020
5/11/16 13:00	Calibration	0.9	BDL	Calibration	Calibration	3.4	33.0	13.0	2.4	209	32	64	52	1019
5/11/16 14:00	1.9	0.6	BDL	4.9	0.1	2.2	31.0	16.0	4.4	209	21	66	55	1019
5/11/16 15:00	1.8	0.4	BDL	4.4	0.1	1.9	23.0	15.0	4.4	220	22	66	56	1018
5/11/16 16:00	1.8	0.6	BDL	3.7	0.1	1.9	22.0	13.0	5.5	213	17	65	61	1018
5/11/16 17:00	0.7	0.9	BDL	BDL	0.1	1.6	27.0	16.0	6.0	190	11	63	69	1018
5/11/16 18:00	1.1	1.2	0.4	BDL	0.1	1.8	29.0	12.0	2.7	207	18	63	71	1017
5/11/16 19:00	2.7	0.8	BDL	10.8	0.2	2.1	29.0	18.0	4.3	239	14	63	71	1017
5/11/16 20:00	1.6	0.7	BDL	7.5	0.1	2.7	31.0	21.0	4.1	208	14	61	79	1018
5/11/16 21:00	0.6	0.9	BDL	2.8	0.1	2.9	27.0	15.0	3.7	196	12	60	86	1018
5/11/16 22:00	0.5	1.0	BDL	1.9	0.1	3.3	25.0	17.0	4.4	202	10	58	91	1018
5/11/16 23:00	0.7	0.8	BDL	7.6	0.1	3.8	21.0	20.0	3.4	220	16	57	93	1018

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 5/8/2016-5/14/2016														
5/12/16 0:00	0.6	0.9	BDL	6.6	0.2	4.4	22.0	18.0	2	240	16	57	95	1018
5/12/16 1:00	0.7	1.4	BDL	22.8	0.2	5.5	31.0	20.0	1.7	192	28	56	97	1018
5/12/16 2:00	0.7	1.1	BDL	26.3	0.2	4.2	42.0	23.0	1.5	201	17	56	98	1017
5/12/16 3:00	0.7	Calibration	Calibration	30.8	0.2	4.1	27.0	19.0	1.5	191	21	56	98	1017
5/12/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	4.0	23.0	19.0	2.5	255	18	57	96	1018
5/12/16 5:00	Too few samples	2.1	1.6	Too few samples	0.2	4.7	35.0	22.0	1.8	230	31	57	93	1018
5/12/16 6:00	0.9	2.2	0.6	42.3	0.3	3.5	82.0	28.0	2	178	17	57	92	1018
5/12/16 7:00	1.1	2.2	0.9	50.1	0.3	3.5	55.0	30.0	1	156	40	59	82	1018
5/12/16 8:00	0.8	1.6	BDL	45.2	0.4	4.1	67.0	39.0	2	59	56	63	70	1018
5/12/16 9:00	0.9	1.1	BDL	17.0	0.3	Too few samples	68.0	39.0	4.5	68	31	66	61	1017
5/12/16 10:00	1.0	Calibration	Calibration	13.0	0.3	1.8	63.0	32.0	5.1	77	27	68	60	1017
5/12/16 11:00	0.6	Calibration	Calibration	BDL	0.2	1.9	37.0	18.0	3.3	128	43	71	56	1017
5/12/16 12:00	0.5	Calibration	Calibration	BDL	0.2	1.3	31.0	16.0	3.4	138	36	72	56	1017
5/12/16 13:00	0.8	Calibration	Calibration	BDL	0.2	1.3	42.0	16.0	4.9	199	19	72	60	1016
5/12/16 14:00	BDL	0.5	BDL	BDL	0.2	2.6	41.0	17.0	6.2	197	19	74	61	1015
5/12/16 15:00	BDL	BDL	BDL	BDL	0.1	3.4	26.0	11.0	5.5	173	24	75	57	1015
5/12/16 16:00	0.5	0.5	BDL	BDL	0.1	3.5	27.0	12.0	6.2	238	22	77	53	1014
5/12/16 17:00	0.7	BDL	BDL	BDL	0.1	3.1	19.0	9.0	7	245	15	76	56	1014
5/12/16 18:00	0.8	BDL	BDL	BDL	0.1	2.7	14.0	11.0	7.1	249	14	74	62	1013
5/12/16 19:00	1.0	0.6	BDL	BDL	0.1	2.7	12.0	10.0	6.4	237	14	72	66	1013
5/12/16 20:00	1.0	0.5	BDL	BDL	0.1	2.6	15.0	10.0	6.1	199	14	69	73	1013
5/12/16 21:00	0.6	0.5	BDL	BDL	0.1	2.6	11.0	9.0	5.6	184	11	67	77	1014
5/12/16 22:00	0.4	BDL	BDL	BDL	0.1	2.8	6.0	8.0	5.1	170	12	65	81	1014
5/12/16 23:00	0.4	0.4	BDL	BDL	0.1	2.4	19.0	10.0	5.8	200	13	64	84	1014
5/13/16 0:00	0.5	0.7	BDL	BDL	0.1	2.7	14.0	12.0	3.7	169	12	63	87	1013
5/13/16 1:00	0.4	0.9	BDL	1.3	0.1	2.8	19.0	14.0	3.8	165	13	63	89	1013
5/13/16 2:00	0.4	1.1	BDL	BDL	0.1	2.5	12.0	12.0	2.8	143	15	62	89	1012
5/13/16 3:00	0.5	Calibration	Calibration	BDL	0.1	2.1	15.0	10.0	3.0	151	15	62	89	1011
5/13/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	1.9	16.0	17.0	3.2	143	17	60	92	1011
5/13/16 5:00	Too few samples	1.0	BDL	Too few samples	0.1	1.53	17.0	16.0	4.0	132	16	60	92	1010
5/13/16 6:00	BDL	1.1	BDL	7.9	0.1	1.6	60.0	20.0	2.4	149	16	60	91	1010
5/13/16 7:00	0.4	1.1	BDL	5.6	0.1	1.7	42.0	17.0	3.1	183	17	61	90	1010
5/13/16 8:00	0.5	1.2	BDL	5.6	0.1	1.4	40.0	13.0	3.9	178	15	61	89	1010
5/13/16 9:00	0.4	Calibration	Calibration	BDL	0.1	1.3	40.0	11.0	4.4	176	15	63	88	1009
5/13/16 10:00	0.4	Calibration	Calibration	3.5	0.1	BDL	43.0	12.0	5.6	189	14	64	85	1009
5/13/16 11:00	0.4	Calibration	Calibration	BDL	0.1	1.7	30.0	14.0	6.5	200	14	65	84	1008
5/13/16 12:00	Too few samples	Too few samples	Too few samples	Calibration	Too few samples	1.7	54.0	19.0	6.0	204	12	65	90	1008
5/13/16 13:00	Calibration	0.8	BDL	Calibration	Calibration	1.5	19.0	12.0	6.3	200	13	64	95	1007
5/13/16 14:00	0.4	0.7	BDL	1.5	0.1	2.1	17.0	14.0	5.8	207	13	65	96	1007
5/13/16 15:00	0.5	0.6	BDL	BDL	0.1	2.0	11.0	12.0	5.8	224	16	65	95	1007
5/13/16 16:00	0.5	1.3	0.5	0.7	0.2	1.5	11.0	9.0	6.1	235	15	66	93	1006
5/13/16 17:00	0.6	0.8	BDL	BDL	0.2	1.4	10.0	7.0	3.6	253	16	67	88	1006
5/13/16 18:00	0.5	BDL	BDL	BDL	0.2	1.3	9.0	5.0	3.3	258	18	68	81	1006
5/13/16 19:00	0.5	1.7	2.6	11.5	0.2	1.7	10.0	6.0	2.8	215	14	68	83	1006
5/13/16 20:00	0.6	0.6	BDL	6	0.2	1.4	11.0	5.0	3.0	192	10	65	90	1007
5/13/16 21:00	0.7	0.8	0.4	6	0.2	1.9	12.0	8.0	3.8	221	14	64	94	1007
5/13/16 22:00	0.8	0.8	BDL	16.4	0.3	2.4	21.0	13.0	4.4	243	13	64	95	1007
5/13/16 23:00	0.8	0.8	BDL	21.5	0.3	2.3	17.0	13.0	2.9	260	13	63	97	1007
5/14/16 0:00	0.6	0.6	BDL	6.5	0.3	2.1	14.0	9.0	3.4	261	11	62	97	1007
5/14/16 1:00	0.5	4.2	3.8	6.8	0.3	3.4	23.0	12.0	2.2	250	22	60	91	1008
5/14/16 2:00	0.4	1.3	BDL	4.6	0.3	7.0	21.0	10.0	1.7	225	26	58	91	1007
5/14/16 3:00	0.5	Calibration	Calibration	19.8	0.3	10.1	18.0	14.0	1.8	248	16	58	90	1007
5/14/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	3.1	21.0	13.0	1.8	195	16	56	90	1007
5/14/16 5:00	Too few samples	1.0	BDL	Too few samples	0.2	2.7	18.0	13.0	1.8	232	18	56	88	1007
5/14/16 6:00	0.8	4.3	1.2	25.3	0.3	5.4	22.0	15.0	2.9	235	11	57	80	1007
5/14/16 7:00	0.8	3.1	1.3	13.1	0.2	2.0	17.0	15.0	1.6	249	37	60	64	1007
5/14/16 8:00	1.1	0.9	BDL	14.9	0.2	1.8	20.0	13.0	1.8	184	25	63	59	1006
5/14/16 9:00	1.6	0.8	BDL	21.3	0.1	1.4	23.0	10.0	3.1	171	21	66	59	1006
5/14/16 10:00	0.9	0.4	BDL	BDL	0.1	1.3	19.0	6.0	5.6	176	23	69	54	1005
5/14/16 11:00	0.7	BDL	BDL	BDL	0.1	1.3	15.0	6.0	8.9	182	15	71	52	1005
5/14/16 12:00	0.9	BDL	BDL	BDL	0.1	1.2	21.0	7.0	10.8	203	16	72	44	1004
5/14/16 13:00	0.9	BDL	BDL	BDL	0.1	1.2	19.0	6.0	10.8	221	19	73	41	1003
5/14/16 14:00	1.0	BDL	BDL	BDL	0.1	1.2	19.0	5.0	11.4	224	17	74	39	1002
5/14/16 15:00	0.9	0.4	BDL	BDL	0.0	1.3	20.0	5.0	13.0	231	17	75	37	1002
5/14/16 16:00	0.8	BDL	BDL	BDL	0.0	0.9	37.0	3.0	14.0	268	19	69	47	1002
5/14/16 17:00	0.5	BDL	BDL	BDL	0.0	0.7	12.0	2.0	8.9	246	18	61	76	1003
5/14/16 18:00	0.7	BDL	BDL	BDL	0.1	0.5	7.0	3.0	7.5	203	17	59	87	1002
5/14/16 19:00	0.7	BDL	BDL	BDL	BDL	0.6	7.0	3.0	5.2	204	15	58	89	1002
5/14/16 20:00	0.8	0.6	BDL	BDL	0.1	0.7	7.0	6.0	6.8	249	17	59	88	1003
5/14/16 21:00	0.5	BDL	BDL	BDL	0.04	0.5	17.0	7.0	7.4	294	12	59	73	1004
5/14/16 22:00	BDL	BDL	BDL	BDL	BDL	0.5	7.0	7.0	6.2	283	14	57	71	1004
5/14/16 23:00	BDL	BDL	BDL	BDL	0.1	0.5	9.0	6.0	6.9	288	14	56	76	1005

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 5/15/2016-5/21/2016														
5/15/16 0:00	BDL	BDL	BDL	BDL	BDL	0.6	7.0	6.0	8.4	300	11	54.78	69.6	1005
5/15/16 1:00	BDL	BDL	BDL	BDL	BDL	0.8	9.0	6.0	8.2	299	13	53.31	63.8	1005
5/15/16 2:00	BDL	BDL	BDL	BDL	BDL	1.2	9.0	5.0	7.8	298	10	51.64	60.9	1006
5/15/16 3:00	BDL	Calibration	Calibration	BDL	BDL	2.0	7.0	5.0	7	294	11	50.08	63.3	1006
5/15/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	2.1	5.0	2.0	5.8	272	13	48.96	66.9	1007
5/15/16 5:00	Too few samples	BDL	BDL	Too few samples	BDL	0.4	5.0	3.0	5.5	265	15	47.93	71.9	1008
5/15/16 6:00	BDL	BDL	BDL	BDL	BDL	BDL	5.0	4.0	8.6	277	13	48.56	66.9	1008
5/15/16 7:00	0.4	BDL	BDL	BDL	BDL	BDL	6.0	5.0	10.6	281	13	50.34	60.5	1009
5/15/16 8:00	BDL	BDL	BDL	BDL	BDL	1.9	8.0	4.0	11	288	15	51.41	56.7	1009
5/15/16 9:00	BDL	BDL	BDL	BDL	BDL	1.6	7.0	3.0	11.2	290	15	52.47	52.7	1009
5/15/16 10:00	BDL	BDL	BDL	BDL	BDL	1.7	5.0	2.0	12.6	291	14	54.49	46.4	1009
5/15/16 11:00	BDL	BDL	BDL	BDL	BDL	1.6	8.0	5.0	11.5	285	15	54.1	46.6	1009
5/15/16 12:00	BDL	BDL	BDL	BDL	BDL	1.5	8.0	4.0	12.8	292	16	54.62	43.5	1009
5/15/16 13:00	BDL	BDL	BDL	BDL	BDL	1.7	6.0	6.0	12.5	283	16	55.88	39	1008
5/15/16 14:00	BDL	BDL	BDL	BDL	BDL	1.8	16.0	4.0	15.2	278	17	57.26	33.3	1008
5/15/16 15:00	BDL	BDL	BDL	BDL	BDL	1.9	6.0	4.0	13.4	281	17	56.77	33.3	1009
5/15/16 16:00	BDL	BDL	BDL	BDL	BDL	2.3	14.0	5.0	15.0	287	15	56.82	30.5	1009
5/15/16 17:00	BDL	BDL	BDL	BDL	BDL	1.9	9.0	5.0	11.7	288	15	56.99	30.1	1009
5/15/16 18:00	BDL	BDL	BDL	BDL	BDL	1.9	7.0	5.0	12.9	303	16	55.09	36.8	1010
5/15/16 19:00	BDL	BDL	BDL	BDL	BDL	2.1	8.0	5.0	10.7	308	11	52.52	45.4	1011
5/15/16 20:00	BDL	BDL	BDL	BDL	BDL	2.6	8.0	6.0	12.6	306	10	51.26	45.5	1013
5/15/16 21:00	BDL	BDL	BDL	BDL	BDL	3.0	7.0	3.0	10.9	303	10	49.26	48.7	1014
5/15/16 22:00	BDL	BDL	BDL	BDL	BDL	3.4	5.0	2.0	6.7	294	11	48.31	53.3	1015
5/15/16 23:00	BDL	BDL	BDL	BDL	BDL	1.2	7.0	3.0	5.7	280	13	47.27	58.9	1015
5/16/16 0:00	BDL	BDL	BDL	BDL	BDL	Too few samples	6.0	3.0	4.6	281	12	46.02	62.4	1016
5/16/16 1:00	BDL	BDL	BDL	BDL	BDL	analyzer issue	8.0	2.0	4.9	272	13	45.36	61.7	1016
5/16/16 2:00	BDL	BDL	BDL	BDL	BDL	analyzer issue	6.0	6.0	3.5	254	17	44.11	67.1	1016
5/16/16 3:00	BDL	Calibration	Calibration	BDL	BDL	analyzer issue	4.0	6.0	4.5	257	14	43.21	70.4	1017
5/16/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	analyzer issue	6.0	7.0	4.7	253	15	42.46	69.8	1017
5/16/16 5:00	Too few samples	0.6	BDL	Too few samples	BDL	Calibration	5.0	6.0	4.8	274	15	42.93	65.9	1017
5/16/16 6:00	0.7	1.4	BDL	BDL	BDL	analyzer issue	7.0	6.0	6.2	277	12	43.22	62.2	1018
5/16/16 7:00	0.9	0.5	BDL	BDL	BDL	Too few samples	7.0	7.0	7.8	281	13	46.11	52.8	1019
5/16/16 8:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	15.0	5.0	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples
5/16/16 9:00	0.4	BDL	BDL	BDL	BDL	Too few samples	19.0	3.0	10.8	281	16	51.35	38.2	1019
5/16/16 10:00	BDL	BDL	BDL	BDL	BDL	3.2	21.0	2.0	12.6	298	15	53.29	35.7	1019
5/16/16 11:00	BDL	BDL	BDL	BDL	BDL	3.6	15.0	2.0	12.5	290	16	55.71	33.5	1019
5/16/16 12:00	BDL	BDL	BDL	BDL	BDL	15.2	18.0	3.0	12.8	285	17	57.96	31.6	1018
5/16/16 13:00	BDL	BDL	BDL	BDL	BDL	2.1	22.0	2.0	12.6	285	18	60.46	30.3	1018
5/16/16 14:00	BDL	BDL	BDL	BDL	BDL	2.1	22.0	3.0	13.4	298	15	62.47	29.4	1017
5/16/16 15:00	BDL	BDL	BDL	BDL	BDL	2.1	17.0	4.0	12.6	297	16	64.06	28.5	1017
5/16/16 16:00	BDL	BDL	BDL	BDL	BDL	2.4	15.0	5.0	10.8	286	18	65.13	28.2	1017
5/16/16 17:00	BDL	BDL	BDL	BDL	BDL	3.0	16.0	3.0	9.7	286	22	65.85	28.2	1017
5/16/16 18:00	BDL	BDL	BDL	BDL	BDL	2.2	14.0	4.0	8.4	270	17	65.69	29.3	1017
5/16/16 19:00	BDL	BDL	BDL	BDL	BDL	2.1	14.0	7.0	6.4	270	15	64.63	31.2	1018
5/16/16 20:00	1.6	BDL	BDL	1.0	0.1	2.6	12.0	6.0	4.1	236	15	62.96	35.5	1018
5/16/16 21:00	3.2	0.6	BDL	13.0	0.1	2.9	16.0	6.0	6	210	16	60.5	43.2	1019
5/16/16 22:00	1.3	BDL	BDL	4.1	0.04	3.5	23.0	9.0	6.8	222	14	58.67	48.2	1020
5/16/16 23:00	1.0	BDL	BDL	4.9	BDL	3.4	13.0	6.0	6.4	218	14	57.48	53	1020
5/17/16 0:00	0.8	BDL	BDL	1.5	BDL	2.9	17.0	8.0	5.1	205	14	55.8	58.9	1020
5/17/16 1:00	0.4	BDL	BDL	3.6	BDL	2.8	13.0	8.0	4.3	200	16	54.64	62.6	1020
5/17/16 2:00	0.5	BDL	BDL	1	BDL	2.5	10.0	7.0	4.2	197	13	54.12	65.3	1020
5/17/16 3:00	1.0	Calibration	Calibration	10.2	BDL	2.9	32.0	15.0	4.1	207	14	54.42	64.7	1020
5/17/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	3.2	15.0	8.0	3.7	215	16	54.58	65	1020
5/17/16 5:00	Too few samples	BDL	BDL	Too few samples	Too few samples	Too few samples	17.0	7.0	3.8	208	14	54.1	68.2	1020
5/17/16 6:00	1.6	0.5	BDL	16.4	0.1	2.9	24.0	10.0	3.1	211	13	54.35	69.7	1021
5/17/16 7:00	2.2	0.6	BDL	18.1	0.1	2.9	38.0	9.0	4.6	214	16	55.26	68.7	1021
5/17/16 8:00	2.4	Calibration	Calibration	13	0.1	2.8	21.0	11.0	3.5	230	18	56.27	68.3	1021
5/17/16 9:00	2.4	Too few samples	Too few samples	32.2	0.1	3.1	39.0	16.0	3.5	210	22	57.62	68.7	1022
5/17/16 10:00	3.0	0.7	BDL	18.9	0.1	3.0	44.0	10.0	7.8	219	15	59.94	65	1021
5/17/16 11:00	1.5	0.4	BDL	5.4	0.1	3.0	22.0	8.0	8.3	219	14	60.62	62.8	1021
5/17/16 12:00	0.9	BDL	BDL	0.8	0.1	2.5	11.0	6.0	5.7	206	12	57.82	73.1	1021
5/17/16 13:00	1.9	0.4	BDL	7.9	0.1	2.5	11.0	8.0	3.9	220	17	57.01	79.2	1021
5/17/16 14:00	1.3	BDL	BDL	8.4	0.04	2.3	9.0	8.0	2.9	198	15	55.46	79.3	1020
5/17/16 15:00	1.0	BDL	BDL	1.4	0.1	2.1	6.0	8.0	2.3	281	19	55.94	80	1020
5/17/16 16:00	0.4	BDL	BDL	BDL	BDL	1.9	6.0	6.0	2	249	34	54.83	80.3	1019
5/17/16 17:00	0.4	BDL	BDL	BDL	0.1	2.2	9.0	6.0	1.5	177	23	52.75	90.5	1019
5/17/16 18:00	0.4	BDL	BDL	5.1	0.1	2.0	13.0	7.0	1.9	135	23	53.03	92.5	1019
5/17/16 19:00	0.4	BDL	BDL	7.5	0.1	1.8	12.0	9.0	3.1	173	14	53.35	93.3	1018
5/17/16 20:00	BDL	BDL	BDL	7.1	0.1	1.9	8.0	8.0	2.5	207	24	53.21	94.4	1018
5/17/16 21:00	0.4	BDL	BDL	3.5	0.2	2.1	12.0	7.0	3.1	270	14	52.95	95.5	1019
5/17/16 22:00	0.4	BDL	BDL	4.3	0.1	2.4	18.0	14.0	2.1	267	16	52.67	97.1	1019
5/17/16 23:00	0.4	BDL	BDL	4.7	0.2	2.3	19.0	16.0	2	250	20	52.62	97.7	1018
5/18/16 0:00	BDL	BDL	BDL	BDL	0.1	2.0	15.0	15.0	3.4	285	14	52.25	96.4	1018
5/18/16 1:00	BDL	BDL	BDL	BDL	0.1	2.0	9.0	7.0	3.4	289	11	51.9	96.2	1018
5/18/16 2:00	BDL	BDL	BDL	BDL	0.1	2.0	10.0	9.0	2.5	258	18	51.67	95.8	1017
5/18/16 3:00	BDL	Calibration	Calibration	BDL	0.1	2.0	17.0	14.0	2.9	282	19	51.96	93.8	1017
5/18/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	2.0	17.0	11.0	2.9	285	24	51.93	93	1017
5/18/16 5:00	Too few samples	BDL	BDL	Too few samples	0.1	1.9	18.0	13.0	4.7	11	19	53.62	82.9	1018
5/18/16 6:00	0.9	BDL	BDL	5.7	0.1	1.7	19.0	13.0	6	41	15	54.76	67.5	1018
5/18/16 7:00	0.6	BDL	BDL	1.6	0.1	1.6	Invalid	Invalid	8.1	40	13	55.21	59.6	1018
5/18/16 8:00	0.5	BDL	BDL	BDL	0.1	1.8	Invalid	Invalid	8.6	39	14	55.49	56.5	1019
5/18/16 9:00	0.4	BDL	BDL	5.0	0.1	1.7	18.0	8.0	7.2	50	14	55.62	57.3	1019
5/18/16 10:00	BDL	BDL	BDL	4.6	0.1	1.8	15.0	7.0	7.8	44	13	56	58	1019
5/18/16 11:00	0.5	BDL	BDL	5.9	0.1	2.0	19.0	5.0	7.8	50	13	58.04	54.2	1018
5/18/16 12:00	0.4	BDL	BDL	BDL	0.1	2.2	15.0	6.0	7.5	59	21	61.41	46.4	1018
5/18/16 13:00	0.4	BDL	BDL	BDL	BDL	2.2	18.0	4.0	7.2	76	21	63.34	40.3	1017
5/18/16 14:00	0.4	BDL	BDL	BDL	BDL	2.2	9.0	2.0	6.1	78	22	64.93	37.8	1017
5/18/16 15:00	BDL	BDL	BDL	BDL	BDL	2.3	11.0	2.0	4.9	61	34	65.98	35.6	1016
5/18/16 16:00	BDL	BDL	BDL	BDL	BDL	1.8	15.0	6.0	6	73	19	66.3	36.1	1016
5/18/16 17:00	BDL	BDL	BDL	BDL	BDL	1.6	15.0	7.0	8	69	16	65.8	38.9	1015
5/18/16 18:00	BDL	BDL	BDL	BDL	BDL	1.5	13.0	8.0	8.9	72	13	64.03	40.5	1016
5/18/16 19:00	BDL	BDL	BDL	BDL	BDL	1.6	12.0	6.0	7.7	77	13	62.11	41.1	1016
5/18/16 20:00	BDL	BDL	BDL	BDL	BDL	1.5	13.0	4.0	6.2	81	13	60.26	48.6	1016
5/18/16 21:00	BDL	BDL	BDL	BDL	BDL	1.6	10.0	7.0	3.8	76	17	58.38	60.5	1017
5/18/16 22:00	0.4	BDL	BDL	BDL	BDL	1.6	16.0	8.0	4.2	72	12	57.5	63.6	1017
5/18/16 23:00	BDL	BDL	BDL	BDL	BDL	1.5	11.0	6.0	2.7	63	14	56.65	66.3	1017

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 5/15/2016-5/21/2016														
5/19/16 0:00	BDL	BDL	BDL	BDL	0.04	1.7	13.0	7.0	2.1	70	55	56.81	63.3	1017
5/19/16 1:00	BDL	BDL	BDL	BDL	0.1	1.6	16.0	7.0	2.8	337	20	55.99	68.6	1017
5/19/16 2:00	BDL	BDL	BDL	1.6	0.1	1.6	10.0	6.0	3.4	356	43	55.52	71.7	1017
5/19/16 3:00	BDL	Calibration	Calibration	10.1	0.1	1.6	13.0	9.0	2.2	174	38	55.53	76.9	1016
5/19/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	1.7	15.0	9.0	2	98	27	54.7	78.5	1016
5/19/16 5:00	Too few samples	0.4	BDL	Too few samples	Too few samples	Too few samples	16.0	11.0	2.7	3	26	55.38	74.1	1017
5/19/16 6:00	0.4	BDL	BDL	8.1	0.1	2.1	13.0	8.0	2.1	316	37	55.91	72.8	1017
5/19/16 7:00	0.7	0.9	BDL	38.0	0.2	2.0	19.0	13.0	1.7	161	24	55.96	75.4	1017
5/19/16 8:00	0.8	Calibration	Calibration	30.5	0.2	2.1	32.0	13.0	2.0	264	54	59.47	58.8	1017
5/19/16 9:00	1.3	Too few samples	Too few samples	44.1	0.2	2.1	39.0	15.0	2.9	158	17	61.86	57	1017
5/19/16 10:00	1.1	0.7	BDL	28.3	0.2	2.3	41.0	14.0	4.5	162	18	64.11	52.4	1017
5/19/16 11:00	1.3	BDL	BDL	4.3	0.1	1.9	34.0	11.0	5.4	156	26	65.74	44.3	1017
5/19/16 12:00	0.7	BDL	BDL	BDL	BDL	1.9	30.0	9.0	5.1	194	22	67.56	38.8	1017
5/19/16 13:00	0.7	BDL	BDL	BDL	BDL	2.1	17.0	7.0	4.2	273	39	69.6	34	1016
5/19/16 14:00	0.4	BDL	BDL	BDL	BDL	2.3	15.0	6.0	4.6	306	38	70.88	31.7	1016
5/19/16 15:00	BDL	BDL	BDL	BDL	BDL	2.3	11.0	5.0	4.9	281	36	71.78	30.7	1016
5/19/16 16:00	BDL	BDL	BDL	BDL	BDL	2.3	12.0	6.0	4.5	264	44	72.85	28.9	1015
5/19/16 17:00	0.4	BDL	BDL	BDL	BDL	2.4	17.0	10.0	5.6	309	31	72.47	29.9	1015
5/19/16 18:00	BDL	BDL	BDL	BDL	BDL	2.8	16.0	7.0	5.9	304	11	71.16	31.5	1016
5/19/16 19:00	BDL	BDL	BDL	BDL	BDL	3.4	14.0	7.0	4.8	305	9	70.36	33.4	1016
5/19/16 20:00	BDL	BDL	BDL	BDL	0.1	2.4	18.0	10.0	4.9	298	8	68.34	37.9	1017
5/19/16 21:00	BDL	BDL	BDL	4.5	0.2	2.4	22.0	8.0	6.1	307	5	66.49	38.2	1018
5/19/16 22:00	BDL	BDL	BDL	7.0	0.1	2.4	22.0	7.0	3.5	208	39	61.74	58.4	1018
5/19/16 23:00	BDL	BDL	BDL	3.7	BDL	2.3	17.0	9.0	2.5	168	22	58.31	76.7	1019
5/20/16 0:00	BDL	0.4	BDL	5.9	0.04	2.6	15.0	8.0	1.8	193	33	56.9	79.7	1019
5/20/16 1:00	0.4	1.0	BDL	13.0	0.2	3.6	18.0	13.0	1.4	239	35	56.67	82.8	1019
5/20/16 2:00	0.4	0.5	BDL	20.6	0.2	3.4	17.0	10.0	1.8	257	23	56.57	75.8	1019
5/20/16 3:00	0.6	Calibration	Calibration	16.1	0.1	3.0	14.0	9.0	2.5	277	22	56.46	64.8	1020
5/20/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	3.1	13.0	12.0	2.5	275	27	55.76	64.8	1020
5/20/16 5:00	Too few samples	BDL	BDL	Too few samples	Too few samples	Too few samples	16.0	10.0	1.8	271	31	55.28	66.8	1021
5/20/16 6:00	0.8	BDL	BDL	14.9	0.1	3.4	16.0	9.0	3.4	289	12	56.01	59.6	1021
5/20/16 7:00	1.0	BDL	BDL	23.2	0.2	4.8	18.0	8.0	2.7	278	20	58.66	49.6	1022
5/20/16 8:00	1.6	BDL	BDL	8.4	0.1	3.4	19.0	6.0	5.4	9	19	62.74	41.9	1022
5/20/16 9:00	1.2	BDL	BDL	4.6	0.1	3.5	25.0	7.0	4.8	14	28	65.5	36.9	1022
5/20/16 10:00	0.6	BDL	BDL	BDL	BDL	3.6	17.0	4.0	4.5		34	68.04	32.3	1022
5/20/16 11:00	0.9	BDL	BDL	BDL	BDL	3.8	14.0	5.0	3.5	344	64	70.34	28.8	1022
5/20/16 12:00	0.6	BDL	BDL	BDL	BDL	3.8	14.0	5.0	4.3	46	53	72.06	27	1022
5/20/16 13:00	0.7	BDL	BDL	BDL	BDL	4.0	19.0	4.0	3.4	173	54	72.99	26.3	1021
5/20/16 14:00	0.6	BDL	BDL	BDL	BDL	4.2	11.0	6.0	4.8	146	40	73.57	26.2	1020
5/20/16 15:00	0.4	BDL	BDL	BDL	BDL	4.0	17.0	6.0	4.9	168	22	74.63	25.4	1020
5/20/16 16:00	BDL	BDL	BDL	BDL	BDL	3.9	18.0	6.0	4.4	148	27	74.8	24.8	1019
5/20/16 17:00	BDL	BDL	BDL	BDL	BDL	3.6	16.0	12.0	4.7	170	18	74.83	26.1	1019
5/20/16 18:00	BDL	BDL	BDL	BDL	BDL	3.4	17.0	7.0	5.5	172	18	74.24	29.1	1019
5/20/16 19:00	0.4	BDL	BDL	BDL	BDL	3.5	23.0	7.0	7.6	145	13	69.77	43.8	1019
5/20/16 20:00	BDL	BDL	BDL	BDL	BDL	3.3	15.0	6.0	6.1	141	13	66.67	48.9	1020
5/20/16 21:00	BDL	BDL	BDL	BDL	BDL	3.1	14.0	6.0	4.9	149	14	63.44	54	1020
5/20/16 22:00	BDL	BDL	BDL	BDL	BDL	3.2	10.0	9.0	3.7	183	14	61.67	56.5	1021
5/20/16 23:00	BDL	BDL	BDL	BDL	BDL	3.1	13.0	7.0	3.6	168	13	60.22	59.9	1021
5/21/16 0:00	BDL	BDL	BDL	BDL	BDL	2.8	14.0	4.0	3.6	152	11	59.22	64.8	1020
5/21/16 1:00	BDL	BDL	BDL	BDL	BDL	2.6	11.0	6.0	2.4	155	16	58.88	66.8	1019
5/21/16 2:00	BDL	BDL	BDL	BDL	0.04	2.6	16.0	12.0	3.2	109	13	58.97	65.3	1019
5/21/16 3:00	BDL	Calibration	Calibration	BDL	0.04	2.5	14.0	8.0	1.4	154	29	58.81	68.2	1018
5/21/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	3.0	15.0	9.0	1.2	132	23	58.92	70.5	1018
5/21/16 5:00	Too few samples	BDL	BDL	Too few samples	0.1	2.7	20.0	9.0	3.3	89	11	58.71	70.3	1018
5/21/16 6:00	0.4	BDL	BDL	4.0	0.1	2.3	25.0	11.0	4.3	77	12	57.58	72.3	1018
5/21/16 7:00	BDL	Calibration	Calibration	2.3	0.1	2.2	23.0	12.0	3.9	61	12	57.48	74.4	1018
5/21/16 8:00	BDL	BDL	BDL	0.4	0.1	2.3	19.0	12.0	4.7	62	13	58.58	69.5	1018
5/21/16 9:00	0.5	0.4	BDL	BDL	0.1	2.3	30.0	10.0	4.8	71	14	59.62	66.2	1018
5/21/16 10:00	BDL	BDL	BDL	BDL	0.1	2.1	30.0	8.0	5.9	77	14	60.34	62.8	1017
5/21/16 11:00	BDL	BDL	BDL	BDL	0.1	1.6	17.0	9.0	7.5	98	12	59.23	71.6	1016
5/21/16 12:00	BDL	BDL	BDL	BDL	BDL	1.4	11.0	7.0	8.1	100	13	58.23	74.3	1015
5/21/16 13:00	BDL	BDL	BDL	BDL	BDL	1.3	13.0	9.0	9.9	81	15	59.23	72.9	1014
5/21/16 14:00	BDL	BDL	BDL	BDL	BDL	1.2	12.0	10.0	9.1	75	14	59.94	72.5	1013
5/21/16 15:00	BDL	BDL	BDL	BDL	BDL	0.9	11.0	6.0	8.3	68	15	60.17	74.2	1013
5/21/16 16:00	BDL	BDL	BDL	BDL	BDL	0.5	10.0	5.0	8.2	52	12	59.21	81.1	1012
5/21/16 17:00	BDL	BDL	BDL	BDL	0.04	0.2	8.0	8.0	8.4	43	12	57.57	85.6	1011
5/21/16 18:00	BDL	BDL	BDL	BDL	0.1	0.2	7.0	6.0	7.5	36	15	55.72	93	1011
5/21/16 19:00	0.4	BDL	BDL	BDL	0.1	0.2	8.0	2.0	7.9	33	16	54.46	95.7	1010
5/21/16 20:00	0.4	BDL	BDL	BDL	0.04	0.3	8.0	6.0	7.4	21	17	54.04	96.9	1010
5/21/16 21:00	0.4	BDL	BDL	BDL	BDL	0.3	6.0	7.0	8.3	29	16	53.83	96.5	1010
5/21/16 22:00	BDL	BDL	BDL	BDL	0.04	0.1	6.0	6.0	7.5	38	15	53.12	97.4	1010
5/21/16 23:00	BDL	BDL	BDL	BDL	0.1	BDL	6.0	8.0	7.0	35	15	53.63	94	1009

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 5/22/2016-5/28/2016														
5/22/16 0:00	0.4	BDL	BDL	BDL	0.1	BDL	5.0	10.0	7.3	30	17	53.68	91.6	1008
5/22/16 1:00	0.6	BDL	BDL	1.6	0.1	BDL	11.0	10.0	6.7	6	19	53.58	91.9	1008
5/22/16 2:00	0.6	BDL	BDL	BDL	0.04	BDL	10.0	9.0	6.8	347	15	52.81	92.8	1008
5/22/16 3:00	0.6	Calibration	Calibration	BDL	0.04	BDL	10.0	7.0	6.4	2	17	52.37	94.2	1007
5/22/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	BDL	9.0	6.0	6.6	359	19	52.35	92.5	1007
5/22/16 5:00	Too few samples	BDL	BDL	Too few samples	BDL	BDL	6.0	6.0	6.0	3	19	53.24	87.7	1008
5/22/16 6:00	1.0	BDL	BDL	BDL	BDL	BDL	6.0	5.0	5.5	352	15	53.94	84.2	1008
5/22/16 7:00	0.8	BDL	BDL	15.7	BDL	BDL	9.0	7.0	6.3	341	16	54.58	82.6	1008
5/22/16 8:00	0.6	BDL	BDL	2.6	BDL	BDL	13.0	8.0	6.8	317	9	54.86	83.2	1008
5/22/16 9:00	0.9	BDL	BDL	8	0.05	BDL	9.0	9.0	7.2	332	11	55.95	80.3	1009
5/22/16 10:00	0.8	BDL	BDL	1.8	0.05	BDL	12.0	7.0	5.6	349	21	58.02	72.3	1008
5/22/16 11:00	0.7	BDL	BDL	BDL	0.04	BDL	8.0	8.0	5.1	31	23	60.78	66.5	1008
5/22/16 12:00	0.5	BDL	BDL	BDL	BDL	BDL	6.0	5.0	7.7	49	17	62.99	53.2	1008
5/22/16 13:00	BDL	BDL	BDL	BDL	BDL	BDL	6.0	6.0	9.9	65	14	63.42	53.1	1008
5/22/16 14:00	BDL	BDL	BDL	BDL	BDL	BDL	5.0	6.0	8.5	63	17	63.07	54.1	1008
5/22/16 15:00	BDL	BDL	BDL	BDL	BDL	BDL	5.0	3.0	3.9	92	26	63.49	56.4	1008
5/22/16 16:00	BDL	BDL	BDL	BDL	BDL	BDL	11.0	3.0	3.9	77	14	63.3	58.1	1008
5/22/16 17:00	0.4	BDL	BDL	BDL	0.1	0.5	8.0	5.0	4.8	146	15	62.51	67.4	1008
5/22/16 18:00	BDL	BDL	BDL	BDL	0.1	BDL	6.0	5.0	3.2	186	13	61.01	80.7	1008
5/22/16 19:00	BDL	BDL	BDL	BDL	0.1	BDL	8.0	7.0	3.0	193	11	60.31	83.5	1009
5/22/16 20:00	0.4	0.9	BDL	6.8	0.1	0.9	7.0	10.0	2.3	204	16	59.86	85.7	1009
5/22/16 21:00	0.7	0.5	0.7	9.5	0.1	3.6	12.0	10.0	1.7	198	15	60.1	86.4	1010
5/22/16 22:00	0.4	BDL	0.4	BDL	0.1	0.4	8.0	6.0	2.0	192	14	59.16	90.6	1010
5/22/16 23:00	0.4	BDL	0.6	4.5	0.3	1.6	10.0	6.0	2.9	272	13	58.88	92.3	1010
5/23/16 0:00	0.6	0.7	BDL	7.7	0.2	3.9	12.0	10.0	1.2	217	40	57.78	91.6	1010
5/23/16 1:00	0.5	0.9	1.2	11.2	0.2	4.1	78.0	36.0	1.6	232	20	57.09	93.3	1010
5/23/16 2:00	0.4	0.7	BDL	17.3	0.3	0.8	17.0	11.0	1.4	285	49	56.84	92.2	1010
5/23/16 3:00	0.4	Calibration	Calibration	16.1	0.2	0.6	16.0	11.0	1.3	293	46	56.70	91	1010
5/23/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	0.3	16.0	10.0	1.6	33	31	56.83	88.1	1010
5/23/16 5:00	Too few samples	1.2	BDL	Too few samples	Too few samples	Too few samples	19.0	12.0	1.2	181	42	56.1	94	1010
5/23/16 6:00	0.6	0.6	BDL	19.2	0.2	0.5	18.0	17.0	2.3	344	50	56.81	92	1010
5/23/16 7:00	0.8	0.8	BDL	34.6	0.3	0.7	24.0	12.0	3.2	93	22	57.23	87.2	1011
5/23/16 8:00	1.1	1.0	BDL	49.1	0.4	1.1	32.0	17.0	1.7	98	52	60.17	72.5	1011
5/23/16 9:00	0.8	0.8	BDL	25.3	0.3	1.0	25.0	15.0	2.1	62	47	63.35	66.5	1011
5/23/16 10:00	0.8	BDL	BDL	8.6	0.2	0.8	25.0	12.0	3.4	59	34	66.21	60.3	1010
5/23/16 11:00	0.7	BDL	BDL	11.1	0.2	0.7	30.0	13.0	6.2	129	17	68.58	57	1010
5/23/16 12:00	0.5	BDL	BDL	BDL	0.1	0.7	20.0	9.0	4.7	90	41	71.24	46.8	1010
5/23/16 13:00	0.5	BDL	BDL	BDL	0.1	0.7	23.0	11.0	6.1	116	35	73.22	44.5	1009
5/23/16 14:00	0.4	BDL	BDL	BDL	0.1	0.5	24.0	10.0	5.5	100	30	73.7	42.8	1009
5/23/16 15:00	0.4	BDL	BDL	BDL	0.1	0.4	23.0	10.0	6.7	71	19	74.42	41.7	1008
5/23/16 16:00	0.4	BDL	BDL	BDL	0.1	0.3	21.0	10.0	6.2	78	23	74.32	42	1008
5/23/16 17:00	0.5	BDL	BDL	BDL	0.1	0.3	19.0	10.0	5.8	89	29	73.37	45.1	1008
5/23/16 18:00	BDL	BDL	BDL	BDL	0.1	0.2	13.0	8.0	5.7	107	24	63.18	83.3	1009
5/23/16 19:00	BDL	BDL	BDL	BDL	0.1	0.4	13.0	8.0	4.0	277	20	62.14	86.1	1010
5/23/16 20:00	0.5	BDL	BDL	BDL	0.1	0.5	15.0	8.0	1.7	192	35	61.16	88.1	1010
5/23/16 21:00	0.6	0.4	BDL	7.7	0.1	0.9	11.0	10.0	2.8	169	20	61.11	89.2	1010
5/23/16 22:00	0.5	0.4	BDL	BDL	0.1	0.5	16.0	8.0	4.2	204	18	60.81	85.5	1011
5/23/16 23:00	0.5	0.5	BDL	BDL	BDL	0.3	11.0	6.0	4.6	189	15	59.92	80.7	1011
5/24/16 0:00	BDL	0.5	BDL	BDL	BDL	0.2	11.0	6.0	3.1	171	16	59.15	82.3	1011
5/24/16 1:00	0.5	1.3	0.7	BDL	BDL	0.4	8.0	6.0	4.4	195	23	58.84	82.9	1010
5/24/16 2:00	0.5	BDL	BDL	BDL	BDL	0.3	12.0	5.0	5.7	226	31	58.49	86.4	1010
5/24/16 3:00	0.7	Calibration	Calibration	3.7	BDL	0.2	9.0	4.0	5.7	248	15	58.3	89.4	1009
5/24/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	BDL	14.0	7.0	1.8	296	33	58.25	90.7	1010
5/24/16 5:00	Too few samples	0.4	BDL	Too few samples	BDL	0.2	17.0	8.0	1.5	79	47	58.23	91.7	1010
5/24/16 6:00	0.7	0.6	BDL	29.2	0.1	0.2	14.0	7.0	2.2	175	24	58.05	92.5	1010
5/24/16 7:00	0.6	0.6	BDL	13.8	0.1	0.4	14.0	12.0	3.1	278	22	60.02	82.3	1011
5/24/16 8:00	0.5	0.4	BDL	3.3	0.1	21.1	15.0	16.0	3.7	277	15	63.22	73	1011
5/24/16 9:00	0.6	0.4	BDL	4.7	0.2	2.7	21.0	10.0	3.0	266	17	67.75	59.4	1011
5/24/16 10:00	0.5	BDL	BDL	BDL	0.1	2.9	17.0	10.0	3.7	319	38	70.3	51.7	1011
5/24/16 11:00	0.6	BDL	BDL	BDL	0.04	2.8	19.0	8.0	3.7	12	49	72.03	45.8	1012
5/24/16 12:00	0.5	BDL	BDL	BDL	BDL	2.6	32.0	7.0	4.9	254	35	74.79	42.7	1011
5/24/16 13:00	1.0	BDL	BDL	BDL	0.04	2.7	36.0	10.0	7.5	235	28	76.24	42.9	1011
5/24/16 14:00	1.3	BDL	BDL	BDL	0.04	2.9	36.0	13.0	9.3	218	16	76.84	40.6	1010
5/24/16 15:00	1.2	BDL	BDL	BDL	0.1	2.2	35.0	15.0	6.0	195	36	76.77	42.5	1010
5/24/16 16:00	0.5	BDL	BDL	BDL	BDL	2.7	34.0	12.0	11.1	297	15	81.45	27.2	1009
5/24/16 17:00	BDL	BDL	BDL	BDL	BDL	2.5	21.0	8.0	10	288	15	81.56	26.3	1010
5/24/16 18:00	0.4	BDL	BDL	BDL	0.1	2.3	23.0	11.0	4.9	261	14	79.62	31.2	1010
5/24/16 19:00	0.5	BDL	BDL	BDL	0.1	2.3	27.0	13.0	4.1	268	12	78.44	34.5	1010
5/24/16 20:00	0.4	BDL	BDL	BDL	0.1	2.7	23.0	14.0	3.8	265	11	77.18	37.6	1011
5/24/16 21:00	0.4	BDL	BDL	BDL	0.1	2.9	32.0	16.0	4.5	300	13	75.11	40.8	1011
5/24/16 22:00	0.5	BDL	BDL	1.9	0.1	3.4	30.0	16.0	5.4	349	27	73.74	44.5	1012
5/24/16 23:00	0.5	BDL	BDL	BDL	0.1	2.9	29.0	13.0	5.0	60	12	67.97	63.5	1013
5/25/16 0:00	0.6	BDL	BDL	BDL	0.1	3.0	23.0	15.0	2.0	57	36	66.61	66.5	1014
5/25/16 1:00	0.5	BDL	BDL	3.5	0.2	4.1	22.0	14.0	1.8	280	30	64.59	75.8	1014
5/25/16 2:00	0.4	BDL	BDL	9.9	0.2	3.7	31.0	18.0	3.1	300	11	63.15	78.7	1014
5/25/16 3:00	0.4	Calibration	Calibration	5.9	0.2	3.6	25.0	13.0	3.3	292	10	62.1	80	1015
5/25/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	4.2	20.0	16.0	2.1	273	22	60.66	83.4	1015
5/25/16 5:00	Too few samples	BDL	BDL	Too few samples	0.2	4.1	42.0	22.0	2.1	250	16	59.68	85.9	1015
5/25/16 6:00	0.8	1.6	2.5	48.9	0.3	5.3	65.0	23.0	1.3	210	23	60.62	79.4	1016
5/25/16 7:00	0.9	Audit	Audit	45.2	0.4	4.6	88.0	28.0	1.8	223	21	64.39	62.2	1017
5/25/16 8:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	4.6	73.0	23.0	1.8	228	22	70.39	47.8	1017
5/25/16 9:00	0.9	BDL	1.9	BDL	0.08	Too few samples	28.0	12.0	5.4	278	17	77.23	31.6	1017
5/25/16 10:00	0.8	Calibration	Calibration	BDL	0.05	4.8	28.0	13.0	5.3	274	19	80.68	27.3	1016
5/25/16 11:00	0.9	Too few samples	Too few samples	BDL	BDL	5.0	30.0	12.0	4.3	273	25	83.14	22.8	1016
5/25/16 12:00	1.2	BDL	BDL	BDL	BDL	4.9	39.0	16.0	4.8	232	34	85.19	22.1	1016
5/25/16 13:00	1.0	BDL	BDL	BDL	BDL	4.9	40.0	11.0	7.7	230	21	86.29	20.2	1016
5/25/16 14:00	0.9	BDL	BDL	BDL	BDL	5.3	31.0	11.0	7.5	251	23	87.35	17.5	1016
5/25/16 15:00	0.8	BDL	BDL	BDL	BDL	5.3	29.0	12.0	7.5	286	18	86.8	18	1016
5/25/16 16:00	0.9	BDL	BDL	BDL	BDL	5.8	24.0	14.0	7.9	278	18	87.49	18.5	1015
5/25/16 17:00	1.2	BDL	BDL	BDL	0.05	5.3	33.0	12.0	7.7	253	19	87.29	23.1	1015
5/25/16 18:00	2.1	BDL	BDL	BDL	0.1	4.9	32.0	15.0	6.9	236	17	85.87	27.1	1015
5/25/16 19:00	3.9	BDL	BDL	15.4	0.1	4.9	30.0	12.0	5.9	217	15	83.24	32	1015
5/25/16 20:00	2.3	BDL	BDL	13.5	0.1	5.4	30.0	18.0	5.3	217	13	80.36	36.5	1016
5/25/16 21:00	2.6	BDL	BDL	17	0.2	5.3	31.0	19.0	6	219	14	78.07	41.3	1016
5/25/16 22:00	2.1	BDL	BDL	14.5	0.2	5.6	34.0	20.0	4.4	210	14	75.29	49.4	1016
5/25/16 23:00	2.1	BDL	BDL	23.4	0.2	5.9	37.0	20.0	3.4	208	11	72.48	57.9	1016

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 5/22/2016-5/28/2016														
5/26/16 0:00	1.6	0.4	BDL	20.7	0.2	5.1	37.0	20.0	3.7	214	13	70.96	61.9	1016
5/26/16 1:00	1.0	0.4	BDL	12.8	0.2	5.3	33.0	19.0	3.4	215	15	69.51	65.8	1016
5/26/16 2:00	0.8	2.3	1.2	11.1	0.1	5.6	27.0	24.0	2.8	233	15	68.1	68.9	1017
5/26/16 3:00	0.9	Calibration	Calibration	6.4	0.1	5.0	26.0	19.0	3.5	226	16	67.66	69.8	1017
5/26/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	5.2	28.0	20.0	2.3	242	16	66.71	73.5	1017
5/26/16 5:00	Too few samples	3.3	3.6	Too few samples	0.2	5.2	33.0	21.0	1.5	237	20	65.33	78.7	1017
5/26/16 6:00	1.2	2.1	1.9	46.5	0.3	4.9	67.0	27.0	1.1	250	18	64.94	78.7	1018
5/26/16 7:00	2.1	1.2	0.5	56.7	0.3	40.3	115.0	34.0	2.4	189	24	68.24	68.5	1018
5/26/16 8:00	3.2	1.0	BDL	62.2	0.2	3.1	56.0	29.0	3.9	192	13	71.52	63.7	1018
5/26/16 9:00	3.6	1.1	0.5	30.5	0.2	3.2	48.0	25.0	4.8	208	12	75.89	56.2	1017
5/26/16 10:00	3.5	0.8	0.4	9.7	0.1	3.0	45.0	23.0	4.4	181	15	78.87	48.7	1017
5/26/16 11:00	2.0	0.4	BDL	BDL	0.1	3.6	45.0	16.0	5.1	181	18	82.16	43.2	1016
5/26/16 12:00	1.5	BDL	BDL	BDL	0.1	3.4	48.0	21.0	5.7	199	20	85.63	36.9	1016
5/26/16 13:00	1.2	BDL	BDL	BDL	0.0	3.3	48.0	16.0	6.9	214	20	88.47	30	1015
5/26/16 14:00	1.2	BDL	BDL	BDL	0.1	3.6	27.0	15.0	7.4	228	21	89.89	26.4	1015
5/26/16 15:00	1.0	BDL	BDL	BDL	0.0	4.1	19.0	12.0	6.6	219	20	90.03	27.6	1014
5/26/16 16:00	1.0	BDL	BDL	BDL	0.0	4.2	20.0	12.0	7.2	208	20	89.25	31.1	1014
5/26/16 17:00	0.9	BDL	BDL	BDL	0.1	3.9	27.0	11.0	6.5	212	19	89.17	32.7	1014
5/26/16 18:00	0.8	BDL	BDL	BDL	0.1	3.1	23.0	12.0	5.8	191	14	87.12	37.1	1013
5/26/16 19:00	0.5	BDL	BDL	BDL	0.1	2.7	24.0	14.0	6.1	180	11	83.69	39.4	1014
5/26/16 20:00	0.5	BDL	BDL	BDL	0.1	2.5	29.0	16.0	5.4	171	11	80.56	41.4	1014
5/26/16 21:00	0.5	BDL	BDL	4.1	0.1	2.6	28.0	17.0	3.7	155	11	78.58	47	1014
5/26/16 22:00	0.6	BDL	BDL	BDL	0.1	3.4	24.0	13.0	3.5	182	13	76.67	53.3	1015
5/26/16 23:00	1.1	0.8	0.8	BDL	0.1	7.7	27.0	22.0	2.4	182	16	75.18	59.5	1015
5/27/16 0:00	1.7	1.2	1.0	BDL	0.1	11.3	31.0	19.0	1.8	192	14	73.79	65.3	1015
5/27/16 1:00	0.7	1.1	1.0	BDL	0.1	2.7	28.0	16.0	3.7	199	13	73.95	69.3	1015
5/27/16 2:00	0.5	0.8	0.6	0.6	0.1	2.1	29.0	22.0	3.5	196	11	72.76	73.2	1015
5/27/16 3:00	0.4	Calibration	Calibration	BDL	0.1	1.9	24.0	19.0	3.6	194	12	71.87	74.6	1015
5/27/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	2.1	28.0	17.0	2.5	200	13	70.93	76.6	1015
5/27/16 5:00	Too few samples	1.0	BDL	Too few samples	0.1	7.8	23.0	17.0	2.9	181	13	69.86	80.9	1015
5/27/16 6:00	1.5	1.6	1.3	32.7	0.1	21.6	28.0	16.0	2	174	27	70.44	78.9	1015
5/27/16 7:00	0.4	1.4	1.2	8.9	0.1	17.6	55.0	19.0	4.1	206	18	73.08	74.1	1016
5/27/16 8:00	0.6	0.7	0.5	3.6	0.1	1.9	34.0	20.0	6.4	223	17	76.17	68.2	1015
5/27/16 9:00	0.7	0.5	BDL	BDL	0.1	1.8	35.0	24.0	6.3	216	20	79.15	62.2	1015
5/27/16 10:00	0.7	0.4	BDL	BDL	0.1	2.2	42.0	19.0	6.3	198	22	81.5	58.6	1015
5/27/16 11:00	0.7	BDL	BDL	BDL	0.1	2.6	33.0	21.0	6.6	219	22	84.66	53.3	1015
5/27/16 12:00	0.6	BDL	BDL	BDL	0.1	3.3	35.0	23.0	6.6	201	21	86.01	51.6	1015
5/27/16 13:00	0.5	BDL	BDL	BDL	0.1	3.3	48.0	18.0	7.8	200	16	87.37	49.1	1014
5/27/16 14:00	0.5	BDL	BDL	BDL	0.1	3.6	35.0	17.0	8.8	217	20	89.43	44.1	1014
5/27/16 15:00	0.5	BDL	BDL	BDL	0.1	3.6	39.0	15.0	9.4	210	17	89.67	43.9	1014
5/27/16 16:00	0.4	BDL	BDL	BDL	0.1	3.9	28.0	16.0	9.6	210	15	89.41	43.6	1014
5/27/16 17:00	BDL	BDL	BDL	BDL	0.1	3.3	22.0	14.0	9.4	211	15	88.85	45	1013
5/27/16 18:00	BDL	BDL	BDL	BDL	0.1	2.9	22.0	16.0	8.2	208	15	87.88	47.7	1013
5/27/16 19:00	BDL	BDL	BDL	BDL	0.1	2.5	29.0	19.0	7.0	187	11	84.29	56.4	1014
5/27/16 20:00	BDL	0.5	0.4	BDL	0.1	2.6	35.0	19.0	7.1	188	12	81.44	62.2	1014
5/27/16 21:00	BDL	0.9	0.8	BDL	0.1	3.0	32.0	19.0	6.6	191	11	79.23	66	1015
5/27/16 22:00	BDL	1.0	1.1	BDL	0.1	3.0	31.0	16.0	6.2	185	12	76.5	69.8	1016
5/27/16 23:00	BDL	1.2	1.0	BDL	0.1	3.0	23.0	15.0	6.4	191	11	74.7	72	1016
5/28/16 0:00	BDL	1.3	1.5	BDL	BDL	3.3	20.0	10.0	6.4	189	12	73.16	69.2	1016
5/28/16 1:00	0.4	1.4	1.4	BDL	BDL	3.0	19.0	14.0	6.7	192	11	71.98	67.9	1016
5/28/16 2:00	0.6	1.3	1.3	BDL	BDL	2.9	16.0	10.0	5.0	191	12	70.91	69.5	1017
5/28/16 3:00	0.5	Calibration	Calibration	BDL	BDL	2.9	14.0	12.0	4.0	187	12	70.01	72.4	1017
5/28/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	2.8	14.0	13.0	3.1	170	12	68.88	76.5	1017
5/28/16 5:00	Too few samples	BDL	0.5	Too few samples	BDL	2.9	22.0	20.0	2.3	176	14	68.28	78.8	1017
5/28/16 6:00	BDL	1.1	0.9	4.2	BDL	3.1	22.0	14.0	3.6	189	12	68.97	78.4	1018
5/28/16 7:00	BDL	1.1	0.6	BDL	0.04	3.4	22.0	15.0	4.9	194	22	71.36	72.7	1018
5/28/16 8:00	0.7	0.5	BDL	1.8	0.1	22.4	19.0	14.0	6.3	219	23	75.23	62.9	1018
5/28/16 9:00	0.8	BDL	BDL	BDL	0.1	BDL	32.0	14.0	6.2	217	18	77.83	59.9	1018
5/28/16 10:00	1.0	0.4	BDL	BDL	0.1	BDL	22.0	17.0	5.6	224	20	81.41	54.4	1018
5/28/16 11:00	1.2	BDL	BDL	BDL	0.1	0.3	29.0	17.0	5.0	220	23	84.06	51.6	1018
5/28/16 12:00	0.8	BDL	BDL	BDL	0.1	0.6	27.0	16.0	6.2	202	20	85.84	51.1	1018
5/28/16 13:00	0.6	BDL	BDL	BDL	0.1	1.3	28.0	17.0	7.7	208	19	87.84	49.3	1017
5/28/16 14:00	0.4	BDL	BDL	BDL	0.1	1.0	32.0	18.0	9.7	207	17	89.12	46.9	1017
5/28/16 15:00	BDL	BDL	BDL	BDL	0.1	1.1	30.0	20.0	10.2	210	17	89.73	44.1	1016
5/28/16 16:00	BDL	BDL	BDL	BDL	0.1	1.1	30.0	18.0	9.1	217	18	90.39	41.7	1016
5/28/16 17:00	BDL	BDL	BDL	BDL	0.1	0.8	26.0	13.0	7.9	203	15	88.95	46.3	1016
5/28/16 18:00	BDL	BDL	BDL	BDL	0.1	0.2	25.0	12.0	8.4	184	12	85.73	51.1	1016
5/28/16 19:00	BDL	BDL	BDL	BDL	0.1	BDL	25.0	12.0	7.4	175	12	82.7	55.6	1016
5/28/16 20:00	BDL	BDL	BDL	BDL	0.1	BDL	21.0	11.0	6.7	176	12	80.03	58.6	1017
5/28/16 21:00	BDL	BDL	BDL	BDL	0.1	0.02	22.0	11.0	3.9	183	13	78.15	56	1018
5/28/16 22:00	BDL	BDL	BDL	BDL	0.04	0.1	23.0	13.0	4.0	188	10	76.16	58.7	1018
5/28/16 23:00	BDL	1.2	1.0	BDL	0.04	BDL	20.0	10.0	3.4	189	12	74.4	63.6	1018

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 5/29/2016-6/4/2016														
5/29/2016 0:00	BDL	1.2	1.1	BDL	BDL	BDL	16.0	11.0	4.1	176	12	72	69	1018
5/29/2016 1:00	BDL	2.1	2.0	BDL	BDL	0.2	16.0	11.0	5.7	189	12	71	72	1018
5/29/2016 2:00	BDL	2.3	2.3	BDL	BDL	BDL	15.0	8.0	4.3	195	12	70	75	1018
5/29/2016 3:00	0.4	Calibration	Calibration	BDL	BDL	BDL	16.0	11.0	3.2	186	13	69	75	1018
5/29/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Calibration	BDL	12.0	11.0	2.8	186	12	69	72	1018
5/29/2016 5:00	Too few samples	1.7	1.5	Calibration	BDL	Calibration	15.0	7.0	2.2	189	21	67	74	1018
5/29/2016 6:00	BDL	2.2	2.4	BDL	BDL	BDL	13.0	8.0	2.5	189	15	68	73	1019
5/29/2016 7:00	0.5	0.9	0.8	BDL	BDL	10.5	9.0	9.0	3.4	182	15	69	72	1019
5/29/2016 8:00	0.9	0.9	0.6	BDL	BDL	Calibration	13.0	8.0	4.4	206	16	73	68	1018
5/29/2016 9:00	0.8	BDL	BDL	BDL	BDL	2.2	13.0	5.0	5.5	218	16	77	61	1018
5/29/2016 10:00	0.7	BDL	BDL	BDL	BDL	2.3	20.0	6.0	5.7	193	19	79	57	1018
5/29/2016 11:00	0.6	BDL	BDL	BDL	BDL	2.4	18.0	7.0	5.0	192	21	81	50	1018
5/29/2016 12:00	0.5	BDL	BDL	BDL	BDL	2.5	13.0	6.0	5.2	199	28	84	43	1017
5/29/2016 13:00	0.4	BDL	BDL	BDL	BDL	2.8	13.0	7.0	7.1	195	21	86	33	1016
5/29/2016 14:00	0.4	BDL	BDL	BDL	BDL	3.4	11.0	8.0	8.2	185	18	86	35	1016
5/29/2016 15:00	BDL	BDL	BDL	BDL	BDL	2.6	7.0	6.0	9.8	184	15	86	45	1015
5/29/2016 16:00	BDL	BDL	BDL	BDL	BDL	2.1	6.0	3.0	8.1	184	15	85	51	1015
5/29/2016 17:00	BDL	BDL	BDL	BDL	BDL	1.5	10.0	3.0	8.2	196	13	82	64	1015
5/29/2016 18:00	BDL	BDL	BDL	BDL	BDL	1.5	15.0	5.0	7.6	203	12	79	73	1015
5/29/2016 19:00	BDL	BDL	BDL	BDL	BDL	1.6	8.0	5.0	5.9	206	13	76	88	1015
5/29/2016 20:00	BDL	0.4	BDL	BDL	BDL	1.4	6.0	3.0	5.2	194	12	74	93	1015
5/29/2016 21:00	BDL	BDL	0.4	BDL	0.04	2.2	5.0	4.0	4.2	209	15	74	94	1016
5/29/2016 22:00	BDL	1.0	BDL	BDL	BDL	2.3	3.0	3.0	3.3	209	17	73	95	1016
5/29/2016 23:00	BDL	BDL	BDL	BDL	BDL	1.6	4.0	6.0	3.4	220	20	72	96	1015
5/30/2016 0:00	BDL	BDL	BDL	BDL	BDL	1.3	4.0	6.0	3.0	277	15	71	95	1015
5/30/2016 1:00	BDL	BDL	BDL	BDL	BDL	1.2	2.0	4.0	2.4	111	41	70	96	1014
5/30/2016 2:00	BDL	0.4	BDL	BDL	BDL	1.4	BDL	4.0	1.9	161	62	70	97	1013
5/30/2016 3:00	BDL	Calibration	Calibration	BDL	0.04	1.3	2.0	5.0	2.3	334	58	70	98	1013
5/30/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Calibration	1.2	4.0	3.0	1.3	209	36	71	99	1013
5/30/2016 5:00	Too few samples	BDL	BDL	Calibration	0.1	Calibration	3.0	2.0	1.8	261	23	71	98	1013
5/30/2016 6:00	BDL	BDL	BDL	BDL	0.1	1.6	4.0	2.0	2.2	267	17	71	98	1013
5/30/2016 7:00	BDL	BDL	BDL	BDL	BDL	1.2	4.0	5.0	4.7	303	9	71	94	1013
5/30/2016 8:00	BDL	BDL	BDL	BDL	BDL	1.2	2.0	4.0	6.3	307	9	70	90	1014
5/30/2016 9:00	BDL	BDL	BDL	BDL	0.04	1.4	2.0	3.0	2.8	280	24	72	82	1014
5/30/2016 10:00	BDL	BDL	BDL	BDL	0.04	1.4	4.0	7.0	2.2	248	38	74	74	1013
5/30/2016 11:00	BDL	BDL	BDL	BDL	0.1	1.6	7.0	5.0	3.4	171	25	76	72	1012
5/30/2016 12:00	BDL	BDL	BDL	BDL	BDL	1.6	15.0	4.0	4.4	195	23	77	72	1012
5/30/2016 13:00	BDL	BDL	BDL	BDL	0.04	1.2	7.0	7.0	3.9	226	23	79	63	1012
5/30/2016 14:00	BDL	BDL	BDL	BDL	BDL	1.4	7.0	7.0	5.7	195	14	78	69	1012
5/30/2016 15:00	BDL	BDL	BDL	BDL	BDL	1.4	8.0	5.0	6.3	199	14	78	71	1011
5/30/2016 16:00	BDL	BDL	BDL	BDL	BDL	0.9	9.0	6.0	7.1	195	13	77	74	1011
5/30/2016 17:00	BDL	0.5	0.6	BDL	BDL	0.8	8.0	6.0	7.3	193	12	76	80	1011
5/30/2016 18:00	BDL	0.4	BDL	BDL	BDL	0.6	4.0	5.0	6.9	184	12	74	86	1011
5/30/2016 19:00	BDL	BDL	BDL	BDL	BDL	0.7	2.0	4.0	6.7	179	13	72	88	1012
5/30/2016 20:00	BDL	BDL	BDL	BDL	BDL	0.7	3.0	6.0	5.8	185	14	72	89	1012
5/30/2016 21:00	BDL	0.5	0.4	BDL	BDL	0.8	4.0	3.0	5.3	185	15	72	90	1012
5/30/2016 22:00	BDL	0.6	0.4	BDL	BDL	0.9	4.0	3.0	7.0	176	12	71	91	1012
5/30/2016 23:00	BDL	0.6	0.4	BDL	BDL	0.7	5.0	3.0	6.5	189	12	71	91	1012
5/31/2016 0:00	BDL	1.1	1.1	BDL	BDL	0.8	6.0	3.0	5.2	205	13	71	92	1012
5/31/2016 1:00	BDL	1.2	1.3	BDL	BDL	1.9	6.0	5.0	5.0	221	17	71	90	1011
5/31/2016 2:00	BDL	BDL	0.6	BDL	BDL	1.2	6.0	6.0	3.9	235	18	72	88	1011
5/31/2016 3:00	BDL	Calibration	Calibration	BDL	BDL	1.8	6.0	4.0	3.0	178	15	72	90	1011
5/31/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Calibration	2.8	7.0	5.0	2.8	209	18	72	89	1011
5/31/2016 5:00	Too few samples	BDL	BDL	Calibration	0.04	Calibration	8.0	6.0	2.9	238	15	71	89	1011
5/31/2016 6:00	BDL	0.6	BDL	12.4	0.1	1.7	21.0	10.0	3.2	227	13	71	91	1011
5/31/2016 7:00	BDL	0.4	BDL	4.2	0.1	1.0	15.0	8.0	3.3	247	14	71	88	1012
5/31/2016 8:00	BDL	Too few samples	Too few samples	8.3	0.1	Calibration	18.0	7.0	2.4	221	41	75	71	1012
5/31/2016 9:00	BDL	Calibration	Calibration	7.3	0.1	1.9	27.0	9.0	3.5	360	56	78	60	1012
5/31/2016 10:00	BDL	BDL	BDL	BDL	0.04	2.0	27.0	6.0	7.7	36	19	80	46	1012
5/31/2016 11:00	0.4	BDL	BDL	BDL	BDL	2.2	27.0	7.0	7.5	39	21	82	39	1012
5/31/2016 12:00	0.5	BDL	BDL	BDL	BDL	2.4	27.0	9.0	5.4	40	33	83	36	1011
5/31/2016 13:00	0.6	BDL	BDL	BDL	BDL	2.7	18.0	7.0	4.2	342	42	85	33	1011
5/31/2016 14:00	0.5	BDL	BDL	BDL	BDL	2.9	17.0	6.0	4.9	314	36	87	29	1010
5/31/2016 15:00	0.5	BDL	BDL	BDL	BDL	3.2	14.0	5.0	5.7	308	26	87	27	1010
5/31/2016 16:00	0.6	BDL	BDL	BDL	BDL	4.1	14.0	8.0	4.9	305	29	88	27	1010
5/31/2016 17:00	BDL	BDL	BDL	BDL	BDL	3.1	11.0	8.0	6.4	299	19	87	28	1010
5/31/2016 18:00	BDL	BDL	BDL	BDL	BDL	2.3	18.0	10.0	6.1	303	12	86	31	1010
5/31/2016 19:00	BDL	BDL	BDL	BDL	BDL	2.2	16.0	8.0	5.3	303	10	84	34	1011
5/31/2016 20:00	BDL	BDL	BDL	BDL	0.1	3.1	17.0	6.0	3.2	278	11	82	41	1011
5/31/2016 21:00	0.4	0.4	BDL	17.8	0.1	2.8	26.0	17.0	5.0	161	19	78	61	1012
5/31/2016 22:00	BDL	BDL	BDL	BDL	0.04	2.2	14.0	11.0	4.5	189	13	75	76	1012
5/31/2016 23:00	BDL	0.5	BDL	BDL	BDL	2.4	16.0	14.0	2.2	207	17	74	77	1013
6/1/2016 0:00	BDL	BDL	BDL	BDL	BDL	2.3	16.0	13.0	3.3	201	16	72	82	1013
6/1/2016 1:00	BDL	BDL	BDL	BDL	BDL	2.5	13.0	9.0	2.8	200	14	71	86	1013
6/1/2016 2:00	BDL	0.7	BDL	BDL	BDL	2.4	18.0	9.0	2.4	194	13	71	88	1013
6/1/2016 3:00	BDL	Calibration	Calibration	1.1	BDL	2.5	18.0	11.0	2.2	191	17	70	91	1013
6/1/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Calibration	3.5	13.0	15.0	2.6	290	25	69	93	1013
6/1/2016 5:00	Too few samples	BDL	0.5	Calibration	0.1	Calibration	24.0	10.0	1.0	206	53	70	92	1014
6/1/2016 6:00	0.4	1.2	0.9	22.2	0.1	3.5	38.0	16.0	2.5	107	48	70	90	1015
6/1/2016 7:00	0.4	1.0	0.8	17.3	0.2	3.1	Invalid	Invalid	4.5	66	15	71	82	1015
6/1/2016 8:00	BDL	0.4	BDL	1.8	0.1	3.2	Invalid	Invalid	5.5	64	15	74	76	1015
6/1/2016 9:00	BDL	0.4	BDL	6.0	0.1	3.5	31.0	22.0	5.1	66	20	76	69	1015
6/1/2016 10:00	BDL	BDL	BDL	BDL	0.1	3.5	33.0	18.0	5.3	69	20	80	58	1015
6/1/2016 11:00	0.4	BDL	BDL	BDL	0.1	4.0	45.0	17.0	3.8	123	36	83	48	1015
6/1/2016 12:00	0.4	BDL	BDL	BDL	0.1	3.9	33.0	14.0	3.8	149	33	85	41	1015
6/1/2016 13:00	BDL	BDL	BDL	BDL	0.04	4.0	35.0	15.0	5.2	154	23	86	39	1014
6/1/2016 14:00	0.4	BDL	BDL	BDL	BDL	4.1	29.0	11.0	6.4	173	18	87	36	1014
6/1/2016 15:00	BDL	BDL	BDL	BDL	BDL	4.0	20.0	9.0	4.3	189	22	88	32	1014
6/1/2016 16:00	BDL	BDL	BDL	BDL	BDL	3.9	34.0	12.0	8.2	164	22	84	48	1014
6/1/2016 17:00	BDL	BDL	BDL	BDL	0.04	4.0	17.0	11.0	5.9	148	17	81	59	1014
6/1/2016 18:00	BDL	BDL	BDL	BDL	BDL	3.4	19.0	14.0	5.4	163	13	81	60	1015
6/1/2016 19:00	BDL	BDL	BDL	BDL	0.1	3.2	16.0	10.0	5.1	141	15	80	61	1015
6/1/2016 20:00	BDL	BDL	BDL	BDL	0.1	3.2	18.0	9.0	5.5	137	13	77	63	1015
6/1/2016 21:00	BDL	BDL	BDL	BDL	BDL	3.2	16.0	11.0	5.5	111	13	75	70	1016
6/1/2016 22:00	BDL	BDL	BDL	BDL	BDL	3.3	14.0	10.0	6.0	100	14	72	79	1017
6/1/2016 23:00	BDL	BDL	BDL	BDL	BDL	3.3	15.0	14.0	4.8	93	14	71	84	1017

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 5/29/2016-6/4/2016														
6/2/2016 0:00	BDL	BDL	BDL	BDL	BDL	3.3	17.0	13.0	6.7	72	13	69	87	1017
6/2/2016 1:00	BDL	BDL	BDL	BDL	BDL	3.3	15.0	8.0	6.7	73	13	66	86	1017
6/2/2016 2:00	BDL	BDL	BDL	BDL	BDL	3.3	20.0	10.0	6.5	62	11	65	86	1017
6/2/2016 3:00	BDL	Calibration	Calibration	BDL	BDL	3.3	18.0	12.0	5.9	61	11	64	87	1017
6/2/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Calibration	3.2	19.0	11.0	4.5	58	13	63	89	1017
6/2/2016 5:00	Too few samples	BDL	BDL	Calibration	BDL	Calibration	21.0	15.0	5.2	61	11	62	89	1017
6/2/2016 6:00	BDL	BDL	BDL	BDL	BDL	3.3	25.0	12.0	5.4	67	13	62	87	1017
6/2/2016 7:00	BDL	BDL	BDL	BDL	BDL	3.5	28.0	12.0	5.7	74	14	63	81	1018
6/2/2016 8:00	BDL	BDL	BDL	BDL	0.04	3.5	33.0	14.0	5.4	72	18	65	75	1018
6/2/2016 9:00	0.5	BDL	BDL	5.0	0.1	3.5	30.0	21.0	5.2	69	22	67	70	1017
6/2/2016 10:00	0.5	BDL	BDL	1.1	0.1	3.6	33.0	20.0	5	85	22	70	64	1017
6/2/2016 11:00	0.4	BDL	BDL	BDL	0.04	3.5	28.0	16.0	4.7	95	29	73	60	1017
6/2/2016 12:00	0.4	BDL	BDL	BDL	BDL	3.5	28.0	15.0	4	105	45	76	55	1016
6/2/2016 13:00	BDL	BDL	BDL	BDL	BDL	3.6	25.0	12.0	3.5	136	64	79	50	1016
6/2/2016 14:00	BDL	BDL	BDL	BDL	BDL	3.5	31.0	14.0	4.9	139	25	81	48	1015
6/2/2016 15:00	BDL	BDL	BDL	BDL	BDL	3.4	31.0	13.0	4.6	164	26	82	47	1014
6/2/2016 16:00	BDL	BDL	BDL	BDL	BDL	3.6	29.0	9.0	6	144	20	83	45	1014
6/2/2016 17:00	BDL	BDL	BDL	BDL	BDL	3.4	15.0	7.0	6.8	147	14	82	49	1014
6/2/2016 18:00	BDL	BDL	BDL	BDL	BDL	3.2	19.0	6.0	8	143	14	79	55	1014
6/2/2016 19:00	BDL	BDL	BDL	BDL	BDL	2.8	19.0	4.0	6.8	132	15	76	62	1014
6/2/2016 20:00	BDL	BDL	BDL	BDL	BDL	2.8	12.0	6.0	6.2	121	15	73	72	1015
6/2/2016 21:00	BDL	BDL	BDL	1.1	BDL	2.8	10.0	7.0	6.5	124	15	71	81	1015
6/2/2016 22:00	BDL	BDL	BDL	BDL	BDL	2.8	9.0	6.0	6.2	116	17	69	85	1015
6/2/2016 23:00	BDL	BDL	BDL	BDL	BDL	2.8	6.0	6.0	6.8	88	13	67	88	1016
6/3/2016 0:00	BDL	BDL	BDL	BDL	BDL	2.8	6.0	6.0	5.7	104	14	66	95	1016
6/3/2016 1:00	BDL	BDL	BDL	BDL	BDL	2.7	4.0	5.0	5.3	95	14	65	91	1016
6/3/2016 2:00	BDL	BDL	BDL	BDL	BDL	2.7	3.0	4.0	4.8	91	12	66	88	1015
6/3/2016 3:00	BDL	Calibration	Calibration	BDL	BDL	2.6	4.0	3.0	4.9	72	12	66	88	1015
6/3/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Calibration	2.5	6.0	3.0	4.5	92	13	66	89	1015
6/3/2016 5:00	Too few samples	BDL	BDL	Calibration	Too few samples	Calibration	7.0	3.0	5.2	92	12	65	92	1015
6/3/2016 6:00	BDL	BDL	BDL	BDL	BDL	2.5	7.0	5.0	5.1	91	11	65	92	1015
6/3/2016 7:00	BDL	BDL	BDL	BDL	BDL	2.7	14.0	8.0	4.2	123	18	66	91	1015
6/3/2016 8:00	BDL	BDL	BDL	BDL	BDL	2.6	10.0	9.0	4.0	124	17	65	94	1015
6/3/2016 9:00	BDL	BDL	BDL	BDL	BDL	2.6	11.0	7.0	3.7	144	17	66	93	1016
6/3/2016 10:00	BDL	BDL	BDL	BDL	BDL	2.7	9.0	8.0	3.6	157	17	67	91	1015
6/3/2016 11:00	BDL	BDL	BDL	BDL	BDL	2.8	7.0	5.0	3.0	141	22	68	88	1015
6/3/2016 12:00	BDL	BDL	BDL	BDL	BDL	2.8	17.0	5.0	3.3	128	23	69	84	1015
6/3/2016 13:00	BDL	BDL	BDL	BDL	BDL	3.0	9.0	7.0	4.2	136	17	71	77	1014
6/3/2016 14:00	BDL	BDL	BDL	BDL	BDL	2.8	9.0	4.0	3.9	147	17	72	75	1014
6/3/2016 15:00	BDL	BDL	BDL	BDL	BDL	2.7	10.0	3.0	3.8	137	18	73	75	1014
6/3/2016 16:00	BDL	BDL	BDL	BDL	BDL	2.7	10.0	7.0	4.6	135	15	73	74	1013
6/3/2016 17:00	BDL	BDL	BDL	BDL	BDL	2.6	15.0	7.0	4.3	145	18	74	74	1013
6/3/2016 18:00	BDL	BDL	BDL	BDL	BDL	2.9	15.0	6.0	4.2	145	16	74	75	1013
6/3/2016 19:00	BDL	BDL	BDL	BDL	BDL	3.2	15.0	5.0	4.2	116	18	73	78	1014
6/3/2016 20:00	BDL	BDL	BDL	BDL	0.1	2.5	8.0	5.0	5.1	137	14	72	82	1014
6/3/2016 21:00	BDL	BDL	BDL	1.0	0.1	2.5	12.0	8.0	3.8	151	15	71	86	1014
6/3/2016 22:00	BDL	BDL	BDL	BDL	BDL	2.5	14.0	8.0	3.7	174	13	71	86	1015
6/3/2016 23:00	BDL	0.6	0.5	BDL	BDL	2.5	13.0	8.0	4.9	197	12	70	88	1015
6/4/2016 0:00	BDL	0.8	0.8	BDL	BDL	2.6	11.0	7.0	5.0	220	18	69	88	1015
6/4/2016 1:00	BDL	0.4	BDL	BDL	BDL	2.6	12.0	8.0	4.1	215	15	68	89	1014
6/4/2016 2:00	BDL	BDL	BDL	BDL	BDL	2.5	11.0	6.0	4.8	206	16	67	93	1014
6/4/2016 3:00	BDL	0.4	BDL	BDL	BDL	2.3	14.0	8.0	3.5	186	15	67	95	1014
6/4/2016 4:00	BDL	0.5	0.7	BDL	BDL	2.3	14.0	8.0	3.2	171	15	67	94	1014
6/4/2016 5:00	BDL	BDL	BDL	BDL	BDL	2.3	12.0	8.0	3.2	165	14	67	95	1014
6/4/2016 6:00	Calibration	BDL	BDL	Calibration	Calibration	2.5	13.0	10.0	3.5	170	12	67	95	1014
6/4/2016 7:00	BDL	Calibration	Calibration	BDL	BDL	2.8	13.0	8.0	3.2	183	16	68	90	1014
6/4/2016 8:00	BDL	Too few samples	Too few samples	BDL	BDL	Calibration	16.0	7.0	3.9	187	15	69	87	1014
6/4/2016 9:00	0.4	0.8	0.7	BDL	BDL	Calibration	19.0	12.0	4.8	216	21	71	82	1014
6/4/2016 10:00	0.6	0.8	0.6	0.8	0.04	2.8	19.0	18.0	3.3	237	29	74	69	1014
6/4/2016 11:00	0.8	0.4	BDL	BDL	0.1	3.0	16.0	11.0	3.7	207	39	77	64	1013
6/4/2016 12:00	0.8	BDL	BDL	BDL	BDL	2.9	15.0	11.0	3.4	206	34	80	58	1013
6/4/2016 13:00	0.6	BDL	BDL	BDL	BDL	2.9	12.0	12.0	5.0	205	26	82	54	1012
6/4/2016 14:00	0.5	BDL	BDL	BDL	BDL	2.8	17.0	9.0	4.2	195	31	82	54	1012
6/4/2016 15:00	0.5	BDL	BDL	BDL	BDL	2.8	16.0	8.0	4.8	199	25	83	53	1011
6/4/2016 16:00	BDL	BDL	BDL	BDL	BDL	2.7	11.0	9.0	5.3	195	24	83	56	1010
6/4/2016 17:00	BDL	BDL	BDL	BDL	BDL	2.3	15.0	10.0	6.1	192	15	82	59	1010
6/4/2016 18:00	BDL	BDL	BDL	BDL	BDL	2.3	10.0	9.0	5.5	195	12	82	60	1010
6/4/2016 19:00	BDL	BDL	BDL	BDL	BDL	2.9	10.0	7.0	6.1	196	12	80	64	1010
6/4/2016 20:00	BDL	0.6	0.5	BDL	BDL	3.0	13.0	7.0	6.9	185	12	77	69	1010
6/4/2016 21:00	BDL	1.0	1.1	BDL	BDL	2.0	16.0	5.0	6.3	190	13	75	76	1010
6/4/2016 22:00	BDL	0.7	0.6	BDL	BDL	2.0	14.0	9.0	6.2	201	13	73	77	1011
6/4/2016 23:00	BDL	BDL	BDL	BDL	BDL	1.9	9.0	8.0	4.3	192	15	71	71	1011

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 6/5/2016-6/11/2016														
6/5/2016 0:00	BDL	BDL	BDL	BDL	BDL	1.9	8.0	6.0	5.1	173	14	70	71	1010
6/5/2016 1:00	BDL	BDL	BDL	BDL	BDL	1.8	9.0	6.0	4.1	161	13	69	74	1010
6/5/2016 2:00	BDL	BDL	BDL	BDL	BDL	1.7	10.0	9.0	4.5	174	14	69	79	1009
6/5/2016 3:00	BDL	BDL	BDL	BDL	BDL	1.6	11.0	7.0	4.3	168	13	69	85	1009
6/5/2016 4:00	BDL	BDL	BDL	BDL	BDL	1.5	8.0	6.0	4.2	144	13	68	88	1008
6/5/2016 5:00	BDL	0.4	0.4	BDL	BDL	1.4	9.0	6.0	4.7	138	14	68	90	1007
6/5/2016 6:00	BDL	BDL	BDL	BDL	BDL	1.3	9.0	8.0	4.2	140	16	68	90	1007
6/5/2016 7:00	BDL	Calibration	Calibration	BDL	BDL	1.3	10.0	6.0	3.7	135	17	69	90	1007
6/5/2016 8:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	1.4	13.0	7.0	4.4	120	18	70	87	1006
6/5/2016 9:00	Calibration	0.9	BDL	Calibration	Calibration	Too few samples	12.0	10.0	5.9	154	15	71	86	1006
6/5/2016 10:00	Calibration	Calibration	Calibration	Calibration	Calibration	1.7	9.0	9.0	7.2	165	13	72	86	1006
6/5/2016 11:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	1.7	7.0	8.0	8.1	191	15	77	77	1005
6/5/2016 12:00	BDL	BDL	BDL	BDL	0.04	1.6	11.0	7.0	9.4	195	14	78	73	1004
6/5/2016 13:00	BDL	BDL	BDL	BDL	0.04	1.5	10.0	6.0	10.2	187	14	80	70	1003
6/5/2016 14:00	BDL	BDL	0.4	BDL	0.1	1.3	10.0	7.0	11.0	197	14	81	67	1002
6/5/2016 15:00	BDL	BDL	BDL	BDL	0.1	1.2	15.0	11.0	10.8	199	12	81	68	1001
6/5/2016 16:00	BDL	BDL	BDL	BDL	0.1	1.3	13.0	11.0	11.9	209	14	82	66	1000
6/5/2016 17:00	BDL	BDL	BDL	BDL	0.1	1.2	17.0	7.0	8.7	217	17	82	68	1000
6/5/2016 18:00	BDL	0.4	BDL	BDL	0.1	1.3	13.0	4.0	7.1	242	24	70	92	1002
6/5/2016 19:00	BDL	1.1	0.5	8.5	0.1	1.5	13.0	5.0	6.3	230	16	70	92	1002
6/5/2016 20:00	BDL	0.9	1.3	8.3	0.1	2.0	11.0	4.0	4.7	228	17	70	91	1002
6/5/2016 21:00	BDL	1.0	0.9	7.0	0.1	2.1	11.0	4.0	3.8	244	18	70	92	1002
6/5/2016 22:00	BDL	0.5	0.5	7.6	0.1	1.8	12.0	4.0	4.5	217	19	70	93	1003
6/5/2016 23:00	BDL	0.5	0.4	5.9	0.1	1.8	13.0	4.0	5.4	213	14	70	92	1003
6/6/2016 0:00	BDL	0.8	0.5	4.9	0.1	1.9	12.0	3.0	3.5	218	20	69	92	1003
6/6/2016 1:00	BDL	0.5	0.4	5.7	0.1	1.6	9.0	5.0	4.9	208	14	69	94	1002
6/6/2016 2:00	BDL	0.5	BDL	4.3	0.04	1.9	16.0	5.0	4.0	205	16	69	94	1002
6/6/2016 3:00	BDL	Calibration	Calibration	4.9	0.04	1.7	18.0	6.0	4.6	221	19	69	94	1002
6/6/2016 4:00	Too few samples	Calibration	Calibration	5.3	Too few samples	1.6	15.0	5.0	4.8	239	18	69	92	1003
6/6/2016 5:00	Too few samples	0.4	BDL	Calibration	0.1	1.5	17.0	5.0	5.8	251	14	69	87	1003
6/6/2016 6:00	BDL	0.5	BDL	9.0	0.1	1.6	13.0	8.0	5.0	255	15	69	83	1003
6/6/2016 7:00	BDL	0.6	0.4	7.5	0.1	1.7	14.0	6.0	4.3	275	16	70	76	1003
6/6/2016 8:00	BDL	Calibration	Calibration	0.9	0.1	1.9	15.0	7.0	6.0	273	17	74	63	1003
6/6/2016 9:00	BDL	0.4	BDL	BDL	0.04	2.4	23.0	10.0	8.0	270	18	77	53	1004
6/6/2016 10:00	BDL	BDL	BDL	BDL	BDL	2.3	16.0	8.0	8.5	284	18	79	48	1003
6/6/2016 11:00	BDL	BDL	BDL	BDL	BDL	1.8	20.0	6.0	8.9	262	19	81	43	1003
6/6/2016 12:00	BDL	BDL	BDL	BDL	BDL	1.8	24.0	8.0	8.4	252	20	83	40	1003
6/6/2016 13:00	---	---	---	BDL	BDL	NoData	21.0	8.0	NoData	NoData	NoData	NoData	NoData	NoData
6/6/2016 14:00	---	---	---	BDL	BDL	NoData	21.0	8.0	NoData	NoData	NoData	NoData	NoData	NoData
6/6/2016 15:00	---	---	---	BDL	BDL	NoData	21.0	7.0	NoData	NoData	NoData	NoData	NoData	NoData
6/6/2016 16:00	---	---	---	BDL	BDL	NoData	19.0	5.0	NoData	NoData	NoData	NoData	NoData	NoData
6/6/2016 17:00	---	---	---	BDL	BDL	NoData	20.0	6.0	NoData	NoData	NoData	NoData	NoData	NoData
6/6/2016 18:00	---	---	---	BDL	BDL	NoData	13.0	7.0	NoData	NoData	NoData	NoData	NoData	NoData
6/6/2016 19:00	---	---	---	5.5	BDL	NoData	20.0	10.0	NoData	NoData	NoData	NoData	NoData	NoData
6/6/2016 20:00	---	---	---	3.6	BDL	NoData	18.0	8.0	NoData	NoData	NoData	NoData	NoData	NoData
6/6/2016 21:00	---	---	---	BDL	BDL	NoData	20.0	10.0	NoData	NoData	NoData	NoData	NoData	NoData
6/6/2016 22:00	---	---	---	3.7	BDL	NoData	13.0	8.0	NoData	NoData	NoData	NoData	NoData	NoData
6/6/2016 23:00	---	---	---	BDL	BDL	NoData	16.0	12.0	NoData	NoData	NoData	NoData	NoData	NoData
6/7/2016 0:00	---	---	---	BDL	BDL	NoData	14.0	9.0	NoData	NoData	NoData	NoData	NoData	NoData
6/7/2016 1:00	---	---	---	0.8	BDL	NoData	14.0	8.0	NoData	NoData	NoData	NoData	NoData	NoData
6/7/2016 2:00	---	---	---	4.1	BDL	NoData	16.0	8.0	NoData	NoData	NoData	NoData	NoData	NoData
6/7/2016 3:00	---	---	---	0.8	BDL	NoData	21.0	12.0	NoData	NoData	NoData	NoData	NoData	NoData
6/7/2016 4:00	---	---	---	4.6	BDL	NoData	17.0	13.0	NoData	NoData	NoData	NoData	NoData	NoData
6/7/2016 5:00	---	---	---	7.2	BDL	NoData	22.0	13.0	NoData	NoData	NoData	NoData	NoData	NoData
6/7/2016 6:00	---	---	---	4.3	BDL	NoData	17.0	14.0	NoData	NoData	NoData	NoData	NoData	NoData
6/7/2016 7:00	---	---	---	1.5	BDL	NoData	24.0	10.0	NoData	NoData	NoData	NoData	NoData	NoData
6/7/2016 8:00	Too few samples	Calibration	Calibration	8.0	Too few samples	Too few samples	19.0	13.0	Too few samples	Too few samples	NoData	Too few samples	Too few samples	Too few samples
6/7/2016 9:00	0.5	3.4	0.8	5.2	0.1	1.2	24.0	11.0	3.2	226	42	79	51	998
6/7/2016 10:00	0.5	BDL	BDL	2.7	0.1	1.5	23.0	12.0	3.6	265	44	81	48	998
6/7/2016 11:00	0.5	BDL	BDL	BDL	0.1	1.4	30.0	8.0	4.8	216	25	82	45	998
6/7/2016 12:00	0.7	Too few samples	Too few samples	1.5	0.1	1.1	31.0	12.0	5.8	223	23	84	42	997
6/7/2016 13:00	0.9	Calibration	Calibration	BDL	0.1	0.8	30.0	14.0	5.2	230	24	84	40	996
6/7/2016 14:00	Calibration	0.4	BDL	Calibration	Calibration	Too few samples	39.0	12.0	8.3	186	19	81	47	996
6/7/2016 15:00	0.4	BDL	BDL	0.5	0.04	0.8	52.0	12.0	7.7	193	24	79	50	996
6/7/2016 16:00	BDL	0.5	BDL	BDL	0.1	0.7	18.0	10.0	6.5	234	17	71	69	997
6/7/2016 17:00	0.6	0.7	BDL	4.9	0.1	0.9	14.0	10.0	3.2	231	22	74	63	996
6/7/2016 18:00	0.6	BDL	BDL	5.2	0.04	0.7	18.0	10.0	5.5	297	17	77	47	996
6/7/2016 19:00	0.4	BDL	BDL	BDL	BDL	0.8	17.0	8.0	10.4	323	11	77	47	997
6/7/2016 20:00	0.4	BDL	BDL	2.3	BDL	0.9	14.0	5.0	7.5	321	10	74	50	998
6/7/2016 21:00	BDL	BDL	BDL	BDL	BDL	1.1	10.0	1.0	6.3	299	9	72	49	999
6/7/2016 22:00	BDL	BDL	BDL	BDL	BDL	1.8	13.0	2.0	5.9	293	12	71	50	1000
6/7/2016 23:00	BDL	BDL	BDL	BDL	BDL	1.3	12.0	3.0	11.1	318	10	69	49	1001
6/8/2016 0:00	BDL	BDL	BDL	BDL	BDL	1.2	10.0	2.0	10.2	319	10	68	46	1001
6/8/2016 1:00	BDL	BDL	BDL	BDL	BDL	1.2	6.0	1.0	5.7	302	16	66	50	1002
6/8/2016 2:00	BDL	BDL	BDL	BDL	BDL	1.3	7.0	2.0	3.6	269	17	65	58	1002
6/8/2016 3:00	BDL	Calibration	Calibration	BDL	BDL	1.3	6.0	2.0	3.4	276	16	63	63	1002
6/8/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	1.2	7.0	2.0	3.8	265	13	62	64	1002
6/8/2016 5:00	Too few samples	BDL	BDL	Too few samples	0.04	1.3	12.0	4.0	3.8	253	15	61	67	1003
6/8/2016 6:00	BDL	BDL	BDL	6.4	0.1	1.3	12.0	4.0	5.0	256	14	62	62	1003
6/8/2016 7:00	BDL	Audit	Audit	1.1	BDL	1.3	10.0	4.0	5.4	274	15	64	55	1002
6/8/2016 8:00	BDL	Too few samples	Too few samples	Too few samples	Too few samples	1.2	8.0	6.0	8.0	284	15	66	52	1002
6/8/2016 9:00	0.4	BDL	BDL	BDL	BDL	Too few samples	15.0	6.0	6.8	257	18	67	52	1002
6/8/2016 10:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	19.0	10.0	Too few samples	Too few samples	Audit	Too few samples	Too few samples	Too few samples
6/8/2016 11:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Invalid	Invalid	Too few samples	Too few samples	Audit	Too few samples	Too few samples	Too few samples
6/8/2016 12:00	Audit	Audit	Audit	Audit	Audit	Calibration	3.0	Invalid	15.2	304	10	58	87	1003
6/8/2016 13:00	Audit	Audit	Audit	Audit	Audit	Calibration	14.0	6.0	17.0	308	10	59	75	1004
6/8/2016 14:00	Audit	Audit	Audit	Audit	Audit	Audit	9.0	4.0	12.0	307	14	61	67	1005
6/8/2016 15:00	Audit	Audit	Audit	Audit	Audit	Audit	9.0	2.0	14.7	301	13	63	56	1004
6/8/2016 16:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	9.0	4.0	15.7	302	14	64	49	1005
6/8/2016 17:00	BDL	BDL	BDL	BDL	BDL	1.5	11.0	4.0	14.2	302	11	65	45	1005
6/8/2016 18:00	BDL	BDL	BDL	BDL	BDL	1.6	12.0	4.0	12.3	295	13	65	45	1006
6/8/2016 19:00	BDL	BDL	BDL	BDL	BDL	1.6	7.0	5.0	12.7	295	12	64	47	1007
6/8/2016 20:00	BDL	BDL	BDL	BDL	BDL	1.7	6.0	5.0	9.5	297	10	62	50	1007
6/8/2016 21:00	BDL	BDL	BDL	BDL	BDL	2.0	9.0	2.0	6.4	287	12	61	53	1008
6/8/2016 22:00	BDL	BDL	BDL	BDL	BDL	2.7	11.0	1.0	9.6	298	10	60	53	1009
6/8/2016 23:00	BDL	BDL	BDL	BDL	BDL	3.2	6.0	2.0	11.5	306	8	59	52	1009

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 6/5/2016-6/11/2016														
6/9/2016 0:00	BDL	BDL	BDL	BDL	BDL	2.4	6.0	3.0	5.8	289	14	59	56	1010
6/9/2016 1:00	BDL	BDL	BDL	BDL	BDL	1.9	9.0	5.0	8.1	298	9	58	56	1010
6/9/2016 2:00	BDL	BDL	BDL	BDL	BDL	2.2	10.0	8.0	5.6	280	15	57	59	1010
6/9/2016 3:00	BDL	Calibration	Calibration	BDL	BDL	2.4	13.0	7.0	5.4	271	13	56	64	1010
6/9/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	3.7	2.2	14.0	6.0	4.8	248	14	54	68	1010
6/9/2016 5:00	Too few samples	BDL	BDL	Too few samples	2.4	2.0	11.0	9.0	5.2	272	13	54	71	1010
6/9/2016 6:00	BDL	BDL	BDL	0.4	BDL	2.0	7.0	6.0	6.9	293	10	56	60	1011
6/9/2016 7:00	BDL	BDL	BDL	BDL	BDL	12.2	9.0	4.0	10.5	301	11	59	51	1011
6/9/2016 8:00	BDL	BDL	BDL	BDL	BDL	2.3	11.0	2.0	15.1	309	10	61	46	1011
6/9/2016 9:00	4.0	BDL	BDL	2.3	0.2	2.3	9.0	2.0	13.3	313	11	63	41	1011
6/9/2016 10:00	BDL	BDL	BDL	BDL	BDL	2.4	17.0	3.0	16.0	317	10	65	36	1010
6/9/2016 11:00	BDL	BDL	BDL	BDL	BDL	2.4	20.0	4.0	16.2	310	12	67	32	1010
6/9/2016 12:00	BDL	BDL	BDL	BDL	BDL	2.4	12.0	6.0	14.8	311	10	69	30	1009
6/9/2016 13:00	BDL	BDL	BDL	BDL	BDL	2.2	21.0	5.0	14.1	307	13	72	28	1009
6/9/2016 14:00	BDL	BDL	BDL	Too few samples	BDL	2.1	18.0	2.0	15.0	307	12	74	26	1008
6/9/2016 15:00	BDL	BDL	BDL	BDL	BDL	2.2	14.0	2.0	13.5	305	14	74	27	1008
6/9/2016 16:00	BDL	BDL	BDL	BDL	BDL	2.2	11.0	5.0	13.3	299	14	75	27	1008
6/9/2016 17:00	BDL	BDL	BDL	BDL	BDL	2.1	14.0	5.0	13.8	310	12	75	29	1008
6/9/2016 18:00	BDL	BDL	BDL	BDL	BDL	2.0	10.0	3.0	13.2	310	13	74	28	1008
6/9/2016 19:00	BDL	BDL	BDL	BDL	BDL	2.0	9.0	3.0	11.6	309	9	73	30	1008
6/9/2016 20:00	BDL	BDL	BDL	BDL	BDL	2.0	9.0	3.0	5.5	300	9	72	33	1009
6/9/2016 21:00	BDL	BDL	BDL	1.6	BDL	2.1	9.0	5.0	4.1	292	7	70	38	1009
6/9/2016 22:00	0.4	BDL	BDL	5.3	0.05	2.4	10.0	6.0	6.0	334	13	69	40	1010
6/9/2016 23:00	0.9	BDL	BDL	5.4	BDL	2.3	19.0	11.0	7.5	346	14	67	39	1011
6/10/2016 0:00	BDL	BDL	BDL	9.0	BDL	2.8	15.0	7.0	6.7	323	11	66	42	1012
6/10/2016 1:00	BDL	BDL	BDL	0.9	BDL	2.6	11.0	4.0	6.1	307	6	64	47	1012
6/10/2016 2:00	BDL	BDL	BDL	BDL	BDL	2.6	15.0	6.0	5.1	302	6	62	52	1012
6/10/2016 3:00	BDL	Calibration	Calibration	0.6	BDL	2.5	12.0	7.0	5.2	296	7	61	55	1013
6/10/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	2.6	9.0	6.0	5.1	297	7	60	56	1013
6/10/2016 5:00	Too few samples	BDL	BDL	Too few samples	BDL	2.7	15.0	8.0	4.1	282	10	59	58	1014
6/10/2016 6:00	BDL	BDL	BDL	5.1	BDL	2.8	12.0	6.0	5.7	301	8	60	53	1015
6/10/2016 7:00	BDL	BDL	BDL	0.5	BDL	2.8	14.0	5.0	9.8	311	9	62	48	1015
6/10/2016 8:00	BDL	BDL	BDL	BDL	BDL	2.9	14.0	3.0	10.8	313	10	64	42	1015
6/10/2016 9:00	BDL	BDL	BDL	BDL	BDL	3.0	13.0	1.0	11.2	310	11	66	37	1015
6/10/2016 10:00	BDL	BDL	BDL	BDL	BDL	3.0	24.0	4.0	12.7	317	14	68	32	1015
6/10/2016 11:00	BDL	BDL	BDL	BDL	BDL	3.1	16.0	5.0	10.6	317	16	70	32	1015
6/10/2016 12:00	BDL	BDL	BDL	BDL	BDL	3.2	17.0	4.0	11.2	311	15	72	28	1015
6/10/2016 13:00	BDL	BDL	BDL	BDL	BDL	3.2	13.0	4.0	11.5	314	16	75	26	1014
6/10/2016 14:00	BDL	BDL	BDL	BDL	BDL	3.0	19.0	3.0	11.5	316	15	76	23	1014
6/10/2016 15:00	BDL	BDL	BDL	BDL	BDL	3.1	10.0	4.0	10.1	310	17	77	23	1014
6/10/2016 16:00	BDL	BDL	BDL	BDL	BDL	3.0	16.0	5.0	10.5	307	15	77	23	1013
6/10/2016 17:00	BDL	BDL	BDL	BDL	BDL	2.8	12.0	6.0	9.6	308	12	77	24	1013
6/10/2016 18:00	BDL	BDL	BDL	BDL	BDL	2.7	12.0	6.0	8.8	307	12	76	26	1014
6/10/2016 19:00	BDL	BDL	BDL	BDL	BDL	2.6	10.0	4.0	5.2	295	8	74	29	1014
6/10/2016 20:00	BDL	BDL	BDL	0.6	BDL	3.0	11.0	4.0	2.6	271	15	73	35	1014
6/10/2016 21:00	0.5	BDL	BDL	6.6	0.2	3.3	13.0	5.0	3.2	269	11	71	38	1014
6/10/2016 22:00	0.8	1.3	BDL	15.5	0.2	4.0	22.0	10.0	2.8	232	17	69	46	1015
6/10/2016 23:00	0.5	2.5	1.1	31.2	0.3	3.8	19.0	12.0	2.5	246	12	67	54	1015
6/11/2016 0:00	0.4	2.7	1.4	26.3	0.2	4.2	24.0	9.0	1.3	176	47	65	65	1015
6/11/2016 1:00	BDL	0.4	BDL	24.2	0.4	4.3	25.0	15.0	1.2	241	26	64	66	1016
6/11/2016 2:00	BDL	3.2	4.2	25.9	0.3	4.7	26.0	14.0	1.6	206	20	63	72	1015
6/11/2016 3:00	0.4	Calibration	Calibration	30.0	0.3	4.0	24.0	19.0	1.2	248	39	62	76	1015
6/11/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	4.2	25.0	17.0	1.8	189	14	62	77	1015
6/11/2016 5:00	Too few samples	1.9	1.3	Too few samples	BDL	2.6	18.0	12.0	2.3	173	13	62	78	1014
6/11/2016 6:00	0.4	1.9	1.2	26.5	0.04	2.4	56.0	14.0	2.9	191	14	63	75	1014
6/11/2016 7:00	BDL	Calibration	Calibration	4.5	BDL	2.3	28.0	11.0	5.1	201	12	65	74	1013
6/11/2016 8:00	0.4	0.9	0.6	10.8	0.04	2.4	37.0	12.0	5.3	204	15	68	74	1013
6/11/2016 9:00	0.5	1.2	0.7	5.5	BDL	2.3	17.0	9.0	7.8	221	17	73	65	1012
6/11/2016 10:00	0.6	0.6	BDL	2.8	0.04	3.2	27.0	13.0	8.3	218	17	76	61	1011
6/11/2016 11:00	0.5	0.4	BDL	BDL	0.04	3.1	26.0	9.0	8.6	212	16	79	59	1010
6/11/2016 12:00	0.4	0.4	BDL	BDL	0.04	3.3	30.0	14.0	10.5	218	16	83	53	1009
6/11/2016 13:00	0.4	BDL	BDL	BDL	0.1	3.2	29.0	14.0	11.8	233	18	86	47	1008
6/11/2016 14:00	0.5	BDL	BDL	BDL	0.1	3.2	36.0	23.0	11.0	228	18	88	45	1007
6/11/2016 15:00	0.5	BDL	BDL	BDL	0.1	3.1	36.0	17.0	12.2	218	15	88	48	1007
6/11/2016 16:00	0.4	BDL	BDL	3.0	0.1	3.1	34.0	16.0	11.6	225	16	90	46	1006
6/11/2016 17:00	BDL	0.5	BDL	1.2	0.1	3.0	28.0	16.0	10.3	240	16	92	42	1005
6/11/2016 18:00	BDL	0.5	BDL	8.6	0.1	2.9	32.0	15.0	9.8	231	16	91	45	1005
6/11/2016 19:00	BDL	1.5	0.7	16.4	0.2	3.0	32.0	16.0	7.2	235	15	90	47	1005
6/11/2016 20:00	BDL	1.0	0.4	7.5	0.2	3.3	28.0	16.0	5.2	240	15	88	49	1005
6/11/2016 21:00	0.4	BDL	BDL	4.1	0.1	2.9	26.0	17.0	5.9	254	13	87	46	1005
6/11/2016 22:00	BDL	BDL	BDL	BDL	0.1	2.8	25.0	18.0	6.1	252	15	86	47	1006
6/11/2016 23:00	BDL	BDL	BDL	0.6	0.1	2.9	28.0	17.0	5.8	255	14	84	50	1006

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 6/12/2016-6/18/2016														
6/12/16 0:00	BDL	0.4	BDL	BDL	0.1	3.0	25.0	15.0	5.5	260	14	83	52	1005
6/12/16 1:00	BDL	0.4	BDL	BDL	0.1	3.8	27.0	15.0	5.3	256	15	82	54	1005
6/12/16 2:00	BDL	0.6	0.4	BDL	0.1	3.3	22.0	17.0	6.7	250	13	82	55	1004
6/12/16 3:00	BDL	Calibration	Calibration	0.6	0.1	2.7	22.0	15.0	6.1	242	14	81	57	1004
6/12/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	2.7	24.0	14.0	6.1	235	16	79	60	1003
6/12/16 5:00	Too few samples	1.2	1.2	Too few samples	0.1	2.6	22.0	15.0	5.7	236	16	78	63	1003
6/12/16 6:00	0.5	2.1	1.1	6.9	0.1	2.9	20.0	15.0	4.4	234	19	78	61	1003
6/12/16 7:00	0.5	Too few samples	Too few samples	4.2	0.1	2.6	26.0	17.0	4.9	250	16	80	56	1003
6/12/16 8:00	0.6	Calibration	Calibration	BDL	0.1	2.3	25.0	11.0	9.1	280	15	85	46	1003
6/12/16 9:00	0.5	BDL	BDL	BDL	BDL	12.8	29.0	11.0	12.7	279	17	87	43	1002
6/12/16 10:00	0.6	BDL	BDL	BDL	BDL	1.5	32.0	10.0	15.4	296	13	87	37	1002
6/12/16 11:00	0.4	BDL	BDL	BDL	BDL	1.7	31.0	9.0	16.9	307	11	89	32	1002
6/12/16 12:00	BDL	BDL	BDL	BDL	BDL	1.6	30.0	6.0	14.8	287	15	89	26	1001
6/12/16 13:00	BDL	BDL	BDL	BDL	BDL	1.8	20.0	4.0	14.5	292	13	89	16	1001
6/12/16 14:00	BDL	BDL	BDL	BDL	BDL	2.2	18.0	3.0	16.4	297	12	88	16	1001
6/12/16 15:00	BDL	BDL	BDL	BDL	BDL	2.1	28.0	4.0	18.8	310	10	87	16	1001
6/12/16 16:00	BDL	BDL	BDL	BDL	BDL	1.9	15.0	4.0	17.4	308	10	86	16	1001
6/12/16 17:00	BDL	BDL	BDL	BDL	BDL	1.8	20.0	2.0	17.2	311	12	85	19	1002
6/12/16 18:00	0.4	BDL	BDL	0.9	BDL	1.7	26.0	1.0	15.7	323	13	83	25	1003
6/12/16 19:00	2.1	BDL	BDL	6.1	BDL	1.6	31.0	17.0	12.5	341	13	79	32	1004
6/12/16 20:00	0.7	BDL	BDL	8.9	BDL	1.8	19.0	4.0	13.8	330	11	76	34	1005
6/12/16 21:00	0.6	BDL	BDL	8.7	BDL	1.9	20.0	6.0	11.7	329	12	74	37	1006
6/12/16 22:00	0.7	BDL	BDL	4.5	BDL	2.0	19.0	8.0	11.0	331	13	72	40	1007
6/12/16 23:00	1.2	BDL	BDL	6.8	BDL	2.0	18.0	6.0	12.9	334	13	70	42	1007
6/13/16 0:00	1.5	BDL	BDL	4.8	BDL	1.9	30.0	12.0	9.8	339	14	67	46	1008
6/13/16 1:00	BDL	BDL	BDL	5.2	BDL	1.9	18.0	8.0	11.0	325	11	66	47	1008
6/13/16 2:00	BDL	BDL	BDL	3.2	BDL	2.0	14.0	5.0	10.2	325	13	65	50	1008
6/13/16 3:00	BDL	Calibration	Calibration	3.2	BDL	1.9	10.0	4.0	10.9	323	11	64	52	1008
6/13/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	1.9	10.0	4.0	9.9	320	10	63	55	1008
6/13/16 5:00	Too few samples	BDL	BDL	Too few samples	BDL	1.9	11.0	4.0	9.2	334	11	62	57	1009
6/13/16 6:00	0.6	BDL	BDL	12.5	BDL	2.0	10.0	5.0	11.1	337	14	62	56	1010
6/13/16 7:00	0.6	BDL	BDL	10.3	BDL	2.1	24.0	4.0	15.0	332	12	62	55	1010
6/13/16 8:00	0.4	BDL	BDL	8.0	BDL	2.3	22.0	1.0	12.2	326	13	62	54	1011
6/13/16 9:00	0.8	BDL	BDL	6.2	BDL	2.3	35.0	15.0	10.9	335	15	65	51	1011
6/13/16 10:00	1.4	BDL	BDL	4.4	BDL	2.2	25.0	14.0	9.5	337	21	67	47	1011
6/13/16 11:00	0.7	BDL	BDL	2.2	BDL	2.1	15.0	9.0	8.4	340	23	69	43	1010
6/13/16 12:00	BDL	BDL	BDL	BDL	BDL	2.1	11.0	5.0	10.0	311	17	72	39	1010
6/13/16 13:00	BDL	BDL	BDL	BDL	BDL	1.9	8.0	2.0	9.2	313	19	74	37	1008
6/13/16 14:00	BDL	BDL	BDL	BDL	BDL	2.1	11.0	4.0	7.5	315	32	76	34	1008
6/13/16 15:00	BDL	BDL	BDL	BDL	BDL	2.4	11.0	4.0	9.2	297	19	78	34	1007
6/13/16 16:00	BDL	BDL	BDL	BDL	BDL	1.8	13.0	5.0	8.6	287	17	77	36	1007
6/13/16 17:00	BDL	BDL	BDL	BDL	BDL	1.7	11.0	4.0	10.2	314	12	76	38	1007
6/13/16 18:00	BDL	BDL	BDL	BDL	BDL	1.5	16.0	4.0	9.3	316	10	75	40	1007
6/13/16 19:00	BDL	BDL	BDL	BDL	BDL	1.4	10.0	3.0	8.3	306	9	74	42	1007
6/13/16 20:00	BDL	BDL	BDL	BDL	BDL	1.4	13.0	5.0	5.1	299	10	74	44	1007
6/13/16 21:00	BDL	BDL	BDL	BDL	BDL	1.4	13.0	6.0	3.6	280	14	73	46	1007
6/13/16 22:00	BDL	BDL	BDL	BDL	BDL	1.4	9.0	4.0	5.3	298	9	73	46	1007
6/13/16 23:00	0.9	BDL	BDL	BDL	BDL	1.4	17.0	11.0	8.3	330	12	72	48	1008
6/14/16 0:00	1.7	BDL	BDL	4.0	BDL	1.4	19.0	12.0	8.6	349	17	71	50	1008
6/14/16 1:00	1.9	BDL	BDL	BDL	BDL	1.4	16.0	7.0	7.5	356	22	69	51	1009
6/14/16 2:00	1.4	BDL	BDL	BDL	BDL	1.4	14.0	7.0	7	6	19	68	52	1009
6/14/16 3:00	1.4	Calibration	Calibration	4.1	BDL	1.4	17.0	10.0	10.3	345	18	66	48	1010
6/14/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	1.4	22.0	15.0	9.9	342	14	65	51	1010
6/14/16 5:00	Too few samples	BDL	BDL	Too few samples	BDL	1.5	14.0	9.0	8.8	336	13	63	54	1011
6/14/16 6:00	0.7	BDL	BDL	16.4	BDL	1.5	18.0	10.0	9.6	342	12	62	57	1012
6/14/16 7:00	1.1	BDL	BDL	12.4	BDL	1.7	36.0	12.0	9	343	13	63	55	1012
6/14/16 8:00	1.2	BDL	BDL	3.9	BDL	1.8	37.0	13.0	8.6	341	17	64	48	1013
6/14/16 9:00	1.1	BDL	BDL	6.2	BDL	Too few samples	19.0	10.0	7.3	340	23	66	41	1013
6/14/16 10:00	0.8	BDL	BDL	3.1	BDL	2.8	25.0	6.0	10.0	328	16	69	33	1012
6/14/16 11:00	BDL	BDL	BDL	BDL	BDL	2.7	16.0	5.0	9.6	321	16	71	31	1012
6/14/16 12:00	BDL	BDL	BDL	BDL	BDL	2.8	19.0	3.0	8.1	314	23	72	30	1012
6/14/16 13:00	BDL	BDL	BDL	BDL	BDL	2.7	14.0	2.0	6.6	314	28	74	28	1012
6/14/16 14:00	BDL	BDL	BDL	BDL	BDL	2.9	12.0	2.0	5.7	310	39	76	28	1011
6/14/16 15:00	BDL	BDL	BDL	BDL	BDL	3.4	11.0	4.0	6.0	292	28	77	28	1011
6/14/16 16:00	BDL	BDL	BDL	BDL	BDL	3.3	15.0	6.0	5.5	291	34	78	26	1011
6/14/16 17:00	BDL	BDL	BDL	BDL	BDL	2.6	10.0	6.0	5.5	291	28	78	27	1011
6/14/16 18:00	BDL	BDL	BDL	BDL	BDL	2.4	11.0	7.0	5.6	275	22	79	28	1011
6/14/16 19:00	BDL	BDL	BDL	BDL	BDL	2.3	12.0	6.0	5.8	294	13	77	30	1011
6/14/16 20:00	BDL	BDL	BDL	BDL	BDL	2.3	16.0	7.0	3.7	290	11	75	35	1011
6/14/16 21:00	BDL	BDL	BDL	8.7	0.1	2.7	22.0	10.0	2.4	260	13	73	44	1012
6/14/16 22:00	BDL	BDL	BDL	10.0	0.1	2.8	18.0	9.0	3.1	260	13	72	46	1013
6/14/16 23:00	BDL	BDL	BDL	9.8	0.1	2.6	21.0	14.0	3.2	253	12	70	51	1013
6/15/16 0:00	BDL	2.8	5.2	7.6	0.1	3.0	17.0	10.0	3.5	229	15	69	52	1013
6/15/16 1:00	0.4	1.1	1.5	8.0	0.04	2.8	19.0	7.0	3.3	254	18	67	57	1013
6/15/16 2:00	BDL	3.8	4.8	5.4	BDL	3.1	17.0	10.0	2.8	229	15	66	58	1013
6/15/16 3:00	0.5	Calibration	Calibration	8.9	BDL	3.1	28.0	14.0	2.7	239	18	65	59	1013
6/15/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	3.3	35.0	19.0	2.8	206	15	64	70	1013
6/15/16 5:00	Too few samples	BDL	BDL	Too few samples	0.1	3.3	30.0	11.0	2.1	263	21	63	76	1013
6/15/16 6:00	1.0	BDL	BDL	13.4	0.1	2.9	30.0	15.0	1.9	283	18	64	61	1013
6/15/16 7:00	1.5	BDL	BDL	8.8	0.04	3.3	23.0	15.0	2.5	281	17	67	51	1013
6/15/16 8:00	1.9	Calibration	Calibration	13.3	0.1	0.01	31.0	16.0	2.9	252	22	71	47	1014
6/15/16 9:00	2.9	Too few samples	Too few samples	11.5	0.1	BDL	28.0	9.0	4.1	241	28	75	43	1013
6/15/16 10:00	3.6	BDL	BDL	12.5	0.04	BDL	38.0	16.0	5.9	227	23	78	43	1013
6/15/16 11:00	---	---	---	---	0.04	NoData	39.0	12.0	NoData	NoData	NoData	NoData	NoData	NoData
6/15/16 12:00	---	---	---	---	0.04	NoData	34.0	14.0	NoData	NoData	NoData	NoData	NoData	NoData
6/15/16 13:00	---	---	---	---	0.04	NoData	48.0	18.0	NoData	NoData	NoData	NoData	NoData	NoData
6/15/16 14:00	Too few samples	1.3	BDL	BDL	BDL	NoData	32.0	13.0	NoData	NoData	NoData	NoData	NoData	NoData
6/15/16 15:00	BDL	---	---	---	0.04	NoData	25.0	10.0	NoData	NoData	NoData	NoData	NoData	NoData
6/15/16 16:00	BDL	---	---	---	0.04	NoData	27.0	10.0	NoData	NoData	NoData	NoData	NoData	NoData
6/15/16 17:00	BDL	---	---	---	0.04	NoData	22.0	9.0	NoData	NoData	NoData	NoData	NoData	NoData
6/15/16 18:00	BDL	---	---	---	0.04	NoData	16.0	13.0	NoData	NoData	NoData	NoData	NoData	NoData
6/15/16 19:00	Too few samples	BDL	0.5	3.2	BDL	NoData	20.0	11.0	NoData	NoData	NoData	NoData	NoData	NoData
6/15/16 20:00	Too few samples	BDL	0.4	3.0	BDL	NoData	19.0	11.0	NoData	NoData	NoData	NoData	NoData	NoData
6/15/16 21:00	Too few samples	BDL	0.7	6.5	BDL	NoData	23.0	9.0	NoData	NoData	NoData	NoData	NoData	NoData
6/15/16 22:00	BDL	---	---	---	0.04	NoData	16.0	7.0	NoData	NoData	NoData	NoData	NoData	NoData
6/15/16 23:00	BDL	BDL	BDL	0.5	BDL	BDL	18.0	6.0	3.5	186	13	71	60	1009

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 6/12/2016-6/18/2016														
6/16/16 0:00	BDL	BDL	BDL	4.3	BDL	BDL	13.0	4.0	3.4	167	12	69	67	1008
6/16/16 1:00	BDL	BDL	BDL	BDL	BDL	BDL	16.0	5.0	2	180	18	67	75	1008
6/16/16 2:00	BDL	BDL	BDL	2.5	BDL	BDL	8.0	7.0	2.4	96	22	66	75	1006
6/16/16 3:00	BDL	Calibration	Calibration	3.3	BDL	BDL	10.0	7.0	4	97	13	66	76	1006
6/16/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	BDL	11.0	9.0	3.4	89	16	66	74	1006
6/16/16 5:00	BDL	0.6	0.4	7.9	BDL	BDL	10.0	7.0	3.6	79	16	65	79	1006
6/16/16 6:00	BDL	0.8	0.5	10.6	BDL	BDL	10.0	13.0	4.1	73	13	65	85	1006
6/16/16 7:00	BDL	0.6	0.5	15.6	0.1	16.9	19.0	8.0	4.3	58	16	64	89	1006
6/16/16 8:00	BDL	1.0	0.6	17.8	0.1	Too few samples	15.0	13.0	4.6	47	18	64	92	1006
6/16/16 9:00	BDL	0.9	0.7	15.6	0.1	6.2	17.0	14.0	5.2	59	12	65	90	1006
6/16/16 10:00	BDL	1.1	0.6	14.5	0.1	40.6	14.0	12.0	5.8	61	12	64	94	1006
6/16/16 11:00	BDL	1.0	0.6	15.5	0.1	11.1	20.0	12.0	4.8	71	21	65	93	1006
6/16/16 12:00	BDL	0.6	BDL	11.8	0.1	15.5	16.0	15.0	2.8	69	25	66	93	1006
6/16/16 13:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	16.0	15.0	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples
6/16/16 14:00	BDL	BDL	BDL	1.6	BDL	3.9	Invalid	10.0	4.3	88	20	67	75	1006
6/16/16 15:00	BDL	BDL	BDL	6.6	0.1	4.0	15.0	10.0	4.4	64	14	68	79	1005
6/16/16 16:00	BDL	0.4	BDL	4.3	0.04	3.8	28.0	10.0	6.9	77	14	69	74	1005
6/16/16 17:00	BDL	BDL	BDL	0.4	BDL	3.5	10.0	8.0	5.5	98	18	69	72	1004
6/16/16 18:00	BDL	BDL	BDL	BDL	BDL	3.2	10.0	7.0	4.7	100	17	69	72	1004
6/16/16 19:00	BDL	BDL	BDL	4.9	BDL	3.3	16.0	17.0	2.8	152	24	69	74	1005
6/16/16 20:00	BDL	0.5	BDL	13.0	0.1	3.4	10.0	8.0	2.3	102	20	69	75	1005
6/16/16 21:00	BDL	0.5	BDL	10.9	0.1	3.4	13.0	9.0	3.3	171	15	68	79	1005
6/16/16 22:00	BDL	0.4	BDL	10.6	0.1	3.5	15.0	12.0	2.6	193	15	68	82	1005
6/16/16 23:00	BDL	BDL	BDL	6.6	BDL	3.7	13.0	11.0	2.5	184	13	67	81	1006
6/17/16 0:00	0.4	1.3	BDL	35.6	BDL	3.4	15.0	9.0	2.9	122	15	67	79	1006
6/17/16 1:00	BDL	0.4	BDL	2.8	BDL	3.3	11.0	9.0	3.6	85	15	65	78	1006
6/17/16 2:00	BDL	BDL	BDL	5.5	BDL	3.4	12.0	9.0	3.2	78	10	65	74	1006
6/17/16 3:00	BDL	Calibration	Calibration	2.9	BDL	3.5	10.0	9.0	3.1	82	12	65	72	1007
6/17/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	3.5	12.0	7.0	3.1	62	10	64	73	1007
6/17/16 5:00	BDL	0.6	BDL	6.3	BDL	3.6	16.0	8.0	3.9	52	13	64	73	1007
6/17/16 6:00	BDL	0.4	BDL	17.1	0.1	4.0	19.0	10.0	2.5	65	14	65	70	1007
6/17/16 7:00	0.4	0.7	BDL	32.2	0.2	4.2	28.0	11.0	2.9	51	19	67	64	1008
6/17/16 8:00	0.7	Too few samples	Too few samples	18.7	0.2	BDL	29.0	13.0	6.3	47	13	69	60	1009
6/17/16 9:00	0.5	Calibration	Calibration	12.6	0.1	3.8	29.0	16.0	7.2	60	15	72	57	1009
6/17/16 10:00	0.5	0.4	BDL	11	0.1	22.0	32.0	14.0	6.7	67	15	74	53	1010
6/17/16 11:00	0.5	0.5	BDL	10.1	0.1	3.2	29.0	14.0	5.2	62	27	77	44	1010
6/17/16 12:00	0.4	BDL	BDL	4.8	0.1	3.2	22.0	9.0	4.7	93	29	79	39	1010
6/17/16 13:00	0.5	BDL	BDL	3.5	0.04	16.5	27.0	9.0	5.7	107	32	82	35	1010
6/17/16 14:00	BDL	BDL	BDL	BDL	BDL	1.8	26.0	7.0	6.5	72	26	83	32	1010
6/17/16 15:00	BDL	BDL	BDL	BDL	0.04	1.7	27.0	12.0	8.9	78	21	82	36	1011
6/17/16 16:00	BDL	BDL	BDL	BDL	0.1	1.7	37.0	14.0	12.4	94	14	80	48	1011
6/17/16 17:00	BDL	BDL	BDL	BDL	BDL	1.7	21.0	11.0	9.4	103	15	78	46	1012
6/17/16 18:00	BDL	BDL	BDL	BDL	BDL	1.8	15.0	12.0	9.7	97	16	77	43	1013
6/17/16 19:00	BDL	BDL	BDL	BDL	BDL	1.7	12.0	7.0	8.6	94	13	74	41	1014
6/17/16 20:00	BDL	BDL	BDL	BDL	BDL	1.7	8.0	4.0	8.0	97	15	72	44	1014
6/17/16 21:00	BDL	BDL	BDL	3.7	BDL	2.0	14.0	3.0	6.7	106	14	70	50	1016
6/17/16 22:00	BDL	BDL	BDL	4.2	BDL	2.2	12.0	3.0	3.1	118	25	68	53	1017
6/17/16 23:00	BDL	BDL	BDL	4.8	BDL	2.3	12.0	4.0	3.5	109	22	67	53	1017
6/18/16 0:00	BDL	BDL	BDL	23.3	BDL	2.3	12.0	7.0	4.0	128	16	66	59	1018
6/18/16 1:00	BDL	BDL	BDL	11.4	BDL	2.5	12.0	6.0	1.9	113	22	65	66	1018
6/18/16 2:00	BDL	BDL	BDL	0.7	BDL	2.4	8.0	6.0	1.5	258	17	65	71	1018
6/18/16 3:00	BDL	Calibration	Calibration	8.9	BDL	2.9	14.0	6.0	1.4	299	40	64	71	1018
6/18/16 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	3.6	16.0	8.0	0.9	202	37	63	77	1018
6/18/16 5:00	BDL	0.4	BDL	20.4	0.1	3.0	17.0	7.0	1.3	147	31	62	85	1019
6/18/16 6:00	BDL	0.6	BDL	38.6	0.1	3.1	35.0	13.0	1.8	185	22	62	78	1020
6/18/16 7:00	0.5	0.6	BDL	27.1	0.1	3.6	26.0	14.0	1.0	125	51	64	66	1020
6/18/16 8:00	0.6	0.8	BDL	26.9	0.1	27.0	22.0	14.0	1.5	196	49	68	57	1021
6/18/16 9:00	0.8	BDL	BDL	11.6	0.1	4.2	17.0	10.0	2.4	210	24	73	40	1021
6/18/16 10:00	1.6	0.5	BDL	20.3	0.1	4.4	18.0	7.0	4.0	171	22	75	40	1021
6/18/16 11:00	1.7	BDL	BDL	12.4	BDL	4.4	11.0	4.0	4.1	200	38	79	32	1022
6/18/16 12:00	0.9	BDL	BDL	4.2	BDL	4.5	9.0	6.0	4.9	189	30	80	34	1021
6/18/16 13:00	0.8	BDL	BDL	BDL	BDL	4.5	11.0	8.0	5.9	199	26	82	34	1021
6/18/16 14:00	0.7	BDL	BDL	BDL	BDL	4.6	15.0	8.0	7.1	196	22	83	35	1021
6/18/16 15:00	0.5	BDL	BDL	BDL	BDL	4.6	15.0	9.0	7.4	206	17	85	33	1021
6/18/16 16:00	0.7	BDL	BDL	BDL	BDL	4.4	18.0	9.0	6.8	217	19	85	34	1020
6/18/16 17:00	0.7	BDL	BDL	BDL	BDL	4.1	15.0	8.0	8.0	212	19	84	38	1020
6/18/16 18:00	0.5	BDL	BDL	BDL	BDL	4.0	11.0	7.0	9.1	205	15	82	41	1020
6/18/16 19:00	BDL	BDL	BDL	BDL	BDL	4.4	11.0	7.0	7.4	195	12	79	44	1020
6/18/16 20:00	BDL	0.7	0.4	BDL	BDL	3.7	13.0	6.0	6.2	193	12	76	44	1021
6/18/16 21:00	BDL	0.4	BDL	BDL	BDL	3.8	12.0	6.0	4.8	186	12	74	46	1022
6/18/16 22:00	0.4	0.6	0.5	1.3	BDL	4.0	12.0	6.0	4.3	197	11	71	51	1023
6/18/16 23:00	0.5	1.0	0.9	2.3	BDL	4.0	8.0	6.0	2.9	191	14	70	59	1023

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 6/19/2016-6/25/2016														
6/19/2016 0:00	BDL	0.6	0.4	0.7	BDL	4.0	7.0	5.0	3.6	200	13	69	66	1023
6/19/2016 1:00	BDL	0.5	BDL	0.5	BDL	4.0	12.0	8.0	4.5	198	11	69	71	1023
6/19/2016 2:00	0.4	BDL	BDL	BDL	BDL	4.1	9.0	10.0	4.1	201	13	68	74	1023
6/19/2016 3:00	BDL	Calibration	Calibration	3.3	BDL	4.7	6.0	8.0	3.7	218	15	68	75	1023
6/19/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	4.4	7.0	9.0	2.6	203	17	68	79	1023
6/19/2016 5:00	BDL	1.0	0.5	11.5	BDL	5.7	14.0	12.0	3.2	187	12	66	83	1024
6/19/2016 6:00	BDL	1.2	0.9	6.1	BDL	5.9	13.0	8.0	2.9	193	13	66	82	1024
6/19/2016 7:00	1.1	1.0	0.8	15.7	0.1	6.9	13.0	9.0	4.8	211	14	69	71	1024
6/19/2016 8:00	2.1	Calibration	Calibration	19.4	0.1	7.3	23.0	14.0	3.9	229	23	73	57	1024
6/19/2016 9:00	1.1	Too few samples	Too few samples	5.2	0.1	6.8	18.0	12.0	3.6	237	22	78	47	1024
6/19/2016 10:00	1.3	0.4	BDL	9.0	0.1	0.1	22.0	15.0	4.3	206	23	81	45	1023
6/19/2016 11:00	1.2	BDL	BDL	2.6	0.04	0.1	21.0	8.0	5.7	252	29	86	37	1023
6/19/2016 12:00	BDL	BDL	BDL	BDL	BDL	BDL	14.0	10.0	5.9	277	25	89	27	1022
6/19/2016 13:00	BDL	BDL	BDL	BDL	BDL	BDL	11.0	9.0	7.6	271	21	91	23	1021
6/19/2016 14:00	BDL	BDL	BDL	BDL	BDL	BDL	11.0	8.0	6.7	273	22	92	22	1021
6/19/2016 15:00	BDL	BDL	BDL	BDL	BDL	BDL	11.0	7.0	7.0	286	35	91	24	1020
6/19/2016 16:00	BDL	BDL	BDL	BDL	BDL	BDL	17.0	11.0	8.1	282	23	91	26	1020
6/19/2016 17:00	BDL	BDL	BDL	BDL	BDL	BDL	13.0	10.0	7.2	263	21	91	26	1019
6/19/2016 18:00	BDL	BDL	BDL	BDL	BDL	BDL	18.0	14.0	7.6	263	20	90	28	1019
6/19/2016 19:00	BDL	BDL	BDL	BDL	BDL	0.3	14.0	12.0	6.8	275	13	88	30	1019
6/19/2016 20:00	BDL	BDL	BDL	1.5	0.1	1.9	18.0	11.0	4.4	255	15	86	36	1020
6/19/2016 21:00	BDL	BDL	BDL	3.5	0.1	BDL	17.0	11.0	3.3	255	38	83	42	1020
6/19/2016 22:00	BDL	BDL	BDL	7.4	0.1	BDL	13.0	10.0	2.4	173	44	81	50	1021
6/19/2016 23:00	BDL	BDL	BDL	1.8	BDL	BDL	18.0	10.0	2.9	300	54	80	47	1021
6/20/2016 0:00	BDL	1.0	0.8	16.1	0.1	BDL	23.0	16.0	2.2	105	25	76	68	1020
6/20/2016 1:00	BDL	0.6	0.5	14	0.1	BDL	27.0	20.0	1.6	153	28	74	76	1020
6/20/2016 2:00	BDL	0.7	0.5	17.7	0.1	BDL	25.0	15.0	1.9	166	15	73	81	1019
6/20/2016 3:00	BDL	Calibration	Calibration	18.1	0.1	BDL	33.0	17.0	1.6	93	30	71	80	1019
6/20/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	BDL	29.0	19.0	1.4	145	27	71	80	1020
6/20/2016 5:00	BDL	1.6	1.4	20.7	0.1	BDL	28.0	17.0	1.7	102	23	70	81	1020
6/20/2016 6:00	BDL	1.2	1.0	35.3	0.1	BDL	80.0	17.0	1.6	157	30	70	76	1020
6/20/2016 7:00	0.5	1.7	1.1	43.4	0.2	0.5	111.0	28.0	1.8	167	20	72	72	1020
6/20/2016 8:00	0.5	1.5	0.9	41.4	0.2	1.0	117.0	24.0	1.7	183	32	76	60	1019
6/20/2016 9:00	0.4	Too few samples	Too few samples	7.0	0.1	3.2	28.0	15.0	3.7	281	21	82	40	1019
6/20/2016 10:00	0.6	Calibration	Calibration	3.9	0.1	1.8	24.0	16.0	3.9	293	27	86	35	1018
6/20/2016 11:00	1.4	BDL	BDL	BDL	0.04	1.9	23.0	14.0	3.1	275	55	88	31	1018
6/20/2016 12:00	1.6	Too few samples	Too few samples	BDL	BDL	1.9	22.0	11.0	3.7	278	51	89	29	1017
6/20/2016 13:00	1.2	Calibration	Calibration	BDL	BDL	1.7	27.0	13.0	4.3	234	36	91	29	1016
6/20/2016 14:00	0.8	BDL	BDL	BDL	BDL	1.8	26.0	11.0	6.2	233	36	92	28	1015
6/20/2016 15:00	0.8	0.5	BDL	BDL	BDL	1.7	23.0	13.0	7.6	229	20	92	29	1014
6/20/2016 16:00	0.7	BDL	BDL	BDL	BDL	1.5	21.0	11.0	8.9	234	21	91	29	1013
6/20/2016 17:00	0.7	BDL	BDL	BDL	BDL	1.3	24.0	14.0	9.6	216	16	90	31	1012
6/20/2016 18:00	1.4	BDL	BDL	5.4	BDL	1.1	22.0	13.0	9	218	17	88	32	1012
6/20/2016 19:00	1.8	BDL	BDL	10.7	BDL	0.9	27.0	12.0	8	209	15	86	35	1012
6/20/2016 20:00	1.0	0.5	BDL	6.9	BDL	1.7	17.0	11.0	8	215	14	85	36	1011
6/20/2016 21:00	1.4	0.5	0.5	13.7	BDL	1.3	22.0	12.0	7.5	220	15	83	39	1011
6/20/2016 22:00	1.0	0.6	BDL	8.4	BDL	1.0	17.0	13.0	6.9	215	15	81	44	1011
6/20/2016 23:00	1.0	0.6	BDL	9.4	BDL	0.9	15.0	12.0	6.5	216	15	79	49	1011
6/21/2016 0:00	0.7	0.7	0.4	3.9	BDL	0.6	14.0	10.0	6.8	214	15	78	53	1010
6/21/2016 1:00	0.5	0.6	BDL	4.0	BDL	0.5	16.0	13.0	6.8	220	15	77	58	1009
6/21/2016 2:00	0.5	0.6	0.5	2.4	BDL	0.1	18.0	11.0	7.4	219	15	77	61	1008
6/21/2016 3:00	0.6	Calibration	Calibration	6.9	BDL	0.1	20.0	15.0	7.3	231	17	77	63	1008
6/21/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	0.1	20.0	14.0	6.2	232	17	76	69	1008
6/21/2016 5:00	0.5	0.6	BDL	10.1	0.04	0.2	15.0	17.0	5.7	219	16	76	71	1008
6/21/2016 6:00	0.7	0.7	0.5	15.5	0.1	0.2	23.0	14.0	5.8	235	19	75	71	1008
6/21/2016 7:00	0.6	1.2	0.6	21.8	0.1	0.6	27.0	14.0	6.3	211	13	77	69	1008
6/21/2016 8:00	1.8	1.3	0.6	9.3	0.1	0.01	24.0	11.0	6.8	283	15	81	54	1008
6/21/2016 9:00	1.1	0.7	0.5	3.1	0.1	0.5	23.0	10.0	7.1	317	17	83	47	1008
6/21/2016 10:00	0.7	0.8	0.5	4.0	0.1	2.2	24.0	16.0	5.8	317	21	83	46	1008
6/21/2016 11:00	BDL	0.6	0.4	0.4	0.1	3.9	11.0	10.0	4.0	308	44	85	43	1008
6/21/2016 12:00	BDL	0.6	0.4	Too few samples	0.1	5.5	24.0	11.0	4.1	224	37	87	40	1007
6/21/2016 13:00	0.6	0.5	0.4	Invalid	Too few samples	6.2	39.0	14.0	5.9	237	26	88	43	1007
6/21/2016 14:00	BDL	0.4	BDL	Too few samples	Analyzer malfunction	5.1	22.0	17.0	5.8	258	18	86	48	1006
6/21/2016 15:00	0.4	0.7	0.4	Too few samples	Analyzer malfunction	4.4	34.0	17.0	6.1	239	18	83	54	1006
6/21/2016 16:00	0.7	0.7	0.4	Analyzer malfunction	Analyzer malfunction	3.1	62.0	20.0	9.2	198	12	80	65	1005
6/21/2016 17:00	BDL	1.1	0.8	Analyzer malfunction	Analyzer malfunction	2.8	25.0	13.0	9.2	230	19	80	65	1005
6/21/2016 18:00	1.2	0.6	0.6	Analyzer malfunction	Analyzer malfunction	1.8	18.0	8.0	8.4	229	17	79	64	1005
6/21/2016 19:00	1.6	1.0	0.5	Analyzer malfunction	Analyzer malfunction	1.4	13.0	11.0	7.5	217	17	79	66	1005
6/21/2016 20:00	1.3	0.6	0.4	Analyzer malfunction	Analyzer malfunction	1.0	14.0	7.0	8.8	205	14	76	75	1006
6/21/2016 21:00	0.5	0.5	0.9	Analyzer malfunction	Analyzer malfunction	1.0	11.0	5.0	4.6	233	24	74	83	1006
6/21/2016 22:00	0.8	0.7	0.8	Analyzer malfunction	Analyzer malfunction	0.2	15.0	6.0	4.5	204	16	73	85	1007
6/21/2016 23:00	1.7	0.7	0.6	Analyzer malfunction	Analyzer malfunction	0.1	7.0	7.0	6.8	216	15	73	86	1007
6/22/2016 0:00	1.2	0.7	0.6	Analyzer malfunction	Analyzer malfunction	BDL	13.0	7.0	6.3	219	17	72	87	1007
6/22/2016 1:00	0.5	1.0	1.1	Analyzer malfunction	Analyzer malfunction	BDL	11.0	9.0	3.5	191	23	71	89	1007
6/22/2016 2:00	BDL	1.1	1.1	Analyzer malfunction	Analyzer malfunction	BDL	12.0	7.0	4.9	191	15	71	90	1007
6/22/2016 3:00	BDL	Calibration	Calibration	Analyzer malfunction	Analyzer malfunction	BDL	10.0	6.0	3.6	242	17	71	90	1007
6/22/2016 4:00	Too few samples	Calibration	Calibration	Calibration	Calibration	BDL	15.0	3.0	3.6	255	16	71	91	1007
6/22/2016 5:00	BDL	0.7	0.5	Calibration	Calibration	BDL	16.0	6.0	3.5	278	17	71	89	1007
6/22/2016 6:00	BDL	0.5	0.4	2.4	Analyzer malfunction	BDL	16.0	14.0	3.5	265	21	71	88	1007
6/22/2016 7:00	BDL	Audit	Audit	9.4	Analyzer malfunction	BDL	20.0	17.0	4.1	264	23	72	79	1007
6/22/2016 8:00	0.6	Too few samples	Too few samples	5.4	Audit	BDL	26.0	10.0	4.7	255	20	76	66	1007
6/22/2016 9:00	0.4	0.6	0.4	Calibration	Analyzer malfunction	0.03	23.0	11.0	6.1	268	20	79	57	1007
6/22/2016 10:00	0.5	0.5	BDL	BDL	Analyzer malfunction	0.2	32.0	14.0	8.3	299	17	82	46	1008
6/22/2016 11:00	BDL	0.4	BDL	BDL	Analyzer malfunction	BDL	38.0	8.0	12.6	300	13	83.84	34	1008
6/22/2016 12:00	0.4	BDL	BDL	BDL	Too few samples	BDL	43.0	8.0	14.7	313	11	86	28	1008
6/22/2016 13:00	Calibration	BDL	BDL	Calibration	Calibration	0.3	26.0	8.0	12.8	302	13	86	26	1008
6/22/2016 14:00	BDL	Calibration	Calibration	BDL	BDL	BDL	19.0	8.0	10.7	299	19	85	29	1008
6/22/2016 15:00	0.4	Too few samples	Too few samples	BDL	BDL	BDL	23.0	9.0	9.7	290	17	86	29	1008
6/22/2016 16:00	BDL	BDL	BDL	BDL	BDL	BDL	24.0	8.0	11.2	293	16	86	27	1009
6/22/2016 17:00	BDL	BDL	BDL	BDL	BDL	BDL	18.0	9.0	9.2	281	17	86	28	1008
6/22/2016 18:00	0.5	BDL	BDL	BDL	BDL	BDL	17.0	13.0	8.6	269	17	85	32	1008
6/22/2016 19:00	0.4	0.5	BDL	BDL	BDL	BDL	30.0	12.0	7.8	250	17	83	39	1009
6/22/2016 20:00	0.4	0.5	BDL	BDL	BDL	BDL	38.0	9.0	6.5	250	15	81	42	1010
6/22/2016 21:00	0.7	0.6	0.6	6.1	BDL	0.2	29.0	12.0	6.2	249	15	80	44	1010
6/22/2016 22:00	BDL	BDL	BDL	2.6	BDL	0.5	17.0	13.0	6.2	252	15	78	46	1011
6/22/2016 23:00	0.4	0.7	BDL	1.0	BDL	BDL	14.0	9.0	6.1	259	20	78	47	1011

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 6/19/2016-6/25/2016														
6/23/2016 0:00	0.9	1.6	1.0	13.7	0.04	0.1	25.0	9.0	5.2	215	14	75	56	1011
6/23/2016 1:00	0.5	1.3	0.5	13.0	BDL	0.1	20.0	14.0	4.2	209	14	73	66	1011
6/23/2016 2:00	0.7	0.8	0.8	10.8	BDL	0.6	17.0	11.0	4.2	215	16	73	69	1011
6/23/2016 3:00	0.5	Calibration	Calibration	15.5	BDL	BDL	22.0	15.0	4.1	212	13	72	73	1010
6/23/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	BDL	19.0	15.0	3	211	18	71	77	1010
6/23/2016 5:00	BDL	1.5	0.9	17.6	BDL	BDL	53.0	17.0	2.9	187	12	71	81	1010
6/23/2016 6:00	0.5	1.9	1.1	18.4	0.04	BDL	34.0	17.0	4.2	194	17	71	83	1010
6/23/2016 7:00	0.6	1.1	0.7	23.3	0.1	BDL	37.0	19.0	5.2	205	14	71	86	1009
6/23/2016 8:00	0.9	1.3	0.9	21.2	0.1	BDL	29.0	17.0	5.9	217	20	72	86	1009
6/23/2016 9:00	1.0	1.0	0.6	18.7	0.1	BDL	27.0	17.0	2.9	236	31	73	80	1009
6/23/2016 10:00	0.7	0.6	0.4	6.6	0.1	BDL	24.0	10.0	4.4	252	19	77	63	1008
6/23/2016 11:00	0.5	0.5	BDL	1.2	BDL	BDL	27.0	8.0	4.6	237	28	80	53	1008
6/23/2016 12:00	0.6	0.6	BDL	2.1	BDL	BDL	18.0	7.0	5.4	228	28	83	51	1007
6/23/2016 13:00	0.6	0.6	BDL	0.8	BDL	BDL	19.0	8.0	5.4	228	28	85	47	1007
6/23/2016 14:00	0.5	0.6	BDL	0.6	BDL	BDL	15.0	10.0	5.8	240	28	85	45	1007
6/23/2016 15:00	0.5	0.5	0.4	0.5	BDL	BDL	19.0	9.0	8.1	216	20	85	50	1006
6/23/2016 16:00	0.5	0.6	BDL	BDL	BDL	BDL	12.0	10.0	7.3	226	22	85	49	1006
6/23/2016 17:00	0.4	0.7	0.7	1.8	BDL	BDL	15.0	11.0	7.2	235	20	85	49	1006
6/23/2016 18:00	0.4	0.4	BDL	BDL	BDL	BDL	15.0	8.0	8.1	215	15	82	59	1006
6/23/2016 19:00	BDL	0.4	BDL	2.8	BDL	BDL	19.0	12.0	4.3	281	21	78	77	1007
6/23/2016 20:00	BDL	0.4	BDL	0.4	0.1	BDL	11.0	9.0	5.1	258	15	74	89	1008
6/23/2016 21:00	BDL	0.4	BDL	BDL	0.04	BDL	9.0	8.0	2.9	264	16	73	89	1008
6/23/2016 22:00	BDL	0.4	BDL	0.4	BDL	1.4	8.0	5.0	2.5	303	20	72	89	1008
6/23/2016 23:00	BDL	0.4	0.4	3.3	0.1	BDL	6.0	3.0	2.8	334	19	73	84	1008
6/24/2016 0:00	BDL	1.1	2.4	8.6	0.1	0.5	12.0	2.0	3.0	248	26	72	88	1009
6/24/2016 1:00	BDL	4.6	2.1	10.4	0.1	1.2	12.0	8.0	1.6	214	28	72	89	1009
6/24/2016 2:00	BDL	3.6	3.6	13.7	0.1	1.2	14.0	11.0	1.9	178	11	73	88	1009
6/24/2016 3:00	BDL	Calibration	Calibration	19.4	0.1	0.7	13.0	10.0	0.7	164	38	72	90	1009
6/24/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	0.6	18.0	13.0	2.8	66	19	73	87	1010
6/24/2016 5:00	BDL	0.8	0.5	8.4	0.1	0.5	28.0	21.0	6.1	54	12	72	82	1010
6/24/2016 6:00	BDL	0.7	0.4	10.1	0.1	0.6	27.0	16.0	6.7	59	12	72	80	1011
6/24/2016 7:00	BDL	0.6	BDL	10.3	0.1	0.6	32.0	16.0	8.6	53	11	72	79	1012
6/24/2016 8:00	0.5	0.9	0.5	19.3	0.2	27.2	45.0	28.0	8.0	50	13	73	77	1012
6/24/2016 9:00	0.6	0.8	0.4	13.5	0.1	2.4	42.0	19.0	8.3	70	14	75	68	1013
6/24/2016 10:00	BDL	0.4	BDL	BDL	BDL	2.2	23.0	9.0	10.5	76	16	77	63	1013
6/24/2016 11:00	BDL	BDL	BDL	BDL	BDL	2.4	29.0	17.0	9.9	79	15	78	61	1013
6/24/2016 12:00	BDL	BDL	BDL	BDL	BDL	2.3	24.0	14.0	10.2	92	16	79	58	1013
6/24/2016 13:00	BDL	BDL	BDL	BDL	BDL	2.4	43.0	14.0	11.0	87	15	80	54	1013
6/24/2016 14:00	BDL	BDL	BDL	BDL	BDL	2.4	31.0	15.0	10.8	93	15	80	54	1013
6/24/2016 15:00	BDL	BDL	BDL	BDL	BDL	2.3	14.0	10.0	10.1	100	16	78	60	1014
6/24/2016 16:00	BDL	BDL	BDL	BDL	BDL	2.5	16.0	8.0	10.3	109	16	78	56	1014
6/24/2016 17:00	BDL	BDL	BDL	BDL	BDL	2.3	18.0	4.0	8.3	119	17	77	57	1014
6/24/2016 18:00	BDL	BDL	BDL	BDL	BDL	2.2	15.0	10.0	7.3	116	17	76	63	1014
6/24/2016 19:00	BDL	BDL	BDL	BDL	BDL	2.2	17.0	11.0	7.1	104	14	75	64	1015
6/24/2016 20:00	BDL	BDL	BDL	BDL	BDL	2.1	18.0	11.0	6.8	104	13	73	66	1015
6/24/2016 21:00	BDL	BDL	BDL	BDL	BDL	2.3	10.0	9.0	6.7	89	13	72	71	1016
6/24/2016 22:00	BDL	BDL	BDL	2.2	BDL	2.3	15.0	8.0	6.8	88	14	71	73	1016
6/24/2016 23:00	BDL	BDL	BDL	BDL	BDL	2.3	15.0	10.0	5.0	82	12	69	75	1016
6/25/2016 0:00	BDL	BDL	BDL	1.1	BDL	2.4	13.0	10.0	4.2	71	12	69	77	1017
6/25/2016 1:00	BDL	0.6	0.4	BDL	BDL	2.5	16.0	17.0	4.7	72	13	67	84	1017
6/25/2016 2:00	BDL	BDL	BDL	BDL	BDL	2.1	23.0	16.0	5.0	60	10	67	88	1017
6/25/2016 3:00	BDL	Calibration	Calibration	BDL	BDL	2.1	25.0	18.0	5.8	68	11	66	91	1017
6/25/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	2.0	14.0	11.0	5.0	64	12	66	88	1017
6/25/2016 5:00	BDL	BDL	BDL	BDL	BDL	2.2	36.0	12.0	5.3	68	12	66	87	1018
6/25/2016 6:00	BDL	BDL	BDL	BDL	0.1	2.3	24.0	15.0	6.7	49	11	67	84	1018
6/25/2016 7:00	BDL	BDL	BDL	BDL	0.1	2.8	30.0	18.0	6.0	45	17	68	80	1019
6/25/2016 8:00	BDL	0.4	BDL	3.3	0.1	3.0	38.0	27.0	6.4	58	15	70	73	1019
6/25/2016 9:00	BDL	0.4	BDL	1.6	0.1	3.0	34.0	22.0	4.4	59	29	72	64	1019
6/25/2016 10:00	BDL	BDL	BDL	0.9	0.1	3.0	31.0	18.0	5.1	100	26	76	51	1019
6/25/2016 11:00	BDL	BDL	BDL	0.8	BDL	3.2	24.0	17.0	5.4	132	25	79	43	1019
6/25/2016 12:00	BDL	BDL	BDL	BDL	BDL	3.4	17.0	9.0	5.8	128	23	81	37	1019
6/25/2016 13:00	BDL	BDL	BDL	BDL	BDL	3.1	17.0	11.0	5.8	116	36	82	34	1019
6/25/2016 14:00	BDL	BDL	BDL	BDL	BDL	3.1	17.0	7.0	4.6	82	47	84	31	1019
6/25/2016 15:00	BDL	BDL	BDL	BDL	BDL	3.2	15.0	8.0	5.7	96	34	84	29	1018
6/25/2016 16:00	BDL	BDL	BDL	BDL	BDL	3.1	16.0	10.0	5.4	120	28	85	29	1018
6/25/2016 17:00	BDL	BDL	BDL	BDL	BDL	2.9	17.0	11.0	5.5	121	21	84	31	1018
6/25/2016 18:00	BDL	BDL	BDL	8.4	BDL	2.8	16.0	9.0	5.2	147	14	84	33	1018
6/25/2016 19:00	BDL	BDL	BDL	15.9	BDL	2.7	16.0	9.0	6.6	162	12	81	39	1018
6/25/2016 20:00	BDL	BDL	BDL	3.6	BDL	2.7	14.0	8.0	6.0	173	11	78	47	1019
6/25/2016 21:00	BDL	BDL	BDL	2.0	BDL	2.7	13.0	6.0	5.3	156	11	75	53	1020
6/25/2016 22:00	BDL	BDL	BDL	6.1	BDL	2.8	15.0	13.0	3.8	174	13	73	55	1020
6/25/2016 23:00	BDL	BDL	BDL	7.4	BDL	3.1	16.0	9.0	3.5	182	11	72	58	1020

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 6/26/2016-7/2/2016														
6/26/2016 0:00	BDL	1.0	0.8	9.4	BDL	3.3	23.0	14.0	3.4	187	11	70	66	1020
6/26/2016 1:00	BDL	0.8	0.6	7.7	BDL	2.6	24.0	12.0	3.5	191	11	68	69	1020
6/26/2016 2:00	BDL	1.2	1.5	12.7	BDL	2.5	15.0	13.0	2.7	170	15	67	71	1021
6/26/2016 3:00	BDL	Calibration	Calibration	15.6	BDL	2.5	15.0	13.0	1.4	177	16	67	72	1021
6/26/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	2.5	18.0	11.0	2.1	184	12	67	76	1021
6/26/2016 5:00	BDL	0.8	0.5	6.5	BDL	2.5	16.0	8.0	2.3	176	18	66	82	1021
6/26/2016 6:00	BDL	1.1	0.7	18.4	BDL	2.6	16.0	10.0	2.8	184	10	66	82	1021
6/26/2016 7:00	0.7	2.6	2.1	38.8	0.1	3.3	23.0	16.0	3.1	187	14	69	75	1021
6/26/2016 8:00	2.3	2.4	2.1	22.7	0.04	3.3	21.0	14.0	2.5	190	16	72	66	1021
6/26/2016 9:00	5.3	2.3	1.9	28.4	0.1	3.4	25.0	17.0	3.3	198	21	76	55	1021
6/26/2016 10:00	5.6	1.3	0.8	22.4	BDL	3.2	19.0	17.0	3.0	200	36	79	43	1020
6/26/2016 11:00	2.5	0.7	BDL	9.7	BDL	3.3	16.0	9.0	4.2	183	31	81	40	1021
6/26/2016 12:00	1.1	0.5	BDL	BDL	BDL	3.5	24.0	14.0	4.7	162	29	82	39	1020
6/26/2016 13:00	0.7	BDL	BDL	BDL	BDL	3.8	17.0	12.0	3.5	172	40	84	37	1020
6/26/2016 14:00	0.6	BDL	BDL	BDL	BDL	3.2	20.0	12.0	4.4	213	37	86	36	1019
6/26/2016 15:00	0.6	BDL	BDL	BDL	BDL	3.2	21.0	13.0	4.5	221	40	86	35	1019
6/26/2016 16:00	0.5	BDL	BDL	BDL	BDL	3.1	19.0	11.0	6.2	221	26	87	35	1018
6/26/2016 17:00	0.4	0.6	BDL	4.2	BDL	2.8	22.0	12.0	8.3	196	13	84	45	1018
6/26/2016 18:00	0.4	0.6	0.4	BDL	BDL	2.6	16.0	10.0	9.0	197	13	82	47	1018
6/26/2016 19:00	0.4	0.5	BDL	0.6	BDL	2.5	16.0	7.0	8.4	191	12	79	49	1018
6/26/2016 20:00	BDL	0.4	BDL	BDL	BDL	2.3	19.0	8.0	6.6	191	12	76	54	1017
6/26/2016 21:00	BDL	0.5	0.4	BDL	BDL	2.4	13.0	8.0	5.1	201	12	74	55	1017
6/26/2016 22:00	BDL	0.7	0.5	BDL	BDL	2.4	13.0	8.0	5.8	197	12	72	61	1018
6/26/2016 23:00	BDL	1.1	0.9	1.2	BDL	2.5	10.0	9.0	4.0	190	13	70	69	1018
6/27/2016 0:00	BDL	1.8	1.6	BDL	BDL	2.3	14.0	9.0	4.7	205	12	68	78	1018
6/27/2016 1:00	BDL	2.3	2.3	BDL	BDL	2.5	12.0	8.0	4.4	194	13	66	84	1018
6/27/2016 2:00	BDL	3.4	3.6	8.8	BDL	2.1	17.0	10.0	4.1	188	12	65	86	1018
6/27/2016 3:00	BDL	Calibration	Calibration	13.7	BDL	2.0	22.0	9.0	4.2	197	14	64	88	1017
6/27/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	2.0	30.0	15.0	3.7	197	12	64	89	1017
6/27/2016 5:00	BDL	1.8	1.6	12.6	BDL	2.1	22.0	13.0	3.1	187	15	64	90	1018
6/27/2016 6:00	BDL	1.8	2.0	14.2	BDL	2.0	24.0	7.0	4.2	174	13	65	87	1017
6/27/2016 7:00	BDL	Too few samples	Too few samples	17.3	BDL	2.0	36.0	12.0	4.5	183	17	67	83	1017
6/27/2016 8:00	BDL	Calibration	Calibration	3.9	BDL	2.5	36.0	9.0	5.9	190	16	70	79	1017
6/27/2016 9:00	BDL	1.0	0.8	2.1	BDL	2.4	29.0	9.0	6.9	184	19	72	73	1017
6/27/2016 10:00	BDL	0.8	0.7	BDL	BDL	2.3	24.0	9.0	6.7	179	20	75	62	1016
6/27/2016 11:00	BDL	0.8	0.6	1.8	BDL	2.3	23.0	11.0	7.5	189	19	77	54	1015
6/27/2016 12:00	BDL	Calibration	Calibration	BDL	BDL	2.4	25.0	7.0	7.9	184	18	80	49	1015
6/27/2016 13:00	BDL	Calibration	Calibration	BDL	BDL	2.8	31.0	9.0	8	185	17	82	44	1014
6/27/2016 14:00	BDL	0.6	0.4	BDL	BDL	2.9	29.0	13.0	8.1	178	19	83	43	1013
6/27/2016 15:00	BDL	0.6	0.4	BDL	BDL	2.3	41.0	13.0	9.6	193	19	84	46	1012
6/27/2016 16:00	BDL	0.5	BDL	BDL	BDL	2.4	35.0	14.0	9.2	183	17	84	51	1012
6/27/2016 17:00	BDL	0.4	BDL	BDL	BDL	2.3	19.0	12.0	8.9	177	14	82	54	1012
6/27/2016 18:00	BDL	0.4	BDL	BDL	BDL	2.2	24.0	8.0	7.2	185	12	81	58	1012
6/27/2016 19:00	BDL	0.4	BDL	BDL	BDL	2.3	19.0	7.0	5.5	180	14	77	72	1012
6/27/2016 20:00	BDL	BDL	BDL	3.5	BDL	2.2	16.0	6.0	3.8	165	16	75	81	1013
6/27/2016 21:00	BDL	0.4	BDL	BDL	BDL	2.3	12.0	6.0	1.8	192	29	74	82	1013
6/27/2016 22:00	BDL	0.4	BDL	1.3	BDL	2.3	11.0	7.0	2.3	163	35	73	86	1013
6/27/2016 23:00	BDL	0.7	0.5	BDL	BDL	2.3	10.0	7.0	4.6	148	29	72	91	1013
6/28/2016 0:00	BDL	1.1	1.1	2.0	BDL	2.4	7.0	5.0	4.7	165	16	72	95	1013
6/28/2016 1:00	BDL	1.2	1.1	1.7	BDL	2.5	7.0	3.0	3.8	152	14	72	95	1012
6/28/2016 2:00	BDL	1.3	1.2	BDL	BDL	2.8	9.0	5.0	3.8	167	14	72	92	1012
6/28/2016 3:00	BDL	Calibration	Calibration	0.9	BDL	2.5	14.0	5.0	4.3	153	13	72	90	1011
6/28/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	2.4	10.0	8.0	3.2	135	18	72	92	1011
6/28/2016 5:00	BDL	0.9	0.8	2.4	BDL	2.4	9.0	7.0	4.1	155	15	72	93	1011
6/28/2016 6:00	BDL	0.9	0.8	2.8	BDL	2.3	6.0	5.0	4	149	16	72	92	1011
6/28/2016 7:00	BDL	1.0	0.8	10.9	BDL	2.3	7.0	6.0	3.7	167	16	73	93	1011
6/28/2016 8:00	BDL	Calibration	Calibration	5.5	BDL	2.1	8.0	9.0	3.7	151	14	73	93	1011
6/28/2016 9:00	BDL	BDL	1.0	3.1	BDL	2.2	6.0	6.0	4.7	160	12	73	92	1011
6/28/2016 10:00	BDL	BDL	0.8	1.4	BDL	2.1	8.0	10.0	4.4	160	14	74	90	1011
6/28/2016 11:00	BDL	BDL	0.7	BDL	BDL	2.1	10.0	9.0	4.4	172	15	75	88	1011
6/28/2016 12:00	BDL	BDL	0.9	1.0	BDL	2.2	13.0	9.0	3.4	187	25	77	81	1011
6/28/2016 13:00	BDL	BDL	0.6	BDL	BDL	2.4	18.0	11.0	3.7	183	33	81	70	1010
6/28/2016 14:00	BDL	BDL	0.5	BDL	BDL	3.1	22.0	10.0	3.3	190	28	84	65	1009
6/28/2016 15:00	BDL	BDL	0.5	2.3	BDL	3.2	27.0	16.0	5.4	192	16	83	69	1008
6/28/2016 16:00	BDL	BDL	0.7	BDL	BDL	2.0	25.0	14.0	7.9	195	13	82	71	1008
6/28/2016 17:00	BDL	BDL	0.5	BDL	BDL	2.1	21.0	11.0	7.6	198	14	83	69	1008
6/28/2016 18:00	BDL	BDL	0.6	BDL	BDL	1.9	18.0	12.0	8.5	189	12	80	73	1008
6/28/2016 19:00	BDL	BDL	0.5	1.3	BDL	1.8	11.0	13.0	8.3	182	14	78	77	1008
6/28/2016 20:00	BDL	BDL	0.5	BDL	BDL	1.8	11.0	8.0	8.2	176	12	77	80	1008
6/28/2016 21:00	BDL	BDL	0.5	BDL	BDL	1.9	10.0	4.0	6.0	188	13	76	83	1008
6/28/2016 22:00	BDL	BDL	0.6	19.9	BDL	2.1	14.0	6.0	4.1	186	22	75	85	1009
6/28/2016 23:00	BDL	0.5	1.3	3.5	BDL	2.8	11.0	6.0	3.0	196	21	75	86	1009
6/29/2016 0:00	BDL	0.6	0.8	8.7	BDL	2.1	12.0	8.0	2.6	69	33	74	82	1009
6/29/2016 1:00	BDL	BDL	BDL	BDL	BDL	2.2	13.0	8.0	4.0	53	19	73	80	1008
6/29/2016 2:00	BDL	BDL	0.4	5.8	BDL	2.3	8.0	6.0	4.3	75	17	71	87	1008
6/29/2016 3:00	BDL	Calibration	Calibration	8.2	BDL	2.6	6.0	5.0	1.6	25	44	71	87	1008
6/29/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	3.4	8.0	6.0	6.2	313	8	70	90	1008
6/29/2016 5:00	BDL	BDL	0.4	6.7	BDL	2.8	10.0	9.0	4.9	319	10	69	90	1009
6/29/2016 6:00	BDL	BDL	BDL	7.8	BDL	2.6	11.0	10.0	6.0	308	9	69	87	1009
6/29/2016 7:00	BDL	BDL	BDL	9.6	BDL	2.6	19.0	12.0	5.0	330	18	71	78	1010
6/29/2016 8:00	0.6	Calibration	Calibration	11.9	BDL	2.5	25.0	12.0	6.8	334	15	73	71	1010
6/29/2016 9:00	0.6	BDL	BDL	5.2	BDL	2.5	22.0	10.0	6.2	341	26	74	65	1010
6/29/2016 10:00	0.7	BDL	BDL	1.7	BDL	2.3	15.0	10.0	6.0	311	17	76	58	1010
6/29/2016 11:00	0.4	BDL	BDL	BDL	BDL	2.3	13.0	8.0	5.8	309	28	79.18	51	1010
6/29/2016 12:00	BDL	BDL	BDL	BDL	BDL	2.3	14.0	7.0	6.2	299	23	82	43	1009
6/29/2016 13:00	BDL	BDL	BDL	BDL	BDL	2.2	14.0	9.0	6.5	297	20	83	40	1009
6/29/2016 14:00	BDL	BDL	BDL	BDL	BDL	2.7	16.0	8.0	8.7	301	14	84	39	1009
6/29/2016 15:00	BDL	BDL	BDL	BDL	BDL	3.5	14.0	6.0	8.5	293	21	84	36	1009
6/29/2016 16:00	BDL	BDL	BDL	BDL	BDL	3.2	11.0	6.0	7.4	289	21	84	36	1009
6/29/2016 17:00	BDL	BDL	BDL	BDL	BDL	2.5	17.0	6.0	7.7	289	17	83	36	1009
6/29/2016 18:00	BDL	BDL	BDL	BDL	BDL	2.2	11.0	5.0	8.8	293	13	82	37	1009
6/29/2016 19:00	BDL	BDL	BDL	BDL	BDL	2.1	10.0	5.0	7.6	299	13	80	38	1010
6/29/2016 20:00	BDL	BDL	BDL	BDL	BDL	2.2	12.0	5.0	9	309	8	78	44	1010
6/29/2016 21:00	BDL	BDL	BDL	BDL	BDL	2.2	10.0	3.0	7.6	305	7	77	49	1011
6/29/2016 22:00	BDL	BDL	BDL	BDL	BDL	2.4	9.0	11.0	5.4	299	8	75	53	1012
6/29/2016 23:00	BDL	BDL	BDL	BDL	BDL	2.4	13.0	8.0	4.5	293	7	73	57	1012

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 6/26/2016-7/2/2016														
6/30/2016 0:00	BDL	BDL	BDL	BDL	BDL	2.4	12.0	5.0	5.4	304	7	72	60	1012
6/30/2016 1:00	BDL	BDL	BDL	BDL	BDL	2.5	8.0	6.0	5.6	302	6	70	63	1012
6/30/2016 2:00	BDL	BDL	BDL	BDL	BDL	2.5	10.0	4.0	5.1	304	8	70	64	1013
6/30/2016 3:00	BDL	Calibration	Calibration	BDL	BDL	2.7	10.0	5.0	4.7	300	9	69	66	1013
6/30/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	3.7	9.0	6.0	4.6	303	8	68	68	1014
6/30/2016 5:00	BDL	BDL	BDL	3.7	BDL	3.2	11.0	7.0	5.6	317	11	68	68	1014
6/30/2016 6:00	BDL	BDL	BDL	5.8	BDL	2.9	11.0	6.0	6	312	9	68	65	1014
6/30/2016 7:00	1.9	BDL	BDL	16.0	BDL	2.7	34.0	12.0	3.8	353	26	71	57	1014
6/30/2016 8:00	1.4	Calibration	Calibration	8.3	BDL	2.6	23.0	10.0	4.8	4	23	74	48	1014
6/30/2016 9:00	1.2	BDL	BDL	6.1	BDL	2.5	22.0	10.0	4.6	352	22	76	43	1014
6/30/2016 10:00	0.7	BDL	BDL	BDL	BDL	2.5	17.0	8.0	3.7	293	31	79	37	1014
6/30/2016 11:00	0.7	BDL	BDL	1.3	BDL	2.5	17.0	9.0	4.3	213	28	81	37	1014
6/30/2016 12:00	0.4	BDL	BDL	BDL	BDL	2.6	15.0	10.0	4.6	243	49	82	36	1014
6/30/2016 13:00	BDL	BDL	BDL	BDL	BDL	2.6	12.0	7.0	3.8	217	58	83	34	1013
6/30/2016 14:00	0.9	BDL	BDL	BDL	BDL	2.7	17.0	9.0	5.3	175	28	84	33	1013
6/30/2016 15:00	0.5	BDL	BDL	BDL	BDL	2.8	18.0	9.0	6.3	198	31	85	30	1013
6/30/2016 16:00	0.6	BDL	BDL	BDL	BDL	3.3	11.0	8.0	5.6	211	28	86	31	1013
6/30/2016 17:00	0.4	BDL	BDL	BDL	BDL	3.1	16.0	6.0	8.7	224	22	85	34	1013
6/30/2016 18:00	0.5	BDL	BDL	BDL	BDL	2.6	19.0	9.0	9	222	18	83	41	1013
6/30/2016 19:00	0.7	BDL	BDL	BDL	BDL	2.5	15.0	12.0	8	202	15	81	46	1013
6/30/2016 20:00	BDL	BDL	BDL	1.6	BDL	2.4	17.0	15.0	5.7	186	13	78	56	1013
6/30/2016 21:00	BDL	BDL	0.5	6.5	BDL	2.5	20.0	16.0	4.6	193	13	77	62	1014
6/30/2016 22:00	BDL	BDL	BDL	2.4	BDL	2.4	15.0	8.0	3.2	183	14	76	64	1014
6/30/2016 23:00	BDL	BDL	BDL	BDL	BDL	2.4	16.0	12.0	3.0	197	16	75	64	1014
7/1/2016 0:00	BDL	BDL	0.4	BDL	BDL	2.5	11.0	8.0	3.7	196	17	74	68	1014
7/1/2016 1:00	BDL	BDL	0.5	BDL	BDL	2.5	10.0	7.0	2.5	187	15	74	71	1014
7/1/2016 2:00	BDL	BDL	0.7	4.2	BDL	2.4	11.0	7.0	3.7	167	11	72	76	1013
7/1/2016 3:00	BDL	Calibration	Calibration	4.4	BDL	2.4	10.0	10.0	2.8	158	17	72	81	1013
7/1/2016 4:00	BDL	Calibration	Calibration	5.9	BDL	2.4	13.0	6.0	3.6	162	14	71	85	1013
7/1/2016 5:00	Too few samples	1.2	1.7	Too few samples	Too few samples	Too few samples	14.0	8.0	2.6	152	13	71	87	1013
7/1/2016 6:00	BDL	1.3	1.8	2.8	BDL	2.6	12.0	12.0	2.6	139	17	71	85	1013
7/1/2016 7:00	BDL	1.2	1.7	4.5	BDL	2.4	24.0	11.0	3.6	136	18	72	85	1013
7/1/2016 8:00	BDL	0.6	1.1	3.4	BDL	2.4	19.0	9.0	3.8	148	19	73	83	1013
7/1/2016 9:00	BDL	BDL	0.9	BDL	BDL	2.4	16.0	11.0	4.3	145	20	75	78	1012
7/1/2016 10:00	BDL	BDL	0.6	BDL	BDL	2.4	19.0	11.0	5.1	159	19	78	72	1012
7/1/2016 11:00	BDL	BDL	0.6	BDL	BDL	2.4	20.0	11.0	5.4	156	22	81	66	1011
7/1/2016 12:00	BDL	BDL	0.4	BDL	BDL	2.4	27.0	13.0	6.7	193	17	84	60	1010
7/1/2016 13:00	BDL	BDL	BDL	BDL	BDL	2.4	21.0	11.0	7.1	205	18	84	59	1010
7/1/2016 14:00	BDL	BDL	0.4	BDL	BDL	2.3	14.0	10.0	5.0	250	30	83	58	1009
7/1/2016 15:00	BDL	BDL	0.4	BDL	BDL	2.3	28.0	13.0	9.2	201	18	86	57	1008
7/1/2016 16:00	BDL	BDL	0.4	BDL	BDL	2.2	27.0	12.0	8.5	176	13	79	73	1008
7/1/2016 17:00	BDL	BDL	0.5	0.7	BDL	3.0	8.0	9.0	7.1	170	12	79	76	1008
7/1/2016 18:00	BDL	BDL	0.4	BDL	BDL	2.6	9.0	10.0	6.9	171	16	79	73	1008
7/1/2016 19:00	BDL	BDL	0.4	3.0	BDL	2.0	11.0	7.0	8.2	164	12	78	77	1008
7/1/2016 20:00	BDL	BDL	0.6	BDL	BDL	2.0	11.0	7.0	7.4	178	12	76	79	1009
7/1/2016 21:00	BDL	0.5	0.9	7.1	BDL	2.1	10.0	10.0	5.7	179	13	76	80	1009
7/1/2016 22:00	BDL	0.5	0.6	3.9	BDL	2.4	9.0	9.0	6.4	208	14	76	78	1009
7/1/2016 23:00	BDL	0.9	0.8	4.6	BDL	2.6	11.0	9.0	5.8	252	14	76	73	1009
7/2/2016 0:00	BDL	BDL	BDL	BDL	BDL	2.4	13.0	9.0	6.4	270	14	75	74	1009
7/2/2016 1:00	BDL	BDL	0.4	BDL	BDL	2.3	11.0	6.0	8.3	290	13	73	78	1009
7/2/2016 2:00	BDL	Calibration	Calibration	BDL	BDL	2.5	14.0	5.0	12.7	313	8	73	68	1009
7/2/2016 3:00	BDL	Calibration	Calibration	BDL	BDL	2.6	11.0	10.0	13.0	318	8	73	59	1010
7/2/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.6	9.0	9.0	11.3	314	8	72	58	1010
7/2/2016 5:00	BDL	BDL	BDL	BDL	BDL	2.6	8.0	10.0	8.5	312	9	70	60	1011
7/2/2016 6:00	BDL	BDL	BDL	BDL	BDL	3.1	7.0	7.0	7.7	309	11	69	59	1012
7/2/2016 7:00	BDL	BDL	BDL	BDL	BDL	2.9	8.0	4.0	9.8	315	12	70	55	1013
7/2/2016 8:00	BDL	BDL	BDL	BDL	BDL	2.6	7.0	4.0	12.8	315	11	70	54	1013
7/2/2016 9:00	BDL	BDL	BDL	BDL	BDL	2.7	7.0	4.0	12.6	320	11	71	49	1014
7/2/2016 10:00	BDL	BDL	BDL	BDL	BDL	2.7	8.0	6.0	12.0	315	13	73	43	1014
7/2/2016 11:00	BDL	BDL	BDL	BDL	BDL	2.7	6.0	6.0	12.0	315	13	74	40	1014
7/2/2016 12:00	BDL	BDL	BDL	BDL	BDL	2.8	7.0	3.0	11.5	314	15	76	37	1014
7/2/2016 13:00	BDL	BDL	BDL	BDL	BDL	2.8	6.0	1.0	10.8	311	17	78	35	1014
7/2/2016 14:00	BDL	BDL	BDL	BDL	BDL	2.8	5.0	5.0	10.2	306	14	78	35	1014
7/2/2016 15:00	BDL	BDL	BDL	BDL	BDL	2.9	6.0	6.0	10.0	311	17	78	34	1014
7/2/2016 16:00	BDL	BDL	BDL	BDL	BDL	2.9	7.0	3.0	9.1	306	15	78	34	1014
7/2/2016 17:00	BDL	BDL	BDL	BDL	BDL	3.0	5.0	3.0	8.9	309	13	77	35	1014
7/2/2016 18:00	BDL	BDL	BDL	BDL	BDL	4.5	9.0	4.0	7.1	296	12	76	37	1015
7/2/2016 19:00	BDL	BDL	BDL	BDL	BDL	3.8	7.0	5.0	5.8	294	13	75	39	1015
7/2/2016 20:00	BDL	BDL	BDL	BDL	BDL	2.9	10.0	3.0	4.6	278	13	74	43	1016
7/2/2016 21:00	BDL	BDL	BDL	BDL	BDL	3.1	11.0	10.0	4.1	269	13	73	49	1016
7/2/2016 22:00	BDL	BDL	BDL	3.4	0.04	3.3	17.0	10.0	3.4	250	15	71	54	1017
7/2/2016 23:00	BDL	BDL	BDL	0.7	BDL	3.2	14.0	13.0	3.4	283	11	70	55	1016

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 7/3/2016-7/9/2016														
7/3/2016 0:00	BDL	BDL	BDL	BDL	BDL	3.0	13.0	7.0	4.3	301	9	70	54	1016
7/3/2016 1:00	BDL	BDL	BDL	BDL	BDL	2.9	10.0	8.0	5.0	302	8	69	56	1016
7/3/2016 2:00	BDL	Calibration	Calibration	BDL	BDL	3.2	10.0	10.0	3.0	233	29	69	58	1016
7/3/2016 3:00	BDL	Calibration	Calibration	BDL	BDL	3.6	12.0	8.0	2.5	210	14	69	59	1016
7/3/2016 4:00	Calibration	BDL	0.9	Calibration	Calibration	3.5	9.0	9.0	2.6	225	15	68	60	1017
7/3/2016 5:00	BDL	BDL	BDL	4.4	BDL	3.3	11.0	10.0	2.8	283	18	68	60	1016
7/3/2016 6:00	BDL	BDL	BDL	2.9	BDL	3.6	13.0	9.0	2.9	253	18	68	60	1017
7/3/2016 7:00	BDL	BDL	BDL	4.5	BDL	3.8	12.0	7.0	3.1	333	22	69	56	1017
7/3/2016 8:00	0.9	BDL	BDL	4.8	BDL	3.3	12.0	8.0	4.1	49	18	70	50	1017
7/3/2016 9:00	0.4	BDL	BDL	BDL	BDL	3.0	14.0	8.0	6.5	64	18	73	44	1017
7/3/2016 10:00	0.4	BDL	BDL	BDL	BDL	2.9	13.0	6.0	6.3	107	25	75	42	1017
7/3/2016 11:00	BDL	BDL	BDL	BDL	BDL	3.0	9.0	11.0	5.7	169	24	76	43	1017
7/3/2016 12:00	0.4	BDL	BDL	BDL	BDL	2.9	Invalid	Invalid	6.8	193	19	77	42	1017
7/3/2016 13:00	0.6	BDL	0.4	BDL	BDL	3.0	12.0	7.0	6.7	212	21	78	43	1017
7/3/2016 14:00	0.5	BDL	BDL	BDL	BDL	3.0	12.0	7.0	7.8	220	19	78	45	1017
7/3/2016 15:00	0.4	BDL	BDL	BDL	BDL	2.9	10.0	7.0	7.7	229	20	78	46	1016
7/3/2016 16:00	0.6	BDL	0.5	BDL	BDL	2.9	13.0	8.0	7.3	227	20	77	47	1016
7/3/2016 17:00	0.4	BDL	BDL	BDL	BDL	2.9	10.0	5.0	6.1	219	19	76	46	1016
7/3/2016 18:00	0.5	BDL	BDL	BDL	BDL	2.8	14.0	6.0	6.0	202	13	75	52	1016
7/3/2016 19:00	BDL	BDL	BDL	BDL	BDL	3.1	10.0	9.0	6.6	198	12	74	59	1016
7/3/2016 20:00	BDL	BDL	0.5	BDL	BDL	3.0	9.0	6.0	5.7	198	11	72	63	1016
7/3/2016 21:00	BDL	0.8	1.1	BDL	BDL	2.8	8.0	6.0	4.7	195	12	71	67	1016
7/3/2016 22:00	BDL	0.6	1.1	BDL	BDL	2.9	10.0	5.0	4.3	198	13	70	72	1016
7/3/2016 23:00	0.5	BDL	0.8	6.1	BDL	3.3	14.0	8.0	4.3	235	18	70	71	1017
7/4/2016 0:00	0.5	0.4	1.2	2.3	BDL	3.3	15.0	7.0	4.1	242	17	69	73	1017
7/4/2016 1:00	BDL	BDL	1.4	3.6	BDL	3.5	12.0	6.0	3.0	224	16	68	79	1016
7/4/2016 2:00	BDL	Calibration	Calibration	3.3	BDL	3.7	19.0	8.0	2.8	233	20	68	83	1016
7/4/2016 3:00	BDL	Calibration	Calibration	0.8	BDL	3.2	10.0	9.0	2.8	258	16	67	84	1016
7/4/2016 4:00	Calibration	0.8	0.7	Calibration	Calibration	3.4	12.0	9.0	3.1	202	15	67	86	1016
7/4/2016 5:00	BDL	BDL	0.6	8.9	BDL	3.5	14.0	9.0	3.0	205	17	67	88	1016
7/4/2016 6:00	0.4	BDL	0.7	6.5	BDL	3.2	10.0	9.0	2.7	254	25	68	82	1017
7/4/2016 7:00	0.7	Too few samples	Too few samples	0.9	BDL	3.2	13.0	10.0	2.4	250	24	70	67	1017
7/4/2016 8:00	0.5	Too few samples	Too few samples	BDL	BDL	3.2	11.0	11.0	4.2	251	18	72	64	1017
7/4/2016 9:00	1.7	BDL	1.2	10.6	BDL	3.3	14.0	15.0	4.0	213	23	73	66	1017
7/4/2016 10:00	2.6	Calibration	Calibration	12.0	BDL	3.1	15.0	12.0	2.1	200	41	74	58	1016
7/4/2016 11:00	2.3	Calibration	Calibration	9.9	BDL	3.0	14.0	9.0	5.0	182	26	76	59	1016
7/4/2016 12:00	0.9	Calibration	Calibration	BDL	BDL	2.9	10.0	8.0	6.0	186	25	78	59	1016
7/4/2016 13:00	0.5	Calibration	Calibration	BDL	BDL	2.8	8.0	7.0	5.2	201	24	79	56	1015
7/4/2016 14:00	BDL	Calibration	Calibration	BDL	BDL	2.7	8.0	7.0	7.7	186	16	79	59	1014
7/4/2016 15:00	BDL	Calibration	Calibration	BDL	BDL	2.6	12.0	5.0	9.6	197	13	77	59	1014
7/4/2016 16:00	BDL	Calibration	Calibration	BDL	BDL	2.4	9.0	5.0	10.4	178	13	75	62	1013
7/4/2016 17:00	BDL	Calibration	Calibration	BDL	BDL	2.4	7.0	4.0	8.7	172	13	74	69	1013
7/4/2016 18:00	BDL	Calibration	Calibration	BDL	BDL	2.3	5.0	3.0	9	175	13	74	75	1012
7/4/2016 19:00	BDL	Calibration	Calibration	BDL	BDL	2.5	7.0	5.0	5.4	167	14	71	86	1012
7/4/2016 20:00	BDL	Calibration	Calibration	BDL	BDL	2.9	6.0	5.0	3.8	137	15	70	93	1012
7/4/2016 21:00	BDL	Calibration	Calibration	BDL	BDL	2.6	5.0	4.0	3.9	121	16	70	95	1011
7/4/2016 22:00	BDL	Calibration	Calibration	BDL	BDL	2.2	6.0	5.0	4.1	144	18	70	97	1011
7/4/2016 23:00	BDL	Calibration	Calibration	BDL	BDL	2.1	6.0	5.0	5	194	15	71	96	1010
7/5/2016 0:00	BDL	Calibration	Calibration	BDL	BDL	2.1	6.0	5.0	7.1	203	14	72	95	1009
7/5/2016 1:00	BDL	Calibration	Calibration	BDL	BDL	2.7	10.0	9.0	6.7	217	16	73	93	1008
7/5/2016 2:00	BDL	Calibration	Calibration	BDL	BDL	2.4	10.0	11.0	6.5	210	14	74	94	1007
7/5/2016 3:00	BDL	Calibration	Calibration	BDL	BDL	2.9	10.0	8.0	6.1	218	16	74	94	1007
7/5/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	2.5	10.0	10.0	6.4	219	15	74	93	1006
7/5/2016 5:00	BDL	Calibration	Calibration	6.7	BDL	2.4	13.0	9.0	3.8	239	17	74	93	1006
7/5/2016 6:00	BDL	0.7	12.4	10.2	0.04	2.5	17.0	13.0	4.5	236	17	74	92	1006
7/5/2016 7:00	BDL	BDL	0.5	8.2	0.1	2.2	15.0	10.0	4	259	18	74	91	1006
7/5/2016 8:00	BDL	Calibration	Calibration	2.0	0.04	2.5	14.0	7.0	4.5	276	17	75	86	1006
7/5/2016 9:00	BDL	Calibration	Calibration	BDL	BDL	3.3	12.0	8.0	5.3	289	17	76	78	1006
7/5/2016 10:00	BDL	BDL	0.5	BDL	BDL	2.6	9.0	8.0	7.8	296	13	78	72	1006
7/5/2016 11:00	BDL	BDL	BDL	BDL	BDL	2.3	5.0	8.0	8.7	306	12	79	71	1007
7/5/2016 12:00	BDL	BDL	BDL	BDL	BDL	2.3	5.0	5.0	8.2	292	16	80	65	1007
7/5/2016 13:00	BDL	BDL	BDL	BDL	BDL	2.4	6.0	4.0	7.8	299	15	82	63	1007
7/5/2016 14:00	BDL	BDL	BDL	BDL	BDL	2.4	7.0	5.0	8.4	303	14	84	57	1006
7/5/2016 15:00	BDL	BDL	BDL	BDL	BDL	2.5	8.0	6.0	7.3	302	18	86	53	1006
7/5/2016 16:00	BDL	BDL	BDL	BDL	BDL	2.7	7.0	8.0	8.1	303	19	87	51	1006
7/5/2016 17:00	BDL	BDL	BDL	BDL	BDL	2.6	11.0	7.0	7.9	314	11	86	54	1006
7/5/2016 18:00	BDL	BDL	BDL	BDL	BDL	2.4	13.0	5.0	7.1	308	10	86	53	1006
7/5/2016 19:00	BDL	BDL	BDL	BDL	BDL	2.5	11.0	6.0	5.2	290	14	86	53	1006
7/5/2016 20:00	BDL	BDL	BDL	BDL	BDL	4.8	9.0	5.0	3.5	280	13	84	57	1007
7/5/2016 21:00	BDL	BDL	BDL	BDL	0.1	12.3	10.0	7.0	3.0	274	12	83	64	1007
7/5/2016 22:00	BDL	BDL	BDL	2.9	0.1	3.6	10.0	8.0	2.3	259	17	81	68	1008
7/5/2016 23:00	BDL	BDL	0.6	9.5	0.1	3.0	13.0	9.0	2.8	251	14	80	69	1008
7/6/2016 0:00	BDL	BDL	0.4	11.5	0.1	3.1	14.0	8.0	3.2	256	14	79	71	1009
7/6/2016 1:00	BDL	BDL	0.6	4.8	0.1	2.8	13.0	7.0	3.4	257	11	78	73	1008
7/6/2016 2:00	BDL	Calibration	Calibration	6.2	0.1	3.9	17.0	7.0	1.8	235	20	77	77	1008
7/6/2016 3:00	BDL	Calibration	Calibration	10.4	0.1	4.9	23.0	14.0	1.9	224	17	76	79	1008
7/6/2016 4:00	Calibration	3.0	3.2	Calibration	Calibration	4.6	22.0	15.0	2.7	224	16	76	83	1008
7/6/2016 5:00	BDL	1.4	1.3	9.1	0.1	3.7	23.0	11.0	2.1	253	19	75	83	1009
7/6/2016 6:00	BDL	BDL	0.6	7.3	0.1	3.0	29.0	11.0	1.9	261	18	76	77	1009
7/6/2016 7:00	BDL	Audit	Audit	8.5	0.1	2.9	37.0	11.0	2.2	249	20	79	66	1009
7/6/2016 8:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	2.7	27.0	15.0	3.7	327	21	82	59	1009
7/6/2016 9:00	BDL	BDL	0.4	Calibration	0.1	3.1	24.0	13.0	2.1	52	64	85	47	1009
7/6/2016 10:00	0.4	BDL	BDL	7.4	BDL	3.0	25.0	14.0	2.1	255	47	89	38	1009
7/6/2016 11:00	0.4	BDL	BDL	BDL	BDL	3.1	20.0	8.0	2.8	247	66	90	37	1009
7/6/2016 12:00	BDL	BDL	BDL	BDL	BDL	0.8	12.0	7.0	3.7	281	39	92	35	1009
7/6/2016 13:00	BDL	BDL	BDL	BDL	BDL	BDL	17.0	7.0	4.1	260	49	92	37	1008
7/6/2016 14:00	BDL	BDL	BDL	BDL	BDL	BDL	14.0	8.0	4.9	257	36	93	36	1008
7/6/2016 15:00	BDL	BDL	BDL	BDL	BDL	0.04	13.0	10.0	6.3	221	29	94	35	1007
7/6/2016 16:00	BDL	BDL	0.4	BDL	BDL	BDL	11.0	12.0	5.2	256	31	94	35	1006
7/6/2016 17:00	BDL	BDL	BDL	BDL	BDL	BDL	11.0	13.0	5.1	289	27	93	35	1006
7/6/2016 18:00	BDL	BDL	BDL	BDL	BDL	BDL	15.0	13.0	5.5	249	17	93	36	1006
7/6/2016 19:00	BDL	BDL	0.4	2.5	BDL	0.1	16.0	11.0	6.4	228	16	91	45	1007
7/6/2016 20:00	BDL	0.6	1.3	5.2	BDL	BDL	14.0	14.0	6.2	225	16	88	55	1007
7/6/2016 21:00	BDL	0.5	1.0	5.3	BDL	0.4	23.0	14.0	5.3	208	14	86	63	1007
7/6/2016 22:00	BDL	0.6	0.9	5.9	BDL	1.2	21.0	13.0	4.4	202	15	83	69	1008
7/6/2016 23:00	BDL	BDL	0.9	1.2	BDL	BDL	17.0	10.0	4.3	190	10	81	72	1008

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 7/3/2016-7/9/2016														
7/7/2016 0:00	BDL	0.9	1.4	5.9	BDL	BDL	17.0	11.0	3.3	191	14	80	77	1008
7/7/2016 1:00	BDL	2.0	2.2	13.8	BDL	BDL	19.0	13.0	3.1	197	12	79	82	1007
7/7/2016 2:00	BDL	Calibration	Calibration	8.2	BDL	0.04	19.0	10.0	2.1	187	12	79	83	1007
7/7/2016 3:00	BDL	Calibration	Calibration	12.3	BDL	BDL	23.0	15.0	2.2	177	9	78	85	1006
7/7/2016 4:00	Calibration	1.9	2.5	Calibration	Calibration	BDL	20.0	18.0	2.1	158	13	77	88	1006
7/7/2016 5:00	BDL	1.7	2.1	18.5	BDL	BDL	31.0	15.0	1.8	187	12	77	89	1006
7/7/2016 6:00	BDL	Calibration	Calibration	28.6	0.1	0.1	65.0	26.0	2.6	185	12	78	86	1006
7/7/2016 7:00	BDL	Calibration	Calibration	26.4	0.1	BDL	53.0	23.0	3	191	14	80	81	1006
7/7/2016 8:00	BDL	1.0	1.4	36.3	0.2	0.3	42.0	28.0	4.2	202	15	84	72	1007
7/7/2016 9:00	BDL	Too few samples	Too few samples	25.5	0.1	BDL	41.0	23.0	5.2	214	21	87	64	1006
7/7/2016 10:00	BDL	Calibration	Calibration	13.3	0.1	BDL	31.0	18.0	6.0	217	19	90	57	1006
7/7/2016 11:00	BDL	0.5	0.5	1.6	BDL	BDL	35.0	20.0	8.2	224	23	92	51	1006
7/7/2016 12:00	BDL	BDL	0.5	0.5	BDL	BDL	40.0	17.0	9.2	240	21	92	49	1005
7/7/2016 13:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	BDL	28.0	14.0	9.6	236	18	93	44	1005
7/7/2016 14:00	BDL	BDL	0.6	BDL	BDL	BDL	Invalid	Invalid	9.2	264	18	93	40	1004
7/7/2016 15:00	BDL	BDL	BDL	BDL	BDL	BDL	22.0	13.0	9.4	280	19	93	38	1004
7/7/2016 16:00	BDL	BDL	BDL	BDL	BDL	BDL	16.0	11.0	8.5	291	17	92	39	1004
7/7/2016 17:00	BDL	BDL	BDL	BDL	BDL	BDL	24.0	11.0	7.6	296	13	91	44	1004
7/7/2016 18:00	BDL	BDL	BDL	BDL	BDL	BDL	19.0	9.0	7.2	301	13	90	46	1004
7/7/2016 19:00	BDL	BDL	BDL	BDL	BDL	BDL	15.0	11.0	5.8	291	13	89	45	1004
7/7/2016 20:00	BDL	BDL	BDL	BDL	BDL	BDL	19.0	10.0	4.7	274	12	88	49	1005
7/7/2016 21:00	BDL	BDL	BDL	BDL	BDL	BDL	23.0	11.0	3.7	288	11	86	54	1005
7/7/2016 22:00	BDL	BDL	BDL	BDL	BDL	2.1	21.0	9.0	3.1	281	11	85	58	1005
7/7/2016 23:00	BDL	BDL	BDL	BDL	BDL	2.2	21.0	14.0	4.3	300	9	83	59	1005
7/8/2016 0:00	BDL	2.9	2.4	3.3	BDL	0.3	26.0	14.0	3.3	234	17	83	62	1006
7/8/2016 1:00	BDL	2.4	2.8	3.5	BDL	BDL	18.0	12.0	3.5	247	14	81	68	1005
7/8/2016 2:00	BDL	Calibration	Calibration	1.6	BDL	BDL	22.0	9.0	2.5	211	15	80	72	1005
7/8/2016 3:00	BDL	Calibration	Calibration	3.4	BDL	BDL	29.0	13.0	2.6	204	23	79	73	1005
7/8/2016 4:00	Calibration	0.7	0.7	Calibration	Calibration	BDL	27.0	14.0	2.2	203	37	79	77	1005
7/8/2016 5:00	BDL	2.6	3.9	19.1	0.1	0.1	25.0	17.0	3.7	259	14	79	77	1005
7/8/2016 6:00	BDL	2.1	0.6	10.2	0.1	BDL	31.0	17.0	2.3	258	20	79	70	1005
7/8/2016 7:00	BDL	BDL	0.5	6.6	BDL	Too few samples	45.0	10.0	3.4	290	13	81	62	1006
7/8/2016 8:00	BDL	BDL	0.4	3.8	BDL	2.3	30.0	13.0	5.8	314	22	84	56	1006
7/8/2016 9:00	BDL	BDL	BDL	7.0	0.1	2.3	29.0	16.0	3.1	43	47	85	53	1005
7/8/2016 10:00	BDL	BDL	BDL	7.5	BDL	2.4	43.0	20.0	4.9	146	22	88	50	1006
7/8/2016 11:00	BDL	BDL	BDL	BDL	BDL	2.7	33.0	19.0	3.9	156	30	89	46	1006
7/8/2016 12:00	BDL	BDL	BDL	BDL	BDL	2.7	44.0	23.0	4.7	199	28	92	43	1005
7/8/2016 13:00	BDL	BDL	BDL	BDL	BDL	2.3	57.0	25.0	6.1	205	33	93	43	1005
7/8/2016 14:00	BDL	BDL	BDL	BDL	BDL	2.4	35.0	19.0	6.0	226	27	95	35	1004
7/8/2016 15:00	BDL	BDL	0.4	BDL	BDL	2.3	26.0	14.0	6.4	241	23	95	33	1004
7/8/2016 16:00	BDL	0.5	0.9	2.1	BDL	2.3	23.0	15.0	8.3	243	18	94	38	1004
7/8/2016 17:00	BDL	0.4	1.1	BDL	BDL	2.2	25.0	13.0	6.9	267	20	92	43	1004
7/8/2016 18:00	BDL	BDL	0.4	BDL	BDL	2.0	31.0	18.0	11.5	351	24	85	58	1005
7/8/2016 19:00	BDL	BDL	0.4	BDL	BDL	2.0	17.0	10.0	10.9	88	16	79	71	1006
7/8/2016 20:00	BDL	BDL	BDL	BDL	BDL	2.0	8.0	6.0	7.5	101	14	77	77	1006
7/8/2016 21:00	BDL	BDL	BDL	BDL	BDL	2.0	8.0	5.0	6.9	94	14	76	80	1007
7/8/2016 22:00	BDL	BDL	BDL	BDL	BDL	2.0	11.0	5.0	6.4	83	14	75	83	1007
7/8/2016 23:00	BDL	BDL	0.4	BDL	BDL	2.0	9.0	5.0	7.0	81	13	75	87	1007
7/9/2016 0:00	BDL	BDL	0.6	BDL	BDL	2.0	8.0	3.0	5.4	86	14	75	87	1007
7/9/2016 1:00	BDL	BDL	0.6	BDL	BDL	2.0	16.0	11.0	5.3	81	15	75	87	1007
7/9/2016 2:00	BDL	Calibration	Calibration	BDL	BDL	2.0	17.0	10.0	6.0	84	13	74	88	1007
7/9/2016 3:00	BDL	Calibration	Calibration	BDL	BDL	1.9	14.0	7.0	6.9	86	12	74	89	1006
7/9/2016 4:00	Calibration	BDL	0.6	Calibration	Calibration	1.9	9.0	5.0	7.0	100	13	74	88	1006
7/9/2016 5:00	BDL	BDL	0.4	BDL	BDL	1.9	8.0	4.0	7.4	99	16	73	89	1006
7/9/2016 6:00	BDL	BDL	0.4	BDL	BDL	2.0	6.0	2.0	6.3	94	14	73	89	1007
7/9/2016 7:00	BDL	BDL	0.4	BDL	BDL	2.0	8.0	1.0	6.9	96	13	72	88	1007
7/9/2016 8:00	BDL	BDL	0.4	BDL	BDL	2.1	6.0	1.0	5.8	89	15	72	88	1008
7/9/2016 9:00	BDL	BDL	0.4	BDL	BDL	2.1	5.0	3.0	6.9	88	13	73	88	1008
7/9/2016 10:00	BDL	BDL	BDL	BDL	BDL	2.0	6.0	3.0	5.8	98	18	73	87	1008
7/9/2016 11:00	BDL	BDL	BDL	BDL	BDL	2.1	5.0	2.0	5.2	131	17	74	86	1007
7/9/2016 12:00	BDL	BDL	0.4	BDL	BDL	2.1	6.0	3.0	5.2	120	17	74	85	1007
7/9/2016 13:00	BDL	BDL	0.6	BDL	BDL	2.0	6.0	5.0	5.9	136	17	75	83	1007
7/9/2016 14:00	BDL	BDL	0.6	BDL	BDL	1.9	10.0	4.0	5.8	140	18	77	79	1006
7/9/2016 15:00	BDL	BDL	0.5	BDL	BDL	1.9	10.0	4.0	5.6	139	16	78	78	1006
7/9/2016 16:00	BDL	BDL	0.4	BDL	BDL	1.9	12.0	4.0	5.0	122	18	77	84	1006
7/9/2016 17:00	BDL	BDL	0.4	BDL	BDL	1.9	13.0	2.0	4.3	141	24	77	85	1006
7/9/2016 18:00	BDL	BDL	BDL	BDL	BDL	1.8	11.0	9.0	5.6	153	15	77	84	1005
7/9/2016 19:00	BDL	BDL	BDL	BDL	BDL	1.8	13.0	9.0	6.0	162	13	77	84	1005
7/9/2016 20:00	BDL	BDL	0.4	6.2	BDL	1.8	10.0	8.0	3.3	172	13	78	86	1006
7/9/2016 21:00	BDL	BDL	BDL	BDL	BDL	1.8	9.0	5.0	5.0	162	14	76	88	1006
7/9/2016 22:00	BDL	BDL	0.4	BDL	BDL	1.9	10.0	5.0	3.4	172	29	75	89	1007
7/9/2016 23:00	BDL	BDL	0.6	BDL	BDL	2.1	10.0	6.0	2.9	152	15	75	88	1007

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 7/10/2016-7/16/2016														
7/10/2016 0:00	BDL	BDL	0.7	0.5	BDL	2.7	11.0	6.0	4.4	171	10	75	89	1007
7/10/2016 1:00	BDL	0.5	1.3	2.9	BDL	2.3	10.0	6.0	2.1	226	21	73	91	1007
7/10/2016 2:00	BDL	Calibration	Calibration	2.2	BDL	2.7	12.0	4.0	3.0	265	11	73	92	1007
7/10/2016 3:00	BDL	Calibration	Calibration	1.8	0.0	2.5	11.0	8.0	3.8	275	13	73	85	1007
7/10/2016 4:00	Calibration	BDL	0.5	Calibration	Calibration	2.2	13.0	11.0	4.3	295	11	72	77	1007
7/10/2016 5:00	BDL	BDL	BDL	BDL	BDL	2.4	10.0	9.0	4.1	290	10	71	73	1008
7/10/2016 6:00	BDL	BDL	BDL	BDL	BDL	2.5	11.0	9.0	3.8	276	12	71	69	1008
7/10/2016 7:00	BDL	BDL	BDL	BDL	BDL	2.2	10.0	6.0	4.0	294	23	73	60	1009
7/10/2016 8:00	BDL	BDL	BDL	BDL	BDL	2.2	7.0	4.0	8.4	302	14	75	55	1009
7/10/2016 9:00	BDL	BDL	BDL	BDL	BDL	2.2	6.0	4.0	10.1	304	13	76	55	1009
7/10/2016 10:00	BDL	BDL	BDL	BDL	BDL	2.2	5.0	4.0	8.5	303	13	78	52	1009
7/10/2016 11:00	BDL	BDL	BDL	BDL	BDL	2.6	6.0	4.0	9.9	301	13	79	51	1010
7/10/2016 12:00	BDL	BDL	BDL	BDL	BDL	3.1	5.0	5.0	7.4	293	17	79	52	1010
7/10/2016 13:00	BDL	BDL	BDL	BDL	BDL	3.3	8.0	4.0	8.6	287	15	80	48	1010
7/10/2016 14:00	BDL	BDL	BDL	BDL	BDL	2.5	9.0	3.0	8.0	290	18	82	46	1009
7/10/2016 15:00	BDL	BDL	BDL	BDL	BDL	2.4	10.0	3.0	7.5	268	23	83	43	1009
7/10/2016 16:00	BDL	BDL	BDL	BDL	BDL	2.4	8.0	5.0	9.2	298	14	83	42	1010
7/10/2016 17:00	BDL	BDL	BDL	BDL	BDL	2.4	7.0	3.0	10.2	301	13	84	40	1009
7/10/2016 18:00	BDL	BDL	BDL	BDL	BDL	2.3	8.0	2.0	10.5	309	11	84	38	1010
7/10/2016 19:00	BDL	BDL	BDL	BDL	BDL	2.3	7.0	3.0	9.8	326	12	83	38	1010
7/10/2016 20:00	0.4	BDL	BDL	BDL	BDL	2.3	6.0	6.0	8.1	356	18	80	46	1011
7/10/2016 21:00	0.5	BDL	BDL	BDL	BDL	2.4	6.0	2.0	6.5	11	18	78	50	1012
7/10/2016 22:00	1.2	BDL	BDL	0.5	BDL	2.4	10.0	5.0	6.6	359	19	75	52	1013
7/10/2016 23:00	1.1	BDL	BDL	0.4	BDL	2.5	12.0	12.0	8.8	345	17	73	54	1013
7/11/2016 0:00	0.8	BDL	BDL	2.4	BDL	2.5	11.0	11.0	9.4	340	11	72	55	1014
7/11/2016 1:00	0.5	BDL	BDL	9.2	BDL	2.7	7.0	6.0	6.4	334	13	71	58	1014
7/11/2016 2:00	0.7	Calibration	Calibration	0.9	BDL	2.5	4.0	5.0	4.8	309	12	70	62	1014
7/11/2016 3:00	0.6	Calibration	Calibration	2.8	BDL	2.6	5.0	4.0	5.3	309	12	69	64	1014
7/11/2016 4:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	Too few samples	5.0	4.0	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples
7/11/2016 5:00	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage
7/11/2016 6:00	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage
7/11/2016 7:00	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage
7/11/2016 8:00	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage
7/11/2016 9:00	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage
7/11/2016 10:00	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage
7/11/2016 11:00	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage
7/11/2016 12:00	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage
7/11/2016 13:00	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage
7/11/2016 14:00	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage	Power Outage
7/11/2016 15:00	Too few samples	Too few samples	Too few samples	Power Outage	Too few samples	Too few samples	Power Outage	Power Outage	Too few samples	Too few samples	Power Outage	Too few samples	Too few samples	Too few samples
7/11/2016 16:00	Too few samples	BDL	0.5	Too few samples	Too few samples	3.6	7.0	5.0	6.4	335	21	84	35	1015
7/11/2016 17:00	Too few samples	BDL	BDL	Too few samples	Too few samples	3.3	5.0	4.0	4.6	330	47	84	34	1015
7/11/2016 18:00	BDL	BDL	BDL	BDL	BDL	3.0	6.0	2.0	3.6	4	43	84	35	1014
7/11/2016 19:00	BDL	Calibration	Calibration	BDL	BDL	34.5	7.0	2.0	4.4	88	26	83	39	1014
7/11/2016 20:00	BDL	Calibration	Calibration	6.3	BDL	2.8	7.0	4.0	5.5	148	13	80	56	1015
7/11/2016 21:00	BDL	BDL	0.6	BDL	BDL	2.8	5.0	2.0	6.7	142	13	75	71	1016
7/11/2016 22:00	BDL	BDL	0.5	1.4	BDL	2.8	3.0	BDL	5.6	148	14	73	75	1016
7/11/2016 23:00	BDL	BDL	0.6	0.4	BDL	2.8	5.0	BDL	3	180	19	72	77	1016
7/12/2016 0:00	BDL	BDL	0.5	BDL	BDL	2.8	8.0	2.0	2.2	169	21	72	79	1016
7/12/2016 1:00	BDL	BDL	0.7	1.4	BDL	2.9	8.0	3.0	3.3	127	23	71	82	1016
7/12/2016 2:00	BDL	Calibration	Calibration	3.3	BDL	3.0	10.0	4.0	3.6	138	14	70	85	1016
7/12/2016 3:00	BDL	Calibration	Calibration	18.5	3.0	2.9	9.0	3.0	3.5	140	13	69	87	1016
7/12/2016 4:00	Calibration	1.5	2.2	Calibration	Calibration	2.9	8.0	3.0	3.1	144	13	69	88	1017
7/12/2016 5:00	BDL	1.9	2.2	19.0	BDL	3.0	10.0	4.0	2.9	148	12	69	89	1017
7/12/2016 6:00	BDL	2.0	2.4	12.9	BDL	3.0	69.0	9.0	3.4	140	15	69	87	1017
7/12/2016 7:00	BDL	1.6	2.0	7.6	BDL	23.1	26.0	8.0	3.6	152	15	71	82	1017
7/12/2016 8:00	BDL	1.1	1.5	7.1	BDL	2.2	13.0	6.0	4.2	175	22	74	76	1018
7/12/2016 9:00	BDL	0.5	1.0	BDL	BDL	2.2	18.0	6.0	5.3	176	18	77	69	1017
7/12/2016 10:00	BDL	0.5	1.0	BDL	BDL	2.2	19.0	6.0	4.8	195	29	80	61	1017
7/12/2016 11:00	BDL	BDL	0.7	BDL	BDL	2.3	25.0	14.0	5.4	166	24	81	54	1017
7/12/2016 12:00	BDL	BDL	0.6	BDL	BDL	2.3	25.0	12.0	5.5	184	29	83	50	1017
7/12/2016 13:00	BDL	BDL	0.6	BDL	BDL	2.6	30.0	12.0	6.8	199	24	85	49	1016
7/12/2016 14:00	BDL	BDL	0.6	BDL	BDL	2.6	21.0	12.0	8.3	217	22	85	49	1015
7/12/2016 15:00	0.4	BDL	0.5	BDL	BDL	2.3	23.0	12.0	8.3	232	21	87	41	1015
7/12/2016 16:00	0.5	BDL	0.4	BDL	BDL	2.2	18.0	9.0	7.8	218	20	87	37	1014
7/12/2016 17:00	0.5	BDL	BDL	BDL	BDL	2.1	23.0	12.0	8.1	204	17	86	40	1014
7/12/2016 18:00	BDL	BDL	BDL	BDL	BDL	2.0	23.0	9.0	8.9	188	14	84	47	1014
7/12/2016 19:00	BDL	BDL	BDL	BDL	BDL	1.9	24.0	6.0	8.2	184	14	82	56	1014
7/12/2016 20:00	BDL	BDL	BDL	14.7	BDL	1.8	12.0	7.0	7.3	171	13	79	62	1014
7/12/2016 21:00	BDL	BDL	BDL	7.8	BDL	1.9	14.0	7.0	4.9	174	16	77	66	1015
7/12/2016 22:00	BDL	BDL	BDL	BDL	BDL	1.9	10.0	5.0	4.6	175	16	75	72	1016
7/12/2016 23:00	BDL	BDL	0.5	BDL	BDL	1.9	12.0	7.0	3.9	171	16	74	77	1016
7/13/2016 0:00	BDL	BDL	0.7	BDL	BDL	2.0	10.0	5.0	3.8	172	13	73	82	1016
7/13/2016 1:00	BDL	0.7	1.2	0.5	BDL	2.0	11.0	3.0	3.9	185	13	73	85	1016
7/13/2016 2:00	BDL	Calibration	Calibration	3.2	BDL	2.2	15.0	3.0	3.7	180	14	73	86	1016
7/13/2016 3:00	BDL	Calibration	Calibration	4.0	BDL	2.4	9.0	4.0	3.4	156	13	73	87	1015
7/13/2016 4:00	Calibration	1.9	2.7	Calibration	Calibration	2.0	10.0	5.0	3.3	151	12	72	88	1015
7/13/2016 5:00	BDL	2.0	2.4	8.2	BDL	2.0	10.0	3.0	3.7	153	13	72	89	1015
7/13/2016 6:00	BDL	1.8	2.3	9.8	BDL	2.0	62.0	12.0	3.7	158	13	72	87	1015
7/13/2016 7:00	BDL	2.0	2.4	9.5	BDL	2.2	29.0	10.0	3.6	170	17	73	82	1015
7/13/2016 8:00	BDL	1.9	2.4	5.4	BDL	2.0	26.0	7.0	3.6	166	19	75	80	1015
7/13/2016 9:00	BDL	0.6	1.1	2.1	BDL	2.1	32.0	4.0	3.2	144	19	77	76	1015
7/13/2016 10:00	BDL	BDL	0.7	6.2	BDL	2.0	Invalid	6.0	2.3	170	25	77	83	1015
7/13/2016 11:00	BDL	BDL	0.7	5.9	BDL	2.0	12.0	6.0	3.2	66	32	75	90	1015
7/13/2016 12:00	BDL	BDL	0.6	10.1	BDL	2.0	16.0	6.0	5.1	72	11	76	90	1015
7/13/2016 13:00	BDL	BDL	0.8	7.0	BDL	1.9	16.0	5.0	4.9	54	11	77	85	1014
7/13/2016 14:00	BDL	BDL	0.6	9.0	BDL	2.6	20.0	6.0	2.8	139	40	81	74	1014
7/13/2016 15:00	BDL	BDL	0.5	BDL	BDL	2.5	22.0	6.0	8.6	190	14	81	72	1014
7/13/2016 16:00	BDL	BDL	BDL	BDL	BDL	1.8	11.0	7.0	7.6	168	14	78	80	1014
7/13/2016 17:00	BDL	BDL	BDL	7.2	BDL	1.7	9.0	6.0	4.2	151	23	77	80	1014
7/13/2016 18:00	BDL	BDL	BDL	6.6	BDL	1.7	9.0	6.0	2.9	127	28	78	80	1013
7/13/2016 19:00	BDL	BDL	0.5	1.3	BDL	1.5	8.0	4.0	4.8	161	13	78	83	1013
7/13/2016 20:00	BDL	BDL	0.6	1.8	BDL	1.5	12.0	5.0	4.1	156	14	78	84	1013
7/13/2016 21:00	BDL	0.4	0.5	14.4	BDL	1.6	11.0	7.0	2.5	110	19	77	85	1013
7/13/2016 22:00	BDL	BDL	BDL	0.8	BDL	1.6	10.0	7.0	3.9	116	16	77	87	1012
7/13/2016 23:00	BDL	BDL	0.6	0.9	BDL	1.5	11.0	5.0	4.8	157	14	77	88	1013

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 7/10/2016-7/16/2016														
7/14/2016 0:00	BDL	BDL	0.8	0.9	BDL	1.5	10.0	2.0	4.0	156	16	77	89	1013
7/14/2016 1:00	BDL	BDL	1.0	BDL	BDL	1.5	10.0	2.0	2.5	152	18	77	89	1012
7/14/2016 2:00	BDL	Calibration	Calibration	6.1	BDL	1.7	9.0	1.0	2.9	143	14	77	90	1012
7/14/2016 3:00	BDL	Calibration	Calibration	19.1	BDL	2.2	15.0	3.0	2.8	166	24	77	91	1011
7/14/2016 4:00	Calibration	1.0	1.6	Calibration	Calibration	2.6	12.0	5.0	3.0	164	16	77	91	1011
7/14/2016 5:00	3.5	0.7	1.2	3.8	BDL	1.4	17.0	9.0	3.9	172	15	76	94	1011
7/14/2016 6:00	1.7	0.6	1.2	8.4	BDL	1.6	16.0	8.0	3.3	188	17	76	93	1011
7/14/2016 7:00	1.2	0.9	1.3	11.0	BDL	1.4	11.0	11.0	4.1	188	14	77	91	1011
7/14/2016 8:00	Too few samples	0.8	1.4	Too few samples	Too few samples	1.3	16.0	9.0	5.0	188	14	78	89	1011
7/14/2016 9:00	92.5	0.7	1.3	6.8	BDL	1.4	27.0	14.0	5.5	202	16	79	87	1010
7/14/2016 10:00	Calibration	1.0	1.2	Calibration	Calibration	1.7	23.0	10.0	6.1	222	19	81	80	1010
7/14/2016 11:00	BDL	0.4	1.1	BDL	BDL	1.6	31.0	18.0	6.6	218	19	84	73	1010
7/14/2016 12:00	BDL	BDL	0.8	BDL	BDL	1.5	38.0	15.0	7.0	200	19	86	68	1009
7/14/2016 13:00	BDL	BDL	0.6	BDL	BDL	1.6	33.0	18.0	10.1	215	18	90	60	1008
7/14/2016 14:00	BDL	BDL	0.4	BDL	BDL	1.9	50.0	17.0	11.2	210	17	92	54	1007
7/14/2016 15:00	BDL	BDL	0.4	BDL	BDL	2.6	33.0	17.0	11.9	225	17	93	47	1007
7/14/2016 16:00	BDL	BDL	0.7	BDL	BDL	2.0	28.0	13.0	12.1	237	17	94	43	1007
7/14/2016 17:00	BDL	0.5	0.9	0.8	BDL	1.4	23.0	10.0	11.3	237	17	94	42	1006
7/14/2016 18:00	BDL	0.5	1.1	3.4	BDL	1.5	24.0	14.0	9.2	236	18	94	44	1006
7/14/2016 19:00	BDL	BDL	0.8	6.7	BDL	1.5	29.0	14.0	7.6	217	14	92	51	1007
7/14/2016 20:00	BDL	BDL	0.7	1.5	BDL	1.2	24.0	10.0	7.4	202	11	89	59	1007
7/14/2016 21:00	BDL	BDL	0.5	BDL	BDL	1.2	24.0	11.0	5.7	198	11	88	64	1008
7/14/2016 22:00	BDL	BDL	0.7	3.5	BDL	1.4	26.0	13.0	6.1	201	12	86	66	1008
7/14/2016 23:00	BDL	BDL	0.7	1.7	BDL	2.0	21.0	16.0	6.2	209	13	85	68	1008
7/15/2016 0:00	BDL	BDL	0.7	6.7	BDL	2.6	19.0	11.0	6.4	217	14	84	69	1008
7/15/2016 1:00	BDL	BDL	0.6	6.5	BDL	3.2	18.0	10.0	5.2	212	15	83	71	1008
7/15/2016 2:00	BDL	Calibration	Calibration	3.5	BDL	1.9	20.0	10.0	4.8	204	15	82	75	1008
7/15/2016 3:00	BDL	Calibration	Calibration	12.6	BDL	3.0	18.0	12.0	3.9	213	16	81	77	1008
7/15/2016 4:00	Calibration	1.3	1.2	Calibration	Calibration	3.0	20.0	10.0	3.1	230	19	80	79	1008
7/15/2016 5:00	BDL	0.5	1.1	15.5	BDL	5.0	17.0	11.0	3.0	212	14	79	82	1008
7/15/2016 6:00	BDL	0.8	1.2	29.2	BDL	3.1	28.0	9.0	4.2	229	18	80	77	1009
7/15/2016 7:00	BDL	BDL	0.7	0.6	BDL	0.6	20.0	9.0	4.4	271	14	82	60	1009
7/15/2016 8:00	Calibration	BDL	BDL	Calibration	Calibration	1.4	13.0	8.0	5.0	292	16	84	52	1010
7/15/2016 9:00	BDL	Calibration	Calibration	BDL	BDL	1.4	17.0	8.0	4.9	263	18	87	49	1010
7/15/2016 10:00	BDL	Too few samples	Too few samples	BDL	BDL	1.5	17.0	9.0	4.9	264	17	87	49	1010
7/15/2016 11:00	BDL	BDL	BDL	BDL	BDL	1.5	13.0	9.0	7.8	297	19	88	48	1010
7/15/2016 12:00	BDL	BDL	BDL	BDL	BDL	1.5	17.0	9.0	7.0	287	21	89	46	1010
7/15/2016 13:00	BDL	BDL	BDL	BDL	BDL	1.5	19.0	11.0	7.1	273	22	90	42	1009
7/15/2016 14:00	BDL	BDL	BDL	BDL	BDL	1.7	19.0	9.0	8.4	262	20	91	36	1009
7/15/2016 15:00	BDL	BDL	BDL	BDL	BDL	2.1	17.0	11.0	8.2	276	19	91	34	1009
7/15/2016 16:00	BDL	BDL	BDL	BDL	BDL	3.3	19.0	13.0	8.4	278	17	91	35	1009
7/15/2016 17:00	BDL	BDL	0.5	BDL	BDL	2.5	20.0	13.0	7.3	253	23	92	37	1009
7/15/2016 18:00	BDL	BDL	0.5	BDL	BDL	1.5	15.0	12.0	6.8	245	18	90	43	1008
7/15/2016 19:00	BDL	0.5	0.8	3.9	BDL	1.6	14.0	10.0	6.6	230	17	89	47	1009
7/15/2016 20:00	BDL	BDL	0.7	11.9	BDL	1.8	15.0	9.0	6.6	220	16	87	52	1009
7/15/2016 21:00	BDL	BDL	BDL	13.3	BDL	2.3	17.0	11.0	6.4	221	16	85	57	1010
7/15/2016 22:00	BDL	BDL	0.5	6.1	BDL	2.1	13.0	9.0	5.6	220	16	84	63	1011
7/15/2016 23:00	BDL	BDL	BDL	10.1	BDL	2.3	20.0	11.0	5.5	212	14	83	67	1012
7/16/2016 0:00	BDL	0.5	2.2	8.0	BDL	2.5	19.0	13.0	3.5	229	18	81	69	1012
7/16/2016 1:00	BDL	3.8	3.9	10.9	BDL	2.7	26.0	17.0	2.4	217	17	81	72	1011
7/16/2016 2:00	BDL	Calibration	Calibration	9.7	BDL	2.6	23.0	10.0	2.5	234	18	80	72	1011
7/16/2016 3:00	BDL	Calibration	Calibration	1.4	BDL	1.8	13.0	11.0	2.7	272	18	79	69	1011
7/16/2016 4:00	Calibration	2.9	5.0	Calibration	Calibration	2.5	19.0	13.0	2.9	224	15	79	67	1012
7/16/2016 5:00	BDL	0.7	0.8	0.5	BDL	3.8	19.0	8.0	3.9	304	12	77	71	1012
7/16/2016 6:00	BDL	BDL	BDL	BDL	BDL	2.8	19.0	9.0	2.9	303	24	78	65	1012
7/16/2016 7:00	BDL	BDL	BDL	BDL	BDL	1.8	15.0	9.0	3.4	298	14	81	56	1013
7/16/2016 8:00	BDL	BDL	BDL	BDL	BDL	1.8	17.0	9.0	2.5	290	28	84	47	1013
7/16/2016 9:00	BDL	BDL	BDL	BDL	BDL	1.8	22.0	11.0	3.0	306	41	86	42	1013
7/16/2016 10:00	BDL	BDL	BDL	1.4	BDL	1.9	21.0	10.0	4.0	175	23	88	44	1013
7/16/2016 11:00	BDL	BDL	BDL	1.7	BDL	2.1	22.0	18.0	5.1	161	17	89	44	1014
7/16/2016 12:00	BDL	BDL	BDL	BDL	BDL	2.0	14.0	13.0	6.3	220	25	92	37	1013
7/16/2016 13:00	BDL	BDL	BDL	BDL	BDL	2.1	26.0	8.0	8.6	226	22	94	37	1013
7/16/2016 14:00	BDL	BDL	0.4	BDL	BDL	2.0	19.0	8.0	9.2	235	21	94	35	1013
7/16/2016 15:00	BDL	BDL	BDL	BDL	BDL	2.0	18.0	13.0	8.6	277	25	91	43	1012
7/16/2016 16:00	BDL	BDL	BDL	BDL	BDL	2.2	13.0	9.0	7.2	320	55	79	70	1013
7/16/2016 17:00	BDL	BDL	BDL	1.4	BDL	4.2	13.0	8.0	2.9	292	31	82	59	1013
7/16/2016 18:00	BDL	BDL	BDL	0.8	BDL	2.7	14.0	7.0	5.1	100	21	82	60	1013
7/16/2016 19:00	BDL	BDL	BDL	BDL	BDL	1.8	9.0	9.0	5.4	98	15	79	69	1014
7/16/2016 20:00	BDL	BDL	BDL	BDL	BDL	1.7	10.0	8.0	7.8	117	18	76	74	1015
7/16/2016 21:00	BDL	BDL	BDL	BDL	BDL	1.7	8.0	4.0	7.2	146	16	74	81	1015
7/16/2016 22:00	BDL	BDL	BDL	BDL	BDL	1.8	9.0	3.0	5.0	156	16	73	78	1016
7/16/2016 23:00	BDL	BDL	BDL	BDL	BDL	1.7	10.0	6.0	2.2	203	26	74	73	1016

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 7/17/2016-7/23/2016														
7/17/2016 0:00	BDL	BDL	0.5	0.4	BDL	2.1	8.0	8.0	2.9	266	15	75	73	1015
7/17/2016 1:00	BDL	BDL	BDL	1.1	BDL	2.0	12.0	7.0	3.8	279	15	74	78	1015
7/17/2016 2:00	BDL	Calibration	Calibration	0.9	BDL	2.1	9.0	7.0	3.4	259	20	74	79	1015
7/17/2016 3:00	BDL	Calibration	Calibration	0.7	BDL	2.2	12.0	8.0	3.2	246	17	73	80	1015
7/17/2016 4:00	Calibration	1.7	1.6	Calibration	Calibration	2.4	12.0	6.0	3.0	254	18	73	81	1015
7/17/2016 5:00	BDL	BDL	0.7	BDL	BDL	2.6	9.0	8.0	2.5	259	17	73	83	1016
7/17/2016 6:00	BDL	0.8	2.1	0.7	BDL	3.3	12.0	7.0	2.2	247	18	73	83	1016
7/17/2016 7:00	BDL	0.8	1.2	1.7	BDL	2.5	16.0	5.0	2.8	277	21	74	75	1016
7/17/2016 8:00	BDL	0.4	0.7	BDL	BDL	2.1	10.0	7.0	2.4	251	31	78	58	1016
7/17/2016 9:00	BDL	BDL	BDL	BDL	BDL	2.0	13.0	10.0	2.6	244	29	81	51	1017
7/17/2016 10:00	BDL	BDL	BDL	BDL	BDL	2.1	17.0	7.0	3.7	269	33	84	49	1017
7/17/2016 11:00	BDL	BDL	BDL	BDL	BDL	2.3	11.0	9.0	4.2	214	32	87	49	1017
7/17/2016 12:00	BDL	BDL	BDL	BDL	BDL	2.3	Data handling issue	12.0	4.6	227	32	89	46	1017
7/17/2016 13:00	BDL	BDL	BDL	BDL	BDL	2.3	Data handling issue	17.0	4.3	250	39	90	42	1016
7/17/2016 14:00	BDL	BDL	BDL	BDL	BDL	2.4	Data handling issue	12.0	5.2	236	30	91	37	1016
7/17/2016 15:00	BDL	BDL	BDL	BDL	BDL	2.7	Data handling issue	14.0	6.5	246	24	92	36	1016
7/17/2016 16:00	BDL	BDL	BDL	BDL	BDL	2.4	Data handling issue	11.0	8.0	267	19	91	36	1016
7/17/2016 17:00	BDL	BDL	BDL	BDL	BDL	2.8	Data handling issue	11.0	8.0	280	21	91	35	1016
7/17/2016 18:00	BDL	BDL	BDL	BDL	BDL	3.6	Data handling issue	9.0	7.1	278	16	90	35	1016
7/17/2016 19:00	BDL	BDL	BDL	BDL	BDL	2.4	Data handling issue	12.0	5.9	286	14	88	38	1016
7/17/2016 20:00	BDL	BDL	BDL	BDL	BDL	2.5	Data handling issue	15.0	4.3	225	19	86	47	1017
7/17/2016 21:00	BDL	BDL	0.4	12.6	BDL	2.5	Data handling issue	11.0	5.9	216	16	85	55	1017
7/17/2016 22:00	BDL	BDL	BDL	6.2	BDL	2.2	Data handling issue	14.0	5.1	199	10	83	61	1017
7/17/2016 23:00	BDL	BDL	BDL	1.8	BDL	2.4	Data handling issue	14.0	5.1	203	12	82	65	1017
7/18/2016 0:00	BDL	BDL	BDL	1.2	BDL	2.3	Data handling issue	13.0	5.0	206	14	80	70	1017
7/18/2016 1:00	BDL	BDL	BDL	2.7	BDL	2.5	Data handling issue	10.0	5.1	208	14	79	73	1017
7/18/2016 2:00	BDL	Calibration	Calibration	5.4	BDL	2.5	Data handling issue	15.0	4.8	214	15	78	75	1017
7/18/2016 3:00	BDL	Calibration	Calibration	1.9	BDL	2.2	Data handling issue	10.0	4.6	200	14	77	80	1017
7/18/2016 4:00	Calibration	0.8	1.1	Calibration	Calibration	2.2	Data handling issue	17.0	4.4	200	13	77	83	1017
7/18/2016 5:00	BDL	0.8	1.3	3.4	BDL	2.3	Data handling issue	16.0	4.4	201	12	76	86	1017
7/18/2016 6:00	BDL	1.3	1.7	16.0	BDL	2.8	Data handling issue	14.0	4.4	210	13	77	84	1017
7/18/2016 7:00	BDL	1.3	1.5	23.9	BDL	2.9	Data handling issue	15.0	5.2	218	16	79	77	1017
7/18/2016 8:00	BDL	0.7	1.0	18.6	BDL	2.6	Data handling issue	18.0	5.8	223	20	82	69	1017
7/18/2016 9:00	BDL	BDL	0.5	9.3	BDL	2.2	Data handling issue	17.0	6.8	210	18	85	62	1016
7/18/2016 10:00	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue
7/18/2016 11:00	BDL	BDL	BDL	2.8	BDL	2.7	Data handling issue	16.0	7.9	233	21	93	40	1016
7/18/2016 12:00	BDL	BDL	BDL	BDL	BDL	2.9	Data handling issue	10.0	9.2	232	24	94	38	1015
7/18/2016 13:00	BDL	BDL	0.4	BDL	BDL	2.3	Data handling issue	17.0	9.6	219	19	94	39	1015
7/18/2016 14:00	BDL	BDL	BDL	BDL	BDL	2.3	Data handling issue	13.0	10.8	215	18	94	37	1014
7/18/2016 15:00	BDL	BDL	BDL	BDL	BDL	2.1	Data handling issue	17.0	12.5	250	18	90	47	1014
7/18/2016 16:00	BDL	BDL	0.5	0.4	BDL	2.2	Data handling issue	9.0	7.8	246	29	77	84	1016
7/18/2016 17:00	BDL	BDL	0.4	11.3	BDL	2.3	Data handling issue	6.0	6.4	216	19	77	84	1014
7/18/2016 18:00	BDL	BDL	0.9	7.4	BDL	2.4	Data handling issue	6.0	9.3	225	17	76	82	1014
7/18/2016 19:00	BDL	0.5	0.9	11.8	BDL	3.4	Data handling issue	4.0	4.9	211	23	76	82	1014
7/18/2016 20:00	BDL	BDL	0.5	10.9	BDL	2.5	Data handling issue	4.0	4.9	194	14	76	82	1014
7/18/2016 21:00	BDL	0.6	0.9	1.7	BDL	2.0	Data handling issue	5.0	5.6	199	14	75	86	1015
7/18/2016 22:00	BDL	1.4	1.9	5.5	BDL	2.0	Data handling issue	4.0	5.1	201	11	75	87	1015
7/18/2016 23:00	BDL	1.4	2.0	11.2	BDL	2.1	Data handling issue	6.0	5.1	212	17	75	89	1015
7/19/2016 0:00	BDL	1.9	2.0	4.7	BDL	2.2	Data handling issue	7.0	5.2	242	20	75	88	1015
7/19/2016 1:00	BDL	BDL	0.8	1.7	BDL	2.0	Data handling issue	5.0	5.4	249	22	75	84	1014
7/19/2016 2:00	BDL	Calibration	Calibration	BDL	BDL	2.0	Data handling issue	6.0	3.5	292	15	75	77	1014
7/19/2016 3:00	BDL	Calibration	Calibration	2.5	BDL	3.1	Data handling issue	8.0	2.1	221	23	75	78	1015
7/19/2016 4:00	Calibration	0.4	0.5	Calibration	Calibration	2.4	Data handling issue	6.0	2.8	286	27	75	78	1015
7/19/2016 5:00	2.7	BDL	BDL	BDL	BDL	2.2	Data handling issue	8.0	2.8	294	20	73	81	1016
7/19/2016 6:00	0.4	BDL	BDL	2.3	BDL	2.5	Data handling issue	6.0	4.9	304	10	74	77	1016
7/19/2016 7:00	BDL	BDL	BDL	7.8	BDL	3.0	Data handling issue	11.0	4.8	309	14	75	70	1017
7/19/2016 8:00	Calibration	BDL	BDL	Calibration	Calibration	2.3	Data handling issue	13.0	5.2	336	21	78	59	1017
7/19/2016 9:00	0.5	BDL	BDL	11.1	BDL	2.3	Data handling issue	11.0	6.2	312	18	80	50	1017
7/19/2016 10:00	BDL	BDL	BDL	4.4	BDL	2.2	Data handling issue	9.0	6.4	301	16	82	46	1017
7/19/2016 11:00	BDL	BDL	BDL	3.5	BDL	2.3	Data handling issue	9.0	7.5	305	20	83	42	1018
7/19/2016 12:00	BDL	BDL	BDL	3.6	BDL	2.3	Data handling issue	8.0	6.8	301	21	85	40	1017
7/19/2016 13:00	BDL	BDL	BDL	3.4	BDL	2.3	Data handling issue	12.0	8.9	291	22	86	37	1017
7/19/2016 14:00	BDL	BDL	BDL	2.5	BDL	2.3	Data handling issue	15.0	7.6	302	16	87	35	1016
7/19/2016 15:00	BDL	BDL	BDL	2.8	BDL	2.4	Data handling issue	14.0	9.3	311	15	87	30	1016
7/19/2016 16:00	BDL	BDL	BDL	7.8	BDL	2.5	Data handling issue	10.0	10.7	329	15	87	28	1016
7/19/2016 17:00	BDL	BDL	BDL	5.4	BDL	2.4	Data handling issue	13.0	8.9	326	17	86	29	1016
7/19/2016 18:00	BDL	BDL	BDL	4.9	BDL	2.2	Data handling issue	9.0	6.1	322	18	86	30	1016
7/19/2016 19:00	BDL	BDL	BDL	3.0	BDL	3.6	Data handling issue	9.0	4.9	299	12	85	32	1016
7/19/2016 20:00	BDL	BDL	BDL	5.3	BDL	10.1	Data handling issue	9.0	1.6	261	25	83	39	1017
7/19/2016 21:00	BDL	BDL	BDL	14.7	BDL	2.9	Data handling issue	9.0	3.4	117	17	82	42	1017
7/19/2016 22:00	BDL	BDL	BDL	15.2	BDL	2.3	Data handling issue	13.0	4.2	113	17	80	46	1018
7/19/2016 23:00	BDL	BDL	BDL	15.9	BDL	2.3	Data handling issue	11.0	3.3	132	18	78	54	1018
7/20/2016 0:00	BDL	BDL	BDL	12.0	BDL	2.4	Data handling issue	17.0	2.5	84	21	76	60	1018
7/20/2016 1:00	BDL	BDL	BDL	20.3	BDL	2.5	Data handling issue	10.0	2.7	67	14	75	63	1019
7/20/2016 2:00	BDL	Calibration	Calibration	18.6	BDL	2.6	Data handling issue	15.0	4.9	54	10	75	62	1018
7/20/2016 3:00	BDL	Calibration	Calibration	9.4	BDL	2.6	Data handling issue	10.0	8.4	46	12	75	49	1018
7/20/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.4	Data handling issue	8.0	7.4	55	12	74	49	1019
7/20/2016 5:00	BDL	BDL	BDL	10.9	BDL	2.6	Data handling issue	11.0	7.0	57	10	72	54	1019
7/20/2016 6:00	Too few samples	BDL	BDL	Too few samples	Too few samples	2.7	Data handling issue	15.0	6.0	47	13	72	52	1019
7/20/2016 7:00	BDL	Audit	Audit	25.6	BDL	2.6	Data handling issue	15.0	6.3	47	14	73	47	1020
7/20/2016 8:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	2.7	Data handling issue	Data handling issue	9.1	60	14	75	47	1020
7/20/2016 9:00	Too few samples	BDL	BDL	Calibration	Too few samples	2.7	24.0	12.0	8.1	60	15	76	44	1020
7/20/2016 10:00	Too few samples	BDL	BDL	73.2	Too few samples	2.6	19.0	9.0	7.4	57	18	78	37	1021
7/20/2016 11:00	BDL	BDL	BDL	7.4	BDL	2.6	19.0	8.0	6.5	75	23	80	35	1020
7/20/2016 12:00	BDL	BDL	BDL	7.6	BDL	2.6	16.0	10.0	4.7	86	36	82	35	1020
7/20/2016 13:00	BDL	BDL	BDL	6.5	BDL	2.6	21.0	12.0	5.2	137	23	83	35	1019
7/20/2016 14:00	BDL	BDL	BDL	6.2	BDL	2.6	15.0	12.0	4.6	156	31	84	34	1019
7/20/2016 15:00	BDL	BDL	BDL	6.2	BDL	2.5	23.0	13.0	4.0	136	50	84	34	1018
7/20/2016 16:00	BDL	BDL	BDL	9.7	BDL	2.3	24.0	20.0	4.3	185	16	84	37	1018
7/20/2016 17:00	BDL	BDL	BDL	10.8	BDL	2.3	18.0	13.0	3.8	164	13	84	38	1017
7/20/2016 18:00	BDL	BDL	BDL	7.6	BDL	2.3	20.0	13.0	4.1	150	16	84	39	1017
7/20/2016 19:00	BDL	BDL	BDL	6.2	BDL	2.3	11.0	10.0	5.9	158	23	83	48	1018
7/20/2016 20:00	BDL	BDL	BDL	5.5	BDL	2.8	9.0	10.0	5.1	180	12	80	56	1018
7/20/2016 21:00	BDL	BDL	BDL	5.5	BDL	2.8	17.0	7.0	4.9	183	14	78	63	1019
7/20/2016 22:00	BDL	BDL	BDL	7.8	BDL	2.4	11.0	7.0	4.6	170	13	76	70	1019
7/20/2016 23:00	BDL	BDL	BDL	13.1	BDL	2.4	8.0	7.0	3.5	174	15	75	73	1019

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 7/17/2016-7/23/2016														
7/21/2016 0:00	BDL	BDL	BDL	7.9	BDL	2.4	10.0	7.0	3	191	15	74	76	1019
7/21/2016 1:00	BDL	BDL	BDL	15.1	BDL	2.5	11.0	8.0	3.3	194	11	73	80	1019
7/21/2016 2:00	BDL	Calibration	Calibration	12.1	BDL	2.5	8.0	9.0	2.9	180	12	72	83	1019
7/21/2016 3:00	BDL	Calibration	Calibration	17.1	BDL	3.4	12.0	12.0	2.4	222	25	72	85	1019
7/21/2016 4:00	Calibration	0.6	0.9	Calibration	Calibration	2.5	17.0	10.0	2.3	257	17	71	85	1019
7/21/2016 5:00	BDL	1.3	1.1	15.3	BDL	3.0	15.0	6.0	1.9	278	24	71	86	1019
7/21/2016 6:00	BDL	BDL	0.5	12.9	BDL	2.8	17.0	9.0	2.4	295	12	71	83	1019
7/21/2016 7:00	BDL	BDL	BDL	15.5	BDL	2.9	19.0	10.0	1.7	234	28	73	74	1019
7/21/2016 8:00	BDL	0.5	0.5	17.0	BDL	2.6	25.0	12.0	2.6	250	24	77	62	1019
7/21/2016 9:00	BDL	BDL	0.4	17.8	BDL	2.7	21.0	14.0	5.1	222	21	81	60	1019
7/21/2016 10:00	BDL	BDL	BDL	19.0	BDL	2.7	32.0	18.0	5.4	223	24	83	49	1018
7/21/2016 11:00	BDL	BDL	BDL	7.4	BDL	2.5	23.0	18.0	5.5	220	27	85	40	1018
7/21/2016 12:00	BDL	BDL	BDL	6.0	BDL	2.4	21.0	14.0	5.4	213	33	87	36	1018
7/21/2016 13:00	BDL	BDL	BDL	5.1	BDL	2.4	26.0	16.0	5.9	209	29	89	33	1017
7/21/2016 14:00	BDL	BDL	BDL	4.8	BDL	2.4	28.0	13.0	7.0	225	25	90	34	1016
7/21/2016 15:00	BDL	BDL	BDL	3.6	BDL	2.4	23.0	11.0	7.5	226	24	90	32	1016
7/21/2016 16:00	BDL	BDL	BDL	4.4	BDL	2.4	24.0	16.0	7.7	224	24	89	35	1016
7/21/2016 17:00	BDL	BDL	BDL	6.8	BDL	2.3	30.0	14.0	8.4	210	18	88	38	1015
7/21/2016 18:00	BDL	BDL	BDL	4.2	BDL	2.2	18.0	13.0	7.8	205	14	87	42	1015
7/21/2016 19:00	BDL	BDL	0.4	6.8	BDL	2.0	24.0	14.0	8	196	13	84	51	1015
7/21/2016 20:00	BDL	0.5	1.0	6.4	BDL	2.2	18.0	13.0	7.7	197	13	81	61	1015
7/21/2016 21:00	BDL	1.4	1.9	4.4	BDL	3.0	15.0	10.0	5.4	197	15	79	68	1016
7/21/2016 22:00	BDL	1.0	1.5	4.9	BDL	2.4	12.0	8.0	4.2	200	15	77	76	1016
7/21/2016 23:00	BDL	0.9	1.5	4.6	BDL	2.0	11.0	6.0	4.5	208	15	77	82	1015
7/22/2016 0:00	BDL	0.7	1.2	7.0	BDL	2.1	10.0	6.0	5.5	201	12	76	83	1015
7/22/2016 1:00	BDL	0.7	1.3	3.7	BDL	2.0	9.0	9.0	5.4	201	11	76	86	1014
7/22/2016 2:00	BDL	Calibration	Calibration	6.4	BDL	2.0	11.0	9.0	5.2	199	10	75	86	1014
7/22/2016 3:00	BDL	Calibration	Calibration	9.4	BDL	2.1	25.0	15.0	4.9	203	12	75	85	1014
7/22/2016 4:00	Calibration	0.6	0.8	Calibration	Calibration	2.3	17.0	12.0	5.1	206	13	75	83	1014
7/22/2016 5:00	BDL	1.1	1.5	10.8	BDL	2.0	26.0	17.0	5.2	198	11	74	85	1014
7/22/2016 6:00	BDL	0.8	1.2	24.0	BDL	2.0	41.0	14.0	5.6	196	11	74	85	1014
7/22/2016 7:00	BDL	1.1	1.5	18.3	BDL	2.2	27.0	16.0	6.9	209	14	76	80	1013
7/22/2016 8:00	BDL	1.0	1.2	20.4	BDL	2.1	26.0	19.0	8.1	216	15	78	75	1013
7/22/2016 9:00	BDL	0.6	1.0	12.5	BDL	2.1	21.0	17.0	7.6	225	20	82	67	1013
7/22/2016 10:00	BDL	Calibration	Calibration	11.6	BDL	2.4	29.0	17.0	8.0	226	19	85	59	1012
7/22/2016 11:00	BDL	Calibration	Calibration	10.8	BDL	2.3	37.0	22.0	7.8	232	19	89	52	1012
7/22/2016 12:00	BDL	BDL	0.4	9.8	BDL	2.0	41.0	20.0	8.4	226	19	90	52	1011
7/22/2016 13:00	BDL	BDL	BDL	6.1	BDL	1.9	34.0	22.0	10.0	223	17	92	47	1010
7/22/2016 14:00	BDL	BDL	BDL	6.2	BDL	1.9	36.0	19.0	10.5	217	19	93	47	1010
7/22/2016 15:00	BDL	BDL	BDL	5.8	BDL	1.9	35.0	21.0	10.1	221	19	93	45	1009
7/22/2016 16:00	BDL	BDL	BDL	6.7	BDL	1.9	39.0	20.0	9.9	220	18	92	48	1009
7/22/2016 17:00	BDL	BDL	BDL	7.1	BDL	1.8	30.0	22.0	11.0	215	15	92	50	1008
7/22/2016 18:00	BDL	BDL	BDL	11.0	BDL	1.6	31.0	21.0	10.4	212	14	90	54	1008
7/22/2016 19:00	BDL	BDL	BDL	13.6	BDL	1.5	28.0	21.0	9.6	212	14	89	57	1008
7/22/2016 20:00	BDL	BDL	BDL	10.7	BDL	1.7	29.0	21.0	8.6	215	14	88	59	1008
7/22/2016 21:00	BDL	BDL	BDL	16.6	BDL	1.8	29.0	19.0	8.1	213	15	86	63	1008
7/22/2016 22:00	BDL	BDL	0.5	13.1	BDL	3.1	25.0	25.0	6.6	221	15	84	65	1008
7/22/2016 23:00	BDL	1.6	2.2	11.6	BDL	2.3	27.0	20.0	6.6	237	16	84	67	1008
7/23/2016 0:00	BDL	1.9	1.9	16.4	BDL	2.1	28.0	22.0	5.1	227	17	83	71	1008
7/23/2016 1:00	BDL	0.4	1.3	14.2	BDL	2.1	27.0	17.0	4.4	231	16	82	72	1008
7/23/2016 2:00	BDL	Calibration	Calibration	16.1	BDL	2.0	23.0	18.0	3.6	224	22	81	74	1008
7/23/2016 3:00	BDL	Calibration	Calibration	10.4	BDL	1.8	19.0	14.0	5.0	244	16	80	69	1009
7/23/2016 4:00	Calibration	BDL	0.9	Calibration	Calibration	1.6	13.0	14.0	3.3	250	16	78	72	1009
7/23/2016 5:00	5.4	BDL	0.6	8.5	BDL	1.8	9.0	12.0	3.0	266	14	77	74	1009
7/23/2016 6:00	Calibration	BDL	0.4	Calibration	Calibration	1.8	17.0	17.0	3.9	268	14	79	70	1010
7/23/2016 7:00	Calibration	BDL	0.4	5.4	BDL	Calibration	17.0	18.0	4.0	272	13	82	59	1010
7/23/2016 8:00	Calibration	BDL	0.4	Calibration	Calibration	1.8	18.0	15.0	6.6	278	12	86	53	1010
7/23/2016 9:00	Calibration	BDL	BDL	Calibration	BDL	1.7	21.0	18.0	7.7	281	14	88	49	1009
7/23/2016 10:00	Calibration	BDL	BDL	Calibration	10.19	2.0	25.0	14.0	6.7	299	20	90	47	1009
7/23/2016 11:00	1.1	BDL	BDL	3.8	BDL	3.1	21.0	12.0	6.3	263	25	92	43	1009
7/23/2016 12:00	BDL	BDL	BDL	3.4	BDL	1.8	25.0	12.0	7.5	257	28	93	42	1009
7/23/2016 13:00	BDL	BDL	BDL	3.3	BDL	1.7	31.0	13.0	8.3	249	23	95	39	1008
7/23/2016 14:00	BDL	BDL	BDL	2.4	BDL	1.7	22.0	13.0	8.9	270	22	96	35	1008
7/23/2016 15:00	BDL	BDL	BDL	2.5	BDL	1.6	24.0	16.0	10.2	256	23	97	34	1007
7/23/2016 16:00	BDL	BDL	0.4	3.4	BDL	1.5	19.0	15.0	9.3	249	20	97	36	1007
7/23/2016 17:00	BDL	BDL	0.5	8.4	BDL	1.4	35.0	16.0	8.4	30	37	87	55	1007
7/23/2016 18:00	BDL	BDL	0.4	9.2	BDL	1.4	16.0	13.0	5.4	84	26	83	69	1008
7/23/2016 19:00	BDL	BDL	0.4	11.8	BDL	1.9	18.0	18.0	5.6	254	17	86	57	1008
7/23/2016 20:00	BDL	BDL	0.8	7.8	BDL	1.5	16.0	9.0	4.9	243	20	83	61	1009
7/23/2016 21:00	BDL	BDL	2.0	10.3	BDL	1.6	15.0	12.0	4.6	224	16	82	66	1009
7/23/2016 22:00	BDL	BDL	1.2	11.3	BDL	2.0	10.0	12.0	4.4	215	18	82	67	1009
7/23/2016 23:00	BDL	BDL	0.5	9.3	BDL	3.2	11.0	8.0	3.6	274	25	80	70	1010

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 7/24/2016-7/30/2016														
7/24/2016 0:00	BDL	BDL	1.1	14.4	BDL	2.4	11.0	9.0	2.9	268	22	79	74	1010
7/24/2016 1:00	BDL	BDL	0.4	8.4	BDL	1.9	11.0	11.0	2.4	281	18	78	73	1011
7/24/2016 2:00	BDL	Calibration	Calibration	12.4	BDL	2.1	13.0	11.0	1.4	299	46	78	74	1011
7/24/2016 3:00	BDL	Calibration	Calibration	17.6	BDL	3.1	17.0	16.0	1.6	206	49	78	76	1011
7/24/2016 4:00	Calibration	3.8	5.3	Calibration	Calibration	4.7	11.0	13.0	1.5	264	14	77	79	1011
7/24/2016 5:00	4	BDL	0.4	24.6	BDL	2.6	15.0	16.0	1.9	302	32	77	70	1012
7/24/2016 6:00	BDL	BDL	BDL	21.2	BDL	2.3	17.0	11.0	2.5	308	16	77	65	1012
7/24/2016 7:00	BDL	BDL	BDL	16.1	BDL	2.1	19.0	13.0	3.1	318	18	79	56	1013
7/24/2016 8:00	Calibration	BDL	BDL	Calibration	Calibration	1.9	21.0	12.0	5.1	39	18	82	45	1013
7/24/2016 9:00	0.5	BDL	BDL	9.2	BDL	2.0	16.0	14.0	3.9	31	35	84	41	1012
7/24/2016 10:00	BDL	BDL	BDL	7.4	BDL	2.0	12.0	10.0	3.1	99	49	87	36	1012
7/24/2016 11:00	BDL	BDL	BDL	7.4	BDL	2.4	16.0	12.0	5.5	156	15	88	35	1012
7/24/2016 12:00	BDL	BDL	BDL	5.7	BDL	2.5	18.0	12.0	5.7	147	18	90	33	1012
7/24/2016 13:00	BDL	BDL	BDL	6.9	BDL	2.2	24.0	11.0	5.7	169	23	92	31	1012
7/24/2016 14:00	BDL	BDL	BDL	4.4	BDL	2.1	19.0	12.0	7.9	185	23	93	31	1011
7/24/2016 15:00	BDL	BDL	BDL	3.5	BDL	2.2	18.0	12.0	7.6	226	29	96	28	1011
7/24/2016 16:00	BDL	BDL	BDL	5.1	BDL	2.2	27.0	9.0	8.9	230	21	95	29	1011
7/24/2016 17:00	BDL	BDL	0.5	7.4	BDL	2.2	25.0	12.0	9.4	237	17	93	36	1011
7/24/2016 18:00	BDL	BDL	0.8	13.3	BDL	2.2	27.0	16.0	8.0	228	16	91	40	1011
7/24/2016 19:00	BDL	BDL	0.5	12.9	BDL	1.9	19.0	17.0	6.4	203	15	89	46	1011
7/24/2016 20:00	BDL	BDL	0.8	11.6	BDL	1.8	20.0	11.0	5.0	193	11	86	52	1012
7/24/2016 21:00	BDL	BDL	1.1	4.0	BDL	1.9	17.0	9.0	3.1	196	14	84	55	1012
7/24/2016 22:00	BDL	BDL	1.0	12.3	BDL	1.9	17.0	7.0	2.1	190	16	83	54	1012
7/24/2016 23:00	BDL	BDL	0.9	14.0	BDL	2.2	16.0	9.0	3.5	208	14	83	52	1012
7/25/2016 0:00	BDL	0.6	1.5	3.9	BDL	2.4	17.0	10.0	3.7	201	16	83	54	1012
7/25/2016 1:00	BDL	1.8	2.4	10.1	BDL	2.1	22.0	7.0	2.9	201	18	83	60	1012
7/25/2016 2:00	BDL	Calibration	Calibration	5.0	BDL	1.8	19.0	11.0	4.5	197	14	82	67	1011
7/25/2016 3:00	BDL	Calibration	Calibration	10.2	BDL	1.7	22.0	12.0	4.0	171	13	81	72	1011
7/25/2016 4:00	Calibration	2.7	3.9	Calibration	Calibration	1.7	25.0	16.0	4.6	291	30.8	80	75	1011
7/25/2016 5:00	BDL	BDL	1.0	5.6	BDL	1.9	5.0	5.0	5.7	322	39.5	74	96	1012
7/25/2016 6:00	BDL	BDL	0.4	18.6	BDL	1.9	7.0	7.0	3.6	108	21.6	75	94	1012
7/25/2016 7:00	Too few samples	BDL	BDL	Too few samples	Too few samples	1.7	7.0	6.0	3.4	167	19.4	76	90	1011
7/25/2016 8:00	Calibration	BDL	0.5	Calibration	Calibration	1.7	7.0	9.0	3.0	157	21.1	78	84	1011
7/25/2016 9:00	Calibration	BDL	0.5	Calibration	Calibration	Calibration	11.0	10.0	5.3	171	15.3	80	78	1011
7/25/2016 10:00	BDL	Calibration	Calibration	12.9	BDL	Too few samples	23.0	12.0	4.5	225	23.7	86	65	1011
7/25/2016 11:00	BDL	Calibration	Calibration	12.3	BDL	2.0	29.0	19.0	4.0	235	28.4	90	56	1010
7/25/2016 12:00	BDL	Calibration	Calibration	9.0	BDL	2.5	37.0	20.0	4.1	226	39.3	92	52	1010
7/25/2016 13:00	BDL	Calibration	Calibration	7.2	BDL	2.2	25.0	19.0	5.8	228	30.3	95	48	1009
7/25/2016 14:00	BDL	BDL	0.8	8.7	BDL	1.9	36.0	17.0	7.4	220	18.6	96	48	1008
7/25/2016 15:00	BDL	BDL	0.4	7.7	BDL	1.6	27.0	22.0	8.3	194	17.2	95	53	1007
7/25/2016 16:00	BDL	BDL	0.4	7.5	BDL	1.4	31.0	23.0	8.8	210	15	94	53	1007
7/25/2016 17:00	BDL	BDL	BDL	5.8	BDL	1.5	32.0	21.0	10.4	213	16	95	49	1007
7/25/2016 18:00	BDL	BDL	0.5	7.8	BDL	1.5	24.0	16.0	9.7	218	26	95	51	1007
7/25/2016 19:00	BDL	BDL	0.4	9.7	BDL	1.5	19.0	9.0	10.5	2	23	77	87	1011
7/25/2016 20:00	BDL	BDL	BDL	8.1	BDL	1.5	BDL	5.0	5.8	131	22	75	91	1010
7/25/2016 21:00	BDL	BDL	BDL	7.6	BDL	1.4	1.0	1.0	3.4	164	34	76	89	1011
7/25/2016 22:00	BDL	BDL	0.4	10.3	BDL	1.6	5.0	BDL	4.3	185	32	75	92	1010
7/25/2016 23:00	BDL	BDL	0.5	10.7	BDL	1.8	5.0	4.0	2.9	228	28	75	91	1010
7/26/2016 0:00	BDL	BDL	0.5	8.2	BDL	2.1	4.0	5.0	3	260	23	75	91	1010
7/26/2016 1:00	BDL	BDL	0.4	10.3	BDL	2.3	9.0	6.0	4	263	17	75	91	1010
7/26/2016 2:00	BDL	Calibration	Calibration	13.8	BDL	2.0	13.0	9.0	3.2	262	18	75	91	1010
7/26/2016 3:00	BDL	Calibration	Calibration	11.9	BDL	1.8	11.0	8.0	4	297	19	74	92	1010
7/26/2016 4:00	Calibration	BDL	0.6	Calibration	Calibration	1.4	11.0	7.0	4.6	302	8	74	92	1010
7/26/2016 5:00	3.6	BDL	1.3	7.1	BDL	1.5	8.0	5.0	3.3	290	17	74	89	1010
7/26/2016 6:00	0.6	BDL	1.2	14.1	BDL	2.1	8.0	6.0	2.7	214	16	75	85	1011
7/26/2016 7:00	Calibration	BDL	1.0	76.6	1.3	1.6	10.0	6.0	2.7	252	17	76	80	1011
7/26/2016 8:00	Calibration	BDL	0.5	Calibration	Calibration	1.5	11.0	5.0	6.1	306	9	79	73	1011
7/26/2016 9:00	Calibration	BDL	BDL	Calibration	Calibration	1.5	10.0	9.0	7.5	311	10	82	63	1011
7/26/2016 10:00	2.3	Calibration	Calibration	4.2	BDL	1.6	11.0	11.0	6.4	324	17	85	53	1011
7/26/2016 11:00	BDL	Calibration	Calibration	1.3	BDL	1.7	16.0	10.0	6.3	322	23	87	47	1010
7/26/2016 12:00	BDL	2.2	4.6	BDL	BDL	1.9	15.0	10.0	8.6	313	15	89	44	1010
7/26/2016 13:00	BDL	BDL	0.8	BDL	BDL	2.7	17.0	10.0	9.9	310	12	90	41	1010
7/26/2016 14:00	BDL	BDL	BDL	BDL	BDL	2.0	13.0	8.0	10.7	309	10	89	42	1010
7/26/2016 15:00	BDL	BDL	BDL	BDL	BDL	1.6	19.0	10.0	8.3	296	14	89	43	1009
7/26/2016 16:00	BDL	BDL	BDL	BDL	BDL	1.6	18.0	8.0	9.1	307	11	89	43	1009
7/26/2016 17:00	BDL	BDL	BDL	BDL	BDL	1.6	17.0	9.0	7.9	301	15	90	41	1009
7/26/2016 18:00	BDL	BDL	BDL	BDL	BDL	1.4	12.0	16.0	6.8	287	18	90	44	1009
7/26/2016 19:00	BDL	BDL	BDL	3.3	BDL	1.4	22.0	19.0	5.9	249	13	89	48	1009
7/26/2016 20:00	BDL	BDL	0.4	8.4	BDL	1.6	21.0	16.0	4.4	249	14	87	55	1010
7/26/2016 21:00	BDL	0.9	1.0	17.5	BDL	2.0	22.0	17.0	4.0	237	16	86	60	1010
7/26/2016 22:00	BDL	1.1	2.3	22.2	BDL	2.7	25.0	16.0	2.7	223	17	85	64	1010
7/26/2016 23:00	BDL	BDL	1.6	15.8	BDL	2.0	26.0	18.0	3.3	212	16	84	71	1010
7/27/2016 0:00	BDL	BDL	0.4	15.5	BDL	2.3	21.0	17.0	2.0	198	37	82	73	1010
7/27/2016 1:00	BDL	BDL	0.6	20.3	BDL	2.2	27.0	20.0	2.5	73	25	82	73	1010
7/27/2016 2:00	BDL	Calibration	Calibration	9.9	BDL	1.7	17.0	14.0	4.9	63	11	81	63	1010
7/27/2016 3:00	BDL	Calibration	Calibration	6.7	BDL	1.7	14.0	14.0	5.1	66	11	81	58	1010
7/27/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	1.8	22.0	14.0	5.1	60	12	80	59	1010
7/27/2016 5:00	2.4	BDL	BDL	14.3	BDL	1.6	14.0	11.0	5.8	58	11	79	57	1011
7/27/2016 6:00	0.3	BDL	BDL	10.3	BDL	1.6	27.0	12.0	7.0	59	10	78	58	1011
7/27/2016 7:00	Too few samples	BDL	BDL	Too few samples	Too few samples	1.7	37.0	17.0	6.1	57	11	78	58	1011
7/27/2016 8:00	Too few samples	BDL	BDL	Too few samples	Too few samples	1.7	29.0	14.0	7.2	56	12	80	53	1011
7/27/2016 9:00	BDL	BDL	BDL	16.3	BDL	1.7	25.0	13.0	7.2	67	17	82	48	1011
7/27/2016 10:00	BDL	BDL	BDL	14.0	BDL	1.6	24.0	13.0	4.6	73	22	84	43	1011
7/27/2016 11:00	BDL	BDL	BDL	8.3	BDL	1.7	16.0	8.0	4.1	117	32	86	40	1011
7/27/2016 12:00	BDL	BDL	BDL	8.4	BDL	1.8	17.0	12.0	5.6	158	18	88	42	1011
7/27/2016 13:00	BDL	BDL	BDL	4.6	BDL	2.1	25.0	17.0	4.4	146	21	89	40	1010
7/27/2016 14:00	BDL	BDL	BDL	6.5	BDL	2.2	29.0	19.0	4.1	101	53	90	37	1010
7/27/2016 15:00	BDL	BDL	BDL	6.1	BDL	2.4	27.0	17.0	4.1	168	32	92	34	1009
7/27/2016 16:00	BDL	BDL	BDL	5.1	BDL	1.8	24.0	14.0	3.7	170	27	93	34	1009
7/27/2016 17:00	BDL	BDL	BDL	4.6	BDL	1.9	24.0	17.0	4.0	219	29	93	34	1009
7/27/2016 18:00	0.4	BDL	BDL	0.4	BDL	2.4	17.0	9.0	4.4	265	21	92	34	1008
7/27/2016 19:00	BDL	BDL	BDL	BDL	BDL	1.7	17.0	15.0	5.2	295	13	90	38	1009
7/27/2016 20:00	BDL	BDL	BDL	3.1	BDL	1.4	12.0	14.0	4.5	296	7	88	43	1009
7/27/2016 21:00	0.9	BDL	BDL	3.5	BDL	3.1	19.0	12.0	3.7	294	10	86	48	1009
7/27/2016 22:00	0.5	BDL	BDL	4.9	BDL	2.5	21.0	11.0	4.5	296	8	85	48	1010
7/27/2016 23:00	BDL	BDL	0.4	13.9	BDL	2.6	20.0	15.0	3.1	233	32	84	57	1010

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 7/24/2016-7/30/2016														
7/28/2016 0:00	BDL	BDL	0.5	15.4	BDL	1.6	22.0	22.0	2.8	161	15	81	76	1010
7/28/2016 1:00	BDL	BDL	0.7	10.5	BDL	1.6	27.0	19.0	2.4	168	17	80	81	1010
7/28/2016 2:00	BDL	Calibration	Calibration	9.3	BDL	2.2	22.0	13.0	1.9	168	20	79	83	1010
7/28/2016 3:00	BDL	Calibration	Calibration	6.7	BDL	2.9	22.0	24.0	2.5	181	15	79	87	1010
7/28/2016 4:00	Calibration	0.8	1.7	Calibration	Calibration	1.8	23.0	14.0	1.7	183	46	77	88	1010
7/28/2016 5:00	BDL	3.2	3.5	32.2	BDL	3.1	23.0	18.0	1.7	222	37	77	85	1010
7/28/2016 6:00	BDL	BDL	0.8	27.7	BDL	3.0	26.0	16.0	1	265	28	77	77	1010
7/28/2016 7:00	BDL	BDL	0.7	41.0	0.1	2.5	37.0	22.0	0.8	160	52	79	66	1010
7/28/2016 8:00	BDL	0.6	1.2	46.7	0.1	1.3	53.0	31.0	2.6	144	16	83	68	1010
7/28/2016 9:00	BDL	Calibration	Calibration	36.2	BDL	1.0	48.0	38.0	3.3	131	18	85	61	1010
7/28/2016 10:00	BDL	Calibration	Calibration	21.7	BDL	1.7	27.0	20.0	3.9	148	17	87	51	1010
7/28/2016 11:00	BDL	BDL	0.5	7.1	BDL	Too few samples	31.0	17.0	3.2	160	24	90	42	1009
7/28/2016 12:00	Calibration	BDL	0.5	Calibration	Calibration	1.6	24.0	16.0	3.1	158	33	91	38	1009
7/28/2016 13:00	1.5	BDL	BDL	2.2	BDL	1.6	25.0	13.0	5	104	51	92	36	1007
7/28/2016 14:00	BDL	BDL	0.5	4.4	BDL	1.9	28.0	18.0	7.5	218	36	87	55	1008
7/28/2016 15:00	BDL	BDL	0.5	3.3	BDL	2.3	20.0	14.0	6.3	190	23	76	91	1009
7/28/2016 16:00	BDL	BDL	0.4	12.2	BDL	1.6	14.0	12.0	7.3	177	14	75	89	1010
7/28/2016 17:00	BDL	BDL	BDL	7.0	BDL	1.3	10.0	11.0	4.2	170	17	75	90	1010
7/28/2016 18:00	BDL	BDL	0.4	11.0	BDL	1.2	10.0	7.0	3.7	111	25	76	86	1009
7/28/2016 19:00	BDL	BDL	0.4	4.6	BDL	1.1	15.0	10.0	4.9	95	19	76	85	1008
7/28/2016 20:00	BDL	BDL	0.4	9.3	BDL	1.2	10.0	11.0	2.7	149	19	77	85	1008
7/28/2016 21:00	BDL	BDL	BDL	7.6	BDL	1.2	14.0	11.0	1.4	47	32	76	85	1009
7/28/2016 22:00	BDL	BDL	BDL	4.5	BDL	1.7	14.0	17.0	3.1	295	36	77	83	1009
7/28/2016 23:00	BDL	BDL	0.5	11.4	BDL	1.3	14.0	17.0	4.1	92	21	76	88	1008
7/29/2016 0:00	BDL	BDL	0.4	8.9	BDL	1.2	11.0	16.0	3.3	80	20	75	88	1008
7/29/2016 1:00	BDL	BDL	0.7	14.5	BDL	1.3	19.0	16.0	3.5	84	16	75	88	1008
7/29/2016 2:00	BDL	Calibration	Calibration	9.9	BDL	1.2	15.0	15.0	4.1	57	13	74	90	1007
7/29/2016 3:00	BDL	Calibration	Calibration	6.5	BDL	1.3	23.0	21.0	3.3	33	20	75	89	1007
7/29/2016 4:00	Calibration	BDL	0.5	Calibration	Calibration	1.3	14.0	15.0	5.3	24	18	75	88	1006
7/29/2016 5:00	5.2	BDL	0.4	8.2	BDL	1.1	12.0	9.0	6.8	31	16	74	85	1006
7/29/2016 6:00	1.3	BDL	0.4	6.6	BDL	1.1	14.0	10.0	7.2	41	14	73	91	1007
7/29/2016 7:00	0.4	BDL	0.5	3.2	BDL	1.3	13.0	13.0	6.6	14	17	73	92	1007
7/29/2016 8:00	Calibration	BDL	BDL	Calibration	Calibration	1.3	10.0	14.0	5.8	31	15	73	88	1008
7/29/2016 9:00	0.8	BDL	0.5	10.5	BDL	1.2	7.0	8.0	6.4	20	19	75	81	1008
7/29/2016 10:00	BDL	BDL	0.4	3.9	BDL	1.1	10.0	9.0	8.1	346	22	77	74	1008
7/29/2016 11:00	BDL	BDL	BDL	3.5	BDL	1.2	12.0	7.0	8.0	350	21	79	66	1008
7/29/2016 12:00	BDL	BDL	BDL	5.4	BDL	1.2	14.0	8.0	7.9	343	22	82	60	1007
7/29/2016 13:00	BDL	BDL	BDL	2.1	BDL	1.2	17.0	12.0	8.2	343	19	83	57	1007
7/29/2016 14:00	BDL	BDL	0.4	2.0	BDL	1.3	14.0	16.0	5.7	353	32	85	51	1007
7/29/2016 15:00	BDL	BDL	BDL	2.6	BDL	1.4	18.0	16.0	5.4	347	32	86	48	1007
7/29/2016 16:00	BDL	BDL	0.4	BDL	BDL	1.6	12.0	12.0	5.5	4	29	87	46	1008
7/29/2016 17:00	BDL	BDL	BDL	3.3	BDL	1.7	14.0	11.0	4.4	168	48	87	46	1008
7/29/2016 18:00	BDL	BDL	BDL	2.9	BDL	1.3	13.0	7.0	5.0	146	14	86	53	1008
7/29/2016 19:00	BDL	BDL	0.4	4.6	BDL	2.0	12.0	8.0	4.2	144	13	85	60	1009
7/29/2016 20:00	BDL	BDL	0.4	2.2	BDL	2.0	10.0	7.0	4.5	145	12	83	66	1009
7/29/2016 21:00	BDL	BDL	BDL	5.9	BDL	1.3	11.0	14.0	4.6	168	12	81	71	1010
7/29/2016 22:00	BDL	BDL	1.0	1.5	BDL	1.3	12.0	11.0	4.9	197	12	80	80	1010
7/29/2016 23:00	BDL	BDL	1.1	0.9	BDL	1.4	18.0	12.0	2.8	195	23	79	81	1011
7/30/2016 0:00	BDL	0.6	2.5	7.1	BDL	1.4	15.0	13.0	5.1	195	10	78	84	1011
7/30/2016 1:00	BDL	1.4	3.3	5.1	BDL	1.3	21.0	17.0	4.4	188	13	77	85	1011
7/30/2016 2:00	BDL	Calibration	Calibration	5.4	BDL	1.3	15.0	9.0	3.9	186	14	76	86	1011
7/30/2016 3:00	BDL	Calibration	Calibration	9.4	BDL	1.4	23.0	10.0	2.7	180	13	76	88	1011
7/30/2016 4:00	Calibration	1.9	3.0	Calibration	Calibration	5.9	18.0	10.0	2.2	153	17	76	87	1011
7/30/2016 5:00	2.9	1.5	2.4	5.4	BDL	2.5	22.0	15.0	2.2	187	15	76	86	1011
7/30/2016 6:00	0.4	1.1	1.8	19.6	BDL	1.7	53.0	27.0	3.9	199	11	77	87	1012
7/30/2016 7:00	BDL	1.0	2.1	14.4	BDL	1.7	22.0	20.0	4.1	177	13	77	86	1013
7/30/2016 8:00	BDL	0.8	2.0	8.9	BDL	1.5	22.0	18.0	3.3	167	23	78	80	1013
7/30/2016 9:00	BDL	Calibration	Calibration	8.8	BDL	1.6	18.0	14.0	3.0	161	27	81	73	1013
7/30/2016 10:00	BDL	Too few samples	Too few samples	5.1	BDL	Calibration	18.0	10.0	3.6	175	31	83	68	1012
7/30/2016 11:00	Calibration	1.0	BDL	Calibration	Calibration	Calibration	29.0	15.0	5.3	179	21	85	64	1012
7/30/2016 12:00	13.9	Calibration	Calibration	5.1	BDL	2.2	22.0	13.0	7.0	174	16	86	59	1012
7/30/2016 13:00	1.4	Calibration	Calibration	2.9	BDL	2.0	22.0	14.0	9.4	186	15	86	58	1012
7/30/2016 14:00	BDL	0.5	BDL	3.1	BDL	1.9	23.0	13.0	10.0	190	14	83	63	1011
7/30/2016 15:00	BDL	BDL	BDL	1.8	BDL	1.9	14.0	11.0	8.8	185	13	84	59	1011
7/30/2016 16:00	BDL	BDL	BDL	2.4	BDL	2.2	15.0	12.0	9.4	173	14	83	62	1011
7/30/2016 17:00	BDL	0.7	BDL	7.0	BDL	2.6	19.0	10.0	4.9	199	14	80	79	1012
7/30/2016 18:00	BDL	1.0	BDL	9.2	BDL	2.0	13.0	11.0	2.9	195	17	78	82	1013
7/30/2016 19:00	BDL	0.5	BDL	10.8	BDL	1.9	9.0	12.0	2.9	60	35	76	87	1013
7/30/2016 20:00	BDL	BDL	BDL	7.9	BDL	1.9	17.0	16.0	3.2	96	18	77	87	1013
7/30/2016 21:00	BDL	BDL	BDL	6.8	BDL	1.9	11.0	12.0	5.4	129	17	77	87	1013
7/30/2016 22:00	BDL	BDL	BDL	9.0	BDL	1.9	15.0	11.0	4.4	140	15	76	89	1013
7/30/2016 23:00	BDL	BDL	BDL	5.4	BDL	1.9	12.0	13.0	5.3	132	15	75	90	1013

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 7/31/2016-8/6/2016														
7/31/2016 0:00	BDL	BDL	BDL	5.1	BDL	1.8	15.0	11.0	4.6	82	16	75	91	1013
7/31/2016 1:00	BDL	BDL	BDL	2.1	BDL	1.8	7.0	10.0	4.9	79	14	75	91	1012
7/31/2016 2:00	BDL	Calibration	Calibration	3.2	BDL	1.7	17.0	10.0	5.7	81	12	74	92	1012
7/31/2016 3:00	BDL	Calibration	Calibration	3.8	BDL	1.7	15.0	16.0	4.6	85	12	74	92	1012
7/31/2016 4:00	Calibration	0.6	BDL	Calibration	Calibration	1.6	14.0	13.0	4.9	92	15	74	92	1011
7/31/2016 5:00	5.0	0.6	BDL	6.8	BDL	1.8	10.0	8.0	3.3	107	26	75	91	1012
7/31/2016 6:00	2.4	0.6	BDL	6.9	BDL	2.7	14.0	6.0	3.6	170	14	76	91	1012
7/31/2016 7:00	1.2	0.8	BDL	3.5	BDL	2.1	11.0	5.0	2.1	151	29	76	87	1012
7/31/2016 8:00	Calibration	1.1	BDL	Calibration	Calibration	1.8	10.0	7.0	2.4	183	24	79	79	1012
7/31/2016 9:00	6.8	Calibration	Calibration	11.2	BDL	1.8	7.0	10.0	2.7	201	31	81	69	1012
7/31/2016 10:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	1.8	12.0	10.0	3.7	88	38	81	70	1012
7/31/2016 11:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	2.0	17.0	10.0	3.8	115	28	82	67	1012
7/31/2016 12:00	BDL	Calibration	Calibration	5.9	BDL	2.0	19.0	11.0	4.1	180	21	85	60	1012
7/31/2016 13:00	BDL	BDL	BDL	3.0	BDL	1.9	15.0	12.0	5.0	252	24	88	49	1012
7/31/2016 14:00	BDL	0.4	BDL	3.6	BDL	2.1	10.0	9.0	4.7	250	24	89	48	1011
7/31/2016 15:00	BDL	0.4	BDL	3.5	BDL	2.2	9.0	7.0	6.2	216	27	90	48	1011
7/31/2016 16:00	BDL	BDL	BDL	3.1	BDL	2.1	7.0	11.0	5.7	233	29	91	47	1010
7/31/2016 17:00	BDL	BDL	BDL	5.2	BDL	2.6	6.0	10.0	5.6	214	20	90	50	1010
7/31/2016 18:00	BDL	BDL	BDL	6.2	BDL	3.8	14.0	10.0	4.3	272	29	88	51	1011
7/31/2016 19:00	BDL	BDL	BDL	4.2	BDL	1.8	9.0	10.0	6.1	59	15	83	70	1011
7/31/2016 20:00	BDL	BDL	BDL	3.2	BDL	1.6	9.0	6.0	6.1	70	13	81	76	1012
7/31/2016 21:00	BDL	BDL	BDL	4.1	BDL	1.7	10.0	7.0	5.0	69	15	80	80	1012
7/31/2016 22:00	BDL	BDL	BDL	4.5	BDL	1.8	10.0	8.0	6.1	59	11	78	79	1013
7/31/2016 23:00	BDL	0.4	BDL	4.4	BDL	1.8	8.0	5.0	5.2	64	12	77	82	1013
8/1/2016 0:00	BDL	BDL	BDL	5.9	BDL	1.8	8.0	4.0	4.7	62	13	77	85	1013
8/1/2016 1:00	BDL	BDL	BDL	4.1	BDL	1.9	7.0	4.0	5.9	68	14	77	87	1013
8/1/2016 2:00	BDL	Calibration	Calibration	2.3	BDL	1.8	16.0	5.0	5.6	67	12	76	87	1012
8/1/2016 3:00	BDL	Calibration	Calibration	1.7	BDL	1.8	12.0	7.0	6.0	67	12	76	86	1013
8/1/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	1.9	14.0	8.0	7.0	65	11	76	87	1013
8/1/2016 5:00	1.9	BDL	BDL	2.9	BDL	1.9	18.0	11.0	7.7	60	13	74	89	1013
8/1/2016 6:00	0.4	BDL	BDL	4.1	BDL	1.9	13.0	7.0	8.3	63	14	74	89	1014
8/1/2016 7:00	BDL	BDL	BDL	5.3	BDL	1.7	16.0	5.0	8.2	61	12	73	89	1014
8/1/2016 8:00	Too few samples	0.6	BDL	Too few samples	Too few samples	Too few samples	12.0	8.0	6.5	64	13	73	87	1014
8/1/2016 9:00	Too few samples	0.6	BDL	Too few samples	Too few samples	Calibration	11.0	8.0	5.2	72	16	76	78	1014
8/1/2016 10:00	Too few samples	BDL	BDL	Too few samples	Too few samples	2.23	7.0	7.0	6.1	88	15	76	78	1014
8/1/2016 11:00	2.5	Calibration	Calibration	7.7	BDL	2.2	9.0	8.0	5.1	71	19	77	76	1014
8/1/2016 12:00	Calibration	Too few samples	Too few samples	Too few samples	Too few samples	2.2	14.0	8.0	6.1	67	15	76	80	1014
8/1/2016 13:00	158.9	BDL	BDL	111.7	Too few samples	2.2	23.0	7.0	7.5	56	14	75	83	1014
8/1/2016 14:00	Calibration	BDL	BDL	Calibration	Calibration	2.5	16.0	9.0	7.8	59	12	75	82	1014
8/1/2016 15:00	Calibration	BDL	BDL	Calibration	Calibration	2.5	28.0	9.0	7.4	62	14	75	81	1014
8/1/2016 16:00	BDL	BDL	BDL	Calibration	Calibration	2.3	18.0	7.0	6.3	86	16	76	78	1013
8/1/2016 17:00	BDL	BDL	BDL	Calibration	Calibration	2.2	20.0	9.0	6.9	79	14	76	77	1013
8/1/2016 18:00	BDL	BDL	BDL	Calibration	Calibration	2.2	19.0	8.0	5.4	81	17	76	78	1014
8/1/2016 19:00	BDL	BDL	BDL	Calibration	Calibration	2.3	18.0	12.0	5.2	93	14	76	79	1014
8/1/2016 20:00	BDL	BDL	BDL	Calibration	Calibration	2.3	17.0	12.0	6.6	87	14	75	80	1014
8/1/2016 21:00	BDL	BDL	BDL	Calibration	Calibration	2.3	10.0	11.0	6.5	80	13	74	80	1014
8/1/2016 22:00	BDL	BDL	BDL	Calibration	Calibration	2.3	12.0	7.0	5.6	64	14	73	80	1015
8/1/2016 23:00	BDL	BDL	BDL	Calibration	Calibration	2.4	12.0	6.0	4.9	70	13	73	82	1014
8/2/2016 0:00	BDL	BDL	BDL	Calibration	Calibration	2.4	9.0	8.0	4.9	61	13	73	82	1015
8/2/2016 1:00	BDL	BDL	BDL	Calibration	Calibration	2.4	13.0	8.0	4.3	74	15	72	83	1014
8/2/2016 2:00	BDL	Calibration	Calibration	Calibration	Calibration	2.3	11.0	7.0	3.9	64	13	72	84	1014
8/2/2016 3:00	BDL	Calibration	Calibration	Calibration	Calibration	2.2	12.0	7.0	4.6	58	13	72	85	1014
8/2/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.2	10.0	4.0	4.0	58	11	72	84	1014
8/2/2016 5:00	BDL	BDL	BDL	Calibration	Calibration	2.6	15.0	5.0	4.4	56	13	73	84	1014
8/2/2016 6:00	BDL	BDL	BDL	Calibration	Calibration	2.7	24.0	12.0	5.8	48	11	72	84	1014
8/2/2016 7:00	BDL	BDL	BDL	Calibration	Calibration	2.5	29.0	11.0	6.1	67	14	73	81	1015
8/2/2016 8:00	Calibration	BDL	BDL	Calibration	Calibration	2.3	21.0	13.0	6.4	58	11	73	81	1015
8/2/2016 9:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	2.4	22.0	9.0	5.5	60	15	74	78	1015
8/2/2016 10:00	Calibration	Calibration	Calibration	2.0	0.2	2.5	23.0	13.0	6.4	64	13	75	77	1015
8/2/2016 11:00	Calibration	0.7	BDL	1.9	0.2	2.5	29.0	12.0	6.4	79	13	75	75	1016
8/2/2016 12:00	Calibration	0.5	BDL	2.6	0.2	2.5	21.0	14.0	5.8	80	16	75	71	1016
8/2/2016 13:00	Calibration	BDL	BDL	BDL	0.2	2.6	23.0	11.0	7.0	65	16	76	69	1016
8/2/2016 14:00	Calibration	BDL	BDL	BDL	0.2	2.7	19.0	15.0	6.2	93	25	78	61	1015
8/2/2016 15:00	Calibration	BDL	BDL	BDL	0.2	2.7	27.0	10.0	8.4	76	19	80	57	1015
8/2/2016 16:00	Calibration	BDL	BDL	BDL	0.2	2.6	22.0	14.0	8.9	78	15	78	60	1015
8/2/2016 17:00	Calibration	BDL	BDL	BDL	0.2	2.6	19.0	13.0	10.5	79	15	78	62	1015
8/2/2016 18:00	Calibration	BDL	BDL	BDL	0.2	2.6	19.0	12.0	10.1	76	13	77	63	1016
8/2/2016 19:00	Calibration	BDL	BDL	BDL	0.2	2.5	15.0	13.0	8.4	84	14	75	64	1016
8/2/2016 20:00	Calibration	BDL	BDL	BDL	0.2	2.6	9.0	10.0	6.9	91	13	73	66	1017
8/2/2016 21:00	Calibration	BDL	BDL	BDL	0.2	2.6	11.0	8.0	6.3	91	13	72	71	1017
8/2/2016 22:00	Calibration	BDL	BDL	BDL	0.2	2.7	12.0	11.0	5.0	86	13	71	76	1017
8/2/2016 23:00	Calibration	BDL	BDL	BDL	0.2	2.7	11.0	8.0	4.4	85	15	70	79	1018
8/3/2016 0:00	Calibration	BDL	BDL	BDL	0.2	2.7	8.0	9.0	4.4	63	11	69	80	1018
8/3/2016 1:00	Calibration	0.5	BDL	BDL	0.2	2.7	13.0	13.0	3.9	54	10	69	80	1017
8/3/2016 2:00	Calibration	Calibration	Calibration	BDL	0.2	2.7	11.0	10.0	4.1	61	10	69	78	1017
8/3/2016 3:00	Calibration	Calibration	Calibration	BDL	0.1	2.7	15.0	9.0	4.3	60	11	68	78	1017
8/3/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.7	13.0	10.0	3.6	61	11	68	76	1017
8/3/2016 5:00	Calibration	BDL	BDL	4.8	0.2	3.2	18.0	8.0	2.5	40	14	68	78	1017
8/3/2016 6:00	Calibration	BDL	BDL	11.4	0.3	3.3	24.0	9.0	3.2	36	15	68	76	1018
8/3/2016 7:00	Calibration	Audit	Audit	12.6	0.28	3.0	14.0	9.0	4.8	55	15	69	73	1018
8/3/2016 8:00	Calibration	Too few samples	Too few samples	Too few samples	Too few samples	2.9	19.0	13.0	6.4	67	17	71	67	1019
8/3/2016 9:00	Calibration	BDL	BDL	Calibration	0.2	2.9	21.0	10.0	6.7	68	17	73	59	1019
8/3/2016 10:00	Calibration	BDL	BDL	Calibration	Calibration	3.0	19.0	12.0	6.3	64	18	74	55	1019
8/3/2016 11:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	3.0	23.0	13.0	7.1	66	23	76	48	1019
8/3/2016 12:00	BDL	Calibration	Calibration	BDL	0.2	3.0	18.0	12.0	6.2	75	26	78	45	1018
8/3/2016 13:00	BDL	BDL	BDL	BDL	0.2	3.1	20.0	12.0	6.4	74	25	79	44	1018
8/3/2016 14:00	BDL	BDL	BDL	BDL	0.2	3.1	15.0	11.0	6.7	98	30	80	43	1017
8/3/2016 15:00	BDL	BDL	BDL	BDL	0.2	3.1	10.0	9.0	6.0	106	27	81	40	1017
8/3/2016 16:00	BDL	BDL	BDL	BDL	0.1	3.0	10.0	6.0	6.5	101	23	81	42	1017
8/3/2016 17:00	BDL	BDL	BDL	BDL	0.2	3.0	12.0	11.0	6.8	108	23	81	47	1017
8/3/2016 18:00	BDL	BDL	BDL	BDL	0.1	3.0	18.0	8.0	7.5	97	18	79	50	1017
8/3/2016 19:00	BDL	BDL	BDL	BDL	0.1	3.0	10.0	8.0	8.1	101	16	77	55	1017
8/3/2016 20:00	BDL	BDL	BDL	BDL	0.1	3.0	9.0	10.0	8.0	99	14	75	58	1018
8/3/2016 21:00	BDL	BDL	BDL	BDL	0.1	2.9	8.0	8.0	7.6	98	15	73	62	1018
8/3/2016 22:00	BDL	BDL	BDL	BDL	0.2	3.1	7.0	5.0	4.1	128	18	72	69	1018
8/3/2016 23:00	BDL	BDL	BDL	BDL	0.2	2.9	14.0	8.0	3.0	90	18	71	72	1018

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 7/31/2016-8/6/2016														
8/4/2016 0:00	BDL	BDL	BDL	BDL	0.2	2.9	9.0	10.0	3.3	71	13	70	75	1018
8/4/2016 1:00	BDL	BDL	BDL	BDL	0.2	2.8	15.0	6.0	2.1	86	14	69	74	1018
8/4/2016 2:00	BDL	Calibration	Calibration	18.4	0.2	2.8	16.0	9.0	2.2	68	15	69	75	1018
8/4/2016 3:00	BDL	Calibration	Calibration	6.2	0.2	3.2	12.0	8.0	2.0	44	11	69	76	1018
8/4/2016 4:00	Calibration	0.5	BDL	Calibration	Calibration	2.9	11.0	9.0	1.9	63	13	68	79	1018
8/4/2016 5:00	BDL	BDL	BDL	17.6	0.3	3.2	21.0	12.0	2.4	52	15	68	80	1018
8/4/2016 6:00	BDL	0.6	BDL	33.7	0.4	3.3	38.0	12.0	3.4	58	13	68	79	1018
8/4/2016 7:00	Calibration	0.6	BDL	Calibration	Calibration	3.3	33.0	12.0	4.2	69	13	69	73	1019
8/4/2016 8:00	Calibration	0.5	BDL	Calibration	Calibration	2.9	32.0	8.0	5.1	64	16	71	69	1019
8/4/2016 9:00	BDL	BDL	BDL	5.3	0.2	3.0	24.0	10.0	4.4	87	23	73	63	1018
8/4/2016 10:00	BDL	BDL	BDL	BDL	0.1	3.4	21.0	8.0	4.5	141	27	76	56	1018
8/4/2016 11:00	BDL	BDL	BDL	BDL	0.1	2.9	22.0	7.0	4.2	163	30	79	49	1018
8/4/2016 12:00	BDL	BDL	BDL	BDL	0.1	2.9	17.0	7.0	3.9	131	49	79	44	1018
8/4/2016 13:00	BDL	BDL	BDL	BDL	0.1	2.9	15.0	9.0	3.8	148	42	81	39	1017
8/4/2016 14:00	BDL	BDL	BDL	BDL	0.1	3.0	17.0	11.0	4.3	158	37	82	39	1017
8/4/2016 15:00	BDL	BDL	BDL	BDL	0.1	2.9	20.0	9.0	4.0	192	41	84	38	1016
8/4/2016 16:00	BDL	BDL	BDL	BDL	0.1	2.7	22.0	7.0	4.2	187	22	83	43	1016
8/4/2016 17:00	BDL	BDL	BDL	BDL	0.1	2.6	15.0	9.0	6.1	174	22	82	46	1016
8/4/2016 18:00	BDL	0.4	BDL	BDL	0.1	2.5	13.0	9.0	7.8	184	13	80	57	1016
8/4/2016 19:00	BDL	0.4	BDL	BDL	0.2	2.5	12.0	9.0	5.6	181	12	79	60	1016
8/4/2016 20:00	BDL	0.7	BDL	BDL	0.2	2.6	13.0	10.0	5.5	176	13	77	65	1016
8/4/2016 21:00	BDL	1.3	BDL	BDL	0.2	3.6	11.0	13.0	5.1	177	12	75	70	1016
8/4/2016 22:00	BDL	0.9	BDL	BDL	0.2	3.4	9.0	12.0	4.6	175	12	73	69	1016
8/4/2016 23:00	BDL	0.6	BDL	BDL	0.1	2.5	10.0	9.0	4.9	174	11	72	69	1016
8/5/2016 0:00	BDL	0.4	BDL	BDL	0.2	2.5	9.0	8.0	3.5	171	14	71	71	1016
8/5/2016 1:00	BDL	BDL	BDL	BDL	0.2	2.4	12.0	8.0	3.2	179	14	71	73	1016
8/5/2016 2:00	BDL	Calibration	Calibration	BDL	0.1	2.5	9.0	6.0	2.6	195	16	70	74	1016
8/5/2016 3:00	BDL	Calibration	Calibration	1.1	0.2	2.9	12.0	13.0	3.2	208	13	70	77	1015
8/5/2016 4:00	Calibration	1.1	BDL	Calibration	Calibration	2.8	17.0	12.0	2.4	198	15	69	80	1015
8/5/2016 5:00	BDL	1.9	BDL	15.8	0.2	2.7	18.0	14.0	2.1	191	14	69	83	1015
8/5/2016 6:00	BDL	2.9	1.3	28.1	0.2	3.0	17.0	13.0	2.0	245	16	69	82	1015
8/5/2016 7:00	Too few samples	2.3	BDL	Too few samples	Too few samples	3.0	46.0	19.0	2.9	213	26	71	71	1015
8/5/2016 8:00	Calibration	0.9	BDL	Calibration	Calibration	2.4	16.0	6.0	4.8	208	17	75	64	1015
8/5/2016 9:00	1.3	0.9	BDL	14.9	0.2	2.5	20.0	13.0	4.6	190	23	76	61	1015
8/5/2016 10:00	BDL	0.9	BDL	BDL	0.1	2.4	21.0	12.0	5.1	184	25	79	57	1014
8/5/2016 11:00	BDL	0.4	BDL	BDL	0.1	2.0	20.0	14.0	5.1	208	24	81	52	1014
8/5/2016 12:00	BDL	0.4	BDL	BDL	0.1	1.8	24.0	14.0	6.3	183	24	82	51	1013
8/5/2016 13:00	16.3	0.5	BDL	BDL	1.7	1.8	25.0	14.0	7.6	198	20	83	50	1012
8/5/2016 14:00	BDL	0.7	BDL	BDL	0.1	1.8	21.0	12.0	8.4	222	19	85	46	1012
8/5/2016 15:00	BDL	0.4	BDL	BDL	0.1	1.7	19.0	12.0	8.3	216	20	84	47	1012
8/5/2016 16:00	BDL	BDL	BDL	BDL	0.1	1.7	19.0	11.0	8.2	207	19	84	48	1011
8/5/2016 17:00	BDL	BDL	BDL	BDL	0.1	1.5	23.0	16.0	8.3	197	16	83	50	1010
8/5/2016 18:00	BDL	BDL	BDL	BDL	0.1	1.4	13.0	11.0	7.6	190	15	81	51	1010
8/5/2016 19:00	BDL	0.9	BDL	BDL	0.1	1.4	17.0	11.0	6.5	186	13	80	55	1010
8/5/2016 20:00	BDL	1.2	BDL	BDL	0.1	1.4	10.0	8.0	6.0	178	12	78	59	1010
8/5/2016 21:00	BDL	1.2	BDL	BDL	0.1	1.5	10.0	6.0	5.7	171	13	76	62	1010
8/5/2016 22:00	BDL	1.1	BDL	BDL	0.1	2.3	8.0	8.0	6.7	172	12	75	71	1010
8/5/2016 23:00	BDL	1.3	BDL	BDL	0.1	1.7	7.0	7.0	4.3	182	12	76	74	1009
8/6/2016 0:00	BDL	2.4	BDL	BDL	0.2	1.2	10.0	8.0	4.7	181	16	76	74	1009
8/6/2016 1:00	BDL	3.4	2.0	BDL	0.1	1.1	7.0	8.0	6.3	196	13	76	77	1009
8/6/2016 2:00	BDL	Calibration	Calibration	BDL	0.1	1.0	5.0	8.0	6.4	200	13	76	80	1008
8/6/2016 3:00	BDL	Calibration	Calibration	BDL	0.1	1.4	11.0	9.0	5.6	206	15	76	82	1008
8/6/2016 4:00	Calibration	2.0	0.4	Calibration	Calibration	1.3	10.0	7.0	5.9	199	12	76	86	1007
8/6/2016 5:00	BDL	1.9	BDL	BDL	0.1	1.4	11.0	9.0	5.7	205	13	76	87	1007
8/6/2016 6:00	8.5	2.7	1.0	BDL	0.1	1.3	13.0	8.0	5.4	202	12	76	87	1007
8/6/2016 7:00	Too few samples	2.2	0.6	Too few samples	Too few samples	1.4	15.0	9.0	5.2	214	16	77	86	1007
8/6/2016 8:00	Calibration	2.2	BDL	Calibration	Calibration	1.0	17.0	8.0	5.1	234	18	80	76	1006
8/6/2016 9:00	Calibration	1.2	BDL	12.5	3.0	1.0	10.0	6.0	5.3	211	23	83	70	1006
8/6/2016 10:00	BDL	0.8	BDL	BDL	0.2	1.5	14.0	12.0	5.2	216	21	85	64	1005
8/6/2016 11:00	BDL	0.6	BDL	BDL	0.2	2.4	17.0	12.0	4.5	221	25	85	64	1005
8/6/2016 12:00	BDL	0.7	BDL	BDL	0.2	1.0	12.0	10.0	5.8	239	18	86	60	1005
8/6/2016 13:00	BDL	0.5	BDL	BDL	0.2	0.8	12.0	12.0	5.5	236	23	89	54	1004
8/6/2016 14:00	15.1	0.4	BDL	BDL	1.8	1.0	15.0	15.0	6.4	242	23	91	49	1004
8/6/2016 15:00	0.6	0.5	BDL	BDL	0.2	1.3	16.0	12.0	7.2	241	20	92	47	1003
8/6/2016 16:00	BDL	0.9	BDL	BDL	0.2	1.3	20.0	21.0	8.3	240	19	92	48	1003
8/6/2016 17:00	BDL	0.7	BDL	BDL	0.2	1.0	15.0	10.0	6.9	228	19	90	54	1003
8/6/2016 18:00	BDL	0.9	BDL	BDL	0.3	1.1	21.0	14.0	7.0	234	18	90	56	1003
8/6/2016 19:00	BDL	0.5	BDL	BDL	0.3	1.0	26.0	15.0	7.1	303	23	85	63	1003
8/6/2016 20:00	BDL	0.4	BDL	BDL	0.3	1.1	15.0	12.0	2.7	293	34	82	69	1004
8/6/2016 21:00	BDL	BDL	BDL	BDL	0.3	1.6	16.0	13.0	2.7	299	21	83	65	1005
8/6/2016 22:00	BDL	0.4	BDL	BDL	0.3	2.4	17.0	15.0	4.2	330	17	81	67	1005
8/6/2016 23:00	BDL	0.4	BDL	7.4	0.3	1.3	20.0	20.0	5.7	359	17	80	69	1006

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 8/7/2016-8/13/2016														
8/7/2016 0:00	BDL	0.5	BDL	5.3	0.3	1.3	17.0	16.0	6.2	5	17	79	65	1006
8/7/2016 1:00	BDL	0.4	BDL	BDL	0.3	1.1	18.0	12.0	5.8	356	17	78	67	1007
8/7/2016 2:00	BDL	Calibration	Calibration	16.4	0.2	1.2	15.0	13.0	5.4	334	16	77	64	1007
8/7/2016 3:00	BDL	Calibration	Calibration	3.6	0.2	1.3	20.0	15.0	3.7	332	18	75	63	1007
8/7/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	1.3	11.0	13.0	4.7	297	13	74	65	1008
8/7/2016 5:00	Too few samples	BDL	BDL	Too few samples	Too few samples	1.5	13.0	11.0	4.8	302	12	73	66	1008
8/7/2016 6:00	0.6	Calibration	Calibration	BDL	0.2	1.5	10.0	12.0	4.5	302	10	72	65	1009
8/7/2016 7:00	BDL	Calibration	Calibration	BDL	0.2	1.5	14.0	10.0	5.4	308	11	74	58	1009
8/7/2016 8:00	Calibration	0.5	BDL	Calibration	Calibration	1.5	11.0	13.0	7.2	327	14	77	51	1010
8/7/2016 9:00	1.6	BDL	BDL	BDL	0.2	Too few samples	19.0	13.0	5.5	344	22	78	47	1010
8/7/2016 10:00	0.9	BDL	BDL	BDL	0.2	2.2	16.0	15.0	4.9	17	28	80	42	1010
8/7/2016 11:00	0.5	BDL	BDL	BDL	0.1	2.6	7.0	12.0	5.4	341	28	83	37	1010
8/7/2016 12:00	BDL	BDL	BDL	BDL	0.1	2.6	11.0	9.0	5.4	306	34	85	35	1010
8/7/2016 13:00	BDL	BDL	BDL	BDL	0.1	2.3	8.0	11.0	6.2	293	33	87	33	1009
8/7/2016 14:00	BDL	BDL	BDL	BDL	0.1	2.3	12.0	10.0	7.2	290	21	88	30	1009
8/7/2016 15:00	BDL	BDL	BDL	BDL	0.1	2.3	9.0	8.0	7.8	306	19	88	28	1009
8/7/2016 16:00	BDL	BDL	BDL	BDL	0.1	2.3	7.0	9.0	8.8	310	17	88	30	1009
8/7/2016 17:00	BDL	BDL	BDL	BDL	0.1	2.3	8.0	8.0	9.1	306	13	88	30	1009
8/7/2016 18:00	BDL	BDL	BDL	BDL	0.1	2.2	7.0	6.0	7.9	296	14	87	32	1009
8/7/2016 19:00	BDL	BDL	BDL	BDL	0.1	2.0	16.0	6.0	6.6	304	9	85	35	1010
8/7/2016 20:00	BDL	BDL	BDL	BDL	0.2	2.1	9.0	7.0	3.8	286	8	84	38	1010
8/7/2016 21:00	BDL	BDL	BDL	5.3	0.2	2.6	13.0	7.0	3.0	268	12	82	44	1011
8/7/2016 22:00	BDL	BDL	BDL	BDL	0.3	2.7	14.0	11.0	2.9	259	11	80	49	1011
8/7/2016 23:00	BDL	0.7	BDL	12.7	0.3	4.0	12.0	11.0	2.1	245	13	79	54	1011
8/8/2016 0:00	BDL	3.2	3.8	3.8	0.3	3.8	12.0	9.0	2.4	226	15	78	56	1012
8/8/2016 1:00	BDL	9.6	10.7	8.9	0.3	3.3	15.0	10.0	1.3	244	36	77	60	1012
8/8/2016 2:00	BDL	Calibration	Calibration	10.3	0.3	3.7	16.0	9.0	2.2	227	22	76	62	1012
8/8/2016 3:00	BDL	Calibration	Calibration	19.6	0.3	4.6	17.0	14.0	2.2	221	22	76	65	1012
8/8/2016 4:00	Calibration	0.8	BDL	Calibration	Calibration	3.5	14.0	14.0	2.1	280	24	76	64	1013
8/8/2016 5:00	BDL	0.6	BDL	23.4	0.3	3.4	25.0	16.0	2.4	55	41	75	66	1013
8/8/2016 6:00	0.4	1.2	BDL	48.6	0.4	3.8	44.0	17.0	3.3	71	12	75	65	1013
8/8/2016 7:00	Too few samples	0.4	BDL	Too few samples	Too few samples	2.8	23.0	17.0	6.3	58	10	76	52	1014
8/8/2016 8:00	Too few samples	0.4	BDL	Calibration	Too few samples	2.5	35.0	14.0	6.4	64	14	77	48	1014
8/8/2016 9:00	Too few samples	BDL	BDL	Too few samples	Too few samples	2.7	33.0	12.0	5.7	61	16	78	47	1015
8/8/2016 10:00	Too few samples	BDL	BDL	Too few samples	Too few samples	3.0	26.0	14.0	6.6	96	17	79	47	1015
8/8/2016 11:00	BDL	BDL	BDL	BDL	0.1	2.8	17.0	10.0	6.6	98	20	80	43	1015
8/8/2016 12:00	25	BDL	BDL	BDL	2.2	3.1	18.0	7.0	5.1	99	28	82	43	1014
8/8/2016 13:00	85	BDL	BDL	BDL	6.0	2.8	19.0	12.0	4.8	120	25	82	46	1015
8/8/2016 14:00	108	BDL	BDL	BDL	9.9	2.9	29.0	14.0	6.4	67	19	82	49	1015
8/8/2016 15:00	BDL	BDL	BDL	BDL	0.2	2.7	36.0	14.0	6.1	63	20	81	52	1014
8/8/2016 16:00	BDL	BDL	BDL	BDL	0.2	2.6	27.0	14.0	5.0	74	19	82	53	1014
8/8/2016 17:00	BDL	BDL	BDL	BDL	0.3	2.6	29.0	14.0	5.0	87	20	82	54	1014
8/8/2016 18:00	BDL	BDL	BDL	BDL	0.2	2.5	24.0	12.0	6.0	116	17	81	59	1014
8/8/2016 19:00	BDL	BDL	BDL	BDL	0.2	2.4	13.0	11.0	5.7	135	14	79	66	1015
8/8/2016 20:00	BDL	BDL	BDL	BDL	0.2	2.4	14.0	13.0	5.5	136	13	78	71	1015
8/8/2016 21:00	BDL	BDL	BDL	BDL	0.2	2.5	11.0	11.0	3.9	120	21	77	74	1016
8/8/2016 22:00	BDL	BDL	BDL	BDL	0.2	2.6	17.0	11.0	3.7	133	19	77	76	1017
8/8/2016 23:00	BDL	0.4	BDL	BDL	0.2	2.9	13.0	12.0	3.3	143	15	76	79	1017
8/9/2016 0:00	BDL	0.6	BDL	1.7	0.2	3.8	12.0	10.0	2.4	147	16	75	81	1018
8/9/2016 1:00	BDL	0.8	BDL	1.0	0.2	3.3	10.0	7.0	2.2	143	19	74	84	1018
8/9/2016 2:00	BDL	Calibration	Calibration	2.9	0.2	3.0	16.0	9.0	2.6	86	19	72	87	1018
8/9/2016 3:00	BDL	Calibration	Calibration	BDL	0.19	3.0	12.0	11.0	2.2	150	27	73	88	1018
8/9/2016 4:00	Calibration	1.4	BDL	Calibration	Calibration	3.0	14.0	9.0	2.1	136	15	73	89	1018
8/9/2016 5:00	BDL	1.4	BDL	29.2	0.2	3.1	23.0	15.0	1.9	102	18	71	91	1018
8/9/2016 6:00	BDL	1.5	BDL	43.2	0.3	3.1	18.0	17.0	2.5	85	19	71	90	1019
8/9/2016 7:00	BDL	2.2	BDL	32.4	0.4	3.2	35.0	18.0	3.6	66	12	72	83	1019
8/9/2016 8:00	Calibration	2.3	0.6	Calibration	Calibration	3.1	37.0	17.0	4.0	76	18	75	78	1020
8/9/2016 9:00	14.8	1.0	BDL	Too few samples	1.2	Calibration	18.0	10.0	4.4	119	23	77	72	1020
8/9/2016 10:00	255.2	0.5	BDL	BDL	17.2	6.0	18.0	11.0	5.8	137	19	81	61	1020
8/9/2016 11:00	5.3	0.5	BDL	BDL	0.3	3.7	18.0	11.0	5.1	131	23	83	52	1020
8/9/2016 12:00	47.4	BDL	BDL	3.0	3.2	4.0	16.0	11.0	5.9	158	23	85	44	1019
8/9/2016 13:00	223.6	BDL	BDL	Too few samples	9.8	4.2	24.0	14.0	7.1	171	21	87	42	1019
8/9/2016 14:00	48.5	0.6	BDL	5.5	1.6	3.6	15.0	12.0	8.0	165	16	85	47	1019
8/9/2016 15:00	BDL	0.5	BDL	BDL	0.2	3.7	16.0	11.0	8.0	166	13	85	45	1018
8/9/2016 16:00	BDL	BDL	BDL	20.9	0.2	3.7	19.0	7.0	7.4	150	13	84	49	1018
8/9/2016 17:00	BDL	BDL	BDL	BDL	0.2	3.6	15.0	10.0	9.5	170	15	85	44	1018
8/9/2016 18:00	BDL	BDL	BDL	BDL	0.2	3.4	15.0	9.0	7.9	187	13	84	50	1018
8/9/2016 19:00	BDL	BDL	BDL	BDL	0.2	3.3	16.0	8.0	6.7	170	11	81	56	1018
8/9/2016 20:00	BDL	BDL	BDL	BDL	0.2	3.2	13.0	8.0	5.9	171	11	80	60	1019
8/9/2016 21:00	BDL	BDL	BDL	BDL	0.2	3.4	9.0	10.0	5.1	168	12	80	63	1019
8/9/2016 22:00	BDL	0.4	BDL	BDL	0.2	3.4	8.0	10.0	5.3	177	13	79	70	1019
8/9/2016 23:00	BDL	0.6	BDL	BDL	0.2	3.4	9.0	7.0	6.0	178	13	78	75	1020
8/10/2016 0:00	BDL	0.8	BDL	BDL	0.2	3.5	8.0	3.0	5.2	172	12	77	78	1020
8/10/2016 1:00	BDL	1.5	BDL	BDL	0.2	3.7	9.0	4.0	4.5	185	13	78	80	1020
8/10/2016 2:00	BDL	Calibration	Calibration	13.8	0.2	3.6	12.0	11.0	3.4	197	13	78	82	1019
8/10/2016 3:00	BDL	Calibration	Calibration	2.3	0.2	3.3	9.0	7.0	3.2	191	14	77	84	1019
8/10/2016 4:00	Calibration	4.1	2.1	Calibration	Calibration	3.2	9.0	7.0	4.0	198	14	77	86	1019
8/10/2016 5:00	BDL	2.2	0.7	BDL	0.2	3.1	11.0	4.0	5.5	204	12	77	87	1019
8/10/2016 6:00	BDL	1.3	BDL	28.2	0.2	2.9	26.0	4.0	5.5	196	13	77	87	1019
8/10/2016 7:00	60	2.1	BDL	56.3	4.5	3.0	29.0	8.0	6.3	197	12	78	87	1019
8/10/2016 8:00	Calibration	1.0	BDL	Calibration	Calibration	3.1	17.0	7.0	7.7	201	14	79	86	1019
8/10/2016 9:00	Calibration	0.8	BDL	Calibration	Calibration	3.2	15.0	9.0	7.1	218	17	82	78	1019
8/10/2016 10:00	2.2	0.6	BDL	5.7	0.1	3.2	31.0	14.0	8.6	211	17	84	72	1019
8/10/2016 11:00	BDL	0.5	BDL	1.8	0.1	3.1	24.0	15.0	9.1	212	18	86	67	1019
8/10/2016 12:00	BDL	0.4	BDL	1.5	0.1	3.3	26.0	12.0	9.6	216	17	88	58	1018
8/10/2016 13:00	BDL	0.4	BDL	3.1	0.1	3.5	35.0	13.0	11.6	210	18	89	56	1017
8/10/2016 14:00	BDL	BDL	BDL	1.5	0.1	3.2	32.0	11.0	12.0	211	16	91	49	1017
8/10/2016 15:00	BDL	BDL	BDL	1.9	0.1	3.0	19.0	16.0	11.5	216	17	92	50	1016
8/10/2016 16:00	BDL	BDL	BDL	1.8	0.1	3.0	46.0	16.0	13.6	214	16	91	49	1016
8/10/2016 17:00	BDL	BDL	BDL	2.1	0.2	2.9	35.0	18.0	11.4	217	16	91	52	1016
8/10/2016 18:00	BDL	BDL	BDL	3.7	0.2	2.7	19.0	8.0	9.1	217	17	90	54	1016
8/10/2016 19:00	BDL	BDL	BDL	9.0	0.2	2.7	20.0	8.0	9.4	214	14	88	56	1016
8/10/2016 20:00	BDL	BDL	BDL	9.6	0.2	2.8	19.0	11.0	7.0	212	14	88	58	1017
8/10/2016 21:00	BDL	BDL	BDL	5.4	0.1	2.6	16.0	10.0	6.6	201	12	86	65	1017
8/10/2016 22:00	BDL	0.7	BDL	1.4	0.1	2.6	19.0	10.0	8.2	206	14	85	70	1017
8/10/2016 23:00	BDL	0.9	BDL	5.8	0.2	2.8	20.0	9.0	8.0	216	15	84	71	1017

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 8/7/2016-8/13/2016														
8/11/2016 0:00	BDL	1.0	BDL	3.2	0.1	2.8	26.0	8.0	7.7	213	14	83	74	1017
8/11/2016 1:00	BDL	1.0	BDL	3.3	0.1	2.7	22.0	10.0	7.0	199	12	81	79	1016
8/11/2016 2:00	BDL	Calibration	Calibration	2.6	0.1	3.0	23.0	9.0	6.9	201	13	81	83	1016
8/11/2016 3:00	BDL	Calibration	Calibration	5.2	0.1	2.8	21.0	10.0	5.7	209	14	81	83	1016
8/11/2016 4:00	Calibration	1.0	BDL	Calibration	Calibration	2.6	19.0	9.0	5.7	215	15	81	83	1016
8/11/2016 5:00	2.6	0.8	BDL	8.5	0.1	2.7	22.0	11.0	4.9	213	15	81	82	1017
8/11/2016 6:00	2.3	1.2	BDL	22.2	0.2	2.6	30.0	8.0	4.7	197	14	81	84	1017
8/11/2016 7:00	0.8	1.1	BDL	20.4	0.2	Calibration	57.0	13.0	6.8	204	12	81	82	1017
8/11/2016 8:00	Calibration	BDL	BDL	Calibration	Calibration	2.5	38.0	9.0	6.3	231	18	83	74	1017
8/11/2016 9:00	2.1	Calibration	Calibration	18.9	0.1	2.6	26.0	12.0	6.1	216	24	79	88	1017
8/11/2016 10:00	BDL	Calibration	Calibration	21.6	0.1	2.7	29.0	12.0	3.7	199	20	82	82	1017
8/11/2016 11:00	BDL	0.4	BDL	11.3	0.2	2.6	33.0	17.0	7.9	217	18	86	67	1016
8/11/2016 12:00	BDL	BDL	BDL	5.8	0.1	2.6	24.0	18.0	8.5	215	18	88	62	1016
8/11/2016 13:00	BDL	0.4	BDL	8.2	0.2	2.9	30.0	19.0	8.2	225	21	92	52	1015
8/11/2016 14:00	BDL	0.5	BDL	3.8	0.1	4.2	29.0	17.0	8.8	236	20	93	47	1014
8/11/2016 15:00	BDL	0.5	BDL	2.8	0.1	3.0	39.0	19.0	9.5	216	20	94	49	1013
8/11/2016 16:00	BDL	BDL	BDL	2.7	0.2	2.5	34.0	18.0	10.8	212	16	93	51	1013
8/11/2016 17:00	BDL	BDL	BDL	5.1	0.2	2.3	35.0	16.0	9.3	216	16	92	52	1012
8/11/2016 18:00	BDL	BDL	BDL	4.3	0.1	2.3	31.0	14.0	8.7	218	17	91	54	1013
8/11/2016 19:00	BDL	BDL	BDL	8.1	0.2	2.0	30.0	14.0	7.6	209	14	90	57	1013
8/11/2016 20:00	BDL	BDL	BDL	8.0	0.2	2.1	36.0	17.0	6.7	212	14	89	59	1013
8/11/2016 21:00	BDL	BDL	BDL	9.4	0.1	1.8	26.0	16.0	5.4	202	13	87	64	1013
8/11/2016 22:00	BDL	0.4	BDL	9.0	0.2	1.9	26.0	16.0	6.2	202	13	86	69	1013
8/11/2016 23:00	BDL	1.0	BDL	2.7	0.1	1.7	19.0	15.0	7.2	207	13	85	72	1013
8/12/2016 0:00	BDL	1.4	BDL	7.5	0.1	1.9	21.0	10.0	5.8	203	13	84	74	1013
8/12/2016 1:00	BDL	1.8	0.7	4.5	0.1	1.5	14.0	9.0	5.8	186	12	82	80	1012
8/12/2016 2:00	BDL	Calibration	Calibration	4.4	0.1	1.7	14.0	6.0	6.4	193	12	81	84	1012
8/12/2016 3:00	BDL	Calibration	Calibration	8.3	0.1	2.3	17.0	2.0	5.0	202	15	82	85	1012
8/12/2016 4:00	Calibration	1.4	BDL	Calibration	Calibration	1.7	17.0	3.0	6.5	214	14	82	84	1012
8/12/2016 5:00	2.2	1.2	BDL	5.7	0.1	1.4	10.0	7.0	6.0	204	14	81	86	1012
8/12/2016 6:00	0.9	1.1	BDL	8.9	0.2	1.7	15.0	9.0	7.5	219	15	81	83	1011
8/12/2016 7:00	BDL	0.8	BDL	14.2	0.2	Too few samples	19.0	13.0	7.7	221	16	82	79	1011
8/12/2016 8:00	Calibration	0.7	BDL	Calibration	Calibration	1.7	25.0	16.0	9.1	232	17	85	69	1012
8/12/2016 9:00	Calibration	0.5	BDL	Calibration	0.2	1.8	33.0	13.0	8.3	233	19	87	63	1011
8/12/2016 10:00	BDL	0.5	Too few samples	15.4	0.2	1.8	Invalid	17.0	8.3	226	19	90	59	1011
8/12/2016 11:00	BDL	BDL	BDL	7.7	0.2	1.9	Invalid	17.0	7.8	221	21	92	55	1011
8/12/2016 12:00	BDL	0.4	BDL	4.9	0.2	1.8	Invalid	19.0	8.5	210	16	93	54	1010
8/12/2016 13:00	0.6	0.8	Too few samples	3.3	0.2	2.0	Invalid	Invalid	8.8	211	17	95	51	1009
8/12/2016 14:00	BDL	BDL	BDL	3.6	0.2	2.1	31.0	21.0	9.1	215	18	97	48	1009
8/12/2016 15:00	BDL	BDL	BDL	3.6	0.2	2.5	30.0	15.0	10.7	214	16	96	49	1008
8/12/2016 16:00	BDL	0.4	BDL	3.5	0.2	1.8	32.0	16.0	11.0	217	18	96	48	1008
8/12/2016 17:00	BDL	0.4	BDL	3.5	0.2	1.5	27.0	9.0	9.8	240	20	94	48	1009
8/12/2016 18:00	BDL	BDL	BDL	3.6	0.2	1.3	14.0	7.0	4.8	290	16	89	54	1009
8/12/2016 19:00	BDL	0.4	BDL	13.4	0.2	1.8	17.0	11.0	4.8	219	20	90	59	1009
8/12/2016 20:00	BDL	0.5	BDL	7.5	0.2	1.1	24.0	15.0	7.1	203	12	90	64	1009
8/12/2016 21:00	BDL	0.4	BDL	2.8	0.2	1.0	22.0	15.0	7.2	200	11	89	67	1010
8/12/2016 22:00	BDL	0.9	BDL	9.2	0.2	1.1	19.0	10.0	6.3	199	12	87	72	1010
8/12/2016 23:00	BDL	0.9	BDL	6.9	0.2	1.4	18.0	8.0	6.2	214	14	87	73	1010
8/13/2016 0:00	BDL	1.1	BDL	3.9	0.2	1.0	15.0	12.0	6.2	198	12	86	77	1010
8/13/2016 1:00	BDL	1.3	BDL	3.9	0.1	1.0	11.0	15.0	5.4	195	12	84	79	1010
8/13/2016 2:00	BDL	Calibration	Calibration	1.3	0.1	0.9	11.0	7.0	6.2	197	12	84	80	1010
8/13/2016 3:00	BDL	Calibration	Calibration	3.6	0.1	1.4	13.0	7.0	5.0	214	15	84	80	1010
8/13/2016 4:00	Calibration	2.2	0.8	Calibration	Calibration	1.9	10.0	4.0	4.6	210	13	83	81	1010
8/13/2016 5:00	4.4	2.0	0.8	11.7	0.1	1.4	10.0	6.0	4.7	201	12	83	82	1010
8/13/2016 6:00	1.1	1.7	BDL	17.9	0.2	1.2	17.0	7.0	4.4	201	14	83	83	1011
8/13/2016 7:00	BDL	Calibration	Calibration	11.4	0.2	1.4	15.0	7.0	6.0	219	17	84	75	1011
8/13/2016 8:00	BDL	Calibration	Calibration	14.7	0.2	1.4	13.0	6.0	6.7	217	18	86	72	1011
8/13/2016 9:00	BDL	Calibration	Calibration	9.0	0.2	1.3	22.0	13.0	6.2	211	17	89	66	1010
8/13/2016 10:00	BDL	Calibration	Calibration	8.7	0.2	Too few samples	19.0	15.0	5.8	214	19	92	60	1010
8/13/2016 11:00	Too few samples	BDL	0.4	Too few samples	Too few samples	Calibration	17.0	14.0	5.6	209	20	93	58	1010
8/13/2016 12:00	Calibration	BDL	0.4	Calibration	Calibration	1.8	25.0	15.0	5.8	215	20	95	55	1010
8/13/2016 13:00	6.5	BDL	0.4	3.5	0.2	1.6	21.0	12.0	6.9	203	21	96	51	1009
8/13/2016 14:00	1.4	BDL	0.4	1.2	0.2	1.6	20.0	14.0	7.9	200	22	97	49	1009
8/13/2016 15:00	2.4	BDL	BDL	BDL	0.2	1.6	11.0	11.0	9.3	198	14	96	51	1008
8/13/2016 16:00	1.1	BDL	BDL	1.1	0.2	2.4	17.0	10.0	9.5	213	18	97	46	1008
8/13/2016 17:00	0.6	BDL	BDL	1.4	0.2	1.6	14.0	6.0	10.3	213	15	96	46	1008
8/13/2016 18:00	0.5	BDL	BDL	2.6	0.2	1.3	15.0	8.0	10.2	211	15	95	51	1007
8/13/2016 19:00	BDL	BDL	BDL	8.4	0.2	1.3	12.0	9.0	8.7	223	16	93	56	1008
8/13/2016 20:00	BDL	BDL	BDL	8.3	0.2	1.9	14.0	15.0	5.5	213	15	92	60	1009
8/13/2016 21:00	BDL	BDL	BDL	10.2	0.2	1.0	16.0	11.0	4.2	181	13	90	66	1010
8/13/2016 22:00	BDL	BDL	BDL	2.7	0.2	0.9	14.0	14.0	5.9	192	13	89	71	1010
8/13/2016 23:00	BDL	1.6	BDL	3.4	0.2	1.0	17.0	18.0	6.6	197	11	88	73	1010

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 8/14/2016-8/20/2016														
8/14/2016 0:00	BDL	0.4	BDL	5.3	0.2	1.6	17.0	10.0	7.2	210	15	88	72	1010
8/14/2016 1:00	BDL	0.6	BDL	3.5	0.2	1.1	18.0	11.0	7.0	206	12	87	74	1010
8/14/2016 2:00	BDL	Calibration	Calibration	3.9	0.2	1.2	21.0	13.0	6.3	206	14	86	76	1010
8/14/2016 3:00	BDL	Calibration	Calibration	5.0	0.2	1.0	14.0	13.0	6.3	205	12	85	77	1009
8/14/2016 4:00	Calibration	0.5	0.6	Calibration	Calibration	1.3	14.0	16.0	6.0	213	14	85	78	1010
8/14/2016 5:00	4.3	BDL	0.8	8.5	0.2	1.8	19.0	12.0	5.5	221	16	84	79	1010
8/14/2016 6:00	1.5	BDL	0.8	10.2	0.2	1.5	17.0	12.0	4.4	248	14	83	77	1011
8/14/2016 7:00	0.6	BDL	0.5	4.4	0.2	Too few samples	19.0	11.0	4.0	261	15	85	69	1012
8/14/2016 8:00	Calibration	BDL	BDL	Calibration	Calibration	1.7	14.0	8.0	3.4	274	20	87	55	1012
8/14/2016 9:00	6.7	Too few samples	Too few samples	2.7	0.2	1.6	11.0	9.0	4.6	263	24	91	48	1012
8/14/2016 10:00	1.0	Calibration	Calibration	2.1	0.1	1.6	13.0	9.0	6.0	268	25	93	43	1012
8/14/2016 11:00	0.5	BDL	BDL	0.4	0.2	1.9	12.0	10.0	6.6	281	28	94	42	1012
8/14/2016 12:00	BDL	BDL	BDL	0.4	0.2	1.9	12.0	11.0	8.1	264	24	96	39	1012
8/14/2016 13:00	BDL	BDL	BDL	BDL	0.2	1.8	11.0	7.0	9.2	267	18	97	37	1012
8/14/2016 14:00	BDL	BDL	BDL	BDL	0.2	2.0	10.0	7.0	9.0	270	20	96	38	1012
8/14/2016 15:00	BDL	BDL	BDL	BDL	0.2	2.2	11.0	7.0	8.3	268	22	97	38	1011
8/14/2016 16:00	BDL	BDL	0.4	BDL	0.2	2.7	11.0	8.0	8.2	258	20	97	37	1011
8/14/2016 17:00	BDL	BDL	0.4	BDL	0.2	2.9	10.0	9.0	8.7	256	19	97	37	1011
8/14/2016 18:00	BDL	BDL	BDL	BDL	0.2	2.0	15.0	9.0	7.7	282	19	95	40	1012
8/14/2016 19:00	BDL	BDL	BDL	BDL	0.2	1.8	12.0	8.0	5.3	278	13	94	44	1012
8/14/2016 20:00	BDL	BDL	0.4	2.4	0.2	1.8	11.0	7.0	5.1	284	14	92	49	1013
8/14/2016 21:00	BDL	BDL	0.7	2.3	0.2	2.0	13.0	8.0	4.4	300	29	85	64	1014
8/14/2016 22:00	BDL	BDL	1.0	4.2	0.2	2.1	10.0	6.0	3.0	286	16	84	67	1015
8/14/2016 23:00	BDL	BDL	BDL	BDL	0.1	1.8	10.0	6.0	7.3	292	16	83	68	1014
8/15/2016 0:00	BDL	BDL	BDL	0.4	0.1	1.9	9.0	6.0	5.0	286	19	79	80	1015
8/15/2016 1:00	BDL	BDL	BDL	1.8	0.1	2.0	Invalid	Invalid	3.1	240	16	79	80	1015
8/15/2016 2:00	BDL	Calibration	Calibration	1.3	0.2	2.1	11.0	BDL	3.6	281	13	78	80	1016
8/15/2016 3:00	BDL	Calibration	Calibration	0.9	0.1	2.0	7.0	7.0	5.6	300	11	77	81	1016
8/15/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.1	4.0	7.0	3.7	299	12	76	81	1016
8/15/2016 5:00	1.3	BDL	BDL	1.6	0.1	2.6	8.0	4.0	5.6	307	9	76	81	1017
8/15/2016 6:00	0.4	BDL	BDL	3.8	0.1	3.5	11.0	5.0	5.9	307	9	76	80	1017
8/15/2016 7:00	BDL	BDL	BDL	8.0	0.1	2.7	13.0	6.0	6.6	313	11	77	74	1018
8/15/2016 8:00	BDL	BDL	BDL	13.8	0.2	2.7	15.0	9.0	6.1	326	20	79	69	1018
8/15/2016 9:00	BDL	BDL	BDL	16.3	0.2	2.7	23.0	11.0	5.4	349	23	81	65	1018
8/15/2016 10:00	BDL	BDL	BDL	10.9	0.2	2.9	20.0	15.0	3.4	320	44	84	56	1018
8/15/2016 11:00	BDL	BDL	BDL	9.5	0.2	3.3	17.0	12.0	2.7	321	57	87	48	1018
8/15/2016 12:00	BDL	BDL	BDL	4.6	0.2	3.3	16.0	13.0	3.7	276	38	90	42	1018
8/15/2016 13:00	BDL	BDL	BDL	8.0	0.2	3.4	21.0	12.0	3.1	172	33	91	44	1018
8/15/2016 14:00	BDL	BDL	BDL	2.1	0.1	3.4	Invalid	Invalid	4.6	303	60	93	39	1018
8/15/2016 15:00	BDL	BDL	BDL	0.4	0.1	3.3	13.0	7.0	5.6	312	31	92	39	1017
8/15/2016 16:00	BDL	BDL	BDL	0.4	0.1	3.1	10.0	8.0	5.1	299	27	93	38	1017
8/15/2016 17:00	BDL	BDL	BDL	BDL	0.1	3.7	13.0	10.0	5.5	303	24	93	40	1017
8/15/2016 18:00	BDL	BDL	BDL	BDL	0.2	4.1	13.0	8.0	6.9	306	11	91	43	1017
8/15/2016 19:00	BDL	BDL	BDL	0.4	0.1	2.7	10.0	8.0	6.2	306	7	89	47	1018
8/15/2016 20:00	BDL	BDL	BDL	4.3	0.2	2.8	18.0	16.0	3.3	244	25	89	54	1018
8/15/2016 21:00	BDL	BDL	BDL	8.8	0.2	2.9	16.0	13.0	4.4	158	16	86	67	1019
8/15/2016 22:00	BDL	BDL	BDL	10.2	0.2	2.8	Invalid	Invalid	3.4	168	19	84	74	1019
8/15/2016 23:00	BDL	BDL	BDL	13.2	0.2	2.8	16.0	9.0	3.7	191	14	82	79	1019
8/16/2016 0:00	BDL	BDL	BDL	16.8	0.2	3.1	15.0	10.0	5.4	216	16	82	79	1019
8/16/2016 1:00	BDL	BDL	BDL	11.0	0.2	2.8	11.0	9.0	7.4	216	15	80	83	1019
8/16/2016 2:00	BDL	Calibration	Calibration	12.1	0.1	3.0	15.0	7.0	5.2	220	19	80	82	1020
8/16/2016 3:00	BDL	Calibration	Calibration	14.4	0.1	2.5	15.0	6.0	3.9	182	16	79	83	1019
8/16/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.5	12.0	10.0	2.8	177	14	78	83	1019
8/16/2016 5:00	1.4	BDL	BDL	16.2	0.1	2.5	13.0	Invalid	2.5	188	15	78	81	1019
8/16/2016 6:00	BDL	BDL	BDL	19.3	0.2	3.1	17.0	4.0	2	218	30	77	80	1019
8/16/2016 7:00	BDL	Too few samples	Too few samples	35.4	0.2	3.3	33.0	9.0	3.3	176	13	79	78	1019
8/16/2016 8:00	BDL	Calibration	Calibration	29.5	0.2	2.7	33.0	9.0	4.5	192	20	81	67	1019
8/16/2016 9:00	BDL	BDL	0.7	13.2	0.1	2.8	No data	No data	6.5	183	17	83	63	1019
8/16/2016 10:00	BDL	BDL	1.2	8.3	0.1	2.8	No data	No data	7.7	197	17	86	59	1019
8/16/2016 11:00	BDL	BDL	1.1	6.4	0.1	2.9	No data	No data	9.1	202	15	87	57	1018
8/16/2016 12:00	BDL	BDL	0.9	6.0	0.2	2.7	No data	No data	9.1	200	14	88	62	1018
8/16/2016 13:00	BDL	BDL	0.7	7.7	0.2	2.5	34.0	14.0	8.6	201	17	88	64	1017
8/16/2016 14:00	BDL	BDL	0.6	6.0	0.1	2.6	39.0	12.0	9.3	195	17	90	61	1016
8/16/2016 15:00	BDL	BDL	0.7	3.4	0.1	2.3	Invalid	Invalid	10.0	202	17	91	57	1015
8/16/2016 16:00	BDL	BDL	0.8	2.4	0.1	2.2	33.0	18.0	11.3	206	15	93	54	1015
8/16/2016 17:00	BDL	BDL	0.7	2.4	0.2	2.1	36.0	11.0	11.1	201	15	92	56	1014
8/16/2016 18:00	BDL	BDL	0.7	4.1	0.2	2.1	17.0	7.0	9.1	203	12	91	60	1014
8/16/2016 19:00	BDL	BDL	0.5	6.3	0.2	2.0	20.0	8.0	7.7	206	14	90	60	1014
8/16/2016 20:00	BDL	BDL	BDL	7.5	0.1	1.6	18.0	9.0	6.4	199	12	88	64	1014
8/16/2016 21:00	BDL	BDL	0.4	1.5	0.2	1.4	19.0	11.0	9.3	202	12	87	68	1014
8/16/2016 22:00	BDL	BDL	BDL	2.4	0.2	1.4	18.0	14.0	10.5	206	13	86	70	1014
8/16/2016 23:00	BDL	BDL	BDL	8.4	0.1	1.6	22.0	12.0	9.5	212	14	86	73	1014
8/17/2016 0:00	BDL	0.6	BDL	3.0	0.1	1.4	Invalid	Invalid	8.9	210	16	85	77	1014
8/17/2016 1:00	BDL	0.9	BDL	3.1	0.2	1.4	14.0	2.0	6.9	269	23	81	84	1014
8/17/2016 2:00	BDL	Calibration	Calibration	5.0	0.1	1.5	17.0	3.0	3.3	236	21	80	84	1014
8/17/2016 3:00	BDL	Calibration	Calibration	11.7	0.1	1.9	16.0	5.0	5.3	233	17	80	79	1014
8/17/2016 4:00	Calibration	BDL	0.5	Calibration	Calibration	1.4	18.0	6.0	7.4	247	14	80	73	1014
8/17/2016 5:00	BDL	BDL	BDL	13.8	0.2	1.4	13.0	5.0	5.0	252	16	78	76	1014
8/17/2016 6:00	BDL	BDL	0.6	11.7	0.2	1.5	11.0	5.0	3.9	260	16	77	77	1014
8/17/2016 7:00	BDL	Audit	Audit	12.0	0.2	2.0	15.0	9.0	6.3	259	13	79	69	1015
8/17/2016 8:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	2.4	17.0	7.0	8.1	281	14	81	64	1015
8/17/2016 9:00	BDL	BDL	BDL	Calibration	0.1	1.3	11.0	11.0	9.4	297	14	82	61	1015
8/17/2016 10:00	Calibration	BDL	BDL	Calibration	Calibration	1.5	11.0	11.0	10.1	307	13	83	58	1015
8/17/2016 11:00	BDL	BDL	BDL	1.3	0.1	1.7	No data	No data	8.8	305	17	84	50	1015
8/17/2016 12:00	BDL	BDL	BDL	1.1	0.1	1.7	No data	No data	7.7	299	18	86	46	1014
8/17/2016 13:00	BDL	BDL	BDL	0.9	0.1	2.0	Invalid	8.0	7.4	292	23	87	43	1014
8/17/2016 14:00	BDL	BDL	BDL	1.2	0.1	2.5	14.0	12.0	7.2	298	24	89	40	1014
8/17/2016 15:00	BDL	BDL	BDL	0.5	0.1	2.4	11.0	10.0	6.7	296	22	89	39	1013
8/17/2016 16:00	BDL	BDL	BDL	0.6	0.1	2.3	15.0	7.0	6.4	306	27	89	39	1013
8/17/2016 17:00	BDL	BDL	BDL	0.7	0.1	2.2	12.0	8.0	6.0	305	25	89	40	1013
8/17/2016 18:00	BDL	BDL	BDL	BDL	0.1	2.8	12.0	9.0	5.0	282	24	88	40	1013
8/17/2016 19:00	BDL	BDL	BDL	2.5	0.1	6.8	16.0	7.0	4.5	274	14	87	48	1013
8/17/2016 20:00	BDL	BDL	BDL	4.9	0.2	4.6	17.0	7.0	3.9	277	14	85	53	1013
8/17/2016 21:00	BDL	BDL	BDL	5.5	0.2	2.0	18.0	9.0	4.1	297	10	84	53	1014
8/17/2016 22:00	BDL	BDL	BDL	5.8	0.2	2.1	13.0	8.0	2.2	21	44	84	49	1014
8/17/2016 23:00	BDL	BDL	BDL	9.2	0.2	2.3	21.0	10.0	3.2	276	12	80	72	1014

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 8/14/2016-8/20/2016														
8/18/2016 0:00	BDL	BDL	BDL	5.7	0.2	2.2	6.0	10.0	2.3	273	15	76	81	1014
8/18/2016 1:00	BDL	BDL	BDL	9.7	0.2	2.0	8.0	9.0	2.3	53	46	75	81	1014
8/18/2016 2:00	BDL	Calibration	Calibration	17.2	0.2	2.5	14.0	9.0	2.3	139	28	75	86	1014
8/18/2016 3:00	BDL	Calibration	Calibration	11.4	0.2	2.4	18.0	8.0	3.6	226	16	75	85	1013
8/18/2016 4:00	Calibration	BDL	0.8	Calibration	Calibration	1.9	18.0	10.0	3.3	252	18	74	87	1013
8/18/2016 5:00	1.9	BDL	0.4	8.2	0.2	1.7	16.0	7.0	4.2	295	9	73	85	1013
8/18/2016 6:00	BDL	BDL	0.7	7.8	0.2	1.8	14.0	12.0	3.5	299	12	73	89	1013
8/18/2016 7:00	Calibration	0.4	1.0	8.4	0.2	Calibration	13.0	8.0	2.5	298	18	74	87	1014
8/18/2016 8:00	Calibration	BDL	0.9	Calibration	Calibration	2.3	14.0	8.0	2.8	277	18	75	83	1014
8/18/2016 9:00	Too few samples	BDL	0.7	Too few samples	Too few samples	2.3	19.0	10.0	3.6	301	28	75	82	1014
8/18/2016 10:00	BDL	BDL	0.5	20.8	0.3	2.1	21.0	10.0	3.5	68	39	75	81	1014
8/18/2016 11:00	BDL	BDL	0.4	9.2	0.2	2.0	17.0	13.0	6.9	319	26	78	71	1013
8/18/2016 12:00	BDL	BDL	BDL	5.5	0.1	2.0	18.0	10.0	6.3	317	19	80	62	1013
8/18/2016 13:00	BDL	BDL	BDL	2.5	0.1	2.1	13.0	10.0	6.9	314	20	82	56	1013
8/18/2016 14:00	BDL	BDL	BDL	0.8	0.1	2.1	13.0	11.0	7.0	308	16	84	51	1012
8/18/2016 15:00	BDL	BDL	BDL	BDL	0.1	2.1	13.0	10.0	6.6	309	19	85	46	1011
8/18/2016 16:00	BDL	BDL	BDL	BDL	0.1	2.0	14.0	10.0	6.7	309	18	86	43	1011
8/18/2016 17:00	BDL	BDL	BDL	BDL	0.1	1.8	17.0	9.0	6.7	305	14	86	45	1011
8/18/2016 18:00	BDL	BDL	BDL	1.8	0.1	1.5	11.0	10.0	5.7	305	14	86	46	1010
8/18/2016 19:00	BDL	BDL	BDL	4.0	0.1	2.3	13.0	12.0	3.8	289	12	85	49	1010
8/18/2016 20:00	BDL	BDL	BDL	10.6	0.3	6.2	17.0	12.0	2.4	254	13	84	55	1011
8/18/2016 21:00	BDL	BDL	0.4	15.4	0.2	4.4	15.0	10.0	2.8	211	17	84	60	1011
8/18/2016 22:00	BDL	BDL	2.4	17.2	0.2	2.1	17.0	13.0	7.5	285	18	80	67	1012
8/18/2016 23:00	BDL	BDL	BDL	1.6	0.1	1.5	15.0	10.0	6.5	312	20	73	89	1012
8/19/2016 0:00	BDL	BDL	0.5	9.2	0.1	1.7	11.0	9.0	4.5	212	27	75	86	1012
8/19/2016 1:00	BDL	BDL	0.4	5.5	0.2	1.5	16.0	10.0	4.0	264	15	74	87	1011
8/19/2016 2:00	BDL	Calibration	Calibration	6.5	0.2	1.4	23.0	9.0	3.4	309	10	73	88	1011
8/19/2016 3:00	BDL	Calibration	Calibration	4.7	0.2	1.4	22.0	16.0	3.2	299	12	73	88	1011
8/19/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	1.2	19.0	9.0	4.1	300	12	73	86	1011
8/19/2016 5:00	BDL	BDL	BDL	5.9	0.2	1.3	16.0	10.0	4.6	293	10	73	84	1011
8/19/2016 6:00	BDL	BDL	BDL	9.6	0.2	1.5	16.0	17.0	4.7	307	12	72	85	1012
8/19/2016 7:00	BDL	BDL	BDL	21.9	0.2	1.4	21.0	11.0	6.0	338	14	73	77	1012
8/19/2016 8:00	Calibration	BDL	BDL	Calibration	Calibration	1.4	22.0	13.0	5.0	4	21	76	71	1012
8/19/2016 9:00	Calibration	BDL	BDL	12	0.2	1.1	21.0	13.0	6.1	348	19	78	65	1011
8/19/2016 10:00	Calibration	BDL	BDL	11.4	0.2	1.2	27.0	18.0	6.4	340	21	81	61	1011
8/19/2016 11:00	Calibration	BDL	BDL	8.3	0.2	1.3	21.0	11.0	4.8	345	43	83	54	1011
8/19/2016 12:00	Calibration	BDL	BDL	4.4	0.2	1.2	18.0	9.0	3.8	338	44	83	51	1011
8/19/2016 13:00	Calibration	BDL	BDL	3.6	0.1	1.3	17.0	15.0	3.2	164	36	86	46	1010
8/19/2016 14:00	Calibration	BDL	BDL	6.0	0.2	1.2	22.0	13.0	4.3	150	39	86	46	1010
8/19/2016 15:00	Calibration	BDL	BDL	4.1	0.1	1.1	17.0	12.0	4.0	263	26	88	40	1009
8/19/2016 16:00	Calibration	BDL	BDL	3.2	0.1	1.2	22.0	13.0	4.0	305	40	89	37	1009
8/19/2016 17:00	Calibration	BDL	BDL	3.5	0.1	1.0	20.0	11.0	4.5	309	26	88	37	1009
8/19/2016 18:00	Calibration	BDL	BDL	2	0.1	0.9	11.0	8.0	6.2	315	14	88	39	1008
8/19/2016 19:00	Calibration	BDL	BDL	2.5	0.1	0.6	13.0	9.0	6.9	311	18	86	42	1009
8/19/2016 20:00	Calibration	BDL	0.7	7.4	0.2	0.6	19.0	14.0	6.6	69	17	81	69	1010
8/19/2016 21:00	Calibration	BDL	0.9	7.8	0.2	0.6	20.0	12.0	4.5	80	15	79	78	1010
8/19/2016 22:00	Calibration	BDL	0.8	8.7	0.2	0.7	21.0	13.0	3.4	76	23	78	79	1010
8/19/2016 23:00	Calibration	BDL	1.1	13.5	0.3	0.6	25.0	16.0	2.6	81	20	77	80	1010
8/20/2016 0:00	Calibration	0.4	1.2	15.2	0.3	0.5	21.0	16.0	2.4	84	21	77	82	1010
8/20/2016 1:00	Calibration	0.4	1.1	10.0	0.3	0.6	18.0	15.0	1.7	96	21	76	83	1010
8/20/2016 2:00	Calibration	Calibration	Calibration	21.2	0.3	0.6	23.0	19.0	1.4	75	41	75	85	1010
8/20/2016 3:00	Calibration	Calibration	Calibration	13.8	0.3	1.1	28.0	18.0	1.0	262	36	76	84	1010
8/20/2016 4:00	Calibration	BDL	1.4	Calibration	Calibration	1.3	28.0	22.0	1.1	120	46	75	85	1010
8/20/2016 5:00	Calibration	1.1	2.0	17.9	0.3	0.9	29.0	23.0	1.5	38	33	74	86	1010
8/20/2016 6:00	Calibration	0.4	1.1	12.4	0.3	1.2	29.0	19.0	2.8	69	22	73	87	1010
8/20/2016 7:00	Calibration	BDL	1.0	14.5	0.3	Calibration	22.0	20.0	2.4	69	29	75	78	1010
8/20/2016 8:00	Calibration	BDL	0.8	13.7	0.3	1.0	23.0	15.0	5.0	72	15	76	74	1010
8/20/2016 9:00	BDL	BDL	0.5	7.8	0.2	0.9	26.0	14.0	5.6	63	18	79	65	1010
8/20/2016 10:00	BDL	BDL	BDL	5.7	0.2	1.2	25.0	13.0	4.4	90	28	82	55	1010
8/20/2016 11:00	BDL	BDL	BDL	3.6	0.2	1.5	22.0	16.0	4.9	120	31	84	50	1010
8/20/2016 12:00	BDL	BDL	BDL	1.9	0.1	1.4	20.0	12.0	5.1	136	28	86	42	1010
8/20/2016 13:00	BDL	BDL	BDL	2.1	0.1	1.6	18.0	14.0	5.1	113	33	88	37	1009
8/20/2016 14:00	BDL	BDL	BDL	3.6	0.1	1.6	15.0	10.0	4.4	153	34	89	34	1009
8/20/2016 15:00	BDL	BDL	BDL	3.5	0.1	1.5	14.0	6.0	4.7	144	29	90	32	1008
8/20/2016 16:00	BDL	BDL	BDL	6.1	0.1	1.4	14.0	9.0	4.8	155	27	90	33	1008
8/20/2016 17:00	BDL	BDL	0.6	5.5	0.2	0.9	22.0	13.0	8.7	184	15	88	51	1008
8/20/2016 18:00	BDL	BDL	0.4	7.2	0.2	0.5	17.0	14.0	9.0	165	13	85	55	1008
8/20/2016 19:00	BDL	BDL	0.4	6.8	0.2	0.4	13.0	13.0	7.8	149	13	82	64	1008
8/20/2016 20:00	BDL	BDL	0.7	2.4	0.2	0.4	18.0	13.0	5.4	136	16	81	69	1009
8/20/2016 21:00	BDL	BDL	0.7	4.5	0.2	0.5	17.0	11.0	5.4	138	14	80	73	1009
8/20/2016 22:00	BDL	BDL	0.4	7.5	0.2	1.0	19.0	9.0	4.2	148	16	79	79	1009
8/20/2016 23:00	BDL	BDL	0.5	8.6	0.2	0.3	12.0	8.0	3.1	149	20	78	81	1010

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 8/21/2016-8/27/2016														
8/21/2016 0:00	BDL	BDL	0.5	10.2	0.2	0.2	17.0	9.0	3.7	100	25	77	84	1009
8/21/2016 1:00	BDL	BDL	0.5	13.8	0.2	0.1	15.0	8.0	3.1	106	18	76	85	1009
8/21/2016 2:00	BDL	Calibration	Calibration	7.8	0.2	0.0	11.0	7.0	3.3	136	16	77	84	1009
8/21/2016 3:00	BDL	Calibration	Calibration	5.9	0.2	0.1	16.0	6.0	3.6	97	15	75	85	1008
8/21/2016 4:00	Calibration	BDL	0.8	Calibration	Calibration	0.1	10.0	4.0	2.9	90	18	75	87	1008
8/21/2016 5:00	1.8	BDL	0.5	6.1	0.1	BDL	17.0	6.0	3.6	127	19	75	89	1008
8/21/2016 6:00	BDL	BDL	0.5	6.8	0.1	BDL	13.0	8.0	3.2	127	17	75	90	1008
8/21/2016 7:00	Calibration	BDL	0.6	Calibration	Calibration	0.1	14.0	12.0	4.0	139	15	75	85	1008
8/21/2016 8:00	5.9	BDL	0.6	4.9	0.1	0.1	18.0	10.0	5.1	147	16	78	78	1008
8/21/2016 9:00	BDL	BDL	0.6	4.6	0.1	0.1	17.0	12.0	7.6	171	16	80	72	1008
8/21/2016 10:00	BDL	BDL	0.6	5	0.1	0.5	18.0	13.0	8.4	170	16	82	64	1008
8/21/2016 11:00	BDL	BDL	0.6	5.3	0.1	0.4	16.0	12.0	10.5	182	15	84	57	1007
8/21/2016 12:00	BDL	BDL	0.4	4.0	0.1	0.2	13.0	11.0	11.1	183	15	86	50	1006
8/21/2016 13:00	BDL	BDL	BDL	3.5	0.1	BDL	14.0	8.0	12.2	172	13	85	52	1006
8/21/2016 14:00	BDL	BDL	BDL	3.4	0.1	BDL	12.0	10.0	9.4	180	14	83	61	1006
8/21/2016 15:00	BDL	BDL	0.4	7.3	0.2	BDL	15.0	13.0	4.0	230	29	80	76	1005
8/21/2016 16:00	BDL	BDL	0.6	10.1	0.2	BDL	15.0	10.0	3.1	232	41	79	82	1005
8/21/2016 17:00	BDL	BDL	0.9	15.2	0.2	BDL	17.0	9.0	1.8	202	44	78	87	1005
8/21/2016 18:00	BDL	BDL	0.4	7.8	0.1	BDL	11.0	8.0	4.9	333	45	74	92	1006
8/21/2016 19:00	BDL	BDL	BDL	10.5	0.1	BDL	16.0	6.0	2.1	186	21	75	91	1006
8/21/2016 20:00	BDL	BDL	0.4	11.7	0.2	BDL	10.0	6.0	2.8	237	22	75	88	1006
8/21/2016 21:00	BDL	BDL	BDL	16.8	0.2	BDL	16.0	7.0	2.9	253	17	75	88	1007
8/21/2016 22:00	BDL	BDL	BDL	11.4	0.2	0.4	17.0	6.0	3.1	266	18	75	86	1007
8/21/2016 23:00	BDL	BDL	BDL	6.0	0.2	0.6	14.0	5.0	4.4	296	10	74	87	1008
8/22/2016 0:00	BDL	BDL	BDL	4.2	0.1	BDL	18.0	11.0	7.2	307	8	74	83	1008
8/22/2016 1:00	BDL	BDL	BDL	4.7	0.1	BDL	13.0	8.0	4.8	295	12	73	82	1008
8/22/2016 2:00	BDL	Calibration	Calibration	4.3	0.1	0.1	17.0	7.0	5.8	302	7	72	83	1009
8/22/2016 3:00	BDL	Calibration	Calibration	4.9	0.1	0.2	15.0	10.0	5.4	298	8	70	83	1009
8/22/2016 4:00	Calibration	BDL	0.4	Calibration	Calibration	0.3	17.0	12.0	6.4	303	7	69	84	1010
8/22/2016 5:00	BDL	BDL	BDL	7.1	0.1	0.4	15.0	11.0	4.9	300	7	68	82	1010
8/22/2016 6:00	BDL	BDL	BDL	8.2	0.1	0.7	15.0	12.0	6.5	306	8	68	81	1011
8/22/2016 7:00	BDL	BDL	BDL	11.0	0.1	0.9	14.0	10.0	7.8	309	8	69	72	1012
8/22/2016 8:00	BDL	BDL	BDL	11.0	0.1	1.2	13.0	9.0	9.7	319	11	71	67	1013
8/22/2016 9:00	BDL	BDL	BDL	10.7	0.1	1.4	16.0	12.0	8.9	327	16	72	63	1013
8/22/2016 10:00	BDL	BDL	BDL	9.1	0.1	1.8	9.0	10.0	10.3	324	13	74	57	1014
8/22/2016 11:00	BDL	BDL	BDL	9.3	0.1	2.2	16.0	10.0	10.3	327	15	76	50	1014
8/22/2016 12:00	BDL	BDL	BDL	5.4	0.1	2.2	12.0	10.0	10.7	320	15	78	47	1014
8/22/2016 13:00	BDL	BDL	BDL	5.7	0.1	2.1	10.0	7.0	11.5	316	13	79	44	1014
8/22/2016 14:00	BDL	BDL	BDL	6.7	0.1	2.2	8.0	7.0	11.9	319	14	80	41	1014
8/22/2016 15:00	BDL	BDL	BDL	6.9	0.1	2.2	16.0	11.0	12.2	321	12	80	40	1015
8/22/2016 16:00	BDL	BDL	BDL	5.3	0.1	2.1	15.0	7.0	11.7	313	9	79	39	1015
8/22/2016 17:00	BDL	BDL	BDL	6.4	0.1	2.2	10.0	4.0	11.3	320	15	79	38	1015
8/22/2016 18:00	BDL	BDL	BDL	6.7	0.1	2.3	16.0	7.0	11.8	322	10	78	38	1016
8/22/2016 19:00	BDL	BDL	BDL	7.8	0.1	2.3	9.0	7.0	9.9	323	11	77	39	1017
8/22/2016 20:00	BDL	BDL	BDL	10.6	0.1	2.7	11.0	8.0	6.8	345	18	75	41	1018
8/22/2016 21:00	BDL	BDL	BDL	12.7	0.1	3.1	11.0	10.0	6.4	11	17	74	43	1019
8/22/2016 22:00	BDL	BDL	BDL	14.7	0.1	3.0	13.0	10.0	5.6	27	18	72	43	1020
8/22/2016 23:00	BDL	BDL	BDL	8.4	0.1	3.0	10.0	9.0	6.3	45	14	71	43	1020
8/23/2016 0:00	BDL	BDL	BDL	9.1	0.1	3.2	8.0	8.0	5	54	12	70	46	1021
8/23/2016 1:00	BDL	BDL	0.5	14.6	0.1	3.5	7.0	7.0	3.3	77	11	68	52	1021
8/23/2016 2:00	BDL	Calibration	Calibration	21.6	0.1	3.4	13.0	7.0	3.2	74	10	67	56	1022
8/23/2016 3:00	BDL	Calibration	Calibration	28.3	0.1	3.5	39.0	17.0	2.1	62	10	66	59	1022
8/23/2016 4:00	Calibration	BDL	0.6	Calibration	Calibration	4.3	14.0	8.0	2.1	289	30	66	66	1022
8/23/2016 5:00	BDL	BDL	BDL	27.4	0.2	4.1	14.0	12.0	3.8	299	8	64	69	1023
8/23/2016 6:00	Calibration	BDL	BDL	Calibration	Calibration	4.1	15.0	13.0	4.5	313	6	63	71	1024
8/23/2016 7:00	0.4	BDL	BDL	20.4	0.2	4.0	17.0	15.0	4.6	313	7	64	65	1024
8/23/2016 8:00	BDL	Calibration	Calibration	17.9	0.2	3.9	18.0	12.0	3.9	310	10	68	51	1024
8/23/2016 9:00	BDL	Too few samples	Too few samples	10.6	0.1	4.1	15.0	10.0	2.4	235	44	72	39	1024
8/23/2016 10:00	0.4	BDL	BDL	18.7	0.1	4.3	Invalid	Invalid	2.4	183	45	75	35	1024
8/23/2016 11:00	BDL	BDL	BDL	2.4	0.1	4.1	Invalid	Invalid	3.1	250	52	78	33	1024
8/23/2016 12:00	BDL	BDL	BDL	1.6	0.1	4.3	10.0	5.0	4.3	270	53	80	32	1024
8/23/2016 13:00	BDL	BDL	BDL	3.7	0.1	4.0	20.0	6.0	5.2	226	50	81	33	1023
8/23/2016 14:00	BDL	BDL	BDL	BDL	0.1	3.9	23.0	6.0	5.3	231	40	82	33	1023
8/23/2016 15:00	0.4	BDL	BDL	BDL	0.1	3.8	14.0	8.0	5.5	257	30	82	32	1022
8/23/2016 16:00	0.8	BDL	BDL	1.2	0.1	3.7	16.0	7.0	5.6	219	37	82	34	1022
8/23/2016 17:00	0.9	BDL	BDL	1.7	0.1	3.6	11.0	6.0	5.5	239	27	82	35	1022
8/23/2016 18:00	BDL	BDL	BDL	BDL	0.1	3.2	11.0	5.0	4.8	260	23	82	35	1021
8/23/2016 19:00	0.5	BDL	BDL	5.5	0.1	3.1	12.0	8.0	4.1	256	17	79	43	1021
8/23/2016 20:00	0.5	BDL	0.4	8.6	0.1	3.0	23.0	6.0	4.1	204	12	77	53	1022
8/23/2016 21:00	BDL	BDL	BDL	8.5	0.1	3.2	14.0	11.0	4.2	209	10	75	57	1022
8/23/2016 22:00	0.5	0.5	1.6	16.6	0.2	3.8	13.0	7.0	2.8	225	17	74	62	1022
8/23/2016 23:00	BDL	0.4	2.5	17.2	0.3	3.6	15.0	5.0	2.5	255	14	73	65	1023
8/24/2016 0:00	BDL	BDL	0.4	20.3	0.3	4.3	23.0	6.0	2.8	253	15	72	71	1023
8/24/2016 1:00	BDL	BDL	BDL	16.7	0.2	4.3	12.0	10.0	3.2	276	12	70	71	1023
8/24/2016 2:00	BDL	Calibration	Calibration	6.7	0.2	3.3	15.0	7.0	2.9	253	16	69	70	1023
8/24/2016 3:00	BDL	Calibration	Calibration	18.8	0.2	3.5	18.0	6.0	2.4	253	17	69	75	1023
8/24/2016 4:00	Calibration	BDL	0.4	Calibration	Calibration	3.4	13.0	7.0	2.5	272	18	68	76	1022
8/24/2016 5:00	BDL	BDL	BDL	25.7	0.2	3.5	15.0	8.0	1.6	255	19	68	74	1023
8/24/2016 6:00	BDL	BDL	BDL	19.6	0.2	3.6	14.0	11.0	2.7	279	11	67	74	1023
8/24/2016 7:00	BDL	BDL	BDL	13.0	0.2	Calibration	21.0	9.0	2.9	277	15	69	62	1023
8/24/2016 8:00	BDL	BDL	0.5	10.6	0.2	3.5	16.0	8.0	3.5	248	20	73	58	1023
8/24/2016 9:00	0.5	BDL	BDL	6.5	0.2	3.5	15.0	7.0	4.8	245	23	77	53	1023
8/24/2016 10:00	0.8	BDL	0.4	9.1	0.2	3.6	18.0	8.0	3.9	233	27	79	50	1023
8/24/2016 11:00	1.3	BDL	BDL	6.2	0.1	3.7	17.0	10.0	4.4	210	26	82	45	1022
8/24/2016 12:00	0.8	BDL	BDL	0.6	0.1	3.9	21.0	12.0	5	226	37	84	40	1022
8/24/2016 13:00	0.5	BDL	BDL	1.1	0.1	4.4	51.0	11.0	5.6	221	30	85	40	1021
8/24/2016 14:00	0.4	BDL	BDL	0.4	0.1	3.5	18.0	10.0	6.9	221	25	85	40	1020
8/24/2016 15:00	0.4	BDL	BDL	BDL	0.1	3.3	18.0	10.0	6.5	209	23	85	39	1020
8/24/2016 16:00	0.4	BDL	BDL	BDL	0.1	3.2	13.0	6.0	7.5	216	24	85	41	1019
8/24/2016 17:00	BDL	BDL	BDL	BDL	0.1	3.0	19.0	5.0	7.0	224	24	85	42	1019
8/24/2016 18:00	BDL	BDL	BDL	BDL	0.1	2.6	14.0	6.0	6.7	211	17	83	48	1019
8/24/2016 19:00	BDL	BDL	BDL	BDL	0.1	2.3	21.0	8.0	7.3	196	12	80	58	1019
8/24/2016 20:00	BDL	BDL	0.5	BDL	0.1	2.2	16.0	8.0	7.8	185	12	76	62	1019
8/24/2016 21:00	BDL	BDL	BDL	0.6	0.1	2.3	15.0	7.0	6.7	179	13	74	64	1019
8/24/2016 22:00	BDL	BDL	0.5	BDL	0.1	2.3	15.0	8.0	5.4	181	14	73	70	1020
8/24/2016 23:00	BDL	0.7	1.9	BDL	0.1	2.2	14.0	7.0	4.1	205	14	72	75	1020

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 8/21/2016-8/27/2016														
8/25/2016 0:00	BDL	1.3	2.1	BDL	0.1	2.1	9.0	8.0	5.8	203	13	71	78	1019
8/25/2016 1:00	BDL	1.2	1.9	2.1	0.1	2.4	10.0	8.0	4.7	211	14	70	79	1019
8/25/2016 2:00	BDL	Calibration	Calibration	2.6	0.1	2.3	15.0	7.0	5.2	204	13	70	78	1018
8/25/2016 3:00	0.4	Calibration	Calibration	6.7	0.1	2.0	16.0	10.0	4.3	195	13	69	81	1018
8/25/2016 4:00	Calibration	1.2	2.1	Calibration	Calibration	1.9	15.0	9.0	4.2	199	14	69	82	1018
8/25/2016 5:00	BDL	0.7	1.5	2.5	0.1	1.7	12.0	7.0	4.6	198	12	69	81	1018
8/25/2016 6:00	BDL	0.4	1.2	6.6	0.1	1.8	16.0	8.0	4.8	194	12	69	79	1018
8/25/2016 7:00	BDL	Too few samples	Too few samples	17.0	0.1	1.7	25.0	10.0	4.1	198	14	71	70	1018
8/25/2016 8:00	BDL	Calibration	Calibration	5.7	0.1	1.9	26.0	6.0	6.5	194	14	74	71	1017
8/25/2016 9:00	BDL	BDL	1.2	3.6	0.1	1.5	29.0	6.0	8.5	199	16	76	70	1017
8/25/2016 10:00	BDL	BDL	1.0	1.2	0.1	1.5	20.0	7.0	8.8	201	16	80	63	1016
8/25/2016 11:00	BDL	BDL	0.7	BDL	0.1	1.5	34.0	10.0	8.8	193	17	82	60	1016
8/25/2016 12:00	BDL	BDL	0.8	2.2	0.1	1.6	44.0	15.0	9.5	196	17	84	57	1015
8/25/2016 13:00	BDL	BDL	0.8	1.5	0.1	1.7	44.0	13.0	10	195	15	85	57	1014
8/25/2016 14:00	BDL	BDL	0.7	BDL	0.1	1.6	49.0	13.0	9.1	194	17	85	58	1014
8/25/2016 15:00	BDL	BDL	0.8	BDL	0.1	0.9	38.0	16.0	8.3	201	14	85	62	1014
8/25/2016 16:00	BDL	BDL	0.5	BDL	0.1	1.0	25.0	13.0	8.2	209	15	85	63	1014
8/25/2016 17:00	BDL	BDL	0.5	0.7	0.1	0.8	27.0	10.0	7.2	202	13	84	66	1013
8/25/2016 18:00	BDL	BDL	0.4	0.9	0.1	0.9	19.0	6.0	7.3	219	16	84	64	1013
8/25/2016 19:00	BDL	BDL	0.4	0.6	0.2	0.7	17.0	10.0	6.5	203	13	83	68	1013
8/25/2016 20:00	BDL	BDL	BDL	BDL	0.2	0.6	22.0	13.0	5.4	195	11	82	71	1014
8/25/2016 21:00	BDL	0.5	1.1	0.6	0.2	0.6	20.0	9.0	5.4	196	11	81	75	1014
8/25/2016 22:00	BDL	1.0	1.8	0.5	0.1	0.6	21.0	13.0	5.8	200	11	80	75	1014
8/25/2016 23:00	BDL	BDL	1.0	BDL	0.1	0.5	15.0	10.0	5.5	200	11	79	76	1014
8/26/2016 0:00	BDL	0.4	1.3	BDL	0.1	0.6	18.0	12.0	5.3	199	12	78	77	1013
8/26/2016 1:00	BDL	0.9	1.6	BDL	0.1	0.5	21.0	10.0	5.1	203	12	77	78	1013
8/26/2016 2:00	BDL	Calibration	Calibration	BDL	0.1	0.9	14.0	13.0	5.2	199	12	76	81	1013
8/26/2016 3:00	BDL	Calibration	Calibration	7.1	0.1	1.6	18.0	11.0	4.3	202	15	77	81	1013
8/26/2016 4:00	Calibration	1.3	2.1	Calibration	Calibration	0.6	17.0	8.0	6.3	199	11	76	85	1013
8/26/2016 5:00	1.8	0.6	1.5	3.0	0.1	0.5	20.0	7.0	4.5	201	15	76	86	1013
8/26/2016 6:00	BDL	0.7	1.5	10.4	0.2	0.6	36.0	7.0	5.4	218	18	76	86	1013
8/26/2016 7:00	Calibration	1.0	2.0	Calibration	Calibration	0.7	26.0	10.0	5.2	232	16	77	84	1014
8/26/2016 8:00	4.2	0.5	1.2	14.9	0.2	Calibration	20.0	10.0	4.3	270	18	81	67	1014
8/26/2016 9:00	BDL	BDL	0.6	4.9	0.1	0.6	21.0	11.0	9.6	309	12	84	59	1014
8/26/2016 10:00	BDL	BDL	BDL	3.6	0.1	1.0	14.0	9.0	8.5	307	14	87	52	1013
8/26/2016 11:00	BDL	BDL	BDL	4.0	0.1	1.2	18.0	7.0	9.3	318	12	88	45	1013
8/26/2016 12:00	BDL	BDL	0.4	3.2	0.1	1.4	12.0	8.0	9.9	311	13	90	42	1013
8/26/2016 13:00	BDL	BDL	BDL	3.9	0.1	1.2	14.0	11.0	8.6	304	18	91	41	1013
8/26/2016 14:00	BDL	BDL	BDL	2.8	0.1	2.7	17.0	12.0	9.1	311	16	91	40	1013
8/26/2016 15:00	BDL	BDL	BDL	2.5	0.1	3.5	15.0	10.0	8.7	308	17	92	36	1012
8/26/2016 16:00	BDL	BDL	BDL	2.0	0.1	2.8	17.0	7.0	8.3	298	15	92	34	1013
8/26/2016 17:00	BDL	BDL	BDL	1.9	0.1	2.5	15.0	9.0	9.3	305	12	91	37	1013
8/26/2016 18:00	BDL	BDL	BDL	2.0	0.1	2.1	15.0	10.0	9.7	306	8	90	39	1013
8/26/2016 19:00	BDL	BDL	BDL	3.6	0.1	1.9	13.0	8.0	8.9	307	7	88	43	1013
8/26/2016 20:00	BDL	BDL	BDL	5.4	0.2	2.1	17.0	10.0	7.3	308	7	86	47	1014
8/26/2016 21:00	BDL	BDL	0.4	8.9	0.2	2.6	17.0	9.0	6.9	317	8	85	51	1015
8/26/2016 22:00	BDL	BDL	0.4	13.5	0.2	2.6	15.0	9.0	5.8	326	10	84	52	1015
8/26/2016 23:00	BDL	BDL	BDL	12.1	0.2	2.6	17.0	9.0	5.0	336	14	83	52	1015
8/27/2016 0:00	BDL	BDL	BDL	9.4	0.2	2.7	18.0	7.0	4.4	340	18	82	51	1016
8/27/2016 1:00	BDL	BDL	BDL	10.2	0.2	2.9	13.0	7.0	2.7	344	32	81	55	1016
8/27/2016 2:00	BDL	Calibration	Calibration	15.9	0.3	3.2	16.0	11.0	1.8	317	55	79	61	1016
8/27/2016 3:00	BDL	Calibration	Calibration	15.7	0.3	3.7	15.0	10.0	2.2	347	30	77	65	1017
8/27/2016 4:00	Calibration	BDL	0.4	Calibration	Calibration	3.4	14.0	9.0	2.9	41	16	77	63	1017
8/27/2016 5:00	0.6	BDL	0.4	16.0	0.3	3.2	21.0	7.0	3.0	43	16	76	66	1017
8/27/2016 6:00	BDL	BDL	0.4	16.1	0.2	3.3	17.0	13.0	3.2	23	17	76	66	1018
8/27/2016 7:00	BDL	Calibration	Calibration	16.9	0.2	3.3	19.0	12.0	3.3	30	20	77	61	1019
8/27/2016 8:00	BDL	Calibration	Calibration	13.4	0.2	3.3	16.0	7.0	6.9	44	14	78	54	1019
8/27/2016 9:00	BDL	BDL	BDL	6.8	0.1	3.4	17.0	15.0	9.2	58	13	80	48	1019
8/27/2016 10:00	BDL	BDL	BDL	4.8	0.1	3.7	15.0	9.0	8.5	50	15	82	41	1019
8/27/2016 11:00	BDL	BDL	BDL	4.6	0.2	4.1	17.0	14.0	5.3	44	28	84	37	1019
8/27/2016 12:00	BDL	BDL	BDL	4.4	0.1	4.3	18.0	11.0	5.2	69	36	86	34	1018
8/27/2016 13:00	BDL	BDL	BDL	5.6	0.1	4.5	21.0	8.0	5.7	80	33	88	34	1018
8/27/2016 14:00	BDL	BDL	BDL	6.1	0.1	4.3	16.0	7.0	7.0	115	22	89	33	1018
8/27/2016 15:00	BDL	BDL	BDL	3.6	0.1	4.3	16.0	6.0	4.8	107	36	90	29	1018
8/27/2016 16:00	BDL	BDL	BDL	3.5	0.1	4.3	14.0	8.0	4.8	91	29	90	29	1017
8/27/2016 17:00	BDL	BDL	BDL	3.0	0.1	3.9	12.0	12.0	5.6	106	20	89	31	1017
8/27/2016 18:00	BDL	BDL	BDL	2.3	0.1	3.4	13.0	8.0	8.1	92	16	87	37	1017
8/27/2016 19:00	BDL	BDL	BDL	2.4	0.1	3.4	17.0	6.0	8.4	90	13	83	43	1018
8/27/2016 20:00	BDL	BDL	BDL	7.4	0.1	3.6	13.0	6.0	5.0	110	17	82	45	1019
8/27/2016 21:00	BDL	BDL	BDL	7.4	0.1	3.8	11.0	7.0	5.1	106	15	80	54	1020
8/27/2016 22:00	BDL	BDL	BDL	6.2	0.2	3.8	16.0	8.0	3.6	95	15	78	59	1020
8/27/2016 23:00	BDL	BDL	BDL	10.7	0.2	3.8	17.0	8.0	4.1	77	14	75	69	1021

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 8/28/2016-9/3/2016														
8/28/2016 0:00	BDL	BDL	BDL	5.6	0.2	3.8	16.0	7.0	3.5	82	17	74	79	1021
8/28/2016 1:00	BDL	BDL	BDL	7.4	0.2	3.6	15.0	8.0	3.1	70	13	73	83	1020
8/28/2016 2:00	BDL	Calibration	Calibration	9.7	0.2	3.6	19.0	6.0	2.5	73	14	72	86	1020
8/28/2016 3:00	BDL	Calibration	Calibration	14.2	0.2	3.7	17.0	9.0	2.3	78	13	72	87	1020
8/28/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	3.6	15.0	8.0	2.2	60	11	71	89	1020
8/28/2016 5:00	BDL	BDL	0.4	8.3	0.1	3.8	14.0	10.0	2.4	60	11	71	90	1021
8/28/2016 6:00	BDL	BDL	0.6	12.1	0.2	4.0	11.0	8.0	2.0	53	15	71	88	1021
8/28/2016 7:00	BDL	BDL	1.2	10	0.2	4.3	14.0	9.0	2.2	57	16	73	78	1022
8/28/2016 8:00	BDL	Calibration	Calibration	7.0	0.1	4.1	16.0	7.0	1.4	89	49	75	67	1022
8/28/2016 9:00	BDL	Too few samples	Too few samples	7.9	0.1	4.2	20.0	7.0	2.7	148	31	79	61	1022
8/28/2016 10:00	Calibration	BDL	BDL	Calibration	Calibration	4.5	16.0	6.0	2.5	151	63	80	53	1022
8/28/2016 11:00	BDL	BDL	BDL	4.3	0.1	4.6	19.0	13.0	2.7	156	36	83	45	1021
8/28/2016 12:00	BDL	BDL	BDL	2.6	0.1	4.8	18.0	9.0	2.5	153	59	85	40	1021
8/28/2016 13:00	BDL	BDL	BDL	1.8	0.1	4.9	12.0	6.0	3.1	145	52	87	38	1020
8/28/2016 14:00	BDL	BDL	BDL	2.4	0.1	4.8	14.0	7.0	3.7	159	40	88	37	1020
8/28/2016 15:00	BDL	BDL	BDL	2.6	0.1	4.5	19.0	6.0	4.0	153	42	88	38	1019
8/28/2016 16:00	BDL	BDL	BDL	6.9	0.1	4.7	18.0	6.0	4.7	156	26	88	39	1018
8/28/2016 17:00	BDL	BDL	BDL	3.7	0.1	4.7	15.0	11.0	3.8	194	31	89	40	1018
8/28/2016 18:00	BDL	BDL	0.7	7.3	0.2	3.6	16.0	10.0	5.8	211	21	88	46	1018
8/28/2016 19:00	BDL	BDL	1.2	5.6	0.1	3.2	15.0	11.0	7.1	202	12	84	57	1018
8/28/2016 20:00	BDL	BDL	0.9	5.9	0.1	3.2	16.0	10.0	7.3	200	11	81	59	1018
8/28/2016 21:00	BDL	BDL	1.1	8.8	0.1	3.1	13.0	9.0	5.8	187	12	79	65	1018
8/28/2016 22:00	BDL	BDL	BDL	7.3	0.1	3.2	11.0	8.0	4.3	197	13	78	68	1019
8/28/2016 23:00	BDL	BDL	0.4	6.1	0.1	3.4	10.0	8.0	5.0	201	11	76	73	1020
8/29/2016 0:00	BDL	BDL	1.1	11.4	0.1	3.2	8.0	7.0	4.4	183	14	75	79	1019
8/29/2016 1:00	BDL	BDL	0.8	4.0	0.1	3.1	15.0	4.0	4.0	199	13	75	81	1019
8/29/2016 2:00	BDL	Calibration	Calibration	7.1	0.1	3.1	8.0	4.0	3.5	198	14	74	83	1018
8/29/2016 3:00	BDL	Calibration	Calibration	16.6	0.1	3.1	7.0	6.0	3.7	200	13	74	84	1018
8/29/2016 4:00	Calibration	BDL	0.9	Calibration	Calibration	3.1	19.0	6.0	2.4	206	21	73	86	1017
8/29/2016 5:00	BDL	BDL	0.6	11.1	0.1	3.2	13.0	7.0	3.0	280	17	73	84	1017
8/29/2016 6:00	BDL	BDL	BDL	8.5	0.1	3.7	16.0	10.0	3.7	289	12	73	80	1018
8/29/2016 7:00	Too few samples	BDL	0.5	Too few samples	Too few samples	3.1	15.0	8.0	2.8	271	19	74	71	1018
8/29/2016 8:00	Too few samples	BDL	0.5	Too few samples	Too few samples	3.2	23.0	10.0	3.1	260	23	78	57	1018
8/29/2016 9:00	BDL	BDL	0.8	9.1	0.2	3.2	17.0	12.0	3.7	278	28	81	53	1018
8/29/2016 10:00	BDL	BDL	BDL	9.2	0.2	3.4	44.0	20.0	5.0	323	31	83	50	1017
8/29/2016 11:00	BDL	BDL	0.4	8.5	0.2	3.8	27.0	17.0	4.1	16	42	85	49	1017
8/29/2016 12:00	BDL	BDL	BDL	5.7	0.2	3.8	27.0	18.0	5.0	11	31	87	47	1017
8/29/2016 13:00	BDL	BDL	0.4	4.5	0.2	2.8	28.0	15.0	5.9	305	19	90	42	1016
8/29/2016 14:00	BDL	BDL	BDL	3.0	0.1	2.7	24.0	12.0	5.3	305	23	92	38	1016
8/29/2016 15:00	BDL	BDL	BDL	2.6	0.1	3.0	17.0	10.0	6.2	298	28	93	34	1015
8/29/2016 16:00	BDL	BDL	BDL	1.9	0.1	2.8	18.0	10.0	7.8	304	12	92	35	1014
8/29/2016 17:00	BDL	BDL	BDL	4.2	0.1	3.0	17.0	11.0	8.6	319	15	91	34	1014
8/29/2016 18:00	BDL	BDL	BDL	8.4	0.1	2.6	30.0	18.0	9.7	339	14	90	31	1015
8/29/2016 19:00	1.0	BDL	BDL	6.7	0.1	2.9	19.0	14.0	6.8	1	18	87	35	1015
8/29/2016 20:00	BDL	BDL	BDL	6.5	0.2	3.3	15.0	9.0	6.7	8	18	85	41	1016
8/29/2016 21:00	BDL	BDL	BDL	9.2	0.1	2.5	13.0	7.0	7.2	33	15	83	43	1017
8/29/2016 22:00	BDL	BDL	BDL	6.1	0.1	2.6	16.0	7.0	7.8	45	12	81	45	1017
8/29/2016 23:00	BDL	BDL	BDL	5.4	0.1	2.5	5.0	9.0	7.2	47	11	80	46	1017
8/30/2016 0:00	BDL	BDL	BDL	5.5	0.1	2.6	10.0	10.0	6.8	46	12	79	47	1017
8/30/2016 1:00	BDL	BDL	BDL	5.6	0.1	2.5	12.0	6.0	6.0	36	16	78	49	1017
8/30/2016 2:00	BDL	Calibration	Calibration	10.5	0.1	2.7	11.0	9.0	3.9	15	17	76	55	1017
8/30/2016 3:00	BDL	Calibration	Calibration	8.3	0.1	2.6	13.0	8.0	5.6	35	16	75	55	1017
8/30/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.6	9.0	7.0	6.4	37	15	74	56	1017
8/30/2016 5:00	BDL	BDL	BDL	9.6	0.1	2.6	15.0	8.0	5.7	34	15	73	58	1018
8/30/2016 6:00	BDL	Calibration	Calibration	15.2	0.2	2.8	22.0	10.0	5.3	35	15	72	60	1018
8/30/2016 7:00	BDL	Too few samples	Too few samples	20.4	0.2	2.8	18.0	11.0	6.7	42	14	72	61	1018
8/30/2016 8:00	BDL	0.7	0.5	16.4	0.2	2.8	26.0	9.0	7.4	60	15	74	62	1018
8/30/2016 9:00	BDL	0.7	0.5	13.4	0.1	2.8	29.0	10.0	6.5	87	21	76	59	1018
8/30/2016 10:00	BDL	BDL	BDL	6.4	0.1	3.1	23.0	11.0	4.7	89	25	78	53	1018
8/30/2016 11:00	BDL	BDL	BDL	5.8	0.1	3.2	17.0	14.0	3.1	93	43	81	48	1017
8/30/2016 12:00	BDL	BDL	BDL	5.6	0.1	3.2	18.0	9.0	2.9	196	47	85	39	1017
8/30/2016 13:00	0.4	BDL	BDL	4.4	0.1	3.4	18.0	10.0	2.7	210	53	87	33	1016
8/30/2016 14:00	0.4	BDL	BDL	6.2	0.1	3.1	17.0	10.0	4.3	297	47	88	31	1015
8/30/2016 15:00	BDL	BDL	BDL	5.4	0.1	2.4	23.0	14.0	3.7	254	27	88	31	1014
8/30/2016 16:00	BDL	BDL	BDL	4.7	0.1	2.3	20.0	12.0	3.3	306	52	88	32	1014
8/30/2016 17:00	BDL	BDL	BDL	3.4	0.1	2.5	20.0	12.0	4.3	293	28	88	32	1014
8/30/2016 18:00	BDL	BDL	BDL	3.6	0.1	2.3	23.0	11.0	5.8	309	17	87	34	1014
8/30/2016 19:00	BDL	0.5	0.4	6.2	0.2	2.6	21.0	14.0	7.4	134	29	82	63	1013
8/30/2016 20:00	BDL	0.7	0.8	14.7	0.2	1.7	20.0	13.0	5.1	143	14	80	70	1014
8/30/2016 21:00	BDL	1.5	1.6	15.8	0.2	1.6	16.0	12.0	4.2	143	13	79	77	1014
8/30/2016 22:00	BDL	1.2	1.3	7.9	0.2	1.6	16.0	13.0	4.6	137	13	77	80	1015
8/30/2016 23:00	BDL	0.8	0.9	11.3	0.2	1.6	17.0	14.0	3.4	134	16	77	83	1015
8/31/2016 0:00	BDL	0.6	0.7	7.7	0.2	1.6	23.0	14.0	3.2	126	20	76	85	1015
8/31/2016 1:00	BDL	0.4	0.4	16.6	0.2	1.6	22.0	11.0	3.7	143	15	75	87	1014
8/31/2016 2:00	BDL	Calibration	Calibration	18.9	0.2	1.5	19.0	17.0	3.3	150	13	74	90	1014
8/31/2016 3:00	BDL	Calibration	Calibration	11.6	0.2	1.4	21.0	15.0	2.7	178	15	74	92	1014
8/31/2016 4:00	Calibration	1.5	1.5	Calibration	Calibration	1.5	21.0	15.0	3.3	195	13	73	92	1014
8/31/2016 5:00	BDL	1.1	1.4	14.0	0.2	1.7	20.0	16.0	3.5	203	13	72	92	1014
8/31/2016 6:00	BDL	1.5	1.5	33.3	0.3	2.1	41.0	20.0	2.3	215	30	72	89	1014
8/31/2016 7:00	BDL	Audit	Audit	29.9	0.3	2.1	28.0	23.0	1.5	277	28	73	81	1014
8/31/2016 8:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	2.3	39.0	20.0	2.5	168	20	76	77	1013
8/31/2016 9:00	BDL	2.0	2.1	Calibration	0.3	1.8	46.0	21.0	3.5	178	23	78	69	1013
8/31/2016 10:00	BDL	1.4	1.2	22.5	0.2	Calibration	33.0	19.0	4.5	220	34	83	53	1012
8/31/2016 11:00	BDL	0.6	0.5	12.6	0.1	BDL	29.0	15.0	5.8	224	24	87	41	1012
8/31/2016 12:00	BDL	0.5	0.4	8.5	0.2	BDL	30.0	14.0	5.5	201	25	88	41	1011
8/31/2016 13:00	BDL	0.4	0.4	6.0	0.2	BDL	31.0	18.0	5.6	235	38	90	36	1010
8/31/2016 14:00	BDL	0.4	0.4	6.2	0.1	BDL	32.0	14.0	6.1	214	24	91	34	1010
8/31/2016 15:00	BDL	0.4	0.4	5.5	0.1	BDL	31.0	17.0	5.6	208	33	91	35	1009
8/31/2016 16:00	BDL	0.4	0.5	6.0	0.2	BDL	22.0	16.0	4.8	239	32	91	35	1008
8/31/2016 17:00	BDL	0.5	0.6	6.3	0.2	BDL	21.0	14.0	5.6	238	21	90	38	1008
8/31/2016 18:00	BDL	0.7	0.7	7.9	0.2	BDL	22.0	16.0	6.6	219	16	88	45	1008
8/31/2016 19:00	BDL	1.6	1.1	14.5	0.2	BDL	32.0	17.0	6.3	217	18	86	50	1009
8/31/2016 20:00	BDL	2.1	2.5	5.8	0.1	BDL	30.0	16.0	7.5	217	14	81	62	1010
8/31/2016 21:00	BDL	1.8	1.7	12.5	0.2	BDL	17.0	12.0	7.1	212	14	78	72	1010
8/31/2016 22:00	BDL	1.4	1.7	13.7	0.1	BDL	14.0	12.0	3.2	182	17	76	79	1009
8/31/2016 23:00	BDL	1.8	1.8	7.4	0.1	BDL	16.0	13.0	3.8	203	13	76	80	1009

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 8/28/2016-9/3/2016														
9/1/2016 0:00	BDL	1.7	2.1	10.7	0.2	BDL	22.0	15.0	3.1	225	19	77	78	1009
9/1/2016 1:00	BDL	1.9	2.0	6.6	0.1	BDL	18.0	11.0	3.4	241	28	75	85	1009
9/1/2016 2:00	BDL	Calibration	Calibration	8.1	0.2	BDL	19.0	12.0	3.7	213	18	74	89	1009
9/1/2016 3:00	BDL	Calibration	Calibration	6.3	0.1	BDL	14.0	13.0	4.3	287	17	73	91	1008
9/1/2016 4:00	Calibration	1.0	1.0	Calibration	Calibration	BDL	17.0	17.0	2.5	330	37	74	87	1008
9/1/2016 5:00	BDL	1.1	1.2	14.8	0.2	BDL	19.0	18.0	2.1	109	34	74	88	1008
9/1/2016 6:00	BDL	1.0	1.1	20.0	0.2	BDL	20.0	19.0	2.6	161	28	74	90	1008
9/1/2016 7:00	Calibration	1.1	1.4	Calibration	Calibration	BDL	23.0	22.0	2.4	261	56	73	94	1008
9/1/2016 8:00	1.7	0.8	0.7	26.9	0.2	BDL	22.0	16.0	1.6	110	46	73	92	1008
9/1/2016 9:00	BDL	1.0	0.8	20.1	0.2	BDL	11.0	17.0	2.9	254	38	74	88	1008
9/1/2016 10:00	BDL	0.6	0.6	13.2	0.2	BDL	11.0	17.0	6.7	307	9	74	80	1008
9/1/2016 11:00	BDL	0.6	0.4	15.2	0.2	BDL	15.0	13.0	6	300	10	76	72	1008
9/1/2016 12:00	BDL	0.5	0.4	9.9	0.2	BDL	22.0	16.0	6.2	313	20	77	68	1008
9/1/2016 13:00	BDL	0.5	0.4	7.4	0.2	BDL	18.0	18.0	7.5	312	17	77	69	1008
9/1/2016 14:00	BDL	0.5	BDL	11.0	0.2	BDL	17.0	13.0	7.5	339	15	77	67	1008
9/1/2016 15:00	BDL	0.5	0.4	9.9	0.1	BDL	16.0	15.0	7.4	340	14	77	65	1008
9/1/2016 16:00	BDL	0.4	0.4	12.7	0.2	BDL	20.0	22.0	6.3	344	18	77	67	1008
9/1/2016 17:00	BDL	0.4	BDL	8.7	0.2	BDL	16.0	14.0	5.8	348	20	78	63	1008
9/1/2016 18:00	BDL	BDL	BDL	9.8	0.2	BDL	16.0	16.0	5.8	330	17	79	63	1008
9/1/2016 19:00	BDL	BDL	BDL	8.4	0.2	BDL	13.0	13.0	8.7	326	10	78	58	1009
9/1/2016 20:00	BDL	BDL	BDL	10.0	0.1	BDL	19.0	11.0	8.9	340	10	77	51	1010
9/1/2016 21:00	BDL	0.4	0.4	18.5	0.2	BDL	13.0	13.0	7.9	342	12	76	52	1011
9/1/2016 22:00	BDL	BDL	BDL	10.5	0.1	BDL	23.0	20.0	9.4	339	10	74	52	1012
9/1/2016 23:00	BDL	0.4	BDL	9.8	0.1	BDL	20.0	25.0	8.9	342	14	72	54	1012
9/2/2016 0:00	BDL	BDL	BDL	11.5	0.1	BDL	15.0	13.0	10.5	338	10	70	57	1012
9/2/2016 1:00	BDL	BDL	BDL	20.8	0.1	BDL	12.0	8.0	10.0	341	13	69	59	1013
9/2/2016 2:00	BDL	Calibration	Calibration	22.7	0.1	BDL	9.0	12.0	7.1	340	12	68	62	1013
9/2/2016 3:00	BDL	Calibration	Calibration	24.0	0.1	BDL	9.0	8.0	8.6	343	11	66	65	1013
9/2/2016 4:00	Calibration	0.6	BDL	Calibration	Calibration	BDL	7.0	9.0	9.4	342	9	66	66	1013
9/2/2016 5:00	1.1	0.6	BDL	29.6	0.1	BDL	8.0	8.0	8.9	343	11	65	68	1014
9/2/2016 6:00	0.8	0.5	BDL	29.6	0.1	BDL	11.0	7.0	9.3	341	11	64	70	1015
9/2/2016 7:00	1.3	0.6	BDL	26.0	0.1	BDL	24.0	16.0	8.5	341	15	65	67	1015
9/2/2016 8:00	1.3	Calibration	Calibration	17.1	0.1	BDL	23.0	10.0	5.9	357	22	66	64	1016
9/2/2016 9:00	1.3	Too few samples	Too few samples	17.8	0.1	Calibration	17.0	12.0	5.9	3	21	69	59	1016
9/2/2016 10:00	0.5	0.6	BDL	15.5	0.1	2.7	14.0	11.0	6.2	10	25	72	52	1016
9/2/2016 11:00	BDL	BDL	BDL	9.8	0.1	2.7	13.0	8.0	4.8	16	44	74	46	1016
9/2/2016 12:00	BDL	BDL	BDL	7.5	0.1	2.7	9.0	6.0	5.0	27	40	76	42	1016
9/2/2016 13:00	0.7	BDL	BDL	7.9	0.1	2.9	14.0	7.0	5.9	344	40	79	37	1016
9/2/2016 14:00	0.5	BDL	BDL	7.8	0.1	3.1	15.0	10.0	5.5	359	39	79	35	1016
9/2/2016 15:00	BDL	BDL	BDL	5.8	0.1	2.6	13.0	7.0	7.0	35	26	80	33	1015
9/2/2016 16:00	BDL	BDL	BDL	4.6	0.1	2.7	12.0	6.0	7.0	41	28	80	35	1015
9/2/2016 17:00	BDL	BDL	BDL	3.9	0.1	2.1	16.0	8.0	7.4	51	17	79	38	1015
9/2/2016 18:00	BDL	BDL	BDL	4.9	0.1	2.1	5.0	9.0	6.4	53	17	78	41	1016
9/2/2016 19:00	BDL	BDL	BDL	6.2	0.1	1.9	6.0	8.0	6.3	51	13	77	43	1016
9/2/2016 20:00	BDL	BDL	BDL	5.6	0.1	2.1	12.0	9.0	5.5	42	14	77	45	1016
9/2/2016 21:00	BDL	BDL	BDL	10.6	0.2	2.4	12.0	9.0	4.8	60	13	75	49	1017
9/2/2016 22:00	BDL	0.6	BDL	20.2	0.2	2.6	12.0	11.0	3.6	105	18	73	59	1017
9/2/2016 23:00	BDL	0.7	BDL	16.0	0.2	2.6	18.0	9.0	3.6	84	10	72	65	1017
9/3/2016 0:00	BDL	0.4	BDL	21.3	0.2	2.5	34.0	17.0	3.2	70	10	71	67	1018
9/3/2016 1:00	BDL	0.6	0.5	14.1	0.2	2.3	15.0	12.0	4.9	50	9	71	67	1017
9/3/2016 2:00	BDL	Calibration	Calibration	8.4	0.2	2.1	8.0	8.0	5.6	52	9	71	68	1017
9/3/2016 3:00	BDL	Calibration	Calibration	14.6	0.2	2.8	16.0	9.0	5.3	42	12	70	67	1017
9/3/2016 4:00	Calibration	0.5	BDL	Calibration	Calibration	2.4	9.0	12.0	5.3	34	13	69	69	1016
9/3/2016 5:00	BDL	0.5	BDL	12.2	0.2	2.3	12.0	8.0	5.4	37	14	69	70	1016
9/3/2016 6:00	BDL	0.4	BDL	11.8	0.2	2.2	13.0	7.0	7.3	46	12	68	73	1016
9/3/2016 7:00	BDL	0.5	0.4	13.7	0.2	2.4	13.0	7.0	9.1	42	13	69	73	1017
9/3/2016 8:00	BDL	0.5	0.5	13.0	0.2	2.2	15.0	8.0	9.9	41	14	69	72	1016
9/3/2016 9:00	BDL	0.5	BDL	10.8	0.2	2.3	13.0	9.0	11.6	46	13	70	72	1017
9/3/2016 10:00	BDL	0.5	0.4	8.6	0.1	2.5	12.0	12.0	13.4	52	13	71	71	1018
9/3/2016 11:00	BDL	0.4	BDL	6.5	0.1	2.5	17.0	10.0	14.1	49	14	72	66	1017
9/3/2016 12:00	BDL	BDL	BDL	2.6	0.1	2.5	19.0	13.0	16.0	55	13	74	57	1018
9/3/2016 13:00	BDL	BDL	BDL	2.4	0.1	2.7	17.0	9.0	15.3	53	14	74	51	1017
9/3/2016 14:00	BDL	BDL	BDL	2.0	0.1	2.6	18.0	10.0	14.1	53	13	74	47	1017
9/3/2016 15:00	BDL	BDL	BDL	3.0	0.1	2.4	13.0	9.0	13.8	50	14	75	48	1017
9/3/2016 16:00	BDL	BDL	BDL	2.6	0.1	2.5	15.0	7.0	14.4	60	16	74	50	1016
9/3/2016 17:00	BDL	BDL	BDL	2.5	0.1	2.4	14.0	9.0	13.0	59	13	74	52	1016
9/3/2016 18:00	BDL	BDL	BDL	3.7	0.1	2.3	13.0	10.0	11.2	62	13	73	55	1017
9/3/2016 19:00	BDL	BDL	BDL	4.0	0.1	2.2	16.0	10.0	8.1	65	14	72	57	1017
9/3/2016 20:00	BDL	BDL	BDL	4.8	0.1	2.3	14.0	10.0	8.5	58	12	70	57	1018
9/3/2016 21:00	BDL	BDL	BDL	5.9	0.1	2.4	13.0	13.0	6.9	53	12	69	58	1018
9/3/2016 22:00	BDL	BDL	BDL	5.8	0.1	2.4	12.0	10.0	6.3	53	12	69	58	1018
9/3/2016 23:00	BDL	0.4	BDL	9.9	0.2	3.6	14.0	11.0	5.3	45	12	69	59	1018

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 9/4/2016-9/10/2016														
9/4/2016 0:00	BDL	BDL	BDL	10.3	0.2	2.8	18.0	11.0	5.5	36	15	69	61	1019
9/4/2016 1:00	BDL	BDL	BDL	9.0	0.1	2.8	11.0	10.0	6.7	38	16	68	63	1019
9/4/2016 2:00	0.6	Calibration	Calibration	16.0	0.2	2.8	13.0	10.0	4.5	3	22	67	67	1019
9/4/2016 3:00	1.1	Calibration	Calibration	26.5	0.3	3.1	15.0	12.0	5.3	1	17	67	69	1019
9/4/2016 4:00	Calibration	0.4	BDL	Calibration	Calibration	3.1	18.0	11.0	6.0	1	17	66	73	1019
9/4/2016 5:00	1.5	0.5	BDL	24.7	0.2	3.2	13.0	13.0	6.7	2	16	66	74	1019
9/4/2016 6:00	1.4	0.4	BDL	20.4	0.2	3.2	12.0	11.0	5.3	2	19	64	75	1020
9/4/2016 7:00	1.3	0.4	BDL	21.0	0.2	3.3	17.0	14.0	5.4	12	20	65	73	1020
9/4/2016 8:00	0.4	BDL	BDL	8.7	0.1	3.2	12.0	13.0	8.3	42	15	66	61	1021
9/4/2016 9:00	BDL	BDL	BDL	4.1	0.1	3.3	8.0	9.0	8.8	43	16	69	51	1021
9/4/2016 10:00	BDL	BDL	BDL	3.4	0.1	3.6	7.0	8.0	9.2	52	17	72	43	1021
9/4/2016 11:00	BDL	BDL	BDL	4.1	0.1	3.6	9.0	7.0	9.6	55	17	73	39	1021
9/4/2016 12:00	BDL	BDL	BDL	4.4	0.1	3.7	10.0	6.0	8.1	45	19	73	40	1021
9/4/2016 13:00	BDL	BDL	BDL	2.8	0.1	3.8	12.0	7.0	9.8	64	15	76	36	1020
9/4/2016 14:00	BDL	BDL	BDL	3.9	0.1	3.8	17.0	10.0	9.3	65	19	77	34	1020
9/4/2016 15:00	BDL	BDL	BDL	3.3	0.1	3.8	8.0	6.0	9.5	62	17	78	34	1020
9/4/2016 16:00	BDL	BDL	BDL	3.2	0.1	4.0	13.0	7.0	10.0	59	15	78	34	1020
9/4/2016 17:00	BDL	BDL	BDL	2.8	0.1	3.8	14.0	9.0	9.5	63	15	78	36	1020
9/4/2016 18:00	BDL	BDL	BDL	3.0	0.1	3.4	15.0	11.0	7.6	74	14	77	37	1020
9/4/2016 19:00	BDL	BDL	BDL	3.2	0.1	3.3	12.0	8.0	5.0	98	13	75	46	1020
9/4/2016 20:00	BDL	BDL	BDL	4.1	0.1	3.3	16.0	12.0	3.2	87	13	73	51	1020
9/4/2016 21:00	BDL	BDL	BDL	6.6	0.1	3.6	18.0	14.0	2.8	98	11	73	53	1021
9/4/2016 22:00	BDL	BDL	BDL	9.8	0.2	4.8	11.0	11.0	1.6	213	38	71	60	1021
9/4/2016 23:00	BDL	0.6	0.5	25.3	0.4	4.9	20.0	16.0	1.3	239	33	70	65	1021
9/5/2016 0:00	BDL	2.6	2.7	34.4	0.5	4.4	23.0	16.0	1.2	193	22	69	70	1020
9/5/2016 1:00	BDL	0.9	1.0	34.5	0.5	4.3	32.0	23.0	1.4	271	23	68	71	1020
9/5/2016 2:00	BDL	Calibration	Calibration	36.1	0.5	4.5	25.0	24.0	2.4	289	21	68	70	1020
9/5/2016 3:00	BDL	Calibration	Calibration	19.1	0.3	3.7	21.0	19.0	3.2	315	12	67	65	1020
9/5/2016 4:00	Calibration	0.4	BDL	Calibration	Calibration	3.4	20.0	15.0	2.8	16	23	66	67	1020
9/5/2016 5:00	BDL	0.4	BDL	8.3	0.1	3.3	8.0	12.0	5.5	38	13	66	57	1021
9/5/2016 6:00	0.7	BDL	BDL	16.5	0.2	3.3	16.0	12.0	5.2	359	21	66	60	1021
9/5/2016 7:00	1.1	BDL	BDL	27.5	0.2	3.4	15.0	10.0	5.8	5	17	67	60	1021
9/5/2016 8:00	0.5	BDL	BDL	13.4	0.2	3.4	10.0	9.0	5.4	39	16	68	55	1021
9/5/2016 9:00	1.2	BDL	BDL	16.8	0.1	3.4	11.0	9.0	4.8	351	23	70	52	1021
9/5/2016 10:00	0.8	BDL	BDL	10.1	0.1	3.2	10.0	14.0	6.9	27	23	73	45	1020
9/5/2016 11:00	BDL	BDL	BDL	4.7	0.1	3.1	8.0	8.0	7.5	48	17	74	43	1020
9/5/2016 12:00	0.5	BDL	BDL	6.9	0.1	2.8	13.0	12.0	6.6	347	20	76	44	1019
9/5/2016 13:00	0.9	BDL	BDL	5.8	0.1	2.5	13.0	11.0	5.9	2	23	77	42	1018
9/5/2016 14:00	0.6	BDL	BDL	8.6	0.1	2.2	12.0	9.0	4.4	331	34	79	39	1017
9/5/2016 15:00	0.5	BDL	BDL	5.7	0.1	2.1	15.0	8.0	3.1	321	63	81	37	1016
9/5/2016 16:00	0.5	BDL	BDL	5.0	0.1	2.4	14.0	9.0	8.2	321	16	84	36	1015
9/5/2016 17:00	BDL	BDL	BDL	2.5	0.1	1.9	12.0	9.0	5.8	310	14	84	39	1014
9/5/2016 18:00	BDL	BDL	BDL	3.2	0.1	1.4	12.0	10.0	6.1	315	13	84	39	1014
9/5/2016 19:00	BDL	BDL	BDL	7.1	0.1	1.2	12.0	9.0	8.6	320	9	83	40	1014
9/5/2016 20:00	BDL	BDL	BDL	8.9	0.1	1.3	20.0	9.0	8.0	317	8	81	44	1014
9/5/2016 21:00	BDL	BDL	BDL	9.8	0.1	1.3	16.0	15.0	8.8	318	8	80	45	1014
9/5/2016 22:00	BDL	BDL	BDL	9.4	0.1	1.4	18.0	11.0	7.1	326	10	79	48	1014
9/5/2016 23:00	BDL	BDL	BDL	18.1	0.1	1.3	12.0	8.0	7.9	333	10	77	50	1014
9/6/2016 0:00	BDL	BDL	BDL	9.9	0.1	1.0	15.0	7.0	8.1	317	8	75	55	1013
9/6/2016 1:00	BDL	BDL	BDL	8.6	0.1	0.7	16.0	11.0	8.7	319	9	75	55	1013
9/6/2016 2:00	BDL	Calibration	Calibration	6.2	0.1	0.6	16.0	11.0	11.0	320	8	75	55	1012
9/6/2016 3:00	BDL	Calibration	Calibration	8.1	0.1	0.7	15.0	13.0	11.2	327	9	74	56	1012
9/6/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	0.5	16.0	14.0	11.9	324	9	73	57	1012
9/6/2016 5:00	BDL	BDL	BDL	8.4	0.1	0.6	11.0	11.0	11.6	321	9	72	57	1012
9/6/2016 6:00	BDL	BDL	BDL	9.6	0.1	0.7	15.0	7.0	12.0	323	9	72	54	1013
9/6/2016 7:00	BDL	BDL	BDL	11.9	0.1	18.9	23.0	13.0	11.1	324	9	73	54	1013
9/6/2016 8:00	0.7	BDL	BDL	16.8	0.1	0.8	25.0	13.0	11.4	331	11	74	52	1013
9/6/2016 9:00	1.0	0.4	BDL	20.2	0.1	0.8	37.0	13.0	11.7	335	13	77	47	1013
9/6/2016 10:00	4.2	0.4	BDL	17.1	0.1	1.0	61.0	26.0	11.8	344	16	80	44	1013
9/6/2016 11:00	2.4	BDL	BDL	13.1	0.1	1.3	43.0	19.0	11.3	345	17	82	43	1012
9/6/2016 12:00	1.7	BDL	BDL	12.3	0.1	1.1	29.0	14.0	11.8	341	21	84	42	1012
9/6/2016 13:00	1.8	BDL	BDL	13.8	0.1	1.0	31.0	15.0	11.8	348	20	85	42	1011
9/6/2016 14:00	2.9	BDL	BDL	14.0	0.1	0.7	54.0	23.0	12.7	340	14	85	41	1011
9/6/2016 15:00	2.6	BDL	BDL	13.0	0.1	0.4	24.0	12.0	9.4	5	20	85	42	1011
9/6/2016 16:00	3.6	0.4	BDL	12.4	0.1	0.5	18.0	13.0	10.4	358	20	86	41	1011
9/6/2016 17:00	3.9	BDL	BDL	11.7	0.1	0.4	28.0	21.0	9.7	353	20	85	42	1011
9/6/2016 18:00	2.6	BDL	BDL	10.7	0.1	0.2	19.0	9.0	8.4	15	18	84	44	1011
9/6/2016 19:00	BDL	BDL	BDL	11.3	0.1	0.3	12.0	6.0	8.2	25	17	82	49	1012
9/6/2016 20:00	0.7	BDL	BDL	14.6	0.1	0.3	8.0	5.0	7.7	11	18	82	52	1012
9/6/2016 21:00	1.8	BDL	BDL	13.4	0.1	0.3	16.0	10.0	7.8	58	18	81	54	1012
9/6/2016 22:00	0.6	BDL	BDL	14.1	0.1	0.3	10.0	7.0	7.2	8	17	79	57	1012
9/6/2016 23:00	1.5	BDL	BDL	10.8	0.1	0.2	13.0	10.0	6.8	353	18	77	60	1012
9/7/2016 0:00	1.3	BDL	BDL	11.0	0.1	0.2	12.0	11.0	7.0	359	19	76	63	1012
9/7/2016 1:00	1.5	BDL	BDL	7.5	0.1	BDL	18.0	15.0	6.9	349	18	75	65	1012
9/7/2016 2:00	0.9	Calibration	Calibration	6.2	0.1	BDL	14.0	11.0	6.1	348	17	74	68	1012
9/7/2016 3:00	0.4	Calibration	Calibration	17.7	0.1	0.1	8.0	10.0	7.3	338	12	73	69	1012
9/7/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	0.02	14.0	10.0	7.5	343	16	73	71	1012
9/7/2016 5:00	0.6	BDL	BDL	13.1	0.1	0.02	12.0	14.0	7.6	338	15	73	72	1013
9/7/2016 6:00	BDL	BDL	BDL	16.2	0.1	0.2	7.0	8.0	7.4	323	13	72	74	1013
9/7/2016 7:00	BDL	0.4	BDL	20.9	0.1	Calibration	20.0	10.0	7.3	341	15	73	72	1013
9/7/2016 8:00	BDL	0.4	BDL	17.0	0.2	2.3	12.0	69.0	6.4	11	20	75	66	1013
9/7/2016 9:00	BDL	0.4	BDL	15.1	0.1	2.6	17.0	6.0	7.5	12	20	78	60	1013
9/7/2016 10:00	BDL	BDL	BDL	10.0	0.1	2.8	19.0	14.0	7.4	350	21	79	55	1013
9/7/2016 11:00	BDL	BDL	BDL	6.7	0.1	3.2	14.0	9.0	6.2	23	23	81	51	1013
9/7/2016 12:00	0.4	BDL	BDL	6.4	0.1	3.6	20.0	11.0	6.6	350	30	84	46	1013
9/7/2016 13:00	0.7	BDL	BDL	7.3	0.1	3.6	15.0	9.0	5.7	1	35	85	42	1012
9/7/2016 14:00	0.8	BDL	BDL	5.5	0.1	3.6	17.0	11.0	6.0	8	36	86	40	1012
9/7/2016 15:00	0.5	BDL	BDL	5.6	0.1	3.6	18.0	9.0	7.0	353	26	88	38	1011
9/7/2016 16:00	0.8	BDL	BDL	6.5	0.1	3.1	19.0	13.0	6.2	349	30	88	38	1011
9/7/2016 17:00	0.7	BDL	BDL	6.0	0.1	3.4	10.0	8.0	4.4	33	28	88	37	1010
9/7/2016 18:00	BDL	BDL	BDL	4.5	0.1	2.5	8.0	9.0	5.2	85	34	87	41	1010
9/7/2016 19:00	BDL	0.4	0.4	6.8	0.1	2.1	12.0	13.0	4.4	89	13	85	44	1011
9/7/2016 20:00	BDL	BDL	BDL	27.9	0.2	2.2	12.0	11.0	3.0	122	15	83	51	1011
9/7/2016 21:00	BDL	BDL	BDL	16.4	0.2	1.9	13.0	11.0	4.4	150	13	81	59	1011
9/7/2016 22:00	BDL	BDL	BDL	13.4	0.1	1.9	15.0	11.0	3.0	182	16	78	67	1011
9/7/2016 23:00	BDL	0.4	BDL	13.4	0.1	2.0	18.0	10.0	2.4	138	24	77	70	1012

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 9/4/2016-9/10/2016														
9/8/2016 0:00	BDL	0.5	0.4	11.8	0.1	2.4	16.0	9.0	3.0	137	18	75	75	1011
9/8/2016 1:00	BDL	0.7	0.6	11.4	0.1	2.2	12.0	9.0	2.7	137	15	74	77	1011
9/8/2016 2:00	BDL	Calibration	Calibration	12.8	0.1	1.5	16.0	13.0	2.4	156	19	74	78	1011
9/8/2016 3:00	BDL	Calibration	Calibration	10.8	0.1	1.4	17.0	9.0	2.2	163	23	74	77	1010
9/8/2016 4:00	Calibration	1.0	1.0	Calibration	Calibration	1.2	16.0	10.0	2.8	141	20	74	78	1010
9/8/2016 5:00	BDL	0.8	0.8	15.8	0.1	1.4	14.0	11.0	2.8	140	16	73	80	1010
9/8/2016 6:00	BDL	Calibration	Calibration	21.7	0.1	1.6	48.0	13.0	2.7	161	20	73	83	1011
9/8/2016 7:00	BDL	Calibration	Calibration	36.7	0.2	1.9	42.0	16.0	3.1	204	14	74	81	1011
9/8/2016 8:00	BDL	1.9	1.8	27.7	0.2	1.9	30.0	20.0	2.2	262	31	76	67	1011
9/8/2016 9:00	BDL	1.1	0.9	18.9	0.2	2.0	20.0	16.0	2.8	257	35	Too few samples	Too few samples	1011
9/8/2016 10:00	BDL	0.9	0.9	7.8	0.2	2.2	19.0	15.0	Audit	Too few samples	Audit	Audit	Audit	1010
9/8/2016 11:00	BDL	1.0	0.9	5.7	0.2	2.4	18.0	18.0	Audit	Audit	Audit	Audit	Audit	1010
9/8/2016 12:00	BDL	0.8	0.8	4.9	0.1	3.2	20.0	18.0	Audit	Audit	Audit	Audit	Audit	1009
9/8/2016 13:00	BDL	BDL	BDL	3.0	0.1	2.8	20.0	16.0	Audit	Audit	Audit	Audit	Audit	1009
9/8/2016 14:00	BDL	BDL	0.4	6.5	0.2	1.9	27.0	14.0	Audit	Audit	Audit	Audit	Audit	1008
9/8/2016 15:00	BDL	0.5	0.5	9.4	0.2	1.3	36.0	21.0	Audit	Audit	Audit	Audit	Audit	1007
9/8/2016 16:00	BDL	0.6	0.5	10.2	0.2	0.9	43.0	18.0	Audit	Audit	Audit	Audit	Audit	1007
9/8/2016 17:00	BDL	0.7	0.9	9.2	0.2	0.8	32.0	15.0	Audit	Audit	Audit	Audit	Audit	1007
9/8/2016 18:00	BDL	1.3	0.8	16.6	0.2	0.6	31.0	17.0	Audit	Audit	Audit	Audit	Audit	1007
9/8/2016 19:00	BDL	0.7	0.7	28.2	0.3	0.6	37.0	24.0	Audit	Audit	Audit	Audit	Audit	1007
9/8/2016 20:00	BDL	0.8	0.7	28.6	0.3	1.1	42.0	28.0	Audit	Audit	Audit	Audit	Audit	1008
9/8/2016 21:00	BDL	1.2	0.7	24.1	0.2	1.1	32.0	21.0	Audit	Audit	Audit	Audit	Audit	1008
9/8/2016 22:00	BDL	2.8	1.5	19.7	0.2	1.1	31.0	21.0	Audit	Audit	Audit	Audit	Audit	1008
9/8/2016 23:00	BDL	1.0	0.8	20.5	0.3	1.0	33.0	24.0	Audit	Audit	Audit	Audit	Audit	1008
9/9/2016 0:00	BDL	1.2	1.0	16.7	0.2	1.2	31.0	24.0	Audit	Audit	Audit	Audit	Audit	1008
9/9/2016 1:00	BDL	2.1	1.9	14.7	0.2	1.6	26.0	17.0	Audit	Audit	Audit	Audit	Audit	1008
9/9/2016 2:00	BDL	Calibration	Calibration	16.2	0.2	1.3	30.0	22.0	Audit	Audit	Audit	Audit	Audit	1008
9/9/2016 3:00	BDL	Calibration	Calibration	16.1	0.2	0.9	23.0	20.0	Audit	Audit	Audit	Audit	Audit	1008
9/9/2016 4:00	Calibration	1.1	1.0	Calibration	Calibration	1.2	31.0	20.0	Audit	Audit	Audit	Audit	Audit	1009
9/9/2016 5:00	1.7	1.1	1.1	19.1	0.2	1.1	29.0	21.0	Audit	Audit	Audit	Audit	Audit	1009
9/9/2016 6:00	1.5	1.7	1.8	23.1	0.3	1.3	40.0	24.0	Audit	Audit	Audit	Audit	Audit	1010
9/9/2016 7:00	0.6	2.9	2.9	40.9	0.3	Calibration	50.0	32.0	Audit	Audit	Audit	Audit	Audit	1010
9/9/2016 8:00	Calibration	1.8	1.1	Calibration	Calibration	1.4	36.0	19.0	Audit	Audit	Audit	Audit	Audit	1010
9/9/2016 9:00	Calibration	0.8	BDL	Calibration	Calibration	1.8	Invalid	160.0	Audit	Audit	Audit	Audit	Audit	1010
9/9/2016 10:00	Calibration	Audit	Audit	Calibration	Calibration	Audit	Audit	Audit	Audit	Too few samples	Audit	Audit	Audit	1010
9/9/2016 11:00	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Too few samples	Audit	Audit	Audit	1010
9/9/2016 12:00	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit	2.9	247	52	Audit	Audit	1010
9/9/2016 13:00	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Too few samples	Audit	Audit	Audit	1010
9/9/2016 14:00	Audit	Audit	Audit	Audit	Audit	Audit	32.0	13.0	Audit	Audit	Audit	Audit	Audit	693
9/9/2016 15:00	Audit	Audit	Audit	Audit	Audit	Audit	26.0	20.0	Audit	Too few samples	Audit	Audit	Audit	659
9/9/2016 16:00	BDL	Audit	Audit	7.1	0.2	Audit	27.0	10.0	5.3	247	24	94	40	1009
9/9/2016 17:00	BDL	Too few samples	Too few samples	4.0	0.2	Too few samples	44.0	11.0	7.8	213	15	94	45	1009
9/9/2016 18:00	BDL	0.4	0.4	7.0	0.2	1.7	32.0	10.0	7.2	207	13	91	51	1010
9/9/2016 19:00	BDL	0.5	0.7	21.4	0.2	2.1	30.0	8.0	5.4	220	15	89	54	1010
9/9/2016 20:00	BDL	1.7	1.4	22.6	0.2	2.4	39.0	8.0	4.0	219	15	88	59	1011
9/9/2016 21:00	BDL	2.0	2.4	22.4	0.3	2.4	21.0	10.0	2.3	240	23	86	61	1012
9/9/2016 22:00	BDL	2.8	2.2	40.0	0.3	2.7	27.0	12.0	1.9	200	15	85	66	1012
9/9/2016 23:00	BDL	1.9	1.4	34.7	0.3	2.7	29.0	13.0	2.3	207	20	84	70	1012
9/10/2016 0:00	BDL	0.8	0.6	11.1	0.2	2.6	22.0	10.0	1.5	202	16	83	69	1012
9/10/2016 1:00	BDL	0.9	0.8	24.6	0.2	4.0	25.0	17.0	1.2	204	30	82	71	1012
9/10/2016 2:00	BDL	Calibration	Calibration	17.9	0.2	4.8	27.0	13.0	2.1	170	17	81	74	1012
9/10/2016 3:00	BDL	Too few samples	Too few samples	13.0	0.2	2.6	27.0	17.0	2.5	163	16	81	76	1012
9/10/2016 4:00	Calibration	2.0	2.0	Calibration	Calibration	2.1	22.0	15.0	2.2	173	15	80	78	1012
9/10/2016 5:00	1.4	2.2	2.1	23.9	0.2	2.0	29.0	14.0	2.6	163	14	79	81	1012
9/10/2016 6:00	BDL	Calibration	Calibration	15.9	0.2	2.0	26.0	16.0	3.3	166	13	78	84	1012
9/10/2016 7:00	BDL	Calibration	Calibration	12.9	0.2	2.3	33.0	17.0	3.0	189	18	79	82	1013
9/10/2016 8:00	BDL	1.3	1.3	12.6	0.2	2.5	31.0	22.0	4.2	223	24	82	75	1013
9/10/2016 9:00	Calibration	0.9	1.0	Calibration	Calibration	2.4	32.0	24.0	4.9	214	24	83	71	1013
9/10/2016 10:00	Too few samples	1.0	1.1	Too few samples	Too few samples	0.9	37.0	21.0	6.0	195	21	85	67	1013
9/10/2016 11:00	Calibration	0.5	BDL	Calibration	Calibration	2.9	27.0	14.0	5.6	231	24	91	51	1013
9/10/2016 12:00	Too few samples	BDL	BDL	Too few samples	Too few samples	4.6	Invalid	Invalid	7.5	227	22	93	43	1012
9/10/2016 13:00	BDL	BDL	BDL	1.3	0.1	4.2	24.0	11.0	8.5	215	19	94	42	1011
9/10/2016 14:00	BDL	0.4	BDL	2.0	0.1	4.4	26.0	15.0	9.3	211	22	94	44	1011
9/10/2016 15:00	BDL	0.8	0.8	2.7	0.2	3.3	26.0	16.0	9.0	186	14	91	52	1011
9/10/2016 16:00	BDL	0.6	0.7	3.1	0.2	2.7	22.0	17.0	9.4	191	12	90	55	1011
9/10/2016 17:00	BDL	0.6	0.6	2.4	0.2	2.3	26.0	13.0	8.4	184	13	89	56	1011
9/10/2016 18:00	BDL	0.6	0.7	5.7	0.2	1.9	29.0	16.0	8.7	173	14	87	65	1010
9/10/2016 19:00	BDL	0.7	0.6	4.5	0.2	1.7	25.0	17.0	9.3	174	13	85	68	1010
9/10/2016 20:00	BDL	0.6	0.6	19.6	0.2	1.8	30.0	26.0	9.4	183	13	83	68	1010
9/10/2016 21:00	BDL	1.0	0.8	2.8	0.2	2.0	24.0	18.0	8.6	201	13	83	72	1011
9/10/2016 22:00	BDL	1.1	1.1	BDL	0.2	2.1	24.0	17.0	8.0	199	12	82	76	1011
9/10/2016 23:00	BDL	1.4	1.1	4.7	0.2	2.0	21.0	17.0	6.4	191	12	81	80	1011

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 9/11/2016-9/17/2016														
9/11/2016 0:00	BDL	1.5	0.4	5.0	0.1	1.8	16.0	13.0	6.2	180	13	79	83	1010
9/11/2016 1:00	BDL	1.2	BDL	3.5	0.1	1.5	15.0	13.0	7.0	189	13	79	81	1010
9/11/2016 2:00	BDL	Calibration	Calibration	6.9	0.1	1.3	16.0	11.0	7.7	193	13	79	81	1009
9/11/2016 3:00	BDL	Calibration	Calibration	4.8	0.1	1.3	17.0	10.0	7.5	196	14	79	82	1009
9/11/2016 4:00	Calibration	1.6	BDL	Calibration	Calibration	1.1	13.0	10.0	7.4	195	13	78	83	1009
9/11/2016 5:00	BDL	1.2	BDL	2.9	0.1	1.2	20.0	15.0	6.5	203	14	79	83	1009
9/11/2016 6:00	BDL	1.0	BDL	5.7	0.2	1.5	20.0	12.0	6.7	216	14	79	82	1010
9/11/2016 7:00	BDL	1.3	BDL	8.9	0.2	2.3	20.0	19.0	6.8	233	16	80	79	1010
9/11/2016 8:00	Too few samples	0.6	BDL	Too few samples	Too few samples	2.8	19.0	17.0	8.4	299	15	81	67	1011
9/11/2016 9:00	Excessive drift	BDL	BDL	2.7	0.04	2.5	14.0	4.0	11.9	311	11	83	51	1012
9/11/2016 10:00	Calibration	BDL	BDL	Calibration	Calibration	4.1	21.0	4.0	13.4	315	11	82	46	1013
9/11/2016 11:00	Calibration	Calibration	Calibration	3.4	0.1	4.8	17.0	4.0	12.4	322	13	82	41	1013
9/11/2016 12:00	BDL	Too few samples	Too few samples	0.5	0.1	4.9	14.0	6.0	12.0	311	12	81	37	1014
9/11/2016 13:00	BDL	BDL	0.6	2.0	0.1	4.9	8.0	6.0	9.4	313	15	82	35	1014
9/11/2016 14:00	BDL	BDL	0.4	2.6	0.1	5.6	7.0	5.0	9.0	318	19	83	34	1014
9/11/2016 15:00	BDL	BDL	BDL	2.8	0.1	6.0	10.0	3.0	10.2	319	15	84	33	1013
9/11/2016 16:00	BDL	BDL	BDL	1.7	0.1	5.9	9.0	3.0	8.2	310	20	84	32	1014
9/11/2016 17:00	BDL	BDL	BDL	3.1	0.1	5.4	7.0	4.0	7.6	319	19	83	33	1014
9/11/2016 18:00	BDL	BDL	BDL	2.9	0.1	5.0	7.0	4.0	9.5	321	12	82	35	1014
9/11/2016 19:00	BDL	BDL	BDL	4.3	0.1	5.6	7.0	3.0	8.6	320	8	80	37	1015
9/11/2016 20:00	BDL	BDL	BDL	9.4	0.2	5.4	15.0	5.0	6.4	322	15	79	38	1016
9/11/2016 21:00	1.3	BDL	BDL	13.5	0.2	5.4	13.0	10.0	5.7	344	18	77	36	1017
9/11/2016 22:00	0.6	BDL	BDL	11.0	0.1	5.8	11.0	6.0	6.4	6	17	75	38	1017
9/11/2016 23:00	BDL	BDL	BDL	4.4	0.1	6.2	7.0	4.0	7.5	42	15	73	38	1018
9/12/2016 0:00	BDL	BDL	BDL	2.3	0.1	6.3	6.0	1.0	7.8	46	13	71	39	1019
9/12/2016 1:00	BDL	BDL	BDL	3.3	0.1	6.4	5.0	3.0	7.5	49	12	70	39	1019
9/12/2016 2:00	BDL	Calibration	Calibration	5.1	0.1	6.6	5.0	5.0	5.1	48	15	68	43	1019
9/12/2016 3:00	BDL	Calibration	Calibration	4.4	0.1	6.8	6.0	5.0	6.1	45	14	67	44	1019
9/12/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	6.9	4.0	3.0	4.7	46	12	66	47	1020
9/12/2016 5:00	BDL	BDL	BDL	6.9	0.2	7.1	12.0	4.0	4.9	44	13	65	48	1020
9/12/2016 6:00	BDL	BDL	BDL	9.6	0.2	7.2	24.0	6.0	6.2	47	13	65	48	1021
9/12/2016 7:00	BDL	BDL	BDL	21.3	0.2	7.5	16.0	6.0	5.5	51	14	65	51	1021
9/12/2016 8:00	BDL	Calibration	Calibration	24.8	0.2	7.8	25.0	5.0	5.7	53	20	67	48	1021
9/12/2016 9:00	BDL	Too few samples	Too few samples	18.7	0.2	Calibration	27.0	8.0	6.0	67	19	69	45	1022
9/12/2016 10:00	BDL	0.5	BDL	13.8	0.2	2.4	22.0	6.0	4.4	91	30	71	38	1022
9/12/2016 11:00	BDL	BDL	BDL	14.2	0.2	2.6	20.0	4.0	3.7	104	44	74	33	1021
9/12/2016 12:00	0.6	BDL	BDL	14.9	0.2	2.4	22.0	7.0	4.3	326	59	77	30	1021
9/12/2016 13:00	0.4	BDL	BDL	6.5	0.1	2.2	15.0	8.0	3.6	292	68	79	28	1020
9/12/2016 14:00	BDL	BDL	BDL	3.8	0.1	2.2	15.0	5.0	4.8	311	39	80	26	1020
9/12/2016 15:00	BDL	BDL	BDL	4.6	0.1	2.2	12.0	2.0	3.4	287	62	81	25	1019
9/12/2016 16:00	BDL	BDL	BDL	11.2	0.1	2.2	18.0	3.0	4.9	169	28	81	27	1019
9/12/2016 17:00	BDL	BDL	BDL	6.1	0.1	1.5	13.0	4.0	4.4	175	16	81	28	1019
9/12/2016 18:00	BDL	BDL	BDL	8.8	0.1	1.0	14.0	5.0	4.8	144	13	79	36	1019
9/12/2016 19:00	BDL	BDL	BDL	5.1	0.1	0.5	18.0	3.0	7.5	126	16	74	64	1019
9/12/2016 20:00	BDL	BDL	BDL	6.1	0.1	0.8	15.0	6.0	6.8	120	16	71	69	1020
9/12/2016 21:00	BDL	BDL	BDL	5.0	0.1	0.7	15.0	6.0	5.8	131	17	69	74	1020
9/12/2016 22:00	BDL	BDL	BDL	6.0	0.1	0.9	13.0	4.0	3.5	153	18	69	77	1021
9/12/2016 23:00	BDL	BDL	BDL	5.6	0.1	0.9	15.0	4.0	2.0	166	22	68	78	1021
9/13/2016 0:00	BDL	BDL	BDL	7.5	0.1	0.7	10.0	4.0	2.3	188	16	68	80	1021
9/13/2016 1:00	BDL	0.4	BDL	12.6	0.1	0.6	15.0	3.0	2.8	185	12	67	83	1020
9/13/2016 2:00	BDL	Calibration	Calibration	20.9	0.1	0.6	10.0	4.0	2.4	178	17	67	84	1020
9/13/2016 3:00	BDL	Calibration	Calibration	31.3	0.2	0.8	14.0	3.0	3.8	166	15	66	87	1020
9/13/2016 4:00	Calibration	0.8	0.5	Calibration	Calibration	0.6	11.0	2.0	2.3	190	15	66	87	1021
9/13/2016 5:00	BDL	0.9	0.8	13.8	0.1	1.0	13.0	3.0	2.4	172	14	66	88	1021
9/13/2016 6:00	BDL	1.6	1.5	35.3	0.2	1.1	26.0	3.0	2.2	165	17	66	88	1021
9/13/2016 7:00	BDL	2.5	2.2	27.9	0.2	Too few samples	27.0	5.0	2.3	157	18	66	86	1021
9/13/2016 8:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	1.3	39.0	9.0	2.7	154	28	68	81	1021
9/13/2016 9:00	BDL	Calibration	Calibration	14.2	0.2	1.3	32.0	7.0	4.4	155	17	70	77	1021
9/13/2016 10:00	BDL	1.3	1.0	3.0	0.1	1.2	20.0	4.0	6.3	189	22	74	60	1021
9/13/2016 11:00	BDL	0.9	0.7	1.0	0.1	1.2	21.0	6.0	6.7	189	20	77	49	1020
9/13/2016 12:00	BDL	0.4	BDL	1.2	0.1	1.3	23.0	6.0	6.9	195	21	80	41	1019
9/13/2016 13:00	BDL	BDL	BDL	BDL	0.1	1.0	14.0	5.0	7.5	218	25	83	37	1019
9/13/2016 14:00	BDL	0.4	BDL	BDL	0.1	0.6	29.0	5.0	8.3	211	20	83	40	1018
9/13/2016 15:00	BDL	BDL	BDL	BDL	0.1	0.4	26.0	5.0	7.9	216	20	84	40	1017
9/13/2016 16:00	BDL	0.5	BDL	0.7	0.1	0.6	17.0	7.0	7.2	215	23	84	41	1016
9/13/2016 17:00	BDL	0.4	BDL	0.8	0.1	0.8	19.0	7.0	7.3	213	18	84	43	1016
9/13/2016 18:00	BDL	0.6	0.6	0.7	0.2	BDL	22.0	6.0	7.1	206	15	82	47	1016
9/13/2016 19:00	BDL	1.4	1.1	0.8	0.2	BDL	20.0	4.0	7.4	198	13	78	56	1017
9/13/2016 20:00	BDL	0.4	BDL	2.4	0.1	BDL	12.0	5.0	6.5	182	14	74	61	1017
9/13/2016 21:00	BDL	BDL	BDL	4.2	0.1	BDL	12.0	5.0	5.6	184	15	73	67	1018
9/13/2016 22:00	BDL	BDL	BDL	2.3	0.2	BDL	16.0	4.0	5.2	193	13	72	72	1018
9/13/2016 23:00	BDL	0.4	0.6	BDL	0.2	BDL	17.0	4.0	5.9	204	12	71	74	1018
9/14/2016 0:00	BDL	0.4	0.4	0.8	0.2	BDL	12.0	7.0	5.6	198	10	70	72	1017
9/14/2016 1:00	BDL	0.4	0.4	0.4	0.1	BDL	18.0	7.0	5.3	197	11	70	71	1017
9/14/2016 2:00	BDL	Calibration	Calibration	7.0	0.2	BDL	13.0	7.0	4.0	194	13	69	73	1017
9/14/2016 3:00	BDL	Calibration	Calibration	12.4	0.1	BDL	10.0	5.0	4.2	196	12	69	75	1016
9/14/2016 4:00	Calibration	1.0	1.0	Calibration	Calibration	BDL	6.0	6.0	3.8	206	12	69	77	1016
9/14/2016 5:00	BDL	1.3	1.2	11.2	0.2	BDL	14.0	6.0	3.4	201	13	69	77	1016
9/14/2016 6:00	0.9	1.3	1.4	22.7	0.2	BDL	18.0	6.0	3.2	208	13	69	77	1017
9/14/2016 7:00	0.8	Audit	Audit	24.5	0.2	BDL	90.0	10.0	3.7	232	16	70	73	1017
9/14/2016 8:00	Too few samples	Too few samples	Too few samples	Too few samples	0.3	BDL	20.0	9.0	2.9	259	24	72	66	1017
9/14/2016 9:00	BDL	1.1	1.2	Calibration	0.3	BDL	19.0	8.0	4.0	273	25	75	59	1016
9/14/2016 10:00	BDL	0.8	0.8	9.2	0.3	BDL	25.0	11.0	2.5	229	38	79	55	1016
9/14/2016 11:00	BDL	0.9	0.7	23.7	0.2	BDL	40.0	12.0	4.5	181	26	82	55	1016
9/14/2016 12:00	BDL	0.7	0.5	13.0	0.2	BDL	33.0	10.0	4.7	176	21	85	48	1015
9/14/2016 13:00	0.6	0.5	0.4	13.3	0.2	BDL	30.0	15.0	4.3	231	55	88	36	1014
9/14/2016 14:00	0.9	BDL	BDL	0.8	0.2	BDL	16.0	10.0	4.5	296	38	91	27	1013
9/14/2016 15:00	0.7	0.4	BDL	0.8	0.2	BDL	20.0	9.0	5.1	275	31	92	26	1013
9/14/2016 16:00	0.7	0.4	BDL	1.5	0.2	BDL	26.0	8.0	5.5	271	27	92	26	1012
9/14/2016 17:00	BDL	BDL	BDL	BDL	0.2	BDL	22.0	10.0	6.4	299	18	91	29	1013
9/14/2016 18:00	BDL	BDL	BDL	1.4	0.2	2.6	25.0	10.0	4.8	286	17	89	33	1013
9/14/2016 19:00	BDL	BDL	BDL	6.5	0.2	0.3	25.0	9.0	4.6	281	16	86	38	1014
9/14/2016 20:00	1.1	BDL	0.4	7.3	0.2	BDL	46.0	18.0	8.9	342	18	81	51	1015
9/14/2016 21:00	0.7	BDL	BDL	8.1	0.2	BDL	18.0	9.0	7.3	348	18	78	58	1016
9/14/2016 22:00	0.4	BDL	BDL	6.7	0.2	BDL	18.0	10.0	8.4	359	19	77	57	1016
9/14/2016 23:00	BDL	BDL	BDL	3.1	0.2	BDL	12.0	8.0	7.4	22	18	76	53	1017

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 9/11/2016-9/17/2016														
9/15/2016 0:00	BDL	BDL	BDL	1.2	0.1	BDL	8.0	5.0	8.3	27	15	74	54	1018
9/15/2016 1:00	BDL	BDL	BDL	7.6	0.1	BDL	11.0	3.0	8.6	354	17	72	54	1018
9/15/2016 2:00	0.4	Calibration	Calibration	5.3	0.1	BDL	10.0	6.0	8.4	5	18	71	56	1019
9/15/2016 3:00	BDL	Calibration	Calibration	2.9	0.1	0.1	9.0	4.0	8.6	34	16	69	59	1019
9/15/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	0.3	8.0	5.0	8.7	35	15	68	60	1020
9/15/2016 5:00	BDL	BDL	BDL	0.8	0.1	0.7	9.0	4.0	8.9	41	15	67	53	1020
9/15/2016 6:00	BDL	BDL	BDL	2.5	0.1	0.9	15.0	3.0	9.2	46	14	66	50	1021
9/15/2016 7:00	BDL	Calibration	Calibration	4.4	0.1	1.2	21.0	7.0	9.0	38	14	66	53	1021
9/15/2016 8:00	BDL	Calibration	Calibration	8.0	0.2	1.5	25.0	15.0	8.8	43	15	66	53	1021
9/15/2016 9:00	BDL	BDL	BDL	7.2	0.1	1.7	20.0	9.0	9.5	53	16	67	50	1022
9/15/2016 10:00	BDL	BDL	BDL	5.6	0.1	2.2	16.0	124.0	8.5	52	19	68	45	1022
9/15/2016 11:00	BDL	BDL	BDL	6.6	0.1	2.4	Invalid	243.0	7.1	39	21	70	41	1022
9/15/2016 12:00	BDL	BDL	BDL	8.3	0.1	2.5	31.0	6.0	5.6	24	36	71	37	1022
9/15/2016 13:00	BDL	BDL	BDL	8.7	0.2	2.8	17.0	5.0	5.7	40	26	73	34	1021
9/15/2016 14:00	BDL	BDL	BDL	9.6	0.2	2.6	24.0	7.0	5.8	85	29	74	31	1020
9/15/2016 15:00	BDL	BDL	BDL	8.8	0.2	2.2	20.0	6.0	5.5	98	34	75	29	1020
9/15/2016 16:00	BDL	BDL	BDL	8.6	0.2	1.8	23.0	3.0	5.3	26	38	76	29	1019
9/15/2016 17:00	BDL	BDL	BDL	7.7	0.2	1.4	21.0	5.0	5.0	72	22	76	29	1020
9/15/2016 18:00	BDL	BDL	BDL	7.6	0.2	1.2	24.0	6.0	5.4	97	18	75	32	1020
9/15/2016 19:00	BDL	BDL	BDL	0.4	0.1	1.3	21.0	5.0	9.2	110	13	69	52	1021
9/15/2016 20:00	BDL	BDL	BDL	1.0	0.1	1.5	7.0	7.0	7.9	111	15	66	56	1022
9/15/2016 21:00	BDL	BDL	BDL	4.8	0.1	1.7	8.0	5.0	4.5	147	18	65	61	1022
9/15/2016 22:00	BDL	BDL	BDL	7.8	0.1	1.9	7.0	4.0	3.0	160	20	65	63	1023
9/15/2016 23:00	BDL	BDL	BDL	4.2	0.1	2.0	13.0	3.0	3.1	76	15	64	64	1023
9/16/2016 0:00	BDL	BDL	BDL	10.8	0.1	2.0	10.0	5.0	3.4	82	14	63	65	1023
9/16/2016 1:00	BDL	BDL	BDL	8.6	0.1	2.0	12.0	6.0	3.6	75	11	63	67	1023
9/16/2016 2:00	BDL	Calibration	Calibration	8.5	0.1	1.9	14.0	4.0	2.9	68	10	62	70	1023
9/16/2016 3:00	BDL	Calibration	Calibration	4.5	0.1	2.0	18.0	5.0	3.2	67	10	61	72	1023
9/16/2016 4:00	Calibration	0.4	BDL	Calibration	Calibration	2.1	65.0	7.0	2.5	73	12	61	73	1023
9/16/2016 5:00	BDL	0.4	BDL	11.2	0.2	2.1	13.0	5.0	3.1	65	11	61	74	1023
9/16/2016 6:00	BDL	0.7	BDL	37.2	0.3	2.6	44.0	8.0	2.9	64	13	61	74	1023
9/16/2016 7:00	BDL	0.8	BDL	32.3	0.3	10.2	31.0	7.0	3.0	65	14	61	71	1024
9/16/2016 8:00	BDL	0.7	0.4	21.1	0.2	2.6	38.0	8.0	4.5	71	15	63	64	1024
9/16/2016 9:00	BDL	0.5	BDL	9.0	0.2	2.7	24.0	5.0	6.8	91	17	66	54	1024
9/16/2016 10:00	BDL	BDL	BDL	3.7	0.1	3.1	24.0	4.0	7.3	100	23	69	48	1024
9/16/2016 11:00	BDL	BDL	BDL	9.1	0.1	3.4	16.0	3.0	6.3	111	21	70	43	1024
9/16/2016 12:00	BDL	BDL	BDL	3.6	0.1	3.2	20.0	4.0	5.9	115	47	72	40	1023
9/16/2016 13:00	BDL	BDL	BDL	BDL	0.1	3.1	28.0	6.0	4.8	120	36	74	37	1023
9/16/2016 14:00	BDL	BDL	BDL	BDL	0.1	3.0	13.0	4.0	5.7	82	36	75	35	1022
9/16/2016 15:00	BDL	BDL	BDL	BDL	0.1	2.9	9.0	4.0	5.8	102	25	76	35	1021
9/16/2016 16:00	BDL	BDL	BDL	BDL	0.1	2.5	9.0	4.0	7.8	100	21	76	36	1021
9/16/2016 17:00	BDL	BDL	BDL	BDL	0.1	1.8	13.0	4.0	8.6	106	14	74	40	1021
9/16/2016 18:00	BDL	BDL	BDL	3.4	0.1	1.6	14.0	5.0	9.0	118	16	71	47	1021
9/16/2016 19:00	BDL	BDL	BDL	2.4	0.1	1.7	14.0	3.0	6.9	125	16	69	54	1022
9/16/2016 20:00	BDL	0.4	BDL	5.1	0.1	2.4	9.0	4.0	5.8	133	16	67	62	1023
9/16/2016 21:00	BDL	0.6	0.4	4.0	0.1	2.0	7.0	2.0	5.4	138	13	65	66	1023
9/16/2016 22:00	BDL	BDL	BDL	4.5	0.1	1.9	11.0	1.0	4.6	140	14	65	70	1023
9/16/2016 23:00	BDL	BDL	BDL	12.0	0.1	2.0	12.0	4.0	3.3	108	21	64	71	1023
9/17/2016 0:00	BDL	BDL	BDL	16.0	0.2	1.8	8.0	4.0	4.6	81	11	63	72	1022
9/17/2016 1:00	BDL	BDL	BDL	8.4	0.2	1.7	8.0	4.0	4.6	79	10	62	75	1022
9/17/2016 2:00	BDL	Calibration	Calibration	8.1	0.2	1.5	7.0	5.0	3.2	90	12	62	77	1022
9/17/2016 3:00	BDL	Calibration	Calibration	8.5	0.1	1.3	9.0	4.0	3.7	99	14	62	78	1022
9/17/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	1.3	12.0	2.0	3.0	75	11	61	80	1021
9/17/2016 5:00	BDL	0.5	BDL	15.3	0.2	1.5	12.0	2.0	3.6	89	14	61	80	1021
9/17/2016 6:00	BDL	0.7	0.6	11.9	0.2	1.5	11.0	2.0	1.9	63	14	60	81	1022
9/17/2016 7:00	BDL	1.2	1.0	14.6	0.2	1.4	13.0	4.0	3.0	70	13	60	79	1022
9/17/2016 8:00	BDL	1.0	0.8	21.8	0.2	1.2	20.0	5.0	2.7	78	18	62	77	1021
9/17/2016 9:00	BDL	BDL	BDL	18.3	0.2	1.6	18.0	6.0	3.9	114	20	66	71	1021
9/17/2016 10:00	BDL	0.5	BDL	2.4	0.1	1.3	17.0	4.0	4.6	178	26	71	63	1021
9/17/2016 11:00	BDL	0.4	BDL	BDL	0.1	1.5	14.0	3.0	5.6	177	29	75	52	1020
9/17/2016 12:00	BDL	BDL	BDL	BDL	0.1	1.3	22.0	5.0	5.9	179	26	77	49	1020
9/17/2016 13:00	BDL	0.4	0.4	BDL	0.1	1.0	12.0	4.0	5.5	187	26	80	44	1019
9/17/2016 14:00	BDL	BDL	BDL	BDL	0.1	0.5	11.0	6.0	6.2	203	25	82	43	1018
9/17/2016 15:00	BDL	BDL	0.5	BDL	0.1	0.1	17.0	6.0	7.6	187	22	81	45	1017
9/17/2016 16:00	BDL	0.4	0.4	BDL	0.2	BDL	14.0	5.0	8.3	194	17	81	45	1017
9/17/2016 17:00	BDL	0.4	BDL	BDL	0.1	BDL	14.0	5.0	7.5	199	14	81	45	1017
9/17/2016 18:00	BDL	0.4	0.5	BDL	0.1	BDL	13.0	6.0	6.5	196	12	80	51	1017
9/17/2016 19:00	BDL	0.5	0.5	2.4	0.1	BDL	18.0	7.0	5.0	195	12	79	55	1017
9/17/2016 20:00	BDL	1.1	1.1	1.4	0.2	BDL	20.0	6.0	5.7	189	14	76	61	1017
9/17/2016 21:00	BDL	2.1	2.0	0.4	0.2	0.6	13.0	6.0	4.8	180	13	74	71	1017
9/17/2016 22:00	BDL	2.0	2.1	BDL	0.2	BDL	12.0	6.0	4.2	188	15	73	75	1017
9/17/2016 23:00	BDL	1.3	1.3	1.2	0.2	BDL	9.0	4.0	4.2	186	15	72	84	1017

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 9/18/2016-9/24/2016														
9/18/2016 0:00	BDL	1.3	1.3	1.2	0.2	BDL	14.0	4.0	3.8	198	13	72	86	1016
9/18/2016 1:00	BDL	2.3	2.4	3.1	0.2	BDL	12.0	6.0	2.7	200	13	71	87	1016
9/18/2016 2:00	BDL	Calibration	Calibration	2.2	0.2	BDL	16.0	6.0	2.5	211	17	70	88	1016
9/18/2016 3:00	BDL	Calibration	Calibration	2.9	0.2	BDL	9.0	6.0	2.9	199	21	71	88	1016
9/18/2016 4:00	Calibration	1.1	1.2	Calibration	Calibration	BDL	14.0	8.0	3.5	198	13	71	88	1015
9/18/2016 5:00	BDL	1.4	1.7	3.6	0.2	BDL	10.0	5.0	4.0	200	14	70	89	1015
9/18/2016 6:00	BDL	1.7	1.8	5.9	0.2	BDL	10.0	6.0	5.4	189	14	71	90	1015
9/18/2016 7:00	BDL	1.0	1	1.8	0.2	BDL	11.0	6.0	6.4	211	14	72	90	1016
9/18/2016 8:00	BDL	0.9	1.1	6.9	0.2	0.7	12.0	7.0	6.3	210	15	73	89	1016
9/18/2016 9:00	BDL	0.8	0.9	1.7	0.1	3.2	16.0	9.0	6.9	213	16	75	85	1016
9/18/2016 10:00	BDL	0.6	0.7	4.9	0.2	3.4	10.0	10.0	5.7	231	19	76	80	1016
9/18/2016 11:00	BDL	0.6	0.5	5.6	0.1	3.0	17.0	8.0	6.1	227	20	79	73	1016
9/18/2016 12:00	BDL	0.6	0.7	2.8	0.2	2.9	17.0	8.0	4.9	228	22	82	65	1015
9/18/2016 13:00	BDL	BDL	0.4	BDL	0.2	2.8	13.0	7.0	7.9	228	18	85	57	1014
9/18/2016 14:00	BDL	0.4	0.5	1.3	0.2	2.7	10.0	6.0	7.6	226	20	86	52	1014
9/18/2016 15:00	BDL	0.5	0.6	0.5	0.2	2.1	12.0	5.0	6.3	237	20	86	50	1013
9/18/2016 16:00	BDL	0.5	0.8	1.9	0.2	1.8	13.0	4.0	5.6	246	20	86	51	1012
9/18/2016 17:00	BDL	0.4	0.7	0.7	0.2	1.8	19.0	6.0	4.3	232	22	86	54	1012
9/18/2016 18:00	BDL	0.5	0.5	BDL	0.2	1.7	18.0	6.0	6.3	204	13	84	61	1013
9/18/2016 19:00	BDL	0.8	0.8	1.7	0.2	1.6	24.0	7.0	5.7	181	13	82	66	1013
9/18/2016 20:00	BDL	0.6	0.7	1.2	0.2	1.8	9.0	5.0	4.7	185	14	80	67	1014
9/18/2016 21:00	BDL	0.9	0.8	1.5	0.1	2.3	11.0	3.0	4.6	176	15	78	76	1014
9/18/2016 22:00	BDL	1.4	1.3	1.1	0.1	2.7	9.0	4.0	7.3	172	12	76	83	1014
9/18/2016 23:00	BDL	1.6	1.7	1.7	0.1	1.6	12.0	4.0	6.9	175	13	76	84	1014
9/19/2016 0:00	BDL	1.9	1.6	1.3	0.1	1.7	10.0	2.0	6.0	203	13	77	84	1014
9/19/2016 1:00	BDL	1.6	1.8	2.7	0.1	1.6	16.0	5.0	3.8	196	14	77	85	1014
9/19/2016 2:00	BDL	Calibration	Calibration	5.5	0.1	1.4	10.0	4.0	3.6	182	14	77	86	1013
9/19/2016 3:00	BDL	Calibration	Calibration	12.8	0.2	1.3	12.0	4.0	3.6	153	12	76	87	1013
9/19/2016 4:00	Calibration	0.7	0.9	Calibration	Calibration	1.3	11.0	7.0	3.5	148	13	76	88	1013
9/19/2016 5:00	3.1	0.7	0.7	8.7	0.1	1.1	9.0	6.0	2.9	136	14	76	87	1013
9/19/2016 6:00	Calibration	0.6	0.7	Calibration	Calibration	1.3	12.0	3.0	2.3	54	41	75	88	1013
9/19/2016 7:00	2.5	Calibration	Calibration	9.9	0.2	1.8	7.0	6.0	6.3	346	36	71	93	1014
9/19/2016 8:00	BDL	Calibration	Calibration	13.8	0.2	2.3	1.0	4.0	4.9	315	49	70	97	1014
9/19/2016 9:00	Too few samples	0.4	BDL	Too few samples	Too few samples	2.1	3.0	6.0	5.1	73	15	70	96	1014
9/19/2016 10:00	Too few samples	0.5	0.5	Too few samples	Too few samples	2.0	5.0	4.0	6.5	86	14	71	91	1013
9/19/2016 11:00	0.5	0.4	0.4	13.5	0.2	1.8	4.0	3.0	5.8	108	18	71	89	1013
9/19/2016 12:00	BDL	BDL	BDL	8.3	0.2	2.6	5.0	6.0	3.4	154	26	72	86	1015
9/19/2016 13:00	BDL	BDL	BDL	12.1	0.2	2.8	3.0	5.0	2.8	132	18	71	87	1015
9/19/2016 14:00	BDL	BDL	BDL	14.5	0.2	2.4	4.0	1.0	5.4	97	16	71	89	1015
9/19/2016 15:00	BDL	BDL	BDL	12.9	0.2	2.2	3.0	BDL	4.6	83	16	71	90	1014
9/19/2016 16:00	BDL	BDL	0.4	9.3	0.2	2.1	6.0	1.0	5.6	68	12	71	88	1014
9/19/2016 17:00	BDL	0.4	0.4	8.8	0.2	2.1	5.0	3.0	6.0	91	12	70	88	1014
9/19/2016 18:00	BDL	BDL	BDL	10.1	0.2	2.3	6.0	2.0	4.2	86	14	70	88	1015
9/19/2016 19:00	BDL	0.4	0.4	18.8	0.2	2.4	7.0	3.0	4.6	83	12	70	89	1015
9/19/2016 20:00	BDL	BDL	BDL	15.8	0.2	2.7	6.0	4.0	2.9	89	22	70	88	1015
9/19/2016 21:00	BDL	0.7	0.7	24.4	0.2	2.9	10.0	5.0	2.5	82	14	70	88	1015
9/19/2016 22:00	BDL	0.5	0.5	17.7	0.2	3.0	8.0	3.0	3.6	57	15	71	88	1016
9/19/2016 23:00	BDL	0.4	0.4	19.9	0.3	3.2	11.0	3.0	5.1	31	17	71	88	1016
9/20/2016 0:00	BDL	0.5	0.4	13.3	0.3	3.2	9.0	2.0	4.7	45	16	71	87	1016
9/20/2016 1:00	BDL	BDL	0.4	8.6	0.2	3.1	8.0	BDL	3.8	72	11	71	86	1016
9/20/2016 2:00	BDL	Calibration	Calibration	11.7	0.2	2.9	8.0	3.0	3.8	51	12	70	86	1015
9/20/2016 3:00	BDL	Calibration	Calibration	13.3	0.2	2.8	9.0	5.0	3.9	59	12	70	88	1015
9/20/2016 4:00	Calibration	0.4	0.4	Calibration	Calibration	2.9	16.0	4.0	2.8	64	14	69	89	1015
9/20/2016 5:00	2.4	0.5	0.5	18.2	0.3	3.3	17.0	5.0	2.6	40	16	69	90	1016
9/20/2016 6:00	Too few samples	0.5	0.5	Too few samples	Too few samples	3.3	18.0	4.0	2.3	52	20	69	89	1016
9/20/2016 7:00	1.2	0.7	0.6	34.7	0.4	Calibration	25.0	7.0	4.2	3	20	69	90	1016
9/20/2016 8:00	BDL	0.8	0.6	38.7	0.4	3.1	Invalid	14.0	4.7	1	24	69	90	1017
9/20/2016 9:00	BDL	0.8	0.6	35.3	0.4	3.4	Invalid	10.0	4.3	352	23	71	84	1017
9/20/2016 10:00	BDL	0.7	0.6	31.6	0.4	3.6	Invalid	Invalid	4.0	70	26	73	77	1018
9/20/2016 11:00	BDL	0.6	0.5	24.3	0.3	3.6	Invalid	11.0	6.1	78	17	75	72	1017
9/20/2016 12:00	BDL	0.5	0.4	22.0	0.3	3.5	Invalid	10.0	5.7	1	24	76	69	1017
9/20/2016 13:00	BDL	BDL	BDL	12.1	0.2	3.3	Invalid	7.0	5.8	43	18	77	64	1017
9/20/2016 14:00	BDL	BDL	BDL	10.7	0.2	3.1	Invalid	6.0	5.6	79	21	78	62	1016
9/20/2016 15:00	BDL	BDL	BDL	9.3	0.2	3.1	Invalid	5.0	5.4	96	18	79	59	1016
9/20/2016 16:00	BDL	BDL	BDL	12.5	0.2	2.9	Invalid	4.0	3.6	127	30	80	60	1016
9/20/2016 17:00	BDL	BDL	BDL	11.2	0.2	2.6	Invalid	5.0	3.3	173	24	80	62	1016
9/20/2016 18:00	BDL	BDL	BDL	19.3	0.3	2.8	Invalid	7.0	2.0	205	14	79	66	1016
9/20/2016 19:00	BDL	0.4	BDL	23.1	0.3	2.8	Invalid	6.0	3.2	179	8	78	72	1016
9/20/2016 20:00	BDL	0.4	0.4	23.3	0.3	3.0	Invalid	8.0	1.6	203	17	76	77	1017
9/20/2016 21:00	BDL	0.4	0.4	19.6	0.3	3.0	Invalid	16.0	1.4	193	27	75	80	1017
9/20/2016 22:00	BDL	0.8	1.3	27.6	0.4	5.9	Invalid	13.0	1.1	253	22	74	84	1017
9/20/2016 23:00	BDL	0.9	0.7	43.4	0.6	5.7	Invalid	13.0	2.1	287	12	74	83	1017
9/21/2016 0:00	BDL	0.6	BDL	39.7	0.6	6.3	Invalid	9.0	1.7	277	15	73	85	1017
9/21/2016 1:00	BDL	0.7	0.5	41.8	0.6	4.3	Invalid	9.0	0.5	303	41	72	88	1017
9/21/2016 2:00	BDL	Calibration	Calibration	43.7	0.5	4.0	Invalid	12.0	0.9	327	62	71	88	1017
9/21/2016 3:00	BDL	Calibration	Calibration	39.5	0.4	4.6	Invalid	11.0	0.8	261	53	71	87	1017
9/21/2016 4:00	Calibration	1.0	0.8	Calibration	Calibration	5.3	Invalid	14.0	2.3	298	20	70	90	1017
9/21/2016 5:00	2	0.5	0.4	24.0	0.4	3.5	Invalid	8.0	4.1	332	19	70	87	1017
9/21/2016 6:00	BDL	0.5	BDL	24.0	0.3	3.2	Invalid	10.0	3.4	343	32	69	83	1017
9/21/2016 7:00	BDL	0.6	0.5	34.9	0.4	3.7	Invalid	9.0	3.1	296	38	70	81	1018
9/21/2016 8:00	BDL	0.7	0.4	39.9	0.4	3.6	Invalid	9.0	5.1	24	15	71	73	1018
9/21/2016 9:00	BDL	0.4	BDL	21.3	0.3	Calibration	Invalid	8.0	7.6	45	14	73	65	1019
9/21/2016 10:00	BDL	0.4	BDL	17.5	0.3	4.1	23.0	7.0	9.5	53	12	75	58	1019
9/21/2016 11:00	BDL	BDL	BDL	17.2	0.2	4.6	31.0	9.0	9.8	54	14	78	48	1019
9/21/2016 12:00	BDL	BDL	BDL	11.3	0.2	4.6	26.0	7.0	9.1	55	14	80	44	1019
9/21/2016 13:00	BDL	BDL	BDL	12.4	0.2	4.8	23.0	7.0	7.5	63	19	81	43	1018
9/21/2016 14:00	BDL	BDL	BDL	13.4	0.2	5.0	28.0	9.0	6.8	80	23	82	42	1017
9/21/2016 15:00	BDL	BDL	BDL	12.9	0.2	5.1	19.0	9.0	6.2	85	23	83	41	1017
9/21/2016 16:00	BDL	BDL	BDL	21.7	0.2	4.2	21.0	9.0	5.4	116	21	82	42	1017
9/21/2016 17:00	BDL	0.4	BDL	30.0	0.2	5.0	22.0	8.0	4.8	131	16	81	46	1017
9/21/2016 18:00	BDL	BDL	BDL	26.6	0.2	4.1	20.0	12.0	3.8	129	16	79	50	1018
9/21/2016 19:00	BDL	BDL	BDL	19.8	0.2	4.3	23.0	13.0	2.0	129	32	78	54	1018
9/21/2016 20:00	BDL	BDL	BDL	21.2	0.2	3.9	24.0	12.0	2.1	127	21	76	58	1018
9/21/2016 21:00	BDL	BDL	BDL	21.3	0.3	3.8	17.0	9.0	2.0	125	19	75	60	1019
9/21/2016 22:00	BDL	0.4	0.4	19.6	0.3	3.9	16.0	10.0	2.9	94	14	74	55	1019
9/21/2016 23:00	BDL	0.8	0.6	19.0	0.2	3.8	17.0	8.0	3.2	71	15	72	58	1019

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta		Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees		Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3							
Site Upwind Weekly: 9/18/2016-9/24/2016															
9/22/2016 0:00	BDL	0.7	0.6	25.6	0.2	3.6	22.0	13.0	2.5	68	13		71	59	1018
9/22/2016 1:00	BDL	0.5	BDL	24.3	0.3	3.7	23.0	9.0	2.7	63	11		69	61	1018
9/22/2016 2:00	BDL	Calibration	Calibration	31.9	0.4	4.2	23.0	11.0	2.0	54	33		69	65	1018
9/22/2016 3:00	BDL	Calibration	Calibration	34.3	0.4	4.2	23.0	13.0	2.9	321	17		67	70	1018
9/22/2016 4:00	Calibration	0.4	BDL	Calibration	Calibration	3.6	16.0	10.0	3.2	5	19		67	68	1018
9/22/2016 5:00	BDL	0.6	0.4	32.2	0.3	3.9	21.0	8.0	3.0	50	15		66	66	1018
9/22/2016 6:00	Calibration	0.6	0.4	Calibration	Calibration	3.7	32.0	11.0	2.8	14	28		66	64	1018
9/22/2016 7:00	1.2	Calibration	Calibration	45.2	0.3	3.5	31.0	12.0	3.6	58	14		67	59	1018
9/22/2016 8:00	1.9	Calibration	Calibration	48.9	0.3	3.9	38.0	10.0	4.8	58	14		69	54	1019
9/22/2016 9:00	Calibration	0.9	0.5	Calibration	Calibration	3.9	30.0	6.0	5.5	70	15		71	51	1019
9/22/2016 10:00	1.5	1.1	0.6	21.5	0.1	4.5	34.0	5.0	5.1	75	18		75	46	1019
9/22/2016 11:00	0.7	0.7	0.4	10.5	0.1	5.1	25.0	6.0	5.8	74	19		78	41	1018
9/22/2016 12:00	0.5	0.5	BDL	3.2	0.1	5.0	Invalid	Invalid	5.7	71	39		80	36	1017
9/22/2016 13:00	0.4	0.4	BDL	1.5	0.1	5.6	Invalid	Invalid	5.4	109	28		82	35	1017
9/22/2016 14:00	BDL	0.4	BDL	2.4	0.1	4.7	22.0	5.0	5.2	132	25		83	34	1016
9/22/2016 15:00	BDL	BDL	BDL	1.4	0.1	4.3	15.0	7.0	4.6	133	27		84	32	1015
9/22/2016 16:00	BDL	BDL	BDL	BDL	BDL	4.3	12.0	7.0	4.9	123	25		84	29	1015
9/22/2016 17:00	BDL	BDL	BDL	BDL	BDL	3.9	10.0	6.0	6.1	100	15		83	31	1015
9/22/2016 18:00	BDL	BDL	BDL	BDL	BDL	3.0	10.0	6.0	7.0	98	12		81	35	1015
9/22/2016 19:00	BDL	BDL	BDL	4.9	0.1	3.0	14.0	7.0	5.2	91	13		78	38	1016
9/22/2016 20:00	BDL	0.4	BDL	9.4	0.1	2.8	17.0	8.0	6.5	91	12		75	42	1016
9/22/2016 21:00	BDL	BDL	BDL	4.9	0.1	3.0	13.0	9.0	5.1	85	15		71	62	1016
9/22/2016 22:00	BDL	BDL	BDL	5.0	0.1	2.8	14.0	6.0	3.4	79	14		69	72	1016
9/22/2016 23:00	BDL	BDL	BDL	2.6	0.1	2.9	13.0	6.0	2.6	72	15		68	77	1016
9/23/2016 0:00	BDL	BDL	BDL	8.7	0.1	2.7	21.0	7.0	2.4	83	14		67	79	1016
9/23/2016 1:00	BDL	BDL	0.8	8.0	0.1	2.3	16.0	8.0	1.4	53	11		66	82	1016
9/23/2016 2:00	BDL	Calibration	Calibration	12.6	0.1	3.3	17.0	8.0	2.7	303	46		66	83	1015
9/23/2016 3:00	BDL	Calibration	Calibration	17.5	0.2	2.8	22.0	10.0	2.2	294	16		65	83	1015
9/23/2016 4:00	Calibration	0.6	BDL	Calibration	Calibration	2.8	19.0	10.0	1.7	316	29		66	80	1015
9/23/2016 5:00	NoData	NoData	NoData	NoData	NoData	NoData	22.0	12.0	NoData	NoData	NoData		NoData	NoData	NoData
9/23/2016 6:00	BDL	0.6	0.5	23.2	0.2	2.9	24.0	12.0	2.9	309	16		64	80	1015
9/23/2016 7:00	0.5	1.1	0.5	41.6	0.3	2.9	36.0	20.0	1.7	290	33		64	76	1015
9/23/2016 8:00	0.8	1.1	0.5	43.8	0.3	3.3	35.0	16.0	1.6	273	36		67	65	1015
9/23/2016 9:00	0.7	0.8	0.5	23.3	0.3	2.6	28.0	10.0	1.5	251	44		72	53	1015
9/23/2016 10:00	0.8	Calibration	Calibration	10.4	0.2	3.0	18.0	8.0	2.3	252	33		76	43	1015
9/23/2016 11:00	1.2	Calibration	Calibration	16.2	0.2	3.4	27.0	8.0	3.5	196	34		79	46	1014
9/23/2016 12:00	1.5	0.7	0.4	13.6	0.2	2.9	25.0	9.0	4.6	197	26		82	46	1013
9/23/2016 13:00	1.4	0.6	0.4	3.1	0.1	3.3	26.0	8.0	3.4	288	52		85	36	1012
9/23/2016 14:00	1.0	BDL	BDL	BDL	0.1	3.2	19.0	10.0	4.1	287	32		87	31	1011
9/23/2016 15:00	0.9	0.4	BDL	BDL	0.1	2.5	23.0	13.0	4.2	285	46		88	32	1011
9/23/2016 16:00	0.9	0.4	0.4	BDL	0.1	2.2	29.0	10.0	4.6	279	41		88	33	1011
9/23/2016 17:00	1.2	0.4	0.4	BDL	0.1	1.7	28.0	13.0	4.8	281	22		87	35	1011
9/23/2016 18:00	1.0	0.7	0.4	1.2	0.2	5.2	29.0	14.0	3.5	275	16		86	39	1011
9/23/2016 19:00	1.3	1.0	1.0	20.5	0.3	2.1	30.0	16.0	4.1	238	14		83	48	1011
9/23/2016 20:00	1.1	0.9	0.8	18	0.2	1.4	29.0	14.0	5.2	219	14		80	54	1011
9/23/2016 21:00	1.2	1.6	1.8	31.9	0.3	1.8	31.0	16.0	3.4	221	14		78	60	1012
9/23/2016 22:00	BDL	3.4	3.4	20.2	0.4	1.8	34.0	16.0	3.4	226	16		77	65	1012
9/23/2016 23:00	BDL	3.6	7.1	27.0	0.3	1.8	31.0	17.0	3.2	211	14		75	73	1012
9/24/2016 0:00	BDL	1.3	1.2	16.0	0.2	1.9	29.0	22.0	3.1	220	15		74	76	1012
9/24/2016 1:00	BDL	1.7	1.4	10.3	0.2	1.5	30.0	18.0	3.5	316	41		74	72	1012
9/24/2016 2:00	BDL	Calibration	Calibration	5.2	0.2	1.3	29.0	15.0	4.8	80	24		74	67	1013
9/24/2016 3:00	BDL	Calibration	Calibration	1.6	0.1	1.3	24.0	10.0	9.2	44	13		73	69	1013
9/24/2016 4:00	Calibration	0.5	BDL	Calibration	Calibration	1.4	19.0	11.0	9.9	41	14		70	75	1013
9/24/2016 5:00	BDL	BDL	BDL	BDL	BDL	1.6	18.0	6.0	10.3	50	14		67	74	1014
9/24/2016 6:00	BDL	0.4	BDL	0.5	BDL	1.8	9.0	1.0	7.8	41	14		65	75	1015
9/24/2016 7:00	BDL	BDL	BDL	1.1	0.04	2.2	7.0	1.0	7.9	37	16		64	77	1016
9/24/2016 8:00	0.6	0.4	BDL	8.8	BDL	2.7	16.0	2.0	8.1	8	18		63	76	1017
9/24/2016 9:00	0.4	0.4	BDL	3.9	BDL	2.8	13.0	6.0	8.2	36	16		62	79	1017
9/24/2016 10:00	BDL	BDL	BDL	2.1	BDL	3.0	9.0	4.0	8.8	52	14		61	80	1017
9/24/2016 11:00	BDL	0.4	BDL	2.6	0.05	3.1	8.0	3.0	7.0	49	16		62	77	1018
9/24/2016 12:00	BDL	BDL	BDL	BDL	BDL	3.1	7.0	2.0	8.6	61	12		64	72	1017
9/24/2016 13:00	BDL	BDL	BDL	1.3	0.04	2.9	9.0	2.0	6.5	48	20		65	69	1017
9/24/2016 14:00	0.5	BDL	BDL	1.9	BDL	3.0	8.0	2.0	5.1	334	38		67	59	1016
9/24/2016 15:00	0.6	BDL	BDL	0.4	BDL	2.6	9.0	4.0	4.3	345	35	Ok	67	60	1016
9/24/2016 16:00	BDL	BDL	BDL	BDL	BDL	2.6	7.0	4.0	3.5	287	40	Ok	69	53	1016
9/24/2016 17:00	BDL	BDL	BDL	BDL	BDL	2.9	5.0	2.0	1.9	257	62	Ok	70	51	1016
9/24/2016 18:00	BDL	BDL	BDL	4.3	0.04	2.4	8.0	3.0	3.7	172	28	Ok	70	59	1016
9/24/2016 19:00	BDL	BDL	BDL	8.7	0.1	2.7	10.0	3.0	3.8	168	14	Ok	67	67	1017
9/24/2016 20:00	BDL	0.4	BDL	10.4	0.1	3.1	9.0	3.0	3.1	210	12	Ok	66	70	1017
9/24/2016 21:00	0.8	2.2	2.9	12.4	0.1	3.7	13.0	4.0	4.1	324	39	Ok	66	57	1018
9/24/2016 22:00	0.4	1.2	0.8	4.0	BDL	4.3	11.0	4.0	6.5	48	13	Ok	65	44	1018
9/24/2016 23:00	BDL	2.9	1.7	2.2	BDL	4.4	9.0	4.0	7.1	56	11	Ok	63	46	1019

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 9/25/2016-10/1/2016														
9/25/2016 0:00	BDL	BDL	BDL	1.3	BDL	3.2	10.0	5.0	5.5	47	20	62	50	1019
9/25/2016 1:00	1.5	BDL	BDL	7.4	BDL	3.3	12.0	8.0	6.5	347	17	61	54	1019
9/25/2016 2:00	1.5	Calibration	Calibration	14.3	BDL	3.5	10.0	9.0	6.9	348	17	60	56	1019
9/25/2016 3:00	1.8	Calibration	Calibration	12.4	BDL	3.5	10.0	6.0	7.0	349	17	58	57	1019
9/25/2016 4:00	Too few samples	BDL	BDL	Too few samples	Too few samples	3.5	8.0	4.0	6.4	347	17	57	58	1019
9/25/2016 5:00	1.5	BDL	BDL	2.4	BDL	3.8	11.0	6.0	5.5	343	17	56	60	1020
9/25/2016 6:00	1.0	BDL	BDL	BDL	BDL	3.9	9.0	7.0	5.9	342	14	54	64	1020
9/25/2016 7:00	1.1	BDL	BDL	3.7	BDL	4.1	10.0	6.0	5.3	342	17	55	61	1021
9/25/2016 8:00	1.3	BDL	BDL	9.5	BDL	Calibration	9.0	6.0	4.7	17	17	57	52	1021
9/25/2016 9:00	0.9	BDL	BDL	4.1	BDL	3.9	9.0	3.0	4.7	30	31	60	44	1021
9/25/2016 10:00	1.0	BDL	BDL	6.2	BDL	4.2	9.0	2.0	5.4	340	25	63	39	1021
9/25/2016 11:00	0.8	BDL	BDL	2.5	BDL	4.6	7.0	4.0	5.1	332	43	65	39	1020
9/25/2016 12:00	0.5	BDL	BDL	BDL	BDL	4.3	6.0	3.0	5.1	345	38	66	37	1020
9/25/2016 13:00	0.6	BDL	BDL	BDL	BDL	4.1	7.0	1.0	4.1	305	52	69	33	1019
9/25/2016 14:00	BDL	BDL	BDL	BDL	BDL	3.7	4.0	2.0	4.5	301	49	70	31	1018
9/25/2016 15:00	0.4	BDL	BDL	BDL	BDL	4.0	5.0	1.0	4.5	288	43	71	30	1018
9/25/2016 16:00	BDL	BDL	BDL	BDL	BDL	3.4	6.0	BDL	3.9	290	37	72	29	1017
9/25/2016 17:00	BDL	BDL	BDL	BDL	BDL	3.2	6.0	4.0	4.2	297	23	71	31	1017
9/25/2016 18:00	BDL	BDL	BDL	BDL	BDL	2.9	9.0	4.0	4.7	299	11	70	36	1018
9/25/2016 19:00	BDL	BDL	BDL	BDL	BDL	3.0	6.0	5.0	3.8	292	9	68	40	1018
9/25/2016 20:00	BDL	BDL	BDL	4.7	0.1	3.3	9.0	6.0	4.9	300	6	66	44	1019
9/25/2016 21:00	BDL	BDL	BDL	13.5	0.1	3.8	19.0	9.0	2.2	262	46	65	50	1019
9/25/2016 22:00	0.4	2.3	0.6	18.3	0.2	4.2	11.0	8.0	2.1	213	50	64	56	1019
9/25/2016 23:00	0.5	0.7	0.4	19.3	0.1	3.8	13.0	10.0	2.3	203	25	61	69	1019
9/26/2016 0:00	0.5	2.3	1.9	26.5	0.2	4.4	13.0	8.0	1.7	247	24	61	70	1020
9/26/2016 1:00	BDL	1.0	BDL	14.8	0.2	4.3	14.0	8.0	2.2	297	16	59	67	1019
9/26/2016 2:00	BDL	Calibration	Calibration	23.4	0.2	4.5	15.0	9.0	1.4	305	39	58	75	1019
9/26/2016 3:00	BDL	Calibration	Calibration	21.8	0.1	4.1	23.0	17.0	1.9	167	22	58	81	1019
9/26/2016 4:00	Calibration	1.3	BDL	Calibration	Calibration	3.9	28.0	11.0	1.7	87	13	56	85	1019
9/26/2016 5:00	0.5	1.7	1.4	32.0	0.2	5.1	19.0	11.0	1.0	272	40	56	86	1019
9/26/2016 6:00	1.0	3.3	2.1	75.6	0.3	4.8	65.0	15.0	1.9	323	24	56	86	1019
9/26/2016 7:00	1.3	Calibration	2.4	85.9	0.3	4.1	47.0	11.0	3.0	86	12	56	82	1020
9/26/2016 8:00	1.2	Calibration	1.2	66.1	0.2	3.4	38.0	12.0	3.5	98	13	58	70	1019
9/26/2016 9:00	0.9	1.6	BDL	42.2	0.2	3.4	30.0	10.0	3.0	112	24	61	63	1019
9/26/2016 10:00	0.6	1.5	1.0	14.2	0.1	3.4	20.0	10.0	5.4	147	25	66	59	1019
9/26/2016 11:00	0.4	0.7	0.4	1.4	BDL	3.2	23.0	5.0	8.9	168	17	69	55	1018
9/26/2016 12:00	BDL	0.4	BDL	2.1	BDL	2.8	26.0	5.0	8.5	169	20	70	48	1017
9/26/2016 13:00	BDL	0.4	BDL	BDL	BDL	2.4	30.0	6.0	9.1	178	16	70	47	1017
9/26/2016 14:00	BDL	0.4	BDL	BDL	BDL	2.0	22.0	4.0	8.7	181	16	70	45	1016
9/26/2016 15:00	BDL	0.4	0.4	BDL	BDL	1.7	12.0	2.0	9.2	179	13	70	45	1016
9/26/2016 16:00	BDL	0.5	0.4	5.1	BDL	1.5	14.0	2.0	8.2	177	14	70	49	1015
9/26/2016 17:00	BDL	0.7	BDL	8.4	BDL	1.3	12.0	2.0	7.5	165	14	69	52	1015
9/26/2016 18:00	BDL	0.4	BDL	8.7	BDL	1.1	12.0	3.0	6.7	154	12	69	57	1015
9/26/2016 19:00	BDL	0.6	0.4	7.1	BDL	1.1	8.0	BDL	6.9	155	12	68	63	1015
9/26/2016 20:00	BDL	0.6	BDL	11.0	BDL	1.1	7.0	1.0	5.6	153	13	68	68	1014
9/26/2016 21:00	BDL	0.4	BDL	9.3	BDL	1.1	10.0	3.0	4.7	152	14	68	70	1014
9/26/2016 22:00	BDL	0.5	0.4	11.1	BDL	0.6	12.0	4.0	5.7	157	13	68	73	1013
9/26/2016 23:00	BDL	0.5	0.4	BDL	BDL	0.3	10.0	4.0	6.6	170	14	68	72	1012
9/27/2016 0:00	BDL	0.8	0.8	BDL	BDL	BDL	8.0	1.0	6.9	196	12	69	77	1012
9/27/2016 1:00	BDL	0.8	0.8	BDL	BDL	BDL	15.0	3.0	7.2	201	12	68	85	1011
9/27/2016 2:00	BDL	Calibration	Calibration	1.2	BDL	BDL	17.0	4.0	7.1	218	15	69	82	1011
9/27/2016 3:00	BDL	Calibration	Calibration	5.3	BDL	BDL	19.0	5.0	7.0	218	15	69	83	1010
9/27/2016 4:00	Calibration	1.6	1.6	Calibration	Calibration	BDL	19.0	5.0	6.3	241	15	67	90	1010
9/27/2016 5:00	BDL	0.9	0.8	5.1	0.04	BDL	10.0	6.0	5.2	256	18	66	92	1010
9/27/2016 6:00	BDL	Too few samples	Too few samples	5.4	0.1	0.6	12.0	5.0	3.2	260	17	66	92	1011
9/27/2016 7:00	BDL	Too few samples	Too few samples	8.1	0.1	1.2	10.0	10.0	3.3	295	12	65	90	1011
9/27/2016 8:00	BDL	Calibration	Calibration	9.3	0.1	3.2	10.0	9.0	3.7	291	11	66	85	1012
9/27/2016 9:00	BDL	BDL	BDL	6.3	0.1	3.4	9.0	7.0	4.8	297	10	66	80	1012
9/27/2016 10:00	BDL	BDL	BDL	4.7	0.1	3.3	11.0	7.0	4.8	295	15	67	73	1012
9/27/2016 11:00	BDL	BDL	BDL	0.6	BDL	3.4	9.0	6.0	5.1	301	18	69	62	1012
9/27/2016 12:00	BDL	BDL	BDL	BDL	BDL	3.3	11.0	3.0	3.9	274	27	71	53	1011
9/27/2016 13:00	0.5	BDL	BDL	1.4	BDL	3.1	16.0	4.0	4.3	248	34	73	47	1011
9/27/2016 14:00	0.8	BDL	BDL	2.5	BDL	2.8	10.0	4.0	5.8	233	21	74	45	1010
9/27/2016 15:00	0.9	BDL	BDL	1.7	BDL	2.5	17.0	4.0	5.5	218	23	74	40	1010
9/27/2016 16:00	1.1	BDL	BDL	3.1	BDL	2.6	19.0	6.0	6.2	201	18	74	43	1009
9/27/2016 17:00	0.7	BDL	BDL	2.2	BDL	3.9	16.0	7.0	5.7	200	18	74	46	1010
9/27/2016 18:00	0.5	BDL	BDL	3.6	BDL	3.9	22.0	9.0	4.9	192	12	72	53	1010
9/27/2016 19:00	0.7	BDL	BDL	6.8	BDL	2.7	14.0	6.0	4.3	187	11	70	61	1011
9/27/2016 20:00	BDL	0.6	0.6	3.5	BDL	2.9	13.0	7.0	3.7	190	13	68	78	1011
9/27/2016 21:00	BDL	0.8	0.9	12.0	0.04	3.1	15.0	9.0	2.3	189	17	66	82	1012
9/27/2016 22:00	0.4	1.2	1.3	11.5	0.1	3.3	12.0	16.0	1.5	240	21	65	85	1012
9/27/2016 23:00	0.4	1.1	0.9	12.6	0.1	3.4	12.0	5.0	1.6	302	49	64	86	1012
9/28/2016 0:00	BDL	0.7	0.5	10.6	0.1	3.6	12.0	10.0	1.0	228	20	64	88	1013
9/28/2016 1:00	0.5	1.4	0.7	35.8	0.2	4.6	17.0	9.0	1.2	294	15	63	90	1013
9/28/2016 2:00	0.5	Calibration	Calibration	30.7	0.2	4.7	19.0	16.0	0.9	335	42	63	90	1013
9/28/2016 3:00	1.0	Calibration	Calibration	66.7	0.3	4.8	25.0	17.0	2.2	53	34	61	92	1013
9/28/2016 4:00	Calibration	2.5	2.5	Calibration	Calibration	Too few samples	29.0	9.0	1.8	131	53	61	94	1014
9/28/2016 5:00	0.5	0.9	0.5	25.8	0.3	4.6	26.0	12.0	2.0	46	34	61	92	1014
9/28/2016 6:00	0.6	0.7	BDL	37.3	0.3	4.3	21.0	15.0	5.1	58	10	60	89	1014
9/28/2016 7:00	0.8	Audit	Audit	45.0	0.3	4.5	33.0	12.0	7.0	56	10	61	82	1014
9/28/2016 8:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	4.9	36.0	16.0	9.0	60	11	62	81	1014
9/28/2016 9:00	0.7	0.7	BDL	Calibration	0.2	5.0	35.0	16.0	8.4	63	13	64	82	1015
9/28/2016 10:00	0.4	0.5	BDL	24.2	0.2	5.0	34.0	16.0	8.5	63	11	65	85	1015
9/28/2016 11:00	BDL	0.7	BDL	28.1	0.2	4.9	28.0	23.0	6.8	64	17	65	88	1015
9/28/2016 12:00	BDL	BDL	BDL	20.8	0.2	4.8	21.0	15.0	7.9	48	17	67	87	1015
9/28/2016 13:00	BDL	BDL	BDL	8.5	0.1	4.7	15.0	9.0	8.2	67	14	68	81	1015
9/28/2016 14:00	BDL	BDL	BDL	9.5	0.1	4.7	17.0	6.0	9.1	72	14	68	81	1015
9/28/2016 15:00	BDL	BDL	BDL	7.6	0.04	4.8	13.0	7.0	9.9	81	13	69	78	1015
9/28/2016 16:00	BDL	BDL	BDL	1.0	BDL	4.7	10.0	8.0	13.6	76	13	67	81	1015
9/28/2016 17:00	BDL	BDL	BDL	BDL	BDL	5.1	8.0	4.0	13.4	76	13	64	84	1016
9/28/2016 18:00	BDL	BDL	BDL	BDL	BDL	5.4	11.0	4.0	11.7	70	13	63	86	1017
9/28/2016 19:00	BDL	BDL	BDL	BDL	BDL	5.7	15.0	6.0	11.5	68	14	63	84	1018
9/28/2016 20:00	BDL	BDL	BDL	BDL	BDL	6.0	9.0	4.0	13.4	68	13	63	85	1018
9/28/2016 21:00	BDL	BDL	BDL	BDL	BDL	6.4	6.0	4.0	12.8	71	13	62	88	1019
9/28/2016 22:00	BDL	BDL	BDL	BDL	BDL	6.2	4.0	2.0	14.1	68	12	61	91	1019
9/28/2016 23:00	BDL	BDL	BDL	BDL	BDL	6.2	2.0	3.0	12.8	68	14	61	92	1019

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 9/25/2016-10/1/2016														
9/29/2016 0:00	BDL	BDL	BDL	BDL	BDL	6.6	5.0	5.0	13.0	61	11	60	90	1019
9/29/2016 1:00	BDL	BDL	BDL	BDL	BDL	6.7	4.0	3.0	10.9	57	11	59	94	1020
9/29/2016 2:00	BDL	Calibration	Calibration	BDL	BDL	6.7	4.0	4.0	12.9	53	11	59	96	1020
9/29/2016 3:00	BDL	Calibration	Calibration	BDL	BDL	6.8	2.0	3.0	12.3	56	11	60	95	1020
9/29/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	6.9	1.0	2.0	12.6	58	11	60	96	1020
9/29/2016 5:00	BDL	BDL	BDL	BDL	BDL	6.6	2.0	5.0	14.0	57	11	61	95	1020
9/29/2016 6:00	BDL	BDL	BDL	BDL	BDL	6.7	1.0	1.0	13.1	60	12	61	95	1020
9/29/2016 7:00	BDL	BDL	BDL	0.5	BDL	7.1	1.0	2.0	13.3	67	13	62	94	1021
9/29/2016 8:00	BDL	BDL	BDL	1.4	BDL	7.5	1.0	3.0	13.6	70	13	62	93	1021
9/29/2016 9:00	BDL	BDL	BDL	1.6	BDL	7.8	2.0	1.0	13.2	72	14	63	92	1022
9/29/2016 10:00	BDL	BDL	BDL	4.6	BDL	8.2	4.0	2.0	13.5	77	13	63	92	1022
9/29/2016 11:00	BDL	BDL	BDL	0.8	BDL	8.3	4.0	1.0	13.9	69	12	63	92	1023
9/29/2016 12:00	BDL	BDL	BDL	BDL	BDL	8.5	11.0	BDL	15.7	74	13	63	90	1023
9/29/2016 13:00	BDL	BDL	BDL	0.8	BDL	8.3	6.0	2.0	16.7	70	13	63	88	1022
9/29/2016 14:00	BDL	BDL	BDL	BDL	BDL	7.9	2.0	2.0	15.3	69	13	62	91	1022
9/29/2016 15:00	BDL	BDL	BDL	BDL	BDL	8.0	5.0	1.0	16.4	71	13	62	91	1022
9/29/2016 16:00	BDL	BDL	BDL	BDL	BDL	7.8	6.0	3.0	16.7	74	13	61	92	1022
9/29/2016 17:00	BDL	BDL	BDL	BDL	BDL	7.9	7.0	3.0	15.3	75	13	61	91	1022
9/29/2016 18:00	BDL	BDL	BDL	BDL	BDL	8.4	9.0	3.0	13.7	74	14	61	92	1023
9/29/2016 19:00	BDL	BDL	BDL	BDL	BDL	8.3	7.0	1.0	12.6	67	12	60	93	1023
9/29/2016 20:00	BDL	BDL	BDL	BDL	BDL	8.4	8.0	3.0	13.1	63	11	60	93	1023
9/29/2016 21:00	BDL	BDL	BDL	BDL	BDL	8.3	7.0	5.0	12.6	61	11	60	93	1023
9/29/2016 22:00	BDL	BDL	BDL	BDL	BDL	8.1	16.0	3.0	14.0	62	13	60	90	1023
9/29/2016 23:00	BDL	BDL	BDL	BDL	BDL	7.9	11.0	3.0	14.1	54	12	60	90	1022
9/30/2016 0:00	BDL	BDL	BDL	BDL	BDL	7.6	63.0	3.0	14.3	53	11	59	93	1022
9/30/2016 1:00	BDL	BDL	BDL	BDL	BDL	7.3	1.0	6.0	14.3	52	12	58	95	1021
9/30/2016 2:00	BDL	Calibration	Calibration	BDL	BDL	7.3	5.0	5.0	13.5	47	12	58	95	1021
9/30/2016 3:00	BDL	Calibration	Calibration	BDL	BDL	6.9	9.0	3.0	16.5	52	12	57	94	1020
9/30/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	6.8	6.0	2.0	14.2	51	13	57	95	1020
9/30/2016 5:00	BDL	BDL	BDL	1.8	BDL	7.3	4.0	2.0	9.8	34	15	56	94.6	1021
9/30/2016 6:00	BDL	BDL	BDL	4.0	BDL	7.2	4.0	3.0	10.6	42	12	56	96	1021
9/30/2016 7:00	BDL	BDL	BDL	8.3	0.04	7.3	3.0	2.0	10.3	43	14	56	96	1021
9/30/2016 8:00	BDL	BDL	BDL	12.3	0.1	7.7	3.0	2.0	8.3	34	14	56	95	1021
9/30/2016 9:00	BDL	BDL	BDL	14.3	0.1	7.5	5.0	5.0	9.2	34	15	57	93	1021
9/30/2016 10:00	BDL	BDL	BDL	16.6	0.1	7.6	4.0	4.0	9.9	39	13	58	90	1021
9/30/2016 11:00	BDL	BDL	BDL	17.4	0.1	7.5	2.0	5.0	9.6	40	14	58	91	1021
9/30/2016 12:00	BDL	BDL	BDL	18.1	0.1	7.4	7.0	4.0	8.7	39	15	58	94	1021
9/30/2016 13:00	BDL	BDL	BDL	16.4	0.1	7.1	8.0	4.0	9.3	44	13	60	94	1020
9/30/2016 14:00	BDL	BDL	BDL	9.1	0.1	6.7	8.0	5.0	10.7	55	12	61	92	1020
9/30/2016 15:00	BDL	BDL	BDL	2.6	BDL	6.6	5.0	2.0	12.6	58	12	62	88	1020
9/30/2016 16:00	BDL	BDL	BDL	2.4	BDL	6.5	4.0	3.0	11.2	55	12	61	88	1019
9/30/2016 17:00	BDL	BDL	BDL	0.8	BDL	6.4	4.0	4.0	13.2	57	11	61	89	1020
9/30/2016 18:00	BDL	BDL	BDL	2.7	BDL	6.6	2.0	4.0	11.5	52	12	60	92	1020
9/30/2016 19:00	BDL	BDL	BDL	1.7	BDL	6.8	1.0	2.0	11.5	52	12	60	90	1020
9/30/2016 20:00	BDL	BDL	BDL	1.0	BDL	6.8	2.0	3.0	12.4	53	11	60	89	1020
9/30/2016 21:00	BDL	BDL	BDL	BDL	BDL	6.6	3.0	2.0	12.9	57	13	60	88	1020
9/30/2016 22:00	BDL	BDL	BDL	0.6	BDL	6.7	1.0	1.0	12.4	50	13	60	87	1020
9/30/2016 23:00	BDL	BDL	BDL	BDL	BDL	6.7	2.0	1.0	10.8	49	14	60	87	1020
10/1/2016 0:00	BDL	BDL	BDL	3.8	0.04	6.9	3.0	1.0	7.4	36	15	59	90	1020
10/1/2016 1:00	BDL	BDL	BDL	4.5	0.1	6.9	5.0	4.0	7.1	37	14	57	95	1020
10/1/2016 2:00	BDL	Calibration	Calibration	3.2	BDL	6.5	4.0	3.0	8.7	38	13	57	95	1020
10/1/2016 3:00	BDL	Calibration	Calibration	1.7	BDL	6.5	4.0	6.0	8.8	39	14	57	94	1019
10/1/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	6.0	4.0	8.2	39	14	56	93	1019
10/1/2016 5:00	BDL	BDL	BDL	0.8	BDL	6.5	5.0	6.0	7.8	41	14	56	92	1019
10/1/2016 6:00	BDL	BDL	BDL	2.2	BDL	6.5	3.0	2.0	7.7	43	13	56	93	1020
10/1/2016 7:00	BDL	BDL	BDL	3.1	BDL	6.8	5.0	BDL	8.6	51	13	56	94	1020
10/1/2016 8:00	BDL	BDL	BDL	3.3	BDL	6.9	6.0	3.0	8.8	58	12	57	94	1020
10/1/2016 9:00	BDL	BDL	BDL	4.6	BDL	6.9	7.0	6.0	9.3	56	14	57	93	1020
10/1/2016 10:00	BDL	BDL	BDL	6.5	0.04	6.8	5.0	4.0	8.7	55	13	58	92	1020
10/1/2016 11:00	BDL	BDL	BDL	5.2	0.04	6.7	7.0	4.0	8.6	61	13	59	90	1019
10/1/2016 12:00	BDL	BDL	BDL	4.7	0.04	6.5	7.0	5.0	7.3	58	14	60	90	1019
10/1/2016 13:00	BDL	BDL	BDL	2.1	BDL	6.0	5.0	4.0	8.1	60	11	61	88	1019
10/1/2016 14:00	BDL	BDL	BDL	BDL	BDL	5.7	5.0	4.0	9.2	73	14	62	87	1018
10/1/2016 15:00	BDL	BDL	BDL	BDL	BDL	5.3	6.0	3.0	9.8	63	13	62	88	1017
10/1/2016 16:00	BDL	BDL	BDL	BDL	BDL	5.2	7.0	3.0	9.4	67	13	62	89	1017
10/1/2016 17:00	BDL	BDL	BDL	BDL	BDL	5.1	8.0	5.0	7.8	64	13	62	89	1017
10/1/2016 18:00	BDL	BDL	BDL	BDL	BDL	5.1	11.0	4.0	8.3	70	13	61	92	1017
10/1/2016 19:00	BDL	BDL	BDL	BDL	BDL	5.1	6.0	3.0	8.6	66	12	61	95	1017
10/1/2016 20:00	BDL	BDL	BDL	1.5	BDL	5.0	4.0	3.0	8.3	66	12	60	96	1017
10/1/2016 21:00	BDL	BDL	BDL	0.6	BDL	4.9	4.0	4.0	8.2	72	12	61	96	1017
10/1/2016 22:00	BDL	BDL	BDL	0.6	BDL	5.0	6.0	3.0	6.5	63	13	61	97	1017
10/1/2016 23:00	BDL	BDL	BDL	BDL	BDL	4.9	6.0	4.0	6.6	58	12	61	96	1017

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 10/2/2016-10/8/2016														
10/2/2016 0:00	BDL	BDL	BDL	0.8	0.1	4.9	7.0	4.0	4.3	46	14	61	97	1017
10/2/2016 1:00	BDL	BDL	BDL	BDL	0.1	5.2	7.0	4.0	4.0	36	15	61	98	1017
10/2/2016 2:00	BDL	Calibration	Calibration	4.1	0.1	5.3	7.0	3.0	4.4	47	13	60	98	1017
10/2/2016 3:00	BDL	Calibration	Calibration	2.2	0.04	5.1	7.0	2.0	4.7	35	15	60	98	1017
10/2/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	4.9	6.0	3.0	5.1	45	14	60	97	1016
10/2/2016 5:00	BDL	BDL	BDL	0.5	0.04	4.8	3.0	5.0	4.7	30	14	59	98	1016
10/2/2016 6:00	BDL	BDL	BDL	BDL	BDL	5.0	3.0	4.0	6.1	34	13	59	98	1017
10/2/2016 7:00	BDL	BDL	BDL	1.6	BDL	5.1	7.0	5.0	6.4	58	12	58	98	1017
10/2/2016 8:00	BDL	BDL	BDL	1.3	BDL	5.2	5.0	3.0	5.3	56	14	59	96	1017
10/2/2016 9:00	BDL	BDL	BDL	2.7	BDL	5.2	4.0	4.0	5.0	60	18	60	93	1017
10/2/2016 10:00	BDL	BDL	BDL	2.0	BDL	5.0	4.0	3.0	4.6	68	16	60	91	1017
10/2/2016 11:00	BDL	BDL	BDL	0.9	BDL	4.9	5.0	3.0	3.0	54	19	61	89	1016
10/2/2016 12:00	BDL	BDL	BDL	2.1	0.04	4.7	9.0	6.0	1.9	354	47	62	88	1016
10/2/2016 13:00	BDL	BDL	BDL	9.1	0.1	4.7	12.0	9.0	2.7	330	54	63	86	1015
10/2/2016 14:00	BDL	BDL	BDL	11.5	0.1	4.4	16.0	11.0	2.3	86	26	63	84	1015
10/2/2016 15:00	BDL	BDL	BDL	8.9	0.1	4.3	17.0	11.0	2.6	82	26	64	84	1014
10/2/2016 16:00	BDL	BDL	BDL	10.8	0.1	4.3	13.0	14.0	3.3	28	30	64	85	1015
10/2/2016 17:00	BDL	BDL	BDL	10.1	0.2	4.3	15.0	12.0	3.7	65	18	64	86	1015
10/2/2016 18:00	BDL	BDL	BDL	13.7	0.2	4.1	17.0	13.0	5.3	70	12	63	89	1014
10/2/2016 19:00	BDL	BDL	BDL	13.5	0.2	4.1	16.0	11.0	4.0	68	11	62	93	1014
10/2/2016 20:00	BDL	BDL	BDL	11.0	0.1	4.2	18.0	15.0	4.4	70	14	62	95	1014
10/2/2016 21:00	BDL	BDL	BDL	6.6	0.1	4.1	13.0	10.0	3.3	72	14	62	96	1015
10/2/2016 22:00	BDL	BDL	BDL	4.7	0.1	4.1	13.0	11.0	2.8	86	17	62	96	1015
10/2/2016 23:00	BDL	BDL	BDL	1.4	0.1	4.0	10.0	8.0	2.6	66	14	62	96	1014
10/3/2016 0:00	BDL	BDL	BDL	2.3	0.1	3.8	6.0	5.0	1.5	72	18	63	95	1014
10/3/2016 1:00	BDL	BDL	BDL	2.3	BDL	3.6	6.0	3.0	0.8	102	52	63	95	1014
10/3/2016 2:00	BDL	Calibration	Calibration	3.5	0.1	3.6	11.0	6.0	1.5	36	32	62	96	1014
10/3/2016 3:00	BDL	Calibration	Calibration	9.0	0.1	4.1	26.0	14.0	3.2	323	31	62	97	1013
10/3/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	4.1	16.0	17.0	1.9	322	61	62	97	1013
10/3/2016 5:00	BDL	BDL	BDL	10.6	0.1	3.9	15.0	14.0	1.3	310	36	62	96	1013
10/3/2016 6:00	BDL	BDL	BDL	19.4	0.2	3.9	15.0	17.0	2.8	295	13	62	96	1013
10/3/2016 7:00	BDL	BDL	BDL	18.0	0.2	3.8	16.0	15.0	4.3	300	7	62	95	1014
10/3/2016 8:00	BDL	BDL	BDL	8.7	0.1	3.8	11.0	9.0	4.5	301	10	62	92	1014
10/3/2016 9:00	BDL	BDL	BDL	7.2	0.1	4.2	13.0	9.0	4.9	303	10	63	85	1014
10/3/2016 10:00	BDL	BDL	BDL	2.6	0.1	4.1	12.0	10.0	4.5	309	19	65	76	1014
10/3/2016 11:00	0.4	BDL	BDL	8.1	0.1	4.6	13.0	8.0	3.3	304	30	68	64	1014
10/3/2016 12:00	0.4	BDL	BDL	3.4	0.1	4.8	11.0	6.0	3.7	307	35	71	57	1014
10/3/2016 13:00	BDL	BDL	BDL	BDL	0.04	4.1	11.0	6.0	6.0	307	15	71	57	1013
10/3/2016 14:00	0.4	BDL	BDL	BDL	0.04	4.2	13.0	5.0	4.2	307	25	73	50	1013
10/3/2016 15:00	0.5	BDL	BDL	4.7	BDL	4.0	14.0	10.0	6.4	323	16	72	52	1013
10/3/2016 16:00	0.4	BDL	BDL	0.7	BDL	4.2	12.0	8.0	5.8	312	15	73	49	1013
10/3/2016 17:00	BDL	BDL	BDL	BDL	BDL	4.1	9.0	7.0	6.5	306	11	72	49	1013
10/3/2016 18:00	BDL	BDL	BDL	4.1	0.1	4.0	10.0	7.0	6.1	304	6	71	55	1014
10/3/2016 19:00	BDL	BDL	BDL	12.2	0.2	4.4	11.0	9.0	5.6	299	5	69	61	1015
10/3/2016 20:00	BDL	BDL	BDL	16.1	0.2	5.0	16.0	10.0	4.8	328	23	68	64	1015
10/3/2016 21:00	0.4	BDL	BDL	13.4	0.2	5.1	19.0	8.0	2.9	323	24	67	68	1016
10/3/2016 22:00	BDL	BDL	BDL	24.2	0.3	6.4	24.0	12.0	2.4	106	33	65	79	1016
10/3/2016 23:00	BDL	BDL	BDL	12.2	0.2	6.3	18.0	12.0	1.4	216	17	64	90	1017
10/4/2016 0:00	BDL	BDL	BDL	21.7	0.3	6.7	21.0	14.0	1.4	244	32	63	92	1017
10/4/2016 1:00	0.4	BDL	BDL	33.3	0.4	6.7	21.0	11.0	2.0	311	26	62	87	1018
10/4/2016 2:00	BDL	Calibration	Calibration	26.2	0.3	6.3	18.0	10.0	1.5	331	38	62	85	1018
10/4/2016 3:00	0.5	Calibration	Calibration	21.6	0.2	6.5	16.0	10.0	2.1	342	22	61	86	1018
10/4/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	6.6	18.0	9.0	3.0	23	18	60	88	1019
10/4/2016 5:00	1.0	BDL	BDL	13.8	0.14	6.7	22.0	18.0	3.9	36	13	60	91	1019
10/4/2016 6:00	0.8	BDL	BDL	35.8	0.3	7.2	27.0	11.0	3.7	50	12	60	92	1020
10/4/2016 7:00	0.8	BDL	BDL	40.3	0.3	7.7	25.0	15.0	3.7	36	16	61	88	1021
10/4/2016 8:00	0.5	BDL	BDL	25.0	0.2	7.7	25.0	10.0	7.9	59	10	62	86	1022
10/4/2016 9:00	BDL	BDL	BDL	10.5	0.1	7.8	21.0	8.0	10.8	67	12	63	82	1022
10/4/2016 10:00	BDL	BDL	BDL	3.4	BDL	7.9	18.0	7.0	11.9	67	13	65	72	1022
10/4/2016 11:00	BDL	BDL	BDL	BDL	BDL	8.1	16.0	4.0	12.0	67	12	65	71	1022
10/4/2016 12:00	BDL	BDL	BDL	4.1	BDL	8.3	10.0	3.0	9.4	51	15	64	70	1023
10/4/2016 13:00	BDL	BDL	BDL	6.6	BDL	8.2	14.0	3.0	9.4	48	14	65	69	1023
10/4/2016 14:00	BDL	BDL	BDL	8.6	0.1	8.0	18.0	4.0	10.1	51	13	65	69	1022
10/4/2016 15:00	BDL	BDL	BDL	9.7	0.1	8.1	22.0	5.0	9.0	48	15	64	70	1023
10/4/2016 16:00	BDL	BDL	BDL	6.2	0.04	8.1	16.0	4.0	6.5	59	14	64	67	1023
10/4/2016 17:00	BDL	BDL	BDL	6.4	0.1	8.0	13.0	5.0	6.9	51	13	65	67	1023
10/4/2016 18:00	BDL	BDL	BDL	3.4	BDL	7.8	16.0	4.0	6.9	65	12	64	69	1022
10/4/2016 19:00	BDL	BDL	BDL	2.3	BDL	8.1	18.0	4.0	6.0	67	13	63	74	1023
10/4/2016 20:00	BDL	BDL	BDL	4.6	0.04	8.3	14.0	8.0	4.7	62	11	62	79	1023
10/4/2016 21:00	BDL	BDL	BDL	5.5	0.1	8.5	21.0	8.0	4.1	59	11	61	83	1024
10/4/2016 22:00	BDL	BDL	BDL	10.1	0.1	8.6	20.0	10.0	3.5	69	11	60	85	1024
10/4/2016 23:00	BDL	BDL	BDL	5.9	BDL	8.5	15.0	8.0	4.6	63	11	60	85	1024
10/5/2016 0:00	BDL	BDL	BDL	4.5	BDL	8.5	21.0	6.0	5.3	61	11	60	84	1024
10/5/2016 1:00	BDL	BDL	BDL	8.3	BDL	8.5	19.0	5.0	6.0	64	13	60	84	1024
10/5/2016 2:00	BDL	Calibration	Calibration	BDL	BDL	8.4	16.0	5.0	6.2	63	12	59	86	1024
10/5/2016 3:00	BDL	Calibration	Calibration	BDL	BDL	8.5	15.0	5.0	8.3	52	11	58	81	1024
10/5/2016 4:00	167.3	BDL	BDL	Calibration	Calibration	8.3	15.0	6.0	9.5	49	12	58	69	1023
10/5/2016 5:00	BDL	BDL	BDL	5.7	BDL	8.4	16.0	5.0	7.5	47	12	57	70	1024
10/5/2016 6:00	BDL	BDL	BDL	12.3	0.1	8.7	10.0	6.0	6.4	44	13	56	77	1024
10/5/2016 7:00	BDL	BDL	BDL	19.7	0.1	9.1	Invalid	Invalid	5.7	39	14	55	81	1025
10/5/2016 8:00	BDL	BDL	BDL	18.9	0.11	8.6	Invalid	Invalid	9.0	47	13	56	73	1025
10/5/2016 9:00	BDL	BDL	BDL	14.4	0.1	9.1	Invalid	Invalid	9.5	51	14	57	70	1025
10/5/2016 10:00	BDL	BDL	BDL	11.5	0.04	9.3	26.0	6.0	7.5	41	17	59	67	1025
10/5/2016 11:00	BDL	BDL	BDL	10.2	BDL	9.5	27.0	8.0	6.4	47	21	61	62	1024
10/5/2016 12:00	0.4	BDL	BDL	12.4	0.1	9.4	22.0	7.0	6.3	26	24	63	56	1024
10/5/2016 13:00	0.4	BDL	BDL	14.0	0.1	9.2	24.0	5.0	4.8	51	36	65	53	1023
10/5/2016 14:00	BDL	BDL	BDL	5.2	BDL	8.5	21.0	10.0	5.2	98	29	67	52	1022
10/5/2016 15:00	BDL	BDL	BDL	BDL	BDL	8.4	19.0	9.0	5.5	108	35	68	50	1022
10/5/2016 16:00	BDL	BDL	BDL	BDL	BDL	8.1	16.0	7.0	6.3	111	18	68	54	1022
10/5/2016 17:00	BDL	BDL	BDL	1.0	BDL	7.8	16.0	5.0	7.3	110	14	66	62	1022
10/5/2016 18:00	BDL	BDL	BDL	1.2	BDL	6.6	16.0	6.0	6.8	107	15	63	69	1023
10/5/2016 19:00	BDL	BDL	BDL	2.3	BDL	8.3	13.0	5.0	5.7	89	14	61	74	1023
10/5/2016 20:00	BDL	BDL	BDL	5.3	BDL	7.2	17.0	9.0	4.2	87	12	60	78	1023
10/5/2016 21:00	BDL	BDL	BDL	15.6	0.04	7.4	15.0	7.0	2.5	72	11	58	81	1023
10/5/2016 22:00	BDL	BDL	BDL	16.6	0.1	8.0	21.0	13.0	2.8	74	11	58	81	1023
10/5/2016 23:00	BDL	BDL	BDL	16.3	0.1	8.9	19.0	9.0	3.1	87	12	58	80	1023

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 10/2/2016-10/8/2016														
10/6/2016 0:00	BDL	BDL	BDL	10.9	0.1	6.9	25.0	8.0	5.4	53	9	58	81	1023
10/6/2016 1:00	BDL	BDL	BDL	9.8	BDL	10.0	24.0	9.0	5.2	66	11	59	81	1023
10/6/2016 2:00	BDL	Calibration	Calibration	14.1	0.1	7.5	26.0	9.0	4.2	81	13	59	83	1023
10/6/2016 3:00	BDL	Calibration	Calibration	20.4	0.1	8.5	22.0	10.0	3.4	84	12	57	86	1023
10/6/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	8.5	54.0	10.0	2.3	65	15	57	89	1023
10/6/2016 5:00	BDL	BDL	BDL	20.3	0.1	8.3	20.0	7.0	1.7	3	30	56	88	1023
10/6/2016 6:00	0.4	BDL	BDL	25.0	0.1	8.4	22.0	7.0	2.5	339	28	56	87	1023
10/6/2016 7:00	0.5	0.8	BDL	50.8	0.2	8.0	27.0	10.0	2.9	303	42	56	87	1024
10/6/2016 8:00	0.8	0.5	BDL	42.2	0.3	2.3	29.0	11.0	3.9	47	16	57	80	1024
10/6/2016 9:00	0.6	0.4	BDL	35.6	0.3	1.7	32.0	11.0	4.0	54	18	59	75	1024
10/6/2016 10:00	BDL	BDL	BDL	20.1	0.1	2.5	32.0	10.0	5.6	59	19	63	71	1024
10/6/2016 11:00	BDL	BDL	BDL	7.3	0.1	2.6	22.0	9.0	4.8	57	27	65	65	1024
10/6/2016 12:00	BDL	BDL	BDL	8.2	0.1	2.7	21.0	6.0	3.6	18	50	67	59	1023
10/6/2016 13:00	BDL	BDL	BDL	7.8	0.1	2.8	26.0	6.0	3.8	10	49	68	55	1022
10/6/2016 14:00	0.5	BDL	BDL	5.9	0.04	2.6	24.0	8.0	3.4	19	57	70	51	1022
10/6/2016 15:00	0.5	BDL	BDL	5.8	0.04	2.7	24.0	8.0	4.1	102	38	71	49	1022
10/6/2016 16:00	0.4	BDL	BDL	5.7	0.1	2.8	20.0	6.0	3.8	82	27	72	48	1022
10/6/2016 17:00	0.5	BDL	BDL	6.4	0.1	2.3	22.0	7.0	2.6	83	37	72	51	1022
10/6/2016 18:00	BDL	BDL	BDL	8.5	0.1	1.6	25.0	12.0	3.0	81	16	71	56	1022
10/6/2016 19:00	BDL	BDL	BDL	15.3	0.1	1.5	23.0	9.0	5.1	117	14	68	64	1023
10/6/2016 20:00	BDL	BDL	BDL	5.4	BDL	1.6	12.0	8.0	5.2	132	17	65	72	1023
10/6/2016 21:00	BDL	BDL	BDL	3.4	BDL	1.7	13.0	6.0	2.6	122	20	63	74	1024
10/6/2016 22:00	BDL	BDL	BDL	4.0	0.1	1.6	11.0	7.0	2.6	123	22	62	77	1024
10/6/2016 23:00	BDL	BDL	BDL	6.6	BDL	1.7	12.0	6.0	2.3	88	17	61	79	1024
10/7/2016 0:00	BDL	BDL	BDL	15.6	0.1	1.6	18.0	5.0	2.4	60	12	59	81	1024
10/7/2016 1:00	BDL	BDL	BDL	18.0	0.1	1.9	26.0	9.0	1.7	97	23	59	82	1023
10/7/2016 2:00	BDL	Calibration	Calibration	28.0	0.1	1.5	89.0	14.0	2.9	68	8	57	85	1023
10/7/2016 3:00	BDL	Calibration	Calibration	23.8	0.1	1.5	23.0	11.0	1.9	75	21	57	89	1022
10/7/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	1.4	20.0	11.0	2.5	49	29	57	89	1022
10/7/2016 5:00	BDL	BDL	BDL	32.5	0.2	1.4	68.0	11.0	2.5	73	11	56	90	1022
10/7/2016 6:00	0.4	0.4	BDL	38.5	0.3	1.0	43.0	13.0	3.0	54	12	56	90	1023
10/7/2016 7:00	0.6	0.4	BDL	38.9	0.3	1.5	26.0	9.0	3.1	51	13	57	85	1023
10/7/2016 8:00	0.5	BDL	BDL	34.7	0.2	1.2	28.0	10.0	5.0	66	12	58	78	1023
10/7/2016 9:00	0.7	BDL	BDL	26.1	0.2	1.2	26.0	11.0	5.6	67	15	60	74	1023
10/7/2016 10:00	0.4	BDL	BDL	15.0	0.1	1.8	24.0	7.0	5.7	80	19	64	70	1023
10/7/2016 11:00	BDL	BDL	BDL	8.8	0.1	2.2	21.0	6.0	5.0	65	22	67	60	1022
10/7/2016 12:00	BDL	BDL	BDL	4.5	BDL	2.4	17.0	5.0	4.7	102	31	69	52	1022
10/7/2016 13:00	BDL	BDL	BDL	0.8	BDL	2.0	10.0	5.0	4.8	117	30	72	48	1021
10/7/2016 14:00	BDL	BDL	BDL	0.8	BDL	2.0	14.0	5.0	5.2	108	24	73	47	1020
10/7/2016 15:00	BDL	BDL	BDL	BDL	BDL	1.9	8.0	6.0	6.0	113	22	74	45	1020
10/7/2016 16:00	BDL	BDL	BDL	3.3	BDL	1.3	6.0	5.0	5.6	121	18	74	48	1019
10/7/2016 17:00	BDL	BDL	BDL	7.6	BDL	0.2	10.0	3.0	6.1	135	14	73	59	1019
10/7/2016 18:00	BDL	BDL	BDL	1.8	BDL	BDL	10.0	3.0	6.4	136	12	69	68	1020
10/7/2016 19:00	BDL	BDL	BDL	3.2	BDL	BDL	13.0	7.0	5.1	125	14	66	77	1020
10/7/2016 20:00	BDL	BDL	BDL	4.2	BDL	BDL	12.0	8.0	5.8	97	13	65	81	1020
10/7/2016 21:00	BDL	BDL	BDL	3.8	BDL	BDL	8.0	5.0	4.9	90	12	63	84	1020
10/7/2016 22:00	BDL	BDL	BDL	3.7	BDL	BDL	9.0	5.0	4.9	78	11	62	87	1019
10/7/2016 23:00	BDL	BDL	BDL	4.1	BDL	BDL	8.0	5.0	5.0	70	12	62	89	1019
10/8/2016 0:00	BDL	BDL	BDL	6.6	0.1	BDL	27.0	7.0	4.0	72	12	61	89	1018
10/8/2016 1:00	BDL	BDL	BDL	12.5	0.1	BDL	18.0	5.0	4.0	73	13	60	90	1018
10/8/2016 2:00	BDL	Calibration	Calibration	9.2	0.1	BDL	19.0	4.0	2.6	66	14	60	91	1018
10/8/2016 3:00	BDL	Calibration	Calibration	4.3	BDL	BDL	13.0	3.0	3.8	59	11	60	91	1018
10/8/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	BDL	14.0	4.0	3.7	59	13	61	89	1017
10/8/2016 5:00	BDL	BDL	BDL	11.4	0.1	BDL	12.0	3.0	3.2	41	15	61	88	1017
10/8/2016 6:00	BDL	BDL	BDL	8.5	0.1	BDL	11.0	4.0	3.2	35	15	61	88	1017
10/8/2016 7:00	BDL	Calibration	Calibration	8.2	0.1	BDL	11.0	7.0	3.8	30	18	61	88	1017
10/8/2016 8:00	0.4	Calibration	Calibration	12.9	0.1	BDL	15.0	4.0	4.7	45	15	62	86	1017
10/8/2016 9:00	BDL	BDL	BDL	15.3	0.1	BDL	17.0	7.0	6.4	58	12	62	86	1017
10/8/2016 10:00	0.4	BDL	BDL	17.9	0.2	BDL	14.0	8.0	5.9	58	13	63	85	1016
10/8/2016 11:00	0.5	0.4	BDL	25.3	0.2	0.2	18.0	8.0	3.7	52	18	64	84	1016
10/8/2016 12:00	0.4	0.5	BDL	30.8	0.2	0.1	22.0	10.0	4.5	59	13	65	88	1016
10/8/2016 13:00	0.4	0.6	BDL	28.1	0.3	BDL	20.0	10.0	4.3	67	14	65	90	1015
10/8/2016 14:00	BDL	0.7	BDL	26.3	0.3	BDL	21.0	9.0	4.4	55	15	65	91	1014
10/8/2016 15:00	BDL	0.4	BDL	22.9	0.3	BDL	19.0	8.0	4.1	58	15	65	93	1013
10/8/2016 16:00	BDL	0.4	BDL	18.1	0.3	BDL	19.0	11.0	3.2	83	13	65	95	1013
10/8/2016 17:00	BDL	4.2	BDL	19.3	0.3	BDL	12.0	8.0	2.5	43	24	65	96	1014
10/8/2016 18:00	BDL	0.9	1.6	23.7	0.3	BDL	9.0	6.0	2.7	340	45	65	94	1014
10/8/2016 19:00	BDL	BDL	BDL	16.3	0.2	BDL	8.0	4.0	4.0	350	34	65	90	1013
10/8/2016 20:00	BDL	BDL	BDL	18.1	0.3	BDL	10.0	10.0	4.1	8	36	65	88	1013
10/8/2016 21:00	BDL	BDL	BDL	16.0	0.3	BDL	10.0	7.0	4.2	55	17	65	88	1013
10/8/2016 22:00	BDL	BDL	BDL	13.0	0.2	BDL	8.0	7.0	4.8	53	13	65	88	1013
10/8/2016 23:00	BDL	BDL	BDL	16.5	0.3	BDL	7.0	5.0	4.2	14	19	65	88	1013

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 10/9/2016-10/15/2016														
10/9/2016 0:00	BDL	BDL	BDL	15.6	0.2	BDL	13.0	4.0	5.0	347	27	65	88	1012
10/9/2016 1:00	BDL	BDL	BDL	10.1	0.1	BDL	10.0	7.0	7.1	337	22	65	89	1011
10/9/2016 2:00	0.4	Calibration	Calibration	9.9	0.1	BDL	12.0	8.0	6.9	340	22	64	89	1011
10/9/2016 3:00	0.5	Calibration	Calibration	7.5	0.1	BDL	9.0	8.0	9.1	343	19	63	86	1011
10/9/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	10.0	6.0	8.6	350	18	61	81	1012
10/9/2016 5:00	1.0	BDL	BDL	1.5	BDL	BDL	14.0	8.0	9.1	340	16	59	86	1012
10/9/2016 6:00	0.9	BDL	BDL	2.9	BDL	Calibration	11.0	8.0	7.6	346	19	57	88	1012
10/9/2016 7:00	0.9	BDL	BDL	3.8	BDL	BDL	13.0	8.0	8.2	346	19	56	87	1013
10/9/2016 8:00	0.8	BDL	BDL	6.6	BDL	BDL	11.0	5.0	8.6	350	18	54	89	1013
10/9/2016 9:00	0.8	BDL	BDL	4.5	BDL	BDL	11.0	5.0	9.6	342	16	52	86	1013
10/9/2016 10:00	0.6	BDL	BDL	5.4	BDL	BDL	11.0	4.0	8.0	345	22	51	87	1014
10/9/2016 11:00	1.4	BDL	BDL	5.5	BDL	BDL	8.0	7.0	7.9	344	19	52	84	1013
10/9/2016 12:00	1.6	BDL	BDL	4.6	BDL	BDL	10.0	7.0	8.1	347	19	55	69	1013
10/9/2016 13:00	3.2	BDL	BDL	7.9	BDL	0.7	16.0	11.0	10.4	342	18	57	57	1013
10/9/2016 14:00	3.0	BDL	BDL	7.2	BDL	0.5	18.0	11.0	11.2	342	19	60	48	1012
10/9/2016 15:00	3.1	BDL	BDL	9.7	BDL	0.3	22.0	9.0	14.4	339	17	62	42	1013
10/9/2016 16:00	4.1	BDL	BDL	9.0	BDL	1.3	24.0	10.0	11.8	343	18	62	43	1013
10/9/2016 17:00	3.1	BDL	BDL	5.5	BDL	0.2	15.0	12.0	11.5	340	15	62	45	1014
10/9/2016 18:00	1.8	BDL	BDL	13.6	BDL	BDL	11.0	8.0	13.0	339	12	60	45	1014
10/9/2016 19:00	1.6	BDL	BDL	14.2	BDL	BDL	14.0	8.0	12.6	338	13	59	47	1015
10/9/2016 20:00	1.3	BDL	BDL	16.5	BDL	0.4	13.0	5.0	12.1	339	13	58	48	1016
10/9/2016 21:00	0.9	BDL	BDL	13.4	BDL	0.5	10.0	4.0	12.2	337	13	57	51	1017
10/9/2016 22:00	0.9	BDL	BDL	17.0	BDL	0.8	8.0	4.0	10.9	337	13	56	51	1018
10/9/2016 23:00	0.8	BDL	BDL	9.1	BDL	0.7	7.0	6.0	8.9	336	13	55	55	1018
10/10/2016 0:00	0.5	BDL	BDL	8.9	BDL	0.9	9.0	4.0	8.9	329	12	54	59	1018
10/10/2016 1:00	1.2	BDL	BDL	8.6	BDL	1.4	10.0	5.0	9.7	339	16	53	57	1019
10/10/2016 2:00	1.1	Calibration	Calibration	5.4	BDL	1.4	7.0	5.0	9.6	338	13	52	60	1019
10/10/2016 3:00	0.7	Calibration	Calibration	12.4	BDL	1.7	7.0	6.0	11.2	340	12	50	59	1019
10/10/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	8.0	5.0	11.4	339	14	49	57	1020
10/10/2016 5:00	0.9	BDL	BDL	17.7	BDL	2.1	8.0	4.0	9.2	337	14	48	60	1021
10/10/2016 6:00	0.5	BDL	BDL	9.8	BDL	2.0	6.0	3.0	9.1	325	13	47	65	1021
10/10/2016 7:00	BDL	BDL	BDL	7.3	BDL	2.4	5.0	3.0	10.1	322	11	46	65	1022
10/10/2016 8:00	0.4	BDL	BDL	9.0	BDL	2.7	10.0	4.0	12.2	326	11	47	60	1022
10/10/2016 9:00	0.9	BDL	BDL	14.9	BDL	3.5	15.0	5.0	10.7	335	15	50	52	1023
10/10/2016 10:00	0.6	BDL	BDL	12.9	BDL	4.0	9.0	5.0	11.2	338	13	52	44	1024
10/10/2016 11:00	0.9	BDL	BDL	13.6	BDL	4.2	12.0	3.0	11.2	335	15	55	39	1023
10/10/2016 12:00	1.1	BDL	BDL	13.5	BDL	4.3	14.0	4.0	10.7	336	19	58	34	1023
10/10/2016 13:00	1.2	BDL	BDL	10.3	BDL	4.3	13.0	5.0	8.9	336	20	61	30	1022
10/10/2016 14:00	0.5	BDL	BDL	2.7	BDL	3.7	15.0	3.0	10.9	324	14	62	29	1022
10/10/2016 15:00	BDL	BDL	BDL	1.7	BDL	3.8	11.0	2.0	11.0	322	13	62	30	1022
10/10/2016 16:00	0.5	BDL	BDL	8.8	BDL	3.9	16.0	4.0	10.3	332	15	62	29	1022
10/10/2016 17:00	0.4	BDL	BDL	8.9	BDL	3.6	15.0	4.0	8.9	330	14	62	31	1023
10/10/2016 18:00	BDL	BDL	BDL	7.1	BDL	3.4	11.0	1.0	8.0	323	10	60	37	1023
10/10/2016 19:00	BDL	BDL	BDL	16.8	BDL	4.1	16.0	3.0	6.2	333	12	59	39	1024
10/10/2016 20:00	BDL	BDL	BDL	17.9	BDL	4.4	14.0	6.0	6.4	319	11	57	46	1025
10/10/2016 21:00	BDL	BDL	BDL	19.1	BDL	4.8	11.0	6.0	6.7	326	10	55	49	1026
10/10/2016 22:00	0.5	BDL	BDL	13.3	BDL	5.0	11.0	5.0	6.3	339	13	54	51	1026
10/10/2016 23:00	0.6	BDL	BDL	9.1	BDL	5.5	13.0	4.0	5.8	343	15	54	51	1026
10/11/2016 0:00	0.7	BDL	BDL	13.1	0.1	5.7	11.0	3.0	5.8	348	19	53	54	1027
10/11/2016 1:00	0.8	BDL	BDL	14.6	BDL	5.7	10.0	4.0	5.1	355	17	52	55	1027
10/11/2016 2:00	0.5	Calibration	Calibration	8.8	BDL	5.9	7.0	5.0	2.7	349	22	50	60	1027
10/11/2016 3:00	0.5	Calibration	Calibration	9.2	BDL	5.6	6.0	6.0	2.7	3	24	49	62	1027
10/11/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	3.1	8.0	5.0	3.2	49	15	48	63	1027
10/11/2016 5:00	BDL	BDL	BDL	9.5	BDL	2.5	7.0	6.0	4.2	45	14	48	58	1028
10/11/2016 6:00	BDL	BDL	BDL	19.3	0.1	4.5	14.0	4.0	4.8	41	13	48	59	1028
10/11/2016 7:00	0.4	BDL	BDL	24.3	0.1	Too few samples	14.0	3.0	5.4	43	13	48	59	1029
10/11/2016 8:00	0.5	BDL	BDL	26.9	0.1	Invalid	21.0	5.0	6.3	43	13	49	56	1029
10/11/2016 9:00	0.5	BDL	BDL	23.5	0.1	Too few samples	22.0	8.0	5.5	51	15	51	53	1029
10/11/2016 10:00	0.5	Calibration	Calibration	16.6	BDL	BDL	13.0	7.0	4.5	62	30	54	50	1029
10/11/2016 11:00	0.5	Too few samples	Too few samples	13.0	BDL	BDL	16.0	7.0	3.1	111	31	57	43	1029
10/11/2016 12:00	0.5	BDL	BDL	13.3	BDL	BDL	15.0	5.0	2.8	185	36	60	35	1029
10/11/2016 13:00	0.7	BDL	BDL	16.9	BDL	BDL	14.0	4.0	2.1	227	71	61	31	1028
10/11/2016 14:00	0.4	BDL	BDL	12.8	BDL	BDL	13.0	6.0	3.7	144	45	63	29	1027
10/11/2016 15:00	BDL	BDL	BDL	9.2	BDL	BDL	17.0	6.0	3.4	112	43	63	28	1027
10/11/2016 16:00	0.4	BDL	BDL	13.5	BDL	BDL	13.0	4.0	2.1	161	48	64	29	1027
10/11/2016 17:00	BDL	BDL	BDL	4.2	BDL	BDL	12.0	2.0	4.2	99	20	64	32	1026
10/11/2016 18:00	BDL	BDL	BDL	12.1	BDL	BDL	8.0	3.0	3.5	94	15	62	42	1026
10/11/2016 19:00	BDL	BDL	BDL	10.5	BDL	BDL	15.0	7.0	5.0	110	13	60	55	1026
10/11/2016 20:00	BDL	BDL	BDL	5.4	BDL	BDL	10.0	8.0	4.9	143	13	56	72	1027
10/11/2016 21:00	BDL	BDL	BDL	7.4	BDL	BDL	10.0	6.0	3.5	138	15	55	77	1027
10/11/2016 22:00	BDL	BDL	BDL	12.1	BDL	BDL	16.0	8.0	2.8	76	10	54	81	1027
10/11/2016 23:00	BDL	BDL	BDL	21.4	BDL	BDL	12.0	9.0	2.7	77	10	53	84	1027
10/12/2016 0:00	BDL	BDL	BDL	26.8	0.1	BDL	21.0	8.0	1.9	56	12	52	86	1027
10/12/2016 1:00	BDL	BDL	BDL	17.0	0.1	BDL	17.0	7.0	1.5	356	26	52	87	1027
10/12/2016 2:00	BDL	Calibration	Calibration	27.3	0.3	BDL	21.0	8.0	2.1	331	25	52	87	1026
10/12/2016 3:00	0.4	Calibration	Calibration	38.6	0.3	BDL	25.0	9.0	1.4	353	43	51	90	1026
10/12/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	31.0	11.0	2.2	64	10	51	90	1026
10/12/2016 5:00	0.5	0.6	BDL	44.2	0.1	BDL	26.0	10.0	2.5	75	9	50	92	1026
10/12/2016 6:00	0.5	0.7	BDL	43.5	0.2	BDL	31.0	8.0	2.1	54	14	50	95	1025
10/12/2016 7:00	1.0	5.8	Audit	80.5	0.4	BDL	54.0	13.0	2.1	59	17	50	92	1025
10/12/2016 8:00	Too few samples	BDL	Too few samples	67.6	Too few samples	BDL	46.0	16.0	2.7	67	15	52	83	1026
10/12/2016 9:00	0.8	0.7	BDL	73.3	0.3	BDL	32.0	11.0	2.2	53	30	55	72	1026
10/12/2016 10:00	0.7	0.7	BDL	47.9	0.2	Too few samples	42.0	16.0	2.0	132	39	59	65	1025
10/12/2016 11:00	0.4	BDL	BDL	22.7	0.1	2.1	20.0	7.0	2.6	140	52	62	58	1025
10/12/2016 12:00	BDL	BDL	BDL	5.2	BDL	2.0	14.0	7.0	2.5	209	51	64	51	1024
10/12/2016 13:00	BDL	BDL	BDL	1.2	BDL	1.9	11.0	5.0	2.9	175	64	66	49	1023
10/12/2016 14:00	BDL	BDL	BDL	BDL	BDL	1.3	14.0	4.0	3.1	154	51	66	48	1022
10/12/2016 15:00	BDL	BDL	BDL	1.0	BDL	1.0	16.0	7.0	2.1	204	53	68	46	1022
10/12/2016 16:00	BDL	BDL	BDL	BDL	BDL	0.7	11.0	6.0	2.8	150	29	68	46	1021
10/12/2016 17:00	BDL	BDL	BDL	12.4	BDL	0.3	12.0	6.0	3.3	159	16	68	51	1020
10/12/2016 18:00	BDL	BDL	BDL	26.5	BDL	BDL	16.0	6.0	2.8	162	10	66	59	1020
10/12/2016 19:00	0.4	BDL	BDL	21.2	BDL	0.1	14.0	4.0	4.1	152	16	63	70	1021
10/12/2016 20:00	BDL	BDL	BDL	12.3	BDL	BDL	12.0	6.0	3.2	163	17	61	78	1021
10/12/2016 21:00	BDL	BDL	BDL	13.0	BDL	0.3	11.0	8.0	3.9	148	12	60	81	1021
10/12/2016 22:00	BDL	BDL	BDL	17.8	BDL	BDL	13.0	7.0	3.1	160	13	58	84	1021
10/12/2016 23:00	BDL	BDL	BDL	27.2	BDL	BDL	8.0	6.0	2.1	166	17	57	87	1020

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 10/9/2016-10/15/2016														
10/13/2016 0:00	BDL	BDL	BDL	14.8	BDL	BDL	8.0	5.0	1.7	223	20	56	89	1019
10/13/2016 1:00	BDL	BDL	BDL	12.3	0.1	BDL	12.0	7.0	1.5	272	46	56	91	1019
10/13/2016 2:00	BDL	Calibration	Calibration	24.1	0.1	BDL	15.0	9.0	0.8	284	23	55	91	1019
10/13/2016 3:00	BDL	Calibration	Calibration	24.7	0.1	BDL	13.0	9.0	1.0	255	45	55	94	1018
10/13/2016 4:00	Calibration	1.0	BDL	Calibration	Calibration	Too few samples	13.0	7.0	1.1	208	16	54	95	1017
10/13/2016 5:00	0.5	0.5	BDL	34.2	0.1	BDL	21.0	15.0	1.5	228	20	54	96	1017
10/13/2016 6:00	1.4	5.8	3.3	104.7	0.4	1.3	39.0	13.0	0.8	234	39	53	96	1017
10/13/2016 7:00	1.0	3.6	1.4	84.8	0.2	Too few samples	41.0	13.0	2.0	191	19	53	97	1017
10/13/2016 8:00	0.7	1.7	0.8	60.3	0.1	Calibration	11.0	7.0	2.0	166	17	53	98	1017
10/13/2016 9:00	1.0	2.5	1.8	47.6	0.1	Too few samples	27.0	11.0	1.6	190	33	56	93	1017
10/13/2016 10:00	2.1	2.0	0.9	29.3	0.1	0.1	19.0	8.0	5.0	204	21	62	79	1016
10/13/2016 11:00	1.2	0.5	BDL	15.8	BDL	BDL	21.0	7.0	6.9	220	18	64	77	1016
10/13/2016 12:00	0.8	BDL	BDL	12.5	BDL	BDL	30.0	10.0	7.4	242	18	65	74	1016
10/13/2016 13:00	0.8	BDL	BDL	12.4	0.04	BDL	24.0	12.0	5.8	245	17	65	73	1016
10/13/2016 14:00	0.6	BDL	BDL	9.5	0.04	BDL	13.0	9.0	5.3	254	17	65	73	1015
10/13/2016 15:00	1.0	BDL	BDL	2.8	BDL	BDL	20.0	7.0	6.8	293	19	67	66	1015
10/13/2016 16:00	BDL	BDL	BDL	0.5	BDL	BDL	16.0	12.0	9.2	310	12	66	68	1016
10/13/2016 17:00	BDL	BDL	BDL	1.3	BDL	BDL	14.0	9.0	7.0	319	12	65	68	1016
10/13/2016 18:00	BDL	BDL	BDL	3.7	0.04	1.0	14.0	9.0	4.7	299	9	63	73	1017
10/13/2016 19:00	BDL	BDL	BDL	9.2	0.1	1.0	13.0	10.0	2.5	263	13	62	79	1017
10/13/2016 20:00	BDL	BDL	BDL	19.6	0.2	BDL	19.0	9.0	3.1	269	12	61	81	1018
10/13/2016 21:00	BDL	BDL	BDL	8.9	0.1	0.0	11.0	8.0	7.8	312	7	61	77	1019
10/13/2016 22:00	0.4	BDL	BDL	15.4	BDL	0.5	13.0	9.0	8.4	330	10	60	71	1020
10/13/2016 23:00	0.5	BDL	BDL	5.5	BDL	0.4	14.0	10.0	9.1	339	11	58	66	1021
10/14/2016 0:00	0.6	BDL	BDL	6.7	BDL	0.6	11.0	7.0	10.1	338	10	56	67	1021
10/14/2016 1:00	1.0	BDL	BDL	4.7	BDL	0.6	16.0	10.0	10.5	338	11	54	67	1022
10/14/2016 2:00	1.2	Calibration	Calibration	9.7	BDL	1.1	13.0	10.0	8.6	341	16	53	67	1022
10/14/2016 3:00	1.0	Calibration	Calibration	5.5	BDL	1.0	18.0	16.0	7.7	340	15	52	72	1022
10/14/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	1.1	16.0	11.0	7.9	339	14	50	72	1023
10/14/2016 5:00	1.30	BDL	BDL	20.2	BDL	1.3	12.0	11.0	6.6	335	16	50	69.8	1023
10/14/2016 6:00	0.5	BDL	BDL	10.3	BDL	1.7	11.0	7.0	5.5	314	12	48	74	1024
10/14/2016 7:00	0.6	BDL	BDL	22.4	BDL	2.6	12.0	7.0	5.0	310	12	48	73	1025
10/14/2016 8:00	0.8	BDL	BDL	17.8	BDL	2.8	22.0	7.0	7.0	334	16	49	66	1026
10/14/2016 9:00	0.8	BDL	BDL	10.1	BDL	3.1	11.0	7.0	6.6	345	21	51	60	1026
10/14/2016 10:00	0.7	BDL	BDL	9.7	BDL	3.4	12.0	7.0	7.1	348	21	53	52	1026
10/14/2016 11:00	0.5	BDL	BDL	6.0	BDL	OffScan	12.0	4.0	6.7	340	23	55	47	1026
10/14/2016 12:00	0.4	BDL	BDL	7.2	BDL	OffScan	8.0	2.0	5.2	338	37	57	42	1026
10/14/2016 13:00	BDL	BDL	BDL	6.1	BDL	OffScan	10.0	2.0	5.0	309	26	60	38	1025
10/14/2016 14:00	BDL	BDL	BDL	3.2	BDL	OffScan	8.0	2.0	3.1	285	53	62	35	1025
10/14/2016 15:00	BDL	BDL	BDL	3.2	BDL	OffScan	9.0	1.0	3.4	303	52	63	34	1024
10/14/2016 16:00	BDL	BDL	BDL	3.5	BDL	OffScan	9.0	1.0	3.8	300	22	63	34	1024
10/14/2016 17:00	BDL	BDL	BDL	4.0	BDL	OffScan	11.0	3.0	3.4	294	17	63	39	1024
10/14/2016 18:00	BDL	BDL	BDL	9.5	BDL	OffScan	16.0	7.0	2.6	273	17	61	50	1024
10/14/2016 19:00	BDL	BDL	BDL	16.9	0.1	OffScan	16.0	7.0	2.7	273	31	59	54	1024
10/14/2016 20:00	BDL	BDL	BDL	23.7	0.2	OffScan	17.0	10.0	1.3	245	54	58	60	1025
10/14/2016 21:00	0.5	BDL	BDL	45.7	0.4	OffScan	26.0	12.0	1.7	241	22	56	65	1026
10/14/2016 22:00	0.4	BDL	BDL	39.9	0.4	OffScan	22.0	15.0	2.7	268	11	54	68	1026
10/14/2016 23:00	0.6	0.9	BDL	59.3	0.6	OffScan	21.0	14.0	1.2	224	23	53	77	1026
10/15/2016 0:00	1.3	2.7	0.7	110.1	0.4	OffScan	26.0	17.0	2.0	172	26	52	83	1026
10/15/2016 1:00	0.5	0.9	BDL	40.4	0.3	OffScan	24.0	15.0	1.5	206	14	52	85	1026
10/15/2016 2:00	1.0	Calibration	Calibration	65.7	0.6	2.4	22.0	15.0	0.9	255	26	50	88	1026
10/15/2016 3:00	1.1	Calibration	Calibration	79.7	0.7	1.5	34.0	17.0	1.6	302	31	49	88	1026
10/15/2016 4:00	Calibration	1.4	BDL	Calibration	Calibration	0.9	32.0	19.0	1.2	35	36	48	86	1026
10/15/2016 5:00	0.6	1.2	BDL	54.7	0.5	0.8	21.0	16.0	2.1	304	43	47	89	1026
10/15/2016 6:00	0.5	1.0	BDL	47.2	0.4	2.0	25.0	12.0	2.7	310	8	46	89	1027
10/15/2016 7:00	0.8	1.2	BDL	57.4	0.4	2.4	25.0	16.0	1.2	330	36	46	89	1027
10/15/2016 8:00	1.0	1.3	BDL	59.9	0.4	2.4	32.0	18.0	3.4	78	14	48	80	1028
10/15/2016 9:00	0.8	0.8	BDL	44.3	0.3	2.4	27.0	15.0	5.2	69	13	51	73	1028
10/15/2016 10:00	1.0	0.8	BDL	37.4	0.2	2.8	31.0	15.0	4.5	77	19	54	64	1028
10/15/2016 11:00	0.8	BDL	BDL	20.9	0.1	2.9	18.0	7.0	3.7	137	32	59	56	1028
10/15/2016 12:00	0.4	BDL	BDL	5.3	BDL	2.2	16.0	8.0	4.5	158	30	62	53	1027
10/15/2016 13:00	BDL	BDL	BDL	BDL	BDL	1.7	18.0	6.0	3.9	177	40	64	50	1026
10/15/2016 14:00	BDL	BDL	BDL	BDL	BDL	1.3	12.0	7.0	4.2	183	37	65	47	1025
10/15/2016 15:00	BDL	BDL	BDL	BDL	BDL	1.1	12.0	6.0	5.7	168	22	66	48	1025
10/15/2016 16:00	BDL	BDL	BDL	BDL	BDL	0.9	16.0	6.0	4.9	168	18	66	48	1025
10/15/2016 17:00	BDL	BDL	BDL	1.3	BDL	0.1	15.0	6.0	4.6	185	17	65	53	1024
10/15/2016 18:00	0.5	BDL	BDL	2.3	BDL	BDL	22.0	7.0	4.2	200	13	63	62	1024
10/15/2016 19:00	BDL	BDL	BDL	5.3	BDL	BDL	17.0	9.0	4.1	179	11	60	72	1025
10/15/2016 20:00	BDL	0.4	BDL	15.4	BDL	BDL	15.0	7.0	4.2	169	12	57	75	1025
10/15/2016 21:00	BDL	BDL	BDL	2.9	BDL	BDL	16.0	9.0	3.1	209	16	55	77	1025
10/15/2016 22:00	BDL	BDL	BDL	7.2	BDL	BDL	13.0	8.0	2.3	199	16	54	80	1024
10/15/2016 23:00	BDL	BDL	BDL	10.1	BDL	BDL	20.0	9.0	2.5	243	17	53	84	1024

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 10/16/2016-10/22/2016														
10/16/2016 0:00	BDL	1.3	0.5	13.9	0.1	BDL	13.0	10.0	1.6	201	19	53	86	1024
10/16/2016 1:00	BDL	0.5	0.5	12.6	BDL	BDL	12.0	8.0	2.1	181	12	53	90	1024
10/16/2016 2:00	BDL	Calibration	Calibration	24.4	0.04	BDL	17.0	10.0	2.9	156	12	52	93	1024
10/16/2016 3:00	BDL	Calibration	Calibration	11.9	0.1	BDL	15.0	12.0	2.0	199	19	50	96	1023
10/16/2016 4:00	Too few samples	1.6	1.1	Too few samples	Too few samples	BDL	18.0	14.0	1.4	276	21	50	97	1022
10/16/2016 5:00	0.4	1.4	1.1	26.9	0.2	BDL	22.0	12.0	1.5	245	18	49	98	1022
10/16/2016 6:00	BDL	2.0	1.6	28.5	0.2	BDL	16.0	13.0	1.6	223	19	49	98	1022
10/16/2016 7:00	Too few samples	2.4	1.3	Too few samples	Too few samples	Too few samples	20.0	13.0	1.6	245	27	49	99	1022
10/16/2016 8:00	Calibration	1.7	1.1	Calibration	Too few samples	1.2	17.0	12.0	2.3	222	27	50	99	1022
10/16/2016 9:00	Calibration	1.8	1.0	Calibration	0.1	Too few samples	17.0	15.0	2.8	231	30	53	89	1021
10/16/2016 10:00	Calibration	0.9	0.7	Calibration	0.1	1.0	9.0	8.0	5.1	239	17	59	73	1021
10/16/2016 11:00	Calibration	BDL	BDL	Calibration	BDL	0.3	16.0	5.0	6.2	239	20	64	69	1020
10/16/2016 12:00	Calibration	BDL	BDL	Calibration	BDL	BDL	14.0	7.0	5.4	248	16	65	69	1019
10/16/2016 13:00	Calibration	BDL	BDL	Calibration	BDL	BDL	13.0	6.0	6.5	233	19	67	67	1018
10/16/2016 14:00	Calibration	BDL	BDL	Calibration	BDL	BDL	17.0	7.0	6.9	233	19	69	62	1017
10/16/2016 15:00	Calibration	BDL	BDL	Calibration	BDL	BDL	14.0	8.0	6.9	235	18	70	60	1017
10/16/2016 16:00	Calibration	BDL	BDL	Calibration	BDL	BDL	20.0	8.0	6.6	223	17	71	60	1016
10/16/2016 17:00	Calibration	BDL	BDL	Calibration	BDL	BDL	23.0	9.0	5.1	217	16	70	65	1015
10/16/2016 18:00	Calibration	BDL	BDL	Calibration	0.1	BDL	22.0	13.0	5.0	226	15	69	67	1015
10/16/2016 19:00	Calibration	BDL	BDL	Calibration	0.1	BDL	22.0	15.0	5.5	206	12	67	74	1015
10/16/2016 20:00	Calibration	1.4	1.3	Calibration	BDL	BDL	21.0	10.0	3.7	197	12	64	82	1015
10/16/2016 21:00	Calibration	2.8	1.9	Calibration	0.1	BDL	17.0	9.0	3.3	237	15	63	85	1015
10/16/2016 22:00	Calibration	2.0	2.9	Calibration	0.1	BDL	18.0	8.0	3.1	206	12	63	87	1015
10/16/2016 23:00	Calibration	1.8	1.3	Calibration	0.1	BDL	17.0	11.0	3.9	209	14	62	88	1015
10/17/2016 0:00	Calibration	1.4	0.8	Calibration	BDL	BDL	17.0	11.0	3.5	216	16	62	87	1015
10/17/2016 1:00	Calibration	1.0	1.0	Calibration	0.1	BDL	16.0	10.0	2.3	226	17	62	88	1015
10/17/2016 2:00	Calibration	Calibration	Calibration	Calibration	BDL	BDL	17.0	10.0	2.9	217	16	61	90	1014
10/17/2016 3:00	Calibration	Calibration	Calibration	Calibration	BDL	BDL	15.0	12.0	2.9	236	18	60	93	1014
10/17/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	17.0	10.0	1.7	244	20	59	95	1013
10/17/2016 5:00	Calibration	0.6	BDL	Calibration	0.1	BDL	19.0	16.0	2.8	203	16	60	96	1013
10/17/2016 6:00	BDL	0.6	BDL	20.2	0.1	BDL	18.0	9.0	2.9	232	23	60	98	1013
10/17/2016 7:00	BDL	0.5	BDL	39.9	0.2	BDL	12.0	12.0	4.1	216	14	59	99	1013
10/17/2016 8:00	BDL	1.1	0.9	40.7	0.2	BDL	26.0	14.0	2.6	217	27	60	99	1013
10/17/2016 9:00	BDL	1.2	0.4	40.1	0.2	BDL	27.0	23.0	3.6	212	18	60	97	1014
10/17/2016 10:00	BDL	1.0	BDL	37.7	0.2	BDL	29.0	18.0	4.1	193	19	64	85	1013
10/17/2016 11:00	BDL	1.3	0.4	40.9	0.2	BDL	32.0	21.0	4.4	214	18	70	71	1012
10/17/2016 12:00	BDL	0.8	BDL	26.5	0.1	BDL	20.0	16.0	5.4	220	18	76	59	1012
10/17/2016 13:00	BDL	0.4	BDL	15.7	0.1	Too few samples	37.0	13.0	6.4	213	17	79	52	1011
10/17/2016 14:00	BDL	BDL	BDL	7.2	BDL	15.4	22.0	11.0	7.5	218	17	80	45	1010
10/17/2016 15:00	BDL	BDL	BDL	4.3	BDL	1.7	21.0	10.0	6.9	229	18	80	42	1009
10/17/2016 16:00	BDL	BDL	BDL	17.8	BDL	1.5	25.0	11.0	6.7	219	17	80	46	1009
10/17/2016 17:00	BDL	BDL	BDL	4.6	BDL	0.3	26.0	10.0	6.6	212	13	80	50	1009
10/17/2016 18:00	BDL	BDL	BDL	13.2	0.1	BDL	29.0	13.0	5.3	202	10	77	58	1010
10/17/2016 19:00	BDL	BDL	BDL	6.6	0.1	BDL	22.0	16.0	3.7	200	11	74	66	1010
10/17/2016 20:00	BDL	0.7	0.5	11.4	0.1	BDL	21.0	14.0	3.6	204	11	72	73	1010
10/17/2016 21:00	BDL	0.9	0.5	30.7	0.1	BDL	23.0	16.0	4.0	209	11	71	76	1010
10/17/2016 22:00	BDL	1.1	0.6	27.7	0.1	1.0	29.0	19.0	3.4	208	12	69	80	1011
10/17/2016 23:00	BDL	1.2	0.7	28.3	0.1	BDL	27.0	14.0	3.4	203	11	68	81	1011
10/18/2016 0:00	BDL	0.9	0.5	17.5	0.1	BDL	32.0	14.0	2.9	196	11	67	82	1011
10/18/2016 1:00	BDL	1.6	1.4	14.5	0.04	BDL	16.0	13.0	2.6	198	10	66	84	1011
10/18/2016 2:00	BDL	Calibration	Calibration	28.6	BDL	BDL	21.0	14.0	3.1	190	9	65	86	1011
10/18/2016 3:00	BDL	Calibration	Calibration	41.9	12.0	BDL	22.0	12.0	2.7	189	10	64	88	1011
10/18/2016 4:00	Calibration	1.7	1.1	Calibration	Calibration	0.3	22.0	17.0	1.7	201	13	63	90	1011
10/18/2016 5:00	BDL	2	1.2	26.6	0.1	0.4	15.0	14.0	0.8	177	20	62	94	1011
10/18/2016 6:00	BDL	1.4	0.7	52.2	0.1	0.5	34.0	19.0	1.4	182	18	62	95	1011
10/18/2016 7:00	BDL	Too few samples	Too few samples	44.6	0.1	0.3	40.0	17.0	2.4	199	13	63	93	1012
10/18/2016 8:00	BDL	Calibration	Calibration	57.5	0.2	2.5	41.0	24.0	3.4	196	15	65	87	1012
10/18/2016 9:00	BDL	0.6	0.6	21.5	0.1	4.2	26.0	20.0	6.4	227	17	68	79	1012
10/18/2016 10:00	BDL	1.0	0.6	20.8	0.1	5.6	26.0	17.0	5.7	229	17	72	70	1011
10/18/2016 11:00	BDL	0.8	0.4	15.2	0.1	6.1	29.0	17.0	4.8	223	21	75	63	1011
10/18/2016 12:00	BDL	0.4	BDL	6.4	0.1	6.3	27.0	13.0	6.2	216	20	79	57	1010
10/18/2016 13:00	BDL	BDL	BDL	3.4	BDL	6.2	35.0	15.0	6.6	217	19	81	52	1009
10/18/2016 14:00	BDL	BDL	BDL	3.3	BDL	Too few samples	32.0	14.0	7.5	234	20	83	46	1008
10/18/2016 15:00	BDL	BDL	BDL	2.5	BDL	2.2	32.0	14.0	7.9	212	15	83	48	1008
10/18/2016 16:00	BDL	BDL	BDL	6.0	BDL	1.9	36.0	14.0	7.9	194	13	81	52	1008
10/18/2016 17:00	BDL	BDL	BDL	4.9	BDL	1.5	33.0	11.0	6.4	185	11	79	57	1008
10/18/2016 18:00	BDL	BDL	BDL	10.9	0.1	1.4	29.0	14.0	5.1	186	10	77	64	1008
10/18/2016 19:00	BDL	BDL	BDL	12.9	0.04	1.5	23.0	13.0	5.4	204	10	75	67	1009
10/18/2016 20:00	BDL	0.7	0.5	9.9	0.04	1.6	21.0	12.0	4.4	201	11	73	72	1010
10/18/2016 21:00	BDL	BDL	BDL	7.2	0.1	2.2	22.0	14.0	4.6	206	11	72	76	1010
10/18/2016 22:00	BDL	0.5	BDL	19.2	0.1	2.5	21.0	14.0	4.3	207	11	71	79	1010
10/18/2016 23:00	BDL	0.7	0.5	4.4	BDL	2.0	24.0	12.0	6.2	203	11	70	83	1010
10/19/2016 0:00	BDL	2.1	1.5	10.1	0.1	2.5	23.0	17.0	4.0	225	16	69	82	1010
10/19/2016 1:00	BDL	2.5	2.1	9.3	BDL	2.6	17.0	14.0	4.2	222	15	69	82	1010
10/19/2016 2:00	BDL	Calibration	Calibration	10.4	BDL	2.6	26.0	16.0	3.7	218	16	69	83	1010
10/19/2016 3:00	BDL	Calibration	Calibration	19.4	0.04	2.7	24.0	13.0	4.7	212	13	69	83	1010
10/19/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	21.0	11.0	3.5	217	16	68	84	1010
10/19/2016 5:00	BDL	BDL	BDL	17.8	0.1	4.8	26.0	13.0	4.0	218	15	68	84	1010
10/19/2016 6:00	BDL	0.4	BDL	52.2	0.2	3.0	49.0	16.0	3.1	207	11	68	86	1011
10/19/2016 7:00	BDL	Calibration	Calibration	43.6	0.2	3.2	43.0	18.0	2.6	259	27	67	87	1012
10/19/2016 8:00	BDL	Calibration	Calibration	42.0	0.2	3.7	34.0	16.0	2.9	233	15	68	81	1013
10/19/2016 9:00	BDL	Calibration	Calibration	31.7	0.2	Too few samples	33.0	14.0	2.4	234	20	72	65	1013
10/19/2016 10:00	BDL	Calibration	Calibration	14.7	0.1	3.2	28.0	12.0	4.3	283	25	77	56	1013
10/19/2016 11:00	BDL	BDL	BDL	2.1	0.04	3.8	21.0	10.0	4.1	275	21	80	50	1013
10/19/2016 12:00	BDL	BDL	BDL	1.6	0.04	3.7	16.0	11.0	3.3	283	41	82	44	1013
10/19/2016 13:00	BDL	BDL	BDL	BDL	BDL	3.6	24.0	11.0	4.2	286	27	83	41	1012
10/19/2016 14:00	BDL	BDL	BDL	BDL	BDL	3.3	21.0	11.0	5.1	300	19	83	41	1012
10/19/2016 15:00	BDL	BDL	BDL	BDL	BDL	3.2	25.0	12.0	5.5	301	22	84	40	1012
10/19/2016 16:00	BDL	BDL	BDL	BDL	BDL	3.4	26.0	16.0	6.1	308	19	82	43	1012
10/19/2016 17:00	BDL	BDL	BDL	0.5	BDL	2.9	29.0	14.0	4.3	303	11	81	47	1013
10/19/2016 18:00	BDL	BDL	BDL	6.6	0.1	2.8	30.0	10.0	5.7	310	6	80	51	1013
10/19/2016 19:00	BDL	BDL	BDL	9.2	0.1	2.6	29.0	12.0	4.9	333	16	80	50	1014
10/19/2016 20:00	BDL	BDL	BDL	15.2	0.1	2.8	35.0	12.0	7.5	358	18	79	44	1015
10/19/2016 21:00	BDL	BDL	BDL	4.3	BDL	2.9	24.0	7.0	7.6	44	14	76	45	1016
10/19/2016 22:00	BDL	BDL	BDL	3.7	BDL	3.0	19.0	6.0	7.0	44	13	74	43	1017
10/19/2016 23:00	BDL	BDL	BDL	3.8	BDL	3.3	44.0	8.0	5.8	43	14	72	44	1017

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 10/16/2016-10/22/2016														
10/20/2016 0:00	BDL	BDL	BDL	4.3	BDL	3.0	15.0	6.0	8.3	54	11	70	47	1017
10/20/2016 1:00	BDL	BDL	BDL	5.1	BDL	3.0	14.0	5.0	7.4	62	12	68	52	1017
10/20/2016 2:00	BDL	Calibration	Calibration	3.7	BDL	2.9	14.0	5.0	7.1	66	12	67	55	1016
10/20/2016 3:00	BDL	Calibration	Calibration	5.3	BDL	2.9	12.0	5.0	6.5	62	11	66	57	1017
10/20/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.9	14.0	6.0	6.7	53	12	65	59	1017
10/20/2016 5:00	BDL	BDL	BDL	11.4	BDL	3.0	20.0	5.0	7.2	53	12	65	61	1017
10/20/2016 6:00	BDL	BDL	BDL	11.8	BDL	3.0	25.0	4.0	8.1	69	13	64	64	1017
10/20/2016 7:00	BDL	Calibration	Calibration	21.5	BDL	2.9	31.0	6.0	6.5	72	14	63	68	1017
10/20/2016 8:00	BDL	Calibration	Calibration	20.0	0.04	2.9	35.0	7.0	6.6	78	13	64	68	1017
10/20/2016 9:00	BDL	BDL	BDL	16.6	0.04	Too few samples	40.0	7.0	6.4	67	15	66	67	1017
10/20/2016 10:00	BDL	BDL	BDL	14.3	0.04	Too few samples	32.0	8.0	5.6	77	18	68	68	1016
10/20/2016 11:00	BDL	BDL	BDL	10.8	0.04	2.1	34.0	8.0	5.8	78	16	70	67	1016
10/20/2016 12:00	BDL	BDL	BDL	6.4	0.04	2.3	25.0	8.0	5.2	98	25	74	63	1015
10/20/2016 13:00	BDL	BDL	BDL	2.1	BDL	2.0	21.0	11.0	5.5	125	17	76	61	1014
10/20/2016 14:00	BDL	BDL	BDL	2.6	BDL	2.2	30.0	11.0	7.6	110	16	77	61	1013
10/20/2016 15:00	BDL	BDL	BDL	2.5	BDL	1.6	23.0	14.0	7.0	110	14	76	64	1013
10/20/2016 16:00	BDL	BDL	BDL	2.7	BDL	1.3	25.0	14.0	7.3	109	16	76	68	1012
10/20/2016 17:00	BDL	BDL	BDL	3.3	BDL	1.1	21.0	10.0	8.2	105	12	73	77	1012
10/20/2016 18:00	BDL	BDL	BDL	6.1	BDL	0.9	21.0	14.0	6.5	105	14	71	82	1012
10/20/2016 19:00	BDL	BDL	BDL	2.7	BDL	0.8	22.0	10.0	5.4	104	14	70	84	1012
10/20/2016 20:00	BDL	BDL	BDL	3.1	BDL	0.8	21.0	10.0	5.0	124	16	70	80	1012
10/20/2016 21:00	BDL	BDL	BDL	1.0	BDL	0.7	17.0	8.0	4.3	133	15	69	79	1012
10/20/2016 22:00	BDL	BDL	BDL	13.0	BDL	0.6	9.0	8.0	6.2	157	13	68	82	1011
10/20/2016 23:00	BDL	BDL	BDL	0.9	BDL	0.5	9.0	6.0	6.6	170	13	67	87	1011
10/21/2016 0:00	BDL	0.8	0.7	1.7	BDL	0.5	13.0	4.0	5.5	165	13	66	91	1010
10/21/2016 1:00	BDL	0.7	0.6	8.3	BDL	0.4	10.0	5.0	5.3	160	14	66	92	1010
10/21/2016 2:00	BDL	Calibration	Calibration	2.1	BDL	0.2	6.0	5.0	6.0	169	12	67	92	1009
10/21/2016 3:00	BDL	Calibration	Calibration	3.2	BDL	0.1	5.0	4.0	2.9	134	16	66	92	1008
10/21/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	0.2	7.0	4.0	2.1	100	16	65	94	1008
10/21/2016 5:00	BDL	BDL	BDL	8.3	BDL	0.2	11.0	7.0	2.5	110	15	64	95.5	1007
10/21/2016 6:00	BDL	BDL	BDL	11.0	BDL	BDL	7.0	5.0	4.1	141	15	64	97	1006
10/21/2016 7:00	BDL	BDL	BDL	9.7	BDL	Too few samples	7.0	3.0	2.4	220	30	64	97	1006
10/21/2016 8:00	BDL	BDL	BDL	9.9	BDL	Too few samples	10.0	2.0	3.1	171	13	66	95	1005
10/21/2016 9:00	BDL	BDL	BDL	14.9	BDL	2.0	12.0	5.0	3.7	161	16	67	91	1005
10/21/2016 10:00	BDL	BDL	BDL	4.0	BDL	2.1	22.0	6.0	4.8	172	18	70	79	1003
10/21/2016 11:00	BDL	BDL	BDL	2.0	BDL	2.1	15.0	4.0	5.1	165	16	72	70	1002
10/21/2016 12:00	BDL	BDL	BDL	2.1	BDL	2.2	26.0	6.0	4.2	198	24	75	64	1001
10/21/2016 13:00	BDL	BDL	BDL	0.6	BDL	1.9	72.0	5.0	6.7	198	24	77	56	1000
10/21/2016 14:00	BDL	BDL	BDL	BDL	BDL	1.6	47.0	3.0	8.4	162	15	78	55	998
10/21/2016 15:00	BDL	BDL	BDL	1.8	BDL	1.3	57.0	5.0	7.8	168	16	78	55	997
10/21/2016 16:00	BDL	BDL	BDL	1.4	BDL	0.9	22.0	4.0	7.1	184	15	77	57	996
10/21/2016 17:00	BDL	BDL	BDL	1.7	BDL	0.7	16.0	3.0	7.3	200	11	77	59	996
10/21/2016 18:00	BDL	BDL	BDL	4.8	BDL	0.5	16.0	3.0	4.9	203	20	75	65	996
10/21/2016 19:00	BDL	BDL	BDL	0.6	BDL	0.4	26.0	5.0	8.4	306	10	70	69	996
10/21/2016 20:00	BDL	BDL	BDL	BDL	BDL	0.5	13.0	5.0	8.8	315	9	66	70	996
10/21/2016 21:00	BDL	BDL	BDL	BDL	BDL	0.5	7.0	4.0	9.7	306	9	62	80	996
10/21/2016 22:00	BDL	BDL	BDL	BDL	BDL	0.7	6.0	2.0	13.3	315	9	59	84	997
10/21/2016 23:00	BDL	BDL	BDL	4.4	BDL	0.6	8.0	2.0	12.9	327	11	57	78	996
10/22/2016 0:00	BDL	BDL	BDL	BDL	BDL	0.5	9.0	4.0	11.7	317	11	56	76	996
10/22/2016 1:00	BDL	BDL	BDL	BDL	BDL	0.8	5.0	3.0	10.6	318	11	54	83	996
10/22/2016 2:00	BDL	Calibration	Calibration	BDL	BDL	0.6	2.0	6.0	9.9	321	11	54	80	996
10/22/2016 3:00	BDL	Calibration	Calibration	BDL	BDL	0.4	1.0	4.0	9.5	316	13	53	85	996
10/22/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	0.4	BDL	1.0	9.8	316	11	52	86	996
10/22/2016 5:00	BDL	BDL	BDL	BDL	BDL	0.5	3.0	4.0	11.0	313	11	51	86	996
10/22/2016 6:00	BDL	BDL	BDL	BDL	BDL	0.5	4.0	3.0	9.8	303	12	50	86	997
10/22/2016 7:00	BDL	BDL	BDL	BDL	BDL	Too few samples	3.0	2.0	9.6	304	12	49	89	997
10/22/2016 8:00	BDL	BDL	BDL	BDL	BDL	0.6	5.0	3.0	12.0	307	11	49	80	998
10/22/2016 9:00	BDL	BDL	BDL	BDL	BDL	0.7	3.0	2.0	13.2	304	12	50	75	998
10/22/2016 10:00	BDL	BDL	BDL	BDL	BDL	0.9	3.0	4.0	16.6	309	10	51	73	999
10/22/2016 11:00	BDL	BDL	BDL	BDL	BDL	1.0	5.0	5.0	10.5	296	11	51	79	999
10/22/2016 12:00	BDL	BDL	BDL	BDL	BDL	1.3	5.0	3.0	11.5	292	13	51	73	1000
10/22/2016 13:00	BDL	BDL	BDL	BDL	BDL	1.9	6.0	5.0	11.7	292	11	51	71	1000
10/22/2016 14:00	BDL	BDL	BDL	BDL	BDL	1.5	5.0	6.0	11.5	294	12	52	62	1001
10/22/2016 15:00	BDL	BDL	BDL	BDL	BDL	1.3	9.0	7.0	12.6	289	14	53	54	1001
10/22/2016 16:00	BDL	BDL	BDL	BDL	BDL	1.3	12.0	4.0	11.8	290	11	52	51	1001
10/22/2016 17:00	BDL	BDL	BDL	BDL	BDL	1.4	11.0	3.0	11.2	291	13	52	50	1002
10/22/2016 18:00	BDL	BDL	BDL	BDL	BDL	1.5	14.0	6.0	10.9	295	11	51	49	1003
10/22/2016 19:00	BDL	BDL	BDL	BDL	BDL	1.7	9.0	5.0	8.9	293	11	50	51	1004
10/22/2016 20:00	BDL	BDL	BDL	BDL	BDL	1.8	6.0	7.0	10.1	298	11	49	51	1005
10/22/2016 21:00	BDL	BDL	BDL	BDL	BDL	1.9	8.0	6.0	10.5	294	13	49	51	1006
10/22/2016 22:00	BDL	BDL	BDL	BDL	BDL	2.0	7.0	5.0	8.2	288	13	49	53	1006
10/22/2016 23:00	BDL	BDL	BDL	BDL	BDL	2.1	8.0	3.0	7.9	280	14	49	58	1006

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 10/23/2016-10/29/2016														
10/23/2016 0:00	BDL	BDL	BDL	BDL	BDL	2.1	6.0	5.0	7.8	268	16	48	62	1007
10/23/2016 1:00	BDL	BDL	BDL	BDL	BDL	2.2	4.0	4.0	9.1	274	15	47	65	1007
10/23/2016 2:00	BDL	Calibration	Calibration	BDL	BDL	2.7	2.0	3.0	10.4	279	13	47	65	1007
10/23/2016 3:00	BDL	Calibration	Calibration	BDL	BDL	2.9	5.0	2.0	10.2	282	14	47	62	1008
10/23/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.6	4.0	3.0	8.3	283	13	47	58	1009
10/23/2016 5:00	BDL	BDL	BDL	BDL	BDL	2.6	7.0	3.0	5.9	247	16	46	61	1009
10/23/2016 6:00	BDL	BDL	BDL	2.1	BDL	2.6	7.0	7.0	6.6	245	14	46	64	1009
10/23/2016 7:00	BDL	Calibration	Calibration	1.8	BDL	2.6	10.0	7.0	6.5	256	16	46	66	1010
10/23/2016 8:00	BDL	Calibration	Calibration	4.9	BDL	2.9	10.0	6.0	10.0	251	15	48	60	1011
10/23/2016 9:00	BDL	BDL	BDL	3.4	BDL	3.0	10.0	5.0	9.4	249	14	50	56	1011
10/23/2016 10:00	BDL	BDL	BDL	BDL	BDL	3.1	12.0	2.0	9.9	274	17	55	50	1011
10/23/2016 11:00	BDL	BDL	BDL	BDL	BDL	3.1	15.0	4.0	11.4	293	14	58	48	1011
10/23/2016 12:00	BDL	BDL	BDL	BDL	BDL	3.0	14.0	5.0	10.5	283	18	60	45	1011
10/23/2016 13:00	BDL	BDL	BDL	BDL	BDL	3.0	14.0	5.0	11.6	287	16	62	39	1010
10/23/2016 14:00	BDL	BDL	BDL	BDL	BDL	3.1	17.0	3.0	12.2	279	17	64	36	1010
10/23/2016 15:00	BDL	BDL	BDL	BDL	BDL	3.3	13.0	5.0	12.7	289	13	64	36	1010
10/23/2016 16:00	BDL	BDL	BDL	BDL	BDL	3.0	17.0	8.0	9.3	282	15	64	39	1010
10/23/2016 17:00	BDL	BDL	BDL	BDL	BDL	2.9	17.0	7.0	8.1	277	13	63	44	1010
10/23/2016 18:00	BDL	BDL	0.5	8.6	0.04	3.4	20.0	10.0	3.3	228	15	61	51	1011
10/23/2016 19:00	BDL	1.6	1.8	42.9	0.1	4.3	25.0	9.0	3.4	217	13	60	59	1011
10/23/2016 20:00	BDL	BDL	BDL	23.0	BDL	2.7	20.0	8.0	4.4	197	11	57	69	1011
10/23/2016 21:00	BDL	BDL	BDL	9.7	BDL	2.7	23.0	11.0	4.7	203	12	56	74	1011
10/23/2016 22:00	BDL	BDL	BDL	11.7	BDL	3.0	19.0	10.0	4.5	202	11	56	74	1011
10/23/2016 23:00	BDL	BDL	BDL	8.0	BDL	2.4	17.0	9.0	5.0	200	11	55	77	1010
10/24/2016 0:00	BDL	BDL	BDL	7.1	BDL	2.7	16.0	8.0	6.4	207	13	56	75	1009
10/24/2016 1:00	BDL	BDL	BDL	4.7	BDL	2.5	14.0	6.0	6.3	214	15	57	73	1008
10/24/2016 2:00	BDL	Calibration	Calibration	5.4	BDL	2.0	15.0	7.0	6.2	205	12	56	74	1008
10/24/2016 3:00	BDL	Calibration	Calibration	2.7	BDL	2.7	14.0	9.0	7.8	218	14	56	75	1007
10/24/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.3	11.0	11.0	7.4	253	22	56	75	1007
10/24/2016 5:00	BDL	BDL	BDL	5.5	BDL	2.2	16.0	8.0	4.6	288	15	56	71	1009
10/24/2016 6:00	BDL	BDL	BDL	10.5	BDL	2.3	14.0	10.0	5.3	294	11	56	69	1010
10/24/2016 7:00	BDL	BDL	BDL	18.3	0.04	Too few samples	18.0	8.0	6.4	308	6	55	70	1011
10/24/2016 8:00	BDL	Calibration	Calibration	19.7	0.1	2.5	16.0	9.0	6.9	301	8	56	67	1012
10/24/2016 9:00	BDL	Too few samples	Too few samples	3.2	BDL	2.7	12.0	7.0	9.0	302	12	58	59	1013
10/24/2016 10:00	BDL	BDL	BDL	BDL	BDL	2.9	15.0	6.0	7.3	291	16	60	51	1013
10/24/2016 11:00	BDL	BDL	BDL	BDL	BDL	2.9	11.0	4.0	8.8	301	15	61	48	1013
10/24/2016 12:00	BDL	BDL	BDL	BDL	BDL	2.8	13.0	4.0	12.7	303	13	61	45	1013
10/24/2016 13:00	BDL	BDL	BDL	BDL	BDL	2.9	8.0	5.0	14.4	309	10	61	43	1013
10/24/2016 14:00	BDL	BDL	BDL	BDL	BDL	2.9	11.0	5.0	12.7	294	14	62	38	1012
10/24/2016 15:00	BDL	BDL	BDL	BDL	BDL	3.0	12.0	2.0	12.3	306	12	62	40	1012
10/24/2016 16:00	BDL	BDL	BDL	BDL	BDL	3.2	10.0	1.0	12.8	308	10	61	42	1013
10/24/2016 17:00	BDL	BDL	BDL	BDL	BDL	2.9	9.0	2.0	12.7	308	9	60	38	1014
10/24/2016 18:00	BDL	BDL	BDL	BDL	BDL	3.0	9.0	6.0	8.5	303	9	59	40	1015
10/24/2016 19:00	BDL	BDL	BDL	1.4	BDL	3.2	10.0	7.0	5.2	303	8	57	45	1016
10/24/2016 20:00	BDL	BDL	BDL	1.4	BDL	3.5	10.0	4.0	8.6	312	10	56	45	1017
10/24/2016 21:00	BDL	BDL	BDL	BDL	BDL	3.7	10.0	BDL	9.5	312	8	54	46	1018
10/24/2016 22:00	BDL	BDL	BDL	BDL	BDL	3.8	10.0	2.0	7.3	307	14	53	48	1019
10/24/2016 23:00	BDL	BDL	BDL	BDL	BDL	3.9	7.0	4.0	7.8	313	10	52	46	1020
10/25/2016 0:00	BDL	BDL	BDL	BDL	BDL	3.9	9.0	4.0	5.4	300	10	51	48	1020
10/25/2016 1:00	BDL	BDL	BDL	BDL	BDL	4.1	8.0	3.0	3.4	282	23	50	53	1020
10/25/2016 2:00	BDL	Calibration	Calibration	BDL	BDL	4.1	6.0	6.0	4.6	269	12	49	59	1020
10/25/2016 3:00	BDL	Calibration	Calibration	2.9	BDL	4.0	6.0	6.0	5.6	255	13	48	63	1021
10/25/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	7.0	6.0	5.8	263	15	47	66	1021
10/25/2016 5:00	BDL	BDL	BDL	BDL	BDL	4.3	6.0	4.0	5.6	280	11	47	66	1021
10/25/2016 6:00	BDL	BDL	BDL	8.4	BDL	4.3	8.0	3.0	5.1	270	11	46	69	1022
10/25/2016 7:00	BDL	Too few samples	Too few samples	13.4	BDL	4.5	17.0	5.0	5.7	274	11	46	69	1022
10/25/2016 8:00	BDL	Calibration	Calibration	11.4	BDL	4.6	11.0	5.0	8.3	284	12	48	59	1022
10/25/2016 9:00	BDL	Too few samples	Too few samples	2.5	BDL	5.1	9.0	5.0	10.1	298	11	51	53	1023
10/25/2016 10:00	BDL	BDL	BDL	BDL	BDL	4.8	6.0	3.0	8.7	291	16	53	49	1022
10/25/2016 11:00	BDL	BDL	BDL	BDL	BDL	4.7	6.0	4.0	9.4	296	15	53	48	1022
10/25/2016 12:00	BDL	BDL	BDL	BDL	BDL	4.8	14.0	4.0	11.1	313	12	53	46	1022
10/25/2016 13:00	BDL	BDL	BDL	BDL	BDL	4.6	12.0	2.0	8.9	306	16	54	45	1021
10/25/2016 14:00	BDL	BDL	BDL	2.1	BDL	4.6	18.0	2.0	12.2	313	14	53	44	1021
10/25/2016 15:00	BDL	BDL	BDL	BDL	BDL	4.7	16.0	4.0	13.3	315	11	54	41	1022
10/25/2016 16:00	BDL	BDL	BDL	8.6	BDL	4.8	17.0	10.0	9.8	333	14	53	42	1022
10/25/2016 17:00	BDL	BDL	BDL	5.7	BDL	4.8	11.0	7.0	10.6	324	11	52	42	1023
10/25/2016 18:00	BDL	BDL	BDL	3.2	BDL	4.9	9.0	5.0	10.2	317	10	51	40	1024
10/25/2016 19:00	BDL	BDL	BDL	3.0	BDL	5.0	8.0	4.0	6.6	304	8	50	44	1025
10/25/2016 20:00	BDL	BDL	BDL	7.4	BDL	5.1	14.0	5.0	5.0	298	6	49	47	1025
10/25/2016 21:00	BDL	BDL	BDL	11.0	BDL	5.3	11.0	6.0	5.0	294	7	48	51	1026
10/25/2016 22:00	BDL	BDL	BDL	21.0	0.1	5.5	11.0	9.0	4.3	292	8	46	57	1026
10/25/2016 23:00	BDL	BDL	BDL	30.4	0.1	5.6	11.0	7.0	5.0	297	7	45	61	1026
10/26/2016 0:00	BDL	BDL	BDL	24.7	0.1	5.6	10.0	6.0	4.9	308	12	44	63	1027
10/26/2016 1:00	BDL	BDL	BDL	19.4	0.1	5.8	14.0	6.0	6.0	337	13	44	57	1027
10/26/2016 2:00	BDL	Calibration	Calibration	10.1	BDL	5.8	9.0	6.0	6.3	345	17	44	58	1027
10/26/2016 3:00	BDL	Calibration	Calibration	8.0	BDL	5.8	11.0	5.0	6.1	344	17	43	59	1027
10/26/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	5.6	12.0	8.0	6.7	329	12	42	62	1027
10/26/2016 5:00	BDL	BDL	BDL	26.3	BDL	5.8	12.0	8.0	5.9	318	11	40	68	1027
10/26/2016 6:00	BDL	BDL	BDL	38.3	0.1	6.0	12.0	6.0	5.1	317	10	40	70	1028
10/26/2016 7:00	BDL	Calibration	Calibration	43.7	0.1	6.0	15.0	8.0	6.1	306	8	39	70	1028
10/26/2016 8:00	Too few samples	Too few samples	Too few samples	Too few samples	0.2	8.8	21.0	14.0	6.1	316	11	41	64	1029
10/26/2016 9:00	BDL	BDL	BDL	Calibration	BDL	7.9	14.0	9.0	7.3	330	16	44	50	1029
10/26/2016 10:00	BDL	Calibration	Calibration	9.9	BDL	2.1	21.0	6.0	8.5	331	17	45	43	1029
10/26/2016 11:00	BDL	Calibration	Calibration	6.7	BDL	2.1	13.0	4.0	7.3	320	18	46	41	1029
10/26/2016 12:00	BDL	Calibration	Calibration	1.9	BDL	1.8	10.0	4.0	7.0	309	17	48	41	1028
10/26/2016 13:00	BDL	BDL	BDL	3.2	BDL	1.7	11.0	2.0	5.9	319	27	49	39	1027
10/26/2016 14:00	BDL	BDL	BDL	1.9	BDL	1.6	14.0	5.0	5.7	310	25	51	37	1027
10/26/2016 15:00	BDL	BDL	BDL	1.5	BDL	1.3	10.0	4.0	5.4	305	26	51	36	1027
10/26/2016 16:00	BDL	BDL	BDL	2.3	BDL	1.3	7.0	2.0	5.6	302	23	51	36	1027
10/26/2016 17:00	BDL	BDL	BDL	0.6	BDL	1.1	12.0	3.0	5.5	300	22	51	39	1027
10/26/2016 18:00	BDL	BDL	BDL	2.0	BDL	1.2	11.0	3.0	4.5	311	22	50	40	1027
10/26/2016 19:00	BDL	BDL	BDL	1.5	BDL	1.0	10.0	4.0	3.6	350	25	50	38	1027
10/26/2016 20:00	BDL	BDL	BDL	6.3	BDL	1.1	11.0	5.0	5.2	44	17	49	39	1028
10/26/2016 21:00	BDL	BDL	BDL	6.7	BDL	1.3	11.0	6.0	5.2	77	15	48	43	1028
10/26/2016 22:00	BDL	BDL	BDL	4.3	BDL	1.2	12.0	4.0	5.7	71	12	48	44	1028
10/26/2016 23:00	BDL	BDL	BDL	3.5	BDL	1.1	8.0	5.0	6.9	77	13	47	44	1028

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 10/23/2016-10/29/2016														
10/27/2016 0:00	BDL	BDL	BDL	5.9	BDL	1.1	7.0	7.0	6.5	73	12	46	45	1028
10/27/2016 1:00	BDL	BDL	BDL	5.8	BDL	1.0	7.0	6.0	7.4	68	11	45	47	1028
10/27/2016 2:00	BDL	Calibration	Calibration	9.7	BDL	1.0	9.0	5.0	7.2	68	13	44	49	1028
10/27/2016 3:00	BDL	Calibration	Calibration	12.2	BDL	0.9	10.0	4.0	6.0	70	13	44	53	1027
10/27/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	11.0	10.0	6.1	74	12	44	57	1027
10/27/2016 5:00	BDL	BDL	BDL	12.4	BDL	0.6	13.0	6.0	5.7	81	14	44	60	1027
10/27/2016 6:00	BDL	BDL	BDL	17.1	BDL	0.6	14.0	4.0	6.8	74	12	44	62	1027
10/27/2016 7:00	BDL	BDL	BDL	25.6	BDL	Too few samples	24.0	5.0	5.7	70	13	45	65	1026
10/27/2016 8:00	BDL	BDL	BDL	29.1	BDL	Calibration	27.0	8.0	8.0	78	12	45	67	1026
10/27/2016 9:00	BDL	BDL	BDL	28.4	BDL	2.8	17.0	7.0	6.8	82	13	46	69	1026
10/27/2016 10:00	BDL	BDL	BDL	32.5	0.1	Too few samples	27.0	6.0	5.4	60	13	47	69	1025
10/27/2016 11:00	BDL	BDL	BDL	28.4	0.1	1.5	25.0	6.0	5.1	61	14	48	71	1024
10/27/2016 12:00	BDL	BDL	BDL	19.4	BDL	0.9	21.0	7.0	6.6	110	16	50	73	1023
10/27/2016 13:00	BDL	BDL	BDL	8.0	BDL	BDL	14.0	6.0	6.3	137	17	52	82	1021
10/27/2016 14:00	BDL	BDL	BDL	7.1	BDL	BDL	8.0	4.0	8.5	143	14	52	87	1019
10/27/2016 15:00	BDL	BDL	BDL	10.6	BDL	BDL	11.0	6.0	7.4	152	14	54	85	1019
10/27/2016 16:00	BDL	BDL	BDL	7.9	BDL	BDL	9.0	6.0	8.0	153	13	54	87	1018
10/27/2016 17:00	BDL	BDL	BDL	7.5	BDL	BDL	10.0	5.0	8.5	161	12	55	94	1017
10/27/2016 18:00	BDL	BDL	BDL	9.0	BDL	BDL	8.0	6.0	7.8	171	27	56	95	1016
10/27/2016 19:00	BDL	0.4	BDL	6.3	BDL	BDL	9.0	6.0	3.7	225	67	57	94	1016
10/27/2016 20:00	BDL	1.5	0.9	11.1	BDL	BDL	13.0	7.0	4.9	227	25	58	95	1015
10/27/2016 21:00	BDL	BDL	BDL	6.0	BDL	BDL	11.0	6.0	6.4	204	12	59	95	1014
10/27/2016 22:00	BDL	BDL	BDL	2.7	BDL	BDL	10.0	5.0	5.9	226	17	59	96	1014
10/27/2016 23:00	BDL	BDL	BDL	2.9	BDL	BDL	13.0	11.0	5.0	280	14	59	96	1015
10/28/2016 0:00	BDL	BDL	BDL	BDL	BDL	BDL	12.0	8.0	10.5	305	9	57	85	1015
10/28/2016 1:00	BDL	BDL	BDL	0.4	BDL	BDL	15.0	6.0	7.0	302	11	54	80	1016
10/28/2016 2:00	BDL	Calibration	Calibration	0.9	BDL	BDL	11.0	7.0	5.8	293	12	52	77	1016
10/28/2016 3:00	BDL	Calibration	Calibration	0.6	BDL	BDL	7.0	6.0	8.4	299	9	51	75	1016
10/28/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	5.0	3.0	5.8	291	11	50	75	1016
10/28/2016 5:00	BDL	BDL	BDL	2.0	BDL	BDL	7.0	4.0	3.6	277	16	49	78.1	1017
10/28/2016 6:00	BDL	BDL	BDL	4.8	BDL	BDL	8.0	5.0	7.1	299	13	49	76	1017
10/28/2016 7:00	BDL	BDL	BDL	2.4	BDL	Too few samples	10.0	3.0	12.6	309	9	48	68	1018
10/28/2016 8:00	BDL	BDL	BDL	3.3	BDL	BDL	8.0	3.0	14.7	310	9	48	62	1019
10/28/2016 9:00	BDL	BDL	BDL	BDL	BDL	BDL	5.0	2.0	14.9	308	10	48	56	1020
10/28/2016 10:00	BDL	BDL	BDL	BDL	BDL	BDL	3.0	BDL	16.4	312	11	49	54	1020
10/28/2016 11:00	BDL	BDL	BDL	BDL	BDL	BDL	7.0	1.0	17.4	313	10	49	53	1020
10/28/2016 12:00	BDL	BDL	BDL	BDL	BDL	BDL	6.0	2.0	15.8	307	12	50	52	1020
10/28/2016 13:00	BDL	BDL	BDL	BDL	BDL	BDL	6.0	4.0	13.0	306	12	51	48	1019
10/28/2016 14:00	BDL	BDL	BDL	BDL	BDL	BDL	7.0	3.0	13.5	311	12	52	45	1019
10/28/2016 15:00	BDL	BDL	BDL	BDL	BDL	BDL	6.0	2.0	13.3	312	13	53	43	1019
10/28/2016 16:00	BDL	BDL	BDL	BDL	BDL	BDL	6.0	1.0	13.6	311	10	53	42	1019
10/28/2016 17:00	BDL	BDL	BDL	BDL	BDL	BDL	10.0	3.0	11.5	311	10	53	44	1019
10/28/2016 18:00	BDL	BDL	BDL	9.5	BDL	BDL	8.0	5.0	7.6	323	11	52	47	1020
10/28/2016 19:00	BDL	BDL	BDL	15.9	BDL	0.4	12.0	6.0	6.1	331	12	51	47	1021
10/28/2016 20:00	BDL	BDL	BDL	10.4	BDL	0.1	10.0	6.0	3.6	335	33	49	51	1021
10/28/2016 21:00	BDL	BDL	BDL	12.9	BDL	BDL	10.0	5.0	3.2	331	52	48	56	1022
10/28/2016 22:00	BDL	BDL	BDL	9.6	BDL	BDL	9.0	6.0	4.9	316	14	47	58	1022
10/28/2016 23:00	BDL	BDL	BDL	23.9	0.1	0.2	11.0	6.0	4.7	304	12	46	63	1022
10/29/2016 0:00	BDL	BDL	BDL	23.2	0.1	0.1	10.0	8.0	3.8	295	16	45	67	1022
10/29/2016 1:00	BDL	BDL	BDL	21.6	0.2	0.1	15.0	7.0	2.8	296	15	44	72	1022
10/29/2016 2:00	BDL	Calibration	Calibration	35.0	0.2	0.3	13.0	12.0	1.7	259	29	43	75	1021
10/29/2016 3:00	BDL	Calibration	Calibration	57.3	0.4	0.8	14.0	14.0	2.7	273	17	42	80	1021
10/29/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	0.2	14.0	10.0	1.8	269	28	41	80	1021
10/29/2016 5:00	BDL	0.4	BDL	44.2	0.2	0.1	12.0	15.0	2.1	279	12	41	81	1021
10/29/2016 6:00	BDL	0.4	BDL	36.7	0.2	Too few samples	13.0	10.0	1.3	277	48	41	83	1021
10/29/2016 7:00	BDL	1.8	BDL	83.3	0.4	1.2	17.0	13.0	1.6	239	24	41	85	1021
10/29/2016 8:00	BDL	2.1	0.8	48.8	0.2	Too few samples	16.0	9.0	3.3	192	14	43	80	1021
10/29/2016 9:00	BDL	2.0	1.2	22.1	BDL	2.2	15.0	13.0	5.1	197	14	46	71	1020
10/29/2016 10:00	BDL	1.0	0.7	9.6	BDL	1.9	16.0	8.0	6.5	204	15	51	62	1019
10/29/2016 11:00	BDL	BDL	BDL	5.0	BDL	1.9	6.0	5.0	10.2	221	15	57	53	1018
10/29/2016 12:00	BDL	BDL	BDL	3.7	BDL	1.3	10.0	10.0	10.8	227	16	60	51	1016
10/29/2016 13:00	BDL	BDL	BDL	3.5	BDL	0.9	13.0	8.0	10.2	221	15	63	51	1015
10/29/2016 14:00	BDL	BDL	BDL	2.0	BDL	0.6	11.0	9.0	10.4	219	16	66	48	1013
10/29/2016 15:00	BDL	BDL	BDL	3.4	BDL	0.3	14.0	7.0	9.9	222	17	67	46	1013
10/29/2016 16:00	BDL	BDL	BDL	9.7	BDL	0.4	19.0	8.0	9.4	220	14	66	50	1012
10/29/2016 17:00	BDL	BDL	BDL	8.8	BDL	BDL	14.0	8.0	7.6	216	13	65	56	1011
10/29/2016 18:00	BDL	BDL	BDL	8.6	BDL	BDL	19.0	8.0	6.0	202	10	63	62	1011
10/29/2016 19:00	BDL	BDL	BDL	5.1	BDL	BDL	18.0	7.0	5.7	205	11	62	65	1012
10/29/2016 20:00	BDL	BDL	BDL	11.2	BDL	BDL	19.0	10.0	4.8	204	11	62	70	1012
10/29/2016 21:00	BDL	BDL	BDL	17.5	BDL	BDL	21.0	11.0	6.0	212	14	62	71	1012
10/29/2016 22:00	BDL	BDL	BDL	12.9	BDL	BDL	16.0	11.0	6.2	224	14	62	71	1012
10/29/2016 23:00	BDL	BDL	BDL	6.9	BDL	BDL	18.0	12.0	6.3	222	15	62	74	1012
10/29/2016 20:00	BDL	BDL	BDL	11.2	BDL	BDL	19.0	10.0	4.8	204	11	62	70	1012
10/29/2016 21:00	BDL	BDL	BDL	17.5	BDL	BDL	21.0	11.0	6.0	212	14	62	71	1012
10/29/2016 22:00	BDL	BDL	BDL	12.9	BDL	BDL	16.0	11.0	6.2	224	14	62	71	1012
10/29/2016 23:00	BDL	BDL	BDL	6.9	BDL	BDL	18.0	12.0	6.3	222	15	62	74	1012

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 10/30/2016-11/5/2016														
10/30/2016 0:00	BDL	BDL	BDL	5.5	BDL	BDL	16.0	12.0	5.6	222	15	62	76	1012
10/30/2016 1:00	BDL	BDL	BDL	8.2	BDL	BDL	20.0	16.0	5.1	222	15	62	77	1011
10/30/2016 2:00	BDL	Calibration	Calibration	5.1	BDL	BDL	20.0	14.0	6.0	221	14	62	78	1011
10/30/2016 3:00	BDL	Calibration	Calibration	8.6	0.04	BDL	21.0	13.0	5.7	218	14	62	79	1011
10/30/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	BDL	21.0	16.0	4.3	220	15	61	79	1011
10/30/2016 5:00	BDL	BDL	BDL	12.3	0.1	BDL	21.0	15.0	4.2	218	14	61	81	1011
10/30/2016 6:00	BDL	BDL	BDL	17.2	0.1	BDL	21.0	19.0	4.4	214	15	60	80	1011
10/30/2016 7:00	BDL	0.4	BDL	39.1	0.1	0.01	23.0	18.0	3.3	213	14	60	81	1011
10/30/2016 8:00	BDL	1.2	0.5	40.5	0.2	BDL	29.0	19.0	3.5	224	14	61	76	1011
10/30/2016 9:00	BDL	1.2	0.9	22.7	0.1	BDL	21.0	11.0	4.8	218	15	63	70	1011
10/30/2016 10:00	BDL	0.6	BDL	19.5	0.1	BDL	22.0	17.0	5.5	230	15	67	59	1010
10/30/2016 11:00	BDL	BDL	BDL	21.6	0.1	BDL	22.0	14.0	4.5	225	16	70	57	1010
10/30/2016 12:00	BDL	BDL	BDL	11.6	BDL	BDL	21.0	12.0	7.1	217	16	74	54	1009
10/30/2016 13:00	BDL	BDL	BDL	3.7	BDL	BDL	23.0	14.0	7.4	217	14	75	52	1008
10/30/2016 14:00	BDL	BDL	BDL	5.8	BDL	BDL	24.0	13.0	8.9	221	15	77	48	1007
10/30/2016 15:00	BDL	BDL	BDL	4.2	BDL	BDL	23.0	11.0	9.9	221	14	77	48	1006
10/30/2016 16:00	BDL	BDL	BDL	11.5	0.04	BDL	25.0	9.0	8.1	220	15	77	49	1006
10/30/2016 17:00	BDL	BDL	BDL	7.8	0.04	BDL	27.0	14.0	7.2	217	15	75	56	1006
10/30/2016 18:00	BDL	0.5	BDL	1.2	BDL	BDL	13.0	11.0	8.4	287	22	64	89	1009
10/30/2016 19:00	BDL	0.5	BDL	13.2	BDL	BDL	11.0	8.0	3.9	197	14	63	95	1010
10/30/2016 20:00	BDL	0.7	BDL	7.9	BDL	BDL	12.0	8.0	6.2	299	22	63	92	1010
10/30/2016 21:00	BDL	BDL	BDL	3.8	BDL	BDL	12.0	10.0	8.2	343	17	61	83	1011
10/30/2016 22:00	BDL	BDL	BDL	6.1	BDL	BDL	10.0	11.0	8.6	338	12	60	78	1012
10/30/2016 23:00	BDL	BDL	BDL	9.3	BDL	BDL	10.0	7.0	9.0	336	12	58	76	1013
10/31/2016 0:00	BDL	BDL	BDL	12.6	BDL	BDL	7.0	6.0	11.4	332	15	56	72	1013
10/31/2016 1:00	BDL	BDL	BDL	10.6	BDL	BDL	6.0	3.0	11.3	332	11	54	72	1014
10/31/2016 2:00	BDL	Calibration	Calibration	12.9	BDL	BDL	6.0	2.0	11.7	334	11	52	69	1015
10/31/2016 3:00	BDL	Calibration	Calibration	17.2	BDL	BDL	8.0	7.0	9.2	339	14	50	67	1015
10/31/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	12.0	12.0	7.6	338	17	49	68	1016
10/31/2016 5:00	BDL	BDL	BDL	10.2	BDL	BDL	11.0	10.0	10.1	336	14	48	68	1017
10/31/2016 6:00	BDL	BDL	BDL	10.0	BDL	BDL	7.0	10.0	9.4	337	15	48	67	1018
10/31/2016 7:00	Too few samples	BDL	BDL	Too few samples	Too few samples	BDL	10.0	8.0	9.0	340	14	47	67	1019
10/31/2016 8:00	Too few samples	BDL	BDL	Too few samples	Too few samples	Too few samples	11.0	9.0	9.0	339	13	47	65	1020
10/31/2016 9:00	BDL	BDL	BDL	6.0	BDL	3.2	14.0	6.0	8.2	344	21	48	61	1020
10/31/2016 10:00	BDL	BDL	BDL	18.0	BDL	4.1	11.0	4.0	8.8	333	16	49	56	1021
10/31/2016 11:00	BDL	BDL	BDL	8.8	BDL	4.4	6.0	4.0	7.4	326	26	50	55	1021
10/31/2016 12:00	BDL	BDL	BDL	7.3	BDL	4.8	6.0	2.0	7.0	322	31	52	51	1021
10/31/2016 13:00	BDL	BDL	BDL	9.6	BDL	5.0	11.0	6.0	5.8	322	29	53	47	1020
10/31/2016 14:00	BDL	BDL	BDL	3.4	BDL	4.7	7.0	4.0	6.7	324	30	54	47	1020
10/31/2016 15:00	BDL	BDL	BDL	3.3	BDL	4.5	9.0	2.0	6.1	337	28	54	45	1020
10/31/2016 16:00	BDL	BDL	BDL	1.8	BDL	4.5	7.0	3.0	5.7	329	25	54	44	1020
10/31/2016 17:00	BDL	BDL	BDL	3.3	BDL	3.8	7.0	3.0	4.0	319	27	54	47	1021
10/31/2016 18:00	BDL	BDL	BDL	4.4	BDL	3.7	8.0	3.0	4.0	332	24	53	49	1021
10/31/2016 19:00	BDL	BDL	BDL	10.0	BDL	3.8	10.0	3.0	2.3	243	41	52	56	1021
10/31/2016 20:00	BDL	BDL	BDL	21.1	0.1	4.6	10.0	5.0	1.7	275	40	51	56	1022
10/31/2016 21:00	BDL	BDL	BDL	34.4	0.2	4.7	13.0	7.0	3.2	310	27	50	62	1022
10/31/2016 22:00	BDL	BDL	BDL	16.0	0.1	5.1	12.0	6.0	3.5	348	23	48	64	1023
10/31/2016 23:00	BDL	BDL	BDL	17.0	0.1	4.5	12.0	9.0	3.9	44	12	47	65	1024
11/1/2016 0:00	BDL	BDL	BDL	16.2	0.1	4.8	13.0	9.0	3.6	42	12	45	67	1024
11/1/2016 1:00	BDL	BDL	BDL	20.3	0.04	4.8	10.0	8.0	3.7	63	12	44	70	1024
11/1/2016 2:00	BDL	Calibration	Calibration	13.3	BDL	4.7	12.0	6.0	2.1	82	19	44	71	1024
11/1/2016 3:00	BDL	Calibration	Calibration	24.7	3.0	4.9	13.0	3.0	2.3	76	14	43	72	1024
11/1/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	15.0	6.0	1.2	70	13	42	74	1025
11/1/2016 5:00	BDL	BDL	BDL	24.3	BDL	5.5	13.0	9.0	1.6	69	10	42	74	1025
11/1/2016 6:00	BDL	1.9	BDL	92.2	0.2	5.7	31.0	15.0	2.2	57	9	42	79	1025
11/1/2016 7:00	BDL	Too few samples	Too few samples	92.0	0.3	6.4	35.0	11.0	2.6	68	13	41	79	1025
11/1/2016 8:00	BDL	Calibration	Calibration	63.1	0.2	6.8	27.0	8.0	2.7	68	16	43	76	1026
11/1/2016 9:00	BDL	0.6	BDL	58.4	0.2	6.9	28.0	14.0	2.9	89	20	45	71	1026
11/1/2016 10:00	BDL	1.3	BDL	75.9	0.2	7.7	38.0	16.0	2.4	115	23	47	63	1026
11/1/2016 11:00	BDL	1.0	BDL	54.2	0.2	8.5	23.0	14.0	1.8	129	55	52	57	1026
11/1/2016 12:00	BDL	BDL	BDL	8.5	BDL	7.0	10.0	8.0	5.5	203	19	56	57	1025
11/1/2016 13:00	BDL	BDL	BDL	1.5	BDL	6.3	10.0	4.0	5.8	189	21	57	56	1024
11/1/2016 14:00	BDL	BDL	BDL	3.2	BDL	5.7	12.0	5.0	5.6	194	19	58	55	1024
11/1/2016 15:00	BDL	BDL	BDL	5.1	BDL	5.5	21.0	7.0	6.2	199	17	58	57	1024
11/1/2016 16:00	BDL	BDL	BDL	1.4	BDL	5.1	17.0	6.0	6.3	202	12	58	60	1024
11/1/2016 17:00	BDL	BDL	BDL	1.9	BDL	5.1	10.0	6.0	5.4	196	11	57	62	1024
11/1/2016 18:00	BDL	BDL	BDL	3.9	BDL	5.1	13.0	7.0	4.4	185	11	56	66	1024
11/1/2016 19:00	BDL	BDL	BDL	7.2	BDL	5.0	14.0	12.0	4.1	185	13	56	68	1024
11/1/2016 20:00	BDL	BDL	BDL	3.6	BDL	5.0	14.0	7.0	3.7	194	12	55	70	1024
11/1/2016 21:00	BDL	BDL	BDL	7.4	BDL	5.1	15.0	5.0	4.0	189	14	55	73	1024
11/1/2016 22:00	BDL	BDL	BDL	2.3	BDL	5.0	9.0	4.0	2.5	192	14	54	77	1024
11/1/2016 23:00	BDL	BDL	BDL	6.0	BDL	4.9	11.0	6.0	1.7	201	14	53	81	1024
11/2/2016 0:00	BDL	0.9	0.8	28.3	BDL	4.9	13.0	7.0	1.7	192	11	53	84	1024
11/2/2016 1:00	BDL	2.1	2.2	11.7	BDL	5.0	12.0	7.0	2.2	200	12	52	86	1024
11/2/2016 2:00	BDL	Calibration	Calibration	18.9	BDL	5.0	12.0	7.0	2.0	171	15	52	87	1024
11/2/2016 3:00	BDL	Calibration	Calibration	19.1	BDL	4.8	12.0	8.0	2.3	181	10	52	88	1024
11/2/2016 4:00	Calibration	1.1	1.0	Calibration	Calibration	Too few samples	13.0	9.0	2.5	198	13	52	89	1023
11/2/2016 5:00	BDL	1.6	1.1	17.6	BDL	4.5	12.0	7.0	3.1	210	12	51	90	1023
11/2/2016 6:00	BDL	1.2	BDL	47.9	0.1	5.0	15.0	8.0	3.1	200	13	51	90	1023
11/2/2016 7:00	BDL	1.8	0.6	62.8	0.1	4.6	48.0	12.0	3.3	205	11	51	92	1023
11/2/2016 8:00	BDL	1.5	0.7	58.2	0.1	Too few samples	25.0	10.0	3.8	202	13	52	89	1023
11/2/2016 9:00	BDL	1.2	0.4	39.2	0.1	5.6	22.0	11.0	5.3	220	15	55	83	1023
11/2/2016 10:00	BDL	0.6	BDL	27.9	0.04	5.3	Invalid	Invalid	7.1	239	14	58	72	1023
11/2/2016 11:00	BDL	BDL	BDL	17.7	BDL	6.0	Invalid	Invalid	7.0	222	17	61	70	1022
11/2/2016 12:00	BDL	BDL	BDL	7.5	BDL	5.7	21.0	9.0	7.5	235	16	64	64	1021
11/2/2016 13:00	BDL	BDL	BDL	8.3	BDL	4.5	29.0	9.0	6.5	232	19	67	60	1020
11/2/2016 14:00	BDL	BDL	BDL	11.0	BDL	4.9	31.0	11.0	5.9	224	19	68	59	1019
11/2/2016 15:00	BDL	BDL	BDL	10.9	BDL	4.8	25.0	12.0	5.8	230	16	69	58	1019
11/2/2016 16:00	BDL	BDL	BDL	10.6	BDL	4.5	23.0	11.0	6.6	221	16	69	62	1019
11/2/2016 17:00	BDL	BDL	BDL	12.0	BDL	3.2	34.0	12.0	5.7	197	11	66	74	1019
11/2/2016 18:00	BDL	BDL	BDL	17.4	0.1	2.9	27.0	15.0	5.3	208	12	64	78	1019
11/2/2016 19:00	BDL	0.5	BDL	32.3	0.1	3.3	24.0	18.0	4.7	231	16	63	79	1019
11/2/2016 20:00	BDL	0.5	0.8	31.7	0.2	3.3	30.0	14.0	2.7	215	14	62	83	1019
11/2/2016 21:00	BDL	0.9	0.4	44.0	0.3	4.1	29.0	19.0	2.0	223	18	61	86	1019
11/2/2016 22:00	BDL	1.8	1.1	42.0	0.2	3.8	29.0	17.0	2.9	225	13	60	88	1019
11/2/2016 23:00	BDL	1.0	0.4	44.9	0.2	3.7	37.0	20.0	2.2	221	16	59	89	1018

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 10/30/2016-11/5/2016														
11/3/2016 0:00	BDL	5.1	4.9	36.7	0.2	2.9	34.0	21.0	2.3	223	12	59	91	1018
11/3/2016 1:00	BDL	0.6	BDL	35.4	0.1	2.3	30.0	20.0	3.3	217	14	58	92	1017
11/3/2016 2:00	BDL	Calibration	Calibration	35.4	0.1	1.3	30.0	21.0	2.9	218	13	57	94	1017
11/3/2016 3:00	BDL	Calibration	Calibration	29.5	0.1	1.7	28.0	22.0	2.5	220	15	57	95	1016
11/3/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	0.8	27.0	21.0	3.2	216	14	57	96	1016
11/3/2016 5:00	BDL	BDL	BDL	20.1	0.1	1.1	31.0	20.0	3.8	215	12	57	97	1015
11/3/2016 6:00	BDL	0.5	BDL	27.3	0.1	BDL	31.0	22.0	4.9	217	14	57	97	1014
11/3/2016 7:00	BDL	0.7	BDL	33.4	0.1	0.8	21.0	19.0	4.8	220	14	56	99	1014
11/3/2016 8:00	BDL	1.0	BDL	50.2	0.2	BDL	22.0	18.0	5.3	215	14	57	99	1014
11/3/2016 9:00	BDL	0.7	BDL	38.9	0.2	BDL	26.0	23.0	5.7	219	15	58	96	1013
11/3/2016 10:00	BDL	0.9	BDL	32.4	0.2	BDL	33.0	22.0	6.4	234	15	61	86	1013
11/3/2016 11:00	BDL	0.7	BDL	37.2	0.2	BDL	30.0	23.0	6.3	227	15	65	75	1012
11/3/2016 12:00	BDL	0.6	BDL	32.7	0.2	BDL	40.0	17.0	7.8	243	14	70	64	1011
11/3/2016 13:00	BDL	BDL	BDL	9.9	0.04	BDL	24.0	18.0	7.3	258	16	70	67	1011
11/3/2016 14:00	BDL	1.0	0.5	15.9	0.1	BDL	25.0	15.0	7.1	235	14	70	69	1010
11/3/2016 15:00	BDL	0.8	0.7	13.2	0.1	BDL	29.0	16.0	7.8	233	12	70	68	1010
11/3/2016 16:00	BDL	1.0	0.8	16.0	0.1	BDL	25.0	17.0	4.5	244	15	70	67	1010
11/3/2016 17:00	BDL	BDL	BDL	10.9	0.1	BDL	20.0	9.0	3.8	261	14	69	69	1010
11/3/2016 18:00	BDL	BDL	BDL	7.2	BDL	BDL	18.0	12.0	7.8	311	11	68	73	1011
11/3/2016 19:00	BDL	BDL	BDL	13.3	BDL	BDL	14.0	7.0	11.6	339	11	66	62	1012
11/3/2016 20:00	BDL	BDL	BDL	9.3	BDL	BDL	14.0	10.0	9.4	340	14	64	60	1012
11/3/2016 21:00	BDL	BDL	BDL	4.2	BDL	BDL	11.0	7.0	8.8	343	18	61	60	1013
11/3/2016 22:00	BDL	BDL	BDL	3.2	BDL	BDL	17.0	6.0	6.3	342	17	60	63	1013
11/3/2016 23:00	BDL	BDL	BDL	7.0	BDL	BDL	5.0	4.0	6.5	336	14	58	63	1014
11/4/2016 0:00	BDL	BDL	BDL	11.0	BDL	BDL	5.0	4.0	8.1	335	10	56	66	1013
11/4/2016 1:00	BDL	BDL	BDL	9.5	BDL	BDL	6.0	4.0	5.1	319	12	54	70	1013
11/4/2016 2:00	BDL	Calibration	Calibration	10.5	BDL	BDL	7.0	3.0	5.7	318	12	54	71	1014
11/4/2016 3:00	BDL	Calibration	Calibration	12.1	BDL	BDL	9.0	2.0	6.4	330	14	55	66	1015
11/4/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	17.0	8.0	8.0	339	13	54	64	1015
11/4/2016 5:00	BDL	BDL	BDL	6.1	BDL	0.02	9.0	8.0	4.9	324	16	53	66	1016
11/4/2016 6:00	BDL	BDL	BDL	17.8	BDL	0.8	8.0	8.0	5.6	304	9	53	69	1017
11/4/2016 7:00	BDL	BDL	BDL	13.5	BDL	Too few samples	10.0	6.0	8.8	313	8	51	67	1018
11/4/2016 8:00	BDL	BDL	BDL	15.3	BDL	Too few samples	18.0	6.0	11.3	328	11	53	61	1019
11/4/2016 9:00	BDL	BDL	BDL	15.6	BDL	3.0	28.0	12.0	10.4	337	14	54	56	1019
11/4/2016 10:00	BDL	BDL	BDL	13.4	BDL	3.8	24.0	10.0	9.7	335	15	55	54	1019
11/4/2016 11:00	BDL	BDL	BDL	11.5	BDL	4.6	22.0	10.0	10.7	334	15	56	52	1019
11/4/2016 12:00	BDL	BDL	BDL	7.1	BDL	4.5	22.0	6.0	11.6	328	17	58	46	1019
11/4/2016 13:00	BDL	BDL	BDL	5.5	BDL	4.4	24.0	3.0	12.1	331	15	58	41	1019
11/4/2016 14:00	BDL	BDL	BDL	5.2	BDL	3.9	22.0	8.0	10.3	339	16	59	36	1019
11/4/2016 15:00	BDL	BDL	BDL	6.4	BDL	4.6	9.0	5.0	11.2	327	13	58	39	1019
11/4/2016 16:00	BDL	BDL	BDL	5.4	BDL	4.5	9.0	1.0	10.7	325	15	58	38	1020
11/4/2016 17:00	BDL	BDL	BDL	4.4	BDL	3.8	7.0	BDL	9.7	322	11	57	37	1020
11/4/2016 18:00	BDL	BDL	BDL	4.1	BDL	3.4	9.0	BDL	4.3	293	13	55	42	1021
11/4/2016 19:00	BDL	BDL	BDL	9.3	BDL	3.5	9.0	3.0	4.8	298	8	53	47	1021
11/4/2016 20:00	BDL	BDL	BDL	13.8	BDL	3.8	11.0	6.0	3.9	294	10	52	51	1022
11/4/2016 21:00	BDL	BDL	BDL	15.0	BDL	4.0	13.0	6.0	6.2	306	7	50	52	1022
11/4/2016 22:00	BDL	BDL	BDL	23.0	0.1	4.2	16.0	10.0	4.5	309	14	49	54	1022
11/4/2016 23:00	BDL	BDL	BDL	33.4	0.1	4.5	14.0	10.0	4.5	319	15	48	56	1022
11/5/2016 0:00	BDL	BDL	BDL	28.9	0.1	4.6	18.0	10.0	4.6	311	8	47	58	1022
11/5/2016 1:00	BDL	BDL	BDL	34.4	0.2	4.2	15.0	6.0	5.2	311	7	46	62	1022
11/5/2016 2:00	BDL	Calibration	Calibration	27.0	0.1	4.2	11.0	6.0	5.8	308	6	45	62	1022
11/5/2016 3:00	BDL	Calibration	Calibration	19.1	BDL	4.4	12.0	5.0	6.1	309	6	44	64	1023
11/5/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	10.0	9.0	4.5	296	7	43	68	1022
11/5/2016 5:00	BDL	BDL	BDL	25.7	0.04	4.4	17.0	11.0	4.2	299	7	42	71	1023
11/5/2016 6:00	BDL	BDL	BDL	26.8	0.1	4.6	13.0	6.0	1.9	260	20	42	73	1023
11/5/2016 7:00	BDL	Calibration	Calibration	40.2	0.1	4.9	14.0	11.0	2.7	242	14	42	75	1023
11/5/2016 8:00	BDL	Too few samples	Too few samples	22.7	0.1	5.1	9.0	8.0	3.5	247	15	44	63	1023
11/5/2016 9:00	BDL	BDL	BDL	14.3	BDL	5.2	9.0	8.0	5.1	245	16	48	57	1023
11/5/2016 10:00	BDL	BDL	BDL	5.7	BDL	5.3	7.0	7.0	5.5	263	19	52	53	1023
11/5/2016 11:00	BDL	BDL	BDL	1.1	BDL	5.7	11.0	5.0	5.5	282	21	56	47	1022
11/5/2016 12:00	BDL	BDL	BDL	BDL	BDL	5.9	9.0	5.0	8.8	306	12	59	45	1022
11/5/2016 13:00	BDL	BDL	BDL	BDL	BDL	4.9	7.0	4.0	7.5	291	17	61	40	1021
11/5/2016 14:00	BDL	BDL	BDL	BDL	BDL	4.4	10.0	7.0	7.0	282	17	63	38	1019
11/5/2016 15:00	BDL	BDL	BDL	BDL	BDL	4.2	10.0	6.0	6.9	288	15	64	39	1019
11/5/2016 16:00	BDL	BDL	BDL	BDL	BDL	4.2	9.0	5.0	6.6	290	16	64	38	1019
11/5/2016 17:00	BDL	BDL	BDL	BDL	BDL	3.3	11.0	6.0	5.0	283	11	63	43	1019
11/5/2016 18:00	BDL	BDL	BDL	12.0	0.1	2.9	15.0	7.0	2.4	255	11	60	53	1020
11/5/2016 19:00	BDL	BDL	BDL	13.9	0.1	3.0	19.0	11.0	3.3	250	12	58	54	1020
11/5/2016 20:00	BDL	BDL	BDL	14.2	0.1	3.0	16.0	13.0	3.5	256	12	57	57	1020
11/5/2016 21:00	BDL	2.0	0.7	12.5	0.1	3.3	17.0	12.0	3.3	235	14	55	58	1020
11/5/2016 22:00	BDL	2.6	1.8	20.4	0.1	3.2	20.0	19.0	2.9	209	11	53	66	1020
11/5/2016 23:00	BDL	2.0	1.0	19.7	0.1	3.1	23.0	16.0	2.0	214	17	52	70	1020

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 11/6/2016-11/12/2016														
11/6/2016 0:00	BDL	3.2	2.5	13.9	0.1	4.1	Invalid	15.0	2.7	218	12	51	70	1020
11/6/2016 1:00	BDL	BDL	BDL	4.4	BDL	2.8	Invalid	8.0	5.9	273	12	53	60	1019
11/6/2016 2:00	BDL	Calibration	Calibration	2.5	BDL	2.5	Invalid	6.0	6.6	279	10	54	57	1019
11/6/2016 3:00	BDL	Calibration	Calibration	2.2	Calibration	2.3	Invalid	5.0	6.8	293	9	54	56	1019
11/6/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	Invalid	7.0	6.4	293	8	53	58	1019
11/6/2016 5:00	BDL	BDL	BDL	4.5	BDL	BDL	Invalid	9.0	4.8	278	10	52	63	1020
11/6/2016 6:00	BDL	BDL	BDL	11.5	BDL	BDL	Invalid	10.0	4.8	276	10	50	68	1020
11/6/2016 7:00	BDL	BDL	BDL	4.8	BDL	BDL	Invalid	11.0	5.2	295	8	49	71	1021
11/6/2016 8:00	BDL	Calibration	Calibration	7.4	Too few samples	BDL	Invalid	9.0	6.3	302	6	51	70	1021
11/6/2016 9:00	BDL	Calibration	Calibration	4.2	BDL	BDL	Invalid	9.0	9.9	312	10	54	64	1021
11/6/2016 10:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	Invalid	9.0	13.1	325	12	57	55	1021
11/6/2016 11:00	0.7	BDL	BDL	3	BDL	1.6	21.0	6.0	14.3	323	11	58	46	1021
11/6/2016 12:00	0.7	BDL	BDL	4.3	BDL	1.8	9.0	5.0	12.5	326	12	60	38	1021
11/6/2016 13:00	0.7	BDL	BDL	8.6	BDL	1.2	16.0	6.0	13.0	331	13	60	32	1020
11/6/2016 14:00	0.4	BDL	BDL	3	BDL	0.5	12.0	3.0	13.0	324	12	60	29	1020
11/6/2016 15:00	1.2	BDL	BDL	9.4	BDL	0.2	16.0	5.0	12.0	334	14	60	25	1021
11/6/2016 16:00	2.2	BDL	BDL	11.6	BDL	0.7	24.0	7.0	12.6	338	15	60	25	1021
11/6/2016 17:00	3.0	BDL	BDL	4.8	BDL	0.4	24.0	14.0	10.9	340	16	58	29	1022
11/6/2016 18:00	0.9	BDL	BDL	7.2	BDL	0.8	7.0	8.0	8.0	353	18	56	36	1023
11/6/2016 19:00	1.0	BDL	BDL	8.5	BDL	1.2	7.0	4.0	8.1	352	17	54	40	1024
11/6/2016 20:00	1.1	BDL	BDL	10.2	BDL	1.5	12.0	4.0	8.0	350	19	53	42	1025
11/6/2016 21:00	0.6	BDL	BDL	7.2	BDL	1.9	19.0	5.0	7.9	40	14	51	43	1026
11/6/2016 22:00	BDL	BDL	BDL	1.1	BDL	2.1	5.0	6.0	8.6	45	12	49	46	1027
11/6/2016 23:00	BDL	BDL	BDL	1.9	BDL	2.3	6.0	5.0	7.8	46	12	48	49	1027
11/7/2016 0:00	0.8	BDL	BDL	12.2	BDL	2.5	9.0	4.0	5.5	346	20	47	53	1027
11/7/2016 1:00	1.0	BDL	BDL	9.6	BDL	2.6	7.0	2.0	5.9	345	18	45	56	1027
11/7/2016 2:00	1.1	Calibration	Calibration	6.8	BDL	2.6	6.0	2.0	5.5	346	16	44	58	1028
11/7/2016 3:00	0.9	Calibration	Calibration	4.4	Calibration	2.7	6.0	3.0	5.4	344	16	43	60	1028
11/7/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	3.0	6.0	5.0	6.3	345	17	42	63	1028
11/7/2016 5:00	1.5	BDL	BDL	12.2	BDL	3.3	7.0	7.0	6.3	347	17	42	64	1028
11/7/2016 6:00	1.2	BDL	BDL	9.9	BDL	3.7	7.0	6.0	6.2	341	15	41	65	1029
11/7/2016 7:00	1.1	BDL	BDL	13.8	BDL	4.1	13.0	4.0	5.8	342	17	41	66	1029
11/7/2016 8:00	2.0	BDL	BDL	26.1	BDL	BDL	17.0	4.0	5.6	345	18	42	63	1030
11/7/2016 9:00	2.3	BDL	BDL	29.9	BDL	BDL	20.0	6.0	5.0	350	21	45	57	1030
11/7/2016 10:00	0.9	BDL	BDL	9.6	BDL	5.4	17.0	4.0	8.8	50	15	46	50	1030
11/7/2016 11:00	0.5	BDL	BDL	5.2	BDL	5.9	12.0	4.0	7.3	26	20	47	47	1030
11/7/2016 12:00	0.4	BDL	BDL	4.2	BDL	5.9	10.0	3.0	6.9	31	22	49	41	1029
11/7/2016 13:00	BDL	BDL	BDL	3.5	BDL	5.7	9.0	2.0	5.7	27	25	51	38	1028
11/7/2016 14:00	0.7	BDL	BDL	6.2	BDL	5.3	12.0	5.0	5.3	349	31	52	35	1028
11/7/2016 15:00	0.4	BDL	BDL	5.4	BDL	5.0	15.0	4.0	4.7	320	37	53	35	1027
11/7/2016 16:00	BDL	BDL	BDL	4.1	BDL	4.2	14.0	3.0	6.5	313	15	54	34	1027
11/7/2016 17:00	BDL	BDL	BDL	7.7	BDL	3.1	14.0	6.0	6.3	315	13	54	36	1026
11/7/2016 18:00	0.4	BDL	BDL	14.6	BDL	2.6	16.0	7.0	2.6	335	33	53	37	1026
11/7/2016 19:00	0.4	BDL	BDL	25.7	0.1	2.6	18.0	7.0	1.7	203	38	51	44	1026
11/7/2016 20:00	1.2	1.0	BDL	66.8	0.4	4.5	21.0	10.0	1.6	245	41	49	53	1026
11/7/2016 21:00	1.5	1.3	BDL	81.0	0.5	3.0	27.0	13.0	1.3	220	34	47	59	1026
11/7/2016 22:00	1.8	2.3	BDL	101.2	0.7	2.9	25.0	13.0	1.4	238	22	46	65	1025
11/7/2016 23:00	2.0	7.2	3.3	108.5	0.7	3.0	22.0	12.0	1.5	242	18	45	67	1025
11/8/2016 0:00	2.0	2.6	0.4	94.6	0.6	2.4	22.0	13.0	2.7	289	10	44	68	1024
11/8/2016 1:00	1.8	1.6	BDL	81.5	0.5	2.1	17.0	12.0	2.0	274	14	43	68	1024
11/8/2016 2:00	1.3	Calibration	Calibration	61.9	0.3	2.0	17.0	10.0	2.6	251	10	43	72	1024
11/8/2016 3:00	1.6	Calibration	Calibration	80.0	Calibration	2.5	22.0	16.0	2.2	238	20	43	75	1023
11/8/2016 4:00	Calibration	1.7	0.7	Calibration	Calibration	Too few samples	21.0	11.0	2.1	238	18	42	74	1022
11/8/2016 5:00	1.5	1.6	BDL	69.3	0.2	8.0	19.0	13.0	1.9	249	16	42	77	1022
11/8/2016 6:00	2.0	6.1	4.0	113.0	0.3	3.8	30.0	13.0	1.4	221	35	42	79	1022
11/8/2016 7:00	2.6	11.1	7.3	153.3	0.5	1.5	29.0	13.0	1.9	244	19	41	81	1022
11/8/2016 8:00	2.5	2.9	0.4	112.8	0.5	Too few samples	29.0	10.0	2.9	271	11	43	70	1022
11/8/2016 9:00	2.3	2.9	0.5	80.9	0.3	analyzer issues	39.0	10.0	2.4	236	18	48	54	1021
11/8/2016 10:00	2.2	2.1	0.5	70.4	0.3	analyzer issues	26.0	13.0	2.6	227	14	52	46	1020
11/8/2016 11:00	2.5	1.9	BDL	67.1	0.3	analyzer issues	28.0	12.0	2.4	218	25	58	41	1019
11/8/2016 12:00	1.1	BDL	BDL	17.1	BDL	analyzer issues	18.0	6.0	4.4	307	17	64	30	1018
11/8/2016 13:00	0.8	BDL	BDL	5.5	BDL	analyzer issues	8.0	3.0	3.8	294	25	67	24	1017
11/8/2016 14:00	0.5	BDL	BDL	3.5	BDL	analyzer issues	9.0	4.0	4.4	281	25	68	22	1016
11/8/2016 15:00	0.8	BDL	BDL	4.3	BDL	analyzer issues	11.0	4.0	4.2	269	26	69	22	1015
11/8/2016 16:00	1.1	BDL	BDL	13.8	BDL	analyzer issues	12.0	3.0	4.0	251	17	67	25	1015
11/8/2016 17:00	0.8	BDL	BDL	19.4	0.1	analyzer issues	12.0	5.0	3.2	257	10	65	31	1015
11/8/2016 18:00	1.4	2.4	2.1	40.1	0.2	analyzer issues	44.0	10.0	2.5	221	16	61	41	1014
11/8/2016 19:00	3.0	2.4	1.5	48.1	0.1	analyzer issues	29.0	12.0	3.9	218	13	59	46	1014
11/8/2016 20:00	2.6	6.4	5.3	65.0	0.2	analyzer issues	36.0	11.0	2.9	218	13	57	55	1014
11/8/2016 21:00	4.4	2.0	BDL	79.6	0.3	analyzer issues	26.0	12.0	3.4	212	12	55	59	1014
11/8/2016 22:00	4.4	1.4	BDL	65.5	0.2	analyzer issues	25.0	12.0	3.8	216	13	55	55	1013
11/8/2016 23:00	2.3	0.8	BDL	37.9	0.1	analyzer issues	18.0	8.0	3.4	227	16	55	56	1012
11/9/2016 0:00	1.5	6.3	5.0	33.1	0.1	analyzer issues	25.0	11.0	2.7	230	17	53	63	1012
11/9/2016 1:00	1.3	2.0	0.8	37.7	0.1	analyzer issues	24.0	12.0	2.7	209	12	52	68	1011
11/9/2016 2:00	1.2	Calibration	Calibration	36.9	0.1	analyzer issues	22.0	8.0	2.9	213	15	52	70	1011
11/9/2016 3:00	1.1	Calibration	Calibration	31.3	Calibration	analyzer issues	18.0	12.0	1.3	220	37	52	73	1010
11/9/2016 4:00	Calibration	1.1	1.0	Calibration	Calibration	Calibration	21.0	13.0	2.6	229	18	51	75	1010
11/9/2016 5:00	1.4	2.6	2.3	46.5	0.1	analyzer issues	24.0	12.0	3.2	256	24	52	77	1009
11/9/2016 6:00	1.7	4.6	4.2	65.2	0.2	Too few samples	34.0	16.0	1.6	232	36	51	79	1009
11/9/2016 7:00	1.6	Audit	Audit	57.1	0.2	analyzer issues	36.0	16.0	1.8	248	23	52	72	1009
11/9/2016 8:00	Too few samples	BDL	Too few samples	Too few samples	Calibration	analyzer issues	46.0	18.0	3.4	282	13	53	73	1009
11/9/2016 9:00	1.3	BDL	BDL	Calibration	Too few samples	4.8	26.0	15.0	2.4	280	18	53	80	1010
11/9/2016 10:00	1.0	0.6	BDL	29.4	0.1	BDL	24.0	18.0	2.5	283	17	52	89	1009
11/9/2016 11:00	0.8	Calibration	Calibration	25.1	0.2	8.6	28.0	20.0	2.5	265	16	53	93	1009
11/9/2016 12:00	0.9	Calibration	Calibration	26.5	Too few samples	11.8	35.0	22.0	2.8	254	16	54	92	1008
11/9/2016 13:00	0.7	BDL	BDL	14.3	Too few samples	Too few samples	27.0	27.0	4.3	286	11	55	90	1008
11/9/2016 14:00	0.8	BDL	BDL	9.0	0.1	Too few samples	18.0	17.0	7.1	313	8	55	87	1007
11/9/2016 15:00	0.7	BDL	BDL	12.7	0.1	2.5	27.0	25.0	7.2	310	8	55	89	1007
11/9/2016 16:00	0.7	BDL	BDL	15.1	0.1	2.7	24.0	22.0	8.5	316	7	54	92	1008
11/9/2016 17:00	0.6	BDL	BDL	11.6	0.1	2.6	17.0	16.0	8.3	317	9	54	93	1008
11/9/2016 18:00	0.6	BDL	BDL	12.0	BDL	2.6	13.0	9.0	11.5	323	9	53	88	1009
11/9/2016 19:00	0.6	BDL	BDL	9.6	BDL	3.0	9.0	7.0	11.9	324	10	51	89	1010
11/9/2016 20:00	0.5	BDL	BDL	10.0	BDL	3.3	6.0	6.0	11.6	327	10	50	85	1010
11/9/2016 21:00	0.6	BDL	BDL	12.6	BDL	4.2	7.0	6.0	11.4	330	11	49	82	1011
11/9/2016 22:00	0.7	BDL	BDL	11.0	BDL	4.3	6.0	6.0	11.7	328	10	49	77	1012
11/9/2016 23:00	0.8	BDL	BDL	13.5	BDL	5.2	6.0	5.0	11.8	335	12	48	74	1012
11/10/2016 0:00	1.3	BDL	BDL	14.9	BDL	5.5	5.0	5.0	12.1	337	12	47	71	1013
11/10/2016 1:00	1.2	BDL	BDL	12.8	BDL	5.2	4.0	5.0	12.1	335	11	45	69	1013
11/10/2016 2:00	1.1	Calibration	Calibration	15.2	BDL	5.3	7.0	4.0	8.7	334	11	44	70	1013
11/10/2016 3:00	0.9	Calibration	Calibration	8.8	Calibration	5.7	7.0	4.0	8.1	324	10	44	70	1014
11/10/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	7.4	4.0	4.0	6.3	312	10	43	72	1014
11/10/2016 5:00	0.7	BDL	BDL	9.8	BDL	7.0	2.0	2.0	5.9	304	9	42.43	71.50	1014.00
11/10/2016 6:00	0.6	BDL	BDL	8.9	BDL	6.2	8.0	4.0	6.3	305	9	42	72	1015
11/10/2016 7:00	0.6	BDL	BDL	13.9	BDL	6.8	9.0	5.0	5.8	306	10	42	72	1015
11/10/2016 8:00	0.7	Calibration	Calibration	14.9	BDL	6.1	13.0	4.0	7.7	314	10	42	69	1016
11/10/2016 9:00	1.0	Calibration	Calibration	34.0	Too few samples	9.5	10.0	7.0	9.1	325	14	45	64	1016
11/10/2016 10:00	0.9	BDL	BDL	8.0	BDL	8.4	12.0	5.0	9.3	323	12	46	59	1016
11/10/2016 11:00	0.7	BDL	BDL	10.0	BDL	Too few samples	15.0	3.0	7.2	308	15	48	52	1016
11/10/2016 12:00	0.7	BDL	BDL	2.1	BDL	1.5	8.0	3.0	5.9	303	24	51	46	1015
11/10/2016 13:00	0.7	BDL	BDL	1.6	BDL	0.9	5.0	3.0	6.4	301	22	54	40	1014
11/10/2016 14:00	0.4	BDL	BDL	1.1	BDL	0.3	9.0	1.0	6.6	302	22	55	37	1013
11/10/2016 15:00	0.4	BDL	BDL	BDL	BDL	BDL	9.0	1.0	6.2	285	17	57	36	1012
11/10/2016 16:00	0.4	BDL	BDL	BDL	BDL	BDL	9.0	6.0	7.3	275	17	56	42	1012
11/10/2016 17:00	0.7	BDL	BDL	7.9	BDL	BDL	13.0	6.0	5.3	247	16	55	50	1011
11/10/2016 18:00	1.5	BDL	BDL	18.6	BDL	BDL	11.0	8.0	4.2	226	16	53	55	1010
11/10/2016 19:00	2.1	BDL	BDL	26.2	BDL	BDL	19.0	8.0	4.9	203	12	52	61	1010
11/10/2016 20:00	2.2	BDL	BDL	22.6	BDL	BDL	14.0	8.0	6.3	216	13	51	64	1009
11/10/2016 21:00	2.0	BDL	BDL	25.3	BDL	BDL	12.0	8.0	5.6	216	14	50	68	1009
11/10/2016 22:00	2.8	0.5	BDL	30.2	BDL	BDL	13.0	8.0	7.6	224	13	50	68	1008
11/10/2016 23:00	1.9	0.4	BDL	18.2	BDL	BDL	14.0	8.0	8.0	228	13	49	69	1007

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 11/6/2016-11/12/2016					BDL									
11/11/2016 0:00	2.4	1.0	0.4	22.4	BDL	BDL	17.0	9.0	6.1	224	14	49	69	1006
11/11/2016 1:00	2.3	0.4	BDL	20.9	BDL	BDL	18.0	8.0	7.1	225	14	49	69	1006
11/11/2016 2:00	1.7	Calibration	Calibration	19.9	Calibration	BDL	15.0	8.0	6.5	222	13	48	73	1005
11/11/2016 3:00	1.6	Calibration	Calibration	21.6	Calibration	BDL	13.0	10.0	5.6	225	14	47	73	1005
11/11/2016 4:00	Calibration	1.1	1.2	Calibration	BDL	BDL	16.0	7.0	4.6	224	15	47	70	1005
11/11/2016 5:00	1.9	1.7	0.6	31.8	0.1	BDL	18.0	10.0	5.0	240	17	47	68	1005
11/11/2016 6:00	1.7	1.6	1.5	33.5	0.1	BDL	15.0	10.0	5.4	241	14	47	66	1005
11/11/2016 7:00	1.8	1.4	0.6	36.2	Too few samples	BDL	20.0	11.0	4.9	251	16	48	61	1005
11/11/2016 8:00	1.4	1.0	BDL	35.4	BDL	Too few samples	19.0	6.0	6.0	250	14	48	55	1006
11/11/2016 9:00	1.4	0.7	BDL	24.3	BDL	2.6	30.0	6.0	4.8	255	17	52	50	1006
11/11/2016 10:00	1.2	BDL	BDL	6.6	BDL	3.5	18.0	8.0	9.1	288	14	57	48	1006
11/11/2016 11:00	0.9	BDL	BDL	0.7	BDL	4.7	17.0	7.0	12.4	312	12	59	48	1006
11/11/2016 12:00	0.7	BDL	BDL	1.0	BDL	4.1	18.0	6.0	14.7	313	10	60	45	1006
11/11/2016 13:00	0.6	BDL	BDL	3.3	BDL	4.7	19.0	6.0	11.7	320	12	61	42	1006
11/11/2016 14:00	0.9	BDL	BDL	8.9	BDL	8.0	18.0	5.0	12.6	326	15	62	42	1006
11/11/2016 15:00	0.7	BDL	BDL	3.8	BDL	8.3	17.0	6.0	13.4	323	11	61	38	1007
11/11/2016 16:00	1.2	BDL	BDL	8.6	BDL	9.0	13.0	5.0	13.4	329	11	60	36	1009
11/11/2016 17:00	1.3	BDL	BDL	10.0	BDL	8.9	15.0	6.0	11.4	334	14	57	40	1011
11/11/2016 18:00	1.5	BDL	BDL	20.2	BDL	9.6	11.0	5.0	11.5	338	13	54	39	1012
11/11/2016 19:00	1.9	BDL	BDL	14.1	BDL	10.2	29.0	7.0	15.1	339	11	51	37	1014
11/11/2016 20:00	1.5	BDL	BDL	15.5	BDL	11.1	26.0	6.0	16.1	335	12	48	40	1016
11/11/2016 21:00	1.3	BDL	BDL	18.1	BDL	12.2	14.0	4.0	12.3	336	13	46	41	1018
11/11/2016 22:00	1.9	BDL	BDL	13.4	BDL	12.9	11.0	11.0	8.4	337	18	44	44	1019
11/11/2016 23:00	1.5	BDL	BDL	3.8	BDL	13.3	7.0	9.0	8.8	339	16	43	47	1019
11/12/2016 0:00	1.1	BDL	BDL	3.0	BDL	13.3	6.0	6.0	7.5	341	17	42	48	1020
11/12/2016 1:00	1.7	BDL	BDL	10.6	BDL	13.8	14.0	7.0	7.2	340	17	41	48	1021
11/12/2016 2:00	1.3	Calibration	Calibration	13.5	Calibration	14.6	12.0	8.0	7.4	328	12	41	50	1021
11/12/2016 3:00	0.6	Calibration	Calibration	6.8	Calibration	2.5	7.0	4.0	6.6	310	10	40	54	1022
11/12/2016 4:00	Calibration	BDL	BDL	Calibration	BDL	Calibration	8.0	1.0	5.3	331	18	40	53	1022
11/12/2016 5:00	1.1	BDL	BDL	18.4	BDL	analyzer issues	10.0	4.0	6.7	336	14	39	52	1023
11/12/2016 6:00	0.5	BDL	BDL	8.4	BDL	analyzer issues	8.0	6.0	4.2	280	14	38	58	1024
11/12/2016 7:00	0.5	Calibration	BDL	10.9	Too few samples	analyzer issues	6.0	5.0	5.6	305	13	37	57	1025
11/12/2016 8:00	0.5	Too few samples	Calibration	6.6	Too few samples	analyzer issues	7.0	5.0	7.5	309	10	38	54	1025
11/12/2016 9:00	0.8	26.1	Calibration	9.8	BDL	analyzer issues	6.0	4.0	8.5	323	14	39	51	1026
11/12/2016 10:00	0.9	BDL	BDL	7.5	BDL	analyzer issues	6.0	5.0	7.1	328	17	41	47	1026
11/12/2016 11:00	0.6	BDL	BDL	2.8	BDL	analyzer issues	4.0	4.0	6.4	318	20	43	44	1026
11/12/2016 12:00	0.4	BDL	BDL	1.0	0.1	analyzer issues	2.0	3.0	5.9	314	18	45	40	1025
11/12/2016 13:00	0.4	BDL	BDL	BDL	BDL	analyzer issues	8.0	4.0	4.5	293	37	47	36	1024
11/12/2016 14:00	BDL	BDL	BDL	BDL	BDL	analyzer issues	7.0	4.0	4.4	292	35	49	35	1024
11/12/2016 15:00	BDL	BDL	BDL	BDL	BDL	analyzer issues	4.0	3.0	4.7	291	21	50	34	1023
11/12/2016 16:00	BDL	BDL	BDL	BDL	BDL	analyzer issues	6.0	4.0	5.7	287	17	50	34	1023
11/12/2016 17:00	BDL	BDL	BDL	BDL	0.1	analyzer issues	10.0	4.0	6.0	296	11	49	39	1022
11/12/2016 18:00	BDL	BDL	BDL	6.0	0.1	analyzer issues	12.0	5.0	3.7	262	14	46	47	1022
11/12/2016 19:00	0.5	BDL	BDL	11.4	0.1	analyzer issues	15.0	10.0	5.3	250	14	45	49	1022
11/12/2016 20:00	0.4	BDL	BDL	12.9	0.2	analyzer issues	14.0	11.0	3.6	255	15	44	53	1022
11/12/2016 21:00	0.5	BDL	BDL	17.0	0.2	analyzer issues	18.0	9.0	4.1	246	13	43	54	1022
11/12/2016 22:00	0.6	BDL	BDL	33.0	0.2	analyzer issues	21.0	14.0	4.2	254	15	42	56	1022
11/12/2016 23:00	0.5	0.5	BDL	16.7	0.2	analyzer issues	20.0	16.0	4.9	249	13	42	57	1022

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 11/13/2016-11/19/2016														
11/13/2016 0:00	0.6	1.6	1.0	21.3	0.1	analyzer issues	22.0	14.0	3.8	237	13	41	64	1022
11/13/2016 1:00	0.6	BDL	BDL	13.9	0.1	analyzer issues	19.0	15.0	3.8	256	17	40	62	1021
11/13/2016 2:00	0.8	Calibration	Calibration	15.2	0.1	analyzer issues	22.0	17.0	3.6	250	14	39	63	1021
11/13/2016 3:00	0.7	Calibration	Calibration	10.6	Calibration	analyzer issues	17.0	17.0	2.9	252	18	38	65	1021
11/13/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	12.0	9.0	4.7	249	14	39	61	1021
11/13/2016 5:00	1.2	BDL	BDL	10.5	BDL	analyzer issues	17.0	11.0	4.3	257	15	39	61	1021
11/13/2016 6:00	0.9	0.4	BDL	12.6	0.1	analyzer issues	18.0	10.0	3.9	259	15	38	65	1021
11/13/2016 7:00	1.5	0.9	BDL	38.4	0.1	analyzer issues	20.0	16.0	3.0	220	14	37	75	1021
11/13/2016 8:00	2.2	1.7	1.0	24.3	0.1	analyzer issues	19.0	10.0	4.6	232	14	39	68	1021
11/13/2016 9:00	2.6	0.8	BDL	14.5	Too few samples	Too few samples	15.0	11.0	6.3	238	13	42	58	1021
11/13/2016 10:00	2.0	BDL	BDL	9.3	0.04	Too few samples	13.0	12.0	6.1	244	16	45	46	1021
11/13/2016 11:00	1.6	BDL	BDL	5.4	BDL	Too few samples	16.0	11.0	6.4	233	17	50	41	1021
11/13/2016 12:00	1.4	BDL	BDL	3.7	BDL	analyzer issues	12.0	7.0	6.7	231	17	54	35	1020
11/13/2016 13:00	2.2	BDL	BDL	5.2	BDL	analyzer issues	10.0	5.0	7.4	225	18	57	32	1018
11/13/2016 14:00	1.7	BDL	BDL	4.2	BDL	analyzer issues	12.0	5.0	8.2	232	17	58	30	1018
11/13/2016 15:00	1.1	BDL	BDL	11.5	BDL	analyzer issues	14.0	7.0	7.7	244	15	58	27	1017
11/13/2016 16:00	0.6	BDL	BDL	1.9	0.04	analyzer issues	10.0	6.0	6.3	259	16	58	26	1017
11/13/2016 17:00	0.5	BDL	BDL	3.6	BDL	analyzer issues	12.0	9.0	4.6	266	13	56	31	1017
11/13/2016 18:00	0.7	BDL	BDL	15.6	0.1	analyzer issues	14.0	12.0	2.4	243	20	54	37	1017
11/13/2016 19:00	5.4	0.6	BDL	48.8	0.2	analyzer issues	17.0	12.0	3.5	222	14	52	47	1017
11/13/2016 20:00	4.3	5.9	5.6	47.5	0.3	analyzer issues	23.0	14.0	3.0	236	14	50	55	1017
11/13/2016 21:00	3.7	3.1	2.5	51.7	0.2	analyzer issues	22.0	17.0	2.6	220	14	48	60	1017
11/13/2016 22:00	5.7	5.4	2.9	57.5	0.3	analyzer issues	26.0	20.0	3.3	225	14	47	61	1017
11/13/2016 23:00	2.2	7.9	3.7	39.1	0.2	analyzer issues	26.0	14.0	2.6	234	18	45	66	1017
11/14/2016 0:00	1.8	2.5	2.5	41.4	0.2	analyzer issues	20.0	15.0	2.3	223	16	44	73	1017
11/14/2016 1:00	1.3	2.3	4.2	40.2	0.2	analyzer issues	22.0	18.0	2.3	243	17	43	79	1017
11/14/2016 2:00	0.9	Calibration	Calibration	43.0	0.3	analyzer issues	20.0	17.0	2.4	230	19	42	84	1017
11/14/2016 3:00	0.9	Calibration	Calibration	40.4	Calibration	analyzer issues	22.0	14.0	2.6	228	16	41	83	1017
11/14/2016 4:00	Calibration	1.7	0.7	Calibration	Calibration	analyzer issues	23.0	18.0	2.4	277	20	39	88	1017
11/14/2016 5:00	1.5	5.5	6.2	85.6	0.4	analyzer issues	Invalid	22.0	2.3	232	22	39	91	1016
11/14/2016 6:00	1.9	4.5	2.4	107.6	0.5	analyzer issues	Invalid	18.0	2.6	257	16	38	90	1016
11/14/2016 7:00	1.8	2.6	0.6	93.6	0.6	Too few samples	Invalid	16.0	1.6	277	23	38	91	1016
11/14/2016 8:00	3.3	Too few samples	Too few samples	168.6	Too few samples	Too few samples	Invalid	26.0	1.7	233	21	39	86	1016
11/14/2016 9:00	4.8	Calibration	Calibration	102.4	0.4	analyzer issues	32.0	22.0	5.6	220	14	43	72	1017
11/14/2016 10:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	22.0	17.0	5.8	227	14	48	53	1016
11/14/2016 11:00	10.0	0.8	BDL	55.1	Calibration	Too few samples	28.0	15.0	4.6	235	20	54	38	1016
11/14/2016 12:00	5.2	0.8	BDL	39.1	0.2	analyzer issues	27.0	13.0	4.7	235	18	57	33	1015
11/14/2016 13:00	4.4	0.4	BDL	28.8	0.2	Too few samples	27.0	13.0	4.4	219	17	58	30	1014
11/14/2016 14:00	2.6	BDL	BDL	22.0	Too few samples	Too few samples	21.0	10.0	4.4	253	17	58	30	1014
11/14/2016 15:00	1.7	BDL	BDL	24.1	0.1	Too few samples	19.0	9.0	3.7	239	16	57	37	1014
11/14/2016 16:00	1.7	BDL	BDL	16.8	BDL	analyzer issues	26.0	8.0	3.5	199	13	56	46	1014
11/14/2016 17:00	1.6	0.6	BDL	20.5	BDL	analyzer issues	36.0	12.0	3.7	185	12	54	48	1014
11/14/2016 18:00	1.1	BDL	BDL	16.4	BDL	analyzer issues	25.0	9.0	2.9	179	27	54	50	1014
11/14/2016 19:00	1.1	0.5	BDL	17.2	0.1	analyzer issues	24.0	9.0	4.4	187	36	53	51	1014
11/14/2016 20:00	1.1	BDL	BDL	27.6	0.1	analyzer issues	20.0	9.0	1.5	151	48	53	51	1014
11/14/2016 21:00	1.0	0.4	BDL	29.9	0.1	analyzer issues	27.0	14.0	1.1	174	38	52	59	1014
11/14/2016 22:00	1.0	0.8	BDL	26.6	0.1	analyzer issues	30.0	15.0	1.1	288	56	52	64	1013
11/14/2016 23:00	1.4	1.1	BDL	49.7	0.3	analyzer issues	20.0	20.0	2.9	55	29	51	63	1013
11/15/2016 0:00	1.3	1.4	0.6	52.5	0.2	analyzer issues	22.0	14.0	4.4	95	19	50	63	1012
11/15/2016 1:00	0.8	BDL	BDL	19.8	0.1	analyzer issues	11.0	12.0	2.5	346	44	49	64	1012
11/15/2016 2:00	1.2	Calibration	Calibration	33.7	0.1	analyzer issues	16.0	13.0	2.3	316	20	50	59	1012
11/15/2016 3:00	1.4	Calibration	Calibration	39.4	Calibration	analyzer issues	17.0	12.0	2.8	322	35	50	59	1011
11/15/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	19.0	11.0	2.7	340	25	50	59	1011
11/15/2016 5:00	1.8	0.6	BDL	34.9	0.2	analyzer issues	20.0	14.0	5.1	345	17	50	55	1010
11/15/2016 6:00	2.0	0.5	BDL	27.1	0.1	analyzer issues	22.0	13.0	5.3	340	19	51	51	1010
11/15/2016 7:00	2.1	0.5	BDL	34.0	0.2	analyzer issues	21.0	17.0	3.9	353	26	51	59	1010
11/15/2016 8:00	2.4	0.7	BDL	35.0	0.1	Too few samples	19.0	10.0	5.2	344	18	50	67	1010
11/15/2016 9:00	2.9	0.7	BDL	36.6	Too few samples	analyzer issues	26.0	16.0	6.3	344	17	51	70	1010
11/15/2016 10:00	2.6	0.6	BDL	32.4	0.1	analyzer issues	19.0	11.0	7.3	348	20	53	69	1009
11/15/2016 11:00	2.7	0.4	BDL	23.2	0.1	analyzer issues	20.0	9.0	6.9	351	20	55	57	1008
11/15/2016 12:00	2.9	BDL	BDL	15.6	0.1	analyzer issues	27.0	14.0	7.6	340	18	57	45	1007
11/15/2016 13:00	2.3	BDL	BDL	15.8	0.04	Too few samples	27.0	9.0	7.9	335	22	59	38	1006
11/15/2016 14:00	2.6	BDL	BDL	14.1	0.04	analyzer issues	41.0	17.0	10.0	333	18	60	35	1006
11/15/2016 15:00	2.2	BDL	BDL	10.7	BDL	Calibration	38.0	13.0	9.9	331	19	59	35	1006
11/15/2016 16:00	2.0	BDL	BDL	10.6	BDL	analyzer issues	21.0	9.0	7.5	324	13	59	36	1006
11/15/2016 17:00	1.8	BDL	BDL	11.1	0.1	analyzer issues	25.0	14.0	4.5	309	8	58	37	1006
11/15/2016 18:00	1.6	BDL	BDL	25.5	0.2	analyzer issues	37.0	19.0	1.9	285	27	54	55	1006
11/15/2016 19:00	2.2	0.8	BDL	55.7	0.4	analyzer issues	34.0	17.0	2.4	268	12	52	59	1007
11/15/2016 20:00	2.9	1.4	BDL	66.6	0.6	analyzer issues	30.0	18.0	3.0	264	8	50	56	1007
11/15/2016 21:00	3.0	2.0	0.5	86.2	0.8	analyzer issues	52.0	18.0	1.9	248	14	48	64	1007
11/15/2016 22:00	3.0	1.6	BDL	74.7	0.7	analyzer issues	29.0	18.0	2.7	268	19	47	58	1007
11/15/2016 23:00	2.9	1.5	BDL	67.8	0.7	analyzer issues	35.0	21.0	2.7	262	12	45	59	1007
11/16/2016 0:00	2.6	3.0	3.0	69.7	0.6	analyzer issues	44.0	19.0	2.5	237	16	44	61	1007
11/16/2016 1:00	2.4	1.2	BDL	45.1	0.5	analyzer issues	35.0	18.0	1.7	240	24	44	60	1007
11/16/2016 2:00	2.2	Calibration	Calibration	57.6	0.4	analyzer issues	40.0	24.0	1.7	211	16	42	64	1007
11/16/2016 3:00	2.1	Calibration	Calibration	54.5	Calibration	analyzer issues	31.0	20.0	1.8	227	27	43	70	1007
11/16/2016 4:00	Calibration	6.4	5.2	Calibration	Calibration	Calibration	32.0	24.0	2.3	235	14	43	71	1007
11/16/2016 5:00	2.2	2.0	0.9	50.3	0.2	analyzer issues	30.0	17.0	2.2	227	21	42	69	1007
11/16/2016 6:00	3.0	2.3	2.1	66.2	0.2	analyzer issues	36.0	24.0	3.2	223	15	41	70	1007
11/16/2016 7:00	3.6	2.0	1.9	58.4	0.2	analyzer issues	32.0	23.0	3.3	225	14	42	68	1008
11/16/2016 8:00	5.4	3.7	1.8	100.8	0.3	analyzer issues	142.0	29.0	3.2	223	16	43	70	1008
11/16/2016 9:00	4.3	2.3	1.1	49.1	Too few samples	Calibration	35.0	24.0	4.0	241	17	47	52	1008
11/16/2016 10:00	4.0	1.4	BDL	50.7	0.2	analyzer issues	41.0	18.0	3.8	230	16	51	44	1008
11/16/2016 11:00	4.2	1.0	BDL	33.9	0.1	analyzer issues	32.0	18.0	5.4	223	14	57	39	1007
11/16/2016 12:00	5.5	1.1	0.5	25.0	BDL	analyzer issues	37.0	19.0	7.5	227	17	60	37	1007
11/16/2016 13:00	4.3	1.0	0.5	18.8	BDL	analyzer issues	35.0	17.0	8.3	235	15	60	38	1006
11/16/2016 14:00	3.0	BDL	BDL	10.7	BDL	analyzer issues	35.0	21.0	7.2	255	16	59	40	1006
11/16/2016 15:00	3.2	BDL	BDL	12.3	BDL	analyzer issues	36.0	17.0	5.6	264	15	59	40	1006
11/16/2016 16:00	2.6	BDL	BDL	12.3	BDL	analyzer issues	37.0	18.0	6.3	291	13	60	44	1007
11/16/2016 17:00	2.5	BDL	BDL	23.0	0.1	analyzer issues	47.0	24.0	7.4	323	10	57	51	1007
11/16/2016 18:00	2.3	BDL	BDL	22.4	0.1	analyzer issues	41.0	21.0	6.5	316	8	54	57	1008
11/16/2016 19:00	2.0	BDL	BDL	19.6	0.04	analyzer issues	36.0	22.0	5.4	301	10	54	60	1009
11/16/2016 20:00	1.9	BDL	BDL	16.9	0.1	analyzer issues	33.0	23.0	2.9	273	13	54	64	1010
11/16/2016 21:00	1.6	BDL	BDL	23.9	0.1	analyzer issues	39.0	23.0	2.6	274	18	53	67	1010
11/16/2016 22:00	1.3	BDL	BDL	9.3	BDL	analyzer issues	31.0	22.0	7.7	303	10	53	68	1010
11/16/2016 23:00	1.0	BDL	BDL	6.1	BDL	analyzer issues	25.0	18.0	7.8	305	9	53	69	1010
11/17/2016 0:00	0.9	BDL	BDL	6.5	BDL	analyzer issues	25.0	23.0	7.7	309	8	52	71	1011
11/17/2016 1:00	0.8	BDL	BDL	7.2	BDL	analyzer issues	21.0	22.0	6.6	311	9	52	71	1011
11/17/2016 2:00	0.7	Calibration	Calibration	6.6	BDL	analyzer issues	19.0	16.0	6.1	307	9	52	71	1012
11/17/2016 3:00	0.7	Calibration	Calibration	7.0	Calibration	analyzer issues	18.0	15.0	5.8	303	8	52	71	1012
11/17/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	16.0	13.0	4.7	297	9	51	72	1013
11/17/2016 5:00	0.6	BDL	BDL	8.7	BDL	analyzer issues	15.0	11.0	4.3	301	9	50	72.90	1013.00
11/17/2016 6:00	0.5	BDL	BDL	10.2	BDL	analyzer issues	13.0	11.0	3.2	285	12	49	76	1014
11/17/2016 7:00	0.6	BDL	BDL	33.6	0.1	analyzer issues	24.0	13.0	2.3	244	17	47	82	1014
11/17/2016 8:00	0.6	Calibration	Calibration	36.6	0.1	analyzer issues	22.0	12.0	2.7	267	15	47	77	1015
11/17/2016 9:00	0.8	Calibration	Calibration	19.1	BDL	analyzer issues	13.0	11.0	7.4	310	11	51	64	1015
11/17/2016 10:00	0.9	BDL	BDL	15.4	BDL	Calibration	18.0	10.0	8.0	323	14	53	60	1016
11/17/2016 11:00	1.1	BDL	BDL	12.7	BDL	Calibration	21.0	10.0	8.6	326	17	54	57	1016
11/17/2016 12:00	1.2	BDL	BDL	10.8	BDL	analyzer issues	16.0	10.0	7.0	329	20	56	54	1015
11/17/2016 13:00	1.0	BDL	BDL	11.8	BDL	analyzer issues	20.0	7.0	6.4	327	24	57	51	1014
11/17/2016 14:00	0.8	BDL	BDL	7.2	BDL	analyzer issues	12.0	6.0	7.7	313	13	58	48	1014
11/17/2016 15:00	0.6	BDL	BDL	6.4	BDL	analyzer issues	18.0	6.0	9.1	315	12	60	47	1014
11/17/2016 16:00	0.6	BDL	BDL	5.9	BDL	analyzer issues	20.0	6.0	9.1	315	11	59	46	1014
11/17/2016 17:00	0.6	BDL	BDL	6.8	BDL	analyzer issues	22.0	6.0	7.9	308	8	58	49	1014
11/17/2016 18:00	0.6	BDL	BDL	16.3	BDL	analyzer issues	21.0	5.0	7.5	313	8	57	52	1015
11/17/2016 19:00	0.6	BDL	BDL	19.6	BDL	analyzer issues	13.0	9.0	8.1	317	7	55	54	1016
11/17/2016 20:00	0.6	BDL	BDL	24.1	BDL	analyzer issues	16.0	15.0	7.3	324	10	53	57	1016
11/17/2016 21:00	0.9	BDL	BDL	22.6	BDL	analyzer issues	21.0	13.0	7.4	333	13	53	59	1017
11/17/2016 22:00	0.5	BDL	BDL	16.7	BDL	analyzer issues	12.0	8.0	5.8	306	8	50	65	1017
11/17/2016 23:00	0.5	BDL	BDL	18.0	BDL	analyzer issues	20.0	10.0	6.2	313	9	50	66	1017

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 11/13/2016-11/19/2016														
11/18/2016 0:00	0.4	BDL	BDL	13.3	BDL	analyzer issues	13.0	10.0	4.8	303	10	49	66	1017
11/18/2016 1:00	0.5	BDL	BDL	12.5	BDL	analyzer issues	9.0	8.0	3.8	296	13	49	67	1017
11/18/2016 2:00	0.5	Calibration	Calibration	19.9	0.1	analyzer issues	10.0	10.0	3.7	276	8	47	74	1017
11/18/2016 3:00	0.6	Calibration	Calibration	13.2	BDL	analyzer issues	13.0	9.0	3.4	278	11	47	74	1018
11/18/2016 4:00	Calibration	2.8	2.8	Calibration	Calibration	Calibration	23.0	10.0	2.1	207	20	45	80	1018
11/18/2016 5:00	0.9	1.9	1.3	56.2	0.1	analyzer issues	21.0	9.0	2.6	255	15	44	82	1018
11/18/2016 6:00	1.3	2.7	0.8	80.4	0.2	Too few samples	41.0	15.0	1.6	229	28	44	82	1018
11/18/2016 7:00	1.8	3.9	2.9	115.0	0.4	Too few samples	57.0	16.0	1.5	253	15	44	85	1019
11/18/2016 8:00	2.2	1.9	BDL	98.8	0.4	analyzer issues	67.0	18.0	1.9	261	20	45	78	1019
11/18/2016 9:00	1.5	0.4	BDL	41.9	0.1	Too few samples	39.0	15.0	2.5	271	12	49	59	1019
11/18/2016 10:00	1.5	0.4	BDL	46.0	0.2	Too few samples	27.0	13.0	4.0	273	11	52	51	1019
11/18/2016 11:00	1.2	BDL	BDL	30.3	0.1	4.4	22.0	11.0	2.6	272	23	58	41	1018
11/18/2016 12:00	1.6	0.5	BDL	34.9	BDL	5.3	20.0	7.0	3.0	263	32	61	38	1017
11/18/2016 13:00	2.8	0.4	BDL	37.2	0.1	6.1	35.0	9.0	3.3	206	24	64	38	1016
11/18/2016 14:00	2.8	BDL	BDL	46.3	0.04	2.3	33.0	15.0	2.2	163	21	64	42	1015
11/18/2016 15:00	2.5	0.7	BDL	67.2	0.1	0.5	34.0	11.0	1.0	161	19	59	51	1015
11/18/2016 16:00	2.0	0.7	BDL	57.1	0.1	0.4	30.0	15.0	1.5	193	16	56	61	1016
11/18/2016 17:00	2.5	1.8	0.6	78.1	0.3	2.8	33.0	19.0	1.7	208	27	54	68	1015
11/18/2016 18:00	4.0	2.6	1.4	102.0	0.4	0.8	36.0	17.0	2.2	202	16	53	74	1016
11/18/2016 19:00	4.2	4.7	3.8	96.6	0.5	3.0	42.0	22.0	1.6	236	16	52	79	1016
11/18/2016 20:00	3.4	3.9	3.4	138.4	1.0	2.4	48.0	25.0	1.9	256	10	51	84	1015
11/18/2016 21:00	3.0	4.3	1.6	113.7	0.7	1.1	48.0	29.0	2.2	202	19	51	83	1015
11/18/2016 22:00	2.2	2.1	0.8	81.1	0.5	1.7	39.0	26.0	1.0	235	22	50	88	1015
11/18/2016 23:00	2.7	4.9	3.1	117.4	0.7	1.5	54.0	28.0	0.9	235	18	49	91	1014
11/19/2016 0:00	2.8	3.0	1.6	123.1	0.5	0.3	48.0	32.0	1.2	141	29	48	92	1014
11/19/2016 1:00	2.9	3.6	2.1	125.5	0.5	0.5	49.0	33.0	1.5	95	8	48	91	1014
11/19/2016 2:00	3.1	Calibration	Calibration	128.1	0.6	1.9	49.0	34.0	0.6	319	43	48	92	1014
11/19/2016 3:00	3.6	Calibration	Calibration	142.4	0.8	2.2	58.0	33.0	1.0	178	22	47	94	1013
11/19/2016 4:00	Calibration	4.4	1.6	Calibration	Calibration	Too few samples	54.0	32.0	1.0	232	29	46	96	1013
11/19/2016 5:00	4.0	4.6	2.2	174.5	1.0	1.9	79.0	42.0	1.5	166	28	46	93	1012
11/19/2016 6:00	3.9	3.3	1.4	131.1	0.7	BDL	67.0	41.0	3.8	82	13	49	79	1011
11/19/2016 7:00	3.5	1.7	0.6	82.0	0.5	BDL	63.0	40.0	2.8	124	27	53	66	1010
11/19/2016 8:00	3.4	1.5	0.4	71.2	0.4	BDL	55.0	41.0	1.0	231	77	58	51	1009
11/19/2016 9:00	3.3	0.7	BDL	38.2	0.2	1.2	51.0	32.0	2.5	120	31	65	43	1007
11/19/2016 10:00	2.7	BDL	BDL	13.2	BDL	BDL	29.0	14.0	7.7	165	13	69	39	1006
11/19/2016 11:00	2.3	BDL	BDL	14.2	BDL	BDL	20.0	12.0	8.8	162	16	70	39	1004
11/19/2016 12:00	2.4	0.4	BDL	24.4	BDL	BDL	34.0	14.0	5.9	148	21	70	40	1003
11/19/2016 13:00	2.4	BDL	BDL	15.8	0.04	BDL	34.0	16.0	5.5	136	16	68	46	1002
11/19/2016 14:00	1.9	BDL	BDL	17.3	BDL	BDL	31.0	16.0	4.7	123	16	64	54	1002
11/19/2016 15:00	1.6	BDL	BDL	12.5	BDL	BDL	46.0	18.0	9.2	213	30	60	58	1002
11/19/2016 16:00	1.0	BDL	BDL	3.4	BDL	BDL	143.0	7.0	20.4	311	10	51	50	1004
11/19/2016 17:00	0.8	BDL	BDL	1.9	BDL	BDL	31.0	3.0	18.7	309	10	46	55	1006
11/19/2016 18:00	0.8	BDL	BDL	2.1	BDL	BDL	20.0	2.0	18.9	310	12	42	66	1006
11/19/2016 19:00	0.8	BDL	BDL	1.6	BDL	BDL	6.0	3.0	15.7	303	11	37	86	1006
11/19/2016 20:00	0.7	BDL	BDL	2.2	BDL	BDL	5.0	4.0	9.7	290	14	36	91	1006
11/19/2016 21:00	0.7	BDL	BDL	2.0	BDL	BDL	6.0	4.0	9.5	290	12	37	85	1005
11/19/2016 22:00	0.7	BDL	BDL	2.5	BDL	BDL	6.0	3.0	8.6	275	13	38	80	1004
11/19/2016 23:00	0.7	BDL	BDL	2.1	BDL	BDL	6.0	2.0	9.9	281	12	38	70	1004

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 11/20/2016-11/26/2016														
11/20/2016 0:00	0.7	BDL	BDL	1.5	BDL	BDL	3.0	5.0	10.7	283	13	39	64	1003
11/20/2016 1:00	0.6	BDL	BDL	1.5	BDL	BDL	2.0	4.0	11.9	285	13	39	59	1003
11/20/2016 2:00	0.5	Calibration	Calibration	1.3	BDL	BDL	2.0	3.0	11.5	284	13	38	57	1004
11/20/2016 3:00	0.7	Calibration	Calibration	14.7	BDL	BDL	6.0	4.0	11.0	280	14	38	56	1004
11/20/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	6.0	4.0	8.4	272	15	38	57	1004
11/20/2016 5:00	Too few samples	BDL	BDL	Too few samples	Too few samples	Too few samples	3.0	4.0	10.5	271	15	38	55	1004
11/20/2016 6:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	2.1	2.0	2.0	12.4	274	16	39	52	1004
11/20/2016 7:00	0.4	Calibration	Calibration	1.2	BDL	1.0	6.0	2.0	14.8	280	15	40	49	1003
11/20/2016 8:00	0.5	Calibration	Calibration	1.0	BDL	1.9	8.0	2.0	17.2	280	14	41	51	1003
11/20/2016 9:00	0.4	BDL	BDL	1.0	BDL	1.6	6.0	2.0	17.2	278	14	41	51	1003
11/20/2016 10:00	0.5	BDL	BDL	1.5	BDL	1.7	7.0	3.0	17.2	281	14	41	51	1003
11/20/2016 11:00	0.5	BDL	BDL	1.1	BDL	1.6	10.0	3.0	16.8	290	14	42	49	1002
11/20/2016 12:00	0.4	BDL	BDL	1.2	BDL	1.3	7.0	3.0	15.5	289	14	41	53	1002
11/20/2016 13:00	0.4	BDL	BDL	2.6	BDL	1.5	7.0	5.0	15.0	285	15	41	49	1003
11/20/2016 14:00	0.4	BDL	BDL	1.0	BDL	1.6	6.0	4.0	15.7	291	14	41	49	1003
11/20/2016 15:00	BDL	BDL	BDL	0.6	BDL	1.7	8.0	3.0	15.9	287	14	41	49	1003
11/20/2016 16:00	BDL	BDL	BDL	0.9	BDL	1.7	6.0	5.0	15.4	287	13	40	48	1003
11/20/2016 17:00	BDL	BDL	BDL	0.8	BDL	1.5	5.0	3.0	16.1	287	14	40	48	1003
11/20/2016 18:00	BDL	BDL	BDL	0.6	BDL	1.5	6.0	2.0	14.3	288	13	39	48	1004
11/20/2016 19:00	BDL	BDL	BDL	0.6	BDL	1.6	5.0	2.0	13.3	284	14	39	48	1004
11/20/2016 20:00	BDL	BDL	BDL	BDL	BDL	1.7	4.0	3.0	15.0	282	14	38	49	1003
11/20/2016 21:00	BDL	BDL	BDL	BDL	BDL	2.1	8.0	2.0	15.0	288	13	38	49	1004
11/20/2016 22:00	BDL	BDL	BDL	0.7	BDL	2.9	6.0	1.0	14.5	288	14	37	50	1004
11/20/2016 23:00	BDL	BDL	BDL	BDL	BDL	3.2	9.0	3.0	14.1	285	13	37	50	1004
11/21/2016 0:00	BDL	BDL	BDL	0.5	BDL	2.8	8.0	2.0	13.5	289	13	37	49	1004
11/21/2016 1:00	BDL	BDL	BDL	0.7	BDL	2.6	6.0	BDL	14.9	289	13	37	48	1005
11/21/2016 2:00	BDL	Calibration	Calibration	0.7	BDL	2.7	5.0	1.0	14.5	289	14	37	48	1005
11/21/2016 3:00	BDL	Calibration	Calibration	1.2	BDL	3.1	5.0	3.0	12.5	284	14	36	49	1005
11/21/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	3.3	5.0	3.0	12.8	281	15	37	49	1006
11/21/2016 5:00	BDL	Too few samples	Too few samples	3.0	BDL	3.5	7.0	2.0	14.0	283	14	37	49	1006
11/21/2016 6:00	BDL	Calibration	Calibration	3.8	BDL	3.7	7.0	3.0	12.3	284	13	37	47	1007
11/21/2016 7:00	BDL	Too few samples	Too few samples	3.3	BDL	Too few samples	11.0	3.0	13.8	291	14	38	44	1007
11/21/2016 8:00	BDL	BDL	BDL	2.6	BDL	2.2	18.0	5.0	15.9	294	12	39	42	1007
11/21/2016 9:00	BDL	BDL	BDL	2.6	BDL	2.0	17.0	5.0	15.8	295	13	40	41	1007
11/21/2016 10:00	BDL	BDL	BDL	2.7	BDL	1.8	18.0	4.0	16.8	296	12	42	39	1007
11/21/2016 11:00	BDL	BDL	BDL	2.1	BDL	1.9	26.0	3.0	18.3	292	13	42	38	1007
11/21/2016 12:00	BDL	BDL	BDL	2.8	BDL	2.2	19.0	2.0	16.8	295	13	42	37	1007
11/21/2016 13:00	BDL	BDL	BDL	2.7	BDL	2.2	18.0	2.0	16.6	295	12	42	38	1008
11/21/2016 14:00	BDL	BDL	BDL	2.4	BDL	2.2	18.0	2.0	15.8	290	12	40	41	1008
11/21/2016 15:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	9.0	3.0	Too few samples	Too few samples	NoData	Too few samples	Too few samples	Too few samples
11/21/2016 16:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	9.0	3.0	Too few samples	Too few samples	NoData	Too few samples	Too few samples	Too few samples
11/21/2016 17:00	BDL	BDL	BDL	3.5	BDL	2.8	8.0	3.0	14.0	286	13	38	44	1009
11/21/2016 18:00	BDL	BDL	BDL	2.3	BDL	3.5	11.0	3.0	12.2	276	17	37	46	1010
11/21/2016 19:00	BDL	BDL	BDL	2.1	BDL	3.8	9.0	6.0	11.9	284	13	37	47	1011
11/21/2016 20:00	BDL	BDL	BDL	1.6	BDL	4.1	6.0	5.0	12.2	285	12	37	47	1011
11/21/2016 21:00	BDL	BDL	BDL	1.7	BDL	4.2	5.0	5.0	12.0	287	13	37	48	1011
11/21/2016 22:00	BDL	BDL	BDL	1.1	BDL	4.3	6.0	4.0	11.1	291	12	37	47	1011
11/21/2016 23:00	BDL	BDL	BDL	1.0	BDL	4.3	8.0	2.0	11.0	294	13	38	47	1012
11/22/2016 0:00	BDL	BDL	BDL	0.8	BDL	4.4	7.0	1.0	12.2	299	11	38	49	1012
11/22/2016 1:00	BDL	BDL	BDL	1.0	BDL	4.7	4.0	6.0	10.5	299	11	38	50	1012
11/22/2016 2:00	BDL	Calibration	Calibration	0.9	BDL	5.2	7.0	4.0	10.4	296	11	38	51	1013
11/22/2016 3:00	BDL	Calibration	Calibration	1.6	BDL	4.7	6.0	1.0	10.0	298	12	38	51	1013
11/22/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	4.7	5.0	BDL	9.8	295	11	38	50	1014
11/22/2016 5:00	BDL	BDL	BDL	3.1	BDL	5.1	6.0	1.0	7.1	297	11	39	52	1014
11/22/2016 6:00	BDL	BDL	BDL	6.1	BDL	5.6	5.0	6.0	5.8	277	14	39	54	1015
11/22/2016 7:00	BDL	Too few samples	Too few samples	8.3	BDL	5.9	12.0	4.0	7.1	278	14	39	52	1016
11/22/2016 8:00	BDL	Calibration	Calibration	9.1	BDL	6.5	9.0	3.0	7.1	278	14	39	50	1017
11/22/2016 9:00	Calibration	BDL	BDL	Calibration	Calibration	6.8	8.0	2.0	8.1	288	13	41	45	1017
11/22/2016 10:00	BDL	BDL	BDL	4.6	BDL	6.7	17.0	2.0	11.0	309	13	42	45	1017
11/22/2016 11:00	BDL	BDL	BDL	5.3	BDL	7.6	18.0	2.0	11.6	308	14	44	41	1017
11/22/2016 12:00	BDL	BDL	BDL	5.2	BDL	7.7	15.0	1.0	13.5	313	14	44	40	1017
11/22/2016 13:00	BDL	BDL	BDL	5.0	BDL	7.5	16.0	3.0	13.5	311	12	45	39	1017
11/22/2016 14:00	BDL	BDL	BDL	5.7	BDL	8.2	17.0	5.0	11.9	317	10	46	40	1018
11/22/2016 15:00	BDL	BDL	BDL	7.3	BDL	8.0	18.0	4.0	12.8	321	11	45	41	1018
11/22/2016 16:00	BDL	BDL	BDL	6.0	BDL	7.5	9.0	5.0	13.0	319	9	43	44	1019
11/22/2016 17:00	BDL	BDL	BDL	10.6	BDL	7.7	15.0	6.0	8.8	318	10	42	46	1020
11/22/2016 18:00	BDL	BDL	BDL	13.9	BDL	8.3	10.0	5.0	7.6	320	9	41	49	1021
11/22/2016 19:00	BDL	BDL	BDL	13.9	BDL	9.0	9.0	4.0	7.6	315	9	40	51	1022
11/22/2016 20:00	BDL	BDL	BDL	14.3	BDL	9.5	6.0	8.0	6.7	308	9	39	54	1022
11/22/2016 21:00	BDL	BDL	BDL	23.2	BDL	9.8	9.0	8.0	3.8	295	7	38	57	1023
11/22/2016 22:00	BDL	BDL	BDL	27.4	BDL	9.7	16.0	11.0	5.3	301	7	37	60	1023
11/22/2016 23:00	BDL	BDL	BDL	21.6	BDL	9.9	9.0	6.0	6.9	317	9	36	60	1023
11/23/2016 0:00	BDL	BDL	BDL	14.5	BDL	9.7	7.0	3.0	6.7	315	11	35	61	1023
11/23/2016 1:00	BDL	BDL	BDL	14.1	BDL	10.1	9.0	6.0	4.2	258	15	33	66	1023
11/23/2016 2:00	BDL	Calibration	Calibration	14.2	BDL	10.2	9.0	6.0	3.6	264	16	33	67	1023
11/23/2016 3:00	BDL	Calibration	Calibration	10.7	BDL	10.0	7.0	5.0	4.2	295	12	33	65	1023
11/23/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	10.1	6.0	6.0	4.5	293	13	33	66	1024
11/23/2016 5:00	BDL	BDL	BDL	12.2	BDL	10.4	8.0	8.0	3.7	286	14	32	68	1024
11/23/2016 6:00	BDL	BDL	BDL	18.3	BDL	10.7	9.0	6.0	5.6	298	9	32	69	1025
11/23/2016 7:00	BDL	Audit	Audit	20.3	BDL	10.7	8.0	9.0	6.9	307	10	32	66	1025
11/23/2016 8:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	3.3	Invalid	Invalid	8.3	323	13	34	61	1025
11/23/2016 9:00	BDL	BDL	BDL	Calibration	BDL	15.0	7.0	8.8	8.8	312	8	36	55	1025
11/23/2016 10:00	BDL	BDL	BDL	11.8	BDL	BDL	13.0	7.0	5.5	309	18	39	47	1025
11/23/2016 11:00	BDL	BDL	BDL	10.9	BDL	BDL	16.0	5.0	4.9	300	21	41	40	1024
11/23/2016 12:00	BDL	BDL	BDL	12.8	BDL	0.6	14.0	6.0	4.2	313	18	44	37	1023
11/23/2016 13:00	BDL	BDL	BDL	10.4	BDL	0.4	17.0	10.0	4.5	296	27	47	34	1023
11/23/2016 14:00	BDL	BDL	BDL	8.1	BDL	BDL	15.0	9.0	4.9	302	20	48	30	1022
11/23/2016 15:00	BDL	BDL	BDL	10.9	BDL	BDL	22.0	6.0	3.9	305	24	48	32	1022
11/23/2016 16:00	0.4	BDL	BDL	16.7	BDL	BDL	21.0	10.0	3.6	317	26	47	36	1022
11/23/2016 17:00	0.5	BDL	BDL	21.9	BDL	BDL	24.0	10.0	2.0	4	30	46	38	1022
11/23/2016 18:00	0.6	BDL	BDL	43.2	0.1	BDL	30.0	13.0	1.4	199	30	45	47	1023
11/23/2016 19:00	0.9	0.5	BDL	62.7	0.2	BDL	30.0	16.0	1.0	155	50	45	50	1023
11/23/2016 20:00	0.8	0.5	BDL	54.1	0.2	BDL	32.0	16.0	1.7	174	22	45	51	1024
11/23/2016 21:00	0.8	0.4	BDL	48.5	0.2	BDL	24.0	15.0	2.7	95	16	45	46	1023
11/23/2016 22:00	1.1	0.7	BDL	69.8	0.3	BDL	29.0	21.0	3.2	114	13	45	49	1023
11/23/2016 23:00	1.1	0.9	BDL	67.7	0.2	BDL	26.0	15.0	2.7	153	27	44	49	1023
11/24/2016 0:00	1.0	0.6	BDL	62.7	0.3	BDL	28.0	18.0	3.8	81	15	43	49	1023
11/24/2016 1:00	1.0	0.8	BDL	65.5	0.3	BDL	29.0	19.0	2.7	91	14	43	50	1023
11/24/2016 2:00	0.9	Calibration	Calibration	62.1	0.2	BDL	28.0	16.0	4.0	76	10	42	52	1023
11/24/2016 3:00	0.6	Calibration	Calibration	45.7	0.2	BDL	31.0	23.0	3.3	81	10	40	55	1023
11/24/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	BDL	32.0	26.0	3.5	79	11	39	57	1023
11/24/2016 5:00	0.5	BDL	BDL	40.3	0.1	BDL	23.0	13.0	4.1	76	10	39	59	1023
11/24/2016 6:00	0.6	BDL	BDL	32.6	0.04	BDL	20.0	12.0	4.6	85	11	40	57	1022
11/24/2016 7:00	0.6	BDL	BDL	35.0	BDL	BDL	19.0	15.0	4.6	79	12	40	57	1022
11/24/2016 8:00	0.7	BDL	BDL	32.4	0.04	BDL	17.0	12.0	3.6	69	12	41	58	1022
11/24/2016 9:00	0.7	BDL	BDL	27.8	BDL	BDL	17.0	10.0	3.2	76	18	44	57	1022
11/24/2016 10:00	0.7	BDL	BDL	29.9	0.1	BDL	22.0	13.0	3.6	72	15	46	58	1021
11/24/2016 11:00	0.7	BDL	BDL	26.6	0.1	BDL	21.0	11.0	3.0	56	15	48	58	1020
11/24/2016 12:00	0.7	BDL	BDL	23.1	0.1	BDL	20.0	15.0	2.2	46	34	50	58	1019
11/24/2016 13:00	0.7	BDL	BDL	12.5	BDL	BDL	16.0	4.0	3.4	221	27	53	61	1019
11/24/2016 14:00	0.6	BDL	BDL	7.8	BDL	BDL	16.0	6.0	3.4	234	18	53	64	1018
11/24/2016 15:00	0.7	BDL	BDL	8.4	BDL	BDL	21.0	8.0	2.8	284	16	53	63	1019
11/24/2016 16:00	1.6	BDL	BDL	11.8	BDL	BDL	18.0	14.0	2.4	284	19	52	65	1019
11/24/2016 17:00	1.4	BDL	BDL	21.5	0.1	BDL	27.0	14.0	3.8	316	22	52	65	1020
11/24/2016 18:00	0.8	BDL	BDL	29.3	0.2	BDL	28.0	21.0	6.1	315	12	50	64	1020
11/24/2016 19:00	0.7	BDL	BDL	24.6	0.1	BDL	28.0	18.0	4.9	333	14	48	67	1021
11/24/2016 20:00	0.5	BDL	BDL	25.5	0.1	BDL	20.0	15.0	5.1	338	20	47	69	1021
11/24/2016 21:00	0.7	BDL	BDL	33.2	0.2	BDL	20.0	11.0	1.6	354	31	47	71	1021
11/24/2016 22:00	0.7	BDL	BDL	36.3	0.2	BDL	19.0	12.0	2.1	340	24	47	72	1021
11/24/2016 23:00	0.8	BDL	BDL	42.2	0.3	BDL	26.0	16.0	1.8	281	27	46	73	1021

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 11/20/2016-11/26/2016														
11/25/2016 0:00	0.7	BDL	BDL	41.0	0.2	BDL	21.0	18.0	2.6	295	17	46	72	1021
11/25/2016 1:00	0.7	0.4	BDL	43.1	0.2	BDL	26.0	19.0	1.7	294	45	45	74	1021
11/25/2016 2:00	0.8	Calibration	Calibration	49.1	0.3	BDL	29.0	20.0	1.4	272	39	44	78	1022
11/25/2016 3:00	1.1	Calibration	Calibration	59.6	0.3	BDL	28.0	19.0	2.3	242	45	45	76	1022
11/25/2016 4:00	Calibration	1.4	BDL	Calibration	Calibration	Too few samples	23.0	23.0	2.4	217	42	43	84	1022
11/25/2016 5:00	1.2	2.6	1.6	70.9	0.3	BDL	29.0	24.0	1.5	317	55	43	85	1022
11/25/2016 6:00	1.7	1.8	0.8	87.7	0.4	BDL	42.0	25.0	1.6	71	46	44	81	1022
11/25/2016 7:00	2.2	2.5	1.1	124.5	0.6	BDL	41.0	22.0	4.1	91	16	46	77	1022
11/25/2016 8:00	2.2	2.8	1.2	111.1	0.5	BDL	38.0	28.0	4.9	213	30	45	79	1022
11/25/2016 9:00	1.8	1.7	0.9	74.4	0.3	BDL	40.0	26.0	4.1	188	16	46	77	1022
11/25/2016 10:00	1.5	0.9	BDL	54.4	0.2	BDL	33.0	25.0	2.1	220	38	47	71	1022
11/25/2016 11:00	2.1	0.9	BDL	50.6	0.2	BDL	46.0	32.0	2.3	278	37	49	66	1021
11/25/2016 12:00	2.0	0.6	BDL	36.0	0.1	BDL	40.0	34.0	3.1	224	17	51	67	1020
11/25/2016 13:00	1.9	0.5	BDL	33.5	0.1	BDL	37.0	30.0	2.5	249	24	51	68	1020
11/25/2016 14:00	4.3	0.6	BDL	35.4	0.1	BDL	40.0	32.0	2.3	257	20	51	69	1019
11/25/2016 15:00	4.1	0.6	BDL	44.9	0.2	BDL	44.0	32.0	1.8	307	19	52	69	1019
11/25/2016 16:00	2.7	BDL	BDL	34.3	0.1	BDL	41.0	29.0	1.3	287	37	52	71	1019
11/25/2016 17:00	3.6	1.3	BDL	84.8	0.2	BDL	45.0	36.0	2.1	138	32	51	74	1020
11/25/2016 18:00	3.5	1.1	BDL	69.1	0.2	BDL	45.0	33.0	0.6	319	75	51	74	1020
11/25/2016 19:00	2.5	1.4	0.4	73.3	0.4	BDL	48.0	33.0	1.9	79	41	50	80	1020
11/25/2016 20:00	2.0	1.5	0.4	73.9	0.5	BDL	50.0	37.0	2.2	350	29	49	83	1019
11/25/2016 21:00	1.9	1.3	BDL	76.6	0.6	BDL	44.0	35.0	1.9	342	44	49	86	1019
11/25/2016 22:00	2.1	0.7	BDL	51.5	0.4	BDL	43.0	38.0	3.6	358	26	49	78	1019
11/25/2016 23:00	1.9	0.6	BDL	47.6	0.4	BDL	47.0	41.0	2.2	334	47	48	79	1019
11/26/2016 0:00	1.8	0.9	BDL	57.8	0.5	BDL	47.0	38.0	5.6	307	9	47	82	1019
11/26/2016 1:00	1.7	0.5	BDL	40.4	0.3	BDL	48.0	35.0	5.9	303	5	47	80	1018
11/26/2016 2:00	1.6	Calibration	Calibration	31.9	0.2	BDL	33.0	30.0	5.8	299	7	47	77	1018
11/26/2016 3:00	1.4	Calibration	Calibration	14.9	BDL	BDL	15.0	17.0	4.5	296	7	45	72	1018
11/26/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	BDL	15.0	12.0	3.7	293	8	45	73	1018
11/26/2016 5:00	0.9	BDL	BDL	15.1	BDL	BDL	16.0	12.0	5.3	302	8	44	73	1017
11/26/2016 6:00	1.1	BDL	BDL	13.4	BDL	BDL	14.0	10.0	8.8	320	9	43	71	1018
11/26/2016 7:00	1.1	Too few samples	Too few samples	14.5	BDL	BDL	14.0	13.0	10.2	322	8	42	72	1018
11/26/2016 8:00	1.2	Calibration	Calibration	12.9	BDL	BDL	10.0	9.0	10.5	319	8	44	69	1018
11/26/2016 9:00	1.1	BDL	BDL	11.4	BDL	Calibration	13.0	6.0	11.9	321	10	45	67	1018
11/26/2016 10:00	1.0	BDL	BDL	10.4	BDL	Calibration	13.0	7.0	11.6	322	10	46	65	1018
11/26/2016 11:00	0.8	BDL	BDL	8.4	BDL	1.6	9.0	6.0	11.2	319	10	47	64	1018
11/26/2016 12:00	0.7	BDL	BDL	7.7	BDL	1.2	10.0	6.0	11.9	318	10	47	63	1017
11/26/2016 13:00	0.6	BDL	BDL	6.0	BDL	1.0	6.0	6.0	12.9	316	10	48	60	1017
11/26/2016 14:00	0.4	BDL	BDL	4.6	BDL	1.4	8.0	7.0	13.3	311	10	48	58	1016
11/26/2016 15:00	0.4	BDL	BDL	6.9	BDL	0.9	9.0	7.0	11.3	316	10	47	60	1017
11/26/2016 16:00	BDL	BDL	BDL	6.3	BDL	1.0	8.0	4.0	10.9	313	10	46	60	1017
11/26/2016 17:00	BDL	BDL	BDL	5.1	BDL	1.2	8.0	1.0	8.2	304	8	45	63	1018
11/26/2016 18:00	BDL	BDL	BDL	9.2	BDL	1.3	6.0	3.0	5.1	292	9	44	66	1018
11/26/2016 19:00	BDL	BDL	BDL	9.6	BDL	1.2	5.0	7.0	3.9	277	12	42	70	1018
11/26/2016 20:00	BDL	BDL	BDL	10.4	BDL	1.2	13.0	8.0	3.6	284	11	41	72	1018
11/26/2016 21:00	BDL	BDL	BDL	13.9	BDL	1.2	15.0	9.0	2.9	286	11	41	74	1018
11/26/2016 22:00	0.4	BDL	BDL	13.9	BDL	0.9	12.0	10.0	2.4	264	16	40	77	1018
11/26/2016 23:00	BDL	BDL	BDL	14.4	0.1	1.0	11.0	13.0	1.2	252	29	39	80	1018

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 11/27/2016-12/3/2016														
11/27/2016 12:00 AM	BDL	BDL	BDL	10.6	BDL	0.9	7.0	12.0	3.8	281	23	39	78	1017
11/27/2016 1:00 AM	BDL	BDL	BDL	7.1	BDL	0.6	7.0	6.0	6.6	304	7	40	74	1018
11/27/2016 2:00 AM	BDL	Calibration	Calibration	8.0	BDL	1.3	10.0	4.0	2.6	261	23	39	78	1018
11/27/2016 3:00 AM	BDL	Calibration	Calibration	7.6	BDL	1.4	8.0	7.0	2.5	255	19	39	80	1018
11/27/2016 4:00 AM	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	7.0	6.0	2.1	245	25	38	82	1018
11/27/2016 5:00 AM	BDL	BDL	BDL	15.6	BDL	2.0	9.0	11.0	3.1	218	11	36	83	1018
11/27/2016 6:00 AM	BDL	0.9	1.0	15.6	BDL	2.6	8.0	7.0	3.4	231	12	37	79	1019
11/27/2016 7:00 AM	0.4	BDL	BDL	14.8	BDL	Too few samples	8.0	5.0	3.8	236	14	38	73	1019
11/27/2016 8:00 AM	Calibration	BDL	BDL	Calibration	Calibration	1.9	7.0	6.0	4.7	281	14	40	62	1019
11/27/2016 9:00 AM	BDL	BDL	BDL	4.0	BDL	2.4	9.0	7.0	8.9	309	11	44	57	1019
11/27/2016 10:00 AM	BDL	BDL	BDL	4.3	BDL	2.8	8.0	7.0	10.9	316	14	46	53	1019
11/27/2016 11:00 AM	BDL	BDL	BDL	4.8	BDL	3.0	18.0	6.0	13.0	318	10	47	51	1018
11/27/2016 12:00 PM	BDL	BDL	BDL	2.1	BDL	2.0	8.0	7.0	12.0	308	10	47	47	1018
11/27/2016 1:00 PM	BDL	BDL	BDL	3.3	BDL	2.3	4.0	6.0	11.7	316	10	48	45	1017
11/27/2016 2:00 PM	BDL	BDL	BDL	2.6	BDL	1.3	4.0	7.0	10.2	306	10	47	43	1017
11/27/2016 3:00 PM	BDL	BDL	BDL	2.8	BDL	1.5	5.0	5.0	10.5	310	10	47	43	1018
11/27/2016 4:00 PM	BDL	BDL	BDL	4.5	BDL	1.3	6.0	4.0	7.4	306	7	46	47	1018
11/27/2016 5:00 PM	BDL	BDL	BDL	10.7	BDL	2.9	10.0	6.0	3.2	289	8	45	51	1019
11/27/2016 6:00 PM	BDL	BDL	BDL	16.7	0.1	5.9	14.0	7.0	2.4	269	11	44	58	1019
11/27/2016 7:00 PM	BDL	BDL	BDL	20.2	0.1	1.9	17.0	10.0	2.6	255	12	43	61	1019
11/27/2016 8:00 PM	BDL	BDL	BDL	16.7	0.1	1.8	19.0	13.0	4.2	269	11	41	62	1019
11/27/2016 9:00 PM	BDL	BDL	BDL	17.7	BDL	1.8	19.0	12.0	4.4	285	10	40	63	1019
11/27/2016 10:00 PM	BDL	BDL	BDL	23.7	0.1	1.8	16.0	13.0	4.3	293	10	40	65	1019
11/27/2016 11:00 PM	0.4	BDL	BDL	24.5	0.1	2.2	19.0	16.0	4.2	292	9	39	67	1019
11/28/2016 12:00 AM	0.5	BDL	BDL	27.7	0.1	3.0	16.0	13.0	2.9	275	14	38	70	1020
11/28/2016 1:00 AM	BDL	BDL	0.5	29.7	0.1	3.1	17.0	14.0	1.1	215	37	37	76	1020
11/28/2016 2:00 AM	0.4	Calibration	Calibration	28.1	0.1	3.3	26.0	16.0	1.3	247	30	37	78	1020
11/28/2016 3:00 AM	0.4	Calibration	Calibration	32.8	BDL	3.0	20.0	15.0	1.1	201	25	36	78	1020
11/28/2016 4:00 AM	Calibration	0.9	1.0	Calibration	Calibration	Too few samples	33.0	18.0	1.9	198	14	36	78	1020
11/28/2016 5:00 AM	0.8	1.7	1.2	63.9	0.04	3.1	55.0	35.0	2.1	196	12	35	84	1020
11/28/2016 6:00 AM	1.9	3.0	1.0	120.1	0.1	3.3	24.0	19.0	1.6	200	15	35	86	1020
11/28/2016 7:00 AM	2.7	3.0	0.7	118.4	0.2	3.5	44.0	21.0	1.5	206	13	35	84	1021
11/28/2016 8:00 AM	5.3	2.9	1.5	117.0	0.2	3.7	48.0	27.0	1.5	189	22	37	75	1021
11/28/2016 9:00 AM	6.9	2.2	0.9	103.0	0.2	4.0	41.0	21.0	2.2	190	22	41	65	1021
11/28/2016 10:00 AM	4.2	0.7	BDL	46.4	0.04	4.2	38.0	20.0	4.1	206	17	46	55	1021
11/28/2016 11:00 AM	0.9	BDL	BDL	12.5	BDL	3.4	14.0	8.0	6.4	194	17	49	47	1020
11/28/2016 12:00 PM	0.7	BDL	BDL	10.8	BDL	2.6	30.0	11.0	8.8	199	15	51	43	1019
11/28/2016 1:00 PM	0.6	1.2	0.6	7.9	BDL	2.4	22.0	9.0	8.0	182	14	51	44	1018
11/28/2016 2:00 PM	0.4	1.0	0.6	9.4	BDL	1.3	38.0	9.0	7.9	180	14	51	44	1018
11/28/2016 3:00 PM	0.4	1.0	0.7	11.4	BDL	1.1	35.0	7.0	6.5	185.0	11	49.9	48.5	1018.0
11/28/2016 4:00 PM	0.4	1.1	0.6	17.9	BDL	0.7	17.0	6.0	5.5	163.0	11	49.4	52.5	1018.0
11/28/2016 5:00 PM	0.5	1.5	0.7	36.7	BDL	0.7	21.0	8.0	5.8	158	11	49	55	1018
11/28/2016 6:00 PM	0.4	1.6	0.8	32.6	BDL	1.0	15.0	12.0	5.5	153	12	48	60	1018
11/28/2016 7:00 PM	BDL	1.5	0.9	13.7	BDL	0.9	18.0	10.0	4.5	144	12	47	66	1018
11/28/2016 8:00 PM	BDL	1.7	1.2	21.7	BDL	0.8	14.0	10.0	4.8	153	11	47	71	1018
11/28/2016 9:00 PM	BDL	1.8	1.2	33.9	BDL	0.6	13.0	10.0	4.6	156	12	47	74	1018
11/28/2016 10:00 PM	BDL	1.8	1.2	21.9	BDL	0.6	12.0	11.0	3.1	160	16	47	77	1018
11/28/2016 11:00 PM	BDL	1.6	1.2	17.4	BDL	0.5	14.0	12.0	4.4	158	21	47	80	1018
11/29/2016 12:00 AM	BDL	1.5	0.9	24.2	BDL	0.1	16.0	8.0	3.6	166	16	47	82	1017
11/29/2016 1:00 AM	BDL	1.3	0.9	17.3	BDL	0.2	16.0	8.0	2.1	122	26	48	80	1016
11/29/2016 2:00 AM	BDL	Calibration	Calibration	27.6	BDL	0.2	23.0	9.0	3.7	69	13	48	81	1016
11/29/2016 3:00 AM	BDL	Calibration	Calibration	27.8	BDL	BDL	20.0	7.0	4.0	72	11	48	81	1016
11/29/2016 4:00 AM	Calibration	2.0	1.4	Calibration	Calibration	Too few samples	16.0	10.0	4.0	60	10	47	83	1015
11/29/2016 5:00 AM	BDL	2.2	1.6	32.4	0.04	BDL	23.0	10.0	3.8	60	9	48	86	1014
11/29/2016 6:00 AM	BDL	2.8	1.7	52.4	0.1	BDL	20.0	13.0	2.9	56	11	49	90	1014
11/29/2016 7:00 AM	BDL	Calibration	Calibration	39.2	BDL	BDL	15.0	9.0	5.8	149	17	53	89	1013
11/29/2016 8:00 AM	BDL	Calibration	Calibration	8.9	BDL	BDL	36.0	6.0	8.0	169	12	55	89	1013
11/29/2016 9:00 AM	BDL	Too few samples	Too few samples	16.4	BDL	BDL	12.0	4.0	7.8	149	13	55	93	1013
11/29/2016 10:00 AM	BDL	Calibration	Calibration	33.4	BDL	BDL	11.0	5.0	5.3	156	15	56	94	1012
11/29/2016 11:00 AM	BDL	1.4	0.9	18.8	BDL	BDL	10.0	4.0	5.2	159	15	56	95	1010
11/29/2016 12:00 PM	Calibration	1.2	0.9	Calibration	Calibration	BDL	17.0	10.0	7.7	181	12	57	95	1009
11/29/2016 1:00 PM	BDL	1.2	0.9	BDL	BDL	Too few samples	13.0	7.0	8.4	178	12	58	95	1008
11/29/2016 2:00 PM	BDL	1.3	1.0	BDL	BDL	1.5	10.0	6.0	8.5	188	16	58	95	1007
11/29/2016 3:00 PM	BDL	1.5	1.2	BDL	BDL	1.6	15.0	8.0	7.5	206	16	58	95	1007
11/29/2016 4:00 PM	BDL	1.9	1.7	2.1	BDL	1.7	17.0	7.0	4.2	187	12	58	97	1007
11/29/2016 5:00 PM	BDL	1.8	2.0	4.7	BDL	2.1	16.0	6.0	2.6	258	22	58	97	1008
11/29/2016 6:00 PM	BDL	1.9	1.6	16.3	0.1	3.1	17.0	10.0	2.7	234	21	58	98	1008
11/29/2016 7:00 PM	0.7	2.2	1.7	37.4	0.1	3.5	22.0	16.0	2.6	229	20	58	98	1009
11/29/2016 8:00 PM	0.4	1.9	1.3	17.9	0.1	3.4	20.0	12.0	4.2	230	14	58	98	1010
11/29/2016 9:00 PM	1.0	1.7	1.1	24.1	0.1	4.0	19.0	12.0	3.2	241	18	58	97	1010
11/29/2016 10:00 PM	0.6	1.6	1.2	17.1	0.1	4.1	24.0	13.0	2.6	238	17	58	96	1010
11/29/2016 11:00 PM	0.6	1.9	1.1	23.5	0.1	4.4	16.0	14.0	2.7	277	17	57	97	1011
11/30/2016 12:00 AM	BDL	1.4	1.0	BDL	BDL	3.8	9.0	10.0	4.2	301	10	57	95	1011
11/30/2016 1:00 AM	BDL	1.1	0.8	BDL	BDL	3.8	6.0	7.0	4.0	293	21	57	94	1011
11/30/2016 2:00 AM	BDL	Calibration	Calibration	BDL	BDL	4.1	10.0	15.0	3.1	342	50	57	93	1011
11/30/2016 3:00 AM	BDL	Calibration	Calibration	BDL	BDL	3.9	15.0	16.0	3.2	96	17	56	92	1011
11/30/2016 4:00 AM	Calibration	1.4	1.0	Calibration	Calibration	Too few samples	16.0	15.0	3.0	100	13	55	94	1011
11/30/2016 5:00 AM	BDL	1.3	0.9	3.0	BDL	3.6	11.0	16.0	4.0	83	13	56	94	1011
11/30/2016 6:00 AM	BDL	1.4	1.0	5.8	0.04	3.2	17.0	20.0	5.4	59	12	55	96	1010
11/30/2016 7:00 AM	BDL	1.6	1.0	20.5	0.1	4.0	19.0	20.0	2.9	99	18	55	97	1011
11/30/2016 8:00 AM	0.5	2.2	1.1	42.6	0.1	3.3	Invalid	129.0	4.0	86	13	56	99	1010
11/30/2016 9:00 AM	0.6	2.4	1.3	52.6	0.2	3.4	27.0	19.0	4.4	92	24	56	99	1009
11/30/2016 10:00 AM	0.8	2.6	1.4	67.2	0.2	3.3	18.0	15.0	3.7	94	18	57	99	1009
11/30/2016 11:00 AM	0.7	2.5	1.5	52.9	0.2	2.5	13.0	12.0	5.6	93	12	58	99	1007
11/30/2016 12:00 PM	BDL	2.1	1.5	15.9	0.1	1.4	8.0	6.0	5.6	91	12	59	99	1006
11/30/2016 1:00 PM	BDL	2.1	1.7	13.5	BDL	0.7	7.0	2.0	4.4	98	30	59	99	1005
11/30/2016 2:00 PM	BDL	2.1	1.7	21.1	0.1	0.6	7.0	BDL	3.4	48	22	59	99	1005
11/30/2016 3:00 PM	BDL	2.3	1.7	30.2	0.2	0.5	9.0	3.0	4.1	59	9	59	99	1005
11/30/2016 4:00 PM	0.4	2.3	1.7	35.4	0.2	0.2	16.0	8.0	4.6	65	13	59	98	1004
11/30/2016 5:00 PM	BDL	2.1	1.6	26.5	0.2	0.1	23.0	14.0	4.4	40	22	58	99	1004
11/30/2016 6:00 PM	BDL	1.9	1.3	20.7	0.1	BDL	18.0	12.0	5.1	62	11	57	99	1003
11/30/2016 7:00 PM	BDL	2.0	1.2	19.0	0.2	BDL	17.0	12.0	4.6	46	13	57	99	1002
11/30/2016 8:00 PM	BDL	1.9	1.3	20.1	0.2	BDL	17.0	11.0	6.7	56	13	56	99	1001
11/30/2016 9:00 PM	BDL	1.8	1.4	8.4	0.1	BDL	8.0	8.0	6.9	338	17	55	100	1000
11/30/2016 10:00 PM	BDL	1.8	1.4	7.3	0.1	BDL	5.0	7.0	4.1	72	24	55	99	999
11/30/2016 11:00 PM	BDL	1.9	1.5	10.5	0.1	BDL	6.0	7.0	6.0	331	47	55	99	997
12/1/2016 12:00 AM	0.4	2.2	1.6	18.0	0.1	0.3	6.0	4.0	2.0	224	32	55	99	997
12/1/2016 1:00 AM	0.4	2.2	1.7	13.8	0.1	BDL	8.0	2.0	4.2	245	20	57	99	996
12/1/2016 2:00 AM	0.4	Calibration	Calibration	BDL	BDL	BDL	8.0	4.0	13.7	266	14	60	88	997
12/1/2016 3:00 AM	BDL	Calibration	Calibration	BDL	BDL	BDL	6.0	3.0	8.0	277	15	58	80	999
12/1/2016 4:00 AM	Calibration	1.6	1.3	Calibration	Calibration	Too few samples	3.0	5.0	6.4	285	14	56	79	1000
12/1/2016 5:00 AM	BDL	1.3	1.0	BDL	BDL	BDL	6.0	5.0	8.2	294	12	55	70	1001
12/1/2016 6:00 AM	BDL	1.1	0.9	BDL	BDL	BDL	6.0	3.0	6.9	293	9	52	63	1002
12/1/2016 7:00 AM	BDL	1.2	0.9	BDL	BDL	BDL	9.0	4.0	4.7	287	11	51	64	1003
12/1/2016 8:00 AM	BDL	1.3	0.9	BDL	BDL	BDL	10.0	5.0	6.0	284	13	52	58	1004
12/1/2016 9:00 AM	BDL	1.2	0.9	BDL	BDL	0.4	8.0	5.0	10.2	294	14	52	57	1004
12/1/2016 10:00 AM	BDL	1.2	1.0	BDL	BDL	0.4	12.0	6.0	11.6	304	11	51	58	1004
12/1/2016 11:00 AM	BDL	1.1	0.8	BDL	BDL	2.1	11.0	7.0	10.3	290	15	52	52	1004
12/1/2016 12:00 PM	BDL	1.1	0.9	BDL	BDL	0.9	13.0	6.0	12.7	283	14	52	48	1004
12/1/2016 1:00 PM	BDL	1.0	0.8	BDL	BDL	0.1	10.0	5.0	13.0	296	12	51	48	1004
12/1/2016 2:00 PM	BDL	1.1	0.8	BDL	BDL	0.2	10.0	8.0	9.7	287	12	50	52	1005
12/1/2016 3:00 PM	BDL	1.1	0.8	BDL	BDL	0.3	10.0	10.0	8.7	288	12	50	54	1005
12/1/2016 4:00 PM	BDL	1.3	0.9	BDL	BDL	1.2	13.0	9.0	10.4	285	15	49	55	1006
12/1/2016 5:00 PM	BDL	1.0	0.8	BDL	BDL	1.6	8.0	4.0	12.4	293	12	48	52	1008
12/1/2016 6:00 PM	BDL	1.0	0.8	BDL	BDL	1.9	8.0	3.0	9.9	294	13	47	54	1008
12/1/2016 7:00 PM	BDL	1.0	0.8	BDL	BDL	2.1	6.0	4.0	9.2	296	10	47	56	1009
12/1/2016 8:00 PM	BDL	0.9	0.7	BDL	BDL	2.5	4.0	4.0	11.2	302	10	45	52	1010
12/1/2016 9:00 PM	BDL	0.9	0.7	BDL	BDL	2.7	3.0	4.0	9.7	293	11	44	51	1010
12/1/2016 10:00 PM	BDL	1.0	0.7	BDL	BDL	3.0	6.0	4.0	6.5	276	14	43	55	1010
12/1/2016 11:00 PM	BDL	0.9	0.8	BDL	BDL	2.8	7.0	3.0	6.7	262	15	43	57	1010

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 11/27/2016-12/3/2016														
12/2/2016 12:00 AM	BDL	1.1	0.8	BDL	BDL	2.9	6.0	7.0	6.1	251	14	42	59	1011
12/2/2016 1:00 AM	BDL	1.2	0.9	BDL	BDL	3.3	6.0	9.0	4.6	260	16	41	62	1011
12/2/2016 2:00 AM	BDL	Calibration	Calibration	BDL	BDL	3.7	10.0	5.0	5.3	241	14	41	64	1012
12/2/2016 3:00 AM	BDL	Calibration	Calibration	BDL	BDL	3.4	9.0	8.0	5.5	247	13	41	65	1012
12/2/2016 4:00 AM	1.9	1.5	1.2	Calibration	Calibration	3.8	7.0	6.0	4.8	232	13	40	66	1012
12/2/2016 5:00 AM	0.9	1.4	1.0	5.8	BDL	4.1	9.0	8.0	5.7	238	12	40	66	1012
12/2/2016 6:00 AM	0.6	1.6	1.0	10.0	BDL	4.5	9.0	7.0	5.2	235	12	40	66	1013
12/2/2016 7:00 AM	0.6	Calibration	Calibration	9.9	BDL	4.4	Invalid	Invalid	4.2	259	16	40	63	1013
12/2/2016 8:00 AM	1.1	Calibration	Calibration	8.2	BDL	4.7	Invalid	Invalid	5.1	266	17	43	54	1013
12/2/2016 9:00 AM	Calibration	1.3	1.3	Calibration	Calibration	6.2	9.0	3.0	10.2	296	15	46	48	1013
12/2/2016 10:00 AM	0.5	1.2	1.0	2.4	BDL	3.1	6.0	5.0	12.6	302	12	47	49	1013
12/2/2016 11:00 AM	0.4	1.3	1.1	2.3	BDL	2.7	6.0	5.0	9.9	293	15	48	46	1012
12/2/2016 12:00 PM	BDL	1.2	1.1	2.1	BDL	2.8	7.0	4.0	10.2	288	15	50	43	1012
12/2/2016 1:00 PM	BDL	1.2	1.0	1.9	BDL	2.0	7.0	4.0	11.6	286	14	50	43	1011
12/2/2016 2:00 PM	BDL	1.3	1.0	1.7	BDL	2.1	8.0	4.0	12.1	280	14	49	43	1012
12/2/2016 3:00 PM	0.1	1.1	1.0	1.0	BDL	2.1	12.0	4.0	12.1	282	11	48	44	1012
12/2/2016 4:00 PM	BDL	1.1	1.0	1.1	BDL	1.8	8.0	3.0	11.9	281	13	46	48	1012
12/2/2016 5:00 PM	BDL	1.1	1.0	0.9	BDL	2.0	5.0	2.0	9.6	269	15	45	52	1013
12/2/2016 6:00 PM	BDL	1.1	1.0	0.9	BDL	2.1	6.0	1.0	9.4	269	15	44	55	1013
12/2/2016 7:00 PM	0.6	1.1	1.0	1.1	BDL	2.1	8.0	3.0	9.2	267	15	43	58	1013
12/2/2016 8:00 PM	BDL	1.1	1.0	1.5	BDL	2.1	7.0	4.0	7.8	264	17	43	59	1013
12/2/2016 9:00 PM	BDL	1.3	1.1	11.5	BDL	2.3	5.0	5.0	7.4	262	15	43	60	1014
12/2/2016 10:00 PM	BDL	1.4	1.1	4.3	BDL	2.6	11.0	6.0	7.6	255	16	43	61	1014
12/2/2016 11:00 PM	BDL	1.4	1.3	2.2	BDL	2.2	9.0	7.0	8.1	254	16	42	61	1014
12/3/2016 12:00 AM	BDL	1.4	1.4	2.1	BDL	2.1	9.0	7.0	6.2	255	16	42	64	1014
12/3/2016 1:00 AM	BDL	1.3	1.3	3.7	BDL	2.4	8.0	6.0	6.7	250	14	41	65	1014
12/3/2016 2:00 AM	0.5	Calibration	Calibration	4.8	BDL	2.6	9.0	5.0	7.2	250	16	42	64	1014
12/3/2016 3:00 AM	BDL	Calibration	Calibration	3.7	BDL	2.3	8.0	6.0	5.6	249	15	42	64	1014
12/3/2016 4:00 AM	Calibration	1.2	1.3	Calibration	Calibration	2.5	7.0	5.0	4.9	266	15	42	64	1014
12/3/2016 5:00 AM	BDL	1.0	1.0	1.6	BDL	2.9	8.0	3.0	6.3	302	9	43	62	1015
12/3/2016 6:00 AM	BDL	1.0	0.9	BDL	BDL	3.4	5.0	2.0	14.0	312	9	43	67	1016
12/3/2016 7:00 AM	BDL	Calibration	Calibration	BDL	BDL	3.6	4.0	6.0	11.6	310	9	43	65	1017
12/3/2016 8:00 AM	BDL	Calibration	Calibration	BDL	BDL	4.0	4.0	5.0	10.7	307	11	43	64	1017
12/3/2016 9:00 AM	BDL	0.9	0.8	BDL	BDL	4.7	7.0	1.0	10.8	301	12	44	63	1017
12/3/2016 10:00 AM	BDL	0.9	0.7	BDL	BDL	4.8	5.0	BDL	11.7	308	12	45	57	1018
12/3/2016 11:00 AM	BDL	0.9	0.8	BDL	BDL	4.6	6.0	BDL	10.1	305	14	47	51	1018
12/3/2016 12:00 PM	BDL	0.9	0.7	BDL	BDL	4.4	6.0	2.0	13.6	312	11	48	49	1017
12/3/2016 1:00 PM	BDL	0.8	0.7	BDL	BDL	4.4	6.0	3.0	14.7	309	11	49	47	1016
12/3/2016 2:00 PM	BDL	0.9	0.7	BDL	BDL	4.4	7.0	2.0	13.4	306	11	49	48	1016
12/3/2016 3:00 PM	BDL	0.9	0.7	BDL	BDL	4.7	6.0	5.0	11.8	302	11	48	53	1018
12/3/2016 4:00 PM	BDL	0.8	0.5	BDL	BDL	4.8	6.0	4.0	10.8	304	10	47	56	1019
12/3/2016 5:00 PM	BDL	0.8	0.7	BDL	BDL	5.0	4.0	4.0	10.9	310	9	46	56	1019
12/3/2016 6:00 PM	BDL	0.8	0.7	BDL	BDL	4.9	3.0	3.0	10.8	309	9	46	60	1019
12/3/2016 7:00 PM	BDL	0.9	0.6	BDL	BDL	5.0	3.0	2.0	9.0	309	9	45	59	1019
12/3/2016 8:00 PM	BDL	0.8	0.6	BDL	BDL	5.0	4.0	2.0	7.2	300	10	45	59	1019
12/3/2016 9:00 PM	BDL	0.9	0.6	BDL	BDL	5.2	5.0	3.0	8.6	301	10	45	59	1019
12/3/2016 10:00 PM	BDL	0.8	0.6	BDL	BDL	5.6	5.0	3.0	7.4	300	10	45	58	1020
12/3/2016 11:00 PM	BDL	0.8	0.6	BDL	BDL	5.8	5.0	3.0	8.7	308	8	45	58	1020

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 12/4/2016-12/10/2016														
12/4/2016 0:00	BDL	0.8	0.7	BDL	BDL	5.9	4.0	3.0	7.7	308	9	44	59	1021
12/4/2016 1:00	BDL	0.9	0.6	5.5	BDL	6.1	6.0	4.0	9.0	326	12	44	54	1021
12/4/2016 2:00	BDL	Calibration	Calibration	10.4	BDL	6.3	6.0	6.0	9.5	330	13	44	50	1021
12/4/2016 3:00	BDL	Calibration	Calibration	4.9	BDL	6.4	3.0	4.0	8.5	330	13	43	50	1021
12/4/2016 4:00	Calibration	0.9	0.6	Calibration	Calibration	Too few samples	4.0	7.0	7.5	338	13	43	51	1021
12/4/2016 5:00	0.5	0.9	0.6	7.3	BDL	6.1	7.0	9.0	6.3	339	18	43	52	1021
12/4/2016 6:00	BDL	1.0	0.6	8.3	BDL	6.5	9.0	11.0	6.1	334	14	42	53	1022
12/4/2016 7:00	BDL	1.0	0.6	12.1	BDL	6.6	7.0	6.0	5.0	323	21	42	55	1022
12/4/2016 8:00	0.4	1.0	0.6	6.4	BDL	6.9	8.0	3.0	4.9	313	14	42	52	1022
12/4/2016 9:00	BDL	0.9	0.7	3.3	BDL	3.5	6.0	5.0	5.5	308	17	43	50	1022
12/4/2016 10:00	BDL	0.8	0.6	BDL	BDL	9.3	4.0	4.0	7.3	311	19	44	46	1022
12/4/2016 11:00	BDL	0.8	0.6	BDL	BDL	9.7	6.0	3.0	6.1	320	18	45	45	1021
12/4/2016 12:00	BDL	0.7	0.5	BDL	BDL	8.9	7.0	4.0	5.6	298	23	46	42	1021
12/4/2016 13:00	BDL	0.8	0.6	BDL	BDL	8.4	5.0	5.0	6.4	310	19	46	43	1020
12/4/2016 14:00	BDL	0.8	0.6	BDL	BDL	8.1	3.0	5.0	5.5	304	18	46	43	1020
12/4/2016 15:00	BDL	0.8	0.6	BDL	BDL	7.4	5.0	3.0	5.2	303	18	46	44	1020
12/4/2016 16:00	BDL	0.9	0.6	1.3	BDL	7.9	8.0	3.0	1.8	258	31	46	47	1020
12/4/2016 17:00	BDL	0.9	0.6	5.2	BDL	7.8	7.0	2.0	1.7	235	17	45	53	1020
12/4/2016 18:00	0.4	1.3	0.9	21.4	BDL	6.8	11.0	6.0	3.0	189	11	44	56	1020
12/4/2016 19:00	0.5	1.9	1.1	18.5	BDL	6.6	14.0	8.0	3.1	198	13	43	60	1019
12/4/2016 20:00	0.8	2.2	1.4	40.7	BDL	7.0	12.0	13.0	2.2	161	29	43	62	1019
12/4/2016 21:00	0.7	2.1	1.1	45.4	BDL	8.5	19.0	12.0	2.9	157	17	42	64	1018
12/4/2016 22:00	BDL	1.8	0.8	32.9	BDL	5.8	15.0	15.0	4.3	174	12	42	65	1018
12/4/2016 23:00	BDL	1.5	0.9	17.2	BDL	5.3	13.0	14.0	5.1	174	11	42	65	1017
12/5/2016 0:00	BDL	1.8	1.1	22.7	BDL	4.8	14.0	11.0	6.5	174	14	41	73	1017
12/5/2016 1:00	BDL	1.9	1.5	7.9	BDL	4.2	10.0	9.0	7.2	182	13	40	84	1016
12/5/2016 2:00	0.5	Calibration	Calibration	45.6	BDL	4.5	14.0	10.0	4.1	162	17	39	88	1015
12/5/2016 3:00	0.5	Calibration	Calibration	36.5	BDL	3.7	15.0	10.0	4.6	164	15	39	91	1015
12/5/2016 4:00	Calibration	1.6	1.2	Calibration	Calibration	Too few samples	11.0	8.0	5.3	189	14	39	95	1014
12/5/2016 5:00	BDL	1.4	1.0	4.7	BDL	3.2	8.0	6.0	7.8	196	12	39	97	1014
12/5/2016 6:00	BDL	1.4	1.0	3.7	BDL	3.3	8.0	5.0	7.5	206	13	39	97	1014
12/5/2016 7:00	BDL	1.4	1.0	8.4	BDL	3.4	6.0	8.0	7.4	212	13	40	96	1014
12/5/2016 8:00	BDL	1.5	1.1	11.3	BDL	3.4	7.0	11.0	5.8	221	15	41	95	1014
12/5/2016 9:00	BDL	1.6	1.0	12.8	BDL	3.7	9.0	9.0	6.1	252	18	42	93	1014
12/5/2016 10:00	BDL	1.5	1.1	5.3	BDL	3.7	10.0	7.0	5.3	288	16	43	87	1014
12/5/2016 11:00	BDL	1.4	1.1	5.1	BDL	3.7	9.0	8.0	5.4	306	13	45	83	1014
12/5/2016 12:00	BDL	1.3	0.9	4.0	BDL	4.4	9.0	6.0	7.5	303	15	47	71	1013
12/5/2016 13:00	BDL	1.2	0.9	5.5	BDL	5.5	10.0	11.0	9.7	319	11	49	64	1013
12/5/2016 14:00	BDL	1.2	0.8	3.0	BDL	5.5	8.0	7.0	10.2	314	10	49	58	1014
12/5/2016 15:00	BDL	1.0	0.8	1.6	BDL	5.0	6.0	5.0	8.9	310.0	9	49	57	1014.0
12/5/2016 16:00	BDL	1.1	0.7	9.1	BDL	4.3	10.0	5.0	6.1	306.0	7	47	62	1014.0
12/5/2016 17:00	BDL	1.2	0.9	16.3	BDL	4.7	9.0	3.0	3.3	285	11	46	65	1015
12/5/2016 18:00	BDL	1.6	0.8	30.1	0.2	7.2	15.0	8.0	2.7	265	11	45	73	1016
12/5/2016 19:00	BDL	1.7	0.8	33.5	0.2	5.5	15.0	11.0	4.5	285	9	44	72	1016
12/5/2016 20:00	BDL	1.4	0.8	21.3	0.1	5.1	13.0	8.0	5.6	305	7	43	70	1017
12/5/2016 21:00	BDL	1.4	0.8	22.1	0.04	5.5	13.0	6.0	6.3	312	7	43	68	1017
12/5/2016 22:00	BDL	1.5	0.9	19.0	BDL	5.4	11.0	7.0	6.8	311	6	42	68	1017
12/5/2016 23:00	BDL	1.4	0.8	19.1	BDL	5.6	13.0	9.0	6.9	314	7	41	69	1017
12/6/2016 0:00	BDL	1.5	0.9	20.1	BDL	5.7	16.0	10.0	7.2	319	9	41	70	1017
12/6/2016 1:00	0.4	1.5	0.8	29.5	BDL	5.7	15.0	10.0	6.5	333	11	41	68	1018
12/6/2016 2:00	BDL	Calibration	Calibration	22.5	BDL	5.9	16.0	9.0	6.8	318	11	40	70	1018
12/6/2016 3:00	0.8	Calibration	Calibration	21.2	BDL	5.74	15.0	6.0	5.4	343	18	41	65	1018
12/6/2016 4:00	Calibration	1.4	0.9	Calibration	Calibration	Too few samples	9.0	10.0	4.8	13	18	40	66	1018
12/6/2016 5:00	0.5	1.5	0.9	23.8	BDL	5.6	10.0	7.0	4.5	43	10	40	66	1018
12/6/2016 6:00	0.6	1.9	0.9	41.0	0.1	5.8	18.0	8.0	3.3	53	16	39	68	1018
12/6/2016 7:00	0.9	2.4	1.1	67.6	0.2	5.7	20.0	11.0	4.4	60	12	39	67	1018
12/6/2016 8:00	0.5	1.7	0.9	33.6	0.1	3.6	19.0	11.0	7.1	47	12	41	63	1018
12/6/2016 9:00	0.7	1.9	0.9	37.4	0.1	2.1	Audit	Audit	8.6	60	11	41	63	1017
12/6/2016 10:00	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit	8.9	65	12	41	64	1016
12/6/2016 11:00	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit	8.6	68	13	42	66	1015
12/6/2016 12:00	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit	7.8	77	15	43	67	1015
12/6/2016 13:00	Audit	Audit	Audit	Audit	Audit	Audit	13.0	6.0	8.4	91	14	44	72	1013
12/6/2016 14:00	Audit	Audit	Audit	Audit	Audit	Audit	17.0	7.0	8.3	75	11	43	80	1011
12/6/2016 15:00	Audit	Audit	Audit	Audit	Audit	Audit	12.0	8.0	6.9	65	12	43	84	1011
12/6/2016 16:00	BDL	1.5	3.1	19.9	BDL	BDL	10.0	8.0	7.0	48	12	42	88	1011
12/6/2016 17:00	BDL	1.8	1.1	23.7	0.04	BDL	9.0	12.0	7.8	44	15	41	93	1010
12/6/2016 18:00	BDL	1.6	1.0	15.2	BDL	BDL	9.0	7.0	11.1	52	12	41	95	1009
12/6/2016 19:00	BDL	1.5	0.9	8.4	BDL	BDL	8.0	6.0	10.7	60	12	42	96	1009
12/6/2016 20:00	BDL	1.2	0.9	2.2	BDL	BDL	7.0	4.0	11.6	58	11	42	95	1008
12/6/2016 21:00	BDL	1.2	0.8	1.8	BDL	BDL	5.0	3.0	9.8	44	15	42	93	1008
12/6/2016 22:00	BDL	1.2	0.9	3.9	BDL	BDL	4.0	4.0	8.8	38	14	42	94	1007
12/6/2016 23:00	BDL	1.3	0.9	5.5	BDL	BDL	6.0	4.0	8.2	38	14	42	94	1007
12/7/2016 0:00	BDL	1.4	1.0	13.0	BDL	BDL	9.0	7.0	7.9	350	18	41	94	1007
12/7/2016 1:00	0.5	1.7	1.1	21.9	BDL	BDL	4.0	6.0	7.9	360	16	41	94	1008
12/7/2016 2:00	0.5	Calibration	Calibration	21.2	BDL	BDL	6.0	9.0	6.2	347	21	41	93	1009
12/7/2016 3:00	0.8	Calibration	Calibration	22.4	BDL	BDL	8.0	9.0	6.8	344	15	41	92	1009
12/7/2016 4:00	Calibration	1.4	1.0	Calibration	Calibration	BDL	6.0	5.0	6.6	342	15	40	93	1010
12/7/2016 5:00	0.5	1.5	0.9	18.5	BDL	BDL	2.0	5.0	6.8	341	14	40	95	1011
12/7/2016 6:00	0.5	1.5	0.9	20.1	BDL	BDL	10.0	9.0	6.7	329	16	40	93	1012
12/7/2016 7:00	BDL	Audit	Audit	17.3	BDL	BDL	8.0	13.0	8.4	313	8	40	93	1013
12/7/2016 8:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	0.03	8.0	11.0	8.5	314	8	40	94	1014
12/7/2016 9:00	0.6	1.5	1.0	Calibration	0.1	0.5	17.0	12.0	3.9	342	35	41	91	1014
12/7/2016 10:00	Calibration	1.9	1.0	Calibration	Calibration	0.9	7.0	10.0	4.5	311	26	42	86	1014
12/7/2016 11:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	0.9	10.0	8.0	6.0	308	10	44	81	1013
12/7/2016 12:00	BDL	Calibration	Calibration	13.1	BDL	0.2	8.0	7.0	8.9	316	10	45	79	1013
12/7/2016 13:00	BDL	1.3	1.1	14.7	BDL	0.3	8.0	7.0	8.9	318	10	45	75	1013
12/7/2016 14:00	BDL	1.4	1.0	10.6	BDL	0.2	9.0	7.0	8.3	310	9	45	73	1014
12/7/2016 15:00	BDL	1.3	1.0	9.6	BDL	1.0	7.0	12.0	5.6	302	13	46	66	1014
12/7/2016 16:00	BDL	1.4	1.0	16.3	BDL	1.2	8.0	12.0	2.7	270	15	45	73	1015
12/7/2016 17:00	BDL	2.1	1.3	40.4	0.1	1.8	17.0	12.0	2.7	236	11	44	77	1015
12/7/2016 18:00	BDL	2.2	1.0	34.9	0.2	0.9	22.0	18.0	2.3	253	13	43	80	1015
12/7/2016 19:00	BDL	1.8	0.9	36.5	0.1	1.3	19.0	22.0	3.4	280	10	42	76	1016
12/7/2016 20:00	BDL	2.1	1.0	40.9	0.2	1.5	24.0	19.0	1.7	262	25	41	79	1015
12/7/2016 21:00	BDL	2.1	1.0	43.8	0.3	2.8	23.0	19.0	1.3	238	20	39	81	1015
12/7/2016 22:00	1.0	2.7	1.7	62.3	0.3	2.5	23.0	18.0	2.0	212	12	38	82	1015
12/7/2016 23:00	1.4	4.0	2.0	76.4	0.3	3.7	26.0	21.0	2.5	229	12	38	82	1015
12/8/2016 0:00	1.4	3.8	1.7	86.3	0.3	2.9	34.0	24.0	2.7	230	11	38	89	1014
12/8/2016 1:00	0.8	3.4	1.9	51.8	0.2	1.8	30.0	20.0	3.2	253	13	37	84	1015
12/8/2016 2:00	0.7	Calibration	Calibration	42.0	0.2	1.8	27.0	24.0	2.3	256	18	36	83	1015
12/8/2016 3:00	0.8	Calibration	Calibration	51.2	0.1	2.3	25.0	22.0	2.8	235	14	36	82	1014
12/8/2016 4:00	Calibration	2.1	1.4	Calibration	Calibration	Too few samples	26.0	20.0	4.2	243	11	37	75	1014
12/8/2016 5:00	1.1	3.0	1.7	55.2	0.1	2.0	24.0	24.0	3.4	236	12	37	73	1014
12/8/2016 6:00	Calibration	4.0	1.9	Calibration	Calibration	2.3	32.0	21.0	2.8	220	12	37	76	1014
12/8/2016 7:00	1.4	3.1	1.5	57.9	0.5	1.3	22.0	18.0	3.2	242	14	38	66	1014
12/8/2016 8:00	1.4	2.9	1.3	64.4	0.5	1.3	23.0	16.0	3.6	255	15	39	64	1014
12/8/2016 9:00	1.6	3.0	1.4	59.4	0.5	1.4	30.0	19.0	4.8	239	13	40	61	1014
12/8/2016 10:00	3.1	3.7	2.1	63.8	0.5	1.1	28.0	20.0	5.1	224	15	41	64	1014
12/8/2016 11:00	5.3	3.2	1.9	51.1	0.4	0.1	27.0	17.0	6.6	232	13	43	58	1013
12/8/2016 12:00	2.1	2.4	1.7	15.1	0.3	BDL	13.0	11.0	6.9	261	17	44	45	1011
12/8/2016 13:00	1.1	1.5	1.1	7.2	0.2	BDL	13.0	12.0	6.3	270	15	44	43	1011
12/8/2016 14:00	0.7	1.3	0.9	4.2	0.2	BDL	12.0	7.0	8.8	286	14	45	39	1011
12/8/2016 15:00	BDL	1.2	0.8	2.8	0.2	BDL	12.0	6.0	11.3	297	11	44	39	1012
12/8/2016 16:00	BDL	1.2	0.8	2.5	0.2	BDL	9.0	5.0	8.5	300	10	42	41	1013
12/8/2016 17:00	BDL	1.1	0.8	5.8	0.2	0.0	13.0	9.0	6.5	291	11	41	44	1013
12/8/2016 18:00	0.8	1.1	0.8	4.7	0.2	0.7	14.0	8.0	13.6	302	9	39	46	1014
12/8/2016 19:00	0.4	1.1	0.8	0.9	0.2	1.1	13.0	9.0	12.4	303	10	37	47	1015
12/8/2016 20:00	BDL	1.0	0.8	BDL	0.2	1.2	12.0	8.0	12.3	301	11	35	48	1016
12/8/2016 21:00	BDL	1.0	0.8	BDL	0.2	1.7	12.0	6.0	11.0	293	13	34	48	1016
12/8/2016 22:00	BDL	1.0	0.8	0.5	0.2	1.9	12.0	6.0	10.5	289	13	32	49	1017
12/8/2016 23:00	BDL	0.9	0.8	BDL	0.2	2.2	10.0	8.0	10.6	288	12	32	50	1017

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 12/4/2016-12/10/2016														
12/9/2016 0:00	BDL	1.0	0.8	2.5	0.2	2.3	8.0	6.0	7.6	272	15	31	54	1017
12/9/2016 1:00	BDL	1.0	0.8	3.2	0.2	2.4	9.0	8.0	6.7	259	16	30	57	1017
12/9/2016 2:00	0.4	Calibration	Calibration	6.6	0.2	3.0	9.0	6.0	5.5	258	16	29	60	1018
12/9/2016 3:00	BDL	Calibration	Calibration	3.0	0.2	3.4	13.0	7.0	7.7	282	13	29	57	1018
12/9/2016 4:00	Calibration	1.0	0.8	Calibration	Calibration	2.9	9.0	10.0	8.6	284	12	29	57	1018
12/9/2016 5:00	BDL	1.0	0.7	2.3	0.2	3.2	11.0	7.0	7.5	276	14	29	59	1019
12/9/2016 6:00	BDL	1.0	0.7	4.6	0.2	3.5	8.0	6.0	6.7	280	15	29	61	1019
12/9/2016 7:00	BDL	1.1	0.8	6.0	0.2	3.7	12.0	10.0	7.3	276	14	29	60	1020
12/9/2016 8:00	BDL	1.2	0.7	7.6	0.2	3.8	8.0	9.0	9.0	290	13	31	55	1020
12/9/2016 9:00	BDL	1.1	0.7	3.9	0.2	4.4	13.0	10.0	11.8	291	14	32	52	1021
12/9/2016 10:00	BDL	1.1	0.7	3.9	0.2	4.8	12.0	6.0	10.3	294	15	34	51	1021
12/9/2016 11:00	BDL	1.0	0.6	2.5	0.2	4.5	14.0	7.0	12.0	302	11	35	49	1021
12/9/2016 12:00	BDL	1.0	0.7	1.9	0.2	4.3	13.0	8.0	11.8	297	12	35	49	1020
12/9/2016 13:00	BDL	1.0	0.7	3.2	0.2	4.2	9.0	7.0	11.8	301	14	35	49	1020
12/9/2016 14:00	BDL	1.0	0.6	0.6	0.2	4.3	8.0	6.0	12.1	299	10	35	48	1021
12/9/2016 15:00	BDL	0.9	0.7	0.8	0.2	4.8	11.0	6.0	9.9	294	14	35	46	1021
12/9/2016 16:00	BDL	1.0	0.7	1.0	0.2	5.0	8.0	6.0	9.9	288	13	35	48	1022
12/9/2016 17:00	BDL	0.9	0.6	1.2	0.2	5.2	10.0	10.0	10.2	293	11	34	50	1023
12/9/2016 18:00	BDL	0.9	0.6	2.3	0.2	5.7	12.0	11.0	8.2	288	11	33	53	1024
12/9/2016 19:00	BDL	0.9	0.6	3.0	0.2	6.1	10.0	9.0	6.3	283	12	32	56	1024
12/9/2016 20:00	BDL	0.9	0.6	5.0	0.2	6.5	10.0	10.0	6.5	274	12	32	58	1025
12/9/2016 21:00	BDL	0.9	0.7	5.8	0.2	6.4	14.0	9.0	6.6	283	12	31	61	1025
12/9/2016 22:00	BDL	0.9	0.6	5.7	0.2	6.3	10.0	10.0	5.8	291	10	31	63	1025
12/9/2016 23:00	BDL	0.9	0.6	6.2	0.2	6.4	9.0	11.0	4.7	276	13	30	66	1025
12/10/2016 0:00	0.6	1.1	0.6	12.9	0.2	6.8	16.0	14.0	6.0	250	15	30	65	1025
12/10/2016 1:00	0.7	1.0	0.6	6.5	0.2	7.2	17.0	18.0	5.3	263	16	29	66	1026
12/10/2016 2:00	0.8	Calibration	Calibration	6.3	0.2	7.5	14.0	12.0	4.3	278	13	29	66	1026
12/10/2016 3:00	0.7	Calibration	Calibration	11.8	0.2	7.8	14.0	13.0	3.1	240	19	28	68	1026
12/10/2016 4:00	Calibration	1.0	0.7	Calibration	Calibration	8.1	15.0	17.0	2.9	262	19	27	70	1027
12/10/2016 5:00	0.9	1.4	0.8	23.1	0.3	8.7	17.0	14.0	2.8	219	14	27	71	1027
12/10/2016 6:00	1.5	1.6	0.9	25.8	0.3	8.8	18.0	14.0	2.8	240	14	27	71	1028
12/10/2016 7:00	Calibration	1.4	0.7	Calibration	Calibration	8.9	12.0	19.0	3.7	267	16	27	68	1028
12/10/2016 8:00	2.0	1.2	0.6	9.5	0.2	9.1	14.0	14.0	6.3	288	14	29	60	1028
12/10/2016 9:00	1.2	1.0	0.6	3.6	0.2	9.3	18.0	12.0	11.6	303	11	31	56	1029
12/10/2016 10:00	1.0	0.9	0.6	2.5	0.2	9.2	17.0	11.0	13.5	311	10	32	54	1028
12/10/2016 11:00	0.8	0.9	0.7	2.0	0.2	8.6	12.0	10.0	10.5	302	14	34	48	1027
12/10/2016 12:00	0.4	0.9	0.6	1.2	0.2	7.8	14.0	14.0	9.6	298	14	35	44	1026
12/10/2016 13:00	BDL	0.9	0.6	0.8	0.2	7.3	13.0	11.0	9.2	294	16	36	42	1026
12/10/2016 14:00	BDL	0.8	0.6	0.7	0.2	7.2	12.0	9.0	10.0	304	13	36	41	1026
12/10/2016 15:00	BDL	0.8	0.5	1.2	0.2	7.4	12.0	9.0	8.4	298	14	35	42	1027
12/10/2016 16:00	BDL	0.8	0.5	1.7	0.2	8.2	14.0	6.0	10.5	313	9	34	43	1027
12/10/2016 17:00	BDL	0.8	0.5	3.1	0.2	8.9	15.0	7.0	7.3	301	8	33	44	1028
12/10/2016 18:00	BDL	0.7	0.5	3.2	0.2	9.2	9.0	9.0	6.1	291	10	32	47	1029
12/10/2016 19:00	0.4	0.8	0.5	4.4	0.2	9.4	12.0	8.0	4.8	290	12	31	52	1029
12/10/2016 20:00	0.5	1.0	0.5	11.8	0.2	9.6	19.0	8.0	4.1	282	14	30	56	1030
12/10/2016 21:00	0.4	0.9	0.6	6.1	0.2	9.9	12.0	11.0	4.6	291	10	30	58	1030
12/10/2016 22:00	BDL	0.9	0.5	8.8	0.3	9.9	14.0	14.0	3.1	263	17	29	61	1030
12/10/2016 23:00	0.5	1.2	0.6	11.2	0.3	10.1	16.0	17.0	2.7	234	17	28	63	1030

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 12/11/2016-12/17/2016														
12/11/2016 0:00	0.5	1.0	0.6	10.5	0.3	10.0	14.0	8.0	3.8	288	14	28	62	1030
12/11/2016 1:00	0.6	1.0	0.5	10.0	0.2	10.2	20.0	12.0	3.1	286	13	28	61	1030
12/11/2016 2:00	0.7	Calibration	Calibration	9.5	0.2	10.3	12.0	15.0	3.3	294	15	28	60	1031
12/11/2016 3:00	0.9	Calibration	Calibration	7.0	0.2	10.3	16.0	15.0	4.4	295	11	28	58	1031
12/11/2016 4:00	Calibration	0.8	0.6	Calibration	Calibration	10.5	17.0	15.0	3.5	276	13	29	58	1031
12/11/2016 5:00	1.1	0.9	0.6	8.6	0.2	10.7	16.0	12.0	3.6	253	14	29	59	1031
12/11/2016 6:00	1.1	1.0	0.6	12.4	0.2	10.8	18.0	16.0	1.9	253	42	29	58	1032
12/11/2016 7:00	1.1	1.1	0.5	11.8	0.3	Too few samples	18.0	18.0	2.8	249	15	29	59	1032
12/11/2016 8:00	1.1	1.1	0.6	12.6	0.3	2.5	19.0	17.0	3.5	259	17	30	58	1033
12/11/2016 9:00	1.1	1.0	0.6	10.8	0.3	2.9	18.0	20.0	2.4	264	24	30	55	1033
12/11/2016 10:00	2.2	1.3	0.8	17.0	0.3	2.5	20.0	20.0	2.2	184	33	30	56	1032
12/11/2016 11:00	0.9	1.1	0.6	9.7	0.2	1.9	13.0	11.0	5.5	171	17	31	56	1031
12/11/2016 12:00	0.5	1.0	0.6	4.7	0.2	0.7	12.0	11.0	6.8	185	15	31	54	1030
12/11/2016 13:00	0.6	1.0	0.7	3.1	0.2	0.3	16.0	14.0	5.9	197	18	32	54	1029
12/11/2016 14:00	0.5	1.0	0.6	3.2	0.2	0.1	12.0	12.0	6.7	203	13	32	56	1029
12/11/2016 15:00	0.5	1.0	0.7	7.3	0.2	BDL	14.0	10.0	5.4	186	15	33	57	1028
12/11/2016 16:00	0.4	1.7	1.4	7.0	0.2	BDL	15.0	13.0	5.6	161	13	33	58	1028
12/11/2016 17:00	0.4	1.4	1.2	6.0	0.2	BDL	8.0	11.0	4.2	134	15	33	58	1027
12/11/2016 18:00	0.5	1.5	1.1	13.8	0.2	BDL	9.0	12.0	6.4	111	12	33	58	1026
12/11/2016 19:00	0.4	1.6	1.1	18.0	0.2	BDL	16.0	10.0	4.5	109	18	33	60	1025
12/11/2016 20:00	0.4	1.9	1.3	22.7	0.3	BDL	11.0	9.0	4.4	108	14	33	65	1024
12/11/2016 21:00	0.4	2.3	1.5	30.0	0.3	BDL	18.0	11.0	3.6	94	15	33	68	1023
12/11/2016 22:00	BDL	2.4	1.6	27.2	0.3	BDL	14.0	15.0	3.7	66	12	33	70	1022
12/11/2016 23:00	BDL	2.6	1.7	26.4	0.3	BDL	17.0	13.0	3.9	70	13	33	69	1020
12/12/2016 0:00	BDL	2.2	1.5	24.5	0.3	BDL	19.0	13.0	2.9	93	19	34	71	1018
12/12/2016 1:00	BDL	2.1	1.3	25.3	0.2	BDL	12.0	10.0	1.8	149	34	37	80	1016
12/12/2016 2:00	BDL	Calibration	Calibration	27.4	0.2	BDL	17.0	15.0	2.0	49	21	36	92	1015
12/12/2016 3:00	BDL	Calibration	Calibration	29.4	0.3	BDL	14.0	16.0	1.1	187	33	36	98	1013
12/12/2016 4:00	Calibration	2.7	2.0	Calibration	Calibration	Too few samples	12.0	14.0	3.6	229	17	38	99	1013
12/12/2016 5:00	BDL	2.6	1.8	11.0	0.2	BDL	11.0	10.0	7.9	194	12	38	99	1011
12/12/2016 6:00	BDL	2.1	1.7	12.5	0.2	BDL	11.0	12.0	8.8	219	14	39	98	1011
12/12/2016 7:00	BDL	1.9	1.4	12.2	0.2	Too few samples	11.0	10.0	8.5	227	13	40	97	1011
12/12/2016 8:00	0.4	2.1	1.5	16.1	0.2	1.8	10.0	9.0	8.2	217	12	40	96	1010
12/12/2016 9:00	0.4	2.1	1.4	16.9	0.3	1.3	13.0	11.0	6.7	225	14	41	97	1010
12/12/2016 10:00	0.6	1.9	1.3	17.7	0.3	1.0	13.0	11.0	7.9	232	12	42	95	1010
12/12/2016 11:00	0.9	1.8	1.1	18.9	0.3	0.9	17.0	15.0	6.4	247	14	43	93	1009
12/12/2016 12:00	0.4	1.7	1.2	14.2	0.3	0.7	17.0	16.0	4.9	256	15	44	89	1009
12/12/2016 13:00	BDL	2.1	1.6	13.6	0.3	0.4	16.0	15.0	3.2	255	17	44	87	1008
12/12/2016 14:00	0.5	2.3	1.7	20.2	0.3	0.7	18.0	14.0	3.3	245	19	46	84	1008
12/12/2016 15:00	0.9	1.7	1.2	9.6	0.3	1.5	8.0	12.0	6.9	296.0	16	48	73	1008
12/12/2016 16:00	0.9	1.5	1.1	9.1	0.3	1.3	10.0	10.0	5.5	295.0	11	46	76	1009
12/12/2016 17:00	0.5	1.5	1.1	7.3	0.3	1.6	16.0	13.0	7.5	299	8	44	77	1010
12/12/2016 18:00	0.5	1.4	1.1	8.4	0.3	2.2	14.0	10.0	7.3	302	8	43	76	1011
12/12/2016 19:00	0.4	1.4	1.0	9.2	0.3	3.2	12.0	11.0	3.8	295	10	41	77	1013
12/12/2016 20:00	BDL	1.4	0.9	10.5	0.3	3.3	12.0	11.0	2.8	278	16	40	77	1014
12/12/2016 21:00	BDL	1.2	0.8	5.9	0.2	4.0	10.0	8.0	8.7	307	8	40	66	1015
12/12/2016 22:00	BDL	1.1	0.8	2.2	0.2	4.4	7.0	6.0	7.7	307	9	39	60	1016
12/12/2016 23:00	BDL	1.0	0.8	2.2	0.2	4.8	6.0	5.0	8.1	304	8	38	59	1016
12/13/2016 0:00	BDL	1.1	0.8	2.8	0.2	5.2	11.0	8.0	10.4	312	6	37	60	1016
12/13/2016 1:00	BDL	1.1	0.8	1.5	0.2	5.2	9.0	9.0	8.7	304	11	37	58	1017
12/13/2016 2:00	BDL	Calibration	Calibration	2.1	0.2	5.8	6.0	12.0	5.9	293	11	37	59	1018
12/13/2016 3:00	BDL	Calibration	Calibration	7.5	0.2	6.2	9.0	9.0	3.0	247	13	35	66	1018
12/13/2016 4:00	Calibration	1.2	0.9	Calibration	Calibration	Too few samples	13.0	14.0	3.9	247	14	35	67	1019
12/13/2016 5:00	BDL	1.4	0.9	13.4	0.2	6.9	12.0	17.0	2.4	270	16	34	69	1020
12/13/2016 6:00	BDL	1.6	0.9	24.1	0.3	7.3	19.0	15.0	1.6	234	16	34	70	1020
12/13/2016 7:00	BDL	1.9	1.0	32.6	0.4	7.9	28.0	19.0	1.2	248	22	34	67	1020
12/13/2016 8:00	BDL	1.8	1.0	25.1	0.3	7.5	Invalid	Invalid	1.9	263	20	35	61	1020
12/13/2016 9:00	BDL	1.6	0.9	22.2	0.3	7.5	19.0	16.0	4.8	308	11	37	58	1020
12/13/2016 10:00	BDL	1.7	0.9	19.1	0.3	7.4	22.0	12.0	5.0	45	19	38	52	1019
12/13/2016 11:00	0.40	1.6	0.9	23.5	0.3	6.8	22.0	20.0	4.9	85	18	40	50	1019
12/13/2016 12:00	0.40	1.7	0.9	27.8	0.3	6.5	23.0	19.0	4.6	180	19	41	50	1019
12/13/2016 13:00	0.60	1.6	1.0	22.1	0.3	6.0	26.0	18.0	4.5	217	17	41	50	1018
12/13/2016 14:00	1.20	1.7	0.9	20.3	0.3	5.7	24.0	21.0	5.0	237	16	42	51	1018
12/13/2016 15:00	1.30	1.6	1.0	17.9	0.3	5.4	20.0	13.0	3.8	235	17	42	55	1018
12/13/2016 16:00	1.5	1.7	0.9	21.6	0.3	5.5	26.0	15.0	4.5	211	15	41	58	1018
12/13/2016 17:00	0.4	1.6	1.1	11.1	0.2	4.9	15.0	16.0	5.4	197	12	40	63	1017
12/13/2016 18:00	BDL	2.3	1.4	25.0	0.2	4.6	15.0	19.0	3.4	165	14	39	66	1016
12/13/2016 19:00	0.5	2.1	1.5	33.7	0.2	4.2	15.0	16.0	2.9	177	23	39	64	1015
12/13/2016 20:00	0.4	2.2	1.4	25.0	0.3	4.4	21.0	15.0	1.8	204	40	39	66	1014
12/13/2016 21:00	0.5	2.2	1.4	26.6	0.3	4.3	18.0	19.0	1.6	194	32	38	66	1015
12/13/2016 22:00	0.8	2.8	2.0	27.9	0.3	4.9	21.0	17.0	0.9	259	50	39	66	1015
12/13/2016 23:00	0.6	2.2	1.5	24.0	0.3	4.6	24.0	18.0	4.6	307	11	39	65	1015
12/14/2016 0:00	0.5	2.1	1.3	18.4	0.3	4.1	22.0	19.0	4.3	324	13	39	70	1014
12/14/2016 1:00	0.5	2.4	1.5	26.5	0.3	3.9	22.0	22.0	2.9	323	15	39	71	1013
12/14/2016 2:00	0.5	Calibration	Calibration	35.5	0.4	3.8	25.0	25.0	3.4	301	16	39	72	1013
12/14/2016 3:00	0.5	Calibration	Calibration	30.0	0.3	3.5	25.0	22.0	3.3	282	17	37	76	1012
12/14/2016 4:00	Calibration	2.8	1.5	Calibration	Calibration	4.5	31.0	24.0	2.2	260	11	36	83	1013
12/14/2016 5:00	1.2	2.8	1.4	46.2	0.4	4.0	28.0	25.0	4.0	282	7	35	80	1014
12/14/2016 6:00	1.1	2.0	1.1	21.1	0.3	4.1	28.0	23.0	6.8	312	11	34	78	1014
12/14/2016 7:00	0.8	1.9	1.0	23.9	0.3	4.5	30.0	25.0	4.7	296	12	34	78	1015
12/14/2016 8:00	0.8	1.7	1.0	22.1	0.3	4.8	30.0	19.0	4.5	289	18	35	73	1016
12/14/2016 9:00	0.7	1.5	1.0	11.6	0.2	4.9	27.0	21.0	8.1	310	11	36	67	1016
12/14/2016 10:00	BDL	1.3	0.9	5.9	0.2	5.4	12.0	15.0	9.2	312	11	38	58	1016
12/14/2016 11:00	BDL	1.2	0.8	4.0	0.2	5.2	13.0	16.0	8.9	298	15	39	51	1015
12/14/2016 12:00	BDL	1.2	0.9	2.3	0.2	4.6	19.0	17.0	9.6	291	13	40	43	1015
12/14/2016 13:00	BDL	1.2	0.9	2.6	0.2	2.0	13.0	10.0	10.5	292	14	41	39	1014
12/14/2016 14:00	0.6	1.1	0.9	2.3	0.2	1.6	17.0	15.0	9.6	291	12	41	33	1014
12/14/2016 15:00	0.6	1.1	0.8	2.4	0.2	0.5	12.0	12.0	8.3	301	9	39	36	1014
12/14/2016 16:00	0.5	1.2	1.0	5.1	0.2	0.4	16.0	11.0	4.5	298	9	38	39	1013
12/14/2016 17:00	0.6	1.3	0.9	14.1	0.3	1.1	21.0	14.0	3.3	263	20	37	45	1014
12/14/2016 18:00	0.9	1.3	0.9	14.5	0.3	1.6	19.0	12.0	3.3	254	16	37	46	1014
12/14/2016 19:00	1.3	1.5	0.9	20.5	0.3	1.8	23.0	14.0	2.8	243	17	36	46	1013
12/14/2016 20:00	0.9	1.7	1.1	21.1	0.3	1.8	22.0	15.0	1.8	228	30	35	50	1012
12/14/2016 21:00	0.9	2.3	1.6	26.7	0.4	1.5	22.0	14.0	2.2	252	16	35	51	1012
12/14/2016 22:00	0.9	2.5	1.7	31.1	0.4	0.6	26.0	17.0	2.1	284	16	35	49	1011
12/14/2016 23:00	0.5	2.0	1.4	15.5	0.3	0.1	17.0	14.0	7.4	297	13	34	68	1011
12/15/2016 0:00	BDL	1.5	1.2	3.7	0.2	BDL	9.0	12.0	7.1	236	14	32	95	1010
12/15/2016 1:00	0.4	1.7	1.4	10.6	0.2	BDL	14.0	14.0	4.4	259	18	33	90	1009
12/15/2016 2:00	0.4	Calibration	Calibration	8.4	0.2	BDL	13.0	10.0	3.4	263	19	33	81	1009
12/15/2016 3:00	0.7	Calibration	Calibration	4.0	0.2	BDL	13.0	12.0	7.5	276	17	33	58	1008
12/15/2016 4:00	Calibration	1.2	1.0	Calibration	Calibration	BDL	16.0	11.0	10.2	293	12	32	50	1008
12/15/2016 5:00	0.6	1.1	0.9	0.5	0.2	BDL	23.0	8.0	13.7	291	12	29	44	1009
12/15/2016 6:00	0.5	1.2	1.0	3.7	0.2	BDL	19.0	11.0	16.5	299	11	26	40	1010
12/15/2016 7:00	0.5	1.2	0.9	3.1	0.2	BDL	19.0	15.0	14.3	294	12	23	40	1011
12/15/2016 8:00	0.6	1.2	0.8	5.1	0.2	0.5	21.0	11.0	14.7	298	12	23	42	1013
12/15/2016 9:00	0.5	1.1	0.9	3.7	0.2	1.1	24.0	12.0	16.4	297	11	23	39	1013
12/15/2016 10:00	BDL	1.0	0.8	2.4	0.2	1.2	28.0	9.0	18.1	305	11	22	40	1014
12/15/2016 11:00	BDL	1.0	0.7	1.8	0.2	1.2	11.0	9.0	16.9	298	11	23	36	1014
12/15/2016 12:00	BDL	1.0	0.8	3.2	0.2	1.5	20.0	6.0	18.0	311	11	22	36	1014
12/15/2016 13:00	BDL	1.0	0.7	1.7	0.2	1.9	33.0	5.0	17.3	307	12	21	35	1015
12/15/2016 14:00	BDL	1.0	0.8	0.4	0.2	2.5	19.0	8.0	15.0	299	12	21	33	1016
12/15/2016 15:00	BDL	0.9	0.7	BDL	0.2	3.0	Invalid	33.0	16.5	308	11	21	32	1017
12/15/2016 16:00	BDL	0.9	0.7	2.1	0.2	3.5	12.0	6.0	13.2	297	11	20	35	1018
12/15/2016 17:00	BDL	0.9	0.7	0.4	0.2	4.4	13.0	5.0	11.8	290	12	19	39	1020
12/15/2016 18:00	BDL	0.8	0.6	0.5	0.2	5.2	11.0	8.0	10.1	291	13	18	41	1021
12/15/2016 19:00	BDL	0.8	0.5	0.6	0.2	5.8	11.0	8.0	9.7	280	14	18	42	1022
12/15/2016 20:00	BDL	0.8	0.6	1.8	0.2	6.4	10.0	6.0	9.5	274	14	17	43	1023
12/15/2016 21:00	BDL	0.8	0.6	2.6	0.2	6.7	8.0	6.0	8.6	267	17	17	45	1023
12/15/2016 22:00	0.7	0.8	0.6	3.3	0.2	6.5	12.0	9.0	8.6	276	15	17	46	1023
12/15/2016 23:00	1.2	0.8	0.6	4.8	0.2	6.6	11.0	7.0	9.1	268	15	17	49	1024

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 12/11/2016-12/17/2016														
12/16/16 0:00	1.2	0.9	0.6	3.7	0.2	6.8	9.0	11.0	8.9	273	14	16	49	1024
12/16/2016 1:00	1.1	0.8	0.6	3.6	0.2	7.0	12.0	9.0	6.8	272	17	16	50	1025
12/16/2016 2:00	0.9	Calibration	Calibration	4.1	0.2	7.5	Invalid	87.0	7.7	266	14	16	51	1025
12/16/2016 3:00	0.8	Calibration	Calibration	5.9	0.2	8.1	15.0	11.0	6.5	265	16	15	53	1026
12/16/2016 4:00	Calibration	0.7	0.6	Calibration	Calibration	Too few samples	15.0	15.0	6.7	273	14	15	54	1027
12/16/2016 5:00	1.1	0.8	0.6	5.8	0.2	8.6	15.0	analyzer malfunction	6.2	286	15	14	54	1027
12/16/2016 6:00	1.4	0.9	0.6	12.2	0.2	9.0	analyzer malfunction	analyzer malfunction	7.1	305	10	14	55	1028
12/16/2016 7:00	1.4	1.0	0.6	14.3	0.2	9.5	analyzer malfunction	analyzer malfunction	4.9	288	15	15	56	1029
12/16/2016 8:00	1.7	1.0	0.6	13.1	0.2	2.8	analyzer malfunction	analyzer malfunction	5.1	282	20	16	55	1030
12/16/2016 9:00	1.9	1.0	0.6	14.4	0.2	3.1	analyzer malfunction	analyzer malfunction	6.2	292	14	17	53	1030
12/16/2016 10:00	1.6	0.9	0.5	11.9	0.2	3.0	analyzer malfunction	analyzer malfunction	5.1	280	19	19	50	1030
12/16/2016 11:00	1.5	1.1	0.5	14.1	0.2	2.5	analyzer malfunction	analyzer malfunction	3.7	268	30	21	48	1029
12/16/2016 12:00	1.3	1.1	0.5	13.2	0.2	2.5	21.0	analyzer malfunction	3.4	255	28	22	46	1029
12/16/2016 13:00	2.3	1.1	0.5	17.7	0.2	2.7	analyzer malfunction	analyzer malfunction	4.7	241	22	24	45	1029
12/16/2016 14:00	3.0	1.2	0.6	18.9	0.2	2.6	analyzer malfunction	analyzer malfunction	6.5	221	18	24	49	1029
12/16/2016 15:00	1.6	1.3	0.7	17.3	0.3	2.1	30.0	16.0	6.3	214	15	24	50	1029
12/16/2016 16:00	0.8	1.2	0.6	11.7	0.4	1.9	23.0	14.0	7.3	196	11	23	54	1028
12/16/2016 17:00	BDL	1.0	0.6	7.5	0.2	1.8	29.0	12.0	6.1	197	13	23	55	1028
12/16/2016 18:00	BDL	1.1	0.7	7.2	0.2	1.9	26.0	8.0	5.6	192	13	23	55	1028
12/16/2016 19:00	BDL	1.1	0.7	6.7	0.2	1.5	14.0	5.0	5.8	189	14	23	54	1028
12/16/2016 20:00	BDL	1.2	0.7	5.9	0.2	1.3	14.0	10.0	6.5	192	15	24	54	1027
12/16/2016 21:00	0.4	1.3	0.9	6.6	0.2	1.0	17.0	12.0	6.1	193	16	24	53	1027
12/16/2016 22:00	BDL	1.3	0.9	11.4	0.2	0.6	18.0	12.0	5.1	166	13	24	56	1026
12/16/2016 23:00	BDL	1.5	1.0	10.7	0.2	0.5	18.0	11.0	4.1	168	14	24	58	1026
12/17/2016 0:00	BDL	1.9	1.4	16.2	0.2	BDL	13.0	11.0	4.2	156	15	25	59	1025
12/17/2016 1:00	BDL	1.5	1.1	11.0	0.2	BDL	16.0	8.0	5.1	172	15	26	60	1024
12/17/2016 2:00	BDL	Calibration	Calibration	12.4	0.2	BDL	14.0	6.0	4.8	146	13	26	65	1023
12/17/2016 3:00	BDL	Calibration	Calibration	17.0	0.2	BDL	15.0	6.0	3.5	128	15	26	69	1021
12/17/2016 4:00	Calibration	1.8	1.4	Calibration	Calibration	Too few samples	17.0	9.0	4.3	111	14	25	89	1019
12/17/2016 5:00	BDL	2.2	1.6	22.5	0.2	BDL	12.0	14.0	4.2	111	14	26	96	1018
12/17/2016 6:00	BDL	2.0	1.4	13.0	0.2	BDL	9.0	11.0	3.9	105	15	28	97	1016
12/17/2016 7:00	BDL	2.1	1.5	18.6	0.2	BDL	10.0	12.0	2.7	83	22	29	98	1015
12/17/2016 8:00	BDL	2.4	1.5	27.6	0.2	BDL	8.0	11.0	1.4	190	45	30	99	1014
12/17/2016 9:00	BDL	2.5	1.6	31.7	0.2	BDL	10.0	8.0	1.4	247	36	30	99	1014
12/17/2016 10:00	BDL	3.2	1.7	49.4	0.3	BDL	11.0	9.0	3.2	155	16	31	99	1013
12/17/2016 11:00	BDL	2.4	1.7	12.1	0.2	BDL	7.0	6.0	3.7	196	15	31	99	1012
12/17/2016 12:00	0.4	2.1	1.6	15.9	0.2	BDL	6.0	7.0	5.6	215	14	32	97	1011
12/17/2016 13:00	0.4	2.0	1.4	10.4	0.2	BDL	7.0	9.0	5.9	213	12	32	96	1011
12/17/2016 14:00	0.5	1.8	1.3	9.5	0.2	BDL	10.0	9.0	6.3	215	12	32	95	1011
12/17/2016 15:00	BDL	1.7	1.2	8.8	0.2	BDL	14.0	12.0	5.3	203	13	33	96	1011
12/17/2016 16:00	BDL	1.6	1.3	7.4	0.2	BDL	12.0	12.0	4.1	193	14	33	97	1011
12/17/2016 17:00	BDL	2.1	1.6	10.8	0.2	BDL	18.0	14.0	4.2	192	17	33	97	1011
12/17/2016 18:00	BDL	1.6	1.2	10.9	0.2	BDL	22.0	17.0	3.3	178	17	34	98	1012
12/17/2016 19:00	BDL	1.8	1.2	20.6	0.2	BDL	26.0	25.0	1.7	170	51	34	99	1012
12/17/2016 20:00	BDL	1.8	1.2	18.3	0.3	BDL	24.0	22.0	1.1	99	44	34	99	1011
12/17/2016 21:00	BDL	2.0	1.3	32.6	0.3	BDL	19.0	17.0	2.2	88	16	34	100	1011
12/17/2016 22:00	0.5	3.1	1.7	60.7	0.5	BDL	26.0	15.0	2.5	62	13	34	100	1010
12/17/2016 23:00	0.4	2.8	1.6	49.0	0.6	BDL	28.0	20.0	1.6	62	17	35	100	1010

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 12/18/2016-12/24/2016														
12/18/2016 0:00	0.5	3.0	1.7	53.6	0.6	BDL	30.0	19.0	2.0	76	12	35	100	1009
12/18/2016 1:00	0.9	4.0	1.9	79.2	0.7	BDL	40.0	25.0	2.8	73	8	35	100	1008
12/18/2016 2:00	1.1	Calibration	Calibration	92.3	0.8	BDL	45.0	22.0	1.2	122	30	36	100	1008
12/18/2016 3:00	0.8	Calibration	Calibration	61.4	0.5	BDL	31.0	21.0	5.9	190	24	42	100	1007
12/18/2016 4:00	Calibration	2.7	2.9	Calibration	Calibration	BDL	13.0	10.0	12.1	197	11	49	96	1006
12/18/2016 5:00	BDL	2.5	2.2	BDL	0.2	BDL	19.0	13.0	14.0	204	11	51	91	1005
12/18/2016 6:00	BDL	2.2	2.0	BDL	0.2	BDL	22.0	14.0	14.0	208	12	53	90	1005
12/18/2016 7:00	0.5	2.2	1.7	5.4	0.2	BDL	22.0	18.0	10.7	232	19	54	90	1006
12/18/2016 8:00	0.9	Calibration	Calibration	15.2	0.3	Too few samples	24.0	14.0	11.8	224	12	55	89	1007
12/18/2016 9:00	1.0	Calibration	Calibration	6.0	0.2	3.3	18.0	12.0	12.8	220	12	57	87	1007
12/18/2016 10:00	1.2	1.8	1.4	9.1	0.3	3.3	16.0	19.0	11.8	227	13	58	86	1008
12/18/2016 11:00	1.0	1.7	1.3	11.5	0.3	3.5	18.0	17.0	7.7	244	13	58	87	1008
12/18/2016 12:00	1.3	1.7	1.2	17.6	0.3	3.9	17.0	18.0	8.9	234	12	58	87	1009
12/18/2016 13:00	1.0	1.6	1.2	14.2	0.3	4.0	17.0	15.0	7.9	240	13	59	86	1009
12/18/2016 14:00	0.6	1.4	1.1	6.6	0.3	5.5	13.0	12.0	15.9	306	14	52	80	1012
12/18/2016 15:00	BDL	1.2	0.8	1.6	0.2	6.9	6.0	8.0	15.4	315	11	46	69	1016
12/18/2016 16:00	0.4	1.0	0.7	5.5	0.2	8.3	4.0	8.0	14.9	323	12	44	63	1018
12/18/2016 17:00	BDL	0.9	0.6	3.5	0.2	9.6	6.0	6.0	11.9	318	11	42	62	1021
12/18/2016 18:00	BDL	0.8	0.6	3.5	0.2	10.9	6.0	8.0	11.6	320	11	41	61	1023
12/18/2016 19:00	1.0	0.9	0.6	12.2	0.2	11.9	7.0	9.0	12.1	337	14	40	51	1025
12/18/2016 20:00	0.7	1.0	0.6	15.0	0.2	12.8	8.0	7.0	11.2	335	11	39	48	1026
12/18/2016 21:00	0.4	0.9	0.5	11.5	0.2	14.3	11.0	8.0	8.4	333	12	37	49	1028
12/18/2016 22:00	0.5	0.9	0.4	10.9	0.2	15.4	9.0	11.0	10.6	337	12	35	50	1029
12/18/2016 23:00	0.4	0.8	0.4	13.8	0.2	16.2	7.0	10.0	10.1	339	11	33	50	1030
12/19/2016 0:00	BDL	0.8	0.4	10.1	0.2	16.3	7.0	12.0	9.2	340	11	32	52	1030
12/19/2016 1:00	0.8	0.8	0.4	3.5	0.2	17.0	6.0	7.0	7.9	344	18	32	55	1031
12/19/2016 2:00	0.5	Calibration	Calibration	4.2	0.2	17.7	7.0	11.0	9.4	339	13	30	50	1032
12/19/2016 3:00	0.6	Calibration	Calibration	3.4	0.2	18.7	10.0	10.0	10.3	339	11	30	49	1034
12/19/2016 4:00	Calibration	0.6	0.4	Calibration	Calibration	19.0	7.0	9.0	9.4	337	13	29	54	1035
12/19/2016 5:00	0.5	0.8	0.4	9.1	0.2	19.2	9.0	7.0	9.1	339	14	27	56	1036
12/19/2016 6:00	0.5	0.5	BDL	4.0	0.2	19.8	10.0	6.0	9.4	340	19	26	53	1036
12/19/2016 7:00	BDL	Calibration	Calibration	10.1	0.2	20.3	15.0	6.0	10.9	338	11	25	49	1037
12/19/2016 8:00	BDL	Calibration	Calibration	16.3	0.2	20.9	14.0	7.0	9.1	339	14	25	49	1038
12/19/2016 9:00	0.4	0.8	0.5	15.1	0.2	Too few samples	10.0	6.0	7.2	345	20	25	49	1039
12/19/2016 10:00	0.7	0.8	0.4	10.6	0.2	2.5	11.0	4.0	6.6	338	22	26	49	1038
12/19/2016 11:00	0.7	0.8	0.4	8.0	0.2	3.0	8.0	6.0	6.1	336	31	27	48	1037
12/19/2016 12:00	0.5	0.7	0.4	6.8	0.2	2.8	8.0	13.0	5.3	349	28	28	47	1037
12/19/2016 13:00	BDL	0.7	0.4	7.4	0.2	2.9	10.0	9.0	5.7	333	38	29	46	1036
12/19/2016 14:00	BDL	0.7	BDL	10.4	0.2	1.5	12.0	4.0	5.1	344	29	29	46	1036
12/19/2016 15:00	BDL	0.9	0.4	10.6	0.2	0.5	13.0	7.0	4.3	352.0	26	29	47	1036
12/19/2016 16:00	BDL	0.9	0.4	12.7	0.2	0.5	11.0	7.0	5.1	346.0	23	29	49	1036
12/19/2016 17:00	BDL	0.8	0.5	9.5	0.2	0.4	13.0	7.0	5.3	25	17	28	48	1036
12/19/2016 18:00	BDL	0.8	0.4	9.2	0.2	0.5	8.0	8.0	6.5	60	11	28	45	1037
12/19/2016 19:00	BDL	0.7	BDL	8.5	0.2	0.5	9.0	5.0	5.5	71	13	27	45	1037
12/19/2016 20:00	BDL	0.8	0.4	8.7	0.2	0.3	7.0	4.0	5.6	64	12	27	44	1036
12/19/2016 21:00	BDL	0.8	0.4	12.8	0.2	0.4	12.0	7.0	5.5	60	13	27	45	1036
12/19/2016 22:00	1.4	0.9	0.4	13.1	0.2	0.3	9.0	8.0	5.9	58	10	27	45	1036
12/19/2016 23:00	0.8	0.9	BDL	16.3	0.2	0.2	11.0	10.0	5.4	56	12	26	46	1036
12/20/2016 0:00	BDL	1.0	0.4	19.4	0.3	0.5	11.0	8.0	5.4	53	11	25	48	1036
12/20/2016 1:00	1.8	1.2	0.4	24.8	0.3	0.3	15.0	8.0	5.9	59	9	24	49	1036
12/20/2016 2:00	0.8	Calibration	Calibration	22.5	0.3	BDL	13.0	8.0	5.5	54	11	24	51	1035
12/20/2016 3:00	2.2	Calibration	Calibration	18.1	0.2	BDL	14.0	9.0	6.4	56	10	23	49	1035
12/20/2016 4:00	Calibration	1.0	0.4	Calibration	Calibration	Too few samples	13.0	10.0	5.1	60	11	22	50	1034
12/20/2016 5:00	0.6	1.3	0.5	35.6	0.3	BDL	15.0	8.0	4.7	59	12	22	52	1034
12/20/2016 6:00	1.3	1.6	0.5	40.1	0.4	BDL	25.0	7.0	5.3	59	11	22	51	1034
12/20/2016 7:00	3.1	2.4	0.8	67.5	0.4	BDL	41.0	16.0	2.8	45	33	21	52	1033
12/20/2016 8:00	1.1	3.0	1.0	78.2	0.6	BDL	44.0	15.0	3.0	18	39	22	49	1033
12/20/2016 9:00	2.4	2.7	0.9	64.4	0.5	0.3	32.0	15.0	3.9	71	21	24	43	1033
12/20/2016 10:00	1.0	1.8	0.7	38.7	0.4	0.6	25.0	11.0	3.9	85	19	26	39	1033
12/20/2016 11:00	1.1	1.8	0.6	35.7	0.3	0.6	22.0	9.0	1.9	166	54	28	38	1031
12/20/2016 12:00	1.2	2.0	0.8	44.4	0.3	BDL	32.0	18.0	2.0	161	44	29	38	1029
12/20/2016 13:00	2.2	2.0	0.8	42.5	0.3	BDL	24.0	17.0	2.6	208	47	31	36	1028
12/20/2016 14:00	3.1	2.1	0.9	42.9	0.4	BDL	27.0	17.0	3.4	183	24	32	38	1027
12/20/2016 15:00	1.9	2.0	0.9	34.8	0.4	BDL	28.0	17.0	3.2	211	22	33	40	1026
12/20/2016 16:00	1.2	1.9	0.8	31.9	0.3	BDL	22.0	14.0	3.5	199	13	32	50	1025
12/20/2016 17:00	0.5	2.0	1.0	26.8	0.2	BDL	19.0	14.0	3.7	214	16	31	60	1024
12/20/2016 18:00	1.1	1.9	1.0	27.5	0.3	BDL	17.0	13.0	3.7	204	12	30	62	1024
12/20/2016 19:00	0.7	2.6	1.4	35.6	0.3	BDL	16.0	16.0	3.4	217	18	30	63	1023
12/20/2016 20:00	1.0	2.4	1.0	48.1	0.4	BDL	27.0	16.0	2.3	270	15	29	65	1023
12/20/2016 21:00	1.1	2.5	1.1	52.6	0.6	BDL	29.0	19.0	2.1	252	17	29	63	1022
12/20/2016 22:00	0.8	2.2	1.0	42.0	0.5	BDL	27.0	18.0	2.3	269	21	29	61	1021
12/20/2016 23:00	0.9	2.8	1.1	55.3	0.5	BDL	25.0	17.0	2.3	241	33	29	65	1020
12/21/2016 0:00	1.2	2.9	1.3	48.0	0.4	BDL	26.0	17.0	2.0	276	20	28	68	1020
12/21/2016 1:00	1.1	2.7	1.1	51.7	0.5	BDL	24.0	20.0	1.8	257	15	27	74	1019
12/21/2016 2:00	1.3	Calibration	Calibration	41.5	0.5	BDL	24.0	19.0	3.5	252	14	27	68	1019
12/21/2016 3:00	0.9	Calibration	Calibration	25.2	0.3	BDL	25.0	20.0	3.7	247	14	27	68	1019
12/21/2016 4:00	Calibration	2.0	1.4	Calibration	Calibration	Too few samples	24.0	24.0	1.9	253	19	27	70	1019
12/21/2016 5:00	1.2	2.6	1.2	49.3	0.4	BDL	34.0	23.0	3.2	246	13	28	71	1019
12/21/2016 6:00	1.2	2.9	1.4	51.8	0.4	BDL	51.0	26.0	3.5	238	11	28	70	1019
12/21/2016 7:00	2.8	Calibration	Calibration	97.2	0.5	BDL	50.0	28.0	3.9	216	12	28	74	1020
12/21/2016 8:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	BDL	44.0	30.0	4.6	226	13	30	69	1020
12/21/2016 9:00	3.6	3.3	1.8	Calibration	0.5	BDL	46.0	25.0	4.4	229	13	32	66	1021
12/21/2016 10:00	4.3	Calibration	Calibration	62.4	0.5	BDL	40.0	27.0	6.2	230	12	34	60	1021
12/21/2016 11:00	3.7	Calibration	Calibration	54.2	0.4	Too few samples	43.0	26.0	5.1	240	15	36	57	1021
12/21/2016 12:00	4.8	Calibration	Calibration	48.2	0.4	BDL	34.0	24.0	4.5	233	15	39	52	1020
12/21/2016 13:00	4.5	1.7	0.9	42.7	0.4	BDL	34.0	21.0	3.6	225	18	41	47	1020
12/21/2016 14:00	3.0	2.4	1.2	48.3	0.3	BDL	31.0	18.0	2.7	194	27	41	46	1020
12/21/2016 15:00	1.2	1.6	1.0	13.6	0.3	BDL	16.0	14.0	5.0	278	11	41	43	1021
12/21/2016 16:00	1.0	1.4	0.9	18.8	0.3	0.4	26.0	14.0	2.3	267	18	40	49	1021
12/21/2016 17:00	1.1	1.6	0.8	28.1	0.4	BDL	25.0	14.0	3.3	250	14	39	52	1021
12/21/2016 18:00	1.2	1.7	0.9	36.6	0.4	BDL	26.0	19.0	2.6	257	23	38	57	1021
12/21/2016 19:00	1.2	2.0	0.9	43.8	0.5	0.1	27.0	21.0	2.1	294	30	37	63	1021
12/21/2016 20:00	1.7	2.6	1.2	80.6	0.7	0.8	38.0	19.0	2.4	284	20	34	69	1021
12/21/2016 21:00	2.3	3.3	1.4	91.7	0.9	0.6	30.0	25.0	2.5	211	9	33	73	1021
12/21/2016 22:00	2.1	5.0	3.2	80.7	0.6	BDL	31.0	20.0	2.7	207	9	32	77	1020
12/21/2016 23:00	1.4	5.4	4.0	61.8	0.5	0.4	31.0	24.0	1.6	227	16	32	77	1020
12/22/2016 0:00	1.6	4.1	2.2	79.2	0.5	BDL	32.0	21.0	1.6	244	34	31	78	1019
12/22/2016 1:00	1.6	3.9	1.8	82.6	0.5	0.3	35.0	22.0	1.4	188	23	30	83	1018
12/22/2016 2:00	1.1	Calibration	Calibration	58.8	0.4	BDL	32.0	27.0	2.2	165	23	31	78	1017
12/22/2016 3:00	1.2	Calibration	Calibration	55.7	0.4	BDL	28.0	18.0	1.1	259	31	32	72	1016
12/22/2016 4:00	Calibration	2.9	1.7	Calibration	Calibration	Too few samples	31.0	19.0	2.3	18	21	33	71	1016
12/22/2016 5:00	1.0	2.8	1.7	38.3	0.3	BDL	26.0	17.0	2.5	294	29	35	66	1015
12/22/2016 6:00	1.1	3.4	2.2	50.8	0.4	0.4	36.0	16.0	2.2	134	35	36	66	1015
12/22/2016 7:00	1.0	3.3	1.9	43.2	0.3	BDL	14.0	8.0	4.5	168	12	37	62	1014
12/22/2016 8:00	0.7	2.5	2.0	21.5	0.2	BDL	21.0	12.0	7.0	202	10	38	62	1013
12/22/2016 9:00	1.1	2.1	1.4	17.5	0.2	BDL	18.0	11.0	7.7	221	12	41	59	1013
12/22/2016 10:00	1.8	2.1	1.4	22.4	0.2	BDL	24.0	15.0	8.4	237	14	42	58	1013
12/22/2016 11:00	2.7	2.5	1.5	46.2	0.4	BDL	26.0	16.0	6.5	233	12	43	56	1012
12/22/2016 12:00	1.8	2.3	1.4	29.5	0.3	BDL	28.0	13.0	6.0	255	18	48	41	1011
12/22/2016 13:00	1.9	1.4	0.9	7.2	0.2	BDL	27.0	14.0	11.7	299	13	50	35	1011
12/22/2016 14:00	1.6	1.3	0.9	8.2	0.2	BDL	32.0	15.0	14.0	306	11	49	38	1012
12/22/2016 15:00	1.5	1.3	0.8	8.1	0.2	BDL	33.0	19.0	16.3	320	9	47	44	1014
12/22/2016 16:00	0.8	1.1	0.7	5.3	0.2	BDL	28.0	19.0	15.9	317	9	44	50	1016
12/22/2016 17:00	0.6	1.2	0.8	5.7	0.2	BDL	27.0	18.0	13.9	315	9	43	55	1018
12/22/2016 18:00	0.4	1.1	0.7	2.9	0.2	BDL	20.0	19.0	11.9	306	10	42	58	1019
12/22/2016 19:00	BDL	1.1	0.8	2.3	0.2	BDL	19.0	20.0	8.8	300	11	42	56	1020
12/22/2016 20:00	BDL	1.0	0.7	3.0	0.2	BDL	20.0	13.0	8.0	295	12	42	54	1020
12/22/2016 21:00	BDL	1.0	0.7	4.1	0.2	BDL	11.0	11.0	6.9	291	10	41	56	1021
12/22/2016 22:00	BDL	1.0	0.7	5.9	0.2	BDL	17.0	13.0	5.3	282	12	39	61	1022
12/22/2016 23:00	BDL	0.9	0.7	5.3	0.2	0.4	21.0	14.0	5.4	288	11	38	63	1022

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 12/18/2016-12/24/2016														
12/23/2016 0:00	BDL	1.0	0.7	6.3	0.2	1.2	20.0	17.0	4.2	280	18	38	66	1023
12/23/2016 1:00	BDL	1.2	0.9	16.0	0.3	1.8	23.0	16.0	3.0	257	15	36	71	1024
12/23/2016 2:00	BDL	Calibration	Calibration	18.4	0.3	2.4	22.0	14.0	4.2	245	13	35	71	1025
12/23/2016 3:00	BDL	Calibration	Calibration	22.4	0.3	3.0	25.0	12.0	4.6	259	11	35	73	1025
12/23/2016 4:00	Calibration	1.0	0.7	Calibration	Calibration	Too few samples	16.0	21.0	4.7	260	14	34	72	1026
12/23/2016 5:00	BDL	1.2	0.7	18.3	0.3	3.0	19.0	14.0	4.9	271	14	34	73	1027
12/23/2016 6:00	BDL	1.1	0.7	15.6	0.3	3.5	19.0	16.0	4.3	275	12	33	74	1028
12/23/2016 7:00	BDL	1.6	0.7	39.3	0.5	3.8	32.0	17.0	2.4	246	13	32	76	1028
12/23/2016 8:00	BDL	1.7	0.8	33.5	0.4	4.2	27.0	16.0	4.4	256	12	34	67	1029
12/23/2016 9:00	0.4	1.4	0.7	21.6	0.4	4.6	23.0	15.0	4.4	270	16	38	56	1030
12/23/2016 10:00	BDL	1.0	0.6	7.4	0.2	4.5	14.0	12.0	5.8	282	15	40	51	1030
12/23/2016 11:00	BDL	0.9	0.6	3.4	0.2	5.3	16.0	11.0	4.8	286	26	42	47	1029
12/23/2016 12:00	BDL	0.8	0.5	4.1	0.2	4.8	15.0	15.0	5.6	253	23	44	44	1028
12/23/2016 13:00	BDL	0.9	0.5	4.9	0.2	4.4	13.0	8.0	5.1	263	21	45	42	1028
12/23/2016 14:00	1.1	1.1	0.6	14.8	0.2	3.7	20.0	14.0	5.5	230	18	45	46	1028
12/23/2016 15:00	1.2	1.6	0.9	20.0	0.3	3.6	21.0	19.0	5.1	231	16	44	49	1028
12/23/2016 16:00	1.6	1.7	1.1	24.8	0.3	3.9	28.0	26.0	4.3	237	15	43	53	1028
12/23/2016 17:00	1.4	1.9	1.1	28.5	0.3	3.5	27.0	25.0	4.0	212	13	42	56	1029
12/23/2016 18:00	2.7	1.3	0.6	32.2	0.3	3.6	18.0	18.0	5.5	219	13	41	59	1028
12/23/2016 19:00	3.4	1.7	0.7	42.7	0.4	3.6	26.0	20.0	4.6	219	14	40	59	1028
12/23/2016 20:00	2.4	1.8	1.2	30.8	0.3	3.2	25.0	18.0	4.1	222	13	40	60	1028
12/23/2016 21:00	1.7	86.2	86.9	22.9	0.3	2.6	25.0	23.0	3.9	200	12	39	64	1028
12/23/2016 22:00	1.0	39.7	57.9	19.1	0.3	2.7	20.0	111.0	4.0	193	20	38	65	1027
12/23/2016 23:00	1.2	1.8	1.6	22.5	0.3	3.2	22.0	21.0	5.2	209	13	38	64	1027
12/24/2016 0:00	0.7	1.4	1	9.1	0.2	2.0	20.0	24.0	4.6	197	15	38	66	1026
12/24/2016 1:00	0.6	1.7	1.5	12.2	0.2	1.8	20.0	17.0	5.0	205	13	38	66	1026
12/24/2016 2:00	0.4	Calibration	Calibration	14.9	0.2	1.0	19.0	16.0	5.9	184	23	38	69	1024
12/24/2016 3:00	0.4	Calibration	Calibration	3.7	0.2	0.8	17.0	16.0	7.3	196	15	39	67	1024
12/24/2016 4:00	Calibration	1.7	1.6	Calibration	Calibration	Too few samples	23.0	20.0	8.2	200	15	39	70	1023
12/24/2016 5:00	BDL	1.8	1.4	7.1	0.2	0.0	22.0	20.0	6.0	208	13	38	82	1023
12/24/2016 6:00	BDL	1.7	1.4	9.5	0.2	BDL	23.0	20.0	5.9	198	11	37	90	1022
12/24/2016 7:00	BDL	1.5	1.1	6.9	0.2	BDL	22.0	21.0	4.9	203	13	37	96	1022
12/24/2016 8:00	BDL	1.7	1.2	17.6	0.3	BDL	25.0	20.0	5.3	207	15	38	98	1020
12/24/2016 9:00	0.4	1.7	1.2	17.7	0.2	BDL	23.0	19.0	6.9	230	14	39	98	1020
12/24/2016 10:00	0.6	1.7	1.2	23.8	0.3	BDL	17.0	17.0	6.0	218	14	39	98	1019
12/24/2016 11:00	0.6	1.7	1	22.4	0.3	BDL	16.0	13.0	5.8	230	14	41	98	1018
12/24/2016 12:00	0.4	1.6	1.2	14.4	0.3	BDL	14.0	10.0	7.5	236	13	41	98	1017
12/24/2016 13:00	BDL	1.6	1	16.0	0.3	BDL	15.0	13.0	4.9	244	15	43	97	1017
12/24/2016 14:00	BDL	1.7	1.2	15.1	0.3	BDL	13.0	11.0	4.8	241	13	44	94	1018
12/24/2016 15:00	BDL	1.8	1.2	19.3	0.4	BDL	16.0	17.0	4.8	241	12	45	89	1019
12/24/2016 16:00	BDL	1.7	1.1	19.5	0.4	BDL	17.0	18.0	3.1	244	14	44	92	1019
12/24/2016 17:00	BDL	1.8	1.2	21.7	0.4	BDL	21.0	20.0	3.9	244	13	44	94	1020
12/24/2016 18:00	BDL	1.4	0.8	16.4	0.4	BDL	23.0	21.0	3.9	287	10	44	91	1021
12/24/2016 19:00	BDL	1.3	0.8	13.3	0.5	BDL	25.0	18.0	2.8	265	14	44	89	1021
12/24/2016 20:00	BDL	1.2	0.7	11.9	0.4	0.2	26.0	22.0	3.0	268	13	44	88	1022
12/24/2016 21:00	BDL	1.2	0.8	14.0	0.4	0.5	22.0	22.0	3.2	282	11	45	86	1023
12/24/2016 22:00	BDL	1.2	0.7	11.2	0.3	0.7	14.0	13.0	4.7	297	8	45	80	1023
12/24/2016 23:00	BDL	1.0	0.6	6.6	0.3	1.0	12.0	10.0	6.4	308	7	44	76	1024

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 12/25/2016-12/31/2016														
12/25/2016 0:00	BDL	1.0	0.7	8.6	0.3	1.1	10.0	7.0	6.6	309	6	43	78	1024
12/25/2016 1:00	BDL	1.1	0.7	10.6	0.3	1.2	8.0	8.0	6.3	309	7	42	77	1025
12/25/2016 2:00	BDL	Calibration	Calibration	11.0	0.3	1.4	9.0	8.0	6.3	308	7	41	78	1025
12/25/2016 3:00	BDL	Calibration	Calibration	8.8	0.3	2.1	17.0	13.0	4.5	295	6	39	81	1026
12/25/2016 4:00	Calibration	0.9	0.7	Calibration	Calibration	Too few samples	33.0	27.0	5.4	301	7	38	81	1026
12/25/2016 5:00	BDL	1.1	0.6	17.8	0.3	3.2	18.0	16.0	4.9	295	7	37	83	1027
12/25/2016 6:00	BDL	1.1	0.6	17.2	0.3	4.1	14.0	10.0	4.0	284	9	36	86	1028
12/25/2016 7:00	BDL	1.1	0.6	19.7	0.4	5.3	11.0	10.0	3.7	276	11	35	87	1028
12/25/2016 8:00	BDL	1.2	0.6	18.1	0.3	4.7	9.0	9.0	4.0	286	13	37	77	1029
12/25/2016 9:00	BDL	1.1	0.6	14.4	0.3	5.0	14.0	13.0	4.9	323	17	41	68	1030
12/25/2016 10:00	0.6	1.0	0.6	7.5	0.2	6.3	17.0	16.0	7.4	333	16	42	65	1030
12/25/2016 11:00	BDL	0.8	0.4	5.0	0.2	7.4	7.0	11.0	7.7	325	14	43	62	1030
12/25/2016 12:00	BDL	0.8	0.5	5.0	0.2	8.2	9.0	7.0	6.9	326	19	44	59	1030
12/25/2016 13:00	BDL	0.8	0.5	3.6	0.2	8.5	9.0	7.0	5.9	330	27	45	55	1030
12/25/2016 14:00	BDL	0.8	0.5	2.2	0.2	9.1	6.0	7.0	4.7	346	31	47	53	1030
12/25/2016 15:00	BDL	0.8	0.4	5.0	0.2	7.6	7.0	6.0	4.6	52	22	48	51	1030
12/25/2016 16:00	BDL	0.7	0.4	4.2	0.2	5.6	8.0	6.0	2.6	95	20	47	55	1031
12/25/2016 17:00	BDL	0.8	0.5	13.2	0.2	5.5	10.0	7.0	2.0	149	18	43	63	1032
12/25/2016 18:00	BDL	0.9	0.5	16.1	0.2	6.3	12.0	11.0	1.9	129	10	41	73	1033
12/25/2016 19:00	BDL	1.1	0.6	29.7	0.3	7.3	16.0	13.0	1.2	277	46	40	77	1034
12/25/2016 20:00	BDL	1.8	0.9	43.8	0.4	8.8	16.0	19.0	1.5	204	39	38	83	1035
12/25/2016 21:00	BDL	1.7	0.9	37.3	0.5	7.9	16.0	18.0	2.7	116	13	39	80	1035
12/25/2016 22:00	BDL	1.9	0.8	46.4	0.6	7.9	23.0	23.0	2.8	76	11	37	81	1035
12/25/2016 23:00	BDL	1.9	0.8	43.5	0.5	8.0	26.0	22.0	5.4	65	9	37	81	1035
12/26/2016 0:00	BDL	1.3	0.5	21.5	0.3	8.3	14.0	15.0	6.7	59	10	37	74	1036
12/26/2016 1:00	BDL	1.2	0.6	19.1	0.3	8.9	11.0	11.0	6.2	65	10	36	73	1036
12/26/2016 2:00	BDL	Calibration	Calibration	18.2	0.3	9.1	13.0	11.0	5.7	63	10	34	75	1036
12/26/2016 3:00	BDL	Calibration	Calibration	10.9	0.2	9.0	10.0	10.0	7.9	58	9	35	71	1037
12/26/2016 4:00	Calibration	0.8	0.5	Calibration	Calibration	Too few samples	9.0	10.0	9.7	61	9	35	68	1036
12/26/2016 5:00	BDL	1.0	0.5	11.3	0.2	8.1	7.0	5.0	9.2	61	10	34	69	1036
12/26/2016 6:00	BDL	1.1	0.5	14.2	0.2	8.0	12.0	10.0	7.6	65	11	35	71	1036
12/26/2016 7:00	BDL	1.1	0.6	15.3	0.2	8.0	8.0	7.0	6.9	56	10	35	72	1036
12/26/2016 8:00	BDL	1.2	0.6	17.1	0.2	8.2	12.0	7.0	6.2	53	11	35	73	1036
12/26/2016 9:00	BDL	1.3	0.6	27.3	0.3	8.3	19.0	9.0	5.7	60	12	36	74	1036
12/26/2016 10:00	BDL	1.5	0.7	31.3	0.3	7.8	18.0	9.0	5.3	57	11	37	74	1035
12/26/2016 11:00	BDL	1.4	0.7	23.7	0.3	6.9	16.0	9.0	4.3	63	13	39	74	1034
12/26/2016 12:00	BDL	1.6	0.7	33.1	0.4	5.9	22.0	10.0	3.2	74	15	40	74	1033
12/26/2016 13:00	BDL	1.7	0.7	37.4	0.4	4.9	17.0	7.0	3.9	50	11	41	75	1031
12/26/2016 14:00	BDL	1.6	0.7	34.9	0.4	4.5	23.0	8.0	3.7	40	14	42	74	1030
12/26/2016 15:00	BDL	1.6	0.7	35.9	0.4	3.9	21.0	16.0	3.0	78.0	13	43	75	1029
12/26/2016 16:00	0.7	2.3	1.1	59.8	0.5	3.5	27.0	13.0	1.8	89.0	13	43	77	1028
12/26/2016 17:00	0.9	2.7	1.4	73.8	0.5	3.2	32.0	16.0	1.5	86	19	44	80	1027
12/26/2016 18:00	0.9	2.9	1.3	76.3	0.5	3.2	27.0	17.0	0.9	165	42	43	82	1026
12/26/2016 19:00	0.4	2.2	1.2	49.8	0.4	1.7	28.0	14.0	2.2	176	12	44	87	1025
12/26/2016 20:00	BDL	2.0	1.2	25.7	0.2	0.3	32.0	10.0	4.6	185	12	46	95	1023
12/26/2016 21:00	0.5	2.1	1.5	22.2	0.3	BDL	41.0	13.0	5.8	219	15	46	99	1021
12/26/2016 22:00	BDL	1.7	1.3	6.1	0.2	BDL	30.0	10.0	8.2	215	12	47	97	1020
12/26/2016 23:00	BDL	1.4	1.1	0.7	0.2	BDL	25.0	8.0	10.2	208	13	48	95	1018
12/27/2016 0:00	BDL	1.6	1.3	4.2	0.2	BDL	25.0	8.0	9.5	214	12	49	92	1017
12/27/2016 1:00	BDL	1.6	1.3	0.6	0.2	BDL	20.0	11.0	8.4	207	13	49	89	1015
12/27/2016 2:00	BDL	Calibration	Calibration	1.8	0.2	BDL	13.0	8.0	10.8	219	14	52	85	1014
12/27/2016 3:00	BDL	Calibration	Calibration	0.5	0.2	BDL	13.0	7.0	15.3	222	13	53	83	1013
12/27/2016 4:00	Calibration	1.2	1.0	Calibration	Calibration	Too few samples	12.0	6.0	14.0	219	12	54	85	1012
12/27/2016 5:00	0.4	1.4	1.1	4.0	0.2	BDL	11.0	11.0	13.1	219	13	54	86	1011
12/27/2016 6:00	0.6	1.4	1.1	6.5	0.2	BDL	16.0	16.0	11.4	217	13	55	88	1011
12/27/2016 7:00	0.5	1.4	1.0	8.7	0.2	Too few samples	11.0	8.0	12.2	219	12	54	91	1010
12/27/2016 8:00	1.0	1.5	1.1	20.3	0.3	2.8	15.0	10.0	10.6	225	13	54	91	1010
12/27/2016 9:00	1.1	1.5	1.1	11.5	0.3	2.0	10.0	9.0	12.1	225	13	55	89	1009
12/27/2016 10:00	1.2	1.5	1.1	14.1	0.2	2.1	15.0	9.0	10.7	241	13	55	88	1009
12/27/2016 11:00	1.1	1.6	1.1	22.1	0.3	2.3	20.0	13.0	7.5	248	14	55	87	1009
12/27/2016 12:00	1.2	1.8	1.3	19.8	0.3	2.5	15.0	9.0	6.8	246	13	57	79	1008
12/27/2016 13:00	1.3	1.7	1.3	14.5	0.3	3.6	16.0	7.0	6.5	250	18	61	65	1007
12/27/2016 14:00	0.5	1.2	1.0	0.5	0.2	4.1	6.0	4.0	9.7	284	14	62	38	1007
12/27/2016 15:00	BDL	1.1	0.9	0.8	0.2	3.7	7.0	4.0	7.8	297	10	61	37	1008
12/27/2016 16:00	BDL	1.1	0.9	3.4	0.2	1.9	9.0	5.0	5.4	280	12	58	44	1008
12/27/2016 17:00	BDL	1.2	1.0	6.2	0.3	2.0	13.0	7.0	3.7	274	14	56	52	1009
12/27/2016 18:00	BDL	1.3	1.1	8.8	0.3	2.6	11.0	5.0	3.8	272	11	54	56	1010
12/27/2016 19:00	BDL	1.2	0.9	9.9	0.2	3.4	14.0	6.0	4.5	290	9	53	54	1010
12/27/2016 20:00	BDL	1.2	0.9	7.3	0.2	3.1	10.0	5.0	5.4	294	9	52	52	1011
12/27/2016 21:00	BDL	1.3	0.9	15.4	0.2	3.0	9.0	7.0	6.4	307	6	49	52	1011
12/27/2016 22:00	0.6	1.2	0.9	6.6	0.2	3.1	7.0	5.0	9.0	315	8	48	51	1012
12/27/2016 23:00	0.7	1.1	0.8	3.8	0.2	3.2	6.0	4.0	9.3	314	8	46	53	1012
12/28/2016 0:00	0.7	1.1	0.8	3.7	0.2	3.4	9.0	5.0	9.4	316	8	44	56	1012
12/28/2016 1:00	0.6	1.0	0.8	1.7	0.2	3.5	15.0	9.0	11.0	313	8	42	60	1013
12/28/2016 2:00	BDL	Calibration	Calibration	0.7	0.2	4.0	12.0	9.0	9.0	308	7	40	61	1014
12/28/2016 3:00	BDL	Calibration	Calibration	3.6	0.2	4.1	11.0	6.0	4.4	298	9	40	63	1014
12/28/2016 4:00	Calibration	0.9	0.8	Calibration	Calibration	4.6	12.0	7.0	5.0	293	9	39	64	1015
12/28/2016 5:00	BDL	1.2	0.8	18.3	0.3	5.7	13.0	12.0	3.5	271	13	37	71	1015
12/28/2016 6:00	BDL	1.3	0.8	16.8	0.3	6.7	14.0	13.0	3.7	275	13	37	72	1016
12/28/2016 7:00	BDL	1.4	0.9	24.2	0.3	7.4	18.0	10.0	3.8	265	14	38	69	1017
12/28/2016 8:00	BDL	1.4	0.9	17.5	0.3	6.6	17.0	14.0	5.8	294	14	39	62	1018
12/28/2016 9:00	BDL	1.1	0.7	5.2	0.2	2.9	14.0	11.0	7.3	306	10	40	57	1019
12/28/2016 10:00	BDL	1.0	0.7	2.0	0.2	2.9	13.0	6.0	8.6	315	10	41	56	1019
12/28/2016 11:00	BDL	1.0	0.7	1.9	0.1	2.5	15.0	8.0	9.4	312	12	41	54	1019
12/28/2016 12:00	BDL	1.1	0.8	1.6	0.2	2.9	6.0	8.0	9.5	314	12	42	51	1018
12/28/2016 13:00	BDL	1.0	0.7	1.8	0.2	3.5	17.0	10.0	8.4	314	13	42	52	1018
12/28/2016 14:00	BDL	1.0	0.8	2.2	0.2	3.7	15.0	9.0	7.3	304	16	43	50	1018
12/28/2016 15:00	BDL	1.0	0.7	1.5	0.2	2.7	15.0	7.0	8.3	302	12	42	50	1018
12/28/2016 16:00	BDL	0.9	0.7	1.8	0.2	2.1	19.0	11.0	6.6	299	9	40	54	1018
12/28/2016 17:00	BDL	0.9	0.7	5.7	0.2	2.6	19.0	13.0	7.3	314	8	39	56	1019
12/28/2016 18:00	BDL	1.1	0.8	12.4	0.2	3.0	16.0	13.0	5.2	306	9	38	58	1019
12/28/2016 19:00	BDL	1.5	1.2	19.3	0.3	3.4	21.0	12.0	3.9	341	24	38	59	1019
12/28/2016 20:00	BDL	1.2	0.8	18.7	0.2	3.5	16.0	13.0	3.6	79	18	37	59	1019
12/28/2016 21:00	BDL	1.9	1.0	40.4	0.3	3.2	25.0	12.0	3.5	82	11	35	66	1019
12/28/2016 22:00	0.5	2.4	1.1	56.8	0.5	3.1	25.0	17.0	4.5	86	11	34	69	1018
12/28/2016 23:00	BDL	2.4	1.0	51.9	0.4	2.3	23.0	13.0	4.4	102	12	33	72	1017
12/29/2016 0:00	BDL	1.7	0.9	27.8	0.4	1.9	18.0	13.0	4.1	113	14	33	74	1017
12/29/2016 1:00	BDL	1.6	0.8	23.4	0.3	1.6	18.0	12.0	3.2	119	15	32	76	1016
12/29/2016 2:00	BDL	Calibration	Calibration	23.6	0.3	1.0	17.0	13.0	4.1	84	12	32	78	1015
12/29/2016 3:00	BDL	Calibration	Calibration	32.4	0.2	0.4	12.0	12.0	4.5	83	15	33	77	1014
12/29/2016 4:00	Calibration	1.7	1.2	Calibration	Calibration	BDL	17.0	11.0	4.3	89	15	33	78	1013
12/29/2016 5:00	BDL	2.5	1.6	37.8	0.3	BDL	21.0	14.0	3.0	94	17	34	81	1012
12/29/2016 6:00	0.6	3.4	2.0	57.3	0.3	BDL	30.0	13.0	4.2	87	13	34	82	1011
12/29/2016 7:00	0.4	3.3	2.3	52.7	0.3	BDL	23.0	15.0	4.7	141	15	36	92	1009
12/29/2016 8:00	BDL	2.9	2.1	27.6	0.2	BDL	20.0	15.0	4.4	148	13	38	95	1008
12/29/2016 9:00	BDL	2.5	1.9	15.7	0.2	BDL	14.0	11.0	6.0	141	13	39	95	1007
12/29/2016 10:00	BDL	2.5	1.7	29.3	0.2	BDL	13.0	12.0	6.1	155	15	40	96	1005
12/29/2016 11:00	0.4	2.6	1.6	52.0	0.2	BDL	18.0	10.0	5.3	154	12	42	97	1003
12/29/2016 12:00	0.4	2.6	1.6	44.6	0.2	BDL	10.0	14.0	5.3	200	24	43	99	1001
12/29/2016 13:00	BDL	1.9	1.3	13.5	0.2	BDL	13.0	10.0	6.1	261	15	43	98	1000
12/29/2016 14:00	BDL	1.7	1.3	4.6	0.2	BDL	10.0	7.0	7.1	290	12	43	91	999
12/29/2016 15:00	BDL	1.5	1.2	4.3	0.2	BDL	10.0	10.0	9.5	304	10	43	80	1000
12/29/2016 16:00	BDL	1.5	1.2	7.3	0.2	BDL	12.0	10.0	6.7	299	11	42	76	1000
12/29/2016 17:00	BDL	1.5	1.2	12.2	0.3	BDL	13.0	13.0	3.8	275	12	41	81	1000
12/29/2016 18:00	BDL	1.6	1.2	11.7	0.3	BDL	16.0	14.0	5.9	290	11	40	82	1001
12/29/2016 19:00	BDL	1.4	1.1	3.5	0.2	BDL	11.0	12.0	9.2	295	12	39	70	1002
12/29/2016 20:00	BDL	1.2	1.0	0.7	0.2	BDL	9.0	8.0	8.0	280	13	39	64	1002
12/29/2016 21:00	BDL	1.3	1.0	3.9	0.2	BDL	9.0	7.0	6.8	264	14	38	67	1002
12/29/2016 22:00	BDL	1.3	1.1	1.2	0.2	BDL	8.0	7.0	7.7	268	14	38	61	1002
12/29/2016 23:00	BDL	1.3	1.1	3.2	0.2	BDL	8.0	6.0	6.3	255	15	37	59	1001

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 12/25/2016-12/31/2016														
12/30/2016 0:00	0.6	1.4	1.3	12.8	0.2	BDL	12.0	8.0	7.2	234	11	36	62	1001
12/30/2016 1:00	0.7	1.6	1.2	13.9	0.2	BDL	10.0	9.0	7.0	226	11	35	69	1001
12/30/2016 2:00	0.6	Calibration	Calibration	9.8	0.2	BDL	12.0	9.0	8.4	233	12	34	69	1001
12/30/2016 3:00	0.4	Calibration	Calibration	12.5	0.2	BDL	9.0	7.0	7.1	231	12	34	71	1001
12/30/2016 4:00	Calibration	1.5	1.2	Calibration	Calibration	Too few samples	10.0	8.0	6.5	240	13	34	71	1001
12/30/2016 5:00	0.5	1.9	1.3	17.6	0.2	BDL	13.0	7.0	6.6	231	13	34	71	1002
12/30/2016 6:00	BDL	1.8	1.3	16.3	0.2	BDL	13.0	7.0	6.3	248	14	34	69	1002
12/30/2016 7:00	BDL	1.7	1.2	16.2	0.2	BDL	8.0	8.0	4.6	255	16	34	70	1003
12/30/2016 8:00	BDL	1.7	1.2	11.9	0.2	Too few samples	9.0	7.0	7.7	248	14	35	61	1004
12/30/2016 9:00	0.4	1.5	1.1	5.2	0.2	2.2	10.0	6.0	9.6	265	16	37	54	1004
12/30/2016 10:00	BDL	1.2	1.0	0.9	0.2	2.4	9.0	5.0	13.8	282	14	39	48	1005
12/30/2016 11:00	BDL	1.2	1.0	0.8	0.2	2.6	6.0	6.0	14.5	289	14	40	43	1005
12/30/2016 12:00	BDL	1.2	0.9	BDL	0.2	2.7	8.0	6.0	13.2	276	15	40	45	1005
12/30/2016 13:00	BDL	1.1	0.9	BDL	0.2	2.4	6.0	5.0	13.7	297	12	38	46	1006
12/30/2016 14:00	BDL	1.0	0.9	BDL	0.2	3.0	6.0	5.0	11.4	289	12	38	44	1006
12/30/2016 15:00	BDL	1.0	0.9	2.6	0.2	3.8	4.0	5.0	11.7	293	12	38	41	1007
12/30/2016 16:00	BDL	1.0	0.9	BDL	0.2	4.6	7.0	6.0	9.2	288	13	38	41	1008
12/30/2016 17:00	BDL	1.1	0.9	1.5	0.2	5.5	7.0	6.0	8.3	275	14	37	45	1010
12/30/2016 18:00	BDL	1.0	0.9	BDL	0.2	6.2	9.0	6.0	11.4	285	13	36	49	1011
12/30/2016 19:00	BDL	1.1	0.9	BDL	0.2	6.6	7.0	5.0	10.4	290	11	35	53	1012
12/30/2016 20:00	BDL	1.0	0.8	1.6	0.2	7.4	9.0	4.0	7.7	279	12	34	56	1013
12/30/2016 21:00	BDL	1.0	0.7	1.8	0.2	8.2	12.0	7.0	7.8	277	13	34	56	1014
12/30/2016 22:00	BDL	0.9	0.7	0.8	0.2	8.3	10.0	5.0	6.0	281	14	34	51	1015
12/30/2016 23:00	BDL	1.0	0.8	3.2	0.2	8.8	10.0	9.0	3.9	255	15	33	53	1016
12/31/2016 0:00	BDL	1.1	0.8	8.2	0.2	9.3	6.0	7.0	4.7	245	15	32	53	1016
12/31/2016 1:00	0.6	1.1	0.8	8.5	0.2	9.5	5.0	9.0	5.2	243	14	31	54	1017
12/31/2016 2:00	0.6	Calibration	Calibration	10.9	0.2	10.0	10.0	7.0	7.1	230	12	31	60	1017
12/31/2016 3:00	0.5	Calibration	Calibration	10.1	0.2	10.3	7.0	6.0	6.3	241	23	31	62	1018
12/31/2016 4:00	Calibration	1.2	0.9	Calibration	Calibration	Too few samples	8.0	8.0	4.7	220	11	31	65	1018
12/31/2016 5:00	0.5	1.5	0.9	26.2	0.2	12.1	13.0	8.0	4.2	216	13	30	69	1019
12/31/2016 6:00	BDL	2.2	1.3	21.4	0.2	10.8	9.0	8.0	3.8	193	13	29	73	1019
12/31/2016 7:00	BDL	Calibration	Calibration	19.6	0.2	10.9	9.0	8.0	5.1	198	11	29	72	1019
12/31/2016 8:00	0.4	Calibration	Calibration	9.6	0.2	5.2	8.0	9.0	5.9	201	11	31	70	1019
12/31/2016 9:00	BDL	1.3	1.1	4.5	0.2	2.2	9.0	7.0	7.3	196	13	33	64	1019
12/31/2016 10:00	0.4	1.3	1.1	4.2	0.2	1.9	8.0	5.0	9.4	196	13	36	55	1018
12/31/2016 11:00	0.4	1.4	1.2	2.5	0.1	1.1	11.0	5.0	10.8	193	13	39	47	1017
12/31/2016 12:00	BDL	1.2	1.0	BDL	0.1	BDL	8.0	5.0	14.1	187	13	40	44	1016
12/31/2016 13:00	BDL	1.1	0.8	0.5	0.2	BDL	10.0	5.0	13.3	188	13	40	48	1015
12/31/2016 14:00	BDL	1.1	0.9	BDL	0.2	BDL	13.0	6.0	14.3	188	13	41	47	1014
12/31/2016 15:00	BDL	1.3	1.1	1.8	0.1	BDL	13.0	6.0	12.5	192	11	42	49	1014
12/31/2016 16:00	BDL	1.3	1.0	3.2	0.2	BDL	9.0	5.0	11.6	198	12	42	48	1013
12/31/2016 17:00	BDL	1.3	1.0	3.0	0.1	BDL	10.0	4.0	12.2	194	12	41	47	1012
12/31/2016 18:00	BDL	1.3	1.1	2.0	0.1	BDL	8.0	2.0	12.8	199	12	41	49	1012
12/31/2016 19:00	BDL	1.3	1.0	BDL	0.2	BDL	10.0	3.0	12.1	206	13	41	51	1012
12/31/2016 20:00	BDL	1.3	1.1	0.9	0.2	BDL	9.0	6.0	10.3	205	12	42	53	1011
12/31/2016 21:00	1.0	1.4	1.1	5.1	0.2	BDL	9.0	8.0	10.0	212	13	43	52	1011
12/31/2016 22:00	0.7	1.2	1.0	1.9	0.2	BDL	11.0	8.0	11.5	216	13	44	48	1011
12/31/2016 23:00	BDL	1.2	1.0	1.2	0.2	BDL	9.0	7.0	11.4	221	13	44	48	1011

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 1/1/2017-1/7/2017														
1/1/2017 0:00	BDL	1.2	0.9	3.1	0.2	BDL	7.0	8.0	10.1	223	13	44	48	1011
1/1/2017 1:00	0.4	1.3	1.1	4.4	0.2	BDL	11.0	7.0	9.6	229	12	44	49	1011
1/1/2017 2:00	0.5	Calibration	Calibration	4.9	0.2	BDL	6.0	5.0	8.4	226	12	43	52	1012
1/1/2017 3:00	0.5	Calibration	Calibration	6.0	0.2	BDL	9.0	6.0	7.1	228	12	41	55	1013
1/1/2017 4:00	Calibration	1.4	1.3	Calibration	Calibration	BDL	18.0	7.0	6.9	230	12	41	55	1014
1/1/2017 5:00	0.6	1.4	1.1	10.7	0.2	BDL	13.0	11.0	7.0	230	12	41	54	1015
1/1/2017 6:00	1.0	1.7	1.2	21.1	0.3	BDL	13.0	14.0	5.5	227	11	40	58	1016
1/1/2017 7:00	1.0	1.7	1.1	24.6	0.3	0.9	16.0	10.0	4.6	230	13	39	60	1017
1/1/2017 8:00	2.0	1.8	0.9	25.5	0.3	1.2	15.0	10.0	7.0	227	13	40	57	1018
1/1/2017 9:00	1.8	1.8	1.1	19.7	0.3	2.3	14.0	10.0	4.8	247	19	42	54	1020
1/1/2017 10:00	0.6	1.5	0.9	12.2	0.2	4.1	14.0	12.0	3.2	283	21	46	45	1020
1/1/2017 11:00	0.4	1.1	0.8	BDL	0.2	4.7	10.0	8.0	6.9	307	15	47	50	1020
1/1/2017 12:00	BDL	1.0	0.7	BDL	0.2	4.6	15.0	11.0	7.0	313	13	48	48	1020
1/1/2017 13:00	BDL	1.0	0.7	BDL	0.2	6.1	11.0	10.0	6.8	300	18	49	42	1020
1/1/2017 14:00	BDL	0.8	0.7	BDL	0.2	5.4	14.0	7.0	5.0	302	20	49	40	1021
1/1/2017 15:00	BDL	0.9	0.6	BDL	0.2	5.3	12.0	8.0	6.9	305	12	49	39	1022
1/1/2017 16:00	BDL	0.9	0.7	BDL	0.2	4.5	15.0	8.0	6.3	313	6	47	44	1023
1/1/2017 17:00	BDL	0.9	0.7	6.0	0.2	4.4	14.0	6.0	4.9	311	6	46	47	1024
1/1/2017 18:00	BDL	1.1	0.7	24.0	0.4	6.1	20.0	14.0	4.0	313	42	45	51	1025
1/1/2017 19:00	BDL	1.5	0.9	32.3	0.4	5.7	20.0	19.0	2.2	331	60	43	56	1026
1/1/2017 20:00	0.4	2.4	1.1	63.8	0.6	6.1	30.0	20.0	3.1	180	23	41	59	1026
1/1/2017 21:00	0.6	3.0	1.2	77.9	0.6	7.2	28.0	21.0	2.2	145	20	38	72	1027
1/1/2017 22:00	BDL	2.3	0.9	54.8	0.6	8.1	28.0	24.0	2.9	93	12	38	64	1027
1/1/2017 23:00	0.5	2.3	0.9	61.1	0.5	7.2	27.0	21.0	3.6	84	10	39	59	1027
1/2/2017 0:00	0.6	2.5	1.0	64.1	0.5	7.5	28.0	25.0	3.2	78	9	37	61	1027
1/2/2017 1:00	0.4	2.6	1.3	52.9	0.4	7.6	27.0	19.0	4.3	71	10	37	62	1027
1/2/2017 2:00	BDL	Calibration	Calibration	34.9	0.4	7.6	16.0	18.0	4.5	70	9	37	62	1027
1/2/2017 3:00	BDL	Calibration	Calibration	33.0	0.3	7.3	18.0	13.0	4.1	62	11	37	65	1028
1/2/2017 4:00	Calibration	1.4	0.8	Calibration	Calibration	7.5	18.0	13.0	3.1	42	18	38	73	1028
1/2/2017 5:00	BDL	1.8	0.9	31.7	0.4	7.9	22.0	16.0	4.9	63	11	37	85	1028
1/2/2017 6:00	BDL	2.0	0.9	34.4	0.3	8.0	17.0	12.0	4.8	75	12	37	87	1028
1/2/2017 7:00	BDL	1.8	0.8	37.2	0.3	7.7	16.0	17.0	5.7	69	11	36	90	1028
1/2/2017 8:00	BDL	1.8	0.8	33.8	0.4	3.8	17.0	13.0	6.5	60	10	37	90	1028
1/2/2017 9:00	BDL	1.6	0.8	28.6	0.3	2.9	17.0	14.0	6.1	67	11	38	90	1028
1/2/2017 10:00	BDL	1.7	1.0	25.9	0.3	2.6	16.0	11.0	5.0	65	11	39	93	1028
1/2/2017 11:00	BDL	1.9	1.0	33.9	0.4	1.8	20.0	12.0	5.6	55	10	40	96	1027
1/2/2017 12:00	BDL	1.9	1.0	29.6	0.4	0.8	16.0	13.0	6.7	48	12	40	98	1026
1/2/2017 13:00	BDL	1.4	0.9	14.9	0.3	BDL	7.0	8.0	8.0	49	12	41	96	1025
1/2/2017 14:00	BDL	1.3	0.8	21.5	0.3	BDL	11.0	7.0	9.7	50	12	41	95	1025
1/2/2017 15:00	BDL	1.4	0.8	19.6	0.3	BDL	9.0	10.0	8.9	46.0	13	41	95	1025
1/2/2017 16:00	BDL	1.3	0.6	18.0	0.3	BDL	7.0	8.0	8.7	53.0	11	41	96	1025
1/2/2017 17:00	BDL	1.1	0.7	8.6	0.2	BDL	5.0	7.0	9.6	53	12	41	93	1024
1/2/2017 18:00	0.4	1.1	0.6	7.7	0.2	BDL	6.0	6.0	9.5	44	12	40	94	1024
1/2/2017 19:00	BDL	1.1	0.7	10.4	0.3	BDL	7.0	6.0	10.4	46	13	40	94	1023
1/2/2017 20:00	BDL	1.2	0.8	9.6	0.3	BDL	14.0	15.0	11.7	48	11	40	94	1022
1/2/2017 21:00	BDL	1.2	0.8	11.3	0.3	BDL	17.0	11.0	10.0	47	11	40	94	1022
1/2/2017 22:00	BDL	1.3	0.9	14.0	0.3	BDL	13.0	9.0	10.2	46	12	40	96	1021
1/2/2017 23:00	0.4	1.3	0.8	13.0	0.3	BDL	12.0	16.0	10.5	47	11	40	95	1020
1/3/2017 0:00	1.0	1.3	0.9	10.1	0.3	BDL	8.0	7.0	9.6	45	12	40	95	1020
1/3/2017 1:00	1.5	1.3	0.8	11.5	0.3	BDL	7.0	7.0	10.2	49	11	40	94	1019
1/3/2017 2:00	1.3	Calibration	Calibration	11.3	0.3	BDL	9.0	7.0	10.3	48	11	40	94	1018
1/3/2017 3:00	1.3	Calibration	Calibration	14.5	0.3	BDL	11.0	8.0	9.4	48	11	40	94	1017
1/3/2017 4:00	Calibration	1.2	1.0	Calibration	Calibration	BDL	8.0	8.0	8.9	48	12	40	96	1017
1/3/2017 5:00	1.3	1.4	0.9	14.9	0.3	BDL	9.0	8.0	9.9	48	12	40	97	1015
1/3/2017 6:00	0.5	1.6	0.9	17.9	0.3	BDL	8.0	7.0	10.2	49	11	40	98	1014
1/3/2017 7:00	BDL	1.4	1.0	16.9	0.3	BDL	7.0	8.0	9.7	49	11	40	99	1013
1/3/2017 8:00	BDL	1.5	1.0	19.5	0.3	0.5	9.0	10.0	9.5	49	12	40	99	1012
1/3/2017 9:00	0.4	1.6	1.0	24.2	0.3	0.2	7.0	6.0	8.3	48	11	41	99	1011
1/3/2017 10:00	0.4	1.6	1.1	21.2	0.3	BDL	7.0	7.0	9.4	53	11	41	98	1010
1/3/2017 11:00	BDL	1.7	1.1	22.3	0.3	BDL	12.0	8.0	8.6	51	12	42	98	1007
1/3/2017 12:00	BDL	1.7	1.2	15.7	0.2	BDL	8.0	5.0	8.7	59	12	44	97	1005
1/3/2017 13:00	BDL	1.6	1.2	11.7	0.2	BDL	6.0	4.0	6.9	62	15	45	97	1003
1/3/2017 14:00	BDL	1.6	1.1	15.8	0.3	BDL	6.0	4.0	4.1	360	30	46	97	1002
1/3/2017 15:00	BDL	1.7	1.2	17.5	0.3	BDL	7.0	3.0	4.3	23	20	46	96	1001
1/3/2017 16:00	BDL	1.8	1.4	24.0	0.3	BDL	6.0	7.0	5.6	8	17	46	96	1000
1/3/2017 17:00	0.4	2.1	1.6	26.8	0.4	BDL	11.0	8.0	4.6	349	20	45	97	999
1/3/2017 18:00	0.4	2.2	1.4	28.7	0.4	BDL	9.0	11.0	3.7	343	29	44	97	999
1/3/2017 19:00	BDL	1.9	1.3	25.9	0.4	BDL	11.0	13.0	3.3	307	23	43	96	999
1/3/2017 20:00	BDL	1.8	1.3	20.3	0.3	BDL	14.0	13.0	3.3	284	11	43	97	998
1/3/2017 21:00	BDL	1.8	1.2	23.2	0.4	BDL	17.0	13.0	3.3	266	14	43	98	998
1/3/2017 22:00	BDL	1.8	1.2	23.8	0.4	BDL	17.0	17.0	3.9	254	15	43	98	998
1/3/2017 23:00	BDL	2.1	1.4	26.3	0.4	BDL	23.0	20.0	5.5	238	13	43	98	998
1/4/2017 0:00	0.4	2.1	1.5	21.3	0.3	BDL	23.0	17.0	6.9	242	13	43	97	997
1/4/2017 1:00	0.4	2.0	1.6	17.2	0.3	BDL	23.0	18.0	4.9	235	22	43	97	996
1/4/2017 2:00	BDL	Calibration	Calibration	16.8	0.3	BDL	16.0	14.0	6.9	231	13	43	97	996
1/4/2017 3:00	0.5	Calibration	Calibration	25.4	0.3	BDL	24.0	17.0	5.3	227	14	43	97	996
1/4/2017 4:00	Calibration	1.9	1.6	Calibration	Calibration	Too few samples	21.0	18.0	6.4	231	13	43	96	996
1/4/2017 5:00	0.6	2.3	1.6	24.7	0.3	BDL	28.0	21.0	7.5	239	13	43	97	997
1/4/2017 6:00	0.6	2.3	1.5	27.1	0.4	BDL	19.0	16.0	5.5	239	14	43	98	997
1/4/2017 7:00	0.8	Audit	Audit	41.2	0.4	BDL	25.0	16.0	4.5	230	11	43	98	998
1/4/2017 8:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	BDL	22.0	27.0	4.2	267	20	45	97	998
1/4/2017 9:00	0.9	2.5	1.8	Calibration	0.4	BDL	21.0	14.0	5.8	204	13	46	90	999
1/4/2017 10:00	1.1	2.5	1.7	30.1	0.3	Too few samples	21.0	23.0	7.9	223	13	47	90	999
1/4/2017 11:00	1.3	2.2	1.6	25.8	0.3	3.1	22.0	16.0	6.8	231	15	48	86	999
1/4/2017 12:00	1.7	2.2	1.6	20.7	0.3	2.8	16.0	13.0	8.1	271	18	51	71	998
1/4/2017 13:00	0.9	1.6	1.2	7.5	0.3	3.2	6.0	7.0	9.9	289	14	52	58	998
1/4/2017 14:00	0.6	1.5	1.2	6.3	0.2	3.2	9.0	5.0	11.6	283	15	51	49	998
1/4/2017 15:00	0.5	1.4	1.2	2.8	0.2	3.3	12.0	5.0	13.3	286	13	50	44	999
1/4/2017 16:00	BDL	1.3	1.1	0.7	0.2	2.7	7.0	4.0	12.3	284	12	47	40	1000
1/4/2017 17:00	BDL	1.2	1.0	BDL	0.2	3.0	6.0	5.0	12.0	278	12	46	39	1001
1/4/2017 18:00	BDL	1.1	1.0	BDL	0.2	3.5	7.0	5.0	11.7	288	12	43	32	1002
1/4/2017 19:00	BDL	1.1	1.0	BDL	0.2	4.1	7.0	4.0	12.7	290	12	41	34	1004
1/4/2017 20:00	BDL	1.1	0.9	0.4	0.2	4.9	6.0	5.0	10.1	289	13	39	36	1005
1/4/2017 21:00	BDL	1.1	0.9	BDL	0.2	5.9	10.0	5.0	10.0	282	12	37	38	1005
1/4/2017 22:00	BDL	1.1	1.0	BDL	0.2	6.3	9.0	4.0	9.3	274	12	35	41	1006
1/4/2017 23:00	BDL	1.1	0.9	BDL	0.2	6.6	7.0	6.0	10.9	276	13	34	41	1007
1/5/2017 0:00	BDL	1.0	0.9	BDL	0.2	7.0	6.0	6.0	9.5	273	14	32	43	1008
1/5/2017 1:00	BDL	1.0	0.9	BDL	0.2	7.3	8.0	5.0	11.0	282	14	31	42	1008
1/5/2017 2:00	BDL	Calibration	Calibration	1.0	0.2	7.9	5.0	5.0	7.0	283	14	30	45	1010
1/5/2017 3:00	BDL	Calibration	Calibration	2.0	0.2	8.3	9.0	5.0	7.0	289	14	29	49	1010
1/5/2017 4:00	Calibration	1.0	0.9	Calibration	Calibration	8.7	9.0	7.0	5.9	298	10	28	53	1011
1/5/2017 5:00	0.4	1.0	0.8	5.2	0.2	9.3	9.0	10.0	5.5	296	10	27	54	1012
1/5/2017 6:00	0.4	1.1	0.9	11.3	0.2	9.5	14.0	10.0	5.3	301	11	27	53	1012
1/5/2017 7:00	BDL	Calibration	Calibration	9.6	0.2	10.0	11.0	10.0	5.1	291	14	27	51	1013
1/5/2017 8:00	0.5	Calibration	Calibration	9.9	0.2	8.1	16.0	8.0	5.9	282	16	28	49	1014
1/5/2017 9:00	0.6	1.1	0.9	7.0	0.2	2.6	13.0	11.0	5.4	292	16	28	47	1015
1/5/2017 10:00	0.4	1.2	0.9	4.6	0.2	2.6	18.0	8.0	6.2	272	20	29	47	1015
1/5/2017 11:00	BDL	1.2	0.9	4.1	0.2	2.3	16.0	6.0	6.3	268	19	30	45	1014
1/5/2017 12:00	0.4	1.2	0.9	4.6	0.2	2.0	15.0	8.0	6.3	257	20	31	42	1013
1/5/2017 13:00	0.5	1.3	1.0	6.8	0.2	1.5	16.0	8.0	6.6	249	19	32	42	1012
1/5/2017 14:00	BDL	1.5	1.2	6.1	0.2	1.2	17.0	7.0	5.7	254	19	32	42	1012
1/5/2017 15:00	BDL	1.5	1.2	5.7	0.2	1.0	12.0	7.0	5.3	260	21	32	42	1012
1/5/2017 16:00	1.2	1.4	1.1	10.6	0.2	1.0	16.0	7.0	7.6	229	18	32	47	1012
1/5/2017 17:00	0.7	1.3	0.9	9.4	0.2	1.5	16.0	6.0	7.5	232	18	31	56	1013
1/5/2017 18:00	0.6	1.4	0.9	7.9	0.2	1.4	13.0	9.0	6.9	210	13	30	67	1013
1/5/2017 19:00	0.7	1.4	0.9	9.5	0.2	1.6	12.0	9.0	6.4	220	13	30	74	1013
1/5/2017 20:00	0.4	1.4	1.0	8.3	0.2	1.8	9.0	12.0	4.6	213	13	28	91	1013
1/5/2017 21:00	0.7	1.5	1.0	17.4	0.3	1.7	19.0	13.0	2.8	233	20	28	95	1013
1/5/2017 22:00	1.1	1.6	1.0	16.1	0.2	1.6	18.0	12.0	3.0	255	22	28	95	1013
1/5/2017 23:00	0.9	1.7	1.0	27.5	0.3	1.3	20.0	15.0	2.2	151	45	28	95	1012

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 1/1/2017-1/7/2017														
1/6/2017 0:00	0.5	1.8	1.0	21.6	0.2	1.1	17.0	15.0	1.7	244	49	28	94	1012
1/6/2017 1:00	BDL	1.8	1.1	18.4	0.3	1.4	18.0	9.0	3.3	302	14	29	94	1012
1/6/2017 2:00	BDL	Calibration	Calibration	16.8	0.2	1.3	11.0	11.0	3.8	309	19	29	96	1012
1/6/2017 3:00	0.5	Calibration	Calibration	19.4	0.2	0.8	19.0	12.0	4.5	348	28	28	94	1011
1/6/2017 4:00	Calibration	1.4	1.1	Calibration	Calibration	0.6	15.0	14.0	7.2	340	14	28	87	1011
1/6/2017 5:00	0.9	1.4	1.1	9.1	0.2	1.2	19.0	16.0	8.9	339	15	28	82	1012
1/6/2017 6:00	1.0	1.6	1.1	12.3	0.2	1.9	15.0	12.0	6.4	341	21	28	79	1013
1/6/2017 7:00	1.2	1.6	1.2	15.0	0.2	2.4	23.0	16.0	6.4	334	21	28	74	1014
1/6/2017 8:00	0.9	1.5	1.1	16.5	0.2	3.2	13.0	10.0	7.7	310	9	27	72	1015
1/6/2017 9:00	1.0	1.5	0.9	15.9	0.2	3.8	14.0	8.0	8.3	321	11	28	66	1016
1/6/2017 10:00	1.0	1.5	1.0	14.7	0.2	4.5	18.0	12.0	8.2	330	16	29	62	1017
1/6/2017 11:00	0.6	1.2	0.9	7.1	0.2	4.7	8.0	8.0	8.7	322	14	30	56	1017
1/6/2017 12:00	0.4	1.2	0.8	3.9	0.2	4.6	10.0	5.0	7.5	302	15	31	53	1016
1/6/2017 13:00	0.4	1.2	0.8	2.4	0.2	4.4	13.0	16.0	7.0	305	16	31	52	1016
1/6/2017 14:00	BDL	1.1	0.8	1.2	0.2	4.3	10.0	6.0	8.0	309	13	31	49	1017
1/6/2017 15:00	BDL	1.0	0.7	3.5	0.2	4.2	12.0	7.0	8.4	315	12	30	48	1017
1/6/2017 16:00	BDL	1.0	0.8	2.3	0.2	4.8	11.0	6.0	7.3	299	12	29	48	1019
1/6/2017 17:00	BDL	0.9	0.7	2.4	0.2	5.6	17.0	7.0	5.7	287	12	29	49	1020
1/6/2017 18:00	BDL	1.0	0.7	3.0	0.2	6.1	17.0	8.0	6.5	286	12	28	51	1021
1/6/2017 19:00	BDL	1.0	0.7	2.0	0.2	6.6	18.0	8.0	6.4	292	10	27	51	1021
1/6/2017 20:00	BDL	1.0	0.8	2.9	0.2	6.8	13.0	8.0	8.7	311	9	26	52	1022
1/6/2017 21:00	BDL	1.0	0.7	4.7	0.2	6.8	14.0	7.0	8.0	312	9	25	52	1022
1/6/2017 22:00	BDL	1.1	0.7	7.3	0.2	7.2	16.0	11.0	8.3	316	9	25	53	1022
1/6/2017 23:00	BDL	1.1	0.7	8.7	0.2	7.8	20.0	12.0	7.6	308	9	24	55	1023
1/7/2017 0:00	BDL	1.1	0.7	10.8	0.2	7.6	14.0	8.0	8.6	323	13	24	55	1023
1/7/2017 1:00	0.6	1.3	0.8	17.0	0.2	7.9	17.0	12.0	8.5	338	12	24	53	1023
1/7/2017 2:00	0.5	Calibration	Calibration	8.7	0.2	8.2	11.0	8.0	6.8	343	18	24	54	1024
1/7/2017 3:00	0.5	Calibration	Calibration	10.6	0.2	8.2	19.0	10.0	7.1	8	18	24	52	1024
1/7/2017 4:00	Calibration	0.9	0.7	Calibration	Calibration	Too few samples	13.0	8.0	9.3	48	14	23	48	1024
1/7/2017 5:00	BDL	0.9	0.7	4.4	0.2	8.0	23.0	10.0	9.7	46	14	23	47	1023
1/7/2017 6:00	BDL	0.9	0.7	6.4	0.2	7.8	27.0	8.0	8.3	40	15	23	47	1023
1/7/2017 7:00	BDL	0.9	0.7	4.3	0.2	8.3	15.0	7.0	9.4	42	16	22	47	1023
1/7/2017 8:00	BDL	1.0	0.7	4.2	0.2	2.8	25.0	9.0	8.9	40	15	20	71	1023
1/7/2017 9:00	BDL	1.2	0.7	12.7	0.2	3.2	18.0	10.0	6.9	10	17	19	89	1024
1/7/2017 10:00	BDL	1.2	0.7	11.8	0.2	2.8	14.0	13.0	7.1	346	21	19	92	1023
1/7/2017 11:00	BDL	1.3	0.8	13.1	0.2	1.7	15.0	14.0	7.1	349	18	19	93	1021
1/7/2017 12:00	BDL	1.3	0.7	11.4	0.2	1.3	15.0	10.0	7.9	342	18	18	91	1020
1/7/2017 13:00	BDL	1.2	0.8	8.4	0.2	0.7	18.0	13.0	10.1	340	13	19	90	1019
1/7/2017 14:00	BDL	1.3	0.9	12.7	0.2	0.6	12.0	11.0	9.8	340	13	19	91	1019
1/7/2017 15:00	0.4	1.3	0.8	13.0	0.2	0.6	15.0	15.0	9.7	340	13	19	90	1019
1/7/2017 16:00	0.5	1.2	0.8	8.2	0.2	0.6	12.0	12.0	7.8	339	16	21	80	1019
1/7/2017 17:00	0.4	1.3	0.8	10.8	0.2	0.4	16.0	15.0	9.1	316	10	21	70	1019
1/7/2017 18:00	0.4	1.2	0.7	12.8	0.3	0.4	23.0	16.0	8.8	313	8	21	65	1019
1/7/2017 19:00	BDL	1.2	0.8	6.1	0.2	0.5	19.0	8.0	13.0	319	8	21	56	1019
1/7/2017 20:00	BDL	1.0	0.8	4.7	0.2	0.7	16.0	7.0	13.4	319	8	21	54	1019
1/7/2017 21:00	BDL	1.1	0.8	6.3	0.2	0.9	23.0	10.0	13.0	317	8	20	54	1020
1/7/2017 22:00	BDL	1.0	0.7	4.2	0.2	1.3	16.0	14.0	11.1	313	8	19	55	1021
1/7/2017 23:00	BDL	0.9	0.6	2.3	0.2	1.4	17.0	11.0	11.3	314	9	19	55	1021

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 1/8/2017-1/14/2017														
1/8/2017 0:00	BDL	0.9	0.6	1.6	0.2	1.6	8.0	11.0	12.4	313	9	18	54	1021
1/8/2017 1:00	BDL	0.9	0.7	2.1	0.2	1.8	14.0	9.0	9.3	310	9	18	54	1022
1/8/2017 2:00	BDL	Calibration	Calibration	3.4	0.2	2.3	12.0	11.0	7.2	300	9	17	54	1023
1/8/2017 3:00	BDL	Calibration	Calibration	1.9	0.2	2.7	13.0	10.0	8.1	299	10	17	54	1023
1/8/2017 4:00	Calibration	0.7	0.5	Calibration	Calibration	2.8	16.0	14.0	8.7	296	10	16	54	1024
1/8/2017 5:00	BDL	0.8	0.7	1.7	0.2	3.3	18.0	13.0	8.7	294	11	15	58	1025
1/8/2017 6:00	BDL	0.8	0.6	1.8	0.2	3.8	17.0	12.0	8.3	290	11	14	58	1026
1/8/2017 7:00	BDL	0.9	0.7	4.3	0.2	4.3	20.0	12.0	6.3	273	14	13	60	1026
1/8/2017 8:00	0.5	0.9	0.7	3.9	0.2	4.5	19.0	14.0	7.8	280	13	14	53	1026
1/8/2017 9:00	0.8	0.9	0.7	3.1	0.2	4.5	22.0	17.0	10.0	287	13	16	49	1026
1/8/2017 10:00	0.8	0.9	0.6	1.7	0.2	4.6	25.0	14.0	13.6	296	11	17	49	1026
1/8/2017 11:00	0.5	0.8	0.6	1.0	0.2	4.4	24.0	10.0	14.1	297	12	18	49	1026
1/8/2017 12:00	BDL	0.8	0.7	0.9	0.1	4.3	17.0	11.0	14.1	296	12	20	47	1026
1/8/2017 13:00	BDL	0.8	0.5	BDL	0.1	4.4	15.0	11.0	12.5	292	12	22	42	1026
1/8/2017 14:00	BDL	0.8	0.6	BDL	0.1	4.8	13.0	7.0	12.5	291	12	23	40	1027
1/8/2017 15:00	BDL	0.8	0.6	BDL	0.1	5.3	13.0	7.0	14.1	297	11	22	39	1028
1/8/2017 16:00	BDL	0.8	0.5	BDL	0.1	5.9	12.0	8.0	11.1	297	12	21	41	1029
1/8/2017 17:00	BDL	0.7	0.5	BDL	0.2	6.5	14.0	5.0	8.3	294	11	20	44	1030
1/8/2017 18:00	BDL	0.7	0.5	BDL	0.2	7.3	15.0	6.0	9.7	294	11	20	47	1031
1/8/2017 19:00	BDL	0.6	0.5	1.6	0.2	7.9	15.0	6.0	9.9	301	11	20	57	1032
1/8/2017 20:00	BDL	0.6	0.4	2.9	0.2	8.6	15.0	4.0	7.4	299	12	19	60	1034
1/8/2017 21:00	BDL	0.6	0.4	3.8	0.2	9.2	11.0	8.0	5.9	297	9	18	59	1035
1/8/2017 22:00	BDL	0.7	0.4	4.5	0.2	9.6	9.0	8.0	8.3	302	9	18	58	1036
1/8/2017 23:00	BDL	0.7	0.4	5.0	0.2	9.9	8.0	7.0	8.3	306	9	17	54	1036
1/9/2017 0:00	BDL	0.6	0.4	1.4	0.1	10.1	6.0	5.0	8.1	302	10	17	50	1036
1/9/2017 1:00	BDL	0.7	0.4	8.1	0.2	10.6	13.0	3.0	4.5	276	14	16	67	1037
1/9/2017 2:00	BDL	Calibration	Calibration	12.0	0.2	10.9	12.0	6.0	3.6	269	33	15	74	1037
1/9/2017 3:00	BDL	Calibration	Calibration	18.0	0.2	11.0	12.0	8.0	3.5	287	15	15	75	1037
1/9/2017 4:00	Calibration	1.0	0.5	Calibration	Calibration	11.1	14.0	8.0	3.7	266	14	14	78	1038
1/9/2017 5:00	BDL	1.3	0.6	31.8	0.3	10.9	11.0	11.0	4.0	269	14	14	77	1038
1/9/2017 6:00	BDL	1.7	0.6	40.3	0.4	10.9	22.0	12.0	3.4	266	14	14	74	1038
1/9/2017 7:00	0.5	2.0	0.7	52.1	0.5	11.7	29.0	15.0	3.1	252	20	14	71	1038
1/9/2017 8:00	0.5	1.9	0.6	42.5	0.4	3.2	33.0	11.0	4.3	246	15	16	64	1039
1/9/2017 9:00	0.4	1.5	0.5	26.6	0.3	3.7	25.0	11.0	4.1	282	15	17	58	1040
1/9/2017 10:00	0.5	1.1	0.4	17.5	0.2	3.3	28.0	11.0	3.4	242	24	19	53	1039
1/9/2017 11:00	1.6	1.1	0.4	16.9	0.2	2.6	28.0	9.0	4.5	236	19	20	53	1038
1/9/2017 12:00	2.0	1.1	0.6	15.2	0.2	2.4	19.0	11.0	5.0	238	22	21	48	1038
1/9/2017 13:00	1.4	1.0	0.5	12.7	0.2	1.9	19.0	8.0	5.8	202	17	21	51	1037
1/9/2017 14:00	2.2	0.9	0.5	8.0	0.2	1.4	14.0	7.0	6.5	185	15	21	52	1036
1/9/2017 15:00	0.4	0.8	0.4	6.0	0.2	1.5	13.0	6.0	6.8	181.0	14	21	53	1036
1/9/2017 16:00	BDL	0.8	0.5	2.8	0.2	1.4	12.0	8.0	7.6	187.0	13	21	54	1037
1/9/2017 17:00	BDL	0.9	0.6	7.2	0.2	1.0	13.0	6.0	6.9	169	11	21	58	1036
1/9/2017 18:00	BDL	0.9	0.5	6.4	0.2	1.2	10.0	7.0	6.0	177	13	20	60	1036
1/9/2017 19:00	BDL	1.1	0.6	12.9	0.2	1.2	15.0	6.0	5.0	171	11	20	63	1036
1/9/2017 20:00	BDL	1.2	0.8	14.6	0.2	1.2	14.0	7.0	4.1	194	12	19	66	1036
1/9/2017 21:00	BDL	1.4	0.9	16.4	0.2	1.2	14.0	7.0	4.5	200	12	19	65	1036
1/9/2017 22:00	BDL	1.2	0.7	10.3	0.2	1.0	16.0	10.0	2.6	197	18	19	69	1036
1/9/2017 23:00	BDL	1.2	0.8	11.4	0.2	1.0	10.0	7.0	4.3	209	12	19	69	1036
1/10/2017 0:00	BDL	1.4	0.7	22.3	0.2	0.5	11.0	10.0	3.3	182	11	18	71	1035
1/10/2017 1:00	BDL	1.8	0.8	28.1	0.2	0.4	15.0	12.0	2.4	171	13	18	75	1035
1/10/2017 2:00	BDL	Calibration	Calibration	24.0	0.2	0.2	13.0	11.0	2.4	160	20	18	78	1035
1/10/2017 3:00	BDL	Calibration	Calibration	26.6	0.2	0.1	16.0	13.0	2.2	151	17	18	80	1034
1/10/2017 4:00	Calibration	1.6	1.1	Calibration	Calibration	0.1	17.0	15.0	1.8	152	25	18	79	1034
1/10/2017 5:00	BDL	1.9	1.2	24.4	0.2	0.2	10.0	9.0	2.8	131	18	19	80	1034
1/10/2017 6:00	0.7	3.2	1.5	63.3	0.4	0.6	23.0	16.0	2.4	119	19	18	83	1034
1/10/2017 7:00	0.9	3.3	1.8	49.3	0.3	0.6	20.0	12.0	2.7	137	20	20	81	1034
1/10/2017 8:00	0.4	3.4	2.2	41.3	0.3	0.2	17.0	15.0	4.4	146	13	21	77	1034
1/10/2017 9:00	0.5	2.6	1.7	27.4	0.3	BDL	22.0	10.0	5.9	164	12	25	69	1034
1/10/2017 10:00	0.5	1.8	1.2	20.7	0.2	BDL	23.0	14.0	6.1	170	13	27	65	1034
1/10/2017 11:00	BDL	2.0	1.3	12.4	0.2	BDL	21.0	11.0	6.5	206	13	28	64	1033
1/10/2017 12:00	0.5	2.0	1.4	16.5	0.2	BDL	17.0	7.0	7.1	184	15	30	57	1031
1/10/2017 13:00	1.4	2.4	1.7	67.1	0.2	BDL	10.0	6.0	7.1	163	15	33	52	1029
1/10/2017 14:00	0.4	1.8	0.9	23.6	0.3	BDL	16.0	7.0	6.3	179	13	35	49	1028
1/10/2017 15:00	BDL	1.4	0.7	16.0	0.3	BDL	18.0	8.0	3.9	202	14	35	51	1028
1/10/2017 16:00	BDL	1.5	0.7	26.5	0.2	BDL	23.0	6.0	3.1	182	11	35	50	1028
1/10/2017 17:00	0.5	2.4	0.8	56.7	0.2	BDL	18.0	5.0	4.2	162	14	35	49	1027
1/10/2017 18:00	0.4	2.1	1.0	39.7	0.2	BDL	13.0	5.0	6.0	168	13	35	61	1026
1/10/2017 19:00	BDL	1.5	0.9	10.7	0.2	BDL	10.0	8.0	8.0	173	12	36	71	1025
1/10/2017 20:00	BDL	1.6	1.0	10.3	0.2	BDL	10.0	6.0	8.9	172	12	37	71	1024
1/10/2017 21:00	BDL	1.3	0.8	3.0	0.1	BDL	12.0	8.0	10.3	183	12	38	67	1022
1/10/2017 22:00	BDL	1.4	1.0	6.5	0.1	BDL	10.0	9.0	8.3	197	12	38	71	1021
1/10/2017 23:00	BDL	1.3	0.9	1.1	0.1	BDL	7.0	5.0	9.2	206	11	39	73	1021
1/11/2017 0:00	BDL	1.3	1.0	BDL	0.1	BDL	13.0	167.0	11.1	205	11	40	80	1020
1/11/2017 1:00	BDL	1.3	1.1	0.4	0.1	BDL	11.0	4.0	11.1	204	10	39	92	1020
1/11/2017 2:00	BDL	Calibration	Calibration	BDL	0.2	BDL	12.0	5.0	12.4	206	11	40	94	1020
1/11/2017 3:00	2.7	Calibration	Calibration	5.0	0.2	BDL	9.0	11.0	12.1	214	13	41	91	1020
1/11/2017 4:00	Calibration	1.5	1.3	Calibration	Calibration	BDL	15.0	8.0	10.6	218	13	41	89	1021
1/11/2017 5:00	0.6	1.6	1.2	12.1	0.2	BDL	12.0	9.0	7.9	225	13	41	89	1022
1/11/2017 6:00	0.7	1.6	1.0	23.8	0.3	BDL	20.0	9.0	5.3	219	13	40	90	1023
1/11/2017 7:00	0.8	2.2	1.0	37.3	0.3	BDL	17.0	14.0	4.6	202	11	38	90	1023
1/11/2017 8:00	1.4	1.9	1.0	24.7	0.3	2.6	20.0	11.0	5.6	221	13	40	84	1025
1/11/2017 9:00	2.1	1.8	1.0	28.0	0.3	3.1	18.0	18.0	6.8	224	12	42	81	1025
1/11/2017 10:00	1.7	1.6	0.8	17.4	0.2	3.7	13.0	16.0	7.0	232	14	44	76	1026
1/11/2017 11:00	1.8	1.5	0.9	17.1	0.2	3.4	16.0	10.0	6.3	234	12	46	72	1025
1/11/2017 12:00	1.9	1.5	0.9	16.3	0.2	4.0	21.0	16.0	3.9	215	14	49	68	1024
1/11/2017 13:00	1.5	1.7	1.1	25.3	0.2	3.5	18.0	15.0	2.8	181	20	50	67	1023
1/11/2017 14:00	1.2	1.9	1.0	34.9	0.2	3.1	24.0	15.0	2.5	165	18	51	68	1023
1/11/2017 15:00	1.0	2.0	0.9	33.0	0.3	2.3	24.0	13.0	2.7	204	22	50	69	1023
1/11/2017 16:00	0.7	1.6	1.0	20.8	0.3	2.0	17.0	15.0	3.3	202	9	49	72	1023
1/11/2017 17:00	0.5	2.1	1.5	20.7	0.2	1.6	16.0	13.0	4.1	184	12	49	76	1023
1/11/2017 18:00	0.5	2.3	1.9	27.6	0.3	1.2	17.0	14.0	3.4	174	13	48	79	1022
1/11/2017 19:00	0.4	2.2	1.6	29.0	0.3	1.2	17.0	14.0	2.4	195	18	47	83	1022
1/11/2017 20:00	0.5	2.6	1.9	35.7	0.3	4.3	22.0	15.0	2.7	212	24	46	89	1022
1/11/2017 21:00	BDL	2.9	2.3	13.8	0.2	0.4	16.0	14.0	6.8	192	11	45	95	1021
1/11/2017 22:00	BDL	2.5	2.1	5.2	0.2	BDL	17.0	16.0	7.0	195	10	45	97	1021
1/11/2017 23:00	BDL	2.0	1.6	3.4	0.2	BDL	19.0	16.0	7.4	194	10	45	97	1020
1/12/2017 0:00	BDL	1.8	1.5	1.9	0.2	BDL	18.0	10.0	9.9	199	10	48	95	1020
1/12/2017 1:00	BDL	1.9	1.7	1.0	0.2	BDL	14.0	14.0	8.4	201	11	49	94	1019
1/12/2017 2:00	BDL	Calibration	Calibration	12.5	0.2	BDL	14.0	8.0	8.2	204	10	50	92	1019
1/12/2017 3:00	BDL	Calibration	Calibration	10.4	0.2	BDL	16.0	10.0	8.6	208	10	50	91	1018
1/12/2017 4:00	Calibration	1.9	1.7	Calibration	Calibration	Too few samples	18.0	9.0	8.0	209	12	50	90	1018
1/12/2017 5:00	BDL	2.0	1.7	7.9	0.2	BDL	15.0	8.0	9.1	208	11	51	90	1017
1/12/2017 6:00	0.7	2.0	1.4	13.8	0.2	BDL	14.0	10.0	11.0	215	12	52	88	1017
1/12/2017 7:00	0.9	1.6	1.2	9.6	0.2	BDL	Audit	Audit	11.8	215	12	54	86	1017
1/12/2017 8:00	1.4	1.7	1.1	18.8	0.3	6.5	16.0	14.0	11.2	217	12	54	84	1017
1/12/2017 9:00	1.7	1.6	1.1	10.7	0.2	12.6	6.0	8.0	12.0	215	13	57	79	1017
1/12/2017 10:00	1.2	1.4	1.1	6.2	0.2	Too few samples	14.0	8.0	13.2	223	12	60	74	1017
1/12/2017 11:00	1.4	1.4	1.0	9.2	0.2	Too few samples	14.0	8.0	13.3	218	12	61	71	1016
1/12/2017 12:00	1.0	1.3	1.1	4.8	0.2	Too few samples	11.0	8.0	13.5	218	13	62	69	1015
1/12/2017 13:00	1.2	1.4	1.1	8.4	0.2	2.3	16.0	7.0	11.0	218	12	63	67	1014
1/12/2017 14:00	1.2	1.6	1.2	7.8	0.2	1.9	13.0	9.0	10.3	210	12	64	65	1014
1/12/2017 15:00	2.2	1.6	1.3	11.2	0.3	2.0	16.0	8.0	9.7	214	13	64	64	1014
1/12/2017 16:00	2.5	1.6	1.2	11.8	0.3	1.9	15.0	11.0	10.5	211	12	64	63	1014
1/12/2017 17:00	2.0	1.6	1.1	8.2	0.2	2.0	13.0	10.0	10.5	213	13	63	64	1014
1/12/2017 18:00	0.6	1.5	1.2	BDL	0.2	1.7	9.0	7.0	11.8	209	11	63	64	1015
1/12/2017 19:00	1.0	1.5	1.3	5.0	0.2	2.0	17.0	7.0	9.9	214	13	62	65	1015
1/12/2017 20:00	1.2	1.4	1.1	10.5	0.2	3.1	13.0	7.0	9.2	224	13	61	66	1016
1/12/2017 21:00	1.2	1.4	0.9	12.8	0.2	2.8	10.0	9.0	8.4	232	13	61	68	1016
1/12/2017 22:00	1.0	1.5	1.2	12.7	0.2	2.3	17.0	8.0	7.1	239	12	60	70	1017
1/12/2017 23:00	1.1	1.6	1.1	16.9	0.3	2.7	13.0	9.0	4.7	225	21	59	72	1018

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 1/8/2017-1/14/2017														
1/13/2017 0:00	0.9	1.6	1.0	11.4	0.2	2.2	15.0	11.0	7.3	223	12	58	73	1018
1/13/2017 1:00	0.9	1.3	0.9	8.7	0.2	2.0	16.0	9.0	5.4	254	15	57	74	1019
1/13/2017 2:00	2.9	Calibration	Calibration	15.7	0.2	2.5	18.0	9.0	5.9	234	10	56	77	1020
1/13/2017 3:00	3.5	Calibration	Calibration	28.1	0.3	5.7	22.0	9.0	3.3	230	17	54	82	1020
1/13/2017 4:00	Calibration	1.8	1.5	Calibration	Calibration	7.6	16.0	12.0	3.1	264	15	53	87	1021
1/13/2017 5:00	0.4	1.4	1.0	5.6	0.2	2.1	8.0	8.0	9.9	320	8	54	78	1022
1/13/2017 6:00	BDL	1.1	0.9	1.6	0.2	2.0	8.0	4.0	12.8	311	9	51	69	1024
1/13/2017 7:00	BDL	1.1	0.8	5.0	0.2	2.0	7.0	5.0	10.0	309	10	48	69	1026
1/13/2017 8:00	BDL	1.1	0.8	4.7	0.2	2.0	15.0	5.0	13.1	318	9	46	67	1027
1/13/2017 9:00	BDL	1.0	0.6	8.5	0.2	1.9	10.0	4.0	14.2	331	11	46	60	1029
1/13/2017 10:00	BDL	1.0	0.6	10.1	0.2	2.0	8.0	1.0	13.5	332	11	46	56	1029
1/13/2017 11:00	BDL	1.0	0.6	4.5	0.2	1.9	7.0	1.0	12.3	322	11	47	51	1029
1/13/2017 12:00	BDL	0.9	0.6	3.8	0.2	1.9	7.0	3.0	12.7	319	10	47	49	1029
1/13/2017 13:00	BDL	0.9	0.6	1.6	0.2	1.9	8.0	2.0	12.5	317	9	47	47	1029
1/13/2017 14:00	BDL	0.9	0.5	7.5	0.2	1.9	11.0	5.0	12.5	330	13	48	44	1030
1/13/2017 15:00	BDL	0.9	0.6	8.6	0.2	1.9	14.0	5.0	11.7	331	13	47	43	1031
1/13/2017 16:00	BDL	0.8	0.4	5.6	0.2	2.0	13.0	4.0	11.2	327	13	45	46	1032
1/13/2017 17:00	0.5	0.9	0.5	9.7	0.2	2.0	21.0	8.0	9.8	340	15	44	42	1033
1/13/2017 18:00	0.5	0.8	0.5	7.5	0.2	2.0	13.0	7.0	8.7	339	15	42	43	1034
1/13/2017 19:00	BDL	0.8	0.5	6.7	0.2	1.9	15.0	4.0	8.1	349	18	41	47	1035
1/13/2017 20:00	BDL	0.8	0.4	6.5	0.2	2.0	17.0	6.0	7.8	345	17	39	45	1035
1/13/2017 21:00	BDL	0.7	0.5	4.6	0.2	2.0	10.0	7.0	7.9	358	18	37	45	1036
1/13/2017 22:00	BDL	0.8	0.5	8.1	0.2	2.0	10.0	8.0	7.2	6	18	36	45	1037
1/13/2017 23:00	BDL	0.6	0.4	2.5	0.2	1.9	9.0	6.0	7.8	39	16	35	45	1037
1/14/2017 0:00	BDL	0.7	0.4	3.0	0.2	1.9	11.0	5.0	6.2	49	13	34	46	1037
1/14/2017 1:00	BDL	0.6	0.4	3.8	0.2	1.9	8.0	9.0	6.5	56	13	33	45	1037
1/14/2017 2:00	BDL	Calibration	Calibration	5.3	0.2	1.9	11.0	6.0	6.2	57	12	33	48	1037
1/14/2017 3:00	BDL	Calibration	Calibration	4.0	0.2	2.0	9.0	3.0	6.3	32	16	32	46	1037
1/14/2017 4:00	Calibration	0.7	0.5	Calibration	Calibration	2.0	7.0	3.0	5.5	48	17	32	47	1037
1/14/2017 5:00	BDL	0.7	0.4	8.1	0.2	2.0	26.0	7.0	5.1	65	12	31	51	1037
1/14/2017 6:00	BDL	0.8	0.4	8.3	0.2	2.0	28.0	6.0	5.4	68	11	31	53	1037
1/14/2017 7:00	BDL	0.9	0.4	15.3	0.2	2.0	21.0	9.0	5.4	77	11	31	53	1036
1/14/2017 8:00	BDL	1.1	0.6	11.7	0.2	2.0	14.0	6.0	5.4	67	14	31	52	1036
1/14/2017 9:00	BDL	0.9	0.5	13.2	0.2	2.0	12.0	6.0	3.9	69	18	32	51	1036
1/14/2017 10:00	BDL	1.0	0.6	11.4	0.2	2.0	13.0	6.0	3.6	93	22	32	53	1035
1/14/2017 11:00	BDL	0.9	0.5	7.2	0.2	2.0	11.0	6.0	3.0	108	26	33	54	1034
1/14/2017 12:00	BDL	0.9	0.6	6.3	0.2	1.9	10.0	5.0	2.9	132	36	34	54	1032
1/14/2017 13:00	BDL	0.9	0.6	5.3	0.2	1.9	11.0	4.0	3.1	115	30	34	54	1031
1/14/2017 14:00	BDL	1.0	0.6	4.3	0.2	1.9	12.0	3.0	2.5	139	31	34	62	1030
1/14/2017 15:00	BDL	1.5	0.6	22.9	0.2	1.9	11.0	4.0	3.7	144	24	34	65	1030
1/14/2017 16:00	BDL	1.7	0.9	35.0	0.2	1.9	13.0	7.0	4.6	157	16	34	68	1029
1/14/2017 17:00	BDL	1.3	0.7	8.1	0.2	1.8	12.0	7.0	3.0	136	22	34	73	1028
1/14/2017 18:00	BDL	1.1	0.7	4.7	0.2	1.9	15.0	6.0	2.9	99	18	34	81	1028
1/14/2017 19:00	BDL	1.4	0.8	19.8	0.2	1.9	12.0	10.0	2.2	142	20	33	85	1027
1/14/2017 20:00	BDL	1.4	0.7	12.8	0.2	1.8	10.0	8.0	1.8	108	28	33	87	1027
1/14/2017 21:00	BDL	1.2	0.7	11.0	0.2	2.0	16.0	9.0	0.9	221	41	33	88	1026
1/14/2017 22:00	BDL	1.2	0.8	15.4	0.3	2.2	19.0	14.0	1.5	201	22	33	90	1025
1/14/2017 23:00	BDL	1.4	0.9	20.7	0.3	2.1	25.0	17.0	1.8	282	22	34	90	1025

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 1/15/2017-1/21/2017														
1/15/2017 0:00	BDL	1.6	1.0	18.8	0.3	2.0	29.0	22.0	4.0	295	9	34	89	1024
1/15/2017 1:00	BDL	1.5	0.8	12.8	0.3	2.0	23.0	17.0	4.8	302	8	33	89	1024
1/15/2017 2:00	BDL	Calibration	Calibration	10.2	0.3	2.0	22.0	19.0	3.3	291	11	33	90	1024
1/15/2017 3:00	BDL	Calibration	Calibration	8.6	0.3	2.1	20.0	21.0	3.4	287	12	33	90	1023
1/15/2017 4:00	Calibration	1.2	0.9	Calibration	Calibration	2.1	23.0	16.0	7.5	315	12	33	87	1024
1/15/2017 5:00	BDL	1.2	0.9	9.0	0.2	2.1	24.0	21.0	7.6	311	8	32	86	1024
1/15/2017 6:00	BDL	1.3	0.9	8.8	0.2	2.1	23.0	19.0	7.1	307	8	32	85	1025
1/15/2017 7:00	BDL	1.3	0.8	11.6	0.2	2.1	29.0	21.0	6.1	307	10	31	84	1026
1/15/2017 8:00	BDL	1.3	0.8	10.8	0.2	2.1	21.0	19.0	7.0	322	14	32	76	1027
1/15/2017 9:00	0.4	1.3	0.7	12.6	0.2	2.0	17.0	15.0	8.3	337	16	33	68	1027
1/15/2017 10:00	BDL	1.1	0.6	6.2	0.2	1.9	12.0	13.0	7.4	326	16	34	64	1027
1/15/2017 11:00	BDL	1.1	0.7	7.6	0.2	1.9	14.0	12.0	7.6	322	15	36	61	1027
1/15/2017 12:00	BDL	1.0	0.6	5.1	0.2	1.9	17.0	12.0	7.8	321	16	37	54	1026
1/15/2017 13:00	BDL	0.9	0.7	3.0	0.2	1.9	17.0	13.0	7.1	315	17	38	52	1025
1/15/2017 14:00	BDL	0.9	0.7	2.8	0.2	1.8	20.0	13.0	7.0	310	16	39	50	1025
1/15/2017 15:00	0.6	1.1	0.7	7.4	0.2	1.9	17.0	14.0	6.1	326	23	39	50	1025
1/15/2017 16:00	0.5	1.1	0.7	7.1	0.2	1.9	22.0	12.0	5.8	331	15	38	52	1026
1/15/2017 17:00	BDL	1.0	0.6	4.6	0.2	1.9	19.0	12.0	8.0	340	10	37	54	1026
1/15/2017 18:00	BDL	0.9	0.6	5.8	0.2	1.9	19.0	11.0	7.3	339	13	36	57	1027
1/15/2017 19:00	BDL	1.0	0.6	10.4	0.2	2.0	18.0	10.0	7.5	342	11	35	56	1027
1/15/2017 20:00	BDL	1.1	0.6	10.0	0.2	1.9	17.0	7.0	7.2	340	11	35	57	1027
1/15/2017 21:00	BDL	1.1	0.6	10.8	0.2	2.0	17.0	14.0	5.7	342	17	34	60	1028
1/15/2017 22:00	BDL	1.1	0.7	7.2	0.2	1.9	18.0	14.0	5.5	344	15	33	62	1028
1/15/2017 23:00	BDL	1.0	0.7	8.8	0.2	1.9	21.0	12.0	5.4	337	15	32	62	1028
1/16/2017 0:00	BDL	1.2	0.7	11.0	0.3	2.0	29.0	17.0	2.6	344	35	32	64	1028
1/16/2017 1:00	BDL	1.5	0.8	30.7	0.3	2.3	19.0	16.0	3.9	313	10	31	67	1028
1/16/2017 2:00	BDL	Calibration	Calibration	43.3	0.4	2.3	22.0	18.0	3.0	306	13	30	71	1029
1/16/2017 3:00	BDL	Calibration	Calibration	38.2	0.3	2.3	19.0	16.0	2.7	301	13	29	73	1029
1/16/2017 4:00	Calibration	1.7	0.8	Calibration	Calibration	Too few samples	26.0	13.0	3.5	313	17	29	72	1029
1/16/2017 5:00	BDL	1.7	1.0	27.3	0.4	2.1	20.0	18.0	4.2	347	31	29	70	1028
1/16/2017 6:00	BDL	2.1	0.8	49.0	0.4	2.4	24.0	19.0	2.6	278	13	28	75	1029
1/16/2017 7:00	0.8	2.9	1.0	81.2	0.5	2.7	25.0	19.0	2.1	285	19	27	77	1029
1/16/2017 8:00	0.9	3.2	1.1	84.6	0.5	2.5	30.0	20.0	1.5	298	37	29	66	1030
1/16/2017 9:00	0.9	3.4	1.1	89.6	0.6	3.5	46.0	27.0	1.5	224	39	31	60	1030
1/16/2017 10:00	2.5	3.4	1.2	85.0	0.6	4.0	41.0	30.0	1.5	212	32	33	56	1030
1/16/2017 11:00	4.6	3.4	1.2	83.2	0.6	3.5	43.0	32.0	2.7	196	28	36	53	1029
1/16/2017 12:00	3.9	2.3	0.9	41.3	0.3	2.1	25.0	19.0	4.5	213	20	38	48	1028
1/16/2017 13:00	4.1	2.1	0.8	38.0	0.3	2.0	29.0	19.0	6.2	216	19	40	48	1027
1/16/2017 14:00	2.1	1.8	0.8	26.8	0.2	2.1	26.0	19.0	5.6	219	15	40	49	1026
1/16/2017 15:00	2.9	1.5	0.9	24.0	0.3	2.3	21.0	16.0	5.7	222.0	12	40	51	1026
1/16/2017 16:00	3.1	1.8	0.9	31.8	0.3	2.1	33.0	19.0	5.6	210.0	11	39	56	1026
1/16/2017 17:00	1.9	1.6	0.8	21.6	0.3	2.0	20.0	13.0	4.7	206	12	38	59	1026
1/16/2017 18:00	1.0	1.6	0.8	20.0	0.2	1.9	23.0	17.0	3.6	197	12	37	62	1026
1/16/2017 19:00	1.2	1.8	1.0	26.9	0.3	2.2	24.0	17.0	4.0	216	14	37	63	1026
1/16/2017 20:00	0.6	1.7	0.9	21.2	0.3	1.9	30.0	19.0	4.1	196	12	37	65	1026
1/16/2017 21:00	0.4	1.7	1.1	16.8	0.3	2.0	17.0	17.0	2.8	200	14	37	66	1025
1/16/2017 22:00	1.0	2.4	1.6	25.5	0.3	2.1	24.0	20.0	2.8	231	17	37	68	1025
1/16/2017 23:00	0.6	2.9	2.1	28.8	0.3	2.1	33.0	20.0	2.1	223	20	37	68	1024
1/17/2017 0:00	0.4	3.0	2.1	26.6	0.3	2.0	24.0	21.0	2.3	178	13	37	70	1023
1/17/2017 1:00	0.5	3.9	3.0	38.6	0.2	6.5	28.0	19.0	1.7	154	20	37	70	1023
1/17/2017 2:00	BDL	Too few samples	Too few samples	26.2	0.2	4.4	28.0	17.0	1.2	183	25	37	71	1023
1/17/2017 3:00	BDL	3.4	3.0	22.5	0.2	7.1	25.0	19.0	1.8	165	19	37	71	1022
1/17/2017 4:00	Calibration	4.3	3.5	Calibration	Calibration	12.1	19.0	15.0	1.8	160	23	37	72	1022
1/17/2017 5:00	BDL	4.1	3.5	24.5	0.3	2.1	26.0	17.0	2.6	180	10	37	75	1021
1/17/2017 6:00	0.4	4.4	3.5	30.3	0.3	6.5	23.0	15.0	2.2	155	25	37	77	1021
1/17/2017 7:00	0.4	Too few samples	Too few samples	37.5	0.3	3.0	25.0	16.0	2.2	175	30	37	78	1021
1/17/2017 8:00	BDL	Calibration	Calibration	30.9	0.3	2.1	28.0	17.0	3.5	190	16	38	81	1021
1/17/2017 9:00	BDL	0.6	0.8	33.4	0.2	1.8	25.0	16.0	2.9	174	19	38	83	1021
1/17/2017 10:00	BDL	0.6	0.9	22.0	0.2	1.8	25.0	15.0	2.5	178	33	39	85	1021
1/17/2017 11:00	BDL	0.5	0.8	26.8	0.2	1.9	24.0	16.0	2.8	142	18	40	88	1019
1/17/2017 12:00	BDL	0.5	0.8	23.3	0.3	1.9	25.0	26.0	3.8	122	15	40	89	1018
1/17/2017 13:00	BDL	0.4	0.8	21.9	0.2	1.8	31.0	25.0	4.6	117	15	42	88	1017
1/17/2017 14:00	BDL	BDL	0.6	26.1	0.2	1.8	33.0	25.0	3.9	119	16	42	89	1016
1/17/2017 15:00	BDL	BDL	0.6	21.2	0.3	1.9	27.0	20.0	3.9	104	15	43	90	1015
1/17/2017 16:00	BDL	0.8	1.1	18.6	0.2	1.8	19.0	12.0	4.6	124	15	43	92	1015
1/17/2017 17:00	BDL	BDL	BDL	16.9	0.2	1.8	18.0	13.0	3.7	93	17	42	95	1014
1/17/2017 18:00	BDL	BDL	BDL	18.6	0.3	1.8	19.0	13.0	4.4	90	14	42	97	1014
1/17/2017 19:00	BDL	BDL	BDL	20.0	0.3	1.7	19.0	13.0	3.7	58	10	42	98	1013
1/17/2017 20:00	BDL	BDL	0.4	19.2	0.3	1.8	15.0	12.0	3.5	76	12	42	99	1013
1/17/2017 21:00	BDL	BDL	0.6	16.6	0.3	1.8	15.0	11.0	4.1	61	10	42	99	1012
1/17/2017 22:00	BDL	BDL	BDL	21.0	0.3	1.9	14.0	15.0	4.0	55	12	41	99	1011
1/17/2017 23:00	BDL	BDL	0.4	19.2	0.3	1.9	18.0	13.0	5.5	56	10	41	100	1011
1/18/2017 0:00	BDL	BDL	0.5	21.5	0.3	2.2	18.0	11.0	3.0	72	25	42	100	1010
1/18/2017 1:00	BDL	BDL	0.5	26.0	0.3	2.2	8.0	9.0	3.1	61	23	42	100	1010
1/18/2017 2:00	BDL	Calibration	Calibration	22.8	0.3	2.1	8.0	8.0	4.9	57	11	42	98	1010
1/18/2017 3:00	BDL	Calibration	Calibration	20.4	0.3	2.0	12.0	7.0	4.0	34	29	42	97	1010
1/18/2017 4:00	Calibration	0.4	0.8	Calibration	Calibration	2.0	12.0	10.0	4.0	341	28	41	97	1010
1/18/2017 5:00	BDL	1.0	0.9	49.6	0.5	2.1	9.0	11.0	3.4	341	24	41	96	1010
1/18/2017 6:00	0.4	1.1	0.7	53.7	0.5	2.1	15.0	10.0	6.7	333	12	40	96	1010
1/18/2017 7:00	BDL	Audit	Audit	40.4	0.4	2.0	16.0	17.0	5.9	342	19	40	96	1010
1/18/2017 8:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	2.0	17.0	12.0	4.4	351	31	40	93	1011
1/18/2017 9:00	0.6	0.8	0.6	Calibration	0.5	2.1	20.0	13.0	4.7	334	18	41	91	1011
1/18/2017 10:00	0.5	0.7	0.6	45.6	0.5	2.1	23.0	12.0	4.8	322	16	42	89	1011
1/18/2017 11:00	0.5	0.5	0.6	32.4	0.4	1.9	19.0	13.0	5.8	335	18	43	86	1011
1/18/2017 12:00	0.4	BDL	0.5	23.8	0.3	2.3	20.0	12.0	6.8	313	12	44	82	1011
1/18/2017 13:00	0.6	BDL	0.5	26.0	0.3	2.0	20.0	10.0	6.6	335	13	45	82	1011
1/18/2017 14:00	0.6	BDL	BDL	24.3	0.4	1.9	20.0	14.0	6.3	339	22	46	80	1011
1/18/2017 15:00	0.4	BDL	0.4	23.3	0.4	2.0	21.0	11.0	4.1	347	27	46	80	1012
1/18/2017 16:00	0.4	BDL	0.4	21.9	0.4	1.9	17.0	10.0	6.9	339	14	45	80	1013
1/18/2017 17:00	0.4	BDL	0.4	22.5	0.4	2.0	14.0	7.0	5.0	341	22	45	81	1014
1/18/2017 18:00	0.4	BDL	0.5	21.9	0.4	2.0	16.0	8.0	7.4	339	17	45	80	1015
1/18/2017 19:00	BDL	BDL	0.4	17.5	0.4	2.0	13.0	6.0	6.6	349	19	45	80	1015
1/18/2017 20:00	BDL	BDL	BDL	16.7	0.4	1.9	9.0	7.0	7.0	339	14	44	79	1015
1/18/2017 21:00	BDL	BDL	BDL	18.2	0.4	2.0	10.0	7.0	5.1	305	12	44	80	1015
1/18/2017 22:00	BDL	BDL	0.4	22.9	0.4	2.3	11.0	7.0	3.7	312	23	43	81	1015
1/18/2017 23:00	BDL	BDL	0.4	28.9	0.4	2.2	16.0	6.0	3.7	303	13	43	82	1015
1/19/2017 0:00	BDL	BDL	BDL	24.5	0.4	2.2	11.0	5.0	4.3	295	9	43	81	1015
1/19/2017 1:00	BDL	BDL	BDL	22.8	0.4	2.1	9.0	6.0	4.5	297	7	43	82	1015
1/19/2017 2:00	BDL	Calibration	Calibration	19.8	0.4	2.2	8.0	6.0	3.5	292	10	43	81	1015
1/19/2017 3:00	BDL	Calibration	Calibration	21.0	0.4	2.1	10.0	8.0	4.2	297	8	43	80	1015
1/19/2017 4:00	Calibration	BDL	0.5	Calibration	Calibration	2.0	9.0	5.0	4.9	301	9	43	78	1015
1/19/2017 5:00	BDL	BDL	0.4	10.3	0.3	1.9	7.0	3.0	4.1	296	10	43	76	1015
1/19/2017 6:00	BDL	BDL	BDL	9.3	0.3	1.9	9.0	6.0	4.1	294	11	42	76	1015
1/19/2017 7:00	BDL	BDL	BDL	9.2	0.3	1.9	7.0	6.0	4.4	294	10	42	78	1016
1/19/2017 8:00	BDL	BDL	BDL	30.1	0.4	2.0	11.0	7.0	3.3	292	11	42	76	1016
1/19/2017 9:00	BDL	BDL	BDL	17.0	0.3	1.9	9.0	8.0	8.1	322	14	43	71	1016
1/19/2017 10:00	0.4	BDL	BDL	13.0	0.2	1.9	5.0	4.0	7.9	333	17	45	66	1016
1/19/2017 11:00	BDL	BDL	BDL	5.7	0.2	1.8	7.0	3.0	6.9	320	16	45	66	1015
1/19/2017 12:00	BDL	BDL	BDL	4.4	0.2	1.8	7.0	4.0	6.2	309	15	46	64	1014
1/19/2017 13:00	BDL	BDL	BDL	4.3	0.2	1.8	6.0	3.0	8.5	317	12	45	67	1014
1/19/2017 14:00	BDL	BDL	BDL	4.7	0.2	1.8	7.0	6.0	7.4	316	11	45	69	1014
1/19/2017 15:00	BDL	BDL	BDL	4.9	0.2	1.9	9.0	9.0	5.3	304	15	44	68	1014
1/19/2017 16:00	BDL	BDL	BDL	7.1	0.2	1.8	17.0	5.0	3.8	314	17	44	68	1014
1/19/2017 17:00	BDL	BDL	BDL	12.1	0.3	2.0	16.0	8.0	3.4	300	11	44	72	1014
1/19/2017 18:00	BDL	BDL	BDL	19.6	0.3	2.1	22.0	8.0	2.4	309	36	43	74	1015
1/19/2017 19:00	BDL	BDL	BDL	22.4	0.3	2.0	14.0	9.0	4.5	53	17	43	72	1014
1/19/2017 20:00	0.4	BDL	0.4	45.6	0.5	2.2	23.0	10.0	3.9	118	28	42	76	1014
1/19/2017 21:00	0.8	1.4	0.5	71.7	0.5	2.2	24.0	14.0	2.3	188	28	40	81	1015
1/19/2017 22:00	0.8	1.2	0.7	71.9	0.5	2.3	21.0	18.0	2.1	199	37	38	84	1015
1/19/2017 23:00	1.1	2.0	0.6	91.5	0.8	3.4	25.0	19.0	1.2	246	53	37	89	1015

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 1/15/2017-1/21/2017														
1/20/2017 0:00	1.2	2.0	0.8	97.5	0.8	3.5	23.0	15.0	1.1	251	51	37	90	1015
1/20/2017 1:00	2.1	3.8	1.0	158.3	0.7	4.3	29.0	20.0	0.7	152	38	36	93	1015
1/20/2017 2:00	1.8	Calibration	Calibration	128.2	0.7	3.5	24.0	18.0	1.3	146	15	35	95	1014
1/20/2017 3:00	1.7	Calibration	Calibration	128.2	0.7	3.2	26.0	17.0	1.6	193	20	34	96	1014
1/20/2017 4:00	Calibration	4.0	1.1	Calibration	Calibration	Too few samples	27.0	24.0	1.1	115	30	34	97	1014
1/20/2017 5:00	2.6	4.9	1.7	193.8	1.0	3.6	30.0	23.0	2.1	104	18	34	96	1013
1/20/2017 6:00	2.9	5.0	1.8	200.1	1.0	3.8	28.0	22.0	1.2	134	18	34	96	1014
1/20/2017 7:00	3.3	5.8	1.7	231.7	0.9	3.5	34.0	20.0	1.0	147	37	35	95	1014
1/20/2017 8:00	2.4	4.7	2.2	175.6	0.8	3.0	60.0	24.0	2.3	92	15	36	89	1014
1/20/2017 9:00	2.1	3.7	1.4	147.0	0.7	2.5	49.0	19.0	3.7	97	12	37	85	1014
1/20/2017 10:00	1.2	1.8	0.8	92.4	0.6	2.2	26.0	17.0	2.3	159	21	38	81	1014
1/20/2017 11:00	0.9	1.6	0.6	74.9	0.5	2.1	23.0	12.0	2.9	112	22	39	80	1013
1/20/2017 12:00	0.9	1.5	0.8	80.9	0.5	2.1	28.0	14.0	3.5	90	18	39	86	1012
1/20/2017 13:00	0.6	0.9	0.5	54.0	0.4	1.9	16.0	11.0	2.9	89	14	39	90	1011
1/20/2017 14:00	0.4	0.6	0.4	39.8	0.4	1.9	16.0	12.0	2.4	99	15	39	92	1011
1/20/2017 15:00	BDL	BDL	0.4	24.9	0.3	1.9	12.0	12.0	3.5	101	11	39	94	1011
1/20/2017 16:00	BDL	BDL	0.4	19.7	0.3	1.9	14.0	11.0	3.5	104	12	40	95	1011
1/20/2017 17:00	BDL	BDL	0.6	21.6	0.4	1.9	17.0	11.0	2.8	100	16	40	95	1010
1/20/2017 18:00	BDL	0.9	1.1	32.6	0.4	1.9	18.0	12.0	2.1	130	16	40	95	1011
1/20/2017 19:00	BDL	1.5	1.6	31.9	0.4	2.0	18.0	14.0	1.6	121	18	40	95	1011
1/20/2017 20:00	BDL	1.7	2.0	26.5	0.4	1.9	18.0	12.0	1.3	130	25	40	96	1011
1/20/2017 21:00	BDL	1.6	1.9	30.3	0.4	1.9	18.0	13.0	2.0	100	16	40	96	1011
1/20/2017 22:00	BDL	1.3	1.6	28.9	0.4	1.9	19.0	16.0	2.0	163	13	40	96	1011
1/20/2017 23:00	BDL	1.0	1.4	24.7	0.4	1.9	18.0	14.0	1.0	196	29	41	96	1011
1/21/2017 0:00	BDL	0.7	1.1	28.7	0.3	1.9	23.0	14.0	1.6	122	20	41	96	1011
1/21/2017 1:00	BDL	0.5	0.8	27.9	0.3	1.9	27.0	14.0	1.7	161	21	41	97	1011
1/21/2017 2:00	BDL	Calibration	Calibration	19.9	0.3	2.0	19.0	13.0	1.5	175	22	41	98	1011
1/21/2017 3:00	BDL	Calibration	Calibration	25.4	0.3	2.4	24.0	15.0	2.2	204	13	41	99	1011
1/21/2017 4:00	Calibration	0.8	1.3	Calibration	Calibration	Too few samples	27.0	19.0	1.9	201	15	41	99	1011
1/21/2017 5:00	BDL	1.2	1.3	34.6	0.4	2.3	28.0	17.0	2.0	195	14	41	99	1010
1/21/2017 6:00	0.4	1.1	1.4	34.0	0.4	2.2	21.0	18.0	1.4	209	20	41	99	1011
1/21/2017 7:00	0.6	1.6	1.8	41.8	0.4	2.6	26.0	19.0	2.3	245	15	42	99	1010
1/21/2017 8:00	0.7	1.7	1.7	39.4	0.4	2.6	37.0	27.0	3.9	247	14	42	99	1011
1/21/2017 9:00	0.5	1.3	1.6	23.7	0.3	2.4	30.0	17.0	4.3	245	15	42	99	1011
1/21/2017 10:00	0.7	0.9	1.2	25.5	0.4	2.4	27.0	19.0	4.7	243	17	43	99	1011
1/21/2017 11:00	0.4	0.4	0.8	17.3	0.3	2.0	13.0	18.0	2.9	241	21	43	97	1010
1/21/2017 12:00	0.4	BDL	0.7	18.7	0.3	2.0	17.0	13.0	4.5	228	14	44	96	1009
1/21/2017 13:00	1	BDL	0.6	21.6	0.3	1.9	22.0	19.0	4.3	207	15	44	97	1008
1/21/2017 14:00	0.7	BDL	0.6	12.0	0.3	1.8	17.0	15.0	4.4	206	14	44	97	1008
1/21/2017 15:00	1	BDL	0.5	13.6	0.3	1.9	17.0	15.0	3.7	243	21	45	96	1008
1/21/2017 16:00	1.5	BDL	0.5	15.3	0.3	1.9	27.0	20.0	3.4	214	19	44	97	1008
1/21/2017 17:00	0.8	BDL	0.4	12.4	0.3	1.8	19.0	9.0	2.9	193	17	44	99	1008
1/21/2017 18:00	BDL	BDL	0.4	5.7	0.3	1.7	9.0	11.0	4.1	192	12	44	100	1008
1/21/2017 19:00	0.7	BDL	0.6	29.3	0.3	1.7	14.0	12.0	2.5	168	15	44	100	1008
1/21/2017 20:00	0.4	BDL	0.7	20.7	0.3	1.8	14.0	11.0	1.5	158	19	44	100	1007
1/21/2017 21:00	BDL	BDL	0.6	12.5	0.3	1.9	11.0	14.0	1.6	189	24	44	100	1007
1/21/2017 22:00	BDL	BDL	0.5	15.3	0.3	1.8	17.0	9.0	2.7	194	17	44	100	1007
1/21/2017 23:00	BDL	BDL	0.6	13.3	0.3	1.8	14.0	14.0	1.8	201	36	44	100	1007

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 1/22/2017-1/28/2017														
1/22/2017 00:00:00	BDL	BDL	0.7	17.1	0.3	2.2	17.0	11.0	1.4	358	45	44	100	1006
1/22/2017 01:00:00	BDL	BDL	0.7	24.4	0.3	2.0	13.0	11.0	2.3	182	24	44	100	1005
1/22/2017 02:00:00	BDL	Calibration	Calibration	23.5	0.3	2.0	19.0	9.0	2.6	115	18	44	100	1005
1/22/2017 03:00:00	BDL	Calibration	Calibration	20.4	0.4	2.3	16.0	13.0	1.8	85	22	44	100	1004
1/22/2017 04:00:00	Calibration	0.4	1.1	Calibration	Calibration	2.1	13.0	16.0	3.3	89	17	44	100	1004
1/22/2017 05:00:00	BDL	0.6	1.1	16.7	0.4	2.0	17.0	11.0	4.6	67	31	44	100	1004
1/22/2017 06:00:00	BDL	0.6	1.0	16.7	0.3	2.0	17.0	10.0	7.2	330	61	44	100	1003
1/22/2017 07:00:00	0.5	0.4	0.8	19.0	0.4	2.0	13.0	13.0	4.9	7	21	44	100	1003
1/22/2017 08:00:00	BDL	0.4	0.8	21.1	0.4	2.0	15.0	8.0	3.9	19	28	44	100	1004
1/22/2017 09:00:00	0.5	0.4	0.7	27.0	0.4	2.1	10.0	11.0	5.5	47	11	44	99	1004
1/22/2017 10:00:00	0.5	0.4	0.7	26.4	0.5	2.1	16.0	10.0	5.0	41	18	45	97	1004
1/22/2017 11:00:00	0.5	0.4	0.7	25.5	0.5	2.1	16.0	10.0	4.7	45	12	46	96	1004
1/22/2017 12:00:00	0.5	BDL	0.7	23.5	0.5	2.0	14.0	8.0	6.0	51	12	47	94	1002
1/22/2017 13:00:00	BDL	BDL	0.6	16.9	0.4	1.9	16.0	12.0	6.7	62	11	47	92	1002
1/22/2017 14:00:00	0.4	BDL	0.6	21.1	0.5	2.0	13.0	11.0	6.4	60	10	47	95	1002
1/22/2017 15:00:00	0.4	0.4	0.7	26.7	0.5	2.0	16.0	11.0	6.9	56	11	47	97	1002
1/22/2017 16:00:00	0.4	0.6	0.7	34.4	0.5	2.1	11.0	11.0	7.2	48	11	47	98	1003
1/22/2017 17:00:00	0.5	1.0	1.0	52.8	0.7	2.5	14.0	10.0	9.2	52	11	47	97	1003
1/22/2017 18:00:00	0.6	1.2	1.0	55.5	0.7	2.3	22.0	18.0	10.7	58	10	46	96	1003
1/22/2017 19:00:00	BDL	0.8	0.9	36.7	0.6	2.1	15.0	15.0	10.3	55	11	46	96	1003
1/22/2017 20:00:00	BDL	BDL	0.7	19.7	0.4	1.8	11.0	11.0	11.1	57	11	46	96	1003
1/22/2017 21:00:00	BDL	BDL	0.4	3.4	0.3	1.6	12.0	8.0	11.7	61	12	45	94	1004
1/22/2017 22:00:00	BDL	BDL	0.4	2.0	0.2	1.6	18.0	8.0	13.7	60	12	44	92	1004
1/22/2017 23:00:00	BDL	BDL	BDL	BDL	0.2	1.6	19.0	9.0	14.7	62	11	44	92	1005
1/23/2017 00:00:00	BDL	BDL	0.4	1.3	0.2	1.6	9.0	6.0	16.0	57	10	44	92	1004
1/23/2017 01:00:00	BDL	BDL	BDL	0.5	0.2	1.6	11.0	8.0	16.7	61	11	43	92	1004
1/23/2017 02:00:00	BDL	Calibration	Calibration	BDL	0.2	1.6	11.0	5.0	15.9	61	12	43	93	1004
1/23/2017 03:00:00	BDL	Calibration	Calibration	BDL	0.2	1.5	9.0	2.0	16.2	58	11	42	94	1004
1/23/2017 04:00:00	Calibration	BDL	0.4	Calibration	Calibration	1.5	5.0	2.0	17.8	59	11	42	91	1004
1/23/2017 05:00:00	BDL	BDL	BDL	1.1	0.2	1.5	4.0	3.0	18.6	59	11	42	90	1003
1/23/2017 06:00:00	BDL	BDL	BDL	1.6	0.2	1.5	7.0	4.0	19.1	61	12	41	89	1003
1/23/2017 07:00:00	BDL	BDL	BDL	1.3	0.2	1.5	6.0	3.0	20.2	64	12	40	89	1003
1/23/2017 08:00:00	BDL	BDL	BDL	0.6	0.2	1.5	8.0	1.0	21.8	64	12	39	87	1003
1/23/2017 09:00:00	BDL	BDL	BDL	1.8	0.2	1.5	7.0	3.0	21.5	62	13	39	85	1003
1/23/2017 10:00:00	BDL	BDL	BDL	3.1	0.2	1.5	7.0	2.0	21.4	59	12	39	87	1003
1/23/2017 11:00:00	BDL	BDL	0.4	1.8	0.2	1.5	7.0	2.0	23.0	59	12	38	88	1001
1/23/2017 12:00:00	BDL	BDL	BDL	1.8	0.2	1.5	8.0	2.0	22.5	59	11	38	89	1000
1/23/2017 13:00:00	BDL	BDL	0.4	2.2	0.2	1.4	8.0	2.0	22.3	55	12	37	90	999
1/23/2017 14:00:00	BDL	BDL	0.4	3.3	0.2	1.4	7.0	3.0	21.7	53	11	37	91	998
1/23/2017 15:00:00	BDL	BDL	0.4	3.3	0.2	1.4	4.0	2.0	21.0	54.0	12	36	90	998
1/23/2017 16:00:00	BDL	BDL	BDL	6.2	0.2	1.5	4.0	3.0	16.8	54.0	11	36	89	999
1/23/2017 17:00:00	BDL	BDL	0.4	8.0	0.2	1.5	5.0	3.0	17.3	50	12	36	91	999
1/23/2017 18:00:00	BDL	BDL	BDL	8.0	0.2	1.5	3.0	5.0	16.3	49	12	37	88	999
1/23/2017 19:00:00	BDL	BDL	0.4	5.1	0.2	1.5	2.0	4.0	18.2	47	12	37	86	997
1/23/2017 20:00:00	BDL	BDL	0.4	4.3	0.2	1.5	8.0	BDL	16.3	46	13	37	86	997
1/23/2017 21:00:00	BDL	BDL	0.4	4.2	0.2	1.5	5.0	BDL	23.5	49	10	37	85	995
1/23/2017 22:00:00	BDL	BDL	0.5	3.5	0.2	1.5	1.0	BDL	21.1	47	11	37	87	994
1/23/2017 23:00:00	BDL	BDL	0.5	3.7	0.2	1.5	6.0	BDL	16.2	44	13	37	87	994
1/24/2017 00:00:00	BDL	BDL	0.5	6.5	0.2	1.5	5.0	BDL	10.2	20	17	38	86	993
1/24/2017 01:00:00	0.6	BDL	0.7	8.7	0.2	1.6	3.0	BDL	8.9	351	17	38	92	993
1/24/2017 02:00:00	0.7	Calibration	Calibration	4.6	0.2	1.5	7.0	4.0	9.1	340	15	37	96	993
1/24/2017 03:00:00	0.7	Calibration	Calibration	4.6	0.2	1.5	7.0	9.0	10.8	339	13	37	94	993
1/24/2017 04:00:00	Calibration	BDL	0.6	Calibration	Calibration	Too few samples	5.0	5.0	11.7	340	10	36	93	992
1/24/2017 05:00:00	0.4	BDL	0.5	11.0	0.2	1.5	7.0	5.0	12.5	338	11	35	92	993
1/24/2017 06:00:00	0.4	BDL	0.5	17.9	0.2	1.5	6.0	4.0	12.7	339	13	36	91	993
1/24/2017 07:00:00	Calibration	BDL	0.5	Calibration	Calibration	1.5	7.0	6.0	13.3	339	10	36	88	993
1/24/2017 08:00:00	Calibration	BDL	0.6	Calibration	Calibration	1.5	5.0	4.0	11.8	338	12	37	86	993
1/24/2017 09:00:00	BDL	BDL	0.5	25.3	0.2	1.5	4.0	1.0	11.3	333	12	38	90	994
1/24/2017 10:00:00	0.4	BDL	0.5	23.3	0.2	1.5	3.0	1.0	12.0	338	13	39	87	994
1/24/2017 11:00:00	0.4	BDL	0.6	17.3	0.2	1.5	12.0	1.0	11.5	332	12	39	87	993
1/24/2017 12:00:00	BDL	BDL	0.5	9.1	0.2	1.5	7.0	1.0	13.0	325	11	40	80	993
1/24/2017 13:00:00	BDL	BDL	0.5	5.5	0.2	1.5	3.0	BDL	13.5	321	10	43	73	992
1/24/2017 14:00:00	BDL	BDL	0.4	2.0	0.2	1.4	6.0	BDL	14.3	314	9	43	70	993
1/24/2017 15:00:00	BDL	BDL	0.4	2.3	0.2	1.4	5.0	2.0	15.3	310	8	42	71	994
1/24/2017 16:00:00	BDL	BDL	0.4	2.0	0.2	1.4	8.0	BDL	13.6	311	9	41	72	994
1/24/2017 17:00:00	BDL	BDL	0.4	1.5	0.2	1.5	7.0	BDL	13.6	310	9	41	73	995
1/24/2017 18:00:00	BDL	BDL	0.4	0.5	0.2	1.5	4.0	2.0	13.8	310	9	40	73	996
1/24/2017 19:00:00	BDL	BDL	BDL	0.5	0.2	1.5	4.0	2.0	13.4	312	9	40	73	997
1/24/2017 20:00:00	BDL	BDL	BDL	BDL	0.2	1.5	4.0	1.0	14.7	313	9	40	71	998
1/24/2017 21:00:00	BDL	BDL	0.4	0.5	0.2	1.5	2.0	1.0	16.5	312	8	40	70	998
1/24/2017 22:00:00	BDL	BDL	BDL	BDL	0.1	1.5	3.0	BDL	15.7	309	9	40	72	999
1/24/2017 23:00:00	BDL	BDL	0.4	BDL	0.1	1.5	3.0	2.0	15.6	309	10	39	71	999
1/25/2017 00:00:00	BDL	BDL	0.4	0.8	0.1	1.5	5.0	2.0	14.0	307	9	39	71	999
1/25/2017 01:00:00	BDL	BDL	BDL	BDL	0.1	1.5	5.0	BDL	11.1	302	10	39	70	1000
1/25/2017 02:00:00	BDL	Calibration	Calibration	BDL	0.1	1.5	6.0	3.0	12.6	307	9	40	70	1001
1/25/2017 03:00:00	BDL	Calibration	Calibration	BDL	0.2	1.5	8.0	5.0	11.4	312	9	40	72	1001
1/25/2017 04:00:00	Calibration	BDL	0.4	Calibration	Calibration	1.6	5.0	4.0	9.3	310	10	40	74	1001
1/25/2017 05:00:00	BDL	BDL	0.4	3.0	0.2	2.1	6.0	4.0	6.2	296	10	41	74	1002
1/25/2017 06:00:00	BDL	BDL	0.4	7.0	0.2	1.7	3.0	2.0	8.5	299	13	42	71	1003
1/25/2017 07:00:00	BDL	BDL	0.4	5.3	0.2	1.6	2.0	3.0	9.5	305	10	43	68	1003
1/25/2017 08:00:00	BDL	BDL	BDL	6.6	0.2	1.6	5.0	4.0	8.4	294	13	44	64	1004
1/25/2017 09:00:00	BDL	BDL	BDL	7.2	0.2	1.6	6.0	3.0	9.1	291	14	45	58	1005
1/25/2017 10:00:00	BDL	BDL	BDL	2.8	0.2	1.6	7.0	1.0	9.9	295	13	46	54	1005
1/25/2017 11:00:00	BDL	BDL	BDL	2.9	0.2	1.6	6.0	1.0	6.7	281	18	49	48	1004
1/25/2017 12:00:00	BDL	BDL	BDL	4.0	0.2	1.6	6.0	1.0	7.2	271	19	51	45	1003
1/25/2017 13:00:00	BDL	BDL	BDL	2.4	0.2	1.6	7.0	3.0	8.7	260	20	52	45	1003
1/25/2017 14:00:00	0.5	BDL	0.4	5.1	0.2	1.7	13.0	5.0	9.1	247	18	53	45	1003
1/25/2017 15:00:00	1.2	BDL	BDL	12.5	0.2	2.1	15.0	6.0	8.9	220	14	52	50	1003
1/25/2017 16:00:00	1.2	BDL	0.4	16.9	0.2	2.4	22.0	7.0	6.7	212	12	51	54	1003
1/25/2017 17:00:00	0.8	BDL	0.5	39.3	0.3	2.0	16.0	11.0	3.5	187	12	49	59	1003
1/25/2017 18:00:00	1.3	2.4	0.9	99.9	0.3	1.8	23.0	14.0	3.2	174	14	47	63	1002
1/25/2017 19:00:00	BDL	BDL	0.4	21.1	0.3	3.0	15.0	11.0	3.2	199	10	46	65	1003
1/25/2017 20:00:00	0.4	0.6	0.7	31.8	0.2	1.7	11.0	10.0	2.9	188	10	46	67	1002
1/25/2017 21:00:00	0.4	0.6	0.8	31.1	0.2	2.4	18.0	11.0	3.0	188	13	45	69	1001
1/25/2017 22:00:00	0.4	0.6	0.8	27.5	0.2	1.7	14.0	9.0	4.7	171	14	45	68	1000
1/25/2017 23:00:00	BDL	0.5	0.8	20.9	0.2	2.0	13.0	7.0	1.3	281	33	44	71	999
1/26/2017 00:00:00	BDL	0.4	1.0	16.5	0.3	3.2	18.0	7.0	1.8	230	25	43	76	998
1/26/2017 01:00:00	0.4	0.6	1.0	30.1	0.4	4.9	24.0	8.0	1.4	240	16	43	77	997
1/26/2017 02:00:00	0.6	Calibration	Calibration	51.4	0.4	4.9	13.0	9.0	1.9	258	18	43	81	997
1/26/2017 03:00:00	1.0	Calibration	Calibration	71.3	0.4	2.7	18.0	14.0	2.5	277	20	43	81	997
1/26/2017 04:00:00	Calibration	1.8	1.6	Calibration	Calibration	Too few samples	20.0	12.0	1.1	214	43	43	82	996
1/26/2017 05:00:00	1.0	2.6	1.9	68.8	0.3	2.9	22.0	15.0	2.5	195	22	43	86	995
1/26/2017 06:00:00	0.8	2.7	2.6	54.6	0.3	3.3	18.0	11.0	1.7	221	50	43	85	995
1/26/2017 07:00:00	1.3	3	2.3	85.3	0.5	3.3	23.0	11.0	4.2	261	25	44	86	996
1/26/2017 08:00:00	1.4	3.1	2	98.4	0.6	3.7	20.0	12.0	2.3	191	33	44	90	996
1/26/2017 09:00:00	1.6	3.1	1.9	106.7	0.8	2.4	27.0	19.0	2.6	203	24	44	91	995
1/26/2017 10:00:00	1.5	2.7	1.9	83.8	0.7	2.5	27.0	18.0	3.9	193	16	45	92	995
1/26/2017 11:00:00	1.1	1.6	1.4	48.0	0.4	2.1	15.0	8.0	5.6	212	12	46	90	994
1/26/2017 12:00:00	1.5	1.0	1.1	23.0	0.3	1.9	15.0	8.0	10.3	258	16	51	66	993
1/26/2017 13:00:00	0.6	BDL	0.5	2.8	0.2	1.6	15.0	9.0	16.1	286	14	53	45	994
1/26/2017 14:00:00	BDL	BDL	0.5	0.8	0.2	1.5	12.0	10.0	18.9	295	12	49	44	995
1/26/2017 15:00:00	BDL	BDL	0.5	BDL	0.2	1.6	6.0	6.0	16.2	288	12	47	44	997
1/26/2017 16:00:00	BDL	BDL	0.4	BDL	0.2	1.6	4.0	4.0	14.2	288	13	46	46	997
1/26/2017 17:00:00	BDL	BDL	0.5	0.7	0.2	1.6	6.0	4.0	10.1	281	13	45	48	998
1/26/2017 18:00:00	BDL	BDL	0.5	BDL	0.2	1.7	6.0	4.0	10.0	270	16	45	49	999
1/26/2017 19:00:00	BDL	BDL	0.4	2.0	0.2	1.6	4.0	2.0	8.9	265	15	45	51	1000
1/26/2017 20:00:00	BDL	BDL	BDL	0.5	0.2	1.6	3.0	2.0	11.5	278	15	45	52	1000
1/26/2017 21:00:00	BDL	BDL	0.4	BDL	0.2	1.6	6.0	5.0	10.9	290	12	44	54	1001
1/26/2017 22:00:00	BDL	BDL	BDL	0.6	0.2	1.6	6.0	4.0	9.0	280	13	43	58	1002
1/26/2017 23:00:00	BDL	BDL	0.4	3.0	0.2	1.6	5.0	1.0	8.6	273	15	42	61	1003
1/27/2017 00:00:00	BDL	BDL	BDL	1.1	0.2	1.7	6.0	3.0	6.8	259	15	41	63	1003

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
1/27/2017 01:00:00	0.4	BDL	BDL	BDL	0.2	1.6	4.0	3.0	8.2	272	13	42	61	1003
1/27/2017 02:00:00	BDL	Calibration	Calibration	2.3	0.2	1.7	3.0	2.0	6.3	256	15	42	61	1004
1/27/2017 03:00:00	BDL	Calibration	Calibration	BDL	0.2	1.7	1.0	4.0	8.6	273	14	42	56	1004
1/27/2017 04:00:00	Calibration	BDL	0.4	Calibration	Calibration	1.6	4.0	6.0	9.2	275	13	41	55	1004
1/27/2017 05:00:00	BDL	BDL	0.4	6.2	0.2	1.7	7.0	4.0	8.8	273	15	41	57	1004
1/27/2017 06:00:00	BDL	BDL	BDL	2.1	0.2	1.8	4.0	1.0	9.3	287	12	40	55	1005
1/27/2017 07:00:00	BDL	BDL	0.4	2.3	0.2	2.0	2.0	1.0	9.4	271	16	40	55	1005
1/27/2017 08:00:00	BDL	BDL	BDL	0.5	0.2	1.6	6.0	2.0	11.2	270	16	39	51	1005
1/27/2017 09:00:00	BDL	BDL	BDL	BDL	0.2	1.6	4.0	2.0	11.1	276	15	40	47	1005
1/27/2017 10:00:00	BDL	BDL	BDL	BDL	0.2	1.6	5.0	1.0	11.6	279	16	41	43	1005
1/27/2017 11:00:00	BDL	BDL	BDL	0.4	0.2	1.6	9.0	1.0	10.6	278	15	41	45	1004
1/27/2017 12:00:00	BDL	BDL	BDL	0.6	0.2	BDL	7.0	3.0	11.2	272	17	40	46	1003
1/27/2017 13:00:00	BDL	BDL	BDL	0.7	0.2	Too few samples	8.0	2.0	11.1	278	14	40	48	1003
1/27/2017 14:00:00	BDL	BDL	0.4	0.4	0.2	2.3	7.0	3.0	11.6	284	13	40	48	1002
1/27/2017 15:00:00	BDL	BDL	BDL	BDL	0.2	2.3	6.0	3.0	12.4	282	14	40	48	1003
1/27/2017 16:00:00	BDL	BDL	0.4	BDL	0.2	2.3	9.0	2.0	12.5	279	14	39	52	1003
1/27/2017 17:00:00	BDL	BDL	BDL	1.8	0.2	2.2	10.0	5.0	12.3	274	15	38	54	1003
1/27/2017 18:00:00	BDL	BDL	BDL	1.3	0.2	2.2	9.0	8.0	10.4	270	15	37	58	1004
1/27/2017 19:00:00	BDL	BDL	BDL	2.0	0.2	2.2	6.0	6.0	10.1	266	16	36	61	1004
1/27/2017 20:00:00	BDL	BDL	BDL	1.3	0.2	2.4	11.0	4.0	9.2	267	15	35	60	1004
1/27/2017 21:00:00	BDL	BDL	0.4	3.7	0.2	2.2	8.0	4.0	7.3	252	16	35	62	1004
1/27/2017 22:00:00	BDL	BDL	0.4	4.8	0.2	2.1	6.0	6.0	6.9	256	15	34	61	1005
1/27/2017 23:00:00	BDL	BDL	BDL	2.6	0.2	2.1	7.0	4.0	7.7	254	16	34	60	1005
1/28/2017 00:00:00	BDL	BDL	BDL	BDL	0.2	2.1	4.0	1.0	8.9	265	16	35	57	1004
1/28/2017 01:00:00	BDL	BDL	BDL	BDL	0.1	2.1	4.0	2.0	6.2	262	16	34	58	1004
1/28/2017 02:00:00	0.4	Calibration	Calibration	3.8	0.2	2.1	10.0	4.0	6.8	249	14	34	60	1005
1/28/2017 03:00:00	BDL	Calibration	Calibration	2.5	0.1	2.1	6.0	3.0	6.2	251	15	34	61	1004
1/28/2017 04:00:00	Calibration	BDL	0.4	Calibration	Calibration	Too few samples	7.0	3.0	7.2	250	15	34	63	1004
1/28/2017 05:00:00	BDL	BDL	BDL	3.7	0.1	2.2	9.0	2.0	7.4	247	14	34	63	1005
1/28/2017 06:00:00	0.7	BDL	0.4	5.2	0.1	2.2	7.0	2.0	8.9	246	13	35	61	1005
1/28/2017 07:00:00	BDL	BDL	BDL	2.9	0.1	2.3	6.0	5.0	7.7	249	15	34	66	1005
1/28/2017 08:00:00	0.7	BDL	0.4	4.8	0.1	2.4	6.0	5.0	9.7	242	16	35	64	1005
1/28/2017 09:00:00	1.0	BDL	BDL	4.1	0.1	2.1	7.0	7.0	9.9	253	17	36	57	1006
1/28/2017 10:00:00	0.4	BDL	BDL	BDL	0.1	2.1	8.0	8.0	9.7	261	19	37	54	1006
1/28/2017 11:00:00	BDL	BDL	0.4	1.8	0.1	2.1	6.0	5.0	10.8	264	17	38	50	1005
1/28/2017 12:00:00	BDL	BDL	0.4	1.1	0.1	2.1	6.0	4.0	11.9	246	15	38	52	1004
1/28/2017 13:00:00	BDL	BDL	0.4	1.8	0.2	2.2	8.0	5.0	9.1	251	16	38	55	1004
1/28/2017 14:00:00	BDL	BDL	0.4	1.7	0.2	2.1	7.0	4.0	9.2	252	16	38	55	1004
1/28/2017 15:00:00	BDL	BDL	BDL	BDL	0.1	2.1	5.0	5.0	7.3	265	17	38	54	1004
1/28/2017 16:00:00	BDL	BDL	BDL	BDL	0.2	2.1	7.0	7.0	5.1	270	17	38	53	1004
1/28/2017 17:00:00	BDL	BDL	BDL	3.6	0.2	2.4	9.0	8.0	2.8	256	19	37	57	1004
1/28/2017 18:00:00	0.5	BDL	0.4	26.2	0.2	2.7	11.0	9.0	2.3	217	18	36	63	1005
1/28/2017 19:00:00	0.5	BDL	0.5	24.1	0.2	2.4	14.0	10.0	2.1	197	15	35	66	1005
1/28/2017 20:00:00	0.4	BDL	0.4	21.1	0.2	2.5	14.0	10.0	1.9	185	16	34	72	1005
1/28/2017 21:00:00	BDL	BDL	0.4	25.1	0.3	2.7	18.0	19.0	2.2	201	16	33	75	1005
1/28/2017 22:00:00	0.6	0.6	0.9	28.3	0.3	4.1	21.0	15.0	4.4	234	14	34	71	1005
1/28/2017 23:00:00	0.6	0.8	0.8	29.8	0.3	2.7	22.0	14.0	3.3	238	13	35	67	1005

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 1/29/2017-2/4/2017														
1/29/2017 0:00	0.4	0.4	1.0	22.3	0.3	3.1	18.0	14.0	3.7	209	10	35	66	1005
1/29/2017 1:00	BDL	0.4	0.6	26.2	0.2	2.4	18.0	16.0	2.8	176	9	33	71	1004
1/29/2017 2:00	BDL	Calibration	Calibration	17.4	0.2	4.8	14.0	15.0	1.7	233	19	33	76	1004
1/29/2017 3:00	BDL	Calibration	Calibration	21.5	0.3	4.8	17.0	15.0	2.2	229	14	33	74	1004
1/29/2017 4:00	Calibration	BDL	0.7	Calibration	Calibration	2.8	13.0	13.0	3.9	232	15	33	72	1004
1/29/2017 5:00	BDL	0.5	0.9	17.2	0.2	2.6	18.0	15.0	4.1	230	15	33	77	1004
1/29/2017 6:00	0.6	0.7	0.9	34.5	0.3	4.3	19.0	17.0	2.7	220	17	32	81	1004
1/29/2017 7:00	0.9	0.7	0.7	39.1	0.3	3.5	25.0	17.0	3.1	242	16	32	77	1005
1/29/2017 8:00	0.7	0.6	0.6	32.5	0.3	2.6	24.0	17.0	3.0	255	18	35	66	1005
1/29/2017 9:00	0.5	BDL	0.5	12.8	0.3	2.4	18.0	18.0	2.7	268	22	36	61	1006
1/29/2017 10:00	0.5	BDL	0.4	4.9	0.2	2.1	16.0	5.0	4.6	277	21	38	49	1006
1/29/2017 11:00	0.4	BDL	BDL	BDL	0.1	2.0	8.0	4.0	6.8	280	23	40	42	1005
1/29/2017 12:00	BDL	BDL	BDL	BDL	0.1	2.0	7.0	4.0	7.5	280	18	41	38	1004
1/29/2017 13:00	BDL	BDL	BDL	BDL	0.1	2.1	6.0	5.0	8.0	276	21	42	36	1004
1/29/2017 14:00	BDL	BDL	0.4	BDL	0.1	2.0	6.0	9.0	9.7	290	14	41	39	1004
1/29/2017 15:00	BDL	BDL	BDL	BDL	0.1	2.0	7.0	10.0	7.2	286	18	40	41	1004
1/29/2017 16:00	BDL	BDL	BDL	BDL	0.2	2.0	7.0	6.0	7.2	298	11	39	45	1004
1/29/2017 17:00	BDL	BDL	BDL	BDL	0.2	2.3	8.0	6.0	4.0	278	11	38	49	1005
1/29/2017 18:00	BDL	BDL	BDL	6.6	0.4	2.6	13.0	6.0	1.9	262	12	37	58	1005
1/29/2017 19:00	BDL	BDL	0.4	23.7	0.4	2.7	20.0	10.0	2.5	286	12	36	58	1005
1/29/2017 20:00	BDL	BDL	BDL	27.8	0.4	2.7	17.0	15.0	3.3	289	9	36	59	1005
1/29/2017 21:00	BDL	BDL	BDL	27.5	0.3	2.5	20.0	15.0	4.0	299	8	35	60	1005
1/29/2017 22:00	BDL	BDL	BDL	25.4	0.4	2.7	16.0	18.0	2.3	273	18	35	63	1005
1/29/2017 23:00	BDL	BDL	BDL	11.9	0.3	2.4	16.0	13.0	3.8	275	17	35	62	1005
1/30/2017 0:00	BDL	BDL	BDL	1.5	0.2	2.3	17.0	12.0	5.0	263	15	35	64	1005
1/30/2017 1:00	BDL	BDL	BDL	2.3	0.2	2.3	17.0	11.0	3.3	262	14	35	67	1005
1/30/2017 2:00	BDL	Calibration	Calibration	6.8	0.2	2.2	15.0	9.0	4.0	282	9	34	65	1005
1/30/2017 3:00	0.7	Calibration	Calibration	13.2	0.2	2.3	14.0	11.0	7.6	328	11	34	55	1004
1/30/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.2	10.0	8.0	8.3	338	12	33	57	1005
1/30/2017 5:00	0.6	BDL	0.4	12.1	0.2	2.3	19.0	9.0	7.1	346	18	32	66	1005
1/30/2017 6:00	0.5	BDL	0.4	15.8	0.2	2.2	17.0	6.0	5.8	357	20	32	62	1005
1/30/2017 7:00	0.6	BDL	BDL	19.7	0.3	2.2	21.0	10.0	6.1	341	20	31	59	1006
1/30/2017 8:00	0.7	BDL	BDL	14.8	0.2	2.1	22.0	11.0	5.9	339	18	31	58	1007
1/30/2017 9:00	0.6	BDL	BDL	16.2	0.2	2.1	18.0	7.0	4.9	340	19	31	54	1008
1/30/2017 10:00	0.5	BDL	BDL	17.1	0.2	2.1	17.0	6.0	4.3	335	20	33	49	1008
1/30/2017 11:00	BDL	BDL	BDL	7.3	0.2	2.0	11.0	7.0	4.9	309	36	35	40	1007
1/30/2017 12:00	BDL	BDL	BDL	4.3	0.2	2.0	11.0	8.0	7.9	313	15	35	44	1007
1/30/2017 13:00	BDL	BDL	BDL	3.1	0.2	2.1	12.0	6.0	7.2	284	19	36	41	1007
1/30/2017 14:00	BDL	BDL	BDL	1.9	0.2	2.1	13.0	5.0	8.2	270	20	36	44	1007
1/30/2017 15:00	BDL	BDL	BDL	3.4	0.2	2.1	17.0	9.0	9.6	269.0	18	33	61	1008
1/30/2017 16:00	BDL	BDL	BDL	6.1	0.2	2.1	9.0	11.0	4.7	298.0	32	29	97	1009
1/30/2017 17:00	BDL	BDL	0.4	13.4	0.3	2.7	10.0	10.0	3.5	233	20	29	96	1010
1/30/2017 18:00	BDL	BDL	0.4	12.2	0.2	2.2	18.0	10.0	5.7	266	17	30	89	1011
1/30/2017 19:00	BDL	BDL	BDL	13.2	0.3	2.4	22.0	10.0	3.7	258	14	29	88	1012
1/30/2017 20:00	BDL	BDL	BDL	10.4	0.3	2.3	12.0	10.0	5.4	271	14	28	87	1013
1/30/2017 21:00	BDL	BDL	BDL	3.2	0.2	2.2	9.0	6.0	6.2	291	11	28	83	1013
1/30/2017 22:00	BDL	BDL	BDL	2.7	0.2	2.1	10.0	4.0	5.4	295	10	28	73	1014
1/30/2017 23:00	BDL	BDL	BDL	2.4	0.2	2.2	9.0	7.0	4.6	282	12	28	65	1014
1/31/2017 0:00	BDL	BDL	BDL	9.3	0.2	2.3	16.0	7.0	2.2	253	18	27	69	1013
1/31/2017 1:00	BDL	BDL	BDL	15.1	0.2	2.6	16.0	7.0	3.7	246	12	27	70	1014
1/31/2017 2:00	BDL	Calibration	Calibration	22.2	0.2	2.4	15.0	11.0	4.1	264	14	25	70	1015
1/31/2017 3:00	BDL	Calibration	Calibration	10.4	0.2	2.5	11.0	8.0	3.2	258	18	25	64	1015
1/31/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	14.0	9.0	2.9	210	15	26	63	1014
1/31/2017 5:00	BDL	BDL	0.4	30.4	0.2	2.2	11.0	9.0	3.5	152	15	26	67	1013
1/31/2017 6:00	0.4	BDL	BDL	33.9	0.2	2.2	16.0	7.0	3.7	138	15	27	63	1012
1/31/2017 7:00	0.4	BDL	BDL	32	0.2	2.2	15.0	8.0	5.2	145	15	27	61	1011
1/31/2017 8:00	BDL	BDL	BDL	22.2	0.2	2.1	12.0	7.0	5.7	133	16	28	58	1010
1/31/2017 9:00	BDL	BDL	0.4	15.8	0.2	2.1	12.0	6.0	5.5	112	16	28	56	1010
1/31/2017 10:00	0.4	0.4	0.7	26.0	0.2	1.6	19.0	6.0	5.7	93	16	29	59	1009
1/31/2017 11:00	0.4	0.4	0.7	21.4	0.2	1.3	17.0	5.0	5.8	95	18	30	60	1007
1/31/2017 12:00	BDL	BDL	0.7	11.7	0.2	1.2	10.0	8.0	4.7	93	17	33	59	1005
1/31/2017 13:00	0.4	0.6	0.9	21.3	0.2	1.2	22.0	7.0	2.8	71	29	35	61	1004
1/31/2017 14:00	0.7	0.6	1.1	25.7	0.3	1.2	28.0	9.0	1.4	308	61	37	58	1004
1/31/2017 15:00	1.6	0.7	0.8	28.8	0.3	1.2	26.0	11.0	1.5	235	75	39	54	1005
1/31/2017 16:00	2.0	0.8	0.8	42.4	0.3	1.2	18.0	13.0	2.7	159	16	39	60	1006
1/31/2017 17:00	1.0	1.1	0.9	55.5	0.3	1.2	23.0	15.0	2.6	146	15	38	64	1006
1/31/2017 18:00	0.6	0.8	0.7	32.9	0.2	1.2	21.0	10.0	1.2	172	34	38	67	1007
1/31/2017 19:00	0.6	0.5	0.6	36.1	0.3	1.2	20.0	15.0	1.7	202	44	37	72	1008
1/31/2017 20:00	0.4	0.4	0.7	32.5	0.3	1.2	25.0	17.0	1.4	198	32	36	79	1008
1/31/2017 21:00	0.9	1.7	1.0	82.4	0.5	1.2	24.0	18.0	1.5	118	31	34	81	1008
1/31/2017 22:00	2.0	3.6	1.7	156.9	0.7	1.2	40.0	26.0	1.1	119	32	34	81	1008
1/31/2017 23:00	1.9	2.5	1.1	100.0	0.5	1.2	26.0	17.0	5.8	217	14	37	71	1009
2/1/2017 0:00	1.6	BDL	0.4	14.7	0.2	1.2	12.0	7.0	8.3	242	12	42	55	1009
2/1/2017 1:00	0.4	BDL	BDL	0.5	0.1	1.2	7.0	4.0	7.2	255	15	43	54	1010
2/1/2017 2:00	BDL	Calibration	Calibration	2.3	0.1	1.2	10.0	3.0	8.5	247	12	43	55	1010
2/1/2017 3:00	0.7	Calibration	Calibration	7.2	0.2	1.2	6.0	5.0	7.6	232	14	42	57	1011
2/1/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	1.2	9.0	6.0	8.0	225	12	40	64	1011
2/1/2017 5:00	0.8	BDL	BDL	25.4	0.2	1.2	10.0	8.0	6.8	224	12	39	66	1012
2/1/2017 6:00	1.5	BDL	BDL	26.9	0.2	1.2	19.0	7.0	6.7	235	11	39	60	1012
2/1/2017 7:00	1.3	Audit	Audit	29.8	0.3	1.2	20.0	8.0	6.9	247	13	40	59	1012
2/1/2017 8:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	1.2	7.0	7.0	5.7	260	14	41	56	1013
2/1/2017 9:00	0.6	BDL	BDL	Calibration	0.2	1.2	14.0	9.0	6.3	262	16	43	53	1013
2/1/2017 10:00	0.5	BDL	BDL	9.4	0.2	1.2	16.0	6.0	10.1	254	16	45	47	1013
2/1/2017 11:00	BDL	BDL	BDL	2.6	0.2	1.2	7.0	5.0	10.1	262	16	45	47	1012
2/1/2017 12:00	0.4	BDL	BDL	1.2	0.1	Too few samples	9.0	3.0	11.3	282	15	47	44	1012
2/1/2017 13:00	BDL	BDL	BDL	1.8	0.1	2.0	11.0	3.0	9.6	274	16	47	46	1011
2/1/2017 14:00	BDL	BDL	BDL	3.8	0.2	2.0	9.0	4.0	8.1	262	15	46	46	1011
2/1/2017 15:00	BDL	BDL	BDL	2.0	0.2	2.0	10.0	5.0	6.9	277	13	46	49	1012
2/1/2017 16:00	BDL	BDL	BDL	2.0	0.2	2.0	11.0	3.0	7.4	276	13	45	51	1013
2/1/2017 17:00	BDL	BDL	BDL	1.3	0.2	2.0	10.0	1.0	7.8	274	12	45	54	1013
2/1/2017 18:00	BDL	BDL	BDL	2.9	0.2	2.1	11.0	3.0	6.7	279	11	44	55	1014
2/1/2017 19:00	BDL	BDL	BDL	9.0	0.2	2.1	10.0	6.0	6.2	287	11	44	55	1015
2/1/2017 20:00	BDL	BDL	BDL	2.9	0.2	2.0	10.0	6.0	7.0	296	10	43	50	1015
2/1/2017 21:00	BDL	BDL	BDL	1.2	0.2	2.0	5.0	5.0	7.2	300	10	42	52	1016
2/1/2017 22:00	BDL	BDL	BDL	3.3	0.2	2.1	7.0	4.0	6.1	308	8	41	55	1015
2/1/2017 23:00	BDL	BDL	BDL	4.0	0.2	2.2	7.0	3.0	5.9	306	8	40	55	1016
2/2/2017 0:00	BDL	BDL	BDL	7.8	0.2	2.2	4.0	6.0	5.2	306	6	39	56	1016
2/2/2017 1:00	BDL	BDL	BDL	15.1	0.2	2.3	6.0	5.0	5.5	308	7	39	55	1016
2/2/2017 2:00	BDL	Calibration	Calibration	14.8	0.2	4.4	12.0	6.0	2.3	251	12	38	59	1016
2/2/2017 3:00	BDL	Calibration	Calibration	25.5	0.2	7.1	13.0	8.0	2.7	215	9	37	64	1016
2/2/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	4.1	15.0	9.0	2.5	212	7	37	66	1016
2/2/2017 5:00	BDL	BDL	BDL	34.4	0.2	3.1	13.0	9.0	3.5	196	6	36	66	1016
2/2/2017 6:00	0.9	0.8	0.6	57.6	0.3	3.0	21.0	12.0	4.1	225	14	36	66	1016
2/2/2017 7:00	0.9	1.0	0.7	59.5	0.4	2.7	23.0	15.0	4.4	258	13	36	66	1017
2/2/2017 8:00	0.5	0.6	0.5	36.3	0.3	2.3	21.0	12.0	4.5	295	10	38	62	1017
2/2/2017 9:00	0.4	BDL	BDL	12.5	0.2	2.2	15.0	11.0	5.2	298	12	38	62	1017
2/2/2017 10:00	0.4	BDL	BDL	10.6	0.2	2.2	18.0	9.0	6.4	301	21	41	53	1017
2/2/2017 11:00	BDL	BDL	BDL	4.1	0.2	2.2	15.0	9.0	8.2	304	17	41	50	1017
2/2/2017 12:00	BDL	BDL	BDL	2.0	0.2	2.2	17.0	9.0	8.8	289	14	43	41	1016
2/2/2017 13:00	BDL	BDL	BDL	2.1	0.2	2.1	15.0	7.0	10.4	283	17	44	37	1015
2/2/2017 14:00	BDL	BDL	BDL	3.9	0.2	2.1	19.0	7.0	10.5	293	16	44	38	1015
2/2/2017 15:00	BDL	BDL	BDL	3.5	0.2	2.1	20.0	11.0	11.2	307	11	42	46	1016
2/2/2017 16:00	BDL	BDL	BDL	2.0	0.2	2.1	16.0	12.0	11.7	305	12	41	42	1017
2/2/2017 17:00	BDL	BDL	BDL	4.3	0.2	2.1	11.0	10.0	10.2	309	9	38	55	1018
2/2/2017 18:00	BDL	BDL	BDL	3.5	0.2	2.1	12.0	8.0	6.8	299	10	37	48	1019
2/2/2017 19:00	BDL	BDL	BDL	2.5	0.2	2.0	10.0	8.0	9.4	301	9	37	46	1020
2/2/2017 20:00	BDL	BDL	BDL	2.2	0.2	2.1	7.0	5.0	10.5	304	8	35	44	1020
2/2/2017 21:00	BDL	BDL	BDL	1.8	0.2	2.1	10.0	5.0	8.9	296	9	34	40	1021
2/2/2017 22:00	BDL	BDL	BDL	0.6	0.1	2.1	9.0	6.0	11.7	308	8	33	38	1021
2/2/2017 23:00	BDL	BDL	BDL	BDL	0.1	2.1	8.0	4.0	13.5	312	9	32	33	1021

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 1/29/2017-2/4/2017														
2/3/2017 0:00	BDL	BDL	BDL	1.0	0.1	2.1	7.0	6.0	11.3	318	9	31	35	1021
2/3/2017 1:00	BDL	BDL	BDL	4.3	0.1	2.1	9.0	6.0	8.5	320	10	30	38	1021
2/3/2017 2:00	BDL	Calibration	Calibration	6.3	0.2	2.2	8.0	5.0	9.0	322	9	30	41	1021
2/3/2017 3:00	BDL	Calibration	Calibration	9.5	0.2	2.2	16.0	6.0	7.7	318	10	29	43	1021
2/3/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	7.0	5.0	5.6	301	12	29	44	1022
2/3/2017 5:00	BDL	BDL	BDL	4.3	0.1	2.1	8.0	6.0	6.5	307	11	28	47	1022
2/3/2017 6:00	BDL	BDL	BDL	3.3	0.1	2.1	11.0	6.0	8.0	311	10	28	49	1022
2/3/2017 7:00	BDL	Too few samples	Too few samples	3.9	0.2	2.1	13.0	9.0	6.7	304	11	28	49	1023
2/3/2017 8:00	BDL	Calibration	Calibration	3.9	0.2	2.1	14.0	11.0	6.8	286	16	28	48	1023
2/3/2017 9:00	BDL	BDL	BDL	4.0	0.2	2.1	16.0	9.0	6.3	304	12	28	49	1023
2/3/2017 10:00	BDL	BDL	BDL	3.2	0.1	2.1	16.0	8.0	10.0	307	13	29	47	1022
2/3/2017 11:00	BDL	BDL	BDL	1.4	0.1	2.1	14.0	8.0	8.9	304	12	30	44	1021
2/3/2017 12:00	BDL	BDL	BDL	1.6	0.2	2.1	15.0	8.0	8.2	298	14	31	38	1020
2/3/2017 13:00	BDL	BDL	BDL	1.3	0.2	2.0	19.0	7.0	8.9	301	14	33	36	1019
2/3/2017 14:00	0.4	BDL	BDL	2.1	0.2	2.0	17.0	8.0	8.8	286	15	33	36	1018
2/3/2017 15:00	0.8	BDL	BDL	3.3	0.2	2.0	18.0	12.0	8.3	292	16	32	37	1018
2/3/2017 16:00	0.9	BDL	BDL	4.5	0.2	2.0	18.0	11.0	8.9	295	11	32	38	1018
2/3/2017 17:00	1.0	BDL	BDL	3.8	0.2	2.1	19.0	12.0	8.7	292	11	31	37	1019
2/3/2017 18:00	0.5	BDL	BDL	2.6	0.2	2.1	12.0	10.0	11.7	307	9	30	39	1020
2/3/2017 19:00	BDL	BDL	BDL	4.1	0.2	2.1	19.0	8.0	9.5	314	11	29	43	1020
2/3/2017 20:00	BDL	BDL	BDL	2.7	0.2	2.1	18.0	11.0	10.6	310	10	29	45	1021
2/3/2017 21:00	BDL	BDL	BDL	0.5	0.1	2.1	17.0	9.0	13.0	304	11	29	44	1021
2/3/2017 22:00	BDL	BDL	BDL	1.3	0.1	2.1	20.0	9.0	12.6	307	11	28	41	1022
2/3/2017 23:00	BDL	BDL	BDL	1.0	0.1	2.1	19.0	10.0	14.4	313	10	27	44	1023
2/4/2017 0:00	BDL	BDL	BDL	0.4	0.1	2.1	15.0	10.0	12.0	309	11	26	49	1023
2/4/2017 1:00	BDL	BDL	BDL	1.1	0.1	2.2	15.0	10.0	10.9	306	9	25	55	1024
2/4/2017 2:00	BDL	Calibration	Calibration	3.9	0.1	2.2	28.0	7.0	13.9	323	10	24	49	1024
2/4/2017 3:00	BDL	Calibration	Calibration	2.4	0.1	2.2	9.0	7.0	12.0	318	9	23	46	1025
2/4/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	10.0	6.0	10.3	314	10	22	44	1026
2/4/2017 5:00	BDL	BDL	BDL	1.6	0.1	2.1	7.0	6.0	10.0	311	8	22	47	1027
2/4/2017 6:00	BDL	BDL	BDL	2.3	0.1	2.1	7.0	5.0	8.8	304	9	21	48	1027
2/4/2017 7:00	BDL	BDL	BDL	5.5	0.2	2.2	6.0	9.0	4.5	276	13	21	49	1028
2/4/2017 8:00	BDL	BDL	BDL	2.6	0.1	2.1	12.0	9.0	8.7	297	13	23	45	1029
2/4/2017 9:00	BDL	BDL	BDL	BDL	0.1	2.1	11.0	7.0	10.7	304	11	25	43	1029
2/4/2017 10:00	BDL	BDL	BDL	BDL	0.1	2.1	11.0	6.0	8.0	291	19	27	40	1029
2/4/2017 11:00	BDL	BDL	BDL	BDL	0.2	2.1	10.0	5.0	7.5	272	18	29	35	1028
2/4/2017 12:00	BDL	BDL	BDL	BDL	0.2	2.2	10.0	5.0	8.6	272	19	31	34	1027
2/4/2017 13:00	BDL	BDL	BDL	0.5	0.2	2.1	13.0	9.0	7.9	263	21	32	33	1026
2/4/2017 14:00	BDL	BDL	BDL	1.0	0.2	2.1	13.0	8.0	8.3	287	16	33	30	1026
2/4/2017 15:00	BDL	BDL	BDL	0.9	0.2	2.2	21.0	9.0	7.5	269	19	34	30	1025
2/4/2017 16:00	0.5	BDL	BDL	0.8	0.2	2.2	13.0	11.0	6.3	273	17	34	33	1025
2/4/2017 17:00	0.7	BDL	BDL	4.2	0.2	2.2	17.0	13.0	4.5	264	17	33	37	1025
2/4/2017 18:00	0.7	BDL	BDL	9.4	0.3	2.2	21.0	15.0	3.6	257	16	32	40	1025
2/4/2017 19:00	0.6	BDL	BDL	11.6	0.2	2.4	23.0	10.0	3.4	232	19	32	40	1025
2/4/2017 20:00	0.7	BDL	BDL	13.5	0.2	2.7	17.0	10.0	4.2	225	14	32	44	1025
2/4/2017 21:00	0.8	BDL	BDL	17.3	0.2	2.6	17.0	11.0	4.7	219	13	31	46	1025
2/4/2017 22:00	0.6	BDL	BDL	12.7	0.2	2.2	18.0	12.0	4.9	201	12	30	51	1024
2/4/2017 23:00	0.5	BDL	BDL	8.8	0.2	2.2	17.0	13.0	4.8	204	13	30	53	1023

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 2/5/2017-2/11/2017														
2/5/2017 00:00:00	BDL	BDL	BDL	8.8	0.2	2.3	16.0	13.0	5.8	203	13	30	51	1022
2/5/2017 01:00:00	BDL	BDL	0.5	3.8	0.2	2.2	12.0	11.0	6.1	198	12	30	55	1022
2/5/2017 02:00:00	BDL	Calibration	Calibration	8.8	0.2	2.1	13.0	11.0	5.3	194	11	30	62	1021
2/5/2017 03:00:00	BDL	Calibration	Calibration	6.4	0.2	2.1	15.0	15.0	4.8	194	12	29	67	1020
2/5/2017 04:00:00	Calibration	BDL	0.4	Calibration	Calibration	2.0	16.0	6.0	3.1	176	13	29	69	1019
2/5/2017 05:00:00	BDL	BDL	0.6	18.7	0.1	2.0	12.0	16.0	4.9	186	12	29	69	1018
2/5/2017 06:00:00	BDL	BDL	0.4	14.9	0.2	2.3	11.0	13.0	4.8	204	13	29	69	1017
2/5/2017 07:00:00	BDL	BDL	BDL	4.7	0.2	2.1	9.0	11.0	7.6	195	12	31	66	1016
2/5/2017 08:00:00	0.4	BDL	0.4	5.8	0.2	2.3	11.0	13.0	8.4	209	13	33	64	1016
2/5/2017 09:00:00	0.6	BDL	0.4	6.1	0.2	2.6	18.0	10.0	10.5	218	13	34	60	1015
2/5/2017 10:00:00	0.7	BDL	BDL	4.7	0.2	2.4	17.0	9.0	9.8	224	13	36	51	1014
2/5/2017 11:00:00	1.3	BDL	BDL	8.6	0.2	2.4	13.0	9.0	8.9	229	14	37	48	1013
2/5/2017 12:00:00	1.2	BDL	BDL	6.1	0.2	2.3	13.0	11.0	8.8	237	13	37	48	1012
2/5/2017 13:00:00	1.3	BDL	0.4	9.3	0.2	2.2	17.0	14.0	7.9	236	14	38	47	1010
2/5/2017 14:00:00	2.1	BDL	BDL	12.8	0.2	2.2	21.0	10.0	7.3	235	15	40	42	1010
2/5/2017 15:00:00	2.8	BDL	0.4	17.2	0.2	2.2	24.0	16.0	8.0	233	13	41	42	1010
2/5/2017 16:00:00	2.8	BDL	0.5	28.9	0.3	2.7	27.0	13.0	6.6	225	12	41	45	1010
2/5/2017 17:00:00	2.7	0.5	0.8	35.4	0.3	2.9	24.0	18.0	5.3	229	12	40	46	1011
2/5/2017 18:00:00	3.3	0.6	0.4	47.2	0.4	3.0	24.0	15.0	4.7	222	12	39	46	1011
2/5/2017 19:00:00	2.7	1.5	1.0	52.4	0.4	3.2	25.0	21.0	3.7	225	12	38	50	1012
2/5/2017 20:00:00	2.4	0.5	0.6	43.1	0.4	3.4	24.0	16.0	4.9	220	12	38	51	1011
2/5/2017 21:00:00	1.9	0.6	0.5	35.1	0.3	3.4	26.0	19.0	5.1	231	12	37	54	1012
2/5/2017 22:00:00	0.9	0.9	1.3	20.3	0.3	2.5	23.0	16.0	6.6	235	12	38	58	1012
2/5/2017 23:00:00	1.0	0.8	1.1	20.4	0.3	2.8	22.0	15.0	5.6	240	13	38	61	1013
2/6/2017 00:00:00	0.9	BDL	0.4	35.8	0.4	2.9	28.0	21.0	3.2	263	20	38	65	1013
2/6/2017 01:00:00	0.5	0.5	0.8	28.1	0.4	2.9	30.0	25.0	2.9	255	13	38	65	1014
2/6/2017 02:00:00	0.4	Calibration	Calibration	9.5	0.3	2.7	26.0	18.0	4.2	269	12	39	64	1014
2/6/2017 03:00:00	BDL	Calibration	Calibration	7.5	0.2	2.6	23.0	17.0	6.7	296	8	40	57	1015
2/6/2017 04:00:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	25.0	15.0	7.8	300	8	40	54	1015
2/6/2017 05:00:00	BDL	BDL	BDL	13.6	0.2	2.3	20.0	15.0	7.3	312	7	39	55	1016
2/6/2017 06:00:00	BDL	BDL	BDL	16.4	0.2	2.5	27.0	20.0	8.0	314	7	38	59	1017
2/6/2017 07:00:00	BDL	BDL	BDL	13.1	0.2	2.3	25.0	18.0	6.8	306	7	38	56	1018
2/6/2017 08:00:00	BDL	BDL	BDL	12.7	0.2	2.3	27.0	17.0	7.4	315	8	39	52	1018
2/6/2017 09:00:00	BDL	BDL	BDL	5.5	0.2	2.0	30.0	16.0	7.5	315	10	41	48	1019
2/6/2017 10:00:00	BDL	BDL	BDL	6.1	0.2	1.9	25.0	16.0	7.0	310	14	43	44	1019
2/6/2017 11:00:00	BDL	BDL	BDL	5.5	0.2	1.9	25.0	14.0	6.6	294	20	46	39	1018
2/6/2017 12:00:00	0.4	BDL	BDL	2.8	0.2	2.0	25.0	16.0	7.9	281	21	50	35	1017
2/6/2017 13:00:00	0.4	BDL	BDL	4.7	0.2	2.1	24.0	15.0	7.6	268	22	51	33	1017
2/6/2017 14:00:00	0.5	BDL	BDL	4.0	0.2	2.1	26.0	17.0	6.6	264	20	52	33	1016
2/6/2017 15:00:00	0.9	BDL	BDL	5.9	0.2	2.1	35.0	16.0	5.1	238	22	53	34	1016
2/6/2017 16:00:00	0.7	BDL	BDL	13.2	0.6	2.1	34.0	20.0	5.6	195	13	52	41	1016
2/6/2017 17:00:00	0.6	BDL	BDL	12.6	0.2	2.1	34.0	17.0	6.5	201	10	50	47	1016
2/6/2017 18:00:00	0.4	BDL	0.7	9.7	0.2	2.1	33.0	19.0	6.7	202	11	46	56	1016
2/6/2017 19:00:00	BDL	BDL	0.8	15.4	0.2	2.3	31.0	22.0	3.9	216	11	43	63	1016
2/6/2017 20:00:00	BDL	BDL	BDL	11.1	0.2	3.0	33.0	21.0	2.7	215	10	41	69	1015
2/6/2017 21:00:00	BDL	BDL	BDL	13.8	0.2	2.1	31.0	26.0	2.2	191	13	40	73	1015
2/6/2017 22:00:00	BDL	BDL	0.4	22.4	0.2	2.6	36.0	21.0	1.1	153	23	40	78	1014
2/6/2017 23:00:00	BDL	BDL	0.4	23.0	0.2	2.4	31.0	23.0	3.3	186	10	40	77	1014
2/7/2017 00:00:00	BDL	BDL	0.6	6.9	0.2	2.2	21.0	20.0	4.5	206	9	41	75	1013
2/7/2017 01:00:00	BDL	BDL	0.6	20.5	0.2	2.3	23.0	13.0	3.3	192	8	41	75	1012
2/7/2017 02:00:00	BDL	Calibration	Calibration	28.3	0.2	2.2	28.0	16.0	2.4	189	13	41	76	1011
2/7/2017 03:00:00	0.5	Calibration	Calibration	43.0	0.3	3.0	25.0	19.0	1.4	239	21	41	77	1010
2/7/2017 04:00:00	Calibration	0.7	1.1	Calibration	Calibration	3.6	28.0	23.0	1.1	320	49	41	78	1010
2/7/2017 05:00:00	0.7	1.9	1.3	59.9	0.4	4.5	29.0	17.0	1.6	313	44	42	77	1010
2/7/2017 06:00:00	1.0	2.4	1.3	97.7	0.6	3.2	36.0	21.0	3.9	79	14	43	74	1010
2/7/2017 07:00:00	1.2	3.2	1.8	111.4	0.6	3.0	54.0	21.0	3.2	70	11	42	75	1010
2/7/2017 08:00:00	1.4	3.4	2.1	106.1	0.6	2.8	81.0	24.0	3.2	56	9	44	71	1010
2/7/2017 09:00:00	1.4	3.1	1.7	109.5	0.7	3.2	61.0	28.0	3.4	54	11	45	71	1009
2/7/2017 10:00:00	1.6	3.6	1.7	137.6	0.9	3.6	49.0	31.0	4.8	346	28	44	85	1010
2/7/2017 11:00:00	1.6	4.2	2.0	134.7	0.8	3.4	55.0	30.0	5.4	73	16	43	89	1009
2/7/2017 12:00:00	1.0	2.5	1.6	87.9	0.6	3.0	40.0	29.0	6.4	64	11	44	89	1007
2/7/2017 13:00:00	0.9	2.2	1.4	78.3	0.6	3.0	33.0	32.0	5.9	54	11	45	89	1006
2/7/2017 14:00:00	0.9	2.2	1.5	75.9	0.6	3.1	45.0	29.0	6.8	56	11	47	87	1005
2/7/2017 15:00:00	0.7	1.5	1.3	50.5	0.4	2.4	30.0	19.0	6.4	71	13	49	85	1005
2/7/2017 16:00:00	0.4	1.0	1.3	28.5	0.4	2.2	31.0	22.0	6.5	63	10	49	87	1004
2/7/2017 17:00:00	0.4	1.0	1.3	32.2	0.4	2.2	29.0	22.0	6.8	65	11	49	88	1003
2/7/2017 18:00:00	BDL	1.0	1.4	29.8	0.4	2.2	28.0	15.0	6.9	65	10	47	89	1003
2/7/2017 19:00:00	BDL	0.8	1.3	27.2	0.4	2.3	28.0	17.0	7.3	62	10	46	92	1002
2/7/2017 20:00:00	BDL	0.7	1.1	36.7	0.4	2.3	37.0	22.0	6.0	57	10	44	94	1001
2/7/2017 21:00:00	BDL	0.8	1.1	37.3	0.4	2.4	45.0	26.0	4.7	55	10	43	95	1001
2/7/2017 22:00:00	BDL	0.8	1.0	43.6	0.4	2.5	36.0	27.0	4.0	61	11	42	97	1000
2/7/2017 23:00:00	0.5	1.3	1.1	50.2	0.4	3.0	31.0	23.0	3.5	286	33	45	98	999
2/8/2017 00:00:00	1.0	0.6	1.1	4.4	0.2	1.9	24.0	15.0	13.0	212	12	59	75	998
2/8/2017 01:00:00	0.9	BDL	1.1	2.5	0.2	1.9	24.0	14.0	13.4	213	12	60	74	998
2/8/2017 02:00:00	1.2	Calibration	Calibration	4.5	0.2	2.3	29.0	20.0	10.7	218	13	60	76	998
2/8/2017 03:00:00	1.6	Calibration	Calibration	14.4	0.2	2.3	23.0	19.0	7.7	215	12	59	78	998
2/8/2017 04:00:00	Calibration	0.4	1.2	Calibration	Calibration	2.9	26.0	17.0	6.1	222	12	58	80	998
2/8/2017 05:00:00	1.3	BDL	0.9	15.8	0.2	2.2	31.0	14.0	7.3	235	11	58	80	998
2/8/2017 06:00:00	1.2	BDL	0.9	17.3	0.3	2.4	34.0	20.0	7.3	234	12	57	82	999
2/8/2017 07:00:00	1.8	0.5	1.1	28.3	0.3	2.2	28.0	24.0	6.0	234	11	56	84	999
2/8/2017 08:00:00	1.8	0.6	1.0	28.5	0.3	2.2	34.0	24.0	6.2	236	11	56	81	1000
2/8/2017 09:00:00	2.8	0.8	1.1	38.6	0.3	2.0	41.0	21.0	6.4	240	12	58	75	1001
2/8/2017 10:00:00	2.2	0.5	0.7	22.7	0.3	1.6	24.0	15.0	10.0	322	17	61	61	1002
2/8/2017 11:00:00	0.8	BDL	0.5	8.0	0.2	2.1	20.0	9.0	11.2	322	11	60	56	1002
2/8/2017 12:00:00	0.6	BDL	0.5	6.9	0.2	1.4	23.0	12.0	8.7	327	13	62	51	1002
2/8/2017 13:00:00	0.5	BDL	0.5	4.7	0.2	1.4	20.0	10.0	7.4	319	15	63	48	1001
2/8/2017 14:00:00	BDL	Calibration	Calibration	2.7	0.2	1.7	15.0	9.0	7.0	310	15	64	43	1001
2/8/2017 15:00:00	BDL	Calibration	Calibration	3.7	0.2	2.0	analyzer malfunction	12.0	8.6	308	13	63	43	1001
2/8/2017 16:00:00	BDL	Calibration	Calibration	5.2	0.2	2.1	analyzer malfunction	12.0	11.6	322	9	60	44	1002
2/8/2017 17:00:00	0.4	Too few samples	Too few samples	8.7	0.2	2.1	analyzer malfunction	9.0	9.6	325	11	57	49	1002
2/8/2017 18:00:00	BDL	0.4	BDL	9.8	0.2	2.2	analyzer malfunction	8.0	8.5	323	10	55	51	1003
2/8/2017 19:00:00	0.5	0.4	BDL	10.8	0.3	2.1	analyzer malfunction	7.0	9.5	335	10	54	53	1003
2/8/2017 20:00:00	0.7	0.4	BDL	6.6	0.3	2.1	analyzer malfunction	9.0	6.9	342	17	53	55	1004
2/8/2017 21:00:00	0.4	0.5	BDL	9.6	0.3	2.1	analyzer malfunction	6.0	6.5	32	17	51	58	1003
2/8/2017 22:00:00	BDL	0.4	BDL	6.9	0.3	2.1	analyzer malfunction	4.0	11.0	62	11	49	61	1002
2/8/2017 23:00:00	BDL	0.4	BDL	5.7	0.2	2.1	analyzer malfunction	5.0	7.9	65	12	47	62	1002
2/9/2017 00:00:00	BDL	0.5	BDL	9.7	0.3	2.0	analyzer malfunction	3.0	8.1	68	12	47	64	1001
2/9/2017 01:00:00	BDL	0.4	BDL	11.0	0.3	2.0	analyzer malfunction	2.0	8.8	72	13	46	67	1000
2/9/2017 02:00:00	BDL	Calibration	Calibration	12.8	0.3	2.0	analyzer malfunction	2.0	7.7	51	17	44	72	998
2/9/2017 03:00:00	BDL	Calibration	Calibration	9.9	0.2	2.0	analyzer malfunction	4.0	9.3	46	14	43	76	997
2/9/2017 04:00:00	Calibration	0.5	0.4	Calibration	Calibration	2.1	analyzer malfunction	6.0	9.3	352	24	41	87	997
2/9/2017 05:00:00	0.8	0.8	BDL	15.5	0.2	2.1	analyzer malfunction	6.0	11.1	346	19	36	93	998
2/9/2017 06:00:00	0.4	0.6	BDL	11.5	0.2	2.0	analyzer malfunction	6.0	11.8	349	25	33	95	998
2/9/2017 07:00:00	0.7	0.6	BDL	13.2	0.2	2.1	analyzer malfunction	8.0	11.4	342	16	31	99	998
2/9/2017 08:00:00	BDL	0.6	BDL	20.0	0.2	1.9	8.0	5.0	15.8	337	11	30	99	999
2/9/2017 09:00:00	BDL	0.5	BDL	14.5	0.2	1.9	7.0	6.0	15.6	330	10	29	95	1001
2/9/2017 10:00:00	BDL	BDL	BDL	6.9	0.2	1.9	5.0	5.0	18.2	323	10	29	87	1001
2/9/2017 11:00:00	BDL	BDL	BDL	4.8	0.1	1.9	6.0	3.0	19.6	323	10	30	73	1002
2/9/2017 12:00:00	BDL	BDL	BDL	0.6	0.1	1.9	5.0	4.0	21.5	319	9	30	66	1002
2/9/2017 13:00:00	BDL	BDL	BDL	BDL	0.1	1.8	10.0	5.0	19.7	309	11	28	64	1003
2/9/2017 14:00:00	BDL	BDL	BDL	BDL	0.1	1.9	9.0	5.0	20.4	314	10	28	57	1004
2/9/2017 15:00:00	BDL	BDL	BDL	BDL	0.1	1.9	6.0	6.0	21.4	311	10	28	50	1006
2/9/2017 16:00:00	BDL	BDL	BDL	BDL	0.1	1.9	6.0	4.0	19.1	313	11	28	46	1007
2/9/2017 17:00:00	BDL	BDL	BDL	BDL	0.1	1.9	9.0	4.0	18.7	313	10	27	43	1009
2/9/2017 18:00:00	BDL	BDL	BDL	BDL	0.1	2.2	12.0	5.0	14.5	314	10	26	44	1010
2/9/2017 19:00:00	BDL	BDL	BDL	0.9	0.1	2.2	9.0	6.0	14.6	317	10	25	43	1012
2/9/2017 20:00:00	BDL	BDL	BDL	BDL	0.1	2.1	11.0	5.0	15.0	317	10	24	42	1014
2/9/2017 21:00:00	BDL	BDL	BDL	0.6	0.1	1.9	7.0	6.0	11.3	311	11	23	45	1016
2/9/2017 22:00:00	BDL	BDL	BDL	BDL	0.1	1.9	5.0	5.0	11.1	306	9	23	46	1018
2/9/2017 23:00:00	BDL	BDL	BDL	1.1	0.1	2.0	9.0	5.0	6.6	294	11	23	48	1019

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 2/5/2017-2/11/2017														
2/10/2017 00:00:00	BDL	BDL	BDL	1.8	0.2	2.1	10.0	5.0	5.7	277	13	23	56	1019
2/10/2017 01:00:00	BDL	BDL	BDL	BDL	0.1	2.0	5.0	4.0	8.6	287	15	24	56	1019
2/10/2017 02:00:00	BDL	Calibration	Calibration	BDL	0.1	2.1	6.0	3.0	8.7	283	14	23	52	1020
2/10/2017 03:00:00	BDL	Calibration	Calibration	BDL	0.2	2.1	8.0	6.0	9.3	284	13	22	62	1021
2/10/2017 04:00:00	Calibration	BDL	BDL	Calibration	Calibration	2.1	14.0	8.0	6.5	274	14	22	63	1022
2/10/2017 05:00:00	BDL	BDL	BDL	5.6	0.2	2.1	13.0	5.0	5.5	268	16	22	60	1023
2/10/2017 06:00:00	BDL	BDL	BDL	13.7	0.2	2.2	20.0	9.0	5.0	249	15	22	62	1024
2/10/2017 07:00:00	0.4	BDL	BDL	19.4	0.2	2.3	26.0	9.0	8.1	247	14	22	58	1024
2/10/2017 08:00:00	0.6	BDL	BDL	13.6	0.2	2.2	27.0	9.0	8.7	257	18	24	51	1025
2/10/2017 09:00:00	BDL	BDL	BDL	4.8	0.2	2.1	15.0	12.0	9.0	272	18	26	48	1025
2/10/2017 10:00:00	BDL	BDL	BDL	2.2	0.2	2.1	20.0	11.0	9.8	281	15	27	46	1025
2/10/2017 11:00:00	BDL	BDL	BDL	1.6	0.2	2.1	15.0	10.0	10.7	268	19	28	46	1025
2/10/2017 12:00:00	BDL	BDL	BDL	2.4	0.2	2.0	16.0	9.0	10.0	261	18	29	45	1024
2/10/2017 13:00:00	0.4	BDL	BDL	1.7	0.2	2.0	14.0	7.0	8.8	265	19	30	43	1023
2/10/2017 14:00:00	BDL	BDL	BDL	2.1	0.2	2.0	15.0	8.0	8.5	260	21	31	42	1023
2/10/2017 15:00:00	BDL	BDL	BDL	1.2	0.2	2.0	14.0	10.0	7.7	279	18	31	44	1022
2/10/2017 16:00:00	BDL	BDL	BDL	1.0	0.2	2.1	13.0	7.0	6.6	277	14	30	46	1022
2/10/2017 17:00:00	BDL	BDL	BDL	3.4	0.2	2.1	13.0	10.0	4.2	280	17	30	48	1021
2/10/2017 18:00:00	BDL	BDL	BDL	9.7	0.2	2.5	17.0	10.0	2.4	254	26	30	49	1021
2/10/2017 19:00:00	0.5	BDL	BDL	24.7	0.2	2.0	16.0	9.0	3.8	147	16	31	54	1019
2/10/2017 20:00:00	BDL	BDL	BDL	8.2	0.2	2.0	15.0	15.0	5.9	172	12	31	52	1018
2/10/2017 21:00:00	BDL	BDL	BDL	10.4	0.2	2.0	9.0	11.0	6.0	169	11	31	53	1018
2/10/2017 22:00:00	BDL	BDL	BDL	7.5	0.2	2.0	12.0	10.0	4.1	149	15	31	56	1017
2/10/2017 23:00:00	BDL	BDL	BDL	6.0	0.2	2.0	10.0	6.0	4.4	145	14	32	58	1016
2/11/2017 00:00:00	BDL	BDL	BDL	6.5	0.2	2.0	17.0	5.0	4.5	166	12	32	61	1015
2/11/2017 01:00:00	BDL	BDL	BDL	8.2	0.2	2.0	12.0	6.0	2.9	145	14	33	64	1014
2/11/2017 02:00:00	BDL	Calibration	Calibration	10.8	0.2	2.1	12.0	8.0	2.2	132	19	33	66	1013
2/11/2017 03:00:00	BDL	Calibration	Calibration	34.4	0.2	2.3	18.0	10.0	3.0	96	13	31	69	1013
2/11/2017 04:00:00	Calibration	1.1	BDL	Calibration	Calibration	2.2	24.0	9.0	2.6	74	14	30	71	1012
2/11/2017 05:00:00	0.8	2.4	0.6	88.9	0.3	2.3	26.0	15.0	1.5	85	15	30	72	1012
2/11/2017 06:00:00	0.6	2.5	0.6	77.0	0.4	2.6	22.0	16.0	1.2	118	20	31	75	1012
2/11/2017 07:00:00	0.4	1.8	0.6	54.6	0.4	2.5	27.0	11.0	1.1	95	14	31	76	1012
2/11/2017 08:00:00	0.7	2.4	0.8	68.3	0.4	2.9	25.0	14.0	1.0	119	32	32	73	1012
2/11/2017 09:00:00	1.3	2.2	0.9	46.8	0.3	2.4	20.0	17.0	2.7	204	19	35	68	1012
2/11/2017 10:00:00	1.7	1.8	0.7	44.0	0.3	2.6	19.0	13.0	3.9	235	19	38	61	1013
2/11/2017 11:00:00	2.3	1.4	BDL	35.3	0.3	2.6	17.0	14.0	5.2	232	15	40	58	1012
2/11/2017 12:00:00	1.9	0.8	BDL	21.9	0.3	2.3	18.0	11.0	6.5	233	16	43	53	1011
2/11/2017 13:00:00	1.5	0.7	BDL	18.6	0.3	2.2	26.0	12.0	4.0	244	19	47	48	1010
2/11/2017 14:00:00	1.8	0.8	BDL	22.2	0.3	2.1	21.0	14.0	1.7	249	39	50	45	1010
2/11/2017 15:00:00	1.8	0.7	BDL	25.6	0.4	2.1	27.0	15.0	2.4	333	49	52	43	1011
2/11/2017 16:00:00	0.8	0.9	BDL	31.1	0.4	2.5	33.0	15.0	3.5	3	18	50	48	1011
2/11/2017 17:00:00	0.8	1.2	BDL	41.4	0.5	2.5	45.0	25.0	3.8	83	11	49	50	1012
2/11/2017 18:00:00	0.9	1.7	0.5	49.6	0.5	2.4	45.0	23.0	4.7	76	11	47	53	1013
2/11/2017 19:00:00	0.8	1.3	BDL	44.7	0.5	2.4	40.0	19.0	3.0	81	12	46	56	1014
2/11/2017 20:00:00	0.8	1.5	BDL	50.6	0.5	2.5	45.0	24.0	2.6	72	12	45	57	1014
2/11/2017 21:00:00	1.0	2.0	0.7	55.9	0.6	2.8	41.0	25.0	3.0	86	14	45	59	1015
2/11/2017 22:00:00	0.9	1.9	0.6	56.0	0.6	2.7	44.0	30.0	3.3	65	11	44	60	1015
2/11/2017 23:00:00	1.0	1.7	BDL	53.5	0.6	2.7	45.0	30.0	3.8	67	12	44	58	1015

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 2/12/2017-2/18/2017														
2/12/2017 0:00	0.8	1.2	BDL	42.7	0.5	2.5	40.0	26.0	5.3	70	10	44	59	1015
2/12/2017 1:00	0.6	1.2	BDL	39.5	0.4	2.7	32.0	26.0	5.3	81	12	43	61	1015
2/12/2017 2:00	0.5	Calibration	Calibration	30.4	0.3	2.5	26.0	15.0	6.2	83	12	43	60	1015
2/12/2017 3:00	0.4	Calibration	Calibration	25.2	0.3	2.4	24.0	20.0	6.4	86	12	42	61	1015
2/12/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.2	22.0	18.0	8.4	72	12	41	67	1015
2/12/2017 5:00	BDL	0.6	BDL	14.6	0.3	2.1	28.0	16.0	9.3	76	13	40	78	1014
2/12/2017 6:00	BDL	0.4	BDL	8.9	0.3	2.0	19.0	14.0	7.9	75	13	40	82	1014
2/12/2017 7:00	BDL	BDL	BDL	7.2	0.2	2.0	21.0	19.0	8.7	79	13	40	82	1013
2/12/2017 8:00	BDL	BDL	BDL	6.8	0.2	2.0	21.0	18.0	8.4	83	13	40	82	1012
2/12/2017 9:00	BDL	BDL	BDL	5.2	0.2	2.0	24.0	12.0	10.7	79	13	40	83	1011
2/12/2017 10:00	BDL	BDL	BDL	7.5	0.2	1.9	19.0	17.0	8.5	82	14	39	89	1010
2/12/2017 11:00	BDL	BDL	BDL	6.1	0.2	1.9	13.0	9.0	7.8	73	13	39	95	1009
2/12/2017 12:00	BDL	BDL	BDL	5.6	0.2	1.9	7.0	11.0	8.6	68	13	39	95	1006
2/12/2017 13:00	BDL	BDL	BDL	7.8	0.2	1.9	8.0	8.0	7.4	61	15	39	95	1005
2/12/2017 14:00	BDL	BDL	BDL	8.8	0.2	1.9	8.0	6.0	7.0	41	22	39	96	1004
2/12/2017 15:00	BDL	0.5	BDL	16.7	0.3	2.1	7.0	8.0	5.4	30	19	38	96	1003
2/12/2017 16:00	BDL	0.7	BDL	23.4	0.3	2.0	12.0	10.0	6.9	337	22	37	96	1003
2/12/2017 17:00	BDL	0.5	BDL	13.4	0.3	2.0	7.0	9.0	9.1	316	10	36	95	1004
2/12/2017 18:00	BDL	0.4	BDL	11.3	0.3	2.0	7.0	9.0	10.2	317	8	36	94	1005
2/12/2017 19:00	BDL	0.5	BDL	12.1	0.3	2.0	9.0	8.0	6.7	308	10	36	93	1005
2/12/2017 20:00	BDL	0.4	BDL	11.0	0.3	2.0	10.0	16.0	5.1	301	8	36	94	1004
2/12/2017 21:00	BDL	0.5	BDL	14.0	0.3	2.3	12.0	13.0	3.1	266	17	36	96	1004
2/12/2017 22:00	BDL	0.6	BDL	15.0	0.4	2.4	13.0	12.0	3.9	268	14	35	97	1003
2/12/2017 23:00	BDL	0.5	BDL	10.0	0.3	2.1	12.0	11.0	9.9	297	11	37	93	1003
2/13/2017 0:00	BDL	BDL	BDL	0.8	0.2	1.9	8.0	6.0	11.8	292	11	40	72	1004
2/13/2017 1:00	BDL	BDL	BDL	BDL	0.1	1.8	6.0	5.0	14.8	294	11	40	61	1004
2/13/2017 2:00	BDL	Calibration	Calibration	BDL	0.1	1.8	4.0	4.0	15.5	295	11	38	56	1005
2/13/2017 3:00	BDL	Calibration	Calibration	BDL	0.1	1.8	4.0	2.0	17.7	298	12	37	55	1005
2/13/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	4.0	2.0	20.2	305	9	36	50	1006
2/13/2017 5:00	BDL	BDL	BDL	BDL	0.1	1.8	5.0	4.0	19.1	304	9	35	48	1007
2/13/2017 6:00	BDL	BDL	BDL	BDL	0.1	1.9	11.0	7.0	15.9	298	11	34	51	1008
2/13/2017 7:00	BDL	BDL	BDL	0.7	0.1	1.9	10.0	6.0	16.4	304	11	34	50	1008
2/13/2017 8:00	BDL	BDL	BDL	BDL	0.1	1.9	15.0	5.0	19.5	306	12	35	50	1010
2/13/2017 9:00	BDL	BDL	BDL	BDL	0.1	1.9	10.0	5.0	20.8	306	11	36	50	1010
2/13/2017 10:00	BDL	BDL	BDL	BDL	0.1	1.9	8.0	4.0	23.7	308	10	37	49	1010
2/13/2017 11:00	BDL	BDL	BDL	BDL	0.1	1.9	7.0	2.0	23.7	312	11	38	47	1010
2/13/2017 12:00	BDL	BDL	BDL	BDL	0.1	1.9	15.0	4.0	25.9	311	10	39	45	1009
2/13/2017 13:00	BDL	BDL	BDL	BDL	0.1	1.9	11.0	3.0	23.5	314	11	39	45	1010
2/13/2017 14:00	BDL	BDL	BDL	BDL	0.1	1.9	6.0	1.0	19.6	316	11	38	47	1011
2/13/2017 15:00	BDL	BDL	BDL	BDL	0.2	1.9	12.0	4.0	20.0	310	10	37	48	1012
2/13/2017 16:00	BDL	BDL	BDL	1.1	0.2	1.9	12.0	4.0	18.5	317	10	36	48	1012
2/13/2017 17:00	BDL	BDL	BDL	1.1	0.2	2.0	8.0	5.0	15.2	314	8	35	51	1013
2/13/2017 18:00	BDL	BDL	BDL	1.8	0.2	2.0	12.0	8.0	12.9	313	9	34	52	1014
2/13/2017 19:00	BDL	BDL	BDL	0.5	0.1	1.9	7.0	6.0	10.5	307	11	34	51	1015
2/13/2017 20:00	BDL	BDL	BDL	2.2	0.2	2.0	5.0	6.0	7.5	300	9	33	55	1015
2/13/2017 21:00	BDL	BDL	BDL	1.2	0.2	2.3	9.0	5.0	9.4	307	9	33	56	1015
2/13/2017 22:00	BDL	BDL	BDL	1.4	0.2	2.5	9.0	4.0	9.5	308	8	32	56	1015
2/13/2017 23:00	BDL	BDL	BDL	3.8	0.1	2.0	9.0	3.0	9.9	320	14	32	56	1015
2/14/2017 0:00	BDL	BDL	BDL	3.0	0.2	2.0	8.0	7.0	5.9	306	13	31	57	1014
2/14/2017 1:00	BDL	BDL	BDL	5.6	0.2	2.1	5.0	8.0	3.5	284	12	30	61	1014
2/14/2017 2:00	BDL	Calibration	Calibration	14.7	0.2	2.4	10.0	6.0	3.1	253	15	29	66	1014
2/14/2017 3:00	BDL	Calibration	Calibration	24.2	0.2	2.1	13.0	8.0	3.1	259	12	28	68	1014
2/14/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	14.0	6.0	2.4	261	13	28	70	1014
2/14/2017 5:00	BDL	0.7	BDL	36.6	0.3	2.2	10.0	8.0	3.1	262	11	28	71	1014
2/14/2017 6:00	BDL	0.8	BDL	35.8	0.4	2.7	10.0	8.0	4.2	277	10	28	71	1014
2/14/2017 7:00	BDL	0.7	BDL	32.3	0.3	2.4	12.0	10.0	4.1	279	10	28	68	1014
2/14/2017 8:00	BDL	0.7	BDL	29.5	0.3	2.2	15.0	8.0	3.7	274	10	30	63	1014
2/14/2017 9:00	BDL	0.5	BDL	22.0	0.3	2.0	15.0	11.0	4.3	265	16	32	55	1013
2/14/2017 10:00	BDL	BDL	BDL	8.4	0.2	1.9	12.0	9.0	3.5	256	23	33	52	1013
2/14/2017 11:00	1.7	BDL	BDL	18.9	0.2	1.9	12.0	11.0	5.1	231	25	34	52	1012
2/14/2017 12:00	1.1	0.5	BDL	14.2	0.2	2.0	19.0	14.0	7.8	222	17	36	54	1010
2/14/2017 13:00	1.0	0.5	BDL	10.3	0.2	2.2	10.0	11.0	8.4	222	15	38	54	1009
2/14/2017 14:00	1.2	0.6	BDL	8.5	0.2	2.0	14.0	10.0	9.9	217	16	40	51	1007
2/14/2017 15:00	4.9	0.5	BDL	8.5	0.2	1.9	18.0	11.0	10.1	210	14	41	53	1008
2/14/2017 16:00	2.8	0.5	BDL	9.5	0.2	2.1	14.0	8.0	9.5	214	13	41	57	1007
2/14/2017 17:00	1.3	BDL	BDL	7.9	0.2	1.9	11.0	6.0	7.8	209	11	40	67	1007
2/14/2017 18:00	0.4	BDL	BDL	10.4	0.2	1.8	9.0	9.0	7.4	198	10	38	73	1007
2/14/2017 19:00	0.5	0.6	BDL	14.7	0.2	1.8	12.0	7.0	5.3	188	10	37	75	1007
2/14/2017 20:00	BDL	0.7	BDL	19.5	0.2	1.9	14.0	12.0	3.4	172	13	36	77	1006
2/14/2017 21:00	0.6	1.6	0.6	52.9	0.2	2.0	21.0	14.0	3.0	159	12	35	78	1006
2/14/2017 22:00	0.5	1.8	0.6	42.9	0.2	1.9	24.0	12.0	3.4	162	9	35	79	1005
2/14/2017 23:00	0.4	1.4	0.7	23.5	0.2	1.9	17.0	12.0	2.6	175	11	34	79	1004
2/15/2017 0:00	0.7	1.8	1.1	29.6	0.2	2.0	22.0	14.0	2.1	176	14	34	82	1004
2/15/2017 1:00	BDL	1.2	0.5	23.3	0.2	1.9	16.0	13.0	2.5	164	11	34	84	1003
2/15/2017 2:00	BDL	Calibration	Calibration	14.9	0.2	2.0	17.0	15.0	1.6	204	21	33	86	1002
2/15/2017 3:00	BDL	Calibration	Calibration	21.9	0.2	2.1	14.0	12.0	2.3	171	12	33	87	1001
2/15/2017 4:00	Calibration	1.0	0.6	Calibration	Calibration	Too few samples	15.0	13.0	1.8	201	17	33	90	1000
2/15/2017 5:00	0.6	1.4	0.7	33.6	0.2	2.0	20.0	13.0	2.6	196	13	33	91	999
2/15/2017 6:00	0.7	2.0	0.8	51.3	0.4	2.4	22.0	13.0	1.1	215	23	33	92	999
2/15/2017 7:00	1.4	Audit	Audit	78.2	0.5	3.3	26.0	16.0	1.4	208	17	33	93	998
2/15/2017 8:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	2.2	27.0	19.0	3.4	204	13	35	90	997
2/15/2017 9:00	2.4	2.2	0.9	Calibration	0.4	2.3	27.0	20.0	5.2	219	13	36	86	996
2/15/2017 10:00	2.8	2.2	0.8	51.2	0.3	2.3	28.0	20.0	4.4	228	15	37	81	995
2/15/2017 11:00	4.4	2.1	0.8	53.7	0.4	2.2	28.0	19.0	5.8	227	14	40	71	994
2/15/2017 12:00	5.1	1.8	0.6	44.8	0.3	2.0	28.0	16.0	7.3	229	16	44	58	993
2/15/2017 13:00	2.8	1.2	0.5	24.3	0.3	1.9	23.0	15.0	7.0	253	19	49	49	992
2/15/2017 14:00	0.9	0.5	BDL	5.7	0.2	1.8	20.0	11.0	12.6	297	11	47	49	992
2/15/2017 15:00	0.5	0.4	BDL	2.3	0.2	1.7	14.0	8.0	14.0	298	11	44	53	993
2/15/2017 16:00	BDL	BDL	BDL	3.3	0.1	1.7	8.0	6.0	16.1	298	11	42	43	994
2/15/2017 17:00	BDL	BDL	BDL	0.6	0.1	1.7	8.0	2.0	18.2	310	9	41	43	995
2/15/2017 18:00	BDL	BDL	BDL	BDL	0.1	1.7	6.0	1.0	11.3	299	10	38	50	996
2/15/2017 19:00	BDL	BDL	BDL	BDL	0.1	1.7	4.0	3.0	10.5	300	9	37	54	997
2/15/2017 20:00	BDL	BDL	BDL	0.5	0.2	1.9	7.0	5.0	8.6	295	10	37	54	997
2/15/2017 21:00	BDL	BDL	BDL	BDL	0.2	2.0	5.0	5.0	8.9	285	10	36	58	998
2/15/2017 22:00	BDL	BDL	BDL	BDL	0.2	2.0	4.0	5.0	11.6	283	12	36	55	998
2/15/2017 23:00	BDL	BDL	BDL	BDL	0.1	1.8	5.0	5.0	15.3	299	10	35	50	999
2/16/2017 0:00	BDL	BDL	BDL	BDL	0.1	1.8	3.0	3.0	10.2	308	9	35	52	999
2/16/2017 1:00	BDL	BDL	BDL	BDL	0.1	1.8	5.0	1.0	14.4	313	10	35	52	999
2/16/2017 2:00	BDL	Calibration	Calibration	BDL	0.1	1.8	9.0	2.0	16.0	313	9	34	52	999
2/16/2017 3:00	BDL	Calibration	Calibration	BDL	0.1	1.8	7.0	5.0	12.7	307	10	34	53	999
2/16/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	1.7	7.0	5.0	12.3	303	10	33	54	999
2/16/2017 5:00	BDL	BDL	BDL	BDL	0.1	1.7	9.0	3.0	10.4	303	10	32	51	1000
2/16/2017 6:00	BDL	BDL	BDL	5.4	0.2	1.8	10.0	1.0	8.3	295	11	31	52	1001
2/16/2017 7:00	BDL	BDL	BDL	3.4	0.2	1.8	6.0	3.0	11.5	303	11	32	52	1001
2/16/2017 8:00	BDL	BDL	BDL	1.0	0.2	1.8	6.0	4.0	13.0	304	10	33	49	1002
2/16/2017 9:00	BDL	BDL	BDL	BDL	0.1	1.8	6.0	7.0	14.8	309	11	34	48	1002
2/16/2017 10:00	BDL	BDL	BDL	BDL	0.1	1.8	7.0	5.0	15.4	306	11	34	45	1002
2/16/2017 11:00	BDL	BDL	BDL	0.7	0.1	1.8	7.0	6.0	14.2	295	13	35	43	1002
2/16/2017 12:00	BDL	BDL	BDL	BDL	0.1	1.8	7.0	5.0	13.4	295	12	36	42	1002
2/16/2017 13:00	BDL	BDL	BDL	0.6	0.1	1.8	7.0	5.0	14.4	297	14	36	43	1002
2/16/2017 14:00	BDL	BDL	BDL	BDL	0.1	1.8	8.0	6.0	14.2	300	12	36	43	1003
2/16/2017 15:00	BDL	BDL	BDL	BDL	0.1	1.8	6.0	5.0	15.2	302	11	36	43	1003
2/16/2017 16:00	BDL	BDL	BDL	BDL	0.2	1.8	10.0	7.0	14.5	304	11	36	42	1004
2/16/2017 17:00	BDL	BDL	BDL	BDL	0.2	1.8	9.0	8.0	13.2	303	10	35	44	1005
2/16/2017 18:00	BDL	BDL	BDL	BDL	0.2	1.8	9.0	7.0	13.3	309	9	34	45	1006
2/16/2017 19:00	BDL	BDL	BDL	BDL	0.2	2.0	8.0	5.0	8.2	293	12	33	47	1007
2/16/2017 20:00	BDL	BDL	BDL	BDL	0.2	1.8	6.0	3.0	11.0	302	11	32	50	1007
2/16/2017 21:00	BDL	BDL	BDL	BDL	0.2	1.8	11.0	4.0	9.1	301	12	31	51	1008
2/16/2017 22:00	BDL	BDL	BDL	BDL	0.2	1.8	7.0	6.0	10.3	304	9	30	53	1008
2/16/2017 23:00	BDL	BDL	BDL	0.9	0.2	1.9	8.0	5.0	8.0	302	10	29	54	1009

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 2/12/2017-2/18/2017														
2/17/2017 0:00	BDL	BDL	BDL	1.1	0.2	1.9	8.0	6.0	7.0	296	12	29	56	1009
2/17/2017 1:00	BDL	BDL	BDL	2.5	0.2	1.9	8.0	7.0	5.0	290	15	28	58	1010
2/17/2017 2:00	BDL	Calibration	Calibration	6.3	0.2	2.0	6.0	5.0	4.5	283	14	27	62	1010
2/17/2017 3:00	BDL	Calibration	Calibration	3.6	0.2	1.9	6.0	5.0	5.5	290	13	27	60	1010
2/17/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	1.9	6.0	3.0	5.7	292	12	27	59	1010
2/17/2017 5:00	BDL	BDL	BDL	3.2	0.2	1.9	6.0	6.0	4.6	287	15	26	61	1010
2/17/2017 6:00	BDL	BDL	BDL	4.8	0.2	1.9	7.0	6.0	5.3	281	12	26	63	1011
2/17/2017 7:00	BDL	BDL	BDL	7.6	0.2	1.9	7.0	8.0	4.2	279	14	27	61	1011
2/17/2017 8:00	BDL	BDL	BDL	13.0	0.2	1.9	13.0	9.0	5.3	291	14	28	57	1011
2/17/2017 9:00	BDL	BDL	BDL	3.1	0.2	1.9	11.0	7.0	6.8	305	16	29	53	1011
2/17/2017 10:00	BDL	BDL	BDL	3.5	0.2	1.8	10.0	4.0	5.1	301	24	32	48	1011
2/17/2017 11:00	BDL	BDL	BDL	3.3	0.2	1.8	10.0	5.0	4.8	281	27	35	42	1011
2/17/2017 12:00	BDL	BDL	BDL	1.7	0.2	1.8	9.0	6.0	5.8	289	27	37	40	1010
2/17/2017 13:00	BDL	BDL	BDL	1.9	0.2	1.7	14.0	10.0	5.6	292	26	40	37	1009
2/17/2017 14:00	BDL	BDL	BDL	2	0.2	1.8	14.0	13.0	5.3	291	26	42	36	1009
2/17/2017 15:00	BDL	BDL	BDL	1.8	0.2	1.8	12.0	11.0	5.2	285	25	42	34	1009
2/17/2017 16:00	BDL	BDL	BDL	1.5	0.2	1.9	17.0	9.0	5.6	283	20	43	36	1009
2/17/2017 17:00	BDL	BDL	BDL	3.3	0.2	2.1	16.0	15.0	5.0	290	12	41	39	1010
2/17/2017 18:00	BDL	BDL	BDL	14.8	0.3	2.6	15.0	14.0	3.2	262	13	39	46	1010
2/17/2017 19:00	BDL	BDL	BDL	17.1	0.3	2.2	21.0	15.0	2.9	267	12	38	50	1010
2/17/2017 20:00	BDL	0.4	BDL	21.0	0.5	2.3	22.0	16.0	3.4	277	13	37	50	1011
2/17/2017 21:00	BDL	0.6	BDL	29.6	0.4	2.4	24.0	18.0	2.1	235	14	36	55	1011
2/17/2017 22:00	1.1	1.7	0.5	48.0	0.4	2.5	23.0	18.0	2.3	214	9	35	63	1011
2/17/2017 23:00	0.8	2.3	1.2	50.2	0.4	2.4	28.0	17.0	2.2	199	12	34	67	1010
2/18/2017 0:00	0.6	1.7	0.4	57.2	0.4	3.4	26.0	22.0	2.2	240	12	33	71	1010
2/18/2017 1:00	0.4	1.5	0.6	47.9	0.4	2.5	23.0	15.0	2.4	202	11	32	71	1010
2/18/2017 2:00	BDL	Calibration	Calibration	39.0	0.4	2.8	21.0	17.0	1.4	235	25	32	71	1010
2/18/2017 3:00	0.5	Calibration	Calibration	55.5	0.5	3.5	22.0	20.0	0.9	247	27	31	76	1010
2/18/2017 4:00	Calibration	1.8	0.6	Calibration	Calibration	Too few samples	31.0	18.0	1.4	168	18	31	75	1010
2/18/2017 5:00	BDL	1.5	0.4	44.6	0.3	2.7	21.0	20.0	1.0	138	25	31	78	1009
2/18/2017 6:00	0.9	2.6	0.4	81.3	0.4	3.1	25.0	23.0	1.0	227	36	30	79	1009
2/18/2017 7:00	1.7	2.8	0.6	84.1	0.5	3.4	28.0	21.0	1.2	229	27	32	73	1009
2/18/2017 8:00	4.7	4.2	1.4	125.3	0.8	3.2	39.0	34.0	2.6	232	21	36	61	1010
2/18/2017 9:00	3.2	2.1	1.1	41.8	0.3	2.1	24.0	21.0	5.9	221	15	39	65	1009
2/18/2017 10:00	2.9	1.8	0.8	30.9	0.3	1.9	24.0	18.0	6.1	214	16	45	58	1008
2/18/2017 11:00	3.4	1.5	0.7	29.4	0.3	1.7	18.0	21.0	6.4	218	17	50	46	1007
2/18/2017 12:00	2.5	1.4	0.6	24.3	0.3	1.6	24.0	19.0	7.7	230	15	57	37	1005
2/18/2017 13:00	1.9	0.5	BDL	11.1	0.2	1.7	15.0	10.0	10.5	222	14	61	34	1004
2/18/2017 14:00	2	0.4	BDL	12.4	0.2	1.7	15.0	7.0	10.6	220	14	64	32	1003
2/18/2017 15:00	2	0.4	BDL	14.3	0.2	1.9	11.0	10.0	8.2	236	14	65	29	1003
2/18/2017 16:00	2.5	0.7	BDL	17.8	0.3	1.9	21.0	11.0	5.5	212	13	64	33	1003
2/18/2017 17:00	3.6	0.7	BDL	26.9	0.3	2.3	12.0	10.0	6.2	227	12	61	35	1004
2/18/2017 18:00	5.9	1.2	BDL	44.6	0.4	2.4	18.0	11.0	5.0	221	11	58	39	1004
2/18/2017 19:00	3.6	1.2	BDL	47.0	0.3	2.6	11.0	10.0	5.8	219	11	56	42	1004
2/18/2017 20:00	2.2	0.9	BDL	25.1	0.3	2.5	15.0	15.0	7.1	223	11	55	46	1004
2/18/2017 21:00	2.1	1.1	0.7	15.4	0.3	2.3	20.0	15.0	7.1	235	11	54	49	1004
2/18/2017 22:00	1.3	1.2	0.7	13.8	0.3	2.4	21.0	13.0	4.0	231	14	53	52	1004
2/18/2017 23:00	0.9	1.0	0.4	18.2	0.3	2.3	17.0	15.0	5.2	229	13	53	53	1005

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 2/19/2017-2/25/2017														
2/19/2017 0:00	1.1	0.9	0.5	16.6	0.3	2.4	20.0	17.0	3.8	233	14	53	54	1005
2/19/2017 1:00	1.4	1.2	0.5	33.1	0.4	2.6	17.0	18.0	2.0	208	36	52	55	1005
2/19/2017 2:00	1.3	Calibration	Calibration	36.4	0.3	2.6	18.0	17.0	2.4	266	37	51	56	1005
2/19/2017 3:00	0.9	Calibration	Calibration	26.4	0.3	3.3	18.0	17.0	3.6	243	11	52	55	1005
2/19/2017 4:00	Calibration	1.0	0.8	Calibration	Calibration	2.9	21.0	11.0	3.8	238	11	54	48	1006
2/19/2017 5:00	0.9	1.6	0.5	20.4	0.3	2.1	17.0	11.0	5.8	284	9	56	44	1006
2/19/2017 6:00	1.0	0.5	BDL	3.6	0.2	2.0	16.0	12.0	4.6	295	10	56	43	1006
2/19/2017 7:00	1.1	BDL	BDL	2.0	0.2	2.0	16.0	15.0	5.0	288	11	57	43	1007
2/19/2017 8:00	Too few samples	BDL	BDL	Too few samples	Too few samples	2.0	maintenance	maintenance	7.5	306	9	58	47	1008
2/19/2017 9:00	Too few samples	BDL	BDL	Too few samples	Too few samples	1.9	maintenance	maintenance	7.6	303	12	58	48	1008
2/19/2017 10:00	1.2	BDL	BDL	BDL	0.2	1.5	maintenance	maintenance	8.0	306	13	60	44	1008
2/19/2017 11:00	1.2	BDL	BDL	BDL	0.2	1.3	18.0	10.0	5.1	292	22	63	37	1008
2/19/2017 12:00	1.2	BDL	BDL	BDL	0.2	1.7	12.0	7.0	7.9	313	13	65	36	1008
2/19/2017 13:00	1.0	BDL	BDL	BDL	0.2	1.2	12.0	9.0	5.0	290	25	67	32	1007
2/19/2017 14:00	0.9	BDL	BDL	BDL	0.2	1.1	13.0	10.0	5.8	283	27	68	31	1007
2/19/2017 15:00	0.7	BDL	BDL	BDL	0.2	1.1	13.0	9.0	9.0	292	15	67	30	1008
2/19/2017 16:00	0.7	BDL	BDL	BDL	0.2	1.1	9.0	5.0	8.7	293	12	66	29	1008
2/19/2017 17:00	0.5	BDL	BDL	BDL	0.2	1.1	11.0	5.0	6.0	299	7	65	32	1009
2/19/2017 18:00	0.4	BDL	BDL	0.5	0.2	1.1	10.0	10.0	4.9	294	7	62	35	1010
2/19/2017 19:00	0.4	BDL	BDL	9.8	0.3	1.1	20.0	15.0	3.0	275	8	58	43	1011
2/19/2017 20:00	0.5	0.5	BDL	26.8	0.5	1.1	22.0	15.0	3.0	253	7	56	47	1011
2/19/2017 21:00	0.5	0.4	BDL	12.6	0.4	1.1	17.0	15.0	5.3	290	8	57	45	1012
2/19/2017 22:00	0.4	BDL	BDL	7.6	0.3	1.1	14.0	12.0	7.5	313	6	56	44	1013
2/19/2017 23:00	0.5	BDL	BDL	10.8	0.3	1.1	16.0	10.0	7.6	334	9	57	43	1013
2/20/2017 0:00	0.9	BDL	BDL	3.3	0.2	1.1	20.0	15.0	9.4	339	11	57	40	1014
2/20/2017 1:00	1.1	BDL	BDL	3.7	0.2	1.1	16.0	18.0	8.5	337	13	54	43	1014
2/20/2017 2:00	0.7	Calibration	Calibration	8.8	0.2	1.1	13.0	11.0	9.3	336	9	52	46	1015
2/20/2017 3:00	0.6	Calibration	Calibration	4.1	0.1	1.1	17.0	10.0	10.4	340	10	51	49	1015
2/20/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	6.0	9.0	5.2	311	10	49	56	1017
2/20/2017 5:00	0.4	BDL	BDL	8.9	0.2	1.1	15.0	6.0	7.5	329	13	48	59	1017
2/20/2017 6:00	1.0	BDL	BDL	5.1	0.2	1.1	21.0	10.0	8.6	336	10	47	61	1019
2/20/2017 7:00	0.9	BDL	BDL	10.6	0.2	0.5	28.0	11.0	9.4	337	9	47	60	1020
2/20/2017 8:00	0.6	BDL	BDL	20.3	0.2	Too few samples	20.0	9.0	8.8	334	14	49	54	1021
2/20/2017 9:00	0.6	BDL	BDL	11.1	0.1	2.1	16.0	8.0	9.5	332	16	50	48	1021
2/20/2017 10:00	0.9	BDL	BDL	4.9	0.1	2.1	26.0	11.0	8.3	335	19	51	46	1021
2/20/2017 11:00	0.7	BDL	BDL	7.1	0.1	2.0	19.0	10.0	9.2	331	15	53	43	1021
2/20/2017 12:00	BDL	BDL	BDL	4.3	0.1	2.0	22.0	7.0	8.5	324	21	54	39	1021
2/20/2017 13:00	BDL	BDL	BDL	6.0	0.1	2.0	22.0	6.0	10.0	329	16	55	34	1020
2/20/2017 14:00	0.5	BDL	BDL	5.0	0.1	2.0	23.0	10.0	9.2	333	18	56	32	1019
2/20/2017 15:00	0.4	BDL	BDL	7.9	0.1	2.0	24.0	7.0	10.0	335	14	56	29	1020
2/20/2017 16:00	0.9	BDL	BDL	6.4	0.1	2.0	21.0	12.0	9.6	339	14	56	28	1021
2/20/2017 17:00	0.8	BDL	BDL	5.1	0.1	2.0	21.0	11.0	9.7	338	12	54	26	1021
2/20/2017 18:00	0.5	BDL	BDL	5.3	0.2	2.0	12.0	10.0	7.5	342	20	53	29	1022
2/20/2017 19:00	0.6	BDL	BDL	12.6	0.2	2.1	14.0	6.0	7.1	352	17	52	32	1023
2/20/2017 20:00	0.5	BDL	BDL	9.5	0.2	2.1	13.0	4.0	7.5	23	15	50	31	1023
2/20/2017 21:00	BDL	BDL	BDL	1.3	0.1	2.0	11.0	4.0	10.0	50	12	47	25	1024
2/20/2017 22:00	BDL	BDL	BDL	4.1	0.2	2.0	8.0	6.0	8.3	46	12	44	27	1025
2/20/2017 23:00	BDL	BDL	BDL	10.3	0.2	2.0	12.0	7.0	8.2	54	11	43	31	1025
2/21/2017 0:00	BDL	BDL	BDL	12.8	0.2	2.1	11.0	4.0	5.9	57	11	41	34	1025
2/21/2017 1:00	BDL	BDL	BDL	8.8	0.2	2.1	11.0	5.0	6.3	58	10	39	37	1025
2/21/2017 2:00	BDL	Calibration	Calibration	11.2	0.2	2.2	10.0	8.0	5.0	66	12	38	41	1025
2/21/2017 3:00	BDL	Calibration	Calibration	15.1	0.2	2.2	16.0	10.0	4.2	62	10	37	44	1025
2/21/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	15.0	9.0	6.0	60	11	36	45	1026
2/21/2017 5:00	BDL	BDL	BDL	13.8	0.2	2.2	13.0	10.0	5.9	60	11	36	46	1026
2/21/2017 6:00	BDL	BDL	BDL	23.1	0.2	2.2	41.0	11.0	5.6	66	11	35	49	1026
2/21/2017 7:00	BDL	0.6	BDL	39.2	0.2	2.2	pm	12.0	5.3	67	12	36	51	1026
2/21/2017 8:00	BDL	0.8	BDL	39.9	0.2	2.2	pm	pm	5.8	74	13	37	55	1026
2/21/2017 9:00	BDL	0.7	BDL	33.1	0.2	2.3	27.0	10.0	4.9	110	17	40	57	1026
2/21/2017 10:00	BDL	BDL	BDL	9.0	0.1	2.0	pm	pm	5.7	166	22	44	55	1025
2/21/2017 11:00	BDL	BDL	BDL	7.5	0.1	2.0	pm	20.0	6.2	181	18	46	53	1025
2/21/2017 12:00	BDL	BDL	BDL	4.2	0.2	1.9	32.0	30.0	6.4	189	17	47	49	1023
2/21/2017 13:00	BDL	BDL	BDL	5.0	0.2	2.0	pm	pm	6.3	189	21	49	45	1022
2/21/2017 14:00	BDL	BDL	BDL	3.0	0.2	1.9	pm	pm	7.4	201	15	50	45	1021
2/21/2017 15:00	BDL	BDL	BDL	2.5	0.2	1.9	18.0	6.0	7.4	202	13	49	49	1021
2/21/2017 16:00	BDL	BDL	BDL	5.4	0.2	1.9	28.0	6.0	7.4	187	14	48	49	1020
2/21/2017 17:00	BDL	BDL	BDL	7.8	0.1	1.9	23.0	6.0	5.5	181	11	46	55	1020
2/21/2017 18:00	BDL	BDL	BDL	6.9	0.1	1.9	20.0	5.0	5.3	176	11	45	62	1020
2/21/2017 19:00	BDL	BDL	BDL	17.8	0.1	1.9	16.0	6.0	4.9	176	15	44	66	1020
2/21/2017 20:00	BDL	BDL	BDL	15.7	0.1	1.9	13.0	7.0	3.7	177	15	43	68	1020
2/21/2017 21:00	BDL	BDL	BDL	11.5	0.1	1.9	10.0	8.0	3.1	166	12	42	71	1020
2/21/2017 22:00	BDL	BDL	BDL	8.8	0.1	1.9	12.0	5.0	2.7	178	15	41	74	1019
2/21/2017 23:00	BDL	BDL	BDL	8.8	0.1	1.9	12.0	3.0	2.8	203	15	40	77	1018
2/22/2017 0:00	BDL	BDL	BDL	3.9	0.1	2.3	8.0	7.0	3.5	212	13	41	79	1017
2/22/2017 1:00	BDL	BDL	BDL	6.2	0.1	2.1	17.0	6.0	3.0	209	14	41	81	1017
2/22/2017 2:00	BDL	Calibration	Calibration	8.9	0.1	2.2	9.0	9.0	3.2	211	13	41	83	1016
2/22/2017 3:00	BDL	Calibration	Calibration	7.7	0.1	2.1	11.0	7.0	1.8	189	13	40	84	1015
2/22/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	18.0	7.0	1.2	197	19	40	84	1015
2/22/2017 5:00	BDL	1.0	0.4	20.7	0.2	2.2	20.0	5.0	1.1	176	17	41	84	1016
2/22/2017 6:00	BDL	1.3	0.4	48.1	0.2	2.4	21.0	7.0	2.1	136	18	41	85	1016
2/22/2017 7:00	BDL	2.0	0.8	49.4	0.2	2.2	17.0	8.0	2.9	160	17	41	84	1016
2/22/2017 8:00	BDL	1.6	0.7	36.0	0.5	2.0	24.0	8.0	2.3	194	15	41	84	1015
2/22/2017 9:00	0.5	1.7	0.8	32.1	0.3	2.0	16.0	9.0	3.8	213	16	43	81	1015
2/22/2017 10:00	0.9	0.8	BDL	17.7	0.2	2.1	21.0	8.0	4.4	247	16	46	71	1014
2/22/2017 11:00	2.5	0.8	BDL	21.2	0.2	2.0	26.0	14.0	2.8	220	34	49	66	1013
2/22/2017 12:00	3.3	0.8	BDL	19.4	0.2	2.1	24.0	11.0	3.1	230	28	54	60	1012
2/22/2017 13:00	1.7	0.5	BDL	10.1	0.2	2.0	30.0	9.0	4.1	204	21	55	57	1011
2/22/2017 14:00	1.0	0.6	BDL	10.6	0.2	1.9	32.0	7.0	5.3	203	16	56	58	1010
2/22/2017 15:00	1.1	0.6	BDL	6.3	0.2	1.9	21.0	11.0	4.7	214	20	57	57	1010
2/22/2017 16:00	1.9	0.8	0.4	17.2	0.2	2.1	27.0	13.0	5.5	212	12	56	60	1010
2/22/2017 17:00	1.4	0.6	BDL	18.1	0.2	2.1	25.0	12.0	3.8	209	12	55	64	1011
2/22/2017 18:00	0.9	0.8	BDL	23.5	0.2	2.0	26.0	12.0	2.9	194	10	53	71	1010
2/22/2017 19:00	0.6	1.2	0.5	33.5	0.2	2.1	33.0	16.0	1.6	192	21	51	76	1011
2/22/2017 20:00	0.6	2.0	1.0	33.2	0.3	2.8	30.0	14.0	2.3	248	18	50	81	1011
2/22/2017 21:00	2.1	2.3	1.1	76.3	0.4	2.4	32.0	22.0	2.7	199	8	48	84	1011
2/22/2017 22:00	1.7	2.7	1.1	73.4	0.4	3.0	35.0	20.0	1.2	247	23	46	89	1010
2/22/2017 23:00	1.1	2.9	1.9	66.2	0.4	3.0	32.0	21.0	2.0	202	13	46	92	1010
2/23/2017 0:00	0.7	2.2	1.5	37.1	0.4	2.7	31.0	18.0	1.4	222	13	45	94	1010
2/23/2017 1:00	0.6	2.6	1.6	39.5	0.4	3.6	27.0	19.0	1.2	250	21	45	96	1010
2/23/2017 2:00	BDL	Calibration	Calibration	18.1	0.2	2.4	25.0	24.0	3.1	226	14	47	97	1010
2/23/2017 3:00	BDL	Calibration	Calibration	22.5	0.2	2.4	26.0	18.0	3.8	207	14	47	99	1010
2/23/2017 4:00	Calibration	0.9	0.7	Calibration	Calibration	Too few samples	12.0	10.0	2.3	185	15	47	100	1010
2/23/2017 5:00	0.4	1.5	0.7	26.8	0.2	3.3	10.0	13.0	2.1	151	15	47	100	1010
2/23/2017 6:00	BDL	1.0	0.5	20.1	0.2	2.4	12.0	14.0	0.9	200	23	47	100	1010
2/23/2017 7:00	0.5	2.2	1	50.3	0.2	2.7	13.0	17.0	1.4	169	16	48	100	1010
2/23/2017 8:00	BDL	1.9	1.1	44.0	0.3	2.2	15.0	16.0	2.0	184	17	49	100	1010
2/23/2017 9:00	0.5	1.9	1.0	33.0	0.4	2.2	22.0	13.0	5.2	215	14	51	100	1010
2/23/2017 10:00	0.5	1.2	0.6	19.5	0.2	2.2	17.0	14.0	6.9	228	13	52	98	1010
2/23/2017 11:00	1.5	1.2	0.6	24.6	0.3	2.2	19.0	21.0	5.9	216	16	54	87	1010
2/23/2017 12:00	2.0	0.9	0.4	17.5	0.3	2.1	26.0	20.0	5.5	243	17	61	65	1008
2/23/2017 13:00	2.1	0.9	0.4	14.2	0.2	2.0	23.0	11.0	5.2	216	24	67	57	1007
2/23/2017 14:00	1.3	0.5	BDL	3.0	0.2	2.1	20.0	6.0	9.4	221	15	70	53	1007
2/23/2017 15:00	1.0	0.4	BDL	1.5	0.2	2.2	19.0	5.0	8.6	221	13	71	51	1007
2/23/2017 16:00	0.8	0.4	BDL	2.1	0.3	1.8	17.0	7.0	8.9	203	13	71	51	1007
2/23/2017 17:00	0.6	0.4	BDL	5.8	0.2	1.8	25.0	7.0	7.8	194	11	68	57	1007
2/23/2017 18:00	0.5	1.0	0.7	8.3	0.2	1.9	22.0	10.0	5.9	202	10	66	63	1008
2/23/2017 19:00	0.5	1.2	1.1	12.1	0.2	1.9	23.0	11.0	5.6	200	10	64	67	1009
2/23/2017 20:00	0.4	1.2	0.8	5.4	0.2	1.8	24.0	13.0	6.7	202	10	62	69	1009
2/23/2017 21:00	0.4	0.7	0.5	5.5	0.1	1.9	15.0	8.0	5.3	205	13	61	70	1010
2/23/2017 22:00	0.4	1.1	0.8	9.5	0.1	1.9	14.0	9.0	4.7	192	13	59	74	1010
2/23/2017 23:00	0.4	1.0	0.6	16.2	0.2	1.9	20.0	7.0	3.9	201	13	57	79	1010

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 2/19/2017-2/25/2017														
2/24/2017 0:00	BDL	0.7	BDL	11.5	0.2	1.9	17.0	8.0	3.3	199	9	56	83	1010
2/24/2017 1:00	BDL	0.8	0.4	11.1	0.1	1.9	7.0	5.0	4.5	188	10	55	86	1011
2/24/2017 2:00	BDL	Calibration	Calibration	3.1	0.1	1.8	8.0	5.0	4.6	204	12	55	86	1011
2/24/2017 3:00	0.4	Calibration	Calibration	17.5	0.2	2.4	10.0	8.0	2.4	210	12	54	89	1010
2/24/2017 4:00	Calibration	1.9	0.9	Calibration	Calibration	2.3	13.0	9.0	2.7	179	14	53	91	1011
2/24/2017 5:00	0.5	2.0	1.0	41.5	0.2	2.0	12.0	6.0	3.1	174	10	53	92	1011
2/24/2017 6:00	BDL	1.4	0.9	26.1	0.2	2.1	11.0	10.0	3.3	184	9	53	92	1011
2/24/2017 7:00	0.6	1.9	0.8	53.1	0.2	2.0	17.0	9.0	3.6	180	11	54	86	1011
2/24/2017 8:00	1.5	1.6	1	26.0	0.2	2.2	18.0	8.0	5.5	211	13	58	78	1012
2/24/2017 9:00	2.9	1.3	0.7	26.6	0.2	2.2	20.0	11.0	6.0	214	15	63	71	1011
2/24/2017 10:00	1.3	0.7	BDL	5.0	0.2	2.0	19.0	9.0	8.0	204	15	67	64	1011
2/24/2017 11:00	1.0	0.4	BDL	4.1	0.2	1.9	28.0	9.0	8.7	213	14	70	57	1010
2/24/2017 12:00	0.5	BDL	BDL	BDL	0.2	1.9	19.0	6.0	10.7	212	14	71	54	1009
2/24/2017 13:00	0.4	BDL	BDL	2.9	0.2	1.8	29.0	3.0	10.1	191	16	71	54	1008
2/24/2017 14:00	BDL	BDL	BDL	3.0	0.2	1.8	26.0	6.0	9.8	182	14	71	55	1008
2/24/2017 15:00	BDL	BDL	BDL	2.3	0.2	1.8	22.0	6.0	10.2	182	13	70	55	1008
2/24/2017 16:00	BDL	BDL	BDL	4.8	0.2	1.8	13.0	6.0	9.5	182	13	69	58	1008
2/24/2017 17:00	BDL	0.4	BDL	22.4	0.1	1.8	14.0	9.0	9.3	169	12	67	64	1008
2/24/2017 18:00	0.4	1.0	BDL	48.4	0.2	1.8	18.0	7.0	8.6	159	12	64	72	1008
2/24/2017 19:00	BDL	0.6	BDL	22.8	0.1	1.8	14.0	5.0	8.3	163	11	62	79	1008
2/24/2017 20:00	1.0	0.9	1.5	99.0	0.1	2.0	14.0	6.0	8.4	166	12	61	86	1008
2/24/2017 21:00	BDL	BDL	BDL	1.8	0.1	1.7	10.0	4.0	7.3	186	11	60	89	1008
2/24/2017 22:00	BDL	0.4	BDL	BDL	0.1	1.7	9.0	4.0	5.4	196	12	59	90	1008
2/24/2017 23:00	BDL	BDL	BDL	1.2	0.1	1.7	13.0	4.0	3.9	195	14	59	89	1008
2/25/2017 0:00	BDL	0.5	BDL	13.5	0.1	1.8	9.0	5.0	2.8	192	15	58	88	1007
2/25/2017 1:00	BDL	0.6	BDL	6.2	0.1	1.8	15.0	5.0	3.5	208	15	58	88	1007
2/25/2017 2:00	BDL	Calibration	Calibration	6.3	0.2	2.3	18.0	4.0	3.3	210	13	58	88	1007
2/25/2017 3:00	BDL	Calibration	Calibration	16.0	0.1	1.8	14.0	6.0	2.5	179	13	57	90	1006
2/25/2017 4:00	Calibration	0.4	BDL	Calibration	Calibration	1.8	19.0	5.0	3.4	185	13	57	91	1006
2/25/2017 5:00	BDL	0.6	BDL	12.2	0.1	1.9	18.0	4.0	2.0	174	14	57	92	1005
2/25/2017 6:00	0.5	1.6	0.5	68.0	0.2	2.1	17.0	6.0	2.8	154	8	57	92	1005
2/25/2017 7:00	0.5	2.1	0.7	65.9	0.2	2.2	20.0	10.0	3.5	128	14	57	90	1004
2/25/2017 8:00	BDL	1.3	0.7	28.0	0.1	1.8	16.0	11.0	7.2	161	14	60	82	1004
2/25/2017 9:00	BDL	0.7	BDL	BDL	0.1	1.7	19.0	8.0	10.4	183	14	64	72	1003
2/25/2017 10:00	BDL	BDL	BDL	BDL	0.1	1.7	18.0	6.0	10.7	183	12	67	65	1002
2/25/2017 11:00	BDL	BDL	BDL	BDL	0.1	1.7	24.0	4.0	12.1	185	13	68	63	1001
2/25/2017 12:00	BDL	BDL	BDL	BDL	0.1	1.7	23.0	4.0	12.1	185	14	70	60	999
2/25/2017 13:00	BDL	0.4	BDL	1.6	0.1	1.8	18.0	6.0	12.2	171	15	71	58	997
2/25/2017 14:00	BDL	0.5	BDL	4.8	0.1	2.6	18.0	4.0	12.9	160	13	71	56	996
2/25/2017 15:00	BDL	0.5	BDL	9.3	0.1	3.0	37.0	6.0	14.6	156	13	69	57	994
2/25/2017 16:00	BDL	0.7	BDL	12.7	0.1	2.3	16.0	5.0	11.1	164	13	66	63	994
2/25/2017 17:00	BDL	0.5	BDL	BDL	0.1	1.8	5.0	5.0	15.2	308	14	54	88	998
2/25/2017 18:00	BDL	0.4	BDL	BDL	0.1	1.9	5.0	5.0	11.9	308	11	51	82	1001
2/25/2017 19:00	BDL	0.4	BDL	1.1	0.2	1.9	4.0	4.0	7.6	309	10	50	82	1001
2/25/2017 20:00	BDL	BDL	BDL	BDL	0.1	1.9	3.0	9.0	8.0	315	9	50	72	1001
2/25/2017 21:00	BDL	BDL	BDL	BDL	0.1	2.0	6.0	6.0	6.8	298	13	50	72	1002
2/25/2017 22:00	BDL	BDL	BDL	BDL	0.1	1.9	7.0	3.0	16.5	309	10	48	49	1003
2/25/2017 23:00	BDL	BDL	BDL	BDL	0.1	1.8	9.0	4.0	14.9	301	11	45	49	1005

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 2/26/2017-3/4/2017														
2/26/2017 0:00	BDL	BDL	BDL	BDL	0.1	1.8	6.0	3.0	10.8	300	11	42	48	1006
2/26/2017 1:00	BDL	BDL	BDL	BDL	0.1	1.9	4.0	1.0	12.2	293	11	41	52	1007
2/26/2017 2:00	BDL	Calibration	Calibration	BDL	0.1	1.9	3.0	2.0	14.2	299	12	39	51	1008
2/26/2017 3:00	BDL	Calibration	Calibration	BDL	0.1	1.9	2.0	3.0	11.2	295	11	36	54	1009
2/26/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	1.9	5.0	2.0	8.1	295	12	36	56	1010
2/26/2017 5:00	BDL	BDL	BDL	BDL	0.1	1.9	4.0	2.0	11.5	301	11	36	52	1011
2/26/2017 6:00	BDL	BDL	BDL	BDL	0.1	1.9	2.0	5.0	12.9	302	11	35	52	1012
2/26/2017 7:00	BDL	BDL	BDL	BDL	0.1	2.1	6.0	5.0	9.9	299	12	35	53	1013
2/26/2017 8:00	BDL	BDL	BDL	BDL	0.1	2.1	11.0	7.0	14.7	308	11	34	49	1015
2/26/2017 9:00	BDL	BDL	BDL	BDL	0.1	2.0	8.0	8.0	15.3	309	11	35	45	1015
2/26/2017 10:00	BDL	BDL	BDL	BDL	0.1	2.0	6.0	9.0	12.1	295	14	36	44	1016
2/26/2017 11:00	BDL	BDL	BDL	BDL	0.1	1.9	6.0	6.0	12.8	302	15	37	43	1017
2/26/2017 12:00	BDL	BDL	BDL	BDL	0.1	1.9	9.0	4.0	10.4	301	16	39	39	1016
2/26/2017 13:00	BDL	BDL	BDL	BDL	0.1	1.9	8.0	6.0	10.0	291	16	41	36	1016
2/26/2017 14:00	BDL	BDL	BDL	BDL	0.1	1.9	6.0	7.0	10.5	295	14	41	37	1017
2/26/2017 15:00	BDL	BDL	BDL	0.8	0.1	2.0	7.0	7.0	10.8	292	16	41	37	1017
2/26/2017 16:00	BDL	BDL	BDL	BDL	0.1	2.2	7.0	11.0	10.5	286	13	41	38	1018
2/26/2017 17:00	BDL	BDL	BDL	BDL	0.1	2.1	10.0	10.0	10.6	293	12	39	41	1019
2/26/2017 18:00	BDL	BDL	BDL	BDL	0.1	2.0	8.0	9.0	7.8	299	10	37	44	1020
2/26/2017 19:00	BDL	BDL	BDL	BDL	0.1	2.0	11.0	8.0	5.7	293	11	36	45	1021
2/26/2017 20:00	BDL	BDL	BDL	3.6	0.1	2.2	10.0	11.0	3.8	288	10	36	48	1022
2/26/2017 21:00	BDL	BDL	BDL	8.8	0.2	2.2	15.0	14.0	3.1	266	14	35	51	1023
2/26/2017 22:00	BDL	BDL	BDL	10.7	0.3	2.3	16.0	13.0	2.7	256	16	34	53	1023
2/26/2017 23:00	BDL	BDL	BDL	14.7	0.3	2.3	20.0	11.0	2.2	240	17	34	56	1023
2/27/2017 0:00	BDL	BDL	BDL	13.4	0.2	2.1	17.0	12.0	2.8	199	11	34	58	1024
2/27/2017 1:00	BDL	BDL	BDL	21.3	0.2	2.2	16.0	15.0	3.6	204	13	33	67	1024
2/27/2017 2:00	BDL	Calibration	Calibration	17.9	0.2	2.3	17.0	13.0	3.7	205	12	32	69	1025
2/27/2017 3:00	BDL	Calibration	Calibration	26.8	0.2	3.4	17.0	12.0	2.7	205	15	32	73	1025
2/27/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.3	15.0	13.0	3.3	189	14	32	74	1026
2/27/2017 5:00	BDL	0.7	BDL	26.5	0.2	2.4	19.0	16.0	2.9	187	14	33	75	1026
2/27/2017 6:00	BDL	1.7	0.9	33.2	0.2	2.2	15.0	10.0	2.8	182	12	33	74	1027
2/27/2017 7:00	0.9	3.0	1.4	63.4	0.2	2.5	22.0	15.0	3.7	201	13	35	69	1028
2/27/2017 8:00	1.5	2.8	2.0	35.7	0.3	2.4	23.0	17.0	5.6	207	13	38	66	1028
2/27/2017 9:00	1.1	1.6	1.0	18.8	0.2	2.2	16.0	13.0	8.0	206	14	43	55	1028
2/27/2017 10:00	0.5	0.6	BDL	5.8	0.1	2.1	18.0	9.0	9.0	212	16	46	49	1028
2/27/2017 11:00	BDL	BDL	BDL	1.1	0.1	2.0	17.0	7.0	10.0	205	13	49	47	1028
2/27/2017 12:00	BDL	BDL	BDL	3.6	0.1	2.0	14.0	6.0	8.5	190	20	50	45	1027
2/27/2017 13:00	BDL	BDL	BDL	1.5	0.1	2.1	19.0	6.0	9.3	215	17	52	40	1026
2/27/2017 14:00	BDL	BDL	BDL	4.4	0.1	2.4	10.0	8.0	8.6	222	14	52	40	1026
2/27/2017 15:00	0.5	BDL	BDL	4.7	0.1	2.3	15.0	7.0	7.3	213	18	52	42	1026
2/27/2017 16:00	1.1	BDL	BDL	11.9	0.2	2.3	17.0	9.0	8.8	229	14	52	36	1027
2/27/2017 17:00	1.3	BDL	BDL	12.2	0.2	2.9	11.0	7.0	7.1	221	13	51	37	1027
2/27/2017 18:00	0.6	0.4	BDL	19.0	0.1	2.1	16.0	9.0	5.2	195	12	50	43	1027
2/27/2017 19:00	BDL	0.5	BDL	10.5	0.1	2.1	8.0	10.0	4.1	208	10	49	48	1027
2/27/2017 20:00	BDL	0.4	BDL	18.5	0.1	2.4	8.0	7.0	2.1	195	19	48	54	1027
2/27/2017 21:00	BDL	0.9	BDL	23.2	0.2	2.2	10.0	8.0	2.1	170	13	46	62	1027
2/27/2017 22:00	BDL	0.6	BDL	20.3	0.2	2.1	12.0	10.0	2.1	172	12	46	60	1027
2/27/2017 23:00	BDL	1.0	0.4	19.6	0.2	2.1	9.0	10.0	2.4	153	14	46	63	1026
2/28/2017 0:00	BDL	1.1	0.5	19.8	0.2	2.1	18.0	12.0	2.1	169	21	46	63	1026
2/28/2017 1:00	BDL	1.2	0.7	26.7	0.1	2.1	13.0	10.0	2.0	180	15	46	64	1026
2/28/2017 2:00	BDL	Calibration	Calibration	49.6	0.2	2.4	11.0	9.0	1.7	159	18	46	65	1025
2/28/2017 3:00	BDL	Calibration	Calibration	27.7	0.2	2.6	16.0	13.0	1.3	117	17	45	69	1025
2/28/2017 4:00	Calibration	1.1	BDL	Calibration	Calibration	2.4	15.0	11.0	1.9	78	10	45	68	1025
2/28/2017 5:00	0.4	2.9	1.2	70.7	0.3	2.8	22.0	13.0	2.1	88	10	45	70	1025
2/28/2017 6:00	0.8	3.4	1.7	96.3	0.4	2.8	31.0	17.0	2.4	80	11	45	71	1024
2/28/2017 7:00	1.6	4.6	1.9	143.1	0.6	2.8	55.0	21.0	2.9	77	12	45	70	1025
2/28/2017 8:00	1.3	3.2	1.0	90.3	0.5	2.7	42.0	20.0	3.7	82	14	47	60	1025
2/28/2017 9:00	0.9	2.6	0.9	63.5	0.3	2.4	29.0	15.0	2.3	101	28	50	56	1024
2/28/2017 10:00	0.8	1.5	0.4	40.7	0.3	3.3	22.0	9.0	1.7	149	57	55	53	1024
2/28/2017 11:00	0.7	1.0	BDL	16.9	0.2	3.0	18.0	8.0	2.7	178	30	59	53	1023
2/28/2017 12:00	0.4	0.5	BDL	9.6	0.2	2.3	21.0	7.0	3.7	190	26	62	51	1021
2/28/2017 13:00	0.4	BDL	BDL	2.2	0.2	1.9	16.0	7.0	5.9	200	20	64	51	1020
2/28/2017 14:00	0.5	BDL	BDL	3.9	0.2	2.0	18.0	7.0	6.1	209	15	64	54	1019
2/28/2017 15:00	0.6	0.4	BDL	8.2	0.2	2.2	21.0	8.0	4.8	198	17	65	54	1018
2/28/2017 16:00	BDL	0.4	BDL	12.3	0.1	1.9	24.0	9.0	7.2	193	11	63	59	1018
2/28/2017 17:00	BDL	0.4	BDL	7.6	0.2	1.9	14.0	10.0	5.8	197	12	62	68	1018
2/28/2017 18:00	BDL	0.4	BDL	6.5	0.1	2.1	14.0	7.0	7.6	193	21	58	82	1018
2/28/2017 19:00	BDL	0.6	BDL	18.0	0.1	2.9	14.0	7.0	11.5	170	14	57	85	1016
2/28/2017 20:00	BDL	0.7	BDL	15.6	0.2	2.1	11.0	8.0	4.2	218	22	57	87	1016
2/28/2017 21:00	BDL	0.7	0.4	6.4	0.1	2.0	16.0	10.0	4.6	181	12	56	88	1015
2/28/2017 22:00	BDL	1.0	0.9	4.7	0.2	2.0	10.0	11.0	3.2	217	21	56	91	1015
2/28/2017 23:00	BDL	0.9	0.7	3.1	0.2	1.9	8.0	8.0	4.9	197	14	56	95	1013
3/1/2017 0:00	BDL	0.9	1.0	3.0	0.1	1.8	4.0	5.0	7.9	200	12	56	96	1012
3/1/2017 1:00	BDL	1.3	1.2	6.6	0.1	1.8	6.0	10.0	7.3	199	12	56	96	1011
3/1/2017 2:00	BDL	Calibration	Calibration	2.2	0.1	1.9	6.0	8.0	7.7	208	10	56	96	1010
3/1/2017 3:00	BDL	Calibration	Calibration	5.4	0.1	1.9	4.0	8.0	7.5	204	10	56	96	1009
3/1/2017 4:00	Calibration	0.6	0.4	Calibration	Calibration	2.3	8.0	10.0	5.5	216	12	55	96	1009
3/1/2017 5:00	BDL	0.7	0.6	4.3	0.1	2.0	9.0	10.0	6.4	206	12	55	97	1008
3/1/2017 6:00	BDL	1.0	0.7	7.9	0.2	2.1	16.0	15.0	8.6	219	13	56	95	1007
3/1/2017 7:00	BDL	Audit	Audit	11.5	0.2	2.6	16.0	17.0	8.0	219	14	56	94	1007
3/1/2017 8:00	BDL	Too few samples	Too few samples	Too few samples	Too few samples	1.8	17.0	19.0	7.4	197	12	57	92	1005
3/1/2017 9:00	0.4	1.3	1.0	Calibration	0.3	2.1	15.0	12.0	7.2	203	16	59	90	1004
3/1/2017 10:00	0.6	1.4	1.0	21.4	0.3	2.4	22.0	18.0	7.9	215	15	61	88	1003
3/1/2017 11:00	1.1	0.9	0.5	12.8	0.3	2.3	22.0	19.0	12.2	223	13	65	80	1002
3/1/2017 12:00	1.0	0.8	BDL	3.8	0.2	2.2	20.0	19.0	16.3	221	13	69	72	1000
3/1/2017 13:00	0.7	0.6	0.5	3.0	0.2	2.0	20.0	16.0	16.8	216	13	71	67	998
3/1/2017 14:00	0.6	0.7	0.5	1.3	0.2	2.0	25.0	23.0	15.6	217	12	71	67	998
3/1/2017 15:00	0.6	0.8	0.6	7.1	0.2	2.1	17.0	18.0	11.6	216	15	67	79	997
3/1/2017 16:00	0.9	0.7	0.5	9.3	0.2	1.9	16.0	11.0	13.1	226	13	67	71	997
3/1/2017 17:00	1.4	0.6	BDL	18.2	0.2	3.0	20.0	11.0	10.2	222	12	65	65	997
3/1/2017 18:00	1.4	0.7	0.5	12.3	0.2	1.8	14.0	11.0	11.8	216	18	64	63	997
3/1/2017 19:00	2.3	0.7	BDL	13.9	0.2	2.1	18.0	12.0	13.5	225	13	65	59	997
3/1/2017 20:00	1.4	0.6	BDL	7.7	0.1	2.0	21.0	8.0	15.0	225	12	65	57	997
3/1/2017 21:00	0.8	0.5	BDL	3.4	0.1	2.0	12.0	6.0	15.1	225	13	64	62	997
3/1/2017 22:00	0.8	0.4	BDL	4.4	0.1	2.0	10.0	9.0	12.6	225	13	62	66	997
3/1/2017 23:00	0.7	0.4	BDL	2.4	0.1	2.2	13.0	8.0	12.2	224	13	61	71	997
3/2/2017 0:00	0.6	0.6	0.6	1.3	0.1	1.8	9.0	7.0	11.2	232	13	60	74	997
3/2/2017 1:00	0.5	0.6	0.5	BDL	0.1	1.9	13.0	7.0	14.2	259	14	60	63	997
3/2/2017 2:00	BDL	Calibration	Calibration	BDL	0.1	1.9	11.0	7.0	18.4	274	14	57	39	998
3/2/2017 3:00	BDL	Calibration	Calibration	BDL	0.1	1.8	10.0	7.0	18.3	285	13	53	35	1000
3/2/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	7.0	5.0	15.0	272	15	49	39	1001
3/2/2017 5:00	BDL	BDL	BDL	BDL	0.1	1.9	8.0	6.0	15.6	277	14	48	42	1002
3/2/2017 6:00	BDL	BDL	BDL	BDL	0.1	1.9	6.0	4.0	17.4	281	13	46	42	1003
3/2/2017 7:00	BDL	BDL	BDL	BDL	0.1	1.8	8.0	5.0	19.2	294	12	45	45	1005
3/2/2017 8:00	BDL	BDL	BDL	BDL	0.1	1.8	10.0	7.0	20.0	294	12	44	42	1006
3/2/2017 9:00	BDL	BDL	BDL	BDL	0.1	1.8	9.0	5.0	18.9	295	12	44	40	1007
3/2/2017 10:00	BDL	BDL	BDL	BDL	0.1	2.0	7.0	3.0	18.2	294	12	44	39	1008
3/2/2017 11:00	BDL	BDL	BDL	BDL	0.1	2.3	6.0	5.0	17.9	295	13	45	39	1009
3/2/2017 12:00	BDL	BDL	BDL	BDL	0.1	2.0	7.0	4.0	18.1	297	12	45	38	1010
3/2/2017 13:00	BDL	BDL	BDL	BDL	0.1	1.8	6.0	5.0	17.6	299	14	45	39	1010
3/2/2017 14:00	BDL	BDL	BDL	1.3	0.1	1.8	8.0	6.0	17.5	302	12	45	38	1011
3/2/2017 15:00	BDL	BDL	BDL	BDL	0.1	1.8	10.0	8.0	16.9	302	11	45	37	1012
3/2/2017 16:00	BDL	BDL	BDL	BDL	0.1	1.9	7.0	6.0	14.9	294	12	44	35	1013
3/2/2017 17:00	BDL	BDL	BDL	BDL	0.1	1.9	7.0	8.0	12.5	296	12	44	36	1014
3/2/2017 18:00	BDL	BDL	BDL	BDL	0.1	1.9	12.0	11.0	8.9	294	11	41	35	1015
3/2/2017 19:00	BDL	BDL	BDL	BDL	0.1	1.9	8.0	8.0	7.4	295	11	40	37	1016
3/2/2017 20:00	BDL	BDL	BDL	BDL	0.1	1.9	8.0	8.0	9.9	297	11	39	39	1017
3/2/2017 21:00	BDL	BDL	BDL	BDL	0.1	1.9	6.0	7.0	9.4	301	11	38	41	1018
3/2/2017 22:00	BDL	BDL	BDL	BDL	0.1	2.2	7.0	8.0	7.7	296	11	37	42	1019
3/2/2017 23:00	BDL	BDL	BDL	BDL	0.1	2.3	6.0	6.0	9.0	300	10	35	42	1019

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 2/26/2017-3/4/2017														
3/3/2017 0:00	BDL	BDL	BDL	BDL	0.1	1.9	4.0	5.0	8.1	302	10	35	42	1019
3/3/2017 1:00	BDL	BDL	BDL	BDL	0.1	2.0	4.0	5.0	7.4	297	9	34	45	1019
3/3/2017 2:00	BDL	Calibration	Calibration	BDL	0.1	2.0	4.0	7.0	8.0	299	9	33	46	1020
3/3/2017 3:00	BDL	Calibration	Calibration	BDL	0.1	1.9	7.0	8.0	8.8	301	9	32	46	1020
3/3/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	7.0	9.0	6.6	299	11	31	47	1021
3/3/2017 5:00	BDL	BDL	BDL	0.4	0.1	2.0	11.0	6.0	6.2	296	11	31	47	1021
3/3/2017 6:00	BDL	BDL	BDL	5.1	0.1	2.0	8.0	8.0	4.7	295	10	30	48	1022
3/3/2017 7:00	BDL	Too few samples	Too few samples	9.1	0.2	2.0	10.0	9.0	6.1	293	13	30	44	1022
3/3/2017 8:00	BDL	Calibration	Calibration	BDL	0.1	2.0	7.0	7.0	8.8	298	14	32	37	1023
3/3/2017 9:00	BDL	BDL	BDL	BDL	0.1	2.0	9.0	5.0	8.6	283	14	35	33	1023
3/3/2017 10:00	BDL	BDL	BDL	BDL	0.1	1.9	8.0	5.0	9.7	290	16	36	33	1023
3/3/2017 11:00	BDL	BDL	BDL	BDL	0.1	2.0	7.0	7.0	9.9	288	21	37	34	1023
3/3/2017 12:00	BDL	BDL	BDL	BDL	0.1	2.0	7.0	7.0	11.2	284	14	37	36	1023
3/3/2017 13:00	BDL	BDL	BDL	BDL	0.1	1.9	6.0	6.0	10.9	289	16	37	36	1022
3/3/2017 14:00	BDL	BDL	BDL	BDL	0.1	2.0	8.0	6.0	12.6	279	15	37	36	1022
3/3/2017 15:00	BDL	BDL	BDL	BDL	0.1	2.0	9.0	6.0	14.5	291	16	34	44	1023
3/3/2017 16:00	BDL	BDL	BDL	BDL	0.1	2.0	13.0	9.0	10.4	294	15	31	69	1024
3/3/2017 17:00	BDL	BDL	BDL	BDL	0.1	2.0	15.0	7.0	11.9	293	13	32	63	1025
3/3/2017 18:00	BDL	BDL	BDL	BDL	0.1	2.0	9.0	8.0	9.3	292	12	30	63	1026
3/3/2017 19:00	BDL	BDL	BDL	BDL	0.1	2.0	9.0	6.0	8.9	293	12	30	59	1027
3/3/2017 20:00	BDL	BDL	BDL	BDL	0.1	2.0	7.0	7.0	10.6	298	11	29	47	1028
3/3/2017 21:00	BDL	BDL	BDL	BDL	0.1	2.0	7.0	4.0	13.3	304	10	29	39	1029
3/3/2017 22:00	BDL	BDL	BDL	BDL	0.1	2.1	5.0	5.0	13.6	312	9	28	40	1029
3/3/2017 23:00	BDL	BDL	BDL	BDL	0.1	2.0	6.0	4.0	13.5	308	10	27	42	1030
3/4/2017 0:00	BDL	BDL	BDL	BDL	0.1	2.1	6.0	5.0	11.5	305	10	26	45	1030
3/4/2017 1:00	BDL	BDL	BDL	BDL	0.1	2.0	5.0	4.0	11.2	308	10	25	41	1030
3/4/2017 2:00	BDL	Calibration	Calibration	BDL	0.1	2.0	3.0	5.0	11.2	305	9	24	42	1030
3/4/2017 3:00	BDL	Calibration	Calibration	BDL	0.1	2.0	3.0	6.0	8.7	304	9	23	45	1031
3/4/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	2.0	6.0	6.1	301	11	22	48	1031
3/4/2017 5:00	BDL	BDL	BDL	7.3	0.1	2.1	4.0	5.0	4.1	285	13	21	50	1032
3/4/2017 6:00	BDL	BDL	BDL	3.7	0.2	2.2	8.0	8.0	3.2	262	18	21	53	1032
3/4/2017 7:00	BDL	BDL	BDL	3.8	0.1	2.1	7.0	7.0	4.7	261	18	22	47	1033
3/4/2017 8:00	BDL	BDL	BDL	BDL	0.1	2.0	11.0	4.0	7.7	293	17	24	44	1032
3/4/2017 9:00	BDL	BDL	BDL	BDL	0.1	2.0	8.0	6.0	11.3	300	15	26	42	1032
3/4/2017 10:00	BDL	BDL	BDL	BDL	0.1	2.1	9.0	10.0	15.4	314	13	28	41	1032
3/4/2017 11:00	BDL	BDL	BDL	BDL	0.1	2.0	9.0	8.0	13.9	313	12	29	39	1032
3/4/2017 12:00	BDL	BDL	BDL	BDL	0.1	2.0	10.0	7.0	14.3	308	11	29	37	1031
3/4/2017 13:00	BDL	BDL	BDL	BDL	0.1	2.1	8.0	5.0	15.4	315	12	31	36	1030
3/4/2017 14:00	BDL	BDL	BDL	BDL	0.1	2.0	11.0	32.0	16.6	320	12	32	32	1030
3/4/2017 15:00	BDL	BDL	BDL	BDL	0.1	2.0	15.0	2.0	17.3	320	10	31	31	1030
3/4/2017 16:00	BDL	BDL	BDL	BDL	0.1	2.0	9.0	2.0	16.6	317	11	31	31	1030
3/4/2017 17:00	BDL	BDL	BDL	BDL	0.1	2.1	4.0	5.0	14.3	322	12	30	32	1031
3/4/2017 18:00	BDL	BDL	BDL	9.4	0.1	2.1	9.0	7.0	10.9	336	14	29	34	1032
3/4/2017 19:00	BDL	BDL	BDL	10.3	0.1	2.1	12.0	9.0	11.0	336	13	28	34	1033
3/4/2017 20:00	0.6	BDL	BDL	5.8	0.2	2.2	10.0	12.0	8.7	346	19	26	42	1033
3/4/2017 21:00	0.8	BDL	BDL	4.8	0.1	2.2	7.0	12.0	8.1	344	21	24	42	1034
3/4/2017 22:00	1.1	BDL	BDL	5.1	0.1	2.1	12.0	14.0	11.0	339	17	21	38	1035
3/4/2017 23:00	BDL	BDL	BDL	13.9	0.1	2.1	12.0	9.0	12.1	333	13	20	38	1035

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 3/5/2017-3/11/2017														
3/5/2017 0:00	BDL	BDL	BDL	5.5	0.1	2.2	12.0	5.0	10.7	328	13	18	40	1035
3/5/2017 1:00	BDL	BDL	BDL	6.8	0.1	2.1	8.0	2.0	11.9	336	12	17	40	1036
3/5/2017 2:00	BDL	Calibration	Calibration	8.0	0.1	2.1	9.0	5.0	9.8	327	12	15	43	1037
3/5/2017 3:00	BDL	Calibration	Calibration	1.7	0.1	2.1	9.0	7.0	9.7	320	11	14	46	1037
3/5/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.1	7.0	7.0	10.4	319	11	14	49	1037
3/5/2017 5:00	BDL	BDL	BDL	5.4	0.1	2.1	7.0	5.0	8.2	320	13	14	51	1037
3/5/2017 6:00	0.4	BDL	BDL	15.2	0.1	2.1	9.0	8.0	8.0	337	16	14	51	1037
3/5/2017 7:00	0.7	BDL	BDL	9.4	0.1	2.1	14.0	11.0	7.6	338	17	15	47	1037
3/5/2017 8:00	BDL	BDL	BDL	10.3	0.1	2.2	10.0	7.0	8.1	328	15	18	41	1037
3/5/2017 9:00	BDL	BDL	BDL	7.6	0.1	2.1	12.0	8.0	6.6	331	21	21	36	1037
3/5/2017 10:00	0.5	BDL	BDL	2.8	0.1	2.1	8.0	8.0	5.2	340	34	24	31	1037
3/5/2017 11:00	0.5	BDL	BDL	2.5	0.1	2.1	11.0	10.0	5.6	334	36	27	27	1036
3/5/2017 12:00	BDL	BDL	BDL	3.5	0.1	2.1	8.0	9.0	7.9	321	20	30	23	1035
3/5/2017 13:00	BDL	BDL	BDL	BDL	0.1	2.0	7.0	4.0	7.1	309	19	33	22	1034
3/5/2017 14:00	BDL	BDL	BDL	BDL	0.1	2.0	6.0	2.0	8.4	315	17	34	21	1033
3/5/2017 15:00	BDL	BDL	BDL	BDL	0.1	2.0	4.0	3.0	6.5	312	19	36	21	1032
3/5/2017 16:00	BDL	BDL	BDL	BDL	0.1	2.0	3.0	5.0	6.2	297	18	36	22	1031
3/5/2017 17:00	BDL	BDL	BDL	BDL	0.1	2.0	6.0	6.0	5.9	298	13	35	24	1031
3/5/2017 18:00	BDL	BDL	BDL	2.3	0.2	2.1	8.0	8.0	4.2	301	10	34	26	1032
3/5/2017 19:00	BDL	BDL	BDL	12.0	0.3	2.5	11.0	7.0	3.9	263	13	33	33	1032
3/5/2017 20:00	BDL	BDL	BDL	9.0	0.2	2.4	15.0	16.0	3.8	281	10	32	33	1032
3/5/2017 21:00	BDL	BDL	BDL	23.2	0.3	2.4	17.0	16.0	3.1	288	9	31	35	1032
3/5/2017 22:00	BDL	BDL	BDL	32.7	0.4	2.4	15.0	15.0	3.6	296	6	31	35	1032
3/5/2017 23:00	BDL	0.4	BDL	34.2	0.4	2.4	19.0	14.0	3.6	310	23	31	36	1032
3/6/2017 0:00	BDL	0.8	BDL	33.7	0.4	3.4	22.0	15.0	2.3	215	17	30	42	1031
3/6/2017 1:00	0.4	1.8	0.8	46.1	0.5	3.2	26.0	16.0	2.5	244	14	29	48	1031
3/6/2017 2:00	0.4	Calibration	Calibration	56.7	0.4	3.0	22.0	17.0	1.2	287	41	28	49	1031
3/6/2017 3:00	0.5	Calibration	Calibration	59.5	0.4	3.2	20.0	22.0	0.7	283	55	29	53	1031
3/6/2017 4:00	Calibration	1.7	BDL	Calibration	Calibration	Too few samples	21.0	17.0	1.0	251	60	28	55	1031
3/6/2017 5:00	1.8	4.6	1.0	146.1	0.7	4.6	31.0	22.0	0.8	235	20	28	54	1032
3/6/2017 6:00	1.5	4.5	1.0	137.7	0.6	3.5	60.0	22.0	1.5	68	24	27	64	1032
3/6/2017 7:00	1.2	Too few samples	Too few samples	87.6	0.4	2.8	48.0	20.0	2.2	95	18	29	50	1032
3/6/2017 8:00	0.6	Calibration	Calibration	45.5	0.3	2.7	29.0	19.0	3.3	135	18	31	39	1032
3/6/2017 9:00	BDL	BDL	BDL	16.3	0.2	2.1	16.0	10.0	3.9	168	22	34	34	1031
3/6/2017 10:00	BDL	BDL	BDL	7.4	0.1	2.0	10.0	11.0	4.0	160	29	37	29	1031
3/6/2017 11:00	BDL	BDL	BDL	4.5	0.1	2.0	16.0	10.0	5.0	180	29	41	28	1030
3/6/2017 12:00	BDL	BDL	BDL	5.2	0.1	2.0	14.0	8.0	5.1	181	32	44	30	1029
3/6/2017 13:00	BDL	BDL	BDL	2.9	0.1	2.0	14.0	8.0	5.4	206	25	47	31	1028
3/6/2017 14:00	BDL	BDL	BDL	2.1	0.1	2.0	29.0	9.0	7.5	202	19	48	33	1028
3/6/2017 15:00	BDL	BDL	BDL	4.6	0.2	2.0	38.0	15.0	7.0	196	19	48	33	1027
3/6/2017 16:00	BDL	BDL	BDL	5.6	0.1	2.0	24.0	12.0	5.4	187	14	48	33	1027
3/6/2017 17:00	BDL	BDL	BDL	7.2	0.1	2.0	17.0	13.0	4.1	174	12	48	35	1027
3/6/2017 18:00	BDL	BDL	BDL	9.4	0.1	2.0	27.0	16.0	6.6	201	11	46	40	1028
3/6/2017 19:00	BDL	BDL	BDL	3.7	0.1	2.0	15.0	8.0	7.6	183	12	44	47	1028
3/6/2017 20:00	BDL	BDL	BDL	3.0	0.1	1.9	15.0	11.0	5.7	180	12	42	55	1028
3/6/2017 21:00	BDL	BDL	BDL	3.0	0.1	1.9	18.0	9.0	6.0	179	11	41	62	1028
3/6/2017 22:00	BDL	BDL	BDL	12.8	0.1	1.9	16.0	8.0	4.2	163	13	41	66	1027
3/6/2017 23:00	BDL	BDL	BDL	13.4	0.1	2.0	12.0	10.0	4.0	162	14	42	69	1027
3/7/2017 0:00	BDL	BDL	BDL	7.8	0.1	2.0	14.0	9.0	3.5	142	14	42	70	1026
3/7/2017 1:00	BDL	BDL	0.4	9.5	0.1	2.1	12.0	8.0	2.7	114	14	42	68	1026
3/7/2017 2:00	BDL	Calibration	Calibration	16.1	0.1	2.2	19.0	10.0	3.4	81	12	42	70	1025
3/7/2017 3:00	BDL	Calibration	Calibration	26.2	0.2	2.1	17.0	12.0	4.3	81	11	42	74	1024
3/7/2017 4:00	Calibration	BDL	0.8	Calibration	Calibration	2.1	14.0	11.0	3.9	91	14	43	75	1024
3/7/2017 5:00	BDL	BDL	0.9	16.7	0.1	2.2	12.0	11.0	3.8	121	15	43	77	1024
3/7/2017 6:00	BDL	BDL	0.7	24.9	0.2	2.5	17.0	12.0	1.8	140	22	44	78	1024
3/7/2017 7:00	BDL	BDL	0.7	40.9	0.2	2.3	18.0	14.0	1.1	114	20	45	79	1024
3/7/2017 8:00	BDL	BDL	0.7	59.4	0.3	2.3	32.0	19.0	1.4	94	15	45	83	1024
3/7/2017 9:00	BDL	BDL	0.7	60.7	0.3	2.4	24.0	14.0	2.2	104	12	46	86	1023
3/7/2017 10:00	0.6	0.7	0.9	80.3	0.3	2.3	31.0	25.0	2.2	126	23	49	83	1022
3/7/2017 11:00	0.7	BDL	0.9	29.3	0.3	2.2	21.0	21.0	3.0	218	26	53	73	1022
3/7/2017 12:00	1.4	BDL	0.9	19.6	0.2	2.2	20.0	18.0	5.1	220	15	57	65	1020
3/7/2017 13:00	0.8	BDL	0.5	3.8	0.1	1.9	21.0	12.0	11.7	210	14	62	58	1019
3/7/2017 14:00	0.5	BDL	0.4	1.9	0.1	2.0	21.0	13.0	12.9	213	14	63	55	1018
3/7/2017 15:00	0.4	BDL	BDL	3.0	0.1	1.9	30.0	9.0	10.7	205	13	64	55	1017
3/7/2017 16:00	0.7	BDL	0.4	4.6	0.1	2.0	23.0	11.0	10.3	208	13	64	53	1017
3/7/2017 17:00	BDL	BDL	0.4	1.7	0.1	1.9	23.0	14.0	9.4	206	12	64	54	1017
3/7/2017 18:00	BDL	BDL	0.5	6.3	0.1	1.8	20.0	10.0	9.7	199	11	63	55	1017
3/7/2017 19:00	BDL	BDL	0.4	5.6	0.1	1.8	17.0	9.0	10.2	203	11	63	58	1017
3/7/2017 20:00	BDL	BDL	0.4	BDL	0.1	1.8	16.0	11.0	9.2	203	10	62	61	1017
3/7/2017 21:00	BDL	BDL	0.5	1.3	0.1	1.9	17.0	9.0	7.8	200	11	60	65	1016
3/7/2017 22:00	BDL	BDL	1.1	6.4	0.1	1.8	10.0	9.0	9.0	197	10	58	70	1015
3/7/2017 23:00	BDL	BDL	1.3	3.2	0.1	1.8	13.0	8.0	8.4	189	11	56	77	1014
3/8/2017 0:00	BDL	BDL	0.6	BDL	0.1	1.8	12.0	13.0	8.9	184	12	56	77	1013
3/8/2017 1:00	BDL	BDL	1.1	3.2	0.1	1.8	15.0	11.0	9.4	200	12	56	76	1012
3/8/2017 2:00	BDL	Calibration	Calibration	BDL	0.1	1.8	13.0	12.0	9.5	204	12	58	76	1011
3/8/2017 3:00	BDL	Calibration	Calibration	2.7	0.1	1.8	15.0	13.0	13.1	208	13	59	74	1010
3/8/2017 4:00	Calibration	BDL	0.8	Calibration	Calibration	1.9	16.0	12.0	13.4	223	16	59	76	1010
3/8/2017 5:00	BDL	BDL	0.4	BDL	0.1	1.8	1.0	7.0	17.9	309	9	52	76	1013
3/8/2017 6:00	BDL	BDL	BDL	BDL	0.1	1.8	4.0	4.0	11.0	309	9	49	71	1014
3/8/2017 7:00	BDL	BDL	BDL	3.0	0.1	1.9	6.0	3.0	8.0	288	13	49	68	1016
3/8/2017 8:00	BDL	BDL	0.4	3.4	0.1	1.8	7.0	7.0	8.3	296	13	49	64	1017
3/8/2017 9:00	BDL	BDL	BDL	1.6	0.1	1.8	8.0	9.0	9.4	294	14	51	53	1016
3/8/2017 10:00	BDL	BDL	BDL	2.5	0.1	1.9	6.0	5.0	10.3	296	19	54	41	1016
3/8/2017 11:00	BDL	BDL	BDL	BDL	0.1	1.9	8.0	4.0	13.3	296	15	56	27	1016
3/8/2017 12:00	BDL	BDL	BDL	BDL	0.1	1.9	8.0	6.0	11.2	276	20	57	25	1015
3/8/2017 13:00	BDL	BDL	BDL	BDL	0.1	1.9	13.0	5.0	11.1	276	20	58	24	1013
3/8/2017 14:00	BDL	BDL	0.4	BDL	0.1	1.9	17.0	2.0	13.9	270	17	60	22	1012
3/8/2017 15:00	BDL	BDL	BDL	BDL	0.1	1.8	14.0	4.0	13.7	260	19	61	20	1012
3/8/2017 16:00	0.6	BDL	0.4	4.9	0.1	1.9	14.0	4.0	14.2	245	15	61	21	1011
3/8/2017 17:00	1.2	BDL	0.4	10.6	0.1	2.0	16.0	6.0	12.2	229	13	60	23	1011
3/8/2017 18:00	2.1	BDL	0.4	13.9	0.1	2.1	16.0	7.0	10.3	213	12	58	27	1011
3/8/2017 19:00	2.0	BDL	0.4	17.1	0.2	2.3	12.0	6.0	9.5	220	12	56	30	1012
3/8/2017 20:00	2.0	BDL	0.4	18.2	0.2	2.2	10.0	9.0	8.7	222	12	54	33	1012
3/8/2017 21:00	2.4	BDL	0.4	26.2	0.2	2.2	14.0	8.0	7.7	228	14	54	35	1013
3/8/2017 22:00	0.4	BDL	BDL	1.3	0.1	1.9	8.0	7.0	11.2	252	15	57	23	1013
3/8/2017 23:00	1.0	BDL	BDL	2.3	0.1	1.9	8.0	5.0	11.0	248	14	56	24	1013
3/9/2017 0:00	0.6	BDL	0.4	1.2	0.1	1.9	11.0	2.0	10.1	248	14	55	25	1014
3/9/2017 1:00	BDL	BDL	BDL	BDL	0.1	1.9	7.0	4.0	9.1	252	14	55	27	1014
3/9/2017 2:00	BDL	Calibration	Calibration	BDL	0.1	1.8	6.0	6.0	7.1	258	15	53	29	1014
3/9/2017 3:00	BDL	Calibration	Calibration	BDL	0.1	1.9	10.0	5.0	7.3	262	15	53	30	1014
3/9/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	1.9	7.0	4.0	6.3	250	15	52	33	1014
3/9/2017 5:00	1.4	BDL	0.7	17.3	0.1	2.2	9.0	5.0	7.8	236	11	50	38	1014
3/9/2017 6:00	1.7	BDL	0.4	30.7	0.2	2.1	11.0	7.0	6.8	234	12	49	38	1015
3/9/2017 7:00	2.0	Calibration	Calibration	29.1	0.2	2.1	16.0	8.0	7.7	229	12	51	35	1015
3/9/2017 8:00	1.6	Calibration	Calibration	17.2	0.1	2.0	18.0	6.0	11.2	240	15	55	30	1015
3/9/2017 9:00	BDL	BDL	0.5	18.8	0.1	1.9	29.0	8.0	13.7	272	17	57	24	1015
3/9/2017 10:00	BDL	BDL	0.5	BDL	0.1	1.9	24.0	7.0	14.7	273	17	59	23	1014
3/9/2017 11:00	BDL	BDL	0.4	BDL	0.1	1.8	20.0	4.0	14.5	277	16	61	22	1014
3/9/2017 12:00	BDL	BDL	0.4	BDL	0.1	1.8	21.0	5.0	13.2	277	19	64	20	1013
3/9/2017 13:00	BDL	BDL	BDL	BDL	0.1	1.8	26.0	5.0	13.1	276	17	65	20	1012
3/9/2017 14:00	BDL	BDL	0.5	BDL	0.1	1.9	31.0	7.0	12.3	271	18	65	19	1011
3/9/2017 15:00	BDL	BDL	0.4	BDL	0.1	1.8	23.0	10.0	11.2	263	19	65	19	1011
3/9/2017 16:00	BDL	BDL	0.4	BDL	0.1	1.9	26.0	11.0	11.0	280	15	64	19	1011
3/9/2017 17:00	BDL	BDL	BDL	BDL	0.1	2.0	26.0	11.0	8.0	285	13	63	21	1011
3/9/2017 18:00	BDL	BDL	0.4	2.1	0.2	2.4	26.0	16.0	5.8	296	9	62	23	1011
3/9/2017 19:00	BDL	BDL	0.4	8.2	0.2	2.0	34.0	10.0	5.4	306	7	60	25	1012
3/9/2017 20:00	0.8	BDL	0.4	16.0	0.2	2.1	26.0	10.0	6.1	325	14	59	25	1012
3/9/2017 21:00	0.6	BDL	0.4	5.2	0.1	1.9	15.0	9.0	7.3	352	19	57	27	1012
3/9/2017 22:00	BDL	BDL	BDL	1.7	0.1	1.9	10.0	4.0	9.0	40	14	52	34	1013
3/9/2017 23:00	BDL	BDL	0.4	5.6	0.1	1.9	10.0	1.0	9.0	32	15	50	34	1012

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 3/5/2017-3/11/2017														
3/10/2017 0:00	BDL	BDL	0.4	1.1	0.1	1.9	8.0	2.0	8.1	46	12	48	36	1011
3/10/2017 1:00	BDL	BDL	0.4	BDL	0.1	1.9	8.0	3.0	8.5	46	12	47	39	1011
3/10/2017 2:00	BDL	Calibration	Calibration	BDL	0.1	1.8	7.0	4.0	7.8	47	14	46	48	1010
3/10/2017 3:00	BDL	Calibration	Calibration	1.5	0.1	1.9	11.0	6.0	7.5	39	14	44	54	1009
3/10/2017 4:00	Calibration	BDL	0.5	Calibration	Calibration	Too few samples	8.0	3.0	7.8	41	14	43	56	1008
3/10/2017 5:00	BDL	BDL	0.5	3.6	0.1	1.8	8.0	5.0	6.8	350	21	42	55	1009
3/10/2017 6:00	BDL	BDL	0.4	4.6	0.1	1.8	9.0	7.0	8.9	41	21	39	70	1008
3/10/2017 7:00	BDL	BDL	0.4	7.8	0.1	1.8	12.0	7.0	8.7	49	12	37	87	1008
3/10/2017 8:00	BDL	BDL	0.5	18.4	0.2	1.9	10.0	7.0	6.4	358	18	35	92	1008
3/10/2017 9:00	BDL	BDL	0.6	20.8	0.2	1.9	6.0	6.0	8.0	345	19	34	97	1008
3/10/2017 10:00	0.6	BDL	0.5	12.7	0.2	1.9	4.0	9.0	10.9	341	15	33	96	1009
3/10/2017 11:00	BDL	BDL	0.5	12.9	0.1	1.9	9.0	10.0	11.9	337	14	32	99	1010
3/10/2017 12:00	0.4	BDL	0.5	18.5	0.2	1.9	10.0	8.0	9.0	337	13	32	99	1009
3/10/2017 13:00	0.4	BDL	0.5	11.1	0.1	1.8	9.0	8.0	9.7	327	14	35	90	1009
3/10/2017 14:00	BDL	BDL	0.4	1.6	0.1	1.8	9.0	9.0	9.8	312	13	37	73	1008
3/10/2017 15:00	BDL	BDL	0.4	BDL	0.1	1.8	6.0	6.0	11.8	302	14	39	58	1009
3/10/2017 16:00	BDL	BDL	0.4	BDL	0.1	1.8	9.0	4.0	11.4	293	13	36	68	1009
3/10/2017 17:00	BDL	BDL	BDL	0.9	0.1	1.8	6.0	6.0	13.1	315	10	34	80	1010
3/10/2017 18:00	BDL	BDL	BDL	1.1	0.1	1.9	7.0	6.0	11.1	311	9	34	65	1011
3/10/2017 19:00	BDL	BDL	BDL	5.9	0.1	1.9	5.0	7.0	11.2	323	11	33	67	1013
3/10/2017 20:00	BDL	BDL	BDL	BDL	0.1	1.9	6.0	7.0	16.5	315	9	32	54	1014
3/10/2017 21:00	BDL	BDL	0.4	2.5	0.1	1.9	10.0	6.0	14.0	319	10	30	50	1015
3/10/2017 22:00	BDL	BDL	BDL	BDL	0.1	1.8	8.0	6.0	16.8	310	10	29	44	1016
3/10/2017 23:00	BDL	BDL	BDL	BDL	0.1	1.9	8.0	4.0	16.2	309	10	27	38	1017
3/11/2017 0:00	BDL	BDL	BDL	BDL	0.1	1.9	8.0	1.0	13.8	318	12	25	45	1017
3/11/2017 1:00	BDL	BDL	BDL	1.1	0.1	1.9	11.0	2.0	15.1	320	10	24	44	1018
3/11/2017 2:00	BDL	Calibration	Calibration	1.9	0.1	1.9	8.0	6.0	12.8	324	10	22	45	1018
3/11/2017 3:00	BDL	Calibration	Calibration	0.8	0.1	1.9	8.0	5.0	12.8	319	10	21	45	1019
3/11/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	7.0	3.0	11.8	315	10	20	41	1019
3/11/2017 5:00	BDL	Too few samples	Too few samples	BDL	0.1	1.9	7.0	6.0	9.7	302	12	20	40	1021
3/11/2017 6:00	BDL	Calibration	Calibration	BDL	0.1	2.2	6.0	9.0	6.5	283	15	20	41	1021
3/11/2017 7:00	BDL	Calibration	Calibration	BDL	0.1	2.2	4.0	6.0	8.0	288	16	21	39	1022
3/11/2017 8:00	BDL	Calibration	Calibration	BDL	0.1	1.9	4.0	4.0	12.1	302	14	23	39	1022
3/11/2017 9:00	BDL	BDL	BDL	BDL	0.1	1.9	6.0	4.0	12.3	297	14	24	39	1022
3/11/2017 10:00	BDL	BDL	BDL	BDL	0.1	1.9	5.0	2.0	12.8	300	17	26	38	1022
3/11/2017 11:00	BDL	BDL	BDL	BDL	0.1	1.9	6.0	3.0	12.5	292	18	27	39	1021
3/11/2017 12:00	BDL	BDL	BDL	BDL	0.1	1.9	6.0	6.0	13.5	301	13	27	39	1021
3/11/2017 13:00	BDL	BDL	BDL	BDL	0.1	1.9	5.0	7.0	14.1	296	17	28	38	1020
3/11/2017 14:00	BDL	BDL	BDL	BDL	0.1	1.9	7.0	6.0	14.0	299	12	28	37	1020
3/11/2017 15:00	BDL	BDL	BDL	BDL	0.1	1.9	11.0	4.0	15.6	297	13	29	36	1020
3/11/2017 16:00	BDL	BDL	BDL	BDL	0.1	1.9	9.0	7.0	12.4	298	12	29	36	1021
3/11/2017 17:00	BDL	BDL	BDL	BDL	0.1	1.9	12.0	8.0	11.4	299	13	29	37	1021
3/11/2017 18:00	BDL	BDL	BDL	BDL	0.1	1.9	9.0	5.0	11.3	299	10	28	38	1021
3/11/2017 19:00	BDL	BDL	BDL	BDL	0.1	1.9	12.0	8.0	8.9	297	11	28	39	1022
3/11/2017 20:00	BDL	BDL	BDL	1.1	0.1	2.0	11.0	6.0	8.5	299	12	27	41	1023
3/11/2017 21:00	BDL	BDL	BDL	BDL	0.1	1.9	9.0	6.0	11.7	304	10	26	41	1023
3/11/2017 22:00	BDL	BDL	BDL	BDL	0.1	1.9	6.0	8.0	10.3	304	11	26	42	1024
3/11/2017 23:00	BDL	BDL	BDL	BDL	0.1	1.9	5.0	6.0	10.9	299	11	25	41	1024

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 3/12/2017-3/18/2017														
3/12/2017 0:00	BDL	BDL	BDL	BDL	0.1	1.9	6.0	2.0	9.2	301	11	24	43	1024
3/12/2017 1:00	BDL	BDL	BDL	BDL	0.1	1.9	4.0	1.0	9.9	309	9	24	44	1025
3/12/2017 2:00	BDL	Calibration	Calibration	3.6	0.1	2.0	3.0	2.0	10.4	320	10	24	46	1024
3/12/2017 3:00	BDL	Calibration	Calibration	6.8	0.1	2.0	2.0	9.0	10.3	325	11	24	48	1024
3/12/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.0	3.0	7.0	9.0	327	13	23	48	1024
3/12/2017 5:00	BDL	BDL	BDL	2.9	0.1	2.0	3.0	5.0	8.4	311	11	23	48	1025
3/12/2017 6:00	BDL	BDL	BDL	1.6	0.1	1.9	8.0	4.0	6.8	305	10	22	47	1025
3/12/2017 7:00	BDL	BDL	BDL	1.9	0.1	2.0	7.0	6.0	5.1	291	16	24	43	1025
3/12/2017 8:00	BDL	BDL	BDL	0.7	0.1	2.0	4.0	4.0	7.2	289	21	26	42	1026
3/12/2017 9:00	BDL	BDL	BDL	BDL	0.1	1.9	4.0	4.0	8.9	295	21	27	42	1026
3/12/2017 10:00	BDL	BDL	BDL	BDL	0.1	1.9	6.0	4.0	9.6	299	15	27	43	1026
3/12/2017 11:00	BDL	BDL	BDL	BDL	0.1	1.9	5.0	4.0	10.3	297	15	28	44	1026
3/12/2017 12:00	BDL	BDL	BDL	BDL	0.1	1.9	6.0	4.0	11.4	302	13	28	43	1025
3/12/2017 13:00	BDL	BDL	BDL	BDL	0.1	1.9	6.0	3.0	12.1	304	13	29	42	1024
3/12/2017 14:00	BDL	BDL	BDL	BDL	0.1	1.9	8.0	2.0	12.7	312	12	30	43	1024
3/12/2017 15:00	BDL	BDL	BDL	BDL	0.1	1.9	5.0	5.0	12.5	299	16	31	40	1024
3/12/2017 16:00	BDL	BDL	BDL	BDL	0.1	1.9	5.0	5.0	11.3	300	12	31	40	1025
3/12/2017 17:00	BDL	BDL	BDL	BDL	0.1	1.9	6.0	5.0	11.5	306	11	30	41	1025
3/12/2017 18:00	BDL	BDL	BDL	0.6	0.1	2.0	8.0	8.0	10.6	311	10	30	45	1026
3/12/2017 19:00	BDL	BDL	BDL	1.6	0.1	2.0	10.0	8.0	7.5	304	9	29	50	1027
3/12/2017 20:00	BDL	BDL	BDL	3.0	0.1	2.0	20.0	6.0	5.0	299	11	28	53	1027
3/12/2017 21:00	BDL	BDL	BDL	10.0	0.1	2.1	9.0	6.0	3.8	291	11	28	56	1027
3/12/2017 22:00	BDL	BDL	BDL	15.1	0.2	2.1	13.0	7.0	5.5	301	8	27	58	1028
3/12/2017 23:00	BDL	BDL	BDL	13.8	0.1	2.2	11.0	7.0	8.0	334	15	27	50	1028
3/13/2017 0:00	0.8	BDL	BDL	7.2	0.1	2.1	19.0	13.0	6.2	341	21	25	44	1029
3/13/2017 1:00	0.4	BDL	BDL	6.2	0.1	2.0	6.0	9.0	5.7	2	20	24	44	1029
3/13/2017 2:00	BDL	Calibration	Calibration	5.3	0.1	2.0	7.0	7.0	5.4	341	20	23	42	1030
3/13/2017 3:00	0.5	Calibration	Calibration	3.5	0.1	2.0	9.0	6.0	4.3	344	26	23	43	1030
3/13/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	11.0	4.0	5.5	355	25	22	45	1030
3/13/2017 5:00	BDL	BDL	BDL	9.8	0.1	2.0	24.0	11.0	3.9	49	22	22	44	1030
3/13/2017 6:00	0.6	BDL	BDL	13.9	0.1	2.0	12.0	8.0	5.5	61	13	22	44	1031
3/13/2017 7:00	0.6	BDL	BDL	13.1	0.1	2.0	17.0	10.0	5.1	66	17	22	41	1031
3/13/2017 8:00	0.7	BDL	BDL	20.4	0.2	2.0	15.0	11.0	2.4	358	57	23	39	1032
3/13/2017 9:00	1.0	BDL	BDL	28.3	0.2	2.1	17.0	12.0	2.4	266	40	25	37	1031
3/13/2017 10:00	1.2	0.4	BDL	36.3	0.2	2.1	29.0	15.0	3.7	117	41	27	38	1030
3/13/2017 11:00	0.8	0.4	BDL	31.3	0.2	2.1	26.0	15.0	3.9	146	48	29	34	1030
3/13/2017 12:00	0.7	BDL	BDL	22.5	0.2	2.0	16.0	9.0	2.9	171	59	31	30	1029
3/13/2017 13:00	0.4	BDL	BDL	12.9	0.1	2.0	10.0	8.0	3.6	177	47	34	28	1027
3/13/2017 14:00	BDL	BDL	BDL	8.9	0.1	1.9	16.0	7.0	3.2	138	55	36	25	1026
3/13/2017 15:00	BDL	BDL	BDL	4.1	0.1	1.9	15.0	9.0	5.9	128	23	37	26	1025
3/13/2017 16:00	BDL	BDL	BDL	3.8	0.1	1.9	11.0	12.0	6.5	171	18	39	26	1024
3/13/2017 17:00	BDL	BDL	BDL	4.5	0.1	1.9	11.0	12.0	8.6	152	14	37	34	1024
3/13/2017 18:00	BDL	BDL	BDL	7.4	0.1	2.0	13.0	8.0	7.2	139	15	35	38	1024
3/13/2017 19:00	BDL	BDL	BDL	7.8	0.1	2.0	8.0	9.0	7.1	111	17	33	41	1023
3/13/2017 20:00	BDL	BDL	BDL	6.4	0.1	2.0	13.0	7.0	8.2	83	13	31	49	1023
3/13/2017 21:00	BDL	BDL	BDL	7.1	0.1	1.9	20.0	8.0	8.5	68	13	31	59	1022
3/13/2017 22:00	BDL	BDL	BDL	5.3	0.1	1.9	14.0	6.0	8.0	49	12	28	90	1021
3/13/2017 23:00	BDL	BDL	BDL	11.0	0.1	2.0	9.0	11.0	7.8	37	14	28	99	1018
3/14/2017 0:00	BDL	BDL	BDL	9.6	0.1	2.0	9.0	6.0	9.0	36	13	28	99	1016
3/14/2017 1:00	BDL	BDL	BDL	9.2	0.1	2.0	6.0	5.0	10.3	36	14	29	100	1014
3/14/2017 2:00	BDL	Calibration	Calibration	7.2	0.1	1.9	4.0	7.0	10.9	36	14	31	100	1012
3/14/2017 3:00	BDL	Calibration	Calibration	4.6	0.1	1.8	1.0	8.0	13.3	39	14	31	99	1009
3/14/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	1.9	BDL	5.0	13.1	32	15	31	97	1006
3/14/2017 5:00	BDL	0.5	0.5	11.7	0.1	1.9	4.0	5.0	13.3	34	14	30	96	1004
3/14/2017 6:00	BDL	Calibration	Calibration	10.7	0.1	1.9	6.0	9.0	13.1	21	17	31	97	1001
3/14/2017 7:00	0.4	Calibration	Calibration	19.7	0.3	1.9	6.0	6.0	12.4	350	16	32	99	997
3/14/2017 8:00	1.8	0.5	0.6	18.4	0.6	1.9	12.0	17.0	11.5	345	19	32	100	996
3/14/2017 9:00	1.1	0.9	0.7	15.6	0.4	1.8	8.0	6.0	12.7	346	18	32	100	993
3/14/2017 10:00	2.2	0.8	0.6	13.5	0.3	1.7	16.0	20.0	15.3	340	15	31	100	991
3/14/2017 11:00	2.0	0.8	0.5	14.3	0.2	1.7	14.0	18.0	15.4	339	14	30	98	991
3/14/2017 12:00	0.8	0.8	0.5	14.1	0.1	1.7	7.0	6.0	16.4	331	11	31	89	991
3/14/2017 13:00	0.5	0.6	0.5	4.7	0.1	1.7	5.0	6.0	16.4	319	9	31	91	991
3/14/2017 14:00	BDL	0.6	0.5	2.8	0.1	1.7	6.0	5.0	16.6	315	9	32	95	992
3/14/2017 15:00	0.4	0.5	0.5	1.6	0.1	1.6	6.0	5.0	17.7	311	9	33	84	993
3/14/2017 16:00	BDL	0.4	0.5	BDL	0.1	1.6	4.0	9.0	15.2	300	11	32	76	995
3/14/2017 17:00	BDL	BDL	BDL	BDL	0.1	1.7	8.0	8.0	15.9	300	10	29	75	996
3/14/2017 18:00	BDL	BDL	BDL	BDL	0.1	1.7	6.0	7.0	17.2	302	10	28	75	998
3/14/2017 19:00	BDL	BDL	BDL	BDL	0.1	1.7	4.0	9.0	19.4	307	9	28	69	999
3/14/2017 20:00	BDL	BDL	BDL	BDL	0.1	1.8	9.0	6.0	16.4	303	10	25	67	1000
3/14/2017 21:00	BDL	BDL	BDL	BDL	0.1	2.1	8.0	8.0	15.1	302	13	24	66	1002
3/14/2017 22:00	BDL	BDL	BDL	BDL	0.1	1.8	6.0	6.0	15.2	301	11	23	63	1002
3/14/2017 23:00	BDL	BDL	BDL	BDL	0.1	1.7	5.0	6.0	14.2	301	11	23	63	1002
3/15/2017 0:00	BDL	BDL	BDL	BDL	0.1	1.7	3.0	8.0	10.7	297	13	23	61	1002
3/15/2017 1:00	BDL	BDL	BDL	BDL	0.1	1.7	6.0	6.0	10.2	293	12	23	62	1003
3/15/2017 2:00	BDL	Calibration	Calibration	BDL	0.1	1.7	7.0	10.0	11.2	283	13	22	69	1003
3/15/2017 3:00	BDL	Calibration	Calibration	BDL	0.1	1.7	9.0	8.0	10.6	280	13	22	66	1003
3/15/2017 4:00	Too few samples	0.1	0.3	Too few samples	Too few samples	Too few samples	7.0	8.0	11.8	281	11	21	65	1003
3/15/2017 5:00	BDL	BDL	BDL	1.0	0.1	1.7	9.0	7.0	11.0	280	13	20	65	1004
3/15/2017 6:00	0.4	BDL	BDL	1.6	0.1	1.8	10.0	9.0	10.8	276	15	20	63	1004
3/15/2017 7:00	1.0	Audit	Audit	2.8	0.1	1.8	9.0	9.0	11.6	278	14	21	57	1004
3/15/2017 8:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	1.8	11.0	8.0	12.5	282	13	22	55	1005
3/15/2017 9:00	0.9	BDL	BDL	Calibration	0.1	1.7	10.0	9.0	14.5	288	15	23	56	1004
3/15/2017 10:00	0.8	BDL	BDL	0.9	0.1	1.8	13.0	8.0	13.0	286	13	23	62	1004
3/15/2017 11:00	0.7	BDL	BDL	0.6	0.1	1.7	21.0	10.0	12.9	281	13	23	67	1004
3/15/2017 12:00	0.6	BDL	BDL	1.9	0.1	1.7	15.0	9.0	11.7	280	14	24	72	1004
3/15/2017 13:00	0.9	BDL	BDL	1.6	0.1	1.7	14.0	8.0	11.6	275	17	25	70	1004
3/15/2017 14:00	1.1	BDL	BDL	3.3	0.1	1.7	14.0	10.0	10.0	274	15	25	79	1004
3/15/2017 15:00	1.3	BDL	BDL	3.5	0.1	1.7	14.0	10.0	9.7	280	15	27	71	1004
3/15/2017 16:00	1.0	BDL	BDL	0.9	0.1	1.7	18.0	10.0	12.4	288	13	28	63	1005
3/15/2017 17:00	BDL	BDL	BDL	BDL	0.1	1.7	11.0	7.0	13.5	290	13	30	54	1006
3/15/2017 18:00	BDL	BDL	BDL	BDL	0.1	1.7	15.0	6.0	11.5	285	14	30	55	1007
3/15/2017 19:00	BDL	BDL	BDL	BDL	0.1	1.7	11.0	5.0	13.3	286	12	30	53	1009
3/15/2017 20:00	BDL	BDL	BDL	BDL	0.1	1.7	9.0	5.0	15.0	289	12	29	53	1010
3/15/2017 21:00	BDL	BDL	BDL	BDL	0.1	1.8	9.0	4.0	14.3	291	12	28	54	1011
3/15/2017 22:00	BDL	BDL	BDL	BDL	0.1	2.5	10.0	8.0	11.6	292	12	27	55	1013
3/15/2017 23:00	BDL	BDL	BDL	4.9	0.1	2.1	13.0	9.0	10.1	289	12	27	56	1013
3/16/2017 0:00	BDL	BDL	BDL	BDL	0.1	1.8	10.0	10.0	9.0	287	12	26	55	1014
3/16/2017 1:00	BDL	BDL	BDL	BDL	0.1	1.8	9.0	5.0	8.8	279	14	25	55	1014
3/16/2017 2:00	BDL	Calibration	Calibration	0.8	0.1	1.8	14.0	6.0	9.4	285	11	25	56	1014
3/16/2017 3:00	BDL	Calibration	Calibration	0.5	0.1	1.8	8.0	7.0	7.8	272	14	24	59	1014
3/16/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	1.8	9.0	6.0	8.3	272	12	24	60	1014
3/16/2017 5:00	BDL	BDL	BDL	5.0	0.1	1.9	12.0	8.0	7.3	269	14	24	61	1015
3/16/2017 6:00	BDL	Calibration	Calibration	12.3	0.2	1.9	22.0	9.0	6.5	262	15	24	59	1015
3/16/2017 7:00	0.9	Calibration	Calibration	20.2	0.2	2.0	23.0	10.0	8.6	252	14	26	52	1016
3/16/2017 8:00	1.2	BDL	BDL	11.8	0.1	1.9	19.0	11.0	8.2	264	17	28	47	1016
3/16/2017 9:00	0.6	BDL	BDL	2.0	0.1	1.8	7.0	9.0	12.2	289	13	29	46	1016
3/16/2017 10:00	0.4	BDL	BDL	0.8	0.1	1.8	13.0	8.0	12.8	291	16	31	45	1015
3/16/2017 11:00	BDL	BDL	BDL	BDL	0.1	1.7	9.0	8.0	13.2	288	15	33	41	1015
3/16/2017 12:00	BDL	BDL	BDL	BDL	0.1	1.7	12.0	8.0	14.5	292	13	34	40	1015
3/16/2017 13:00	BDL	BDL	BDL	BDL	0.1	1.8	10.0	9.0	13.4	288	14	35	40	1015
3/16/2017 14:00	BDL	BDL	BDL	BDL	0.1	1.7	8.0	13.0	14.5	287	13	35	40	1015
3/16/2017 15:00	BDL	BDL	BDL	BDL	0.1	1.7	8.0	11.0	13.2	286	13	36	40	1015
3/16/2017 16:00	BDL	BDL	BDL	BDL	0.1	1.7	9.0	8.0	13.5	285	13	36	41	1015
3/16/2017 17:00	0.4	BDL	BDL	BDL	0.1	1.7	10.0	9.0	11.2	280	13	36	44	1016
3/16/2017 18:00	0.4	BDL	BDL	1.7	0.1	1.8	15.0	8.0	9.9	275	12	35	48	1016
3/16/2017 19:00	0.8	BDL	BDL	4.2	0.1	1.9	13.0	10.0	7.3	265	15	34	51	1017
3/16/2017 20:00	1.1	BDL	BDL	4.8	0.1	1.8	13.0	8.0	6.0	263	17	33	53	1018
3/16/2017 21:00	1.6	BDL	BDL	8.1	0.1	1.9	13.0	11.0	4.5	255	16	32	54	1019
3/16/2017 22:00	1.3	BDL	BDL	11.0	0.2	2.0	15.0	12.0	3.0	259	15	31	58	1019
3/16/2017 23:00	1.4	BDL	BDL	12.5	0.2	2.0	18.0	15.0	3.4	262	14	30	61	1020

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 3/12/2017-3/18/2017														
3/17/2017 0:00	1.2	BDL	BDL	14.5	0.2	2.1	11.0	13.0	3.7	275	13	30	57	1021
3/17/2017 1:00	0.7	BDL	BDL	13.4	0.1	2.1	9.0	10.0	4.6	282	13	30	56	1021
3/17/2017 2:00	0.6	Calibration	Calibration	7.4	0.1	1.9	16.0	9.0	4.7	285	9	29	55	1021
3/17/2017 3:00	0.5	Calibration	Calibration	8.6	0.1	1.9	10.0	9.0	4.6	282	9	29	56	1022
3/17/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	12.0	7.0	3.8	252	11	28	59	1023
3/17/2017 5:00	BDL	BDL	BDL	19.5	0.2	2.0	18.0	10.0	4.5	263	13	28	60	1023
3/17/2017 6:00	0.4	BDL	BDL	27.4	0.3	2.0	17.0	11.0	4.4	270	11	28	58	1024
3/17/2017 7:00	0.6	0.4	BDL	24.3	0.2	2.1	18.0	14.0	4.8	278	11	29	46	1025
3/17/2017 8:00	0.4	BDL	BDL	7.3	0.1	1.9	14.0	10.0	7.4	292	13	32	44	1025
3/17/2017 9:00	0.5	BDL	BDL	3.9	0.1	1.8	12.0	11.0	7.7	294	13	35	40	1025
3/17/2017 10:00	1.0	BDL	BDL	2.2	0.1	1.8	12.0	9.0	8.6	300	12	36	37	1025
3/17/2017 11:00	0.5	BDL	BDL	0.7	0.1	1.8	10.0	6.0	8.5	298	14	38	34	1024
3/17/2017 12:00	0.4	BDL	BDL	2.3	0.1	1.8	13.0	11.0	7.2	285	19	40	32	1023
3/17/2017 13:00	0.5	BDL	BDL	1.6	0.1	1.8	18.0	9.0	7.5	293	17	41	31	1022
3/17/2017 14:00	0.5	BDL	BDL	2.0	0.1	1.8	18.0	11.0	7.9	265	19	43	29	1022
3/17/2017 15:00	0.8	BDL	BDL	4.0	0.1	1.9	19.0	10.0	9.4	255	15	43	33	1022
3/17/2017 16:00	1.3	BDL	BDL	19.0	0.1	2.1	17.0	16.0	6.1	278	13	42	34	1021
3/17/2017 17:00	1.2	BDL	BDL	2.9	0.1	2.1	15.0	14.0	4.6	278	12	41	37	1021
3/17/2017 18:00	1.0	BDL	BDL	7.0	0.2	2.2	18.0	20.0	2.4	275	14	41	41	1021
3/17/2017 19:00	0.8	BDL	BDL	16.3	0.3	2.2	26.0	18.0	1.3	238	28	40	47	1022
3/17/2017 20:00	1.1	BDL	BDL	34.0	0.2	2.3	28.0	22.0	1.8	185	13	38	56	1022
3/17/2017 21:00	0.8	0.5	BDL	31.8	0.2	2.3	26.0	21.0	1.9	178	13	36	66	1022
3/17/2017 22:00	0.7	0.9	BDL	37.2	0.2	2.1	26.0	22.0	1.7	161	23	36	58	1022
3/17/2017 23:00	0.6	0.7	BDL	18.9	0.2	2.0	26.0	18.0	2.9	200	12	37	57	1021
3/18/2017 0:00	0.4	1.1	0.9	12.1	0.1	2.0	21.0	18.0	1.8	147	18	38	63	1021
3/18/2017 1:00	BDL	0.9	0.7	20.5	0.2	2.1	20.0	14.0	2.0	141	18	38	67	1020
3/18/2017 2:00	0.4	Calibration	Calibration	35.4	0.2	1.9	20.0	15.0	2.7	144	13	38	71	1020
3/18/2017 3:00	BDL	Calibration	Calibration	30.8	0.1	1.9	17.0	16.0	3.9	145	12	38	75	1019
3/18/2017 4:00	Calibration	BDL	0.4	Calibration	Calibration	Too few samples	18.0	17.0	3.2	125	14	38	78	1019
3/18/2017 5:00	BDL	1.0	0.4	35.0	0.2	2.0	17.0	18.0	3.2	71	10	38	79	1019
3/18/2017 6:00	BDL	1.3	0.5	40.7	0.2	2.0	28.0	21.0	3.6	80	12	38	78	1019
3/18/2017 7:00	BDL	0.9	0.4	23.8	0.2	2.0	20.0	17.0	3.4	82	13	38	78	1019
3/18/2017 8:00	BDL	1.1	0.5	33.9	0.3	1.9	21.0	14.0	4.9	63	8	38	82	1018
3/18/2017 9:00	BDL	1.1	0.5	25.4	0.2	1.9	23.0	14.0	4.9	67	10	39	82	1018
3/18/2017 10:00	BDL	0.8	BDL	18.6	0.2	1.9	22.0	15.0	6.2	65	10	40	83	1017
3/18/2017 11:00	BDL	1.1	0.7	20.0	0.2	1.9	23.0	18.0	6.5	58	10	39	84	1017
3/18/2017 12:00	BDL	1.2	0.8	22.5	0.3	2.2	21.0	21.0	6.6	48	10	38	92	1017
3/18/2017 13:00	BDL	1.1	0.7	26.0	0.3	2.2	23.0	18.0	6.6	49	11	38	97	1016
3/18/2017 14:00	BDL	0.6	BDL	21.1	0.3	2.0	16.0	17.0	7.1	45	12	38	97	1016
3/18/2017 15:00	BDL	0.4	BDL	18.9	0.3	2.0	20.0	16.0	7.3	42	14	37	97	1016
3/18/2017 16:00	BDL	0.4	BDL	18.4	0.3	1.9	16.0	15.0	9.5	46	10	37	96	1016
3/18/2017 17:00	BDL	BDL	BDL	14.0	0.2	1.8	11.0	17.0	10.7	51	11	37	96	1016
3/18/2017 18:00	BDL	BDL	BDL	8.6	0.2	1.8	18.0	13.0	10.9	50	10	36	97	1016
3/18/2017 19:00	BDL	BDL	BDL	6.3	0.2	1.8	18.0	18.0	12.0	51	10	36	96	1017
3/18/2017 20:00	BDL	BDL	BDL	7.1	0.2	1.8	10.0	15.0	12.6	49	11	35	95	1017
3/18/2017 21:00	BDL	BDL	BDL	9.0	0.2	1.8	13.0	16.0	10.9	46	13	35	95	1017
3/18/2017 22:00	BDL	BDL	BDL	11.9	0.2	1.8	21.0	19.0	10.9	51	11	35	94	1017
3/18/2017 23:00	BDL	BDL	BDL	7.9	0.2	1.8	21.0	15.0	10.4	55	11	35	91	1017

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 3/19/2017-3/25/2017														
3/19/2017 0:00	BDL	BDL	BDL	8.4	0.1	1.8	20.0	11.0	10.2	49	11	35	86	1017
3/19/2017 1:00	BDL	BDL	BDL	5.9	0.1	1.8	16.0	14.0	10.1	45	13	35	84	1017
3/19/2017 2:00	BDL	Calibration	Calibration	10.4	0.1	1.8	19.0	11.0	8.7	45	12	35	79	1017
3/19/2017 3:00	BDL	BDL	BDL	7.4	0.1	1.8	13.0	12.0	10.2	43	12	35	76	1017
3/19/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	1.8	13.0	10.0	8.9	32	14	35	76	1017
3/19/2017 5:00	BDL	Calibration	Calibration	5.0	0.1	1.8	15.0	9.0	9.0	34	14	35	74	1018
3/19/2017 6:00	BDL	Calibration	Calibration	4.7	0.1	1.8	12.0	9.0	9.7	40	14	35	73	1019
3/19/2017 7:00	0.5	BDL	BDL	9.8	0.1	1.8	11.0	8.0	7.8	32	16	36	70	1019
3/19/2017 8:00	0.6	BDL	BDL	8.0	0.1	1.8	12.0	8.0	7.4	30	17	37	64	1020
3/19/2017 9:00	0.5	BDL	BDL	5.0	0.1	1.8	13.0	8.0	7.8	26	18	39	58	1020
3/19/2017 10:00	0.5	BDL	BDL	6.1	0.1	1.8	13.0	7.0	8.1	360	19	41	53	1020
3/19/2017 11:00	0.6	BDL	BDL	2.9	0.1	1.7	12.0	6.0	8.2	347	23	42	48	1020
3/19/2017 12:00	0.9	BDL	BDL	6.3	0.1	1.8	9.0	8.0	9.0	338	23	44	46	1019
3/19/2017 13:00	1.1	BDL	BDL	4.3	0.1	1.7	17.0	12.0	10.1	339	16	45	46	1019
3/19/2017 14:00	0.9	BDL	BDL	3.5	0.1	1.7	13.0	12.0	9.9	326	20	46	46	1019
3/19/2017 15:00	0.9	BDL	BDL	8.1	0.1	1.7	13.0	9.0	9.8	333	16	47	44	1018
3/19/2017 16:00	BDL	BDL	BDL	4.8	0.1	1.7	10.0	9.0	8.6	321	15	47	44	1018
3/19/2017 17:00	BDL	BDL	BDL	0.4	0.1	1.8	7.0	7.0	9.6	312	9	47	46	1018
3/19/2017 18:00	BDL	BDL	BDL	1.2	0.1	1.7	9.0	9.0	8.5	308	7	45	51	1019
3/19/2017 19:00	BDL	BDL	BDL	3.5	0.1	1.8	10.0	10.0	8.4	310	7	43	56	1019
3/19/2017 20:00	BDL	BDL	BDL	5.5	0.2	1.8	13.0	13.0	7.7	307	6	42	60	1020
3/19/2017 21:00	BDL	BDL	BDL	8.4	0.2	1.9	10.0	9.0	8.0	313	7	41	65	1020
3/19/2017 22:00	BDL	BDL	BDL	9.8	0.2	2.0	9.0	9.0	8.7	318	8	40	64	1019
3/19/2017 23:00	BDL	BDL	BDL	10.7	0.1	1.9	11.0	9.0	8.6	320	9	40	65	1019
3/20/2017 0:00	BDL	BDL	BDL	9.9	0.1	1.9	11.0	12.0	8.3	320	9	39	66	1019
3/20/2017 1:00	BDL	BDL	BDL	10.4	0.1	1.9	8.0	13.0	9.5	324	9	38	66	1019
3/20/2017 2:00	BDL	Calibration	Calibration	17.0	0.1	1.9	19.0	11.0	7.9	334	11	37	64	1019
3/20/2017 3:00	BDL	Calibration	Calibration	14.0	0.1	1.9	10.0	11.0	7.4	331	11	36	66	1019
3/20/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	15.0	14.0	8.1	317	9	35	66	1019
3/20/2017 5:00	BDL	BDL	BDL	16.3	0.1	1.9	14.0	11.0	8.1	322	10	34	66	1019
3/20/2017 6:00	BDL	BDL	BDL	20.4	0.2	1.9	16.0	11.0	7.9	322	11	34	64	1020
3/20/2017 7:00	1.1	BDL	BDL	26.1	0.2	1.8	28.0	18.0	8.3	338	12	35	56	1020
3/20/2017 8:00	1.4	BDL	BDL	17.8	0.2	1.8	20.0	12.0	7.4	336	16	37	53	1019
3/20/2017 9:00	0.7	BDL	BDL	10.9	0.2	1.9	19.0	9.0	4.8	326	33	39	47	1019
3/20/2017 10:00	1.2	BDL	BDL	13.0	0.2	1.8	27.0	18.0	5.4	330	23	41	42	1018
3/20/2017 11:00	0.8	BDL	BDL	8.7	0.1	1.7	13.0	11.0	5.3	310	28	44	36	1018
3/20/2017 12:00	0.4	BDL	BDL	8.4	0.1	1.7	17.0	10.0	6.0	298	23	48	32	1018
3/20/2017 13:00	BDL	BDL	BDL	2.5	0.1	1.7	9.0	8.0	6.3	308	23	50	30	1016
3/20/2017 14:00	BDL	BDL	BDL	1.3	0.1	1.7	10.0	10.0	7.0	306	16	52	27	1016
3/20/2017 15:00	BDL	BDL	BDL	2.3	0.1	1.7	10.0	10.0	7.9	314	14	51	30	1015
3/20/2017 16:00	BDL	BDL	BDL	2.1	0.1	1.7	12.0	9.0	7.9	312	12	51	31	1014
3/20/2017 17:00	BDL	BDL	BDL	1.9	0.1	1.7	17.0	9.0	6.5	306	10	49	33	1014
3/20/2017 18:00	BDL	BDL	BDL	3.8	0.1	1.7	7.0	10.0	5.1	289	11	48	35	1014
3/20/2017 19:00	BDL	BDL	BDL	5.4	0.2	1.8	13.0	13.0	5.0	283	11	46	41	1015
3/20/2017 20:00	BDL	BDL	BDL	4.1	0.1	1.8	15.0	12.0	4.9	292	11	46	42	1015
3/20/2017 21:00	BDL	BDL	BDL	3.3	0.1	1.9	17.0	8.0	3.6	280	11	45	42	1015
3/20/2017 22:00	BDL	BDL	BDL	4.7	0.1	1.9	11.0	9.0	2.0	276	19	45	44	1014
3/20/2017 23:00	BDL	BDL	BDL	9.4	0.1	1.9	18.0	13.0	2.6	277	15	45	47	1014
3/21/2017 0:00	BDL	BDL	BDL	6.2	0.1	2.1	11.0	11.0	3.5	262	13	44	50	1014
3/21/2017 1:00	BDL	BDL	BDL	7.8	0.2	2.0	16.0	10.0	2.9	263	15	44	52	1013
3/21/2017 2:00	BDL	Calibration	Calibration	5.9	0.2	1.9	13.0	10.0	4.4	293	10	44	53	1013
3/21/2017 3:00	BDL	Calibration	Calibration	8.9	0.2	1.9	18.0	12.0	3.7	268	13	43	57	1012
3/21/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	19.0	15.0	3.8	254	16	43	61	1012
3/21/2017 5:00	BDL	BDL	BDL	11.8	0.2	2.0	22.0	17.0	3.4	273	10	42	66	1012
3/21/2017 6:00	BDL	0.5	BDL	21.1	0.3	2.2	InVld	17.0	3.7	270	10	42	73	1012
3/21/2017 7:00	BDL	0.8	0.4	36.2	0.4	2.3	26.0	20.0	3.1	249	15	42	78	1012
3/21/2017 8:00	BDL	0.8	BDL	31.4	0.4	2.1	26.0	20.0	3.8	264	11	43	73	1012
3/21/2017 9:00	0.4	0.7	BDL	20.0	0.3	1.9	Audit	Audit	4.8	293	14	45	67	1012
3/21/2017 10:00	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit
3/21/2017 11:00	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit
3/21/2017 12:00	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit	4.9	272	28	Audit	Audit	1011
3/21/2017 13:00	Audit	Audit	Audit	Audit	Audit	Audit	8.0	8.0	5.3	262	27	Audit	Audit	1010
3/21/2017 14:00	Audit	Audit	Audit	Audit	Audit	Audit	16.0	9.0	5.7	286	30	61	38	1009
3/21/2017 15:00	BDL	BDL	BDL	1.9	0.1	1.7	18.0	7.0	8.0	294	18	58	41	1009
3/21/2017 16:00	BDL	BDL	BDL	2.2	0.1	1.7	19.0	10.0	7.7	290	15	57	43	1009
3/21/2017 17:00	BDL	BDL	BDL	1.9	0.2	1.8	21.0	9.0	7.3	277	14	55	46	1009
3/21/2017 18:00	BDL	BDL	BDL	4.8	0.2	1.9	19.0	12.0	4.1	268	12	52	52	1010
3/21/2017 19:00	BDL	BDL	BDL	16.2	0.3	1.9	21.0	13.0	4.1	251	12	50	57	1010
3/21/2017 20:00	0.5	0.6	BDL	24.0	0.3	2.3	24.0	16.0	3.9	243	13	49	60	1010
3/21/2017 21:00	0.4	1.4	1.0	27.5	0.2	2.4	31.0	17.0	4.9	238	11	51	59	1010
3/21/2017 22:00	0.4	0.9	0.5	24.2	0.2	2.4	26.0	17.0	5.0	245	11	50	61	1010
3/21/2017 23:00	BDL	1.0	0.8	9.1	0.2	2.0	19.0	16.0	4.9	278	11	49	61	1010
3/22/2017 0:00	0.4	0.6	0.5	3.6	0.1	1.8	15.0	12.0	6.3	298	9	50	55	1010
3/22/2017 1:00	BDL	BDL	BDL	8.2	0.1	1.9	12.0	7.0	6.4	310	6	49	46	1010
3/22/2017 2:00	0.4	Calibration	Calibration	14.1	0.1	3.0	11.0	6.0	6.8	312	6	47	46	1010
3/22/2017 3:00	0.4	Calibration	Calibration	9.6	0.1	2.1	12.0	7.0	11.0	317	7	47	40	1010
3/22/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	11.0	7.0	10.9	324	10	45	45	1012
3/22/2017 5:00	BDL	BDL	BDL	9.8	0.1	1.9	18.0	9.0	13.5	321	8	42	51	1013
3/22/2017 6:00	BDL	BDL	BDL	7.6	0.1	1.8	16.0	6.0	15.0	321	9	41	46	1015
3/22/2017 7:00	0.4	Audit	Audit	Audit	0.1	Audit	35.0	5.0	18.4	327	11	41	45	1016
3/22/2017 8:00	Audit	Audit	Audit	Audit	Audit	Audit	20.0	8.0	17.8	329	11	38	46	1018
3/22/2017 9:00	Audit	Audit	Audit	Audit	Audit	Audit	24.0	6.0	17.8	323	11	50	37	1019
3/22/2017 10:00	Audit	Audit	Audit	Audit	Audit	Audit	24.0	4.0	10.8	325	35	38	32	1020
3/22/2017 11:00	BDL	BDL	BDL	6.4	0.1	1.7	22.0	8.0	16.7	327	12	39	33	1020
3/22/2017 12:00	0.8	BDL	BDL	13.8	0.1	1.8	38.0	9.0	16.5	335	14	38	29	1021
3/22/2017 13:00	1.1	BDL	BDL	7.1	0.1	1.8	26.0	10.0	15.3	327	15	38	30	1021
3/22/2017 14:00	4.5	BDL	BDL	9.2	0.1	1.8	49.0	25.0	13.1	338	17	38	31	1022
3/22/2017 15:00	2.1	BDL	BDL	8.5	0.1	1.8	23.0	11.0	13.8	332	17	37	30	1023
3/22/2017 16:00	1.0	BDL	BDL	7.9	0.1	1.8	18.0	7.0	12.3	332	16	37	29	1024
3/22/2017 17:00	0.6	BDL	BDL	7.2	0.1	1.8	17.0	9.0	12.1	330	13	35	29	1025
3/22/2017 18:00	1.2	BDL	BDL	11.6	0.1	1.8	18.0	10.0	11.1	339	13	34	29	1026
3/22/2017 19:00	1.6	BDL	BDL	13.3	0.1	1.8	20.0	16.0	10.6	339	14	32	29	1027
3/22/2017 20:00	1.8	BDL	BDL	10.7	0.1	1.8	15.0	10.0	11.9	338	13	31	27	1028
3/22/2017 21:00	BDL	BDL	BDL	13.3	0.1	1.8	9.0	8.0	12.6	337	11	30	25	1029
3/22/2017 22:00	0.4	BDL	BDL	11.3	0.1	1.8	8.0	7.0	11.0	337	14	28	27	1030
3/22/2017 23:00	0.6	BDL	BDL	9.2	0.1	1.8	17.0	18.0	9.9	339	12	27	31	1030
3/23/2017 0:00	0.9	BDL	BDL	6.2	0.1	1.8	19.0	10.0	9.1	339	16	26	37	1030
3/23/2017 1:00	BDL	BDL	BDL	12.6	0.1	1.9	16.0	7.0	9.5	334	14	25	41	1031
3/23/2017 2:00	0.4	Calibration	Calibration	16.7	0.1	1.9	14.0	6.0	9.4	338	14	25	43	1031
3/23/2017 3:00	BDL	Calibration	Calibration	16.0	0.1	1.9	11.0	7.0	8.7	329	12	24	46	1031
3/23/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	12.0	11.0	8.5	322	10	24	48	1032
3/23/2017 5:00	BDL	BDL	BDL	10.8	0.1	2.1	17.0	10.0	8.2	316	8	24	47	1033
3/23/2017 6:00	BDL	Calibration	Calibration	17.2	0.2	2.0	17.0	10.0	8.0	317	10	24	46	1034
3/23/2017 7:00	Too few samples	Too few samples	Calibration	Too few samples	Too few samples	Too few samples	InVld	InVld	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples
3/23/2017 8:00	1.5	Calibration	Calibration	9.0	0.1	3.3	23.0	12.0	7.6	339	24	28	41	1035
3/23/2017 9:00	0.8	Calibration	Calibration	11.5	0.1	3.2	21.0	8.0	5.9	331	23	30	36	1035
3/23/2017 10:00	0.8	Calibration	Calibration	9.4	0.2	3.2	16.0	8.0	3.8	308	60	32	32	1035
3/23/2017 11:00	Calibration	BDL	BDL	Calibration	Calibration	3.2	15.0	7.0	2.5	251	67	35	28	1034
3/23/2017 12:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	15.0	5.0	5.6	200	35	36	29	1033
3/23/2017 13:00	0.9	BDL	BDL	8.8	0.2	Too few samples	6.0	3.0	6.4	181	35	38	29	1033
3/23/2017 14:00	1.2	BDL	BDL	9.0	0.2	2.2	16.0	6.0	6.6	225	24	41	26	1032
3/23/2017 15:00	1.1	BDL	BDL	7.6	0.2	2.2	15.0	6.0	6.5	234	25	42	24	1031
3/23/2017 16:00	0.7	BDL	BDL	4.5	0.2	2.2	14.0	7.0	5.7	265	23	43	25	1031
3/23/2017 17:00	0.5	BDL	BDL	2.1	0.2	2.2	13.0	10.0	5.3	278	19	42	27	1031
3/23/2017 18:00	0.5	BDL	BDL	4.9	0.2	2.3	16.0	7.0	3.3	278	16	41	29	1031
3/23/2017 19:00	0.5	BDL	BDL	12.5	0.2	2.7	21.0	11.0	2.7	246	14	39	37	1031
3/23/2017 20:00	0.6	BDL	BDL	14.1	0.2	2.2	18.0	15.0	3.1	195	11	38	41	1032
3/23/2017 21:00	0.6	0.6	BDL	19.5	0.2	2.6	19.0	11.0	4.1	197	10	36	45	1033
3/23/2017 22:00	0.6	0.4	BDL	17.5	0.2	2.3	19.0	12.0	3.6	190	13	34	56	1032
3/23/2017 23:00	0.5	0.4	BDL	22.0	0.2	2.2	16.0	13.0	3.0	194	15	33	65	1032

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 3/19/2017-3/25/2017														
3/24/2017 0:00	BDL	0.4	BDL	13.2	0.2	2.7	19.0	12.0	3.2	213	15	33	73	1032
3/24/2017 1:00	BDL	BDL	BDL	11.4	0.2	2.3	17.0	11.0	4.5	197	11	33	76	1031
3/24/2017 2:00	BDL	Calibration	Calibration	10.0	0.2	2.2	13.0	7.0	3.4	197	12	32	80	1030
3/24/2017 3:00	0.4	Calibration	Calibration	9.2	0.2	2.4	15.0	9.0	5.3	207	12	32	73	1030
3/24/2017 4:00	Calibration	0.8	0.7	Calibration	Calibration	Too few samples	16.0	12.0	5.5	195	11	32	71	1030
3/24/2017 5:00	0.4	1.5	1.3	23.7	0.2	2.2	16.0	10.0	4.6	171	12	32	76	1030
3/24/2017 6:00	Calibration	2.0	1.3	Calibration	Calibration	2.3	23.0	11.0	4.7	193	12	32	75	1029
3/24/2017 7:00	0.6	Calibration	Calibration	16.3	0.3	2.2	19.0	11.0	6.8	204	12	34	68	1029
3/24/2017 8:00	1.6	Calibration	Calibration	13.6	0.2	2.4	14.0	9.0	10.6	219	14	39	54	1029
3/24/2017 9:00	0.6	Calibration	Calibration	1.8	0.2	2.1	19.0	7.0	12.4	204	12	41	52	1028
3/24/2017 10:00	0.6	Calibration	Calibration	1.6	0.2	2.1	13.0	5.0	12.4	206	12	43	50	1027
3/24/2017 11:00	0.7	Calibration	Calibration	1.3	0.2	2.2	30.0	5.0	14.1	215	14	46	49	1025
3/24/2017 12:00	1.0	BDL	BDL	1.0	0.2	2.2	32.0	7.0	15.3	215	14	50	42	1023
3/24/2017 13:00	0.9	BDL	BDL	3.9	0.2	2.3	28.0	11.0	14.4	223	15	53	40	1022
3/24/2017 14:00	1.1	BDL	BDL	1.2	0.2	2.3	22.0	11.0	13.8	222	13	54	43	1021
3/24/2017 15:00	1.0	BDL	BDL	BDL	0.2	2.2	28.0	9.0	14.8	210	13	55	44	1019
3/24/2017 16:00	1.3	BDL	BDL	2.0	0.2	2.4	20.0	9.0	13.4	218	13	56	42	1019
3/24/2017 17:00	2.2	BDL	BDL	10.5	0.3	2.7	21.0	11.0	10.9	222	13	54	43	1019
3/24/2017 18:00	2.8	BDL	BDL	13.0	0.3	2.3	24.0	15.0	8.2	210	11	53	46	1019
3/24/2017 19:00	1.6	0.4	BDL	9.5	0.3	2.7	19.0	15.0	5.5	210	11	52	50	1018
3/24/2017 20:00	3.0	0.8	0.4	27.3	0.4	2.9	27.0	19.0	2.6	213	21	51	53	1019
3/24/2017 21:00	2.2	1.0	BDL	35.8	0.4	2.7	24.0	16.0	2.7	308	20	50	59	1019
3/24/2017 22:00	1.0	0.6	BDL	19.6	0.3	3.1	30.0	16.0	1.3	250	22	49	62	1019
3/24/2017 23:00	1.0	1.1	BDL	34.8	0.4	2.9	29.0	22.0	2.6	171	8	47	68	1019
3/25/2017 0:00	0.9	1.1	0.5	27.8	0.3	3.2	20.0	19.0	3.4	203	8	47	69	1018
3/25/2017 1:00	0.7	1.4	0.8	17.1	0.3	2.9	21.0	15.0	4.2	217	13	48	70	1018
3/25/2017 2:00	0.7	Calibration	Calibration	21.3	0.3	3.3	26.0	19.0	4.3	237	12	49	71	1017
3/25/2017 3:00	0.8	Calibration	Calibration	20.2	0.3	2.5	23.0	15.0	5.8	231	12	51	73	1017
3/25/2017 4:00	Calibration	0.4	BDL	Calibration	Calibration	2.9	24.0	18.0	5.3	223	13	51	73	1017
3/25/2017 5:00	1.7	0.9	BDL	26.9	0.3	3.0	28.0	19.0	6.6	218	12	52	74	1018
3/25/2017 6:00	1.7	0.8	BDL	24.7	0.3	3.1	22.0	18.0	6.2	223	13	53	76	1018
3/25/2017 7:00	2.3	1.1	0.5	29.8	0.4	2.7	27.0	16.0	5.2	233	12	54	75	1019
3/25/2017 8:00	2.7	1	0.4	24.4	0.3	2.3	26.0	16.0	6.3	230	13	56	69	1019
3/25/2017 9:00	2.3	0.4	BDL	14.4	0.3	2.3	28.0	12.0	7.8	235	13	60	61	1019
3/25/2017 10:00	2.9	0.4	BDL	12.8	0.3	2.3	31.0	12.0	7.5	236	12	64	53	1018
3/25/2017 11:00	3.2	0.5	BDL	12.8	0.3	2.3	33.0	15.0	7.2	246	15	67	46	1018
3/25/2017 12:00	3.8	0.5	BDL	12.3	0.3	2.3	34.0	15.0	3.1	240	42	72	39	1018
3/25/2017 13:00	1.4	0.4	BDL	6.5	0.3	2.2	27.0	17.0	2.6	294	47	75	37	1017
3/25/2017 14:00	1.6	BDL	BDL	5.0	0.3	2.2	37.0	22.0	4.7	318	26	74	43	1018
3/25/2017 15:00	1.4	0.5	BDL	20.1	0.5	2.3	40.0	21.0	3.0	11	47	69	58	1018
3/25/2017 16:00	1.2	0.9	0.5	48.6	0.6	2.6	46.0	26.0	6.7	111	22	63	75	1019
3/25/2017 17:00	0.9	0.7	BDL	22.8	0.4	2.4	39.0	26.0	15.0	62	12	58	77	1021
3/25/2017 18:00	0.9	0.7	BDL	22.8	0.4	2.4	39.0	26.0	12.7	74	14	53	77	1022
3/25/2017 19:00	0.8	BDL	BDL	7.9	0.3	2.2	26.0	23.0	10.6	76	14	48	76	1023
3/25/2017 20:00	0.6	BDL	BDL	4.6	0.3	2.2	25.0	20.0	8.6	77	13	47	79	1024
3/25/2017 21:00	0.4	BDL	BDL	3.1	0.3	2.1	16.0	14.0	9.8	66	11	45	81	1025
3/25/2017 22:00	0.5	BDL	BDL	4.1	0.3	2.2	17.0	14.0	10.1	78	13	45	81	1025
3/25/2017 23:00	0.6	BDL	BDL	2.7	0.3	2.2	23.0	11.0	9.4	76	13	44	82	1025

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 3/26/2017-4/1/2017														
3/26/2017 0:00	0.4	BDL	BDL	1.2	0.3	2.1	16.0	15.0	12.3	63	12	43	83	1025
3/26/2017 1:00	0.4	BDL	BDL	1.2	0.3	2.1	18.0	9.0	11.5	60	12	43	82	1025
3/26/2017 2:00	0.4	Calibration	Calibration	1.1	0.3	2.1	13.0	9.0	11.1	63	12	43	83	1025
3/26/2017 3:00	0.4	Calibration	Calibration	2.5	0.3	2.1	17.0	13.0	10.4	65	12	43	83	1025
3/26/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.2	14.0	18.0	9.1	68	13	42	84	1026
3/26/2017 5:00	BDL	BDL	BDL	2.0	0.3	2.2	9.0	13.0	9.9	74	13	42	82	1026
3/26/2017 6:00	0.4	BDL	BDL	1.7	0.2	2.2	11.0	10.0	11.3	76	13	42	81	1026
3/26/2017 7:00	0.4	BDL	BDL	1.6	0.2	2.22	13.0	13.0	11.4	77	13	41	80	1027
3/26/2017 8:00	0.4	BDL	BDL	2.3	0.2	2.2	12.0	13.0	10.5	79	13	42	79	1027
3/26/2017 9:00	0.4	BDL	BDL	1.2	0.2	2.2	11.0	10.0	9.2	74	14	42	79	1027
3/26/2017 10:00	0.4	BDL	BDL	0.7	0.2	2.2	14.0	13.0	9.8	71	13	42	81	1028
3/26/2017 11:00	BDL	BDL	BDL	BDL	0.2	2.1	18.0	18.0	11.4	72	13	42	83	1027
3/26/2017 12:00	BDL	BDL	BDL	0.5	0.2	2.1	17.0	26.0	10.4	70	13	42	83	1027
3/26/2017 13:00	BDL	BDL	BDL	BDL	0.2	2.1	18.0	11.0	10.3	71	13	43	84	1026
3/26/2017 14:00	BDL	BDL	BDL	BDL	0.2	2.1	17.0	10.0	10.2	78	12	43	84	1026
3/26/2017 15:00	0.4	BDL	BDL	0.5	0.2	2.1	18.0	9.0	9.4	76	14	43	85	1025
3/26/2017 16:00	0.4	BDL	BDL	0.7	0.2	2.1	10.0	6.0	10.2	83	15	42	87	1025
3/26/2017 17:00	BDL	BDL	BDL	0.5	0.2	2.0	8.0	7.0	10.2	75	13	42	92	1024
3/26/2017 18:00	BDL	BDL	BDL	1.0	0.2	2.1	7.0	6.0	9.4	74	14	41	94	1024
3/26/2017 19:00	BDL	BDL	BDL	1.7	0.2	2.1	9.0	5.0	10.1	79	13	40	94	1024
3/26/2017 20:00	BDL	BDL	BDL	2.5	0.2	2.1	9.0	9.0	8.3	75	13	40	96	1024
3/26/2017 21:00	BDL	BDL	BDL	0.4	0.2	2.0	5.0	6.0	7.5	62	15	40	98	1024
3/26/2017 22:00	BDL	BDL	BDL	1.0	0.2	2.1	3.0	3.0	7.4	61	12	40	99	1023
3/26/2017 23:00	BDL	BDL	BDL	BDL	0.2	2.1	4.0	5.0	7.3	60	11	40	99	1022
3/27/2017 0:00	BDL	BDL	BDL	0.5	0.2	2.0	5.0	5.0	7.6	62	11	40	99	1021
3/27/2017 1:00	0.4	BDL	BDL	0.8	0.2	2.0	4.0	4.0	6.7	63	12	40	100	1020
3/27/2017 2:00	0.4	Calibration	Calibration	4.7	0.2	2.0	3.0	4.0	6.2	66	13	41	100	1019
3/27/2017 3:00	0.4	Calibration	Calibration	4.0	0.2	2.0	5.0	5.0	5.6	71	14	41	100	1018
3/27/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.0	5.0	9.0	5.2	72	12	41	100	1017
3/27/2017 5:00	0.4	BDL	BDL	10.7	0.2	2.0	7.0	14.0	4.0	67	12	41	100	1017
3/27/2017 6:00	0.4	0.6	BDL	31.8	0.3	2.0	maintenance	maintenance	2.6	56	11	42	100	1017
3/27/2017 7:00	0.5	0.9	BDL	39.7	0.4	2.1	17.0	14.0	2.1	85	15	43	100	1017
3/27/2017 8:00	0.8	1.5	0.6	58.1	0.4	2.3	20.0	15.0	1.4	7	37	44	100	1017
3/27/2017 9:00	1.1	2.0	0.9	73.2	0.6	2.6	25.0	17.0	1.4	335	30	46	99	1016
3/27/2017 10:00	1.3	2.3	1.1	82.6	0.5	2.3	28.0	21.0	2.0	147	29	47	97	1016
3/27/2017 11:00	1.1	2.0	1.2	49.4	0.4	2.3	23.0	25.0	3.6	191	17	49	92	1015
3/27/2017 12:00	1.1	1.3	0.8	21.6	0.3	2.19	24.0	20.0	6.2	222	14	52	89	1015
3/27/2017 13:00	1.1	0.9	0.6	17.2	0.3	2.2	18.0	19.0	5.9	218	15	53	87	1014
3/27/2017 14:00	1.4	1.5	0.5	29.4	0.3	2.27	19.0	18.0	6.9	225	15	55	83	1014
3/27/2017 15:00	1.3	0.7	0.5	10.9	0.3	2.2	18.0	17.0	4.6	225	18	57	78	1013
3/27/2017 16:00	1.4	0.6	0.4	10.1	0.3	2.0	15.0	16.0	2.5	207	29	59	75	1012
3/27/2017 17:00	2.2	0.8	0.4	28.0	0.3	2.2	23.0	20.0	1.4	179	20	59	79	1012
3/27/2017 18:00	1.5	0.8	0.4	25.4	0.3	2.3	26.0	25.0	1.4	84	15	57	84	1012
3/27/2017 19:00	1.2	1.5	0.8	49.9	0.5	2.4	32.0	32.0	2.7	75	16	55	88	1012
3/27/2017 20:00	1.2	1.6	0.8	49.7	0.5	2.5	32.0	34.0	4.4	73	11	54	88	1013
3/27/2017 21:00	1.0	1.6	0.9	37.2	0.5	2.4	29.0	30.0	4.6	62	11	53	91	1013
3/27/2017 22:00	1.0	1.4	0.8	39.1	0.5	2.6	40.0	32.0	4.1	58	9	52	92	1012
3/27/2017 23:00	1.1	1.6	0.9	46.1	0.4	2.6	34.0	36.0	5.2	59	14	52	93	1012
3/28/2017 0:00	0.8	1.3	0.8	30.3	0.4	2.5	38.0	32.0	5.6	59	12	51	95	1011
3/28/2017 1:00	0.7	1.1	0.7	25.6	0.4	2.4	30.0	33.0	5.0	61	11	50	96	1011
3/28/2017 2:00	0.5	Calibration	Calibration	12.1	0.3	2.2	26.0	28.0	5.5	55	10	50	97	1010
3/28/2017 3:00	0.6	Calibration	Calibration	11.6	0.3	2.2	23.0	24.0	6.1	47	11	50	99	1010
3/28/2017 4:00	Calibration	0.6	0.6	Calibration	Calibration	Too few samples	17.0	16.0	6.2	56	11	49	100	1010
3/28/2017 5:00	0.7	0.9	0.5	16.4	0.3	2.2	21.0	24.0	6.8	47	11	49	100	1010
3/28/2017 6:00	0.6	0.9	0.5	20.8	0.4	2.4	25.0	21.0	5.8	47	17	49	100	1010
3/28/2017 7:00	0.7	0.9	0.5	27.2	0.4	2.4	maintenance	maintenance	5.4	31	17	49	100	1011
3/28/2017 8:00	1.0	1.2	0.5	34.6	0.4	2.3	6.0	9.0	9.4	72	21	49	99	1010
3/28/2017 9:00	0.8	0.9	0.5	24.2	0.3	2.0	8.0	9.0	5.4	9	44	49	96	1010
3/28/2017 10:00	0.9	1.0	0.6	32.3	0.4	2.3	8.0	8.0	4.1	350	35	49	97	1011
3/28/2017 11:00	1.5	1.3	0.7	43.0	0.4	2.3	9.0	11.0	6.6	55	15	50	96	1010
3/28/2017 12:00	1.4	1.3	0.7	38.7	0.4	2.2	10.0	9.0	9.5	62	12	50	94	1008
3/28/2017 13:00	1.0	1.1	0.7	28.7	0.4	2.1	6.0	10.0	4.3	15	25	51	91	1008
3/28/2017 14:00	1.4	1.3	0.7	38.0	0.5	2.2	14.0	17.0	4.6	358	19	52	89	1008
3/28/2017 15:00	5.4	1.5	0.8	45.8	0.5	2.3	20.0	10.0	6.4	51	9	52	90	1008
3/28/2017 16:00	3.1	1.2	0.7	36.4	0.5	2.2	17.0	17.0	6.3	50	10	52	93	1008
3/28/2017 17:00	1.4	0.9	0.5	21.8	0.4	2.2	8.0	8.0	5.3	359	19	50	94	1009
3/28/2017 18:00	1.1	0.8	0.6	17.7	0.4	2.1	8.0	7.0	5.9	352	18	49	94	1010
3/28/2017 19:00	1.1	1.0	0.7	33.6	0.5	2.2	9.0	7.0	5.9	12	19	49	92	1010
3/28/2017 20:00	1.1	1.4	0.7	45.2	0.5	2.4	7.0	6.0	4.4	5	21	48	91	1011
3/28/2017 21:00	1.3	1.7	0.7	55.4	0.6	2.3	7.0	9.0	5.9	341	21	49	90	1011
3/28/2017 22:00	1.2	1.5	0.6	48.4	0.6	2.3	6.0	9.0	4.5	340	22	49	90	1012
3/28/2017 23:00	1.3	1.6	0.6	54.0	0.5	2.3	7.0	6.0	5.3	333	16	48	90	1012
3/29/2017 0:00	1.1	1.6	0.6	53.5	0.6	2.5	6.0	8.0	4.4	303	10	48	93	1012
3/29/2017 1:00	1.1	1.5	0.6	52.2	0.6	2.5	9.0	6.0	4.9	306	12	49	92	1012
3/29/2017 2:00	1.0	Calibration	Calibration	16.9	0.3	2.2	9.0	7.0	9.2	323	11	50	84	1012
3/29/2017 3:00	0.8	Calibration	Calibration	3.7	0.3	2.1	6.0	8.0	11.9	323	10	49	81	1013
3/29/2017 4:00	Calibration	0.4	BDL	Calibration	Calibration	Too few samples	3.0	6.0	10.9	327	11	47	78	1014
3/29/2017 5:00	1.1	0.4	BDL	11.1	0.2	2.0	12.0	9.0	10.5	340	12	47	76	1015
3/29/2017 6:00	1.0	0.4	BDL	13.2	0.2	2.0	8.0	7.0	10.4	337	11	46	74	1016
3/29/2017 7:00	1.3	Audit	Audit	15.0	0.2	2.0	8.0	14.0	10.1	338	12	45	71	1016
3/29/2017 8:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	2.0	11.0	9.0	10.9	336	13	46	67	1017
3/29/2017 9:00	1.30	BDL	BDL	Calibration	0.2	2.0	10.0	7.0	10.5	332	13	49	60	1017
3/29/2017 10:00	1.00	BDL	BDL	6.3	0.2	2.0	12.0	6.0	9.6	326	15	51	53	1017
3/29/2017 11:00	1	BDL	BDL	5.0	0.2	2.0	maintenance	maintenance	9.4	326	16	53	47	1017
3/29/2017 12:00	0.8	BDL	BDL	5.1	0.2	2.0	8.0	1.0	10.9	327	16	56	42	1016
3/29/2017 13:00	0.7	BDL	BDL	3.8	0.2	2.0	11.0	2.0	11.7	327	14	57	40	1016
3/29/2017 14:00	1.0	BDL	BDL	1.1	0.2	2.0	8.0	4.0	10.1	322	17	58	38	1016
3/29/2017 15:00	1.0	BDL	BDL	0.4	0.2	2.0	7.0	4.0	10.6	322	18	58	36	1016
3/29/2017 16:00	0.8	BDL	BDL	1.3	0.2	2.0	8.0	3.0	12.3	324	13	58	35	1016
3/29/2017 17:00	1.4	BDL	BDL	5.6	0.2	2.1	11.0	11.0	10.4	336	12	57	35	1017
3/29/2017 18:00	1.5	BDL	BDL	5.9	0.2	2.1	19.0	15.0	11.1	338	12	55	36	1018
3/29/2017 19:00	0.9	BDL	BDL	11.4	0.2	2.2	11.0	3.0	9.7	340	11	53	37	1019
3/29/2017 20:00	1.8	BDL	BDL	7.6	0.2	2.2	17.0	14.0	10.1	338	12	51	39	1020
3/29/2017 21:00	1.5	BDL	BDL	6.9	0.2	2.2	12.0	13.0	10.3	340	12	50	41	1021
3/29/2017 22:00	2.0	BDL	BDL	1.4	0.2	2.2	14.0	14.0	8.0	341	15	48	45	1021
3/29/2017 23:00	1.1	BDL	BDL	2.3	0.2	2.3	10.0	7.0	7.2	353	18	46	48	1021
3/30/2017 0:00	0.9	BDL	BDL	3.3	0.2	2.3	7.0	3.0	7.7	7	16	43	51	1021
3/30/2017 1:00	0.8	BDL	BDL	4.9	0.2	2.2	6.0	3.0	6.8	22	15	41	53	1021
3/30/2017 2:00	0.7	Calibration	Calibration	7.6	0.2	2.1	9.0	6.0	8.2	28	15	41	52	1021
3/30/2017 3:00	0.5	Calibration	Calibration	0.9	0.2	2.0	8.0	6.0	6.6	41	15	40	52	1021
3/30/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.1	12.0	4.0	4.6	50	16	39	54	1022
3/30/2017 5:00	0.5	BDL	BDL	13.8	0.3	2.4	13.0	8.0	2.7	314	49	38	58	1023
3/30/2017 6:00	0.6	Calibration	Calibration	19.0	0.3	2.2	9.0	6.0	4.6	35	15	38	55	1023
3/30/2017 7:00	0.5	Calibration	Calibration	16.6	0.3	2.1	10.0	4.0	4.4	28.0	29.1	40	49	1023
3/30/2017 8:00	0.5	BDL	BDL	8.4	0.2	2.1	13.0	7.0	6.0	81	20	41	43	1023
3/30/2017 9:00	0.5	BDL	BDL	6.2	0.2	2.0	14.0	6.0	4.4	91	21	42	42	1022
3/30/2017 10:00	0.5	BDL	BDL	6.9	0.2	2.0	9.0	5.0	3.0	147	53	43	39	1022
3/30/2017 11:00	0.6	BDL	BDL	4.2	0.2	2.0	7.0	5.0	3.1	175	47	44	37	1021
3/30/2017 12:00	0.4	BDL	BDL	2.3	0.2	2.0	10.0	7.0	2.5	154	46	47	37	1021
3/30/2017 13:00	0.6	BDL	BDL	2.8	0.2	2.0	12.0	7.0	1.9	188	53	48	36	1020
3/30/2017 14:00	0.6	BDL	BDL	3.3	0.2	2.0	16.0	12.0	2.3	127	45	49	37	1019
3/30/2017 15:00	1.0	BDL	BDL	6.4	0.2	Too few samples	10.0	12.0	4.7	204	44	49	40	1019
3/30/2017 16:00	0.9	BDL	BDL	5.1	0.3	2.3	17.0	8.0	8.5	208	14	47	51	1018
3/30/2017 17:00	0.5	BDL	BDL	BDL	0.2	1.9	9.0	6.0	6.9	185	13	46	53	1018
3/30/2017 18:00	0.5	BDL	BDL	BDL	0.2	1.9	9.0	8.0	5.4	180	12	45	57	1018
3/30/2017 19:00	0.5	BDL	BDL	7.6	0.2	1.9	9.0	8.0	4.5	150	15	45	61	1018
3/30/2017 20:00	0.4	BDL	BDL	2.7	0.2	1.9	11.0	5.0	5.5	128	16	44	62	1018
3/30/2017 21:00	BDL	0.4	BDL	BDL	0.2	1.9	10.0	5.0	6.6	143	14	42	74	1018
3/30/2017 22:00	0.4	0.8	0.9	0.5	0.2	2.0	10.0	5.0	4.9	115	15	39	84	1017
3/30/2017 23:00	0.4	0.4	BDL	2.1	0.2	2.0	9.0	4.0	5.2	87	14	39	86	1017

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 3/26/2017-4/1/2017														
3/31/2017 0:00	0.4	BDL	BDL	2.7	0.2	2.0	7.0	4.0	5.1	82	15	38	89	1017
3/31/2017 1:00	0.4	BDL	BDL	7.8	0.2	2.0	6.0	4.0	5.5	81	13	38	92	1017
3/31/2017 2:00	0.4	Calibration	Calibration	4.7	0.2	2.0	5.0	5.0	7.3	78	14	38	94	1016
3/31/2017 3:00	BDL	Calibration	Calibration	3.1	0.2	2.0	6.0	8.0	7.8	77	13	37	94	1016
3/31/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	1.9	4.0	5.0	8.7	77	12	36	96	1015
3/31/2017 5:00	0.5	BDL	BDL	6.9	0.2	1.9	5.0	3.0	9	76	12	35	95	1015
3/31/2017 6:00	0.5	0.5	BDL	13.8	0.2	3.0	6.0	6.0	7.3	69	12	36	96	1014
3/31/2017 7:00	0.5	0.6	0.4	14.2	0.2	2.0	8.0	7.0	7.5	66	12	37	97	1013
3/31/2017 8:00	0.5	0.6	0.4	12.7	0.2	2.0	6.0	6.0	8.5	63	12	38	98	1012
3/31/2017 9:00	0.5	0.7	0.4	13.6	0.2	2.0	5.0	5.0	9.2	68	11	39	97	1011
3/31/2017 10:00	0.5	0.6	0.4	11.8	0.2	2.0	3.0	4.0	8.7	63	11	40	98	1010
3/31/2017 11:00	0.5	0.8	0.6	14.5	0.2	2.0	5.0	5.0	8.3	65	13	42	97	1009
3/31/2017 12:00	0.5	0.8	0.4	8.3	0.2	2.0	5.0	6.0	9.3	66	16	43	98	1008
3/31/2017 13:00	0.5	0.6	0.4	8.2	0.3	2.0	2.0	2.0	12.2	65	12	43	98	1006
3/31/2017 14:00	0.5	0.7	BDL	9.0	0.3	2.0	4.0	3.0	13.2	61	12	43	98	1004
3/31/2017 15:00	0.6	0.6	0.4	9.5	0.3	2.0	3.0	4.0	11.2	64	12	44	98	1003
3/31/2017 16:00	0.6	0.7	0.4	13.2	0.3	2.0	2.0	4.0	12.2	57	12	44	98	1002
3/31/2017 17:00	0.5	0.7	0.5	11.2	0.3	2.1	5.0	5.0	7.3	41	14	45	97	1001
3/31/2017 18:00	0.5	0.7	0.4	9.3	0.3	2.0	5.0	6.0	12.0	45	12	44	97	1001
3/31/2017 19:00	0.6	0.6	0.5	4.2	0.3	2.0	6.0	3.0	11.2	41	13	42	98	1002
3/31/2017 20:00	0.5	0.6	0.5	4.5	0.3	2.0	5.0	4.0	8.2	34	15	42	97	1002
3/31/2017 21:00	0.6	0.6	0.5	4.1	0.3	2.0	5.0	4.0	9.0	32	15	41	95	1001
3/31/2017 22:00	0.6	0.6	0.5	2.3	0.2	2.0	6.0	3.0	7.5	35	14	41	95	1001
3/31/2017 23:00	0.7	0.6	0.5	7.9	0.2	2.0	5.0	4.0	6.8	7	19	41	97	1001
4/1/2017 0:00	0.8	0.7	0.5	14.4	0.3	2.1	6.0	7.0	8.1	356	16	40	95	1001
4/1/2017 1:00	0.9	0.7	0.5	12.5	0.2	2.1	5.0	7.0	7.1	355	18	39	91	1002
4/1/2017 2:00	0.8	Calibration	Calibration	6.5	0.2	2.0	8.0	6.0	7.9	344	17	38	93	1002
4/1/2017 3:00	0.7	Calibration	Calibration	4.6	0.2	1.9	6.0	6.0	9.6	338	11	37	93	1003
4/1/2017 4:00	Calibration	0.5	0.4	Calibration	Calibration	Too few samples	4.0	6.0	8.6	334	13	38	90	1004
4/1/2017 5:00	0.7	0.6	BDL	9.8	0.2	2.0	2.0	8.0	10.6	329	11	37	90	1005
4/1/2017 6:00	0.8	0.6	BDL	13.1	0.2	2.0	3.0	8.0	8.9	331	12	37	87	1006
4/1/2017 7:00	0.9	0.6	0.4	13.6	0.2	2.0	5.0	9.0	9.1	334	11	38	84	1007
4/1/2017 8:00	1.1	0.6	BDL	10.3	0.2	2.0	6.0	7.0	9.9	338	14	39	77	1008
4/1/2017 9:00	1.0	0.5	BDL	10.0	0.2	2.0	8.0	6.0	11.1	334	12	41	75	1008
4/1/2017 10:00	1.2	0.5	BDL	9.6	0.2	2.0	11.0	11.0	9.7	335	15	43	70	1008
4/1/2017 11:00	1.2	0.4	BDL	8.5	0.2	2.0	7.0	6.0	10.5	334	15	44	66	1009
4/1/2017 12:00	0.8	BDL	BDL	1.3	0.2	2.0	5.0	2.0	12.6	322	11	46	64	1009
4/1/2017 13:00	0.8	BDL	BDL	2.3	0.2	2.0	6.0	4.0	11.4	326	12	49	61	1009
4/1/2017 14:00	0.7	BDL	BDL	0.4	0.2	2.0	3.0	4.0	13.4	319	10	49	61	1010
4/1/2017 15:00	0.7	BDL	BDL	0.6	0.2	2.0	5.0	3.0	14.0	325	11	49	60	1010
4/1/2017 16:00	0.9	BDL	BDL	7.1	0.2	2.0	4.0	5.0	12.5	332	12	49	60	1011
4/1/2017 17:00	0.7	BDL	BDL	4.3	0.2	2.0	6.0	7.0	12.3	325	11	48	62	1012
4/1/2017 18:00	0.8	BDL	BDL	6.7	0.2	2.1	6.0	6.0	10.9	328	11	47	63	1014
4/1/2017 19:00	0.8	0.4	BDL	15.2	0.2	2.1	7.0	6.0	9.1	332	12	46	65	1015
4/1/2017 20:00	0.8	0.4	BDL	11.0	0.2	2.1	8.0	6.0	7.8	329	14	45	67	1015
4/1/2017 21:00	0.7	BDL	BDL	9.6	0.2	2.1	6.0	6.0	7.0	328	14	45	67	1016
4/1/2017 22:00	0.7	BDL	BDL	12.6	0.2	2.2	3.0	5.0	5.8	330	12	44	69	1016
4/1/2017 23:00	0.8	0.4	BDL	14.1	0.2	2.1	7.0	7.0	6.6	330	11	43	69	1016

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 4/2/2017-4/8/2017														
4/2/2017 0:00	0.6	BDL	BDL	7.6	0.2	2.2	7.0	7.0	8.3	320	9	43	71	1017
4/2/2017 1:00	0.5	BDL	BDL	1.9	0.2	2.1	6.0	6.0	6.9	308	8	42	73	1016
4/2/2017 2:00	0.5	Calibration	Calibration	2.1	0.2	2.2	5.0	7.0	8.0	315	8	42	75	1016
4/2/2017 3:00	0.7	Calibration	Calibration	5.8	0.2	2.1	6.0	10.0	10.0	326	11	42	72	1017
4/2/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	8.0	7.0	9.3	322	11	41	70	1018
4/2/2017 5:00	0.5	BDL	BDL	1.8	0.2	2.2	7.0	6.0	10.6	317	8	40	72	1018
4/2/2017 6:00	0.5	BDL	BDL	1.9	0.2	2.1	8.0	6.0	9.6	314	8	40	72	1019
4/2/2017 7:00	0.6	BDL	BDL	2.4	0.2	2.3	17.0	5.0	10.6	322	11	43	67	1020
4/2/2017 8:00	0.7	BDL	BDL	1.0	0.2	2.1	10.0	8.0	11.1	319	9	45	60	1020
4/2/2017 9:00	0.8	BDL	BDL	1.3	0.2	2.1	9.0	8.0	9.5	317	13	48	52	1020
4/2/2017 10:00	0.8	BDL	BDL	BDL	0.2	2.0	9.0	6.0	7.3	313	15	52	44	1019
4/2/2017 11:00	0.8	BDL	BDL	BDL	0.2	2.0	8.0	4.0	8.2	309	19	56	37	1019
4/2/2017 12:00	0.7	BDL	BDL	BDL	0.2	2.0	8.0	4.0	7.1	306	20	57	34	1018
4/2/2017 13:00	0.7	BDL	BDL	BDL	0.2	2.0	5.0	5.0	8.6	313	18	59	33	1017
4/2/2017 14:00	0.7	BDL	BDL	BDL	0.2	2.0	5.0	4.0	9.6	313	20	60	32	1017
4/2/2017 15:00	0.7	BDL	BDL	BDL	0.2	2.0	6.0	4.0	10.3	314	12	60	32	1016
4/2/2017 16:00	0.6	BDL	BDL	BDL	0.2	2.0	12.0	4.0	9.8	303	14	60	32	1016
4/2/2017 17:00	0.6	BDL	BDL	BDL	0.2	2.0	10.0	8.0	6.4	267	17	60	34	1016
4/2/2017 18:00	0.6	BDL	BDL	BDL	0.3	2.3	9.0	9.0	4.1	255	13	58	38	1016
4/2/2017 19:00	0.8	BDL	BDL	11.2	0.3	2.8	19.0	8.0	4.6	233	11	56	41	1017
4/2/2017 20:00	1.1	0.6	0.4	20.6	0.3	3.2	21.0	8.0	4.2	239	12	54	47	1017
4/2/2017 21:00	1.0	0.9	0.4	28.2	0.3	3.3	21.0	14.0	4.7	238	11	53	50	1017
4/2/2017 22:00	0.8	0.7	BDL	26.1	0.3	2.8	15.0	10.0	1.8	263	19	51	58	1017
4/2/2017 23:00	0.8	0.8	BDL	29.7	0.3	3.1	18.0	8.0	1.5	211	26	49	66	1017
4/3/2017 0:00	0.6	0.6	BDL	15.8	0.3	4.0	18.0	8.0	3.0	219	13	48	63	1018
4/3/2017 1:00	0.7	0.5	BDL	15.7	0.2	2.6	10.0	9.0	2.4	203	15	47	67	1017
4/3/2017 2:00	0.7	Calibration	Calibration	21.0	0.2	2.5	16.0	11.0	1.7	201	15	46	75	1016
4/3/2017 3:00	0.6	Calibration	Calibration	24.0	0.2	2.5	14.0	17.0	1.2	186	18	45	78	1016
4/3/2017 4:00	Calibration	1.2	0.8	Calibration	Calibration	4.0	17.0	13.0	0.9	215	47	44	82	1017
4/3/2017 5:00	1.1	1.6	0.6	45.1	0.3	2.7	17.0	14.0	1.6	185	20	43	80	1017
4/3/2017 6:00	1.8	2.9	0.8	103.9	0.3	2.6	31.0	16.0	1.1	185	51	44	80	1018
4/3/2017 7:00	2.4	2.7	1.0	72.6	0.3	2.5	32.0	16.0	3.1	192	15	48	67	1017
4/3/2017 8:00	2.1	1.7	1.0	31.0	0.3	2.1	22.0	9.0	3.3	170	23	52	59	1017
4/3/2017 9:00	2.2	0.7	0.4	12.3	0.2	2.1	34.0	8.0	5.7	209	17	57	54	1017
4/3/2017 10:00	2.1	0.5	BDL	11	0.2	2.1	15.0	8.0	6.3	225	19	61	48	1016
4/3/2017 11:00	1.8	0.5	BDL	4.2	0.2	2.0	21.0	7.0	6.1	222	23	63	44	1015
4/3/2017 12:00	0.9	BDL	BDL	BDL	0.2	2.0	17.0	7.0	6.8	204	25	64	40	1014
4/3/2017 13:00	0.8	BDL	BDL	4.2	0.2	1.9	20.0	7.0	9.7	178	15	65	38	1013
4/3/2017 14:00	0.7	BDL	BDL	1.3	0.2	1.9	15.0	7.0	10.0	174	14	64	39	1012
4/3/2017 15:00	0.6	BDL	BDL	5.3	0.2	1.9	20.0	5.0	8.5	173	13	63	34	1011
4/3/2017 16:00	0.6	BDL	BDL	6.6	0.2	1.9	17.0	5.0	10.3	165	11	62	38	1011
4/3/2017 17:00	0.6	BDL	BDL	BDL	0.2	1.9	15.0	6.0	12.9	159	11	59	33	1011
4/3/2017 18:00	0.5	BDL	BDL	1.3	0.2	1.9	7.0	7.0	9.2	157	12	58	40	1010
4/3/2017 19:00	0.5	BDL	BDL	BDL	0.2	1.9	9.0	8.0	8.0	162	15	57	45	1010
4/3/2017 20:00	0.6	0.4	BDL	1.6	0.2	1.9	7.0	8.0	6.2	145	14	55	52	1010
4/3/2017 21:00	0.5	0.4	BDL	0.9	0.2	1.9	7.0	7.0	6.1	116	15	52	66	1008
4/3/2017 22:00	0.7	1.0	0.9	18.5	0.2	1.9	11.0	10.0	7.0	116	15	50	82	1006
4/3/2017 23:00	0.6	0.9	0.8	BDL	0.2	1.9	8.0	11.0	7.7	132	16	51	95	1004
4/4/2017 0:00	0.6	0.8	0.8	5.7	0.2	1.8	4.0	7.0	7.4	150	15	53	96	1003
4/4/2017 1:00	0.7	1.0	0.6	23.9	0.2	1.8	5.0	7.0	10.0	169	13	57	94	1002
4/4/2017 2:00	0.5	Calibration	Calibration	9.4	0.2	1.9	12.0	7.0	11.3	176	12	58	93	1000
4/4/2017 3:00	0.5	Calibration	Calibration	BDL	0.2	1.9	13.0	7.0	9.6	172	11	58	94	1000
4/4/2017 4:00	Calibration	0.7	0.5	Calibration	Calibration	1.9	15.0	9.0	4.9	194	32	58	95	999
4/4/2017 5:00	1.0	1.9	0.8	48.3	0.3	2.0	16.0	14.0	4.6	167	16	58	95	999
4/4/2017 6:00	0.7	1.4	0.8	23.5	0.3	2.0	13.0	9.0	4.1	194	17	59	94	999
4/4/2017 7:00	0.8	1.6	1.3	14.9	0.3	2.0	10.0	12.0	6.9	197	11	61	90	999
4/4/2017 8:00	1.3	1.0	0.8	12.9	0.4	2.1	12.0	14.0	9.1	219	12	63	83	998
4/4/2017 9:00	1.4	0.9	0.6	10.2	0.3	2.1	17.0	9.0	9.5	231	13	65	78	998
4/4/2017 10:00	1.5	0.8	0.7	5.8	0.3	2.0	12.0	12.0	10.3	234	13	67	68	997
4/4/2017 11:00	1.3	0.7	0.6	6.0	0.3	2.0	14.0	11.0	9.5	243	16	69	61	997
4/4/2017 12:00	1.1	0.7	0.7	6.9	0.3	2.2	11.0	12.0	7.3	235	21	70	62	997
4/4/2017 13:00	1.4	0.8	0.7	9.7	0.3	2.3	12.0	10.0	6.1	237	18	71	58	997
4/4/2017 14:00	1.1	0.7	0.6	3.6	0.3	2.5	9.0	6.0	7.8	253	17	74	46	997
4/4/2017 15:00	1.2	0.6	0.6	5.3	0.3	2.6	11.0	6.0	5.6	246	20	74	46	997
4/4/2017 16:00	1.1	0.6	0.6	2.3	0.3	2.2	14.0	6.0	9.5	247	17	74	41	998
4/4/2017 17:00	0.8	0.6	0.6	BDL	0.2	2.1	7.0	4.0	9.2	257	17	74	41	999
4/4/2017 18:00	0.8	0.7	0.6	6.6	0.3	2.2	8.0	5.0	6.7	258	15	73	43	1000
4/4/2017 19:00	0.7	0.5	0.4	BDL	0.2	2.0	10.0	6.0	8.4	296	10	71	42	1001
4/4/2017 20:00	0.6	0.4	0.4	BDL	0.2	2.0	8.0	5.0	6.9	294	9	69	40	1002
4/4/2017 21:00	0.5	BDL	BDL	BDL	0.2	2.0	9.0	4.0	7.0	296	8	67	41	1003
4/4/2017 22:00	0.6	BDL	0.4	BDL	0.2	2.1	8.0	2.0	6.2	288	11	65	45	1004
4/4/2017 23:00	0.6	0.4	0.4	BDL	0.2	2.2	11.0	5.0	6.7	280	11	64	46	1004
4/5/2017 0:00	0.6	0.4	BDL	BDL	0.2	2.2	8.0	4.0	7.3	277	12	63	45	1004
4/5/2017 1:00	0.5	0.4	0.4	BDL	0.2	2.4	7.0	5.0	4.4	265	14	62	48	1005
4/5/2017 2:00	0.6	Calibration	Calibration	0.4	0.2	2.3	8.0	6.0	4.9	264	12	60	51	1005
4/5/2017 3:00	0.9	Calibration	Calibration	BDL	0.2	2.3	7.0	4.0	5.2	274	17	60	51	1006
4/5/2017 4:00	Calibration	BDL	0.5	Calibration	Calibration	Too few samples	12.0	4.0	5.3	290	12	58	56	1007
4/5/2017 5:00	0.5	BDL	BDL	0.7	0.2	2.1	10.0	4.0	9.4	310	9	55	56	1008
4/5/2017 6:00	0.5	BDL	BDL	1.6	0.2	2.1	10.0	5.0	9.5	315	11	54	54	1009
4/5/2017 7:00	0.5	BDL	BDL	1.7	0.2	2.1	6.0	5.0	12.0	316	11	54	52	1010
4/5/2017 8:00	0.50	BDL	BDL	1.8	0.2	2.1	7.0	6.0	9.1	318	13	55	51	1011
4/5/2017 9:00	0.70	BDL	BDL	5.3	0.2	2.1	10.0	7.0	7.5	325	20	57	48	1011
4/5/2017 10:00	0.70	BDL	BDL	BDL	0.2	2.1	6.0	7.0	4.6	306	40	60	44	1011
4/5/2017 11:00	0.9	BDL	BDL	1.3	0.2	2.1	7.0	6.0	3.9	304	50	62	41	1011
4/5/2017 12:00	0.7	BDL	BDL	BDL	0.2	2.1	6.0	7.0	3.1	255	52	64	38	1010
4/5/2017 13:00	1.0	BDL	BDL	3.0	0.2	2.2	12.0	11.0	5.2	153	24	64	40	1010
4/5/2017 14:00	1.1	BDL	BDL	2.8	0.2	2.1	9.0	11.0	4.8	142	23	65	39	1010
4/5/2017 15:00	1.2	BDL	BDL	3.5	0.2	2.1	13.0	7.0	3.3	152	42	65	38	1009
4/5/2017 16:00	1.2	0.4	0.4	5.9	0.2	2.1	11.0	8.0	2.7	167	37	66	39	1010
4/5/2017 17:00	0.7	BDL	BDL	2.8	0.2	2.1	15.0	6.0	7.7	129	15	63	50	1010
4/5/2017 18:00	0.5	BDL	BDL	2.8	0.2	2.1	15.0	4.0	9.6	114	12	57	61	1010
4/5/2017 19:00	0.5	BDL	BDL	3.3	0.2	2.1	15.0	12.0	9.5	125	17	52	65	1011
4/5/2017 20:00	0.6	BDL	BDL	2.5	0.2	2.1	16.0	14.0	7.7	114	14	50	68	1011
4/5/2017 21:00	0.5	BDL	BDL	1.7	0.2	2.1	7.0	8.0	7.7	104	14	49	71	1010
4/5/2017 22:00	0.5	BDL	BDL	2.8	0.2	2.1	6.0	3.0	7.8	93	13	49	74	1010
4/5/2017 23:00	0.5	BDL	BDL	BDL	0.2	2.1	8.0	4.0	8.6	93	14	49	77	1010
4/6/2017 0:00	0.4	BDL	BDL	BDL	0.2	2.1	7.0	7.0	10.8	88	12	48	81	1010
4/6/2017 1:00	0.5	BDL	BDL	0.5	0.2	2.1	6.0	8.0	9.4	87	14	47	85	1009
4/6/2017 2:00	0.4	Calibration	Calibration	BDL	0.2	2.1	12.0	8.0	10.4	78	13	47	89	1008
4/6/2017 3:00	0.4	Calibration	Calibration	BDL	0.2	2.1	7.0	8.0	11.3	73	12	47	94	1006
4/6/2017 4:00	Calibration	BDL	0.4	Calibration	Calibration	2.0	7.0	6.0	12.3	74	13	46	94	1005
4/6/2017 5:00	0.6	0.4	0.4	3.0	0.2	2.1	7.0	5.0	10.2	80	13	46	94	1004
4/6/2017 6:00	0.6	0.5	0.5	6.9	0.2	2.0	10.0	6.0	13.0	79	13	45	96	1003
4/6/2017 7:00	0.6	0.6	0.4	5.8	0.2	2.0	12.0	5.0	13.1	77.0	13.2	45	97	1001
4/6/2017 8:00	0.6	0.5	0.4	3.8	0.2	2.0	9.0	3.0	12.6	72	12	44	98	1000
4/6/2017 9:00	0.5	0.6	0.5	3.5	0.2	1.9	7.0	3.0	9.1	59	13	44	98	1000
4/6/2017 10:00	0.6	0.6	0.5	6.7	0.2	2.0	8.0	3.0	11.4	59	14	44	99	997
4/6/2017 11:00	0.7	0.7	0.7	8.7	0.2	2.0	6.0	5.0	11.3	60	12	45	99	995
4/6/2017 12:00	0.7	0.9	0.7	9.8	0.2	2.0	17.0	8.0	8.2	54	18	47	98	992
4/6/2017 13:00	0.7	1.0	0.8	19.3	0.3	2.4	8.0	6.0	8.9	56	28	47	100	990
4/6/2017 14:00	0.8	1.3	0.9	25.6	0.3	2.2	10.0	7.0	11.0	160	33	50	98	988
4/6/2017 15:00	0.9	1.1	0.9	10.3	0.2	2.0	6.0	8.0	6.8	172	22	53	86	987
4/6/2017 16:00	1.1	1.0	0.9	6.0	0.2	2.0	9.0	9.0	10.3	232	14	55	73	987
4/6/2017 17:00	0.8	1.2	1.1	3.1	0.2	2.0	9.0	6.0	9.4	257	16	52	72	989
4/6/2017 18:00	1.0	1.2	1.0	7.7	0.2	2.2	12.0	3.0	6.4	237	14	50	75	989
4/6/2017 19:00	2.3	1.1	0.8	23.4	0.3	2.6	11.0	8.0	7.1	213	12	50	78	990
4/6/2017 20:00	1.9	1.1	0.9	15.0	0.2	2.5	7.0	6.0	8.2	217	12	50	80	990
4/6/2017 21:00	1.7	1.0	0.8	12.6	0.3	2.6	8.0	6.0	9.1	222	11	51	80	991
4/6/2017 22:00	1.6	0.9	0.7	6.3	0.2	2.1	7.0	6.0	11.4	253	14	51	73	991
4/6/2017 23:00	1.1	0.7	0.7	BDL	0.2	2.0	4.0	4.0	9.9	263	16	49	57	992

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 4/2/2017-4/8/2017														
4/7/2017 0:00	1.0	0.7	0.7	BDL	0.2	2.2	7.0	4.0	10.7	248	14	47	60	992
4/7/2017 1:00	0.8	0.6	0.6	BDL	0.2	2.1	7.0	4.0	10.4	252	16	46	59	992
4/7/2017 2:00	0.9	Calibration	Calibration	BDL	0.2	2.2	6.0	7.0	10.5	246	13	45	60	992
4/7/2017 3:00	1.0	Calibration	Calibration	4.5	0.2	2.2	6.0	5.0	12.3	244	13	44	59	992
4/7/2017 4:00	Calibration	0.6	0.7	Calibration	Calibration	2.2	6.0	6.0	11.6	246	13	44	57	992
4/7/2017 5:00	1.1	0.8	0.7	7.1	0.2	2.2	8.0	6.0	10.3	246	14	43	57	992
4/7/2017 6:00	0.9	0.8	0.6	4.5	0.2	2.1	5.0	5.0	11.6	248	14	43	58	993
4/7/2017 7:00	0.7	0.8	0.9	0.7	0.2	2.0	4.0	5.0	11.1	258	15	42	64	994
4/7/2017 8:00	0.7	0.9	0.8	4.2	0.2	2.1	6.0	5.0	10.2	249	15	41	76	994
4/7/2017 9:00	0.9	0.9	0.9	2.0	0.2	2.0	10.0	3.0	9.5	261	17	42	70	995
4/7/2017 10:00	0.8	0.6	0.7	BDL	0.2	2.0	10.0	3.0	12.4	287	13	42	67	995
4/7/2017 11:00	0.6	0.6	0.6	BDL	0.2	1.9	9.0	1.0	12.7	282	13	42	66	996
4/7/2017 12:00	0.7	0.6	0.6	BDL	0.2	2.0	7.0	1.0	11.3	265	17	44	63	996
4/7/2017 13:00	0.7	0.5	0.5	3.5	0.2	2.1	5.0	2.0	14.1	287	13	45	55	996
4/7/2017 14:00	0.7	0.5	0.4	BDL	0.2	2.3	6.0	4.0	13.3	284	14	45	51	997
4/7/2017 15:00	0.6	0.5	0.5	BDL	0.2	2.0	6.0	2.0	14.3	292	12	45	49	997
4/7/2017 16:00	0.6	0.4	0.4	BDL	0.2	2.0	11.0	4.0	14.6	295	11	43	58	999
4/7/2017 17:00	0.5	BDL	0.4	BDL	0.2	2.2	8.0	6.0	13.9	297	12	42	58	1000
4/7/2017 18:00	0.5	BDL	0.4	BDL	0.2	2.2	4.0	5.0	12.1	296	12	41	56	1001
4/7/2017 19:00	0.5	BDL	BDL	BDL	0.1	2.0	6.0	2.0	12.0	300	12	41	57	1003
4/7/2017 20:00	0.4	BDL	BDL	BDL	0.2	2.0	9.0	2.0	12.9	303	11	40	56	1005
4/7/2017 21:00	0.5	BDL	BDL	BDL	0.2	2.0	6.0	4.0	11.7	302	11	39	59	1005
4/7/2017 22:00	0.4	BDL	BDL	BDL	0.1	2.0	10.0	10.0	13.1	303	11	39	60	1006
4/7/2017 23:00	0.5	BDL	BDL	BDL	0.1	2.0	13.0	9.0	13.2	307	10	39	60	1006
4/8/2017 0:00	0.5	BDL	BDL	BDL	0.1	2.0	10.0	8.0	11.7	307	11	39	56	1007
4/8/2017 1:00	0.7	BDL	BDL	BDL	0.1	2.0	8.0	6.0	9.9	297	10	39	54	1007
4/8/2017 2:00	0.8	Calibration	Calibration	BDL	0.1	2.1	8.0	6.0	10.3	297	10	38	52	1007
4/8/2017 3:00	0.8	Calibration	Calibration	BDL	0.1	2.2	10.0	8.0	6.8	286	12	37	56	1007
4/8/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.2	7.0	9.0	7.2	275	11	36	61	1008
4/8/2017 5:00	0.6	BDL	BDL	BDL	0.2	2.4	6.0	6.0	6.6	268	13	36	63	1009
4/8/2017 6:00	0.7	BDL	BDL	0.5	0.2	2.3	5.0	4.0	7.8	270	13	36	55	1010
4/8/2017 7:00	0.9	BDL	BDL	BDL	0.2	2.2	5.0	4.0	9.2	284	14	40	46	1010
4/8/2017 8:00	0.7	BDL	BDL	BDL	0.1	2.1	5.0	3.0	13.2	305	12	42	41	1010
4/8/2017 9:00	0.6	BDL	BDL	BDL	0.1	2.1	7.0	4.0	13.8	310	12	45	35	1010
4/8/2017 10:00	0.5	BDL	BDL	BDL	0.1	2.1	7.0	6.0	14.9	316	12	48	31	1010
4/8/2017 11:00	0.6	BDL	BDL	BDL	0.1	2.1	8.0	4.0	12.7	306	13	51	28	1010
4/8/2017 12:00	0.6	BDL	BDL	BDL	0.1	2.1	6.0	3.0	13.6	305	13	54	27	1010
4/8/2017 13:00	0.7	BDL	BDL	BDL	0.1	2.1	10.0	2.0	13.7	303	14	56	24	1010
4/8/2017 14:00	0.7	BDL	BDL	BDL	0.1	2.1	7.0	BDL	12.4	300	16	57	23	1009
4/8/2017 15:00	0.7	BDL	BDL	BDL	0.1	2.1	4.0	4.0	13.3	306	11	57	23	1009
4/8/2017 16:00	0.6	BDL	BDL	BDL	0.1	2.1	7.0	3.0	11.8	304	11	57	23	1010
4/8/2017 17:00	0.6	BDL	BDL	BDL	0.1	2.1	8.0	4.0	11.6	303	11	57	21	1010
4/8/2017 18:00	0.6	BDL	BDL	BDL	0.1	2.3	7.0	5.0	7.4	297	9	56	23	1011
4/8/2017 19:00	0.6	BDL	BDL	BDL	0.2	2.3	8.0	6.0	4.8	288	10	54	26	1011
4/8/2017 20:00	0.6	BDL	BDL	3.8	0.3	2.6	13.0	5.0	3.1	288	11	52	31	1013
4/8/2017 21:00	0.7	0.4	BDL	12.6	0.3	3.7	13.0	6.0	3.7	270	9	50	41	1014
4/8/2017 22:00	0.7	0.6	BDL	19.7	0.3	3.3	16.0	9.0	3.1	256	14	48	43	1014
4/8/2017 23:00	0.8	0.6	BDL	27.7	0.5	3.9	17.0	14.0	1.8	211	23	45	57	1015

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 4/9/2017-4/15/2017														
4/9/2017 0:00	1.1	1.5	0.6	50.4	0.6	6.9	26.0	14.0	1.2	216	39	44	64	1016
4/9/2017 1:00	1.3	2.4	0.8	74.1	0.9	8.3	21.0	13.0	1.8	230	25	42	70	1016
4/9/2017 2:00	1.4	Calibration	Calibration	77.5	1.1	4.6	25.0	17.0	1.6	256	28	41	65	1016
4/9/2017 3:00	1.8	Calibration	Calibration	103.5	0.7	4.2	33.0	20.0	2.2	254	18	40	64	1017
4/9/2017 4:00	Calibration	2.1	0.5	Calibration	Calibration	6.8	27.0	16.0	1.3	236	27	39	70	1017
4/9/2017 5:00	1.8	3.3	0.9	99.4	0.9	4.4	26.0	21.0	1.9	232	18	38	79	1018
4/9/2017 6:00	2.8	3.4	1.0	114.4	1.0	5.3	30.0	16.0	2.0	234	17	41	65	1019
4/9/2017 7:00	2.4	1.9	0.7	51.0	0.5	3.1	22.0	14.0	4.1	246	16	47	45	1020
4/9/2017 8:00	3.0	0.9	0.4	25.3	0.3	2.7	16.0	11.0	6.6	235	12	53	33	1020
4/9/2017 9:00	1.8	0.5	BDL	7.4	0.2	2.3	9.0	5.0	7.5	229	17	57	26	1020
4/9/2017 10:00	1.4	BDL	BDL	BDL	0.1	2.2	6.0	3.0	9.6	229	14	60	21	1020
4/9/2017 11:00	1.1	BDL	BDL	BDL	0.2	2.2	7.0	4.0	8.7	223	18	62	21	1019
4/9/2017 12:00	1.1	BDL	BDL	BDL	0.1	2.2	8.0	4.0	9.8	221	17	64	20	1019
4/9/2017 13:00	1.1	BDL	BDL	BDL	0.2	2.2	6.0	7.0	10.2	219	17	66	20	1018
4/9/2017 14:00	1.0	BDL	BDL	BDL	0.2	2.2	6.0	6.0	9.4	216	17	67	19	1018
4/9/2017 15:00	1.0	BDL	BDL	BDL	0.2	2.1	9.0	4.0	8.3	205	16	67	21	1017
4/9/2017 16:00	0.9	BDL	BDL	BDL	0.2	2.1	14.0	4.0	8.2	197	13	65	23	1017
4/9/2017 17:00	0.9	BDL	BDL	BDL	0.2	2.1	36.0	3.0	7.7	198	11	64	27	1018
4/9/2017 18:00	0.9	BDL	BDL	BDL	0.2	2.1	7.0	6.0	7.0	190	12	60	35	1018
4/9/2017 19:00	0.9	BDL	BDL	1.0	0.2	2.2	8.0	7.0	4.7	208	14	56	37	1019
4/9/2017 20:00	1.1	BDL	BDL	2.2	0.2	2.4	13.0	7.0	3.5	214	11	54	42	1020
4/9/2017 21:00	1.0	BDL	BDL	2.1	0.2	2.2	11.0	6.0	3.4	193	11	53	48	1020
4/9/2017 22:00	1.4	0.4	0.4	4.5	0.2	2.2	14.0	8.0	3.8	198	10	51	57	1020
4/9/2017 23:00	1.5	0.5	0.4	4.9	0.2	2.4	16.0	8.0	2.0	205	11	50	66	1020
4/10/2017 0:00	1.8	0.7	0.6	11.1	0.2	2.3	16.0	13.0	1.7	191	7	49	70	1020
4/10/2017 1:00	1.2	0.6	BDL	18.5	0.2	2.3	16.0	9.0	2.5	171	9	49	72	1020
4/10/2017 2:00	1.0	Calibration	Calibration	44.7	0.2	2.2	15.0	10.0	2.1	168	14	48	70	1019
4/10/2017 3:00	0.7	Calibration	Calibration	21.7	0.2	2.2	10.0	8.0	1.9	180	10	47	71	1020
4/10/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	21.0	11.0	1.8	179	8	47	74	1020
4/10/2017 5:00	0.8	0.8	BDL	27.1	0.2	2.5	20.0	11.0	1.5	167	12	46	74	1021
4/10/2017 6:00	1.1	1.4	0.5	49.4	0.2	2.4	18.0	9.0	3.2	169	12	48	68	1021
4/10/2017 7:00	1.8	1.5	0.8	27.9	0.2	2.3	30.0	11.0	5.3	209	15	53	63	1021
4/10/2017 8:00	4.1	1.2	0.7	21.7	0.3	2.3	21.0	11.0	6.7	228	16	58	53	1021
4/10/2017 9:00	2.7	1.1	0.6	12.0	0.2	2.2	23.0	10.0	7.8	220	16	63	46	1020
4/10/2017 10:00	2.4	0.6	0.4	12.6	0.2	2.2	23.0	11.0	8.1	215	20	67	40	1020
4/10/2017 11:00	1.4	0.4	BDL	2.5	0.2	2.2	44.0	10.0	10.2	209	15	72	35	1019
4/10/2017 12:00	1.3	BDL	BDL	1.7	0.2	2.1	34.0	9.0	13.0	213	13	75	30	1018
4/10/2017 13:00	0.9	BDL	BDL	3.0	0.2	2.1	44.0	8.0	13.4	205	13	76	27	1017
4/10/2017 14:00	0.8	BDL	BDL	0.6	0.2	2.1	36.0	12.0	12.2	203	12	76	27	1016
4/10/2017 15:00	1.6	BDL	BDL	3.1	0.2	2.2	21.0	11.0	10.6	219	15	77	27	1016
4/10/2017 16:00	0.9	BDL	BDL	1.8	0.2	2.1	38.0	14.0	11.1	202	12	75	30	1016
4/10/2017 17:00	1.3	BDL	BDL	3.8	0.3	2.1	49.0	12.0	9.4	205	12	75	33	1016
4/10/2017 18:00	1.1	0.6	0.4	10.3	0.3	2.1	51.0	10.0	7.0	199	11	72	38	1017
4/10/2017 19:00	1.1	0.9	0.7	14.7	0.3	2.2	24.0	10.0	5.5	199	11	70	41	1017
4/10/2017 20:00	0.9	1.0	0.8	9.3	0.2	2.2	17.0	15.0	6.2	197	10	67	44	1018
4/10/2017 21:00	1.1	1.4	1.3	10.3	0.2	2.2	19.0	11.0	5.8	193	10	65	49	1018
4/10/2017 22:00	0.9	1.2	1.2	7.0	Too few samples	2.2	25.0	14.0	5.7	194	10	63	56	1018
4/10/2017 23:00	1.0	1.7	1.3	24.4	analyzer malfunction	2.1	21.0	11.0	4.7	191	9	61	60	1018
4/11/2017 0:00	0.8	1.4	1.1	15.1	analyzer malfunction	2.1	17.0	12.0	4.2	183	11	60	63	1018
4/11/2017 1:00	0.7	0.7	0.7	6.1	analyzer malfunction	2.1	16.0	11.0	3.9	193	12	59	64	1017
4/11/2017 2:00	0.9	Calibration	Calibration	11.2	analyzer malfunction	2.1	20.0	8.0	4.9	203	11	58	65	1017
4/11/2017 3:00	0.7	Calibration	Calibration	6.4	Calibration	2.4	17.0	9.0	4.1	215	13	57	68	1017
4/11/2017 4:00	Calibration	0.9	0.6	Calibration	Calibration	2.4	23.0	12.0	3.6	211	11	56	72	1018
4/11/2017 5:00	1.0	1.4	0.9	31.5	Too few samples	2.3	29.0	11.0	3.0	207	13	55	77	1018
4/11/2017 6:00	Too few samples	1.7	1.1	Too few samples	Calibration	2.3	35.0	16.0	3.8	209	13	57	72	1019
4/11/2017 7:00	2.7	2.1	1.6	22.7	Calibration	2.3	29.0	17.0	5.4	214	16	60	65	1019
4/11/2017 8:00	2.6	1.1	0.9	14	analyzer malfunction	2.2	25.0	11.0	6.4	231	18	65	54	1019
4/11/2017 9:00	2.1	1.2	0.9	8.9	analyzer malfunction	2.2	26.0	11.0	6.7	210	16	68	52	1019
4/11/2017 10:00	2.3	0.8	0.5	9	analyzer malfunction	2.1	27.0	13.0	6.8	221	15	72	42	1018
4/11/2017 11:00	1.7	0.6	0.5	9.2	analyzer malfunction	2.1	30.0	14.0	6.3	207	18	74	40	1018
4/11/2017 12:00	1.5	0.4	BDL	4.3	analyzer malfunction	2.1	42.0	17.0	7.2	197	17	76	40	1017
4/11/2017 13:00	1.7	BDL	BDL	2.1	analyzer malfunction	2.1	34.0	17.0	7.2	217	18	79	35	1017
4/11/2017 14:00	1.8	BDL	BDL	1.5	analyzer malfunction	2.1	31.0	12.0	8.0	218	16	81	34	1016
4/11/2017 15:00	1.7	BDL	BDL	5.1	analyzer malfunction	2.1	49.0	20.0	7.7	194	16	81	33	1016
4/11/2017 16:00	1.5	BDL	BDL	7.8	analyzer malfunction	2.1	28.0	20.0	6.9	181	11	80	34	1016
4/11/2017 17:00	1.6	0.5	BDL	13.5	analyzer malfunction	2.1	27.0	15.0	6.1	192	11	79	34	1016
4/11/2017 18:00	1.5	0.6	0.4	16.1	analyzer malfunction	2.2	38.0	14.0	4.7	186	11	77	38	1015
4/11/2017 19:00	1.1	0.7	0.5	17.1	analyzer malfunction	2.2	28.0	15.0	5.2	182	11	73	49	1016
4/11/2017 20:00	1.0	1.1	0.9	11.0	analyzer malfunction	2.3	26.0	16.0	6.2	193	12	71	55	1016
4/11/2017 21:00	0.9	1.5	1.3	3.9	analyzer malfunction	2.1	27.0	9.0	5.4	207	12	69	60	1017
4/11/2017 22:00	1.1	1.4	1.3	11.6	analyzer malfunction	2.3	29.0	16.0	4.2	207	12	67	62	1017
4/11/2017 23:00	1.0	1.2	1.2	7.1	analyzer malfunction	2.2	20.0	18.0	3.9	197	11	65	67	1017
4/12/2017 0:00	0.8	1.1	1.1	4.6	analyzer malfunction	2.3	25.0	13.0	3.8	234	33	63	72	1017
4/12/2017 1:00	0.8	1.3	1.1	22.3	analyzer malfunction	2.5	27.0	14.0	4.6	182	18	62	76	1016
4/12/2017 2:00	0.8	Calibration	Calibration	21.9	analyzer malfunction	2.4	25.0	12.0	2.0	228	24	60	80	1016
4/12/2017 3:00	1.0	Calibration	Calibration	25.1	analyzer malfunction	3.6	31.0	16.0	2.1	280	21	60	82	1016
4/12/2017 4:00	Calibration	1.4	1.1	Calibration	analyzer malfunction	Too few samples	33.0	16.0	2.0	193	24	59	83	1016
4/12/2017 5:00	1.3	2.1	1.1	55.8	analyzer malfunction	3.5	38.0	20.0	2.1	242	31	58	85	1017
4/12/2017 6:00	1.3	2.0	1.1	46.2	analyzer malfunction	3.3	38.0	23.0	2.8	281	20	61	74	1018
4/12/2017 7:00	1.3	Audit	Audit	28.4	analyzer malfunction	2.8	40.0	14.0	6.9	309	6	66	61	1018
4/12/2017 8:00	Too few samples	Too few samples	Too few samples	Too few samples	analyzer malfunction	2.5	16.0	9.0	9.3	319	8	68	55	1018
4/12/2017 9:00	1.1	0.40	BDL	6.3	analyzer malfunction	2.4	23.0	10.0	10.1	323	11	69	56	1019
4/12/2017 10:00	0.9	0.50	0.5	4.2	analyzer malfunction	2.3	22.0	11.0	8.7	312	9	69	54	1020
4/12/2017 11:00	0.8	BDL	BDL	1.0	analyzer malfunction	2.2	15.0	12.0	6.3	316	15	71	46	1019
4/12/2017 12:00	0.6	BDL	BDL	BDL	analyzer malfunction	2.1	16.0	8.0	6.4	306	30	72	43	1018
4/12/2017 13:00	0.6	BDL	BDL	BDL	analyzer malfunction	2.1	21.0	6.0	6.4	293	22	75	38	1018
4/12/2017 14:00	0.5	BDL	BDL	BDL	analyzer malfunction	2.2	12.0	9.0	8.0	292	16	75	32	1018
4/12/2017 15:00	0.5	BDL	BDL	BDL	analyzer malfunction	2.1	16.0	6.0	9.9	299	16	76	27	1018
4/12/2017 16:00	0.4	BDL	BDL	BDL	analyzer malfunction	2.1	12.0	6.0	9.3	298	12	75	23	1018
4/12/2017 17:00	0.4	BDL	BDL	BDL	analyzer malfunction	2.1	18.0	7.0	8.6	292	11	74	24	1019
4/12/2017 18:00	0.4	BDL	BDL	BDL	analyzer malfunction	2.2	17.0	5.0	5.8	294	10	71	28	1019
4/12/2017 19:00	0.5	BDL	BDL	1.8	analyzer malfunction	2.4	21.0	9.0	3.3	283	10	69	35	1020
4/12/2017 20:00	0.5	BDL	BDL	10.7	analyzer malfunction	3.7	22.0	12.0	1.9	251	10	66	40	1021
4/12/2017 21:00	0.5	BDL	BDL	11.8	analyzer malfunction	3.0	16.0	10.0	5.1	281	8	65	39	1022
4/12/2017 22:00	0.4	BDL	BDL	1.4	analyzer malfunction	2.3	15.0	10.0	6.2	300	8	64	34	1022
4/12/2017 23:00	0.5	BDL	BDL	BDL	analyzer malfunction	2.4	19.0	8.0	10.2	312	6	63	32	1022
4/13/2017 0:00	0.6	BDL	BDL	4.2	analyzer malfunction	2.4	18.0	11.0	10.5	328	9	62	34	1023
4/13/2017 1:00	1.9	BDL	BDL	9.5	analyzer malfunction	2.2	31.0	21.0	10.8	341	13	58	49	1023
4/13/2017 2:00	2.6	Calibration	Calibration	6.3	analyzer malfunction	2.2	32.0	24.0	9.5	341	15	55	52	1024
4/13/2017 3:00	2.0	Calibration	Calibration	3.3	analyzer malfunction	2.2	23.0	7.0	8.2	341	18	51	57	1024
4/13/2017 4:00	Calibration	BDL	BDL	Calibration	analyzer malfunction	2.2	28.0	15.0	8.5	339	15	49	56	1025
4/13/2017 5:00	1.4	BDL	BDL	4.4	analyzer malfunction	2.2	28.0	17.0	9.0	338	12	48	57	1026
4/13/2017 6:00	Too few samples	BDL	BDL	Too few samples	analyzer malfunction	2.2	38.0	15.0	8.2	336	14	48	55	1026
4/13/2017 7:00	Too few samples	Too few samples	Too few samples	Too few samples	analyzer malfunction	2.2	31.0	9.0	9.3	337	16	50	51	1026
4/13/2017 8:00	0.9	Audit	Audit	6.6	analyzer malfunction	2.2	27.0	12.0	9.3	338	15	51	48	1026
4/13/2017 9:00	BDL	Calibration	Calibration	5.5	analyzer malfunction	2.2	27.0	9.0	9.7	337	13	51	46	1026
4/13/2017 10:00	0.9	Calibration	Calibration	3.3	analyzer malfunction	2.2	25.0	11.0	7.8	326	18	54	42	1026
4/13/2017 11:00	BDL	Too few samples	Too few samples	3.6	analyzer malfunction	2.1	20.0	6.0	6.9	321	23	58	36	1026
4/13/2017 12:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	2.1	20.0	3.0	6.8	320	23	62	32	1025
4/13/2017 13:00	Too few samples	BDL	BDL	Too few samples	Too few samples	2.2	19.0	7.0	6.6	323	26	63	31	1024
4/13/2017 14:00	BDL	BDL	BDL	5.8	0.2	2.2	17.0	8.0	7.6	318	18	64	29	1024
4/13/2017 15:00	BDL	BDL	BDL	5.3	0.2	2.1	16.0	6.0	8.4	315	17	64	29	1024
4/13/2017 16:00	0.5	BDL	BDL	5.8	0.2	2.2	26.0	9.0	7.6	326	18	64	29	1024
4/13/2017 17:00	0.5	BDL	BDL	11.3	0.2	2.2	16.0	8.0	8.6	339	14	63	28	1024
4/13/2017 18:00	BDL	BDL	BDL	8.9	0.3	2.1	17.0	6.0	7.7	341	23	62	29	1024
4/13/2017 19:00	BDL	BDL	BDL	8.2	0.3	2.2	14.0	6.0	7.2	343	17	61	30	1025
4/13/2017 20:00	BDL	BDL	BDL	7.4	0.3	2.2	16.0	6.0	6.3	341	14	59	32	1025
4/13/2017 21:00	1.1	BDL	BDL	15.2	0.3	2.2	18.0	6.0	5.8	342	19	58	33	1025
4/13/2017 22:00	1.2	BDL	BDL	15.1	0.3	2.2	15.0	6.0	5.6	347	19	57	34	1026
4/13/2017 23:00	1.2	BDL	BDL	11.3	0.3	2.2	15.0	6.0	5.2	345	19	55	36	1026

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 4/9/2017-4/15/2017														
4/14/2017 0:00	0.9	BDL	BDL	11.4	0.3	2.3	11.0	7.0	5.1	355	17	53	38	1026
4/14/2017 1:00	BDL	BDL	BDL	9.9	0.3	2.3	19.0	5.0	3.8	23	18	51	41	1026
4/14/2017 2:00	0.9	Calibration	Calibration	20.0	0.4	2.3	12.0	6.0	4.4	351	20	51	43	1026
4/14/2017 3:00	0.9	Calibration	Calibration	15.3	0.3	2.3	16.0	9.0	4.0	355	19	50	44	1026
4/14/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	19.0	6.0	4.5	6	20	50	46	1026
4/14/2017 5:00	BDL	0.4	BDL	19.2	0.4	2.3	22.0	8.0	3.7	45	12	49	44	1026
4/14/2017 6:00	BDL	0.5	BDL	22.7	0.4	2.3	21.0	6.0	4.4	47	14	50	40	1026
4/14/2017 7:00	BDL	0.5	BDL	24.8	0.4	2.3	31.0	5.0	6.2	52	12	51	39	1027
4/14/2017 8:00	0.4	0.5	BDL	18.5	0.3	2.2	23.0	6.0	5.7	72	19	52	37	1027
4/14/2017 9:00	BDL	BDL	BDL	17.7	0.3	2.2	13.0	9.0	3.6	116	28	54	35	1027
4/14/2017 10:00	BDL	0.4	BDL	20.5	0.3	2.3	23.0	10.0	3.2	104	36	57	33	1027
4/14/2017 11:00	BDL	BDL	BDL	17.7	0.3	2.3	20.0	9.0	3.5	118	42	59	30	1026
4/14/2017 12:00	BDL	0.4	BDL	21.3	0.3	2.2	20.0	9.0	5.4	165	33	61	30	1026
4/14/2017 13:00	0.4	0.4	BDL	17.7	0.3	2.2	26.0	8.0	6.0	137	19	63	27	1025
4/14/2017 14:00	BDL	BDL	BDL	14.7	0.3	2.2	26.0	11.0	4.9	131	22	64	26	1024
4/14/2017 15:00	BDL	BDL	BDL	12.9	0.3	2.2	22.0	10.0	4.5	147	25	65	26	1024
4/14/2017 16:00	BDL	BDL	BDL	12.1	0.3	2.2	25.0	9.0	3.8	146	27	66	26	1024
4/14/2017 17:00	3.0	BDL	BDL	14.7	0.3	2.1	18.0	10.0	3.3	163	25	66	29	1024
4/14/2017 18:00	0.7	0.4	BDL	19.8	0.3	2.2	29.0	9.0	6.2	155	19	63	40	1024
4/14/2017 19:00	BDL	0.5	BDL	7.4	0.3	2.1	20.0	6.0	7.0	140	14	59	50	1025
4/14/2017 20:00	BDL	0.9	0.6	26.6	0.3	2.1	23.0	6.0	6.0	153	12	56	57	1026
4/14/2017 21:00	BDL	1.3	1.0	16.5	0.3	2.1	17.0	9.0	4.8	152	15	52	66	1027
4/14/2017 22:00	BDL	1.1	0.5	35.6	0.3	2.1	17.0	12.0	3.4	160	13	50	63	1027
4/14/2017 23:00	BDL	BDL	BDL	10.9	0.3	2.1	19.0	11.0	2.4	192	12	48	63	1027
4/15/2017 0:00	BDL	BDL	BDL	5.9	0.3	2.1	21.0	12.0	2.4	193	14	47	63	1027
4/15/2017 1:00	BDL	0.4	BDL	11.6	0.3	2.2	23.0	9.0	1.9	191	18	47	66	1027
4/15/2017 2:00	BDL	Calibration	Calibration	28.4	0.3	2.3	18.0	9.0	2.1	160	15	47	70	1026
4/15/2017 3:00	BDL	Calibration	Calibration	20.6	0.3	2.3	16.0	9.0	2.4	182	12	46	73	1026
4/15/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.3	20.0	14.0	2.2	181	16	46	75	1026
4/15/2017 5:00	Too few samples	1.3	0.9	Too few samples	Too few samples	2.2	18.0	16.0	1.9	146	18	47	75	1026
4/15/2017 6:00	Too few samples	0.7	0.4	Too few samples	Too few samples	2.3	20.0	11.0	2.3	163	17	47	73	1026
4/15/2017 7:00	BDL	0.6	BDL	8.1	0.3	2.3	18.0	10.0	2.1	193	20	48	70	1026
4/15/2017 8:00	BDL	0.7	0.4	11.0	0.3	2.3	15.0	11.0	2.0	167	23	49	67	1026
4/15/2017 9:00	BDL	0.8	0.7	9.3	0.3	2.3	17.0	10.0	3.6	170	23	54	58	1025
4/15/2017 10:00	BDL	0.6	0.6	0.4	0.2	2.2	15.0	7.0	6.8	179	17	60	44	1025
4/15/2017 11:00	BDL	BDL	BDL	0.7	0.2	2.2	31.0	9.0	9.5	182	14	63	43	1023
4/15/2017 12:00	BDL	BDL	BDL	BDL	0.2	2.1	35.0	7.0	8.9	186	13	63	52	1023
4/15/2017 13:00	BDL	BDL	BDL	0.5	0.2	2.1	17.0	6.0	8.9	193	12	63	61	1022
4/15/2017 14:00	BDL	BDL	BDL	BDL	0.2	2.1	19.0	6.0	8.1	177	13	63	62	1020
4/15/2017 15:00	BDL	BDL	BDL	BDL	0.2	2.1	19.0	5.0	7.1	180	13	64	66	1019
4/15/2017 16:00	0.4	BDL	BDL	1.0	0.3	2.1	46.0	11.0	5.7	185	13	65	69	1019
4/15/2017 17:00	0.4	BDL	BDL	6.4	0.3	2.1	26.0	9.0	4.8	175	13	65	72	1018
4/15/2017 18:00	0.4	0.5	0.4	23.3	0.3	2.2	27.0	9.0	3.6	165	11	64	76	1018
4/15/2017 19:00	0.4	0.5	0.4	22.0	0.3	2.2	22.0	11.0	1.6	137	19	62	80	1019
4/15/2017 20:00	BDL	0.6	0.4	16.4	0.3	2.2	22.0	12.0	2.6	157	14	61	83	1019
4/15/2017 21:00	BDL	1.0	0.4	32.8	0.3	2.2	22.0	11.0	3.8	163	8	61	86	1018
4/15/2017 22:00	BDL	0.9	0.5	16.4	0.3	2.7	18.0	9.0	2.0	177	18	60	88	1017
4/15/2017 23:00	BDL	1.0	0.8	10.9	0.3	2.7	21.0	14.0	3.3	194	13	59	90	1017

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 4/16/2017- 4/22/2017														
4/16/2017 0:00	BDL	1.1	1.2	5.1	0.3	2.9	24.0	11.0	2.7	213	19	58	91	1016
4/16/2017 1:00	BDL	2.1	1.9	8.7	0.3	3.0	23.0	12.0	4.2	238	13	58	91	1015
4/16/2017 2:00	BDL	Calibration	Calibration	5.5	0.3	3.6	21.0	15.0	3.8	219	12	58	92	1015
4/16/2017 3:00	BDL	Calibration	Calibration	8.5	0.3	2.9	26.0	17.0	3.2	200	13	58	94	1015
4/16/2017 4:00	Calibration	1.7	1.7	Calibration	Calibration	2.5	25.0	16.0	3.8	199	11	58	94	1014
4/16/2017 5:00	0.4	1.3	1.2	12.1	0.3	2.4	30.0	17.0	5.3	204	11	59	94	1014
4/16/2017 6:00	0.7	Calibration	Calibration	17.1	0.3	2.8	25.0	16.0	5.8	219	13	61	87	1014
4/16/2017 7:00	1.1	Calibration	Calibration	11.3	0.3	2.5	23.0	20.0	7.6	235	14	64	78	1014
4/16/2017 8:00	1.5	0.8	0.7	13.3	0.4	2.5	24.0	21.0	7.9	235	14	69	66	1014
4/16/2017 9:00	1.7	0.7	0.5	11.4	0.4	2.5	27.0	21.0	6.9	234	15	75	51	1013
4/16/2017 10:00	1.3	0.6	0.4	2.1	0.3	2.8	25.0	12.0	7.0	254	22	81	35	1012
4/16/2017 11:00	0.7	0.4	BDL	BDL	0.3	2.6	27.0	13.0	9.2	256	22	84	30	1011
4/16/2017 12:00	0.9	0.5	0.4	13.8	0.3	2.6	28.0	11.0	11.7	239	20	84	29	1010
4/16/2017 13:00	1.0	0.4	BDL	1.9	0.3	2.4	36.0	14.0	13.4	229	16	84	30	1009
4/16/2017 14:00	1.2	BDL	BDL	3.9	0.3	2.5	27.0	13.0	13.5	225	13	83	31	1008
4/16/2017 15:00	1.7	0.5	0.5	8.5	0.3	2.3	29.0	13.0	11.5	232	13	83	31	1008
4/16/2017 16:00	1.9	0.5	0.4	8.1	0.3	2.4	29.0	14.0	13.1	225	13	82	33	1007
4/16/2017 17:00	3.0	0.7	0.5	15.9	0.3	2.3	26.0	14.0	11.0	231	13	81	34	1007
4/16/2017 18:00	4.1	1.0	0.6	25.5	0.4	2.4	28.0	13.0	7.7	228	13	80	37	1008
4/16/2017 19:00	3.1	1.4	1.2	23.3	0.4	2.8	26.0	13.0	6.2	237	13	77	40	1008
4/16/2017 20:00	1.1	0.9	0.7	5.7	0.3	2.4	28.0	10.0	10.5	266	14	77	40	1009
4/16/2017 21:00	0.6	0.4	0.4	BDL	0.2	2.2	15.0	7.0	11.5	301	13	76	42	1010
4/16/2017 22:00	0.6	0.4	0.4	1.9	0.2	2.2	13.0	8.0	8.1	316	12	72	58	1010
4/16/2017 23:00	0.4	0.4	0.4	BDL	0.3	3.4	11.0	8.0	2.7	271	12	71	62	1010
4/17/2017 0:00	BDL	0.4	0.4	3.3	0.3	2.6	11.0	7.0	2.5	252	13	69	67	1010
4/17/2017 1:00	BDL	1.2	0.6	3.5	0.3	3.2	9.0	7.0	2.7	235	14	69	67	1010
4/17/2017 2:00	0.4	Calibration	Calibration	12.5	0.2	3.3	8.0	9.0	3.2	214	13	68	69	1010
4/17/2017 3:00	0.4	Calibration	Calibration	17.9	0.3	3.6	12.0	9.0	3.2	219	15	67	71	1010
4/17/2017 4:00	Calibration	1.2	1.0	Calibration	Calibration	Too few samples	73.0	11.0	3.0	202	12	66	72	1010
4/17/2017 5:00	1.3	1.9	1.4	36.5	0.3	2.6	31.0	11.0	2.9	203	10	66	71	1011
4/17/2017 6:00	1.4	1.7	1.2	38.9	0.4	3.2	27.0	11.0	2.0	246	19	67	67	1011
4/17/2017 7:00	0.8	1.3	0.9	19.9	0.4	2.4	19.0	10.0	4.0	278	12	68	69	1012
4/17/2017 8:00	0.5	0.5	0.4	4.6	0.3	2.2	11.0	9.0	5.0	297	10	66	77	1012
4/17/2017 9:00	0.5	0.4	0.4	6.1	0.3	2.2	14.0	10.0	7.0	308	14	65	77	1013
4/17/2017 10:00	1.1	BDL	BDL	9.0	0.3	2.2	18.0	11.0	5.4	341	25	61	73	1014
4/17/2017 11:00	0.8	0.4	BDL	9.6	0.3	2.6	16.0	9.0	4.3	301	20	63	66	1014
4/17/2017 12:00	0.5	0.4	BDL	2.8	0.3	2.5	14.0	12.0	5.0	284	22	67	51	1014
4/17/2017 13:00	0.4	BDL	BDL	BDL	0.2	2.1	11.0	6.0	8.4	312	11	68	42	1013
4/17/2017 14:00	BDL	BDL	BDL	BDL	0.2	2.1	13.0	5.0	11.0	305	12	69	34	1013
4/17/2017 15:00	BDL	BDL	BDL	BDL	0.2	2.2	13.0	7.0	9.2	309	12	69	30	1013
4/17/2017 16:00	BDL	BDL	BDL	BDL	0.2	2.2	10.0	5.0	9.5	318	13	70	26	1013
4/17/2017 17:00	BDL	BDL	BDL	BDL	0.2	2.2	10.0	5.0	6.7	306	16	70	26	1014
4/17/2017 18:00	0.4	BDL	BDL	BDL	0.2	2.2	10.0	6.0	3.5	291	11	68	31	1014
4/17/2017 19:00	0.4	0.4	BDL	15.1	0.3	2.6	13.0	4.0	3.3	286	12	65	38	1015
4/17/2017 20:00	0.9	0.5	BDL	13.7	0.3	2.4	13.0	3.0	5.7	1	19	67	29	1016
4/17/2017 21:00	1.2	0.4	BDL	15.2	0.3	2.3	12.0	3.0	6.7	350	18	66	30	1017
4/17/2017 22:00	BDL	BDL	BDL	3.0	0.2	2.2	10.0	6.0	6.4	52	11	64	32	1018
4/17/2017 23:00	BDL	BDL	BDL	3.2	0.2	2.3	11.0	6.0	7.5	37	15	62	34	1019
4/18/2017 0:00	BDL	BDL	BDL	1.1	0.2	2.3	10.0	6.0	6.8	45	13	60	37	1019
4/18/2017 1:00	BDL	BDL	BDL	1.0	0.2	2.3	13.0	7.0	6.3	22	16	58	39	1020
4/18/2017 2:00	BDL	Calibration	Calibration	0.9	0.2	2.3	10.0	6.0	7.1	41	14	56	42	1021
4/18/2017 3:00	BDL	Calibration	Calibration	BDL	0.2	2.3	9.0	7.0	7.6	48	13	54	45	1021
4/18/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.3	20.0	9.0	6.5	50	12	53	48	1022
4/18/2017 5:00	BDL	BDL	BDL	2.7	0.2	2.3	22.0	6.0	7.3	43	15	52	49	1024
4/18/2017 6:00	0.4	BDL	BDL	6.1	0.2	2.3	16.0	6.0	7.3	37	16	52	47	1024
4/18/2017 7:00	0.4	BDL	BDL	6.4	0.2	2.3	15.0	6.0	8.1	45	14	53	43	1025
4/18/2017 8:00	BDL	Calibration	Calibration	4.3	0.2	2.3	17.0	4.0	7.6	49	18	56	40	1025
4/18/2017 9:00	BDL	Calibration	Calibration	4.4	0.2	2.2	16.0	3.0	7.1	48	21	58	37	1026
4/18/2017 10:00	BDL	BDL	BDL	3.8	0.2	2.3	17.0	3.0	6.2	59	31	60	35	1026
4/18/2017 11:00	BDL	BDL	BDL	2.3	0.2	2.2	11.0	7.0	5.2	37	39	61	32	1025
4/18/2017 12:00	BDL	BDL	BDL	8.2	0.2	2.4	18.0	6.0	5.2	217	62	64	30	1025
4/18/2017 13:00	0.4	BDL	BDL	20	0.2	2.2	17.0	7.0	4.5	151	34	65	28	1024
4/18/2017 14:00	0.5	BDL	BDL	20.4	0.2	2.2	16.0	6.0	4.3	185	42	67	25	1024
4/18/2017 15:00	0.8	0.9	BDL	50.9	0.2	2.2	13.0	6.0	4.9	126	20	66	25	1024
4/18/2017 16:00	0.7	1.4	0.5	63.0	0.2	2.2	21.0	8.0	10.7	144	15	63	38	1025
4/18/2017 17:00	BDL	0.7	BDL	13.1	0.2	2.2	11.0	6.0	10.4	148	15	59	45	1026
4/18/2017 18:00	BDL	BDL	BDL	0.5	0.2	2.2	10.0	5.0	7.9	147	13	57	49	1027
4/18/2017 19:00	BDL	BDL	BDL	2.2	0.2	2.2	10.0	4.0	7.0	143	14	54	52	1028
4/18/2017 20:00	BDL	BDL	BDL	2.7	0.2	2.2	52.0	4.0	6.1	145	14	52	56	1028
4/18/2017 21:00	BDL	BDL	BDL	9.1	0.2	2.2	17.0	5.0	4.5	149	17	50	62	1029
4/18/2017 22:00	BDL	0.4	BDL	8.5	0.2	2.2	14.0	6.0	5.0	150	13	49	72	1029
4/18/2017 23:00	BDL	BDL	BDL	BDL	0.2	2.2	17.0	5.0	4.2	142	16	48	79	1029
4/19/2017 0:00	BDL	BDL	BDL	4.1	0.2	2.3	15.0	8.0	4.6	77	14	47	78	1030
4/19/2017 1:00	BDL	0.7	0.6	8.0	0.2	2.3	14.0	8.0	6.5	83	12	46	80	1030
4/19/2017 2:00	BDL	Calibration	Calibration	4.1	0.2	2.3	10.0	7.0	7.6	89	13	45	84	1029
4/19/2017 3:00	BDL	Calibration	Calibration	3.4	0.2	2.3	17.0	8.0	6.7	82	13	45	86	1030
4/19/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.4	20.0	8.0	6.8	87	13	45	85	1030
4/19/2017 5:00	BDL	BDL	BDL	6.5	0.2	2.4	23.0	6.0	5.7	90	16	45	85	1030
4/19/2017 6:00	BDL	BDL	BDL	6.5	0.2	2.3	Audit	Audit	6.3	105	17	46	83	1030
4/19/2017 7:00	BDL	BDL	BDL	6.1	0.2	2.3	Audit	Audit	7.0	123	17	48	77	1030
4/19/2017 8:00	BDL	BDL	BDL	2.2	0.2	2.3	19.0	6.0	6.8	139	19	50	69	1030
4/19/2017 9:00	BDL	BDL	BDL	1.6	0.2	2.3	12.0	6.0	5.6	141	22	53	59	1029
4/19/2017 10:00	BDL	BDL	BDL	BDL	0.2	2.2	12.0	5.0	6.3	141	26	56	51	1028
4/19/2017 11:00	BDL	BDL	BDL	0.5	0.2	2.2	25.0	24.0	8.5	168	19	59	44	1026
4/19/2017 12:00	BDL	BDL	BDL	0.6	0.2	2.2	14.0	5.0	7.9	159	17	60	44	1026
4/19/2017 13:00	BDL	BDL	BDL	1.2	0.2	2.2	18.0	6.0	8.9	175	14	60	42	1025
4/19/2017 14:00	BDL	BDL	BDL	2.8	0.2	2.3	34.0	7.0	9.6	195	15	60	49	1024
4/19/2017 15:00	0.4	BDL	BDL	6.4	0.2	2.2	25.0	8.0	8.3	187	13	57	60	1023
4/19/2017 16:00	BDL	BDL	BDL	6.8	0.2	2.2	23.0	6.0	7.7	151	13	55	63	1024
4/19/2017 17:00	BDL	BDL	BDL	8.4	0.2	2.2	15.0	6.0	8.0	167	12	55	63	1023
4/19/2017 18:00	BDL	BDL	BDL	5.8	0.2	2.2	17.0	6.0	6.0	153	13	54	65	1023
4/19/2017 19:00	BDL	BDL	BDL	2.7	0.2	2.2	16.0	4.0	5.9	139	16	53	71	1022
4/19/2017 20:00	BDL	BDL	BDL	5.3	0.2	2.1	19.0	5.0	5.7	153	13	53	76	1022
4/19/2017 21:00	BDL	BDL	BDL	6.0	0.2	2.1	14.0	6.0	4.7	160	13	53	78	1022
4/19/2017 22:00	BDL	BDL	BDL	3.5	0.2	2.1	13.0	5.0	3.9	151	14	53	80	1021
4/19/2017 23:00	BDL	0.4	BDL	14.2	0.2	2.1	17.0	7.0	3.3	164	14	53	81	1020
4/20/2017 0:00	BDL	0.8	0.5	21.9	0.2	2.2	14.0	7.0	1.9	145	22	53	81	1020
4/20/2017 1:00	BDL	0.9	0.5	18.9	0.2	2.2	15.0	6.0	2.8	159	15	53	81	1019
4/20/2017 2:00	BDL	Calibration	Calibration	17.9	0.2	2.2	16.0	7.0	2.8	163	15	54	82	1018
4/20/2017 3:00	BDL	Calibration	Calibration	12.0	0.2	2.2	13.0	6.0	2.5	160	16	54	83	1017
4/20/2017 4:00	Calibration	0.8	0.7	Calibration	Calibration	2.2	20.0	6.0	2.3	173	27	54	84	1016
4/20/2017 5:00	BDL	1.2	0.9	12.7	0.2	2.6	17.0	12.0	2.8	292	15	55	83	1017
4/20/2017 6:00	0.4	1.6	1.2	24.3	0.3	3.2	29.0	9.0	1.5	214	25	55	83	1017
4/20/2017 7:00	1.1	2.0	1.3	40.3	0.4	2.8	32.0	13.0	1.5	290	45	56	81	1017
4/20/2017 8:00	0.7	1.5	1.0	20.3	0.3	2.4	31.0	9.0	1.7	245	37	58	74	1017
4/20/2017 9:00	0.6	1.2	0.9	11.8	0.3	2.3	27.0	12.0	2.4	278	44	59	67	1017
4/20/2017 10:00	0.6	0.8	0.7	8.4	0.3	2.2	20.0	14.0	3.4	274	37	65	58	1016
4/20/2017 11:00	1.4	1.3	1.0	56.1	0.3	2.3	40.0	16.0	4.5	144	37	67	59	1015
4/20/2017 12:00	1.3	2.0	1.1	65.9	0.35	2.3	46.0	19.0	4.8	135	20	69	53	1014
4/20/2017 13:00	1.2	2.2	0.8	67.7	0.4	2.4	50.0	19.0	6.4	134	17	71	50	1014
4/20/2017 14:00	1.0	1.4	0.7	44.1	0.3	2.4	40.0	15.0	4.1	145	41	73	48	1013
4/20/2017 15:00	0.9	1.0	0.5	27.2	0.3	2.3	32.0	17.0	4.6	128	22	74	46	1012
4/20/2017 16:00	0.6	1.0	0.4	19.3	0.3	2.2	27.0	13.0	5.8	103	17	74	48	1012
4/20/2017 17:00	0.6	1.0	0.6	14.6	0.3	2.2	31.0	11.0	8.9	111	13	70	58	1012
4/20/2017 18:00	0.4	0.6	0.5	3.2	0.2	2.2	27.0	14.0	9.0	110	12	64	69	1013
4/20/2017 19:00	0.4	0.5	0.4	5.0	0.3	2.2	20.0	12.0	7.2	121	15	61	74	1014
4/20/2017 20:00	BDL	0.4	0.4	6.1	0.2	2.2	16.0	9.0	6.8	125	16	58	76	1014
4/20/2017 21:00	BDL	0.4	0.4	4.2	0.2	2.2	13.0	9.0	4.9	110	21	57	79	1014
4/20/2017 22:00	BDL	0.4	BDL	4.4	0.2	2.1	15.0	9.0	5.8	111	12	57	83	1014
4/20/2017 23:00	BDL	0.6	0.5	2.8	0.2	2.1	10.0	10.0	5.4	94	37	55	90	1013

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 4/16/2017- 4/22/2017														
4/21/2017 0:00	BDL	0.9	1.0	2.4	0.2	2.1	12.0	9.0	6.4	81	12	54	92	1012
4/21/2017 1:00	BDL	0.6	0.7	1.4	0.2	2.1	12.0	8.0	7.7	84	14	53	93	1011
4/21/2017 2:00	BDL	Calibration	Calibration	BDL	0.2	2.1	18.0	7.0	6.8	90	14	53	93	1011
4/21/2017 3:00	BDL	Calibration	Calibration	1.0	0.2	2.1	17.0	10.0	5.0	88	15	52	94	1011
4/21/2017 4:00	Calibration	0.6	0.7	Calibration	Calibration	Too few samples	8.0	10.0	6.2	77	15	52	94	1011
4/21/2017 5:00	BDL	0.6	0.6	3.0	0.2	2.1	15.0	12.0	6.9	64	13	52	95	1012
4/21/2017 6:00	BDL	0.5	0.4	5.4	0.2	2.1	12.0	10.0	7.3	62	13	51	96	1012
4/21/2017 7:00	BDL	0.6	0.5	8.9	0.2	2.1	7.0	6.0	8.0	71	12	50	95	1011
4/21/2017 8:00	BDL	0.6	0.5	8.4	0.2	2.1	8.0	5.0	6.7	67	18	50	93	1011
4/21/2017 9:00	BDL	0.6	0.4	7.1	0.2	2.1	6.0	6.0	6.8	57	15	51	89	1011
4/21/2017 10:00	BDL	0.5	0.4	9.0	0.2	2.1	8.0	6.0	7.0	67	16	52	87	1011
4/21/2017 11:00	BDL	0.6	0.5	10.7	0.3	2.2	12.0	8.0	5.6	77	18	53	84	1010
4/21/2017 12:00	BDL	0.7	0.5	12.1	0.3	2.1	19.0	10.0	4.8	75	20	55	81	1010
4/21/2017 13:00	BDL	0.7	0.6	12.6	0.3	2.1	18.0	11.0	4.1	89	20	56	79	1010
4/21/2017 14:00	BDL	0.8	0.6	16.9	0.3	2.1	22.0	14.0	4.4	96	18	56	80	1009
4/21/2017 15:00	BDL	0.7	0.5	13.0	0.3	2.1	20.0	13.0	5.0	86	19	57	77	1008
4/21/2017 16:00	0.4	0.7	0.4	8.5	0.3	2.1	15.0	12.0	5.7	89	17	58	76	1008
4/21/2017 17:00	0.4	0.7	0.5	7.5	0.3	2.1	17.0	11.0	6.4	68	13	58	78	1008
4/21/2017 18:00	BDL	0.5	0.4	5.0	0.3	2.0	16.0	11.0	7.6	55	12	57	82	1009
4/21/2017 19:00	BDL	0.5	0.4	3.9	0.3	2.1	20.0	10.0	6.4	66	13	56	86	1010
4/21/2017 20:00	BDL	0.7	0.5	6.7	0.3	2.2	24.0	13.0	5.7	105	19	56	87	1010
4/21/2017 21:00	BDL	0.5	0.5	4.6	0.3	2.1	12.0	11.0	4.8	68	14	54	91	1010
4/21/2017 22:00	BDL	0.6	0.6	3.9	0.3	2.2	13.0	10.0	4.1	75	14	54	92	1010
4/21/2017 23:00	BDL	0.5	0.4	4.5	0.3	2.1	14.0	17.0	5.6	62	11	54	93	1010
4/22/2017 0:00	BDL	0.5	0.4	4.0	0.3	2.2	15.0	16.0	6.0	61	13	54	92	1010
4/22/2017 1:00	BDL	0.5	0.4	6.1	0.3	2.3	31.0	26.0	5.9	65	11	54	90	1010
4/22/2017 2:00	BDL	Calibration	Calibration	8.0	0.4	2.3	38.0	33.0	6.7	63	11	54	88	1009
4/22/2017 3:00	BDL	Calibration	Calibration	13.5	0.4	2.3	41.0	36.0	6.0	53	10	54	89	1009
4/22/2017 4:00	Calibration	0.7	0.6	Calibration	Calibration	Too few samples	41.0	37.0	6.2	43	15	53	89	1010
4/22/2017 5:00	0.5	0.8	0.6	14.8	0.4	2.3	27.0	23.0	5.7	354	21	54	87	1010
4/22/2017 6:00	0.4	0.6	0.5	7.0	0.3	2.2	13.0	16.0	5.8	32	17	53	87	1011
4/22/2017 7:00	BDL	0.5	BDL	11.4	0.3	2.2	17.0	15.0	5.2	63	13	54	87	1011
4/22/2017 8:00	0.5	0.6	0.4	7.4	0.3	2.2	11.0	9.0	6.1	26	17	55	75	1011
4/22/2017 9:00	0.6	0.5	BDL	6.7	0.3	2.2	7.0	9.0	6.2	355	21	55	69	1011
4/22/2017 10:00	0.5	0.4	BDL	4.2	0.2	2.1	7.0	8.0	7.4	338	18	56	68	1011
4/22/2017 11:00	0.5	0.5	0.4	5.9	0.2	2.1	10.0	7.0	6.3	340	16	54	77	1011
4/22/2017 12:00	0.6	0.6	0.4	9.2	0.3	2.2	10.0	8.0	6.1	336	17	53	84	1011
4/22/2017 13:00	0.5	0.6	0.4	16.0	0.2	2.2	8.0	6.0	6.2	333	17	53	81	1012
4/22/2017 14:00	BDL	0.5	0.4	3.3	0.2	2.2	7.0	6.0	6.4	329	11	51	88	1012
4/22/2017 15:00	0.5	0.6	0.4	13.0	0.3	2.2	7.0	11.0	5.6	336	13	50	87	1012
4/22/2017 16:00	0.5	0.6	0.4	12.0	0.2	2.4	8.0	14.0	5.5	325	15	51	87	1012
4/22/2017 17:00	BDL	0.5	0.4	8.3	0.3	2.3	14.0	8.0	4.9	299	13	51	88	1013
4/22/2017 18:00	BDL	0.4	BDL	4.5	0.3	2.2	11.0	11.0	5.2	320	16	51	85	1012
4/22/2017 19:00	0.4	0.5	BDL	8.3	0.3	2.3	18.0	12.0	4.5	318	14	51	83	1013
4/22/2017 20:00	BDL	0.4	BDL	8.7	0.3	2.3	14.0	9.0	6.1	307	9	51	86	1013
4/22/2017 21:00	0.9	0.6	0.4	11.3	0.3	2.3	18.0	9.0	8.2	342	15	50	72	1014
4/22/2017 22:00	1.8	0.5	0.4	9.5	0.3	2.3	8.0	9.0	7.3	347	19	50	65	1014
4/22/2017 23:00	1.5	0.5	0.4	7.7	0.3	2.3	12.0	8.0	7.3	341	16	49	66	1015

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 4/23/2017-4/29/2017														
4/23/2017 0:00	1.0	BDL	BDL	5.1	0.2	2.2	18.0	11.0	9.0	338	11	48	66	1015
4/23/2017 1:00	1.1	BDL	BDL	5.3	0.2	2.2	11.0	7.0	7.7	339	16	47	67	1015
4/23/2017 2:00	1.9	Calibration	Calibration	4.8	0.2	2.3	11.0	8.0	6.2	346	19	46	69	1015
4/23/2017 3:00	1.7	Calibration	Calibration	5.9	0.2	2.3	11.0	8.0	5.8	344	21	46	69	1015
4/23/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	11.0	6.0	6.1	347	19	46	69	1016
4/23/2017 5:00	1.4	0.4	BDL	6.8	0.2	2.4	10.0	4.0	5.1	350	18	46	69	1017
4/23/2017 6:00	1.2	0.5	BDL	5.5	0.2	2.3	6.0	3.0	5.3	37	14	46	66	1017
4/23/2017 7:00	0.7	BDL	BDL	1.7	0.2	2.2	5.0	6.0	7.3	47	16	48	58	1018
4/23/2017 8:00	0.4	BDL	BDL	BDL	0.2	2.2	6.0	4.0	9.0	58	12	50	57	1018
4/23/2017 9:00	0.4	BDL	BDL	BDL	0.2	2.2	3.0	6.0	5.8	55	25	52	52	1018
4/23/2017 10:00	0.4	BDL	BDL	1.0	0.2	2.2	11.0	6.0	4.6	77	41	54	47	1018
4/23/2017 11:00	BDL	BDL	BDL	BDL	0.2	2.2	6.0	2.0	4.5	80	33	57	42	1018
4/23/2017 12:00	BDL	BDL	BDL	BDL	0.2	2.2	3.0	BDL	4.7	87	33	59	39	1017
4/23/2017 13:00	0.4	BDL	BDL	2.9	0.2	2.2	6.0	5.0	3.3	153	51	61	37	1016
4/23/2017 14:00	0.4	BDL	BDL	2.1	0.2	2.2	9.0	5.0	2.3	218	44	62	38	1016
4/23/2017 15:00	0.5	BDL	BDL	3.0	0.2	2.2	8.0	5.0	2.3	238	58	63	38	1015
4/23/2017 16:00	0.5	BDL	BDL	4.1	0.2	2.2	8.0	6.0	3.9	224	30	63	41	1015
4/23/2017 17:00	0.4	0.7	0.7	3.3	0.2	2.2	14.0	5.0	8.9	196	12	58	66	1016
4/23/2017 18:00	0.4	0.8	0.8	4.7	0.2	2.1	12.0	7.0	6.3	191	12	56	71	1016
4/23/2017 19:00	0.4	1.0	0.8	5.4	0.2	2.2	11.0	7.0	6.3	202	11	55	74	1017
4/23/2017 20:00	0.4	0.7	0.7	3.4	0.2	2.2	12.0	6.0	4.8	199	12	53	77	1018
4/23/2017 21:00	BDL	0.6	0.6	0.5	0.2	2.1	10.0	6.0	4.2	187	13	51	78	1018
4/23/2017 22:00	BDL	0.6	0.5	5.6	0.2	2.1	13.0	5.0	3.5	166	15	51	79	1018
4/23/2017 23:00	0.4	0.6	BDL	21.0	0.2	2.1	13.0	6.0	1.6	165	50	50	80	1018
4/24/2017 0:00	BDL	0.7	BDL	13.9	0.2	2.3	11.0	9.0	2.2	148	17	51	81	1017
4/24/2017 1:00	BDL	0.5	BDL	4.7	0.2	2.3	8.0	10.0	1.9	92	23	50	82	1017
4/24/2017 2:00	BDL	Calibration	Calibration	23.9	0.2	2.3	13.0	8.0	3.2	100	13	50	82	1017
4/24/2017 3:00	BDL	Calibration	Calibration	11.4	0.2	2.2	12.0	12.0	3.4	133	20	49	84	1017
4/24/2017 4:00	Calibration	0.5	0.4	Calibration	Calibration	2.3	11.0	10.0	3.4	77	14	49	83	1017
4/24/2017 5:00	BDL	0.7	0.4	12.5	0.2	2.2	16.0	8.0	4.8	64	11	49	77	1017
4/24/2017 6:00	BDL	0.6	BDL	11.8	0.2	2.3	21.0	8.0	6.1	65	12	49	73	1018
4/24/2017 7:00	BDL	0.5	BDL	14.4	0.2	2.2	23.0	8.0	6.5	64	11	50	70	1018
4/24/2017 8:00	BDL	0.4	BDL	10.8	0.2	2.2	18.0	10.0	7.6	55	10	50	67	1018
4/24/2017 9:00	BDL	0.5	BDL	13.9	0.2	2.2	20.0	8.0	8.1	62	12	52	63	1019
4/24/2017 10:00	BDL	0.4	BDL	9.4	0.2	2.2	12.0	6.0	8.7	59	11	52	61	1018
4/24/2017 11:00	BDL	0.5	BDL	9.9	0.2	2.2	18.0	6.0	8.5	64	14	54	59	1018
4/24/2017 12:00	BDL	0.4	BDL	8.5	0.2	2.2	18.0	6.0	9.5	53	14	55	56	1017
4/24/2017 13:00	BDL	0.4	BDL	5.0	0.2	2.2	16.0	6.0	9.0	67	13	55	54	1017
4/24/2017 14:00	BDL	0.4	BDL	4.3	0.2	2.2	16.0	8.0	9.6	64	12	56	55	1017
4/24/2017 15:00	BDL	BDL	BDL	2.9	0.2	2.2	12.0	6.0	10.5	68	13	56	54	1016
4/24/2017 16:00	BDL	BDL	BDL	1.4	0.2	2.2	11.0	4.0	11.8	66	13	55	54	1016
4/24/2017 17:00	BDL	BDL	BDL	0.6	0.2	2.1	9.0	5.0	11.8	60	11	54	55	1016
4/24/2017 18:00	BDL	BDL	BDL	BDL	0.2	2.1	6.0	3.0	12.5	59	12	55	54	1016
4/24/2017 19:00	BDL	0.4	BDL	BDL	0.2	2.2	7.0	4.0	9.4	65	12	55	54	1016
4/24/2017 20:00	0.4	BDL	0.4	0.8	0.2	2.2	6.0	3.0	9.8	74	13	54	52	1016
4/24/2017 21:00	BDL	BDL	BDL	BDL	0.1	2.2	4.0	2.0	10.1	70	13	53	64	1016
4/24/2017 22:00	BDL	BDL	BDL	BDL	0.1	2.1	6.0	3.0	10.1	62	11	51	73	1016
4/24/2017 23:00	BDL	BDL	BDL	BDL	0.1	2.1	7.0	4.0	10.0	56	11	51	79	1015
4/25/2017 0:00	BDL	BDL	BDL	0.4	0.1	2.1	7.0	2.0	11.7	52	10	50	82	1014
4/25/2017 1:00	BDL	BDL	BDL	BDL	0.2	2.1	8.0	1.0	11.5	54	10	51	87	1014
4/25/2017 2:00	BDL	Calibration	Calibration	BDL	0.2	2.1	9.0	7.0	11.4	53	10	51	90	1013
4/25/2017 3:00	BDL	Calibration	Calibration	BDL	0.2	2.1	9.0	4.0	11.7	58	11	51	95	1013
4/25/2017 4:00	Calibration	BDL	0.4	Calibration	Calibration	2.0	5.0	BDL	11.9	54	10	51	96	1013
4/25/2017 5:00	BDL	BDL	BDL	2.9	0.2	2.0	4.0	1.0	12.4	57	11	51	95	1013
4/25/2017 6:00	BDL	BDL	BDL	4.8	0.2	2.0	4.0	3.0	14.5	53	11	51	96	1013
4/25/2017 7:00	BDL	0.4	0.4	5.2	0.2	2.0	3.0	4.0	14.4	56	11	51	96	1013
4/25/2017 8:00	BDL	0.4	BDL	6.0	0.2	2.1	3.0	4.0	14.5	55	12	52	95	1013
4/25/2017 9:00	BDL	BDL	0.4	6.2	0.2	2.0	3.0	4.0	13.7	60	11	52	94	1013
4/25/2017 10:00	BDL	0.4	0.4	5.7	0.2	2.0	6.0	5.0	13.1	52	13	53	94	1012
4/25/2017 11:00	BDL	0.4	0.4	3.7	0.2	2.0	6.0	6.0	15.0	53	11	54	94	1012
4/25/2017 12:00	BDL	0.4	0.4	4.4	0.2	2.0	5.0	5.0	14.3	50	11	54	95	1010
4/25/2017 13:00	BDL	0.4	0.4	4.5	0.2	2.0	5.0	4.0	14.8	54	11	55	94	1009
4/25/2017 14:00	BDL	0.5	0.5	4.3	0.2	2.0	4.0	6.0	14.0	52	11	55	94	1008
4/25/2017 15:00	BDL	0.4	0.4	5.2	0.2	2.0	4.0	4.0	15.2	55	11	55	94	1008
4/25/2017 16:00	BDL	0.5	0.5	3.4	0.2	2.0	4.0	3.0	14.0	64	12	55	94	1008
4/25/2017 17:00	BDL	0.5	0.5	2.8	0.2	2.0	2.0	3.0	14.2	58	11	55	94	1007
4/25/2017 18:00	BDL	0.6	0.5	2.3	0.2	2.0	3.0	1.0	13.6	54	11	55	94	1007
4/25/2017 19:00	BDL	0.6	0.5	3.4	0.2	2.1	6.0	2.0	12.1	48	12	54	96	1006
4/25/2017 20:00	BDL	0.4	0.5	2.4	0.2	2.1	8.0	4.0	11.8	48	12	54	95	1006
4/25/2017 21:00	BDL	0.5	0.5	3.4	0.2	2.0	4.0	7.0	10.4	46	13	54	94	1006
4/25/2017 22:00	BDL	0.6	0.5	4.0	0.2	2.1	2.0	4.0	9.7	34	14	54	95	1005
4/25/2017 23:00	BDL	0.6	0.5	4.7	0.2	2.1	3.0	2.0	10.0	40	14	54	96	1004
4/26/2017 0:00	BDL	0.6	0.5	3.6	0.2	2.0	1.0	4.0	11.6	49	12	54	97	1004
4/26/2017 1:00	BDL	0.5	0.5	4.0	0.2	2.1	5.0	3.0	10.0	48	12	54	97	1004
4/26/2017 2:00	BDL	Calibration	Calibration	5.3	0.2	2.1	6.0	4.0	9.0	43	13	54	96	1004
4/26/2017 3:00	BDL	Calibration	Calibration	5.4	0.2	2.1	6.0	7.0	8.9	44	13	54	96	1003
4/26/2017 4:00	Calibration	0.6	0.7	Calibration	Calibration	Too few samples	9.0	6.0	9.5	43	12	55	96	1003
4/26/2017 5:00	BDL	0.8	0.7	9.3	0.2	2.0	6.0	7.0	8.3	43	15	55	95	1003
4/26/2017 6:00	BDL	0.8	0.6	12.8	0.2	2.0	6.0	7.0	7.1	50	14	55	93	1004
4/26/2017 7:00	BDL	Audit	Audit	16.4	0.3	2.1	8.0	7.0	6.0	50	14	55	95	1005
4/26/2017 8:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	2.1	10.0	5.0	6.6	50	11	56	95	1005
4/26/2017 9:00	BDL	1.0	0.6	Calibration	0.3	2.0	7.0	7.0	6.9	50	12	57	90	1005
4/26/2017 10:00	BDL	0.9	0.7	13.8	0.3	2.0	13.0	9.0	5.8	22	19	58	86	1006
4/26/2017 11:00	Too few samples	0.7	0.6	Too few samples	2.4	2.1	9.0	9.0	4.5	12	26	59	85	1006
4/26/2017 12:00	Calibration	Too few samples	Too few samples	Too few samples	Too few samples	2.1	14.0	8.0	3.9	5	28	59	84	1006
4/26/2017 13:00	BDL	Calibration	Calibration	14.3	0.3	2.0	30.0	12.0	4.3	63	16	60	82	1005
4/26/2017 14:00	BDL	0.6	0.5	13.7	0.3	2.0	16.0	12.0	3.4	65	41	60	81	1005
4/26/2017 15:00	0.4	1.1	1.5	8.8	0.2	2.5	15.0	11.0	4.7	307	12	60	79	1005
4/26/2017 16:00	0.4	1.5	0.8	4.2	0.2	2.3	12.0	9.0	4.5	296	14	62	75	1006
4/26/2017 17:00	BDL	0.5	0.5	4.0	0.2	2.3	12.0	14.0	2.1	219	17	63	74	1006
4/26/2017 18:00	0.5	0.6	0.5	17.4	0.3	2.3	17.0	11.0	2.9	176	13	63	79	1006
4/26/2017 19:00	0.5	0.9	0.5	23.7	0.3	2.9	17.0	10.0	2.8	179	12	62	81	1007
4/26/2017 20:00	0.4	0.8	0.6	19.2	0.3	2.7	18.0	15.0	3.6	151	14	62	82	1007
4/26/2017 21:00	BDL	0.8	0.5	17.0	0.3	2.2	15.0	12.0	4.1	149	12	61	82	1008
4/26/2017 22:00	BDL	0.7	0.5	12.8	0.2	2.1	16.0	14.0	3.0	150	16	62	82	1008
4/26/2017 23:00	0.4	0.7	0.5	14.8	0.2	2.5	16.0	12.0	2.5	201	15	61	82	1008
4/27/2017 0:00	BDL	1.0	0.9	12.3	0.2	5.7	18.0	16.0	1.2	216	14	60	84	1008
4/27/2017 1:00	BDL	0.8	0.8	17.1	0.2	2.7	19.0	15.0	1.5	191	18	60	85	1008
4/27/2017 2:00	BDL	Calibration	Calibration	15.1	0.2	2.6	20.0	13.0	1.8	190	18	60	86	1008
4/27/2017 3:00	BDL	Calibration	Calibration	17.6	0.3	2.3	19.0	12.0	2.6	145	16	60	89	1008
4/27/2017 4:00	Calibration	1.0	1.0	Calibration	Calibration	2.3	25.0	15.0	2.0	133	18	60	92	1009
4/27/2017 5:00	0.4	1.6	1.2	19.8	0.3	2.3	23.0	15.0	3.0	158	15	60	91	1009
4/27/2017 6:00	BDL	1.2	0.9	20.9	0.2	2.3	17.0	12.0	3.3	150	13	61	89	1010
4/27/2017 7:00	BDL	0.8	0.6	12.3	0.2	2.2	16.0	13.0	3.8	148	16	62	84	1010
4/27/2017 8:00	BDL	0.6	0.4	5.5	0.2	2.2	16.0	9.0	3.8	133	17	63	77	1010
4/27/2017 9:00	0.4	0.6	0.4	6.7	0.2	2.1	17.0	9.0	4.3	114	25	66	69	1009
4/27/2017 10:00	0.4	0.5	0.4	3.5	0.2	2.0	19.0	9.0	3.7	133	37	70	62	1009
4/27/2017 11:00	0.4	0.5	0.4	3.0	0.2	2.0	19.0	11.0	4.1	168	29	73	58	1008
4/27/2017 12:00	0.4	Too few samples	Too few samples	4.3	0.2	2.0	17.0	10.0	5.6	164	19	76	54	1008
4/27/2017 13:00	0.4	Calibration	Calibration	3.7	0.2	2.0	24.0	9.0	6.8	169	18	78	42	1007
4/27/2017 14:00	BDL	0.5	0.5	9.0	0.2	2.1	16.0	10.0	7.8	143	15	77	44	1006
4/27/2017 15:00	BDL	0.5	0.5	3.5	0.2	2.1	17.0	9.0	6.8	136	15	76	50	1006
4/27/2017 16:00	BDL	0.4	0.4	0.8	0.2	2.1	12.0	8.0	6.2	134	15	76	53	1006
4/27/2017 17:00	BDL	0.5	0.4	2.8	0.3	2.1	19.0	14.0	6.4	135	14	75	55	1006
4/27/2017 18:00	BDL	0.7	0.7	10.7	0.3	2.2	21.0	13.0	6.2	138	13	73	60	1007
4/27/2017 19:00	BDL	1.0	0.9	11.1	0.2	2.1	22.0	14.0	4.8	129	14	70	64	1007
4/27/2017 20:00	BDL	0.9	1.0	6.5	0.2	2.2	29.0	21.0	3.3	96	16	68	67	1008
4/27/2017 21:00	BDL	1.0	0.9	6.2	0.2	2.3	25.0	16.0	2.6	110	23	68	69	1008
4/27/2017 22:00	BDL	0.9	0.8	15.9	0.2	2.2	25.0	11.0	2.1	163	19	69	70	1008
4/27/2017 23:00	BDL	0.9	0.7	8.7	0.2	2.0	21.0	13.0	3.9	170	14	69	73	1008

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 4/23/2017-4/29/2017														
4/28/2017 0:00	BDL	0.7	0.6	9.8	0.2	2.1	20.0	13.0	3.3	182	12	68	75	1008
4/28/2017 1:00	BDL	1.1	1.0	10.0	0.2	2.0	29.0	16.0	4.2	187	11	67	80	1008
4/28/2017 2:00	BDL	Calibration	Calibration	7.7	0.2	2.1	20.0	12.0	4.8	194	12	65	81	1009
4/28/2017 3:00	BDL	Calibration	Calibration	8.6	0.2	2.8	23.0	13.0	3.3	221	21	65	79	1009
4/28/2017 4:00	Calibration	1.0	1.0	Calibration	Calibration	3.0	22.0	13.0	2.8	237	33	64	82	1010
4/28/2017 5:00	0.4	1.1	0.9	27.7	0.4	2.8	23.0	21.0	3	247	21	65	82	1011
4/28/2017 6:00	0.4	Calibration	Calibration	29.6	0.4	2.8	28.0	22.0	2.7	247	19	67	73	1011
4/28/2017 7:00	0.6	Calibration	Calibration	30.4	0.4	2.5	33.0	27.0	4.2	209	16	70	67	1012
4/28/2017 8:00	1.3	4.5	11.1	31.2	0.4	2.4	40.0	23.0	5.0	207	18	73	60	1013
4/28/2017 9:00	1.5	Audit	Audit	17.0	0.3	2.5	33.0	20.0	4.5	210	25	76	48	1013
4/28/2017 10:00	0.9	Too few samples	Too few samples	1.0	0.1	2.3	26.0	8.0	6.2	262	27	80	28	1013
4/28/2017 11:00	0.5	Too few samples	23.9	BDL	0.1	2.2	20.0	8.0	8.1	262	20	81	23	1013
4/28/2017 12:00	0.6	Audit	Audit	0.9	0.1	2.2	22.0	12.0	7.6	237	23	82	22	1013
4/28/2017 13:00	0.8	Calibration	Calibration	4.0	0.1	2.2	19.0	11.0	9.3	224	19	82	25	1013
4/28/2017 14:00	0.6	0.4	BDL	2.9	0.1	2.2	25.0	13.0	7.5	220	19	83	24	1013
4/28/2017 15:00	0.8	BDL	BDL	3.9	0.1	2.3	18.0	11.0	6.9	212	19	83	26	1013
4/28/2017 16:00	0.7	BDL	BDL	1.1	0.1	2.2	22.0	10.0	6.1	209	17	82	27	1013
4/28/2017 17:00	0.7	BDL	BDL	6.7	0.1	2.2	22.0	10.0	7.6	200	15	80	33	1013
4/28/2017 18:00	0.8	BDL	BDL	6.9	0.2	2.2	25.0	9.0	6.8	198	11	79	38	1014
4/28/2017 19:00	0.5	BDL	BDL	5.2	0.2	2.2	20.0	10.0	5.8	188	12	75	47	1014
4/28/2017 20:00	0.4	0.4	BDL	11.8	0.2	2.4	24.0	17.0	4.6	180	12	73	54	1015
4/28/2017 21:00	0.4	0.4	BDL	6.6	0.2	4.7	20.0	14.0	3.6	207	17	71	55	1015
4/28/2017 22:00	0.5	0.9	BDL	17.0	0.2	3.8	21.0	13.0	2.3	190	19	71	58	1015
4/28/2017 23:00	0.6	0.9	0.4	25.4	0.3	2.5	30.0	25.0	2.2	184	17	69	64	1015
4/29/2017 0:00	0.6	1.5	0.6	44.4	0.3	2.3	25.0	17.0	1.3	143	37	68	69	1014
4/29/2017 1:00	BDL	1.1	0.6	21.5	0.2	2.7	27.0	19.0	0.9	221	59	68	74	1014
4/29/2017 2:00	0.4	Calibration	Calibration	28.4	0.3	2.9	34.0	24.0	1.7	133	18	68	78	1013
4/29/2017 3:00	BDL	Calibration	Calibration	25.5	0.3	2.7	32.0	20.0	3.5	186	28	67	83	1013
4/29/2017 4:00	Calibration	1.2	0.7	Calibration	Calibration	3.0	28.0	17.0	2.8	295	36	67	87	1012
4/29/2017 5:00	0.4	1.0	0.5	15.2	0.2	3.0	31.0	22.0	1.9	263	37	68	85	1012
4/29/2017 6:00	BDL	1.2	0.6	27.0	0.3	2.8	38.0	26.0	4.6	218	17	68	85	1013
4/29/2017 7:00	BDL	1.4	0.7	30.7	0.4	2.9	33.0	28.0	5.5	237	17	70	78	1015
4/29/2017 8:00	BDL	1.0	0.5	20.3	0.3	2.8	34.0	25.0	5.6	230	16	74	68	1015
4/29/2017 9:00	BDL	0.6	BDL	16.0	0.3	2.5	27.0	24.0	6.2	206	16	75	67	1014
4/29/2017 10:00	BDL	BDL	BDL	8.1	0.3	2.5	29.0	12.0	7.9	245	20	80	49	1014
4/29/2017 11:00	BDL	BDL	BDL	3.0	0.2	2.3	28.0	11.0	8.6	214	19	81	48	1012
4/29/2017 12:00	BDL	BDL	BDL	5.8	0.2	2.3	27.0	15.0	10.3	228	17	83	44	1013
4/29/2017 13:00	BDL	BDL	BDL	4.1	0.2	2.3	18.0	10.0	8.8	251	19	85	38	1013
4/29/2017 14:00	BDL	BDL	BDL	BDL	0.2	2.1	25.0	7.0	12.5	299	12	85	35	1013
4/29/2017 15:00	0.4	BDL	BDL	BDL	0.1	2.0	12.0	6.0	13.8	304	10	83	36	1014
4/29/2017 16:00	0.4	BDL	BDL	1.0	0.2	2.1	19.0	7.0	7.2	283	14	82	37	1014
4/29/2017 17:00	0.4	BDL	BDL	0.4	0.2	2.2	16.0	10.0	4.0	267	18	82	40	1013
4/29/2017 18:00	0.4	BDL	BDL	BDL	0.2	2.3	17.0	10.0	2.6	261	13	80	45	1014
4/29/2017 19:00	BDL	BDL	BDL	13.4	0.4	3.2	26.0	11.0	1.9	256	15	77	38	1014
4/29/2017 20:00	0.4	0.4	BDL	19.8	0.5	4.2	24.0	10.0	2.4	253	16	74	41	1015
4/29/2017 21:00	0.6	1.2	0.4	40.6	0.4	6.7	39.0	14.0	2.6	231	12	73	49	1016
4/29/2017 22:00	0.9	2.1	2.0	31.7	0.5	12.9	26.0	17.0	4.4	320	53	73	57	1016
4/29/2017 23:00	0.8	BDL	BDL	4.9	0.2	2.4	16.0	8.0	8.2	35	13	73	58	1016

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 4/30/2017-5/6/2017														
4/30/2017 0:00	0.6	BDL	BDL	4	0.2	2.3	12.0	9.0	7.6	30	15	71	58	1017
4/30/2017 1:00	0.6	BDL	BDL	1.3	0.2	2.3	10.0	7.0	8.8	46	11	68	51	1017
4/30/2017 2:00	0.4	Calibration	Calibration	BDL	0.2	2.2	6.0	8.0	8.3	47	11	68	52	1017
4/30/2017 3:00	BDL	Calibration	Calibration	BDL	0.2	2.2	9.0	8.0	7.8	60	12	66	57	1018
4/30/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	7.0	6.0	7.8	64	12	65	55	1018
4/30/2017 5:00	0.4	BDL	BDL	BDL	0.2	2.4	16.0	8.0	7.4	57	12	65	51	1018
4/30/2017 6:00	0.4	BDL	BDL	0.9	0.2	2.4	12.0	9.0	9.0	50	12	64	47	1019
4/30/2017 7:00	BDL	BDL	BDL	1.7	0.2	2.4	13.0	6.0	7.5	64	13	64	43	1020
4/30/2017 8:00	0.4	BDL	BDL	1.8	0.2	2.3	21.0	11.0	10.2	88	13	65	45	1020
4/30/2017 9:00	BDL	BDL	BDL	BDL	0.1	2.2	27.0	7.0	10.1	104	14	66	38	1020
4/30/2017 10:00	BDL	BDL	BDL	BDL	0.1	2.2	17.0	5.0	8.8	101	15	67	31	1019
4/30/2017 11:00	BDL	BDL	BDL	BDL	0.1	2.2	17.0	4.0	9.7	96	14	68	29	1019
4/30/2017 12:00	BDL	BDL	BDL	BDL	0.1	2.2	18.0	5.0	8.8	98	17	70	28	1018
4/30/2017 13:00	BDL	BDL	BDL	BDL	0.1	2.2	12.0	6.0	7.7	102	17	70	30	1018
4/30/2017 14:00	BDL	BDL	BDL	BDL	0.1	2.2	19.0	11.0	8.3	106	16	71	32	1017
4/30/2017 15:00	BDL	BDL	BDL	BDL	0.1	2.2	15.0	9.0	10.2	97	14	71	34	1017
4/30/2017 16:00	BDL	BDL	BDL	BDL	0.1	2.2	28.0	14.0	10.9	90	14	67	42	1017
4/30/2017 17:00	BDL	BDL	BDL	BDL	0.1	2.2	34.0	11.0	13.1	71	12	60	55	1018
4/30/2017 18:00	BDL	BDL	BDL	BDL	0.1	2.2	33.0	11.0	12.4	75	13	56	65	1018
4/30/2017 19:00	BDL	BDL	BDL	BDL	0.1	2.2	29.0	13.0	10.5	72	13	53	71	1018
4/30/2017 20:00	BDL	BDL	BDL	BDL	0.1	2.2	22.0	13.0	10.7	70	12	52	77	1018
4/30/2017 21:00	BDL	BDL	BDL	BDL	0.1	2.1	20.0	11.0	8.4	65	12	51	81	1018
4/30/2017 22:00	BDL	BDL	BDL	BDL	0.1	2.1	14.0	10.0	7.5	65	14	50	83	1018
4/30/2017 23:00	BDL	BDL	BDL	BDL	0.1	2.1	14.0	9.0	7.1	64	12	50	85	1017
5/1/2017 0:00	BDL	BDL	BDL	BDL	0.1	2.1	15.0	7.0	6.8	71	14	50	87	1016
5/1/2017 1:00	BDL	BDL	BDL	BDL	0.1	2.2	13.0	9.0	6.7	60	11	50	88	1015
5/1/2017 2:00	BDL	Calibration	Calibration	BDL	0.1	2.2	10.0	7.0	6.1	61	13	50	89	1015
5/1/2017 3:00	BDL	Calibration	Calibration	BDL	0.1	2.2	14.0	8.0	5.5	63	13	50	89	1014
5/1/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	15.0	10.0	5.0	63	14	50	89	1014
5/1/2017 5:00	BDL	BDL	BDL	6.9	0.2	2.2	17.0	9.0	4.9	66	13	51	89	1013
5/1/2017 6:00	BDL	Too few samples	Too few samples	23.1	0.2	2.2	21.0	8.0	3.4	71	17	52	88	1014
5/1/2017 7:00	0.5	Calibration	Calibration	38.7	0.2	2.2	30.0	16.0	3.8	97	17	53	87	1013
5/1/2017 8:00	0.5	Calibration	Calibration	27.4	0.3	2.2	29.0	9.0	2.9	93	21	56	78	1012
5/1/2017 9:00	0.5	Calibration	Calibration	18.4	0.2	2.3	38.0	14.0	1.3	155	56	63	66	1011
5/1/2017 10:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	2.7	37.0	13.0	1.6	292	48	70	58	1010
5/1/2017 11:00	Calibration	BDL	0.4	Calibration	Calibration	2.3	48.0	9.0	8.6	220	18	77	53	1009
5/1/2017 12:00	Too few samples	BDL	BDL	Too few samples	Too few samples	Too few samples	45.0	10.0	12.1	224	16	79	47	1008
5/1/2017 13:00	0.6	BDL	BDL	5.2	0.1	2.0	58.0	13.0	12.0	204	14	79	48	1007
5/1/2017 14:00	0.4	BDL	BDL	BDL	0.1	2.0	67.0	15.0	14.3	203	13	80	46	1006
5/1/2017 15:00	0.4	BDL	BDL	BDL	0.1	2.0	46.0	13.0	13.2	202	13	80	46	1005
5/1/2017 16:00	BDL	BDL	BDL	2.0	0.1	1.9	81.0	12.0	13.8	192	12	80	46	1004
5/1/2017 17:00	BDL	BDL	BDL	BDL	0.1	1.9	47.0	10.0	12.5	186	12	78	48	1003
5/1/2017 18:00	BDL	BDL	BDL	0.7	0.1	1.9	38.0	10.0	9.5	180	13	76	52	1003
5/1/2017 19:00	BDL	BDL	BDL	2.5	0.1	1.9	34.0	11.0	8.7	172	12	73	58	1003
5/1/2017 20:00	BDL	BDL	BDL	2.0	0.1	1.9	24.0	8.0	11.3	165	11	72	61	1002
5/1/2017 21:00	BDL	BDL	BDL	0.4	BDL	1.9	25.0	9.0	12.0	174	12	71	64	1001
5/1/2017 22:00	BDL	BDL	BDL	0.6	BDL	1.9	124.0	11.0	14.1	187	12	71	66	1001
5/1/2017 23:00	BDL	BDL	BDL	0.5	BDL	1.9	36.0	10.0	13.7	188	13	71	67	1000
5/2/2017 0:00	BDL	BDL	BDL	0.5	BDL	1.9	32.0	11.0	12.5	193	12	71	68	1000
5/2/2017 1:00	BDL	BDL	BDL	0.5	BDL	1.9	41.0	8.0	14.2	203	12	72	64	1000
5/2/2017 2:00	BDL	Calibration	Calibration	1.5	0.1	1.9	28.0	10.0	14.1	199	11	71	69	1000
5/2/2017 3:00	BDL	Calibration	Calibration	0.5	0.1	1.9	23.0	8.0	13.1	199	11	70	74	999
5/2/2017 4:00	Calibration	BDL	0.5	Calibration	Calibration	Too few samples	18.0	8.0	12.4	200	12	69	74	999
5/2/2017 5:00	BDL	BDL	BDL	1.8	0.1	1.9	17.0	8.0	11.1	203	13	69	73	1000
5/2/2017 6:00	Calibration	BDL	0.8	Calibration	Calibration	2.6	21.0	11.0	10.8	282	16	68	68	1000
5/2/2017 7:00	0.7	Calibration	Calibration	3.3	0.1	2.2	19.0	8.0	8.1	310	12	68	58	1000
5/2/2017 8:00	0.7	Calibration	Calibration	BDL	0.1	2.2	29.0	6.0	7.6	307	13	70	46	1000
5/2/2017 9:00	0.7	BDL	BDL	1.5	0.2	2.1	32.0	11.0	5.8	277	36	71	44	1000
5/2/2017 10:00	0.6	BDL	BDL	1.0	0.2	2.1	37.0	10.0	9.5	270	19	72	38	1001
5/2/2017 11:00	0.4	BDL	BDL	BDL	0.2	2.2	56.0	10.0	12.0	278	16	72	34	1001
5/2/2017 12:00	0.4	BDL	BDL	BDL	0.1	2.2	48.0	12.0	12.2	257	20	73	30	1001
5/2/2017 13:00	0.4	BDL	BDL	BDL	0.1	2.4	59.0	9.0	12.1	263	17	73	26	1001
5/2/2017 14:00	BDL	BDL	BDL	BDL	0.1	2.1	96.0	9.0	14.1	272	18	74	21	1001
5/2/2017 15:00	BDL	BDL	BDL	BDL	0.1	2.1	63.0	7.0	13.5	266	19	73	19	1002
5/2/2017 16:00	BDL	BDL	BDL	BDL	0.1	2.2	22.0	6.0	12.2	260	20	73	20	1002
5/2/2017 17:00	BDL	BDL	BDL	BDL	0.1	2.0	29.0	4.0	12.8	282	15	73	19	1002
5/2/2017 18:00	BDL	BDL	BDL	BDL	0.1	2.0	23.0	5.0	11.0	283	13	70	20	1003
5/2/2017 19:00	BDL	BDL	BDL	BDL	0.1	2.1	24.0	4.0	9.2	282	12	69	23	1004
5/2/2017 20:00	BDL	BDL	BDL	BDL	0.1	2.2	22.0	3.0	5.8	276	11	68	25	1006
5/2/2017 21:00	BDL	BDL	BDL	BDL	0.1	2.1	25.0	6.0	9.1	274	13	67	23	1006
5/2/2017 22:00	BDL	BDL	BDL	2.6	0.1	2.2	18.0	6.0	7.3	268	15	66	25	1007
5/2/2017 23:00	BDL	BDL	BDL	BDL	0.1	2.2	16.0	5.0	7.2	285	13	65	25	1007
5/3/2017 0:00	BDL	BDL	BDL	BDL	0.1	2.5	17.0	6.0	3.6	282	13	64	29	1007
5/3/2017 1:00	BDL	BDL	BDL	BDL	0.1	3.8	22.0	7.0	3.5	288	12	62	33	1007
5/3/2017 2:00	BDL	Calibration	Calibration	3.5	0.1	2.5	27.0	7.0	2.8	265	14	60	40	1008
5/3/2017 3:00	BDL	Calibration	Calibration	4.1	0.1	2.5	19.0	9.0	6.2	310	8	58	42	1008
5/3/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	18.0	6.0	4.5	292	14	58	43	1008
5/3/2017 5:00	0.7	BDL	BDL	0.5	0.1	2.2	18.0	6.0	4.8	282	19	59	43	1009
5/3/2017 6:00	0.6	Calibration	Calibration	1.5	0.1	2.1	30.0	7.0	10.2	297	13	60	40	1009
5/3/2017 7:00	BDL	Calibration	Calibration	BDL	0.1	2.2	37.0	5.0	15.0	304	9	60	38	1010
5/3/2017 8:00	BDL	BDL	BDL	BDL	0.1	2.1	37.0	4.0	13.5	286	14	61	28	1011
5/3/2017 9:00	0.6	BDL	BDL	BDL	0.1	2.2	23.0	3.0	12.9	292	17	61	26	1011
5/3/2017 10:00	BDL	BDL	BDL	BDL	0.1	2.2	23.0	6.0	13.5	300	13	60	28	1012
5/3/2017 11:00	BDL	BDL	BDL	BDL	0.1	2.2	17.0	5.0	13.7	295	14	60	29	1013
5/3/2017 12:00	BDL	BDL	BDL	BDL	0.1	2.2	28.0	6.0	13.8	299	14	60	29	1013
5/3/2017 13:00	BDL	BDL	BDL	BDL	0.1	2.2	18.0	6.0	13.5	303	13	61	30	1013
5/3/2017 14:00	BDL	BDL	BDL	BDL	0.1	2.5	31.0	6.0	12.6	309	17	63	28	1013
5/3/2017 15:00	BDL	BDL	BDL	BDL	0.1	2.2	29.0	5.0	13.7	311	14	64	26	1014
5/3/2017 16:00	BDL	BDL	BDL	BDL	0.1	2.2	27.0	6.0	13.9	313	11	64	25	1014
5/3/2017 17:00	BDL	BDL	BDL	3.4	0.1	2.2	14.0	8.0	10.8	324	15	64	24	1014
5/3/2017 18:00	0.6	BDL	BDL	7.6	0.1	2.2	16.0	8.0	9.4	330	13	63	22	1015
5/3/2017 19:00	0.6	BDL	BDL	5.8	0.1	2.3	20.0	10.0	6.8	332	14	62	24	1018
5/3/2017 20:00	0.9	BDL	BDL	8.5	0.1	2.3	26.0	13.0	7.4	341	14	59	25	1019
5/3/2017 21:00	1.5	BDL	BDL	11.9	0.2	2.3	20.0	12.0	6.0	348	19	59	28	1019
5/3/2017 22:00	1.2	BDL	BDL	10.8	0.1	2.3	20.0	9.0	6.1	358	19	57	28	1020
5/3/2017 23:00	0.6	BDL	BDL	1.5	0.1	2.3	10.0	6.0	8.4	46	13	55	26	1020
5/4/2017 0:00	BDL	BDL	BDL	BDL	0.1	2.3	9.0	5.0	7.5	43	15	54	28	1021
5/4/2017 1:00	BDL	BDL	BDL	1.3	0.1	2.3	14.0	7.0	6.8	57	13	52	32	1021
5/4/2017 2:00	BDL	Calibration	Calibration	2.3	0.1	2.3	22.0	8.0	5.6	69	12	50	39	1021
5/4/2017 3:00	BDL	Calibration	Calibration	3.2	0.1	2.3	22.0	6.0	4.9	70	13	49	41	1021
5/4/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.4	20.0	7.0	3.6	76	13	48	45	1021
5/4/2017 5:00	0.4	BDL	BDL	12.8	0.1	2.5	27.0	9.0	4.9	72	12	48	44	1022
5/4/2017 6:00	0.4	0.6	BDL	18.1	0.1	2.4	36.0	7.0	6.7	71	13	50	41	1022
5/4/2017 7:00	BDL	BDL	BDL	12.6	0.1	2.3	23.0	10.0	8.4	94	15	52	39	1022
5/4/2017 8:00	BDL	BDL	BDL	2.6	0.1	2.2	27.0	8.0	8.1	100	19	54	34	1022
5/4/2017 9:00	BDL	BDL	BDL	0.7	0.1	2.2	26.0	6.0	7.6	118	22	57	32	1022
5/4/2017 10:00	BDL	BDL	BDL	1.8	0.1	2.2	31.0	4.0	6.6	122	20	59	28	1021
5/4/2017 11:00	BDL	BDL	BDL	2.7	0.1	2.2	24.0	3.0	7.9	127	22	60	25	1021
5/4/2017 12:00	BDL	BDL	BDL	1.3	0.1	2.2	26.0	4.0	9.8	143	21	61	27	1020
5/4/2017 13:00	BDL	BDL	BDL	1.0	0.1	2.2	28.0	6.0	8.3	128	20	62	26	1019
5/4/2017 14:00	BDL	BDL	BDL	1.6	0.1	2.2	17.0	4.0	8.5	127	19	62	27	1019
5/4/2017 15:00	BDL	BDL	BDL	0.5	0.1	2.2	17.0	2.0	8.5	127	18	61	30	1018
5/4/2017 16:00	BDL	BDL	BDL	3.4	0.1	2.2	20.0	6.0	8.4	132	16	59	34	1018
5/4/2017 17:00	BDL	BDL	BDL	2.7	0.1	2.2	14.0	7.0	8.8	112	16	57	40	1018
5/4/2017 18:00	BDL	BDL	BDL	BDL	0.1	2.2	19.0	6.0	10.1	94	14	55	51	1017
5/4/2017 19:00	BDL	BDL	BDL	BDL	0.1	2.1	14.0	6.0	9.6	101	14	54	58	1017
5/4/2017 20:00	BDL	BDL	BDL	BDL	0.1	2.1	17.0	4.0	9.8	93	13	53	63	1017
5/4/2017 21:00	BDL	BDL	BDL	BDL	0.1	2.1	17.0	2.0	8.2	94	14	52	66	1016
5/4/2017 22:00	BDL	BDL	BDL	BDL	0.1	2.1	15.0	3.0	8.1	84	14	52	69	1015
5/4/2017 23:00	BDL	BDL	BDL	2.8	0.1	2.1	19.0	4.0	6.7	78	14	52	74	1015
5/5/2017 0:00	BDL	BDL	BDL	1.0	0.1	2.1	12.0	5.0	7.2	73	13	52	75	1014

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
5/5/2017 1:00	BDL	BDL	BDL	0.4	0.1	2.1	15.0	3.0	9.2	71	13	52	80	1012
5/5/2017 2:00	BDL	Calibration	Calibration	0.8	0.1	2.1	16.0	4.0	8.8	74	12	52	83	1011
5/5/2017 3:00	BDL	Calibration	Calibration	1.7	0.1	2.1	14.0	6.0	9.8	67	12	52	84	1009
5/5/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.0	17.0	6.0	7.9	58	10	53	83	1008
5/5/2017 5:00	BDL	0.5	BDL	5.0	0.1	Calibration	24.0	8.0	8.6	74	13	55	83	1007
5/5/2017 6:00	BDL	BDL	BDL	8.1	0.1	Maintenance	21.0	6.0	11.0	82	14	56	84	1006
5/5/2017 7:00	BDL	0.4	BDL	8.1	0.1	Maintenance	16.0	3.0	10.3	79	13	56	87	1004
5/5/2017 8:00	BDL	0.5	BDL	5.2	0.1	Too few samples	7.0	2.0	5.9	96	26	57	88	1003
5/5/2017 9:00	BDL	0.5	BDL	9.2	0.1	2.0	6.0	2.0	9.2	86	14	58	88	1002
5/5/2017 10:00	BDL	0.5	BDL	12.0	0.1	2.0	5.0	3.0	7.6	80	27	58	89	1001
5/5/2017 11:00	0.4	0.7	BDL	13.9	0.2	2.1	5.0	4.0	7.7	106	25	59	90	999
5/5/2017 12:00	0.5	0.8	0.4	10.6	0.2	2.3	15.0	5.0	5.2	238	51	62	86	998
5/5/2017 13:00	0.4	0.7	0.4	5.0	0.1	2.1	6.0	4.0	5.2	157	15	65	78	998
5/5/2017 14:00	0.4	0.6	BDL	2.7	0.1	2.0	24.0	5.0	7.9	148	14	66	71	998
5/5/2017 15:00	0.4	0.6	0.4	4.7	0.1	1.9	22.0	8.0	8.9	151	19	66	72	997
5/5/2017 16:00	0.4	0.5	BDL	BDL	0.1	1.9	23.0	10.0	10.3	166	14	65	73	997
5/5/2017 17:00	0.4	0.4	BDL	2.0	0.1	1.9	13.0	7.0	9.3	163	14	64	74	996
5/5/2017 18:00	BDL	0.4	BDL	BDL	0.1	1.8	14.0	6.0	10.3	163	13	63	78	996
5/5/2017 19:00	BDL	0.5	BDL	1.2	0.1	1.8	11.0	6.0	8.3	153	14	63	80	995
5/5/2017 20:00	BDL	0.5	BDL	1.0	0.1	1.8	9.0	7.0	8.7	154	12	62	85	995
5/5/2017 21:00	BDL	0.4	BDL	BDL	0.1	1.8	13.0	6.0	9.8	163	12	62	84	995
5/5/2017 22:00	BDL	0.5	BDL	BDL	0.1	1.8	15.0	11.0	10.0	158	12	62	82	994
5/5/2017 23:00	BDL	0.5	BDL	0.7	0.1	1.8	14.0	8.0	9.1	152	14	63	82	994
5/6/2017 0:00	BDL	0.6	BDL	0.4	0.1	1.8	19.0	10.0	9.6	152	14	63	82	993
5/6/2017 1:00	BDL	0.6	0.4	0.4	0.1	1.8	19.0	8.0	9.0	155	14	63	81	992
5/6/2017 2:00	BDL	Calibration	Calibration	BDL	0.1	1.8	26.0	12.0	9.7	159	12	62	81	991
5/6/2017 3:00	BDL	Calibration	Calibration	BDL	0.1	1.8	24.0	9.0	8.5	174	13	62	82	991
5/6/2017 4:00	Calibration	0.9	0.7	Calibration	Calibration	1.9	24.0	11.0	8.1	169	12	61	82	991
5/6/2017 5:00	0.5	0.9	0.5	11.4	0.1	Calibration	17.0	12.0	9.2	168	13	60	64	991
5/6/2017 6:00	0.4	0.7	0.5	2.0	0.1	1.9	19.0	7.0	13.0	190	13	58	61	992
5/6/2017 7:00	0.4	0.7	0.4	1.8	0.1	2.0	12.0	7.0	12.2	192	13	58	62	992
5/6/2017 8:00	0.4	0.7	BDL	1.1	0.1	2.0	23.0	7.0	12.5	196	12	59	62	992
5/6/2017 9:00	0.4	0.7	0.4	1.1	0.1	2.0	14.0	6.0	9.7	188	14	59	63	992
5/6/2017 10:00	0.5	0.7	0.4	1.0	0.1	2.0	12.0	6.0	9.7	205	15	60	64	993
5/6/2017 11:00	0.5	0.8	BDL	4.4	0.1	2.0	17.0	6.0	11.5	208	13	61	62	992
5/6/2017 12:00	0.5	0.7	0.4	BDL	0.1	2.2	19.0	6.0	11.5	212	16	61	61	992
5/6/2017 13:00	0.5	0.6	BDL	BDL	0.1	2.2	6.0	5.0	11.9	224	17	61	60	992
5/6/2017 14:00	0.7	0.6	BDL	5.8	0.1	2.2	10.0	5.0	10.7	226	18	61	57	992
5/6/2017 15:00	0.6	0.7	0.4	7.6	0.1	2.3	13.0	6.0	10.5	248	16	60	53	993
5/6/2017 16:00	0.4	0.7	BDL	0.7	0.1	2.3	12.0	6.0	9.5	265	14	57	55	994
5/6/2017 17:00	BDL	0.5	BDL	BDL	0.1	2.4	11.0	5.0	9.5	287	14	55	59	994
5/6/2017 18:00	BDL	0.5	BDL	BDL	0.1	2.1	11.0	4.0	9.4	277	14	52	62	995
5/6/2017 19:00	BDL	0.4	BDL	BDL	0.1	2.0	10.0	5.0	7.9	257	16	51	66	996
5/6/2017 20:00	0.4	0.4	BDL	BDL	0.1	2.1	7.0	7.0	7.6	256	16	51	66	997
5/6/2017 21:00	0.5	0.5	BDL	2.5	0.1	2.4	8.0	6.0	8.3	243	14	50	68	998
5/6/2017 22:00	0.6	0.5	BDL	3.2	0.1	2.3	10.0	5.0	7.7	239	15	50	70	998
5/6/2017 23:00	0.7	0.5	BDL	3.9	0.1	2.4	10.0	4.0	10.2	246	15	51	64	998

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 5/7/2017-5/13/2017														
5/7/2017 0:00	0.6	0.5	BDL	2.8	0.1	2.4	9.0	4.0	9.2	244	15	50	65	999
5/7/2017 1:00	0.5	0.5	BDL	1.8	0.1	2.4	9.0	7.0	8.3	243	16	49	63	999
5/7/2017 2:00	0.4	Calibration	Calibration	BDL	0.1	2.4	15.0	5.0	8.3	247	15	49	61	1000
5/7/2017 3:00	0.4	Calibration	Calibration	BDL	0.1	2.2	7.0	2.0	8.4	252	16	48	61	1000
5/7/2017 4:00	Calibration	0.5	BDL	Calibration	Calibration	2.5	6.0	4.0	6.1	247	14	47	63	1000
5/7/2017 5:00	0.4	0.6	BDL	3.8	0.1	Calibration	6.0	4.0	8.1	246	14	47	59	1001
5/7/2017 6:00	0.4	0.5	BDL	0.6	0.1	2.2	9.0	4.0	8.8	248	17	48	56	1002
5/7/2017 7:00	0.4	BDL	BDL	BDL	0.1	2.2	9.0	5.0	7.7	253	17	49	55	1002
5/7/2017 8:00	BDL	0.4	BDL	BDL	0.1	2.1	7.0	5.0	7.9	270	18	50	52	1003
5/7/2017 9:00	BDL	BDL	BDL	BDL	0.1	2.1	7.0	3.0	8.8	279	17	50	54	1003
5/7/2017 10:00	BDL	BDL	BDL	BDL	0.1	2.1	13.0	1.0	9.1	282	16	50	49	1003
5/7/2017 11:00	BDL	BDL	BDL	BDL	0.1	2.1	10.0	4.0	8.2	270	21	49	60	1003
5/7/2017 12:00	BDL	BDL	BDL	BDL	0.04	2.0	13.0	5.0	13.0	293	14	50	50	1003
5/7/2017 13:00	BDL	BDL	BDL	BDL	0.04	2.1	16.0	4.0	13.4	302	12	50	54	1004
5/7/2017 14:00	BDL	BDL	BDL	BDL	0.04	2.1	13.0	3.0	13.6	299	13	51	52	1004
5/7/2017 15:00	BDL	BDL	BDL	BDL	0.1	2.1	10.0	5.0	9.7	298	13	51	62	1004
5/7/2017 16:00	BDL	BDL	BDL	BDL	0.1	2.2	9.0	7.0	12.3	311	10	52	55	1005
5/7/2017 17:00	BDL	BDL	BDL	BDL	0.1	3.4	11.0	7.0	6.8	297	14	48	69	1005
5/7/2017 18:00	BDL	BDL	BDL	BDL	0.1	3.2	12.0	6.0	3.5	286	14	48	70	1006
5/7/2017 19:00	BDL	0.6	BDL	8.6	0.2	2.9	13.0	6.0	3.4	237	13	48	73	1006
5/7/2017 20:00	BDL	0.6	BDL	12.1	0.2	2.5	14.0	8.0	2.9	258	27	47	76	1007
5/7/2017 21:00	BDL	0.5	BDL	11.9	0.2	2.5	13.0	10.0	3.8	280	20	46	76	1008
5/7/2017 22:00	BDL	BDL	BDL	8.6	0.2	2.2	10.0	9.0	2.7	333	37	47	68	1008
5/7/2017 23:00	BDL	BDL	BDL	4.5	0.1	2.3	9.0	7.0	2.0	291	56	46	66	1008
5/8/2017 0:00	BDL	0.6	0.9	20.6	0.3	3.0	13.0	7.0	3.3	252	12	45	75	1008
5/8/2017 1:00	BDL	0.5	BDL	13.6	0.3	2.7	15.0	8.0	3.4	274	22	43	80	1008
5/8/2017 2:00	BDL	Calibration	Calibration	7.5	0.2	2.6	12.0	9.0	3.7	269	13	42	79	1009
5/8/2017 3:00	BDL	Calibration	Calibration	5.8	0.1	2.5	16.0	7.0	4.7	283	10	41	74	1009
5/8/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.5	14.0	10.0	5.4	284	10	40	72	1010
5/8/2017 5:00	BDL	BDL	BDL	9.2	0.1	Calibration	11.0	7.0	7.3	303	8	41	63	1010
5/8/2017 6:00	BDL	BDL	BDL	6.6	0.1	2.3	11.0	5.0	8.0	303	9	43	54	1011
5/8/2017 7:00	BDL	BDL	BDL	4.5	0.1	2.2	29.0	4.0	8.1	304	10	45	49	1011
5/8/2017 8:00	BDL	BDL	BDL	1.9	0.1	2.2	26.0	5.0	8.1	313	14	48	42	1012
5/8/2017 9:00	BDL	BDL	BDL	BDL	0.04	2.1	21.0	5.0	6.9	295	22	50	33	1012
5/8/2017 10:00	BDL	BDL	BDL	BDL	BDL	2.1	49.0	5.0	7.7	297	23	52	30	1011
5/8/2017 11:00	BDL	BDL	BDL	BDL	BDL	2.1	12.0	5.0	8.6	294	19	54	31	1011
5/8/2017 12:00	BDL	BDL	BDL	BDL	0.04	2.1	12.0	4.0	9.1	287	20	54	30	1010
5/8/2017 13:00	BDL	BDL	BDL	BDL	0.04	2.1	11.0	4.0	9.3	289	19	55	28	1010
5/8/2017 14:00	BDL	BDL	BDL	BDL	0.04	2.1	14.0	5.0	9.2	297	14	55	28	1010
5/8/2017 15:00	BDL	BDL	BDL	BDL	0.04	2.1	16.0	5.0	7.8	288	16	55	26	1010
5/8/2017 16:00	BDL	BDL	BDL	BDL	BDL	2.2	27.0	4.0	7.3	296	17	56	24	1010
5/8/2017 17:00	BDL	BDL	BDL	BDL	BDL	2.3	10.0	5.0	7.1	292	15	56	23	1010
5/8/2017 18:00	BDL	BDL	BDL	3.5	0.1	2.8	10.0	7.0	3.8	263	16	56	25	1010
5/8/2017 19:00	BDL	BDL	BDL	13.7	0.1	2.8	14.0	7.0	2.5	243	16	55	29	1010
5/8/2017 20:00	BDL	0.7	BDL	27.0	0.2	2.8	16.0	9.0	3.5	260	14	53	33	1011
5/8/2017 21:00	BDL	0.4	BDL	18.1	0.1	2.4	15.0	9.0	4.1	283	10	52	34	1011
5/8/2017 22:00	BDL	0.4	BDL	9.5	0.1	2.4	12.0	6.0	3.3	271	14	51	38	1012
5/8/2017 23:00	BDL	BDL	BDL	3.3	0.1	2.4	12.0	6.0	4.4	278	10	50	37	1012
5/9/2017 0:00	BDL	BDL	BDL	6.0	0.1	2.3	18.0	5.0	5.0	276	11	48	40	1011
5/9/2017 1:00	0.4	0.4	BDL	7.1	0.1	2.4	10.0	6.0	3.6	274	15	47	43	1011
5/9/2017 2:00	0.4	Calibration	Calibration	8.9	0.1	2.5	13.0	7.0	4.6	274	12	46	47	1012
5/9/2017 3:00	BDL	Calibration	Calibration	5.8	0.1	2.4	10.0	6.0	5.9	310	8	45	46	1012
5/9/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.6	15.0	5.0	4.3	304	12	45	48	1012
5/9/2017 5:00	0.6	0.5	BDL	20.7	0.1	Calibration	18.0	10.0	3.8	289	12	45	48	1013
5/9/2017 6:00	0.7	0.5	BDL	17.3	0.1	2.5	17.0	8.0	6.5	303	8	47	42	1013
5/9/2017 7:00	0.5	0.4	BDL	13.3	0.1	2.4	20.0	6.0	7.8	317	12	50	33	1013
5/9/2017 8:00	0.5	BDL	BDL	6.2	0.1	2.3	23.0	5.0	8.6	320	16	52	28	1014
5/9/2017 9:00	0.4	BDL	BDL	0.8	0.04	2.2	15.0	4.0	6.0	304	25	54	25	1013
5/9/2017 10:00	0.4	BDL	BDL	BDL	BDL	2.3	12.0	6.0	7.0	308	26	55	22	1013
5/9/2017 11:00	0.4	BDL	BDL	BDL	BDL	2.2	18.0	7.0	6.6	307	31	56	18	1013
5/9/2017 12:00	0.4	BDL	BDL	BDL	BDL	2.2	18.0	5.0	6.4	299	29	58	16	1012
5/9/2017 13:00	BDL	BDL	BDL	BDL	BDL	2.2	16.0	3.0	5.2	291	37	60	17	1012
5/9/2017 14:00	BDL	BDL	BDL	BDL	BDL	2.2	15.0	2.0	5.3	310	49	60	19	1011
5/9/2017 15:00	BDL	BDL	BDL	BDL	BDL	2.2	15.0	6.0	5.2	302	36	61	20	1011
5/9/2017 16:00	BDL	BDL	BDL	BDL	BDL	2.2	12.0	6.0	5.1	288	25	61	21	1011
5/9/2017 17:00	BDL	BDL	BDL	BDL	BDL	2.2	11.0	7.0	4.4	303	19	60	23	1011
5/9/2017 18:00	BDL	BDL	BDL	BDL	BDL	2.4	13.0	4.0	4.6	299	14	60	24	1011
5/9/2017 19:00	BDL	BDL	BDL	BDL	0.1	3.5	14.0	5.0	1.6	256	19	59	30	1012
5/9/2017 20:00	BDL	BDL	BDL	7.3	0.1	3.1	20.0	7.0	2.5	191	14	58	40	1012
5/9/2017 21:00	0.5	0.4	BDL	16.7	0.1	2.3	22.0	8.0	3.1	185	12	56	45	1012
5/9/2017 22:00	0.6	0.6	BDL	25.5	0.2	2.4	18.0	7.0	3.3	126	16	54	48	1012
5/9/2017 23:00	0.5	0.8	BDL	37.8	0.1	2.4	20.0	11.0	2.3	153	15	54	53	1012
5/10/2017 0:00	BDL	0.6	BDL	14.3	0.1	2.4	14.0	10.0	2.1	156	25	53	53	1012
5/10/2017 1:00	BDL	0.7	BDL	13.6	0.1	2.4	16.0	13.0	4.1	81	14	53	58	1012
5/10/2017 2:00	BDL	Calibration	Calibration	5.0	0.1	2.3	24.0	8.0	4.8	69	13	52	68	1012
5/10/2017 3:00	BDL	Calibration	Calibration	5.6	0.1	2.3	21.0	8.0	4.8	68	13	51	72	1013
5/10/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.3	22.0	9.0	3.9	76	13	50	74	1013
5/10/2017 5:00	BDL	1.2	0.7	14.4	0.1	Calibration	31.0	11.0	3.1	90	15	50	74	1014
5/10/2017 6:00	0.4	1.2	0.6	26.8	0.2	2.3	32.0	11.0	2.7	77	17	51	72	1014
5/10/2017 7:00	0.8	Audit	Audit	30.1	0.3	2.5	47.0	15.0	3.9	347	25	52	66	1014
5/10/2017 8:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	2.4	39.0	17.0	4.1	334	26	54	55	1014
5/10/2017 9:00	0.9	0.6	BDL	Calibration	0.2	Too few samples	31.0	13.0	4.7	351	44	57	46	1014
5/10/2017 10:00	0.9	0.4	BDL	9.9	0.1	2.2	25.0	12.0	4.6	319	61	60	39	1013
5/10/2017 11:00	0.9	BDL	BDL	7.7	0.1	2.2	28.0	8.0	3.9	291	52	63	31	1013
5/10/2017 12:00	Calibration	BDL	BDL	Calibration	Calibration	2.2	26.0	6.0	5.9	316	40	65	24	1012
5/10/2017 13:00	0.4	BDL	BDL	4.6	0.1	2.2	31.0	8.0	6.5	321	33	66	22	1012
5/10/2017 14:00	0.9	BDL	BDL	2.8	0.1	2.2	17.0	8.0	5.9	325	31	67	22	1012
5/10/2017 15:00	0.5	BDL	BDL	BDL	0.04	2.1	18.0	9.0	6.1	295	39	68	19	1012
5/10/2017 16:00	0.6	BDL	BDL	0.6	0.04	2.1	16.0	5.0	6.2	306	24	68	18	1012
5/10/2017 17:00	1	BDL	BDL	1.7	0.1	2.1	19.0	3.0	4.4	325	44	66	20	1012
5/10/2017 18:00	0.5	BDL	BDL	5.6	0.1	2.1	47.0	11.0	8.0	109	19	61	46	1013
5/10/2017 19:00	1.0	0.7	BDL	36.4	0.1	2.2	20.0	13.0	6.4	121	17	58	54	1013
5/10/2017 20:00	1.3	1.4	BDL	47.3	0.1	2.2	25.0	14.0	5.9	128	17	55	60	1014
5/10/2017 21:00	0.4	0.4	BDL	5.1	0.1	2.2	18.0	10.0	5.8	97	19	53	61	1015
5/10/2017 22:00	BDL	BDL	BDL	8.6	0.1	2.2	21.0	10.0	4.4	84	15	52	63	1015
5/10/2017 23:00	BDL	BDL	BDL	7.6	0.1	2.2	18.0	10.0	4.1	88	15	50	74	1014
5/11/2017 0:00	BDL	BDL	BDL	8.4	0.1	2.2	17.0	8.0	4.5	88	13	49	77	1014
5/11/2017 1:00	BDL	0.4	BDL	12.2	0.1	2.1	18.0	9.0	3.5	70	14	49	77	1014
5/11/2017 2:00	BDL	Calibration	Calibration	5.4	0.1	2.2	19.0	11.0	4.6	60	11	49	77	1014
5/11/2017 3:00	BDL	Calibration	Calibration	7.0	0.1	2.4	21.0	8.0	5.0	58	13	48	77	1013
5/11/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.4	23.0	10.0	6.2	59	11	49	73	1013
5/11/2017 5:00	0.5	0.5	BDL	12.0	0.1	Too few samples	37.0	11.0	8.5	61	11	48	72	1014
5/11/2017 6:00	0.8	0.9	BDL	19.3	0.2	2.4	39.0	16.0	6.9	63	12	49	65	1013
5/11/2017 7:00	0.7	0.7	BDL	15.7	0.1	2.4	29.0	11.0	9.1	73	12	51	53	1013
5/11/2017 8:00	0.6	0.6	BDL	16.5	0.1	2.3	Audit	Audit	8.0	73	15	53	45	1013
5/11/2017 9:00	0.4	0.4	BDL	11.6	0.1	2.2	Audit	Audit	7.8	74	17	55	42	1013
5/11/2017 10:00	0.4	0.4	BDL	10.5	0.1	2.2	39.0	7.0	7.6	73	15	55	43	1012
5/11/2017 11:00	0.4	BDL	BDL	10.4	0.1	2.2	21.0	7.0	6.3	88	19	55	43	1012
5/11/2017 12:00	0.4	BDL	BDL	6.9	0.1	2.2	24.0	6.0	6.3	89	19	56	41	1011
5/11/2017 13:00	0.4	BDL	BDL	5.8	0.1	2.1	17.0	7.0	5.9	99	20	57	38	1011
5/11/2017 14:00	BDL	BDL	BDL	4.6	0.1	2.1	16.0	5.0	6.3	101	22	58	36	1011
5/11/2017 15:00	BDL	BDL	BDL	2.2	0.1	2.1	28.0	4.0	9.0	86	14	56	39	1011
5/11/2017 16:00	BDL	BDL	BDL	BDL	0.1	2.1	16.0	3.0	8.8	92	16	55	39	1012
5/11/2017 17:00	BDL	BDL	BDL	0.9	0.1	2.1	10.0	4.0	6.4	105	15	54	38	1012
5/11/2017 18:00	0.7	BDL	BDL	15.9	0.1	2.3	13.0	5.0	4.5	135	18	54	41	1013
5/11/2017 19:00	2.0	1.3	BDL	58.0	0.1	2.2	16.0	9.0	3.1	180	17	53	61	1013
5/11/2017 20:00	0.6	0.5	BDL	12.7	0.1	2.2	10.0	6.0	4.6	136	18	53	46	1014
5/11/2017 21:00	0.4	BDL	BDL	6.0	0.1	2.2	10.0	3.0	3.1	114	17	52	47	1014
5/11/2017 22:00	BDL	BDL	BDL	2.5	0.1	2.2	12.0	4.0	5.1	89	13	51	51	1014
5/11/2017 23:00	BDL	BDL	BDL	3.6	0.1	2.2	11.0	8.0	3.9	85	14	51	58	1014

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 5/7/2017-5/13/2017														
5/12/2017 0:00	BDL	BDL	BDL	4.1	0.1	2.2	13.0	8.0	2.8	81	14	50	63	1014
5/12/2017 1:00	BDL	BDL	BDL	7.1	0.1	2.2	10.0	6.0	2.8	86	13	50	63	1014
5/12/2017 2:00	0.5	Calibration	Calibration	7.4	0.1	2.2	13.0	5.0	4.6	72	11	49	68	1014
5/12/2017 3:00	BDL	Calibration	Calibration	4.9	0.1	2.2	16.0	6.0	4.7	74	12	48	69	1014
5/12/2017 4:00	Calibration	0.5	BDL	Calibration	Calibration	2.2	18.0	6.0	4.5	65	12	47	71	1015
5/12/2017 5:00	BDL	0.8	0.4	12.7	0.1	Too few samples	25.0	10.0	4.6	71	13	47	71	1015
5/12/2017 6:00	0.5	0.7	BDL	13.4	0.1	2.2	19.0	8.0	5.9	73	15	48	66	1015
5/12/2017 7:00	0.5	0.4	BDL	9.5	0.1	2.5	14.0	6.0	7.0	77	18	51	61	1015
5/12/2017 8:00	BDL	BDL	BDL	4.9	0.1	2.1	17.0	5.0	7.1	83	20	52	57	1015
5/12/2017 9:00	BDL	BDL	BDL	4.7	0.1	2.1	17.0	5.0	7.4	77	19	53	56	1015
5/12/2017 10:00	BDL	BDL	BDL	2.6	0.04	2.1	17.0	3.0	8.4	93	19	54	52	1015
5/12/2017 11:00	BDL	BDL	BDL	BDL	BDL	2.1	12.0	6.0	7.5	101	17	55	49	1015
5/12/2017 12:00	BDL	BDL	BDL	1.5	BDL	2.0	13.0	4.0	6.3	106	17	55	48	1015
5/12/2017 13:00	BDL	BDL	BDL	0.9	BDL	2.0	11.0	3.0	5.8	111	20	55	46	1014
5/12/2017 14:00	BDL	BDL	BDL	2.0	BDL	2.0	11.0	3.0	6.6	118	21	56	46	1014
5/12/2017 15:00	BDL	BDL	BDL	BDL	0.04	2.0	7.0	2.0	6.5	102	19	56	46	1014
5/12/2017 16:00	BDL	BDL	BDL	0.9	0.04	2.0	8.0	2.0	6.6	116	17	56	47	1013
5/12/2017 17:00	BDL	BDL	BDL	1.7	BDL	2.0	9.0	4.0	7.1	118	17	55	49	1013
5/12/2017 18:00	BDL	BDL	BDL	BDL	BDL	2.0	11.0	4.0	7.6	133	14	53	58	1014
5/12/2017 19:00	BDL	BDL	BDL	BDL	BDL	2.0	12.0	5.0	6.8	109	16	52	62	1013
5/12/2017 20:00	BDL	BDL	BDL	BDL	BDL	2.0	11.0	4.0	7.3	101	14	50	63	1014
5/12/2017 21:00	BDL	BDL	BDL	BDL	BDL	2.1	6.0	3.0	6.2	92	16	49	65	1014
5/12/2017 22:00	BDL	BDL	BDL	BDL	BDL	2.2	13.0	2.0	5.8	88	13	49	67	1013
5/12/2017 23:00	BDL	BDL	BDL	2.4	0.1	2.1	7.0	5.0	6.0	85	13	48	72	1013
5/13/2017 0:00	BDL	BDL	BDL	1.3	0.04	2.0	4.0	6.0	5.6	73	13	47	81	1012
5/13/2017 1:00	BDL	0.4	BDL	0.5	0.04	2.0	6.0	4.0	6.6	71	13	45	87	1011
5/13/2017 2:00	BDL	Calibration	Calibration	BDL	0.04	2.0	5.0	1.0	6.8	64	12	46	89	1011
5/13/2017 3:00	BDL	Calibration	Calibration	BDL	0.04	2.0	3.0	1.0	7.7	61	10	46	90	1010
5/13/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.0	2.0	1.0	9.0	57	11	46	90	1010
5/13/2017 5:00	BDL	BDL	BDL	0.4	0.1	Calibration	5.0	2.0	9.7	56	11	46	90	1009
5/13/2017 6:00	BDL	BDL	BDL	1.5	0.1	2.0	3.0	3.0	10.5	50	11	46	90	1008
5/13/2017 7:00	BDL	BDL	BDL	1.0	0.1	2.0	1.0	2.0	11.1	46	13	46	89	1008
5/13/2017 8:00	BDL	BDL	BDL	4.6	0.1	2.1	2.0	2.0	8.8	46	13	47	89	1008
5/13/2017 9:00	BDL	BDL	BDL	4.1	0.1	2.1	1.0	BDL	7.3	44	13	47	89	1008
5/13/2017 10:00	BDL	0.4	BDL	4.1	0.1	2.2	BDL	1.0	7.5	23	15	48	87	1007
5/13/2017 11:00	BDL	0.5	BDL	5.5	0.1	2.1	BDL	3.0	8.6	31	15	49	86	1007
5/13/2017 12:00	0.4	BDL	BDL	4.4	0.1	2.1	BDL	1.0	10.1	36	15	49	86	1006
5/13/2017 13:00	BDL	BDL	BDL	2.8	0.1	2.0	BDL	BDL	10.0	27	16	49	85	1005
5/13/2017 14:00	BDL	BDL	BDL	1.4	0.1	2.0	2.0	2.0	10.3	28	16	49	85	1005
5/13/2017 15:00	BDL	BDL	BDL	1.8	0.1	2.0	2.0	3.0	11.3	27	16	48	84	1005
5/13/2017 16:00	0.4	0.4	BDL	6.2	0.1	2.1	BDL	2.0	10.1	6	17	48	85	1005
5/13/2017 17:00	0.6	0.5	BDL	14.4	0.2	2.2	BDL	4.0	8.6	347	20	49	84	1005
5/13/2017 18:00	1.4	0.4	BDL	11.0	0.2	2.2	6.0	9.0	7.9	344	18	48	86	1005
5/13/2017 19:00	1.1	0.5	BDL	11.6	0.2	2.2	5.0	5.0	7.5	346	19	47	87	1006
5/13/2017 20:00	0.9	0.5	BDL	9.8	0.2	2.2	4.0	1.0	7.8	350	21	47	84	1006
5/13/2017 21:00	1.0	0.5	BDL	8.1	0.1	2.2	6.0	4.0	7.9	342	15	47	83	1006
5/13/2017 22:00	0.8	0.4	BDL	7.2	0.1	2.1	6.0	4.0	7.6	347	18	46	82	1006
5/13/2017 23:00	0.7	0.4	BDL	6.2	0.1	2.1	9.0	6.0	6.1	347	21	46	81	1006

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 5/14/2017-5/20/2017														
5/14/2017 00:00:00	0.7	0.4	BDL	8.3	0.1	2.2	6.0	6.0	6.1	317	18	46	82	1006
5/14/2017 01:00:00	0.5	0.5	BDL	8.9	0.1	2.1	4.0	7.0	7.8	328	13	47	79	1006
5/14/2017 02:00:00	0.4	Calibration	Calibration	8.8	0.1	2.2	4.0	4.0	6.3	317	14	46	81	1006
5/14/2017 03:00:00	0.4	Calibration	Calibration	5.6	0.1	2.2	3.0	1.0	4.7	299	9	45	84	1006
5/14/2017 04:00:00	Calibration	BDL	BDL	Calibration	Calibration	2.2	2.0	3.0	4.3	296	16	46	82	1005
5/14/2017 05:00:00	0.4	0.4	BDL	2.9	0.2	Calibration	4.0	3.0	3.4	273	11	46	83	1006
5/14/2017 06:00:00	BDL	0.4	BDL	3.9	0.1	2.2	4.0	4.0	4.3	289	15	47	79	1006
5/14/2017 07:00:00	BDL	BDL	BDL	BDL	0.1	2.0	8.0	4.0	3.8	299	20	50	70	1005
5/14/2017 08:00:00	0.6	BDL	BDL	1.5	0.1	2.1	5.0	3.0	4.1	243	26	55	62	1005
5/14/2017 09:00:00	0.7	0.4	BDL	0.9	0.1	2.2	9.0	5.0	6.0	254	19	57	60	1004
5/14/2017 10:00:00	0.6	BDL	BDL	BDL	0.1	2.1	9.0	4.0	6.0	278	24	61	51	1003
5/14/2017 11:00:00	0.6	BDL	BDL	BDL	0.1	2.0	9.0	7.0	5.5	271	28	64	47	1002
5/14/2017 12:00:00	0.9	0.4	BDL	0.5	0.1	2.1	14.0	6.0	6.5	257	22	66	41	1002
5/14/2017 13:00:00	0.5	0.4	BDL	BDL	0.1	2.0	15.0	7.0	10.1	288	18	68	36	1001
5/14/2017 14:00:00	0.4	BDL	BDL	BDL	0.1	2.1	16.0	11.0	9.4	275	21	70	33	1000
5/14/2017 15:00:00	0.4	BDL	BDL	BDL	0.1	2.0	23.0	11.0	11.6	299	14	69	34	999
5/14/2017 16:00:00	0.4	0.4	BDL	BDL	0.1	2.1	25.0	11.0	10.2	294	18	68	39	999
5/14/2017 17:00:00	0.5	0.4	BDL	BDL	0.1	2.1	18.0	9.0	7.7	288	14	68	39	999
5/14/2017 18:00:00	0.4	BDL	BDL	BDL	0.1	2.0	22.0	6.0	11.3	287	13	67	30	1000
5/14/2017 19:00:00	BDL	BDL	BDL	BDL	BDL	2.0	40.0	5.0	14.1	295	11	66	28	1001
5/14/2017 20:00:00	BDL	BDL	BDL	BDL	BDL	2.1	20.0	7.0	14.4	308	10	64	30	1002
5/14/2017 21:00:00	1.3	0.4	BDL	8.2	0.1	2.1	25.0	9.0	11.1	335	15	57	53	1004
5/14/2017 22:00:00	BDL	0.4	BDL	3.0	BDL	2.3	13.0	7.0	10.2	315	8	55	52	1005
5/14/2017 23:00:00	BDL	BDL	BDL	BDL	BDL	2.0	19.0	4.0	14.1	309	8	55	41	1005
5/15/2017 00:00:00	BDL	BDL	BDL	BDL	BDL	2.0	5.0	3.0	12.8	308	9	54	43	1005
5/15/2017 01:00:00	BDL	BDL	BDL	BDL	BDL	2.0	7.0	2.0	8.6	287	12	53	46	1005
5/15/2017 02:00:00	BDL	Calibration	Calibration	BDL	BDL	2.1	16.0	3.0	6.3	274	12	51	50	1005
5/15/2017 03:00:00	BDL	Calibration	Calibration	BDL	BDL	2.1	11.0	4.0	5.5	278	14	51	52	1005
5/15/2017 04:00:00	Calibration	BDL	BDL	Calibration	Calibration	2.1	8.0	4.0	5.1	263	17	50	56	1006
5/15/2017 05:00:00	0.5	0.4	BDL	0.4	0.04	Too few samples	15.0	4.0	8.4	277	11	51	53	1006
5/15/2017 06:00:00	0.4	BDL	BDL	0.5	0.04	Calibration	12.0	5.0	8.8	288	13	53	48	1007
5/15/2017 07:00:00	BDL	BDL	BDL	BDL	BDL	Too few samples	11.0	4.0	14.7	309	11	55	47	1007
5/15/2017 08:00:00	BDL	BDL	BDL	1.7	BDL	1.9	17.0	4.0	15.8	315	11	57	44	1007
5/15/2017 09:00:00	BDL	BDL	BDL	1.1	BDL	Too few samples	18.0	4.0	15.3	313	13	59	40	1007
5/15/2017 10:00:00	BDL	BDL	BDL	0.9	BDL	2.6	18.0	4.0	15.0	311	13	62	37	1007
5/15/2017 11:00:00	BDL	BDL	BDL	BDL	BDL	2.1	22.0	4.0	15.5	313	12	64	35	1007
5/15/2017 12:00:00	BDL	BDL	BDL	BDL	BDL	1.9	20.0	4.0	15.7	307	10	66	32	1007
5/15/2017 13:00:00	BDL	BDL	BDL	BDL	BDL	1.9	24.0	4.0	16.6	311	12	68	30	1007
5/15/2017 14:00:00	BDL	BDL	BDL	BDL	BDL	1.9	21.0	6.0	17.7	311	12	69	29	1006
5/15/2017 15:00:00	BDL	BDL	BDL	BDL	BDL	1.9	13.0	4.0	15.6	316	11	70	28	1006
5/15/2017 16:00:00	0.4	BDL	BDL	2.3	BDL	1.9	12.0	2.0	14.4	323	10	71	27	1007
5/15/2017 17:00:00	BDL	BDL	BDL	3.5	BDL	1.9	11.0	3.0	14.0	322	10	70	26	1008
5/15/2017 18:00:00	BDL	BDL	BDL	5.2	BDL	2.0	10.0	2.0	10.5	325	12	69	27	1009
5/15/2017 19:00:00	0.4	0.4	BDL	12.1	0.0	2.0	10.0	5.0	7.4	328	12	68	30	1010
5/15/2017 20:00:00	0.5	BDL	BDL	12.3	0.1	2.0	14.0	5.0	8.1	334	12	66	33	1011
5/15/2017 21:00:00	1.0	BDL	BDL	4.4	0.1	2.0	15.0	9.0	8.6	335	12	64	36	1011
5/15/2017 22:00:00	BDL	BDL	BDL	10.2	0.1	2.4	14.0	6.0	6.7	313	7	61	43	1012
5/15/2017 23:00:00	BDL	BDL	BDL	9.8	0.1	2.1	12.0	5.0	7.3	320	10	60	45	1013
5/16/2017 00:00:00	1.1	0.4	BDL	11.1	0.1	2.1	20.0	14.0	7.6	327	11	59	44	1013
5/16/2017 01:00:00	BDL	0.4	BDL	8.2	0.2	2.5	17.0	7.0	2.8	264	17	55	59	1013
5/16/2017 02:00:00	BDL	Calibration	Calibration	19.0	0.2	4.4	9.0	6.0	2.9	223	15	54	64	1013
5/16/2017 03:00:00	BDL	Calibration	Calibration	24.7	0.1	2.8	11.0	6.0	3.6	247	12	53	66	1014
5/16/2017 04:00:00	Calibration	BDL	BDL	Calibration	Calibration	2.3	10.0	9.0	2.2	265	17	52	68	1014
5/16/2017 05:00:00	0.4	0.5	BDL	17.8	0.1	Too few samples	14.0	7.0	2.8	283	12	53	59	1015
5/16/2017 06:00:00	0.5	0.6	BDL	15.4	0.1	2.2	17.0	6.0	3.7	297	12	58	45	1015
5/16/2017 07:00:00	0.6	0.4	BDL	7.2	0.1	2.1	14.0	11.0	5.6	298	13	63	36	1015
5/16/2017 08:00:00	0.7	BDL	BDL	4.9	0.1	2.1	18.0	8.0	5.4	319	20	66	32	1015
5/16/2017 09:00:00	0.4	BDL	BDL	0.6	0.04	2.0	16.0	6.0	4.7	286	22	69	28	1015
5/16/2017 10:00:00	0.9	BDL	BDL	3.6	0.1	2.0	13.0	6.0	5.4	211	39	70	30	1015
5/16/2017 11:00:00	1.1	BDL	BDL	4.3	0.1	2.1	33.0	9.0	7.9	216	20	72	28	1015
5/16/2017 12:00:00	0.9	BDL	BDL	4.0	0.1	2.1	24.0	8.0	8.2	240	23	74	24	1014
5/16/2017 13:00:00	0.4	BDL	BDL	BDL	0.04	2.0	9.0	5.0	7.4	270	21	76	20	1014
5/16/2017 14:00:00	0.5	BDL	BDL	BDL	0.04	2.0	10.0	11.0	7.1	276	29	77	21	1013
5/16/2017 15:00:00	0.5	BDL	BDL	BDL	0.1	2.0	17.0	8.0	6.0	260	23	78	19	1013
5/16/2017 16:00:00	0.4	BDL	BDL	BDL	0.1	2.0	14.0	5.0	5.9	267	18	78	19	1012
5/16/2017 17:00:00	1.9	BDL	BDL	7.8	0.1	2.2	21.0	12.0	7.6	230	17	76	26	1012
5/16/2017 18:00:00	3.2	0.5	BDL	19.9	0.2	2.3	19.0	11.0	7.3	230	15	73	31	1013
5/16/2017 19:00:00	3.8	1.0	0.4	26.4	0.2	2.5	19.0	11.0	5.1	225	16	72	35	1013
5/16/2017 20:00:00	2.5	0.7	BDL	20.2	0.1	2.1	20.0	12.0	3.6	189	11	69	47	1013
5/16/2017 21:00:00	0.9	1.2	0.7	18.0	0.1	2.2	21.0	13.0	2.5	188	11	66	54	1014
5/16/2017 22:00:00	0.8	1.6	1.1	22.1	0.1	2.4	16.0	10.0	2.0	187	10	64	58	1014
5/16/2017 23:00:00	0.6	1.3	0.5	27.8	0.1	2.8	15.0	14.0	2.4	176	9	62	63	1014
5/17/2017 00:00:00	0.5	1.4	0.5	28.0	0.1	2.2	17.0	14.0	2.8	177	9	62	65	1014
5/17/2017 01:00:00	0.5	1.3	0.6	21.2	0.1	2.1	18.0	13.0	2.9	187	9	61	67	1013
5/17/2017 02:00:00	0.6	Calibration	Calibration	23.0	0.1	2.2	15.0	13.0	2.2	183	11	60	68	1013
5/17/2017 03:00:00	0.5	Calibration	Calibration	11.3	0.1	2.1	13.0	11.0	1.7	197	10	59	71	1013
5/17/2017 04:00:00	Calibration	1.2	0.9	Calibration	Calibration	2.1	13.0	11.0	1.2	185	27	59	71	1014
5/17/2017 05:00:00	0.6	1.4	0.8	28.8	0.1	Too few samples	17.0	10.0	1.7	145	11	60	69	1014
5/17/2017 06:00:00	0.8	1.6	0.7	34.4	0.2	2.1	16.0	12.0	2.5	161	13	61	64	1015
5/17/2017 07:00:00	1.6	1.7	0.8	30.5	0.2	2.2	22.0	14.0	3.1	186	18	66	59	1015
5/17/2017 08:00:00	4.0	1.3	0.5	29.7	0.2	2.3	28.0	15.0	5.2	238	20	72	44	1014
5/17/2017 09:00:00	2.7	0.8	BDL	14.3	0.1	2.2	39.0	12.0	6.7	226	20	76	42	1014
5/17/2017 10:00:00	3.0	0.7	BDL	14.6	0.2	2.2	38.0	18.0	6.1	221	19	80	38	1013
5/17/2017 11:00:00	2.4	0.6	BDL	10.7	0.2	2.3	33.0	19.0	6.8	223	19	83	35	1013
5/17/2017 12:00:00	1.8	0.5	BDL	8.4	0.2	2.2	39.0	23.0	6.9	211	19	85	34	1012
5/17/2017 13:00:00	1.6	0.4	BDL	4.1	0.1	2.2	43.0	21.0	8.1	219	19	88	31	1012
5/17/2017 14:00:00	1.3	BDL	BDL	4.0	0.1	2.2	39.0	14.0	8.4	219	17	90	29	1011
5/17/2017 15:00:00	1.0	BDL	BDL	3.9	0.2	2.2	34.0	18.0	9.0	218	17	90	29	1011
5/17/2017 16:00:00	0.8	BDL	BDL	4.0	0.1	2.3	24.0	17.0	8.3	215	16	89	31	1010
5/17/2017 17:00:00	0.9	0.5	BDL	15.8	0.2	2.3	24.0	20.0	7.0	206	14	88	34	1010
5/17/2017 18:00:00	1.4	0.7	BDL	29.7	0.2	2.1	43.0	22.0	5.0	195	11	86	40	1011
5/17/2017 19:00:00	0.7	1.1	0.8	16.8	0.2	2.0	28.0	20.0	4.1	189	9	83	49	1011
5/17/2017 20:00:00	0.4	0.6	BDL	12.9	0.2	2.5	32.0	18.0	3.4	197	13	80	53	1011
5/17/2017 21:00:00	BDL	1.1	0.7	19.0	0.2	2.8	27.0	18.0	2.0	204	14	78	56	1012
5/17/2017 22:00:00	BDL	1.4	0.9	19.4	0.2	3.7	29.0	25.0	3.8	209	13	77	60	1012
5/17/2017 23:00:00	BDL	1.2	0.7	12.6	0.2	3.2	25.0	18.0	4.4	215	17	77	60	1011
5/18/2017 00:00:00	BDL	1.7	0.7	14.3	0.2	3.4	28.0	21.0	4.0	214	17	76	60	1011
5/18/2017 01:00:00	BDL	1.3	0.6	13.6	0.2	2.8	31.0	21.0	4.3	221	16	77	56	1011
5/18/2017 02:00:00	BDL	Calibration	Calibration	19.9	0.2	3.0	22.0	21.0	5.2	221	15	76	55	1011
5/18/2017 03:00:00	BDL	Calibration	Calibration	9.9	0.2	2.6	21.0	18.0	3.8	239	18	75	56	1011
5/18/2017 04:00:00	Calibration	0.7	BDL	Calibration	Calibration	3.6	25.0	20.0	4.0	212	14	74	59	1011
5/18/2017 05:00:00	BDL	0.9	BDL	26.7	0.2	2.5	23.0	19.0	4.3	229	16	74	58	1012
5/18/2017 06:00:00	1.3	1.2	BDL	42.4	0.2	3.0	47.0	21.0	4.8	212	14	76	55	1012
5/18/2017 07:00:00	1.7	0.9	BDL	30.8	0.2	2.4	39.0	18.0	6.6	219	15	78	50	1013
5/18/2017 08:00:00	2.1	0.8	BDL	22.2	0.2	2.3	35.0	16.0	7.3	224	18	81	46	1012
5/18/2017 09:00:00	1.9	0.8	BDL	18.5	0.2	2.3	44.0	22.0	8.3	210	15	83	45	1012
5/18/2017 10:00:00	1.4	0.6	BDL	12.4	0.2	2.2	48.0	21.0	7.9	220	17	86	40	1011
5/18/2017 11:00:00	0.9	0.6	BDL	11.9	0.2	2.2	52.0	21.0	8.3	198	16	87	40	1011
5/18/2017 12:00:00	0.6	0.4	BDL	9.2	0.1	2.2	37.0	22.0	7.9	216	20	90	35	1010
5/18/2017 13:00:00	0.5	0.5	BDL	5.9	0.1	2.3	47.0	18.0	9.7	208	17	90	35	1010
5/18/2017 14:00:00	0.5	0.4	BDL	3.3	0.1	2.3	41.0	20.0	10.1	211	15	91	35	1009
5/18/2017 15:00:00	0.5	BDL	BDL	5.0	0.2	2.3	53.0	16.0	9.6	215	17	91	34	1009
5/18/2017 16:00:00	0.4	BDL	BDL	5.3	0.2	2.3	40.0	17.0	10.0	209	15	90	37	1008
5/18/2017 17:00:00	BDL	0.5	BDL	8.2	0.2	2.5	32.0	19.0	9.3	210	14	88	39	1008
5/18/2017 18:00:00	BDL	0.5	BDL	13.5	0.2	2.2	39.0	20.0	9.2	207	13	86	45	1009
5/18/2017 19:00:00	BDL	0.6	BDL	13.7	0.2	2.5	39.0	21.0	8.0	210	13	84	49	1009
5/18/2017 20:00:00	BDL	0.7	BDL	19.2	0.2	2.4	31.0	15.0	8.7	214	14	83	48	1010
5/18/2017 21:00:00	BDL	0.9	0.5	12.8	0.2	2.5	29.0	16.0	8.6	215	14	82	52	1010
5/18/2017 22:00:00	BDL	0.7	0.4	6.7	0.1	2.3	22.0	17.0	6.5	222	15	80	57	1010
5/18/2017 23:00:00	BDL	0.6	BDL	9.0	0.2	2.4	22.0	16.0	5.9	221	15	79	62	1010

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 5/14/2017-5/20/2017														
5/19/2017 00:00:00	BDL	0.8	0.4	10.6	0.1	2.8	16.0	17.0	6.0	214	15	77	67	1010
5/19/2017 01:00:00	BDL	0.6	BDL	13.1	0.1	2.6	14.0	15.0	5.0	221	15	76	66	1009
5/19/2017 02:00:00	BDL	Calibration	Calibration	16.3	0.1	2.6	20.0	16.0	5.9	217	15	75	67	1010
5/19/2017 03:00:00	BDL	Calibration	Calibration	9.4	0.1	2.4	15.0	12.0	6.1	220	15	74	69	1010
5/19/2017 04:00:00	Calibration	0.6	BDL	Calibration	Calibration	2.6	16.0	15.0	4.5	220	15	73	72	1011
5/19/2017 05:00:00	BDL	0.7	BDL	20.8	0.2	2.5	25.0	13.0	6	218	14	73	72	1011
5/19/2017 06:00:00	BDL	0.8	BDL	20.6	0.2	2.3	21.0	20.0	6.8	220	15	75	69	1011
5/19/2017 07:00:00	BDL	0.7	BDL	21.0	0.2	2.2	28.0	20.0	7.7	226	16	77	63	1011
5/19/2017 08:00:00	179.7	0.7	BDL	Calibration	Calibration	2.1	28.0	15.0	7.4	233	15	81	54	1011
5/19/2017 09:00:00	BDL	0.7	BDL	7.0	0.3	2.1	29.0	19.0	6.8	236	17	86	44	1010
5/19/2017 10:00:00	BDL	0.8	0.4	BDL	0.3	2.0	29.0	16.0	6.5	252	28	89	36	1010
5/19/2017 11:00:00	BDL	0.4	BDL	BDL	0.3	1.9	28.0	14.0	8.9	255	24	91	31	1009
5/19/2017 12:00:00	BDL	0.4	BDL	BDL	0.3	2.0	28.0	14.0	9.5	271	19	91	31	1009
5/19/2017 13:00:00	BDL	BDL	BDL	BDL	0.3	2.0	31.0	14.0	10.1	289	18	91	31	1009
5/19/2017 14:00:00	BDL	BDL	BDL	BDL	0.3	1.9	24.0	16.0	9.3	283	19	92	29	1008
5/19/2017 15:00:00	BDL	BDL	BDL	BDL	0.3	1.9	21.0	10.0	8.7	273	18	92	28	1008
5/19/2017 16:00:00	BDL	BDL	BDL	BDL	0.3	1.9	19.0	18.0	7.2	276	13	89	32	1008
5/19/2017 17:00:00	BDL	0.6	0.4	2.7	0.3	1.9	23.0	17.0	6.5	246	16	87	38	1009
5/19/2017 18:00:00	1.7	1.0	0.4	26.4	0.4	1.9	29.0	15.0	6.9	224	15	84	44	1009
5/19/2017 19:00:00	2.0	1.0	0.4	21.6	0.4	1.9	17.0	14.0	5.6	221	14	81	50	1010
5/19/2017 20:00:00	1.8	0.8	BDL	23.6	0.4	1.9	19.0	15.0	4.3	217	14	79	54	1011
5/19/2017 21:00:00	1.8	1.2	0.4	30.4	0.4	1.9	20.0	12.0	3.8	223	31	78	58	1012
5/19/2017 22:00:00	0.9	1.1	0.7	2.1	0.3	1.9	21.0	12.0	3.1	283	39	77	59	1013
5/19/2017 23:00:00	0.4	0.5	BDL	BDL	0.2	1.9	32.0	10.0	9.1	43	13	77	47	1013
5/20/2017 00:00:00	0.5	BDL	BDL	BDL	0.2	1.9	25.0	10.0	9.9	44	13	74	44	1014
5/20/2017 01:00:00	BDL	BDL	BDL	BDL	0.2	1.9	17.0	7.0	8.1	35	16	71	44	1014
5/20/2017 02:00:00	BDL	Calibration	Calibration	BDL	0.2	1.9	18.0	6.0	9.7	38	15	68	48	1015
5/20/2017 03:00:00	BDL	Calibration	Calibration	BDL	0.2	1.9	25.0	8.0	11.1	56	12	67	52	1016
5/20/2017 04:00:00	Calibration	BDL	BDL	Calibration	Calibration	1.9	22.0	6.0	10.6	52	12	65	56	1017
5/20/2017 05:00:00	BDL	BDL	BDL	BDL	0.2	1.9	17.0	5.0	11.6	54	12	63	59	1019
5/20/2017 06:00:00	BDL	Too few samples	Too few samples	BDL	0.2	1.9	25.0	5.0	12.6	64	14	62	61	1019
5/20/2017 07:00:00	BDL	BDL	BDL	BDL	0.2	1.9	20.0	9.0	11.8	65	13	60	63	1020
5/20/2017 08:00:00	BDL	2.9	BDL	BDL	0.2	Too few samples	18.0	8.0	10.2	74	13	59	55	1022
5/20/2017 09:00:00	BDL	1.3	2.0	BDL	0.2	Too few samples	25.0	9.0	9.7	79	13	61	50	1022
5/20/2017 10:00:00	BDL	Calibration	Calibration	BDL	0.2	2.4	34.0	7.0	11.1	83	15	63	46	1022
5/20/2017 11:00:00	BDL	Calibration	Calibration	BDL	0.2	2.4	18.0	9.0	10.2	70	15	62	48	1023
5/20/2017 12:00:00	BDL	BDL	0.6	BDL	0.2	2.4	22.0	6.0	8.8	73	15	61	54	1023
5/20/2017 13:00:00	BDL	BDL	0.6	BDL	0.2	2.4	16.0	4.0	9.1	80	15	61	49	1023
5/20/2017 14:00:00	BDL	BDL	0.6	BDL	0.2	2.4	9.0	5.0	6.9	98	18	61	45	1023
5/20/2017 15:00:00	BDL	BDL	0.5	BDL	0.2	2.4	11.0	5.0	5.7	93	15	61	39	1023
5/20/2017 16:00:00	BDL	BDL	0.5	BDL	0.2	2.4	12.0	6.0	5.9	97	16	61	41	1023
5/20/2017 17:00:00	BDL	BDL	0.4	BDL	0.2	2.4	9.0	6.0	5.3	100	20	61	44	1023
5/20/2017 18:00:00	BDL	BDL	0.4	BDL	0.2	2.4	16.0	7.0	5.9	116	17	60	50	1024
5/20/2017 19:00:00	0.4	BDL	0.5	9.4	0.2	2.4	18.0	14.0	5.6	129	16	59	54	1024
5/20/2017 20:00:00	BDL	BDL	0.5	3.3	0.2	2.4	18.0	12.0	4.7	138	15	58	55	1024
5/20/2017 21:00:00	BDL	BDL	0.4	0.5	0.2	2.4	11.0	8.0	3.5	166	19	58	54	1025
5/20/2017 22:00:00	BDL	BDL	0.6	BDL	0.2	2.6	12.0	6.0	2.9	148	16	57	56	1025
5/20/2017 23:00:00	BDL	BDL	0.5	BDL	0.2	2.6	14.0	7.0	2.6	106	17	56	59	1025

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 5/21/2017-5/27/2017														
5/21/2017 0:00	BDL	BDL	0.5	BDL	0.2	2.6	13.0	6.0	3.3	98	14	55	63	1024
5/21/2017 1:00	BDL	BDL	0.5	4.9	0.2	2.7	12.0	9.0	2.1	151	23	54	68	1025
5/21/2017 2:00	BDL	Calibration	Calibration	1.2	0.3	2.6	14.0	9.0	2.8	76	13	53	71	1024
5/21/2017 3:00	BDL	Calibration	Calibration	BDL	0.2	2.7	12.0	10.0	2.9	72	11	53	71	1024
5/21/2017 4:00	Calibration	BDL	0.9	Calibration	Calibration	2.9	18.0	11.0	4.6	69	9	53	73	1025
5/21/2017 5:00	BDL	BDL	0.8	BDL	0.2	Too few samples	16.0	12.0	4.8	73	12	53	69	1024
5/21/2017 6:00	BDL	0.4	0.9	BDL	0.2	2.6	16.0	6.0	7.0	74	14	55	54	1024
5/21/2017 7:00	BDL	BDL	0.8	BDL	0.2	2.8	22.0	7.0	6.1	71	16	58	39	1025
5/21/2017 8:00	BDL	Calibration	Calibration	BDL	0.2	2.5	19.0	5.0	6.2	100	19	61	33	1025
5/21/2017 9:00	BDL	Calibration	Calibration	BDL	0.2	2.4	9.0	5.0	6.3	123	23	64	32	1025
5/21/2017 10:00	BDL	BDL	0.4	1.5	0.2	2.4	18.0	7.0	8.3	125	21	67	29	1024
5/21/2017 11:00	0.5	BDL	0.4	12.0	0.2	2.5	20.0	6.0	8.1	143	20	69	25	1024
5/21/2017 12:00	0.4	BDL	BDL	8.7	0.2	2.4	16.0	5.0	8.4	128	18	70	24	1023
5/21/2017 13:00	BDL	BDL	0.5	1.9	0.2	2.4	20.0	6.0	9.9	120	18	70	25	1022
5/21/2017 14:00	BDL	BDL	0.5	BDL	0.2	2.4	14.0	4.0	9.2	122	20	70	26	1022
5/21/2017 15:00	BDL	BDL	0.5	1.4	0.2	2.4	16.0	5.0	8.3	125	19	69	27	1022
5/21/2017 16:00	1.1	0.4	0.5	23.2	0.2	2.4	23.0	15.0	7.6	136	16	68	30	1021
5/21/2017 17:00	1.1	0.5	0.6	25.5	0.2	2.4	22.0	12.0	8.0	144	16	66	33	1021
5/21/2017 18:00	0.7	BDL	0.5	8.4	0.2	2.4	19.0	11.0	7.8	130	15	64	41	1021
5/21/2017 19:00	0.9	0.4	0.6	29.6	0.2	2.4	25.0	11.0	8.1	134	13	61	52	1022
5/21/2017 20:00	0.8	0.6	0.6	21.9	0.2	2.4	23.0	15.0	7.2	136	16	59	61	1022
5/21/2017 21:00	BDL	BDL	0.5	4.6	0.2	2.4	18.0	11.0	5.9	139	20	58	67	1022
5/21/2017 22:00	BDL	BDL	0.5	BDL	0.2	2.4	11.0	7.0	6.1	121	17	57	69	1021
5/21/2017 23:00	BDL	BDL	0.6	BDL	0.2	2.4	12.0	9.0	4.2	131	28	57	70	1021
5/22/2017 0:00	BDL	BDL	0.5	BDL	0.2	2.4	9.0	6.0	3.2	106	28	57	70	1020
5/22/2017 1:00	BDL	BDL	0.6	BDL	0.2	2.4	14.0	4.0	4.3	111	16	57	72	1019
5/22/2017 2:00	BDL	Calibration	Calibration	BDL	0.2	2.4	11.0	5.0	4.6	92	13	56	81	1019
5/22/2017 3:00	BDL	Calibration	Calibration	1.1	0.2	2.4	9.0	5.0	4.9	82	13	55	86	1018
5/22/2017 4:00	Calibration	0.4	1.0	Calibration	Calibration	2.4	13.0	5.0	4.7	63	12	55	88	1018
5/22/2017 5:00	BDL	0.4	1.0	2.2	0.2	Too few samples	9.0	5.0	5.0	81	13	54	93	1018
5/22/2017 6:00	BDL	0.5	0.9	7.8	0.2	2.41	10.0	6.0	4.5	84	15	55	93	1018
5/22/2017 7:00	BDL	0.5	0.8	7.3	0.2	2.4	10.0	5.0	5.6	86	15	56	91	1017
5/22/2017 8:00	BDL	0.4	0.8	3.7	0.2	2.4	6.0	3.0	5.6	84	13	57	90	1017
5/22/2017 9:00	BDL	0.4	0.8	6.8	0.2	2.4	4.0	3.0	3.6	76	16	58	91	1016
5/22/2017 10:00	BDL	0.7	0.9	20.2	0.3	2.4	4.0	4.0	3.8	87	15	58	92	1015
5/22/2017 11:00	BDL	0.6	1.0	15.8	0.3	2.4	5.0	4.0	2.3	143	31	59	90	1015
5/22/2017 12:00	BDL	0.7	0.9	10.3	0.3	2.5	6.0	6.0	1.7	78	53	60	90	1014
5/22/2017 13:00	BDL	0.6	0.9	8.1	0.3	2.4	6.0	6.0	2.3	142	30	61	88	1014
5/22/2017 14:00	BDL	0.6	1.0	5.4	0.3	2.4	1.0	4.0	3.9	96	25	62	88	1012
5/22/2017 15:00	BDL	0.7	1.1	18.2	0.3	2.5	3.0	5.0	1.8	167	30	64	84	1012
5/22/2017 16:00	BDL	0.7	0.9	9.5	0.3	3.5	8.0	8.0	1.4	186	52	64	83	1012
5/22/2017 17:00	BDL	0.8	1.2	16.0	0.3	4.0	9.0	13.0	2.0	189	23	65	84	1012
5/22/2017 18:00	BDL	0.8	1.1	11.6	0.3	2.9	16.0	17.0	2.1	283	16	65	85	1012
5/22/2017 19:00	BDL	0.7	1.1	10.2	0.4	2.6	16.0	16.0	2.3	280	14	64	85	1012
5/22/2017 20:00	BDL	0.5	0.9	6.4	0.3	2.5	13.0	16.0	3.1	300	9	64	86	1012
5/22/2017 21:00	BDL	0.8	1.2	1.9	0.3	2.5	8.0	12.0	3.3	292	12	64	83	1012
5/22/2017 22:00	BDL	0.8	1.3	BDL	0.3	2.5	20.0	11.0	5.4	301	8	64	85	1012
5/22/2017 23:00	BDL	0.8	1.2	BDL	0.3	2.5	14.0	17.0	6.6	311	10	63	83	1012
5/23/2017 0:00	BDL	0.6	1.0	BDL	0.3	2.6	14.0	15.0	5.3	314	12	62	84	1011
5/23/2017 1:00	BDL	0.7	1.0	3.7	0.3	2.5	21.0	27.0	5.2	338	20	62	85	1011
5/23/2017 2:00	0.4	Calibration	Calibration	5.2	0.3	2.6	21.0	16.0	4.7	326	15	61	85	1011
5/23/2017 3:00	BDL	Calibration	Calibration	1.7	0.2	2.7	22.0	17.0	5.2	314	10	61	85	1011
5/23/2017 4:00	Calibration	0.8	1.1	Calibration	Calibration	2.6	27.0	20.0	5.8	345	18	61	83	1011
5/23/2017 5:00	0.5	0.4	0.6	4.6	0.3	Too few samples	27.0	20.0	7.0	48	12	60	80	1012
5/23/2017 6:00	0.6	0.5	0.8	4.5	0.3	2.5	17.0	11.0	6.7	38	15	61	70	1012
5/23/2017 7:00	0.5	0.6	0.9	6.4	0.3	2.4	18.0	12.0	7.0	50	14	61	70	1012
5/23/2017 8:00	BDL	0.6	0.9	6.9	0.3	2.4	19.0	9.0	6.6	54	12	61	70	1012
5/23/2017 9:00	BDL	0.5	0.9	3.3	0.3	2.4	14.0	10.0	7.3	62	15	62	71	1012
5/23/2017 10:00	BDL	0.6	0.9	6.0	0.3	2.5	17.0	11.0	5.8	60	17	62	69	1011
5/23/2017 11:00	BDL	0.6	0.9	4.9	0.3	2.4	17.0	9.0	5	98	20	64	60	1011
5/23/2017 12:00	BDL	0.5	0.8	2.1	0.3	2.4	19.0	9.0	4.5	112	23	65	55	1011
5/23/2017 13:00	BDL	0.5	0.8	2.4	0.2	2.4	9.0	11.0	6.2	113	18	65	52	1010
5/23/2017 14:00	BDL	0.5	0.7	BDL	0.2	2.4	16.0	11.0	5.2	78	16	64	54	1009
5/23/2017 15:00	BDL	0.5	0.8	1.4	0.2	2.4	13.0	9.0	3.8	74	16	64	53	1008
5/23/2017 16:00	BDL	0.5	1.0	1.3	0.2	2.4	12.0	9.0	4.0	84	18	65	51	1008
5/23/2017 17:00	BDL	0.7	1.0	4.0	0.3	2.5	14.0	8.0	3.9	92	13	64	54	1007
5/23/2017 18:00	BDL	0.5	0.8	3.6	0.3	2.4	15.0	11.0	3.8	77	13	64	58	1008
5/23/2017 19:00	BDL	0.8	1.2	0.7	0.3	2.5	12.0	8.0	4.1	76	11	63	60	1007
5/23/2017 20:00	BDL	0.6	0.9	4.1	0.3	2.5	12.0	10.0	4.7	81	12	63	59	1007
5/23/2017 21:00	BDL	0.6	0.9	3.2	0.2	2.4	15.0	9.0	5.4	88	14	61	61	1007
5/23/2017 22:00	BDL	0.6	0.9	3.5	0.2	2.4	12.0	9.0	3.4	71	13	60	64	1005
5/23/2017 23:00	BDL	0.9	1.3	1.5	0.2	2.4	19.0	10.0	4.4	64	11	60	61	1005
5/24/2017 0:00	BDL	0.7	1.1	BDL	0.2	2.5	14.0	14.0	3.5	85	12	59	68	1005
5/24/2017 1:00	BDL	0.7	1.1	4.4	0.2	2.4	12.0	9.0	3.9	77	13	57	75	1005
5/24/2017 2:00	BDL	Calibration	Calibration	1.1	0.2	2.4	35.0	7.0	4.2	79	14	57	77	1004
5/24/2017 3:00	BDL	Calibration	Calibration	BDL	0.2	2.4	8.0	6.0	4.0	63	11	56	79	1004
5/24/2017 4:00	Calibration	0.6	1.0	Calibration	Calibration	2.4	10.0	8.0	4.0	25	18	57	76	1004
5/24/2017 5:00	BDL	0.7	1.1	5.0	0.3	Too few samples	13.0	7.0	5.6	56	14	57	73	1004
5/24/2017 6:00	BDL	0.8	1.1	8.1	0.3	2.6	13.0	12.0	6.8	64	12	57	76	1004
5/24/2017 7:00	BDL	Audit	Audit	5.1	0.3	2.5	8.0	9.0	6.3	70	15	57	77	1004
5/24/2017 8:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	2.4	7.0	6.0	5.4	64	17	58	75	1005
5/24/2017 9:00	BDL	0.6	0.9	Calibration	0.2	Too few samples	15.0	7.0	7.5	66	18	60	68	1004
5/24/2017 10:00	BDL	0.6	0.9	2.3	0.2	2.4	18.0	9.0	6.5	80	24	62	61	1005
5/24/2017 11:00	Too few samples	0.6	1.0	Too few samples	Too few samples	2.3	18.0	11.0	8.1	96	17	64	54	1004
5/24/2017 12:00	BDL	0.5	0.9	BDL	0.2	2.3	23.0	8.0	7.3	105	19	67	48	1004
5/24/2017 13:00	BDL	0.5	1.0	BDL	0.2	2.3	21.0	7.0	6.9	120	24	67	47	1004
5/24/2017 14:00	BDL	0.5	0.8	BDL	0.2	2.3	13.0	5.0	6.3	109	18	67	48	1004
5/24/2017 15:00	BDL	0.4	0.9	BDL	0.2	2.3	9.0	7.0	8.2	109	18	67	46	1004
5/24/2017 16:00	BDL	BDL	0.8	BDL	0.2	2.3	9.0	7.0	7.1	110	17	66	47	1005
5/24/2017 17:00	BDL	0.4	0.9	BDL	0.2	2.3	9.0	5.0	8.8	93	15	65	49	1005
5/24/2017 18:00	BDL	0.4	0.8	BDL	0.2	2.3	11.0	6.0	9.7	92	14	63	55	1005
5/24/2017 19:00	BDL	BDL	0.9	BDL	0.2	2.3	9.0	5.0	9.9	91	12	61	59	1006
5/24/2017 20:00	BDL	BDL	0.9	BDL	0.2	2.3	5.0	4.0	9.3	96	14	59	69	1006
5/24/2017 21:00	BDL	BDL	0.8	BDL	0.2	2.3	2.0	5.0	7.8	91	13	57	73	1006
5/24/2017 22:00	BDL	BDL	0.8	BDL	0.2	2.3	2.0	6.0	7.9	93	14	57	75	1006
5/24/2017 23:00	BDL	0.4	0.9	BDL	0.2	2.3	2.0	4.0	10.0	83	13	56	78	1005
5/25/2017 0:00	BDL	BDL	0.9	BDL	0.2	2.3	7.0	5.0	9.7	89	14	56	82	1005
5/25/2017 1:00	BDL	0.4	0.9	BDL	0.2	2.2	9.0	3.0	10.2	89	13	54	88	1004
5/25/2017 2:00	BDL	Calibration	Calibration	BDL	0.2	2.3	7.0	2.0	11.4	82	13	53	90	1003
5/25/2017 3:00	BDL	Calibration	Calibration	BDL	0.2	2.2	6.0	1.0	10.9	73	14	53	91	1002
5/25/2017 4:00	Calibration	0.6	1.2	Calibration	Calibration	2.3	1.0	2.0	11.7	70	12	53	92	1001
5/25/2017 5:00	BDL	0.7	1.2	BDL	0.2	Too few samples	BDL	2.0	12.9	77	12	52	93	1001
5/25/2017 6:00	BDL	0.6	1.2	BDL	0.2	2.3	1.0	3.0	13.1	75	11	52	93	1000
5/25/2017 7:00	Calibration	0.7	1.2	Calibration	Calibration	2.3	BDL	4.0	10.7	74	13	52	94	999
5/25/2017 8:00	BDL	0.8	1.2	3.7	0.2	2.3	BDL	6.0	9.9	75	14	53	94	999
5/25/2017 9:00	BDL	0.7	1.1	3.9	0.2	2.3	BDL	4.0	8.5	76	15	54	92	998
5/25/2017 10:00	BDL	0.8	1.2	4.2	0.2	2.2	6.0	6.0	7.5	72	15	56	93	998
5/25/2017 11:00	BDL	0.8	1.3	4.1	0.2	2.2	6.0	6.0	7.3	69	15	57	93	998
5/25/2017 12:00	BDL	0.8	1.3	1.6	0.3	2.2	8.0	5.0	8.0	61	13	59	90	997
5/25/2017 13:00	BDL	0.8	1.3	1.0	0.3	2.2	8.0	4.0	7.3	63	13	61	86	997
5/25/2017 14:00	BDL	0.7	1.3	2.3	0.3	2.2	7.0	9.0	6.8	51	17	62	83	996
5/25/2017 15:00	BDL	0.7	1.2	2.5	0.3	2.3	8.0	9.0	7.0	39	15	62	84	995
5/25/2017 16:00	BDL	0.8	1.3	7.7	0.4	2.4	8.0	8.0	6.5	357	24	61	88	996
5/25/2017 17:00	BDL	0.8	1.6	7.0	0.4	2.8	8.0	6.0	4.7	352	34	60	93	995
5/25/2017 18:00	BDL	1.4	1.4	6.9	0.4	2.4	4.0	5.0	7.8	54	11	60	89	995
5/25/2017 19:00	BDL	0.8	1.3	2.2	0.3	2.4	2.0	4.0	5.9	38	15	59	86	995
5/25/2017 20:00	0.4	0.9	1.2	6.5	0.3	2.6	4.0	4.0	6.5	282	33	58	87	996
5/25/2017 21:00	BDL	1.0	1.8	3.1	0.2	2.6	4.0	4.0	7.6	323	13	56	91	995
5/25/2017 22:00	BDL	0.8	1.3	3.5	0.3	2.6	3.0	6.0	4.5	207	20	57	90	995
5/25/2017 23:00	BDL	1.0	1.2	5.4	0.2	2.6	7.0	9.0	3.8	199	14	57	91	996

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 5/21/2017-5/27/2017														
5/26/2017 0:00	BDL	1.1	1.4	4.9	0.2	2.9	6.0	9.0	5.0	213	15	57	93	997
5/26/2017 1:00	BDL	1.1	1.2	4.4	0.3	2.6	8.0	8.0	3.7	256	14	57	93	997
5/26/2017 2:00	BDL	Calibration	Calibration	BDL	0.2	2.4	7.0	6.0	4.3	269	14	57	92	997
5/26/2017 3:00	BDL	Calibration	Calibration	11.6	0.3	3.0	17.0	9.0	5.0	248	16	57	92	998
5/26/2017 4:00	Calibration	1.2	1.5	Calibration	Calibration	2.6	13.0	9.0	5.1	255	14	57	90	999
5/26/2017 5:00	BDL	1.1	1.3	10.2	0.3	Too few samples	13.0	7.0	5.3	248	14	58	84	999
5/26/2017 6:00	0.5	1.1	1.2	10.3	0.3	2.6	14.0	7.0	6.8	248	14	60	74	1000
5/26/2017 7:00	0.4	1	1.2	5.0	0.3	2.6	23.0	7.0	5.8	258	18	62	70	1001
5/26/2017 8:00	BDL	0.7	1.0	BDL	0.3	2.9	5.0	8.0	6.5	280	18	64	66	1002
5/26/2017 9:00	BDL	0.6	1.0	BDL	0.3	Too few samples	22.0	7.0	9.0	286	15	67	56	1001
5/26/2017 10:00	BDL	0.6	1.1	BDL	0.2	2.3	11.0	9.0	10.3	289	17	70	52	1001
5/26/2017 11:00	BDL	0.6	1.0	BDL	0.3	2.4	10.0	6.0	11.4	286	16	70	52	1001
5/26/2017 12:00	BDL	0.6	1.0	BDL	0.3	2.5	8.0	4.0	11.5	289	16	72	48	1001
5/26/2017 13:00	BDL	0.4	1.0	BDL	0.3	2.4	16.0	5.0	9.0	288	14	72	51	1002
5/26/2017 14:00	BDL	0.6	1.1	BDL	0.3	2.4	8.0	5.0	10.1	287	16	72	47	1002
5/26/2017 15:00	BDL	0.4	1.0	BDL	0.3	2.4	14.0	4.0	11.4	286	15	73	45	1002
5/26/2017 16:00	BDL	0.4	0.9	BDL	0.2	2.3	10.0	3.0	12.3	294	12	72	43	1003
5/26/2017 17:00	BDL	0.5	0.9	BDL	0.2	2.3	15.0	3.0	11.4	293	12	72	45	1004
5/26/2017 18:00	BDL	0.4	0.9	BDL	0.2	2.3	10.0	4.0	9.4	295	11	69	49	1005
5/26/2017 19:00	BDL	BDL	0.8	BDL	0.2	2.7	8.0	4.0	8.4	294	11	69	51	1006
5/26/2017 20:00	BDL	BDL	0.8	BDL	0.2	3.7	9.0	7.0	7.9	293	11	68	53	1007
5/26/2017 21:00	BDL	0.4	0.9	BDL	0.2	2.3	6.0	7.0	10.5	307	9	66	58	1008
5/26/2017 22:00	BDL	BDL	0.8	BDL	0.2	2.3	6.0	6.0	9.1	316	8	65	64	1008
5/26/2017 23:00	BDL	0.4	0.8	BDL	0.2	2.3	5.0	3.0	4.8	299	10	63	70	1008
5/27/2017 0:00	BDL	0.4	0.8	BDL	0.3	2.6	5.0	2.0	2.8	267	16	61	75	1009
5/27/2017 1:00	BDL	0.5	0.8	5.5	0.3	2.7	5.0	6.0	2.7	255	13	60	78	1009
5/27/2017 2:00	BDL	Calibration	Calibration	4.0	0.3	2.8	8.0	7.0	3.1	258	13	59	76	1009
5/27/2017 3:00	BDL	Calibration	Calibration	BDL	0.2	2.4	7.0	4.0	5.0	291	11	58	74	1009
5/27/2017 4:00	Calibration	0.4	0.9	Calibration	Calibration	2.4	6.0	3.0	5.7	293	10	58	73	1010
5/27/2017 5:00	BDL	BDL	0.8	BDL	0.2	2.3	6.0	5.0	6.9	307	8	58	70	1010
5/27/2017 6:00	BDL	0.4	0.9	BDL	0.2	2.3	5.0	3.0	7.5	310	9	61	63	1010
5/27/2017 7:00	BDL	BDL	0.8	BDL	0.2	2.3	11.0	4.0	8.3	310	9	64	57	1010
5/27/2017 8:00	BDL	BDL	0.7	BDL	0.2	2.4	7.0	3.0	5.5	300	18	66	51	1010
5/27/2017 9:00	BDL	BDL	0.6	BDL	0.2	2.5	5.0	1.0	3.1	274	42	69	44	1009
5/27/2017 10:00	0.7	BDL	0.7	BDL	0.2	2.4	9.0	3.0	6.7	215	25	70	49	1009
5/27/2017 11:00	BDL	BDL	0.7	BDL	0.2	2.3	10.0	7.0	5.2	256	36	72	44	1009
5/27/2017 12:00	BDL	BDL	0.8	BDL	0.2	2.7	6.0	6.0	6.0	259	16	72	42	1009
5/27/2017 13:00	BDL	BDL	0.8	BDL	0.2	2.3	5.0	7.0	5.6	264	18	72	43	1009
5/27/2017 14:00	BDL	BDL	0.8	BDL	0.2	2.3	7.0	7.0	5.8	253	20	72	42	1009
5/27/2017 15:00	0.5	0.6	1.1	BDL	0.2	2.4	10.0	8.0	7.7	230	16	72	46	1009
5/27/2017 16:00	1.2	1.1	1.7	BDL	0.2	2.5	9.0	6.0	7.3	237	15	71	50	1009
5/27/2017 17:00	1.2	0.7	1.0	2.6	0.3	2.6	12.0	7.0	6.3	218	15	71	56	1009
5/27/2017 18:00	0.9	0.7	1.0	5.8	0.3	2.6	12.0	6.0	5.7	202	11	69	66	1009
5/27/2017 19:00	0.9	0.5	0.9	10.0	0.3	2.8	18.0	10.0	3.8	205	13	66	72	1009
5/27/2017 20:00	1.6	0.9	1.0	15.9	0.3	3.6	10.0	9.0	2.6	227	19	66	71	1010
5/27/2017 21:00	0.9	0.7	1.2	4.6	0.3	2.8	9.0	10.0	3.6	191	12	65	77	1010
5/27/2017 22:00	0.4	0.6	1.0	1.5	0.3	2.5	8.0	9.0	4.3	216	16	63	79	1010
5/27/2017 23:00	0.5	0.8	1.2	BDL	0.3	2.7	12.0	5.0	3.3	232	16	63	78	1010

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 5/28/2017-6/3/2017														
5/28/2017 0:00	BDL	0.7	1.0	4.4	0.3	3.4	11.0	9.0	2.6	216	17	63	82	1010
5/28/2017 1:00	BDL	0.8	1.2	5.6	0.3	2.7	12.0	12.0	1.7	192	19	62	86	1010
5/28/2017 2:00	BDL	Calibration	Calibration	3.9	0.3	2.5	9.0	12.0	2.2	174	23	61	90	1009
5/28/2017 3:00	BDL	Calibration	Calibration	5.6	0.3	3.6	12.0	8.0	2.5	213	15	61	91	1010
5/28/2017 4:00	Calibration	2.4	2.9	Calibration	Calibration	3.5	11.0	14.0	1.1	184	30	61	89	1009
5/28/2017 5:00	BDL	2.1	2.4	3.5	0.3	2.7	20.0	14.0	1.0	266	35	61	85	1010
5/28/2017 6:00	0.5	Calibration	Calibration	10.8	0.4	2.8	21.0	18.0	2.1	78	24	64	75	1010
5/28/2017 7:00	0.6	Calibration	Calibration	13.5	0.4	2.7	32.0	23.0	4.3	123	17	66	70	1010
5/28/2017 8:00	0.8	0.9	1.3	1.1	0.3	2.4	17.0	16.0	5.1	117	22	68	61	1010
5/28/2017 9:00	0.7	0.8	1.1	BDL	0.3	2.4	16.0	10.0	5.6	127	23	71	53	1010
5/28/2017 10:00	0.4	0.4	0.8	BDL	0.2	2.4	14.0	10.0	6.8	140	19	72	53	1010
5/28/2017 11:00	BDL	0.4	0.8	BDL	0.2	2.3	9.0	7.0	6.3	144	18	72	55	1010
5/28/2017 12:00	BDL	0.4	0.8	BDL	0.2	2.3	12.0	11.0	7.1	146	16	71	59	1010
5/28/2017 13:00	BDL	BDL	0.8	BDL	0.2	2.3	10.0	8.0	6.7	128	19	73	50	1009
5/28/2017 14:00	BDL	BDL	0.7	BDL	0.2	2.2	10.0	8.0	6.5	132	16	74	50	1009
5/28/2017 15:00	BDL	BDL	0.7	BDL	0.3	2.2	11.0	9.0	7.3	140	14	72	52	1009
5/28/2017 16:00	BDL	BDL	0.8	BDL	0.2	2.2	6.0	7.0	7.6	119	16	71	53	1009
5/28/2017 17:00	BDL	BDL	0.7	BDL	0.2	2.2	5.0	8.0	8.3	103	14	68	58	1009
5/28/2017 18:00	BDL	BDL	0.7	BDL	0.2	2.2	6.0	6.0	7.4	86	14	64	72	1009
5/28/2017 19:00	BDL	BDL	0.7	BDL	0.2	2.2	6.0	4.0	8.1	77	13	62	80	1009
5/28/2017 20:00	BDL	0.4	0.8	BDL	0.2	2.2	7.0	2.0	8.4	69	13	60	84	1009
5/28/2017 21:00	BDL	0.5	0.8	BDL	0.2	2.2	10.0	5.0	8.2	68	12	59	86	1009
5/28/2017 22:00	BDL	0.4	0.9	BDL	0.2	2.2	9.0	4.0	7.6	72	13	58	87	1009
5/28/2017 23:00	BDL	0.5	1.0	BDL	0.2	2.2	7.0	2.0	6.5	66	12	57	89	1008
5/29/2017 0:00	BDL	0.4	0.9	BDL	0.2	2.2	7.0	5.0	6.4	59	10	57	89	1008
5/29/2017 1:00	BDL	BDL	0.9	BDL	0.2	2.2	4.0	3.0	6.4	54	11	57	91	1008
5/29/2017 2:00	BDL	Calibration	Calibration	BDL	0.2	2.2	3.0	5.0	6.8	51	12	57	93	1007
5/29/2017 3:00	BDL	Calibration	Calibration	BDL	0.2	2.2	2.0	3.0	8.2	56	11	57	92	1007
5/29/2017 4:00	Calibration	0.5	0.9	Calibration	Calibration	2.2	BDL	7.0	7.9	53	11	57	91	1007
5/29/2017 5:00	BDL	0.4	0.8	BDL	0.2	Too few samples	BDL	5.0	6.6	67	15	57	89	1008
5/29/2017 6:00	BDL	BDL	0.7	BDL	0.2	2.2	BDL	4.0	6.5	81	15	57	88	1009
5/29/2017 7:00	BDL	BDL	0.7	BDL	0.2	2.2	5.0	6.0	7.0	64	12	57	89	1009
5/29/2017 8:00	BDL	BDL	0.8	BDL	0.2	2.2	3.0	4.0	6.9	71	13	56	90	1010
5/29/2017 9:00	BDL	BDL	0.8	BDL	0.2	2.2	2.0	3.0	6.1	87	17	57	90	1010
5/29/2017 10:00	BDL	BDL	0.8	BDL	0.2	2.2	5.0	5.0	5.2	81	18	57	89	1011
5/29/2017 11:00	BDL	BDL	0.7	BDL	0.2	2.3	4.0	3.0	5.1	95	15	58	86	1012
5/29/2017 12:00	BDL	BDL	0.7	BDL	0.2	2.2	1.0	2.0	3.8	119	20	59	82	1012
5/29/2017 13:00	BDL	BDL	0.6	BDL	0.2	2.2	2.0	1.0	4.7	126	16	59	80	1012
5/29/2017 14:00	BDL	BDL	0.7	BDL	0.2	2.2	2.0	2.0	4.8	104	20	60	79	1013
5/29/2017 15:00	BDL	BDL	0.6	BDL	0.2	2.2	5.0	4.0	4.8	105	20	60	79	1013
5/29/2017 16:00	BDL	BDL	0.6	BDL	0.2	2.2	8.0	7.0	5.4	105	18	60	80	1014
5/29/2017 17:00	BDL	BDL	0.6	BDL	0.2	2.2	7.0	8.0	5.1	113	17	59	82	1014
5/29/2017 18:00	BDL	BDL	0.6	BDL	0.2	2.3	9.0	6.0	6.4	86	13	59	82	1014
5/29/2017 19:00	BDL	BDL	0.6	BDL	0.2	2.3	8.0	5.0	6.4	93	13	58	82	1014
5/29/2017 20:00	BDL	BDL	0.6	BDL	0.2	2.2	14.0	12.0	6.4	105	16	58	81	1015
5/29/2017 21:00	BDL	BDL	0.7	BDL	0.2	2.2	9.0	8.0	7.0	96	14	56	82	1016
5/29/2017 22:00	BDL	BDL	0.5	BDL	0.2	2.3	7.0	8.0	6.4	119	16	55	83	1017
5/29/2017 23:00	BDL	BDL	0.5	BDL	0.2	2.2	9.0	6.0	5.8	128	17	54	84	1017
5/30/2017 0:00	BDL	BDL	0.5	BDL	0.2	2.2	8.0	4.0	4.4	117	19	54	85	1017
5/30/2017 1:00	BDL	BDL	0.6	BDL	0.2	2.2	8.0	3.0	5.0	112	18	54	86	1017
5/30/2017 2:00	BDL	Calibration	Calibration	BDL	0.2	2.2	9.0	5.0	5.4	120	17	54	86	1017
5/30/2017 3:00	BDL	Calibration	Calibration	BDL	0.2	2.3	11.0	8.0	3.7	103	17	54	85	1017
5/30/2017 4:00	Calibration	BDL	0.6	Calibration	Calibration	2.2	7.0	5.0	6.0	95	14	54	85	1017
5/30/2017 5:00	BDL	BDL	0.6	1.7	0.2	Too few samples	16.0	3.0	6.2	83	14	53	86	1017
5/30/2017 6:00	BDL	BDL	0.6	2.7	0.2	2.3	12.0	4.0	6.3	91	14	54	85	1018
5/30/2017 7:00	BDL	BDL	0.5	BDL	0.2	2.2	12.0	7.0	5.8	108	15	55	83	1018
5/30/2017 8:00	BDL	BDL	0.5	BDL	0.2	2.2	10.0	6.0	5.4	121	17	56	82	1018
5/30/2017 9:00	BDL	BDL	0.6	4.3	0.2	2.2	9.0	5.0	5.8	121	18	56	85	1018
5/30/2017 10:00	BDL	BDL	0.7	2.1	0.2	2.2	7.0	5.0	4.4	103	20	56	88	1018
5/30/2017 11:00	BDL	BDL	0.7	1.6	0.2	2.3	5.0	7.0	5.9	115	17	57	87	1018
5/30/2017 12:00	BDL	BDL	0.7	1.0	0.2	2.3	3.0	5.0	6.2	121	14	57	87	1017
5/30/2017 13:00	BDL	BDL	0.6	BDL	0.2	2.3	4.0	5.0	5.7	120	18	58	85	1016
5/30/2017 14:00	BDL	BDL	0.6	2.3	0.2	2.4	4.0	5.0	5.0	133	16	60	85	1016
5/30/2017 15:00	BDL	BDL	0.6	BDL	0.2	2.3	8.0	9.0	3.1	133	28	59	86	1016
5/30/2017 16:00	BDL	BDL	0.7	1.3	0.2	2.4	7.0	6.0	5.0	121	16	59	91	1016
5/30/2017 17:00	BDL	BDL	0.7	BDL	0.2	2.2	8.0	7.0	5.1	104	15	58	92	1016
5/30/2017 18:00	BDL	BDL	0.6	BDL	0.2	2.2	10.0	6.0	3.8	80	16	58	93	1016
5/30/2017 19:00	BDL	BDL	0.7	1.1	0.2	2.2	7.0	8.0	4.7	91	12	57	94	1016
5/30/2017 20:00	BDL	BDL	0.7	BDL	0.2	2.2	6.0	6.0	4.1	70	15	58	95	1016
5/30/2017 21:00	BDL	0.5	0.9	BDL	0.2	2.3	11.0	6.0	3.6	70	13	58	94	1016
5/30/2017 22:00	BDL	0.6	1.0	3.7	0.2	2.3	10.0	6.0	2.8	81	17	58	94	1016
5/30/2017 23:00	BDL	0.7	1.2	1.1	0.2	2.3	12.0	12.0	4.5	72	12	58	94	1015
5/31/2017 0:00	BDL	0.5	0.9	2.3	0.2	2.3	8.0	10.0	3.6	85	14	58	95	1015
5/31/2017 1:00	BDL	0.4	0.8	4.0	0.2	2.3	7.0	10.0	2.3	89	18	58	95	1014
5/31/2017 2:00	BDL	Calibration	Calibration	2.2	0.2	2.3	9.0	8.0	2.4	79	15	58	94	1014
5/31/2017 3:00	BDL	Calibration	Calibration	6.5	0.2	2.3	12.0	7.0	2.0	25	26	58	94	1014
5/31/2017 4:00	Calibration	0.7	1.1	Calibration	Calibration	2.5	18.0	17.0	4.6	322	12	59	94	1014
5/31/2017 5:00	BDL	0.6	0.9	9.5	0.3	Too few samples	21.0	16.0	3.8	42	25	58	94	1014
5/31/2017 6:00	BDL	0.7	0.9	15.0	0.3	2.5	12.0	13.0	4.8	340	20	59	93	1015
5/31/2017 7:00	BDL	0.6	0.8	5.4	0.3	2.4	11.0	8.0	4.6	353	23	59	89	1015
5/31/2017 8:00	BDL	0.7	0.8	9.9	0.3	2.4	12.0	6.0	5.4	77	16	61	82	1014
5/31/2017 9:00	BDL	0.7	0.9	13.8	0.3	2.4	analyzer malfunction	analyzer malfunction	4.1	124	18	63	64	1014
5/31/2017 10:00	0.5	0.8	0.9	17.0	0.3	2.4	37.0	2.0	3.4	171	33	66	59	1014
5/31/2017 11:00	1.7	0.9	0.9	16.8	0.3	2.4	47.0	9.0	3.6	207	35	71	55	1014
5/31/2017 12:00	2.4	0.7	1.0	8.4	0.3	2.9	18.0	9.0	5.3	190	24	73	53	1013
5/31/2017 13:00	0.8	0.5	0.8	2.0	0.3	2.5	24.0	9.0	6.4	215	21	75	50	1013
5/31/2017 14:00	0.6	0.5	0.8	BDL	0.2	2.3	analyzer malfunction	analyzer malfunction	5.0	219	31	77	45	1012
5/31/2017 15:00	0.7	0.6	0.9	BDL	0.3	2.3	analyzer malfunction	analyzer malfunction	6.7	213	21	78	45	1011
5/31/2017 16:00	0.4	0.4	0.9	BDL	0.2	2.3	analyzer malfunction	analyzer malfunction	7.5	199	16	77	45	1011
5/31/2017 17:00	BDL	0.5	0.8	BDL	0.2	2.2	analyzer malfunction	analyzer malfunction	6.8	192	13	77	47	1010
5/31/2017 18:00	BDL	0.5	0.9	0.6	0.2	2.2	analyzer malfunction	analyzer malfunction	8.3	194	12	76	53	1010
5/31/2017 19:00	BDL	0.8	1.1	0.8	0.2	2.2	analyzer malfunction	analyzer malfunction	6.4	191	11	72	66	1011
5/31/2017 20:00	BDL	0.8	1.2	BDL	0.2	2.5	analyzer malfunction	analyzer malfunction	5.4	209	15	71	71	1011
5/31/2017 21:00	BDL	0.9	1.3	1.8	0.3	2.5	analyzer malfunction	analyzer malfunction	5.0	248	16	69	71	1012
5/31/2017 22:00	BDL	1.3	1.3	9.3	0.3	2.8	analyzer malfunction	analyzer malfunction	2.7	236	17	68	77	1011
5/31/2017 23:00	BDL	1.5	1.4	16.4	0.3	3.1	analyzer malfunction	analyzer malfunction	3.0	235	20	67	78	1012
6/1/2017 0:00	BDL	0.9	1.2	6.3	0.3	3.2	analyzer malfunction	analyzer malfunction	2.6	223	19	67	73	1011
6/1/2017 1:00	BDL	1.3	1.5	13.5	0.3	3.3	analyzer malfunction	analyzer malfunction	3.7	210	15	66	77	1011
6/1/2017 2:00	BDL	Calibration	Calibration	11.3	0.3	3.1	analyzer malfunction	analyzer malfunction	2.7	234	16	65	78	1011
6/1/2017 3:00	BDL	Calibration	Calibration	24.8	0.3	4.1	analyzer malfunction	analyzer malfunction	2.5	221	19	63	81	1011
6/1/2017 4:00	Calibration	1.6	1.6	Calibration	Calibration	4.2	analyzer malfunction	analyzer malfunction	3.7	283	11	62	82	1012
6/1/2017 5:00	BDL	1.4	1.4	12.4	0.4	Too few samples	analyzer malfunction	analyzer malfunction	3.3	290	18	63	70	1012
6/1/2017 6:00	BDL	1.2	1.3	23.1	0.4	2.7	analyzer malfunction	analyzer malfunction	2.6	245	18	64	66	1013
6/1/2017 7:00	0.6	1.4	1.3	21.3	0.4	2.6	22.0	10.0	4.0	238	20	68	51	1012
6/1/2017 8:00	0.6	Calibration	Calibration	9.2	0.3	2.4	27.0	9.0	5.0	228	23	72	44	1012
6/1/2017 9:00	1.3	Calibration	Calibration	17.1	0.3	2.5	37.0	11.0	7.5	215	17	74	44	1012
6/1/2017 10:00	0.6	0.4	1.0	BDL	0.2	2.4	51.0	7.0	11.1	277	19	78	23	1011
6/1/2017 11:00	BDL	BDL	0.8	BDL	0.2	2.4	21.0	4.0	12.4	292	16	79	20	1011
6/1/2017 12:00	BDL	0.4	0.8	BDL	0.2	2.4	23.0	8.0	11.1	299	13	79	22	1011
6/1/2017 13:00	BDL	BDL	0.8	BDL	0.2	3.0	21.0	8.0	10.6	291	17	79	21	1010
6/1/2017 14:00	BDL	BDL	0.7	BDL	0.2	2.4	27.0	6.0	11.8	299	16	78	23	1010
6/1/2017 15:00	BDL	BDL	0.7	BDL	0.2	2.3	20.0	4.0	12.1	299	14	78	23	1010
6/1/2017 16:00	BDL	BDL	0.7	BDL	0.2	2.3	18.0	6.0	11.9	301	13	77	24	1010
6/1/2017 17:00	BDL	BDL	0.7	BDL	0.2	2.3	15.0	6.0	9.9	300	13	76	24	1011
6/1/2017 18:00	BDL	BDL	0.7	BDL	0.2	2.3	9.0	5.0	7.4	300	10	75	26	1011
6/1/2017 19:00	BDL	BDL	0.7	BDL	0.2	2.5	15.0	5.0	3.5	281	12	73	32	1011
6/1/2017 20:00	BDL	BDL	0.8	1.5	0.4	3.2	15.0	7.0	2.7	266	10	70	38	1012
6/1/2017 21:00	BDL	0.4	0.8	8.1	0.4	3.4	16.0	7.0	1.8	258	9	68	45	1012
6/1/2017 22:00	BDL	0.5	0.8	6.6	0.4	3.4	13.0	10.0	2.2	260	12	67	47	1012
6/1/2017 23:00	BDL	2.5	1.4	9.1	0.3	3.5	16.0	8.0	3.2	245	12	66	44	1012

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 5/28/2017-6/3/2017														
6/2/2017 0:00	BDL	0.5	0.8	2.4	0.3	3.5	17.0	9.0	2.5	264	14	65	49	1012
6/2/2017 1:00	0.5	0.5	0.8	BDL	0.2	2.8	14.0	9.0	5.8	320	12	65	44	1013
6/2/2017 2:00	1.4	Calibration	Calibration	2.2	0.2	2.6	18.0	7.0	3.7	345	31	64	42	1013
6/2/2017 3:00	0.6	Calibration	Calibration	1.9	0.2	2.8	15.0	7.0	1.1	228	57	62	50	1013
6/2/2017 4:00	Calibration	1.0	1.1	Calibration	Calibration	3.7	132.0	26.0	1.2	239	38	60	61	1013
6/2/2017 5:00	0.6	2.8	2.2	52.4	0.5	Too few samples	37.0	13.0	1.9	213	16	61	57	1013
6/2/2017 6:00	0.8	1.8	1.4	38.3	0.3	2.6	24.0	11.0	1.7	172	22	63	47	1013
6/2/2017 7:00	0.5	1.0	0.9	12.8	0.2	2.4	20.0	8.0	3.1	160	16	65	39	1013
6/2/2017 8:00	0.7	0.7	0.9	10.4	0.2	2.4	24.0	9.0	3.8	190	21	68	36	1013
6/2/2017 9:00	1.3	0.7	0.9	11.3	0.2	2.4	30.0	8.0	5.7	231	21	73	29	1013
6/2/2017 10:00	1.4	0.8	1.0	7.4	0.2	2.5	27.0	6.0	6.8	246	24	75	26	1012
6/2/2017 11:00	0.5	0.8	1.1	BDL	0.2	2.3	20.0	5.0	8.7	290	20	77	22	1012
6/2/2017 12:00	BDL	0.4	0.7	BDL	0.2	2.3	34.0	5.0	11.3	283	19	76	23	1011
6/2/2017 13:00	BDL	0.4	0.7	BDL	0.1	2.3	29.0	4.0	12.4	305	12	77	18	1011
6/2/2017 14:00	BDL	BDL	0.7	BDL	0.1	2.6	21.0	3.0	11.3	298	13	77	20	1010
6/2/2017 15:00	BDL	BDL	0.8	BDL	0.1	2.3	30.0	3.0	14.5	296	13	77	19	1010
6/2/2017 16:00	BDL	BDL	0.8	BDL	0.1	2.3	17.0	3.0	12.3	304	13	76	19	1010
6/2/2017 17:00	BDL	BDL	0.8	BDL	0.1	2.2	19.0	2.0	11.6	315	9	75	20	1010
6/2/2017 18:00	BDL	BDL	0.7	BDL	0.1	2.3	14.0	6.0	7.9	302	10	74	23	1011
6/2/2017 19:00	BDL	0.4	0.9	BDL	0.2	2.6	13.0	6.0	4.7	291	9	72	26	1011
6/2/2017 20:00	BDL	0.7	1.0	6.5	0.2	6.6	15.0	6.0	3.3	276	9	69	32	1012
6/2/2017 21:00	BDL	0.7	1.0	5.3	0.3	3.3	18.0	11.0	4.2	285	9	68	34	1012
6/2/2017 22:00	0.4	0.5	0.8	4.3	0.3	2.5	22.0	11.0	6.2	316	11	66	33	1013
6/2/2017 23:00	0.6	0.6	0.9	5.3	0.2	2.6	21.0	7.0	3.9	316	19	65	34	1013
6/3/2017 0:00	BDL	0.6	0.9	7.5	0.3	2.8	16.0	6.0	2.4	297	51	63	39	1013
6/3/2017 1:00	BDL	0.8	0.9	6.7	0.3	3.7	16.0	6.0	2.0	268	19	61	47	1013
6/3/2017 2:00	BDL	Calibration	Calibration	18.9	0.3	5.2	21.0	9.0	1.6	230	22	59	54	1013
6/3/2017 3:00	BDL	Calibration	Calibration	40.8	0.4	6.9	31.0	12.0	2.0	236	16	59	61	1013
6/3/2017 4:00	Calibration	1.4	1.3	Calibration	Calibration	3.7	18.0	13.0	2.5	282	33	59	65	1013
6/3/2017 5:00	BDL	1.3	1.3	19.4	0.3	Too few samples	19.0	11.0	2.4	274	30	59	61	1014
6/3/2017 6:00	0.6	0.9	1.0	8.2	0.2	2.5	11.0	10.0	6.6	330	16	60	59	1014
6/3/2017 7:00	BDL	0.5	0.8	1.9	0.2	2.4	12.0	6.0	5.1	2	21	58	64	1014
6/3/2017 8:00	BDL	0.5	0.8	3.0	0.2	2.4	15.0	6.0	5.7	41	16	59	64	1014
6/3/2017 9:00	1.7	0.7	0.9	13.8	0.3	2.5	27.0	17.0	3.9	323	28	61	55	1014
6/3/2017 10:00	BDL	0.4	0.8	BDL	0.2	2.3	8.0	6.0	5.0	293	18	62	53	1014
6/3/2017 11:00	BDL	BDL	0.7	BDL	0.2	2.2	11.0	5.0	8.0	305	15	66	42	1013
6/3/2017 12:00	BDL	BDL	0.7	BDL	0.2	2.3	14.0	3.0	8.9	313	13	70	31	1013
6/3/2017 13:00	BDL	BDL	0.7	BDL	0.2	2.3	18.0	1.0	11.5	317	16	71	27	1012
6/3/2017 14:00	BDL	BDL	0.6	BDL	0.2	2.3	9.0	2.0	11.6	307	13	72	26	1012
6/3/2017 15:00	BDL	BDL	0.7	BDL	0.2	2.4	8.0	2.0	9.8	322	15	73	26	1012
6/3/2017 16:00	BDL	BDL	0.6	BDL	0.1	2.3	6.0	2.0	10.9	315	12	73	27	1012
6/3/2017 17:00	BDL	BDL	0.7	BDL	0.1	2.3	11.0	4.0	9.9	304	11	72	27	1012
6/3/2017 18:00	BDL	BDL	0.7	BDL	0.1	2.2	7.0	3.0	8.1	307	8	72	28	1012
6/3/2017 19:00	BDL	0.4	0.8	BDL	0.2	3.0	9.0	3.0	3.5	280	9	69	37	1012
6/3/2017 20:00	BDL	1.0	0.9	14.7	0.3	3.8	15.0	5.0	2.7	242	28	67	49	1013
6/3/2017 21:00	1.0	2.7	2.2	35.2	0.4	3.0	47.0	6.0	2.5	205	15	64	58	1013
6/3/2017 22:00	0.4	3.1	3.4	33.1	0.6	3.5	27.0	9.0	1.0	275	42	63	64	1013
6/3/2017 23:00	BDL	1.6	1.4	34.3	0.7	4.2	28.0	17.0	1.6	251	32	62	66	1014

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 6/4/2017-6/10/2017														
6/4/2017 0:00	BDL	1.7	1.5	19.7	0.6	3.6	23.0	13.0	1.1	260	56	61	65	1014
6/4/2017 1:00	BDL	1.9	1.9	24.0	0.6	5.7	21.0	13.0	1.5	226	17	60	70	1015
6/4/2017 2:00	BDL	Calibration	Calibration	27.1	0.6	5.1	21.0	13.0	1.4	253	45	59	70	1014
6/4/2017 3:00	0.4	Calibration	Calibration	33.2	0.6	6.0	25.0	14.0	1.4	271	56	58	73	1014
6/4/2017 4:00	Calibration	2.6	2.1	Calibration	Calibration	6.6	25.0	17.0	0.9	211	46	58	75	1014
6/4/2017 5:00	0.7	3.1	2.0	60.5	0.6	Too few samples	28.0	17.0	1.1	158	34	59	69	1014
6/4/2017 6:00	2.2	2.5	1.8	52.7	0.6	3.2	38.0	16.0	2.6	124	18	62	51	1014
6/4/2017 7:00	0.8	1.3	1.0	22.7	0.4	2.7	20.0	13.0	3.1	147	22	64	45	1014
6/4/2017 8:00	0.5	0.6	0.8	4.6	0.3	2.6	15.0	7.0	3.4	127	16	67	40	1014
6/4/2017 9:00	0.4	0.7	0.9	1.9	0.2	2.3	15.0	4.0	5.9	164	18	70	39	1013
6/4/2017 10:00	BDL	0.6	1.0	BDL	0.2	2.3	16.0	7.0	5.9	183	20	73	38	1012
6/4/2017 11:00	0.4	0.6	1.0	BDL	0.2	2.3	17.0	5.0	6.5	192	20	77	37	1011
6/4/2017 12:00	0.5	0.6	1.1	BDL	0.2	2.4	21.0	8.0	7.5	210	19	78	38	1010
6/4/2017 13:00	0.4	0.7	1.2	BDL	0.2	2.3	19.0	10.0	8.0	186	15	78	41	1009
6/4/2017 14:00	0.5	0.7	1.1	BDL	0.2	2.3	20.0	9.0	5.7	191	16	79	40	1009
6/4/2017 15:00	0.5	0.7	1.2	BDL	0.2	2.4	19.0	10.0	4.9	187	15	80	42	1008
6/4/2017 16:00	0.6	0.8	1.1	11.0	0.3	3.0	24.0	9.0	5.3	153	24	77	44	1008
6/4/2017 17:00	1.2	0.8	1.1	4.8	0.4	2.6	27.0	10.0	7.6	57	12	72	51	1008
6/4/2017 18:00	0.9	0.6	0.9	2.9	0.4	2.6	21.0	9.0	4.6	60	12	70	54	1008
6/4/2017 19:00	1.6	0.6	1.0	6.1	0.4	2.7	20.0	10.0	3.3	71	13	70	55	1007
6/4/2017 20:00	1.4	1.1	1.2	21.6	0.4	2.8	25.0	10.0	1.8	104	20	70	58	1007
6/4/2017 21:00	0.8	1.3	1.4	25.4	0.4	2.7	23.0	15.0	1.7	116	15	70	59	1007
6/4/2017 22:00	0.4	1.1	1.3	14.4	0.3	2.6	23.0	10.0	1.8	154	19	70	64	1006
6/4/2017 23:00	0.4	1.8	1.8	32.9	0.3	2.5	17.0	12.0	1.7	149	19	70	64	1006
6/5/2017 0:00	BDL	1.2	1.4	9.9	0.3	2.8	21.0	11.0	2.4	338	30	70	65	1006
6/5/2017 1:00	0.4	1.1	1.3	13.1	0.4	2.8	24.0	11.0	3.6	8	20	66	66	1005
6/5/2017 2:00	0.5	Calibration	Calibration	2.1	0.3	2.6	22.0	10.0	3.2	74	17	64	70	1005
6/5/2017 3:00	0.5	Calibration	Calibration	3.6	0.3	2.6	16.0	9.0	1.4	78	21	64	74	1005
6/5/2017 4:00	Calibration	0.9	1.3	Calibration	Calibration	2.7	24.0	13.0	2.4	93	19	64	74	1005
6/5/2017 5:00	4.0	1.3	1.3	22.3	0.4	Too few samples	44.0	16.0	1.4	78	27	64	72	1005
6/5/2017 6:00	2.6	1.7	1.5	34.6	0.5	3.1	41.0	15.0	2.2	163	14	66	72	1005
6/5/2017 7:00	2.0	2.5	1.9	54.3	0.5	3.0	40.0	18.0	1.5	180	18	67	70	1005
6/5/2017 8:00	3.0	2.4	1.7	60.9	0.5	3.1	55.0	19.0	2.0	225	22	68	67	1005
6/5/2017 9:00	2.0	2.1	1.7	45.5	0.5	3.0	50.0	18.0	4.0	220	16	69	70	1005
6/5/2017 10:00	1.4	2.2	1.7	39.0	0.5	3.0	50.0	22.0	5.2	230	17	70	73	1005
6/5/2017 11:00	0.6	1.7	1.5	23.3	0.4	2.9	42.0	21.0	4.6	259	17	71	72	1005
6/5/2017 12:00	BDL	1.5	1.6	16.0	0.4	3.5	36.0	22.0	3.7	291	17	70	77	1005
6/5/2017 13:00	BDL	1.0	1.3	3.0	0.4	2.6	30.0	17.0	2.3	257	21	70	72	1005
6/5/2017 14:00	BDL	1.0	1.3	4.5	0.4	2.5	28.0	18.0	2.6	286	17	70	73	1004
6/5/2017 15:00	BDL	1.2	1.5	8.3	0.4	2.5	34.0	19.0	4.2	215	17	70	74	1003
6/5/2017 16:00	BDL	1.0	1.3	15.2	0.3	3.2	29.0	17.0	5.6	150	15	70	75	1002
6/5/2017 17:00	BDL	0.8	1.1	13.2	0.3	3.3	21.0	16.0	4.6	131	19	69	76	1003
6/5/2017 18:00	BDL	1.0	1.1	16.8	0.3	2.3	11.0	7.0	4.4	113	15	67	78	1003
6/5/2017 19:00	BDL	1.2	1.1	33.7	0.3	2.3	16.0	9.0	2.3	112	29	66	78	1003
6/5/2017 20:00	BDL	1.0	1.2	14.8	0.3	2.4	15.0	6.0	2.6	122	20	66	81	1003
6/5/2017 21:00	BDL	0.9	1.1	4.0	0.3	2.3	14.0	6.0	4.3	105	12	65	84	1002
6/5/2017 22:00	BDL	1.0	1.3	8.3	0.3	2.3	14.0	12.0	3.7	91	15	65	85	1002
6/5/2017 23:00	BDL	1.0	1.3	5.0	0.3	2.2	13.0	11.0	4.3	91	14	64	85	1002
6/6/2017 0:00	BDL	1.0	1.3	BDL	0.2	2.3	19.0	11.0	3.6	99	12	64	84	1002
6/6/2017 1:00	BDL	0.9	1.4	BDL	0.3	2.3	28.0	13.0	5.5	75	14	63	86	1002
6/6/2017 2:00	BDL	Calibration	Calibration	BDL	0.2	2.2	20.0	11.0	6.6	68	12	61	91	1002
6/6/2017 3:00	BDL	Calibration	Calibration	BDL	0.2	2.3	14.0	10.0	7.4	88	13	60	90	1002
6/6/2017 4:00	Calibration	0.8	1.2	Calibration	Calibration	2.3	61.0	9.0	6.7	85	22	59	90	1002
6/6/2017 5:00	BDL	0.8	1.0	1.0	0.2	Too few samples	5.0	6.0	6.3	64	15	59	91	1003
6/6/2017 6:00	BDL	0.9	1.2	5.2	0.2	2.3	2.0	5.0	6.9	69	13	58	88	1004
6/6/2017 7:00	BDL	0.9	1.1	6.7	0.2	2.3	4.0	3.0	7.4	84	15	59	81	1004
6/6/2017 8:00	BDL	0.8	1.1	3.5	0.2	2.3	6.0	1.0	4.4	82	22	60	77	1004
6/6/2017 9:00	BDL	0.8	1.1	5.8	0.3	2.3	12.0	3.0	4.0	83	22	61	76	1005
6/6/2017 10:00	BDL	1.0	1.1	10.8	0.3	2.3	19.0	4.0	5.6	68	16	60	77	1005
6/6/2017 11:00	BDL	1.1	1.2	9.1	0.3	2.3	20.0	4.0	6.7	85	19	62	72	1004
6/6/2017 12:00	BDL	0.9	1.1	7.1	0.3	2.3	15.0	5.0	8.6	78	18	62	75	1004
6/6/2017 13:00	BDL	0.8	1.1	4.4	0.3	2.2	13.0	9.0	9.4	63	13	60	83	1005
6/6/2017 14:00	BDL	0.8	1.1	3.4	0.3	2.3	13.0	6.0	9.4	75	15	60	81	1005
6/6/2017 15:00	BDL	0.6	1.0	BDL	0.2	2.2	8.0	3.0	8.6	80	15	60	80	1006
6/6/2017 16:00	BDL	0.6	1.0	BDL	0.2	2.2	4.0	2.0	8.7	101	14	59	79	1006
6/6/2017 17:00	BDL	0.5	0.8	BDL	0.2	2.2	4.0	2.0	7.6	99	14	59	77	1007
6/6/2017 18:00	0.4	0.4	0.9	BDL	0.2	2.3	5.0	2.0	7.8	108	15	58	79	1007
6/6/2017 19:00	BDL	0.4	0.9	BDL	0.2	2.2	6.0	3.0	7.0	93	15	56	81	1008
6/6/2017 20:00	BDL	0.4	0.9	BDL	0.2	2.2	7.0	2.0	8.0	90	13	55	83	1009
6/6/2017 21:00	BDL	0.5	0.9	BDL	0.2	2.2	10.0	BDL	6.6	91	14	55	85	1010
6/6/2017 22:00	BDL	0.4	0.9	BDL	0.2	2.2	6.0	1.0	7.1	93	14	54	84	1010
6/6/2017 23:00	BDL	0.4	0.8	BDL	0.2	2.2	3.0	2.0	6.7	89	13	54	83	1010
6/7/2017 0:00	BDL	0.4	0.8	BDL	0.2	2.2	7.0	4.0	7.0	78	14	54	82	1010
6/7/2017 1:00	BDL	0.5	0.9	BDL	0.2	2.2	7.0	1.0	7.7	71	13	53	83	1010
6/7/2017 2:00	BDL	Calibration	Calibration	BDL	0.2	2.3	6.0	BDL	9.6	70	13	52	84	1010
6/7/2017 3:00	BDL	Calibration	Calibration	BDL	0.2	2.3	7.0	3.0	6.1	69	14	52	81	1011
6/7/2017 4:00	Calibration	0.6	1.0	Calibration	Calibration	2.4	13.0	6.0	6.4	42	15	52	77	1011
6/7/2017 5:00	BDL	0.5	0.8	3.7	0.2	Too few samples	9.0	5.0	6.6	48	16	51	74	1012
6/7/2017 6:00	BDL	0.5	0.9	3.0	0.2	2.3	9.0	3.0	7.5	67	15	51	71	1013
6/7/2017 7:00	BDL	Audit	Audit	1.4	0.2	2.3	10.0	3.0	8.2	60	15	53	68	1013
6/7/2017 8:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	2.3	9.0	4.0	7.3	61	15	54	66	1014
6/7/2017 9:00	Too few samples	0.4	0.7	Calibration	Too few samples	Too few samples	7.0	2.0	7.2	65	15	55	60	1014
6/7/2017 10:00	Calibration	0.4	0.8	Calibration	Calibration	2.3	13.0	1.0	6.0	60	18	58	55	1013
6/7/2017 11:00	BDL	0.4	0.7	BDL	0.2	2.3	12.0	2.0	5.3	68	19	59	53	1013
6/7/2017 12:00	0.5	0.5	1.0	BDL	0.2	2.5	12.0	6.0	4.5	354	30	61	50	1013
6/7/2017 13:00	0.4	0.4	0.8	BDL	0.2	2.3	11.0	4.0	4.3	358	42	63	46	1013
6/7/2017 14:00	BDL	0.4	0.8	BDL	0.2	2.3	15.0	3.0	3.8	73	30	63	46	1013
6/7/2017 15:00	BDL	BDL	0.7	BDL	0.2	2.3	10.0	2.0	4.6	82	14	63	47	1013
6/7/2017 16:00	BDL	BDL	0.7	BDL	0.2	2.3	8.0	3.0	4.2	78	17	64	47	1014
6/7/2017 17:00	BDL	BDL	0.8	BDL	0.2	2.3	9.0	3.0	4.1	93	16	64	48	1014
6/7/2017 18:00	BDL	BDL	0.8	BDL	0.2	2.3	8.0	4.0	3.7	84	11	63	49	1014
6/7/2017 19:00	BDL	0.5	0.8	12.6	0.2	2.5	9.0	3.0	2.8	185	19	63	55	1014
6/7/2017 20:00	BDL	0.5	0.8	8.1	0.2	2.4	9.0	4.0	3.5	167	10	61	67	1014
6/7/2017 21:00	BDL	0.5	0.8	9.1	0.2	2.4	13.0	4.0	2.4	186	14	59	74	1015
6/7/2017 22:00	BDL	1.5	1.8	13.2	0.3	3.7	12.0	7.0	2.3	249	14	58	78	1015
6/7/2017 23:00	BDL	1.2	1.2	24.7	0.4	3.3	12.0	9.0	2.1	259	13	57	80	1015
6/8/2017 0:00	BDL	1.3	1.2	27.4	0.5	3.5	14.0	9.0	1.6	256	18	55	82	1014
6/8/2017 1:00	BDL	1.3	1.1	24.7	0.5	3.7	14.0	11.0	1.5	254	21	54	83	1014
6/8/2017 2:00	BDL	Calibration	Calibration	21.0	0.4	3.4	13.0	9.0	2.2	281	13	53	83	1014
6/8/2017 3:00	BDL	Calibration	Calibration	15.7	0.3	3.1	13.0	9.0	2.7	295	21	53	83	1014
6/8/2017 4:00	Calibration	0.7	1.0	Calibration	Calibration	3.9	11.0	9.0	1.0	273	23	53	85	1014
6/8/2017 5:00	0.5	1.5	1.2	39.6	0.5	Too few samples	23.0	11.0	1.0	100	36	55	71	1014
6/8/2017 6:00	1.0	1.7	1.1	32.8	0.4	2.8	28.0	8.0	2.1	354	34	57	63	1014
6/8/2017 7:00	1.0	1.1	1.0	25.7	0.4	2.6	26.0	5.0	3.8	47	20	60	57	1013
6/8/2017 8:00	0.6	1.2	0.9	21.6	0.3	2.5	30.0	6.0	5.3	75	15	62	51	1013
6/8/2017 9:00	0.4	1.0	1.1	13.4	0.3	2.4	24.0	7.0	4.4	78	18	63	49	1013
6/8/2017 10:00	0.4	0.8	0.9	9.7	0.3	2.4	25.0	7.0	4.0	90	22	65	45	1013
6/8/2017 11:00	BDL	0.7	0.8	6.4	0.2	2.4	20.0	5.0	5.4	85	19	66	45	1012
6/8/2017 12:00	BDL	0.6	0.8	BDL	0.2	2.3	24.0	6.0	6.5	97	17	67	45	1012
6/8/2017 13:00	0.8	0.4	0.7	BDL	0.2	2.2	15.0	6.0	7.1	116	21	67	46	1011
6/8/2017 14:00	BDL	0.4	0.9	BDL	0.2	2.2	14.0	3.0	7.1	96	22	66	44	1010
6/8/2017 15:00	BDL	0.4	0.9	BDL	0.2	2.2	12.0	1.0	7.5	85	14	66	43	1010
6/8/2017 16:00	BDL	0.5	0.8	BDL	0.2	2.2	14.0	2.0	6.7	75	15	65	39	1009
6/8/2017 17:00	BDL	0.4	0.8	BDL	0.2	2.2	9.0	4.0	7.4	71	14	65	36	1008
6/8/2017 18:00	BDL	0.5	0.9	BDL	0.2	2.2	8.0	4.0	7.0	66	13	63	39	1008
6/8/2017 19:00	BDL	0.4	0.9	BDL	0.2	2.3	6.0	4.0	5.6	65	11	61	43	1008
6/8/2017 20:00	BDL	0.5	0.9	BDL	0.2	2.4	9.0	4.0	4.3	72	11	60	48	1008
6/8/2017 21:00	BDL	0.7	1.1	BDL	0.2	2.4	10.0	4.0	4.2	74	10	59	51	1008
6/8/2017 22:00	BDL	0.7	1.1	3.1	0.2	2.4	8.0	4.0	3.5	68	9	57	49	1007
6/8/2017 23:00	BDL	0.8	1.0	2.9	0.2	2.5	10.0	3.0	3.1	80	10	57	51	1007

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 6/4/2017-6/10/2017														
6/9/2017 0:00	BDL	0.9	1.1	11.7	0.3	3.1	16.0	5.0	2.3	279	25	56	58	1007
6/9/2017 1:00	BDL	1.1	1.1	24.4	0.4	3.8	18.0	8.0	1.8	249	20	53	71	1006
6/9/2017 2:00	BDL	Calibration	Calibration	17.9	0.4	3.5	12.0	9.0	2.5	252	12	52	75	1006
6/9/2017 3:00	BDL	Calibration	Calibration	26.0	0.4	3.1	16.0	9.0	2.4	247	11	53	77	1006
6/9/2017 4:00	Calibration	1.7	1.7	Calibration	Calibration	2.9	23.0	9.0	2.6	264	13	53	75	1006
6/9/2017 5:00	BDL	2.3	2.4	16.1	0.6	Too few samples	26.0	6.0	2.2	281	15	53	70	1006
6/9/2017 6:00	1.1	2.8	2.4	42.4	0.5	3.2	26.0	8.0	1.3	255	25	56	62	1006
6/9/2017 7:00	2.7	2.5	1.9	44.0	0.4	3.0	29.0	10.0	4.2	236	25	62	55	1006
6/9/2017 8:00	1.1	1.4	1.4	12.9	0.3	2.6	22.0	7.0	4.3	253	22	67	47	1006
6/9/2017 9:00	0.5	1.0	1.2	BDL	0.2	2.5	20.0	6.0	3.6	289	30	71	38	1006
6/9/2017 10:00	BDL	0.6	0.9	BDL	0.2	2.3	20.0	8.0	4.3	287	35	74	33	1006
6/9/2017 11:00	BDL	0.5	0.9	BDL	0.2	2.3	18.0	6.0	5.8	289	35	78	29	1006
6/9/2017 12:00	BDL	0.5	0.9	BDL	0.2	2.4	20.0	4.0	6.2	292	22	78	30	1006
6/9/2017 13:00	BDL	0.4	0.9	BDL	0.2	2.2	20.0	5.0	8.8	302	18	79	27	1006
6/9/2017 14:00	BDL	0.4	0.9	BDL	0.2	2.2	20.0	4.0	9.6	293	14	80	26	1006
6/9/2017 15:00	BDL	BDL	0.8	BDL	0.2	2.2	12.0	3.0	8.5	288	18	80	24	1006
6/9/2017 16:00	BDL	0.4	1.0	BDL	0.2	2.2	10.0	5.0	8.1	293	16	80	25	1006
6/9/2017 17:00	BDL	0.4	0.8	BDL	0.2	2.3	18.0	7.0	7.1	278	18	80	26	1006
6/9/2017 18:00	BDL	0.5	0.9	BDL	0.2	2.4	17.0	5.0	5.9	262	16	79	28	1007
6/9/2017 19:00	BDL	0.5	0.8	2.1	0.3	4.1	16.0	6.0	3.8	250	14	77	31	1008
6/9/2017 20:00	2.0	2.6	2.3	25.8	0.3	5.4	17.0	7.0	3.2	220	14	75	37	1009
6/9/2017 21:00	1.1	1.1	1.0	23.0	0.3	3.2	17.0	11.0	4.2	206	13	72	45	1010
6/9/2017 22:00	0.5	0.9	1.0	14.4	0.3	3.4	24.0	11.0	5.1	210	13	70	51	1010
6/9/2017 23:00	0.4	0.9	1.0	12.6	0.3	3.3	17.0	11.0	4.2	214	14	69	55	1011
6/10/2017 0:00	0.4	1.8	1.5	11.6	0.3	3.2	20.0	14.0	4.0	218	17	68	57	1011
6/10/2017 1:00	BDL	1.1	0.9	8.1	0.3	3.0	17.0	9.0	4.4	221	16	68	61	1011
6/10/2017 2:00	BDL	Calibration	Calibration	8.5	0.3	3.1	15.0	11.0	4.5	217	14	67	65	1011
6/10/2017 3:00	BDL	Calibration	Calibration	4.4	0.2	3.1	20.0	10.0	4.8	210	12	66	69	1012
6/10/2017 4:00	Calibration	0.7	1.1	Calibration	Calibration	3.0	35.0	14.0	3.6	217	15	65	72	1012
6/10/2017 5:00	BDL	1.4	1.5	18.8	0.3	Too few samples	35.0	14.0	2.9	214	15	65	72	1013
6/10/2017 6:00	1.1	1.3	1.4	26.1	0.4	3.1	30.0	12.0	2.6	224	24	67	61	1013
6/10/2017 7:00	1.2	1.5	1.4	16.4	0.3	3.0	20.0	13.0	2.3	248	28	71	49	1014
6/10/2017 8:00	0.7	1.3	1.7	5.3	0.3	3.0	27.0	13.0	3.6	226	24	75	38	1014
6/10/2017 9:00	1.5	1.1	1.4	11.8	0.2	2.8	31.0	10.0	6.1	191	20	78	39	1014
6/10/2017 10:00	1.4	0.9	1.1	BDL	0.2	2.5	21.0	11.0	7.0	217	20	82	32	1014
6/10/2017 11:00	0.8	0.7	1.0	BDL	0.2	2.4	24.0	8.0	8.7	225	21	84	28	1013
6/10/2017 12:00	0.5	0.4	0.8	BDL	0.2	2.4	28.0	10.0	9.3	230	20	85	26	1013
6/10/2017 13:00	0.5	BDL	0.8	BDL	0.2	2.5	22.0	8.0	10.0	218	18	85	25	1013
6/10/2017 14:00	0.6	0.4	0.7	2.5	0.2	2.6	23.0	10.0	9.8	225	18	86	25	1012
6/10/2017 15:00	0.7	0.5	0.9	BDL	0.2	2.5	24.0	8.0	10.1	222	18	85	26	1012
6/10/2017 16:00	0.6	BDL	0.8	BDL	0.2	2.5	22.0	8.0	9.1	219	19	85	27	1012
6/10/2017 17:00	0.7	0.4	0.8	BDL	0.2	2.5	23.0	12.0	9.2	210	13	84	30	1012
6/10/2017 18:00	BDL	0.4	0.9	BDL	0.2	2.5	21.0	7.0	8.6	203	13	82	33	1012
6/10/2017 19:00	0.4	0.4	0.9	BDL	0.2	2.7	20.0	14.0	6.2	201	12	80	39	1013
6/10/2017 20:00	BDL	0.5	0.9	3.8	0.2	3.6	24.0	10.0	4.4	196	11	79	45	1014
6/10/2017 21:00	BDL	0.6	1.0	BDL	0.2	2.6	22.0	8.0	5.3	200	10	77	48	1015
6/10/2017 22:00	BDL	0.7	1.0	1.0	0.2	2.9	23.0	10.0	5.3	206	11	75	55	1015
6/10/2017 23:00	BDL	0.8	1.0	4.0	0.2	3.0	28.0	11.0	5.7	211	13	74	60	1015

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 6/11/2017-6/17/2017														
6/11/2017 0:00	BDL	0.8	1.2	2.2	0.3	3.0	20.0	16.0	5.1	206	12	73	66	1015
6/11/2017 1:00	BDL	0.9	1.4	0.5	0.2	2.6	20.0	13.0	3.6	194	11	71	70	1015
6/11/2017 2:00	BDL	Calibration	Calibration	9.0	0.2	2.9	19.0	12.0	2.7	202	12	70	70	1015
6/11/2017 3:00	BDL	Calibration	Calibration	5.9	0.2	2.7	20.0	12.0	3.0	200	10	70	73	1015
6/11/2017 4:00	Calibration	1.1	1.4	Calibration	Calibration	2.8	24.0	14.0	2.4	196	11	69	75	1016
6/11/2017 5:00	BDL	1.2	1.5	9.1	0.3	3.0	26.0	13.0	2.4	223	16	70	69	1016
6/11/2017 6:00	BDL	1.4	1.7	14.0	0.3	2.8	28.0	11.0	3.5	214	15	73	62	1016
6/11/2017 7:00	BDL	1.4	1.6	11.8	0.3	2.9	30.0	14.0	4.2	227	19	77	55	1017
6/11/2017 8:00	BDL	1.1	1.4	3.0	0.3	3.0	28.0	13.0	3.7	242	24	82	44	1016
6/11/2017 9:00	BDL	0.4	0.8	BDL	0.2	3.3	22.0	9.0	7.1	290	18	86	31	1016
6/11/2017 10:00	BDL	BDL	0.7	BDL	0.2	2.4	26.0	9.0	7.4	299	20	88	29	1016
6/11/2017 11:00	BDL	BDL	0.6	BDL	0.2	2.3	21.0	10.0	6.5	274	22	90	25	1015
6/11/2017 12:00	BDL	BDL	0.7	BDL	0.2	2.3	18.0	8.0	6.3	261	23	91	22	1015
6/11/2017 13:00	BDL	BDL	0.7	BDL	0.2	2.4	18.0	10.0	7.5	222	21	90	24	1014
6/11/2017 14:00	0.4	0.4	0.9	BDL	0.2	2.4	22.0	9.0	9.0	217	20	91	26	1014
6/11/2017 15:00	0.4	0.4	0.9	BDL	0.2	2.5	32.0	8.0	10.0	214	15	91	28	1014
6/11/2017 16:00	0.6	0.4	0.8	BDL	0.3	2.5	24.0	9.0	10.2	223	17	91	28	1014
6/11/2017 17:00	1.2	0.5	0.9	3.9	0.3	2.6	28.0	11.0	9.0	223	17	90	29	1013
6/11/2017 18:00	0.6	0.7	1.2	12.0	0.3	2.4	26.0	13.0	6.8	192	11	85	40	1014
6/11/2017 19:00	BDL	1.0	1.3	0.4	0.3	2.5	29.0	11.0	4.7	194	12	84	47	1014
6/11/2017 20:00	BDL	0.9	1.2	15.0	0.3	3.2	27.0	16.0	4.3	198	13	82	51	1014
6/11/2017 21:00	BDL	0.8	1.0	11.5	0.3	3.7	24.0	16.0	4.7	210	17	82	51	1014
6/11/2017 22:00	BDL	0.7	0.9	10.7	0.3	3.8	24.0	13.0	5.3	213	14	81	52	1014
6/11/2017 23:00	BDL	0.7	0.9	9.7	0.3	3.9	24.0	17.0	5.1	215	14	79	55	1014
6/12/2017 0:00	BDL	0.9	1.0	14.3	0.3	4.2	25.0	14.0	3.5	220	15	77	58	1014
6/12/2017 1:00	BDL	2.7	3.1	16.9	0.3	4.4	23.0	17.0	2.5	220	17	76	61	1014
6/12/2017 2:00	BDL	Calibration	Calibration	13.0	0.3	5.1	28.0	18.0	2.6	221	11	75	66	1014
6/12/2017 3:00	BDL	Calibration	Calibration	18.3	0.3	6.2	30.0	17.0	2.1	236	12	73	70	1015
6/12/2017 4:00	Calibration	1.8	1.6	Calibration	Calibration	4.3	75.0	25.0	1.4	223	15	72	74	1015
6/12/2017 5:00	BDL	1.6	1.2	42.9	0.4	Too few samples	70.0	20.0	2.2	199	13	73	69	1016
6/12/2017 6:00	BDL	1.9	1.5	48.8	0.5	3.0	55.0	23.0	2.5	191	14	78	58	1016
6/12/2017 7:00	BDL	1.4	1.1	32.9	0.4	2.7	50.0	21.0	3.5	211	17	83	46	1015
6/12/2017 8:00	BDL	0.6	0.9	BDL	0.3	2.5	32.0	16.0	5.7	300	16	86	32	1015
6/12/2017 9:00	BDL	Calibration	Calibration	BDL	0.3	2.7	26.0	15.0	5.6	285	21	89	30	1015
6/12/2017 10:00	BDL	Calibration	Calibration	BDL	0.2	2.9	34.0	10.0	6.0	281	24	92	26	1014
6/12/2017 11:00	0.4	Too few samples	Too few samples	BDL	0.2	2.9	24.0	13.0	5.8	284	28	93	21	1014
6/12/2017 12:00	0.5	Calibration	Calibration	BDL	0.2	3.1	28.0	15.0	6.7	272	21	92	24	1013
6/12/2017 13:00	BDL	0.5	0.5	BDL	0.2	2.4	26.0	15.0	7.1	280	22	91	25	1013
6/12/2017 14:00	BDL	BDL	0.4	BDL	0.3	2.4	29.0	12.0	8.3	265	23	93	24	1012
6/12/2017 15:00	BDL	BDL	BDL	BDL	0.3	2.3	28.0	15.0	8.6	256	20	93	23	1012
6/12/2017 16:00	BDL	BDL	0.5	BDL	0.3	2.5	25.0	13.0	8.0	236	18	93	27	1011
6/12/2017 17:00	0.8	0.7	0.9	3.4	0.3	2.5	34.0	17.0	8.6	245	16	91	30	1011
6/12/2017 18:00	1.3	1.1	1.2	12.8	0.3	2.7	33.0	15.0	7.1	238	15	90	33	1011
6/12/2017 19:00	1.3	1.5	1.2	14.3	0.3	2.9	36.0	14.0	6.2	234	16	87	36	1012
6/12/2017 20:00	1.3	2.1	1.9	17.3	0.3	3.1	31.0	19.0	5.1	232	16	85	40	1012
6/12/2017 21:00	0.7	1.7	1.5	18.1	0.3	4.3	36.0	19.0	3.8	221	16	84	46	1012
6/12/2017 22:00	BDL	0.7	0.6	16.3	0.4	3.6	32.0	20.0	4.7	219	15	82	53	1012
6/12/2017 23:00	BDL	1.2	1.0	18.5	0.3	3.4	35.0	22.0	4.8	219	15	80	58	1012
6/13/2017 0:00	BDL	0.7	0.7	11.9	0.3	3.4	34.0	21.0	4.4	215	16	79	63	1012
6/13/2017 1:00	BDL	1.1	1.0	10.6	0.3	3.7	30.0	19.0	2.6	224	18	78	65	1012
6/13/2017 2:00	BDL	Calibration	Calibration	12.3	0.3	3.3	44.0	24.0	3.0	219	14	77	68	1012
6/13/2017 3:00	BDL	Calibration	Calibration	22.3	0.3	4.0	33.0	24.0	3.3	210	11	76	72	1012
6/13/2017 4:00	Calibration	1.0	0.9	Calibration	Calibration	3.4	54.0	27.0	3.5	203	12	76	74	1012
6/13/2017 5:00	BDL	1.9	1.4	36.7	0.4	Too few samples	43.0	24.0	3.0	214	15	76	71	1012
6/13/2017 6:00	BDL	1.6	1.1	28.2	0.4	3.1	46.0	29.0	3.4	236	19	79	59	1012
6/13/2017 7:00	BDL	1.4	1.2	17.2	0.4	2.8	55.0	20.0	3.4	238	18	84	44	1012
6/13/2017 8:00	BDL	0.7	0.6	3.8	0.4	2.6	39.0	20.0	3.2	248	22	89	35	1011
6/13/2017 9:00	BDL	0.4	0.5	BDL	0.3	2.6	38.0	21.0	4.4	261	26	91	31	1011
6/13/2017 10:00	BDL	BDL	0.4	BDL	0.2	2.9	26.0	14.0	5.6	280	26	93	25	1011
6/13/2017 11:00	BDL	BDL	0.4	BDL	0.3	2.4	37.0	16.0	4.7	258	29	94	26	1010
6/13/2017 12:00	BDL	BDL	0.5	BDL	0.3	2.3	44.0	16.0	6.9	241	22	95	25	1010
6/13/2017 13:00	BDL	BDL	0.5	BDL	0.2	2.3	30.0	14.0	5.9	276	31	95	22	1009
6/13/2017 14:00	BDL	0.4	0.6	0.4	0.2	2.3	31.0	11.0	6.5	244	30	96	23	1008
6/13/2017 15:00	BDL	BDL	0.5	BDL	0.2	2.1	27.0	11.0	6.5	254	24	96	22	1008
6/13/2017 16:00	BDL	0.5	0.7	BDL	0.2	2.2	26.0	12.0	5.9	240	23	96	24	1007
6/13/2017 17:00	BDL	0.4	0.7	1.1	0.3	2.3	31.0	14.0	7.2	215	19	94	29	1007
6/13/2017 18:00	BDL	1.4	1.4	5.2	0.3	2.3	33.0	15.0	7.7	236	15	92	33	1008
6/13/2017 19:00	BDL	1.3	1.5	19.2	0.3	2.6	31.0	16.0	5.6	219	14	90	39	1008
6/13/2017 20:00	BDL	1.3	1.3	16.4	0.3	2.6	36.0	18.0	4.6	205	14	86	50	1009
6/13/2017 21:00	BDL	3.3	3.2	22.7	0.3	3.0	35.0	22.0	4.1	224	18	86	50	1009
6/13/2017 22:00	BDL	1.1	1.5	13.9	0.3	3.2	38.0	20.0	5.1	217	14	84	55	1009
6/13/2017 23:00	BDL	0.9	0.8	16.8	0.3	3.4	38.0	20.0	5.1	208	14	82	61	1009
6/14/2017 0:00	BDL	1.1	0.7	6.7	0.3	3.2	32.0	21.0	3.1	232	22	81	64	1008
6/14/2017 1:00	BDL	1.6	2.5	7.8	0.3	3.6	40.0	22.0	2.3	256	15	80	66	1008
6/14/2017 2:00	BDL	Calibration	Calibration	12.2	0.3	3.8	38.0	22.0	1.6	222	32	79	71	1008
6/14/2017 3:00	BDL	Calibration	Calibration	13.3	0.3	2.6	34.0	22.0	4.9	339	32	79	66	1009
6/14/2017 4:00	Calibration	0.5	0.6	Calibration	Calibration	2.2	27.0	15.0	8.3	41	15	78	60	1009
6/14/2017 5:00	BDL	0.6	0.8	7.0	0.3	2.4	25.0	19.0	7.6	10	27	75	72	1010
6/14/2017 6:00	BDL	0.5	0.5	3.9	0.3	2.2	24.0	14.0	9.0	38	14	75	66	1011
6/14/2017 7:00	BDL	0.4	0.5	5.1	0.3	2.2	25.0	11.0	8.0	67	18	75	64	1012
6/14/2017 8:00	BDL	0.5	0.5	8.5	0.3	Too few samples	39.0	13.0	7.8	83	15	76	64	1012
6/14/2017 9:00	BDL	0.5	0.5	2.7	0.2	2.6	31.0	11.0	7.9	84	15	76	61	1012
6/14/2017 10:00	BDL	BDL	0.5	BDL	0.2	2.5	26.0	11.0	6.1	99	24	78	51	1012
6/14/2017 11:00	BDL	BDL	0.4	BDL	0.2	2.5	51.0	18.0	6.3	73	22	80	50	1012
6/14/2017 12:00	BDL	BDL	0.4	BDL	0.2	2.5	29.0	10.0	6.1	70	18	81	50	1012
6/14/2017 13:00	BDL	BDL	0.4	BDL	0.2	2.5	36.0	11.0	6.9	74	19	81	52	1012
6/14/2017 14:00	BDL	BDL	0.4	BDL	0.2	2.4	29.0	16.0	6.7	104	21	80	54	1012
6/14/2017 15:00	BDL	BDL	BDL	BDL	0.2	2.3	28.0	15.0	5.2	127	19	81	50	1011
6/14/2017 16:00	BDL	BDL	BDL	BDL	0.2	2.3	28.0	16.0	5.2	107	17	81	50	1011
6/14/2017 17:00	BDL	BDL	0.4	BDL	0.2	2.2	21.0	8.0	7.0	120	18	80	48	1011
6/14/2017 18:00	BDL	0.7	0.4	31.3	0.2	2.2	19.0	7.0	6.8	135	14	77	44	1011
6/14/2017 19:00	BDL	0.6	BDL	15.8	0.2	2.3	14.0	5.0	4.9	144	16	74	44	1013
6/14/2017 20:00	BDL	0.6	0.4	6.3	0.2	2.3	12.0	4.0	4.3	159	18	72	46	1013
6/14/2017 21:00	BDL	0.5	0.5	3.8	0.2	2.3	9.0	2.0	3.1	165	18	70	48	1014
6/14/2017 22:00	BDL	0.4	0.6	3.4	0.2	2.4	17.0	3.0	2.3	164	14	70	52	1014
6/14/2017 23:00	BDL	0.6	0.5	5.4	0.2	2.3	16.0	6.0	2.2	168	17	69	55	1014
6/15/2017 0:00	BDL	0.5	0.5	1.8	0.2	2.4	12.0	7.0	2.6	158	15	68	60	1014
6/15/2017 1:00	BDL	0.6	0.6	9.1	0.2	2.5	14.0	7.0	2.1	138	20	68	59	1014
6/15/2017 2:00	BDL	Calibration	Calibration	7.9	0.2	2.4	15.0	6.0	2.2	90	19	66	62	1013
6/15/2017 3:00	BDL	Calibration	Calibration	8.6	0.2	2.5	21.0	5.0	3.3	80	12	65	63	1013
6/15/2017 4:00	Calibration	0.7	0.8	Calibration	Calibration	2.3	23.0	7.0	3.4	75	11	64	67	1014
6/15/2017 5:00	BDL	1.5	1.2	15.2	0.2	Too few samples	29.0	5.0	3.7	72	12	64	63	1014
6/15/2017 6:00	BDL	0.9	0.8	11.5	0.2	Too few samples	27.0	9.0	5.2	74	14	66	61	1014
6/15/2017 7:00	0.4	0.9	0.8	12.3	0.2	2.1	26.0	7.0	5.7	83	16	67	56	1014
6/15/2017 8:00	BDL	0.5	0.4	3.1	0.2	2.1	24.0	6.0	5.4	100	16	69	50	1014
6/15/2017 9:00	BDL	0.4	BDL	7.3	0.2	2.1	20.0	10.0	5.5	127	21	72	47	1014
6/15/2017 10:00	0.4	0.6	0.4	18.0	0.2	2.2	21.0	7.0	5.9	140	24	75	41	1014
6/15/2017 11:00	0.5	0.9	0.6	18.7	0.2	2.3	19.0	9.0	7.3	142	20	78	36	1013
6/15/2017 12:00	BDL	0.6	0.4	6.1	0.2	2.3	21.0	6.0	8.2	147	20	80	32	1013
6/15/2017 13:00	0.5	0.7	0.4	23.7	0.2	2.2	25.0	8.0	8.2	144	20	81	29	1013
6/15/2017 14:00	BDL	0.4	0.4	11.0	0.1	2.1	14.0	7.0	8.9	165	18	80	28	1012
6/15/2017 15:00	0.6	1.3	0.5	38.4	0.1	2.2	21.0	6.0	8.0	149	17	80	27	1012
6/15/2017 16:00	0.6	1.0	BDL	32.6	0.1	2.1	20.0	6.0	8.0	146	18	79	28	1011
6/15/2017 17:00	0.8	1.4	0.5	39.4	0.1	2.1	20.0	9.0	8.2	131	15	77	27	1012
6/15/2017 18:00	0.7	1.3	0.6	40.1	0.1	2.2	12.0	7.0	7.9	132	15	74	27	1012
6/15/2017 19:00	BDL	1.1	0.6	17.1	0.1	2.2	15.0	4.0	6.9	125	15	72	37	1012
6/15/2017 20:00	BDL	0.6	0.5	BDL	0.1	2.0	17.0	6.0	7.6	107	14	69	48	1013
6/15/2017 21:00	BDL	0.5	0.5	BDL	0.1	2.0	11.0	4.0	6.3	101	17	68	53	1013
6/15/2017 22:00	BDL	BDL	0.4	BDL	0.1	2.0	18.0	3.0	6.4	88	13	67	57	1013
6/15/2017 23:00	BDL	BDL	0.4	BDL	0.1	2.0	15.0	4.0	6.9	87	14	66	60	1013

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 6/11/2017-6/17/2017														
6/16/2017 0:00	BDL	BDL	0.4	BDL	0.1	2.0	17.0	7.0	7.2	88	14	66	63	1012
6/16/2017 1:00	BDL	BDL	0.4	BDL	0.1	2.0	13.0	6.0	6.6	91	14	65	69	1012
6/16/2017 2:00	BDL	Calibration	Calibration	BDL	0.1	2.0	18.0	4.0	6.0	80	14	64	73	1011
6/16/2017 3:00	BDL	Calibration	Calibration	BDL	0.1	2.0	18.0	4.0	5.9	80	15	64	76	1011
6/16/2017 4:00	Calibration	BDL	0.5	Calibration	Calibration	2.0	23.0	6.0	6.8	85	12	64	77	1012
6/16/2017 5:00	BDL	0.4	0.5	BDL	0.2	2.1	29.0	7.0	6.3	86	15	65	76	1012
6/16/2017 6:00	BDL	BDL	0.4	1.4	0.2	2.0	Audit	Audit	7.1	89	15	66	75	1012
6/16/2017 7:00	BDL	0.4	0.5	BDL	0.2	1.8	Audit	Audit	7.4	88	14	67	75	1011
6/16/2017 8:00	BDL	BDL	0.5	BDL	0.2	1.8	35.0	7.0	5.4	101	23	68	74	1011
6/16/2017 9:00	BDL	BDL	0.4	BDL	0.2	1.7	30.0	8.0	5.0	93	38	70	71	1011
6/16/2017 10:00	BDL	0.6	0.6	2.7	0.2	1.8	34.0	10.0	6.2	74	26	72	67	1011
6/16/2017 11:00	BDL	0.6	0.7	1.5	0.2	1.8	34.0	8.0	7.2	79	26	73	65	1011
6/16/2017 12:00	BDL	0.4	0.5	1.6	0.2	1.8	31.0	7.0	5.8	103	35	75	63	1010
6/16/2017 13:00	BDL	0.4	0.5	2.5	0.2	1.8	31.0	9.0	6.2	95	29	75	63	1010
6/16/2017 14:00	BDL	0.5	0.6	2.4	0.2	1.9	34.0	10.0	9.5	71	21	76	62	1009
6/16/2017 15:00	BDL	0.4	0.5	BDL	0.2	1.8	38.0	12.0	6.4	68	37	77	59	1009
6/16/2017 16:00	BDL	0.5	0.5	BDL	0.2	1.9	31.0	10.0	6.2	119	41	78	58	1009
6/16/2017 17:00	BDL	0.4	0.6	BDL	0.2	1.9	27.0	11.0	9.1	75	19	78	61	1009
6/16/2017 18:00	BDL	BDL	0.5	BDL	0.3	2.0	48.0	16.0	11.6	76	14	77	65	1009
6/16/2017 19:00	BDL	0.4	0.5	2.0	0.3	1.9	41.0	15.0	9.2	62	12	74	68	1010
6/16/2017 20:00	BDL	0.4	0.4	0.7	0.3	1.9	47.0	14.0	7.4	62	12	73	71	1010
6/16/2017 21:00	BDL	0.5	0.6	0.6	0.2	2.0	53.0	15.0	6.1	68	14	72	73	1010
6/16/2017 22:00	BDL	0.5	0.5	BDL	0.3	2.0	43.0	16.0	6.2	66	12	71	74	1010
6/16/2017 23:00	BDL	0.4	0.6	BDL	0.2	1.9	33.0	15.0	6.3	65	13	71	75	1010
6/17/2017 0:00	BDL	0.4	0.5	BDL	0.2	1.9	28.0	14.0	6.0	77	14	69	80	1010
6/17/2017 1:00	BDL	BDL	0.5	BDL	0.2	1.9	31.0	14.0	5.2	70	13	68	85	1010
6/17/2017 2:00	BDL	Calibration	Calibration	BDL	0.2	1.9	28.0	14.0	4.6	73	13	68	88	1010
6/17/2017 3:00	BDL	Calibration	Calibration	BDL	0.2	2.0	21.0	12.0	4.7	72	13	68	88	1010
6/17/2017 4:00	Calibration	0.5	0.7	Calibration	Calibration	1.9	24.0	9.0	4.6	87	17	68	87	1010
6/17/2017 5:00	BDL	0.5	0.7	BDL	0.2	Too few samples	7.0	7.0	4.6	118	18	68	84	1010
6/17/2017 6:00	BDL	0.4	0.7	BDL	0.2	2.0	7.0	3.0	3.9	130	19	69	85	1011
6/17/2017 7:00	BDL	0.4	0.5	BDL	0.2	2.0	5.0	3.0	3.4	114	19	69	85	1011
6/17/2017 8:00	BDL	0.4	0.6	BDL	0.2	2.0	8.0	2.0	1.8	122	30	69	83	1011
6/17/2017 9:00	BDL	0.4	0.6	BDL	0.2	2.0	15.0	5.0	2.5	126	25	71	82	1011
6/17/2017 10:00	BDL	0.5	0.7	BDL	0.2	2.0	20.0	13.0	3.4	116	20	73	76	1010
6/17/2017 11:00	BDL	BDL	0.5	BDL	0.2	2.0	22.0	15.0	1.8	176	59	76	68	1010
6/17/2017 12:00	BDL	0.4	0.5	BDL	0.2	2.0	13.0	11.0	2.6	114	29	77	67	1010
6/17/2017 13:00	BDL	0.4	0.7	BDL	0.2	2.3	21.0	15.0	2.7	113	45	79	66	1009
6/17/2017 14:00	BDL	0.4	0.6	BDL	0.3	2.1	18.0	11.0	3.5	140	31	80	67	1009
6/17/2017 15:00	BDL	0.4	0.5	BDL	0.3	2.0	17.0	13.0	4.0	126	26	78	76	1009
6/17/2017 16:00	BDL	0.4	0.6	BDL	0.2	1.9	49.0	9.0	4.4	168	15	81	66	1008
6/17/2017 17:00	BDL	0.6	0.8	BDL	0.3	2.0	19.0	10.0	5.8	87	19	79	72	1008
6/17/2017 18:00	BDL	0.5	0.6	BDL	0.3	1.7	16.0	8.0	6.2	79	11	77	76	1009
6/17/2017 19:00	BDL	0.4	0.6	BDL	0.3	1.7	7.0	8.0	4.4	83	13	76	80	1009
6/17/2017 20:00	BDL	0.5	0.6	1.9	0.3	2.0	17.0	8.0	2.3	100	20	76	83	1009
6/17/2017 21:00	BDL	0.5	0.8	BDL	0.2	1.9	15.0	6.0	3.9	185	15	78	77	1009
6/17/2017 22:00	BDL	0.6	0.8	BDL	0.2	1.9	10.0	5.0	3.6	183	13	77	77	1009
6/17/2017 23:00	BDL	0.8	0.9	BDL	0.2	1.9	10.0	4.0	4.1	165	11	75	79	1009

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 6/18/2017-6/24/2017														
6/18/2017 0:00	BDL	1.0	1.1	1.0	0.2	2.0	11.0	5.0	3.1	158	12	75	81	1009
6/18/2017 1:00	BDL	0.9	1.2	BDL	0.2	2.2	10.0	5.0	2.3	166	17	75	82	1008
6/18/2017 2:00	BDL	Calibration	Calibration	0.6	0.2	2.2	15.0	6.0	3.6	178	16	75	84	1008
6/18/2017 3:00	BDL	Calibration	Calibration	9.4	0.2	1.9	18.0	5.0	5.2	189	13	75	84	1008
6/18/2017 4:00	Calibration	1.1	1.3	Calibration	Calibration	1.9	13.0	3.0	5.8	190	12	75	84	1008
6/18/2017 5:00	Too few samples	1.0	1.2	Too few samples	Too few samples	1.9	12.0	5.0	6.8	195	12	76	83	1009
6/18/2017 6:00	Too few samples	0.7	1.1	Too few samples	Too few samples	2.0	12.0	6.0	6.4	201	13	77	79	1009
6/18/2017 7:00	BDL	0.6	0.9	8.0	0.2	2.1	14.0	6.0	6.8	204	15	78	76	1009
6/18/2017 8:00	BDL	0.6	0.8	10.3	0.2	2.2	23.0	7.0	6.6	206	16	79	71	1009
6/18/2017 9:00	BDL	0.6	0.8	7.8	0.2	1.9	20.0	8.0	8.4	192	15	81	66	1009
6/18/2017 10:00	BDL	0.5	0.7	6.8	0.2	1.9	16.0	10.0	9.5	186	13	82	62	1008
6/18/2017 11:00	BDL	0.4	0.7	6.2	0.2	2.0	17.0	10.0	11.4	190	15	84	58	1008
6/18/2017 12:00	BDL	0.5	0.7	6.0	0.3	2.0	29.0	8.0	11.1	187	14	85	55	1007
6/18/2017 13:00	BDL	0.4	0.7	5.8	0.3	2.4	27.0	10.0	10.1	192	14	86	55	1006
6/18/2017 14:00	BDL	0.4	0.7	5.2	0.3	2.8	23.0	14.0	11.5	190	16	85	57	1006
6/18/2017 15:00	BDL	0.5	0.8	5.9	0.3	2.0	29.0	11.0	12.4	190	14	86	53	1005
6/18/2017 16:00	BDL	0.5	0.8	5.2	0.3	2.0	27.0	9.0	12.2	194	14	87	52	1005
6/18/2017 17:00	BDL	0.4	0.6	4.1	0.2	2.0	25.0	11.0	13.8	197	12	86	54	1005
6/18/2017 18:00	BDL	0.4	0.7	7.0	0.2	2.0	25.0	14.0	11.4	199	13	85	57	1006
6/18/2017 19:00	BDL	0.8	0.9	10.6	0.3	2.0	27.0	12.0	9.6	193	12	83	62	1006
6/18/2017 20:00	BDL	0.7	0.9	9.8	0.3	1.9	20.0	14.0	10.6	190	13	82	65	1006
6/18/2017 21:00	BDL	0.9	1.0	12.5	0.3	2.0	20.0	12.0	8.7	194	12	81	67	1007
6/18/2017 22:00	BDL	0.9	1.1	10.7	0.2	2.0	23.0	14.0	6.9	198	13	81	67	1007
6/18/2017 23:00	BDL	1.0	1.1	8.3	0.2	2.0	22.0	12.0	6.0	180	14	80	72	1007
6/19/2017 0:00	BDL	1.1	1.4	11.5	0.3	1.9	20.0	11.0	7.7	193	13	79	71	1007
6/19/2017 1:00	BDL	0.8	1.1	5.5	0.2	1.9	11.0	8.0	8.7	196	12	79	71	1007
6/19/2017 2:00	BDL	Calibration	Calibration	5.0	0.2	2.0	13.0	11.0	8.5	199	13	79	72	1007
6/19/2017 3:00	BDL	Calibration	Calibration	4.5	0.2	1.9	17.0	9.0	8.6	197	13	78	75	1007
6/19/2017 4:00	Calibration	0.6	1.0	Calibration	Calibration	1.9	14.0	8.0	8.7	195	12	78	76	1007
6/19/2017 5:00	0.4	0.8	1.0	11.9	0.2	Too few samples	17.0	7.0	8.8	193	13	78	74	1008
6/19/2017 6:00	BDL	0.8	1.0	13.6	0.2	1.9	32.0	10.0	9.7	200	13	79	72	1008
6/19/2017 7:00	Calibration	0.6	0.9	Calibration	Calibration	2.0	32.0	12.0	11.0	205	14	80	68	1008
6/19/2017 8:00	Too few samples	0.6	0.8	Too few samples	Too few samples	2.0	27.0	11.0	12.2	205	14	81	62	1008
6/19/2017 9:00	BDL	0.4	0.7	3.1	0.2	1.9	37.0	9.0	12.6	204	15	82	59	1008
6/19/2017 10:00	BDL	0.5	0.6	4.8	0.2	2.1	28.0	7.0	11.7	213	16	86	51	1007
6/19/2017 11:00	BDL	0.5	0.8	3.2	0.2	1.9	73.0	8.0	14.4	198	13	86	50	1007
6/19/2017 12:00	BDL	0.4	0.7	3.0	0.2	1.9	95.0	10.0	15.2	203	15	86	51	1006
6/19/2017 13:00	BDL	0.5	0.8	1.9	0.2	2.0	134.0	17.0	17.0	205	13	87	50	1005
6/19/2017 14:00	BDL	0.5	0.8	2.4	0.2	2.2	48.0	10.0	12.9	205	14	87	53	1005
6/19/2017 15:00	BDL	0.5	0.7	6.4	0.2	2.4	42.0	12.0	13.2	215	17	82	62	1005
6/19/2017 16:00	BDL	BDL	0.5	0.8	0.2	2.0	9.0	7.0	5.2	266	28	71	87	1008
6/19/2017 17:00	BDL	0.8	1.0	10.2	0.2	2.0	9.0	2.0	4.5	190	19	70	87	1008
6/19/2017 18:00	BDL	0.7	0.9	6.0	0.2	1.9	8.0	2.0	6.4	184	11	70	88	1008
6/19/2017 19:00	BDL	0.5	0.7	5.4	0.2	1.9	6.0	4.0	5.0	185	12	70	87	1008
6/19/2017 20:00	BDL	0.5	0.6	7.8	0.2	1.8	9.0	4.0	5.4	183	13	70	88	1009
6/19/2017 21:00	BDL	0.7	1.0	3.8	0.2	1.9	6.0	1.0	6.4	191	16	71	88	1010
6/19/2017 22:00	BDL	0.7	1.0	3.8	0.2	2.0	8.0	3.0	5.0	199	14	72	86	1009
6/19/2017 23:00	BDL	1.0	1.4	3.4	0.2	2.0	4.0	1.0	6.2	201	14	72	87	1009
6/20/2017 0:00	BDL	0.9	1.1	5.1	0.2	2.2	9.0	2.0	6.3	207	14	72	86	1009
6/20/2017 1:00	BDL	0.9	1.3	5.6	0.2	2.4	6.0	3.0	5.2	220	17	72	85	1009
6/20/2017 2:00	BDL	Calibration	Calibration	6.0	0.2	2.3	11.0	3.0	6.3	232	16	72	84	1008
6/20/2017 3:00	BDL	Calibration	Calibration	8.5	0.2	2.6	12.0	5.0	5.5	238	17	72	83	1009
6/20/2017 4:00	Calibration	0.7	0.9	Calibration	Calibration	3.2	19.0	5.0	5.2	241	15	71	81	1009
6/20/2017 5:00	BDL	1.0	1.1	12.2	0.3	Too few samples	16.0	9.0	6.2	251	16	71	69	1010
6/20/2017 6:00	BDL	0.8	1.0	7.8	0.3	2.0	18.0	9.0	6.4	264	17	72	56	1010
6/20/2017 7:00	Calibration	0.4	0.6	Calibration	Calibration	2.0	12.0	7.0	7.3	258	17	75	47	1011
6/20/2017 8:00	BDL	BDL	0.6	8.3	0.2	2.0	13.0	6.0	8.0	257	18	77	40	1011
6/20/2017 9:00	BDL	BDL	0.5	0.8	0.2	2.0	14.0	5.0	8.3	269	18	80	33	1011
6/20/2017 10:00	BDL	BDL	BDL	BDL	0.2	1.9	17.0	4.0	8.9	276	18	81	31	1011
6/20/2017 11:00	BDL	BDL	BDL	BDL	0.2	1.9	17.0	4.0	9.8	284	19	82	30	1011
6/20/2017 12:00	BDL	BDL	0.5	BDL	0.2	1.9	14.0	3.0	9.1	259	19	84	26	1011
6/20/2017 13:00	BDL	BDL	0.5	BDL	0.2	1.9	10.0	1.0	9.7	266	18	85	23	1011
6/20/2017 14:00	BDL	BDL	0.4	BDL	0.2	2.0	10.0	2.0	9.1	259	21	86	24	1011
6/20/2017 15:00	BDL	BDL	0.4	BDL	0.2	2.6	14.0	5.0	8.4	251	19	85	26	1011
6/20/2017 16:00	BDL	BDL	BDL	BDL	0.2	2.9	44.0	6.0	9.5	242	21	86	27	1010
6/20/2017 17:00	BDL	0.4	0.5	3.0	0.2	2.2	18.0	6.0	9.1	232	18	85	28	1010
6/20/2017 18:00	BDL	0.4	BDL	11.8	0.2	2.6	15.0	3.0	7.5	215	15	84	33	1011
6/20/2017 19:00	BDL	0.7	0.7	5.5	0.2	2.5	21.0	5.0	9.6	210	13	80	46	1011
6/20/2017 20:00	BDL	0.5	0.7	3.5	0.2	2.3	23.0	9.0	7.7	202	13	78	57	1012
6/20/2017 21:00	BDL	0.4	0.6	1.7	0.2	2.2	17.0	9.0	6.7	202	13	77	63	1012
6/20/2017 22:00	BDL	0.4	0.7	2.0	0.2	2.3	16.0	8.0	7.2	204	12	77	66	1012
6/20/2017 23:00	BDL	0.5	0.6	3.3	0.2	2.7	19.0	9.0	6.8	215	15	76	66	1012
6/21/2017 0:00	BDL	0.4	0.5	4.7	0.2	3.4	17.0	9.0	6.0	218	15	75	69	1011
6/21/2017 1:00	BDL	0.6	0.7	7.3	0.2	3.4	25.0	11.0	5.4	214	15	75	72	1011
6/21/2017 2:00	BDL	Calibration	Calibration	11.1	0.3	3.0	23.0	11.0	4.5	229	16	74	73	1011
6/21/2017 3:00	BDL	Calibration	Calibration	9.9	0.3	2.5	19.0	11.0	3.3	257	17	72	78	1011
6/21/2017 4:00	Calibration	0.9	0.8	Calibration	Calibration	2.6	24.0	10.0	3.4	219	19	71	81	1011
6/21/2017 5:00	BDL	1.0	0.9	21.5	0.3	Too few samples	24.0	10.0	4.3	208	16	72	77	1012
6/21/2017 6:00	BDL	1.1	0.9	21.3	0.3	2.6	26.0	11.0	5.3	222	18	74	71	1012
6/21/2017 7:00	BDL	Audit	Audit	19.7	0.3	2.3	28.0	12.0	6.9	229	20	77	62	1011
6/21/2017 8:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	2.2	19.0	11.0	7.6	236	17	80	50	1011
6/21/2017 9:00	BDL	0.7	0.7	Calibration	0.3	Too few samples	28.0	8.0	7.2	241	18	83	39	1011
6/21/2017 10:00	Calibration	0.5	0.8	Calibration	Calibration	2.0	59.0	7.0	7.6	263	21	85	30	1011
6/21/2017 11:00	BDL	Too few samples	Too few samples	BDL	0.2	1.9	18.0	5.0	9.6	293	16	84	29	1011
6/21/2017 12:00	BDL	Calibration	Calibration	BDL	0.2	2.0	21.0	7.0	8.4	289	23	86	28	1010
6/21/2017 13:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	2.0	23.0	7.0	7.7	253	26	87	27	1009
6/21/2017 14:00	BDL	0.5	0.6	2.8	0.2	2.1	41.0	9.0	8.5	211	18	85	38	1009
6/21/2017 15:00	BDL	0.5	0.6	5.2	0.2	2.2	47.0	10.0	12.5	244	17	82	46	1009
6/21/2017 16:00	BDL	0.4	0.7	4.5	0.3	2.0	32.0	7.0	6.4	20	20	70	76	1010
6/21/2017 17:00	BDL	BDL	0.5	2.3	0.3	2.8	13.0	5.0	4.4	276	37	71	72	1011
6/21/2017 18:00	BDL	0.8	1.4	6.4	0.3	2.5	19.0	6.0	2.8	222	21	73	71	1010
6/21/2017 19:00	BDL	1.3	1.2	14.5	0.3	2.6	19.0	6.0	4.1	197	14	73	70	1011
6/21/2017 20:00	BDL	1.2	1.3	13.5	0.2	2.0	10.0	7.0	4.8	189	12	71	76	1012
6/21/2017 21:00	BDL	0.8	0.9	9.1	0.3	2.2	17.0	8.0	3.9	199	12	70	79	1012
6/21/2017 22:00	BDL	1.0	1.2	9.5	0.3	2.1	15.0	10.0	3.3	195	13	70	81	1012
6/21/2017 23:00	BDL	1.2	1.3	12.1	0.3	3.0	22.0	13.0	3.4	205	13	70	82	1012
6/22/2017 0:00	BDL	1.2	1.2	14.0	0.3	3.4	14.0	13.0	3.2	204	14	70	83	1012
6/22/2017 1:00	BDL	1.8	1.9	13.3	0.3	2.6	19.0	11.0	3.2	204	15	69	86	1012
6/22/2017 2:00	BDL	Calibration	Calibration	11.0	0.3	2.7	22.0	10.0	3.1	256	19	68	85	1012
6/22/2017 3:00	BDL	Calibration	Calibration	13.0	0.3	2.4	26.0	12.0	2.1	264	25	68	85	1013
6/22/2017 4:00	Calibration	1.4	1.4	Calibration	Calibration	2.5	19.0	12.0	1.7	266	18	68	80	1013
6/22/2017 5:00	BDL	1.7	1.7	12.1	0.3	Too few samples	21.0	13.0	2.3	297	11	68	78	1013
6/22/2017 6:00	BDL	1.8	1.7	22.0	0.4	3.2	28.0	13.0	1.9	301	37	71	66	1014
6/22/2017 7:00	BDL	Calibration	Calibration	24.4	0.4	2.4	34.0	11.0	2.5	68	52	73	56	1013
6/22/2017 8:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	2.3	37.0	13.0	3.8	139	25	76	52	1013
6/22/2017 9:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	2.1	27.0	9.0	3.4	152	25	80	40	1013
6/22/2017 10:00	BDL	Calibration	Calibration	4.8	0.3	2.0	25.0	6.0	4.0	169	27	82	37	1013
6/22/2017 11:00	BDL	2.5	4.5	2.1	0.2	2.1	20.0	7.0	5.6	211	29	86	35	1012
6/22/2017 12:00	BDL	Audit	Audit	2.0	0.2	2.2	25.0	7.0	6.7	236	20	88	35	1012
6/22/2017 13:00	BDL	Calibration	Calibration	1.3	0.3	2.3	28.0	7.0	7.7	234	24	88	37	1011
6/22/2017 14:00	BDL	0.4	0.5	1.7	0.3	2.4	34.0	14.0	7.4	227	24	88	39	1011
6/22/2017 15:00	BDL	0.5	0.6	1.5	0.3	2.3	26.0	18.0	8.5	212	18	87	44	1010
6/22/2017 16:00	BDL	0.5	0.7	3.3	0.3	2.4	28.0	16.0	8.9	219	17	87	44	1010
6/22/2017 17:00	BDL	0.6	0.6	7.1	0.3	2.6	36.0	16.0	8.8	230	16	86	48	1010
6/22/2017 18:00	BDL	1.1	1.1	11.9	0.3	2.8	32.0	14.0	7.6	236	17	85	49	1010
6/22/2017 19:00	BDL	0.9	0.7	17.0	0.3	2.5	29.0	14.0	6.5	224	16	84	54	1010
6/22/2017 20:00	BDL	1.1	0.8	19.4	0.4	3.0	29.0	14.0	5.5	218	17	83	58	1011
6/22/2017 21:00	BDL	0.9	0.7	18.0	0.3	2.7	29.0	19.0	5.0	201	13	81	65	1011
6/22/2017 22:00	BDL	0.9	1.0	11.3	0.3	2.4	26.0	19.0	4.4	194	12	79	71	1010
6/22/2017 23:00	BDL	0.7	0.7	8.0	0.3	2.2	31.0	14.0	4.9	194	11	79	73	1010

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 6/18/2017-6/24/2017														
6/23/2017 0:00	BDL	0.7	0.8	8.2	0.3	3.3	26.0	18.0	4.8	208	14	79	74	1010
6/23/2017 1:00	BDL	0.7	0.7	13.2	0.3	3.2	29.0	15.0	3.7	211	17	78	75	1009
6/23/2017 2:00	BDL	Calibration	Calibration	10.1	0.3	2.3	27.0	17.0	3.8	193	12	77	79	1008
6/23/2017 3:00	BDL	Calibration	Calibration	10.5	0.3	2.8	28.0	17.0	4.5	203	12	77	81	1008
6/23/2017 4:00	Calibration	0.9	1.0	Calibration	Calibration	2.3	57.0	16.0	4.6	195	11	76	83	1008
6/23/2017 5:00	1.2	1.1	1.2	12.1	0.3	Too few samples	30.0	22.0	5.8	194	13	76	82	1008
6/23/2017 6:00	BDL	1.1	1.2	7.7	0.3	2.5	22.0	14.0	6.2	206	14	77	79	1008
6/23/2017 7:00	Calibration	1.3	1.3	Calibration	Calibration	2.6	22.0	14.0	8.3	211	14	77	80	1008
6/23/2017 8:00	BDL	1.0	1.1	9.2	0.3	2.2	19.0	13.0	10.0	213	15	77	77	1007
6/23/2017 9:00	BDL	0.6	1.0	3.9	0.2	2.0	10.0	7.0	10.8	205	12	75	81	1007
6/23/2017 10:00	BDL	0.5	0.9	1.3	0.2	1.9	10.0	4.0	10.1	202	13	74	82	1006
6/23/2017 11:00	BDL	0.6	1.0	1.5	0.2	2.0	18.0	6.0	11.1	210	15	77	74	1005
6/23/2017 12:00	BDL	0.7	1.1	1.6	0.2	2.1	18.0	11.0	11.8	223	17	81	64	1004
6/23/2017 13:00	BDL	0.8	1.2	3.3	0.2	2.1	19.0	8.0	11.1	224	17	84	59	1003
6/23/2017 14:00	BDL	0.8	1.1	0.5	0.2	2.1	29.0	7.0	11.9	222	18	87	53	1003
6/23/2017 15:00	BDL	0.6	1.0	1.0	0.2	2.1	24.0	8.0	12.8	210	14	87	55	1002
6/23/2017 16:00	BDL	0.7	1.1	BDL	0.2	1.9	30.0	9.0	13.8	203	13	86	56	1001
6/23/2017 17:00	BDL	0.7	1.2	BDL	0.2	2.0	31.0	10.0	14.8	208	14	84	59	1001
6/23/2017 18:00	BDL	0.9	1.1	3.1	0.2	2.2	23.0	9.0	13.2	215	16	83	62	1001
6/23/2017 19:00	BDL	0.8	1.2	4.0	0.3	2.3	20.0	9.0	11.5	212	14	83	65	1001
6/23/2017 20:00	BDL	0.9	1.3	7.9	0.3	2.1	21.0	10.0	10.0	215	15	82	65	1002
6/23/2017 21:00	BDL	0.8	1.3	3.1	0.2	2.0	29.0	12.0	10.3	207	13	82	66	1002
6/23/2017 22:00	BDL	0.9	1.3	3.4	0.2	2.2	36.0	12.0	9.2	216	15	82	66	1001
6/23/2017 23:00	BDL	1.1	1.2	4.1	0.2	2.1	38.0	16.0	9.0	216	15	82	65	1001
6/24/2017 0:00	BDL	1.0	1.2	1.8	0.2	2.0	37.0	15.0	9.3	225	16	82	62	1001
6/24/2017 1:00	BDL	1.0	1.2	3.1	0.2	2.2	47.0	21.0	7.7	218	16	82	61	1000
6/24/2017 2:00	BDL	Calibration	Calibration	3.8	0.2	2.1	42.0	18.0	7.8	221	16	81	63	1000
6/24/2017 3:00	BDL	Calibration	Calibration	4.7	0.2	2.1	33.0	13.0	8.1	218	15	78	74	999
6/24/2017 4:00	Calibration	1.2	1.6	Calibration	Calibration	2.0	34.0	14.0	6.6	196	14	76	81	998
6/24/2017 5:00	1.7	0.9	1.4	BDL	0.2	Too few samples	31.0	8.0	13.0	307	30	71	87	999
6/24/2017 6:00	BDL	Calibration	Calibration	BDL	0.2	1.8	5.0	2.0	6.3	299	11	71	87	1001
6/24/2017 7:00	BDL	Calibration	Calibration	BDL	0.2	1.9	12.0	BDL	5.2	274	18	74	72	1002
6/24/2017 8:00	Calibration	0.7	0.8	Calibration	Calibration	1.9	23.0	1.0	8.4	291	14	76	63	1003
6/24/2017 9:00	1.5	0.5	0.9	BDL	0.2	Too few samples	17.0	3.0	9.5	292	15	79	58	1004
6/24/2017 10:00	BDL	0.4	0.7	BDL	0.2	1.8	25.0	3.0	11.1	295	15	81	48	1005
6/24/2017 11:00	BDL	0.4	0.8	BDL	0.2	1.8	23.0	4.0	12.7	299	14	84	34	1005
6/24/2017 12:00	BDL	BDL	0.7	BDL	0.2	1.8	15.0	3.0	11.4	286	16	85	31	1006
6/24/2017 13:00	BDL	BDL	0.6	BDL	0.2	1.8	10.0	3.0	11.4	295	15	85	30	1006
6/24/2017 14:00	BDL	BDL	0.6	BDL	0.2	1.9	12.0	3.0	9.8	299	14	84	30	1007
6/24/2017 15:00	BDL	BDL	0.5	BDL	0.2	1.8	18.0	3.0	9.1	275	19	85	31	1007
6/24/2017 16:00	BDL	BDL	0.6	BDL	0.2	1.8	12.0	2.0	8.8	271	19	85	30	1007
6/24/2017 17:00	BDL	BDL	0.5	BDL	0.2	1.8	17.0	3.0	6.8	256	17	84	32	1008
6/24/2017 18:00	BDL	BDL	0.5	BDL	0.2	2.1	9.0	6.0	6.2	256	16	83	34	1008
6/24/2017 19:00	BDL	0.6	0.7	3.0	0.2	4.4	20.0	7.0	5.7	250	13	81	38	1009
6/24/2017 20:00	BDL	0.7	0.9	7.6	0.2	3.9	38.0	8.0	5.5	242	15	80	43	1010
6/24/2017 21:00	BDL	0.4	0.6	8.5	0.3	2.1	20.0	9.0	5.0	256	13	78	47	1010
6/24/2017 22:00	BDL	0.5	0.6	7.7	0.3	2.4	22.0	10.0	5.0	242	17	77	49	1011
6/24/2017 23:00	BDL	1.4	0.9	26.0	0.4	2.9	24.0	11.0	2.9	244	16	75	56	1011

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 6/25/2017-7/1/2017														
6/25/2017 0:00	BDL	1.4	1.4	11.4	0.3	2.5	20.0	11.0	2.4	258	21	74	58	1011
6/25/2017 1:00	BDL	0.7	0.9	BDL	0.2	2.0	20.0	9.0	5.1	300	8	73	57	1011
6/25/2017 2:00	BDL	Calibration	Calibration	BDL	0.2	2.1	23.0	8.0	4.9	304	7	72	61	1011
6/25/2017 3:00	Calibration	Calibration	Calibration	Calibration	Calibration	2.3	17.0	7.0	4.3	332	15	72	59	1011
6/25/2017 4:00	Calibration	0.5	0.6	Calibration	Calibration	2.3	33.0	6.0	4.3	333	18	72	58	1012
6/25/2017 5:00	BDL	0.5	0.6	8.3	0.2	2.6	20.0	9.0	1.4	245	35	72	59	1012
6/25/2017 6:00	BDL	Calibration	Calibration	10.5	0.3	3.1	19.0	8.0	2.6	182	12	74	61	1013
6/25/2017 7:00	BDL	Calibration	Calibration	14.0	0.2	2.1	14.0	9.0	3.2	157	22	75	49	1013
6/25/2017 8:00	BDL	0.6	0.8	5.0	0.2	2.0	14.0	6.0	2.7	202	42	77	38	1013
6/25/2017 9:00	0.5	0.8	0.7	8.7	0.2	2.1	18.0	5.0	4.7	160	18	78	38	1013
6/25/2017 10:00	0.5	0.4	0.6	3.0	0.2	1.9	17.0	5.0	5.6	230	22	82	33	1013
6/25/2017 11:00	BDL	BDL	0.5	BDL	0.2	2.0	17.0	4.0	7.8	221	23	83	32	1012
6/25/2017 12:00	BDL	0.4	0.6	BDL	0.2	1.9	13.0	7.0	8.1	237	21	84	30	1012
6/25/2017 13:00	BDL	0.4	0.7	BDL	0.2	1.9	13.0	6.0	6.3	239	24	85	28	1011
6/25/2017 14:00	BDL	0.4	0.6	BDL	0.2	1.9	12.0	5.0	6.6	257	25	84	29	1011
6/25/2017 15:00	BDL	0.4	0.7	BDL	0.2	1.9	11.0	6.0	7.0	276	18	84	28	1010
6/25/2017 16:00	BDL	BDL	0.6	BDL	0.2	1.8	12.0	4.0	7.1	275	20	84	31	1010
6/25/2017 17:00	BDL	0.4	0.5	BDL	0.2	1.9	20.0	5.0	7.9	264	19	84	29	1010
6/25/2017 18:00	BDL	BDL	0.5	BDL	0.2	1.9	12.0	4.0	6.3	268	17	82	30	1011
6/25/2017 19:00	BDL	BDL	BDL	BDL	0.2	2.0	11.0	4.0	5.5	266	14	80	34	1012
6/25/2017 20:00	BDL	BDL	0.4	BDL	0.2	2.2	10.0	4.0	5.8	273	12	77	37	1012
6/25/2017 21:00	BDL	BDL	0.5	BDL	0.1	2.2	14.0	7.0	5.8	283	12	76	35	1013
6/25/2017 22:00	BDL	BDL	0.4	BDL	0.1	1.9	10.0	6.0	7.0	296	9	74	33	1013
6/25/2017 23:00	BDL	BDL	0.4	BDL	0.1	1.9	12.0	3.0	7.5	301	7	72	37	1013
6/26/2017 0:00	BDL	BDL	BDL	BDL	0.1	1.9	11.0	3.0	7.8	298	8	71	36	1013
6/26/2017 1:00	BDL	BDL	0.4	1.2	0.1	1.9	10.0	5.0	7.0	303	7	70	39	1013
6/26/2017 2:00	BDL	Calibration	Calibration	0.5	0.1	1.9	17.0	5.0	7.0	317	10	69	41	1014
6/26/2017 3:00	BDL	Calibration	Calibration	9.8	0.1	2.0	13.0	5.0	6.0	320	11	68	47	1014
6/26/2017 4:00	Calibration	0.4	0.6	Calibration	Calibration	2.0	14.0	9.0	4.4	293	27	66	51	1014
6/26/2017 5:00	BDL	0.6	0.7	10.7	0.2	Too few samples	18.0	9.0	3.0	263	21	67	46	1014
6/26/2017 6:00	BDL	Calibration	Calibration	6.7	0.2	2.0	12.0	5.0	4.5	297	14	69	37	1015
6/26/2017 7:00	BDL	Calibration	Calibration	2.2	0.1	1.9	12.0	2.0	6.3	315	13	72	29	1015
6/26/2017 8:00	BDL	BDL	0.4	BDL	0.1	1.9	10.0	1.0	6.9	314	17	73	27	1015
6/26/2017 9:00	BDL	BDL	0.5	BDL	0.1	1.9	13.0	1.0	6.4	310	23	75	26	1015
6/26/2017 10:00	BDL	BDL	0.4	BDL	0.1	2.0	11.0	1.0	6.8	260	30	78	22	1015
6/26/2017 11:00	BDL	BDL	0.4	BDL	0.1	1.8	9.0	3.0	6.5	272	22	78	21	1014
6/26/2017 12:00	BDL	BDL	0.4	BDL	0.1	1.9	9.0	3.0	6.0	243	27	80	21	1014
6/26/2017 13:00	BDL	BDL	0.4	BDL	0.1	1.9	12.0	5.0	7.4	227	22	80	23	1013
6/26/2017 14:00	BDL	BDL	0.4	BDL	0.1	2.0	10.0	6.0	7.2	274	24	80	21	1013
6/26/2017 15:00	BDL	BDL	0.6	BDL	0.1	1.9	15.0	7.0	6.2	268	32	80	23	1013
6/26/2017 16:00	BDL	BDL	0.4	BDL	0.1	1.8	15.0	8.0	7.0	275	21	80	23	1013
6/26/2017 17:00	BDL	BDL	BDL	BDL	0.1	1.8	13.0	5.0	6.4	264	18	79	25	1013
6/26/2017 18:00	BDL	BDL	0.4	0.4	0.1	1.9	17.0	4.0	6.6	202	18	77	30	1012
6/26/2017 19:00	BDL	0.8	0.9	15.6	0.1	1.9	12.0	5.0	3.9	195	14	75	36	1013
6/26/2017 20:00	BDL	1.2	0.9	21.6	0.1	2.0	11.0	6.0	3.0	174	11	73	43	1013
6/26/2017 21:00	BDL	0.6	0.5	13.9	0.1	2.7	16.0	8.0	2.5	174	16	72	47	1013
6/26/2017 22:00	BDL	0.7	0.7	8.2	0.1	2.6	17.0	7.0	3.5	176	14	70	53	1013
6/26/2017 23:00	BDL	1.0	1.1	4.8	0.1	1.9	16.0	7.0	4.7	176	30	68	61	1012
6/27/2017 0:00	BDL	1.3	1.1	7.2	0.1	2.1	14.0	8.0	5.0	318	35	70	49	1013
6/27/2017 1:00	BDL	0.6	0.7	3.4	0.1	1.9	16.0	8.0	9.6	322	13	67	59	1013
6/27/2017 2:00	BDL	Calibration	Calibration	BDL	0.1	1.9	12.0	8.0	3.2	307	40	61	84	1013
6/27/2017 3:00	BDL	Calibration	Calibration	7.5	0.2	1.9	12.0	7.0	4.3	85	15	61	85	1013
6/27/2017 4:00	Calibration	0.9	0.9	Calibration	Calibration	1.9	9.0	11.0	2.8	85	14	61	86	1013
6/27/2017 5:00	BDL	0.9	0.9	26.0	0.2	Too few samples	15.0	9.0	2.1	94	22	62	80	1013
6/27/2017 6:00	BDL	1.0	0.9	23.2	0.3	2.0	18.0	8.0	2.2	285	30	63	74	1014
6/27/2017 7:00	BDL	0.9	0.9	21.6	0.3	2.1	25.0	12.0	2.9	246	27	65	74	1014
6/27/2017 8:00	0.4	1.4	1.3	24.0	0.2	1.9	21.0	9.0	4.2	175	19	65	76	1014
6/27/2017 9:00	1.0	1.0	1.1	15.7	0.2	1.9	15.0	10.0	3.5	196	32	68	63	1013
6/27/2017 10:00	1.5	0.8	0.8	14.5	0.2	2.0	21.0	11.0	3.8	208	50	72	50	1013
6/27/2017 11:00	1.2	0.6	0.7	7.4	0.1	2.0	19.0	6.0	5.7	229	28	76	37	1012
6/27/2017 12:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Audit	Audit	6.8	249	23	78	31	1012
6/27/2017 13:00	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit	7.7	276	22	78	30	1012
6/27/2017 14:00	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit	8.4	266	21	80	28	1011
6/27/2017 15:00	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit	8.4	277	19	79	27	1011
6/27/2017 16:00	BDL	BDL	0.6	BDL	0.1	1.8	11.0	5.0	8.7	286	16	78	29	1011
6/27/2017 17:00	BDL	BDL	0.6	BDL	0.1	1.8	12.0	5.0	7.3	269	16	76	31	1011
6/27/2017 18:00	BDL	BDL	0.4	BDL	0.1	1.8	13.0	6.0	6.0	268	17	76	33	1012
6/27/2017 19:00	BDL	BDL	0.4	BDL	0.1	1.8	13.0	8.0	7.8	301	10	73	36	1012
6/27/2017 20:00	BDL	BDL	0.5	BDL	0.1	1.8	11.0	7.0	8.9	311	8	71	39	1013
6/27/2017 21:00	BDL	BDL	0.5	BDL	0.1	1.9	10.0	6.0	9.6	309	7	69	40	1014
6/27/2017 22:00	BDL	BDL	BDL	BDL	0.1	2.1	9.0	4.0	8.4	303	8	67	43	1015
6/27/2017 23:00	BDL	BDL	BDL	BDL	0.1	1.9	7.0	1.0	7.9	306	9	66	46	1015
6/28/2017 0:00	BDL	BDL	BDL	BDL	0.1	1.8	8.0	BDL	4.8	294	9	64	50	1016
6/28/2017 1:00	BDL	BDL	0.4	BDL	0.1	1.8	7.0	2.0	5.7	303	8	63	55	1016
6/28/2017 2:00	BDL	Calibration	Calibration	BDL	0.1	1.8	9.0	3.0	5.1	297	8	62	58	1016
6/28/2017 3:00	BDL	Calibration	Calibration	BDL	0.1	1.8	7.0	3.0	5.0	295	9	61	61	1017
6/28/2017 4:00	Calibration	BDL	0.5	Calibration	Calibration	1.9	7.0	4.0	5.0	301	7	60	64	1017
6/28/2017 5:00	BDL	BDL	BDL	1.0	0.1	Too few samples	6.0	6.0	5.9	303	8	61	59	1017
6/28/2017 6:00	BDL	BDL	0.4	2.6	0.1	1.9	14.0	6.0	8.1	313	9	64	52	1018
6/28/2017 7:00	BDL	Audit	Audit	6.9	0.1	Audit	Audit	Audit	8.5	318	13	67	44	1018
6/28/2017 8:00	BDL	Audit	Audit	1.7	0.1	Audit	Audit	Audit	8.1	318	14	69	37	1018
6/28/2017 9:00	BDL	Audit	Audit	BDL	0.1	Audit	Audit	Audit	6.9	316	19	71	32	1018
6/28/2017 10:00	BDL	Calibration	Calibration	BDL	0.1	Audit	15.0	7.0	6.5	301	31	74	28	1018
6/28/2017 11:00	BDL	Calibration	Calibration	BDL	0.1	2.5	12.0	5.0	7.1	294	22	76	25	1018
6/28/2017 12:00	BDL	Calibration	Calibration	BDL	0.1	1.8	10.0	4.0	7.6	307	22	77	25	1018
6/28/2017 13:00	14.6*	1.4	9.7	BDL	0.1	1.8	16.0	4.0	6.5	299	33	78	24	1017
6/28/2017 14:00	14.8*	4.6	4.1	BDL	0.1	1.8	15.0	4.0	7.9	284	22	79	24	1017
6/28/2017 15:00	BDL	Too few samples	Too few samples	BDL	0.1	1.7	6.0	4.0	4.9	287	34	78	24	1017
6/28/2017 16:00	BDL	Calibration	Calibration	BDL	0.1	1.8	11.0	5.0	5.3	250	23	80	24	1017
6/28/2017 17:00	BDL	0.6	0.9	BDL	0.1	1.8	12.0	6.0	6.5	240	19	79	26	1017
6/28/2017 18:00	1.1	0.6	0.9	6.5	0.1	2.0	16.0	6.0	6.4	236	19	77	30	1017
6/28/2017 19:00	0.5	0.4	0.6	7.2	0.1	2.0	15.0	7.0	6.0	203	13	75	37	1017
6/28/2017 20:00	BDL	0.4	0.4	8.2	0.1	1.8	17.0	6.0	6.2	199	12	73	44	1017
6/28/2017 21:00	BDL	2.1	2.3	3.6	0.1	1.8	14.0	4.0	7.0	201	13	71	55	1018
6/28/2017 22:00	BDL	3.0	3.4	6.0	0.1	1.8	16.0	6.0	5.6	198	12	70	63	1018
6/28/2017 23:00	BDL	2.4	2.6	4.6	0.1	2.0	15.0	5.0	5.7	205	13	69	62	1018
6/29/2017 0:00	BDL	2.4	2.6	5.6	0.1	2.5	16.0	6.0	4.6	212	14	69	62	1018
6/29/2017 1:00	BDL	2.2	2.4	5.7	0.1	2.2	11.0	8.0	5.3	215	15	68	61	1018
6/29/2017 2:00	BDL	Calibration	Calibration	18.8	0.1	1.8	16.0	6.0	5.2	191	12	67	66	1018
6/29/2017 3:00	BDL	Calibration	Calibration	15.1	0.1	1.9	17.0	8.0	4.8	197	13	67	68	1018
6/29/2017 4:00	Calibration	2.0	1.9	Calibration	Calibration	1.8	12.0	5.0	3.7	181	14	66	71	1019
6/29/2017 5:00	BDL	2.0	2.1	13.9	0.2	Too few samples	16.0	5.0	4.5	178	16	66	72	1019
6/29/2017 6:00	BDL	2.9	2.8	21.2	0.1	2.4	24.0	8.0	6.3	196	13	68	68	1019
6/29/2017 7:00	BDL	Calibration	Calibration	5.2	0.1	Too few samples	23.0	6.0	8.0	211	17	72	58	1018
6/29/2017 8:00	BDL	Calibration	Calibration	1.6	0.1	2.0	32.0	5.0	9.0	202	16	74	55	1018
6/29/2017 9:00	BDL	0.8	0.9	1.5	0.1	2.1	27.0	6.0	9.6	213	17	77	47	1018
6/29/2017 10:00	BDL	0.7	0.8	1.2	0.1	2.1	27.0	7.0	10.5	211	18	80	44	1017
6/29/2017 11:00	BDL	0.5	0.7	BDL	0.1	2.1	33.0	11.0	10.3	221	18	82	40	1016
6/29/2017 12:00	BDL	BDL	0.5	BDL	0.1	2.2	35.0	7.0	10.2	216	21	84	36	1016
6/29/2017 13:00	BDL	BDL	0.5	1.1	0.2	2.1	35.0	7.0	9.4	216	21	86	33	1015
6/29/2017 14:00	BDL	BDL	0.4	3.8	0.2	2.0	69.0	12.0	10.5	199	14	85	35	1015
6/29/2017 15:00	BDL	BDL	0.4	2.2	0.2	2.0	46.0	10.0	11.6	208	16	85	34	1015
6/29/2017 16:00	BDL	BDL	0.5	BDL	0.2	2.1	27.0	8.0	11.8	213	15	86	34	1014
6/29/2017 17:00	BDL	BDL	0.4	1.2	0.2	2.0	40.0	15.0	12.6	205	13	85	38	1014
6/29/2017 18:00	BDL	BDL	0.5	3.1	0.2	1.9	46.0	14.0	11.2	201	12	82	45	1014
6/29/2017 19:00	BDL	0.6	0.8	BDL	0.2	1.9	40.0	10.0	9.3	198	12	80	50	1014
6/29/2017 20:00	BDL	0.7	1.1	2.0	0.2	1.9	26.0	8.0	7.8	195	13	78	52	1014
6/29/2017 21:00	BDL	0.9	1.1	4.6	0.2	1.9	17.0	9.0	8.3	198	13	77	55	1015
6/29/2017 22:00	BDL	1.2	1.4	3.7	0.2	2.0	19.0	7.0	7.7	203	12	76	56	1015
6/29/2017 23:00	BDL	0.9	1.1	BDL	0.1	2.0	15.0	6.0	8.2	197	12	75	59	1015

* SO2 data on June 28, 2017, 13:00 and 14:00 hours - SO2 data is suspect.

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 6/25/2017-7/1/2017														
6/30/2017 0:00	BDL	0.9	1.2	BDL	0.1	2.1	13.0	7.0	7.6	194	13	74	62	1014
6/30/2017 1:00	BDL	0.8	1.0	BDL	0.1	2.0	20.0	8.0	7.4	195	13	74	63	1014
6/30/2017 2:00	BDL	Calibration	Calibration	4.0	0.1	2.0	16.0	8.0	7.3	200	12	74	64	1014
6/30/2017 3:00	BDL	Calibration	Calibration	0.9	0.1	2.0	35.0	18.0	6.8	199	11	73	66	1014
6/30/2017 4:00	Calibration	0.8	1.1	Calibration	Calibration	2.0	31.0	13.0	7.0	197	12	73	68	1014
6/30/2017 5:00	BDL	0.7	0.9	5.0	0.2	Too few samples	29.0	12.0	8.3	201	12	73	67	1014
6/30/2017 6:00	BDL	0.7	1.1	4.9	0.2	3.8	24.0	12.0	9.2	214	14	75	62	1014
6/30/2017 7:00	BDL	0.7	0.9	3.6	0.2	Too few samples	25.0	12.0	10.0	224	16	78	55	1014
6/30/2017 8:00	BDL	0.5	0.8	3.1	0.2	2.2	29.0	16.0	8.5	227	18	80	51	1014
6/30/2017 9:00	BDL	0.5	0.7	3.6	0.2	2.2	35.0	16.0	7.9	211	17	82	49	1014
6/30/2017 10:00	BDL	0.5	0.7	2.5	0.2	2.2	41.0	15.0	7.7	211	21	85	46	1013
6/30/2017 11:00	BDL	BDL	0.6	3.2	0.2	2.2	43.0	18.0	9.3	198	17	86	43	1013
6/30/2017 12:00	BDL	0.4	0.7	0.5	0.2	2.7	59.0	17.0	9.9	193	16	88	42	1012
6/30/2017 13:00	BDL	0.5	0.9	1.5	0.2	2.6	85.0	20.0	11.8	195	15	88	41	1011
6/30/2017 14:00	BDL	0.4	0.7	1.5	0.2	2.0	72.0	16.0	12.1	202	14	90	39	1011
6/30/2017 15:00	BDL	0.4	0.6	1.0	0.2	2.0	63.0	15.0	12.4	204	15	90	39	1010
6/30/2017 16:00	BDL	0.4	0.6	BDL	0.2	2.1	49.0	14.0	13.7	213	15	89	39	1010
6/30/2017 17:00	BDL	0.4	0.7	1.5	0.2	2.0	46.0	14.0	13.2	207	14	88	43	1010
6/30/2017 18:00	BDL	0.5	0.8	0.7	0.2	1.9	35.0	12.0	10.6	194	13	85	50	1011
6/30/2017 19:00	BDL	0.6	0.8	0.4	0.2	1.9	22.0	12.0	10.3	198	12	84	52	1012
6/30/2017 20:00	BDL	0.7	1.0	BDL	0.2	1.9	27.0	10.0	8.0	196	12	83	55	1013
6/30/2017 21:00	BDL	0.9	1.1	3.6	0.2	2.0	22.0	13.0	5.8	187	13	82	58	1013
6/30/2017 22:00	BDL	1.0	1.3	1.4	0.2	2.0	24.0	15.0	5.4	190	14	80	64	1012
6/30/2017 23:00	BDL	1.7	2.0	2.4	0.2	2.0	22.0	11.0	6.8	203	12	79	69	1012
7/1/2017 0:00	BDL	1.6	1.9	BDL	0.2	2.0	19.0	10.0	5.5	202	13	78	71	1012
7/1/2017 1:00	BDL	1.8	2.0	1.3	0.2	2.0	21.0	7.0	4.8	194	14	77	71	1011
7/1/2017 2:00	BDL	Calibration	Calibration	BDL	0.1	1.8	23.0	8.0	7.0	188	15	77	73	1011
7/1/2017 3:00	BDL	Calibration	Calibration	6.2	0.2	1.8	19.0	9.0	7.2	186	13	76	75	1011
7/1/2017 4:00	Calibration	1.4	1.8	Calibration	Calibration	1.8	19.0	7.0	7.3	190	13	77	76	1011
7/1/2017 5:00	1.5	1.5	1.8	2.8	0.1	1.8	22.0	4.0	7.6	187	13	76	77	1011
7/1/2017 6:00	BDL	Calibration	Calibration	1.8	0.1	1.8	18.0	5.0	7.1	193	13	77	76	1011
7/1/2017 7:00	BDL	Calibration	Calibration	0.5	0.1	1.7	23.0	8.0	8.5	185	13	77	74	1011
7/1/2017 8:00	BDL	1.2	1.5	BDL	0.2	Calibration	18.0	6.0	8.8	186	14	78	70	1011
7/1/2017 9:00	BDL	1.0	1.3	BDL	0.2	Calibration	24.0	6.0	7.7	190	15	81	65	1010
7/1/2017 10:00	BDL	0.8	1.2	BDL	0.2	1.9	16.0	9.0	9.2	199	15	82	62	1010
7/1/2017 11:00	BDL	0.7	1.1	BDL	0.2	2.0	18.0	6.0	9.4	205	16	83	61	1010
7/1/2017 12:00	BDL	0.9	1.1	BDL	0.1	1.9	21.0	6.0	10.1	191	14	84	61	1009
7/1/2017 13:00	BDL	0.7	1.1	BDL	0.2	2.1	17.0	7.0	10.7	190	15	85	57	1008
7/1/2017 14:00	BDL	0.6	0.9	BDL	0.2	2.0	21.0	5.0	11.0	195	14	86	55	1008
7/1/2017 15:00	BDL	0.4	0.9	BDL	0.2	1.8	23.0	3.0	11.0	192	15	86	56	1008
7/1/2017 16:00	BDL	0.5	1.1	BDL	0.2	1.9	31.0	7.0	10.7	254	24	81	65	1009
7/1/2017 17:00	BDL	0.8	1.6	BDL	0.2	2.1	5.0	5.0	3.0	248	33	73	87	1010
7/1/2017 18:00	BDL	1.7	1.2	4.6	0.2	1.9	12.0	3.0	3.9	176	27	73	83	1010
7/1/2017 19:00	BDL	0.5	0.4	0.6	0.2	1.8	7.0	3.0	3.6	181	12	73	85	1010
7/1/2017 20:00	BDL	0.9	1.1	4.9	0.2	2.2	13.0	2.0	3.3	203	16	73	85	1010
7/1/2017 21:00	BDL	0.7	0.9	8.5	0.3	2.2	12.0	3.0	4.2	211	14	73	85	1011
7/1/2017 22:00	BDL	1.0	1.2	13.0	0.2	2.4	16.0	6.0	3.7	216	15	74	85	1011
7/1/2017 23:00	BDL	0.9	0.5	10.9	0.3	2.4	11.0	6.0	3.0	241	18	73	85	1011

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 7/2/2017-7/8/2017														
7/2/2017 0:00	BDL	0.7	0.5	6.3	0.3	2.4	16.0	5.0	2.5	243	22	73	85	1011
7/2/2017 1:00	BDL	1.3	0.7	8.5	0.3	2.9	19.0	3.0	3.0	208	15	74	86	1011
7/2/2017 2:00	BDL	Calibration	Calibration	7.2	0.2	2.4	10.0	3.0	3.3	187	11	74	88	1011
7/2/2017 3:00	BDL	Calibration	Calibration	9.2	0.22	2.5	17.0	6.0	3.1	212	14	73	89	1011
7/2/2017 4:00	Calibration	2.3	2.3	Calibration	Calibration	2.7	21.0	7.0	3.7	236	14	72	85	1012
7/2/2017 5:00	1.5	Calibration	Calibration	13.6	0.3	Too few samples	20.0	7.0	4.1	247	12	73	78	1013
7/2/2017 6:00	BDL	Calibration	Calibration	13.8	0.3	2.1	23.0	10.0	4.3	253	13	75	68	1013
7/2/2017 7:00	Calibration	1.0	0.9	Calibration	Calibration	2.0	22.0	9.0	4.2	269	16	79	53	1013
7/2/2017 8:00	0.5	0.5	0.7	4.4	0.2	Too few samples	16.0	6.0	4.4	289	18	81	45	1013
7/2/2017 9:00	BDL	BDL	0.6	3.5	0.2	1.9	22.0	4.0	3.8	254	28	83	39	1013
7/2/2017 10:00	BDL	BDL	0.6	6.6	0.2	1.9	16.0	5.0	5.0	199	27	84	43	1013
7/2/2017 11:00	BDL	BDL	0.6	5.3	0.2	1.9	16.0	7.0	5.1	230	27	87	37	1013
7/2/2017 12:00	BDL	BDL	0.5	8.6	0.2	2.0	19.0	11.0	5.4	248	34	88	33	1013
7/2/2017 13:00	BDL	0.5	0.7	5.0	0.2	2.1	17.0	6.0	6.3	251	29	88	31	1012
7/2/2017 14:00	BDL	0.5	0.6	5.8	0.2	2.6	21.0	5.0	7.8	231	25	89	34	1012
7/2/2017 15:00	BDL	BDL	0.4	5.9	0.2	2.3	18.0	6.0	6.9	216	18	89	37	1012
7/2/2017 16:00	BDL	BDL	0.5	6.4	0.2	2.0	17.0	6.0	8.0	222	20	89	37	1011
7/2/2017 17:00	BDL	BDL	0.5	8.6	0.2	2.1	12.0	10.0	6.7	224	20	89	37	1011
7/2/2017 18:00	BDL	0.4	0.5	14.7	0.2	2.3	20.0	8.0	5.2	228	20	88	41	1012
7/2/2017 19:00	BDL	BDL	0.5	8.8	0.2	2.3	21.0	9.0	4.8	201	13	86	47	1012
7/2/2017 20:00	BDL	0.5	0.8	17.6	0.2	2.3	20.0	11.0	4.5	205	16	84	50	1012
7/2/2017 21:00	BDL	0.6	0.7	14.8	0.2	2.0	20.0	13.0	4.3	196	12	81	60	1012
7/2/2017 22:00	BDL	0.5	0.7	15.6	0.3	2.6	23.0	15.0	2.6	241	17	80	61	1012
7/2/2017 23:00	BDL	BDL	0.5	6.9	0.3	2.1	20.0	11.0	3.2	257	15	79	61	1012
7/3/2017 0:00	BDL	1.2	1.3	6.7	0.3	2.4	24.0	13.0	2.5	262	13	77	65	1012
7/3/2017 1:00	BDL	2.1	1.6	10.3	0.3	3.4	28.0	13.0	1.8	238	15	76	69	1012
7/3/2017 2:00	BDL	Calibration	Calibration	11.8	0.2	2.6	26.0	15.0	2.6	199	8	77	73	1012
7/3/2017 3:00	BDL	Calibration	Calibration	19.1	0.2	3.4	21.0	15.0	2.3	204	13	75	76	1012
7/3/2017 4:00	Calibration	2.4	2.2	Calibration	Calibration	2.7	29.0	15.0	2.0	183	10	75	77	1012
7/3/2017 5:00	1.9	Calibration	Calibration	37.5	0.4	3.0	31.0	13.0	2.0	262	14	75	66	1013
7/3/2017 6:00	BDL	Calibration	Calibration	22.4	0.3	2.2	30.0	13.0	2.3	254	19	79	50	1013
7/3/2017 7:00	BDL	0.8	0.9	9.5	0.2	Too few samples	20.0	9.0	5.1	300	12	81	40	1013
7/3/2017 8:00	BDL	0.5	0.6	6.2	0.2	1.9	27.0	5.0	7.5	311	12	84	36	1013
7/3/2017 9:00	BDL	0.4	0.6	5.8	0.2	1.9	17.0	5.0	7.6	318	16	85	35	1013
7/3/2017 10:00	BDL	0.4	0.6	6.7	0.2	1.9	23.0	9.0	5.6	297	24	86	32	1013
7/3/2017 11:00	BDL	BDL	0.6	2.7	0.2	1.9	16.0	7.0	5.2	268	26	89	28	1013
7/3/2017 12:00	BDL	BDL	0.6	2.3	0.1	1.9	16.0	6.0	5.4	293	37	89	26	1012
7/3/2017 13:00	BDL	BDL	0.6	4.4	0.2	2.1	17.0	9.0	5.9	262	29	90	27	1012
7/3/2017 14:00	BDL	BDL	0.5	3.4	0.2	2.5	20.0	8.0	5.8	270	23	89	28	1012
7/3/2017 15:00	BDL	BDL	0.5	2.4	0.1	3.2	16.0	8.0	6.9	284	23	89	28	1012
7/3/2017 16:00	BDL	BDL	0.6	3.5	0.1	2.2	23.0	10.0	6.1	280	23	89	29	1012
7/3/2017 17:00	BDL	BDL	0.6	3.9	0.2	2.0	19.0	8.0	5.8	264	18	89	30	1012
7/3/2017 18:00	BDL	BDL	0.5	2.8	0.2	2.0	17.0	5.0	5.5	270	14	87	33	1012
7/3/2017 19:00	BDL	BDL	0.5	4.9	0.2	2.4	17.0	6.0	3.1	259	18	85	38	1012
7/3/2017 20:00	BDL	1.1	1.1	23.5	0.3	2.6	29.0	9.0	3.6	219	17	84	44	1013
7/3/2017 21:00	BDL	0.9	1.5	14.7	0.2	2.2	24.0	8.0	3.9	202	15	82	53	1013
7/3/2017 22:00	BDL	0.6	0.9	17.5	0.2	2.5	23.0	9.0	2.6	205	34	81	56	1013
7/3/2017 23:00	BDL	0.6	0.7	15.0	0.3	2.5	30.0	13.0	1.9	258	24	80	59	1013
7/4/2017 0:00	BDL	1.2	1.3	22.4	0.4	2.7	37.0	16.0	2.1	205	18	78	65	1013
7/4/2017 1:00	BDL	2.1	2.2	27.1	0.3	2.6	30.0	17.0	2.1	195	33	78	70	1013
7/4/2017 2:00	BDL	Calibration	Calibration	25.6	0.3	3.2	26.0	13.0	1.5	222	39	78	67	1013
7/4/2017 3:00	BDL	Calibration	Calibration	17.2	0.3	2.7	25.0	13.0	2.0	298	54	78	59	1013
7/4/2017 4:00	Calibration	0.6	0.7	Calibration	Calibration	2.3	19.0	10.0	4.7	351	24	77	57	1013
7/4/2017 5:00	BDL	BDL	0.6	6.8	0.2	Too few samples	30.0	11.0	6.1	59	11	76	59	1014
7/4/2017 6:00	BDL	0.5	0.7	8.7	0.2	2.0	20.0	8.0	8.8	53	12	76	60	1015
7/4/2017 7:00	BDL	0.6	0.8	9.9	0.2	2.1	18.0	10.0	7.5	44	15	76	59	1016
7/4/2017 8:00	BDL	0.6	0.8	9.8	0.2	2.0	24.0	10.0	8.2	55	17	77	53	1016
7/4/2017 9:00	BDL	0.5	0.7	6.0	0.2	1.9	21.0	9.0	8.1	66	15	79	44	1015
7/4/2017 10:00	BDL	0.4	0.7	4.6	0.2	1.9	16.0	9.0	7.1	79	22	81	40	1015
7/4/2017 11:00	BDL	BDL	0.5	7.3	0.2	1.9	21.0	6.0	5.1	87	34	83	35	1015
7/4/2017 12:00	BDL	BDL	0.5	10.4	0.2	1.9	25.0	6.0	4.5	147	34	84	33	1014
7/4/2017 13:00	BDL	0.4	0.5	16.6	0.2	1.9	22.0	8.0	4.9	171	20	86	33	1014
7/4/2017 14:00	BDL	0.4	0.5	14.6	0.2	1.9	17.0	9.0	4.3	156	23	87	33	1014
7/4/2017 15:00	BDL	BDL	0.5	10.5	0.2	2.1	21.0	12.0	3.1	162	34	87	32	1013
7/4/2017 16:00	BDL	BDL	0.5	8.8	0.2	3.2	19.0	11.0	4.1	171	16	87	41	1013
7/4/2017 17:00	BDL	BDL	0.5	10.6	0.2	2.1	19.0	11.0	3.3	180	21	86	43	1013
7/4/2017 18:00	BDL	BDL	0.6	5.9	0.2	1.9	17.0	9.0	7.0	188	29	79	59	1015
7/4/2017 19:00	BDL	0.8	1.1	6.3	0.2	2.0	22.0	11.0	5.1	167	33	72	83	1016
7/4/2017 20:00	BDL	0.5	0.8	10.0	0.2	2.0	16.0	9.0	3.3	128	50	72	80	1016
7/4/2017 21:00	BDL	0.4	0.6	9.1	0.2	2.0	15.0	11.0	2.9	105	19	72	74	1016
7/4/2017 22:00	BDL	0.4	0.6	14.3	0.2	2.0	23.0	13.0	2.8	78	17	72	76	1016
7/4/2017 23:00	BDL	0.5	0.6	18.5	0.2	2.1	19.0	12.0	2.7	85	14	72	69	1016
7/5/2017 0:00	BDL	0.5	0.6	27.9	0.2	2.0	20.0	12.0	2.3	93	23	72	64	1016
7/5/2017 1:00	BDL	1.0	1.0	14.9	0.2	2.1	21.0	10.0	2.9	76	11	72	63	1016
7/5/2017 2:00	BDL	Calibration	Calibration	7.1	0.2	2.1	15.0	9.0	3.2	71	10	72	59	1016
7/5/2017 3:00	BDL	Calibration	Calibration	7.9	0.2	2.0	16.0	10.0	3.1	68	10	72	57	1017
7/5/2017 4:00	Calibration	0.8	1.0	Calibration	Calibration	2.0	22.0	10.0	4.9	70	10	72	55	1017
7/5/2017 5:00	BDL	0.4	0.6	17.0	0.2	Too few samples	17.0	9.0	4.6	68	11	72	51	1018
7/5/2017 6:00	BDL	0.8	0.7	24.8	0.2	2.0	21.0	9.0	4.9	69	12	73	48	1018
7/5/2017 7:00	BDL	Audit	Audit	33.8	0.2	2.0	30.0	8.0	4.9	67	12	74	45	1019
7/5/2017 8:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	2.0	23.0	6.0	6.8	69	13	76	39	1019
7/5/2017 9:00	BDL	0.4	BDL	Calibration	0.1	Too few samples	21.0	6.0	7.4	82	13	77	37	1019
7/5/2017 10:00	Calibration	0.4	0.4	Calibration	Calibration	1.9	22.0	7.0	7.3	93	17	79	38	1019
7/5/2017 11:00	BDL	Calibration	Calibration	6.3	0.2	1.9	14.0	7.0	7.1	93	15	79	40	1019
7/5/2017 12:00	BDL	Calibration	Calibration	5.5	0.1	1.8	19.0	9.0	8.3	90	17	80	39	1019
7/5/2017 13:00	BDL	0.4	0.5	4.5	0.1	1.8	19.0	8.0	8.2	90	15	80	35	1019
7/5/2017 14:00	BDL	BDL	0.5	3.4	0.1	1.8	18.0	5.0	8.1	92	17	81	35	1018
7/5/2017 15:00	BDL	BDL	0.4	3.5	0.1	1.9	13.0	5.0	7.4	114	16	81	36	1018
7/5/2017 16:00	BDL	BDL	0.5	4.6	0.1	1.8	16.0	9.0	7.8	103	16	80	39	1018
7/5/2017 17:00	BDL	BDL	0.4	4.7	0.1	2.0	12.0	8.0	5.7	112	17	79	42	1018
7/5/2017 18:00	BDL	BDL	0.5	6.6	0.1	2.0	15.0	6.0	5.9	133	14	78	45	1018
7/5/2017 19:00	BDL	BDL	0.4	6.5	0.1	1.9	11.0	3.0	6.0	127	14	77	49	1018
7/5/2017 20:00	BDL	BDL	BDL	16.3	0.1	1.8	10.0	6.0	6.7	132	14	75	56	1019
7/5/2017 21:00	BDL	BDL	0.4	5.5	0.1	1.7	11.0	7.0	6.7	110	15	73	63	1019
7/5/2017 22:00	BDL	BDL	0.5	4.4	0.1	1.8	17.0	5.0	6.5	91	14	71	70	1019
7/5/2017 23:00	BDL	BDL	0.5	6.5	0.1	1.7	14.0	5.0	6.2	87	14	70	73	1018
7/6/2017 0:00	BDL	BDL	0.6	9.6	0.1	1.7	16.0	6.0	5.7	89	13	69	73	1018
7/6/2017 1:00	BDL	BDL	0.6	6.4	0.1	1.7	15.0	6.0	4.1	76	18	69	75	1018
7/6/2017 2:00	BDL	Calibration	Calibration	8.6	0.1	1.7	20.0	7.0	4.3	84	16	69	76	1017
7/6/2017 3:00	BDL	Calibration	Calibration	9.5	0.1	1.7	16.0	7.0	4.1	79	12	69	77	1017
7/6/2017 4:00	Calibration	0.9	1.2	Calibration	Calibration	1.7	24.0	9.0	4.5	76	13	69	78	1017
7/6/2017 5:00	BDL	1.0	1.2	15.5	0.1	Too few samples	27.0	7.0	4.5	85	15	69	77	1017
7/6/2017 6:00	BDL	1.0	1.2	20.0	0.2	1.8	25.0	6.0	5.9	89	12	70	77	1017
7/6/2017 7:00	BDL	0.9	1.2	19.6	0.2	1.7	17.0	4.0	4.8	90	13	70	78	1017
7/6/2017 8:00	BDL	0.8	1.1	15.6	0.2	1.7	18.0	5.0	6.3	86	13	70	78	1017
7/6/2017 9:00	BDL	0.8	1.0	14.7	0.1	1.7	19.0	7.0	6.6	90	15	71	79	1017
7/6/2017 10:00	BDL	0.6	0.8	Calibration	0.1	1.7	18.0	7.0	6.4	88	13	72	77	1017
7/6/2017 11:00	BDL	0.4	0.7	8.5	0.1	1.6	17.0	7.0	6.6	89	15	72	76	1016
7/6/2017 12:00	BDL	BDL	0.6	Calibration	0.1	1.4	17.0	7.0	6.5	80	14	72	81	1016
7/6/2017 13:00	BDL	0.5	0.8	Too few samples	0.2	1.3	11.0	5.0	6.7	64	13	72	81	1015
7/6/2017 14:00	BDL	0.4	0.8	10.4	0.2	1.3	21.0	7.0	6.6	52	12	72	83	1015
7/6/2017 15:00	BDL	0.6	0.8	12.2	0.2	1.4	13.0	6.0	7.1	57	11	71	86	1014
7/6/2017 16:00	BDL	0.8	1.0	10.1	0.2	1.4	22.0	5.0	5.9	75	12	71	85	1013
7/6/2017 17:00	BDL	0.5	0.8	11.6	0.2	1.4	12.0	6.0	6.2	90	14	72	83	1012
7/6/2017 18:00	BDL	0.5	0.8	8.2	0.1	1.3	11.0	6.0	6.1	81	13	71	83	1012
7/6/2017 19:00	BDL	0.6	0.8	8.9	0.1	1.3	9.0	5.0	6.1	74	13	71	84	1012
7/6/2017 20:00	BDL	0.7	0.9	5.8	0.1	1.3	15.0	3.0	7.0	75	13	70	86	1012
7/6/2017 21:00	BDL	0.6	0.8	5.1	0.1	1.3	18.0	7.0	6.6	73	12	69	88	1012
7/6/2017 22:00	BDL	0.7	1.2	5.5	0.1	1.3	13.0	5.0	5.8	67	12	69	89	1011
7/6/2017 23:00	BDL	1.0	1.5	5.5	0.1	1.3	14.0	3.0	5.3	64	13	69	90	1010

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5	Wind Speed	Wind Direction	Sigma Theta	Tempeature @ 2 meters	Relative Humidity	Barimeter Pressure
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3	mph	Degrees	Degrees	Degree F	%	mbar
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3						
Site Upwind Weekly: 7/2/2017-7/8/2017														
7/7/2017 0:00	BDL	0.6	1.0	9.3	0.1	1.3	12.0	BDL	5.8	58	10	69	91	1009
7/7/2017 1:00	BDL	BDL	0.6	7.9	0.1	1.3	13.0	7.0	5.5	61	12	69	91	1009
7/7/2017 2:00	BDL	Calibration	Calibration	5.1	0.1	1.3	11.0	6.0	4.3	64	12	69	91	1008
7/7/2017 3:00	BDL	Calibration	Calibration	4.5	0.1	1.4	8.0	3.0	4.7	71	12	69	91	1007
7/7/2017 4:00	Calibration	1.2	1.5	Calibration	Calibration	1.4	7.0	4.0	3.9	79	13	69	91	1007
7/7/2017 5:00	1.0	1.1	1.5	12.6	0.2	Too few samples	13.0	4.0	3.7	85	13	70	90	1007
7/7/2017 6:00	BDL	0.8	1.2	24.7	0.2	Too few samples	14.0	4.0	3.3	81	16	70	90	1006
7/7/2017 7:00	BDL	Too few samples	Too few samples	16	0.2	Too few samples	12.0	2.0	3.1	162	18	72	89	1006
7/7/2017 8:00	BDL	Calibration	Calibration	13.7	0.2	2.2	13.0	3.0	5.5	210	26	74	83	1005
7/7/2017 9:00	BDL	0.7	0.8	13.1	0.2	2.2	11.0	1.0	7.4	309	9	70	86	1006
7/7/2017 10:00	BDL	0.8	0.8	21.9	0.2	2.2	7.0	BDL	9.2	328	12	71	80	1006
7/7/2017 11:00	BDL	0.7	0.8	19.0	0.2	2.1	8.0	4.0	8.7	336	14	73	73	1006
7/7/2017 12:00	BDL	Calibration	Calibration	9.3	0.2	2.1	11.0	2.0	8.8	337	22	77	60	1006
7/7/2017 13:00	BDL	0.5	0.6	7.8	0.2	2.0	12.0	BDL	8.1	320	22	80	53	1005
7/7/2017 14:00	BDL	0.5	0.7	5.0	0.1	2.0	10.0	2.0	5.2	308	22	82	46	1005
7/7/2017 15:00	BDL	0.4	0.6	2.9	0.1	2.0	6.0	3.0	5.3	290	27	83	43	1004
7/7/2017 16:00	BDL	0.4	0.8	3.7	0.2	2.0	10.0	2.0	5.7	253	24	85	43	1004
7/7/2017 17:00	BDL	1.0	1.0	8.3	0.2	2.3	11.0	4.0	7.6	239	17	84	46	1004
7/7/2017 18:00	BDL	0.7	0.9	14.8	0.2	3.6	12.0	7.0	6.6	220	16	83	51	1005
7/7/2017 19:00	BDL	0.4	0.7	5.4	0.1	2.1	14.0	6.0	10.3	290	22	70	81	1006
7/7/2017 20:00	BDL	1.5	0.7	8.2	0.2	2.2	12.0	5.0	4.1	244	19	70	87	1006
7/7/2017 21:00	BDL	3.7	4.2	25.6	0.3	3.6	20.0	5.0	2.8	225	15	72	84	1006
7/7/2017 22:00	BDL	1.9	1.1	27.7	0.2	2.4	14.0	6.0	3.4	206	12	71	85	1006
7/7/2017 23:00	BDL	0.9	1.4	20.2	0.2	2.3	17.0	11.0	2.2	257	19	71	83	1006
7/8/2017 0:00	BDL	2.3	2.1	20.0	0.2	3.2	21.0	8.0	2.6	212	15	71	84	1005
7/8/2017 1:00	BDL	0.9	1.0	18.0	0.2	2.3	13.0	4.0	3.7	209	15	71	85	1005
7/8/2017 2:00	BDL	Calibration	Calibration	15.8	0.2	2.4	17.0	6.0	2.7	246	24	70	85	1005
7/8/2017 3:00	BDL	Calibration	Calibration	26.6	0.3	2.8	30.0	7.0	2.9	252	23	70	86	1005
7/8/2017 4:00	Calibration	1.4	1.4	Calibration	Calibration	2.3	18.0	7.0	4.0	255	21	70	77	1005
7/8/2017 5:00	2.0	Too few samples	Too few samples	15.4	0.3	Too few samples	33.0	8.0	2.8	253	19	70	71	1005
7/8/2017 6:00	0.4	Calibration	Calibration	10.4	0.2	2.2	20.0	7.0	3.8	263	22	71	72	1006
7/8/2017 7:00	BDL	0.8	1.3	13	0.2	Too few samples	13.0	5.0	6.0	246	15	73	62	1006
7/8/2017 8:00	BDL	0.8	0.9	7.8	0.2	2.2	12.0	5.0	5.6	275	20	76	52	1006
7/8/2017 9:00	BDL	0.4	0.7	6.3	0.2	2.1	14.0	4.0	5.7	266	19	80	43	1006
7/8/2017 10:00	BDL	BDL	0.6	4.3	0.2	2.0	14.0	2.0	6.1	249	23	83	39	1006
7/8/2017 11:00	BDL	BDL	0.6	4.5	0.2	2.0	13.0	2.0	6.5	243	24	85	38	1006
7/8/2017 12:00	BDL	0.5	0.8	4.1	0.2	2.0	12.0	3.0	7.6	259	21	85	38	1006
7/8/2017 13:00	BDL	0.4	0.7	2.5	0.2	2.0	10.0	6.0	9.0	293	18	83	42	1006
7/8/2017 14:00	BDL	0.4	0.7	3.0	0.2	2.0	18.0	6.0	8.3	276	18	85	39	1005
7/8/2017 15:00	BDL	0.7	0.9	12.9	0.2	2.2	11.0	6.0	8.5	259	17	85	38	1005
7/8/2017 16:00	BDL	0.6	0.9	4.4	0.2	2.1	15.0	4.0	9.2	266	18	85	39	1005
7/8/2017 17:00	BDL	0.6	0.8	4.1	0.2	2.1	8.0	5.0	8.2	268	19	84	41	1005
7/8/2017 18:00	BDL	0.4	0.6	4.1	0.2	2.4	14.0	4.0	6.5	267	16	83	44	1006
7/8/2017 19:00	BDL	0.4	0.7	5.6	0.2	3.3	15.0	7.0	4.2	268	15	76	71	1007
7/8/2017 20:00	BDL	0.4	0.7	8.6	0.2	2.2	11.0	6.0	4.4	270	13	75	65	1008
7/8/2017 21:00	BDL	0.4	0.6	5.1	0.2	2.0	12.0	9.0	5.3	295	9	75	56	1009
7/8/2017 22:00	BDL	BDL	0.6	4.4	0.2	2.0	19.0	7.0	4.7	294	10	75	54	1009
7/8/2017 23:00	BDL	BDL	0.6	4.3	0.2	2.0	15.0	8.0	4.3	294	10	74	56	1010

Abbrevations
BDL: below detection limit
SO2: sulfur dioxide
H2S: hydrogen sulfide
TRS: total reduced sulfur
NOx: oxides of nitrogen
CO: carbon monoxide
VOC: volatile organic compounds
PM10: particulate matter less than 10 micrometers in diameter or smaller
PM2.5: particulate matter less than 10 micrometers in diameter or smaller
PPB: parts per billion
PPM: parts per million
ug/m3: micrograms per cubic meter
mbar: millibar
pm: preventative maintenance
SO2, H2S, TRS, NOx - using the analyzer detection limit instead of the higher detection limit specified in the Consent Decree

Errata
October 17, 2016: Recovered SO2, H2S, TRS and NOx data that erroneously showed multiple-day calibration in October and November 2015