

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	H2S PPB 0.4 ppb	TMG PPB 0.4 ppb	NOx PPB 0.4 ppb	CO PPM 40.0 ppb	VOC PPM 10.0 ppb	PM10 µg/m3 1.0 µg/m3	PM2.5 µg/m3 1.0 µg/m3
Site Downwind Weekly: 10/18/2015-10/24/2015							
10/18/2015 0:00	BDL	BDL	7.2	0.2	1.7	7.0	6.0
10/18/2015 1:00	BDL	BDL	5.1	0.1	1.7	7.0	8.0
10/18/2015 2:00	BDL	BDL	4.1	0.1	1.8	6.0	5.0
10/18/2015 3:00	0.4	BDL	7.7	0.1	2.3	5.0	3.0
10/18/2015 4:00	0.5	BDL	16.6	0.2	2.3	9.0	9.0
10/18/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	10.0	13.0
10/18/2015 6:00	Calibration	Calibration	Calibration	Calibration	Calibration	8.0	7.0
10/18/2015 7:00	Calibration	Calibration	Calibration	Calibration	Calibration	8.0	5.0
10/18/2015 8:00	BDL	BDL	3.1	0.1	2.2	6.0	5.0
10/18/2015 9:00	0.4	BDL	2.2	0.1	1.9	7.0	2.0
10/18/2015 10:00	0.4	BDL	1.1	0.1	1.8	5.0	2.0
10/18/2015 11:00	BDL	BDL	1.1	0.1	1.8	8.0	7.0
10/18/2015 12:00	BDL	BDL	0.1	0.1	1.7	12.0	3.0
10/18/2015 13:00	BDL	BDL	0.6	0.1	1.6	8.0	8.0
10/18/2015 14:00	BDL	BDL	BDL	0.1	1.6	19.0	5.0
10/18/2015 15:00	BDL	BDL	2.1	0.1	1.7	6.0	2.0
10/18/2015 16:00	0.4	BDL	7.0	0.1	1.8	7.0	2.0
10/18/2015 17:00	BDL	BDL	1.9	0.1	1.7	5.0	5.0
10/18/2015 18:00	BDL	BDL	4.0	0.1	1.9	5.0	6.0
10/18/2015 19:00	BDL	BDL	13.1	0.2	2.0	10.0	5.0
10/18/2015 20:00	BDL	BDL	12.9	0.2	2.1	10.0	6.0
10/18/2015 21:00	BDL	BDL	13.5	0.2	1.8	10.0	6.0
10/18/2015 22:00	BDL	BDL	10.8	0.2	1.8	8.0	15.0
10/18/2015 23:00	BDL	BDL	15.5	0.2	1.8	10.0	8.0
10/19/2015 0:00	BDL	BDL	15.0	0.2	1.9	10.0	4.0
10/19/2015 1:00	0.4	BDL	18.8	0.2	2.3	8.0	6.0
10/19/2015 2:00	0.4	BDL	20.7	0.2	2.0	10.0	7.0
10/19/2015 3:00	BDL	BDL	18.8	0.1	2.0	11.0	12.0
10/19/2015 4:00	0.4	BDL	24.7	0.2	2.1	16.0	8.0
10/19/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	13.0	8.0
10/19/2015 6:00	Calibration	Calibration	Calibration	Calibration	Calibration	18.0	11.0
10/19/2015 7:00	Calibration	Calibration	Calibration	Calibration	Calibration	16.0	13.0
10/19/2015 8:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	16.0	13.0
10/19/2015 9:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	27.0	27.0
10/19/2015 10:00	2.0	0.5	BDL	27.1	0.2	1.8	21.0
10/19/2015 11:00	1.3	BDL	13.0	0.1	1.7	7.0	2.0
10/19/2015 12:00	2.7	BDL	4.5	0.1	1.7	8.0	BDL
10/19/2015 13:00	4.4	BDL	8.8	0.1	1.7	18.0	BDL
10/19/2015 14:00	3.9	BDL	12.9	0.1	1.7	10.0	5.0
10/19/2015 15:00	1.7	BDL	7.5	0.1	1.7	20.0	11.0
10/19/2015 16:00	1.2	BDL	7.3	0.1	1.8	17.0	7.0
10/19/2015 17:00	0.9	BDL	6.9	0.1	1.8	12.0	5.0
10/19/2015 18:00	0.8	BDL	7.2	0.1	1.9	11.0	9.0
10/19/2015 19:00	1.8	BDL	18.7	0.2	1.8	9.0	6.0
10/19/2015 20:00	0.5	0.4	13.6	0.2	1.9	11.0	7.0
10/19/2015 21:00	0.5	0.4	11.9	0.2	2.0	4.0	10.0
10/19/2015 22:00	0.5	0.5	11.6	0.2	2.1	13.0	7.0
10/19/2015 23:00	0.6	0.7	10.3	0.1	2.2	10.0	7.0
10/20/2015 0:00	0.4	0.7	8.8	0.1	2.3	11.0	7.0
10/20/2015 1:00	BDL	0.6	BDL	8.1	0.2	10.0	7.0
10/20/2015 2:00	BDL	0.8	BDL	9.9	0.1	2.2	10.0
10/20/2015 3:00	0.5	0.7	12.5	0.1	2.0	11.0	6.0
10/20/2015 4:00	0.4	0.7	12.1	0.1	2.1	9.0	5.0
10/20/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	11.0	9.0
10/20/2015 6:00	Calibration	Calibration	Calibration	Calibration	Calibration	15.0	10.0
10/20/2015 7:00	Calibration	Calibration	Calibration	Calibration	Calibration	24.0	10.0
10/20/2015 8:00	1.8	BDL	24.0	0.2	1.9	23.0	10.0
10/20/2015 9:00	1.8	0.4	BDL	22.4	0.2	2.0	27.0
10/20/2015 10:00	2.4	BDL	22.1	0.2	2.0	58.0	6.0
10/20/2015 11:00	Calibration	Calibration	Calibration	Calibration	Calibration	35.0	10.0
10/20/2015 12:00	1.8	BDL	14.2	0.2	2.0	23.0	6.0
10/20/2015 13:00	BDL	1.5	BDL	16.0	0.2	1.9	59.0
10/20/2015 14:00	1.4	BDL	15.7	0.2	2.0	39.0	6.0
10/20/2015 15:00	1.3	BDL	12.0	0.2	2.0	34.0	6.0
10/20/2015 16:00	1.3	BDL	12.3	0.2	2.0	31.0	5.0
10/20/2015 17:00	1.7	BDL	15.3	0.2	1.9	25.0	10.0
10/20/2015 18:00	1.8	BDL	17.3	0.2	1.9	20.0	9.0
10/20/2015 19:00	2.4	0.4	BDL	19.9	0.2	1.9	29.0
10/20/2015 20:00	2.0	0.4	BDL	18.6	0.2	1.9	26.0
10/20/2015 21:00	2.3	0.5	BDL	15.7	0.2	2.0	27.0
10/20/2015 22:00	1.8	0.5	BDL	19.1	0.2	2.1	19.0
10/20/2015 23:00	1.7	0.5	BDL	22.9	0.2	2.4	23.0
10/21/2015 0:00	1.1	0.5	BDL	17.2	0.2	2.5	23.0
10/21/2015 1:00	0.7	0.4	BDL	13.9	0.2	2.6	14.0
10/21/2015 2:00	0.4	0.5	BDL	14.4	0.2	3.1	19.0
10/21/2015 3:00	0.8	0.9	1	16.9	0.2	3.6	19.0
10/21/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	21.0	13.0
10/21/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	25.0	10.0
10/21/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	33.0	14.0
10/21/2015 7:00	1.7	2.3	BDL	36.6	0.6	2.5	48.0
10/21/2015 8:00	0.4	1.7	BDL	81.5	0.5	3.0	20.0
10/21/2015 9:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	37.0	23.0
10/21/2015 10:00	3.2	1.5	BDL	88.6	0.4	3.0	47.0
10/21/2015 11:00	3.1	1.1	BDL	54.5	0.4	2.5	43.0
10/21/2015 12:00	2.5	0.9	BDL	38.5	0.3	2.5	44.0
10/21/2015 13:00	1.9	0.6	BDL	23.2	0.3	2.1	27.0
10/21/2015 14:00	1.2	0.6	BDL	13.1	0.2	2.0	23.0
10/21/2015 15:00	1.1	0.4	BDL	10.2	0.2	1.9	23.0
10/21/2015 16:00	0.9	BDL	9.9	0.2	1.8	24.0	9.0
10/21/2015 17:00	1.3	BDL	13.3	0.2	2.0	22.0	13.0
10/21/2015 18:00	1.4	BDL	12.5	0.4	2.0	33.0	12.0
10/21/2015 19:00	0.9	0.7	BDL	39.9	0.4	1.8	29.0
10/21/2015 20:00	0.8	0.8	BDL	27.3	0.3	2.1	27.0
10/21/2015 21:00	0.7	0.9	BDL	39.4	0.4	2.2	28.0
10/21/2015 22:00	0.7	0.8	BDL	15.5	0.3	2.5	25.0
10/21/2015 23:00	1.0	0.9	BDL	37.4	0.4	2.3	25.0
10/22/2015 0:00	1.0	1.1	BDL	28.7	0.3	2.0	24.0
10/22/2015 1:00	0.7	1.4	1.5	25.0	0.3	2.4	24.0
10/22/2015 2:00	0.5	1.2	1.3	23.2	0.2	2.0	21.0
10/22/2015 3:00	0.5	1.3	1.3	24.4	0.2	2.1	19.0
10/22/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	24.0	12.0
10/22/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	24.0	13.0
10/22/2015 6:00	Calibration	Calibration	Calibration	Calibration	Calibration	21.0	15.0
10/22/2015 7:00	0.7	1.8	1.9	49.9	0.3	2.9	44.0
10/22/2015 8:00	2.2	2.4	1.7	71.3	0.4	2.9	44.0
10/22/2015 9:00	1.6	1.8	1.5	30.2	0.3	2.6	29.0
10/22/2015 10:00	1.8	1.1	BDL	29.9	0.3	2.2	17.0
10/22/2015 11:00	1.5	0.8	Too few samples	25.8	0.3	2.0	31.0
10/22/2015 12:00	2.1	0.7	Too few samples	24.9	0.2	2.1	36.0
10/22/2015 13:00	1.7	0.5	BDL	19.3	0.2	2.3	37.0
10/22/2015 14:00	1.7	BDL	BDL	16.1	0.2	2.1	43.0
10/22/2015 15:00	1.4	BDL	BDL	10.7	0.2	2.1	36.0
10/22/2015 16:00	1.5	BDL	BDL	11.3	0.2	2.1	28.0
10/22/2015 17:00	1.2	BDL	BDL	13.2	0.2	2.4	31.0
10/22/2015 18:00	1.6	BDL	Too few samples	20.4	0.3	2.0	35.0
10/22/2015 19:00	2.0	0.5	BDL	27.9	0.3	BDL	35.0
10/22/2015 20:00	1.8	0.4	BDL	18.7	0.3	BDL	41.0
10/22/2015 21:00	1.7	0.4	BDL	19.4	0.3	BDL	36.0
10/22/2015 22:00	1.6	0.5	Too few samples	19.5	0.3	Too few samples	28.0
10/22/2015 23:00	3.0	0.6	Too few samples	21.7	0.3	Too few samples	33.0
10/23/2015 0:00	0.6	1.7	invalid	22.7	0.3	invalid	25.0
10/23/2015 1:00	1.3	0.8	invalid	32.6	0.4	invalid	26.0
10/23/2015 2:00	0.8	0.5	invalid	27.4	0.4	invalid	26.0
10/23/2015 3:00	0.7	BDL	invalid	31.1	0.3	invalid	28.0
10/23/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	28.0	11.0
10/23/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	26.0	17.0
10/23/2015 6:00	Calibration	Calibration	Calibration	Calibration	Calibration	28.0	15.0
10/23/2015 7:00	Calibration	Calibration	Calibration	Calibration	Calibration	11.0	9.0
10/23/2015 8:00	0.5	BDL	BDL	21.4	0.3	1.7	21.0
10/23/2015 9:00	0.4	BDL	BDL	16.2	0.2	1.6	14.0
10/23/2015 10:00	BDL	BDL	BDL	11.9	0.2	1.5	24.0
10/23/2015 11:00	BDL	BDL	BDL	9.9	0.2	1.6	14.0
10/23/2015 12:00	BDL	BDL	BDL	10.4	0.2	1.6	12.0
10/23/2015 13:00	BDL	BDL	BDL	6.2	0.1	1.6	15.0
10/23/2015 14:00	BDL	BDL	BDL	5.7	0.1	1.6	19.0
10/23/2015 15:00	BDL	BDL	BDL	4.2	0.1	1.5	12.0
10/23/2015 16:00	BDL	BDL	BDL	7.3	0.2	1.5	10.0
10/23/2015 17:00	BDL	BDL	BDL	7.1	0.2	1.5	14.0
10/23/2015 18:00	BDL	BDL	BDL	11.5	0.2	1.5	15.0
10/23/2015 19:00	BDL	BDL	BDL	17.6	0.3	1.5	16.0
10/23/2015 20:00	BDL	BDL	BDL	23.1	0.4	1.5	16.0
10/23/2015 21:00	BDL	BDL	BDL	28.9	0.4	1.5	17.0
10/23/2015 22:00	BDL	BDL	BDL	31.8	0.4	1.6	16.0
10/23/2015 23:00	BDL	BDL	BDL	17.6	0.3	1.5	16.0
10/24/2015 0:00	BDL	BDL	BDL	15.4	0.2	1.5	11.0
10/24/2015 1:00	0.5	BDL	BDL	14.2	0.2	1.5	15.0
10/24/2015 2:00	BDL	BDL	BDL	22.4	0.3	1.7	14.0
10/24/2015 3:00	BDL	BDL	BDL	17.2	0.2	1.6	14.0
10/24/2015 4:00	BDL	BDL</					

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	SQ2 PPB	H2S 0.4 ppb	TNG PPB 0.4 ppb	NOx PPB 0.4 ppb	CO PPM 40.0 ppb	VOC PPM 10.0 ppb	PM10 µg/m3 1.0 µg/m3	PM2.5 µg/m3 1.0 µg/m3
10/25/2015 0:00	BDL	BDL	BDL	3.9	0.2	1.4	7.0	6.0
10/25/2015 1:00	BDL	BDL	BDL	2.4	0.2	1.5	7.0	8.0
10/25/2015 2:00	BDL	BDL	BDL	10.1	0.2	1.6	6.0	5.0
10/25/2015 3:00	BDL	BDL	BDL	6.1	0.2	1.6	5.0	3.0
10/25/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	9.0	9.0
10/25/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	10.0	13.0
10/25/2015 6:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	8.0	7.0
10/25/2015 7:00	0.5	0.5	Too few samples	10.0	0.2	Too few samples	10.0	5.0
10/25/2015 8:00	0.4	BDL	Too few samples	8.5	0.2	Too few samples	6.0	3.0
10/25/2015 9:00	BDL	BDL	Too few samples	3.8	0.2	Too few samples	7.0	2.0
10/25/2015 10:00	0.6	0.4	Too few samples	7.6	0.2	Too few samples	5.0	2.0
10/25/2015 11:00	1.1	0.4	Too few samples	10.2	0.2	Too few samples	8.0	3.0
10/25/2015 12:00	2.7	0.4	Too few samples	7.2	0.2	Too few samples	12.0	7.0
10/25/2015 13:00	0.2	BDL	Too few samples	2.4	0.2	Too few samples	8.0	8.0
10/25/2015 14:00	0.5	BDL	Too few samples	2.0	0.2	Too few samples	19.0	5.0
10/25/2015 15:00	BDL	BDL	Too few samples	2.5	0.2	Too few samples	6.0	2.0
10/25/2015 16:00	BDL	BDL	Too few samples	2.3	0.2	Too few samples	7.0	2.0
10/25/2015 17:00	BDL	BDL	Too few samples	2.5	0.2	Too few samples	5.0	5.0
10/25/2015 18:00	BDL	BDL	Too few samples	4.5	0.2	Too few samples	5.0	6.0
10/25/2015 19:00	BDL	BDL	Too few samples	4.2	0.2	Too few samples	10.0	5.0
10/25/2015 20:00	BDL	BDL	Too few samples	3.4	0.2	Too few samples	10.0	6.0
10/25/2015 21:00	BDL	BDL	Too few samples	4.2	0.2	Too few samples	1.5	10.0
10/25/2015 22:00	BDL	BDL	Too few samples	5.3	0.2	Too few samples	8.0	15.0
10/25/2015 23:00	BDL	BDL	Too few samples	4.6	0.2	Too few samples	10.0	8.0
10/26/2015 0:00	BDL	BDL	BDL	14.2	0.2	1.5	10.0	4.0
10/26/2015 1:00	BDL	BDL	BDL	11.0	0.2	1.6	8.0	6.0
10/26/2015 2:00	BDL	BDL	BDL	17.3	0.2	1.8	10.0	7.0
10/26/2015 3:00	BDL	BDL	BDL	12.7	0.2	1.8	11.0	12.0
10/26/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	16.0	8.0
10/26/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	18.0	8.0
10/26/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	13.0	11.0
10/26/2015 7:00	BDL	0.5	BDL	32.9	0.3	2.2	16.0	13.0
10/26/2015 8:00	0.4	BDL	BDL	31.7	0.3	1.8	16.0	13.0
10/26/2015 9:00	Too few samples	Too few samples	Too few samples	31.7	0.3	1.8	16.0	13.0
10/26/2015 10:00	BDL	BDL	BDL	20.4	0.2	1.5	21.0	6.0
10/26/2015 11:00	BDL	BDL	BDL	17.9	0.2	1.6	7.0	2.0
10/26/2015 12:00	BDL	BDL	BDL	16.9	0.2	1.6	8.0	BDL
10/26/2015 13:00	BDL	BDL	BDL	14.4	0.2	1.4	18.0	BDL
10/26/2015 14:00	BDL	BDL	BDL	11.7	0.2	1.5	10.0	5.0
10/26/2015 15:00	BDL	BDL	BDL	14.5	0.2	1.5	20.0	8.0
10/26/2015 16:00	0.4	BDL	BDL	16.4	0.2	1.5	17.0	7.0
10/26/2015 17:00	0.6	BDL	BDL	23.8	0.3	1.5	12.0	5.0
10/26/2015 18:00	0.7	0.4	BDL	40.2	0.4	1.5	11.0	9.0
10/26/2015 19:00	0.5	0.4	BDL	35.1	0.4	1.5	9.0	7.0
10/26/2015 20:00	0.5	0.4	BDL	39.9	0.5	1.6	11.0	7.0
10/26/2015 21:00	0.5	0.5	BDL	37.9	0.4	1.8	4.0	10.0
10/26/2015 22:00	0.6	0.7	BDL	46.1	0.4	1.8	11.0	7.0
10/26/2015 23:00	0.4	0.9	BDL	42.2	0.4	1.7	10.0	7.0
10/27/2015 0:00	0.6	0.8	BDL	48.2	0.5	1.8	11.0	7.0
10/27/2015 1:00	0.8	1.2	BDL	69.2	0.6	2.3	10.0	7.0
10/27/2015 2:00	1.5	2.4	BDL	124.5	0.6	3.1	10.0	6.0
10/27/2015 3:00	2.0	3.7	1.6	162.6	0.7	2.9	11.0	6.0
10/27/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	9.0	5.0
10/27/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	11.0	10.0
10/27/2015 6:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	15.0	10.0
10/27/2015 7:00	1.5	1.2	BDL	77.1	0.5	2.0	24.0	10.0
10/27/2015 8:00	1.5	1.4	BDL	78.9	0.6	2.0	23.0	10.0
10/27/2015 9:00	1.6	1.6	BDL	84.5	0.6	1.9	27.0	6.0
10/27/2015 10:00	1.3	1.4	BDL	70.0	0.5	1.9	58.0	11.0
10/27/2015 11:00	1.0	1.1	BDL	53.5	0.4	1.8	39.0	11.0
10/27/2015 12:00	0.4	BDL	BDL	31.3	0.3	1.6	23.0	6.0
10/27/2015 13:00	BDL	BDL	BDL	24.1	0.2	1.5	59.0	5.0
10/27/2015 14:00	BDL	BDL	BDL	15.5	0.2	1.4	39.0	5.0
10/27/2015 15:00	BDL	BDL	BDL	15.1	0.2	1.4	34.0	6.0
10/27/2015 16:00	BDL	BDL	BDL	12.6	0.2	1.4	31.0	5.0
10/27/2015 17:00	BDL	BDL	BDL	11.7	0.2	1.4	25.0	10.0
10/27/2015 18:00	BDL	BDL	BDL	12.5	0.2	1.4	20.0	9.0
10/27/2015 19:00	BDL	BDL	BDL	12.9	0.2	1.5	29.0	11.0
10/27/2015 20:00	BDL	BDL	BDL	11.5	0.2	1.4	26.0	11.0
10/27/2015 21:00	BDL	BDL	BDL	12.6	0.2	1.5	27.0	16.0
10/27/2015 22:00	BDL	BDL	BDL	13.3	0.2	1.5	19.0	13.0
10/27/2015 23:00	BDL	BDL	BDL	12.5	0.2	1.5	23.0	13.0
10/28/2015 0:00	BDL	BDL	BDL	13.3	0.2	1.5	23.0	10.0
10/28/2015 1:00	BDL	BDL	BDL	8.2	0.2	1.5	14.0	8.0
10/28/2015 2:00	BDL	BDL	BDL	7.6	0.2	1.5	19.0	14.0
10/28/2015 3:00	BDL	BDL	BDL	13.6	0.2	1.5	19.0	12.0
10/28/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	21.0	13.0
10/28/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	25.0	10.0
10/28/2015 6:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	31.0	12.0
10/28/2015 7:00	BDL	0.4	BDL	19.6	0.3	1.5	48.0	14.0
10/28/2015 8:00	BDL	0.4	BDL	21.8	0.3	1.4	43.0	20.0
10/28/2015 9:00	BDL	Too few samples	BDL	17.1	0.3	Too few samples	37.0	23.0
10/28/2015 10:00	---	---	---	---	---	---	47.0	24.0
10/28/2015 11:00	BDL	BDL	Too few samples	15.7	0.2	1.3	43.0	16.0
10/28/2015 12:00	BDL	BDL	Too few samples	15.2	0.2	1.4	44.0	16.0
10/28/2015 13:00	BDL	BDL	BDL	14.8	0.3	1.5	27.0	10.0
10/28/2015 14:00	BDL	BDL	BDL	13.3	0.2	1.5	23.0	12.0
10/28/2015 15:00	BDL	BDL	BDL	9.9	0.3	1.5	23.0	10.0
10/28/2015 16:00	BDL	BDL	BDL	6.2	0.3	1.6	24.0	9.0
10/28/2015 17:00	BDL	BDL	BDL	6.5	0.2	1.7	22.0	13.0
10/28/2015 18:00	BDL	BDL	BDL	2.7	0.2	1.7	33.0	12.0
10/28/2015 19:00	BDL	BDL	Too few samples	2.0	0.2	1.6	29.0	13.0
10/28/2015 20:00	BDL	BDL	BDL	0.8	0.2	1.7	27.0	17.0
10/28/2015 21:00	BDL	BDL	BDL	2.3	0.2	1.5	28.0	16.0
10/28/2015 22:00	BDL	BDL	Too few samples	0.6	0.2	1.5	25.0	12.0
10/28/2015 23:00	BDL	BDL	Too few samples	0.6	0.2	1.7	25.0	17.0
10/29/2015 0:00	BDL	BDL	BDL	0.9	0.2	1.8	24.0	13.0
10/29/2015 1:00	BDL	BDL	BDL	0.4	0.2	1.9	24.0	21.0
10/29/2015 2:00	BDL	0.5	BDL	4.3	0.2	1.7	23.0	17.0
10/29/2015 3:00	BDL	BDL	BDL	5.1	0.2	1.7	19.0	15.0
10/29/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	24.0	12.0
10/29/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	24.0	13.0
10/29/2015 6:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	21.0	15.0
10/29/2015 7:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	24.0	14.0
10/29/2015 8:00	1.0	0.5	BDL	31.4	0.3	1.8	44.0	20.0
10/29/2015 9:00	0.6	0.4	BDL	20.4	0.2	1.9	29.0	16.0
10/29/2015 10:00	BDL	BDL	BDL	16.3	0.2	2.0	26.0	17.0
10/29/2015 11:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	2.1	31.0
10/29/2015 12:00	0.4	BDL	BDL	9.5	0.2	1.8	36.0	12.0
10/29/2015 13:00	0.4	BDL	Too few samples	7.2	0.2	1.6	37.0	12.0
10/29/2015 14:00	0.7	BDL	BDL	10.3	0.2	1.6	43.0	15.0
10/29/2015 15:00	0.7	BDL	BDL	12.4	0.2	1.6	36.0	8.0
10/29/2015 16:00	0.6	BDL	BDL	11.4	0.2	1.6	28.0	9.0
10/29/2015 17:00	0.5	BDL	BDL	8.1	0.2	1.6	31.0	13.0
10/29/2015 18:00	0.7	BDL	BDL	14.9	0.2	1.6	35.0	19.0
10/29/2015 19:00	0.8	BDL	BDL	9.4	0.2	1.6	35.0	24.0
10/29/2015 20:00	0.6	BDL	BDL	13.5	0.2	1.6	41.0	22.0
10/29/2015 21:00	0.9	BDL	BDL	12.2	0.2	1.6	36.0	16.0
10/29/2015 22:00	0.7	BDL	BDL	11.6	0.2	1.6	28.0	16.0
10/29/2015 23:00	1.0	BDL	BDL	9.7	0.2	1.6	33.0	17.0
10/30/2015 0:00	1.0	BDL	BDL	14.3	0.2	1.6	25.0	12.0
10/30/2015 1:00	0.7	BDL	BDL	4.2	0.2	1.6	26.0	18.0
10/30/2015 2:00	0.7	BDL	BDL	6.8	0.2	1.6	26.0	17.0
10/30/2015 3:00	0.6	BDL	BDL	8.7	0.2	1.6	28.0	15.0
10/30/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	28.0	11.0
10/30/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	15.0	11.0
10/30/2015 6:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	11.0	8.0
10/30/2015 7:00	1.0	BDL	BDL	15.5	0.2	1.6	21.0	8.0
10/30/2015 8:00	1.4	0.4	BDL	28.3	0.2	1.7	34.0	10.0
10/30/2015 9:00	0.6	BDL	BDL	15.6	0.2	1.6	24.0	6.0
10/30/2015 10:00	0.4	BDL	BDL	4.8	0.2	1.6	14.0	3.0
10/30/2015 11:00	0.4	BDL	BDL	3.5	0.2	1.6	12.0	2.0
10/30/2015 12:00	0.4	BDL	BDL	3.4	0.2	1.5	15.0	BDL
10/30/2015 13:00	0.4	BDL	BDL	4.5	0.2	1.5	19.0	3.0
10/30/2015 14:00	0.4	BDL	BDL	3.0	0.2	1.5	12.0	2.0
10/30/2015 15:00	0.4	BDL	BDL	4.9	0.2	1.6	10.0	3.0
10/30/2015 16:00	0.4	BD						

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	SQ2 PPB	H2S PPB	TMG PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m ³	PM2.5 µg/m ³
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m ³	1.0 µg/m ³
Site Downwind Weekly: 11/2015-11/2015								
11/2015 000	BDL	1.2	1.4	8.6	0.3	1.8	14.0	8.0
11/2015 100	BDL	1.6	1.9	8.6	0.2	1.7	17.0	9.0
11/2015 200	BDL	1.9	2.1	16.6	1.5	14.0	14.0	9.0
11/2015 300	BDL	1.8	2	7.2	0.3	1.8	15.0	8.0
11/2015 400	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	16.0	9.0
11/2015 500	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	14.0	6.0
11/2015 600	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	14.0	7.0
11/2015 700	0.4	0.8	1	8.8	0.2	1.8	10.0	7.0
11/2015 800	BDL	0.9	1	6.7	0.2	1.8	14.0	8.0
11/2015 900	0.8	1.0	1.2	9.1	0.2	1.8	13.0	9.0
11/2015 1000	0.7	0.7	BDL	7.4	0.2	1.8	20.0	10.0
11/2015 1100	0.9	0.4	BDL	9.4	0.2	1.7	17.0	10.0
11/2015 1200	0.9	BDL	BDL	8.2	0.2	1.7	20.0	13.0
11/2015 1300	1.0	BDL	BDL	7.8	0.2	1.8	17.0	18.0
11/2015 1400	0.8	BDL	BDL	5.2	0.2	1.8	21.0	12.0
11/2015 1500	1.5	BDL	BDL	9.2	0.3	1.7	25.0	22.0
11/2015 1600	1.7	BDL	BDL	10.5	0.2	1.7	14.0	12.0
11/2015 1700	2.0	BDL	BDL	13.2	0.3	1.7	22.0	17.0
11/2015 1800	1.9	BDL	BDL	16.0	0.3	1.7	20.0	14.0
11/2015 1900	2.4	BDL	BDL	16.0	0.3	1.7	27.0	24.0
11/2015 2000	2.6	BDL	BDL	15.1	0.3	1.8	32.0	26.0
11/2015 2100	2.8	0.4	Too few samples	13.5	0.3	Too few samples	34.0	24.0
11/2015 2200	2.4	0.4	Too few samples	17.9	0.3	Too few samples	30.0	26.0
11/2015 2300	2.3	0.6	BDL	18.5	0.4	2.1	27.0	17.0
11/2015 000	1.0	1.0	Too few samples	20.7	0.4	Too few samples	29.0	22.0
11/2015 100	1.2	1.4	Too few samples	20.5	0.4	Too few samples	26.0	19.0
11/2015 200	0.9	1.2	Invalid	26.5	0.4	Invalid	22.0	18.0
11/2015 300	0.5	1.5	Invalid	31.2	0.4	Invalid	30.0	19.0
11/2015 400	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	28.0	18.0
11/2015 500	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	29.0	18.0
11/2015 600	Too few samples	Too few samples	Calibration	Too few samples	Calibration	Calibration	14.0	14.0
11/2015 700	1.9	1.8	Invalid	102.6	0.1	Too few samples	18.0	14.0
11/2015 800	1.5	1.1	Invalid	61.4	0.5	Invalid	21.0	9.0
11/2015 900	1.3	0.8	Invalid	50.8	0.4	Invalid	23.0	18.0
11/2015 1000	1.0	0.6	Too few samples	36.9	0.4	Invalid	17.0	10.0
11/2015 1100	1.1	0.4	Too few samples	26.2	0.3	Too few samples	19.0	8.0
11/2015 1200	1.3	0.5	Too few samples	34.8	0.3	Too few samples	19.0	8.0
11/2015 1300	1.1	0.6	BDL	35.7	0.4	1.6	17.0	11.0
11/2015 1400	1.1	0.5	BDL	31.0	0.4	1.7	25.0	9.0
11/2015 1500	1.0	0.4	BDL	25.7	0.3	1.6	20.0	7.0
11/2015 1600	1.1	0.6	BDL	40.5	0.5	1.6	22.0	8.0
11/2015 1700	1.5	1.0	BDL	65.4	0.8	1.7	34.0	16.0
11/2015 1800	1.6	1.4	BDL	75.5	0.7	1.8	35.0	17.0
11/2015 1900	1.8	1.8	1	83.9	0.7	2.0	28.0	13.0
11/2015 2000	2.6	2.2	BDL	105	0.9	2.2	35.0	18.0
11/2015 2100	2.0	2.0	BDL	103.3	0.9	2.4	28.0	14.0
11/2015 2200	2.6	2.6	1.4	117.2	1.0	3.1	33.0	16.0
11/2015 2300	2.3	2.9	1.1	119.4	1.0	3.1	34.0	17.0
11/2015 000	1.6	1.9	Too few samples	97.8	1.0	Too few samples	33.0	17.0
11/2015 100	1.2	1.7	Too few samples	84.9	0.9	Too few samples	28.0	17.0
11/2015 200	1.5	2.2	Too few samples	106.9	1.0	Too few samples	29.0	16.0
11/2015 300	1.4	1.9	Too few samples	100.2	0.9	Too few samples	33.0	16.0
11/2015 400	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	29.0	18.0
11/2015 500	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	28.0	27.0
11/2015 600	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	33.0	20.0
11/2015 700	1.4	2.0	Too few samples	94.6	0.8	Too few samples	34.0	17.0
11/2015 800	2.2	2.5	Invalid	132.3	1.1	Invalid	42.0	27.0
11/2015 900	2.9	3.6	Invalid	182.3	1.2	Invalid	43.0	34.0
11/2015 1000	3.1	3.2	Too few samples	140.6	0.9	Invalid	50.0	36.0
11/2015 1100	3.1	1.6	2.3	69.1	0.9	Too few samples	44.0	31.0
11/2015 1200	3.4	0.8	BDL	47.4	0.4	1.7	37.0	16.0
11/2015 1300	3.2	0.6	BDL	34.5	0.3	1.5	30.0	15.0
11/2015 1400	2.3	0.6	BDL	33.2	0.3	1.6	27.0	11.0
11/2015 1500	2.6	0.4	BDL	26.1	0.3	1.7	27.0	8.0
11/2015 1600	3.3	0.3	BDL	23.1	0.3	1.7	27.0	9.0
11/2015 1700	1.7	0.5	BDL	31.7	0.4	1.7	31.0	13.0
11/2015 1800	1.8	1.0	BDL	43.2	0.4	1.8	29.0	14.0
11/2015 1900	3.3	1.2	BDL	41.4	0.4	2.1	26.0	14.0
11/2015 2000	2.6	1.2	BDL	47.5	0.5	2.2	26.0	16.0
11/2015 2100	2.2	1.4	1.3	62.7	0.7	2.4	27.0	12.0
11/2015 2200	3.5	2.3	1.6	82.7	1.0	2.6	28.0	17.0
11/2015 2300	2.2	2.3	BDL	102.3	0.9	3.2	31.0	16.0
11/2015 000	1.9	1.9	BDL	98.7	0.7	3.2	29.0	21.0
11/2015 100	1.3	1.2	BDL	54.9	0.7	3.0	30.0	17.0
11/2015 200	1.6	2.4	1.7	79.3	0.8	3.4	25.0	18.0
11/2015 300	1.4	1.9	1	83.1	0.7	3.2	29.0	19.0
11/2015 400	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	33.0	19.0
11/2015 500	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	34.0	19.0
11/2015 600	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	39.0	27.0
11/2015 700	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	45.0	27.0
11/2015 800	6.5	6.0	2.3	252.7	1.6	3.7	48.0	31.0
11/2015 900	Calibration	Calibration	Calib	Calib	Calibration	Calibration	39.0	27.0
11/2015 1000	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	43.0	23.0
11/2015 1100	1.8	1.7	BDL	69.6	0.6	2.1	38.0	16.0
11/2015 1200	0.9	1.2	BDL	47.1	0.5	1.9	30.0	12.0
11/2015 1300	0.8	0.5	BDL	31.4	0.4	1.6	22.0	11.0
11/2015 1400	0.7	0.5	BDL	25.4	0.4	1.5	23.0	9.0
11/2015 1500	0.7	0.4	BDL	14.1	0.3	1.4	20.0	7.0
11/2015 1600	0.7	0.5	BDL	16.5	0.4	BDL	17.0	7.0
11/2015 1700	0.8	BDL	BDL	21.5	0.4	BDL	23.0	12.0
11/2015 1800	0.5	BDL	BDL	22.1	0.4	BDL	25.0	11.0
11/2015 1900	0.4	0.4	BDL	23.8	0.4	BDL	21.0	18.0
11/2015 2000	0.4	0.5	BDL	30.8	0.5	BDL	28.0	17.0
11/2015 2100	0.4	0.4	BDL	23.1	0.5	BDL	29.0	18.0
11/2015 2200	0.4	0.4	BDL	24.3	0.5	BDL	27.0	19.0
11/2015 2300	BDL	0.4	BDL	32.1	0.5	BDL	32.0	20.0
11/2015 000	BDL	0.7	BDL	43.9	0.6	BDL	33.0	27.0
11/2015 100	BDL	0.9	BDL	45.1	0.6	BDL	35.0	27.0
11/2015 200	BDL	0.9	BDL	54.6	0.6	BDL	43.0	32.0
11/2015 300	BDL	0.9	BDL	53.6	0.6	BDL	34.0	29.0
11/2015 400	Calibration	Calibration	Calibration	Calibration	Calibration	Calib	30.0	20.0
11/2015 500	Calibration	Calibration	Calibration	Calibration	Calibration	Calib	25.0	26.0
11/2015 600	Too few samples	Too few samples	Too few samples	Too few samples	0.6	BDL	28.0	21.0
11/2015 700	1.0	BDL	Too few samples	144.9	0.7	BDL	32.0	21.0
11/2015 800	Too few samples	Too few samples	Too few samples	Too few samples	0.8	BDL	43.0	26.0
11/2015 900	1.5	3.3	1.6	139.7	1.0	BDL	48.0	33.0
11/2015 1000	1.5	3.1	1.7	145.9	0.9	0.1	49.0	33.0
11/2015 1100	0.6	1.4	BDL	77.1	0.6	Too few samples	29.0	23.0
11/2015 1200	BDL	0.4	BDL	22.7	0.4	Invalid	17.0	12.0
11/2015 1300	BDL	0.4	BDL	17.5	0.3	Invalid	12.0	6.0
11/2015 1400	0.4	0.6	BDL	19.8	0.4	Invalid	16.0	6.0
11/2015 1500	0.4	0.6	BDL	17.1	0.4	Too few samples	21.0	19.0
11/2015 1600	0.4	0.7	BDL	29.7	0.4	BDL	25.0	19.0
11/2015 1700	BDL	0.4	BDL	18.0	0.3	Too few samples	17.0	8.0
11/2015 1800	Too few samples	Too few samples	Too few samples	Too few samples	0.3	Too few samples	15.0	10.0
11/2015 1900	0.9	BDL	0.5	33.4	0.5	4.6	22.0	14.0
11/2015 2000	BDL	0.9	BDL	24.6	0.4	9.4	22.0	14.0
11/2015 2100	BDL	0.8	BDL	19.0	0.3	2.0	20.0	12.0
11/2015 2200	BDL	0.6	BDL	15.6	0.3	1.5	12.0	13.0
11/2015 2300	BDL	0.6	BDL	12.8	0.3	1.5	10.0	10.0
11/2015 000	BDL	0.4	BDL	4.9	0.2	1.0	11.0	6.0
11/2015 100	BDL	0.5	BDL	7.8	0.3	1.3	11.0	8.0
11/2015 200	BDL	0.5	BDL	14.7	0.3	1.0	12.0	13.0
11/2015 300	BDL	0.7	1	12.2	0.3	0.6	10.0	10.0
11/2015 400	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	7.0	8.0
11/2015 500	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	6.0	8.0
11/2015 600	Too few samples	Too few samples	Too few samples	Too few samples	0.3	Too few samples	10.0	14.0
11/2015 700	0.4	0.9	BDL	27.6	0.3	0.1	14.0	11.0
11/2015 800	Too few samples	Too few samples	Too few samples	Too few samples	0.3	Too few samples	13.0	10.0
11/2015 900	BDL	0.4	BDL	8.4	0.2	0.2	16.0	11.0
11/2015 1000	BDL	0.4	BDL	10.1	0.2	0.2	20.0	11.0
11/2015 1100	0.4	BDL	BDL	8.2	0.2	0.2	16.0	13.0
11/2015 1200	0.9	BDL	BDL	12.5	0.2	0.2	23.0	16.0
11/2015 1300	0.7	BDL	BDL	8.6	0.2	0.1	24.0	16.0
11/2015 1400	0.4	BDL	BDL	5.2	0.2	0.3	19.0	14.0
11/2015 1500	BDL	BDL	BDL	4.5	0.2	0.1	21.0	13.0
11/2015 1600	0.7	BDL	BDL	8.9	0.3	BDL	21.0	16.0
11/2015 1700	1.0	BDL	BDL	14.3	0.3	BDL	25.0	9.0
11/2015 1800	1.6	0.4	BDL	21.4	0.3	BDL	23.0	

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	H2S PPB	TRG PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m ³	PM2.5 µg/m ³
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m ³	1.0 µg/m ³
Site Downwind Weekly: 11/20/2015 11/24/2015							
11/20/2015 00:0	BDL	BDL	4.3	0.2	BDL	14.0	8.0
11/20/2015 1:00	BDL	BDL	4.4	0.1	BDL	17.0	9.0
11/20/2015 2:00	0.8	BDL	2.5	0.1	BDL	14.0	9.0
11/20/2015 3:00	0.5	BDL	2.7	0.1	BDL	15.0	8.0
11/20/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	16.0	9.0
11/20/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	14.0	6.0
11/20/2015 6:00	Too few samples	Too few samples	Too few samples	0.1	BDL	14.0	7.0
11/20/2015 7:00	0.7	BDL	6.5	0.2	BDL	10.0	7.0
11/20/2015 8:00	Too few samples	Too few samples	Too few samples	0.2	BDL	14.0	8.0
11/20/2015 9:00	0.7	BDL	6.8	0.1	BDL	13.0	24.0
11/20/2015 10:00	0.5	BDL	5.2	0.2	BDL	20.0	10.0
11/20/2015 11:00	BDL	BDL	2.5	0.1	BDL	17.0	10.0
11/20/2015 12:00	BDL	BDL	2.5	0.1	BDL	20.0	13.0
11/20/2015 13:00	BDL	BDL	1.2	0.1	BDL	17.0	18.0
11/20/2015 14:00	BDL	BDL	1.9	0.1	BDL	21.0	12.0
11/20/2015 15:00	BDL	BDL	1.4	0.1	BDL	25.0	22.0
11/20/2015 16:00	BDL	BDL	1.1	0.1	BDL	14.0	12.0
11/20/2015 17:00	BDL	BDL	1.4	0.1	BDL	22.0	17.0
11/20/2015 18:00	BDL	BDL	13.2	0.2	BDL	20.0	14.0
11/20/2015 19:00	0.6	BDL	58.2	0.4	BDL	27.0	24.0
11/20/2015 20:00	0.4	BDL	17.9	0.3	BDL	32.0	26.0
11/20/2015 21:00	0.5	BDL	30.5	0.3	BDL	34.0	24.0
11/20/2015 22:00	0.5	BDL	36.9	0.6	BDL	30.0	26.0
11/20/2015 23:00	0.5	BDL	39.3	0.6	0.1	27.0	17.0
11/21/2015 0:00	0.6	BDL	45.6	0.5	0.5	29.0	22.0
11/21/2015 1:00	1.0	BDL	48.3	0.7	0.9	26.0	19.0
11/21/2015 2:00	0.9	BDL	71.6	0.7	0.7	22.0	18.0
11/21/2015 3:00	0.5	BDL	47.6	0.5	0.6	30.0	19.0
11/21/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	28.0	18.0
11/21/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	19.0	18.0
11/21/2015 6:00	Too few samples	Too few samples	Too few samples	1.1	Too few samples	24.0	14.0
11/21/2015 7:00	Too few samples	Too few samples	Too few samples	0.1	Too few samples	18.0	18.0
11/21/2015 8:00	2.7	5.2	2	208.5	1.4	1.5	21.0
11/21/2015 9:00	2.4	4.1	2	154.3	1.1	1.5	23.0
11/21/2015 10:00	1.7	1.7	BDL	84.2	0.6	BDL	17.0
11/21/2015 11:00	1.9	1.5	BDL	67.9	0.5	BDL	19.0
11/21/2015 12:00	1.4	0.7	BDL	40.4	0.3	BDL	19.0
11/21/2015 13:00	0.5	0.5	BDL	28.1	0.2	BDL	20.0
11/21/2015 14:00	0.4	BDL	14.7	0.2	0.2	Too few samples	25.0
11/21/2015 15:00	0.4	BDL	15.1	0.2	0.2	Too few samples	20.0
11/21/2015 16:00	0.5	BDL	20.3	0.3	0.3	Too few samples	22.0
11/21/2015 17:00	0.7	0.4	BDL	30.2	0.4	Too few samples	34.0
11/21/2015 18:00	0.5	0.5	BDL	36.5	0.4	Too few samples	35.0
11/21/2015 19:00	0.5	0.7	BDL	33.3	0.4	BDL	28.0
11/21/2015 20:00	0.4	0.7	BDL	30.6	0.4	BDL	35.0
11/21/2015 21:00	0.4	0.5	BDL	25.9	0.4	BDL	28.0
11/21/2015 22:00	0.4	0.5	BDL	25.0	0.3	BDL	33.0
11/21/2015 23:00	0.4	0.4	BDL	22.1	0.3	BDL	34.0
11/22/2015 0:00	BDL	BDL	21.1	0.3	BDL	33.0	17.0
11/22/2015 1:00	BDL	BDL	37.0	0.3	BDL	28.0	17.0
11/22/2015 2:00	BDL	BDL	16.9	0.2	BDL	29.0	16.0
11/22/2015 3:00	BDL	BDL	20.4	0.2	BDL	33.0	16.0
11/22/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	28.0	18.0
11/22/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	28.0	27.0
11/22/2015 6:00	BDL	Too few samples	Too few samples	Calibration	Calibration	33.0	20.0
11/22/2015 7:00	BDL	0.6	BDL	30.7	0.4	BDL	30.0
11/22/2015 8:00	BDL	0.7	BDL	37.1	0.4	BDL	42.0
11/22/2015 9:00	BDL	0.7	BDL	40.3	0.4	BDL	43.0
11/22/2015 10:00	0.7	0.8	BDL	37.5	0.3	BDL	50.0
11/22/2015 11:00	0.7	0.4	BDL	32.1	0.3	BDL	44.0
11/22/2015 12:00	1.6	BDL	21.7	0.3	BDL	37.0	16.0
11/22/2015 13:00	4.5	BDL	19.5	0.3	BDL	30.0	15.0
11/22/2015 14:00	2.2	0.4	BDL	13.3	0.2	Out for Repair	27.0
11/22/2015 15:00	1.4	0.6	BDL	22.3	0.3	Out for Repair	27.0
11/22/2015 16:00	1.6	BDL	19.6	0.3	BDL	27.0	9.0
11/22/2015 17:00	1.0	BDL	16.2	0.3	BDL	31.0	13.0
11/22/2015 18:00	0.4	BDL	18.1	0.4	BDL	29.0	14.0
11/22/2015 19:00	0.4	BDL	14.8	0.3	BDL	26.0	14.0
11/22/2015 20:00	1.0	BDL	30.5	0.3	BDL	26.0	16.0
11/22/2015 21:00	1.1	BDL	9.8	0.3	BDL	27.0	12.0
11/22/2015 22:00	1.3	BDL	8.7	0.4	BDL	28.0	17.0
11/22/2015 23:00	0.7	BDL	14.5	0.4	BDL	31.0	16.0
11/23/2015 0:00	1.1	BDL	10.2	0.4	BDL	29.0	21.0
11/23/2015 1:00	1.3	BDL	6.4	0.3	BDL	30.0	17.0
11/23/2015 2:00	1.8	BDL	4.8	0.4	BDL	25.0	17.0
11/23/2015 3:00	2.4	BDL	5.7	0.3	BDL	29.0	19.0
11/23/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Out for Repair	33.0
11/23/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Out for Repair	34.0
11/23/2015 6:00	Too few samples	Too few samples	Too few samples	Calibration	Calibration	Out for Repair	19.0
11/23/2015 7:00	Calibration	Calibration	Calibration	Calibration	Calibration	Out for Repair	27.0
11/23/2015 8:00	Too few samples	Calibration	Calibration	Calibration	Calibration	Out for Repair	45.0
11/23/2015 9:00	Calibration	Calibration	Calibration	Calib	Calibration	Out for Repair	39.0
11/23/2015 10:00	Calibration	Calibration	Calibration	Calib	Calibration	Out for Repair	43.0
11/23/2015 11:00	Too few samples	BDL	10.3	0.2	BDL	38.0	16.0
11/23/2015 12:00	BDL	BDL	8.3	0.2	BDL	30.0	20.0
11/23/2015 13:00	BDL	BDL	7.4	0.2	BDL	22.0	11.0
11/23/2015 14:00	BDL	BDL	5.3	0.2	BDL	23.0	9.0
11/23/2015 15:00	BDL	BDL	5.3	0.2	BDL	20.0	7.0
11/23/2015 16:00	BDL	BDL	6.3	0.2	BDL	17.0	7.0
11/23/2015 17:00	BDL	BDL	8.3	0.2	BDL	23.0	12.0
11/23/2015 18:00	BDL	BDL	7.7	0.2	BDL	25.0	11.0
11/23/2015 19:00	BDL	BDL	9.7	0.3	BDL	21.0	18.0
11/23/2015 20:00	BDL	BDL	12.7	0.3	BDL	28.0	17.0
11/23/2015 21:00	BDL	BDL	17.0	0.3	BDL	29.0	18.0
11/23/2015 22:00	BDL	BDL	12.5	0.3	BDL	27.0	19.0
11/23/2015 23:00	BDL	BDL	16.2	0.3	BDL	32.0	20.0
11/24/2015 0:00	BDL	BDL	12.3	0.3	BDL	33.0	27.0
11/24/2015 1:00	BDL	BDL	9.5	0.3	BDL	35.0	27.0
11/24/2015 2:00	BDL	0.5	BDL	34.4	0.4	Out for Repair	43.0
11/24/2015 3:00	Calibration	1.1	BDL	62.9	0.4	Out for Repair	34.0
11/24/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Out for Repair	20.0
11/24/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Out for Repair	35.0
11/24/2015 6:00	Calibration	Calibration	Calibration	Calibration	Calibration	Out for Repair	28.0
11/24/2015 7:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Out for Repair	21.0
11/24/2015 8:00	1.4	0.9	BDL	46.2	0.4	Out for Repair	43.0
11/24/2015 9:00	1.5	0.9	BDL	41.3	0.4	Out for Repair	48.0
11/24/2015 10:00	0.6	1.5	BDL	30.6	0.4	Out for Repair	33.0
11/24/2015 11:00	Calibration	Calibration	Calibration	Calibration	Calibration	Out for Repair	29.0
11/24/2015 12:00	2.0	1.0	BDL	24.7	0.3	Out for Repair	17.0
11/24/2015 13:00	0.7	0.7	BDL	15.6	0.3	Out for Repair	12.0
11/24/2015 14:00	Calibration	Calibration	Calibration	Calibration	Calibration	Out for Repair	16.0
11/24/2015 15:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Out for Repair	21.0
11/24/2015 16:00	0.4	2.1	BDL	15.1	0.3	Out for Repair	19.0
11/24/2015 17:00	1.8	0.5	BDL	19.9	0.3	Out for Repair	8.0
11/24/2015 18:00	1.6	0.6	BDL	20.4	0.4	Out for Repair	15.0
11/24/2015 19:00	1.5	0.7	BDL	21.4	0.4	Out for Repair	14.0
11/24/2015 20:00	1.4	0.6	BDL	21.1	0.4	Out for Repair	22.0
11/24/2015 21:00	2.5	1.0	1	18.8	0.3	Out for Repair	20.0
11/24/2015 22:00	1.5	0.8	BDL	13.1	0.2	Out for Repair	12.0
11/24/2015 23:00	1.4	0.5	BDL	8.4	0.2	Out for Repair	10.0
11/25/2015 0:00	1.2	BDL	11.6	0.2	BDL	11.0	6.0
11/25/2015 1:00	1.2	BDL	16.1	0.2	BDL	11.0	8.0
11/25/2015 2:00	1.9	BDL	18.6	0.2	BDL	12.0	13.0
11/25/2015 3:00	1.9	0.7	BDL	24.5	0.2	Out for Repair	10.0
11/25/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Out for Repair	7.0
11/25/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Out for Repair	6.0
11/25/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Out for Repair	14.0
11/25/2015 7:00	2.5	0.5	BDL	18.9	0.2	Out for Repair	10.0
11/25/2015 8:00	1.8	0.5	BDL	20.9	0.2	Out for Repair	10.0
11/25/2015 9:00	2.7	0.9	BDL	27.7	0.2	Out for Repair	16.0
11/25/2015 10:00	1.7	0.7	BDL	18.1	0.2	Out for Repair	20.0
11/25/2015 11:00	1						

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	SQ2 PPB	H2S PPB	TMG PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m3	PM2.5 µg/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 11/25/2015-11/21/2015								
11/15/2015 0:00	0.6	BDL	BDL	11.3	0.2	Out for Repair	11.0	6.0
11/15/2015 1:00	0.6	BDL	BDL	12.7	0.2	Out for Repair	6.0	5.0
11/15/2015 2:00	1.8	BDL	BDL	16.8	0.1	Out for Repair	20.0	5.0
11/15/2015 3:00	1.2	BDL	BDL	15.5	0.1	Out for Repair	13.0	12.0
11/15/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Out for Repair	21.0	15.0
11/15/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Out for Repair	15.0	11.0
11/15/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Out for Repair	20.0	16.0
11/15/2015 7:00	2.5	0.6	BDL	39.5	0.3	Out for Repair	17.0	15.0
11/15/2015 8:00	3.1	0.9	BDL	49.1	0.3	Out for Repair	21.0	19.0
11/15/2015 9:00	5.5	0.7	BDL	44.5	0.2	Out for Repair	28.0	24.0
11/15/2015 10:00	3.1	0.7	BDL	42.8	0.6	Out for Repair	16.0	16.0
11/15/2015 11:00	2.9	BDL	BDL	25.0	0.2	Out for Repair	16.0	11.0
11/15/2015 12:00	2.4	BDL	BDL	22.2	0.2	Out for Repair	15.0	8.0
11/15/2015 13:00	2.6	BDL	BDL	19.7	0.2	Out for Repair	15.0	11.0
11/15/2015 14:00	2.1	0.4	BDL	15.1	0.2	Out for Repair	17.0	11.0
11/15/2015 15:00	1.7	BDL	BDL	17.7	0.2	Out for Repair	7.0	5.0
11/15/2015 16:00	1.8	BDL	BDL	21.3	0.2	Out for Repair	16.0	5.0
11/15/2015 17:00	1.9	BDL	BDL	29.9	0.3	Out for Repair	16.0	5.0
11/15/2015 18:00	2.1	BDL	BDL	29.2	0.2	Out for Repair	18.0	10.0
11/15/2015 19:00	2.5	0.4	BDL	40.1	0.3	Out for Repair	15.0	10.0
11/15/2015 20:00	2.9	0.5	BDL	45.1	0.2	Out for Repair	16.0	7.0
11/15/2015 21:00	2.2	0.4	BDL	25.1	0.2	Out for Repair	20.0	15.0
11/15/2015 22:00	3.4	0.4	BDL	25.1	0.2	Out for Repair	24.0	15.0
11/15/2015 23:00	4.3	0.4	BDL	31.7	0.3	Out for Repair	26.0	18.0
11/16/2015 0:00	1.6	0.4	BDL	38.5	0.3	Out for Repair	17.0	12.0
11/16/2015 1:00	1.8	0.9	1	28.1	0.9	Out for Repair	20.0	9.0
11/16/2015 2:00	1.7	1.3	1.1	46.1	0.3	Out for Repair	21.0	16.0
11/16/2015 3:00	1.2	1.5	1.2	48.4	0.1	Out for Repair	18.0	14.0
11/16/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Out for Repair	21.0	15.0
11/16/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Out for Repair	21.0	14.0
11/16/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Out for Repair	25.0	14.0
11/16/2015 7:00	1.9	2.5	BDL	111.1	0.4	Out for Repair	37.0	27.0
11/16/2015 8:00	3.3	2.6	BDL	153.6	0.7	Out for Repair	51.0	20.0
11/16/2015 9:00	3.1	2.0	BDL	104.5	0.5	Out for Repair	45.0	17.0
11/16/2015 10:00	2.6	1.1	BDL	65.5	0.3	Out for Repair	30.0	12.0
11/16/2015 11:00	1.9	0.5	BDL	18.1	0.2	Out for Repair	16.0	7.0
11/16/2015 12:00	1.7	BDL	BDL	11.0	0.2	Out for Repair	17.0	5.0
11/16/2015 13:00	1.4	BDL	BDL	8.6	0.2	Out for Repair	15.0	6.0
11/16/2015 14:00	1.4	BDL	BDL	11.9	0.2	Out for Repair	15.0	10.0
11/16/2015 15:00	1.4	BDL	BDL	13.7	0.2	Out for Repair	19.0	7.0
11/16/2015 16:00	1.3	BDL	BDL	14.8	0.2	Out for Repair	18.0	7.0
11/16/2015 17:00	1.4	BDL	BDL	25.7	0.3	Out for Repair	24.0	9.0
11/16/2015 18:00	1.3	BDL	BDL	32.8	0.3	Out for Repair	31.0	17.0
11/16/2015 19:00	1.2	BDL	BDL	33.7	0.3	Out for Repair	29.0	13.0
11/16/2015 20:00	1.3	0.5	BDL	75.5	0.6	Out for Repair	34.0	18.0
11/16/2015 21:00	2.0	1.5	BDL	125.0	0.9	Out for Repair	35.0	18.0
11/16/2015 22:00	2.0	1.4	BDL	108.4	1.0	Out for Repair	37.0	20.0
11/16/2015 23:00	3.0	3.1	BDL	215.8	1.5	Out for Repair	44.0	24.0
11/17/2015 0:00	3.2	3.7	BDL	241.3	1.4	Out for Repair	45.0	24.0
11/17/2015 1:00	1.4	1.3	BDL	81.7	0.4	Out for Repair	21.0	15.0
11/17/2015 2:00	2.0	1.2	BDL	96.7	0.6	Out for Repair	31.0	22.0
11/17/2015 3:00	2.1	1.2	BDL	97.1	0.4	Out for Repair	27.0	21.0
11/17/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Out for Repair	15.0	9.0
11/17/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Out for Repair	20.0	7.0
11/17/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Out for Repair	15.0	4.0
11/17/2015 7:00	1.0	BDL	BDL	35.0	0.2	Out for Repair	12.0	8.0
11/17/2015 8:00	0.7	BDL	BDL	32.7	0.2	Out for Repair	18.0	6.0
11/17/2015 9:00	0.8	BDL	BDL	26.9	0.2	Out for Repair	22.0	7.0
11/17/2015 10:00	0.7	BDL	BDL	26.9	0.2	Out for Repair	16.0	6.0
11/17/2015 11:00	0.5	BDL	BDL	27.1	0.2	Out for Repair	15.0	21.0
11/17/2015 12:00	0.5	BDL	BDL	27.0	0.2	Out for Repair	24.0	8.0
11/17/2015 13:00	0.5	BDL	BDL	22.0	0.2	Out for Repair	16.0	8.0
11/17/2015 14:00	0.4	BDL	BDL	22.1	0.2	Out for Repair	21.0	7.0
11/17/2015 15:00	0.4	BDL	BDL	21.6	0.2	Out for Repair	17.0	8.0
11/17/2015 16:00	0.4	BDL	BDL	23.4	0.2	Out for Repair	16.0	6.0
11/17/2015 17:00	0.4	BDL	BDL	29.6	0.2	Out for Repair	16.0	6.0
11/17/2015 18:00	0.4	BDL	BDL	31.7	0.2	Out for Repair	21.0	13.0
11/17/2015 19:00	BDL	BDL	BDL	25.1	0.2	Out for Repair	21.0	9.0
11/17/2015 20:00	0.4	BDL	BDL	29.8	0.2	Out for Repair	19.0	8.0
11/17/2015 21:00	0.5	BDL	BDL	45.7	0.3	Out for Repair	18.0	11.0
11/17/2015 22:00	0.4	0.5	BDL	32.2	0.3	Out for Repair	17.0	10.0
11/17/2015 23:00	0.4	BDL	BDL	32.6	0.3	Out for Repair	17.0	7.0
11/18/2015 0:00	0.4	BDL	BDL	34.9	0.3	Out for Repair	15.0	6.0
11/18/2015 1:00	0.5	0.4	BDL	49.9	0.3	Out for Repair	19.0	5.0
11/18/2015 2:00	0.7	0.7	BDL	67.5	0.3	Out for Repair	20.0	10.0
11/18/2015 3:00	0.4	0.4	BDL	42.1	0.2	Out for Repair	20.0	14.0
11/18/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Out for Repair	17.0	11.0
11/18/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Out for Repair	22.0	9.0
11/18/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Out for Repair	17.0	Invalid
11/18/2015 7:00	---	---	---	---	---	Out for Repair	---	---
11/18/2015 8:00	29.7	BDL	BDL	84.5	2.0	Out for Repair	17.0	7.0
11/18/2015 9:00	Calibration	Calibration	Calibration	Calibration	Calibration	Out for Repair	23.0	9.0
11/18/2015 10:00	1.7	0.9	BDL	52.7	0.4	Out for Repair	29.0	12.0
11/18/2015 11:00	1.0	0.7	BDL	19.8	0.2	Out for Repair	18.0	7.0
11/18/2015 12:00	0.8	0.7	BDL	20.5	0.2	Out for Repair	27.0	6.0
11/18/2015 13:00	0.7	0.5	BDL	11.2	0.2	Out for Repair	16.0	6.0
11/18/2015 14:00	0.6	0.4	BDL	14.9	0.3	Out for Repair	18.0	3.0
11/18/2015 15:00	0.5	BDL	BDL	14.9	0.3	Audit	15.0	3.0
11/18/2015 16:00	0.5	BDL	BDL	13.1	0.2	Out for Repair	22.0	7.0
11/18/2015 17:00	0.6	BDL	BDL	12.8	0.2	Out for Repair	21.0	7.0
11/18/2015 18:00	0.6	BDL	BDL	8.5	0.2	Out for Repair	14.0	9.0
11/18/2015 19:00	0.6	BDL	BDL	13.9	0.3	Out for Repair	14.0	7.0
11/18/2015 20:00	0.7	BDL	BDL	16.5	0.3	Out for Repair	19.0	5.0
11/18/2015 21:00	0.8	BDL	BDL	12.3	0.2	Out for Repair	14.0	3.0
11/18/2015 22:00	0.9	0.4	BDL	10.7	0.3	Out for Repair	14.0	3.0
11/18/2015 23:00	0.9	0.4	BDL	4.4	0.2	Out for Repair	15.0	5.0
11/19/2015 0:00	0.8	0.4	BDL	15.1	0.3	Out for Repair	15.0	8.0
11/19/2015 1:00	0.8	0.7	BDL	28.4	0.3	Out for Repair	16.0	5.0
11/19/2015 2:00	0.8	1.0	BDL	25.3	0.3	Out for Repair	17.0	4.0
11/19/2015 3:00	0.8	0.8	BDL	18.2	0.2	Out for Repair	16.0	2.0
11/19/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Out for Repair	16.0	2.0
11/19/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Out for Repair	16.0	3.0
11/19/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Out for Repair	15.0	3.0
11/19/2015 7:00	Calibration	Calibration	Calibration	Calibration	Calibration	Out for Repair	17.0	2.0
11/19/2015 8:00	BDL	0.9	BDL	23.8	0.3	Out for Repair	14.0	2.0
11/19/2015 9:00	1.0	0.5	BDL	30.8	0.3	Out for Repair	17.0	1.0
11/19/2015 10:00	1.0	0.5	BDL	36.1	0.3	Out for Repair	21.0	5.0
11/19/2015 11:00	1.1	BDL	BDL	17.5	0.3	Out for Repair	17.0	5.0
11/19/2015 12:00	1.5	0.5	1.4	8.6	0.2	Out for Repair	9.0	6.0
11/19/2015 13:00	1.9	BDL	BDL	7.7	0.2	Out for Repair	9.0	4.0
11/19/2015 14:00	2.0	BDL	BDL	6.4	0.2	Out for Repair	14.0	4.0
11/19/2015 15:00	1.9	BDL	BDL	6.8	0.3	Out for Repair	8.0	3.0
11/19/2015 16:00	1.5	BDL	BDL	16.4	0.2	Out for Repair	4.0	3.0
11/19/2015 17:00	1.4	BDL	BDL	1.8	0.2	Out for Repair	2.0	2.0
11/19/2015 18:00	1.3	BDL	BDL	4.1	0.2	Out for Repair	2.0	BDL
11/19/2015 19:00	1.4	BDL	BDL	0.5	0.2	Out for Repair	3.0	3.0
11/19/2015 20:00	1.4	BDL	BDL	10.6	0.3	Out for Repair	3.0	3.0
11/19/2015 21:00	1.2	BDL	BDL	9.7	0.3	Out for Repair	4.0	2.0
11/19/2015 22:00	1.1	BDL	BDL	21.5	0.3	Out for Repair	7.0	2.0
11/19/2015 23:00	1.1	BDL	BDL	24.0	0.3	Out for Repair	9.0	8.0
11/20/2015 0:00	1.1	BDL	BDL	5.0	0.3	Out for Repair	6.0	5.0
11/20/2015 1:00	0.8	BDL	BDL	5.5	0.3	Out for Repair	8.0	1.0
11/20/2015 2:00	0.7	BDL	BDL	1.3	0.2	Out for Repair	11.0	6.0
11/20/2015 3:00	0.5	BDL	BDL	5.0	0.2	Out for Repair	13.0	7.0
11/20/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Out for Repair	10.0	6.0
11/20/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Out for Repair	7.0	6.0
11/20/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Out for Repair	10.0	4.0
11/20/2015 7:00	0.5	BDL	BDL	1.9	0.2	Out for Repair	9.0	3.0
11/20/2015 8:00	0.5	BDL	BDL	8.9	0.2	Out for Repair	11.0	5.0
11/20/2015 9:00	0.5	BDL	BDL	7.0	0.2	Out for Repair	13.0	5.0
11/20/2015 10:00	0.4	BDL	BDL	4.7	0.2	Out for Repair	12.0	4.0
11/20/2015 11:00	0.4	BDL	BDL	4.2	0.2	Out for Repair	11.0	4.0
11/20/2015 12:00	BDL	BDL	BDL	2.0	0.1	Out for Repair	12.0	5.0
11/20/2015 13:00	BDL	BDL	BDL	BDL	0.1	Out for Repair	9.0	

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected.
 Quality data will be posted on a monthly basis.

Date & Time (EST)	H2S PPB	TMG PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m ³	PM2.5 µg/m ³
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m ³	1.0 µg/m ³
wind Weekly: 11/22/2015-11/28/2015							
11/22/2015 0:00	BDL	BDL	BDL	12.4	0.3	2.1	17.0
11/22/2015 1:00	BDL	BDL	BDL	12.6	0.2	2.2	13.0
11/22/2015 2:00	BDL	BDL	BDL	6.0	0.3	2.0	7.0
11/22/2015 3:00	0.4	0.7	BDL	8.0	0.3	3.1	24.0
11/22/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	18.0
11/22/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	25.0
11/22/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	23.0
11/22/2015 7:00	1.0	BDL	BDL	1.8	0.2	1.9	12.0
11/22/2015 8:00	Too few samples	Too few samples	Too few samples	Too few samples	0.2	1.9	14.0
11/22/2015 9:00	BDL	BDL	BDL	1.0	0.1	1.9	8.0
11/22/2015 10:00	1.1	BDL	BDL	BDL	0.1	2.0	12.0
11/22/2015 11:00	1.1	BDL	BDL	BDL	0.2	2.0	11.0
11/22/2015 12:00	1.2	BDL	BDL	2.0	0.1	2.0	6.0
11/22/2015 13:00	1.0	BDL	BDL	2.6	0.2	2.0	6.0
11/22/2015 14:00	0.9	BDL	BDL	0.5	0.2	1.8	10.0
11/22/2015 15:00	1.0	BDL	BDL	2.3	0.1	1.9	8.0
11/22/2015 16:00	1.1	BDL	BDL	2.6	0.1	2.0	5.0
11/22/2015 17:00	1.0	BDL	BDL	3.3	0.2	2.1	6.0
11/22/2015 18:00	0.9	BDL	BDL	2.6	0.2	2.0	6.0
11/22/2015 19:00	0.8	BDL	BDL	2.4	0.1	2.0	7.0
11/22/2015 20:00	0.9	BDL	BDL	4.1	0.1	2.1	6.0
11/22/2015 21:00	1.1	BDL	BDL	3.8	0.1	2.1	7.0
11/22/2015 22:00	0.8	BDL	BDL	4.8	0.1	2.0	7.0
11/22/2015 23:00	0.7	BDL	BDL	1.4	0.1	1.8	9.0
11/23/2015 0:00	0.5	BDL	BDL	2.0	0.1	1.9	6.0
11/23/2015 1:00	0.5	BDL	BDL	2.5	0.1	2.0	7.0
11/23/2015 2:00	0.6	BDL	BDL	1.8	0.1	2.0	8.0
11/23/2015 3:00	0.6	BDL	BDL	1.4	0.1	2.1	6.0
11/23/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	4.0
11/23/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	6.0
11/23/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	0.1	2.1	11.0
11/23/2015 7:00	0.9	BDL	BDL	4.2	0.1	2.1	11.0
11/23/2015 8:00	Too few samples	Too few samples	Too few samples	Too few samples	0.1	2.1	10.0
11/23/2015 9:00	0.9	BDL	BDL	5.1	0.1	2.1	10.0
11/23/2015 10:00	0.7	BDL	BDL	3.0	0.1	2.0	8.0
11/23/2015 11:00	0.6	BDL	BDL	2.1	0.1	2.0	7.0
11/23/2015 12:00	0.6	BDL	BDL	0.6	0.1	2.0	11.0
11/23/2015 13:00	0.5	BDL	BDL	BDL	0.1	2.0	11.0
11/23/2015 14:00	0.4	BDL	BDL	0.9	0.1	2.0	9.0
11/23/2015 15:00	0.4	BDL	BDL	0.9	0.1	2.0	12.0
11/23/2015 16:00	0.5	BDL	BDL	0.6	0.1	2.0	13.0
11/23/2015 17:00	0.6	BDL	BDL	3.3	0.1	2.0	12.0
11/23/2015 18:00	0.5	BDL	BDL	3.1	0.1	2.0	11.0
11/23/2015 19:00	0.5	BDL	BDL	6.5	0.1	2.0	10.0
11/23/2015 20:00	0.6	BDL	BDL	20.7	0.2	2.4	15.0
11/23/2015 21:00	0.8	BDL	BDL	28.7	0.2	2.4	16.0
11/23/2015 22:00	1.0	BDL	BDL	32.2	0.1	2.5	17.0
11/23/2015 23:00	1.4	BDL	BDL	49.3	0.3	2.6	17.0
11/24/2015 0:00	1.1	0.4	BDL	32.2	0.3	2.5	14.0
11/24/2015 1:00	1.1	BDL	BDL	29.4	0.2	2.5	21.0
11/24/2015 2:00	1.3	0.8	BDL	52.5	0.3	2.5	24.0
11/24/2015 3:00	1.6	1.0	BDL	44.3	0.3	2.4	19.0
11/24/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	22.0
11/24/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	21.0
11/24/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	0.4	2.4	18.0
11/24/2015 7:00	1.6	1.6	BDL	69.4	0.4	2.4	27.0
11/24/2015 8:00	1.3	1.6	BDL	50.2	0.3	2.3	16.0
11/24/2015 9:00	1.1	1.9	BDL	28.0	0.2	2.4	20.0
11/24/2015 10:00	1.8	1.6	BDL	18.6	0.3	2.2	28.0
11/24/2015 11:00	0.8	0.8	BDL	34.7	0.2	1.9	34.0
11/24/2015 12:00	2.5	BDL	BDL	16.3	0.2	2.0	22.0
11/24/2015 13:00	1.3	BDL	BDL	12.9	0.2	1.9	16.0
11/24/2015 14:00	1.5	BDL	BDL	12.5	0.2	1.9	17.0
11/24/2015 15:00	1.2	0.5	BDL	21.4	0.2	2.5	20.0
11/24/2015 16:00	1.1	BDL	BDL	8.5	0.2	2.6	22.0
11/24/2015 17:00	1.1	BDL	BDL	7.6	0.2	2.2	32.0
11/24/2015 18:00	1.4	BDL	BDL	21.5	0.3	3.6	23.0
11/24/2015 19:00	1.1	BDL	BDL	30.5	0.4	2.7	24.0
11/24/2015 20:00	1.2	0.5	BDL	35.3	0.4	2.8	25.0
11/24/2015 21:00	1.2	0.4	BDL	37.4	0.5	2.2	24.0
11/24/2015 22:00	1.7	1.1	BDL	71.3	0.8	2.7	25.0
11/24/2015 23:00	1.5	1.2	BDL	71.2	0.8	2.4	15.0
11/25/2015 0:00	1.3	1.0	BDL	62.2	0.6	2.2	21.0
11/25/2015 1:00	1.7	1.6	BDL	91.0	0.8	2.6	23.0
11/25/2015 2:00	2.2	2.5	BDL	147	1.0	2.8	29.0
11/25/2015 3:00	3.0	4.5	1.6	214.3	1.3	3.5	42.0
11/25/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	51.0
11/25/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	50.0
11/25/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	0.4	2.4	43.0
11/25/2015 7:00	3.5	5.0	1.9	241.7	1.6	3.5	45.0
11/25/2015 8:00	4.3	5.6	1.6	288.7	1.8	3.8	49.0
11/25/2015 9:00	3.1	3.5	1	166.8	1.1	3.2	47.0
11/25/2015 10:00	1.9	1.9	BDL	93.8	0.7	2.6	35.0
11/25/2015 11:00	1.1	0.9	BDL	57.1	0.4	2.4	27.0
11/25/2015 12:00	0.7	BDL	BDL	32.5	0.3	2.0	20.0
11/25/2015 13:00	0.6	BDL	BDL	23.0	0.3	2.1	27.0
11/25/2015 14:00	0.6	BDL	BDL	17.0	0.3	2.0	27.0
11/25/2015 15:00	0.7	BDL	BDL	19.4	0.3	1.9	19.0
11/25/2015 16:00	0.6	BDL	BDL	15.5	0.3	1.9	15.0
11/25/2015 17:00	0.7	BDL	BDL	28.9	0.4	1.8	21.0
11/25/2015 18:00	0.5	0.4	BDL	25.4	0.4	1.8	24.0
11/25/2015 19:00	BDL	0.6	BDL	21.3	0.3	1.8	18.0
11/25/2015 20:00	0.4	0.5	BDL	27.4	0.4	1.9	22.0
11/25/2015 21:00	BDL	BDL	BDL	26.3	0.4	2.0	20.0
11/25/2015 22:00	0.4	BDL	BDL	33.1	0.4	2.1	21.0
11/25/2015 23:00	0.4	0.5	BDL	35.9	0.5	2.2	23.0
11/26/2015 0:00	0.5	0.9	BDL	43.4	0.6	2.3	29.0
11/26/2015 1:00	0.6	0.9	BDL	52.1	0.6	2.3	32.0
11/26/2015 2:00	0.5	1.0	BDL	56.8	0.6	2.3	26.0
11/26/2015 3:00	0.5	0.7	BDL	51.2	0.6	2.3	20.0
11/26/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	25.0
11/26/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	27.0
11/26/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	29.0
11/26/2015 7:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	35.0
11/26/2015 8:00	Calibration	Audit	Calibration	Calibration	Calibration	Calibration	36.0
11/26/2015 9:00	Too few samples	Calibration	Calibration	Too few samples	Calibration	Calibration	21.0
11/26/2015 10:00	0.8	1.0	BDL	41.2	0.5	2.4	30.0
11/26/2015 11:00	0.8	0.6	BDL	28.8	0.4	2.2	31.0
11/26/2015 12:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	28.0
11/26/2015 13:00	0.7	BDL	BDL	33.6	0.3	2.1	14.0
11/26/2015 14:00	0.6	BDL	BDL	5.6	0.3	2.1	10.0
11/26/2015 15:00	0.4	BDL	BDL	2.7	0.2	2.3	10.0
11/26/2015 16:00	0.6	BDL	BDL	4.5	0.3	2.1	11.0
11/26/2015 17:00	0.6	BDL	BDL	10.8	0.5	2.5	12.0
11/26/2015 18:00	0.9	0.7	BDL	29.8	0.7	2.3	16.0
11/26/2015 19:00	1.1	1.1	BDL	64.0	0.9	2.4	20.0
11/26/2015 20:00	1.2	1.3	BDL	80.7	0.9	2.4	17.0
11/26/2015 21:00	0.9	1.2	BDL	71.3	1.0	2.3	25.0
11/26/2015 22:00	0.6	BDL	BDL	48.3	0.8	2.3	16.0
11/26/2015 23:00	0.4	BDL	BDL	33.3	0.6	3.4	22.0
11/27/2015 0:00	0.5	1.1	1.1	32.4	0.7	3.7	13.0
11/27/2015 1:00	0.5	1.0	BDL	44.9	0.8	3.2	19.0
11/27/2015 2:00	0.8	1.6	BDL	74.5	0.8	3.2	26.0
11/27/2015 3:00	0.9	1.8	1	84.8	0.7	3.5	25.0
11/27/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	31.0
11/27/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	31.0
11/27/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	36.0
11/27/2015 7:00	2.8	5.1	1.5	196.4	1.4	4.6	36.0
11/27/2015 8:00	2.0	4.5	2.3	151.1	1.1	4.1	36.0
11/27/2015 9:00	1.6	3.2	1.3	121.2	0.9	4.3	42.0
11/27/2015 10:00	1.9	4.0	2.6	114.3	0.9	4.7	42.0
11/27/2015 11:00	1.6	2.5	BDL	67.3			

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected.
 Quality data will be posted on a monthly basis.

Date & Time (EST)	H2S PPB	THG PPB	NOx PPB	CO PPM	VOC 10.0 ppb	PM10 µg/m ³	PM2.5 1.0 µg/m ³
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb			
Site Downwind Weekly: 11/29/2015-12/5/2015							
11/29/2015 0:00	BDL	BDL	5.5	0.3	1.7	10.0	4.0
11/29/2015 1:00	BDL	BDL	3.3	0.3	1.7	8.0	4.0
11/29/2015 2:00	BDL	BDL	5.1	0.3	1.7	7.0	4.0
11/29/2015 3:00	BDL	BDL	5.8	0.2	1.7	6.0	3.0
11/29/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	6.0	4.0
11/29/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	5.0	5.0
11/29/2015 6:00	Too few samples	Too few samples	Too few samples	Calibration	Calibration	6.0	5.0
11/29/2015 7:00	BDL	BDL	1.2	0.2	1.7	5.0	2.0
11/29/2015 8:00	BDL	BDL	3.4	0.2	1.7	5.0	6.0
11/29/2015 9:00	BDL	BDL	6.2	0.3	1.8	6.0	7.0
11/29/2015 10:00	BDL	BDL	9.1	0.3	1.7	7.0	7.0
11/29/2015 11:00	BDL	BDL	9.1	0.3	1.8	7.0	4.0
11/29/2015 12:00	BDL	BDL	6.5	0.3	1.8	6.0	4.0
11/29/2015 13:00	BDL	BDL	7.1	0.3	1.8	7.0	7.0
11/29/2015 14:00	BDL	BDL	5.1	0.2	1.8	5.0	6.0
11/29/2015 15:00	BDL	BDL	8.0	0.2	1.8	8.0	9.0
11/29/2015 16:00	BDL	BDL	5.4	0.2	1.9	9.0	8.0
11/29/2015 17:00	BDL	BDL	12.8	0.3	1.9	8.0	6.0
11/29/2015 18:00	0.4	BDL	23.5	0.4	1.8	13.0	7.0
11/29/2015 19:00	0.5	BDL	37.0	0.6	2.0	16.0	7.0
11/29/2015 20:00	0.5	BDL	37.2	0.5	2.0	14.0	6.0
11/29/2015 21:00	0.4	BDL	21.8	0.4	1.8	11.0	9.0
11/29/2015 22:00	BDL	BDL	10.2	0.3	1.7	12.0	10.0
11/29/2015 23:00	0.4	BDL	10.3	0.3	1.7	10.0	8.0
11/30/2015 0:00	0.4	BDL	11.5	0.3	1.7	8.0	9.0
11/30/2015 1:00	BDL	BDL	5.6	0.2	1.7	8.0	8.0
11/30/2015 2:00	BDL	BDL	7.8	0.2	1.7	7.0	5.0
11/30/2015 3:00	BDL	BDL	10.2	0.2	1.7	7.0	6.0
11/30/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	5.0	6.0
11/30/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	4.0	7.0
11/30/2015 6:00	Too few samples	Too few samples	Too few samples	Calibration	Calibration	9.0	9.0
11/30/2015 7:00	BDL	BDL	24.6	0.3	1.7	7.0	7.0
11/30/2015 8:00	0.5	BDL	35.1	0.4	1.8	8.0	5.0
11/30/2015 9:00	0.6	BDL	35.5	0.4	1.8	18.0	6.0
11/30/2015 10:00	0.7	BDL	44.3	0.4	1.8	19.0	6.0
11/30/2015 11:00	0.6	BDL	33.3	0.3	1.8	21.0	8.0
11/30/2015 12:00	0.6	BDL	33.9	0.3	1.9	24.0	12.0
11/30/2015 13:00	0.8	BDL	41.0	0.4	1.9	26.0	15.0
11/30/2015 14:00	0.9	BDL	52.5	0.4	2.0	42.0	10.0
11/30/2015 15:00	0.7	BDL	43.6	0.4	1.9	30.0	14.0
11/30/2015 16:00	0.8	BDL	47.2	0.4	1.9	29.0	13.0
11/30/2015 17:00	0.6	BDL	35.1	0.4	1.8	28.0	9.0
11/30/2015 18:00	0.5	BDL	25.1	0.4	1.8	29.0	5.0
11/30/2015 19:00	0.4	BDL	39.7	0.4	1.6	20.0	7.0
11/30/2015 20:00	0.5	BDL	26.4	0.4	1.9	20.0	9.0
11/30/2015 21:00	0.5	BDL	27.0	0.4	1.9	19.0	10.0
11/30/2015 22:00	0.5	BDL	35.5	0.4	1.9	18.0	10.0
11/30/2015 23:00	0.5	BDL	47.8	0.4	2.0	18.0	11.0
12/1/2015 0:00	0.5	BDL	46.6	0.4	1.9	17.0	11.0
12/1/2015 1:00	0.5	BDL	42.5	0.4	2.0	16.0	10.0
12/1/2015 2:00	0.4	BDL	40.0	0.4	2.0	10.0	7.0
12/1/2015 3:00	BDL	BDL	30.0	0.3	2.0	9.0	7.0
12/1/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	6.0	7.0
12/1/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	6.0	5.0
12/1/2015 6:00	Too few samples	Too few samples	Too few samples	Calibration	Calibration	8.0	4.0
12/1/2015 7:00	0.5	BDL	33.8	0.4	2.0	6.0	6.0
12/1/2015 8:00	0.6	BDL	49.4	0.5	2.0	16.0	5.0
12/1/2015 9:00	0.5	BDL	46.3	0.5	1.6	11.0	4.0
12/1/2015 10:00	0.4	BDL	42.4	0.4	1.5	11.0	4.0
12/1/2015 11:00	0.4	BDL	36.4	0.4	1.5	6.0	4.0
12/1/2015 12:00	0.4	BDL	31.8	0.4	1.5	8.0	2.0
12/1/2015 13:00	BDL	BDL	37.2	0.4	1.6	6.0	4.0
12/1/2015 14:00	0.4	BDL	35.7	0.4	1.5	6.0	4.0
12/1/2015 15:00	0.4	BDL	41.8	0.4	1.6	8.0	5.0
12/1/2015 16:00	0.4	BDL	33.5	0.4	1.5	9.0	5.0
12/1/2015 17:00	BDL	BDL	23.9	0.4	1.6	7.0	4.0
12/1/2015 18:00	BDL	BDL	25.8	0.4	1.6	6.0	3.0
12/1/2015 19:00	BDL	BDL	18.7	0.4	1.4	7.0	3.0
12/1/2015 20:00	BDL	BDL	23.9	0.4	1.6	6.0	3.0
12/1/2015 21:00	BDL	BDL	25.2	0.4	1.6	9.0	5.0
12/1/2015 22:00	BDL	BDL	23.1	0.4	1.7	10.0	4.0
12/1/2015 23:00	BDL	BDL	19.6	0.4	1.6	6.0	9.0
12/2/2015 0:00	BDL	BDL	20.1	0.3	1.6	4.0	9.0
12/2/2015 1:00	BDL	BDL	9.7	0.3	1.9	9.0	9.0
12/2/2015 2:00	0.4	BDL	13.4	0.3	2.4	11.0	7.0
12/2/2015 3:00	0.4	BDL	16.7	0.3	2.0	13.0	9.0
12/2/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	12.0	9.0
12/2/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	14.0	10.0
12/2/2015 6:00	Too few samples	Too few samples	Too few samples	Calibration	Calibration	11.0	11.0
12/2/2015 7:00	0.6	BDL	35.1	0.5	2.0	12.0	7.0
12/2/2015 8:00	1.0	BDL	59.0	0.6	2.0	21.0	16.0
12/2/2015 9:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	8.0	8.0
12/2/2015 10:00	1.1	BDL	56.3	0.5	2.7	13.0	10.0
12/2/2015 11:00	1.4	BDL	78.1	0.6	3.3	18.0	12.0
12/2/2015 12:00	1.0	BDL	54.1	0.4	2.9	20.0	13.0
12/2/2015 13:00	0.7	BDL	27.2	0.4	3.1	11.0	11.0
12/2/2015 14:00	0.8	BDL	26.9	0.4	3.4	9.0	9.0
12/2/2015 15:00	0.4	BDL	25.9	0.4	2.5	16.0	10.0
12/2/2015 16:00	0.6	BDL	32.2	0.5	2.5	6.0	6.0
12/2/2015 17:00	0.5	BDL	17.0	0.4	2.6	7.0	5.0
12/2/2015 18:00	0.9	BDL	6.5	0.3	2.7	11.0	11.0
12/2/2015 19:00	1.2	BDL	10.9	0.3	2.6	7.0	6.0
12/2/2015 20:00	1.2	BDL	13.3	0.3	2.6	7.0	8.0
12/2/2015 21:00	1.4	BDL	11.0	0.3	2.6	9.0	14.0
12/2/2015 22:00	0.8	BDL	7.2	0.3	2.3	6.0	7.0
12/2/2015 23:00	0.7	BDL	7.9	0.3	2.3	7.0	2.0
12/3/2015 0:00	0.6	BDL	4.0	0.3	2.2	6.0	7.0
12/3/2015 1:00	0.6	BDL	2.0	0.2	2.3	4.0	6.0
12/3/2015 2:00	0.7	BDL	2.7	0.2	2.4	10.0	6.0
12/3/2015 3:00	1.0	BDL	7.5	0.2	2.3	11.0	7.0
12/3/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	13.0	11.0
12/3/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	12.0	7.0
12/3/2015 6:00	Too few samples	Too few samples	Too few samples	Calibration	Calibration	9.0	5.0
12/3/2015 7:00	0.7	BDL	7.4	0.2	2.4	10.0	10.0
12/3/2015 8:00	BDL	BDL	11.4	0.2	2.3	9.0	9.0
12/3/2015 9:00	1.6	BDL	11.0	0.2	2.4	12.0	7.0
12/3/2015 10:00	0.9	BDL	4.2	0.2	2.4	8.0	6.0
12/3/2015 11:00	0.9	BDL	2.0	0.2	2.5	9.0	7.0
12/3/2015 12:00	0.5	BDL	0.9	0.2	2.5	6.0	7.0
12/3/2015 13:00	0.4	BDL	1.9	0.2	2.4	13.0	10.0
12/3/2015 14:00	0.4	BDL	0.6	0.2	2.4	9.0	4.0
12/3/2015 15:00	BDL	BDL	BDL	0.2	2.3	11.0	5.0
12/3/2015 16:00	BDL	BDL	1.2	0.2	2.4	9.0	7.0
12/3/2015 17:00	BDL	BDL	1.6	0.2	2.4	7.0	5.0
12/3/2015 18:00	0.4	BDL	8.7	0.2	2.5	6.0	6.0
12/3/2015 19:00	0.4	BDL	8.0	0.2	2.6	6.0	6.0
12/3/2015 20:00	0.4	BDL	6.7	0.2	2.5	11.0	3.0
12/3/2015 21:00	0.4	BDL	6.5	0.2	2.5	15.0	9.0
12/3/2015 22:00	0.9	BDL	21.7	0.2	2.6	11.0	12.0
12/3/2015 23:00	0.8	BDL	7.7	0.2	2.6	13.0	11.0
12/4/2015 0:00	1.4	BDL	14.3	0.2	2.5	14.0	15.0
12/4/2015 1:00	1.0	BDL	14.0	0.2	2.6	16.0	15.0
12/4/2015 2:00	1.8	BDL	14.2	0.2	2.6	15.0	11.0
12/4/2015 3:00	0.9	BDL	15.5	0.2	2.7	15.0	12.0
12/4/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	14.0	12.0
12/4/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	10.0	9.0
12/4/2015 6:00	Too few samples	Too few samples	Too few samples	Calibration	Calibration	13.0	9.0
12/4/2015 7:00	1.9	BDL	14.1	0.2	2.5	10.0	9.0
12/4/2015 8:00	1.2	BDL	19.2	0.2	2.5	12.0	6.0
12/4/2015 9:00	0.6	BDL	15.9	0.3	2.5	14.0	11.0
12/4/2015 10:00	0.4	BDL	2.9	0.2	2.5	10.0	11.0
12/4/2015 11:00	0.4	BDL	3.6	0.2	2.6	12.0	13.0
12/4/2015 12:00	0.4	BDL					

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	H2S PPB	TRG PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m ³	PM2.5 µg/m ³
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m ³	1.0 µg/m ³
wind Weekly: 12/6/2015-12/12/2015							
12/6/2015 0:00	1.9	3.0	1.4	125.1	1.2	3.6	45.0
12/6/2015 1:00	1.7	2.7	1	123.3	1.2	4.3	32.0
12/6/2015 2:00	1.5	2.4	1	114.1	1.0	3.5	41.0
12/6/2015 3:00	1.8	2.7	BDL	130.1	1.4	4.4	40.0
12/6/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	39.0
12/6/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	42.0
12/6/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	35.0
12/6/2015 7:00	1.9	2.4	BDL	123.1	1.0	4.7	33.0
12/6/2015 8:00	Too few samples	Too few samples	Too few samples	Too few samples	1.1	13.5	43.0
12/6/2015 9:00	1.7	2.3	BDL	95.2	0.8	4.8	35.0
12/6/2015 10:00	1.7	1.0	BDL	50.7	0.4	3.4	29.0
12/6/2015 11:00	6.6	0.7	BDL	38.2	0.4	3.1	30.0
12/6/2015 12:00	5.1	0.4	BDL	23.3	0.4	3.2	32.0
12/6/2015 13:00	4.9	0.4	BDL	18.9	0.4	3.0	29.0
12/6/2015 14:00	3.6	BDL	BDL	16.0	0.3	3.2	28.0
12/6/2015 15:00	3.5	0.6	BDL	15.9	0.3	3.0	32.0
12/6/2015 16:00	3.3	0.7	BDL	18.3	0.4	3.1	25.0
12/6/2015 17:00	2.7	0.7	BDL	30.9	0.4	2.9	36.0
12/6/2015 18:00	1.9	0.9	BDL	22.6	0.4	3.2	40.0
12/6/2015 19:00	6.5	1.2	1	33.6	0.4	3.2	49.0
12/6/2015 20:00	5.9	0.8	BDL	33.5	0.5	3.5	44.0
12/6/2015 21:00	6.7	0.6	BDL	37.4	0.5	3.6	47.0
12/6/2015 22:00	4.8	0.8	BDL	35.5	0.6	4.3	46.0
12/6/2015 23:00	4.5	1.8	1.2	70.2	0.7	4.2	49.0
12/7/2015 0:00	2.4	1.2	BDL	37.1	0.4	4.1	41.0
12/7/2015 1:00	2.6	0.9	BDL	26.8	0.4	4.3	39.0
12/7/2015 2:00	2.4	1.1	BDL	54.9	0.6	4.2	48.0
12/7/2015 3:00	1.9	1.6	BDL	40.7	0.5	3.9	41.0
12/7/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	38.0
12/7/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	45.0
12/7/2015 6:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	56.0
12/7/2015 7:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	52.0
12/7/2015 8:00	2.4	3.4	1.5	133.8	0.9	4.6	67.0
12/7/2015 9:00	2.3	3.1	BDL	132.4	0.9	4.1	72.0
12/7/2015 10:00	3.0	2.3	BDL	93.7	0.7	4.1	60.0
12/7/2015 11:00	4.0	2.2	BDL	94.3	0.7	3.9	67.0
12/7/2015 12:00	3.5	1.4	BDL	59.7	0.5	3.1	48.0
12/7/2015 13:00	5.1	0.4	BDL	22.5	0.3	2.9	35.0
12/7/2015 14:00	4.7	BDL	BDL	21.1	0.3	2.8	25.0
12/7/2015 15:00	3.3	BDL	BDL	17.9	0.3	2.9	33.0
12/7/2015 16:00	3.2	0.4	BDL	20.4	0.3	3.0	27.0
12/7/2015 17:00	2.5	0.4	BDL	36.9	0.4	3.9	28.0
12/7/2015 18:00	2.6	0.5	BDL	39.6	0.5	3.5	27.0
12/7/2015 19:00	1.7	0.8	BDL	49.5	0.5	3.3	27.0
12/7/2015 20:00	2.9	1.0	BDL	62.6	0.6	3.2	32.0
12/7/2015 21:00	3.1	1.4	BDL	74.7	0.7	4.0	28.0
12/7/2015 22:00	2.4	0.4	BDL	30.3	0.4	3.1	19.0
12/7/2015 23:00	1.7	BDL	BDL	17.2	0.3	1.7	12.0
12/8/2015 0:00	1.5	BDL	BDL	16.1	0.3	2.8	16.0
12/8/2015 1:00	1.4	BDL	BDL	21.3	0.3	2.9	14.0
12/8/2015 2:00	1.4	BDL	BDL	20.3	0.3	2.9	17.0
12/8/2015 3:00	1.4	BDL	BDL	16.8	0.3	2.7	19.0
12/8/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	18.0
12/8/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	18.0
12/8/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	22.0
12/8/2015 7:00	1.1	0.4	BDL	29.6	0.4	2.8	18.0
12/8/2015 8:00	0.6	1.2	BDL	33.0	0.4	2.8	21.0
12/8/2015 9:00	0.4	0.9	BDL	33.2	0.4	2.7	28.0
12/8/2015 10:00	1.0	BDL	BDL	35.9	0.3	2.6	27.0
12/8/2015 11:00	0.9	BDL	BDL	22.4	0.3	2.3	24.0
12/8/2015 12:00	1.0	BDL	BDL	17.0	0.3	2.5	26.0
12/8/2015 13:00	1.1	BDL	BDL	15.1	0.3	2.4	26.0
12/8/2015 14:00	0.9	BDL	BDL	15.2	0.3	2.4	19.0
12/8/2015 15:00	0.8	BDL	BDL	10.1	0.2	2.4	22.0
12/8/2015 16:00	0.6	BDL	BDL	10.4	0.3	2.4	21.0
12/8/2015 17:00	0.6	BDL	BDL	15.9	0.3	2.7	18.0
12/8/2015 18:00	0.8	0.4	BDL	34.2	0.3	3.1	28.0
12/8/2015 19:00	1.2	1.1	BDL	63.0	0.6	3.3	30.0
12/8/2015 20:00	1.1	1.0	BDL	54.4	0.7	3.7	35.0
12/8/2015 21:00	1.6	1.8	BDL	82.2	0.7	3.4	39.0
12/8/2015 22:00	1.9	2.1	BDL	94.2	0.9	3.6	44.0
12/8/2015 23:00	1.7	1.7	BDL	78.9	0.8	3.0	44.0
12/9/2015 0:00	1.9	1.9	BDL	103.3	0.9	3.4	52.0
12/9/2015 1:00	2.0	2.5	1	111.4	0.9	3.1	45.0
12/9/2015 2:00	1.8	2.6	BDL	111.8	0.8	2.9	47.0
12/9/2015 3:00	2.1	2.6	BDL	129.5	0.8	3.2	50.0
12/9/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	48.0
12/9/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	51.0
12/9/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	62.0
12/9/2015 7:00	3.2	5.0	2	218.7	1.3	3.4	55.0
12/9/2015 8:00	3.1	4.9	2.2	199.3	1.2	3.1	58.0
12/9/2015 9:00	2.3	2.8	1	129.1	0.9	2.8	58.0
12/9/2015 10:00	Audit	Audit	Audit	Audit	Audit	Audit	48.0
12/9/2015 11:00	Audit	Audit	Audit	Audit	Audit	Audit	49.0
12/9/2015 12:00	Audit	Audit	Audit	Audit	Audit	Audit	34.0
12/9/2015 13:00	Audit	Audit	Audit	Audit	Audit	Audit	28.0
12/9/2015 14:00	Audit	Audit	Audit	Audit	Audit	Audit	24.0
12/9/2015 15:00	Audit	Audit	Audit	Audit	Audit	Audit	28.0
12/9/2015 16:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	25.0
12/9/2015 17:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	14.0
12/9/2015 18:00	0.7	0.5	BDL	8.0	0.3	2.1	18.0
12/9/2015 19:00	0.7	0.4	BDL	5.0	0.3	2.1	21.0
12/9/2015 20:00	0.6	BDL	BDL	5.8	0.3	2.3	16.0
12/9/2015 21:00	0.5	BDL	BDL	6.3	0.3	2.2	15.0
12/9/2015 22:00	0.5	BDL	BDL	19.7	0.3	2.3	22.0
12/9/2015 23:00	0.5	0.4	BDL	29.0	0.4	2.3	17.0
12/10/2015 0:00	0.4	BDL	BDL	18.3	0.4	2.2	17.0
12/10/2015 1:00	0.4	BDL	BDL	18.5	0.3	2.3	15.0
12/10/2015 2:00	0.4	0.4	BDL	16.4	0.3	2.3	21.0
12/10/2015 3:00	BDL	BDL	BDL	16.4	0.3	2.3	14.0
12/10/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	18.0
12/10/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	17.0
12/10/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	29.0
12/10/2015 7:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	21.0
12/10/2015 8:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	28.0
12/10/2015 9:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	29.0
12/10/2015 10:00	Audit	Audit	Audit	Audit	Audit	Audit	31.0
12/10/2015 11:00	2.3	1.0	BDL	20.1	0.4	2.7	32.0
12/10/2015 12:00	1.6	0.9	BDL	21.2	0.4	2.5	32.0
12/10/2015 13:00	1.6	0.7	BDL	15.0	0.4	2.4	29.0
12/10/2015 14:00	1.3	BDL	BDL	13.0	0.4	2.4	29.0
12/10/2015 15:00	1.8	0.5	BDL	27.9	0.4	2.4	40.0
12/10/2015 16:00	1.8	0.5	BDL	27.6	0.4	2.3	32.0
12/10/2015 17:00	2.0	0.8	BDL	38.7	0.5	2.4	33.0
12/10/2015 18:00	2.3	1.0	BDL	47.3	0.6	2.5	32.0
12/10/2015 19:00	2.9	1.4	BDL	60.7	0.7	3.3	32.0
12/10/2015 20:00	4.1	2.4	BDL	110.2	0.9	2.7	36.0
12/10/2015 21:00	3.8	3.1	1.1	126.5	0.9	2.7	41.0
12/10/2015 22:00	2.6	2.5	BDL	101.8	0.9	2.7	36.0
12/10/2015 23:00	2.1	2.0	BDL	83.6	0.6	2.6	32.0
12/11/2015 0:00	1.4	1.3	BDL	51.1	0.6	3.4	33.0
12/11/2015 1:00	1.3	1.9	BDL	55.9	0.6	3.6	30.0
12/11/2015 2:00	0.9	1.5	1.2	35.3	0.5	2.9	28.0
12/11/2015 3:00	0.8	1.4	BDL	39.9	0.5	2.5	35.0
12/11/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	34.0
12/11/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	35.0
12/11/2015 6:00	Too few samples	Calibration	Calibration	Too few samples	Calibration	Calibration	44.0
12/11/2015 7:00	6.9	1.7	BDL	53.4	0.5	2.5	37.0
12/11/2015 8:00	16.9	1.9	BDL	89.7	2.0	2.5	40.0
12/11/2015 9:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	45.0
12/11/2015 10:00	2.6	2.5	1.4	Calibration	0.4	2.6	48.0
12/11/2015 11:00	2.2	1.9	1.2	Calibration	0.4	2.9	46.0
12/11/2015 12:00	2.4	1.5	1	Calibration	0.		

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2 PPB	H2S PPB	TRG PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m3	PM2.5 µg/m3
Site Downwind Weekly: 12/13/2015-12/19/2015	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
12/13/2015 0:00	1.5	2.2	2	Calibration	0.7	3.7	45.0	32.0
12/13/2015 1:00	1.4	2.3	2.2	Calibration	0.7	3.6	45.0	36.0
12/13/2015 2:00	1.1	2.2	1.9	Calibration	0.6	3.8	41.0	36.0
12/13/2015 3:00	0.9	1.6	1.5	Calibration	0.6	3.9	40.9	29.0
12/13/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	39.0	34.0
12/13/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	42.0	36.0
12/13/2015 6:00	Too few samples	Too few samples	Too few samples	Calibration	Calibration	Calibration	35.0	34.0
12/13/2015 7:00	1.5	2.2	1.3	Calibration	0.8	3.5	33.0	27.0
12/13/2015 8:00	1.5	2.2	1.4	Calibration	0.9	3.6	43.0	30.0
12/13/2015 9:00	1.8	2.8	1.9	Calibration	0.9	3.7	35.0	31.0
12/13/2015 10:00	2.1	2.4	1.4	Calibration	1.0	3.3	29.0	29.0
12/13/2015 11:00	4.2	2.7	1.9	Calibration	0.7	3.5	30.0	29.0
12/13/2015 12:00	5.2	1.9	1.1	Calibration	0.7	3.8	32.0	31.0
12/13/2015 13:00	7.0	1.0	BDL	Calibration	0.6	3.1	29.0	28.0
12/13/2015 14:00	6.8	0.7	BDL	Calibration	0.5	2.8	28.0	27.0
12/13/2015 15:00	1.9	1.3	1	Calibration	0.5	2.8	32.0	27.0
12/13/2015 16:00	2.9	0.8	BDL	Calibration	0.6	2.4	28.0	25.0
12/13/2015 17:00	2.4	1.0	BDL	Calibration	0.7	2.5	36.0	31.0
12/13/2015 18:00	2.4	1.0	BDL	Calibration	1.0	2.5	40.0	37.0
12/13/2015 19:00	1.5	1.5	1	Calibration	0.8	2.9	49.0	44.0
12/13/2015 20:00	1.3	1.5	1.1	Calibration	1.0	2.5	44.0	44.0
12/13/2015 21:00	1.2	1.4	BDL	Calibration	0.9	2.5	47.0	44.0
12/13/2015 22:00	1.1	1.2	BDL	Calibration	1.0	2.5	46.0	44.0
12/13/2015 23:00	1.0	1.4	BDL	Calibration	1.0	2.8	49.0	48.0
12/14/2015 0:00	1.0	0.6	1.0	Calibration	0.8	2.8	41.0	39.0
12/14/2015 1:00	0.4	0.7	BDL	Calibration	0.6	2.6	47.0	39.0
12/14/2015 2:00	0.5	0.7	BDL	Calibration	0.5	2.6	48.0	38.0
12/14/2015 3:00	0.5	1.1	BDL	Calibration	0.5	2.6	41.0	38.0
12/14/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	38.0	32.0
12/14/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	45.0	38.0
12/14/2015 6:00	Too few samples	Too few samples	Too few samples	Calibration	Calibration	Calibration	36.0	46.0
12/14/2015 7:00	1.0	1.8	1	Calibration	0.4	2.4	52.0	42.0
12/14/2015 8:00	1.0	1.8	1	Calibration	0.7	2.6	67.0	47.0
12/14/2015 9:00	1.1	1.9	1.1	Calibration	0.8	2.7	72.0	49.0
12/14/2015 10:00	1.6	2.7	1.3	109.0	0.9	2.7	60.0	49.0
12/14/2015 11:00	1.0	1.5	1	47.5	0.5	2.9	67.0	50.0
12/14/2015 12:00	1.4	1.6	1	52.9	0.5	3.7	48.0	38.0
12/14/2015 13:00	1.3	1.0	BDL	22.0	0.5	3.2	35.0	17.0
12/14/2015 14:00	1.0	0.6	BDL	12.7	0.4	3.9	25.0	20.0
12/14/2015 15:00	1.1	0.5	BDL	19.8	0.4	4.4	33.0	21.0
12/14/2015 16:00	0.6	0.8	BDL	23.6	0.5	3.8	27.0	20.0
12/14/2015 17:00	0.7	0.4	BDL	18.3	0.4	3.6	28.0	20.0
12/14/2015 18:00	0.5	BDL	BDL	6.7	0.4	3.4	27.0	19.0
12/14/2015 19:00	0.4	BDL	BDL	6.4	0.4	3.2	27.0	18.0
12/14/2015 20:00	0.4	BDL	BDL	3.3	0.4	3.6	32.0	21.0
12/14/2015 21:00	0.5	0.4	BDL	4.4	0.3	3.7	28.0	15.0
12/14/2015 22:00	0.6	0.5	BDL	2.1	0.3	3.8	19.0	11.0
12/14/2015 23:00	0.6	0.6	BDL	4.3	0.3	3.9	12.0	11.0
12/15/2015 0:00	0.8	0.6	1	3.1	0.3	4.2	16.0	14.0
12/15/2015 1:00	0.6	0.6	BDL	3.4	0.3	4.2	14.0	13.0
12/15/2015 2:00	BDL	BDL	BDL	3.0	0.3	3.2	17.0	11.0
12/15/2015 3:00	1.5	BDL	BDL	4.9	0.3	2.1	19.0	11.0
12/15/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	18.0	13.0
12/15/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	18.0	14.0
12/15/2015 6:00	Too few samples	Too few samples	Too few samples	Calibration	Calibration	Calibration	22.0	13.0
12/15/2015 7:00	BDL	BDL	BDL	2.3	0.3	2.4	18.0	21.0
12/15/2015 8:00	Too few samples	Too few samples	Calibration	Calibration	Calibration	Calibration	12.6	34.0
12/15/2015 9:00	Too few samples	Too few samples	Calibration	Calibration	Calibration	Calibration	2.3	28.0
12/15/2015 10:00	0.4	BDL	BDL	1.2	0.3	2.4	27.0	24.0
12/15/2015 11:00	0.4	BDL	BDL	1.8	0.3	2.4	24.0	24.0
12/15/2015 12:00	0.7	BDL	BDL	2.0	0.3	2.5	26.0	19.0
12/15/2015 13:00	1.0	BDL	BDL	3.3	0.3	2.5	26.0	20.0
12/15/2015 14:00	1.8	BDL	BDL	8.9	0.3	2.4	28.0	19.0
12/15/2015 15:00	1.4	BDL	BDL	8.4	0.3	2.4	22.0	15.0
12/15/2015 16:00	0.8	BDL	BDL	3.1	0.3	2.4	21.0	13.0
12/15/2015 17:00	0.5	BDL	BDL	2.5	0.3	2.5	18.0	17.0
12/15/2015 18:00	0.4	BDL	BDL	3.0	0.3	2.3	28.0	17.0
12/15/2015 19:00	0.4	BDL	BDL	6.3	0.3	2.4	30.0	22.0
12/15/2015 20:00	0.4	BDL	BDL	4.9	0.3	2.4	35.0	25.0
12/15/2015 21:00	0.4	BDL	BDL	5.0	0.3	2.4	39.0	27.0
12/15/2015 22:00	0.4	BDL	BDL	2.5	0.3	2.4	44.0	27.0
12/15/2015 23:00	1.7	BDL	BDL	10.1	0.3	2.4	44.0	35.0
12/16/2015 0:00	1.9	BDL	BDL	13.5	0.3	2.4	52.0	36.0
12/16/2015 1:00	0.6	BDL	BDL	6.5	0.3	2.5	45.0	35.0
12/16/2015 2:00	0.6	BDL	BDL	5.0	0.3	2.4	47.0	35.0
12/16/2015 3:00	0.5	BDL	BDL	7.7	0.3	2.7	50.0	37.0
12/16/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	48.0	35.0
12/16/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	51.0	40.0
12/16/2015 6:00	Too few samples	Too few samples	Too few samples	Calibration	Calibration	Calibration	61.0	48.0
12/16/2015 7:00	0.5	BDL	BDL	11.8	0.3	2.2	55.0	41.0
12/16/2015 8:00	0.4	BDL	BDL	13.9	0.4	2.2	58.0	43.0
12/16/2015 9:00	0.4	BDL	BDL	22.9	0.4	2.8	58.0	45.0
12/16/2015 10:00	0.4	BDL	BDL	22.6	0.4	Audit	48.0	37.0
12/16/2015 11:00	0.4	BDL	BDL	25.0	0.4	Audit	49.0	33.0
12/16/2015 12:00	BDL	BDL	BDL	21.6	0.3	Audit	24.0	17.0
12/16/2015 13:00	BDL	BDL	BDL	11.4	0.3	Audit	28.0	17.0
12/16/2015 14:00	0.4	BDL	BDL	15.0	0.3	Audit	24.0	11.0
12/16/2015 15:00	0.5	0.4	BDL	26.1	0.4	Audit	24.0	Audit
12/16/2015 16:00	0.5	0.4	BDL	24.3	0.4	Audit	25.0	985.0
12/16/2015 17:00	BDL	BDL	BDL	14.5	0.4	Too few samples	14.0	13.0
12/16/2015 18:00	BDL	BDL	BDL	14.3	0.4	2.1	18.0	13.0
12/16/2015 19:00	BDL	BDL	BDL	16.8	0.4	2.1	16.0	17.0
12/16/2015 20:00	BDL	BDL	BDL	23.3	0.4	2.1	21.0	11.0
12/16/2015 21:00	BDL	BDL	BDL	18.1	0.4	2.1	16.0	11.0
12/16/2015 22:00	BDL	BDL	BDL	22.3	0.4	2.1	15.0	10.0
12/16/2015 23:00	BDL	BDL	BDL	19.0	0.4	2.1	22.0	12.0
12/17/2015 0:00	BDL	0.4	BDL	23.8	0.4	2.1	17.0	16.0
12/17/2015 1:00	BDL	0.5	BDL	19.3	0.4	2.1	17.0	12.0
12/17/2015 2:00	BDL	0.5	BDL	19.3	0.4	2.1	15.0	14.0
12/17/2015 3:00	0.5	0.9	BDL	45.3	0.5	2.2	21.0	14.0
12/17/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	18.0	13.0
12/17/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	17.0	13.0
12/17/2015 6:00	Too few samples	Too few samples	Too few samples	Calibration	Calibration	Calibration	29.0	18.0
12/17/2015 7:00	1.4	0.9	BDL	54.5	0.5	Calibration	31.0	20.0
12/17/2015 8:00	1.1	1.6	BDL	68.1	0.7	2.0	28.0	20.0
12/17/2015 9:00	1.5	2.1	BDL	98.2	0.8	Calibration	29.0	22.0
12/17/2015 10:00	1.4	2.1	BDL	90.0	0.8	Audit	31.8	22.0
12/17/2015 11:00	1.2	1.8	BDL	86.1	0.8	2.6	32.0	28.0
12/17/2015 12:00	1.1	1.6	BDL	74.4	0.7	2.4	32.0	25.0
12/17/2015 13:00	1.1	1.7	BDL	82.8	0.8	2.5	29.0	20.0
12/17/2015 14:00	1.2	1.9	BDL	90.2	0.8	2.6	29.0	17.0
12/17/2015 15:00	1.3	2.1	BDL	97.2	1.0	2.7	40.0	27.0
12/17/2015 16:00	1.7	2.4	BDL	103.2	1.1	8.4	32.0	29.0
12/17/2015 17:00	1.9	2.5	BDL	122.1	1.3	3.9	33.0	23.0
12/17/2015 18:00	2.6	3.9	1.5	187.9	1.3	3.6	32.0	21.0
12/17/2015 19:00	1.9	2.7	1	116.4	1.1	3.2	32.0	18.0
12/17/2015 20:00	1.8	1.2	BDL	49.4	0.7	2.5	36.0	22.0
12/17/2015 21:00	0.9	1.0	BDL	37.9	0.6	2.5	41.0	31.0
12/17/2015 22:00	0.8	0.8	BDL	37.3	0.6	2.4	36.0	24.0
12/17/2015 23:00	0.5	0.6	BDL	22.6	0.6	2.4	32.0	24.0
12/18/2015 0:00	0.5	0.5	BDL	9.4	0.4	2.3	33.0	27.0
12/18/2015 1:00	0.6	0.4	BDL	4.8	0.4	2.4	30.0	21.0
12/18/2015 2:00	1.9	0.4	BDL	9.9	0.4	2.3	28.0	20.0
12/18/2015 3:00	4.3	0.5	BDL	12.0	0.4	2.2	31.0	25.0
12/18/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	34.0	23.0
12/18/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	35.0	26.0
12/18/2015 6:00	Too few samples	Too few samples	Too few samples	Calibration	Calibration	Calibration	44.0	30.0
12/18/2015 7:00	0.6	BDL	BDL	0.9	0.3	2.4	47.0	26.0
12/18/2015 8:00	0.6	BDL	BDL	5	0.3	2.4	40.0	31.0
12/18/2015 9:00	0.6	BDL	BDL	8.9	0.3	Calibration	45.0	31.0
12/18/2015 10:00	0.6	BDL	BDL	8.5	0.3	2.4	48.0	32.0
12/18/2015 11:00	0.6	BDL	BDL	7.8	0.3	2.5	46.0	26.0
12/18/2015 12:00	0.7	BDL	BDL	7.7	0.3	2.2	37.0	27.0
12/18/2015 13:00	0.6	BDL	BDL	8.3	0.3	2.4	34.0	24.0
12/18/2015								

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	SQ2 PPB	H2S PPB	TMG PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m3	PM2.5 µg/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
12/20/2015 0:00	6.9	BDL	BDL	11.7	0.3	2.3	25.0	11.0
12/20/2015 1:00	6.5	BDL	BDL	13.8	0.3	2.4	23.0	11.0
12/20/2015 2:00	4.4	BDL	BDL	17.6	0.3	2.7	15.0	13.0
12/20/2015 3:00	3.2	BDL	BDL	13.2	0.3	2.6	17.0	14.0
12/20/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	22.0	12.0
12/20/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	14.0	13.0
12/20/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	11.0	10.0
12/20/2015 7:00	0.8	BDL	BDL	7.2	0.3	2.5	12.0	9.0
12/20/2015 8:00	6.6	BDL	BDL	8.8	0.3	2.4	15.0	10.0
12/20/2015 9:00	2.6	BDL	BDL	11.2	0.3	2.5	13.0	9.0
12/20/2015 10:00	0.6	BDL	BDL	3.5	0.3	2.5	9.0	9.0
12/20/2015 11:00	0.4	BDL	BDL	1.3	0.3	2.5	10.0	8.0
12/20/2015 12:00	0.5	BDL	BDL	BDL	0.3	2.5	11.0	9.0
12/20/2015 13:00	2.5	BDL	BDL	5.3	0.3	2.4	9.0	9.0
12/20/2015 14:00	1.5	BDL	BDL	4.8	0.3	2.5	11.0	11.0
12/20/2015 15:00	1.2	BDL	BDL	4.9	0.3	2.5	12.0	10.0
12/20/2015 16:00	1.3	BDL	BDL	7.1	0.3	2.6	10.0	11.0
12/20/2015 17:00	1.4	BDL	BDL	9.5	0.3	2.7	14.0	8.0
12/20/2015 18:00	1.7	BDL	BDL	10.2	0.3	2.8	11.0	8.0
12/20/2015 19:00	3.1	BDL	BDL	24.0	0.4	2.5	18.0	13.0
12/20/2015 20:00	1.6	BDL	BDL	40.2	0.6	2.6	21.0	17.0
12/20/2015 21:00	0.7	BDL	BDL	18.6	0.4	2.7	11.0	12.0
12/20/2015 22:00	0.4	BDL	BDL	21.0	0.4	2.7	15.0	12.0
12/20/2015 23:00	0.6	BDL	BDL	27.4	0.5	2.3	13.0	11.0
12/21/2015 0:00	0.8	BDL	BDL	27.7	0.6	2.4	17.0	12.0
12/21/2015 1:00	0.9	BDL	BDL	32.3	0.5	2.7	16.0	10.0
12/21/2015 2:00	0.8	BDL	BDL	31.0	0.4	3	15.0	8.0
12/21/2015 3:00	1.4	BDL	BDL	26.7	0.3	3	12.0	8.0
12/21/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	7.0	9.0
12/21/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	11.0	9.0
12/21/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	11.0	12.0
12/21/2015 7:00	0.8	BDL	BDL	15.9	0.3	2.7	11.0	8.0
12/21/2015 8:00	0.9	BDL	BDL	13.2	0.3	2.7	10.0	5.0
12/21/2015 9:00	0.5	BDL	BDL	15.2	0.3	2.6	11.0	2.0
12/21/2015 10:00	0.6	BDL	BDL	9.0	0.3	2.7	13.0	3.0
12/21/2015 11:00	0.8	BDL	BDL	8.2	0.3	2.7	13.0	4.0
12/21/2015 12:00	1.0	BDL	BDL	6.7	0.3	2.6	13.0	1.0
12/21/2015 13:00	1.0	BDL	BDL	6.0	0.3	2.6	15.0	4.0
12/21/2015 14:00	1.1	BDL	BDL	6.0	0.3	2.6	12.0	6.0
12/21/2015 15:00	1.3	BDL	BDL	9.2	0.3	2.7	16.0	6.0
12/21/2015 16:00	1.6	BDL	BDL	9.0	0.4	2.6	18.0	10.0
12/21/2015 17:00	1.5	BDL	BDL	13.5	0.4	2.7	8.0	7.0
12/21/2015 18:00	0.5	BDL	BDL	5.6	0.3	2.6	11.0	7.0
12/21/2015 19:00	0.5	BDL	BDL	5.4	0.3	2.6	10.0	5.0
12/21/2015 20:00	0.7	BDL	BDL	6.4	0.3	2.6	14.0	7.0
12/21/2015 21:00	1.2	BDL	BDL	11.7	0.4	2.6	14.0	7.0
12/21/2015 22:00	1.5	BDL	BDL	13.6	0.5	2.4	10.0	6.0
12/21/2015 23:00	1.3	BDL	BDL	11.9	0.4	2.5	10.0	6.0
12/22/2015 0:00	1.2	BDL	BDL	11.3	0.4	2.5	10.0	8.0
12/22/2015 1:00	0.5	BDL	BDL	7.3	0.4	2.7	11.0	9.0
12/22/2015 2:00	0.5	BDL	BDL	8.2	0.3	2.6	13.0	8.0
12/22/2015 3:00	0.6	BDL	BDL	6.3	0.3	2.5	11.0	6.0
12/22/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	9.0	6.0
12/22/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	8.0	8.0
12/22/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	12.0	9.0
12/22/2015 7:00	6.5	1.2	1.1	25.6	0.5	2.4	15.0	13.0
12/22/2015 8:00	BDL	1.2	1	22.2	0.4	2.2	17.0	11.0
12/22/2015 9:00	BDL	1.2	1	28.8	0.4	2.3	13.0	6.0
12/22/2015 10:00	BDL	0.8	BDL	18.0	0.4	2.4	13.0	5.0
12/22/2015 11:00	BDL	0.8	BDL	14.9	0.3	2.5	9.0	2.0
12/22/2015 12:00	BDL	0.8	BDL	17.5	0.4	2.9	12.0	4.0
12/22/2015 13:00	BDL	0.9	1	15.1	0.4	2.9	7.0	4.0
12/22/2015 14:00	0.4	0.7	BDL	6.5	0.4	2.6	15.0	4.0
12/22/2015 15:00	0.8	BDL	BDL	10.1	0.4	2.5	13.0	7.0
12/22/2015 16:00	1.3	BDL	BDL	9.7	0.4	2.4	14.0	10.0
12/22/2015 17:00	1.6	BDL	BDL	12.0	0.4	2.4	23.0	18.0
12/22/2015 18:00	2.0	BDL	BDL	14.1	0.4	2.4	17.0	16.0
12/22/2015 19:00	1.9	BDL	BDL	11.6	0.4	2.3	23.0	18.0
12/22/2015 20:00	2.9	BDL	BDL	11.9	0.4	2.3	17.0	12.0
12/22/2015 21:00	5.2	BDL	BDL	11.3	0.4	2	22.0	14.0
12/22/2015 22:00	3.5	BDL	BDL	15.0	0.5	2.1	17.0	11.0
12/22/2015 23:00	0.4	BDL	BDL	26.5	0.5	2.1	19.0	11.0
12/23/2015 0:00	0.8	BDL	BDL	18.0	0.5	2.3	16.0	17.0
12/23/2015 1:00	0.9	BDL	BDL	23.5	0.5	2.2	21.0	13.0
12/23/2015 2:00	0.7	BDL	BDL	21.6	0.5	2.2	17.0	10.0
12/23/2015 3:00	0.6	BDL	BDL	27.2	0.5	2.1	18.0	14.0
12/23/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	14.0	15.0
12/23/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	15.0	12.0
12/23/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	17.0	17.0
12/23/2015 7:00	0.7	1.1	BDL	45.3	0.6	2.2	17.0	11.0
12/23/2015 8:00	0.9	1.2	BDL	38.1	0.7	2.1	18.0	12.0
12/23/2015 9:00	0.9	1.1	BDL	39.2	0.6	2.1	22.0	11.0
12/23/2015 10:00	0.6	0.8	BDL	38.7	0.5	2	17.0	10.0
12/23/2015 11:00	0.6	0.8	BDL	37.5	0.5	2	15.0	8.0
12/23/2015 12:00	0.6	0.6	BDL	40.7	0.6	2.1	15.0	8.0
12/23/2015 13:00	0.4	0.8	BDL	32.2	0.5	2.1	11.0	7.0
12/23/2015 14:00	0.5	0.6	BDL	35.9	0.5	2.1	14.0	5.0
12/23/2015 15:00	0.4	0.7	BDL	32.7	0.5	2	12.0	5.0
12/23/2015 16:00	0.4	0.8	BDL	32.4	0.5	1.9	8.0	6.0
12/23/2015 17:00	0.5	0.9	BDL	41.1	0.6	2.2	5.0	7.0
12/23/2015 18:00	0.4	0.7	BDL	31.8	0.5	2.1	6.0	6.0
12/23/2015 19:00	0.4	0.6	BDL	26.4	0.5	2.2	10.0	5.0
12/23/2015 20:00	BDL	0.7	BDL	22.7	0.5	2.1	10.0	4.0
12/23/2015 21:00	0.4	0.5	BDL	1.6	0.3	2.1	6.0	4.0
12/23/2015 22:00	0.6	0.4	BDL	BDL	0.3	2	4.0	3.0
12/23/2015 23:00	0.7	BDL	BDL	0.5	0.3	2.2	5.0	0.0
12/24/2015 0:00	0.6	BDL	BDL	0.4	0.3	2.4	5.0	3.0
12/24/2015 1:00	0.5	BDL	BDL	18.0	0.5	2.3	16.0	17.0
12/24/2015 2:00	0.4	BDL	BDL	4.2	0.3	2.7	9.0	2.0
12/24/2015 3:00	0.5	BDL	BDL	3.0	0.3	2.3	9.0	1.0
12/24/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	13.0	4.0
12/24/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	15.0	4.0
12/24/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	15.0	8.0
12/24/2015 7:00	0.4	0.4	BDL	4.7	0.4	2.9	8.0	5.0
12/24/2015 8:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	9.0	4.0
12/24/2015 9:00	6.5	5.4	BDL	6.7	0.4	2.3	6.0	3.0
12/24/2015 10:00	0.4	BDL	BDL	3.2	0.3	2.3	6.0	3.0
12/24/2015 11:00	0.5	BDL	BDL	5.1	0.4	2.5	6.0	6.0
12/24/2015 12:00	0.7	BDL	BDL	10.0	0.4	2.6	7.0	5.0
12/24/2015 13:00	0.7	BDL	BDL	7.7	0.4	2.7	11.0	7.0
12/24/2015 14:00	0.8	BDL	BDL	7.9	0.4	2.6	16.0	15.0
12/24/2015 15:00	1.0	BDL	BDL	12.1	0.4	2.5	10.0	12.0
12/24/2015 16:00	0.6	BDL	BDL	11.0	0.4	2.5	9.0	9.0
12/24/2015 17:00	0.8	BDL	BDL	10.5	0.4	2.6	12.0	10.0
12/24/2015 18:00	0.8	BDL	BDL	15.9	0.5	2.9	11.0	8.0
12/24/2015 19:00	0.7	0.4	BDL	24.3	0.6	2.4	9.0	6.0
12/24/2015 20:00	0.7	0.6	BDL	32.4	0.7	2.4	13.0	7.0
12/24/2015 21:00	0.6	0.5	BDL	29.4	0.6	2.2	12.0	6.0
12/24/2015 22:00	0.4	0.7	BDL	25.4	0.5	2.5	11.0	5.0
12/24/2015 23:00	0.6	1.0	BDL	38.5	0.6	2.2	11.0	5.0
12/25/2015 0:00	0.5	0.7	BDL	24.5	0.6	2.2	10.0	5.0
12/25/2015 1:00	0.5	0.5	BDL	16.0	0.5	2.3	11.0	5.0
12/25/2015 2:00	BDL	0.5	BDL	9.2	0.4	2.4	9.0	2.0
12/25/2015 3:00	BDL	0.6	BDL	9.4	0.4	2.5	6.0	1.0
12/25/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	10.0	4.0
12/25/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	9.0	4.0
12/25/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	11.0	7.0
12/25/2015 7:00	0.4	BDL	BDL	4.7	0.4	2.9	8.0	4.0
12/25/2015 8:00	0.4	BDL	BDL	16.0	0.4	2.9	9.0	6.0
12/25/2015 9:00	0.7	0.4	BDL	26.9	0.5	2.9	9.0	5.0
12/25/2015 10:00	0.7	BDL	BDL	14.6	0.4	2.8	8.0	8.0
12/25/2015 11:00	0.6	BDL	BDL	8.9	0.4	2.7	7.0	6.0
12/25/2015 12:00	0.8	BDL	BDL	10.2	0.4	2.5	7.0	6.0
12/25/2015 13:00	0.5	BDL	BDL	8.4	0.4	3	11.0	11.0
12/25/2015 14:00	0.6	BDL	BDL	13.2	0.5	3.3	12.0	10.0
12/25/2015 15:00	0.6	BDL	BDL					

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	H2S PPB	THG PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m ³	PM2.5 µg/m ³
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppm	10.0 ppm	1.0 µg/m ³	1.0 µg/m ³
Site Downwind Weekly: 12/27/2015-1/2/2016							
12/27/2015 0:00	BDL	BDL	BDL	6.4	0.4	2.3	18.0
12/27/2015 1:00	BDL	BDL	BDL	9.9	0.4	2.3	15.0
12/27/2015 2:00	BDL	BDL	BDL	4.6	0.4	2.4	14.0
12/27/2015 3:00	BDL	BDL	BDL	6.2	0.4	2.7	14.0
12/27/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	14.0
12/27/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	8.0
12/27/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	11.0
12/27/2015 7:00	0.4	BDL	BDL	10.0	0.4	3.6	10.0
12/27/2015 8:00	BDL	BDL	BDL	9.0	0.4	3.6	11.0
12/27/2015 9:00	BDL	BDL	BDL	9.7	0.3	3.3	8.0
12/27/2015 10:00	BDL	0.4	BDL	7.7	0.4	3.2	8.0
12/27/2015 11:00	0.6	0.4	BDL	8.2	0.4	3.7	12.0
12/27/2015 12:00	0.8	0.4	BDL	8.7	0.4	4	18.0
12/27/2015 13:00	0.8	BDL	BDL	6.6	0.4	4.1	14.0
12/27/2015 14:00	1.0	BDL	BDL	6.6	0.4	4	13.0
12/27/2015 15:00	0.8	BDL	BDL	5.9	0.4	4	10.0
12/27/2015 16:00	0.7	BDL	BDL	7.0	0.4	3.7	8.0
12/27/2015 17:00	0.8	BDL	BDL	8.6	0.4	3.3	15.0
12/27/2015 18:00	1.1	BDL	BDL	12.2	0.4	2.6	12.0
12/27/2015 19:00	0.9	BDL	BDL	12.1	0.4	2.6	12.0
12/27/2015 20:00	0.6	BDL	BDL	6.7	0.4	2.5	6.0
12/27/2015 21:00	BDL	BDL	BDL	1.6	0.4	2.3	6.0
12/27/2015 22:00	BDL	BDL	BDL	0.9	0.3	2.4	5.0
12/27/2015 23:00	BDL	BDL	BDL	BDL	0.3	2.3	3.0
12/28/2015 0:00	BDL	BDL	BDL	BDL	0.3	2.3	3.0
12/28/2015 1:00	BDL	BDL	BDL	BDL	0.3	2.4	3.0
12/28/2015 2:00	BDL	BDL	BDL	BDL	0.3	2.4	4.0
12/28/2015 3:00	BDL	BDL	BDL	BDL	0.3	2.4	6.0
12/28/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	5.0
12/28/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	3.0
12/28/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	3.0
12/28/2015 7:00	0.4	BDL	BDL	10.4	0.4	2.4	6.0
12/28/2015 8:00	BDL	BDL	BDL	16.8	0.3	2.3	5.0
12/28/2015 9:00	BDL	BDL	BDL	21.2	0.3	2.3	3.0
12/28/2015 10:00	BDL	BDL	BDL	23.7	0.4	2.3	4.0
12/28/2015 11:00	BDL	BDL	BDL	14.4	0.3	2.3	3.0
12/28/2015 12:00	BDL	BDL	BDL	19.6	0.3	2.3	8.0
12/28/2015 13:00	BDL	BDL	BDL	19.0	0.3	2.3	6.0
12/28/2015 14:00	BDL	BDL	BDL	20.9	0.4	2.4	11.0
12/28/2015 15:00	BDL	0.4	BDL	36.7	0.4	2.4	5.0
12/28/2015 16:00	0.4	0.4	BDL	33.6	0.4	2.3	8.0
12/28/2015 17:00	BDL	BDL	BDL	18.9	0.4	2.3	6.0
12/28/2015 18:00	BDL	BDL	BDL	9.9	0.3	2.3	11.0
12/28/2015 19:00	BDL	BDL	BDL	11.0	0.4	2.3	8.0
12/28/2015 20:00	BDL	BDL	BDL	11.6	0.4	2.3	10.0
12/28/2015 21:00	BDL	BDL	BDL	7.6	0.3	2.3	12.0
12/28/2015 22:00	BDL	BDL	BDL	5.3	0.3	2.3	11.0
12/28/2015 23:00	BDL	BDL	BDL	5.9	0.4	2.3	9.0
12/29/2015 0:00	BDL	BDL	BDL	12.6	0.3	2.2	8.0
12/29/2015 1:00	BDL	BDL	BDL	9.8	0.3	2.2	8.0
12/29/2015 2:00	BDL	BDL	BDL	23.0	0.3	2.2	6.0
12/29/2015 3:00	BDL	BDL	BDL	14.2	0.3	2.3	7.0
12/29/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	6.0
12/29/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	2.0
12/29/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	5.0
12/29/2015 7:00	BDL	BDL	BDL	21.1	0.4	2.3	3.0
12/29/2015 8:00	BDL	BDL	BDL	32.5	0.4	2.4	4.0
12/29/2015 9:00	BDL	0.5	BDL	32.5	0.4	2.4	5.0
12/29/2015 10:00	BDL	0.6	BDL	33.0	0.4	2.5	7.0
12/29/2015 11:00	BDL	0.7	BDL	33.0	0.5	2.4	7.0
12/29/2015 12:00	BDL	0.5	BDL	30.2	0.4	2.4	6.0
12/29/2015 13:00	0.4	0.6	BDL	26.8	0.4	2.6	5.0
12/29/2015 14:00	0.4	0.5	BDL	26.1	0.4	2.6	6.0
12/29/2015 15:00	0.4	0.5	BDL	27.0	0.4	2.5	6.0
12/29/2015 16:00	0.4	0.7	BDL	34.5	0.5	2.4	12.0
12/29/2015 17:00	0.4	0.8	BDL	40.1	0.5	2.4	11.0
12/29/2015 18:00	BDL	0.6	BDL	30.5	0.5	2.3	15.0
12/29/2015 19:00	BDL	0.4	BDL	20.2	0.5	2.4	13.0
12/29/2015 20:00	BDL	0.4	BDL	15.9	0.4	2.4	12.0
12/29/2015 21:00	BDL	BDL	BDL	12.5	0.4	2.6	13.0
12/29/2015 22:00	0.4	BDL	BDL	10.1	0.4	2.6	17.0
12/29/2015 23:00	BDL	BDL	BDL	12.5	0.4	2.6	19.0
12/30/2015 0:00	BDL	BDL	BDL	13.1	0.4	2.6	17.0
12/30/2015 1:00	BDL	BDL	BDL	15.4	0.4	2.7	15.0
12/30/2015 2:00	BDL	0.4	BDL	22.5	0.4	2.5	16.0
12/30/2015 3:00	0.5	0.7	BDL	42.6	0.5	2.4	26.0
12/30/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	22.0
12/30/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	26.0
12/30/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	21.0
12/30/2015 7:00	0.5	0.7	BDL	29.0	0.4	2.3	18.0
12/30/2015 8:00	0.5	0.6	BDL	35.1	0.4	2.3	20.0
12/30/2015 9:00	0.5	0.7	BDL	36.2	0.5	2.3	19.0
12/30/2015 10:00	0.5	0.5	BDL	32.7	0.4	2.3	19.0
12/30/2015 11:00	0.5	0.6	BDL	32.3	0.4	2.2	16.0
12/30/2015 12:00	0.5	0.8	BDL	48.3	0.5	2.3	28.0
12/30/2015 13:00	0.6	0.8	BDL	41.5	0.5	2.2	22.0
12/30/2015 14:00	0.5	0.6	BDL	28.8	0.4	2.2	15.0
12/30/2015 15:00	0.6	0.8	BDL	37.2	0.5	2.2	19.0
12/30/2015 16:00	0.4	0.5	BDL	27.3	0.5	2.1	19.0
12/30/2015 17:00	0.4	0.4	BDL	24.8	0.5	2.1	13.0
12/30/2015 18:00	0.4	0.6	BDL	39.5	0.5	2.2	10.0
12/30/2015 19:00	0.4	0.5	BDL	22.8	0.4	2.2	10.0
12/30/2015 20:00	BDL	BDL	BDL	15.3	0.4	2.3	15.0
12/30/2015 21:00	BDL	BDL	BDL	15.8	0.4	2.3	15.0
12/30/2015 22:00	BDL	BDL	BDL	19.5	0.4	2.3	10.0
12/30/2015 23:00	BDL	BDL	BDL	20.0	0.5	2.5	6.0
12/31/2015 0:00	BDL	BDL	BDL	16.4	0.5	2.4	3.0
12/31/2015 1:00	BDL	BDL	BDL	10.4	0.4	2.3	3.0
12/31/2015 2:00	0.4	BDL	BDL	15.0	0.4	2.7	5.0
12/31/2015 3:00	0.5	0.4	BDL	16.9	0.4	2.9	4.0
12/31/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	6.0
12/31/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	5.0
12/31/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	11.0
12/31/2015 7:00	0.6	0.7	BDL	26.1	0.5	2.7	12.0
12/31/2015 8:00	0.6	BDL	BDL	13.2	0.4	2.6	15.0
12/31/2015 9:00	0.7	0.4	BDL	16.6	0.4	2.5	13.0
12/31/2015 10:00	0.6	0.6	BDL	8.4	0.3	2.5	15.0
12/31/2015 11:00	0.5	BDL	BDL	2.5	0.3	2.5	14.0
12/31/2015 12:00	0.5	BDL	BDL	2.5	0.3	2.5	10.0
12/31/2015 13:00	0.5	BDL	BDL	1.7	0.3	2.4	10.0
12/31/2015 14:00	0.5	BDL	BDL	1.2	0.3	2.4	8.0
12/31/2015 15:00	0.4	BDL	BDL	1.3	0.3	2.4	9.0
12/31/2015 16:00	0.4	BDL	BDL	0.8	0.3	2.4	8.0
12/31/2015 17:00	0.4	BDL	BDL	1.2	0.3	2.3	9.0
12/31/2015 18:00	0.5	BDL	BDL	4.0	0.3	2.4	11.0
12/31/2015 19:00	0.4	BDL	BDL	5.7	0.3	2.5	10.0
12/31/2015 20:00	0.4	BDL	BDL	2.5	0.3	2.5	6.0
12/31/2015 21:00	BDL	BDL	BDL	1.0	0.3	2.4	9.0
12/31/2015 22:00	BDL	BDL	BDL	BDL	0.3	2.4	7.0
12/31/2015 23:00	BDL	BDL	BDL	BDL	0.3	2.4	5.0
1/1/2016 0:00	0.4	BDL	BDL	BDL	0.3	2.4	4.0
1/1/2016 1:00	BDL	BDL	BDL	BDL	0.3	2.3	3.0
1/1/2016 2:00	BDL	BDL	BDL	BDL	0.3	2.4	3.0
1/1/2016 3:00	BDL	BDL	BDL	BDL	0.3	2.4	6.0
1/1/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	4.0
1/1/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	8.0
1/1/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	9.0
1/1/2016 7:00	0.9	BDL	BDL	BDL	0.3	2.4	11.0
1/1/2016 8:00	BDL	BDL	BDL	BDL	0.2	2.3	8.0
1/1/2016 9:00	0.7	BDL	BDL	0.8	0.3	2.4	6.0
1/1/2016 10:00	0.7	BDL	BDL	0.8	0.2	2.3	4.0
1/1/2016 11:00	0.7	BDL	BDL	0.7	0.2	2.3	6.0
1/1/2016 12:00	0.6	BDL	BDL	BDL	0.2	2.3	8.0
1/1/2016 13:00	0.6	BDL	BDL	5.4	0.2	2.4	9.0
1/1/2016 14:00	0.6	BDL	BDL	1.3	0.2	2.3	11.0
1/1/2016 15:00	0.4	BDL	BDL	3.3	0.2	2.3	9.0
1/1/2016 16:00	BDL	BDL	BDL	2.7</			

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	H2S PPB	THG PPB	NOx PPB	CO PPM	VOC 10.0 ppb	PM10 µg/m ³	PM2.5 µg/m ³
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb		1.0 µg/m ³	1.0 µg/m ³
Site Downwind Weekly: 1/2/2016-1/9/2016							
1/2/2016 0:00	1.9	2.3	BDL	104.7	1.1	inVid	34.0
1/2/2016 1:00	1.4	1.6	BDL	67.9	0.8	inVid	27.0
1/2/2016 2:00	1.6	2.0	BDL	97.2	1.0	inVid	27.0
1/2/2016 3:00	1.8	3.0	1	109.8	1.1	inVid	35.0
1/2/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	31.0
1/2/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	19.0
1/2/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	24.0
1/2/2016 7:00	0.8	0.9	BDL	22.9	0.4	inVid	17.0
1/2/2016 8:00	1.0	1.1	BDL	28.8	0.5	inVid	21.0
1/2/2016 9:00	1.4	1.0	BDL	30.5	0.5	inVid	23.0
1/2/2016 10:00	1.4	0.8	BDL	26.4	0.4	Too few samples	19.0
1/2/2016 11:00	Too few samples	Too few samples	Too few samples	Too few samples	0.3	Too few samples	18.0
1/2/2016 12:00	0.5	2.5	BDL	37.9	0.3	2.1	19.0
1/2/2016 13:00	1.1	0.4	BDL	4.7	2.2	2.0	7.0
1/2/2016 14:00	0.8	BDL	BDL	BDL	0.2	2.1	9.0
1/2/2016 15:00	1.0	BDL	BDL	BDL	0.2	2.2	7.0
1/2/2016 16:00	1.2	BDL	BDL	1.9	0.3	2.2	6.0
1/2/2016 17:00	1.3	BDL	BDL	2.1	0.3	2.2	11.0
1/2/2016 18:00	0.8	BDL	BDL	1.4	0.3	2.1	10.0
1/2/2016 19:00	0.5	BDL	BDL	3.6	0.3	2.1	9.0
1/2/2016 20:00	0.5	BDL	BDL	3.9	0.3	2.1	10.0
1/2/2016 21:00	0.5	BDL	BDL	6.7	0.3	2.2	14.0
1/2/2016 22:00	0.7	BDL	BDL	16.6	0.3	2.2	11.0
1/2/2016 23:00	0.6	BDL	BDL	7.9	0.3	2.2	9.0
1/3/2016 0:00	0.6	BDL	BDL	6.8	0.3	2.2	8.0
1/3/2016 1:00	0.6	BDL	BDL	8.6	0.3	2.3	9.0
1/3/2016 2:00	0.6	BDL	BDL	13.5	0.3	2.3	7.0
1/3/2016 3:00	0.6	BDL	BDL	33.9	0.3	2.4	6.0
1/3/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	5.0
1/3/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	3.0
1/3/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	6.0
1/3/2016 7:00	0.8	BDL	BDL	7.1	0.3	2.0	7.0
1/3/2016 8:00	0.9	BDL	BDL	7.2	0.3	2.0	5.0
1/3/2016 9:00	0.8	BDL	BDL	7.7	0.3	2.1	9.0
1/3/2016 10:00	0.8	BDL	BDL	5.8	0.3	2.1	10.0
1/3/2016 11:00	0.7	BDL	BDL	5.9	0.3	2.1	6.0
1/3/2016 12:00	0.6	BDL	BDL	3.6	0.2	2.0	4.0
1/3/2016 13:00	0.5	BDL	BDL	3.9	0.3	2.1	8.0
1/3/2016 14:00	0.4	BDL	BDL	2.3	0.2	2.1	11.0
1/3/2016 15:00	BDL	BDL	BDL	1.7	0.2	2.1	15.0
1/3/2016 16:00	BDL	BDL	BDL	2.4	0.2	2.1	12.0
1/3/2016 17:00	BDL	BDL	BDL	2.7	0.3	2.1	13.0
1/3/2016 18:00	BDL	BDL	BDL	2.8	0.3	2.1	12.0
1/3/2016 19:00	BDL	BDL	BDL	1.4	0.3	2.1	18.0
1/3/2016 20:00	BDL	BDL	BDL	0.9	0.3	2.2	14.0
1/3/2016 21:00	BDL	BDL	BDL	1.7	0.3	2.2	15.0
1/3/2016 22:00	BDL	BDL	BDL	BDL	0.2	2.2	10.0
1/3/2016 23:00	BDL	BDL	BDL	1.6	0.2	2.2	10.0
1/4/2016 0:00	BDL	BDL	BDL	0.9	0.2	2.6	10.0
1/4/2016 1:00	BDL	BDL	BDL	0.6	0.2	2.7	9.0
1/4/2016 2:00	BDL	BDL	BDL	2.9	0.3	2.8	6.0
1/4/2016 3:00	0.4	BDL	BDL	2.8	0.2	2.7	6.0
1/4/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	7.0
1/4/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	8.0
1/4/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	8.0
1/4/2016 7:00	0.4	BDL	BDL	10.9	0.3	2.5	16.0
1/4/2016 8:00	0.4	BDL	BDL	15.7	0.3	2.4	9.0
1/4/2016 9:00	0.6	BDL	BDL	24.7	0.4	2.3	13.0
1/4/2016 10:00	0.6	BDL	BDL	20.1	0.3	2.3	9.0
1/4/2016 11:00	0.8	BDL	BDL	18.3	0.3	2.3	17.0
1/4/2016 12:00	0.6	BDL	BDL	12.7	0.3	2.3	13.0
1/4/2016 13:00	0.6	BDL	BDL	12.1	0.3	2.3	13.0
1/4/2016 14:00	0.6	BDL	BDL	13.2	0.3	2.3	14.0
1/4/2016 15:00	0.5	BDL	BDL	12.3	0.3	2.3	11.0
1/4/2016 16:00	0.5	BDL	BDL	12.2	0.3	2.3	16.0
1/4/2016 17:00	0.5	BDL	BDL	16.4	0.3	2.4	14.0
1/4/2016 18:00	0.5	BDL	BDL	24.0	0.3	2.7	15.0
1/4/2016 19:00	0.6	BDL	BDL	30.3	0.4	2.9	18.0
1/4/2016 20:00	1.2	BDL	BDL	54.1	0.5	2.9	21.0
1/4/2016 21:00	1.7	BDL	BDL	56.3	0.6	2.9	24.0
1/4/2016 22:00	2.3	1.4	BDL	79.0	0.7	3.4	34.0
1/4/2016 23:00	1.8	1.1	BDL	58.4	0.6	3.0	27.0
1/5/2016 0:00	2.2	1.5	BDL	75.2	0.8	3.6	29.0
1/5/2016 1:00	2.1	1.8	BDL	82.6	0.6	4.0	29.0
1/5/2016 2:00	1.8	1.9	BDL	87.9	0.7	4.4	28.0
1/5/2016 3:00	1.7	1.8	BDL	77.8	0.7	3.4	26.0
1/5/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	21.0
1/5/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	25.0
1/5/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	16.0
1/5/2016 7:00	3.0	3.1	BDL	145.2	1	3.5	44.0
1/5/2016 8:00	3.0	4.3	1	177.5	1.1	3.7	58.0
1/5/2016 9:00	2.9	3.2	1	131.6	0.9	3.2	40.0
1/5/2016 10:00	2.7	2.1	BDL	99.4	0.8	3.0	42.0
1/5/2016 11:00	3.0	1.0	BDL	49.0	0.5	2.9	34.0
1/5/2016 12:00	2.9	0.7	BDL	36.6	0.4	2.4	30.0
1/5/2016 13:00	3.5	0.8	BDL	38.9	0.4	2.4	28.0
1/5/2016 14:00	4.7	1.9	BDL	41.6	0.4	2.4	36.0
1/5/2016 15:00	4.1	16.5	BDL	39.9	0.4	2.4	44.0
1/5/2016 16:00	2.4	0.7	BDL	24.8	0.3	2.3	27.0
1/5/2016 17:00	3.4	BDL	BDL	16.7	0.3	2.5	18.0
1/5/2016 18:00	4.9	BDL	BDL	22.9	0.4	2.7	20.0
1/5/2016 19:00	5.1	0.8	BDL	50.9	0.5	2.4	28.0
1/5/2016 20:00	3.5	1.5	BDL	64.2	0.5	2.2	35.0
1/5/2016 21:00	2.7	1.2	BDL	51.9	0.5	2.5	29.0
1/5/2016 22:00	2.2	1.6	1.3	51.3	0.6	3.0	20.0
1/5/2016 23:00	2.2	1.8	1	60.9	0.7	2.9	25.0
1/7/2016 0:00	2.5	2.9	1.3	95.2	0.8	3.0	26.0
1/7/2016 1:00	2.3	2.7	1.2	76.6	0.7	3.1	25.0
1/7/2016 2:00	2.1	2.6	1.2	93.5	0.7	3.4	27.0
1/7/2016 3:00	1.2	3.2	1.1	115.7	0.8	3.2	28.0
1/7/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	30.0
1/7/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	29.0
1/7/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	28.0
1/7/2016 7:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	34.0
1/7/2016 8:00	Too few samples	Too few samples	Too few samples	Too few samples	1.2	11.9	42.0
1/7/2016 9:00	4.1	3.7	1.4	171.1	1.0	3.4	54.0
1/7/2016 10:00	4.8	5.2	1.7	233.9	1.3	3.6	71.0
1/7/2016 11:00	4.3	1.5	BDL	182.6	1.0	3.3	85.0
1/7/2016 12:00	5.4	4.3	1.3	186.4	1.0	3.6	97.0
1/7/2016 13:00	5.1	4.0	1.2	161.2	0.9	3.1	70.0
1/7/2016 14:00	4.4	11.0	1.8	121.6	0.8	2.9	62.0
1/7/2016 15:00	4.4	14.6	2.2	146.6	0.9	2.9	88.0
1/7/2016 16:00	3.1	2.0	BDL	96.9	0.7	2.7	56.0
1/7/2016 17:00	3.5	3.0	1.0	128.2	0.9	2.8	73.0
1/7/2016 18:00	3.8	3.5	1.0	151.2	1.0	3.6	79.0
1/7/2016 19:00	3.6	3.8	1.2	107.9	1.1	3.1	77.0
1/7/2016 20:00	3.6	4.4	1.5	198.0	1.5	3.3	80.0
1/7/2016 21:00	3.3	4.3	1.4	191.8	1.6	3.4	62.0
1/7/2016 22:00	3.1	4.0	1.4	178.0	1.7	3.4	53.0
1/7/2016 23:00	2.9	3.3	BDL	150.9	1.4	3.9	45.0
1/8/2016 0:00	2.9	3.2	BDL	143.8	1.4	4.1	38.0
1/8/2016 1:00	2.7	2.5	BDL	120.3	1.1	3.6	37.0
1/8/2016 2:00	2.4	1.9	BDL	90.5	0.8	3.1	31.0
1/8/2016 3:00	1.9	1.5	BDL	76.6	0.7	2.8	26.0
1/8/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	22.0
1/8/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	30.0
1/8/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	36.0
1/8/2016 7:00	1.1	1.0	BDL	52.1	0.6	2.6	35.0
1/8/2016 8:00	0.8	1.5	BDL	65.3	0.6	2.3	0.0
1/8/2016 9:00	---	1.7	BDL	86.5	0.8	2.4	34.0
1/8/2016 10:00	2.1	1.7	BDL	79.7	0.7	2.3	39.0
1/8/2016 11:00	2.1	1.6	BDL	74.0	0.6	2.3	36.0
1/8/2016 12:00	2.5	1.8	BDL	84.1	0.7	2.3	46.0
1/8/2016 13:00	2.2	1.6	BDL	76.3	0.7	2.3	40.0
1/8/2016 14:00							

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	SQ2 PPB	H2S PPB	TRG PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m3	PM2.5 µg/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 1/10/2016-1/16/2016								
1/10/2016 0:00	BDL	BDL	BDL	9.2	0.4	2.2	12.0	7.0
1/10/2016 1:00	BDL	BDL	BDL	7.2	0.3	2.2	20.0	5.0
1/10/2016 2:00	BDL	BDL	BDL	6.2	0.3	2.2	25.0	6.0
1/10/2016 3:00	BDL	BDL	BDL	8.6	0.3	2.2	12.0	4.0
1/10/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	9.0	4.0
1/10/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	2.0	3.0
1/10/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	0.3	2.2	1.0	1.0
1/10/2016 7:00	BDL	BDL	BDL	3.6	0.3	2.7	3.0	BDL
1/10/2016 8:00	BDL	BDL	BDL	BDL	0.3	2.2	3.0	BDL
1/10/2016 9:00	BDL	BDL	BDL	BDL	0.3	2.2	11.0	1.0
1/10/2016 10:00	0.4	BDL	BDL	1.1	0.3	2.2	10.0	1.0
1/10/2016 11:00	0.4	BDL	BDL	4.8	0.3	2.5	11.0	3.0
1/10/2016 12:00	BDL	BDL	BDL	1.6	0.3	2.6	12.0	3.0
1/10/2016 13:00	0.4	BDL	BDL	4.3	0.3	2.9	10.0	5.0
1/10/2016 14:00	0.4	BDL	BDL	1.0	0.4	2.8	9.0	8.0
1/10/2016 15:00	1.5	0.4	BDL	4.4	0.3	2.7	20.0	20.0
1/10/2016 16:00	1.2	0.4	BDL	8.9	0.4	2.2	9.0	3.0
1/10/2016 17:00	1.7	0.6	BDL	12.4	0.3	2.1	9.0	5.0
1/10/2016 18:00	2.3	0.7	BDL	15.2	0.3	2.1	12.0	6.0
1/10/2016 19:00	1.4	0.5	BDL	21.9	0.3	1.9	17.0	6.0
1/10/2016 20:00	1.4	0.5	BDL	19.9	0.3	2.1	13.0	5.0
1/10/2016 21:00	0.8	BDL	BDL	9.2	0.3	2.2	8.0	3.0
1/10/2016 22:00	0.7	BDL	BDL	8.1	0.3	2.1	6.0	5.0
1/10/2016 23:00	0.7	BDL	BDL	5.5	0.3	2.2	8.0	6.0
1/11/2016 0:00	0.8	BDL	BDL	7.5	0.3	2.2	6.0	4.0
1/11/2016 1:00	0.8	BDL	BDL	8.1	0.3	2.2	6.0	4.0
1/11/2016 2:00	0.6	BDL	BDL	1.3	0.3	2.2	9.0	4.0
1/11/2016 3:00	0.5	BDL	BDL	BDL	0.3	2.2	5.0	4.0
1/11/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	3.0	6.0
1/11/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	5.0	6.0
1/11/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	7.0	4.0
1/11/2016 7:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	9.0	3.0
1/11/2016 8:00	0.7	BDL	BDL	13.6	0.2	2.2	11.0	5.0
1/11/2016 9:00	0.8	BDL	BDL	16.0	0.2	2.2	11.0	8.0
1/11/2016 10:00	1.3	BDL	BDL	21.4	0.2	2.2	18.0	8.0
1/11/2016 11:00	1.4	BDL	BDL	22.0	0.2	2.2	18.0	8.0
1/11/2016 12:00	1.2	BDL	BDL	20.3	0.2	2.1	13.0	8.0
1/11/2016 13:00	1.1	BDL	BDL	17.9	0.2	2.1	17.0	6.0
1/11/2016 14:00	1.1	BDL	BDL	16.0	0.2	2.2	12.0	4.0
1/11/2016 15:00	1.3	BDL	BDL	12.1	0.2	2.2	17.0	7.0
1/11/2016 16:00	0.9	BDL	BDL	10.4	0.2	2.1	18.0	10.0
1/11/2016 17:00	0.7	BDL	BDL	9.7	0.2	2.2	6.0	7.0
1/11/2016 18:00	0.8	BDL	BDL	9.7	0.3	2.1	6.0	6.0
1/11/2016 19:00	1.0	BDL	BDL	17.1	0.3	2.1	8.0	6.0
1/11/2016 20:00	0.9	BDL	BDL	21.8	0.3	2.3	15.0	7.0
1/11/2016 21:00	0.8	BDL	BDL	20.9	0.3	2.3	13.0	7.0
1/11/2016 22:00	0.8	BDL	BDL	19.4	0.4	2.5	14.0	9.0
1/11/2016 23:00	1.0	0.4	BDL	35.1	0.4	2.3	16.0	8.0
1/12/2016 0:00	1.0	0.6	BDL	41.4	0.5	2.5	14.0	11.0
1/12/2016 1:00	1.1	1.3	BDL	69.0	0.5	2.2	21.0	13.0
1/12/2016 2:00	1.2	1.6	BDL	77.7	0.4	2.1	26.0	14.0
1/12/2016 3:00	1.2	1.4	BDL	72.7	0.4	2.1	19.0	13.0
1/12/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	20.0	13.0
1/12/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	18.0	14.0
1/12/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	0.4	2.0	14.0	8.0
1/12/2016 7:00	1.5	1.6	BDL	88.8	0.4	2.0	25.0	8.0
1/12/2016 8:00	1.3	1.0	BDL	56.8	0.4	2.0	25.0	9.0
1/12/2016 9:00	1.2	1.2	BDL	52.4	0.3	1.9	23.0	10.0
1/12/2016 10:00	0.9	0.8	BDL	28.4	0.2	1.9	15.0	10.0
1/12/2016 11:00	0.8	1.2	BDL	22.1	0.2	1.9	18.0	10.0
1/12/2016 12:00	0.6	0.8	BDL	17.8	0.2	2.0	22.0	8.0
1/12/2016 13:00	0.6	0.6	BDL	17.1	0.2	2.3	15.0	6.0
1/12/2016 14:00	0.5	0.7	BDL	17.5	0.2	2.4	18.0	10.0
1/12/2016 15:00	1.0	0.4	BDL	10.4	0.2	2.3	35.0	10.0
1/12/2016 16:00	2.3	0.6	BDL	21.7	0.2	2.2	18.0	8.0
1/12/2016 17:00	2.1	BDL	BDL	14.9	0.2	2.3	13.0	11.0
1/12/2016 18:00	2.5	0.7	BDL	24.0	0.3	2.2	12.0	8.0
1/12/2016 19:00	2.6	0.6	BDL	21.9	0.2	2.3	18.0	10.0
1/12/2016 20:00	1.5	0.7	BDL	19.3	0.2	2.3	21.0	8.0
1/12/2016 21:00	0.4	BDL	BDL	8.6	0.2	2.1	5.0	5.0
1/12/2016 22:00	0.8	BDL	BDL	10.3	0.2	2.1	8.0	3.0
1/12/2016 23:00	0.7	BDL	BDL	5.8	0.2	2.1	21.0	8.0
1/13/2016 0:00	0.7	BDL	BDL	8.8	0.2	2.2	17.0	10.0
1/13/2016 1:00	0.8	BDL	BDL	7.4	0.2	2.3	25.0	10.0
1/13/2016 2:00	1.6	BDL	BDL	10.2	0.2	2.2	24.0	14.0
1/13/2016 3:00	1.6	BDL	BDL	12.1	0.2	2.2	19.0	11.0
1/13/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	17.0	15.0
1/13/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	15.0	14.0
1/13/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	0.2	2.0	19.0	13.0
1/13/2016 7:00	5.8	BDL	BDL	23.8	0.2	2.0	24.0	14.0
1/13/2016 8:00	3.2	0.5	BDL	25.2	0.2	2.0	27.0	17.0
1/13/2016 9:00	2.5	0.7	BDL	24.3	0.2	2.0	33.0	15.0
1/13/2016 10:00	2.4	0.4	BDL	22.9	0.3	2.3	39.0	13.0
1/13/2016 11:00	1.9	BDL	BDL	13.3	0.2	2.3	35.0	10.0
1/13/2016 12:00	1.5	BDL	BDL	9.9	0.2	2.3	36.0	7.0
1/13/2016 13:00	1.5	BDL	BDL	9.7	0.2	2.2	23.0	11.0
1/13/2016 14:00	1.6	BDL	BDL	15.4	0.2	2.2	23.0	11.0
1/13/2016 15:00	1.2	BDL	BDL	15.9	0.2	2.2	25.0	10.0
1/13/2016 16:00	1.0	BDL	BDL	14.2	0.2	2.1	19.0	11.0
1/13/2016 17:00	1.7	BDL	BDL	17.4	0.2	2.2	22.0	12.0
1/13/2016 18:00	2.2	BDL	BDL	19.2	0.2	2.1	18.0	12.0
1/13/2016 19:00	2.4	BDL	BDL	21.6	0.2	2.0	21.0	14.0
1/13/2016 20:00	1.3	BDL	BDL	20.5	0.2	2.0	19.0	10.0
1/13/2016 21:00	1.7	BDL	BDL	21.3	0.2	1.9	20.0	12.0
1/13/2016 22:00	1.9	BDL	BDL	20.8	0.2	2.0	20.0	12.0
1/13/2016 23:00	1.2	BDL	BDL	9.6	0.2	2.3	20.0	11.0
1/14/2016 0:00	1.8	BDL	BDL	15.3	0.2	2.1	16.0	9.0
1/14/2016 1:00	2.0	BDL	BDL	11.4	0.2	2.3	16.0	11.0
1/14/2016 2:00	1.9	BDL	BDL	19.6	0.2	2.3	12.0	8.0
1/14/2016 3:00	2.0	BDL	BDL	10.5	0.2	2.2	20.0	7.0
1/14/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	18.0	8.0
1/14/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	18.0	9.0
1/14/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	0.2	2.2	19.0	10.0
1/14/2016 7:00	1.8	0.4	BDL	19.5	0.2	2.2	18.0	10.0
1/14/2016 8:00	2.0	0.7	BDL	40.0	0.3	2.3	30.0	10.0
1/14/2016 9:00	1.7	1.0	BDL	41.2	0.3	2.1	27.0	13.0
1/14/2016 10:00	4.1	0.9	BDL	30.5	0.3	2.3	39.0	21.0
1/14/2016 11:00	3.6	0.7	BDL	29.3	0.3	2.1	35.0	21.0
1/14/2016 12:00	3.1	0.6	BDL	26.8	0.3	2.1	29.0	17.0
1/14/2016 13:00	3.5	0.6	BDL	21.2	0.2	2.1	30.0	17.0
1/14/2016 14:00	3.0	0.5	BDL	20.5	0.2	2.1	26.0	14.0
1/14/2016 15:00	2.1	BDL	BDL	17.0	0.3	2.1	23.0	13.0
1/14/2016 16:00	2.4	BDL	BDL	17.0	0.3	2.1	25.0	12.0
1/14/2016 17:00	3.0	0.4	BDL	20.6	0.3	2.1	21.0	17.0
1/14/2016 18:00	3.1	0.6	BDL	28.0	0.3	2.3	21.0	14.0
1/14/2016 19:00	2.8	0.5	BDL	33.3	0.4	2.2	18.0	10.0
1/14/2016 20:00	1.9	1.1	BDL	53.7	0.5	1.9	21.0	8.0
1/14/2016 21:00	1.3	1.1	BDL	56.3	0.3	2.0	21.0	12.0
1/14/2016 22:00	1.1	0.8	BDL	36.8	0.5	2.4	15.0	9.0
1/14/2016 23:00	1.0	1.0	BDL	48.6	0.2	2.6	22.0	12.0
1/15/2016 0:00	1.7	1.						

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	H2S PPB	THG PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m ³	PM2.5 µg/m ³
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m ³	1.0 µg/m ³
Site Downwind Steeley 1/17/2016-1/23/2016							
1/17/2016 12:00 AM	0.7	BDL	BDL	10.9	0.3	2.3	12.0
1/17/2016 1:00 AM	0.6	BDL	BDL	5.4	0.2	2.2	6.0
1/17/2016 2:00 AM	0.5	BDL	BDL	5.5	0.2	2.2	6.0
1/17/2016 3:00 AM	0.5	BDL	BDL	6.5	0.2	2.3	6.0
1/17/2016 4:00 AM	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	5.0
1/17/2016 5:00 AM	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	7.0
1/17/2016 6:00 AM	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	4.0
1/17/2016 7:00 AM	0.4	BDL	BDL	8.3	0.2	2.1	6.0
1/17/2016 8:00 AM	0.4	BDL	BDL	15.7	0.3	2.1	6.0
1/17/2016 9:00 AM	0.4	BDL	BDL	24.9	0.3	2.4	16.0
1/17/2016 10:00 AM	0.4	BDL	BDL	19.0	0.3	2.1	7.0
1/17/2016 11:00 AM	0.4	BDL	BDL	18.7	0.3	1.9	5.0
1/17/2016 12:00 PM	BDL	BDL	BDL	16.2	0.3	1.9	5.0
1/17/2016 1:00 PM	BDL	BDL	BDL	18.8	0.3	1.9	6.0
1/17/2016 2:00 PM	BDL	BDL	BDL	12.0	0.3	Too few samples	7.0
1/17/2016 3:00 PM	BDL	BDL	BDL	18.0	0.3	Analyzer issue	6.0
1/17/2016 4:00 PM	BDL	BDL	BDL	20.0	0.3	Analyzer issue	12.0
1/17/2016 5:00 PM	BDL	BDL	BDL	12.8	0.3	Analyzer issue	9.0
1/17/2016 6:00 PM	BDL	BDL	BDL	12.8	0.3	Analyzer issue	6.0
1/17/2016 7:00 PM	BDL	BDL	BDL	12.9	0.3	Analyzer issue	13.0
1/17/2016 8:00 PM	0.4	BDL	BDL	15.5	0.3	Analyzer issue	17.0
1/17/2016 9:00 PM	0.4	BDL	BDL	14.1	0.3	Analyzer issue	14.0
1/17/2016 10:00 PM	0.7	BDL	BDL	16.0	0.3	Analyzer issue	19.0
1/17/2016 11:00 PM	0.5	0.4	BDL	15.6	0.3	Analyzer issue	24.0
1/18/2016 12:00 AM	0.5	0.6	BDL	28.0	0.3	Analyzer issue	24.0
1/18/2016 1:00 AM	0.8	0.5	BDL	19.5	0.3	Analyzer issue	29.0
1/18/2016 2:00 AM	1.2	0.7	BDL	23.8	0.3	Analyzer issue	22.0
1/18/2016 3:00 AM	0.6	BDL	BDL	7.1	0.2	Analyzer issue	10.0
1/18/2016 4:00 AM	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	12.0
1/18/2016 5:00 AM	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	19.0
1/18/2016 6:00 AM	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	30.0
1/18/2016 7:00 AM	BDL	BDL	BDL	6.0	0.2	Analyzer issue	24.0
1/18/2016 8:00 AM	0.4	BDL	BDL	5.9	0.2	Analyzer issue	18.0
1/18/2016 9:00 AM	0.5	BDL	BDL	6.9	0.2	Analyzer issue	24.0
1/18/2016 10:00 AM	0.5	BDL	BDL	6.0	0.2	Analyzer issue	25.0
1/18/2016 11:00 AM	Too few samples	Too few samples	Too few samples	Too few samples	0.1	Too few samples	26.0
1/18/2016 12:00 PM	0.8	BDL	BDL	6.5	0.2	2.3	5.0
1/18/2016 1:00 PM	0.9	BDL	BDL	9.0	0.2	2.2	15.0
1/18/2016 2:00 PM	0.9	BDL	BDL	8.1	0.2	2.2	19.0
1/18/2016 3:00 PM	0.8	BDL	BDL	8.8	0.2	2.2	18.0
1/18/2016 4:00 PM	0.9	BDL	BDL	7.1	0.2	2.2	17.0
1/18/2016 5:00 PM	0.9	BDL	BDL	5.8	0.2	2.3	16.0
1/18/2016 6:00 PM	1.0	BDL	BDL	8.0	0.2	2.2	13.0
1/18/2016 7:00 PM	1.2	BDL	BDL	7.3	0.2	2.3	18.0
1/18/2016 8:00 PM	1.5	BDL	BDL	10.4	0.2	2.3	15.0
1/18/2016 9:00 PM	1.4	BDL	BDL	10.7	0.2	2.3	14.0
1/18/2016 10:00 PM	1.4	BDL	BDL	14.1	0.2	2.3	11.0
1/18/2016 11:00 PM	1.2	BDL	BDL	11.1	0.2	2.3	12.0
1/19/2016 12:00 AM	1.4	BDL	BDL	12.9	0.2	2.3	17.0
1/19/2016 1:00 AM	2.2	BDL	BDL	10.9	0.2	2.3	16.0
1/19/2016 2:00 AM	2.6	BDL	BDL	10.3	0.2	2.3	15.0
1/19/2016 3:00 AM	2.6	BDL	BDL	8.9	0.2	2.3	16.0
1/19/2016 4:00 AM	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	16.0
1/19/2016 5:00 AM	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	14.0
1/19/2016 6:00 AM	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	12.0
1/19/2016 7:00 AM	1.8	BDL	BDL	10.7	0.2	2.3	21.0
1/19/2016 8:00 AM	1.7	BDL	BDL	12.8	0.2	2.4	7.0
1/19/2016 9:00 AM	1.9	BDL	BDL	12.1	0.2	2.3	20.0
1/19/2016 10:00 AM	1.8	BDL	BDL	11.8	0.2	2.3	31.0
1/19/2016 11:00 AM	1.3	BDL	BDL	9.5	0.2	2.3	32.0
1/19/2016 12:00 PM	0.7	BDL	BDL	5.3	0.2	2.4	39.0
1/19/2016 1:00 PM	0.6	BDL	BDL	5.4	0.2	2.4	28.0
1/19/2016 2:00 PM	0.6	BDL	BDL	7.2	0.2	2.3	19.0
1/19/2016 3:00 PM	0.6	BDL	BDL	8.0	0.2	2.3	24.0
1/19/2016 4:00 PM	0.6	BDL	BDL	7.5	0.2	2.3	19.0
1/19/2016 5:00 PM	0.5	BDL	BDL	6.5	0.2	2.4	11.0
1/19/2016 6:00 PM	0.5	BDL	BDL	9.4	0.2	2.3	14.0
1/19/2016 7:00 PM	0.5	BDL	BDL	11.9	0.2	2.3	12.0
1/19/2016 8:00 PM	0.7	BDL	BDL	12.1	0.2	2.3	15.0
1/19/2016 9:00 PM	0.5	BDL	BDL	9.0	0.2	2.3	12.0
1/19/2016 10:00 PM	BDL	BDL	BDL	4.4	0.2	2.3	11.0
1/19/2016 11:00 PM	0.4	BDL	BDL	4.3	0.2	2.3	8.0
1/20/2016 12:00 AM	0.5	BDL	BDL	4.8	0.2	2.2	7.0
1/20/2016 1:00 AM	0.5	BDL	BDL	6.4	0.2	2.2	10.0
1/20/2016 2:00 AM	0.6	BDL	BDL	6.0	0.2	2.2	8.0
1/20/2016 3:00 AM	0.7	BDL	BDL	12.3	0.2	2.2	9.0
1/20/2016 4:00 AM	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	9.0
1/20/2016 5:00 AM	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	9.0
1/20/2016 6:00 AM	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	7.0
1/20/2016 7:00 AM	0.7	BDL	BDL	11.5	0.2	2.3	10.0
1/20/2016 8:00 AM	0.7	BDL	BDL	18.9	0.3	2.4	13.0
1/20/2016 9:00 AM	0.8	0.4	BDL	32.7	0.3	2.5	5.0
1/20/2016 10:00 AM	0.6	BDL	BDL	12.9	0.2	2.3	9.0
1/20/2016 11:00 AM	0.6	BDL	BDL	11.4	0.2	2.3	13.0
1/20/2016 12:00 PM	0.5	BDL	BDL	8.6	0.2	2.2	11.0
1/20/2016 1:00 PM	0.4	BDL	BDL	8.8	0.2	2.2	12.0
1/20/2016 2:00 PM	BDL	BDL	BDL	7.6	0.2	2.1	10.0
1/20/2016 3:00 PM	BDL	BDL	BDL	7.4	0.2	2.2	11.0
1/20/2016 4:00 PM	0.4	BDL	BDL	8.8	0.2	2.2	16.0
1/20/2016 5:00 PM	0.4	BDL	BDL	10.3	0.2	2.2	11.0
1/20/2016 6:00 PM	0.5	BDL	BDL	12.0	0.2	2.3	12.0
1/20/2016 7:00 PM	1.0	BDL	BDL	18.3	0.2	2.0	16.0
1/20/2016 8:00 PM	1.2	BDL	BDL	19.7	0.2	2.1	21.0
1/20/2016 9:00 PM	1.5	0.4	BDL	18.8	0.2	2.1	23.0
1/20/2016 10:00 PM	1.4	0.4	BDL	18.2	0.2	2.1	28.0
1/20/2016 11:00 PM	1.4	0.4	BDL	20.5	0.2	2.1	23.0
1/21/2016 12:00 AM	1.6	BDL	BDL	16.7	0.2	2.2	21.0
1/21/2016 1:00 AM	2.0	BDL	BDL	14.3	0.3	2.3	25.0
1/21/2016 2:00 AM	2.0	BDL	BDL	16.0	0.3	2.3	27.0
1/21/2016 3:00 AM	1.5	BDL	BDL	19.1	0.3	2.5	24.0
1/21/2016 4:00 AM	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	21.0
1/21/2016 5:00 AM	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	21.0
1/21/2016 6:00 AM	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	15.0
1/21/2016 7:00 AM	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	16.0
1/21/2016 8:00 AM	Calibration	Audit	Calibration	Calibration	Calibration	Calibration	13.0
1/21/2016 9:00 AM	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	10.0
1/21/2016 10:00 AM	0.7	BDL	BDL	12.1	0.2	2.2	16.0
1/21/2016 11:00 AM	0.6	BDL	BDL	8.7	0.2	2.2	14.0
1/21/2016 12:00 PM	0.7	BDL	BDL	10.3	0.2	2.3	19.0
1/21/2016 1:00 PM	0.7	BDL	BDL	9.5	0.2	2.3	17.0
1/21/2016 2:00 PM	0.7	BDL	BDL	7.7	0.2	2.3	14.0
1/21/2016 3:00 PM	0.8	BDL	BDL	8.8	0.2	2.2	17.0
1/21/2016 4:00 PM	1.0	BDL	BDL	9.1	0.2	2.3	16.0
1/21/2016 5:00 PM	1.0	BDL	BDL	12.3	0.2	2.3	19.0
1/21/2016 6:00 PM	0.7	BDL	BDL	13.3	0.2	2.5	15.0
1/21/2016 7:00 PM	0.5	BDL	BDL	12.1	0.2	2.6	6.0
1/21/2016 8:00 PM	0.8	BDL	BDL	18.0	0.3	2.8	17.0
1/21/2016 9:00 PM	0.7	BDL	BDL	19.8	0.3	3.0	13.0
1/21/2016 10:00 PM	0.5	BDL	BDL	18.2	0.3	2.7	10.0
1/21/2016 11:00 PM	0.9	BDL	BDL	24.9	0.3	2.4	16.0
1/22/2016 12:00 AM	0.9	BDL	BDL	28.3	0.3	2.6	15.0
1/22/2016 1:00 AM	0.5	BDL	BDL	13.6	0.3	2.3	11.0
1/22/2016 2:00 AM	0.6	BDL	BDL	8.2	0.3	2.1	9.0
1/22/2016 3:00 AM	0.4	BDL	BDL	8.6	0.2	2.4	6.0
1/22/2016 4:00 AM	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	6.0
1/22/2016 5:00 AM	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	8.0
1/22/2016 6:00 AM	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	7.0
1/22/2016 7:00 AM	0.7	BDL	BDL	30.6	0.3	2.6	11.0
1/22/2016 8:00 AM	0.6	BDL	BDL	28.4	0.3	2.5	15.0
1/22/2016 9:00 AM	0.6	BDL	BDL	27.7	0.3	2.2	13.0
1/22/2016 10:00 AM	0.6	BDL	BDL	26.7	0.3	2.1	15.0
1/22/2016 11:00 AM	0.5	0.4	BDL	37.1	0.3	2.3	4.0
1/22/2016 12:00 PM	0.6	0.6	BDL	47.0	0.3	2.1	20.0
1/2							

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected.
 Quality data will be posted on a monthly basis.

Date & Time (EST)	SQ2 PPB	H2S PPB	TMG PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m3	PM2.5 µg/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
1/24/2016 0:00	BDL	BDL	BDL	4.9	0.2	1.9	5.0	4.0
1/24/2016 1:00	BDL	BDL	BDL	6.7	0.2	1.9	5.0	3.0
1/24/2016 2:00	0.4	BDL	BDL	2.0	0.2	2.0	10.0	4.0
1/24/2016 3:00	0.5	BDL	BDL	5.9	0.2	2.0	8.0	3.0
1/24/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	12.0	4.0
1/24/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	8.0	5.0
1/24/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	8.0	5.0
1/24/2016 7:00	0.5	BDL	BDL	10.2	0.2	2.1	9.0	6.0
1/24/2016 8:00	0.5	BDL	BDL	9.4	0.2	2.2	9.0	5.0
1/24/2016 9:00	0.6	BDL	BDL	12.7	0.2	2.1	7.0	5.0
1/24/2016 10:00	0.7	BDL	BDL	9.9	0.2	2.1	8.0	6.0
1/24/2016 11:00	1.0	BDL	BDL	9.6	0.2	2.1	8.0	4.0
1/24/2016 12:00	1.1	BDL	BDL	9.5	0.2	2.1	9.0	4.0
1/24/2016 13:00	1.3	BDL	BDL	9.4	0.2	2.1	11.0	5.0
1/24/2016 14:00	1.5	BDL	BDL	9.3	0.2	1.9	10.0	4.0
1/24/2016 15:00	1.6	BDL	BDL	10.6	0.2	2.2	10.0	7.0
1/24/2016 16:00	1.5	BDL	BDL	10.5	0.2	2.2	12.0	6.0
1/24/2016 17:00	1.3	BDL	BDL	9.3	0.2	2.0	10.0	9.0
1/24/2016 18:00	1.0	BDL	BDL	17.3	0.2	2.1	14.0	6.0
1/24/2016 19:00	1.1	BDL	BDL	21.5	0.3	2.3	14.0	12.0
1/24/2016 20:00	0.7	BDL	BDL	25.8	0.4	2.3	18.0	13.0
1/24/2016 21:00	0.8	BDL	BDL	28.9	0.4	2.3	22.0	18.0
1/24/2016 22:00	0.8	BDL	BDL	17.9	0.3	2.4	18.0	16.0
1/24/2016 23:00	1.0	BDL	BDL	21.6	0.3	2.5	34.0	48.0
1/25/2016 0:00	1.0	0.5	BDL	33.6	0.4	2.7	47.0	25.0
1/25/2016 1:00	1.3	1.0	BDL	53.5	0.4	3.0	41.0	27.0
1/25/2016 2:00	1.5	1.2	BDL	58.6	0.4	3.2	42.0	24.0
1/25/2016 3:00	1.7	1.4	BDL	69.1	0.5	3.1	38.0	20.0
1/25/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	24.0	19.0
1/25/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	43.0	23.0
1/25/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	30.0	16.0
1/25/2016 7:00	1.6	1.7	BDL	88.0	0.4	2.9	54.0	24.0
1/25/2016 8:00	3.3	1.9	BDL	92.6	0.7	3.0	56.0	25.0
1/25/2016 9:00	5.0	2.1	BDL	109.2	0.7	3.2	46.0	30.0
1/25/2016 10:00	5.3	2.0	BDL	86.0	0.6	2.9	46.0	27.0
1/25/2016 11:00	5.3	1.4	BDL	63.9	0.5	2.7	29.0	24.0
1/25/2016 12:00	5.2	1.6	BDL	79.7	0.5	2.6	72.0	31.0
1/25/2016 13:00	5.5	1.4	BDL	66.1	0.4	2.4	49.0	23.0
1/25/2016 14:00	4.3	0.8	BDL	43.1	0.3	2.5	37.0	20.0
1/25/2016 15:00	3.6	0.6	BDL	33.3	0.3	2.4	37.0	23.0
1/25/2016 16:00	1.4	0.5	BDL	25.9	0.3	2.3	34.0	15.0
1/25/2016 17:00	2.9	0.4	BDL	25.7	0.3	2.2	40.0	17.0
1/25/2016 18:00	2.6	0.8	BDL	50.6	0.6	2.5	121.0	21.0
1/25/2016 19:00	1.5	1.3	BDL	71.5	0.6	2.6	109.0	22.0
1/25/2016 20:00	2.0	1.3	BDL	77.3	0.6	2.3	92.0	20.0
1/25/2016 21:00	1.6	1.5	BDL	67.1	0.6	2.3	66.0	19.0
1/25/2016 22:00	1.3	1.2	BDL	47.8	0.5	2.3	40.0	18.0
1/25/2016 23:00	1.2	1.7	BDL	72.0	0.6	2.4	38.0	17.0
1/26/2016 0:00	1.5	2.3	BDL	115.8	0.7	2.5	31.0	22.0
1/26/2016 1:00	3.5	3.5	BDL	148.1	1.1	2.7	21.0	16.0
1/26/2016 2:00	3.0	3.0	BDL	135.5	0.8	3.1	27.0	19.0
1/26/2016 3:00	2.0	3.4	BDL	166.8	0.6	2.7	26.0	16.0
1/26/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	22.0	15.0
1/26/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	28.0	18.0
1/26/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	24.0	19.0
1/26/2016 7:00	1.9	3.4	BDL	140.7	1.1	2.5	19.0	13.0
1/26/2016 8:00	1.2	2.6	1.0	95.5	0.5	2.4	22.0	11.0
1/26/2016 9:00	2.4	1.5	1.1	42.0	0.4	2.4	16.0	13.0
1/26/2016 10:00	2.1	1.9	BDL	67.1	0.5	2.5	22.0	16.0
1/26/2016 11:00	1.6	1.2	BDL	29.5	0.3	2.3	12.0	10.0
1/26/2016 12:00	1.4	0.9	BDL	18.2	0.2	2.3	17.0	12.0
1/26/2016 13:00	1.3	0.6	BDL	39.7	0.2	2.3	21.0	12.0
1/26/2016 14:00	1.3	0.5	BDL	22.1	0.2	2.1	27.0	10.0
1/26/2016 15:00	1.1	0.4	BDL	13.3	0.2	2.2	17.0	6.0
1/26/2016 16:00	1.3	BDL	BDL	39.8	0.3	2.4	18.0	12.0
1/26/2016 17:00	1.7	0.6	BDL	33.9	0.3	2.4	33.0	14.0
1/26/2016 18:00	1.8	0.7	BDL	38.3	0.4	2.5	39.0	16.0
1/26/2016 19:00	2.6	0.6	BDL	33.8	0.4	2.6	29.0	19.0
1/26/2016 20:00	0.9	0.9	BDL	41.4	0.4	2.4	31.0	14.0
1/26/2016 21:00	1.5	1.3	BDL	46.3	0.4	2.2	41.0	15.0
1/26/2016 22:00	1.9	1.4	BDL	50	0.5	2.7	40.0	17.0
1/26/2016 23:00	1.8	1.7	BDL	47.2	0.5	2.9	37.0	17.0
1/27/2016 0:00	1.6	1.7	BDL	35.8	0.4	2.8	27.0	13.0
1/27/2016 1:00	1.2	1.9	1.7	29.1	0.4	2.6	20.0	15.0
1/27/2016 2:00	1.5	1.7	1.4	32.8	0.3	2.7	21.0	18.0
1/27/2016 3:00	1.4	1.4	1.0	41.9	0.4	2.6	24.0	19.0
1/27/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	23.0	22.0
1/27/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	21.0	17.0
1/27/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	13.0	11.0
1/27/2016 7:00	0.7	BDL	BDL	8.7	0.2	2.1	11.0	12.0
1/27/2016 8:00	0.5	BDL	BDL	9.5	0.2	2.1	15.0	12.0
1/27/2016 9:00	0.4	BDL	BDL	10.6	0.2	2.1	Audit	Audit
1/27/2016 10:00	0.5	BDL	BDL	12.2	0.2	2.1	Audit	Audit
1/27/2016 11:00	0.4	BDL	BDL	9.9	0.2	2.1	12.0	7.0
1/27/2016 12:00	BDL	BDL	BDL	6.6	0.2	2.1	9.0	6.0
1/27/2016 13:00	BDL	BDL	BDL	8.4	0.2	2.1	9.0	4.0
1/27/2016 14:00	BDL	BDL	BDL	6.7	0.2	2.1	7.0	3.0
1/27/2016 15:00	0.4	BDL	BDL	7.2	0.2	2.2	12.0	10.0
1/27/2016 16:00	0.4	BDL	BDL	7.3	0.2	2.1	13.0	3.0
1/27/2016 17:00	0.4	BDL	BDL	8.6	0.2	2.1	14.0	3.0
1/27/2016 18:00	0.4	BDL	BDL	10.2	0.2	2.2	16.0	5.0
1/27/2016 19:00	0.5	BDL	BDL	24.0	0.3	2.3	19.0	10.0
1/27/2016 20:00	0.6	0.4	BDL	34.3	0.4	2.3	23.0	8.0
1/27/2016 21:00	0.7	0.6	BDL	34.4	0.4	2.4	17.0	7.0
1/27/2016 22:00	0.6	0.5	BDL	32.5	0.6	2.6	21.0	6.0
1/27/2016 23:00	0.7	0.5	BDL	31.5	0.4	2.4	25.0	7.0
1/28/2016 0:00	0.6	0.4	BDL	26.5	0.4	2.4	22.0	13.0
1/28/2016 1:00	0.7	0.6	BDL	33.6	0.6	2.6	18.0	10.0
1/28/2016 2:00	1.0	1.4	BDL	71.8	0.5	2.9	31.0	11.0
1/28/2016 3:00	0.8	1.2	BDL	52.7	0.4	3.3	20.0	16.0
1/28/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	33.0	13.0
1/28/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	39.0	13.0
1/28/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	36.0	16.0
1/28/2016 7:00	1.1	4.5	1.1	194.6	1.4	4.6	39.0	17.0
1/28/2016 8:00	3.7	4.7	1.5	218.3	1.4	3.8	67.0	22.0
1/28/2016 9:00	4.7	6.1	1.3	260.8	1.2	4.4	70.0	37.0
1/28/2016 10:00	4.4	4.4	1.3	168	0.8	2.8	69.0	28.0
1/28/2016 11:00	1.8	2.0	BDL	73.3	0.4	2.5	30.0	19.0
1/28/2016 12:00	1.0	0.9	BDL	29.1	0.3	2.4	16.0	10.0
1/28/2016 13:00	0.9	BDL	BDL	12.3	0.2	2.3	12.0	9.0
1/28/2016 14:00	1.0	BDL	BDL	12.3	0.2	2.2	12.0	6.0
1/28/2016 15:00	1.1	0.7	BDL	14.5	0.2	2.3	15.0	9.0
1/28/2016 16:00	0.8	0.4	BDL	12.1	0.2	2.1	13.0	7.0
1/28/2016 17:00	0.7	0.4	BDL	12.7	0.2	2.5	15.0	8.0
1/28/2016 18:00	1.2	0.7	BDL	37.0	0.4	2.4	24.0	18.0
1/28/2016 19:00	1.3	1.0	BDL	44.3	0.4	2.4	30.0	16.0
1/28/2016 20:00	1.4	1.1	BDL	52.4	0.4	2.3	25.0	17.0
1/28/2016 21:00	1.1	1.3	BDL	56.4	0.5	2.3	30.0	16.0
1/28/2016 22:00	1.0	1.3	BDL	60.8	0.5	2.5	28.0	15.0
1/28/2016 23:00	0.9	1.1	BDL	52.3	0.5	2.5	26.0	20.0
1/29/2016 0:00	1.0	1.3	BDL	47.9	0.5	2.8	29.0	22.0
1/29/2016 1:00	1.1	1.4	BDL	49.9	0.5	3.1	27.0	20.0
1/29/2016 2:00	1.1	1.6	BDL	62.2	0.5	3.7	30.0	18.0
1/29/2016 3:00	1.2	1.8	1.0	62.7	0.5	3.4	31.0	18.0
1/29/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	30.0	18.0
1/29/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	24.0	22.0
1/29/2016 6:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	33.0	19.0
1/29/2016 7:00	2.4	3.8	1.6	133.7	0.8	3.4	35.0	28.0
1/29/2016 8:00	1.9	3.7	1.6	106.3	0.6	3.4	33.0	29.0
1/29/2016 9:00	2.3	3.0	1.5	85.1	0.6	11.1	33.0	28.0
1/29/2016 10:00	2.5	1.5	1.3	57.8	0.5	2.6	40.0	32.0
1/29/2016 11:00	2.2	1.3	BDL	43.4	0.4	2.4	24.0	25.0
1/29/2016 12:00	1.3	0.6	BDL	15.1	0.3	2.1	22.0	14.0
1/29/2016 13:00	0.9	0.5	BDL	13.8	0.3	2.2	13.0	12.0
1/29/2016 14:00	0.8	0.4	BDL	11.9	0.3	2.2	19.0	12.0

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	SQ2 PPB	H2S PPB	TRG PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m ³	PM2.5 µg/m ³
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m ³	1.0 µg/m ³
Site Downwind Weekly: 1/31/2016-2/9/2016								
1/31/2016 0:00	0.4	1.0	BDL	20.1	0.3	2.4	18.0	8.0
1/31/2016 1:00	0.4	0.8	BDL	16.9	0.3	2.4	12.0	10.0
1/31/2016 2:00	0.5	1.0	BDL	27.6	0.4	2.5	19.0	9.0
1/31/2016 3:00	0.8	1.6	BDL	60.5	0.6	2.8	24.0	11.0
1/31/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	20.0	11.0
1/31/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	14.0	14.0
1/31/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	17.0	17.0
1/31/2016 7:00	1.1	1.9	1.4	57.4	0.6	3.7	18.0	17.0
1/31/2016 8:00	1.4	1.9	1.2	54.1	0.5	3.9	23.0	17.0
1/31/2016 9:00	2.0	1.5	1.0	40.4	0.4	3.1	18.0	20.0
1/31/2016 10:00	2.0	1.0	BDL	26.1	0.4	2.7	24.0	14.0
1/31/2016 11:00	2.5	0.8	BDL	23.4	0.3	2.8	17.0	12.0
1/31/2016 12:00	1.9	0.7	BDL	19.3	0.3	2.8	18.0	10.0
1/31/2016 13:00	2.1	0.5	BDL	20.3	0.3	3.0	20.0	12.0
1/31/2016 14:00	2.1	0.7	BDL	19.1	0.3	2.9	17.0	13.0
1/31/2016 15:00	1.4	0.5	BDL	10.1	0.2	2.9	14.0	19.0
1/31/2016 16:00	1.6	0.4	BDL	9.5	0.3	3.4	12.0	13.0
1/31/2016 17:00	2.3	0.9	BDL	23.2	0.4	3.2	22.0	13.0
1/31/2016 18:00	0.8	0.7	BDL	19.9	0.4	2.6	21.0	11.0
1/31/2016 19:00	0.7	0.5	BDL	14.0	0.3	2.8	17.0	12.0
1/31/2016 20:00	0.7	0.6	BDL	17.3	0.3	2.8	19.0	14.0
1/31/2016 21:00	1.0	0.6	BDL	11.9	0.3	2.9	17.0	15.0
1/31/2016 22:00	1.1	0.7	BDL	26.2	0.4	3.5	26.0	12.0
1/31/2016 23:00	1.6	1.0	BDL	48.8	0.4	3.4	29.0	16.0
2/1/2016 0:00	1.5	1.4	BDL	49.2	0.5	3.8	27.0	17.0
2/1/2016 1:00	3.0	1.3	BDL	26.5	0.3	2.9	19.0	13.0
2/1/2016 2:00	2.0	1.5	1.4	19.7	0.2	2.9	17.0	11.0
2/1/2016 3:00	1.7	1.1	1.0	16.5	0.1	2.7	15.0	14.0
2/1/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	16.0	14.0
2/1/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	23.0	9.0
2/1/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	12.0	9.0
2/1/2016 7:00	1.4	0.6	BDL	30.3	0.3	3.0	19.0	11.0
2/1/2016 8:00	1.4	0.7	BDL	29.3	0.4	2.6	14.0	14.0
2/1/2016 9:00	2.3	0.7	BDL	30.4	0.3	2.5	18.0	17.0
2/1/2016 10:00	2.9	0.7	BDL	34.1	0.3	2.7	32.0	20.0
2/1/2016 11:00	2.4	0.9	BDL	42.9	0.4	2.9	24.0	15.0
2/1/2016 12:00	1.7	1.0	BDL	58.1	0.5	3.2	42.0	14.0
2/1/2016 13:00	1.3	1.0	BDL	33.5	0.4	2.5	24.0	14.0
2/1/2016 14:00	0.9	0.6	BDL	15.3	0.3	2.3	18.0	10.0
2/1/2016 15:00	0.7	BDL	BDL	13.2	0.3	2.3	19.0	11.0
2/1/2016 16:00	0.8	BDL	BDL	14.3	0.3	2.3	15.0	10.0
2/1/2016 17:00	0.5	BDL	BDL	24.7	0.4	2.3	24.0	11.0
2/1/2016 18:00	0.6	0.5	BDL	36.9	0.4	2.6	37.0	15.0
2/1/2016 19:00	0.8	0.7	BDL	45.2	0.5	2.8	32.0	17.0
2/1/2016 20:00	0.5	0.5	BDL	30.1	0.4	2.4	18.0	15.0
2/1/2016 21:00	0.9	0.9	BDL	52.4	0.6	2.9	42.0	21.0
2/1/2016 22:00	0.9	1.3	BDL	68.4	0.6	3.6	44.0	20.0
2/1/2016 23:00	0.7	1.1	BDL	51.3	0.6	2.9	18.0	16.0
2/1/2016 0:00	0.4	0.5	BDL	29.6	0.4	2.3	17.0	12.0
2/1/2016 1:00	BDL	BDL	BDL	17.3	0.3	2.2	8.0	7.0
2/1/2016 2:00	BDL	BDL	BDL	15.9	0.3	2.2	8.0	4.0
2/1/2016 3:00	BDL	BDL	BDL	15.1	0.2	2.3	12.0	7.0
2/1/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	7.0	6.0
2/1/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	7.0	7.0
2/1/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	12.0	7.0
2/1/2016 7:00	0.4	0.4	BDL	33.5	0.3	2.5	12.0	8.0
2/1/2016 8:00	0.6	0.6	BDL	54.9	0.4	2.6	22.0	8.0
2/1/2016 9:00	0.7	1.0	BDL	53.7	0.4	2.5	24.0	6.0
2/1/2016 10:00	0.7	0.7	BDL	43.6	0.4	2.3	21.0	8.0
2/1/2016 11:00	0.8	0.6	BDL	35.9	0.3	2.2	20.0	7.0
2/1/2016 12:00	0.7	0.5	BDL	29.0	0.3	2.1	14.0	7.0
2/1/2016 13:00	0.6	0.4	BDL	30.6	0.3	2.1	14.0	5.0
2/1/2016 14:00	0.6	BDL	BDL	23.5	0.2	2.1	19.0	10.0
2/1/2016 15:00	0.4	BDL	BDL	16.8	0.3	2.1	17.0	8.0
2/1/2016 16:00	0.4	BDL	BDL	19.9	0.3	2.1	20.0	8.0
2/1/2016 17:00	0.4	BDL	BDL	24.0	0.3	2.1	17.0	7.0
2/1/2016 18:00	0.8	0.6	BDL	44.6	0.5	2.2	38.0	10.0
2/1/2016 19:00	0.6	0.9	BDL	50.8	0.5	2.2	30.0	12.0
2/1/2016 20:00	BDL	0.5	BDL	20.3	0.3	2.1	17.0	8.0
2/1/2016 21:00	BDL	0.5	BDL	29.0	0.4	2.1	17.0	5.0
2/1/2016 22:00	BDL	0.5	BDL	28.8	0.3	2.2	17.0	8.0
2/1/2016 23:00	BDL	BDL	BDL	27.7	0.4	2.2	17.0	7.0
2/1/2016 0:00	BDL	0.7	BDL	41.0	0.5	2.4	21.0	8.0
2/1/2016 1:00	0.4	0.7	BDL	56.7	0.5	2.3	17.0	9.0
2/1/2016 2:00	BDL	0.9	BDL	41.1	0.4	2.3	12.0	9.0
2/1/2016 3:00	BDL	0.5	BDL	25.8	0.3	2.2	10.0	5.0
2/1/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	13.0	7.0
2/1/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	10.0	10.0
2/1/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	18.0	4.0
2/1/2016 7:00	0.7	1.3	BDL	63.1	0.5	2.5	36.0	7.0
2/1/2016 8:00	0.9	1.7	BDL	80.3	0.7	2.5	24.0	12.0
2/1/2016 9:00	0.7	1.3	BDL	55.6	0.5	2.3	19.0	7.0
2/1/2016 10:00	0.7	1.1	BDL	50.9	0.4	2.3	21.0	4.0
2/1/2016 11:00	0.6	0.4	BDL	22.8	0.3	2.3	15.0	6.0
2/1/2016 12:00	0.5	0.5	BDL	13.7	0.2	2.2	17.0	6.0
2/1/2016 13:00	0.4	0.4	BDL	15.1	0.3	2.2	22.0	10.0
2/1/2016 14:00	BDL	0.5	BDL	12.7	0.3	2.3	19.0	9.0
2/1/2016 15:00	0.5	0.7	BDL	33.2	0.4	2.2	29.0	10.0
2/1/2016 16:00	3.5	0.5	BDL	19.8	0.4	2.3	17.0	9.0
2/1/2016 17:00	2.8	0.4	BDL	29.1	0.5	2.1	14.0	6.0
2/1/2016 18:00	1.0	0.6	BDL	37.0	0.5	2.1	15.0	4.0
2/1/2016 19:00	1.2	0.5	BDL	20.9	0.3	2.0	8.0	3.0
2/1/2016 20:00	1.4	BDL	BDL	8.8	0.3	1.9	7.0	2.0
2/1/2016 21:00	1.5	0.5	BDL	11.7	0.3	2.4	8.0	4.0
2/1/2016 22:00	3.1	0.6	BDL	16.6	0.3	2.5	15.0	14.0
2/1/2016 23:00	1.8	0.7	BDL	15.7	0.3	2.4	11.0	7.0
2/1/2016 0:00	1.1	0.6	BDL	8.5	0.2	2.5	6.0	1.0
2/1/2016 1:00	0.6	0.4	BDL	2.8	0.2	2.8	3.0	0.0
2/1/2016 2:00	0.5	0.4	BDL	5.4	0.2	2.7	4.0	2.0
2/1/2016 3:00	0.5	0.6	BDL	10.1	0.3	3.5	8.0	3.0
2/1/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	6.0	5.0
2/1/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	7.0	9.0
2/1/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	6.0	8.0
2/1/2016 7:00	0.4	BDL	BDL	17.5	0.3	2.1	8.0	8.0
2/1/2016 8:00	0.4	BDL	BDL	10.0	0.2	2.3	14.0	8.0
2/1/2016 9:00	0.4	BDL	BDL	14.3	0.2	2.4	14.0	7.0
2/1/2016 10:00	BDL	BDL	BDL	10.2	0.2	2.4	15.0	7.0
2/1/2016 11:00	BDL	BDL	BDL	10.2	0.2	2.3	11.0	6.0
2/1/2016 12:00	0.4	BDL	BDL	11.7	0.2	2.3	12.0	5.0
2/1/2016 13:00	0.5	BDL	BDL	11.3	0.2	2.3	12.0	6.0
2/1/2016 14:00	0.4	BDL	BDL	10.0	0.2	2.4	10.0	5.0
2/1/2016 15:00	0.5	BDL	BDL	17.8	0.3	2.5	9.0	5.0
2/1/2016 16:00	0.6	BDL	BDL	15.2	0.2	2.6	10.0	5.0
2/1/2016 17:00	0.5	BDL	BDL	15.9	0.3	2.5	13.0	6.0
2/1/2016 18:00	0.5	BDL	BDL	16.9	0.3	2.4	12.0	6.0
2/1/2016 19:00	0.5	BDL	BDL	14.5	0.3	2.3	11.0	6.0
2/1/2016 20:00	0.6	BDL	BDL	11.5	0.3	2.2	12.0	5.0
2/1/2016 21:00	BDL	BDL	BDL	10.3	0.3	2.2	14.0	6.0
2/1/2016 22:00	BDL	BDL	BDL	9.3	0.3	2.2	11.0	6.0
2/1/2016 23:00	0.8	BDL	BDL	8.6	0.3	2.1	8.0	6.0
2/1/2016 0:00	Calibration	Calibration	Cal					

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	H2S PPB	THG PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m ³	PM2.5 µg/m ³
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m ³	1.0 µg/m ³
Site Downwind: Weekly: 2/7/2016-2/13/2016							
2/7/2016 0:00	0.5	BOL	28.7	0.4	2.5	17.0	9.0
2/7/2016 1:00	BOL	BOL	28.0	0.4	2.3	20.0	10.0
2/7/2016 2:00	0.4	1.3	31.8	0.4	2.1	21.0	12.0
2/7/2016 3:00	0.4	1.1	BOL	29.0	0.3	2.6	17.0
2/7/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	15.0
2/7/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	18.0
2/7/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	19.0
2/7/2016 7:00	0.8	1.5	BOL	51.8	0.5	3.2	19.0
2/7/2016 8:00	1.3	1.8	BOL	73.9	0.6	3.5	22.0
2/7/2016 9:00	1.1	1.7	BOL	37.0	0.5	3.6	30.0
2/7/2016 10:00	1.4	1.1	BOL	48.9	0.5	3.0	31.0
2/7/2016 11:00	1.8	1.4	BOL	60.7	0.5	3.2	31.0
2/7/2016 12:00	1.6	0.6	BOL	24.8	0.3	2.4	20.0
2/7/2016 13:00	1.4	0.6	BOL	28.0	0.4	2.3	22.0
2/7/2016 14:00	1.5	0.5	BOL	28.7	0.4	2.5	29.0
2/7/2016 15:00	1.4	0.6	BOL	28.1	0.4	2.5	24.0
2/7/2016 16:00	2.0	0.4	BOL	28.7	0.4	2.4	28.0
2/7/2016 17:00	2.6	0.6	BOL	30.5	0.4	2.5	29.0
2/7/2016 18:00	1.5	0.7	BOL	33.6	0.5	2.5	25.0
2/7/2016 19:00	1.8	0.5	BOL	28.6	0.4	2.4	27.0
2/7/2016 20:00	1.7	0.7	BOL	33.6	0.4	2.4	26.0
2/7/2016 21:00	1.5	0.7	BOL	27.7	0.4	2.5	27.0
2/7/2016 22:00	1.4	0.5	BOL	22.0	0.4	2.4	24.0
2/7/2016 23:00	1.5	0.6	BOL	29.2	0.4	2.4	27.0
2/8/2016 0:00	1.4	0.7	BOL	35.3	0.4	2.4	34.0
2/8/2016 1:00	1.2	0.6	BOL	27.6	0.4	2.3	28.0
2/8/2016 2:00	1.1	0.4	BOL	19.9	0.3	2.3	20.0
2/8/2016 3:00	1.0	0.4	BOL	14.2	0.3	2.2	17.0
2/8/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	15.0
2/8/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	14.0
2/8/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	19.0
2/8/2016 7:00	0.4	0.4	BOL	21.2	0.3	2.0	16.0
2/8/2016 8:00	0.5	0.5	BOL	24.0	0.3	2.0	19.0
2/8/2016 9:00	0.5	0.6	BOL	28.7	0.4	2.0	23.0
2/8/2016 10:00	0.5	0.6	BOL	26.8	0.3	2.0	19.0
2/8/2016 11:00	0.5	0.5	BOL	24.0	0.3	2.0	26.0
2/8/2016 12:00	0.4	0.5	BOL	21.3	0.3	1.9	43.0
2/8/2016 13:00	0.4	0.5	BOL	22.7	0.3	1.9	26.0
2/8/2016 14:00	0.4	0.5	BOL	22.3	0.3	1.8	36.0
2/8/2016 15:00	0.4	BOL	20.1	0.3	1.9	31.0	
2/8/2016 16:00	BOL	BOL	20.6	0.3	1.9	21.0	
2/8/2016 17:00	0.4	0.4	BOL	23.9	0.4	1.9	27.0
2/8/2016 18:00	0.5	0.6	BOL	27.4	0.4	1.9	21.0
2/8/2016 19:00	0.4	0.4	BOL	21.4	0.3	1.8	11.0
2/8/2016 20:00	0.4	0.4	BOL	27.0	0.3	1.8	16.0
2/8/2016 21:00	BOL	0.5	BOL	24.2	0.3	1.8	18.0
2/8/2016 22:00	BOL	0.4	BOL	15.8	0.3	1.8	12.0
2/8/2016 23:00	BOL	BOL	17.5	0.3	1.8	11.0	
2/9/2016 0:00	BOL	BOL	18.6	0.3	1.9	15.0	
2/9/2016 1:00	BOL	0.4	BOL	19.2	0.3	1.9	15.0
2/9/2016 2:00	BOL	BOL	15.1	0.3	1.9	12.0	
2/9/2016 3:00	Calibration	BOL	BOL	13.3	0.3	1.9	16.0
2/9/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	8.0
2/9/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	9.0
2/9/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	8.0
2/9/2016 7:00	0.4	0.4	BOL	25.0	0.3	1.8	10.0
2/9/2016 8:00	0.4	0.6	BOL	30.0	0.4	1.8	11.0
2/9/2016 9:00	BOL	0.6	BOL	28.7	0.3	1.8	17.0
2/9/2016 10:00	0.4	0.7	BOL	30.5	0.3	1.9	18.0
2/9/2016 11:00	0.5	0.9	BOL	37.8	0.3	1.9	21.0
2/9/2016 12:00	0.5	0.8	BOL	32.6	0.3	1.9	26.0
2/9/2016 13:00	0.5	0.7	BOL	33.5	0.4	2.0	48.0
2/9/2016 14:00	0.5	0.7	BOL	29.4	0.3	1.9	36.0
2/9/2016 15:00	0.5	0.8	BOL	33.7	0.4	1.9	27.0
2/9/2016 16:00	0.6	0.9	BOL	38.7	0.4	1.9	33.0
2/9/2016 17:00	BOL	0.7	BOL	29.5	0.4	1.8	23.0
2/9/2016 18:00	BOL	0.7	BOL	36.2	0.5	1.8	35.0
2/9/2016 19:00	BOL	0.9	BOL	40.6	0.5	1.9	29.0
2/9/2016 20:00	BOL	0.8	BOL	35.6	0.5	1.9	29.0
2/9/2016 21:00	BOL	0.7	BOL	31.1	0.4	1.8	22.0
2/9/2016 22:00	BOL	0.7	BOL	34.4	0.4	1.9	24.0
2/9/2016 23:00	0.4	0.8	BOL	44.8	0.4	2.8	32.0
2/10/2016 0:00	0.4	0.9	BOL	37.3	0.4	2.2	23.0
2/10/2016 1:00	0.5	0.7	BOL	28.7	0.4	2.2	20.0
2/10/2016 2:00	0.5	0.6	BOL	18.9	0.3	2.1	17.0
2/10/2016 3:00	0.7	0.5	BOL	15.6	0.3	2.1	18.0
2/10/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	17.0
2/10/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	16.0
2/10/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	16.0
2/10/2016 7:00	1.6	0.5	BOL	21.1	0.3	1.9	21.0
2/10/2016 8:00	1.5	0.7	BOL	25.5	0.3	2.0	20.0
2/10/2016 9:00	1.4	0.6	BOL	25.1	0.3	2.0	21.0
2/10/2016 10:00	2.1	0.8	BOL	25.8	0.3	2.0	20.0
2/10/2016 11:00	1.6	0.6	BOL	22.1	0.2	2.1	13.0
2/10/2016 12:00	1.5	0.4	BOL	17.9	0.2	2.0	13.0
2/10/2016 13:00	1.2	BOL	BOL	12.2	0.2	2.0	13.0
2/10/2016 14:00	1.2	BOL	BOL	14.8	0.2	2.0	15.0
2/10/2016 15:00	1.2	BOL	BOL	13.5	0.2	2.0	14.0
2/10/2016 16:00	1.0	BOL	BOL	14.3	0.2	2.0	17.0
2/10/2016 17:00	1.1	0.4	BOL	16.2	0.2	2.0	15.0
2/10/2016 18:00	1.0	BOL	BOL	13.3	0.2	2.1	13.0
2/10/2016 19:00	0.8	BOL	BOL	15.0	0.2	2.0	13.0
2/10/2016 20:00	0.9	BOL	BOL	15.7	0.2	2.0	14.0
2/10/2016 21:00	0.9	BOL	BOL	12.3	0.2	2.0	13.0
2/10/2016 22:00	1.3	BOL	BOL	6.3	0.2	2.1	10.0
2/10/2016 23:00	1.2	BOL	BOL	10.6	0.2	2.1	10.0
2/11/2016 0:00	1.4	BOL	BOL	8.9	0.2	2.1	11.0
2/11/2016 1:00	1.3	BOL	BOL	7.8	0.2	2.1	11.0
2/11/2016 2:00	1.2	BOL	BOL	7.9	0.2	2.1	13.0
2/11/2016 3:00	1.3	BOL	BOL	12.6	0.2	2.1	16.0
2/11/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	15.0
2/11/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	12.0
2/11/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	16.0
2/11/2016 7:00	1.4	BOL	BOL	19.7	0.2	2.1	16.0
2/11/2016 8:00	1.5	0.4	BOL	25.4	0.2	2.1	20.0
2/11/2016 9:00	1.5	0.4	BOL	21.4	0.2	2.1	26.0
2/11/2016 10:00	1.4	BOL	BOL	15.3	0.2	2.1	39.0
2/11/2016 11:00	1.2	BOL	BOL	14.5	0.2	2.2	5.0
2/11/2016 12:00	0.8	BOL	BOL	11.2	0.2	2.1	35.0
2/11/2016 13:00	0.6	BOL	BOL	10.1	0.2	2.1	26.0
2/11/2016 14:00	0.9	BOL	BOL	12.1	0.2	2.6	22.0
2/11/2016 15:00	0.5	BOL	BOL	12.1	0.2	3.2	21.0
2/11/2016 16:00	0.5	BOL	BOL	9.7	0.2	2.6	22.0
2/11/2016 17:00	0.6	BOL	BOL	11.6	0.2	2.6	18.0
2/11/2016 18:00	0.5	BOL	BOL	8.5	0.2	2.2	19.0
2/11/2016 19:00	0.6	BOL	BOL	12.8	0.2	2.1	9.0
2/11/2016 20:00	0.6	BOL	BOL	12.0	0.2	2.1	12.0
2/11/2016 21:00	0.7	BOL	BOL	12.9	0.2	2.1	17.0
2/11/2016 22:00	0.5	BOL	BOL	6.3	0.2	2.1	9.0
2/11/2016 23:00	0.5	BOL	BOL	5.7	0.2	2.1	7.0
2/12/2016 0:00	0.5	BOL	BOL	5.6	0.2	2.1	7.0
2/12/2016 1:00	0.5	BOL	BOL	5.6	0.2	2.1	7.0
2/12/2016 2:00	0.4	BOL	BOL	5.6	0.2	2.1	5.0
2/12/2016 3:00	0.5	BOL	BOL	11.5	0.2	2.1	6.0
2/12/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	7.0
2/12/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	9.0
2/12/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	6.0
2/12/2016 7:00	0.8	BOL	BOL	17.4	0.2	2.4	10.0
2/12/2016 8:00	0.9	BOL	BOL	21.6	0.2	2.5	11.0
2/12/2016 9:00	0.9	BOL	BOL	24.1	0.3	2.3	10.0
2/12/2016 10:00	0.9	BOL	BOL	14.6	0.2	2.1	12.0
2/12/2016 11:00	0.9	BOL	BOL	13.0	0.2	2.1	15.0
2/12/2016 12:00	1.8	BOL	BOL	17.3	0.2	2.1	16.0
2/12/2016 13:00	1.8	BOL	BOL	14.5	0.2	2.1	17.0
2/12/2016 14:00	1.6	BOL	BOL	12.4	0.2	2.1	12.0
2/12/2016 15:00	1.6	BOL	BOL	12.2	0.2		

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	H2S PPB	TRG PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m ³	PM2.5 µg/m ³
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m ³	1.0 µg/m ³
Site Downwind: Weekly, 2/14/2016-2/20/2016							
2/14/2016 0:00	BDL	BDL	BDL	BDL	BDL	6.0	4.0
2/14/2016 1:00	BDL	BDL	2.1	BDL	BDL	4.0	4.0
2/14/2016 2:00	BDL	BDL	2.5	BDL	BDL	3.0	3.0
2/14/2016 3:00	BDL	BDL	2.5	BDL	BDL	2.0	1.0
2/14/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	2.0	2.0
2/14/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	4.0	4.0
2/14/2016 6:00	Too few samples	Too few samples	Too few samples	Calibration	Calibration	6.0	6.0
2/14/2016 7:00	0.5	BDL	6.2	0.1	2.4	9.0	4.0
2/14/2016 8:00	0.5	BDL	6.5	0.1	2.4	7.0	3.0
2/14/2016 9:00	0.5	BDL	5.2	0.1	2.4	6.0	4.0
2/14/2016 10:00	0.5	BDL	3.7	0.1	2.3	5.0	4.0
2/14/2016 11:00	0.5	BDL	4.6	0.2	2.3	11.0	6.0
2/14/2016 12:00	0.6	BDL	3.7	0.2	2.3	11.0	5.0
2/14/2016 13:00	0.6	BDL	4.0	0.2	2.2	9.0	2.0
2/14/2016 14:00	0.6	BDL	4.3	0.2	2.2	6.0	3.0
2/14/2016 15:00	0.7	BDL	4.5	0.2	2.2	5.0	4.0
2/14/2016 16:00	0.7	BDL	3.9	0.2	2.2	9.0	6.0
2/14/2016 17:00	0.6	BDL	5.1	0.2	2.2	11.0	5.0
2/14/2016 18:00	0.7	BDL	5.6	0.2	2.3	12.0	2.0
2/14/2016 19:00	1.2	BDL	9.5	0.2	2.3	13.0	6.0
2/14/2016 20:00	1.4	BDL	12.8	0.2	2.3	12.0	11.0
2/14/2016 21:00	1.4	BDL	16.6	0.3	2.3	16.0	9.0
2/14/2016 22:00	1.2	BDL	14.7	0.3	2.1	14.0	11.0
2/14/2016 23:00	0.8	BDL	24.1	0.3	2.2	28.0	15.0
2/15/2016 0:00	0.8	BDL	27.0	0.4	2.2	23.0	16.0
2/15/2016 1:00	0.7	BDL	21.0	0.3	2.2	23.0	12.0
2/15/2016 2:00	0.6	BDL	14.8	0.3	2.1	17.0	10.0
2/15/2016 3:00	0.5	BDL	12.8	0.2	2.1	12.0	10.0
2/15/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	15.0	10.0
2/15/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	18.0	12.0
2/15/2016 6:00	Too few samples	Too few samples	Too few samples	Calibration	Calibration	23.0	8.0
2/15/2016 7:00	0.8	BDL	37.4	0.3	2.3	34.0	12.0
2/15/2016 8:00	0.9	BDL	43.4	0.4	2.2	34.0	11.0
2/15/2016 9:00	Calibration	Calibration	Calibration	Calibration	Calibration	46.0	12.0
2/15/2016 10:00	Calibration	Calibration	Too few samples	Calibration	Calibration	38.0	12.0
2/15/2016 11:00	Calibration	Calibration	Calibration	Calibration	Calibration	41.0	11.0
2/15/2016 12:00	Too few samples	Too few samples	Too few samples	Calibration	Calibration	35.0	13.0
2/15/2016 13:00	Calibration	Calibration	Calibration	Calibration	Calibration	27.0	13.0
2/15/2016 14:00	0.6	0.9	BDL	51.2	0.4	2.3	26.0
2/15/2016 15:00	0.6	1.1	BDL	54.6	0.5	2.4	28.0
2/15/2016 16:00	0.8	1.6	BDL	71.3	0.6	2.5	30.0
2/15/2016 17:00	0.8	1.5	BDL	76.3	0.6	2.4	31.0
2/15/2016 18:00	0.5	1.2	BDL	60.3	0.5	2.4	26.0
2/15/2016 19:00	0.6	1.4	BDL	68.1	0.5	2.4	25.0
2/15/2016 20:00	0.8	1.6	BDL	77.9	0.6	2.6	23.0
2/15/2016 21:00	1.1	1.9	BDL	94.7	0.7	2.8	27.0
2/15/2016 22:00	1.3	2.2	BDL	107.9	0.8	2.8	24.0
2/15/2016 23:00	1.6	2.9	BDL	130.4	0.9	2.8	20.0
2/16/2016 0:00	1.8	3.3	BDL	150.7	1.1	3.0	33.0
2/16/2016 1:00	4.0	4.0	BDL	187.8	1.4	3.1	24.0
2/16/2016 2:00	2.6	4.7	1	202.1	1.3	4.1	27.0
2/16/2016 3:00	3.1	5.3	1	235.6	1.4	4.0	33.0
2/16/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	27.0	15.0
2/16/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	17.0	7.0
2/16/2016 6:00	Too few samples	Too few samples	Too few samples	Calibration	Calibration	23.0	3.0
2/16/2016 7:00	0.9	0.4	BDL	8.5	0.2	1.7	25.0
2/16/2016 8:00	0.7	BDL	10.4	0.2	1.8	25.0	5.0
2/16/2016 9:00	Calibration	Calibration	Calibration	Calibration	Calibration	19.0	6.0
2/16/2016 10:00	Too few samples	Calibration	Calibration	Too few samples	Calibration	19.0	6.0
2/16/2016 11:00	0.4	BDL	10.9	0.2	1.9	13.0	4.0
2/16/2016 12:00	BDL	BDL	6.0	0.2	2.0	14.0	4.0
2/16/2016 13:00	0.4	0.4	BDL	6.7	0.2	1.9	9.0
2/16/2016 14:00	BDL	0.5	BDL	16.3	0.2	2.1	7.0
2/16/2016 15:00	0.5	0.4	BDL	13.1	0.2	2.4	8.0
2/16/2016 16:00	0.7	0.8	BDL	19.5	0.2	1.9	7.0
2/16/2016 17:00	0.8	0.6	BDL	21.3	0.2	2.0	10.0
2/16/2016 18:00	1.1	BDL	17.5	0.3	2.1	7.0	7.0
2/16/2016 19:00	1.0	BDL	10.8	0.3	2.0	9.0	6.0
2/16/2016 20:00	0.8	BDL	13.9	0.3	1.9	8.0	20.0
2/16/2016 21:00	0.7	BDL	14.7	0.3	2.0	8.0	9.0
2/16/2016 22:00	0.7	0.4	BDL	13.2	0.2	1.8	15.0
2/16/2016 23:00	0.5	BDL	17.1	0.3	2.0	9.0	7.0
2/17/2016 0:00	0.5	0.4	BDL	18.9	0.3	2.0	10.0
2/17/2016 1:00	0.5	0.4	BDL	19.2	0.3	2.0	7.0
2/17/2016 2:00	0.4	BDL	22.1	0.3	2.1	10.0	10.0
2/17/2016 3:00	0.4	BDL	8.7	0.2	2.0	10.0	7.0
2/17/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	11.0	8.0
2/17/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	7.0	11.0
2/17/2016 6:00	Too few samples	Too few samples	Too few samples	Calibration	Calibration	15.0	12.0
2/17/2016 7:00	1.3	0.7	BDL	19.7	0.3	2.3	20.0
2/17/2016 8:00	0.6	0.4	BDL	16.5	0.3	2.0	16.0
2/17/2016 9:00	0.8	0.6	BDL	32.5	0.3	2.1	14.0
2/17/2016 10:00	0.6	BDL	15.6	0.3	2.1	18.0	11.0
2/17/2016 11:00	0.7	BDL	8.0	0.2	2.1	9.0	9.0
2/17/2016 12:00	0.8	BDL	6.8	0.2	2.1	11.0	23.0
2/17/2016 13:00	0.8	BDL	8.4	0.2	2.1	13.0	8.0
2/17/2016 14:00	5.8	1.4	BDL	22.3	1.1	6.4	14.0
2/17/2016 15:00	BDL	1.2	BDL	4.7	0.1	23.8	13.0
2/17/2016 16:00	BDL	BDL	11.2	0.2	2.2	14.0	9.0
2/17/2016 17:00	BDL	BDL	8.1	0.2	2.2	12.0	10.0
2/17/2016 18:00	BDL	BDL	8.8	0.2	2.2	15.0	8.0
2/17/2016 19:00	0.7	BDL	9.6	0.2	2.2	16.0	11.0
2/17/2016 20:00	0.9	BDL	11.5	0.3	2.3	20.0	16.0
2/17/2016 21:00	1.2	BDL	12.1	0.3	2.3	23.0	17.0
2/17/2016 22:00	1.0	BDL	14.8	0.3	2.4	14.0	17.0
2/17/2016 23:00	0.8	BDL	16.7	0.3	2.4	23.0	13.0
2/18/2016 0:00	0.7	BDL	13.2	0.3	2.4	12.0	13.0
2/18/2016 1:00	0.5	BDL	13.8	0.3	2.4	17.0	15.0
2/18/2016 2:00	0.6	BDL	14.0	0.3	2.4	17.0	13.0
2/18/2016 3:00	0.6	BDL	13.9	0.3	2.4	17.0	14.0
2/18/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	10.0	13.0
2/18/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	7.0	7.0
2/18/2016 6:00	Too few samples	Too few samples	Too few samples	Calibration	Calibration	9.0	6.0
2/18/2016 7:00	Too few samples	Too few samples	Too few samples	Calibration	Calibration	10.0	5.0
2/18/2016 8:00	Audit	Audit	Calibration	Calibration	Calibration	18.0	4.0
2/18/2016 9:00	Calibration	Calibration	Calibration	Calibration	Calibration	17.0	6.0
2/18/2016 10:00	Too few samples	Calibration	Calibration	Too few samples	Calibration	17.0	5.0
2/18/2016 11:00	Calibration	7.3	4.7	Calibration	Calibration	14.0	6.0
2/18/2016 12:00	Calibration	24.8	27.8	Calibration	Calibration	12.0	5.0
2/18/2016 13:00	Calibration	24.6	22.2	Calibration	Calibration	15.0	4.0
2/18/2016 14:00	Calibration	3.8	3.4	Calibration	Calibration	11.0	2.0
2/18/2016 15:00	BDL	BDL	BDL	7.0	0.2	2.3	2.0
2/18/2016 16:00	BDL	BDL	BDL	6.6	0.2	2.3	11.0
2/18/2016 17:00	BDL	BDL	BDL	7.9	0.2	2.3	3.0
2/18/2016 18:00	BDL	BDL	BDL	10.3	0.2	2.4	12.0
2/18/2016 19:00	BDL	BDL	BDL	11.8	0.2	2.4	10.0
2/18/2016 20:00	BDL	BDL	BDL	12.0	0.2	2.4	9.0
2/18/2016 21:00	BDL	BDL	BDL	11.1	0.2	2.4	11.0
2/18/2016 22:00	BDL	BDL	BDL	12.2	0.2	2.4	10.0
2/18/2016 23:00	0.5	BDL	15.3	0.3	2.5	11.0	1.0
2/19/2016 0:00	BDL	BDL	13.1	0.3	2.4	11.0	3.0
2/19/2016 1:00	0.4	BDL	15.6	0.3	2.5	9.0	8.0
2/19/2016 2:00	0.5	BDL	17.8	0.3	2.5	9.0	5.0
2/19/2016 3:00	0.4	BDL	17.7	0.3	2.5	15.0	4.0
2/19/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	11.0	8.0
2/19/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	13.0	7.0
2/19/2016 6:00	Too few samples	Too few samples	Too few samples	Calibration	Calibration	16.0	7.0
2/19/2016 7:00	0.8	0.8	BDL	36.7	0.4	2.6	17.0
2/19/2016 8:00	1.2	1.5	BDL	77.9	0.5	2.8	9.0
2/19/2016 9:00	Calibration	Calibration	Calibration	Calibration	Calibration	26.0	6.0
2/19/2016 10:00	36.9	1.1	BDL	71.3	1.4	2.2	29.0
2/19/2016 11:00	Calibration	Calibration	Calibration	Calibration	Calibration	22.0	13.0
2/19/2016 12:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	19.0	13.0

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	SQ2 PPB	H2S 0.4 ppb	TRG PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m3	PM2.5 µg/m3
Site Downwind Weekly 2/21/2016-2/27/2016	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
2/21/2016 0:00	1.4	0.5	BDL	15.9	0.3	2.6	21.0	17.0
2/21/2016 1:00	2.6	BDL	BDL	11.5	0.3	2.6	21.0	29.0
2/21/2016 2:00	5.0	0.4	BDL	14.8	0.3	2.8	34.0	30.0
2/21/2016 3:00	6.1	0.6	BDL	26.7	0.4	2.8	32.0	25.0
2/21/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	27.0	21.0
2/21/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	30.0	21.0
2/21/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	31.0	22.0
2/21/2016 7:00	1.5	2.0	BDL	80.7	1	3.8	36.0	22.0
2/21/2016 8:00	1.3	19.0	11.4	63.2	0.6	3.9	34.0	27.0
2/21/2016 9:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	39.0	33.0
2/21/2016 10:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	36.0	32.0
2/21/2016 11:00	1.4	BDL	BDL	48.8	0.5	3.0	38.0	25.0
2/21/2016 12:00	1.6	BDL	BDL	68.6	0.7	2.9	45.0	21.0
2/21/2016 13:00	1.9	BDL	BDL	65.2	0.7	2.7	37.0	21.0
2/21/2016 14:00	1.3	BDL	BDL	32.6	0.4	2.4	24.0	9.0
2/21/2016 15:00	1.2	BDL	BDL	28.1	0.5	2.2	22.0	11.0
2/21/2016 16:00	1.0	BDL	BDL	23.5	0.5	2.0	21.0	7.0
2/21/2016 17:00	0.8	BDL	BDL	24.9	0.5	2.0	17.0	6.0
2/21/2016 18:00	0.9	BDL	BDL	25.1	0.5	2.0	22.0	6.0
2/21/2016 19:00	0.9	BDL	BDL	43.0	0.6	2.1	24.0	13.0
2/21/2016 20:00	0.7	BDL	BDL	29.6	0.5	2.1	22.0	9.0
2/21/2016 21:00	0.4	BDL	BDL	14	0.3	2.1	15.0	12.0
2/21/2016 22:00	BDL	BDL	BDL	12.2	0.3	2.0	14.0	11.0
2/21/2016 23:00	BDL	BDL	BDL	15.2	0.3	2.0	10.0	10.0
2/22/2016 0:00	BDL	BDL	BDL	22.6	0.3	2.0	14.0	7.0
2/22/2016 1:00	BDL	BDL	BDL	9.1	0.2	2.0	8.0	6.0
2/22/2016 2:00	BDL	BDL	BDL	6.8	0.2	2.0	5.0	4.0
2/22/2016 3:00	BDL	BDL	BDL	8.6	0.2	2.1	5.0	4.0
2/22/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	6.0	4.0
2/22/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	5.0	4.0
2/22/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	10.0	8.0
2/22/2016 7:00	0.4	BDL	BDL	17.5	0.3	2.2	9.0	6.0
2/22/2016 8:00	0.5	BDL	BDL	23.8	0.3	2.3	10.0	5.0
2/22/2016 9:00	0.5	BDL	BDL	26.2	0.3	2.2	17.0	7.0
2/22/2016 10:00	0.5	BDL	BDL	20.5	0.3	2.1	10.0	6.0
2/22/2016 11:00	0.5	BDL	BDL	16.7	0.3	2.1	15.0	8.0
2/22/2016 12:00	0.5	BDL	BDL	16.4	0.2	2.0	14.0	6.0
2/22/2016 13:00	0.4	BDL	BDL	11.7	0.2	2.0	12.0	6.0
2/22/2016 14:00	0.5	BDL	BDL	10.3	0.2	2.1	9.0	4.0
2/22/2016 15:00	0.5	BDL	BDL	18.0	0.2	2.0	20.0	6.0
2/22/2016 16:00	0.9	BDL	BDL	21.9	0.3	2.0	20.0	11.0
2/22/2016 17:00	0.9	BDL	BDL	21.3	0.3	2.0	23.0	10.0
2/22/2016 18:00	0.9	BDL	BDL	26.4	0.3	2.1	22.0	12.0
2/22/2016 19:00	1.1	BDL	BDL	56.2	0.5	2.1	24.0	13.0
2/22/2016 20:00	0.7	BDL	BDL	37.2	0.4	2.0	22.0	8.0
2/22/2016 21:00	0.4	BDL	BDL	27.1	0.3	2.0	20.0	11.0
2/22/2016 22:00	BDL	BDL	BDL	17.4	0.3	2.1	14.0	8.0
2/22/2016 23:00	BDL	BDL	BDL	26.3	0.4	2.1	16.0	7.0
2/23/2016 0:00	BDL	BDL	BDL	34.0	0.5	2.1	14.0	8.0
2/23/2016 1:00	0.5	BDL	BDL	40.9	0.4	2.2	21.0	10.0
2/23/2016 2:00	BDL	BDL	BDL	22.9	0.3	2.2	16.0	11.0
2/23/2016 3:00	0.4	BDL	BDL	22.2	0.3	2.4	15.0	7.0
2/23/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	12.0	7.0
2/23/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	13.0	12.0
2/23/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	16.0	9.0
2/23/2016 7:00	0.9	BDL	BDL	34.0	0.3	2.2	19.0	8.0
2/23/2016 8:00	0.8	BDL	BDL	41.2	0.3	2.2	21.0	9.0
2/23/2016 9:00	0.6	BDL	BDL	44.4	0.4	2.3	20.0	9.0
2/23/2016 10:00	0.5	BDL	BDL	49.1	0.4	2.2	20.0	7.0
2/23/2016 11:00	0.5	BDL	BDL	52.7	0.4	2.2	18.0	6.0
2/23/2016 12:00	BDL	BDL	BDL	38.7	0.4	2.1	20.0	7.0
2/23/2016 13:00	BDL	BDL	BDL	26.6	0.3	2.0	13.0	11.0
2/23/2016 14:00	BDL	BDL	BDL	28.1	0.4	2.1	60.0	49.0
2/23/2016 15:00	BDL	BDL	BDL	34.2	0.3	2.0	12.0	7.0
2/23/2016 16:00	BDL	BDL	BDL	25.5	0.3	2.0	10.0	6.0
2/23/2016 17:00	BDL	BDL	BDL	17.5	0.3	2.0	6.0	3.0
2/23/2016 18:00	BDL	BDL	BDL	15.1	0.3	1.9	7.0	3.0
2/23/2016 19:00	BDL	BDL	BDL	13.5	0.3	1.9	6.0	4.0
2/23/2016 20:00	BDL	BDL	BDL	11.7	0.3	1.9	5.0	4.0
2/23/2016 21:00	BDL	BDL	BDL	12.6	0.2	1.9	5.0	3.0
2/23/2016 22:00	BDL	BDL	BDL	11.0	0.2	1.9	5.0	1.0
2/23/2016 23:00	BDL	BDL	BDL	11.0	0.2	2.0	3.0	BDL
2/24/2016 0:00	BDL	BDL	BDL	15.3	0.2	2.0	9.0	1.0
2/24/2016 1:00	BDL	BDL	BDL	10.3	0.2	2.0	5.0	2.0
2/24/2016 2:00	BDL	BDL	BDL	8.9	0.2	2.0	3.0	2.0
2/24/2016 3:00	BDL	BDL	BDL	11.8	0.2	2.0	2.0	1.0
2/24/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	2.0	2.0
2/24/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	2.0	2.0
2/24/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	3.0	4.0
2/24/2016 7:00	BDL	BDL	BDL	26.9	0.3	2.0	9.0	4.0
2/24/2016 8:00	BDL	BDL	BDL	29.4	0.3	2.0	10.0	3.0
2/24/2016 9:00	BDL	BDL	BDL	33.4	0.4	2.0	10.0	6.0
2/24/2016 10:00	0.4	BDL	BDL	53.1	0.4	2.1	7.0	6.0
2/24/2016 11:00	0.4	BDL	BDL	46.5	0.4	2.3	7.0	9.0
2/24/2016 12:00	0.6	BDL	BDL	63.6	0.5	2.3	6.0	7.0
2/24/2016 13:00	1.2	BDL	BDL	103.7	0.8	2.8	20.0	8.0
2/24/2016 14:00	1.1	BDL	BDL	62.9	0.6	3.4	19.0	6.0
2/24/2016 15:00	0.6	BDL	BDL	6.4	0.3	2.1	11.0	3.0
2/24/2016 16:00	0.5	BDL	BDL	5.7	0.3	2.1	13.0	BDL
2/24/2016 17:00	BDL	BDL	BDL	4.2	0.3	2.1	15.0	1.0
2/24/2016 18:00	BDL	BDL	BDL	4.5	0.3	2.1	10.0	1.0
2/24/2016 19:00	BDL	BDL	BDL	2.7	0.3	2.0	11.0	1.0
2/24/2016 20:00	BDL	BDL	BDL	2.0	0.3	2.0	13.0	5.0
2/24/2016 21:00	BDL	BDL	BDL	1.9	0.3	2.0	19.0	6.0
2/24/2016 22:00	BDL	BDL	BDL	1.9	0.3	1.9	20.0	10.0
2/24/2016 23:00	BDL	BDL	BDL	5.7	0.3	2.0	2.0	4.0
2/25/2016 0:00	BDL	BDL	BDL	5.1	0.3	1.7	9.0	6.0
2/25/2016 1:00	BDL	BDL	BDL	4.8	0.3	1.8	13.0	6.0
2/25/2016 2:00	BDL	BDL	BDL	9.7	0.3	2.0	17.0	7.0
2/25/2016 3:00	BDL	BDL	BDL	12.2	0.3	2.5	10.0	5.0
2/25/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	12.0	7.0
2/25/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	8.0	6.0
2/25/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	7.0	3.0
2/25/2016 7:00	0.5	BDL	BDL	10.7	0.2	2.4	9.0	1.0
2/25/2016 8:00	1.4	BDL	BDL	19.0	0.3	2.4	14.0	14.0
2/25/2016 9:00	0.6	BDL	BDL	20.4	0.2	2.4	10.0	9.0
2/25/2016 10:00	0.8	BDL	BDL	22.0	0.2	2.6	13.0	7.0
2/25/2016 11:00	0.9	BDL	BDL	22.4	0.2	2.5	9.0	7.0
2/25/2016 12:00	1.1	BDL	BDL	22.6	0.2	2.3	17.0	10.0
2/25/2016 13:00	1.3	BDL	1	26.6	0.2	2.4	11.0	3.0
2/25/2016 14:00	1.1	BDL	BDL	24.7	0.3	2.3	10.0	3.0
2/25/2016 15:00	1.1	BDL	BDL	25.6	0.2	2.2	18.0	2.0
2/25/2016 16:00	0.8	BDL	BDL	21.2	0.2	2.2	12.0	6.0
2/25/2016 17:00	0.9	BDL	BDL	20.5	0.2	2.1	14.0	6.0
2/25/2016 18:00	1.1	BDL	1	25.1	0.2	2.1	15.0	7.0
2/25/2016 19:00	1.2	BDL	BDL	22.8	0.2	2.2	11.0	3.0
2/25/2016 20:00	1.2	BDL	BDL	23.7	0.2	2.1	11.0	13.0
2/25/2016 21:00	1.1	BDL	BDL	21.5	0.2	2.1	15.0	8.0
2/25/2016 22:00	1.1	BDL	BDL	20.3	0.2	2.1	10.0	8.0
2/25/2016 23:00	0.9	BDL	BDL	14.5	0.2	2.2	6.0	4.0
2/26/2016 0:00	0.6	BDL	BDL	8.2	0.2	2.3	6.0	3.0
2/26/2016 1:00	0.5	BDL	BDL	4.9	0.2	2.3		

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	H2S PPB	THG PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m ³	PM2.5 µg/m ³
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m ³	1.0 µg/m ³
Site Downwind: Weekly: 2/28/2016-3/5/2016							
2/28/2016 0:00	2.3	BDL	BDL	16.7	0.3	2.7	24.0
2/28/2016 1:00	2.4	BDL	BDL	18.8	0.3	2.7	18.0
2/28/2016 2:00	2.5	BDL	BDL	24.2	0.3	2.8	24.0
2/28/2016 3:00	2.9	BDL	BDL	22.3	0.3	2.8	20.0
2/28/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	22.0	12.0
2/28/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	15.0	13.0
2/28/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	17.0	14.0
2/28/2016 7:00	0.8	BDL	BDL	21.8	0.3	2.8	18.0
2/28/2016 8:00	1.1	BDL	BDL	24.7	0.3	2.9	17.0
2/28/2016 9:00	3.0	BDL	BDL	24.3	0.3	2.7	25.0
2/28/2016 10:00	2.5	BDL	BDL	20.3	0.2	2.7	18.0
2/28/2016 11:00	1.9	BDL	BDL	16.9	0.2	2.7	18.0
2/28/2016 12:00	2.3	BDL	BDL	14.9	0.2	2.7	16.0
2/28/2016 13:00	1.2	BDL	BDL	8.1	0.2	2.7	13.0
2/28/2016 14:00	1.2	BDL	BDL	8.7	0.2	2.9	16.0
2/28/2016 15:00	1.6	BDL	BDL	10.1	0.3	3.5	19.0
2/28/2016 16:00	1.0	BDL	BDL	9.1	0.3	4.3	9.0
2/28/2016 17:00	0.6	BDL	BDL	6.3	0.2	2.9	6.0
2/28/2016 18:00	0.4	BDL	BDL	7.7	0.2	2.6	8.0
2/28/2016 19:00	0.4	BDL	BDL	10.0	0.3	2.6	7.0
2/28/2016 20:00	0.4	BDL	BDL	6.7	0.3	2.6	15.0
2/28/2016 21:00	0.5	BDL	BDL	7.0	0.2	2.8	11.0
2/28/2016 22:00	0.9	BDL	BDL	13.2	0.3	2.9	16.0
2/28/2016 23:00	0.8	BDL	BDL	8.4	0.2	3.0	12.0
2/29/2016 0:00	0.6	BDL	BDL	6.0	0.2	3.0	7.0
2/29/2016 1:00	0.7	BDL	BDL	13.3	0.2	3.1	15.0
2/29/2016 2:00	0.9	BDL	BDL	15.2	0.2	3.1	9.0
2/29/2016 3:00	1.8	BDL	BDL	18.6	0.2	3.5	11.0
2/29/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	13.0	10.0
2/29/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	12.0	10.0
2/29/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	10.0	9.0
2/29/2016 7:00	1.1	BDL	BDL	11.4	0.2	3.0	20.0
2/29/2016 8:00	1.3	BDL	BDL	20.2	0.3	2.7	22.0
2/29/2016 9:00	1.8	BDL	BDL	24.5	0.3	2.6	22.0
2/29/2016 10:00	2.6	BDL	BDL	26.3	0.3	2.9	31.0
2/29/2016 11:00	2.2	BDL	BDL	27.7	0.3	2.7	28.0
2/29/2016 12:00	2.7	BDL	BDL	22.6	0.3	2.7	20.0
2/29/2016 13:00	2.7	BDL	BDL	26.5	0.3	2.9	27.0
2/29/2016 14:00	0.9	BDL	BDL	12.1	0.3	2.3	15.0
2/29/2016 15:00	0.5	BDL	BDL	9.5	0.3	2.3	25.0
2/29/2016 16:00	0.4	BDL	BDL	9.9	0.3	2.2	15.0
2/29/2016 17:00	0.8	BDL	BDL	22.7	0.3	2.2	28.0
2/29/2016 18:00	0.7	BDL	BDL	19.5	0.2	2.1	14.0
2/29/2016 19:00	0.8	BDL	BDL	13.8	0.2	2.2	11.0
2/29/2016 20:00	0.8	BDL	BDL	17.9	0.2	2.3	9.0
2/29/2016 21:00	0.8	BDL	BDL	12.3	0.2	2.3	16.0
2/29/2016 22:00	0.8	BDL	BDL	21.4	0.2	5.1	14.0
2/29/2016 23:00	0.9	BDL	BDL	20.6	0.2	2.6	12.0
3/1/2016 0:00	1.1	BDL	BDL	27.4	0.2	2.3	18.0
3/1/2016 1:00	0.8	BDL	BDL	16.2	0.2	2.2	12.0
3/1/2016 2:00	1.2	BDL	BDL	14.3	0.2	2.7	13.0
3/1/2016 3:00	Calibration	BDL	1.0	12.7	0.2	2.4	11.0
3/1/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	15.0	9.0
3/1/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	12.0	8.0
3/1/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	21.0	8.0
3/1/2016 7:00	2.3	1.3	1.0	138.9	0.8	3.8	32.0
3/1/2016 8:00	2.9	1.7	1.0	140.2	0.9	3.9	33.0
3/1/2016 9:00	1.7	BDL	BDL	63.8	0.5	2.5	27.0
3/1/2016 10:00	1.2	BDL	BDL	37.2	0.3	2.2	21.0
3/1/2016 11:00	1.4	BDL	BDL	37.2	0.3	2.2	21.0
3/1/2016 12:00	1.1	BDL	BDL	26.2	0.3	2.1	17.0
3/1/2016 13:00	1.1	BDL	BDL	18.6	0.2	2.1	10.0
3/1/2016 14:00	0.7	BDL	BDL	9.5	0.2	2.0	19.0
3/1/2016 15:00	0.5	BDL	BDL	8.9	0.3	2.0	16.0
3/1/2016 16:00	0.5	BDL	BDL	10.8	0.3	2.0	14.0
3/1/2016 17:00	0.6	BDL	BDL	12.7	0.3	1.9	14.0
3/1/2016 18:00	0.6	BDL	BDL	16.1	0.3	1.9	16.0
3/1/2016 19:00	0.5	BDL	BDL	15.9	0.3	2.0	14.0
3/1/2016 20:00	0.4	BDL	BDL	24.3	0.3	2.4	26.0
3/1/2016 21:00	0.4	BDL	BDL	33.3	0.3	2.2	20.0
3/1/2016 22:00	0.4	BDL	BDL	25.9	0.3	2.2	21.0
3/1/2016 23:00	0.4	BDL	BDL	25.2	0.3	2.4	21.0
3/2/2016 0:00	0.5	BDL	BDL	13.5	0.3	2.3	23.0
3/2/2016 1:00	0.6	BDL	BDL	3.3	0.2	2.4	30.0
3/2/2016 2:00	0.5	BDL	BDL	2.8	0.3	2.4	26.0
3/2/2016 3:00	0.5	BDL	BDL	8.6	0.3	2.8	28.0
3/2/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	28.0	25.0
3/2/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	18.0	16.0
3/2/2016 6:00	Calibration	Calibration	Calibration	Calibration	Calibration	23.0	17.0
3/2/2016 7:00	0.8	BDL	BDL	11.4	0.2	2.4	9.0
3/2/2016 8:00	0.5	BDL	BDL	9.0	0.2	2.4	10.0
3/2/2016 9:00	0.6	BDL	BDL	8.2	0.2	2.5	7.0
3/2/2016 10:00	0.4	BDL	BDL	5.1	0.2	2.5	10.0
3/2/2016 11:00	0.4	BDL	BDL	4.2	0.1	2.3	11.0
3/2/2016 12:00	BDL	BDL	BDL	3.1	0.1	2.3	6.0
3/2/2016 13:00	BDL	BDL	BDL	3.1	0.1	2.3	7.0
3/2/2016 14:00	BDL	BDL	BDL	3.7	0.1	2.2	12.0
3/2/2016 15:00	0.4	BDL	BDL	3.2	0.1	2.3	10.0
3/2/2016 16:00	0.4	BDL	BDL	2.9	0.1	2.3	10.0
3/2/2016 17:00	0.4	BDL	BDL	3.6	0.1	2.4	7.0
3/2/2016 18:00	0.4	BDL	BDL	3.6	0.1	2.4	8.0
3/2/2016 19:00	0.4	BDL	BDL	3.5	0.2	2.4	9.0
3/2/2016 20:00	BDL	BDL	BDL	4.1	0.2	2.3	6.0
3/2/2016 21:00	BDL	BDL	BDL	3.2	0.2	2.4	7.0
3/2/2016 22:00	0.4	BDL	BDL	3.1	0.2	2.3	7.0
3/2/2016 23:00	BDL	BDL	BDL	3.3	0.2	2.3	7.0
3/3/2016 0:00	BDL	BDL	BDL	3.4	0.2	2.3	8.0
3/3/2016 1:00	0.4	BDL	BDL	4.6	0.2	2.4	5.0
3/3/2016 2:00	0.4	BDL	BDL	5.3	0.2	2.4	4.0
3/3/2016 3:00	0.4	BDL	BDL	6.3	0.2	2.4	3.0
3/3/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	BDL	2.0
3/3/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	20.0	7.0
3/3/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	7.0	5.0
3/3/2016 7:00	0.5	BDL	BDL	13.5	0.4	2.5	9.0
3/3/2016 8:00	Calibration	Audit	Calibration	Calibration	Calibration	16.0	6.0
3/3/2016 9:00	Too few samples	Calibration	Calibration	Calibration	Calibration	8.0	4.0
3/3/2016 10:00	0.5	BDL	BDL	9.7	0.2	2.1	8.0
3/3/2016 11:00	0.6	BDL	BDL	9.4	0.2	2.3	9.0
3/3/2016 12:00	0.5	BDL	BDL	13.4	0.2	2.2	12.0
3/3/2016 13:00	0.5	BDL	BDL	12.2	0.2	2.2	16.0
3/3/2016 14:00	0.7	BDL	BDL	14.8	0.2	2.2	7.0
3/3/2016 15:00	0.9	BDL	BDL	14.9	0.2	2.1	17.0
3/3/2016 16:00	1.0	BDL	BDL	13.4	0.2	2.1	16.0
3/3/2016 17:00	1.2	BDL	BDL	15.1	0.2	2.1	12.0
3/3/2016 18:00	1.0	BDL	BDL	16.2	0.2	2.1	16.0
3/3/2016 19:00	0.8	BDL	BDL	16.2	0.2	2.1	11.0
3/3/2016 20:00	0.7	BDL	BDL	12.6	0.2	2.2	19.0
3/3/2016 21:00	0.5	BDL	BDL	10.4	0.2	2.4	9.0
3/3/2016 22:00	0.7	BDL	BDL	6.0	0.2	2.3	10.0
3/3/2016 23:00	0.5	BDL	BDL	8.2	0.2	2.1	17.0
3/4/2016 0:00	BDL	BDL	BDL	7.4	0.2	2.1	20.0
3/4/2016 1:00	BDL	BDL	BDL	16.1	0.2	2.1	17.0
3/4/2016 2:00	BDL	BDL	BDL	12.3	0.2	2.1	16.0
3/4/2016 3:00	BDL	BDL	BDL	25.2	0.2	2.1	18.0
3/4/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	15.0	14.0
3/4/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	18.0	14.0
3/4/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	21.0	12.0
3/4/2016 7:00	0.4	BDL	BDL	33.1	0.3	2.4	22.0
3/4/2016 8:00	0.4	BDL	BDL	38.5	0.4	2.2	18.0
3/4/2016 9:00	0.5	BDL	BDL	40.9	0.4	2.2	22.0
3/4/2016 10:00	0.5	BDL	BDL	44.3	0.4	2.2	17.0
3/4/2016 11:00	0.4	BDL	BDL	37.4	0.4	2.2	18.0
3/4/2016 12:00	0.5	BDL	BDL	37.4	0.4	2.2	14.0
3/4/2016 13:00	BDL	BDL	BDL	32.9	0.4	2.2	23.0
3/4/2016 14:00	0.4	BDL	BDL	3			

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	H2S PPB	TMG PPB	NOx PPB	CO PPM	VOC 10.0 ppb	PM10 µg/m ³	PM2.5 µg/m ³
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb		1.0 µg/m ³	1.0 µg/m ³
Site Downwind Weekly: 3/6/2016-3/12/2016							
3/6/2016 0:00	BDL	BDL	22.3	0.3	2.6	28.0	21.0
3/6/2016 1:00	BDL	BDL	34.4	0.4	2.5	28.0	25.0
3/6/2016 2:00	BDL	BDL	34.0	0.4	2.4	28.0	22.0
3/6/2016 3:00	BDL	BDL	28.5	0.4	2.5	26.0	22.0
3/6/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	24.0	23.0
3/6/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	30.0	23.0
3/6/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	30.0	23.0
3/6/2016 7:00	BDL	BDL	37.5	0.5	2.65	31.0	26.0
3/6/2016 8:00	BDL	BDL	36.7	0.5	2.5	30.0	23.0
3/6/2016 9:00	BDL	BDL	26.9	0.4	2.3	23.0	19.0
3/6/2016 10:00	BDL	BDL	31.3	0.4	2.3	27.0	15.0
3/6/2016 11:00	BDL	BDL	26.2	0.4	2.3	26.0	11.0
3/6/2016 12:00	BDL	BDL	22.9	0.3	2.2	25.0	13.0
3/6/2016 13:00	BDL	BDL	18.1	0.3	2.2	22.0	11.0
3/6/2016 14:00	BDL	BDL	12.1	0.3	2.2	22.0	19.0
3/6/2016 15:00	BDL	BDL	7.7	0.2	2.3	15.0	16.0
3/6/2016 16:00	BDL	BDL	6.1	0.2	2.4	16.0	18.0
3/6/2016 17:00	BDL	BDL	6.4	0.2	2.3	17.0	12.0
3/6/2016 18:00	BDL	BDL	7.7	0.2	2.3	14.0	14.0
3/6/2016 19:00	BDL	BDL	11.0	0.2	2.4	24.0	15.0
3/6/2016 20:00	BDL	BDL	34.3	0.5	2.3	29.0	19.0
3/6/2016 21:00	BDL	BDL	49.8	0.6	2.3	34.0	25.0
3/6/2016 22:00	BDL	BDL	56.3	0.6	2.5	37.0	26.0
3/6/2016 23:00	BDL	BDL	53.5	0.6	2.5	37.0	27.0
3/7/2016 0:00	BDL	BDL	59.9	0.7	2.6	38.0	30.0
3/7/2016 1:00	BDL	BDL	41.3	0.5	2.8	43.0	31.0
3/7/2016 2:00	BDL	BDL	47.0	0.5	2.9	35.0	31.0
3/7/2016 3:00	BDL	BDL	32.6	0.4	2.7	32.0	26.0
3/7/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	36.0	31.0
3/7/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	32.0	32.0
3/7/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	36.0	27.0
3/7/2016 7:00	BDL	BDL	1.8	0.1	2.4	36.0	29.0
3/7/2016 8:00	0.5	0.5	2.7	0.3	2.7	39.0	27.0
3/7/2016 9:00	1.1	BDL	1.4	0.3	2.7	36.0	29.0
3/7/2016 10:00	1.0	BDL	13.1	0.2	2.7	32.0	20.0
3/7/2016 11:00	1.2	BDL	BDL	0.2	2.4	31.0	20.0
3/7/2016 12:00	1.0	BDL	10.8	0.2	2.5	33.0	16.0
3/7/2016 13:00	0.7	BDL	8.5	0.2	2.4	23.0	13.0
3/7/2016 14:00	0.6	BDL	BDL	0.2	2.7	21.0	12.0
3/7/2016 15:00	1.2	BDL	12.4	0.3	2.5	31.0	10.0
3/7/2016 16:00	1.4	BDL	13.4	0.3	2.4	26.0	11.0
3/7/2016 17:00	2.2	BDL	BDL	0.3	2.6	25.0	17.0
3/7/2016 18:00	2.4	BDL	16.0	0.3	2.6	26.0	18.0
3/7/2016 19:00	2.0	BDL	26.8	0.4	2.6	19.0	18.0
3/7/2016 20:00	1.4	BDL	BDL	0.3	2.4	20.0	15.0
3/7/2016 21:00	0.5	BDL	13.6	0.3	2.4	18.0	11.0
3/7/2016 22:00	1.0	BDL	25.2	0.3	2.6	17.0	14.0
3/7/2016 23:00	1.4	BDL	30.5	0.4	3.0	20.0	15.0
3/8/2016 0:00	1.8	BDL	31.9	0.4	3.2	23.0	18.0
3/8/2016 1:00	2.1	BDL	35.7	0.4	3.2	21.0	15.0
3/8/2016 2:00	1.4	BDL	40.4	0.4	3.0	22.0	16.0
3/8/2016 3:00	1.6	BDL	55.6	0.4	3.3	27.0	18.0
3/8/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	23.0	23.0
3/8/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	24.0	15.0
3/8/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	26.0	14.0
3/8/2016 7:00	3.2	1.6	BDL	151.7	0.7	51.0	23.0
3/8/2016 8:00	3.9	2.1	BDL	158.6	1.0	61.0	25.0
3/8/2016 9:00	4.3	1.5	BDL	142.7	0.9	40.0	29.0
3/8/2016 10:00	3.8	0.4	BDL	90.5	0.5	40.0	19.0
3/8/2016 11:00	3.6	0.5	BDL	80.8	0.5	38.0	15.0
3/8/2016 12:00	2.6	BDL	BDL	54.3	0.5	38.0	15.0
3/8/2016 13:00	1.6	BDL	36.6	0.5	2.2	23.0	14.0
3/8/2016 14:00	1.3	BDL	16.0	0.3	2.1	21.0	8.0
3/8/2016 15:00	1.4	BDL	11.4	0.3	2.2	26.0	10.0
3/8/2016 16:00	1.4	BDL	12.5	0.2	2.4	BDL	14.0
3/8/2016 17:00	1.8	BDL	14.2	0.2	2.4	BDL	14.0
3/8/2016 18:00	1.3	BDL	15.3	0.3	2.4	24.0	9.0
3/8/2016 19:00	1.2	BDL	30.4	0.4	2.2	26.0	8.0
3/8/2016 20:00	1.1	BDL	27.4	0.4	2.3	24.0	9.0
3/8/2016 21:00	0.8	BDL	18.5	0.4	2.6	21.0	9.0
3/8/2016 22:00	1.2	BDL	1.6	0.3	3.1	18.0	10.0
3/8/2016 23:00	2.3	BDL	1.2	0.3	3.2	22.0	16.0
3/9/2016 0:00	1.9	BDL	31.3	0.5	2.1	18.0	12.0
3/9/2016 1:00	1.0	BDL	27.7	0.4	2.1	16.0	14.0
3/9/2016 2:00	0.8	BDL	30.0	0.4	2.3	22.0	13.0
3/9/2016 3:00	0.8	BDL	30.5	0.4	2.3	18.0	14.0
3/9/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	27.0	19.0
3/9/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	24.0	22.0
3/9/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	43.0	25.0
3/9/2016 7:00	2.2	1.7	1.2	138.6	0.9	2.9	43.0
3/9/2016 8:00	2.2	1.6	BDL	131.8	0.8	2.7	42.0
3/9/2016 9:00	5.7	1.1	1.3	102.9	0.5	2.7	45.0
3/9/2016 10:00	5.7	0.9	1.4	78.1	0.4	2.9	49.0
3/9/2016 11:00	4.0	BDL	BDL	56.9	0.4	2.7	39.0
3/9/2016 12:00	2.8	BDL	BDL	48.8	0.4	2.9	33.0
3/9/2016 13:00	2.0	BDL	1	35.6	0.3	3.0	35.0
3/9/2016 14:00	1.6	BDL	BDL	20.5	0.3	3.1	33.0
3/9/2016 15:00	1.3	BDL	BDL	14.2	0.3	3.0	30.0
3/9/2016 16:00	0.9	BDL	BDL	7.9	0.2	2.7	34.0
3/9/2016 17:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	28.0	13.0
3/9/2016 18:00	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue
3/9/2016 19:00	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue
3/9/2016 20:00	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue
3/9/2016 21:00	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue
3/9/2016 22:00	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue
3/9/2016 23:00	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue
3/10/2016 0:00	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue
3/10/2016 1:00	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue
3/10/2016 2:00	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue
3/10/2016 3:00	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue
3/10/2016 4:00	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue
3/10/2016 5:00	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue
3/10/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	32.0	18.0
3/10/2016 7:00	Calibration	Calibration	Calibration	Calibration	Calibration	38.0	20.0
3/10/2016 8:00	2.1	BDL	BDL	53.8	0.5	2.9	46.0
3/10/2016 9:00	Calibration	Calibration	Calibration	Calibration	Calibration	38.0	20.0
3/10/2016 10:00	2.6	Too few samples	Too few samples	22.7	0.3	2.1	19.0
3/10/2016 11:00	Too few samples	Too few samples	Too few samples	Too few samples	0.3	3.3	15.0
3/10/2016 12:00	1.6	BDL	BDL	14.6	0.3	3.4	16.0
3/10/2016 13:00	1.2	BDL	BDL	11.2	0.3	2.7	16.0
3/10/2016 14:00	1.7	BDL	BDL	10.9	0.3	2.2	47.0
3/10/2016 15:00	1.6	BDL	BDL	8.1	0.3	2.3	13.0
3/10/2016 16:00	1.2	BDL	BDL	5.1	0.3	2.1	17.0
3/10/2016 17:00	1.4	BDL	BDL	5.6	0.3	2.3	15.0
3/10/2016 18:00	1.7	BDL	BDL	10.1	0.3	2.4	16.0
3/10/2016 19:00	1.9	BDL	BDL	12.9	0.3	2.4	14.0
3/10/2016 20:00	2.0	BDL	BDL	20.8	0.4	2.4	23.0
3/10/2016 21:00	2.0	BDL	BDL	13.9	0.3	2.4	36.0
3/10/2016 22:00	2.0	BDL	BDL	19.9	0.3	2.5	22.0
3/10/2016 23:00	2.8	BDL	BDL	23.6	0.4	2.9	30.0
3/11/2016 0:00	2.0	BDL	BDL	45.7	0.5	2.8	32.0
3/11/2016 1:00	1.4	BDL	BDL	19.6	0.4	2.8	29.0
3/11/2016 2:00	0.9	BDL	BDL	6.8	0.3	2.3	23.0
3/11/2016 3:00	0.7	BDL	BDL	12.1	0.4	2.5	22.0
3/11/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	18.0	11.0
3/11/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	14.0	7.0
3/11/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	11.0	6.0
3/11/2016 7:00	BDL	BDL	BDL	14.8	0.3	1.8	9.0
3/11/2016 8:00	BDL	BDL	BDL	10.0	0.3	2.1	10.0
3/11/2016 9:00	0.4	BDL	BDL	6.5	0.3	2.0	12.0
3/11/2016 10:00	BDL	BDL	BDL	3.4	0.2	2.4	3.0
3/11/2016 11:00	BDL	BDL	BDL	5.4	0.3	2.2	5.0
3/11/2016 12:00	BDL	BDL	BDL	4.1	0.2		

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	SQ2 PPB	H2S PPB	TMG PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m ³	PM2.5 µg/m ³
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m ³	1.0 µg/m ³
See Downwind Weekly 3/13/2016-3/19/2016. Daylight Savings Time on 3/13/16. All timestamps are Eastern Standard Time.								
3/13/2016 0:00	1.8	BDL	1.3	42.2	0.4	3.0	21.0	10.0
3/13/2016 1:00	1.2	BDL	1.4	28.0	0.4	2.9	20.0	12.0
3/13/2016 2:00	1.0	BDL	1.3	17.4	0.3	2.5	17.0	13.0
3/13/2016 3:00	1.0	BDL	1	13.2	0.3	2.4	20.0	12.0
3/13/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	22.0	13.0
3/13/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	21.0	13.0
3/13/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	26.0	18.0
3/13/2016 7:00	1.2	BDL	BDL	37.5	0.6	2.93	25.0	17.0
3/13/2016 8:00	1.3	BDL	BDL	50.0	0.6	2.8	28.0	19.0
3/13/2016 9:00	1.6	BDL	1.1	36.9	0.5	2.5	30.0	20.0
3/13/2016 10:00	1.0	BDL	BDL	16.6	0.4	2.1	24.0	9.0
3/13/2016 11:00	0.7	BDL	BDL	15.6	0.3	2.0	23.0	7.0
3/13/2016 12:00	0.5	BDL	BDL	11.5	0.4	2.0	23.0	6.0
3/13/2016 13:00	0.9	BDL	BDL	12.3	0.3	2.0	20.0	8.0
3/13/2016 14:00	0.9	BDL	BDL	9.4	0.3	2.0	20.0	8.0
3/13/2016 15:00	0.6	BDL	BDL	5.8	0.3	1.9	18.0	6.0
3/13/2016 16:00	0.5	BDL	BDL	6.0	0.3	1.9	15.0	7.0
3/13/2016 17:00	0.4	BDL	BDL	7.3	0.3	1.8	17.0	7.0
3/13/2016 18:00	BDL	BDL	BDL	7.5	0.3	1.8	25.0	11.0
3/13/2016 19:00	BDL	BDL	BDL	18.7	0.4	1.8	22.0	11.0
3/13/2016 20:00	BDL	BDL	BDL	16.1	0.4	1.9	11.0	11.0
3/13/2016 21:00	BDL	BDL	BDL	10.8	0.4	1.9	12.0	7.0
3/13/2016 22:00	BDL	BDL	BDL	7.8	0.3	1.9	16.0	6.0
3/13/2016 23:00	BDL	BDL	BDL	3.4	0.2	1.9	13.0	5.0
3/14/2016 0:00	BDL	BDL	BDL	5.1	0.3	2.0	11.0	6.0
3/14/2016 1:00	BDL	BDL	BDL	3.3	0.2	1.9	11.0	6.0
3/14/2016 2:00	BDL	BDL	BDL	2.9	0.2	1.9	10.0	6.0
3/14/2016 3:00	BDL	BDL	BDL	8.8	0.2	1.9	12.0	8.0
3/14/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	11.0	8.0
3/14/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	9.0	9.0
3/14/2016 6:00	10.2	BDL	1.5	19.1	0.8	1.8	7.0	6.0
3/14/2016 7:00	1.3	BDL	BDL	14.9	0.3	1.8	11.0	5.0
3/14/2016 8:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	10.0	3.0
3/14/2016 9:00	22	BDL	BDL	17.3	0.3	1.9	9.0	3.0
3/14/2016 10:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	12.0	6.0
3/14/2016 11:00	4.5	BDL	BDL	14.2	0.3	1.9	8.0	5.0
3/14/2016 12:00	2.0	BDL	BDL	37.5	0.3	1.9	5.0	2.0
3/14/2016 13:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	6.0	2.0
3/14/2016 14:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	6.0	2.0
3/14/2016 15:00	BDL	BDL	BDL	15.7	0.3	2.0	8.0	2.0
3/14/2016 16:00	BDL	BDL	BDL	13.9	0.2	2.0	8.0	3.0
3/14/2016 17:00	BDL	BDL	BDL	12.5	0.2	2.0	6.0	2.0
3/14/2016 18:00	BDL	BDL	BDL	15.5	0.3	2.0	4.0	4.0
3/14/2016 19:00	BDL	BDL	BDL	21.5	0.3	2.1	9.0	6.0
3/14/2016 20:00	BDL	BDL	BDL	20.6	0.3	2.1	8.0	4.0
3/14/2016 21:00	BDL	BDL	BDL	19.2	0.3	2.1	8.0	6.0
3/14/2016 22:00	BDL	BDL	BDL	17.1	0.2	2.1	6.0	6.0
3/14/2016 23:00	BDL	BDL	BDL	15.3	0.2	2.1	9.0	7.0
3/15/2016 0:00	BDL	BDL	BDL	13.0	0.2	2.1	8.0	8.0
3/15/2016 1:00	BDL	BDL	BDL	12.5	0.2	2.1	5.0	7.0
3/15/2016 2:00	BDL	BDL	BDL	9.6	0.2	2.1	6.0	6.0
3/15/2016 3:00	BDL	BDL	BDL	15.4	0.2	2.2	6.0	4.0
3/15/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	4.0	3.0
3/15/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	3.0	1.0
3/15/2016 6:00	BDL	BDL	BDL	27.2	0.6	2.1	10.0	BDL
3/15/2016 7:00	BDL	BDL	BDL	24.5	0.2	2.1	7.0	5.0
3/15/2016 8:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	12.0	7.0
3/15/2016 9:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	9.0	6.0
3/15/2016 10:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	6.0	5.0
3/15/2016 11:00	BDL	BDL	BDL	19.2	0.2	2.4	7.0	4.0
3/15/2016 12:00	0.5	BDL	BDL	14.9	0.2	2.3	8.0	4.0
3/15/2016 13:00	0.5	BDL	BDL	15.1	0.2	2.2	6.0	6.0
3/15/2016 14:00	BDL	BDL	BDL	12.5	0.2	2.2	7.0	2.0
3/15/2016 15:00	BDL	BDL	BDL	15.4	0.2	2.3	8.0	2.0
3/15/2016 16:00	BDL	BDL	BDL	16.5	0.2	2.3	7.0	4.0
3/15/2016 17:00	BDL	BDL	BDL	15.4	0.2	2.2	9.0	6.0
3/15/2016 18:00	BDL	BDL	BDL	14.3	0.2	2.2	10.0	10.0
3/15/2016 19:00	BDL	BDL	BDL	19.5	0.3	2.2	13.0	12.0
3/15/2016 20:00	BDL	BDL	BDL	24.8	0.3	2.2	10.0	10.0
3/15/2016 21:00	BDL	BDL	BDL	21.7	0.3	2.4	11.0	12.0
3/15/2016 22:00	BDL	BDL	BDL	19.1	0.3	2.3	17.0	8.0
3/15/2016 23:00	BDL	BDL	BDL	20.5	0.3	2.5	20.0	10.0
3/16/2016 0:00	BDL	BDL	BDL	27.7	0.2	2.6	20.0	12.0
3/16/2016 1:00	0.5	BDL	BDL	65.7	0.6	3.8	26.0	21.0
3/16/2016 2:00	0.7	BDL	BDL	80.9	0.5	4.7	25.0	20.0
3/16/2016 3:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	28.0	20.0
3/16/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	26.0	19.0
3/16/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	34.0	25.0
3/16/2016 6:00	1.8	2.2	1.3	150.4	0.8	5.0	31.0	22.0
3/16/2016 7:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	39.0	27.0
3/16/2016 8:00	Calibration	Audit	Audit	Calibration	Calibration	Calibration	45.0	27.0
3/16/2016 9:00	Too few samples	Calibration	Calibration	Calibration	Calibration	Calibration	45.0	64.0
3/16/2016 10:00	2.2	0.9	1	120.1	0.7	2.6	53.0	25.0
3/16/2016 11:00	1.5	BDL	BDL	78.1	0.6	2.4	35.0	22.0
3/16/2016 12:00	1.0	BDL	BDL	42.4	0.3	2.1	18.0	10.0
3/16/2016 13:00	0.5	BDL	BDL	16.6	0.2	2.1	13.0	6.0
3/16/2016 14:00	0.4	BDL	BDL	9.4	0.2	2.1	8.0	4.0
3/16/2016 15:00	0.4	BDL	BDL	6.2	0.2	2.1	7.0	4.0
3/16/2016 16:00	0.7	BDL	BDL	10.5	0.2	2.3	11.0	4.0
3/16/2016 17:00	0.4	BDL	BDL	9.9	0.2	2.3	12.0	4.0
3/16/2016 18:00	BDL	BDL	BDL	9.2	0.2	2.2	14.0	6.0
3/16/2016 19:00	BDL	BDL	BDL	17.5	0.3	2.0	12.0	6.0
3/16/2016 20:00	BDL	BDL	BDL	26.4	0.4	2.0	9.0	10.0
3/16/2016 21:00	BDL	BDL	BDL	40.8	0.5	2.0	21.0	7.0
3/16/2016 22:00	BDL	BDL	BDL	27.7	0.3	2.0	21.0	14.0
3/16/2016 23:00	BDL	BDL	BDL	25.4	0.4	2.0	27.0	21.0
3/17/2016 0:00	BDL	BDL	BDL	24.0	0.4	2.0	27.0	25.0
3/17/2016 1:00	BDL	BDL	BDL	24.1	0.3	2.1	28.0	23.0
3/17/2016 2:00	BDL	BDL	BDL	32.9	0.3	2.1	35.0	25.0
3/17/2016 3:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	29.0	28.0
3/17/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	29.0	18.0
3/17/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	25.0	19.0
3/17/2016 6:00	BDL	BDL	BDL	68.8	0.6	2.4	29.0	15.0
3/17/2016 7:00	BDL	BDL	BDL	71.9	0.6	2.2	38.0	20.0
3/17/2016 8:00	BDL	BDL	BDL	62.3	0.4	2.1	22.0	14.0
3/17/2016 9:00	BDL	BDL	BDL	37.2	0.4	2.2	20.0	13.0
3/17/2016 10:00	BDL	BDL	BDL	44.8	0.6	2.6	30.0	19.0
3/17/2016 11:00	3.4	BDL	BDL	44.8	0.2	2.6	34.0	19.0
3/17/2016 12:00	3.4	BDL	BDL	47.1	0.3	2.4	29.0	15.0
3/17/2016 13:00	1.7	BDL	BDL	20.7	0.2	2.4	27.0	11.0
3/17/2016 14:00	1.3	BDL	BDL	234.3	0.2	2.4	12.0	11.0
3/17/2016 15:00	BDL	BDL	BDL	406.4	0.1	Calibration	26.0	7.0
3/17/2016 16:00	6.4	BDL	BDL	Too few samples	0.5	Calibration	10.0	7.0
3/17/2016 17:00	Audit	Audit	Audit	10.5	0.2	3.3	13.0	5.0
3/17/2016 18:00	BDL	BDL	BDL	12.0	0.2	2.4	14.0	1.0
3/17/2016 19:00	0.6	BDL	BDL	16.2	0.1	2.4	15.0	4.0
3/17/2016 20:00	BDL	BDL	BDL	13.9	0.1	2.3	15.0	6.0
3/17/2016 21:00	BDL	BDL	BDL	13.1	0.1	2.4	5.0	5.0
3/17/2016 22:00	BDL	BDL	BDL	7.9	0.1	2.4	7.0	3.0
3/17/2016 23:00	BDL	BDL	BDL	10.2	0.3	2.4	7.0	3.0
3/18/2016 0:00	BDL	BDL	BDL	8.1	0.1	2.4	9.0	4.0
3/18/2016 1:00	0.4	BDL						

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	502 PPB	H2S PPB	TMG PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m ³	PM2.5 µg/m ³
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m ³	1.0 µg/m ³
Site Downwind Weekly: 3/20/2016-3/26/2016								
3/20/2016 0:00	BDL	0.7	BDL	34.4	0.3	0.4	21.0	18.0
3/20/2016 1:00	0.4	1.1	BDL	46.6	0.3	0.6	21.0	14.0
3/20/2016 2:00	BDL	BDL	BDL	22.3	0.2	BDL	12.0	11.0
3/20/2016 3:00	BDL	Calibration	Calibration	13.9	0.1	0.02	15.0	6.0
3/20/2016 4:00	Too few samples	Too few samples	Calibration	Too few samples	Too few samples	Too few samples	Too few samples	3.0
3/20/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.1	Calibration	9.0	3.0
3/20/2016 6:00	BDL	BDL	BDL	13.7	0.1	BDL	8.0	4.0
3/20/2016 7:00	BDL	BDL	BDL	19.5	0.1	BDL	12.0	3.0
3/20/2016 8:00	BDL	Calibration	Calibration	15.6	0.1	BDL	11.0	3.0
3/20/2016 9:00	BDL	Calibration	Calibration	14.6	0.1	BDL	15.0	4.0
3/20/2016 10:00	BDL	Calibration	Calibration	11.2	0.1	BDL	12.0	3.0
3/20/2016 11:00	BDL	BDL	BDL	10.1	0.1	BDL	11.0	4.0
3/20/2016 12:00	BDL	Calibration	Calibration	10.1	0.1	BDL	11.0	5.0
3/20/2016 13:00	BDL	Too few samples	Too few samples	8.4	0.1	BDL	11.0	3.0
3/20/2016 14:00	BDL	BDL	BDL	8.1	0.1	BDL	16.0	2.0
3/20/2016 15:00	BDL	0.5	BDL	9.1	0.1	BDL	19.0	4.0
3/20/2016 16:00	BDL	0.5	BDL	14.7	0.1	BDL	20.0	8.0
3/20/2016 17:00	BDL	0.5	BDL	9.8	0.2	BDL	20.0	8.0
3/20/2016 18:00	BDL	0.5	BDL	10.5	0.2	BDL	14.0	7.0
3/20/2016 19:00	BDL	0.4	BDL	11.6	0.1	BDL	12.0	6.0
3/20/2016 20:00	BDL	0.4	BDL	12.0	0.2	BDL	14.0	6.0
3/20/2016 21:00	BDL	0.5	BDL	12.8	0.1	BDL	16.0	7.0
3/20/2016 22:00	BDL	0.4	BDL	12.8	0.2	BDL	14.0	8.0
3/20/2016 23:00	BDL	0.5	BDL	14.7	0.2	BDL	19.0	14.0
3/21/2016 0:00	BDL	0.6	BDL	16.6	0.2	BDL	16.0	14.0
3/21/2016 1:00	BDL	0.7	BDL	19.7	0.2	BDL	13.0	13.0
3/21/2016 2:00	BDL	0.6	BDL	20.4	0.2	0.1	19.0	14.0
3/21/2016 3:00	BDL	Calibration	Calibration	8.4	0.1	BDL	17.0	10.0
3/21/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	Too few samples	7.0
3/21/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.2	Calibration	16.0	9.0
3/21/2016 6:00	BDL	0.5	BDL	23.1	0.2	0.2	18.0	11.0
3/21/2016 7:00	BDL	0.5	BDL	32.6	0.2	0.1	18.0	14.0
3/21/2016 8:00	1.1	Calibration	Calibration	34.2	0.2	0.2	27.0	19.0
3/21/2016 9:00	0.4	Calibration	Calibration	15.9	0.1	0.1	22.0	14.0
3/21/2016 10:00	0.4	Calibration	Calibration	8.2	0.1	0.1	14.0	10.0
3/21/2016 11:00	0.4	BDL	BDL	6.6	0.1	0.1	13.0	6.0
3/21/2016 12:00	BDL	BDL	BDL	4.1	0.0	0.1	14.0	7.0
3/21/2016 13:00	BDL	0.4	BDL	4.6	BDL	0.04	18.0	18.0
3/21/2016 14:00	BDL	0.4	BDL	4.2	0.0	0.04	15.0	5.0
3/21/2016 15:00	BDL	BDL	BDL	4.6	0.0	0.04	21.0	10.0
3/21/2016 16:00	BDL	BDL	BDL	3.0	0.0	0.1	13.0	8.0
3/21/2016 17:00	BDL	BDL	BDL	3.1	0.0	0.1	18.0	6.0
3/21/2016 18:00	BDL	BDL	BDL	2.4	0.0	0.1	13.0	8.0
3/21/2016 19:00	BDL	BDL	BDL	2.1	BDL	0.0	11.0	5.0
3/21/2016 20:00	BDL	BDL	BDL	2.2	BDL	0.0	12.0	3.0
3/21/2016 21:00	BDL	BDL	BDL	2.6	BDL	0.04	8.0	3.0
3/21/2016 22:00	BDL	BDL	BDL	2.2	BDL	0.03	10.0	5.0
3/21/2016 23:00	BDL	BDL	BDL	4.3	BDL	0.1	9.0	5.0
3/22/2016 0:00	BDL	BDL	BDL	3.1	BDL	BDL	6.0	4.0
3/22/2016 1:00	BDL	BDL	BDL	14.3	0.0	0.1	6.0	4.0
3/22/2016 2:00	BDL	BDL	BDL	9.2	BDL	0.1	4.0	4.0
3/22/2016 3:00	BDL	Calibration	Calibration	11.8	BDL	BDL	8.0	5.0
3/22/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	12.0	5.0
3/22/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.1	Calibration	8.0	4.0
3/22/2016 6:00	BDL	BDL	BDL	17.3	0.1	0.04	11.0	6.0
3/22/2016 7:00	6.9	1.5	BDL	27.5	0.1	0.5	21.0	11.0
3/22/2016 8:00	2.5	Calibration	Calibration	45.1	0.2	0.8	30.0	12.0
3/22/2016 9:00	2.8	Too few samples	Too few samples	45.6	0.2	0.5	32.0	16.0
3/22/2016 10:00	2.0	0.8	BDL	27.8	BDL	0.2	Invalid	Invalid
3/22/2016 11:00	0.9	0.7	BDL	14.0	BDL	0.1	Invalid	Invalid
3/22/2016 12:00	1.0	0.6	BDL	9.9	NoData	0.1	Invalid	Invalid
3/22/2016 13:00	1.2	0.5	BDL	7.0	NoData	0.1	26.0	8.0
3/22/2016 14:00	1.0	0.6	BDL	6.7	NoData	0.03	24.0	17.0
3/22/2016 15:00	0.5	0.4	BDL	6.2	NoData	0.1	23.0	6.0
3/22/2016 16:00	1.0	BDL	BDL	11.9	NoData	0.1	29.0	9.0
3/22/2016 17:00	0.6	BDL	BDL	5.7	NoData	0.1	15.0	8.0
3/22/2016 18:00	0.4	BDL	BDL	6.0	NoData	0.1	14.0	8.0
3/22/2016 19:00	0.7	0.4	BDL	8.6	NoData	BDL	13.0	9.0
3/22/2016 20:00	BDL	0.6	BDL	17.0	NoData	BDL	17.0	10.0
3/22/2016 21:00	BDL	0.6	BDL	8.4	NoData	BDL	13.0	10.0
3/22/2016 22:00	BDL	0.6	BDL	4.4	NoData	BDL	14.0	7.0
3/22/2016 23:00	BDL	0.4	BDL	4.8	NoData	0.1	13.0	8.0
3/23/2016 0:00	BDL	0.5	BDL	8.3	NoData	0.2	14.0	10.0
3/23/2016 1:00	BDL	0.5	BDL	4.9	NoData	0.2	16.0	10.0
3/23/2016 2:00	BDL	0.8	BDL	8.4	NoData	0.3	15.0	8.0
3/23/2016 3:00	BDL	Calibration	Calibration	6.2	NoData	0.3	18.0	12.0
3/23/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	NoData	0.3	19.0	12.0
3/23/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	NoData	0.5	20.0	11.0
3/23/2016 6:00	1.4	BDL	BDL	21.5	NoData	0.1	28.0	13.0
3/23/2016 7:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	37.0	14.0
3/23/2016 8:00	1.9	Calibration	Calibration	21.5	2.1	0.3	41.0	17.0
3/23/2016 9:00	2.3	Too few samples	Too few samples	14.0	1.9	0.2	38.0	15.0
3/23/2016 10:00	2.7	Calibration	Calibration	14.6	1.9	0.2	37.0	19.0
3/23/2016 11:00	3.4	0.5	BDL	16.7	1.8	0.1	35.0	19.0
3/23/2016 12:00	3.4	0.6	BDL	14.3	1.8	0.2	38.0	17.0
3/23/2016 13:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Audit
3/23/2016 14:00	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit
3/23/2016 15:00	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit
3/23/2016 16:00	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit
3/23/2016 17:00	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit
3/23/2016 18:00	1.1	BDL	BDL	8.1	1.8	0.1	25.0	12.0
3/23/2016 19:00	1.4	0.5	BDL	17.1	1.9	BDL	24.0	9.0
3/23/2016 20:00	1.3	0.7	BDL	29.6	1.9	BDL	30.0	17.0
3/23/2016 21:00	1.2	0.9	BDL	31.1	2.0	0.01	29.0	19.0
3/23/2016 22:00	0.7	1.1	BDL	22.3	1.0	0.1	26.0	13.0
3/23/2016 23:00	0.6	1.3	BDL	24.6	1.9	BDL	18.0	15.0
3/24/2016 0:00	0.5	1.3	BDL	19.6	1.9	BDL	27.0	13.0
3/24/2016 1:00	0.6	1.5	BDL	38.3	2.0	BDL	28.0	20.0
3/24/2016 2:00	0.6	1.6	BDL	50.2	1.9	0.03	34.0	21.0
3/24/2016 3:00	BDL	Calibration	Calibration	55.9	1.9	0.1	38.0	22.0
3/24/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	37.0	20.0
3/24/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	2.0	Calibration	31.0	16.0
3/24/2016 6:00	6.7	1.4	BDL	40.0	2.0	0.1	35.0	16.0
3/24/2016 7:00	BDL	1.1	BDL	29.2	1.9	BDL	42.0	20.0
3/24/2016 8:00	Audit	0.9	BDL	27.0	1.9	BDL	Audit	Audit
3/24/2016 9:00	Audit	1.0	BDL	Audit	1.8	BDL	46.0	22.0
3/24/2016 10:00	0.4	1.0	BDL	Audit	1.8	BDL	47.0	19.0
3/24/2016 11:00	0.4	1.0	BDL	16.0	1.8	BDL	40.0	17.0
3/24/2016 12:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	37.0	13.0
3/24/2016 13:00	0.6	Calibration	Calibration	10.5	0.4	BDL	37.0	18.0
3/24/2016 14:00	0.5	Calibration	Calibration	10.5	0.4	BDL	41.0	22.0
3/24/2016 15:00	0.4	BDL	BDL	10.3	0.4	BDL	46.0	19.0
3/24/2016 16:00	Too few samples	BDL	BDL	5.5	0.4	BDL	45.0	18.0
3/24/2016 17:00	BDL	Too few samples	Too few samples	7.2	0.4	BDL	Invalid	25.0
3/24/2016 18:00	BDL	BDL	BDL	8.0	0.3	BDL	45.0	21.0
3/24/2016 19:00	BDL	BDL	BDL	8.4	0.3	BDL	41.0	23.0
3/24/2016 20:00	BDL	BDL	BDL	6.7	0.3	BDL	42.0	24.0
3/24/2016 21:00	BDL	BDL	BDL	9.9	0.3	BDL	44.0	21.0
3/24/2016 22:00	BDL	BDL	BDL	19.1	0.4	BDL	54.0	29.0
3/24/2016 23:00	0.4	0.5	BDL	28.6	0.5	BDL	47.0	22.0
3/25/2016 0:00	0.6	0.5	BDL	11.0	0.4	BDL	20.0	7.0
3/25/2016 1:00	0.5	BDL	BDL	17.0	0.2	BDL	17.0	8.

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	H2S PPB	THS PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m ³	PM2.5 µg/m ³
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m ³	1.0 µg/m ³
Site Downwind: Weekly 3/27/2016-4/2/2016							
3/27/2016 0:00	BDL	BDL	BDL	0.2	BDL	13.0	7.0
3/27/2016 1:00	BDL	BDL	BDL	0.2	BDL	20.0	9.0
3/27/2016 2:00	BDL	BDL	BDL	0.2	BDL	17.0	8.0
3/27/2016 3:00	BDL	Calibration	Calibration	0.2	0.1	22.0	9.0
3/27/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	27.0	10.0
3/27/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	24.0	10.0
3/27/2016 6:00	BDL	BDL	BDL	3.5	0.2	23.0	9.0
3/27/2016 7:00	BDL	BDL	BDL	2.5	0.11	24.0	9.0
3/27/2016 8:00	BDL	BDL	BDL	0.2	0.1	22.0	8.0
3/27/2016 9:00	BDL	BDL	BDL	0.2	0.04	18.0	7.0
3/27/2016 10:00	BDL	BDL	BDL	0.2	0.01	22.0	9.0
3/27/2016 11:00	BDL	BDL	BDL	0.9	0.2	15.0	5.0
3/27/2016 12:00	BDL	BDL	BDL	0.2	0.2	11.0	3.0
3/27/2016 13:00	BDL	BDL	BDL	0.2	BDL	16.0	8.0
3/27/2016 14:00	BDL	BDL	BDL	0.3	BDL	17.0	8.0
3/27/2016 15:00	BDL	BDL	BDL	0.3	BDL	15.0	7.0
3/27/2016 16:00	BDL	BDL	BDL	0.2	BDL	15.0	6.0
3/27/2016 17:00	BDL	BDL	BDL	4.9	0.3	21.0	8.0
3/27/2016 18:00	BDL	BDL	BDL	2.7	0.2	17.0	8.0
3/27/2016 19:00	BDL	BDL	BDL	0.3	BDL	20.0	4.0
3/27/2016 20:00	BDL	BDL	BDL	4.8	0.2	18.0	6.0
3/27/2016 21:00	BDL	BDL	BDL	3.1	0.2	18.0	6.0
3/27/2016 22:00	BDL	BDL	BDL	0.2	BDL	14.0	6.0
3/27/2016 23:00	BDL	BDL	BDL	0.2	BDL	9.0	4.0
3/28/2016 0:00	BDL	BDL	BDL	0.2	BDL	6.0	3.0
3/28/2016 1:00	BDL	BDL	BDL	3.3	0.2	11.0	7.0
3/28/2016 2:00	BDL	BDL	BDL	0.2	BDL	8.0	6.0
3/28/2016 3:00	BDL	Calibration	Calibration	0.6	0.2	6.0	2.0
3/28/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	4.0	1.0
3/28/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	6.0	BDL
3/28/2016 6:00	BDL	BDL	BDL	14.1	0.3	5.0	BDL
3/28/2016 7:00	BDL	BDL	BDL	19.1	0.3	6.0	3.0
3/28/2016 8:00	0.4	BDL	BDL	20.7	0.4	6.0	4.0
3/28/2016 9:00	0.4	BDL	BDL	23.7	0.3	7.0	7.0
3/28/2016 10:00	0.5	BDL	BDL	34.6	0.4	11.0	10.0
3/28/2016 11:00	0.6	0.6	BDL	34.8	0.4	0.1	14.0
3/28/2016 12:00	1.9	0.9	BDL	43.7	0.4	26.0	21.0
3/28/2016 13:00	0.7	BDL	BDL	6.4	0.3	9.0	9.0
3/28/2016 14:00	0.5	BDL	BDL	1.6	0.2	0.1	17.0
3/28/2016 15:00	0.6	BDL	BDL	1.9	0.2	0.1	17.0
3/28/2016 16:00	0.6	BDL	BDL	4.7	0.2	0.1	29.0
3/28/2016 17:00	0.6	BDL	BDL	5.4	0.2	0.1	25.0
3/28/2016 18:00	0.8	BDL	BDL	8.7	0.2	0.1	13.0
3/28/2016 19:00	1.0	BDL	BDL	13.8	0.2	0.1	20.0
3/28/2016 20:00	0.8	BDL	BDL	10.2	0.2	BDL	11.0
3/28/2016 21:00	0.7	BDL	BDL	0.9	0.2	0.1	9.0
3/28/2016 22:00	0.5	BDL	BDL	0.2	0.1	8.0	3.0
3/28/2016 23:00	BDL	BDL	BDL	0.2	0.1	7.0	6.0
3/29/2016 0:00	BDL	BDL	BDL	0.2	0.1	6.0	4.0
3/29/2016 1:00	BDL	BDL	BDL	0.1	0.1	7.0	6.0
3/29/2016 2:00	BDL	BDL	BDL	0.1	0.1	6.0	9.0
3/29/2016 3:00	BDL	Calibration	Calibration	BDL	0.1	6.0	9.0
3/29/2016 4:00	Too few samples	Calibration	Calibration	BDL	0.1	8.0	7.0
3/29/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	7.0	5.0
3/29/2016 6:00	BDL	BDL	BDL	0.1	0.04	9.0	7.0
3/29/2016 7:00	BDL	BDL	BDL	0.1	0.04	10.0	10.0
3/29/2016 8:00	BDL	Calibration	Calibration	BDL	0.1	16.0	16.0
3/29/2016 9:00	BDL	Calibration	Calibration	BDL	0.1	21.0	6.0
3/29/2016 10:00	0.4	BDL	BDL	BDL	0.1	14.0	7.0
3/29/2016 11:00	0.6	BDL	BDL	0.1	0.1	14.0	4.0
3/29/2016 12:00	0.4	BDL	BDL	0.2	0.2	13.0	4.0
3/29/2016 13:00	0.4	BDL	BDL	0.1	0.1	15.0	3.0
3/29/2016 14:00	BDL	BDL	BDL	0.1	0.1	14.0	4.0
3/29/2016 15:00	BDL	BDL	BDL	0.1	0.04	16.0	4.0
3/29/2016 16:00	BDL	BDL	BDL	0.1	0.1	15.0	4.0
3/29/2016 17:00	BDL	BDL	BDL	0.1	BDL	13.0	7.0
3/29/2016 18:00	BDL	BDL	BDL	0.1	0.1	10.0	6.0
3/29/2016 19:00	BDL	BDL	BDL	0.1	0.01	7.0	5.0
3/29/2016 20:00	BDL	BDL	BDL	0.2	BDL	11.0	4.0
3/29/2016 21:00	BDL	BDL	BDL	0.2	0.01	12.0	4.0
3/29/2016 22:00	BDL	BDL	BDL	0.8	0.04	9.0	7.0
3/29/2016 23:00	BDL	BDL	BDL	0.8	0.1	6.0	6.0
3/30/2016 0:00	BDL	BDL	BDL	1.9	0.2	6.0	6.0
3/30/2016 1:00	BDL	BDL	BDL	0.2	0.1	9.0	5.0
3/30/2016 2:00	BDL	BDL	BDL	3.7	0.2	9.0	3.0
3/30/2016 3:00	BDL	Calibration	Calibration	9.9	0.1	4.0	6.0
3/30/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	17.0	6.0
3/30/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	10.0	5.0
3/30/2016 6:00	BDL	BDL	BDL	31.6	0.2	14.0	6.0
3/30/2016 7:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	18.0	5.0
3/30/2016 8:00	1.1	Calibration	Calibration	37.0	0.3	24.0	6.0
3/30/2016 9:00	0.9	Calibration	Calibration	25.9	0.2	18.0	4.0
3/30/2016 10:00	0.9	Too few samples	Too few samples	14.3	0.2	BDL	1.0
3/30/2016 11:00	0.5	Calibration	Calibration	2.4	0.2	BDL	2.0
3/30/2016 12:00	BDL	Too few samples	Too few samples	BDL	0.2	BDL	2.0
3/30/2016 13:00	BDL	BDL	BDL	0.9	0.2	BDL	2.0
3/30/2016 14:00	BDL	BDL	BDL	0.2	0.2	BDL	2.0
3/30/2016 15:00	BDL	BDL	BDL	0.2	0.2	BDL	3.0
3/30/2016 16:00	BDL	BDL	BDL	0.2	0.2	BDL	1.0
3/30/2016 17:00	BDL	BDL	BDL	0.2	0.2	BDL	2.0
3/30/2016 18:00	BDL	BDL	BDL	0.2	0.2	BDL	6.0
3/30/2016 19:00	BDL	BDL	BDL	0.2	0.2	BDL	5.0
3/30/2016 20:00	BDL	BDL	BDL	0.2	0.2	BDL	6.0
3/30/2016 21:00	BDL	BDL	BDL	1.6	0.2	BDL	22.0
3/30/2016 22:00	BDL	BDL	BDL	0.2	0.2	BDL	8.0
3/30/2016 23:00	BDL	BDL	BDL	1.3	0.1	BDL	9.0
3/31/2016 0:00	BDL	BDL	BDL	0.8	0.1	8.0	5.0
3/31/2016 1:00	BDL	BDL	BDL	0.2	0.1	13.0	2.0
3/31/2016 2:00	BDL	BDL	BDL	0.1	0.04	12.0	8.0
3/31/2016 3:00	BDL	Calibration	Calibration	BDL	0.1	14.0	9.0
3/31/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	13.0	5.0
3/31/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	15.0	10.0
3/31/2016 6:00	BDL	BDL	BDL	BDL	0.2	BDL	12.0
3/31/2016 7:00	BDL	BDL	BDL	6.9	0.2	20.0	6.0
3/31/2016 8:00	calibration	Calibration	Calibration	Calibration	Calibration	25.0	5.0
3/31/2016 9:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	25.0	3.0
3/31/2016 10:00	BDL	Calibration	Calibration	2.4	0.2	BDL	2.0
3/31/2016 11:00	BDL	BDL	BDL	0.5	0.2	BDL	86.0
3/31/2016 12:00	BDL	BDL	BDL	0.5	0.2	BDL	44.0
3/31/2016 13:00	BDL	BDL	BDL	1.5	0.3	BDL	56.0
3/31/2016 14:00	BDL	BDL	BDL	3.0	0.3	BDL	47.0
3/31/2016 15:00	BDL	BDL	BDL	2.4	0.2	BDL	48.0
3/31/2016 16:00	BDL	BDL	BDL	0.4	0.2	BDL	41.0
3/31/2016 17:00	BDL	BDL	BDL	0.4	0.2	BDL	29.0
3/31/2016 18:00	0.4	BDL	BDL	4.1	0.2	BDL	22.0
3/31/2016 19:00	BDL	BDL	BDL	6.5	0.2	BDL	22.0
3/31/2016 20:00	BDL	BDL	BDL	4.2	0.2	BDL	21.0
3/31/2016 21:00	BDL	BDL	BDL	3.1	0.2	BDL	20.0
3/31/2016 22:00	BDL	BDL	BDL	2.0	0.2	BDL	16.0
3/31/2016 23:00	BDL	BDL	BDL	BDL	0.2	BDL	19.0
4/1/2016 0:00	BDL	BDL	BDL	0.2	BDL	15.0	8.0
4/1/2016 1:00	BDL	BDL	BDL	0.2	BDL	14.0	6.0
4/1/2016 2:00	BDL	BDL	BDL	0.9	0.2	BDL	14.0
4/1/2016 3:00	BDL	Calibration	Calibration	4.1	0.2	BDL	11.0
4/1/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	11.0	7.0
4/1/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	11.0	7.0
4/1/2016 6:00	BDL	BDL	BDL	5.4	0.2	BDL	9.0
4/1/2016 7:00	BDL	BDL	BDL	4.6	0.2	BDL	7.0
4/1/2016 8:00	BDL	BDL	BDL	2.2	0.2	BDL	10.0
4/1/2016 9:00	0.5	BDL	BDL	5.3	0.22	BDL	12.0
4/1/2016 10:00	0.6	BDL	BDL	6.1	0.23	BDL	18.0
4/1/2016 11:00	0.4	BDL	BDL	6.2	0.2	BDL	4.0
4/1/2016 12:00	0.4	BDL	BDL	4.1	0.2	BDL	6.0
4/1/2016 13:00	0.5	BDL	BDL	1.7	0.2	BDL	22.0
4/1/2016 14:00	1.7	BDL	BDL	5.1	0.2	BDL	30.0
4/1/2016 15:00	2.0	BDL	BDL	3.5	0.2		

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	SQ2 PPB	H2S PPB	TNG PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m3	PM2.5 µg/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind: Weekly: 4/2/2016-4/9/2016								
4/3/2016 0:00	0.4	BDL	BDL	5.1	0.1	BDL	3.0	5.0
4/3/2016 1:00	0.7	BDL	BDL	10.8	0.1	BDL	5.0	6.0
4/3/2016 2:00	0.9	BDL	BDL	12.4	0.1	BDL	17.0	8.0
4/3/2016 3:00	1.1	Calibration	Calibration	13.1	0.1	0.2	16.0	6.0
4/3/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples
4/3/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	BDL	Calibration	16.0	6.0
4/3/2016 6:00	0.4	BDL	BDL	BDL	0.2	BDL	10.0	6.0
4/3/2016 7:00	BDL	BDL	BDL	BDL	0.2	BDL	10.0	6.0
4/3/2016 8:00	BDL	BDL	BDL	BDL	0.3	BDL	17.0	5.0
4/3/2016 9:00	0.4	BDL	BDL	BDL	0.3	BDL	12.0	5.0
4/3/2016 10:00	0.4	BDL	BDL	BDL	0.3	BDL	11.0	5.0
4/3/2016 11:00	BDL	BDL	BDL	BDL	0.3	BDL	10.0	2.0
4/3/2016 12:00	BDL	BDL	BDL	BDL	0.3	BDL	7.0	4.0
4/3/2016 13:00	BDL	BDL	BDL	BDL	0.2	BDL	4.0	4.0
4/3/2016 14:00	0.4	BDL	BDL	1.1	BDL	0.2	5.0	5.0
4/3/2016 15:00	0.6	BDL	BDL	3.5	BDL	0.2	10.0	3.0
4/3/2016 16:00	0.5	BDL	BDL	2.1	0.1	BDL	8.0	4.0
4/3/2016 17:00	0.5	BDL	BDL	4.4	0.1	0.2	5.0	6.0
4/3/2016 18:00	0.4	BDL	BDL	2.3	0.1	0.1	5.0	6.0
4/3/2016 19:00	BDL	BDL	BDL	2.6	0.1	0.1	4.0	9.0
4/3/2016 20:00	0.4	BDL	BDL	2.2	0.1	0.2	9.0	8.0
4/3/2016 21:00	0.4	BDL	BDL	4.7	0.1	0.2	10.0	7.0
4/3/2016 22:00	0.7	BDL	BDL	23.6	0.3	0.1	16.0	8.0
4/3/2016 23:00	0.8	BDL	BDL	36.1	0.3	0.1	17.0	15.0
4/4/2016 0:00	0.4	BDL	BDL	21.7	0.2	0.03	16.0	11.0
4/4/2016 1:00	0.4	BDL	BDL	20.8	0.2	BDL	10.0	10.0
4/4/2016 2:00	BDL	BDL	BDL	14.6	0.1	BDL	12.0	8.0
4/4/2016 3:00	0.5	Calibration	Calibration	17.7	0.1	BDL	10.0	5.0
4/4/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples
4/4/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.2	Calibration	13.0	8.0
4/4/2016 6:00	0.8	2.0	1.9	30.1	0.3	BDL	22.0	10.0
4/4/2016 7:00	1.1	2.6	2.3	64.9	0.4	0.01	28.1	11.0
4/4/2016 8:00	1.3	2.6	2.1	74.5	0.5	0.2	25.0	14.0
4/4/2016 9:00	1.7	2.5	1.9	72.0	0.5	0.1	26.0	13.0
4/4/2016 10:00	1.6	1.6	1.4	38.7	0.2	0.2	23.0	10.0
4/4/2016 11:00	1.9	0.7	BDL	23.7	0.2	0.3	17.0	6.0
4/4/2016 12:00	1.7	0.5	BDL	22.8	0.2	0.2	23.0	6.0
4/4/2016 13:00	2.4	BDL	BDL	12.8	0.2	0.1	26.0	11.0
4/4/2016 14:00	2.4	BDL	BDL	18.8	0.2	BDL	21.0	10.0
4/4/2016 15:00	0.8	BDL	BDL	18.8	0.3	BDL	25.0	8.0
4/4/2016 16:00	0.7	BDL	BDL	15.5	0.3	BDL	20.0	7.0
4/4/2016 17:00	BDL	BDL	BDL	8.8	0.2	BDL	19.0	11.0
4/4/2016 18:00	1.4	BDL	BDL	18.7	0.2	BDL	20.0	13.0
4/4/2016 19:00	0.8	BDL	BDL	14.3	0.3	BDL	12.0	10.0
4/4/2016 20:00	0.4	BDL	BDL	16.5	0.2	BDL	14.0	13.0
4/4/2016 21:00	BDL	BDL	BDL	10.1	0.2	BDL	11.0	10.0
4/4/2016 22:00	BDL	BDL	BDL	8.5	0.2	BDL	12.0	8.0
4/4/2016 23:00	BDL	BDL	BDL	4.8	0.1	BDL	13.0	8.0
4/5/2016 0:00	BDL	BDL	BDL	3.9	0.1	0.1	15.0	4.0
4/5/2016 1:00	BDL	BDL	BDL	1.8	0.1	0.1	9.0	6.0
4/5/2016 2:00	BDL	BDL	BDL	3.8	0.1	BDL	9.0	5.0
4/5/2016 3:00	BDL	Calibration	Calibration	3.1	BDL	0.2	10.0	5.0
4/5/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples
4/5/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.1	Calibration	11.0	4.0
4/5/2016 6:00	0.4	BDL	BDL	11.3	0.1	0.3	16.0	7.0
4/5/2016 7:00	Too few samples	Too few samples	Too few samples	Too few samples	0.3	BDL	20.0	4.0
4/5/2016 8:00	BDL	Calibration	Calibration	Calibration	0.3	BDL	10.0	4.0
4/5/2016 9:00	Calibration	BDL	BDL	Calibration	0.3	BDL	13.0	2.0
4/5/2016 10:00	Calibration	BDL	BDL	Calibration	0.3	BDL	12.0	4.0
4/5/2016 11:00	Calibration	BDL	BDL	Calibration	0.3	BDL	10.0	4.0
4/5/2016 12:00	Calibration	BDL	BDL	Calibration	0.3	0.03	17.0	3.0
4/5/2016 13:00	Calibration	BDL	BDL	Calibration	0.3	0.1	12.0	2.0
4/5/2016 14:00	Calibration	BDL	BDL	Calibration	0.3	12.2	12.0	1.0
4/5/2016 15:00	Calibration	BDL	BDL	Calibration	0.3	0.0	10.0	2.0
4/5/2016 16:00	Calibration	BDL	BDL	Calibration	0.3	0.1	10.0	3.0
4/5/2016 17:00	Calibration	BDL	BDL	Calibration	0.3	0.1	12.0	1.0
4/5/2016 18:00	Calibration	BDL	BDL	Calibration	0.3	0.2	7.0	1.0
4/5/2016 19:00	Calibration	BDL	BDL	Calibration	0.3	0.3	5.0	4.0
4/5/2016 20:00	Calibration	BDL	BDL	Calibration	0.3	0.3	5.0	4.0
4/5/2016 21:00	Calibration	BDL	BDL	Calibration	0.3	0.3	8.0	4.0
4/5/2016 22:00	Calibration	BDL	BDL	Calibration	0.4	0.1	6.0	5.0
4/5/2016 23:00	Calibration	BDL	BDL	Calibration	0.3	BDL	6.0	5.0
4/6/2016 0:00	Calibration	BDL	BDL	Calibration	0.4	0.04	7.0	3.0
4/6/2016 1:00	Calibration	BDL	BDL	Calibration	0.4	0.1	8.0	5.0
4/6/2016 2:00	Calibration	BDL	BDL	Calibration	0.3	BDL	10.0	6.0
4/6/2016 3:00	Calibration	Calibration	Calibration	Calibration	0.4	0.02	12.0	4.0
4/6/2016 4:00	Calibration	Calibration	Calibration	Calibration	0.4	Too few samples	14.0	6.0
4/6/2016 5:00	Calibration	Too few samples	Too few samples	Calibration	0.5	Calibration	17.0	6.0
4/6/2016 6:00	0.9	BDL	BDL	49.8	0.4	BDL	18.0	9.0
4/6/2016 7:00	0.8	Calibration	Calibration	48.3	0.5	0.07	23.0	10.0
4/6/2016 8:00	0.8	Calibration	Calibration	39.1	0.5	0.02	20.0	9.0
4/6/2016 9:00	0.4	BDL	BDL	41.2	0.4	BDL	15.0	6.0
4/6/2016 10:00	BDL	BDL	BDL	19.1	0.3	0.1	10.0	3.0
4/6/2016 11:00	0.5	BDL	BDL	8.8	0.3	0.3	14.0	4.0
4/6/2016 12:00	BDL	BDL	BDL	6.2	0.3	BDL	17.0	3.0
4/6/2016 13:00	BDL	BDL	BDL	5.3	0.3	0.4	22.0	5.0
4/6/2016 14:00	BDL	BDL	BDL	6.4	0.3	0.2	25.0	4.0
4/6/2016 15:00	BDL	BDL	BDL	5.0	0.3	0.2	25.0	4.0
4/6/2016 16:00	BDL	BDL	BDL	4.8	0.3	BDL	16.0	6.0
4/6/2016 17:00	BDL	BDL	BDL	4.5	0.3	BDL	15.0	5.0
4/6/2016 18:00	1.2	BDL	BDL	6.3	0.3	BDL	13.0	7.0
4/6/2016 19:00	0.6	BDL	BDL	5.2	0.3	BDL	12.0	4.0
4/6/2016 20:00	2.5	BDL	BDL	4.3	0.3	BDL	11.0	8.0
4/6/2016 21:00	1.8	BDL	BDL	4.0	0.3	BDL	15.0	7.0
4/6/2016 22:00	3.6	BDL	BDL	6.7	0.3	BDL	14.0	5.0
4/6/2016 23:00	1.9	BDL	BDL	10.8	0.3	BDL	12.0	4.0
4/7/2016 0:00	BDL	BDL	BDL	2.5	0.3	BDL	11.0	6.0
4/7/2016 1:00	BDL	BDL	BDL	2.5	0.3	BDL	12.0	5.0
4/7/2016 2:00	BDL	BDL	BDL	2.7	0.3	BDL	13.0	5.0
4/7/2016 3:00	BDL	Calibration	Calibration	2.5	0.3	BDL	11.0	7.0
4/7/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples
4/7/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples
4/7/2016 6:00	2.0	BDL	BDL	9.1	0.4	BDL	11.0	6.0
4/7/2016 7:00	0.4	BDL	BDL	12.9	0.4	BDL	9.0	7.0
4/7/2016 8:00	1.2	BDL	BDL	9.0	0.38	BDL	16.0	8.0
4/7/2016 9:00	1.3	BDL	BDL	10.4	0.37	BDL	15.0	6.0
4/7/2016 10:00	1.0	BDL	BDL	8.0	0.4	1.9	23.0	4.0
4/7/2016 11:00	0.9	BDL	BDL	7.7	0.4	1.9	7.0	3.0
4/7/2016 12:00	BDL	BDL	BDL	6.8	0.4	1.9	12.0	1.0
4/7/2016 13:00	BDL	BDL	BDL	7.6	0.4	2.0	10.0	6.0
4/7/2016 14:00	1.3	0.4	1.0	18.5	0.4	2.0	10.0	7.0
4/7/2016 15:00	0.8	BDL	BDL	8.9	0.4	2.2	6.0	5.0
4/7/2016 16:00	1.7	BDL	BDL	16.8	0.4	2.3	7.0	5.0
4/7/2016 17:00	1.7	BDL	BDL	17.4	0.4	2.1	9.0	5.0
4/7/2016 18:00	2.6	BDL	BDL	13.5	0.4	2.3	14.0	7.0
4/7/2016 19:00	4.2	BDL	BDL	18.0	0.4	2.4	27.0	21.0
4/7/2016 20:00	0.8	BDL	BDL	12.5	0.4	2.2	8.0	6.0
4/7/2016 21:00	1.6	BDL	BDL	17.8	0.4	2.4	11.0	6.0
4/7/2016 22:00	4.4	BDL	BDL	19.1	0.4	2.5	11.0	11.0
4/7/2016 23:00	1.8	BDL	BDL	17.4	0.3	2.2	9.0	7.0
4/8/2016 0:00	1.3	BDL	BDL	13.1	0.3	2.1	9.0	7.0
4/8/2016 1:00	2.0	0.4	BDL	19.1	0.3	2.1	12.0	7.0
4/8/2016 2:00	1.4	0.7	1	20.0	0.4	2.4	9.0	4.0
4/8/2016 3:00	2.1	Calibration						

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2 PPB	H2S PPB	THS PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m3	PM2.5 µg/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 4/10/2016-4/16/2016								
4/10/2016 0:00	BDL	BDL	BDL	4.2	0.3	2.4	4.0	7.0
4/10/2016 1:00	BDL	BDL	BDL	3.5	0.3	2.4	8.0	6.0
4/10/2016 2:00	BDL	BDL	BDL	4.7	0.3	2.4	6.0	5.0
4/10/2016 3:00	BDL	Calibration	Calibration	6.8	0.3	2.5	8.0	4.0
4/10/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	9.0	3.0
4/10/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	11.0	6.0
4/10/2016 6:00	0.4	BDL	BDL	9.6	0.3	1.9	8.0	5.0
4/10/2016 7:00	0.4	BDL	BDL	8.9	0.3	2.51	11.0	3.0
4/10/2016 8:00	BDL	BDL	BDL	5.4	0.3	2.5	11.0	3.0
4/10/2016 9:00	BDL	BDL	BDL	5.5	0.3	2.5	8.0	5.0
4/10/2016 10:00	BDL	BDL	BDL	5.6	0.3	2.4	6.0	5.0
4/10/2016 11:00	BDL	BDL	BDL	5.1	0.3	2.3	6.0	5.0
4/10/2016 12:00	BDL	BDL	BDL	4.2	0.3	2.4	5.0	5.0
4/10/2016 13:00	1.3	BDL	BDL	11.1	0.3	2.7	6.0	5.0
4/10/2016 14:00	1.0	BDL	BDL	8.8	0.3	2.6	9.0	6.0
4/10/2016 15:00	0.7	BDL	BDL	5.3	0.3	1.9	7.0	5.0
4/10/2016 16:00	0.4	BDL	BDL	3.6	0.3	2.8	9.0	7.0
4/10/2016 17:00	0.4	BDL	BDL	3.9	0.3	2.7	10.0	6.0
4/10/2016 18:00	0.8	BDL	BDL	5.7	0.3	2.0	9.0	6.0
4/10/2016 19:00	0.5	BDL	BDL	4.3	0.3	2.9	6.0	8.0
4/10/2016 20:00	0.2	BDL	BDL	4.0	0.3	2.6	13.0	7.0
4/10/2016 21:00	1.4	BDL	BDL	5.3	0.3	2.2	11.0	6.0
4/10/2016 22:00	1.5	BDL	BDL	7.7	0.4	2.2	8.0	7.0
4/10/2016 23:00	3.4	BDL	BDL	8.3	0.4	2.2	16.0	7.0
4/11/2016 0:00	1.0	BDL	BDL	8.0	0.3	2.2	13.0	6.0
4/11/2016 1:00	BDL	BDL	BDL	8.1	0.3	2.2	10.0	5.0
4/11/2016 2:00	BDL	BDL	BDL	8.9	0.3	2.2	12.0	7.0
4/11/2016 3:00	BDL	Calibration	Calibration	3.5	0.3	2.6	10.0	5.0
4/11/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	11.0	5.0
4/11/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.4	Calibration	15.0	6.0
4/11/2016 6:00	BDL	BDL	BDL	11.7	0.3	2.3	11.0	6.0
4/11/2016 7:00	BDL	BDL	BDL	17.5	0.3	2.3	17.0	9.0
4/11/2016 8:00	BDL	BDL	BDL	13.9	0.3	2.3	14.0	8.0
4/11/2016 9:00	0.4	BDL	BDL	16.3	0.3	2.6	13.0	8.0
4/11/2016 10:00	BDL	BDL	BDL	16.3	0.3	2.7	22.0	9.0
4/11/2016 11:00	0.4	BDL	BDL	11.2	0.3	2.6	20.0	6.0
4/11/2016 12:00	BDL	BDL	BDL	7.0	0.3	2.5	24.0	6.0
4/11/2016 13:00	0.5	BDL	BDL	8.1	0.3	2.0	23.0	6.0
4/11/2016 14:00	0.4	BDL	BDL	6.6	0.3	2.5	26.0	4.0
4/11/2016 15:00	BDL	BDL	BDL	5.7	0.4	2.5	21.0	3.0
4/11/2016 16:00	BDL	BDL	BDL	7.9	0.4	2.3	17.0	7.0
4/11/2016 17:00	BDL	BDL	BDL	5.6	0.4	2.4	16.0	8.0
4/11/2016 18:00	BDL	BDL	BDL	13.3	0.4	2.1	18.0	8.0
4/11/2016 19:00	BDL	BDL	BDL	10.1	0.4	1.9	22.0	11.0
4/11/2016 20:00	BDL	BDL	BDL	5.5	0.4	1.9	19.0	12.0
4/11/2016 21:00	BDL	BDL	BDL	4.2	0.4	1.9	19.0	8.0
4/11/2016 22:00	BDL	BDL	BDL	4.5	0.4	2.0	21.0	8.0
4/11/2016 23:00	BDL	BDL	BDL	4.4	0.4	2.1	20.0	9.0
4/12/2016 0:00	BDL	BDL	BDL	4.5	0.4	2.1	15.0	8.0
4/12/2016 1:00	BDL	BDL	BDL	8.3	0.3	2.4	13.0	5.0
4/12/2016 2:00	BDL	BDL	BDL	4.9	0.3	2.2	15.0	8.0
4/12/2016 3:00	BDL	Calibration	Calibration	5.1	0.4	2.2	20.0	6.0
4/12/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	17.0	6.0
4/12/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	17.0	8.0
4/12/2016 6:00	0.5	BDL	BDL	6.5	0.4	2.6	17.0	6.0
4/12/2016 7:00	0.9	BDL	BDL	14.1	0.4	2.7	13.0	11.0
4/12/2016 8:00	0.7	BDL	BDL	16.5	0.4	2.5	19.0	11.0
4/12/2016 9:00	0.5	BDL	BDL	19.7	0.4	2.3	11.0	8.0
4/12/2016 10:00	0.4	BDL	BDL	15.7	0.4	1.9	9.0	7.0
4/12/2016 11:00	BDL	BDL	BDL	12.1	0.4	1.9	9.0	7.0
4/12/2016 12:00	BDL	BDL	BDL	14.6	0.4	1.9	9.0	8.0
4/12/2016 13:00	BDL	BDL	BDL	9.3	0.3	2.0	11.0	6.0
4/12/2016 14:00	BDL	BDL	BDL	9.1	0.3	2.0	11.0	6.0
4/12/2016 15:00	BDL	BDL	BDL	6.1	0.3	2.0	12.0	5.0
4/12/2016 16:00	BDL	BDL	BDL	4.2	0.3	2.0	9.0	5.0
4/12/2016 17:00	BDL	BDL	BDL	7.3	0.3	2.0	11.0	6.0
4/12/2016 18:00	BDL	BDL	BDL	8.7	0.3	2.0	9.0	5.0
4/12/2016 19:00	BDL	BDL	BDL	11.9	0.3	2.0	9.0	5.0
4/12/2016 20:00	BDL	BDL	BDL	14.3	0.3	2.0	17.0	8.0
4/12/2016 21:00	BDL	BDL	BDL	7.9	0.3	2.1	17.0	8.0
4/12/2016 22:00	BDL	BDL	BDL	7.5	0.3	2.1	10.0	5.0
4/12/2016 23:00	BDL	BDL	BDL	9.6	0.3	2.0	9.0	5.0
4/13/2016 0:00	BDL	BDL	BDL	7.6	0.3	2.0	6.0	2.0
4/13/2016 1:00	BDL	BDL	BDL	12.4	0.3	2.1	5.0	3.0
4/13/2016 2:00	BDL	BDL	BDL	10.9	0.3	2.1	5.0	4.0
4/13/2016 3:00	0.4	Calibration	Calibration	11.4	0.3	2.1	6.0	3.0
4/13/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	7.0	5.0
4/13/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	13.0	6.0
4/13/2016 6:00	BDL	BDL	BDL	27.0	0.4	2.1	16.0	7.0
4/13/2016 7:00	BDL	Too few samples	Too few samples	Too few samples	0.4	Too few samples	12.0	7.0
4/13/2016 8:00	BDL	Audit	Audit	23.3	0.4	2.1	14.0	6.0
4/13/2016 9:00	BDL	Calibration	Calibration	16.5	0.3	2.0	14.0	5.0
4/13/2016 10:00	BDL	BDL	BDL	17.1	0.3	2.0	18.0	5.0
4/13/2016 11:00	BDL	BDL	BDL	11.3	0.3	2.0	9.0	4.0
4/13/2016 12:00	BDL	BDL	BDL	8.1	0.3	2.0	17.0	3.0
4/13/2016 13:00	BDL	BDL	BDL	11.3	0.3	2.0	23.0	3.0
4/13/2016 14:00	BDL	BDL	BDL	11.3	0.3	1.9	10.0	5.0
4/13/2016 15:00	BDL	BDL	BDL	14.2	0.4	1.9	11.0	4.0
4/13/2016 16:00	BDL	BDL	BDL	11.9	0.4	1.9	15.0	8.0
4/13/2016 17:00	BDL	BDL	BDL	13.6	0.4	1.9	12.0	7.0
4/13/2016 18:00	BDL	BDL	BDL	17.1	0.4	1.9	24.0	6.0
4/13/2016 19:00	BDL	BDL	BDL	28.2	0.5	2.0	8.0	8.0
4/13/2016 20:00	BDL	BDL	BDL	12.9	0.4	1.9	11.0	5.0
4/13/2016 21:00	BDL	BDL	BDL	9.9	0.4	1.9	11.0	5.0
4/13/2016 22:00	BDL	BDL	BDL	8.3	0.3	2.1	9.0	6.0
4/13/2016 23:00	BDL	BDL	BDL	12.8	0.3	2.2	10.0	6.0
4/14/2016 0:00	BDL	BDL	BDL	10.7	0.4	2.4	13.0	7.0
4/14/2016 1:00	BDL	BDL	BDL	16.8	0.4	2.4	12.0	6.0
4/14/2016 2:00	0.8	BDL	BDL	25.0	0.4	2.5	20.0	8.0
4/14/2016 3:00	0.7	Calibration	Calibration	33.2	0.4	3.2	16.0	5.0
4/14/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	13.0	6.0
4/14/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.6	Calibration	18.0	8.0
4/14/2016 6:00	0.5	1.0	BDL	30.0	0.5	2.4	22.0	9.0
4/14/2016 7:00	0.6	1.1	BDL	38.0	0.6	2.3	28.0	12.0
4/14/2016 8:00	0.5	0.5	BDL	41.9	0.5	2.1	32.0	9.0
4/14/2016 9:00	0.5	0.4	BDL	38.2	0.5	2.1	39.0	9.0
4/14/2016 10:00	0.4	BDL	BDL	37.1	0.4	2.1	35.0	12.0
4/14/2016 11:00	BDL	BDL	BDL	27.7	0.4	2.0	32.0	8.0
4/14/2016 12:00	BDL	BDL	BDL	23.0	0.4	2.0	16.0	10.0
4/14/2016 13:00	BDL	BDL	BDL	26.5	0.4	1.9	40.0	10.0
4/14/2016 14:00	BDL	BDL	BDL	20.5	0.4	1.9	25.0	10.0
4/14/2016 15:00	BDL	BDL	BDL	17.0	0.4	1.9	19.0	10.0
4/14/2016 16:00	BDL	BDL	BDL	14.7	0.4	1.9	16.0	6.0
4/14/2016 17:00	BDL	BDL	BDL	14.7	0.4	1.9	18.0	6.0
4/14/2016 18:00	BDL	BDL	BDL	15.5	0.5	1.9	15.0	5.0
4/14/2016 19:00	BDL	BDL	BDL	17.3	0.5	1.9	17.0	5.0
4/14/2016 20:00	BDL	BDL	BDL	4.9	0.4	2.1	14.0	7.0
4/14/2016 21:00	BDL	BDL	BDL	7.0	0.3	2.2	12.0	8.0
4/14/2016 22:00	BDL	BDL	BDL	7.3	0.3	2.2	14.0	6.0
4/14/2016 23:00	BDL	BDL	BDL	15.0	0.4	2.1	19.0	5.0
4/15/2016 0:00	BDL	BDL	BDL	15.5	0.4	1.9	17.0	6.0
4/15/2016 1:00	BDL	BDL	BDL	19.9	0.4	2.0	15.0	6.0
4/15/2016 2:00	BDL	BDL	BDL	35.7	0.5	2.0	15.0	4.0
4/15/2016 3:00	BDL	Calibration	Calibration	42.4	0.4	2.0	19.0	10.0
4/15/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	20.0	8.0
4/15/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	27.0	15.0
4/15/2016 6:00	0.8	1.3	BDL	87.1	0.8	2.3	31.0	10.0
4/15/2016 7:00	0.6	1.2	BDL	76.3	0.7	2.0	31.0	9.0
4/15/2016 8:00	0.4	0.5	BDL	46.9	0.5	2.3	51.0	16.0
4/15/2016 9:00	0.4	BDL	BDL	34.3	0.4	2.1	28.0	11.0
4/15/2016 10:00	BDL	BDL	BDL	32.0	0.4	2.2	41.0	12.0
4/15/2016 11:00	BDL	BDL	BDL	28.0	0.4	2.2	43.0	10.0
4/15/2016 12:00	BDL	BDL	BDL	20.5	0.4	2.1	27.0	7.0
4/15/2016 13:00	BDL	BDL	BDL	22.0	0.4	2.1	49.0	9.0
4/15/2016 14:00	BDL	BDL	BDL	21.9	0.4	2.0	108.0	8.0
4/15/2016 15:00	BDL	BDL	BDL	15.1	0.4	2.0	17.0	7.0
4/15/2016 16:00	BDL	BDL	BDL	11.8	0.4	2.0	31.0	

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be reported on a monthly basis.

Date & Time (EST)	SO2 PPB	H2S PPB	TMG PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m3	PM2.5 µg/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind: Weekly: 4/17/2016-4/23/2016								
4/17/2016 0:00	BDL	BDL	BDL	15.0	0.4	2.0	17.0	10.0
4/17/2016 1:00	BDL	BDL	BDL	8.0	0.3	2.1	23.0	10.0
4/17/2016 2:00	BDL	BDL	BDL	9.1	0.4	2.1	19.0	8.0
4/17/2016 3:00	BDL	Calibration	Calibration	9.7	0.4	2.1	14.0	7.0
4/17/2016 4:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples
4/17/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	14.0	6.0
4/17/2016 6:00	BDL	BDL	BDL	11.2	0.5	2.4	37.0	6.0
4/17/2016 7:00	BDL	BDL	BDL	22.5	0.4	2.54	25.0	6.0
4/17/2016 8:00	BDL	BDL	BDL	15.3	0.3	2.3	17.0	9.0
4/17/2016 9:00	BDL	BDL	BDL	12.0	0.3	2.1	12.0	5.0
4/17/2016 10:00	BDL	BDL	BDL	10.7	0.3	2.2	12.0	3.0
4/17/2016 11:00	BDL	BDL	BDL	6.7	0.3	2.2	15.0	6.0
4/17/2016 12:00	BDL	BDL	BDL	5.5	0.3	2.1	14.0	7.0
4/17/2016 13:00	0.4	BDL	BDL	10.9	0.4	2.1	21.0	7.0
4/17/2016 14:00	BDL	BDL	BDL	11.0	0.4	2.0	17.0	7.0
4/17/2016 15:00	BDL	BDL	BDL	9.0	0.4	2.0	18.0	5.0
4/17/2016 16:00	BDL	BDL	BDL	5.4	0.4	1.9	13.0	4.0
4/17/2016 17:00	BDL	BDL	BDL	6.8	0.4	1.9	15.0	5.0
4/17/2016 18:00	BDL	BDL	BDL	9.5	0.5	1.9	20.0	6.0
4/17/2016 19:00	0.4	BDL	BDL	27.2	0.6	2.0	23.0	7.0
4/17/2016 20:00	0.6	BDL	BDL	33.2	0.6	2.3	22.0	7.0
4/17/2016 21:00	BDL	BDL	BDL	10.7	0.4	2.2	25.0	6.0
4/17/2016 22:00	1.2	BDL	BDL	12.0	0.4	2.3	20.0	6.0
4/17/2016 23:00	0.8	BDL	BDL	10.7	0.3	2.5	15.0	8.0
4/18/2016 0:00	1.0	BDL	BDL	11.0	0.3	2.8	19.0	3.0
4/18/2016 1:00	3.4	BDL	BDL	9.2	0.3	2.6	19.0	19.0
4/18/2016 2:00	0.6	BDL	BDL	16.6	0.3	2.9	14.0	13.0
4/18/2016 3:00	1.0	Calibration	Calibration	26.7	0.4	3.1	20.0	8.0
4/18/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples
4/18/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	29.0	17.0
4/18/2016 6:00	1.8	2.4	1.4	115.8	0.8	2.8	37.0	17.0
4/18/2016 7:00	1.4	1.9	1.3	83.0	0.7	3.2	49.0	18.0
4/18/2016 8:00	0.7	BDL	BDL	25.5	0.4	2.4	84.0	8.0
4/18/2016 9:00	0.5	BDL	BDL	25.1	0.4	2.1	27.0	7.0
4/18/2016 10:00	BDL	BDL	BDL	23.5	0.4	2.0	86.0	6.0
4/18/2016 11:00	BDL	BDL	BDL	18.4	0.5	1.9	27.0	8.0
4/18/2016 12:00	BDL	BDL	BDL	13.8	0.4	1.9	34.0	9.0
4/18/2016 13:00	BDL	BDL	BDL	8.4	0.4	1.9	20.0	12.0
4/18/2016 14:00	BDL	BDL	BDL	5.4	0.3	2.0	20.0	8.0
4/18/2016 15:00	BDL	BDL	BDL	6.1	0.3	2.0	14.0	8.0
4/18/2016 16:00	BDL	BDL	BDL	6.4	0.3	2.0	21.0	8.0
4/18/2016 17:00	BDL	BDL	BDL	3.3	0.3	2.0	15.0	4.0
4/18/2016 18:00	BDL	BDL	BDL	7.7	0.3	2.2	13.0	4.0
4/18/2016 19:00	0.6	BDL	BDL	11.8	0.4	2.6	20.0	8.0
4/18/2016 20:00	1.2	BDL	BDL	16.1	0.4	2.3	32.0	12.0
4/18/2016 21:00	BDL	BDL	BDL	17.5	0.4	1.8	23.0	7.0
4/18/2016 22:00	BDL	BDL	BDL	17.5	0.4	2.2	19.0	6.0
4/18/2016 23:00	1.5	BDL	BDL	15.5	0.6	2.6	17.0	8.0
4/19/2016 0:00	1.8	0.4	BDL	15.7	0.4	2.3	23.0	11.0
4/19/2016 1:00	1.5	BDL	BDL	17.6	0.4	2.6	21.0	10.0
4/19/2016 2:00	2.5	0.5	BDL	30.8	0.5	3.2	25.0	16.0
4/19/2016 3:00	2.6	Calibration	Calibration	29.0	0.5	3.0	32.0	13.0
4/19/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples
4/19/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	35.0	20.0
4/19/2016 6:00	2.5	2.3	1.7	78.3	0.7	4.2	53.0	26.0
4/19/2016 7:00	3.0	2.3	1.7	87.4	0.8	3.8	60.0	26.0
4/19/2016 8:00	2.1	1.8	1.1	74.8	0.7	3.1	82.0	19.0
4/19/2016 9:00	0.7	BDL	BDL	8.0	0.4	2.2	135.0	13.0
4/19/2016 10:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	43.0	10.0
4/19/2016 11:00	BDL	BDL	BDL	5.3	0.4	2.0	83.0	10.0
4/19/2016 12:00	BDL	BDL	BDL	7.3	0.4	2.0	84.0	12.0
4/19/2016 13:00	BDL	BDL	BDL	6.3	0.4	2.0	82.0	8.0
4/19/2016 14:00	BDL	BDL	BDL	4.5	0.3	2.0	36.0	6.0
4/19/2016 15:00	BDL	BDL	BDL	3.7	0.3	2.0	31.0	7.0
4/19/2016 16:00	BDL	BDL	BDL	3.2	0.3	2.0	19.0	7.0
4/19/2016 17:00	BDL	BDL	BDL	2.6	0.3	2.0	18.0	1.0
4/19/2016 18:00	BDL	BDL	BDL	3.2	0.3	2.0	19.0	1.0
4/19/2016 19:00	BDL	BDL	BDL	4.1	0.3	2.0	17.0	3.0
4/19/2016 20:00	BDL	BDL	BDL	5.6	0.3	1.9	18.0	3.0
4/19/2016 21:00	BDL	BDL	BDL	4.8	0.3	1.9	16.0	4.0
4/19/2016 22:00	BDL	BDL	BDL	5.7	0.3	2.0	16.0	5.0
4/19/2016 23:00	BDL	BDL	BDL	4.8	0.3	2.0	11.0	3.0
4/20/2016 0:00	BDL	BDL	BDL	5.7	0.3	2.0	16.0	4.0
4/20/2016 1:00	BDL	BDL	BDL	3.7	0.3	2.0	9.0	3.0
4/20/2016 2:00	BDL	BDL	BDL	4.7	0.3	2.1	9.0	6.0
4/20/2016 3:00	BDL	Calibration	Calibration	7.1	0.3	2.1	9.0	7.0
4/20/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples
4/20/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.29	0.4	11.0	5.0
4/20/2016 6:00	BDL	BDL	BDL	41.5	0.4	2.0	28.0	4.0
4/20/2016 7:00	BDL	BDL	BDL	25.8	0.35	2.3	22.0	6.0
4/20/2016 8:00	BDL	BDL	BDL	19.4	0.3	2.4	17.0	4.0
4/20/2016 9:00	BDL	BDL	BDL	14.2	0.3	2.0	17.0	4.0
4/20/2016 10:00	BDL	BDL	BDL	11.5	0.3	2.0	8.0	2.0
4/20/2016 11:00	BDL	BDL	BDL	7.3	0.3	2.0	12.0	1.0
4/20/2016 12:00	BDL	BDL	BDL	6.0	0.3	1.9	8.0	3.0
4/20/2016 13:00	BDL	BDL	BDL	6.4	0.3	1.9	8.0	3.0
4/20/2016 14:00	BDL	BDL	BDL	3.7	0.3	1.9	7.0	2.0
4/20/2016 15:00	BDL	BDL	BDL	5.2	0.3	1.8	11.0	2.0
4/20/2016 16:00	BDL	BDL	BDL	6.7	0.4	1.8	14.0	1.0
4/20/2016 17:00	BDL	BDL	BDL	8.7	0.3	1.8	18.0	BDL
4/20/2016 18:00	BDL	BDL	BDL	10.4	0.4	1.9	31.0	1.0
4/20/2016 19:00	0.5	BDL	BDL	17.6	0.3	1.8	37.0	3.0
4/20/2016 20:00	BDL	BDL	BDL	9.1	0.3	2.0	14.0	2.0
4/20/2016 21:00	BDL	BDL	BDL	7.1	0.3	2.0	13.0	4.0
4/20/2016 22:00	BDL	BDL	BDL	8.4	0.3	2.1	14.0	6.0
4/20/2016 23:00	BDL	BDL	BDL	5.3	0.3	2.1	15.0	7.0
4/21/2016 0:00	BDL	BDL	BDL	6.4	0.3	2.2	9.0	9.0
4/21/2016 1:00	BDL	BDL	BDL	11.5	0.3	2.2	10.0	8.0
4/21/2016 2:00	0.9	BDL	BDL	12.9	0.3	2.4	12.0	7.0
4/21/2016 3:00	1.0	Calibration	Calibration	37.4	0.3	2.4	14.0	11.0
4/21/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples
4/21/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.3	0.3	12.0	3.0
4/21/2016 6:00	0.9	1.0	1.5	23.2	0.3	2.2	22.0	8.0
4/21/2016 7:00	1.1	1.7	2.0	24.1	0.3	2.3	29.0	11.0
4/21/2016 8:00	1.2	1.5	1.7	27.3	0.4	2.3	26.0	8.0
4/21/2016 9:00	1.0	BDL	BDL	13.4	0.3	2.4	22.0	5.0
4/21/2016 10:00	0.4	BDL	BDL	8.3	0.3	2.1	31.0	3.0
4/21/2016 11:00	BDL	BDL	BDL	5.4	0.3	2.0	36.0	3.0
4/21/2016 12:00	BDL	BDL	BDL	4.4	0.3	2.0	24.0	2.0
4/21/2016 13:00	BDL	BDL	BDL	4.7	0.3	2.1	44.0	4.0
4/21/2016 14:00	0.4	BDL	BDL	6.9	0.3	2.2	63.0	7.0
4/21/2016 15:00	BDL	BDL	BDL	3.7	0.4	2.0	44.0	10.0
4/21/2016 16:00	BDL	BDL	BDL	3.5	0.4	2.0	42.0	10.0
4/21/2016 17:00	0.7	BDL	BDL	5.2	0.4	2.1	41.0	20.0
4/21/2016 18:00	2.9	BDL	BDL	10.4	0.4	2.2	42.0	19.0
4/21/2016 19:00	1.4	BDL	BDL	11.1	0.4	2.2	46.0	26.0
4/21/2016 20:00	BDL	BDL	BDL	14.0	0.4	2.2	37.0	19.0
4/21/2016 21:00	2.2	BDL	BDL	36.3	0.5	2.2	34.0	14.0
4/21/2016 22:00	0.8	0.6	BDL	22.2	0.5	1.9	40.0	19.0
4/21/2016 23:00	0.5	0.5	BDL	22.5	0.5	1.9	33.0	12.0
4/22/2016 0:00	BDL	0.6	1	22.7	0.5	1.8	28.0	11.0
4/22/2016 1:00	BDL	0.6	1	37.7	0.5	1.8	29.0	9.0
4/22/2016 2:00	1.0	0.4	BDL	13.0	0.5	1.8	46.0	10.0
4/22/2016 3:00	BDL	Calibration	Calibration	8.3	0.5			

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	H2S PPB	TMG PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m ³	PM2.5 µg/m ³
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m ³	1.0 µg/m ³
Site Downwind Weekly 4/24/2016-4/30/2016							
4/24/2016 0:00	BDL	BDL	BDL	4.8	0.3	3.2	4.0
4/24/2016 1:00	BDL	BDL	BDL	5.3	0.3	3.3	1.0
4/24/2016 2:00	BDL	BDL	BDL	8.1	0.3	3.0	9.0
4/24/2016 3:00	BDL	Calibration	Calibration	7.5	0.3	3.3	8.0
4/24/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Calibration	12.0
4/24/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	9.0
4/24/2016 6:00	BDL	BDL	BDL	9.6	0.3	3.4	10.0
4/24/2016 7:00	BDL	BDL	BDL	10.1	0.3	3.6	9.0
4/24/2016 8:00	BDL	BDL	BDL	7.7	0.3	2.5	11.0
4/24/2016 9:00	BDL	BDL	BDL	5.6	0.3	2.2	11.0
4/24/2016 10:00	BDL	BDL	BDL	4.1	0.3	2.1	53.0
4/24/2016 11:00	BDL	BDL	BDL	3.6	0.3	2.2	6.0
4/24/2016 12:00	BDL	BDL	BDL	3.1	0.3	2.1	6.0
4/24/2016 13:00	BDL	BDL	BDL	2.5	0.3	2.1	3.0
4/24/2016 14:00	BDL	BDL	BDL	2.5	0.3	2.0	1.0
4/24/2016 15:00	1.4	BDL	BDL	4.8	0.3	2.1	16.0
4/24/2016 16:00	BDL	BDL	BDL	2.1	0.3	2.1	11.0
4/24/2016 17:00	BDL	BDL	BDL	4.5	0.3	2.0	9.0
4/24/2016 18:00	0.9	BDL	BDL	6.0	0.3	2.1	8.0
4/24/2016 19:00	2.3	BDL	BDL	12.2	0.3	2.2	14.0
4/24/2016 20:00	2.6	BDL	BDL	11.5	0.3	1.9	22.0
4/24/2016 21:00	1.9	BDL	BDL	13.0	0.4	2.3	17.0
4/24/2016 22:00	BDL	BDL	BDL	9.1	0.3	2.2	16.0
4/24/2016 23:00	BDL	BDL	BDL	6.0	0.3	2.2	14.0
4/25/2016 0:00	0.4	BDL	BDL	21.6	0.4	2.2	16.0
4/25/2016 1:00	1.7	BDL	BDL	15.3	0.3	2.2	13.0
4/25/2016 2:00	BDL	BDL	BDL	21.4	0.3	2.0	17.0
4/25/2016 3:00	BDL	Calibration	Calibration	17.9	0.4	2.1	12.0
4/25/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Calibration	16.0
4/25/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	7.0
4/25/2016 6:00	1.0	0.9	1.3	47.7	0.5	2.0	18.0
4/25/2016 7:00	0.8	1.1	1.2	42.1	0.4	2.0	7.0
4/25/2016 8:00	0.6	1.0	1.2	23.9	0.4	2.1	25.0
4/25/2016 9:00	1.4	0.8	1.3	11.4	0.3	2.2	21.0
4/25/2016 10:00	0.4	0.8	1.3	10.9	0.4	2.0	32.0
4/25/2016 11:00	1.1	BDL	BDL	9.7	0.4	2.0	19.0
4/25/2016 12:00	1.5	BDL	BDL	10.9	0.4	2.0	23.0
4/25/2016 13:00	2.0	BDL	BDL	12.8	0.4	2.0	31.0
4/25/2016 14:00	2.2	BDL	BDL	13.4	0.4	2.0	31.0
4/25/2016 15:00	1.1	BDL	BDL	9.9	0.4	2.0	29.0
4/25/2016 16:00	1.3	BDL	BDL	9.9	0.4	2.0	34.0
4/25/2016 17:00	1.0	BDL	BDL	7.4	0.4	2.2	25.0
4/25/2016 18:00	1.0	BDL	BDL	8.6	0.4	2.1	21.0
4/25/2016 19:00	0.9	BDL	BDL	28.6	0.4	2.0	29.0
4/25/2016 20:00	0.9	BDL	BDL	22.6	0.5	1.9	31.0
4/25/2016 21:00	0.8	BDL	BDL	20.9	0.6	1.9	26.0
4/25/2016 22:00	BDL	BDL	BDL	13.6	0.5	1.9	26.0
4/25/2016 23:00	BDL	BDL	BDL	11.2	0.4	1.9	28.0
4/26/2016 0:00	BDL	0.6	1.3	11.6	0.4	1.9	20.0
4/26/2016 1:00	0.6	BDL	1.2	9.9	0.4	1.9	23.0
4/26/2016 2:00	BDL	0.4	1.0	7.8	0.4	2.1	14.0
4/26/2016 3:00	BDL	Calibration	Calibration	11.0	0.4	2.0	20.0
4/26/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Calibration	9.0
4/26/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	13.0
4/26/2016 6:00	0.7	1.3	1.2	61.6	0.6	2.0	33.0
4/26/2016 7:00	0.4	0.9	BDL	41.4	0.6	2.0	30.0
4/26/2016 8:00	0.4	0.6	BDL	26.3	0.5	2.0	30.0
4/26/2016 9:00	1.9	0.5	BDL	21.6	0.5	2.3	42.0
4/26/2016 10:00	4.8	0.4	BDL	20.9	0.5	2.5	55.0
4/26/2016 11:00	5.4	BDL	BDL	19.3	0.5	2.4	62.0
4/26/2016 12:00	3.5	BDL	BDL	16.2	0.5	2.3	69.0
4/26/2016 13:00	2.3	0.8	1.4	21.6	0.4	2.0	79.0
4/26/2016 14:00	2.2	0.9	1.5	20.5	0.4	2.0	62.0
4/26/2016 15:00	1.0	1.0	1.5	20.0	0.4	2.0	68.0
4/26/2016 16:00	BDL	BDL	BDL	8.7	0.4	1.9	21.0
4/26/2016 17:00	BDL	BDL	BDL	18.8	0.5	1.9	25.0
4/26/2016 18:00	0.4	0.5	BDL	12.8	0.4	1.8	14.0
4/26/2016 19:00	BDL	BDL	BDL	21.7	0.6	1.8	23.0
4/26/2016 20:00	BDL	BDL	BDL	29.7	0.5	1.7	27.0
4/26/2016 21:00	BDL	BDL	BDL	18.6	0.5	1.7	28.0
4/26/2016 22:00	BDL	BDL	BDL	14.4	0.4	1.7	23.0
4/26/2016 23:00	BDL	BDL	BDL	12.3	0.4	1.7	15.0
4/27/2016 0:00	BDL	BDL	BDL	6.0	0.4	1.7	19.0
4/27/2016 1:00	BDL	BDL	BDL	5.8	0.3	1.7	21.0
4/27/2016 2:00	BDL	BDL	BDL	5.8	0.3	1.7	21.0
4/27/2016 3:00	BDL	Calibration	Calibration	5.4	0.3	1.8	13.0
4/27/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Calibration	14.0
4/27/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	12.0
4/27/2016 6:00	BDL	BDL	BDL	14.1	0.4	1.8	11.0
4/27/2016 7:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	26.0
4/27/2016 8:00	BDL	Audit	Audit	23.7	0.4	1.8	16.0
4/27/2016 9:00	BDL	Calibration	Calibration	25.3	0.4	1.8	31.0
4/27/2016 10:00	BDL	BDL	BDL	23.3	0.4	1.8	20.0
4/27/2016 11:00	BDL	BDL	BDL	19.4	0.4	1.8	25.0
4/27/2016 12:00	BDL	BDL	BDL	18.0	0.4	1.8	19.0
4/27/2016 13:00	BDL	BDL	BDL	16.6	0.4	1.8	30.0
4/27/2016 14:00	BDL	BDL	BDL	16.9	0.4	1.8	19.0
4/27/2016 15:00	BDL	BDL	BDL	20.9	0.4	1.8	18.0
4/27/2016 16:00	BDL	BDL	BDL	17.2	0.4	1.8	11.0
4/27/2016 17:00	0.5	BDL	BDL	23.9	0.4	1.9	23.0
4/27/2016 18:00	0.7	0.5	BDL	23.1	0.4	1.9	22.0
4/27/2016 19:00	2.2	BDL	BDL	28.1	0.4	2.0	33.0
4/27/2016 20:00	1.3	BDL	BDL	27.7	0.4	2.1	21.0
4/27/2016 21:00	0.8	BDL	BDL	20.9	0.4	2.1	15.0
4/27/2016 22:00	0.9	BDL	BDL	18.2	0.4	2.2	12.0
4/27/2016 23:00	2.1	BDL	BDL	27.2	0.4	2.1	41.0
4/28/2016 0:00	0.6	BDL	BDL	32.7	0.5	2.5	28.0
4/28/2016 1:00	0.5	0.9	1.3	28.1	0.4	2.4	32.0
4/28/2016 2:00	BDL	0.7	1.0	16.3	0.4	2.3	29.0
4/28/2016 3:00	BDL	Calibration	Calibration	22.9	0.4	2.4	33.0
4/28/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Calibration	36.0
4/28/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	32.0
4/28/2016 6:00	0.6	0.6	BDL	41.9	0.5	2.1	30.0
4/28/2016 7:00	0.4	0.4	BDL	36.0	0.5	2.0	39.0
4/28/2016 8:00	0.6	0.5	BDL	33.2	0.5	2.0	34.0
4/28/2016 9:00	0.4	0.4	BDL	33.2	0.4	2.0	24.0
4/28/2016 10:00	BDL	BDL	BDL	26.7	0.4	1.9	25.0
4/28/2016 11:00	BDL	BDL	BDL	20.0	0.4	1.8	16.0
4/28/2016 12:00	BDL	BDL	BDL	20.0	0.4	1.8	17.0
4/28/2016 13:00	BDL	BDL	BDL	20.0	0.4	1.8	4.0
4/28/2016 14:00	BDL	BDL	BDL	34.5	0.4	1.8	21.0
4/28/2016 15:00	BDL	BDL	BDL	23.4	0.4	1.8	10.0
4/28/2016 16:00	BDL	BDL	BDL	16.0	0.4	1.8	14.0
4/28/2016 17:00	BDL	BDL	BDL	10.4	0.3	1.8	14.0
4/28/2016 18:00	BDL	BDL	BDL	13.2	0.3	1.9	14.0
4/28/2016 19:00	BDL	BDL	BDL	11.8	0.3	1.9	15.0
4/28/2016 20:00	BDL	BDL	BDL	9.4	0.3	1.9	9.0
4/28/2016 21:00	BDL	BDL	BDL	10.0	0.3	1.9	10.0
4/28/2016 22:00	BDL	BDL	BDL	13.8	0.3	1.9	9.0
4/28/2016 23:00	BDL	BDL	BDL	11.6	0.3	1.9	7.0
4/29/2016 0:00	BDL	BDL	BDL	6.4	0.2	1.9	6.0
4/29/2016 1:00	BDL	BDL	BDL	8.1	0.2	1.9	8.0
4/29/2016 2:00	BDL	BDL	BDL	6.1	0.2	1.9	14.0
4/29/2016 3:00	BDL	Calibration	Calibration	8.5	0.2	2.0	12.0
4/29/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Calibration	11.0
4/29/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	19.0
4/29/2016 6:00	BDL	BDL	BDL	16.4	0.4	2.0	17.0
4/29/2016 7:00	BDL	BDL	BDL	20.4	0.4	2.1	19.0
4/29/2016 8:00	0.4	BDL	BDL	21.2	0.4	2.0	22.0
4/29/2016 9:00	0.4	BDL	BDL	17.9	0.4	2.0	22.0
4/29/2016 10:00	0.4	BDL	BDL	14.4	0.3	2.0	23.0
4/29/2016 11:00	0.4	BDL	BDL	13.2	0.3	2.0	22.0
4/29/2016 12:00	BDL	BDL	BDL	9.4	0.3	1.9	12.0
4/29/2016 13:00	BDL						

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2 PPB	H2S PPB	TMG PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m3	PM2.5 µg/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 5/2/2016-5/7/2016								
5/2/2016 0:00	BDL	BDL	BDL	7.0	0.3	1.9	14.0	9.0
5/2/2016 1:00	BDL	BDL	BDL	10.7	0.3	1.9	16.0	8.0
5/2/2016 2:00	BDL	BDL	BDL	3.5	0.3	1.8	18.0	6.0
5/2/2016 3:00	BDL	Calibration	Calibration	3.2	0.3	1.9	15.0	8.0
5/2/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	16.0	6.0
5/2/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.3	Calibration	19.0	7.0
5/2/2016 6:00	BDL	BDL	BDL	10.2	0.3	1.8	18.0	8.0
5/2/2016 7:00	BDL	BDL	BDL	12.2	0.3	1.8	10.0	7.0
5/2/2016 8:00	BDL	BDL	BDL	9.5	0.3	1.8	10.0	6.0
5/2/2016 9:00	BDL	BDL	BDL	9.5	0.3	1.8	8.0	3.0
5/2/2016 10:00	BDL	BDL	BDL	20.0	0.3	1.8	6.0	4.0
5/2/2016 11:00	BDL	BDL	BDL	10.8	0.4	1.8	7.0	3.0
5/2/2016 12:00	BDL	BDL	BDL	10.6	0.3	1.8	6.0	2.0
5/2/2016 13:00	BDL	BDL	BDL	8.7	0.3	1.7	5.0	5.0
5/2/2016 14:00	BDL	BDL	BDL	11.0	0.4	1.7	4.0	3.0
5/2/2016 15:00	BDL	BDL	BDL	14.0	0.3	1.7	6.0	1.0
5/2/2016 16:00	BDL	BDL	BDL	10.0	0.4	1.7	3.0	4.0
5/2/2016 17:00	BDL	BDL	BDL	11.1	0.4	1.7	2.0	5.0
5/2/2016 18:00	BDL	BDL	BDL	12.1	0.4	1.7	5.0	5.0
5/2/2016 19:00	BDL	BDL	BDL	9.5	0.4	1.8	6.0	1.0
5/2/2016 20:00	BDL	BDL	BDL	8.7	0.4	1.7	4.0	2.0
5/2/2016 21:00	BDL	BDL	BDL	8.1	0.4	1.7	5.0	5.0
5/2/2016 22:00	BDL	BDL	BDL	7.6	0.4	1.7	7.0	5.0
5/2/2016 23:00	BDL	BDL	BDL	6.5	0.3	1.8	7.0	4.0
5/2/2016 0:00	BDL	BDL	BDL	11.8	0.3	1.8	8.0	6.0
5/2/2016 1:00	BDL	BDL	BDL	6.3	0.3	1.8	6.0	4.0
5/2/2016 2:00	BDL	BDL	BDL	6.8	0.3	1.9	6.0	5.0
5/2/2016 3:00	BDL	Calibration	Calibration	6.1	0.3	1.8	7.0	6.0
5/2/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	6.0	5.0
5/2/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.3	Calibration	7.0	5.0
5/2/2016 6:00	BDL	BDL	BDL	17.5	0.3	1.7	9.0	5.0
5/2/2016 7:00	BDL	BDL	BDL	26.4	0.4	1.7	10.0	4.0
5/2/2016 8:00	BDL	BDL	BDL	24	0.4	1.8	13.0	11.0
5/2/2016 9:00	BDL	BDL	BDL	37.5	0.4	1.8	16.0	10.0
5/2/2016 10:00	BDL	BDL	BDL	27.8	0.4	1.7	13.0	10.0
5/2/2016 11:00	BDL	BDL	BDL	23.2	0.4	1.7	16.0	7.0
5/2/2016 12:00	BDL	BDL	BDL	15.1	0.4	1.6	8.0	7.0
5/2/2016 13:00	BDL	BDL	BDL	16.8	0.4	1.9	15.0	7.0
5/2/2016 14:00	BDL	BDL	BDL	25.3	0.5	1.9	26.0	13.0
5/2/2016 15:00	0.5	0.4	BDL	26.4	0.5	1.9	25.0	14.0
5/2/2016 16:00	0.8	0.5	BDL	20.2	0.4	1.8	17.0	13.0
5/2/2016 17:00	0.7	BDL	BDL	17.6	0.4	1.8	20.0	14.0
5/2/2016 18:00	0.7	BDL	BDL	17.4	0.5	1.7	17.0	12.0
5/2/2016 19:00	0.5	0.4	BDL	31.0	0.6	1.8	27.0	20.0
5/2/2016 20:00	0.4	0.5	BDL	36.6	0.7	1.9	31.0	19.0
5/2/2016 21:00	BDL	0.4	BDL	34.4	0.7	1.9	31.0	20.0
5/2/2016 22:00	BDL	0.5	BDL	40.5	0.7	1.8	33.0	18.0
5/2/2016 23:00	BDL	0.6	BDL	39.3	0.6	2.0	29.0	23.0
5/3/2016 0:00	BDL	BDL	BDL	24.1	0.5	1.8	28.0	20.0
5/3/2016 1:00	BDL	BDL	BDL	33.2	0.4	1.8	22.0	14.0
5/3/2016 2:00	BDL	BDL	BDL	10.6	0.4	1.7	15.0	11.0
5/3/2016 3:00	BDL	Calibration	Calibration	9.5	0.4	1.7	12.0	9.0
5/3/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	7.0	7.0
5/3/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.4	Calibration	5.0	8.0
5/3/2016 6:00	BDL	BDL	BDL	19.6	0.5	1.7	8.0	5.0
5/3/2016 7:00	BDL	BDL	BDL	25.5	0.5	1.7	8.0	5.0
5/3/2016 8:00	BDL	BDL	BDL	25.0	0.5	1.7	9.0	7.0
5/3/2016 9:00	BDL	BDL	BDL	27.0	0.5	1.7	7.0	7.0
5/3/2016 10:00	BDL	BDL	BDL	20.2	0.4	BDL	6.0	4.0
5/3/2016 11:00	BDL	BDL	BDL	25.0	0.4	BDL	8.0	4.0
5/3/2016 12:00	BDL	BDL	BDL	21.3	0.5	BDL	11.0	5.0
5/3/2016 13:00	BDL	BDL	BDL	19.4	0.4	BDL	14.0	4.0
5/3/2016 14:00	BDL	BDL	BDL	20.1	0.5	BDL	9.0	2.0
5/3/2016 15:00	BDL	BDL	BDL	17.6	0.4	BDL	7.0	3.0
5/3/2016 16:00	BDL	BDL	BDL	15.7	0.5	BDL	10.0	4.0
5/3/2016 17:00	BDL	BDL	BDL	13.7	0.5	BDL	10.0	3.0
5/3/2016 18:00	BDL	BDL	BDL	16.4	0.5	BDL	11.0	3.0
5/3/2016 19:00	BDL	BDL	BDL	15.9	0.5	BDL	9.0	4.0
5/3/2016 20:00	BDL	BDL	BDL	13.7	0.4	BDL	6.0	3.0
5/3/2016 21:00	BDL	BDL	BDL	9.1	0.4	BDL	4.0	5.0
5/3/2016 22:00	BDL	BDL	BDL	11.0	0.4	BDL	4.0	6.0
5/3/2016 23:00	BDL	BDL	BDL	9.0	0.4	BDL	2.0	3.0
5/4/2016 0:00	BDL	BDL	BDL	6.7	0.3	BDL	3.0	BDL
5/4/2016 1:00	BDL	BDL	BDL	6.7	0.3	BDL	4.0	BDL
5/4/2016 2:00	BDL	BDL	BDL	11.3	0.3	BDL	5.0	2.0
5/4/2016 3:00	BDL	Calibration	Calibration	9.2	0.3	BDL	3.0	4.0
5/4/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	5.0	4.0
5/4/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.3	Calibration	3.0	5.0
5/4/2016 6:00	BDL	BDL	BDL	18.6	0.4	BDL	5.0	4.0
5/4/2016 7:00	BDL	BDL	BDL	21.3	0.4	BDL	8.0	3.0
5/4/2016 8:00	BDL	BDL	BDL	18.3	0.4	BDL	5.0	2.0
5/4/2016 9:00	BDL	BDL	BDL	19.6	0.4	BDL	6.0	3.0
5/4/2016 10:00	BDL	BDL	BDL	20.9	0.4	BDL	10.0	2.0
5/4/2016 11:00	BDL	BDL	BDL	19.8	0.4	BDL	7.0	6.0
5/4/2016 12:00	BDL	BDL	BDL	18.5	0.4	BDL	11.0	5.0
5/4/2016 13:00	BDL	BDL	BDL	21.2	0.4	BDL	11.0	5.0
5/4/2016 14:00	BDL	BDL	BDL	14.8	0.4	BDL	8.0	6.0
5/4/2016 15:00	BDL	BDL	BDL	14.2	0.4	BDL	10.0	4.0
5/4/2016 16:00	BDL	BDL	BDL	11.5	0.4	BDL	6.0	1.0
5/4/2016 17:00	BDL	BDL	BDL	12.0	0.4	BDL	3.0	3.0
5/4/2016 18:00	BDL	BDL	BDL	10.3	0.4	BDL	8.0	3.0
5/4/2016 19:00	BDL	BDL	BDL	11.9	0.4	BDL	11.0	3.0
5/4/2016 20:00	BDL	BDL	BDL	13.4	0.4	BDL	9.0	2.0
5/4/2016 21:00	BDL	BDL	BDL	11.0	0.4	BDL	6.0	3.0
5/4/2016 22:00	BDL	BDL	BDL	13.6	0.4	BDL	4.0	7.0
5/4/2016 23:00	BDL	BDL	BDL	20.2	0.4	BDL	15.0	8.0
5/5/2016 0:00	BDL	BDL	BDL	16.7	0.4	BDL	15.0	9.0
5/5/2016 1:00	BDL	BDL	BDL	12.9	0.3	BDL	11.0	7.0
5/5/2016 2:00	BDL	BDL	BDL	8.1	0.3	BDL	11.0	10.0
5/5/2016 3:00	BDL	Calibration	Calibration	10.0	0.3	BDL	6.0	7.0
5/5/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	12.0	12.0
5/5/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.3	Calibration	15.0	13.0
5/5/2016 6:00	BDL	BDL	BDL	16.4	0.4	BDL	11.0	10.0
5/5/2016 7:00	BDL	BDL	BDL	20.3	0.4	BDL	13.0	4.0
5/5/2016 8:00	BDL	BDL	BDL	22.9	0.4	BDL	11.0	5.0
5/5/2016 9:00	BDL	BDL	BDL	21.4	0.4	BDL	11.0	5.0
5/5/2016 10:00	BDL	BDL	BDL	23.4	0.4	BDL	11.0	7.0
5/5/2016 11:00	BDL	BDL	BDL	17.3	0.3	BDL	10.0	4.0
5/5/2016 12:00	BDL	BDL	BDL	18.7	0.4	BDL	11.0	2.0
5/5/2016 13:00	BDL	BDL	BDL	17.2	0.4	BDL	15.0	2.0
5/5/2016 14:00	BDL	BDL	BDL	29.1	0.4	BDL	18.0	4.0
5/5/2016 15:00	BDL	BDL	BDL	21.0	0.5	BDL	17.0	6.0
5/5/2016 16:00	BDL	BDL	BDL	15.1	0.4	BDL	17.0	2.0
5/5/2016 17:00	BDL	BDL	BDL	15.1	0.4	BDL	12.0	2.0
5/5/2016 18:00	BDL	BDL	BDL	13.3	0.4	BDL	12.0	3.0
5/5/2016 19:00	BDL	BDL	BDL	13.5	0.4	BDL	10.0	Invaid
5/5/2016 20:00	BDL	BDL	BDL	12.9	0.4	BDL	10.0	4.0
5/5/2016 21:00	BDL	BDL	BDL	15.0	0.4	BDL	13.0	7.0
5/5/2016 22:00	BDL	BDL	BDL	9.8	0.4	BDL	6.0	5.0
5/5/2016 23:00	BDL	BDL	BDL	7.4	0.3	BDL	6.0	6.0
5/6/2016 0:00	BDL	BDL	BDL	7.7	0.3	BDL	10.0	5.0
5/6/2016 1:00	BDL	BDL	BDL	9.2	0.3	BDL	11.0	2.0
5/6/2016 2:00	BDL	BDL	BDL	10.6	0.3	BDL	14.0	3.0
5/6/2016 3:00	BDL	Calibration	Calibration	12.4	0.3	BDL	10.0	5.0
5/6/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	11.0	4.0
5/6/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.3	Calibration	7.0	5.0
5/6/2016 6:00	BDL	BDL	BDL	18.4	0.3	BDL	7.0	4.0
5/6/2016 7:00	BDL	BDL	BDL	20.6	0.36	BDL	6.0	3.0
5/6/2016 8:00	BDL	BDL	BDL	25.1	0.37	BDL	5.0	2.0
5/6/2016 9:00	BDL	0.5	BDL	40.6	0.5	BDL	6.0	2.0
5/6/2016 10:00	BDL	0.5	BDL	31.7	0.31	BDL	5.0	4.0
5/6/2016 11:00	BDL	0.4	BDL	32.4	0.3	BDL	4.0	1.0
5/6/2016 12:00	BDL	BDL	BDL	29.3	0.3	BDL	7.0	1.0
5/6/2016 13:00	BDL	BDL	BDL	18.2	0.3	BDL	3.0	4.0
5/6/2016 14:00	BDL	BDL	BDL	17.9	0.3	BDL	4.0	2.0
5/6/2016 15:00	BDL	BDL	BDL	17.5	0.4	BDL	5.0	3.0
5/6/2016 16:00	BDL	BDL	BDL	13.1	0.4	BDL	11.0	9.0
5/6/2016 17:00	BDL	BDL	BDL	14.1	0.4	BDL	17.0	6.0
5/6/2016 18:00	BDL	BDL	BDL	27.7	0.3	BDL	4.0	3.0
5/6/2016 19:00	BDL	BDL	BDL	7.5	0.3	BDL	4.0	3.0
5/6/2016 20:00	BDL	BDL	BDL	11.0	0.3	BDL	4.0	2.0
5/6/2016 21:00	BDL	BDL	BDL	9.0	0.3	BDL	6.0	BDL
5/6/2016 22:00	BDL	BDL	BDL	12.6	0.3	BDL	7.0	2.0
5/6/2016 23:00	BDL	BDL	BDL	7.8	0.3	BDL	9.0	2.0
5/7/2016								

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2 PPB	H2S PPB	TMG PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m3	PM2.5 µg/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site	Downwind	Weekly	5/2/2016-5/14/2016					
5/2/2016 0:00	BDL	BDL	BDL	16.1	0.4	BDL	13.0	4.0
5/2/2016 1:00	BDL	BDL	BDL	10.6	0.3	BDL	10.0	7.0
5/2/2016 2:00	BDL	BDL	BDL	8.3	0.3	BDL	7.0	7.0
5/2/2016 3:00	BDL	Calibration	Calibration	8.7	0.3	BDL	7.0	6.0
5/2/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	8.0	5.0
5/2/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	8.0	9.0
5/2/2016 6:00	BDL	BDL	BDL	11.4	0.3	BDL	10.0	3.0
5/2/2016 7:00	0.4	0.5	1.0	15.8	0.3	BDL	12.0	6.0
5/2/2016 8:00	1.1	0.7	1.1	22.4	0.4	11.7	13.0	5.0
5/2/2016 9:00	2.4	0.4	1.1	20.7	0.4	2.5	22.0	19.0
5/2/2016 10:00	0.7	BDL	BDL	3.6	0.3	2.3	16.0	12.0
5/2/2016 11:00	BDL	BDL	BDL	2.4	0.3	2.3	24.0	9.0
5/2/2016 12:00	BDL	BDL	BDL	2.1	0.3	2.3	18.0	8.0
5/2/2016 13:00	BDL	BDL	BDL	0.8	0.3	2.2	17.0	5.0
5/2/2016 14:00	BDL	BDL	BDL	0.7	0.3	2.2	15.0	2.0
5/2/2016 15:00	BDL	BDL	BDL	0.7	0.2	2.2	13.0	BDL
5/2/2016 16:00	BDL	BDL	BDL	0.4	0.2	2.2	10.0	BDL
5/2/2016 17:00	BDL	BDL	BDL	0.5	0.2	2.2	7.0	1.0
5/2/2016 18:00	BDL	BDL	BDL	1.5	0.3	2.2	6.0	4.0
5/2/2016 19:00	BDL	BDL	BDL	2.3	0.3	2.2	11.0	6.0
5/2/2016 20:00	BDL	BDL	BDL	5.2	0.3	2.3	17.0	6.0
5/2/2016 21:00	BDL	BDL	BDL	9.8	0.3	2.3	20.0	11.0
5/2/2016 22:00	BDL	BDL	BDL	18.0	0.4	2.8	19.0	16.0
5/2/2016 23:00	BDL	BDL	BDL	21.4	0.4	3.0	21.0	12.0
5/2/2016 0:00	BDL	BDL	BDL	11.4	0.3	2.6	16.0	11.0
5/2/2016 1:00	BDL	BDL	BDL	15.9	0.3	2.6	19.0	12.0
5/2/2016 2:00	BDL	BDL	BDL	20.6	0.4	2.9	17.0	14.0
5/2/2016 3:00	0.5	Calibration	Calibration	32.0	0.4	3.0	28.0	16.0
5/2/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	22.0	12.0
5/2/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	18.0	15.0
5/2/2016 6:00	1.8	0.5	BDL	37.9	0.4	3.1	22.0	12.0
5/2/2016 7:00	3.5	0.5	BDL	32.8	0.3	2.8	27.0	18.0
5/2/2016 8:00	3.3	0.6	BDL	34.8	0.4	2.7	28.0	12.0
5/2/2016 9:00	3.7	0.7	BDL	31.0	0.4	2.7	33.0	12.0
5/2/2016 10:00	2.4	0.4	BDL	20.4	0.4	2.6	26.0	9.0
5/2/2016 11:00	1.1	BDL	BDL	13.8	0.3	2.6	36.0	8.0
5/2/2016 12:00	1.1	BDL	BDL	15.2	0.3	2.6	31.0	7.0
5/2/2016 13:00	1.9	BDL	BDL	14.9	0.3	2.6	33.0	8.0
5/2/2016 14:00	1.4	BDL	BDL	16.3	0.3	2.4	32.0	10.0
5/2/2016 15:00	1.7	BDL	BDL	18.5	0.4	2.5	29.0	12.0
5/2/2016 16:00	1.0	BDL	BDL	15.7	0.4	2.5	29.0	7.0
5/2/2016 17:00	1.2	BDL	BDL	17.6	0.4	2.5	22.0	9.0
5/2/2016 18:00	1.4	BDL	BDL	21.1	0.4	2.4	21.0	11.0
5/2/2016 19:00	2.1	BDL	BDL	18.4	0.4	2.6	26.0	18.0
5/2/2016 20:00	2.0	BDL	BDL	19.5	0.4	2.5	30.0	23.0
5/2/2016 21:00	3.2	BDL	BDL	17.8	0.5	2.5	24.0	22.0
5/2/2016 22:00	2.7	BDL	BDL	19.6	0.4	2.6	23.0	17.0
5/2/2016 23:00	1.0	BDL	BDL	17.9	0.5	2.7	25.0	16.0
5/2/2016 0:00	0.4	BDL	BDL	9.2	0.4	2.6	17.0	16.0
5/2/2016 1:00	BDL	BDL	BDL	22.6	0.5	2.8	23.0	13.0
5/2/2016 2:00	0.4	BDL	BDL	13.1	0.4	2.3	18.0	13.0
5/2/2016 3:00	BDL	Calibration	Calibration	7.8	0.3	2.2	16.0	8.0
5/2/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	10.0	8.0
5/2/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	14.0	6.0
5/2/2016 6:00	0.5	BDL	BDL	28.8	0.4	2.2	11.0	4.0
5/2/2016 7:00	BDL	BDL	BDL	31.9	0.4	2.3	19.0	6.0
5/2/2016 8:00	BDL	BDL	BDL	28.0	0.4	2.3	17.0	8.0
5/2/2016 9:00	BDL	BDL	BDL	25.2	0.3	2.2	22.0	4.0
5/2/2016 10:00	BDL	BDL	BDL	26.2	0.3	2.2	14.0	3.0
5/2/2016 11:00	BDL	BDL	BDL	39.1	0.3	2.2	17.0	6.0
5/2/2016 12:00	BDL	BDL	BDL	20.8	0.3	2.2	17.0	5.0
5/2/2016 13:00	BDL	BDL	BDL	20.8	0.3	2.2	12.0	9.0
5/2/2016 14:00	0.5	BDL	BDL	16.9	0.3	2.2	19.0	5.0
5/2/2016 15:00	BDL	BDL	BDL	11.4	0.3	2.2	12.0	5.0
5/2/2016 16:00	BDL	BDL	BDL	9.5	0.3	2.1	12.0	5.0
5/2/2016 17:00	BDL	BDL	BDL	14.5	0.4	2.2	15.0	7.0
5/2/2016 18:00	2.0	BDL	BDL	25.1	0.4	2.2	17.0	7.0
5/2/2016 19:00	3.5	BDL	BDL	23.7	0.4	2.3	21.0	8.0
5/2/2016 20:00	3.4	BDL	BDL	24.8	0.4	2.4	18.0	9.0
5/2/2016 21:00	2.0	BDL	BDL	23.6	0.4	2.4	18.0	9.0
5/2/2016 22:00	1.7	BDL	BDL	20.1	0.4	2.4	23.0	9.0
5/2/2016 23:00	1.5	BDL	BDL	21.6	0.4	2.6	19.0	8.0
5/2/2016 0:00	0.4	1.7	2.2	21.7	0.4	2.6	16.0	9.0
5/2/2016 1:00	BDL	1.0	1.5	22.2	0.4	2.5	17.0	14.0
5/2/2016 2:00	0.4	0.9	1.3	22.1	0.4	2.4	20.0	13.0
5/2/2016 3:00	0.4	Calibration	Calibration	38	0.5	2.8	25.0	15.0
5/2/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	23.0	14.0
5/2/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	21.0	14.0
5/2/2016 6:00	0.8	BDL	BDL	27.8	0.5	2.9	23.0	15.0
5/2/2016 7:00	0.8	Audit	Audit	52.2	0.6	3.1	33.0	21.0
5/2/2016 8:00	Too few samples	Audit	Calibration	Too few samples	Too few samples	Too few samples	68.0	28.0
5/2/2016 9:00	1.5	1.5	1.1	65.2	0.4	2.9	60.0	27.0
5/2/2016 10:00	2.2	1.5	1.2	65.6	0.6	2.8	69.0	26.0
5/2/2016 11:00	3.2	1.5	1.0	73.1	0.6	2.5	55.0	22.0
5/2/2016 12:00	2.8	1.2	1.0	46.0	0.5	2.2	31.0	11.0
5/2/2016 13:00	0.9	BDL	BDL	19.5	0.3	2.2	35.0	11.0
5/2/2016 14:00	1.8	0.6	BDL	27.1	0.4	2.3	28.0	16.0
5/2/2016 15:00	1.8	BDL	BDL	20.3	0.4	2.4	31.0	13.0
5/2/2016 16:00	2.1	BDL	BDL	18.2	0.4	2.4	23.0	15.0
5/2/2016 17:00	1.0	0.6	1.0	13.9	0.4	2.2	19.0	9.0
5/2/2016 18:00	1.1	1.0	1.3	14.6	0.4	2.4	26.0	9.0
5/2/2016 19:00	2.5	0.6	BDL	25.3	0.5	2.5	30.0	17.0
5/2/2016 20:00	1.4	0.4	BDL	25.4	0.4	2.5	32.0	22.0
5/2/2016 21:00	1.1	0.5	BDL	22.7	0.5	2.3	36.0	17.0
5/2/2016 22:00	0.9	0.7	1.3	22.5	0.4	2.4	24.0	15.0
5/2/2016 23:00	0.9	0.4	1.0	26.3	0.5	2.8	28.0	18.0
5/2/2016 0:00	0.5	BDL	BDL	31.4	0.4	2.7	27.0	17.0
5/2/2016 1:00	0.4	0.6	BDL	35.7	0.5	2.8	30.0	17.0
5/2/2016 2:00	0.5	1.1	1.0	44.2	0.5	3.1	33.0	20.0
5/2/2016 3:00	0.6	Calibration	Calibration	51.2	0.6	3.6	33.0	21.0
5/2/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	27.0	19.0
5/2/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	44.0	26.0
5/2/2016 6:00	1.0	1.8	1.2	69.1	0.8	3.0	43.0	25.0
5/2/2016 7:00	1.0	1.6	1.5	65.6	0.7	2.7	57.0	36.0
5/2/2016 8:00	0.9	1.0	1.0	51.8	0.7	2.6	91.0	48.0
5/2/2016 9:00	0.9	1.0	1.1	39.5	0.6	2.4	60.0	40.0
5/2/2016 10:00	0.7	0.7	BDL	26.9	0.5	2.2	59.0	35.0
5/2/2016 11:00	0.5	BDL	BDL	14.6	0.5	2.1	40.0	19.0
5/2/2016 12:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	25.0	35.0
5/2/2016 13:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	28.0	19.0
5/2/2016 14:00	0.8	BDL	BDL	10.7	0.4	2.4	36.0	19.0
5/2/2016 15:00	BDL	BDL	BDL	5.6	0.4	2.3	26.0	14.0
5/2/2016 16:00	0.7	BDL	BDL	6.0	0.4	2.4	28.0	13.0
5/2/2016 17:00	1.4	BDL	BDL	7.4	0.4	2.4	25.0	15.0
5/2/2016 18:00	1.3	BDL	BDL	8.3	0.4	2.4	19.0	11.0
5/2/2016 19:00	1.6	BDL	BDL	9.0	0.4	2.4	14.0	11.0
5/2/2016 20:00	1.1	BDL	BDL	8.0	0.4	2.4	13.0	9.0
5/2/2016 21:00	BDL	BDL	BDL	10.3	0.4	2.2	12.0	7.0
5/2/2016 22:00	BDL	BDL	BDL	8.7	0.4	2.3	11.0	6.0
5/2/2016 23:00	BDL	BDL	BDL	7.0	0.3	2.3	10.0	37.0
5/2/2016 0:00	BDL	0.4	1.0	11.4	0.4	2.2	17.0	13.0
5/2/2016 1:00	BDL	0.5	1.2	8.5	0.4	2.2	17.0	14.0
5/2/2016 2:00	BDL	0.8	1.5	7.1	0.4	2.2	18.0	9.0
5/2/2016 3:00	BDL	Calibration	Calibration	9.5	0.3	2.1	18.0	16.0
5/2/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	19.0	15.0
5/2/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	24.0	12.0
5/2/2016 6:00	BDL	0.9	1.4	20.7	0.5	2.2	27.0	16.0
5/2/2016 7:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	24.0	13.0
5/2/2016 8:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	22.0	11.0
5/2/2016 9:00	BDL	BDL	BDL	18.4	0.4	2.1	27.0	14.0
5/2/2016 10:00	BDL	BDL	BDL	12.5	0.4	2.2	25.0	13.0
5/2/2016 11:00	BDL	0.4	BDL	14.3	0.4	2.3	42.0	17.0
5/2/2016 12:00	BDL	BDL	BDL	12.0	0.4	2.5	32.0	16.0
5/2/2016 13:00	BDL	0.4	1.0	14.5	0.4	2.4	19.0	15.0
5/2/2016 14:00	BDL	BDL	BDL	13.6	0.4	2.5	19.0	10.0
5/2/2016 15:00	0.5	BDL	BDL	13.0	0.4	2.6	17.0	12.0
5/2/2016								

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	H2S PPB	THS PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m3	PM2.5 µg/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly 5/15/2016-5/21/2016							
5/15/2016 0:00	BDL	BDL	1.7	0.3	2.4	8.0	6.0
5/15/2016 1:00	BDL	BDL	1.0	0.3	2.5	5.0	2.0
5/15/2016 2:00	BDL	BDL	0.8	0.2	2.5	5.0	8.0
5/15/2016 3:00	BDL	Calibration	3.5	0.2	2.6	4.0	6.0
5/15/2016 4:00	Too few samples	Calibration	Too few samples	Too few samples	Too few samples	13.0	4.0
5/15/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	13.0	7.0
5/15/2016 6:00	0.4	BDL	7.7	0.2	3.1	8.0	5.0
5/15/2016 7:00	0.4	BDL	6.0	0.2	3.1	7.0	3.0
5/15/2016 8:00	BDL	BDL	3.3	0.2	2.9	6.0	2.0
5/15/2016 9:00	BDL	BDL	4.1	0.2	2.8	7.0	1.0
5/15/2016 10:00	0.4	BDL	4.9	0.2	2.7	7.0	1.0
5/15/2016 11:00	BDL	BDL	5.4	0.2	2.8	9.0	6.0
5/15/2016 12:00	BDL	BDL	5.2	0.2	2.9	11.0	11.0
5/15/2016 13:00	0.9	BDL	10.9	0.2	2.8	15.0	7.0
5/15/2016 14:00	1.4	BDL	9.4	0.2	2.8	22.0	6.0
5/15/2016 15:00	0.4	BDL	4.9	0.2	2.9	12.0	6.0
5/15/2016 16:00	0.5	BDL	6.3	0.2	3.0	17.0	5.0
5/15/2016 17:00	BDL	BDL	3.3	0.2	3.1	11.0	3.0
5/15/2016 18:00	BDL	BDL	2.9	0.2	2.7	12.0	4.0
5/15/2016 19:00	BDL	BDL	2.2	0.2	2.4	13.0	3.0
5/15/2016 20:00	BDL	BDL	1.9	0.2	2.5	11.0	3.0
5/15/2016 21:00	BDL	BDL	1.3	0.2	2.5	7.0	4.0
5/15/2016 22:00	BDL	BDL	1.5	0.2	2.6	8.0	4.0
5/15/2016 23:00	BDL	BDL	4.2	0.2	2.8	5.0	4.0
5/16/2016 0:00	BDL	BDL	6.0	0.2	2.6	8.0	8.0
5/16/2016 1:00	BDL	BDL	6.3	0.2	2.9	7.0	6.0
5/16/2016 2:00	0.4	BDL	7.7	0.2	2.8	4.0	6.0
5/16/2016 3:00	1.8	Calibration	12.1	0.2	2.5	18.0	6.0
5/16/2016 4:00	Too few samples	Calibration	Too few samples	Too few samples	Too few samples	12.0	10.0
5/16/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	21.0	8.0
5/16/2016 6:00	0.9	0.8	1.2	19.4	0.2	3.2	7.0
5/16/2016 7:00	0.9	BDL	15.9	0.2	3.1	11.0	5.0
5/16/2016 8:00	0.8	BDL	10.1	0.2	3.0	19.0	4.0
5/16/2016 9:00	0.8	BDL	11.5	0.2	3.2	23.0	4.0
5/16/2016 10:00	BDL	BDL	5.6	0.2	3.1	43.0	4.0
5/16/2016 11:00	1.5	BDL	11.9	0.2	3.0	34.0	3.0
5/16/2016 12:00	0.5	BDL	5.6	0.2	2.9	37.0	3.0
5/16/2016 13:00	BDL	BDL	5.8	0.2	2.8	27.0	4.0
5/16/2016 14:00	BDL	BDL	4.9	0.2	3.0	4.0	6.0
5/16/2016 15:00	0.5	BDL	7.1	0.2	2.9	33.0	5.0
5/16/2016 16:00	0.4	BDL	5.1	0.2	3.1	13.0	5.0
5/16/2016 17:00	0.5	BDL	7.0	0.2	4.7	14.0	6.0
5/16/2016 18:00	0.6	BDL	7.6	0.2	2.4	10.0	5.0
5/16/2016 19:00	1.1	BDL	10.7	0.2	2.3	16.0	6.0
5/16/2016 20:00	2.1	BDL	13.7	0.2	2.4	21.0	9.0
5/16/2016 21:00	2.3	BDL	18.8	0.3	2.6	19.0	9.0
5/16/2016 22:00	1.2	BDL	15.1	0.3	2.6	15.0	6.0
5/16/2016 23:00	1	BDL	12.5	0.3	2.7	14.0	6.0
5/17/2016 0:00	0.8	BDL	16.1	0.3	2.8	14.0	6.0
5/17/2016 1:00	0.6	BDL	21.0	0.3	2.4	14.0	6.0
5/17/2016 2:00	0.4	BDL	19.1	0.3	2.4	16.0	6.0
5/17/2016 3:00	0.7	Calibration	20.8	0.3	2.6	15.0	6.0
5/17/2016 4:00	Too few samples	Calibration	Too few samples	Too few samples	Too few samples	20.0	11.0
5/17/2016 5:00	NoData	NoData	NoData	NoData	NoData	18.0	12.0
5/17/2016 6:00	NoData	NoData	NoData	NoData	NoData	NoData	NoData
5/17/2016 7:00	NoData	NoData	NoData	NoData	NoData	NoData	NoData
5/17/2016 8:00	NoData	NoData	NoData	NoData	NoData	NoData	NoData
5/17/2016 9:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Invalid	44.0
5/17/2016 10:00	3.3	Calibration	39.7	0.4	7.9	53.0	16.0
5/17/2016 11:00	1.9	Calibration	22.5	0.3	2.7	36.0	11.0
5/17/2016 12:00	0.8	Calibration	14.9	0.3	2.4	16.0	6.0
5/17/2016 13:00	1.6	Calibration	25.7	0.3	2.4	15.0	5.0
5/17/2016 14:00	1.2	BDL	30.3	0.4	2.3	14.0	7.0
5/17/2016 15:00	1	BDL	32.2	0.4	2.2	15.0	17.0
5/17/2016 16:00	0.5	BDL	13.4	0.3	2.2	9.0	3.0
5/17/2016 17:00	BDL	BDL	15.5	0.4	2.2	16.0	11.0
5/17/2016 18:00	BDL	BDL	23.1	0.4	2.2	13.0	7.0
5/17/2016 19:00	0.4	BDL	39.0	0.4	2.2	16.0	7.0
5/17/2016 20:00	0.5	BDL	24.5	0.4	2.2	11.0	5.0
5/17/2016 21:00	0.5	BDL	25.7	0.4	2.5	15.0	8.0
5/17/2016 22:00	0.7	BDL	25.4	0.4	2.6	15.0	10.0
5/17/2016 23:00	0.5	BDL	18.5	0.4	2.6	14.0	12.0
5/18/2016 0:00	0.4	BDL	16.9	0.3	2.7	11.0	7.0
5/18/2016 1:00	0.4	BDL	21.7	0.3	3.0	12.0	12.0
5/18/2016 2:00	0.4	BDL	21.6	0.3	2.6	14.0	11.0
5/18/2016 3:00	BDL	Calibration	21.8	0.4	2.7	12.0	14.0
5/18/2016 4:00	Too few samples	Calibration	Too few samples	Too few samples	Too few samples	21.0	12.0
5/18/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	25.0	17.0
5/18/2016 6:00	0.4	BDL	29.5	0.4	2.1	21.0	14.0
5/18/2016 7:00	0.4	BDL	27.0	0.4	2.3	15.0	7.0
5/18/2016 8:00	0.4	BDL	24.0	0.4	2.4	15.0	12.0
5/18/2016 9:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	15.0	5.0
5/18/2016 10:00	Calibration	Calibration	Calibration	Calibration	Calibration	19.0	6.0
5/18/2016 11:00	0.5	BDL	27.5	0.3	2.3	19.0	7.0
5/18/2016 12:00	0.4	BDL	22.5	0.3	2.3	16.0	Invalid
5/18/2016 13:00	BDL	BDL	18.6	0.3	2.2	Invalid	Invalid
5/18/2016 14:00	BDL	BDL	14.9	0.3	2.2	Invalid	Invalid
5/18/2016 15:00	BDL	BDL	11.4	0.3	2.2	17.0	5.0
5/18/2016 16:00	BDL	BDL	9.2	0.2	2.2	12.0	6.0
5/18/2016 17:00	BDL	BDL	8.9	0.3	2.2	11.0	5.0
5/18/2016 18:00	BDL	BDL	10.2	0.3	2.2	12.0	4.0
5/18/2016 19:00	BDL	BDL	8.6	0.3	2.1	12.0	6.0
5/18/2016 20:00	BDL	BDL	9.7	0.3	2.1	13.0	4.0
5/18/2016 21:00	BDL	BDL	11.8	0.3	2.1	12.0	7.0
5/18/2016 22:00	BDL	BDL	12.2	0.4	2.2	13.0	7.0
5/18/2016 23:00	BDL	BDL	12.5	0.4	2.2	16.0	6.0
5/19/2016 0:00	BDL	BDL	16.0	0.3	2.2	8.0	3.0
5/19/2016 1:00	BDL	BDL	25.7	0.3	2.5	19.0	5.0
5/19/2016 2:00	BDL	BDL	30.4	0.3	2.4	16.0	5.0
5/19/2016 3:00	BDL	Calibration	29.8	0.4	2.4	15.0	11.0
5/19/2016 4:00	Too few samples	Calibration	Too few samples	Too few samples	Too few samples	16.0	10.0
5/19/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	24.0	12.0
5/19/2016 6:00	0.4	BDL	40.2	0.4	2.6	17.0	9.0
5/19/2016 7:00	0.8	BDL	68.7	0.6	2.7	20.0	14.0
5/19/2016 8:00	0.7	BDL	47.3	0.5	2.6	21.0	14.0
5/19/2016 9:00	0.5	BDL	25.2	0.4	2.3	19.0	9.0
5/19/2016 10:00	0.8	BDL	32.3	0.4	2.4	31.0	15.0
5/19/2016 11:00	1.1	BDL	22.3	0.4	2.3	27.0	11.0
5/19/2016 12:00	1.0	BDL	13.5	0.3	2.2	17.0	10.0
5/19/2016 13:00	0.9	BDL	10.9	0.3	2.2	11.0	6.0
5/19/2016 14:00	BDL	BDL	3.6	0.3	2.3	17.0	6.0
5/19/2016 15:00	BDL	BDL	4.0	0.2	2.2	13.0	4.0
5/19/2016 16:00	0.7	BDL	6.9	0.2	2.2	18.0	4.0
5/19/2016 17:00	BDL	BDL	2.0	0.2	2.2	16.0	4.0
5/19/2016 18:00	BDL	BDL	2.7	0.2	2.3	13.0	5.0
5/19/2016 19:00	BDL	BDL	3.1	0.3	2.3	17.0	5.0
5/19/2016 20:00	BDL	BDL	10.6	0.3	2.5	19.0	5.0
5/19/2016 21:00	BDL	BDL	16.6	0.4	2.8	17.0	5.0
5/19/2016 22:00	BDL	BDL	20.4	0.5	2.7	19.0	8.0
5/19/2016 23:00	BDL	BDL	29.9	0.4	2.2	26.0	14.0
5/20/2016 0:00	BDL	BDL	24.7	0.4	2.2	19.0	14.0
5/20/2016 1:00	0.6	1.1	43.9	0.5	4.1	21.0	7.0
5/20/2016 2:00	0.9	1.0	47.1	0.4	4.1	21.0	12.0
5/20/2016 3:00	1.0	Calibration	37.0	0.5	3.9	16.0	8.0
5/20/2016 4:00	Too few samples	Calibration	Too few samples	Too few samples	Too few samples	15.0	6.0
5/20/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	19.0	9.0
5/20/2016 6:00	1.0	0.5	43	0.5	2.9	18.0	7.0
5/20/2016 7:00	1.1	BDL	26.2	0.4	2.7	19.0	6.0
5/20/2016 8:00	1.1	BDL	28.3	0.4	2.5	24.0	6.0
5/20/2016 9:00	0.7	BDL	21.8	0.3	2.3	14.0	6.0
5/20/2016 10:00	0.5	BDL	14.2	0.3	2.3	14.0	6.0
5/20/2016 11:00	BDL	BDL	8.0	0.3	2.2	19.0	3.0
5/20/2016 12:00	1.0	BDL	5.2	0.4	2.2	7.0	4.0
5/20/2016 13:00	NoData	NoData	6.0	0.2	Computer down	6.0	4.0
5/20/2016 14:00	NoData	NoData	5.1	0.2	Computer down	15.0	3.0
5/20/2016 15:00	NoData	NoData	7.0	0.2	Computer down	7.0	4.0
5/20/2016 16:00	NoData	NoData	6.9	0.2	Computer down	21.0	11.0
5/20/2016 17:00	NoData	NoData	5.7	0.2	Computer down	17.0	7.0
5/20/2016 18:00	NoData	NoData	6.1	0.3	Computer down	17.0	6.0
5/20/2016 19:00	NoData	NoData	6.4	0.3	Computer down	21.0	11.0
5/20/2016 20:00	NoData	NoData	5.1	0.3	Computer down	19.0	10.0
5/20/2016 21:00	NoData	NoData	3.9	0.3	Computer down	16.0	7.0
5/20/2016 22:00	NoData	NoData	7.1	0.3	Computer down	14.0	7.0
5/20/2016 23:00	NoData	NoData	13.3	0.4	Computer down	15.0	7.0
5/21/2016 0:00	NoData	NoData	18.9	0.4	Computer down	15.0	11.0
5/21/2016 1:00	NoData	NoData	19.2	0.3	Computer down	13.0	8.0
5/21/2016 2:00	NoData	NoData	15.8	0.3	Computer down	18.0	8.0
5/21/2016 3:00	NoData	NoData	14.8	0.4	Computer down	14.0	7.0
5/21/2016 4:00	NoData	NoData	20.1	0.4	Computer down	18.0	9.0
5/21/2016 5:00	NoData	NoData	23.6	0.5	Computer down	21.0	7.0
5/21/2016 6:00	NoData	NoData	23.1	0.4	Computer down	17.0	14.0
5/21/2016 7:00	Calibration	Calibration	Calibration	Calibration	Calibration	18.0	17.0
5/21/2016 8:00	Too few samples	Calibration	Too few samples	Too few			

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2 PPB	H2S PPB	TMG PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m3	PM2.5 µg/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 5/29/2016-6/4/2016								
5/29/2016 0:00	0.4	0.8	1.5	10.2	0.3	2.4	17.0	9.0
5/29/2016 1:00	BDL	1.5	2.3	8.3	0.3	2.9	17.0	11.0
5/29/2016 2:00	0.5	2.3	3.2	10.1	0.3	2.9	17.0	11.0
5/29/2016 3:00	0.5	Calibration	Calibration	9.0	0.3	2.5	16.0	7.0
5/29/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	11.0	8.0
5/29/2016 5:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	Calibration	15.0	15.0
5/29/2016 6:00	1.0	0.5	1.0	15.0	0.3	2.5	12.0	9.0
5/29/2016 7:00	0.7	1.1	1.8	16.1	0.3	2.6	16.0	9.0
5/29/2016 8:00	1.4	1.1	1.7	17.0	0.3	2.6	13.0	7.0
5/29/2016 9:00	0.9	Calibration	Calibration	8.4	0.2	2.6	10.0	12.0
5/29/2016 10:00	0.9	Calibration	Calibration	5.8	0.2	2.3	12.0	9.0
5/29/2016 11:00	0.4	0.5	BDL	2.2	0.2	2.3	15.0	6.0
5/29/2016 12:00	BDL	BDL	BDL	1.4	0.2	2.5	14.0	5.0
5/29/2016 13:00	BDL	BDL	BDL	1.3	0.2	2.6	16.0	6.0
5/29/2016 14:00	BDL	BDL	BDL	1.4	0.2	2.7	6.0	3.0
5/29/2016 15:00	BDL	BDL	BDL	2.2	0.2	2.6	6.0	2.0
5/29/2016 16:00	BDL	BDL	BDL	1.9	0.2	2.4	8.0	2.0
5/29/2016 17:00	BDL	BDL	BDL	4.6	0.2	2.4	8.0	6.0
5/29/2016 18:00	BDL	BDL	BDL	3.5	0.2	2.4	10.0	5.0
5/29/2016 19:00	0.4	BDL	BDL	5.7	0.3	2.5	16.0	2.0
5/29/2016 20:00	BDL	BDL	BDL	5.1	0.3	2.3	9.0	BDL
5/29/2016 21:00	0.4	0.4	BDL	12.9	0.3	2.5	6.0	BDL
5/29/2016 22:00	0.4	0.5	BDL	13.4	0.3	2.9	5.0	BDL
5/29/2016 23:00	0.5	0.5	BDL	8.8	0.3	2.8	3.0	3.0
5/30/2016 0:00	0.5	BDL	BDL	8.7	0.3	2.5	3.0	1.0
5/30/2016 1:00	BDL	BDL	BDL	10.5	0.3	2.4	2.0	2.0
5/30/2016 2:00	BDL	BDL	BDL	7.0	0.3	2.4	3.0	BDL
5/30/2016 3:00	BDL	Calibration	Calibration	7.1	0.3	2.4	3.0	BDL
5/30/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	1.0	BDL
5/30/2016 5:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	Calibration	BDL	2.0
5/30/2016 6:00	BDL	BDL	BDL	9.2	0.2	2.5	3.0	1.0
5/30/2016 7:00	BDL	BDL	BDL	8.4	0.3	2.4	4.0	2.0
5/30/2016 8:00	BDL	BDL	BDL	6.2	0.3	2.5	3.0	2.0
5/30/2016 9:00	BDL	BDL	BDL	3.5	0.3	2.4	4.0	1.0
5/30/2016 10:00	BDL	BDL	BDL	4.8	0.3	2.4	5.0	2.0
5/30/2016 11:00	0.4	BDL	BDL	7.4	0.3	2.6	6.0	3.0
5/30/2016 12:00	0.7	0.4	BDL	9.5	0.3	2.4	10.0	7.0
5/30/2016 13:00	1.1	BDL	BDL	7.6	0.3	2.5	10.0	9.0
5/30/2016 14:00	0.8	BDL	BDL	8.5	0.3	2.5	10.0	5.0
5/30/2016 15:00	0.5	0.5	BDL	7.1	0.3	2.5	8.0	4.0
5/30/2016 16:00	0.4	0.5	BDL	6.6	0.3	2.4	10.0	4.0
5/30/2016 17:00	BDL	0.8	BDL	5.4	0.3	2.5	8.0	3.0
5/30/2016 18:00	0.4	0.4	BDL	5.7	0.3	2.3	5.0	2.0
5/30/2016 19:00	0.4	0.4	BDL	3.9	0.3	2.2	3.0	1.0
5/30/2016 20:00	BDL	0.4	BDL	3.6	0.3	2.2	6.0	1.0
5/30/2016 21:00	BDL	0.4	BDL	5.2	0.3	2.2	8.0	1.0
5/30/2016 22:00	BDL	0.4	BDL	4.4	0.3	2.2	8.0	BDL
5/30/2016 23:00	BDL	0.4	BDL	2.6	0.2	2.2	8.0	BDL
5/31/2016 0:00	BDL	1.0	BDL	7.1	0.2	2.6	7.0	1.0
5/31/2016 1:00	BDL	1.3	BDL	3.8	0.2	2.7	9.0	BDL
5/31/2016 2:00	BDL	1.0	BDL	9.0	0.2	2.6	16.0	3.0
5/31/2016 3:00	0.4	Calibration	Calibration	10.6	0.2	2.5	10.0	3.0
5/31/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	15.0	3.0
5/31/2016 5:00	0.4	Calibration	Calibration	Too few samples	Calibration	Calibration	10.0	4.0
5/31/2016 6:00	0.4	0.6	BDL	17.6	0.3	2.7	15.0	7.0
5/31/2016 7:00	0.4	0.5	BDL	18.4	0.3	2.4	10.0	4.0
5/31/2016 8:00	0.4	BDL	BDL	15.3	0.3	2.3	16.0	6.0
5/31/2016 9:00	0.5	0.4	BDL	27.0	0.4	2.4	22.0	11.0
5/31/2016 10:00	0.6	0.6	BDL	27.2	0.3	2.3	141.0	15.0
5/31/2016 11:00	0.4	BDL	BDL	17.3	0.3	2.4	158.0	15.0
5/31/2016 12:00	BDL	BDL	BDL	10.2	0.3	2.3	50.0	8.0
5/31/2016 13:00	BDL	BDL	BDL	17.1	0.3	2.5	102.0	10.0
5/31/2016 14:00	BDL	BDL	BDL	8.9	0.3	2.4	92.0	12.0
5/31/2016 15:00	BDL	BDL	BDL	3.8	0.2	2.3	14.0	6.0
5/31/2016 16:00	BDL	BDL	BDL	3.7	0.2	2.3	15.0	6.0
5/31/2016 17:00	BDL	BDL	BDL	4.1	0.2	2.4	17.0	12.0
5/31/2016 18:00	BDL	BDL	BDL	4.3	0.2	2.4	16.0	8.0
5/31/2016 19:00	BDL	BDL	BDL	7.6	0.3	2.4	16.0	8.0
5/31/2016 20:00	BDL	BDL	BDL	15.6	0.4	2.5	14.0	14.0
5/31/2016 21:00	0.4	0.5	BDL	22.3	0.4	2.5	22.0	12.0
5/31/2016 22:00	BDL	BDL	BDL	8.6	0.3	2.3	15.0	16.0
5/31/2016 23:00	BDL	BDL	BDL	12.2	0.3	2.6	17.0	13.0
6/1/2016 0:00	BDL	0.4	BDL	10.8	0.3	2.6	13.0	15.0
6/1/2016 1:00	BDL	0.6	BDL	12.0	0.3	2.6	16.0	8.0
6/1/2016 2:00	BDL	0.8	BDL	20.8	0.4	2.8	20.0	9.0
6/1/2016 3:00	BDL	Calibration	Calibration	23.8	0.3	2.5	28.0	11.0
6/1/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	17.0	9.0
6/1/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	21.0	12.0
6/1/2016 6:00	0.7	BDL	BDL	31.8	0.5	2.6	36.0	21.0
6/1/2016 7:00	0.6	3.7	BDL	39.0	0.5	2.6	92.0	21.0
6/1/2016 8:00	0.6	0.9	BDL	30.4	0.4	2.6	Invalid	21.0
6/1/2016 9:00	0.7	0.9	BDL	33.0	0.5	2.5	74.0	21.0
6/1/2016 10:00	0.6	Calibration	Calibration	30.1	0.4	2.4	73.0	21.0
6/1/2016 11:00	0.4	Calibration	Calibration	16.0	0.4	2.3	35.0	15.0
6/1/2016 12:00	0.4	Calibration	Calibration	9.5	0.3	2.3	28.0	10.0
6/1/2016 13:00	BDL	Calibration	Calibration	9.0	0.3	2.3	40.0	12.0
6/1/2016 14:00	BDL	BDL	BDL	11.7	0.3	2.6	34.0	13.0
6/1/2016 15:00	BDL	BDL	BDL	4.5	0.2	2.4	29.0	10.0
6/1/2016 16:00	BDL	BDL	BDL	6.5	0.3	2.3	31.0	12.0
6/1/2016 17:00	BDL	0.5	BDL	10.5	0.3	2.3	21.0	9.0
6/1/2016 18:00	BDL	0.5	BDL	8.9	0.3	2.2	23.0	12.0
6/1/2016 19:00	BDL	0.4	BDL	8.7	0.3	2.2	26.0	11.0
6/1/2016 20:00	BDL	BDL	BDL	8.2	0.3	2.2	16.0	9.0
6/1/2016 21:00	BDL	BDL	BDL	7.2	0.3	2.2	14.0	8.0
6/1/2016 22:00	BDL	BDL	BDL	7.1	0.3	2.2	11.0	11.0
6/1/2016 23:00	BDL	BDL	BDL	11.7	0.3	2.2	19.0	9.0
6/2/2016 0:00	BDL	BDL	BDL	9.0	0.3	2.2	16.0	13.0
6/2/2016 1:00	BDL	BDL	BDL	6.9	0.3	2.3	22.0	12.0
6/2/2016 2:00	BDL	BDL	BDL	9.1	0.3	2.3	27.0	16.0
6/2/2016 3:00	BDL	Calibration	Calibration	9.3	0.2	2.4	18.0	10.0
6/2/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	20.0	14.0
6/2/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	20.0	13.0
6/2/2016 6:00	BDL	0.4	BDL	23.0	0.3	2.4	22.0	14.0
6/2/2016 7:00	BDL	BDL	BDL	19.6	0.3	2.4	30.0	14.0
6/2/2016 8:00	0.4	0.6	BDL	30.8	0.3	2.4	77.0	15.0
6/2/2016 9:00	BDL	0.5	BDL	20.0	0.3	2.4	40.0	17.0
6/2/2016 10:00	BDL	0.9	BDL	29.1	0.3	2.4	114.0	19.0
6/2/2016 11:00	BDL	0.4	BDL	15.4	0.3	2.3	94.0	14.0
6/2/2016 12:00	BDL	BDL	BDL	9.7	0.3	2.3	27.0	17.0
6/2/2016 13:00	BDL	BDL	BDL	17.3	0.3	2.3	60.0	16.0
6/2/2016 14:00	BDL	BDL	BDL	5.7	0.3	2.3	43.0	10.0
6/2/2016 15:00	BDL	BDL	BDL	4.1	0.3	2.3	19.0	9.0
6/2/2016 16:00	BDL	BDL	BDL	3.5	0.3	2.1	21.0	7.0
6/2/2016 17:00	BDL	BDL	BDL	3.8	0.2	2.2	24.0	7.0
6/2/2016 18:00	BDL	BDL	BDL	4.8	0.2	2.2	21.0	9.0
6/2/2016 19:00	BDL	BDL	BDL	4.9	0.2	2.1	19.0	6.0
6/2/2016 20:00	BDL	BDL	BDL	3.1	0.2	2.1	14.0	5.0
6/2/2016 21:00	BDL	BDL	BDL	4.9	0.2	2.1	10.0	6.0
6/2/2016 22:00	BDL	BDL	BDL	7.7	0.2	2.1	7.0	6.0
6/2/2016 23:00	BDL	BDL	BDL	8.3	0.2	2.1	9.0	5.0
6/3/2016 0:00	BDL	BDL	BDL	5.8	0.2	2.1	6.0	4.0
6/3/2016 1:00	BDL	BDL	BDL	3.7	0.2	2.1	14.0	

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	SQ2 PPB	H2S PPB	TNG PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m3	PM2.5 µg/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly 6/2/2016-6/11/2016								
6/5/2016 0:00	BDL	BDL	BDL	7.5	0.3	2.2	13.0	7.0
6/5/2016 1:00	BDL	BDL	BDL	4.6	0.2	2.2	11.0	6.0
6/5/2016 2:00	BDL	BDL	BDL	3.8	0.2	2.2	10.0	5.0
6/5/2016 3:00	BDL	Calibration	Calibration	4.3	0.2	7.2	7.0	4.0
6/5/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	11.0	5.0
6/5/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	11.0	5.0
6/5/2016 6:00	0.4	BDL	BDL	2.7	0.2	2.2	12.0	6.0
6/5/2016 7:00	BDL	0.6	BDL	4.6	0.2	2.1	13.0	6.0
6/5/2016 8:00	BDL	0.7	BDL	6.9	0.2	2.2	14.0	8.0
6/5/2016 9:00	BDL	0.9	BDL	4.8	0.2	2.1	12.0	6.0
6/5/2016 10:00	BDL	0.9	BDL	4.0	0.3	2.1	8.0	3.0
6/5/2016 11:00	BDL	0.8	BDL	5.0	0.3	2.2	13.0	5.0
6/5/2016 12:00	BDL	0.6	BDL	3.3	0.2	2.4	10.0	5.0
6/5/2016 13:00	BDL	0.5	BDL	2.2	0.2	2.4	12.0	6.0
6/5/2016 14:00	BDL	0.4	BDL	2.3	0.3	2.4	11.0	6.0
6/5/2016 15:00	BDL	0.5	BDL	2.8	0.3	2.6	11.0	6.0
6/5/2016 16:00	BDL	0.5	BDL	2.1	0.2	2.5	15.0	7.0
6/5/2016 17:00	0.4	BDL	BDL	4.4	0.2	2.5	22.0	10.0
6/5/2016 18:00	0.4	1.0	BDL	7.5	0.2	2.4	11.0	7.0
6/5/2016 19:00	0.7	0.6	BDL	11.2	0.3	2.5	14.0	6.0
6/5/2016 20:00	1.4	0.4	BDL	9.9	0.3	2.6	18.0	7.0
6/5/2016 21:00	1.5	0.6	BDL	13.2	0.3	2.6	17.0	10.0
6/5/2016 22:00	1.1	0.6	BDL	10.2	0.3	2.5	13.0	8.0
6/5/2016 23:00	0.9	0.6	BDL	14.1	0.3	2.6	9.0	5.0
6/6/2016 0:00	0.8	0.6	BDL	13.7	0.3	2.8	16.0	4.0
6/6/2016 1:00	0.7	0.7	BDL	12.8	0.3	2.6	16.0	8.0
6/6/2016 2:00	0.6	0.7	BDL	14.1	0.2	2.5	18.0	9.0
6/6/2016 3:00	0.7	Calibration	Calibration	11.6	0.2	2.6	18.0	11.0
6/6/2016 4:00	BDL	Calibration	Calibration	Too few samples	Too few samples	Too few samples	26.0	17.0
6/6/2016 5:00	BDL	Too few samples	Too few samples	Too few samples	0.2	Calibration	11.0	5.0
6/6/2016 6:00	1.4	0.8	BDL	11.1	0.2	2.3	19.0	10.0
6/6/2016 7:00	1.1	0.7	BDL	14.0	0.3	2.3	17.0	8.0
6/6/2016 8:00	0.9	0.5	BDL	12.2	0.2	2.3	21.0	8.0
6/6/2016 9:00	0.9	0.5	BDL	9.6	0.2	2.3	20.0	12.0
6/6/2016 10:00	0.9	0.9	BDL	14.8	0.2	2.4	24.0	12.0
6/6/2016 11:00	1.1	0.8	BDL	15.4	0.2	2.3	38.0	12.0
6/6/2016 12:00	0.9	0.5	BDL	8.0	0.2	2.3	25.0	14.0
6/6/2016 13:00	0.9	0.4	BDL	6.5	0.2	2.4	28.0	10.0
6/6/2016 14:00	1.1	0.4	BDL	7.6	0.2	2.4	27.0	13.0
6/6/2016 15:00	1.2	0.5	BDL	5.5	0.2	2.5	24.0	13.0
6/6/2016 16:00	1.2	BDL	BDL	6.1	0.2	2.5	23.0	14.0
6/6/2016 17:00	0.8	BDL	BDL	4.5	0.2	2.6	18.0	11.0
6/6/2016 18:00	1.1	0.4	BDL	7.6	0.2	2.6	19.0	18.0
6/6/2016 19:00	1.5	0.4	BDL	10.9	0.2	2.6	17.0	12.0
6/6/2016 20:00	0.6	0.5	BDL	7.2	0.2	2.5	12.0	9.0
6/6/2016 21:00	0.4	1.3	1.0	8.8	0.2	2.8	12.0	8.0
6/6/2016 22:00	BDL	1.1	BDL	7.5	0.2	2.6	16.0	8.0
6/6/2016 23:00	BDL	1.0	BDL	8.0	0.2	2.5	13.0	7.0
6/7/2016 0:00	BDL	1.3	BDL	6.0	0.2	2.6	13.0	11.0
6/7/2016 1:00	0.4	1.0	BDL	8.3	0.2	2.9	14.0	14.0
6/7/2016 2:00	0.5	0.9	BDL	8.0	0.2	2.8	14.0	9.0
6/7/2016 3:00	0.4	Calibration	Calibration	9.0	0.2	2.7	17.0	8.0
6/7/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	26.0	17.0
6/7/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.2	Calibration	23.0	14.0
6/7/2016 6:00	0.6	0.6	BDL	7.8	0.2	2.3	23.0	14.0
6/7/2016 7:00	0.5	0.5	BDL	13.1	0.3	2.3	24.0	11.0
6/7/2016 8:00	0.6	0.6	BDL	16.1	0.3	2.3	29.3	11.0
6/7/2016 9:00	0.7	0.5	BDL	8.9	0.3	2.3	26.0	13.0
6/7/2016 10:00	0.5	0.4	BDL	5.9	0.2	2.2	25.0	10.0
6/7/2016 11:00	1.1	0.6	BDL	14.7	0.2	2.3	37.0	10.0
6/7/2016 12:00	1.1	0.7	BDL	8.9	0.2	2.5	29.0	17.0
6/7/2016 13:00	1.6	0.6	BDL	7.6	0.2	2.6	45.0	19.0
6/7/2016 14:00	1.1	0.6	BDL	15.8	0.2	2.5	48.0	16.0
6/7/2016 15:00	1.0	0.5	BDL	10.6	0.2	2.2	33.0	17.0
6/7/2016 16:00	0.5	0.5	BDL	10.4	0.2	2.2	21.0	7.0
6/7/2016 17:00	0.6	1.1	BDL	21.5	0.3	2.4	18.0	14.0
6/7/2016 18:00	0.4	0.6	BDL	6.3	0.2	2.2	13.0	11.0
6/7/2016 19:00	0.4	0.4	BDL	6.7	0.2	2.2	12.0	9.0
6/7/2016 20:00	BDL	0.4	BDL	8.1	0.2	2.2	14.0	5.0
6/7/2016 21:00	BDL	0.4	BDL	6.5	0.2	2.2	12.0	5.0
6/7/2016 22:00	BDL	0.4	BDL	2.6	0.1	2.3	13.0	7.0
6/7/2016 23:00	BDL	0.4	BDL	4.4	0.1	2.2	11.0	5.0
6/8/2016 0:00	BDL	BDL	BDL	5.1	0.2	2.2	10.0	5.0
6/8/2016 1:00	0.4	BDL	BDL	4.3	0.1	2.2	16.0	8.0
6/8/2016 2:00	BDL	BDL	BDL	1.6	0.1	2.2	9.0	5.0
6/8/2016 3:00	BDL	Calibration	Calibration	Too few samples	Too few samples	Too few samples	9.0	3.0
6/8/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	7.0	4.0
6/8/2016 5:00	Too few samples	Too few samples	Too few samples	13.1	0.1	Calibration	12.0	10.0
6/8/2016 6:00	0.4	0.5	BDL	21.7	0.2	2.1	21.0	12.0
6/8/2016 7:00	0.8	Audit	Audit	12.1	0.2	2.2	12.0	7.0
6/8/2016 8:00	1.6	Calibration	Calibration	15.9	0.1	2.2	17.0	4.0
6/8/2016 9:00	1.6	Calibration	Calibration	8.5	0.2	2.2	23.0	6.0
6/8/2016 10:00	1.7	0.5	BDL	10.2	0.2	2.4	40.0	15.0
6/8/2016 11:00	BDL	0.4	BDL	3.5	0.2	2.2	6.0	2.0
6/8/2016 12:00	BDL	BDL	BDL	3.4	0.1	2.2	10.0	1.0
6/8/2016 13:00	BDL	BDL	BDL	2.1	0.1	2.2	7.0	3.0
6/8/2016 14:00	BDL	BDL	BDL	1.4	0.1	2.3	8.0	2.0
6/8/2016 15:00	BDL	BDL	BDL	1.3	0.1	2.3	12.0	4.0
6/8/2016 16:00	BDL	BDL	BDL	2.8	0.1	2.2	11.0	4.0
6/8/2016 17:00	BDL	BDL	BDL	1.9	0.1	2.3	10.0	1.0
6/8/2016 18:00	BDL	BDL	BDL	1.8	0.1	2.3	5.0	4.0
6/8/2016 19:00	BDL	BDL	BDL	7.4	0.1	2.3	2.0	3.0
6/8/2016 20:00	BDL	BDL	BDL	2.6	0.1	2.4	6.0	3.0
6/8/2016 21:00	BDL	BDL	BDL	0.5	0.1	2.4	5.0	3.0
6/8/2016 22:00	BDL	BDL	BDL	0.6	0.1	2.4	5.0	2.0
6/8/2016 23:00	BDL	BDL	BDL	0.8	0.1	2.3	8.0	3.0
6/9/2016 0:00	BDL	BDL	BDL	1.8	0.1	2.3	7.0	8.0
6/9/2016 1:00	BDL	BDL	BDL	7.2	0.1	2.3	9.0	8.0
6/9/2016 2:00	BDL	BDL	BDL	1.8	0.1	2.3	7.0	8.0
6/9/2016 3:00	0.4	Calibration	Calibration	Too few samples	Too few samples	Too few samples	12.0	5.0
6/9/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	13.0	6.0
6/9/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.1	Calibration	13.0	6.0
6/9/2016 6:00	BDL	BDL	BDL	6.4	0.1	2.4	13.0	6.0
6/9/2016 7:00	BDL	BDL	BDL	6.6	0.1	2.3	Audit	Audit
6/9/2016 8:00	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit
6/9/2016 9:00	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit
6/9/2016 10:00	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit
6/9/2016 11:00	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit
6/9/2016 12:00	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit
6/9/2016 13:00	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit
6/9/2016 14:00	Audit	Audit	Audit	Audit	Audit	Audit	Invalid	Invalid
6/9/2016 15:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Invalid	Invalid
6/9/2016 16:00	Too few samples	Too few samples	Too few samples	Too few samples	0.1	Calibration	18.0	1.0
6/9/2016 17:00	BDL	Calibration	Calibration	2.7	0.1	2.2	13.0	4.0
6/9/2016 18:00	BDL	BDL	BDL	3.7	0.1	2.2	10.0	4.0
6/9/2016 19:00	BDL	BDL	BDL	4.6	0.1	2.2	11.0	4.0
6/9/2016 20:00	BDL	BDL	BDL	4.2	0.1	2.2	7.0	4.0
6/9/2016 21:00	BDL	BDL	BDL	26.6	0.2	2.4	10.0	6.0
6/9/2016 22:00	BDL	BDL	BDL	19.7	0.2	2.4	14.0	6.0
6/9/2016 23:00	BDL	BDL	BDL	9.3	0.2	2.2	13.0	5.0
6/10/2016 0:00	BDL	BDL	BDL	16.5	0.1	2.3	12.0	10.0
6/10/2016 1:00	BDL	0.4	BDL	19.6	0.2	2.5	9.0	7.0
6/10/2016 2:00	BDL	0.4	BDL	19.8	0.2	2.4	13.0	11.0
6/10/2016 3								

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	H2S PPB	TMG PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m ³	PM2.5 µg/m ³
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m ³	1.0 µg/m ³
Site Downwind: Weekly 8/7/2016-8/13/2016							
8/7/2016 0:00	BDL	BDL	8.2	0.1	2.2	Analyzer malfunction	8.0
8/7/2016 1:00	BDL	BDL	10.7	0.1	2.2	Analyzer malfunction	15.0
8/7/2016 2:00	BDL	Calibration	7.0	0.04	2.2	Analyzer malfunction	9.0
8/7/2016 3:00	BDL	Calibration	7.2	BDL	2.3	Analyzer malfunction	11.0
8/7/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	10.0
8/7/2016 5:00	BDL	BDL	9.6	0.05	2.5	Analyzer malfunction	14.0
8/7/2016 6:00	BDL	BDL	3.0	BDL	2.0	Analyzer malfunction	12.0
8/7/2016 7:00	BDL	BDL	3.7	BDL	2.6	Analyzer malfunction	12.0
8/7/2016 8:00	BDL	BDL	2.9	BDL	2.3	Analyzer malfunction	12.0
8/7/2016 9:00	BDL	BDL	2.9	BDL	2.3	Analyzer malfunction	11.0
8/7/2016 10:00	BDL	BDL	1.9	BDL	2.2	Analyzer malfunction	9.0
8/7/2016 11:00	BDL	BDL	1.3	BDL	2.2	Analyzer malfunction	6.0
8/7/2016 12:00	BDL	BDL	1.9	BDL	2.2	Analyzer malfunction	10.0
8/7/2016 13:00	BDL	BDL	3.2	BDL	2.2	Analyzer malfunction	9.0
8/7/2016 14:00	BDL	BDL	2.3	BDL	2.2	Analyzer malfunction	8.0
8/7/2016 15:00	BDL	BDL	2.1	BDL	2.2	Analyzer malfunction	6.0
8/7/2016 16:00	BDL	BDL	1.7	BDL	2.2	Analyzer malfunction	5.0
8/7/2016 17:00	BDL	BDL	2.4	BDL	2.2	Analyzer malfunction	7.0
8/7/2016 18:00	BDL	BDL	3.0	BDL	2.3	Analyzer malfunction	8.0
8/7/2016 19:00	BDL	BDL	6.6	BDL	2.3	Analyzer malfunction	7.0
8/7/2016 20:00	BDL	BDL	12.2	BDL	2.4	Analyzer malfunction	10.0
8/7/2016 21:00	BDL	BDL	23.6	BDL	2.5	Analyzer malfunction	10.0
8/7/2016 22:00	BDL	BDL	19.4	0.1	2.7	Analyzer malfunction	9.0
8/7/2016 23:00	BDL	BDL	19.5	0.1	3.0	Analyzer malfunction	10.0
8/8/2016 0:00	BDL	BDL	14.9	0.1	2.8	Analyzer malfunction	9.0
8/8/2016 1:00	BDL	BDL	14.0	0.1	2.7	Analyzer malfunction	10.0
8/8/2016 2:00	BDL	Calibration	28.2	0.2	2.7	Analyzer malfunction	8.0
8/8/2016 3:00	BDL	Calibration	26.2	0.2	3.6	Analyzer malfunction	11.0
8/8/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	12.0
8/8/2016 5:00	BDL	BDL	35.5	0.3	2.6	Analyzer malfunction	11.0
8/8/2016 6:00	0.4	BDL	36.9	0.3	2.9	Analyzer malfunction	11.0
8/8/2016 7:00	BDL	BDL	31.8	0.2	2.3	Analyzer malfunction	14.0
8/8/2016 8:00	BDL	BDL	28.0	0.1	2.3	Analyzer malfunction	10.0
8/8/2016 9:00	BDL	BDL	24.5	0.1	2.2	Analyzer malfunction	8.0
8/8/2016 10:00	BDL	Calibration	22.4	0.1	2.4	Analyzer malfunction	11.0
8/8/2016 11:00	BDL	Calibration	13.0	0.1	5.0	Analyzer malfunction	10.0
8/8/2016 12:00	BDL	Calibration	10.6	0.1	2.2	23.0	7.0
8/8/2016 13:00	BDL	Calibration	16.8	0.1	0.1	26.0	13.0
8/8/2016 14:00	BDL	BDL	13.1	0.1	1.3	14.0	14.0
8/8/2016 15:00	BDL	BDL	13.0	0.1	2.4	17.0	12.0
8/8/2016 16:00	BDL	BDL	11.1	0.1	2.3	31.0	14.0
8/8/2016 17:00	BDL	BDL	9.8	0.1	2.3	21.0	16.0
8/8/2016 18:00	BDL	BDL	10.1	0.1	2.3	17.0	17.0
8/8/2016 19:00	BDL	BDL	6.1	BDL	6.1	16.0	13.0
8/8/2016 20:00	BDL	BDL	4.2	BDL	2.2	17.0	14.0
8/8/2016 21:00	BDL	BDL	7.3	0.0	2.2	11.0	10.0
8/8/2016 22:00	BDL	BDL	8.1	0.1	2.2	15.0	10.0
8/8/2016 23:00	BDL	BDL	7.7	0.1	2.2	7.0	10.0
8/9/2016 0:00	BDL	BDL	12.3	0.1	2.2	7.0	9.0
8/9/2016 1:00	BDL	BDL	11.4	0.1	2.3	5.0	11.0
8/9/2016 2:00	BDL	Calibration	20.3	0.1	2.3	4.0	17.0
8/9/2016 3:00	BDL	Calibration	22.4	0.1	2.3	Invalid	9.0
8/9/2016 4:00	Calibration	BDL	39.6	0.2	2.4	Calibration	15.0
8/9/2016 5:00	0.6	BDL	49.9	0.3	2.5	Invalid	15.0
8/9/2016 6:00	0.5	BDL	39.6	0.3	2.6	Invalid	21.0
8/9/2016 7:00	0.4	BDL	29.1	0.2	2.5	Invalid	16.0
8/9/2016 8:00	0.5	BDL	27.4	0.2	2.3	Invalid	15.0
8/9/2016 9:00	0.4	BDL	27.4	0.2	2.3	Invalid	15.0
8/9/2016 10:00	Too few samples	BDL	Too few samples	Too few samples	Calibration	13.0	16.0
8/9/2016 11:00	BDL	Calibration	3.6	Calibration	Calibration	13.0	10.0
8/9/2016 12:00	BDL	BDL	3.7	Calibration	2.4	14.0	11.0
8/9/2016 13:00	BDL	BDL	5.4	Calibration	2.3	17.0	12.0
8/9/2016 14:00	BDL	BDL	4.2	Calibration	2.4	20.0	14.0
8/9/2016 15:00	BDL	BDL	4.0	Calibration	2.3	19.0	10.0
8/9/2016 16:00	BDL	BDL	2.8	Calibration	2.3	17.0	12.0
8/9/2016 17:00	BDL	BDL	2.8	Calibration	2.4	10.0	10.0
8/9/2016 18:00	BDL	BDL	7.0	Calibration	2.3	10.0	9.0
8/9/2016 19:00	BDL	BDL	5.5	Calibration	2.3	9.0	13.0
8/9/2016 20:00	BDL	BDL	6.2	Calibration	2.5	11.0	11.0
8/9/2016 21:00	BDL	BDL	3.3	Calibration	2.5	8.0	7.0
8/9/2016 22:00	BDL	BDL	5.1	Calibration	2.5	6.0	9.0
8/9/2016 23:00	BDL	BDL	5.3	Calibration	2.6	8.0	6.0
8/10/2016 0:00	BDL	Calibration	3.8	Calibration	2.8	9.0	7.0
8/10/2016 1:00	BDL	Calibration	4.7	Calibration	2.9	5.0	9.0
8/10/2016 2:00	BDL	Calibration	7.4	Calibration	2.7	4.0	7.0
8/10/2016 3:00	BDL	Calibration	8.4	Calibration	2.7	8.0	9.0
8/10/2016 4:00	Calibration	BDL	12.8	BDL	2.7	11.0	7.0
8/10/2016 5:00	0.4	BDL	13.5	BDL	2.6	10.0	6.0
8/10/2016 6:00	BDL	Calibration	9.8	BDL	2.8	26.0	9.0
8/10/2016 7:00	BDL	Calibration	8.5	BDL	2.6	18.0	11.0
8/10/2016 8:00	BDL	Calibration	8.0	BDL	2.6	30.0	12.0
8/10/2016 9:00	BDL	BDL	6.3	BDL	2.8	28.0	12.0
8/10/2016 10:00	BDL	BDL	4.1	BDL	2.8	25.0	7.0
8/10/2016 11:00	BDL	BDL	2.2	BDL	3.0	47.0	12.0
8/10/2016 12:00	BDL	BDL	2.8	BDL	3.1	36.0	9.0
8/10/2016 13:00	BDL	BDL	2.5	BDL	3.6	35.0	7.0
8/10/2016 14:00	BDL	BDL	3.0	BDL	3.6	50.0	14.0
8/10/2016 15:00	BDL	BDL	3.4	BDL	3.4	35.0	14.0
8/10/2016 16:00	BDL	BDL	4.5	BDL	3.1	16.0	10.0
8/10/2016 17:00	BDL	BDL	5.5	BDL	2.9	21.0	11.0
8/10/2016 18:00	BDL	BDL	8.2	BDL	2.9	16.0	8.0
8/10/2016 19:00	BDL	BDL	8.0	BDL	2.9	21.0	9.0
8/10/2016 20:00	BDL	BDL	3.6	BDL	2.9	15.0	11.0
8/10/2016 21:00	BDL	BDL	6.0	BDL	3.0	21.0	12.0
8/10/2016 22:00	BDL	BDL	3.7	BDL	3.0	17.0	11.0
8/10/2016 23:00	BDL	BDL	4.3	BDL	3.0	22.0	16.0
8/11/2016 0:00	BDL	Calibration	4.0	BDL	2.9	18.0	14.0
8/11/2016 1:00	BDL	Calibration	5.5	BDL	2.9	21.0	10.0
8/11/2016 2:00	BDL	Calibration	7.4	BDL	2.7	17.0	8.0
8/11/2016 3:00	BDL	BDL	19.6	BDL	2.7	31.0	15.0
8/11/2016 4:00	BDL	BDL	11.9	BDL	2.7	25.0	17.0
8/11/2016 5:00	BDL	Calibration	16.4	BDL	2.7	40.0	21.0
8/11/2016 6:00	BDL	Calibration	19.2	BDL	2.8	27.0	18.0
8/11/2016 7:00	BDL	Calibration	27.0	BDL	2.7	36.0	20.0
8/11/2016 8:00	BDL	BDL	13.7	BDL	2.7	30.0	19.0
8/11/2016 9:00	BDL	BDL	9.0	BDL	2.7	49.0	17.0
8/11/2016 10:00	BDL	BDL	6.3	BDL	2.9	Invalid	Invalid
8/11/2016 11:00	BDL	BDL	7.3	BDL	3.1	Invalid	Invalid
8/11/2016 12:00	BDL	BDL	6.2	BDL	3.3	Invalid	Invalid
8/11/2016 13:00	BDL	BDL	2.7	BDL	3.2	Invalid	Invalid
8/11/2016 14:00	BDL	BDL	3.8	BDL	3.2	Invalid	Invalid
8/11/2016 15:00	BDL	BDL	3.5	BDL	2.9	Invalid	Invalid
8/11/2016 16:00	BDL	BDL	7.4	BDL	2.8	Invalid	Invalid
8/11/2016 17:00	BDL	BDL	7.9	BDL	2.9	Invalid	Invalid
8/11/2016 18:00	BDL	BDL	11.0	BDL	2.8	Invalid	Invalid
8/11/2016 19:00	BDL	BDL	11.2	BDL	3.0	Invalid	Invalid
8/11/2016 20:00	BDL	BDL	3.2	BDL	2.9	Invalid	Invalid
8/11/2016 21:00	BDL	BDL	7.0	BDL	2.8	Invalid	Invalid
8/11/2016 22:00	BDL	BDL	5.8	BDL	3.1	Invalid	Invalid
8/11/2016 23:00	BDL	Calibration	5.4	BDL	3.0	Invalid	Invalid
8/12/2016 0:00	BDL	Calibration	7.2	BDL	3.1	Invalid	Invalid
8/12/2016 1:00	BDL	Calibration	8.8	BDL	3.0	Invalid	Invalid
8/12/2016 2:00	BDL	Calibration	8.8	BDL	3.0	11.0	Invalid
8/12/2016 3:00	BDL	BDL	8.8	BDL	2.8	7.0	Invalid
8/12/2016 4:00	BDL	BDL	13.2	BDL	2.8	24.0	Invalid
8/12/2016 5:00	BDL	BDL	13.7	BDL	2.8	32.0	Invalid
8/12/2016 6:00	BDL	BDL	14.6	BDL	2.9	Invalid	Invalid
8/12/2016 7:00	BDL	BDL	12.9	BDL	3.3	Invalid	Invalid
8/12/2016 8:00	BDL	BDL	10.2	BDL	2.9	Invalid	Invalid
8/12/2016 9:00	BDL	BDL	7.5	BDL	3.1	Invalid	Invalid
8/12/2016 10:00	BDL	BDL	6.3	BDL	3.2	Invalid	Invalid
8/12/2016 11:00	BDL	BDL	5.6	BDL	3.4	Invalid	Invalid
8/12/2016 12:00	BDL	BDL	4.0	BDL	3.5	Invalid	Invalid
8/12/2016 13:00	BDL	BDL	4.3	BDL	3.3	Invalid	Invalid
8/12/2016 14:00	BDL	BDL	4.4	BDL	3.0	Invalid	Invalid
8/12/2016 15:00	BDL	BDL	8.4	BDL	2.6	Invalid	Invalid
8/12/2016 16:00	BDL	BDL	12.8	0.1	3.0	Invalid	Invalid
8/12/2016 17:00	BDL	BDL	7.8	BDL	3.0	Invalid	Invalid
8/12/2016 18:00	BDL	BDL	5.6	BDL	2.7	Invalid	Invalid
8/12/2016 19:00	BDL	BDL	11.0	BDL	2.8	Invalid	Invalid
8/12/2016 20:00	BDL	BDL	6.7	BDL	2.8	Invalid	Invalid
8/12/2016 21:00	BDL	BDL	7.7	BDL	3.0	Invalid	Invalid
8/12/2016 22:00	BDL	BDL	16.6	BDL	3.1	Invalid	Invalid
8/12/2016 23:00	BDL	Calibration	10.1	BDL	3.0	Invalid	Invalid
8/13/2016 0:00	0.4	Calibration	7.4	BDL	3.0	Invalid	Invalid
8/13/2016 1:00	0.6	Calibration	9.7	Calibration	3.2	Invalid	Invalid
8/13/2016 2:00	0.4	BDL	12.8	BDL	4.2	Invalid	Invalid
8/13/2016 3:00	0.4	BDL	13.2	BDL	4.7	Invalid	Invalid
8/13/2016 4:00	0.4	BDL	17.0	BDL	3.4	20.0	14.0
8/13/2016 5:00	BDL	BDL	11.8	BDL	3.2	13.0	14.0
8/13/2016 6:00	BDL	BDL	9.3	BDL	2.8	15.0	14.0
8/13/2016 7:00	BDL	BDL	8.1	BDL	2.6	17.0	16.0
8/13/2016 8:00	BDL	BDL	4.6	BDL	2.6	12.0	17.0
8/13/2016 9:00	BDL	BDL	2.7	BDL	3.1	17.0	9.0
8/13/2016 10:00	BDL	BDL	2.1	BDL	3.1	11.0	10.0
8/13/2016 11:00	BDL	BDL	1.2	BDL	3.2	15.0	10.0
8/13/2016 12:00	BDL	BDL	1.5	BDL	3.1	11.0	9.0
8/13/2016 13:00	BDL	BDL					

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be reported on a monthly basis.

Date & Time (EST)	H2S PPB	THS PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m ³	PM2.5 µg/m ³
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppm	10.0 ppm	1.0 µg/m ³	1.0 µg/m ³
Site Downwind Weekly 9/18/2016-9/24/2016							
9/18/2016 0:00	BDL	1.1	0.7	3.9	0.1	2.3	16.0
9/18/2016 1:00	BDL	BDL	0.6	10.6	0.2	1.4	16.0
9/18/2016 2:00	BDL	Calibration	Calibration	10.6	0.2	1.8	16.0
9/18/2016 3:00	BDL	Calibration	Calibration	10.2	0.2	1.6	18.0
9/18/2016 4:00	Calibration	BDL	0.5	Calibration	Calibration	Calibration	14.0
9/18/2016 5:00	BDL	1.8	1.5	8.3	0.1	2.1	16.0
9/18/2016 6:00	BDL	1.0	0.8	8.4	0.1	1.6	18.0
9/18/2016 7:00	BDL	0.5	0.5	3.5	0.1	1.7	12.0
9/18/2016 8:00	BDL	0.5	BDL	6.8	0.1	Calibration	16.0
9/18/2016 9:00	BDL	0.5	BDL	4.0	0.1	1.9	19.0
9/18/2016 10:00	BDL	0.4	BDL	4.6	0.1	2.4	18.0
9/18/2016 11:00	BDL	0.4	BDL	7.2	0.2	2.2	28.0
9/18/2016 12:00	BDL	BDL	BDL	5.0	0.2	2.1	21.0
9/18/2016 13:00	BDL	BDL	BDL	1.5	0.1	2.1	19.0
9/18/2016 14:00	BDL	BDL	BDL	1.3	0.2	2.2	18.0
9/18/2016 15:00	BDL	BDL	BDL	2.5	0.2	2.1	20.0
9/18/2016 16:00	BDL	BDL	BDL	7.8	0.1	2.1	21.0
9/18/2016 17:00	BDL	BDL	BDL	8.6	0.2	2.1	19.0
9/18/2016 18:00	BDL	BDL	BDL	1.8	0.1	2.1	23.0
9/18/2016 19:00	BDL	0.4	BDL	2.7	0.1	2.0	24.0
9/18/2016 20:00	BDL	BDL	BDL	5.0	0.1	1.8	15.0
9/18/2016 21:00	BDL	BDL	BDL	6.0	0.2	1.9	14.0
9/18/2016 22:00	BDL	1.0	0.7	2.7	0.1	1.9	13.0
9/18/2016 23:00	BDL	1.1	0.9	1.8	0.1	1.9	14.0
9/19/2016 0:00	BDL	1.4	1.3	3.0	0.1	2.4	12.0
9/19/2016 1:00	BDL	1.0	1.0	1.5	0.1	2.1	14.0
9/19/2016 2:00	BDL	Calib	Calibration	4.8	0.1	2.0	16.0
9/19/2016 3:00	BDL	Calib	Calibration	5.8	0.1	1.7	21.0
9/19/2016 4:00	Calibration	0.4	BDL	Calibration	Calibration	Calibration	14.0
9/19/2016 5:00	BDL	BDL	BDL	9.3	0.2	1.8	13.0
9/19/2016 6:00	BDL	0.4	BDL	14.0	0.2	1.9	17.0
9/19/2016 7:00	BDL	BDL	BDL	9.5	0.2	1.9	14.0
9/19/2016 8:00	BDL	BDL	BDL	13.6	0.2	2.2	Invalid
9/19/2016 9:00	BDL	BDL	BDL	27.3	0.3	1.9	8.0
9/19/2016 10:00	BDL	0.4	BDL	25.3	0.2	1.9	9.0
9/19/2016 11:00	BDL	0.4	BDL	26.5	0.2	1.7	9.0
9/19/2016 12:00	BDL	BDL	BDL	11.7	0.2	1.7	9.0
9/19/2016 13:00	BDL	BDL	BDL	18.5	0.1	1.9	9.0
9/19/2016 14:00	BDL	BDL	BDL	26.3	0.2	1.7	18.0
9/19/2016 15:00	BDL	BDL	BDL	15.7	0.2	1.7	12.0
9/19/2016 16:00	BDL	BDL	BDL	13.4	0.2	1.7	8.0
9/19/2016 17:00	BDL	BDL	BDL	12.2	0.2	1.7	13.0
9/19/2016 18:00	BDL	BDL	BDL	16.0	0.2	1.7	9.0
9/19/2016 19:00	BDL	0.5	BDL	14.0	0.2	1.7	12.0
9/19/2016 20:00	BDL	0.6	BDL	17.4	0.4	1.7	16.0
9/19/2016 21:00	BDL	BDL	BDL	25.4	0.3	1.8	15.0
9/19/2016 22:00	BDL	0.5	BDL	26.7	0.3	1.9	15.0
9/19/2016 23:00	BDL	BDL	BDL	16.1	0.3	2.1	19.0
9/20/2016 0:00	BDL	BDL	BDL	13.6	0.2	2.0	11.0
9/20/2016 1:00	BDL	BDL	BDL	11.2	0.2	1.8	16.0
9/20/2016 2:00	BDL	Calibration	Calibration	11.0	0.2	1.9	10.0
9/20/2016 3:00	BDL	Calibration	Calibration	11.7	0.2	1.8	17.0
9/20/2016 4:00	Calibration	0.4	BDL	Calibration	Calibration	Calibration	17.0
9/20/2016 5:00	BDL	0.5	BDL	23.4	0.4	2.2	23.0
9/20/2016 6:00	BDL	0.6	BDL	35.0	0.4	2.1	24.0
9/20/2016 7:00	BDL	0.6	BDL	38.1	0.4	2.1	33.0
9/20/2016 8:00	BDL	Calibration	Calibration	33.7	0.4	2.4	29.0
9/20/2016 9:00	BDL	Calibration	Calibration	31.2	0.3	2.4	30.0
9/20/2016 10:00	BDL	Calibration	Calibration	28.7	0.3	2.2	26.0
9/20/2016 11:00	BDL	0.8	BDL	25.6	0.3	2.1	26.0
9/20/2016 12:00	BDL	0.6	BDL	26.9	0.3	2.2	25.0
9/20/2016 13:00	BDL	0.4	BDL	32.8	0.2	1.9	17.0
9/20/2016 14:00	BDL	BDL	BDL	14.1	0.2	1.9	21.0
9/20/2016 15:00	BDL	BDL	BDL	11.9	0.2	1.9	21.0
9/20/2016 16:00	BDL	BDL	BDL	8.2	0.2	1.8	16.0
9/20/2016 17:00	BDL	BDL	BDL	8.5	0.2	1.9	13.0
9/20/2016 18:00	BDL	BDL	BDL	15.7	0.3	2.0	19.0
9/20/2016 19:00	BDL	BDL	BDL	20.1	0.4	2.0	16.0
9/20/2016 20:00	BDL	0.4	BDL	27.3	0.5	2.1	16.0
9/20/2016 21:00	BDL	0.6	BDL	33.2	0.5	2.1	19.0
9/20/2016 22:00	BDL	0.8	BDL	43.8	0.6	3.3	28.0
9/20/2016 23:00	BDL	0.6	BDL	45.2	0.6	3.7	22.0
9/21/2016 0:00	0.5	1.2	BDL	63.3	0.8	3.8	26.0
9/21/2016 1:00	0.5	1.2	BDL	59.7	0.9	3.0	28.0
9/21/2016 2:00	Calibration	Calibration	Calibration	34.2	0.4	2.1	24.0
9/21/2016 3:00	BDL	Calibration	Calibration	42.8	0.5	2.2	20.0
9/21/2016 4:00	Calibration	1.7	0.7	Calibration	Calibration	Calibration	24.0
9/21/2016 5:00	0.5	1.0	BDL	46.5	0.4	2.6	25.0
9/21/2016 6:00	0.4	0.6	BDL	36.9	0.4	2.4	21.0
9/21/2016 7:00	0.4	0.6	BDL	40.8	0.4	2.4	29.0
9/21/2016 8:00	0.6	0.8	BDL	37.2	0.4	Calibration	30.0
9/21/2016 9:00	Calibration	0.4	BDL	Calibration	Calibration	Calibration	24.0
9/21/2016 10:00	0.5	Calibration	Calibration	18.6	0.2	2.2	25.0
9/21/2016 11:00	0.7	Calibration	Calibration	21.8	0.2	2.1	27.0
9/21/2016 12:00	0.6	0.4	BDL	8.5	0.2	2.0	25.0
9/21/2016 13:00	0.5	BDL	BDL	7.2	0.2	2.1	29.0
9/21/2016 14:00	0.6	BDL	BDL	9.9	0.2	2.1	33.0
9/21/2016 15:00	0.6	BDL	BDL	11.0	0.2	2.0	30.0
9/21/2016 16:00	0.5	BDL	BDL	7.6	0.2	2.0	31.0
9/21/2016 17:00	0.4	BDL	BDL	8.4	0.2	1.9	25.0
9/21/2016 18:00	0.4	BDL	BDL	7.4	0.2	1.9	43.0
9/21/2016 19:00	0.4	BDL	BDL	15.2	0.2	1.9	27.0
9/21/2016 20:00	0.4	BDL	BDL	15.7	0.3	2.0	22.0
9/21/2016 21:00	0.4	BDL	BDL	14.3	0.3	2.0	17.0
9/21/2016 22:00	0.4	BDL	BDL	12.3	0.3	2.1	25.0
9/21/2016 23:00	0.4	BDL	BDL	13.3	0.3	2.3	27.0
9/22/2016 0:00	0.5	BDL	BDL	24.9	0.3	2.3	23.0
9/22/2016 1:00	0.5	0.5	BDL	30.7	0.4	2.4	19.0
9/22/2016 2:00	0.7	Calibration	Calibration	39.3	0.4	3.0	28.0
9/22/2016 3:00	0.7	Calibration	Calibration	49.3	0.4	3.8	32.0
9/22/2016 4:00	Calibration	BDL	Calibration	BDL	Calibration	Calibration	22.0
9/22/2016 5:00	0.9	1.0	BDL	48.0	0.5	2.5	28.0
9/22/2016 6:00	1.0	1.3	BDL	54.9	0.5	2.5	33.0
9/22/2016 7:00	1.0	1.0	BDL	46.4	0.4	2.3	23.0
9/22/2016 8:00	1.3	Calibration	Calibration	50.5	0.4	2.3	31.0
9/22/2016 9:00	1.7	Calibration	Calibration	33.9	0.3	2.4	28.0
9/22/2016 10:00	0.9	Too few samples	Too few samples	24.2	0.2	2.4	12.0
9/22/2016 11:00	0.7	0.8	BDL	14.4	0.2	2.1	27.0
9/22/2016 12:00	0.5	0.4	BDL	6.0	0.2	1.9	19.0
9/22/2016 13:00	0.5	BDL	BDL	5.7	0.2	1.9	Invalid
9/22/2016 14:00	0.5	BDL	BDL	3.9	0.2	1.8	17.0
9/22/2016 15:00	0.4	BDL	BDL	5.9	0.1	1.8	12.0
9/22/2016 16:00	BDL	BDL	BDL	1.0	0.1	1.8	13.0
9/22/2016 17:00	0.5	BDL	BDL	2.4	0.2	1.8	13.0
9/22/2016 18:00	0.4	BDL	BDL	4.4	0.2	1.7	16.0
9/22/2016 19:00	BDL	BDL	BDL	9.4	0.2	1.8	9.0
9/22/2016 20:00	BDL	BDL	BDL	14.0	0.2	1.8	17.0
9/22/2016 21:00	BDL	BDL	BDL	4.5	0.2	1.8	15.0
9/22/2016 22:00	BDL	BDL	BDL	13.8	0.2	1.8	10.0
9/22/2016 23:00	0.5	0.7	BDL	18.5	0.2	1.9	15.0
9/23/2016 0:00	0.4	0.7	BDL	16.2	0.2	2.0	17.0
9/23/2016 1:00	0.4	0.8	BDL	25.7	0.3	1.9	19.0
9/23/2016 2:00	BDL	Calibration	Calibration	19.3	0.2	2.5	18.0
9/23/2016 3:00	0.4	Calibration	Calibration	15.3	0.2	2.7	18.0
9/23/2016 4:00	BDL	Calibration	Calibration	49.3	0.4	3.8	20.0
9/23/2016 5:00	0.7	0.8	BDL	43.4	0.4	2.7	26.0
9/23/2016 6:00	0.6	0.8	BDL	39.6	0.3	3.2	31.0
9/23/2016 7:00	0.9	1.5	BDL	69.8	0.5	3.0	38.0
9/23/2016 8:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	Calibration	35.0
9/23/2016 9:00	0.9	Calibration	Calibration	20.4	0.2	2.3	45.0
9/23/2016 10:00	1.1	Calibration	Calibration	13.0	0.2	2.1	38.0
9/23/2016 11:00	1.6	0.5	BDL	11.3	0.2	2.1	35.0
9/23/2016 12:00	2.2	0.7	BDL	14.9	0.2	2.1	31.0
9/23/2016 13:00	1.8						

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected.
 Quality data will be posted on a monthly basis.

Date & Time (EST)	H2S PPB	TRG PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m ³	PM2.5 µg/m ³
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppm	10.0 ppm	1.0 µg/m ³	1.0 µg/m ³
See Downwind Weekly: 10/22/2016-10/28/2016							
10/20/2016 0:00	BDL	0.6	1.1	0.9	0.1	1.8	7.0
10/20/2016 1:00	BDL	0.5	1.1	1.8	0.2	1.9	6.0
10/20/2016 2:00	BDL	Calibration	Calibration	2.0	0.4	2.0	3.0
10/20/2016 3:00	BDL	Calibration	Calibration	0.9	0.1	1.9	5.0
10/20/2016 4:00	Calibration	0.7	1.3	Calibration	Calibration	Too few samples	5.0
10/20/2016 5:00	BDL	0.4	0.9	BDL	0.1	1.9	6.0
10/20/2016 6:00	BDL	0.4	1.0	BDL	0.1	1.9	8.0
10/20/2016 7:00	BDL	0.4	0.9	1.4	0.1	1.8	10.0
10/20/2016 8:00	BDL	0.6	1.1	1.8	0.1	1.9	9.0
10/20/2016 9:00	BDL	0.7	1.1	6.5	0.2	1.9	11.0
10/20/2016 10:00	BDL	0.7	1.1	4.5	0.2	1.8	9.0
10/20/2016 11:00	BDL	0.8	1.2	5.0	0.1	1.7	15.0
10/20/2016 12:00	BDL	0.9	1.2	6.0	0.2	2.0	17.0
10/20/2016 13:00	BDL	0.9	1.2	8.5	0.2	2.0	14.0
10/20/2016 14:00	BDL	0.9	1.2	13.9	0.2	1.9	21.0
10/20/2016 15:00	BDL	0.8	1.2	11.8	0.3	1.9	16.0
10/20/2016 16:00	BDL	0.8	1.2	12.0	0.2	1.9	19.0
10/20/2016 17:00	BDL	0.9	1.4	15.2	0.3	1.9	24.0
10/20/2016 18:00	BDL	1.0	1.3	15.6	0.3	1.9	21.0
10/20/2016 19:00	BDL	1.1	1.5	17.9	0.3	2.0	21.0
10/20/2016 20:00	BDL	1.0	1.4	12.7	0.3	2.0	20.0
10/20/2016 21:00	BDL	0.9	1.5	11.5	0.2	2.0	24.0
10/20/2016 22:00	BDL	0.8	1.1	7.9	0.3	2.0	22.0
10/20/2016 23:00	BDL	0.5	0.9	4.4	0.2	1.7	13.0
10/30/2016 0:00	BDL	0.7	1.1	5.1	0.2	1.8	9.0
10/30/2016 1:00	BDL	0.6	1.1	1.8	0.1	1.6	10.0
10/30/2016 2:00	BDL	Calibration	Calibration	2.4	0.1	1.9	14.0
10/30/2016 3:00	BDL	Calibration	Calibration	3.8	0.2	2.2	16.0
10/30/2016 4:00	Calibration	0.9	1.3	Calibration	Calibration	Too few samples	24.0
10/30/2016 5:00	BDL	0.8	1.1	15.1	0.2	2.1	21.0
10/30/2016 6:00	BDL	0.8	1.1	17.9	0.2	2.7	22.0
10/30/2016 7:00	BDL	Calibration	Calibration	15.2	0.2	2.6	23.0
10/30/2016 8:00	BDL	Calibration	Calibration	9.5	0.2	2.0	34.0
10/30/2016 9:00	BDL	0.5	1.3	4.7	0.2	2.0	28.0
10/30/2016 10:00	BDL	0.5	0.8	2.5	0.2	1.9	28.0
10/30/2016 11:00	BDL	0.4	0.8	1.7	0.1	1.8	21.0
10/30/2016 12:00	BDL	0.4	0.7	BDL	0.1	1.8	17.0
10/30/2016 13:00	BDL	BDL	0.7	BDL	0.1	1.9	13.0
10/30/2016 14:00	BDL	BDL	0.7	BDL	0.1	1.9	18.0
10/30/2016 15:00	BDL	0.4	0.8	BDL	0.1	1.9	12.0
10/30/2016 16:00	BDL	0.4	0.8	BDL	0.1	1.8	11.0
10/30/2016 17:00	BDL	BDL	0.6	0.5	0.1	2.1	14.0
10/30/2016 18:00	BDL	BDL	0.6	0.5	0.1	2.2	21.0
10/30/2016 19:00	BDL	0.5	0.9	11.0	0.3	2.8	20.0
10/30/2016 20:00	BDL	0.7	0.9	21.2	0.4	2.8	23.0
10/30/2016 21:00	BDL	0.7	0.8	21.4	0.4	2.5	23.0
10/30/2016 22:00	BDL	1.4	1.3	36.2	0.6	1.9	21.0
10/30/2016 23:00	0.4	1.3	1.4	24.9	0.4	1.8	27.0
10/40/2016 0:00	0.4	1.4	1.4	36.9	0.4	2.0	22.0
10/40/2016 1:00	0.8	1.9	1.3	71.1	0.7	3.5	31.0
10/40/2016 2:00	0.4	Calibration	Calibration	42.8	0.4	2.4	25.0
10/40/2016 3:00	BDL	Calibration	Calibration	31.7	0.3	2.3	22.0
10/40/2016 4:00	Calibration	0.8	1.5	17.2	0.2	2.2	7.0
10/40/2016 5:00	0.8	0.9	1.0	41.1	0.4	2.1	29.0
10/40/2016 6:00	1.3	1.3	1.0	47.8	0.4	2.1	33.0
10/40/2016 7:00	0.7	1.2	1.0	38.2	0.4	2.0	29.0
10/40/2016 8:00	0.4	0.7	1.0	13.9	0.2	1.7	24.0
10/40/2016 9:00	0.4	0.7	0.8	9.2	0.1	1.6	16.0
10/40/2016 10:00	BDL	0.5	0.7	7.3	0.1	1.6	16.0
10/40/2016 11:00	BDL	0.5	0.7	10.4	0.1	1.6	18.0
10/40/2016 12:00	BDL	0.5	0.8	15.3	0.2	1.7	21.0
10/40/2016 13:00	BDL	0.6	0.8	20.3	0.2	1.7	17.0
10/40/2016 14:00	BDL	0.8	0.8	19.1	0.2	1.7	23.0
10/40/2016 15:00	BDL	0.6	0.8	12.4	0.2	1.7	19.0
10/40/2016 16:00	BDL	0.5	0.7	10.9	0.2	1.7	20.0
10/40/2016 17:00	BDL	0.5	0.6	9.5	0.2	1.7	16.0
10/40/2016 18:00	BDL	0.4	0.6	8.2	0.2	1.6	17.0
10/40/2016 19:00	BDL	0.5	0.6	10.6	0.2	1.6	17.0
10/40/2016 20:00	BDL	0.5	0.7	13.4	0.2	1.7	23.0
10/40/2016 21:00	BDL	0.5	0.7	12.1	0.2	1.7	16.0
10/40/2016 22:00	BDL	0.5	0.7	7.7	0.2	1.7	20.0
10/40/2016 23:00	BDL	0.5	0.7	11.4	0.1	1.7	26.0
10/50/2016 0:00	BDL	0.4	0.6	5.7	0.1	1.8	25.0
10/50/2016 1:00	BDL	Calibration	Calibration	1.9	0.1	1.7	18.0
10/50/2016 2:00	BDL	Calibration	Calibration	3.1	0.1	1.7	17.0
10/50/2016 3:00	BDL	Calibration	Calibration	3.1	0.1	1.7	17.0
10/50/2016 4:00	Calibration	BDL	0.8	Calibration	Calibration	Too few samples	21.0
10/50/2016 5:00	BDL	0.5	0.7	9.5	0.1	1.7	12.0
10/50/2016 6:00	BDL	0.6	0.6	17.8	0.2	1.7	8.0
10/50/2016 7:00	BDL	0.7	0.7	24.9	0.2	1.8	22.0
10/50/2016 8:00	0.4	Calibration	Calibration	29.7	0.2	1.8	25.0
10/50/2016 9:00	BDL	Too few samples	Too few samples	19.4	0.2	1.7	10.0
10/50/2016 10:00	BDL	0.7	0.8	16.3	0.1	1.8	Invalid
10/50/2016 11:00	0.4	0.8	0.9	12.4	0.1	1.8	22.0
10/50/2016 12:00	0.4	0.7	0.8	15.3	0.1	1.8	20.0
10/50/2016 13:00	0.4	0.7	0.8	16.0	0.2	1.8	21.0
10/50/2016 14:00	0.4	0.6	0.8	13.4	0.1	1.6	21.0
10/50/2016 15:00	BDL	0.6	0.7	9.3	0.1	1.6	17.0
10/50/2016 16:00	BDL	0.4	0.6	1.6	0.1	1.5	18.0
10/50/2016 17:00	BDL	0.4	0.6	3.8	0.1	1.6	23.0
10/50/2016 18:00	BDL	BDL	0.7	6.1	0.2	1.6	19.0
10/50/2016 19:00	BDL	BDL	0.7	5.9	0.1	1.5	17.0
10/50/2016 20:00	BDL	0.4	0.7	9.0	0.1	1.6	17.0
10/50/2016 21:00	BDL	0.7	0.8	19.6	0.2	1.6	16.0
10/50/2016 22:00	BDL	1.1	1.1	27.7	0.3	1.7	30.0
10/50/2016 23:00	BDL	0.6	0.7	17.8	0.2	1.7	20.0
10/60/2016 0:00	BDL	0.8	1.0	16.0	0.2	1.8	17.0
10/60/2016 1:00	BDL	0.9	1.1	20.5	0.2	1.8	19.0
10/60/2016 2:00	BDL	Calibration	Calibration	34.0	0.2	1.9	16.0
10/60/2016 3:00	BDL	Calibration	Calibration	35.7	0.2	2.2	19.0
10/60/2016 4:00	Calibration	1.1	1.0	Calibration	Calibration	Too few samples	17.0
10/60/2016 5:00	0.5	1.1	0.8	30.6	0.3	1.8	8.0
10/60/2016 6:00	0.6	1.0	0.8	34.3	0.3	1.7	23.0
10/60/2016 7:00	0.6	1.4	1.0	51.2	0.4	2.0	30.0
10/60/2016 8:00	0.6	1.4	1.0	44.5	0.4	2.5	32.0
10/60/2016 9:00	0.6	1.3	1.0	38.2	0.4	2.4	32.0
10/60/2016 10:00	0.4	1.0	0.8	24.7	0.2	2.0	27.0
10/60/2016 11:00	BDL	0.6	0.8	11.4	0.2	1.9	23.0
10/60/2016 12:00	BDL	0.6	0.7	8.0	0.1	2.0	23.0
10/60/2016 13:00	0.4	0.5	0.8	7.6	0.1	2.1	20.0
10/60/2016 14:00	0.5	0.5	0.7	6.5	0.1	1.9	20.0
10/60/2016 15:00	0.6	0.5	0.8	6.9	0.1	1.9	20.0
10/60/2016 16:00	0.4	0.5	0.8	6.3	0.2	1.9	26.0
10/60/2016 17:00	0.4	0.5	0.7	8.3	0.2	2.0	22.0
10/60/2016 18:00	0.4	0.5	0.7	19.7	0.3	2.0	25.0
10/60/2016 19:00	BDL	0.8	0.9	18.1	0.3	1.9	22.0
10/60/2016 20:00	BDL	BDL	0.7	2.6	0.1	1.8	14.0
10/60/2016 21:00	BDL	0.4	0.6	6.3	0.2	1.8	14.0
10/60/2016 22:00	BDL	0.4	0.7	11.5	0.2	1.8	15.0
10/60/2016 23:00	BDL	0.5	0.7	24.1	0.3	1.8	15.0
10/70/2016 0:00	0.4	1.4	1.1	36.2	0.4	2.0	20.0
10/70/2016 1:00	BDL	1.2	0.9	33.3	0.2	2.2	16.0
10/70/2016 2:00	BDL	Calibration	Calibration	44.9	0.4	2.4	21.0
10/70/2016 3:00	0.4	Calibration	Calibration	42.9	0.3	2.6	20.0
10/70/2016 4:00	Calibration	1.2	1.0	Calibration	Calibration	Too few samples	17.0
10/70/2016 5:00	0.5	1.3	0.9	40.7	0.3	2.3	24.0
10/70/2016 6:00	0.8	1.6	1.0	64.6	0.5	2.8	29.0
10/70/2016 7:00	0.8	1.8	1.1	67.5	0.5	2.6	26.0
10/70/2016 8:00	0.5	1.2	0.8	36.3	0.3	2.1	28.0
10/70/2016 9:00	0.5	1.1	0.8	34.3	0.3	2.0	30.0
10/70/2016 10:00	0.4	0					

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	H2S PPB	THS PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m ³	PM2.5 µg/m ³
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppm	10.0 ppm	1.0 µg/m ³	1.0 µg/m ³
See Downwind Weekly: 12/11/2016-12/17/2016 Type: AVG							
12/11/2016 0:00	BDL	BDL	9.3	0.2	2.4	23.0	19.0
12/11/2016 1:00	0.4	BDL	6.4	0.2	2.3	16.0	13.0
12/11/2016 2:00	0.4	Calibration	8.5	0.2	2.2	18.0	11.0
12/11/2016 3:00	Calibration	Calibration	8.9	0.2	2.4	16.0	12.0
12/11/2016 4:00	Calibration	BDL	Calibration	Calibration	Too few samples	15.0	13.0
12/11/2016 5:00	0.8	BDL	8.5	0.2	2.4	17.0	13.0
12/11/2016 6:00	0.9	BDL	8.0	0.2	2.1	15.0	14.0
12/11/2016 7:00	0.7	BDL	13.5	0.2	Too few samples	20.0	17.0
12/11/2016 8:00	Too few samples	BDL	14.6	0.2	Too few samples	20.0	16.0
12/11/2016 9:00	BDL	BDL	11.1	0.2	2.3	20.0	17.0
12/11/2016 10:00	BDL	0.4	BDL	17.6	0.2	2.1	24.0
12/11/2016 11:00	BDL	BDL	10.9	0.2	1.8	22.0	11.0
12/11/2016 12:00	BDL	BDL	5.6	0.2	1.9	16.0	10.0
12/11/2016 13:00	BDL	BDL	5.6	0.2	2.0	20.0	10.0
12/11/2016 14:00	BDL	BDL	4.0	0.1	2.0	15.0	12.0
12/11/2016 15:00	BDL	BDL	4.5	0.2	1.9	17.0	13.0
12/11/2016 16:00	BDL	0.7	8.0	0.2	1.6	17.0	10.0
12/11/2016 17:00	BDL	0.6	12.5	0.3	1.6	24.0	12.0
12/11/2016 18:00	BDL	0.8	19.5	0.3	1.5	22.0	13.0
12/11/2016 19:00	BDL	0.8	19.2	0.3	1.6	18.0	14.0
12/11/2016 20:00	BDL	0.7	25.4	0.3	1.5	21.0	11.0
12/11/2016 21:00	BDL	1.3	29.3	0.3	1.5	17.0	12.0
12/11/2016 22:00	BDL	1.6	40.7	0.4	1.6	22.0	15.0
12/11/2016 23:00	BDL	1.7	31.6	0.4	1.6	18.0	11.0
12/12/2016 0:00	BDL	1.7	41.0	0.4	1.7	22.0	17.0
12/12/2016 1:00	BDL	2.1	49.1	0.4	1.4	24.0	16.0
12/12/2016 2:00	BDL	Calibration	50.4	0.3	1.4	21.0	13.0
12/12/2016 3:00	0.5	Calibration	56.4	0.3	1.6	17.0	18.0
12/12/2016 4:00	Calibration	1.2	1.9	Calibration	Calibration	1.9	15.0
12/12/2016 5:00	BDL	1.4	1.1	10.7	0.2	1.1	15.0
12/12/2016 6:00	BDL	0.9	0.7	11.0	0.2	1.1	14.0
12/12/2016 7:00	BDL	0.8	0.5	12.8	0.2	1.2	18.0
12/12/2016 8:00	BDL	0.9	0.8	12.7	0.2	1.0	15.0
12/12/2016 9:00	0.8	1.1	1.1	13.1	0.2	0.9	17.0
12/12/2016 10:00	1.3	0.8	0.6	16.7	0.2	1.2	30.0
12/12/2016 11:00	1.2	1.0	0.8	12.9	0.2	1.3	22.0
12/12/2016 12:00	1.7	1.2	1.1	16.9	0.2	1.0	25.0
12/12/2016 13:00	1.7	1.5	1.3	16.9	0.2	0.9	23.0
12/12/2016 14:00	1.2	1.3	0.9	18.2	0.3	1.0	21.0
12/12/2016 15:00	1.0	1.0	0.6	7.2	0.2	0.7	16.0
12/12/2016 16:00	0.4	0.4	BDL	6.7	0.2	0.7	14.0
12/12/2016 17:00	0.7	0.6	0.5	8.1	0.2	0.7	17.0
12/12/2016 18:00	0.9	0.5	0.6	9.2	0.3	0.7	16.0
12/12/2016 19:00	0.8	0.4	BDL	8.3	0.2	0.8	16.0
12/12/2016 20:00	Too few samples	0.6	0.6	7.8	0.2	0.8	15.0
12/12/2016 21:00	0.6	BDL	BDL	7.6	0.2	0.9	17.0
12/12/2016 22:00	0.7	BDL	0.4	4.3	0.2	1.0	11.0
12/12/2016 23:00	0.4	BDL	BDL	4.2	0.2	1.0	12.0
12/13/2016 0:00	0.6	BDL	BDL	3.3	0.2	1.0	14.0
12/13/2016 1:00	0.7	BDL	0.4	1.8	0.2	1.0	13.0
12/13/2016 2:00	BDL	Calibration	Calibration	0.9	0.2	1.0	15.0
12/13/2016 3:00	Calibration	Calibration	Calibration	5.3	0.2	1.1	17.0
12/13/2016 4:00	Calibration	0.4	0.6	13.9	0.2	1.3	29.0
12/13/2016 5:00	BDL	0.4	0.3	13.3	0.3	1.3	22.0
12/13/2016 6:00	BDL	0.9	0.9	23.2	0.3	1.2	22.0
12/13/2016 7:00	0.3	0.3	0.3	30.4	0.3	Invalid	Invalid
12/13/2016 8:00	Too few samples	0.6	BDL	31.7	0.3	1.4	25.0
12/13/2016 9:00	0.9	1.0	0.6	31.3	0.3	1.3	24.0
12/13/2016 10:00	0.7	1.0	0.4	24.6	0.3	0.9	26.0
12/13/2016 11:00	0.8	1.1	0.6	32.5	0.4	0.9	30.0
12/13/2016 12:00	0.4	0.4	BDL	27.4	0.3	1.1	29.0
12/13/2016 13:00	0.7	0.8	BDL	25.0	0.3	1.2	32.0
12/13/2016 14:00	1.8	0.8	0.4	24.6	0.2	1.3	21.0
12/13/2016 15:00	1.4	0.8	0.4	21.4	0.2	1.2	24.0
12/13/2016 16:00	1.7	0.9	0.5	28.5	0.3	1.2	28.0
12/13/2016 17:00	0.9	0.8	0.5	16.5	0.2	1.1	16.0
12/13/2016 18:00	0.7	1.3	0.8	27.3	0.3	0.8	20.0
12/13/2016 19:00	0.7	1.3	0.8	32.1	0.3	0.7	25.0
12/13/2016 20:00	1.4	0.8	0.9	33.9	0.4	0.8	28.0
12/13/2016 21:00	0.9	1.7	1.0	43.1	0.4	0.9	27.0
12/13/2016 22:00	Too few samples	1.8	1.2	40.4	0.3	1.2	29.0
12/13/2016 23:00	2.4	1.5	0.8	35.4	0.3	1.4	26.0
12/14/2016 0:00	2.4	1.3	0.8	22.5	0.3	0.9	21.0
12/14/2016 1:00	1.5	1.4	0.9	34.2	0.3	1.0	30.0
12/14/2016 2:00	BDL	Calibration	Calibration	38.3	0.4	1.0	31.0
12/14/2016 3:00	Calibration	Calibration	Calibration	59.9	0.4	1.6	33.0
12/14/2016 4:00	Calibration	1.4	0.6	Calibration	Calibration	1.6	28.0
12/14/2016 5:00	1.3	1.2	0.5	36.8	0.3	1.1	29.0
12/14/2016 6:00	0.8	1.3	0.4	17.9	0.3	1.1	27.0
12/14/2016 7:00	3.2	1.0	0.5	25.1	0.3	2.1	31.0
12/14/2016 8:00	0.6	0.4	BDL	27.3	0.3	3.3	31.0
12/14/2016 9:00	0.9	BDL	BDL	12.1	0.1	3.1	28.0
12/14/2016 10:00	0.8	BDL	BDL	5.6	0.1	3.5	23.0
12/14/2016 11:00	0.8	BDL	BDL	4.4	0.1	3.4	26.0
12/14/2016 12:00	0.8	BDL	BDL	4.0	0.1	3.4	25.0
12/14/2016 13:00	0.8	BDL	BDL	3.4	0.1	3.3	20.0
12/14/2016 14:00	0.8	BDL	BDL	1.6	0.1	3.3	15.0
12/14/2016 15:00	0.9	BDL	BDL	7.2	0.1	3.3	22.0
12/14/2016 16:00	1.0	BDL	BDL	8.3	0.1	3.3	16.0
12/14/2016 17:00	2.1	0.5	BDL	13.5	0.1	3.2	27.0
12/14/2016 18:00	3.1	0.5	BDL	15.7	0.2	3.1	26.0
12/14/2016 19:00	3.7	0.8	0.6	17.4	0.2	3.2	23.0
12/14/2016 20:00	2.7	0.6	0.4	15.1	0.1	3.3	23.0
12/14/2016 21:00	2.5	0.8	0.6	15.6	0.1	3.3	23.0
12/14/2016 22:00	1.8	0.8	0.7	16.1	0.2	3.3	20.0
12/14/2016 23:00	1.2	0.4	BDL	13.6	0.2	3.1	19.0
12/15/2016 0:00	0.8	0.8	0.8	7.8	0.1	3.2	17.0
12/15/2016 1:00	1.9	0.9	0.6	14.4	0.1	3.1	16.0
12/15/2016 2:00	1.4	Calibration	Calibration	11.3	0.1	2.9	14.0
12/15/2016 3:00	1.6	Calibration	Calibration	9.3	0.1	2.9	17.0
12/15/2016 4:00	Calibration	BDL	Calibration	4.6	0.1	3.0	12.0
12/15/2016 5:00	1.1	BDL	BDL	4.1	0.1	3.0	6.0
12/15/2016 6:00	1.0	BDL	BDL	7.7	0.1	2.5	12.0
12/15/2016 7:00	1.0	BDL	BDL	5.1	0.1	3.1	38.0
12/15/2016 8:00	1.0	BDL	BDL	6.4	0.1	3.3	38.0
12/15/2016 9:00	1.1	BDL	BDL	4.6	0.1	3.3	30.0
12/15/2016 10:00	0.8	BDL	BDL	1.9	0.1	3.1	20.0
12/15/2016 11:00	Too few samples	BDL	BDL	0.9	0.1	3.1	17.0
12/15/2016 12:00	7.8	0.1	0.2	0.9	0.1	3.1	6.0
12/15/2016 13:00	1.9	BDL	BDL	1.2	0.1	3.2	21.0
12/15/2016 14:00	0.7	BDL	BDL	1.7	0.1	3.3	29.0
12/15/2016 15:00	0.4	BDL	BDL	0.6	0.1	3.3	15.0
12/15/2016 16:00	BDL	BDL	BDL	2.5	0.1	3.3	17.0
12/15/2016 17:00	BDL	BDL	BDL	5.7	0.1	3.5	14.0
12/15/2016 18:00	BDL	BDL	BDL	5.5	0.1	3.5	11.0
12/15/2016 19:00	0.5	BDL	BDL	9.0	0.1	3.6	13.0
12/15/2016 20:00	0.9	BDL	BDL	10.3	0.1	4.1	13.0
12/15/2016 21:00	1.7	0.4	BDL	10.0	0.1	4.4	18.0
12/15/2016 22:00	6.6	BDL	BDL	12.9	0.1	3.9	17.0
12/15/2016 23:00	4.1	BDL	BDL	13.0	0.1	4.3	21.0
12/16/2016 0:00	BDL	0.4	BDL	16.9	0.1	4.0	18.0
12/16/2016 1:00	0.8	0.5	BDL	14.3	0.1	3.9	18.0
12/16/2016 2:00	3.8	Calibration	Calibration	10.9	0.1	4.2	18.0
12/16/2016 3:00	Calibration	Calibration	Calibration	16.2	0.1	4.1	15.0
12/16/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	4.2	15.0
12/16/2016 5:00	1.5	BDL	BDL	10.8	0.1	3.8	17.0
12/16/2016 6:00	Too few samples	BDL	BDL	10.7	0.1	3.9	15.0
12/16/2016 7:00	Calibration	BDL	Calibration	11.7	0.1	3.9	22.0
12/16/2016 8:00	Too few samples	Calibration	Calibration	11.7	0.1	3.9	28.0
12/16/2016 9:00	1.9	Calibration	Calibration	15.5	0.1	4.0	24.0
12/16/2016 10:00	Calibration	5.4	3.2	Calibration	Calibration	4.1	22.0
12/16/2016 11:00	1.7	3.4	2.2	15.3	0.1	4.1	27.0
12/16/2016 12:00	1.2	BDL	BDL	16.6	0.1	4.0	28.0
12/16/2016 13:00	2.4	BDL	BDL	20.7	0.2	4.1	25.0
12/16/2016 14:00	2.9	BDL	BDL	23.4	0.2	4.1	21.0
12/16/2016 15:00	1.9	BDL	BDL	18.4	0.1	4.1	27.0
12/16/2016 16:00	1.0	BDL	BDL	15.4	0.1	4.1	21.0
12/16/2016 17:00	0.5	BDL	BDL	12.1	0.1	4.1	28.0
12/16/2016 18:00	BDL	BDL	BDL	14.4	0.1	3.9	31.0
12/16/2016 19:00	BDL	BDL	BDL	12.7	0.1	3.9	20.0
12/16/2016 20:00	BDL	BDL	BDL	11.1	0.1	3.8	16.0
12/16/2016 21:00	BDL	BDL	BDL	13.3	0.2	3.7	18.0
12/16/2016 22:00	0.4	BDL	BDL	11.9	0.2	3.5	15.0
12/16/2016 23:00	0.5	BDL	BDL	13.0	0.2	3.6	17.0
12/17/2016 0:00	0.4	BDL	BDL	19.4	0.2	3.5	19.0
12/17/2016 1:00	BDL	BDL	BDL	14.7	0.1	3.5	16.0
1							

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Table with columns: Date & Time (EST), S02 PPM, H2S PPM, TMS PPM, NOx PPM, CO PPM, VOC PPM, PM10 µg/m3, and PM2.5 µg/m3. The table contains a dense grid of data points for various dates and times, with values ranging from 0.0 to 40.0 and text annotations like 'BDL', 'Calibration', and 'Too few samples'.

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Table with columns: Date & Time (EST), S22 PPM, H2S PPM, TMS PPM, NOx PPM, CO PPM, VOC PPM, PM10 ug/m3, and PM2.5 ug/m3. Rows include data points with values or BDL/Calibration and notes like 'Too few samples'. Includes a 'See Downwind Weekly 4/16/2017-4/22/2017' section.

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	SQ2 PP8 0.4 ppb	H2S PP8 0.4 ppb	THG PP8 0.4 ppb	NOx PP8 0.4 ppb	CO PPM 40.0 ppb	VOC PPM 10.0 ppb	PM10 µg/m3 1.0 µg/m3	PM2.5 µg/m3 1.0 µg/m3
6/18/2017 0:00	BDL	0.8	1.6	5.0	0.2	1.8	9.0	6.0
6/18/2017 1:00	BDL	1.7	1.7	6.2	0.2	1.9	12.0	4.0
6/18/2017 2:00	BDL	1.0	1.3	4.2	0.2	1.9	10.0	5.0
6/18/2017 3:00	Calibration	Calibration	Calibration	1.3	0.2	2.1	10.0	6.0
6/18/2017 4:00	Calibration	1.2	2.1	Calibration	Calibration	2.2	8.0	5.0
6/18/2017 5:00	BDL	0.8	1.7	1.1	0.1	Too few samples	14.0	7.0
6/18/2017 6:00	BDL	0.6	1.4	8.6	0.2	2.3	13.0	6.0
6/18/2017 7:00	BDL	0.6	1.3	4.6	0.2	Too few samples	14.0	6.0
6/18/2017 8:00	BDL	0.6	1.4	3.5	0.2	Too few samples	17.0	10.0
6/18/2017 9:00	BDL	0.4	1.1	BDL	0.2	2.1	16.0	10.0
6/18/2017 10:00	BDL	0.2	1.1	BDL	0.2	2.1	21.0	10.0
6/18/2017 11:00	BDL	BDL	1.1	BDL	0.2	2.0	16.0	9.0
6/18/2017 12:00	BDL	BDL	1.1	BDL	0.2	2.1	18.0	10.0
6/18/2017 13:00	BDL	BDL	1.0	BDL	0.2	2.2	23.0	10.0
6/18/2017 14:00	BDL	BDL	1.0	BDL	0.2	2.4	23.0	13.0
6/18/2017 15:00	BDL	0.4	1.1	BDL	0.2	2.1	26.0	11.0
6/18/2017 16:00	BDL	BDL	1.1	BDL	0.2	2.1	21.0	12.0
6/18/2017 17:00	BDL	BDL	1.0	BDL	0.2	2.2	23.0	12.0
6/18/2017 18:00	BDL	BDL	0.9	2.8	0.2	2.2	22.0	14.0
6/18/2017 19:00	BDL	BDL	1.0	1.8	0.2	2.1	24.0	13.0
6/18/2017 20:00	BDL	BDL	0.9	BDL	0.2	2.1	22.0	14.0
6/18/2017 21:00	BDL	BDL	1.1	BDL	0.2	2.2	22.0	10.0
6/18/2017 22:00	BDL	0.4	1.3	0.8	0.2	2.3	38.0	10.0
6/18/2017 23:00	BDL	0.9	1.8	1.4	0.3	2.0	17.0	13.0
6/19/2017 0:00	BDL	1.1	1.8	1.2	0.2	2.2	16.0	8.0
6/19/2017 1:00	BDL	0.7	1.6	0.6	0.2	2.3	18.0	14.0
6/19/2017 2:00	BDL	Calibration	Calibration	0.4	0.2	2.5	11.0	13.0
6/19/2017 3:00	BDL	Calibration	Calibration	0.6	0.2	4.4	11.0	8.0
6/19/2017 4:00	Calibration	0.6	1.6	Calibration	Calibration	3.0	19.0	12.0
6/19/2017 5:00	BDL	0.7	1.5	4.2	0.2	Too few samples	21.0	7.0
6/19/2017 6:00	BDL	0.9	1.3	2.9	0.2	2.3	19.0	11.0
6/19/2017 7:00	BDL	BDL	1.1	1.7	0.2	2.3	23.0	10.0
6/19/2017 8:00	BDL	BDL	1.0	0.8	0.2	2.3	22.0	9.0
6/19/2017 9:00	BDL	BDL	1.0	BDL	0.2	2.2	21.0	8.0
6/19/2017 10:00	BDL	BDL	0.9	2.7	0.2	2.3	22.0	8.0
6/19/2017 11:00	BDL	BDL	1.0	0.8	0.2	2.2	25.0	6.0
6/19/2017 12:00	BDL	BDL	1.0	0.9	0.2	2.2	47.0	15.0
6/19/2017 13:00	BDL	BDL	1.0	BDL	0.2	2.1	64.0	12.0
6/19/2017 14:00	BDL	BDL	1.0	BDL	0.2	2.4	38.0	12.0
6/19/2017 15:00	BDL	0.4	1.1	1.1	0.2	2.3	22.0	11.0
6/19/2017 16:00	BDL	BDL	0.9	0.8	0.2	2.3	10.0	6.0
6/19/2017 17:00	BDL	0.7	1.5	11.2	0.2	2.1	10.0	4.0
6/19/2017 18:00	BDL	0.4	1.0	9.1	0.2	2.0	15.0	5.0
6/19/2017 19:00	BDL	0.8	0.9	5.0	0.2	2.0	10.0	4.0
6/19/2017 20:00	BDL	BDL	0.9	3.2	0.2	2.0	11.0	3.0
6/19/2017 21:00	BDL	BDL	1.1	4.3	0.2	2.1	10.0	3.0
6/19/2017 22:00	BDL	0.8	1.4	2.8	0.2	2.2	6.0	4.0
6/19/2017 23:00	BDL	1.0	2.5	1.8	0.2	2.3	4.0	3.0
6/20/2017 0:00	BDL	0.9	1.7	3.4	0.2	2.4	4.0	2.0
6/20/2017 1:00	BDL	1.0	1.8	3.0	0.2	2.7	7.0	2.0
6/20/2017 2:00	BDL	Calibration	Calibration	6.2	0.2	2.4	16.0	9.0
6/20/2017 3:00	BDL	Calibration	Calibration	10.9	0.2	2.6	22.0	17.0
6/20/2017 4:00	Calibration	0.7	1.3	Calibration	Calibration	2.6	18.0	12.0
6/20/2017 5:00	BDL	1.4	1.1	15.7	0.2	Too few samples	31.0	10.0
6/20/2017 6:00	BDL	0.6	1.0	18.0	0.2	2.1	28.0	13.0
6/20/2017 7:00	BDL	1.2	0.4	0.9	0.1	2.2	28.0	13.0
6/20/2017 8:00	BDL	0.4	0.8	14.6	0.1	2.2	18.0	13.0
6/20/2017 9:00	BDL	0.6	0.6	9.9	0.1	2.2	30.0	8.0
6/20/2017 10:00	BDL	0.4	0.4	5.5	0.1	2.3	17.0	6.0
6/20/2017 11:00	BDL	0.4	BDL	4.4	0.1	2.3	26.0	6.0
6/20/2017 12:00	BDL	0.5	0.5	13.4	0.1	2.3	21.0	7.0
6/20/2017 13:00	BDL	0.9	0.4	10.5	0.1	2.3	23.0	6.0
6/20/2017 14:00	BDL	0.7	0.4	13.3	0.1	2.3	20.0	6.0
6/20/2017 15:00	BDL	1.1	0.6	8.5	0.1	2.4	14.0	5.0
6/20/2017 16:00	BDL	1.6	BDL	11.2	0.1	2.5	22.0	9.0
6/20/2017 17:00	BDL	0.6	0.8	11.3	0.1	2.4	18.0	11.0
6/20/2017 18:00	BDL	2.4	0.7	10.3	0.2	2.5	24.0	12.0
6/20/2017 19:00	BDL	0.7	BDL	0.9	0.2	2.6	24.0	10.0
6/20/2017 20:00	BDL	BDL	0.8	6.7	0.2	2.5	30.0	13.0
6/20/2017 21:00	BDL	BDL	0.8	7.1	0.2	2.4	20.0	11.0
6/20/2017 22:00	BDL	0.4	1.2	7.9	0.2	2.5	22.0	9.0
6/20/2017 23:00	BDL	BDL	0.9	4.0	0.2	2.7	46.0	13.0
6/21/2017 0:00	BDL	1.1	BDL	5.4	0.2	2.6	25.0	11.0
6/21/2017 1:00	BDL	BDL	1.0	4.9	0.2	2.8	18.0	9.0
6/21/2017 2:00	BDL	Calibration	Calibration	8.9	0.2	2.8	23.0	17.0
6/21/2017 3:00	BDL	Calibration	Calibration	11.8	0.2	2.5	28.0	16.0
6/21/2017 4:00	Calibration	0.6	0.9	Calibration	Calibration	2.6	23.0	18.0
6/21/2017 5:00	BDL	1.0	1.3	29.4	0.4	2.6	29.0	17.0
6/21/2017 6:00	BDL	0.6	0.8	24.5	0.3	2.6	29.0	19.0
6/21/2017 7:00	BDL	1.8	Audit	23.4	0.2	2.6	33.0	19.0
6/21/2017 8:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	2.5	30.0	15.0
6/21/2017 9:00	BDL	0.6	0.8	0.2	0.2	2.5	46.0	16.0
6/21/2017 10:00	Too few samples	0.6	0.9	Too few samples	Too few samples	2.3	34.0	11.0
6/21/2017 11:00	0.5	BDL	0.5	Too few samples	0.1	2.3	30.0	10.0
6/21/2017 12:00	0.4	Calibration	Calibration	Too few samples	0.1	2.4	26.0	10.0
6/21/2017 13:00	0.9	Calibration	Calibration	11.4	0.2	2.3	26.0	9.0
6/21/2017 14:00	0.8	BDL	0.6	4.0	0.2	2.4	29.0	11.0
6/21/2017 15:00	0.7	BDL	0.5	2.6	0.2	2.5	35.0	13.0
6/21/2017 16:00	BDL	BDL	0.4	6.6	0.2	2.1	12.0	13.0
6/21/2017 17:00	BDL	BDL	0.5	7.3	0.2	2.4	18.0	8.0
6/21/2017 18:00	BDL	0.4	0.7	8.8	0.2	2.3	18.0	11.0
6/21/2017 19:00	BDL	0.4	1.0	13.2	0.3	2.3	32.0	12.0
6/21/2017 20:00	BDL	0.7	1.0	12.4	0.3	2.2	15.0	12.0
6/21/2017 21:00	BDL	0.6	1.1	15.9	0.3	2.3	19.0	11.0
6/21/2017 22:00	BDL	0.8	1.3	15.2	0.3	2.5	20.0	14.0
6/21/2017 23:00	BDL	1.0	1.4	16.9	0.3	2.7	23.0	16.0
6/22/2017 0:00	BDL	1.0	1.4	15.4	0.3	2.5	21.0	11.0
6/22/2017 1:00	BDL	1.4	1.8	14.5	0.2	2.8	20.0	18.0
6/22/2017 2:00	BDL	Calibration	Calibration	14.4	0.2	3.1	24.0	18.0
6/22/2017 3:00	BDL	Calibration	Calibration	12.2	0.2	2.7	34.0	20.0
6/22/2017 4:00	Calibration	1.2	1.7	Calibration	Calibration	2.7	23.0	15.0
6/22/2017 5:00	BDL	1.7	2.0	19.9	0.3	2.7	25.0	14.0
6/22/2017 6:00	BDL	1.8	1.7	30.0	0.4	2.7	29.0	20.0
6/22/2017 7:00	BDL	1.0	1.2	29.9	0.4	2.4	34.0	11.0
6/22/2017 8:00	BDL	0.9	1.1	29.5	0.4	2.4	30.0	15.0
6/22/2017 9:00	BDL	0.7	0.9	20.2	0.2	2.4	25.0	13.0
6/22/2017 10:00	BDL	BDL	0.6	8.6	0.2	2.2	10.0	10.0
6/22/2017 11:00	BDL	BDL	0.7	3.9	0.2	2.3	25.0	9.0
6/22/2017 12:00	BDL	0.7	0.5	9.7	0.2	2.3	27.0	13.0
6/22/2017 13:00	BDL	0.8	BDL	4.9	0.2	2.3	28.0	10.0
6/22/2017 14:00	BDL	0.7	BDL	3.8	0.2	2.3	31.0	13.0
6/22/2017 15:00	BDL	0.5	BDL	2.8	0.2	2.4	29.0	17.0
6/22/2017 16:00	BDL	0.8	BDL	3.5	0.2	2.4	34.0	14.0
6/22/2017 17:00	BDL	0.7	BDL	7.0	0.2	2.4	37.0	23.0
6/22/2017 18:00	BDL	1.4	BDL	9.9	0.2	2.4	36.0	22.0
6/22/2017 19:00	BDL	1.5	0.4	1.0	0.2	2.4	37.0	16.0
6/22/2017 20:00	BDL	1.3	BDL	13.2	0.2	2.6	91.0	20.0
6/22/2017 21:00	BDL	1.0	0.8	12.2	0.3	2.7	37.0	19.0
6/22/2017 22:00	BDL	1.1	1.5	14.4	0.3	2.6	60.0	21.0
6/22/2017 23:00	BDL	0.7	1.4	10.0	0.3	2.8	31.0	23.0
6/23/2017 0:00	BDL	0.6	1.2	8.5	0.3	2.9	31.0	19.0
6/23/2017 1:00	BDL	0.6	1.2	9.0	0.3	3.0	54.0	18.0
6/23/2017 2:00	BDL	Calibration	Calibration	13.1	0.3	2.7	34.0	22.0
6/23/2017 3:00	BDL	Calibration	Calibration	12.0	0.3	2.6	65.0	19.0
6/23/2017 4:00	Calibration	1.2	1.7	Calibration	Calibration	2.7	30.0	20.0
6/23/2017 5:00	BDL	1.8	2.2	17.9	0.3	2.7	31.0	16.0
6/23/2017 6:00	BDL	1.2	1.8	13.9	0.3	2.6	37.0	20.0
6/23/2017 7:00	BDL	0.8	1.8	7.9	0.2	2.5	28.0	15.0
6/23/2017 8:00	BDL	Too few samples	Too few samples	9.3	0.2	2.4	22.0	11.0
6/23/2017 9:00	BDL	Calibration	Calibration	2.9	0.1	2.3	23.0	6.0
6/23/2017 10:00	BDL	0.9	1.1	4.3	0.1	2.2	12.0	5.0
6/23/2017 11:00	BDL	BDL	1.0	2.0	0.1	2.3	17.0	6.0
6/23/2017 12:00	BDL	BDL	1.1	3.1	0.2	2.3	26.0	9.0
6/23/2017 13:00	BDL	BDL	1.0	3.6	0.2	2.3	25.0	8.0
6/23/2017 14:00	BDL	BDL	1.0	2.8	0.2	2.3	29.0	15.0
6/23/2017 15:00	BDL	0.5	BDL	0.9	0.2	2.3	57.0	12.0
6/23/2017 16:00	BDL	BDL	1.1	BDL	0.1	2.4	27.0	8.0
6/23/2017 17:00	BDL	0.4	1.1	BDL	0.1	2.4	32.0	10.0
6/								

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data may be reported on a monthly basis.

Date & Time (EST)	SO2 PPB	H2S PPB	TMG PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m3	PM2.5 µg/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
See Downwind Weekly 6/25/2017-7/1/2017								
6/25/2017 0:00	BDL	1.4	1.8	7.2	0.1	2.4	21.0	8.0
6/25/2017 1:00	BDL	BDL	0.7	2.0	0.2	2.6	17.0	10.0
6/25/2017 2:00	BDL	Calibration	Calibration	2.1	0.2	2.5	17.0	8.0
6/25/2017 3:00	BDL	Calibration	Calibration	6.9	0.2	2.5	19.0	13.0
6/25/2017 4:00	Calibration	BDL	0.6	Calibration	Calibration	2.7	22.0	9.0
6/25/2017 5:00	BDL	BDL	0.6	12.4	0.4	2.7	17.0	9.0
6/25/2017 6:00	BDL	BDL	0.7	12.1	0.3	2.4	18.0	8.0
6/25/2017 7:00	BDL	Calibration	Calibration	7.8	0.2	2.3	17.0	9.0
6/25/2017 8:00	0.6	Calibration	Calibration	8.6	0.2	2.2	18.0	7.0
6/25/2017 9:00	0.8	BDL	0.6	9.6	0.2	2.4	17.0	11.0
6/25/2017 10:00	0.9	BDL	0.6	6.8	0.1	2.4	14.0	12.0
6/25/2017 11:00	0.7	BDL	0.6	1.2	0.1	2.5	14.0	9.0
6/25/2017 12:00	1.4	BDL	0.6	7.0	0.1	2.4	21.0	15.0
6/25/2017 13:00	0.8	BDL	0.7	2.8	0.1	2.4	23.0	10.0
6/25/2017 14:00	1.3	BDL	0.7	7.7	0.1	2.3	22.0	12.0
6/25/2017 15:00	0.9	0.4	0.7	10.5	0.1	2.3	26.0	11.0
6/25/2017 16:00	0.7	BDL	0.8	10.2	0.1	2.2	30.0	13.0
6/25/2017 17:00	BDL	BDL	0.6	5.4	0.1	2.4	14.0	8.0
6/25/2017 18:00	BDL	BDL	0.6	10.1	0.1	2.4	22.0	11.0
6/25/2017 19:00	0.6	BDL	0.5	12.6	0.1	2.4	35.0	13.0
6/25/2017 20:00	BDL	BDL	0.4	12.2	0.1	2.4	18.0	11.0
6/25/2017 21:00	BDL	BDL	0.4	7.5	0.1	2.4	13.0	10.0
6/25/2017 22:00	BDL	BDL	BDL	BDL	0.1	2.4	15.0	6.0
6/25/2017 23:00	BDL	BDL	0.4	BDL	0.1	2.4	10.0	8.0
6/26/2017 0:00	BDL	BDL	0.4	BDL	0.1	2.4	12.0	6.0
6/26/2017 1:00	BDL	BDL	0.4	BDL	0.1	2.4	13.0	6.0
6/26/2017 2:00	BDL	Calibration	Calibration	1.6	0.1	2.5	16.0	28.0
6/26/2017 3:00	BDL	Calibration	Calibration	6.8	0.1	2.7	18.0	9.0
6/26/2017 4:00	Calibration	BDL	0.4	Calibration	Calibration	3.1	15.0	7.0
6/26/2017 5:00	BDL	0.4	0.6	20.4	0.3	Too few samples	17.0	5.0
6/26/2017 6:00	BDL	BDL	0.5	10.3	0.1	2.6	17.0	4.0
6/26/2017 7:00	0.4	BDL	0.4	2.1	0.1	2.6	8.0	2.0
6/26/2017 8:00	BDL	BDL	BDL	BDL	0.04	2.5	11.0	3.0
6/26/2017 9:00	BDL	BDL	0.4	BDL	0.04	2.4	12.0	6.0
6/26/2017 10:00	BDL	BDL	0.4	1.9	BDL	2.4	17.0	2.0
6/26/2017 11:00	0.5	BDL	BDL	3.8	BDL	2.3	18.0	7.0
6/26/2017 12:00	1.7	BDL	0.4	7.4	BDL	2.3	25.0	12.0
6/26/2017 13:00	0.4	BDL	0.4	3.7	0.04	2.2	24.0	9.0
6/26/2017 14:00	0.4	BDL	0.4	5.1	BDL	2.3	14.0	5.0
6/26/2017 15:00	1.8	BDL	0.5	8.4	BDL	2.3	21.0	13.0
6/26/2017 16:00	0.6	BDL	0.5	9.8	BDL	2.3	14.0	8.0
6/26/2017 17:00	0.8	BDL	BDL	8.2	BDL	2.3	21.0	11.0
6/26/2017 18:00	BDL	BDL	0.5	4.3	0.1	2.4	9.0	7.0
6/26/2017 19:00	BDL	BDL	0.5	4.4	0.1	2.4	15.0	8.0
6/26/2017 20:00	BDL	BDL	0.6	16.8	0.2	2.2	19.0	8.0
6/26/2017 21:00	BDL	0.4	0.4	21.2	0.2	2.3	14.0	9.0
6/26/2017 22:00	BDL	BDL	0.5	14.0	0.2	2.4	19.0	8.0
6/26/2017 23:00	BDL	0.5	0.9	8.3	0.1	2.2	16.0	8.0
6/27/2017 0:00	BDL	0.7	1.0	10.4	0.1	2.5	14.0	10.0
6/27/2017 1:00	BDL	BDL	0.6	3.3	0.1	2.4	15.0	7.0
6/27/2017 2:00	BDL	Calibration	Calibration	10.1	0.1	2.3	11.0	9.0
6/27/2017 3:00	BDL	Calibration	Calibration	14.7	0.1	2.3	17.0	10.0
6/27/2017 4:00	Calibration	0.7	0.8	Calibration	Calibration	2.2	21.0	9.0
6/27/2017 5:00	BDL	1.2	1.7	20.9	0.3	Too few samples	14.0	8.0
6/27/2017 6:00	BDL	0.8	1.0	17.6	0.2	2.4	20.0	12.0
6/27/2017 7:00	BDL	0.3	0.7	26.5	0.3	2.4	23.0	18.0
6/27/2017 8:00	BDL	Calibration	Calibration	41.4	0.3	2.4	27.0	14.0
6/27/2017 9:00	0.9	Calibration	Calibration	24.9	0.2	2.4	25.0	12.0
6/27/2017 10:00	1.6	0.4	0.8	18.9	0.2	2.5	21.0	10.0
6/27/2017 11:00	1.7	BDL	0.6	10.3	0.1	2.3	13.0	10.0
6/27/2017 12:00	1.4	BDL	0.6	7.3	0.1	2.4	22.0	11.0
6/27/2017 13:00	0.9	BDL	BDL	7.7	0.1	2.3	23.0	19.0
6/27/2017 14:00	1.1	BDL	0.6	8.6	0.1	2.2	24.0	13.0
6/27/2017 15:00	0.5	BDL	0.5	7.4	0.04	2.2	17.0	9.0
6/27/2017 16:00	BDL	BDL	0.5	3.3	0.04	2.2	18.0	7.0
6/27/2017 17:00	0.6	BDL	0.5	4.6	0.04	2.2	24.0	9.0
6/27/2017 18:00	0.5	BDL	0.4	5.7	0.1	2.2	24.0	9.0
6/27/2017 19:00	BDL	BDL	0.4	1.6	0.1	2.3	11.0	9.0
6/27/2017 20:00	BDL	BDL	0.4	0.8	0.1	2.3	12.0	7.0
6/27/2017 21:00	BDL	BDL	BDL	BDL	0.04	2.3	15.0	7.0
6/27/2017 22:00	BDL	BDL	BDL	BDL	0.04	2.3	11.0	5.0
6/27/2017 23:00	BDL	BDL	BDL	BDL	0.04	2.3	8.0	2.0
6/28/2017 0:00	BDL	BDL	BDL	BDL	0.04	2.3	10.0	1.0
6/28/2017 1:00	BDL	BDL	BDL	BDL	0.1	2.4	15.0	2.0
6/28/2017 2:00	BDL	Calibration	Calibration	BDL	0.04	2.4	12.0	5.0
6/28/2017 3:00	BDL	Calibration	Calibration	BDL	0.1	2.5	9.0	4.0
6/28/2017 4:00	Calibration	BDL	0.4	Calibration	Calibration	2.5	13.0	3.0
6/28/2017 5:00	BDL	BDL	0.4	5.9	0.1	2.4	10.0	6.0
6/28/2017 6:00	BDL	BDL	0.4	6.2	0.1	2.4	8.0	5.0
6/28/2017 7:00	BDL	BDL	BDL	3.2	0.1	2.3	15.0	5.0
6/28/2017 8:00	BDL	BDL	BDL	1.5	0.1	2.3	9.0	6.0
6/28/2017 9:00	BDL	BDL	0.4	0.5	0.04	2.2	11.0	5.0
6/28/2017 10:00	BDL	BDL	BDL	BDL	0.1	2.3	20.0	4.0
6/28/2017 11:00	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit
6/28/2017 12:00	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit
6/28/2017 13:00	Audit	Too few samples	Too few samples	Audit	Audit	Audit	Audit	Audit
6/28/2017 14:00	Audit	Maintenance	Maintenance	Audit	Audit	Audit	Audit	Audit
6/28/2017 15:00	Audit	Too few samples	Too few samples	Audit	Audit	Audit	Audit	Audit
6/28/2017 16:00	0.5	BDL	BDL	3.8	0.1	2.3	21.0	7.0
6/28/2017 17:00	0.8	BDL	BDL	2.4	0.1	2.2	19.0	6.0
6/28/2017 18:00	1.9	BDL	BDL	8.4	0.1	2.4	23.0	13.0
6/28/2017 19:00	0.9	BDL	0.4	9.0	0.1	2.6	18.0	9.0
6/28/2017 20:00	BDL	BDL	0.4	10.5	0.1	2.7	18.0	7.0
6/28/2017 21:00	BDL	0.7	0.9	2.8	0.1	2.6	17.0	10.0
6/28/2017 22:00	BDL	1.2	2.1	2.1	0.1	2.7	18.0	6.0
6/28/2017 23:00	BDL	1.9	2.3	10.0	0.1	2.7	26.0	7.0
6/29/2017 0:00	BDL	1.5	1.9	9.3	0.1	2.7	15.0	12.0
6/29/2017 1:00	BDL	1.4	1.7	7.4	0.1	2.6	12.0	8.0
6/29/2017 2:00	BDL	Calibration	Calibration	7.6	0.1	2.6	15.0	5.0
6/29/2017 3:00	BDL	Calibration	Calibration	11.3	0.1	2.6	13.0	7.0
6/29/2017 4:00	Calibration	1.2	1.4	Calibration	Calibration	2.3	15.0	11.0
6/29/2017 5:00	BDL	1.2	1.5	15.2	0.2	2.6	16.0	8.0
6/29/2017 6:00	BDL	1.5	1.7	11.0	0.1	2.4	18.0	8.0
6/29/2017 7:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	15.0	11.0
6/29/2017 8:00	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit
6/29/2017 9:00	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit
6/29/2017 10:00	Audit	Audit	Audit	Audit	Audit	Audit	31.0	15.0
6/29/2017 11:00	BDL	Too few samples	Too few samples	0.9	0.1	2.4	32.0	10.0
6/29/2017 12:00	BDL	Calibration	Calibration	0.6	0.1	2.6	30.0	10.0
6/29/2017 13:00	BDL	Too few samples	Too few samples	0.6	0.1	2.9	29.0	8.0
6/29/2017 14:00	BDL	0.6	1.2	2.2	0.1	2.4	31.0	8.0
6/29/2017 15:00	BDL	BDL	0.5	BDL	0.1	2.4	29.0	8.0
6/29/2017 16:00	BDL	BDL	0.5	BDL	0.1	2.5	18.0	11.0
6/29/2017 17:00	BDL	BDL	0.6	0.5	0.1	2.5	31.0	8.0
6/29/2017 18:00	BDL	BDL	0.7	0.6	0.1	2.4	28.0	10.0
6/29/2017 19:00	BDL	0.4	0.8	BDL	0.1	2.4	29.0	9.0
6/29/2017 20:00	BDL	0.4	0.9	0.9	0.1	2.4	24.0	10.0
6/29/2017 21:00	BDL	0.8	1.2	4.0	0.1	2.3	22.0	10.0
6/29/2017 22:00	BDL	0.9	1.3	3.6	0.1	2.4	19.0	8.0
6/29/2017 23:00	BDL	0.9	1.4	4.1	0.1	2.4	16.0	8.0
6/30/2017 0:00	BDL	1.2	1.7	2.7	0.1	2.4	52.0	8.0
6/30/2017 1:00	BDL	0.8	1.3	2.1	0.1	2.5		

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	H2S PPB	TMS PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m ³	PM2.5 µg/m ³
Detection Limit:	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m ³	1.0 µg/m ³
See Downwind Weekly 10/12/2017-10/27/2017							
10/12/2017 0:00	BDL	BDL	BDL	0.2	2.4	7.0	2.0
10/12/2017 1:00	BDL	BDL	BDL	0.2	2.4	5.0	3.0
10/12/2017 2:00	BDL	BDL	BDL	0.2	2.4	5.0	3.0
10/12/2017 3:00	BDL	BDL	BDL	0.2	2.5	5.0	5.0
10/12/2017 4:00	Calibration	Calibration	Calibration	Calibration	2.5	6.0	3.0
10/12/2017 5:00	BDL	BDL	BDL	0.2	2.5	6.0	5.0
10/12/2017 6:00	BDL	BDL	BDL	0.2	2.6	6.0	5.0
10/12/2017 7:00	BDL	BDL	BDL	0.2	2.4	11.0	5.0
10/12/2017 8:00	BDL	BDL	BDL	Analyst malfunction	2.5	11.0	5.0
10/12/2017 9:00	BDL	BDL	BDL	Analyst malfunction	2.4	10.0	2.0
10/12/2017 10:00	BDL	BDL	BDL	Analyst malfunction	2.3	8.0	2.0
10/12/2017 11:00	BDL	BDL	BDL	Analyst malfunction	2.3	6.0	2.0
10/12/2017 12:00	BDL	BDL	BDL	Analyst malfunction	2.3	4.0	BDL
10/12/2017 13:00	BDL	BDL	BDL	Analyst malfunction	2.4	6.0	BDL
10/12/2017 14:00	BDL	BDL	BDL	Analyst malfunction	2.4	11.0	BDL
10/12/2017 15:00	BDL	BDL	BDL	Analyst malfunction	2.4	5.0	2.0
10/12/2017 16:00	BDL	BDL	BDL	Analyst malfunction	2.4	5.0	3.0
10/12/2017 17:00	BDL	BDL	BDL	Analyst malfunction	2.3	8.0	2.0
10/12/2017 18:00	BDL	BDL	BDL	Analyst malfunction	2.3	6.0	3.0
10/12/2017 19:00	BDL	BDL	BDL	Analyst malfunction	2.3	10.0	2.0
10/12/2017 20:00	BDL	BDL	BDL	Analyst malfunction	2.3	8.0	2.0
10/12/2017 21:00	BDL	BDL	BDL	Analyst malfunction	2.7	14.0	5.0
10/12/2017 22:00	BDL	BDL	BDL	Analyst malfunction	3.6	17.0	5.0
10/12/2017 23:00	BDL	BDL	BDL	Analyst malfunction	3.5	12.0	6.0
10/20/2017 0:00	BDL	BDL	BDL	Analyst malfunction	3.9	9.0	8.0
10/20/2017 1:00	BDL	BDL	BDL	Analyst malfunction	3.7	10.0	6.0
10/20/2017 2:00	BDL	BDL	BDL	Analyst malfunction	3.9	10.0	6.0
10/20/2017 3:00	BDL	BDL	BDL	Analyst malfunction	3.3	8.0	6.0
10/20/2017 4:00	Calibration	Calibration	Calibration	Calibration	3.6	16.0	6.0
10/20/2017 5:00	BDL	BDL	BDL	Calibration	3.3	8.0	6.0
10/20/2017 6:00	BDL	BDL	BDL	Analyst malfunction	3.8	28.0	9.0
10/20/2017 7:00	BDL	BDL	BDL	Analyst malfunction	3.9	28.0	8.0
10/20/2017 8:00	Too few samples	BDL	BDL	Analyst malfunction	2.7	34.0	8.0
10/20/2017 9:00	Too few samples	BDL	BDL	Calibration	2.9	24.0	8.0
10/20/2017 10:00	BDL	BDL	BDL	Calibration	2.4	14.0	2.0
10/20/2017 11:00	BDL	BDL	BDL	Calibration	2.4	14.0	2.0
10/20/2017 12:00	BDL	BDL	BDL	Calibration	2.4	14.0	2.0
10/20/2017 13:00	Calibration	Calibration	Calibration	Calibration	2.4	14.0	7.0
10/20/2017 14:00	Calibration	Calibration	Calibration	Calibration	2.3	19.0	8.0
10/20/2017 15:00	BDL	BDL	BDL	Too few samples	2.4	21.0	7.0
10/20/2017 16:00	BDL	BDL	BDL	Too few samples	2.4	21.0	7.0
10/20/2017 17:00	BDL	BDL	BDL	0.3	2.4	19.0	7.0
10/20/2017 18:00	BDL	BDL	BDL	5.5	19.0	7.0	8.0
10/20/2017 19:00	BDL	BDL	BDL	12.1	0.4	17.0	8.0
10/20/2017 20:00	BDL	BDL	BDL	19.1	0.4	18.0	10.0
10/20/2017 21:00	BDL	BDL	BDL	10.6	0.3	16.0	7.0
10/20/2017 22:00	BDL	BDL	BDL	8.3	0.3	12.0	8.0
10/20/2017 23:00	BDL	BDL	BDL	1.0	0.4	11.0	7.0
10/21/2017 0:00	BDL	BDL	BDL	30.2	0.6	2.3	8.0
10/21/2017 1:00	BDL	BDL	BDL	41.3	0.3	16.0	8.0
10/21/2017 2:00	BDL	BDL	BDL	0.4	0.5	2.4	10.0
10/21/2017 3:00	BDL	BDL	BDL	35.2	0.5	14.0	8.0
10/21/2017 4:00	BDL	BDL	BDL	32.2	0.5	19.0	8.0
10/21/2017 5:00	Calibration	Calibration	Calibration	58.7	0.6	21.0	10.0
10/21/2017 6:00	Calibration	Calibration	Calibration	62.6	0.7	28.0	9.0
10/21/2017 7:00	Calibration	Calibration	Calibration	60.0	0.8	19.0	10.0
10/21/2017 8:00	Calibration	Calibration	Calibration	60.0	0.7	20.0	10.0
10/21/2017 9:00	Calibration	Calibration	Calibration	60.0	0.7	34.0	11.0
10/21/2017 10:00	BDL	BDL	BDL	Calibration	2.7	38.0	9.0
10/21/2017 11:00	BDL	BDL	BDL	Calibration	2.6	40.0	11.0
10/21/2017 12:00	BDL	BDL	BDL	Calibration	16.7	36.0	9.0
10/21/2017 13:00	BDL	BDL	BDL	Calibration	4.6	21.0	8.0
10/21/2017 14:00	BDL	BDL	BDL	Calibration	1.2	31.0	8.0
10/21/2017 15:00	BDL	BDL	BDL	Calibration	2.1	18.0	2.0
10/21/2017 16:00	BDL	BDL	BDL	Calibration	2.1	18.0	4.0
10/21/2017 17:00	BDL	BDL	BDL	Calibration	2.1	15.0	4.0
10/21/2017 18:00	BDL	BDL	BDL	Calibration	2.1	15.0	3.0
10/21/2017 19:00	BDL	BDL	BDL	Calibration	2.1	17.0	4.0
10/21/2017 20:00	BDL	BDL	BDL	Calibration	2.1	16.0	3.0
10/21/2017 21:00	BDL	BDL	BDL	Calibration	2.1	16.0	6.0
10/21/2017 22:00	BDL	BDL	BDL	Calibration	2.1	17.0	4.0
10/21/2017 23:00	BDL	BDL	BDL	Calibration	2.1	11.0	2.0
10/22/2017 0:00	BDL	BDL	BDL	Calibration	2.1	10.0	BDL
10/22/2017 1:00	BDL	BDL	BDL	Calibration	2.4	11.0	3.0
10/22/2017 2:00	BDL	BDL	BDL	Calibration	2.9	12.0	1.0
10/22/2017 3:00	BDL	BDL	BDL	Calibration	15.1	13.0	4.0
10/22/2017 4:00	Calibration	Calibration	Calibration	16.5	2.7	14.0	4.0
10/22/2017 5:00	Calibration	Calibration	Calibration	28.7	3.3	21.0	3.0
10/22/2017 6:00	Calibration	Calibration	Calibration	1.7	3.6	20.0	2.0
10/22/2017 7:00	Calibration	Calibration	Calibration	0.6	1.9	31.0	6.0
10/22/2017 8:00	Calibration	Calibration	Calibration	0.5	1.6	43.0	8.0
10/22/2017 9:00	Calibration	Calibration	Calibration	0.7	2.6	48.0	18.0
10/22/2017 10:00	Calibration	Calibration	Calibration	0.8	1.8	28.0	10.0
10/22/2017 11:00	Calibration	Calibration	Calibration	0.8	1.7	21.0	8.0
10/22/2017 12:00	Calibration	Calibration	Calibration	1.8	0.2	25.0	7.0
10/22/2017 13:00	Calibration	Calibration	Calibration	0.4	0.1	25.0	7.0
10/22/2017 14:00	Calibration	Calibration	Calibration	0.5	0.1	25.0	8.0
10/22/2017 15:00	Calibration	Calibration	Calibration	0.4	0.1	25.0	8.0
10/22/2017 16:00	Calibration	Calibration	Calibration	0.4	0.1	25.0	8.0
10/22/2017 17:00	Calibration	Calibration	Calibration	0.4	0.1	25.0	8.0
10/22/2017 18:00	Calibration	Calibration	Calibration	0.4	0.1	25.0	8.0
10/22/2017 19:00	Calibration	Calibration	Calibration	0.4	0.1	25.0	8.0
10/22/2017 20:00	Calibration	Calibration	Calibration	0.4	0.1	25.0	8.0
10/22/2017 21:00	Calibration	Calibration	Calibration	0.4	0.1	25.0	8.0
10/22/2017 22:00	Calibration	Calibration	Calibration	0.4	0.1	25.0	8.0
10/22/2017 23:00	Calibration	Calibration	Calibration	0.4	0.1	25.0	8.0
10/23/2017 0:00	Calibration	Calibration	Calibration	0.4	0.1	25.0	8.0
10/23/2017 1:00	Calibration	Calibration	Calibration	0.4	0.1	25.0	8.0
10/23/2017 2:00	Calibration	Calibration	Calibration	0.4	0.1	25.0	8.0
10/23/2017 3:00	Calibration	Calibration	Calibration	0.4	0.1	25.0	8.0
10/23/2017 4:00	Calibration	Calibration	Calibration	0.4	0.1	25.0	8.0
10/23/2017 5:00	Calibration	Calibration	Calibration	0.4	0.1	25.0	8.0
10/23/2017 6:00	Calibration	Calibration	Calibration	0.4	0.1	25.0	8.0
10/23/2017 7:00	Calibration	Calibration	Calibration	0.4	0.1	25.0	8.0
10/23/2017 8:00	Calibration	Calibration	Calibration	0.4	0.1	25.0	8.0
10/23/2017 9:00	Calibration	Calibration	Calibration	0.4	0.1	25.0	8.0
10/23/2017 10:00	Calibration	Calibration	Calibration	0.4	0.1	25.0	8.0
10/23/2017 11:00	Calibration	Calibration	Calibration	0.4	0.1	25.0	8.0
10/23/2017 12:00	Calibration	Calibration	Calibration	0.4	0.1	25.0	8.0
10/23/2017 13:00	Calibration	Calibration	Calibration	0.4	0.1	25.0	8.0
10/23/2017 14:00	Calibration	Calibration	Calibration	0.4	0.1	25.0	8.0
10/23/2017 15:00	Calibration	Calibration	Calibration	0.4	0.1	25.0	8.0
10/23/2017 16:00	Calibration	Calibration	Calibration	0.4	0.1	25.0	8.0
10/23/2017 17:00	Calibration	Calibration	Calibration	0.4	0.1	25.0	8.0
10/23/2017 18:00	Calibration	Calibration	Calibration	0.4	0.1	25.0	8.0
10/23/2017 19:00	Calibration	Calibration	Calibration	0.4	0.1	25.0	8.0
10/23/2017 20:00	Calibration	Calibration	Calibration	0.4	0.1	25.0	8.0
10/23/2017 21:00	Calibration	Calibration	Calibration	0.4	0.1	25.0	8.0
10/23/2017 22:00	Calibration	Calibration	Calibration	0.4	0.1	25.0	8.0
10/23/2017 23:00	Calibration	Calibration	Calibration	0.4	0.1	25.0	8.0

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	O ₃	H ₂ S	TRG	NOx	CO	VOC	PM10	PM2.5
Detection limit:	0.4 ppb	PPB	PPB	PPB	PPM	PPM	μg/m ³	μg/m ³
See Downwind Weekly 1/21/2018-1/27/2018	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	40.0 ppb	1.0 μg/m ³	1.0 μg/m ³
1/21/2018 0:00	2.6	3.6	1.1	101.5	1.0	4.4	47.0	16.0
1/21/2018 1:00	2.4	3.9	0.3	101.9	0.8	5.6	42.0	14.0
1/21/2018 2:00	4.4	Calibration	BDL	112.9	0.9	4.0	35.0	17.0
1/21/2018 3:00	2.5	Calibration	Calibration	83.0	0.8	4.3	35.0	25.0
1/21/2018 4:00	2.8	Calibration	Calibration	83.0	0.8	4.3	35.0	22.0
1/21/2018 5:00	3.0	1.4	1.4	98.3	0.8	4.7	35.0	21.0
1/21/2018 6:00	3.2	BDL	BDL	102.0	0.9	4.0	34.0	23.0
1/21/2018 7:00	3.7	Too few samples	Calibration	109.5	0.8	4.1	32.0	26.0
1/21/2018 8:00	4.4	Too few samples	Too few samples	112.9	0.8	4.8	44.0	28.0
1/21/2018 9:00	4.4	Calibration	Calibration	106.0	0.8	5.7	75.0	34.0
1/21/2018 10:00	2.8	Calibration	Calibration	65.5	0.6	3.6	38.0	24.0
1/21/2018 11:00	4.3	Calibration	Calibration	54.5	0.4	3.0	38.0	19.0
1/21/2018 12:00	3.4	BDL	BDL	10.7	0.2	2.5	28.0	10.0
1/21/2018 13:00	2.8	BDL	BDL	8.0	0.2	2.7	27.0	11.0
1/21/2018 14:00	2.7	BDL	BDL	8.0	0.2	2.5	26.0	14.0
1/21/2018 15:00	3.2	BDL	BDL	14.1	0.2	2.4	23.0	13.0
1/21/2018 16:00	3.2	BDL	BDL	17.4	0.3	2.4	33.0	16.0
1/21/2018 17:00	2.5	BDL	BDL	23.5	0.3	2.6	30.0	17.0
1/21/2018 18:00	2.3	BDL	BDL	40.9	0.3	2.5	45.0	18.0
1/21/2018 19:00	1.9	BDL	BDL	27.8	0.4	3.0	38.0	16.0
1/21/2018 20:00	1.8	BDL	BDL	25.2	0.4	2.6	35.0	20.0
1/21/2018 21:00	1.9	BDL	BDL	30.5	0.5	2.5	38.0	21.0
1/21/2018 22:00	2.1	0.6	1.1	44.8	0.6	2.6	56.0	28.0
1/21/2018 23:00	2.1	0.4	1.0	40.8	0.6	2.6	60.0	21.0
1/22/2018 0:00	1.6	BDL	BDL	32.0	0.4	2.9	40.0	17.0
1/22/2018 1:00	1.5	BDL	BDL	23.3	0.3	2.9	31.0	10.0
1/22/2018 2:00	1.7	Calibration	Calibration	37.3	0.3	2.7	27.0	14.0
1/22/2018 3:00	1.7	Calibration	Calibration	47.2	0.4	3.5	28.0	15.0
1/22/2018 4:00	Calibration	1.5	Calibration	Calibration	1.4	3.2	51.0	17.0
1/22/2018 5:00	2.2	2.5	1.9	86.3	0.5	3.5	60.0	14.0
1/22/2018 6:00	1.9	1.9	1.8	74.0	1.8	2.6	62.0	17.0
1/22/2018 7:00	2.1	Too few samples	Too few samples	84.9	0.6	3.2	69.0	18.0
1/22/2018 8:00	2.1	Calibration	Calibration	85.0	0.6	3.1	61.0	19.0
1/22/2018 9:00	Too few samples	1.2	Calibration	85.0	0.6	2.1	60.0	20.0
1/22/2018 10:00	Calibration	1.9	1.5	Calibration	Calibration	2.8	52.0	16.0
1/22/2018 11:00	BDL	1.2	1.2	27.2	0.2	2.4	27.0	14.0
1/22/2018 12:00	2.1	BDL	1.0	19.6	0.2	2.3	22.0	13.0
1/22/2018 13:00	1.9	BDL	0.8	23.7	0.2	2.3	26.0	11.0
1/22/2018 14:00	1.9	BDL	0.7	21.3	0.3	2.3	29.0	10.0
1/22/2018 15:00	2.1	BDL	0.7	15.6	0.3	2.2	28.0	11.0
1/22/2018 16:00	2.6	0.6	1.3	53.6	0.7	2.3	52.0	11.0
1/22/2018 17:00	3.5	3.3	2.3	134.3	1.6	3.0	115.0	27.0
1/22/2018 18:00	2.8	3.1	1.2	131.2	1.3	3.3	98.0	25.0
1/22/2018 19:00	3.0	1.6	3.0	124.6	1.6	3.4	76.0	23.0
1/22/2018 20:00	2.2	1.9	1.2	77.0	0.8	3.1	54.0	18.0
1/22/2018 21:00	1.7	1.3	1.6	95.8	0.7	3.2	36.0	16.0
1/22/2018 22:00	1.1	1.3	1.6	49.5	1.0	2.8	36.0	14.0
1/22/2018 23:00	1.3	0.5	0.5	5.5	0.2	2.5	14.0	8.0
1/23/2018 0:00	1.1	BDL	0.6	4.6	0.2	2.2	13.0	4.0
1/23/2018 1:00	1.1	BDL	0.6	3.9	0.1	2.2	15.0	6.0
1/23/2018 2:00	1.0	Calibration	Calibration	5.8	0.2	2.3	13.0	6.0
1/23/2018 3:00	1.0	Calibration	Calibration	16.5	0.2	2.7	15.0	7.0
1/23/2018 4:00	Calibration	BDL	BDL	Calibration	BDL	2.6	22.0	8.0
1/23/2018 5:00	0.9	BDL	0.6	8.6	0.2	2.7	18.0	6.0
1/23/2018 6:00	0.9	BDL	0.8	8.8	0.2	2.6	15.0	4.0
1/23/2018 7:00	0.9	Too few samples	Too few samples	6.2	0.2	2.0	14.0	9.0
1/23/2018 8:00	0.8	Calibration	Calibration	2.8	0.2	2.0	12.0	6.0
1/23/2018 9:00	0.8	BDL	0.5	5.0	0.2	2.1	10.0	6.0
1/23/2018 10:00	0.8	BDL	1.0	7.0	0.2	2.2	7.0	5.0
1/23/2018 11:00	1.0	BDL	0.9	7.2	0.3	2.3	7.0	4.0
1/23/2018 12:00	0.9	BDL	0.6	3.9	0.2	2.2	7.0	2.9
1/23/2018 13:00	1.3	BDL	0.5	2.2	0.2	2.5	Invalid	Invalid
1/23/2018 14:00	1.9	BDL	0.6	3.8	0.2	2.1	8.0	6.0
1/23/2018 15:00	Too few samples	BDL	0.6	3.7	0.2	2.2	17.0	5.0
1/23/2018 16:00	BDL	BDL	0.5	BDL	0.2	2.3	12.0	5.0
1/23/2018 17:00	Invalid	BDL	BDL	1.6	0.1	2.2	18.0	6.0
1/23/2018 18:00	Invalid	BDL	BDL	1.5	0.1	2.2	17.0	6.0
1/23/2018 19:00	Invalid	BDL	BDL	0.4	0.1	2.2	7.0	5.0
1/23/2018 20:00	Invalid	BDL	0.4	2.7	0.1	2.3	13.0	7.0
1/23/2018 21:00	Invalid	BDL	0.4	4.7	0.1	2.3	11.0	6.0
1/23/2018 22:00	Invalid	BDL	0.4	8.6	0.2	2.3	13.0	6.0
1/23/2018 23:00	Invalid	BDL	0.4	10.8	0.2	2.3	9.0	7.0
1/24/2018 0:00	Invalid	BDL	0.5	13.4	0.1	2.2	13.0	7.0
1/24/2018 1:00	Invalid	BDL	0.8	16.4	0.1	2.5	13.0	5.0
1/24/2018 2:00	Invalid	Calibration	Calibration	14.8	0.2	2.8	11.0	9.0
1/24/2018 3:00	Calibration	Calibration	Calibration	16.2	0.2	2.8	17.0	8.0
1/24/2018 4:00	Calibration	BDL	BDL	Calibration	BDL	2.6	13.0	6.0
1/24/2018 5:00	Invalid	BDL	0.5	2.5	0.1	2.3	11.0	4.0
1/24/2018 6:00	Invalid	BDL	0.2	7.1	0.2	2.5	17.0	4.0
1/24/2018 7:00	Too few samples	Calibration	Calibration	2.8	0.1	2.3	17.0	4.0
1/24/2018 8:00	0.4	Calibration	Calibration	1.9	0.1	2.3	13.0	2.3
1/24/2018 9:00	0.4	BDL	BDL	BDL	0.1	2.3	12.0	BDL
1/24/2018 10:00	0.4	BDL	BDL	BDL	0.1	2.3	10.0	BDL
1/24/2018 11:00	0.4	BDL	BDL	11.7	0.1	2.5	7.0	BDL
1/24/2018 12:00	0.4	BDL	BDL	BDL	0.1	2.3	9.0	2.0
1/24/2018 13:00	BDL	BDL	BDL	BDL	0.1	2.4	14.0	BDL
1/24/2018 14:00	BDL	BDL	BDL	BDL	0.1	2.4	11.0	BDL
1/24/2018 15:00	BDL	BDL	BDL	1.0	0.1	2.3	12.0	3.0
1/24/2018 16:00	BDL	BDL	BDL	BDL	0.1	2.3	11.0	4.0
1/24/2018 17:00	BDL	BDL	BDL	BDL	0.1	2.4	11.0	3.0
1/24/2018 18:00	BDL	BDL	BDL	BDL	0.1	2.3	9.0	2.0
1/24/2018 19:00	BDL	BDL	BDL	BDL	0.1	2.3	11.0	1.0
1/24/2018 20:00	BDL	BDL	BDL	BDL	0.1	2.2	6.0	BDL
1/24/2018 21:00	BDL	BDL	BDL	BDL	0.1	2.3	7.0	1.0
1/24/2018 22:00	BDL	BDL	BDL	BDL	0.1	2.3	13.0	3.0
1/24/2018 23:00	BDL	BDL	BDL	BDL	0.1	2.3	8.0	3.0
1/25/2018 0:00	BDL	BDL	BDL	BDL	0.1	2.3	7.0	4.0
1/25/2018 1:00	BDL	BDL	BDL	BDL	0.1	2.4	10.0	5.0
1/25/2018 2:00	BDL	Calibration	Calibration	0.6	0.1	2.3	9.0	8.0
1/25/2018 3:00	BDL	Calibration	Calibration	1.1	0.1	2.3	8.0	7.0
1/25/2018 4:00	Calibration	BDL	BDL	Calibration	BDL	2.3	8.0	6.0
1/25/2018 5:00	BDL	BDL	BDL	5.7	0.2	2.3	14.0	7.0
1/25/2018 6:00	BDL	BDL	BDL	8.4	0.2	2.4	17.0	6.0
1/25/2018 7:00	BDL	Calibration	Calibration	10.2	0.2	2.4	22.0	6.0
1/25/2018 8:00	BDL	Calibration	Calibration	8.3	0.1	2.5	19.0	5.0
1/25/2018 9:00	BDL	BDL	BDL	4.4	0.1	2.5	15.0	3.0
1/25/2018 10:00	BDL	BDL	BDL	2.9	0.1	2.5	13.0	3.0
1/25/2018 11:00	BDL	BDL	BDL	1.0	0.2	2.5	12.0	1.0
1/25/2018 12:00	BDL	Too few samples	Too few samples	BDL	0.1	2.4	11.0	3.0
1/25/2018 13:00	BDL	BDL	BDL	BDL	0.1	2.4	14.0	3.0
1/25/2018 14:00	BDL	BDL	BDL	BDL	0.1	2.4	14.0	4.0
1/25/2018 15:00	BDL	BDL	BDL	BDL	0.1	2.4	10.0	3.0
1/25/2018 16:00	BDL	BDL	BDL	1.9	0.2	2.5	16.0	1.0
1/25/2018 17:00	BDL	BDL	BDL	3.3	0.2	2.5	13.0	3.0
1/25/2018 18:00	BDL	BDL	BDL	7.8	0.2	2.4	16.0	6.0
1/25/2018 19:00	BDL	BDL	BDL	12.2	0.2	2.5	13.0	6.0
1/25/2018 20:00	BDL	BDL	BDL	15.8	0.2	2.5	16.0	7.0
1/25/2018 21:00	BDL	BDL	BDL	17.3	0.2	2.6	15.0	7.0
1/25/2018 22:00	BDL	BDL	BDL	37.4	0.4	3.4	22.0	14.0
1/25/2018 23:00	BDL	BDL	BDL	35.8	0.3	2.8	23.0	11.0
1/26/2018 0:00	BDL	BDL	BDL	38.3	0.3	3.2	21.0	11.0
1/26/2018 1:00	BDL	BDL	BDL	33.0	0.3	3.0	17.0	13.0
1/26/2018 2:00	BDL	Calibration	Calibration	32.7	0.3	2.9	18.0	12.0
1/26/2018 3:00	0.6	Calibration	Calibration	49.9	0.3	3.4	20.0	13.0
1/26/2018 4:00	Calibration	0.6	BDL	Calibration	BDL	2.9	18.0	14.0
1/26/2018 5:00	0.5	0.8	BDL	42.5	0.3	2.9	20.0	17.0
1/26/2018 6:00	0.9	2.0	BDL	61.7	0.4	3.2	21.0	12.0
1/26/2018 7:00	1.1	1.9	0.4	68.2	0.4	3.3	36.0	13.0
1/26/2018 8:00	1.8	3.6	1.8	92.8	0.5	3.7	46.0	13.0
1/26/2018 9:00	1.3	1.7	0.6	62.8	0.5	2.6	38.0	12.0
1/26/2018 10:00	1.1	1.3	0.4	49.4	0.4	2.4	42.0	15.0
1/26/2018 11:00	0.5	BDL	BDL	20.0	0.2	2.3	19.0	9.0
1/26/2018 12:00	0.5	BDL	BDL	12.1	0.2	2.3	19.0	7.0
1/26/2018 13:00	0.4	BDL	BDL	8.4	0.2	2.3	20.0	7.0
1/26/2018 14:00	0.4	BDL	BDL	7.8	0.2	2.4	19.0	7.0
1/26/2018 15:00	0.5	BDL	BDL	4.9	0.1	2.4	16.0	6.0
1/26/2018 16:00	0.4	BDL	BDL	7.5	0.2	2.5	21.0	7.0
1/26/2018 17:00	0.5	BDL						

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)		H2S	TMG	NOx	CO	VOC	PM10	PM2.5
		PPB	PPB	PPB	PPM	PPM	µg/m ³	µg/m ³
Detection limit: 0.4 ppb		0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m ³	1.0 µg/m ³
See Downwind Weekly 1/28/2018-2/3/2018								
1/28/2018 0:00	BDL	0.5	2.1	0.1	0.1	2.4	12.0	6.0
1/28/2018 1:00	BDL	0.5	1.8	0.2	0.1	2.4	11.0	5.0
1/28/2018 2:00	BDL	Calibration	Calibration	2.9	0.2	2.4	10.0	3.0
1/28/2018 3:00	BDL	Calibration	Calibration	6.0	0.2	2.4	16.0	6.0
1/28/2018 4:00	Calibration	BDL	Calibration	0.3	0.3	2.5	19.0	6.0
1/28/2018 5:00	1.7	0.5	13.9	0.2	2.2	2.2	14.0	9.0
1/28/2018 6:00	1.4	BDL	7.8	0.2	2.5	2.5	14.0	11.0
1/28/2018 7:00	0.8	BDL	11.6	0.3	2.5	2.5	13.0	8.0
1/28/2018 8:00	0.4	Calibration	7.6	0.3	2.6	2.6	10.0	4.0
1/28/2018 9:00	BDL	Too few samples	BDL	Too few samples	BDL	2.5	16.0	6.0
1/28/2018 10:00	Too few samples	0.7	0.4	Too few samples	Too few samples	2.9	16.0	9.0
1/28/2018 11:00	BDL	1.1	0.3	26.2	0.2	2.3	23.0	13.0
1/28/2018 12:00	0.6	0.4	11.0	0.4	2.4	2.4	11.0	10.0
1/28/2018 13:00	0.4	0.4	BDL	6.3	0.4	2.3	11.0	8.0
1/28/2018 14:00	0.4	BDL	BDL	6.2	0.4	2.3	9.0	11.0
1/28/2018 15:00	0.4	0.6	BDL	13.2	0.5	2.3	19.0	8.0
1/28/2018 16:00	BDL	BDL	8.8	0.4	2.4	2.4	10.0	8.0
1/28/2018 17:00	0.4	0.4	BDL	11.7	0.5	2.3	15.0	8.0
1/28/2018 18:00	BDL	BDL	4.3	0.3	2.3	2.3	15.0	12.0
1/28/2018 19:00	0.4	BDL	3.7	0.3	2.3	2.3	12.0	8.0
1/28/2018 20:00	BDL	BDL	4.3	0.3	2.4	2.4	16.0	12.0
1/28/2018 21:00	BDL	BDL	3.4	0.3	2.3	2.3	13.0	10.0
1/28/2018 22:00	BDL	BDL	3.4	0.3	1.5	2.2	15.0	7.0
1/28/2018 23:00	BDL	BDL	1.5	0.2	2.3	2.3	16.0	12.0
1/29/2018 0:00	BDL	BDL	4.1	0.2	2.2	2.2	11.0	6.0
1/29/2018 1:00	BDL	BDL	4.1	0.2	2.3	2.3	15.0	5.0
1/29/2018 2:00	BDL	Calibration	4.6	0.2	2.3	2.3	11.0	4.0
1/29/2018 3:00	BDL	Calibration	7.8	0.3	2.4	2.4	16.0	9.0
1/29/2018 4:00	Calibration	0.6	Calibration	2.5	Calibration	2.5	17.0	10.0
1/29/2018 5:00	BDL	0.9	0.4	23.8	0.4	2.4	18.0	9.0
1/29/2018 6:00	BDL	0.8	0.4	20.8	0.4	2.3	16.0	8.0
1/29/2018 7:00	BDL	Calibration	Calibration	20.0	0.3	2.0	21.0	8.0
1/29/2018 8:00	0.4	Calibration	Calibration	24.4	0.3	2.3	24.0	8.0
1/29/2018 9:00	0.4	0.5	BDL	22.7	0.3	2.2	25.0	8.0
1/29/2018 10:00	BDL	0.7	BDL	17.6	0.3	2.2	28.0	12.0
1/29/2018 11:00	0.4	0.8	0.4	22.9	0.3	2.3	26.0	13.0
1/29/2018 12:00	0.5	0.5	24.0	0.3	2.2	2.3	23.0	9.0
1/29/2018 13:00	0.4	0.9	0.4	26.9	0.3	2.2	19.0	10.0
1/29/2018 14:00	BDL	0.6	BDL	12.6	0.3	2.2	20.0	10.0
1/29/2018 15:00	BDL	0.5	BDL	13.4	0.3	2.1	33.0	10.0
1/29/2018 16:00	BDL	0.5	BDL	13.7	0.3	2.2	33.0	8.0
1/29/2018 17:00	BDL	0.6	BDL	13.7	0.3	2.2	28.0	10.0
1/29/2018 18:00	BDL	0.6	BDL	14.0	0.3	2.2	28.0	12.0
1/29/2018 19:00	BDL	0.5	BDL	11.4	0.3	2.2	19.0	8.0
1/29/2018 20:00	BDL	0.4	BDL	12.1	0.3	2.3	23.0	6.0
1/29/2018 21:00	BDL	0.5	BDL	8.6	0.3	2.1	23.0	6.0
1/29/2018 22:00	BDL	0.4	BDL	9.1	0.3	2.2	21.0	7.0
1/29/2018 23:00	BDL	0.4	BDL	8.4	0.3	2.2	11.0	11.0
1/30/2018 0:00	BDL	1.0	BDL	14.3	0.2	2.2	15.0	11.0
1/30/2018 1:00	BDL	0.7	BDL	11.2	0.4	2.2	15.0	11.0
1/30/2018 2:00	BDL	Calibration	Calibration	8.2	0.2	2.3	18.0	10.0
1/30/2018 3:00	BDL	Calibration	Calibration	9.1	0.2	2.2	13.0	8.0
1/30/2018 4:00	Calibration	BDL	Calibration	8.1	0.2	2.2	17.0	8.0
1/30/2018 5:00	BDL	0.7	0.4	16.9	0.3	2.3	18.0	11.0
1/30/2018 6:00	BDL	1.0	0.4	30.9	0.4	2.2	13.0	12.0
1/30/2018 7:00	BDL	0.9	0.4	18.2	0.3	2.4	11.0	9.0
1/30/2018 8:00	BDL	0.6	0.4	14.4	0.3	2.6	12.0	10.0
1/30/2018 9:00	BDL	1.0	0.5	27.0	0.3	2.5	17.0	10.0
1/30/2018 10:00	BDL	0.6	BDL	17.2	0.3	2.5	19.0	9.0
1/30/2018 11:00	BDL	0.5	0.4	17.0	0.3	2.5	15.0	13.0
1/30/2018 12:00	BDL	0.4	BDL	0.2	0.2	2.4	10.0	7.0
1/30/2018 13:00	BDL	BDL	BDL	0.2	0.2	2.4	6.0	1.0
1/30/2018 14:00	BDL	BDL	BDL	0.1	0.1	2.4	7.0	6.0
1/30/2018 15:00	BDL	BDL	BDL	0.1	0.1	2.4	7.0	5.0
1/30/2018 16:00	BDL	BDL	BDL	0.1	0.1	2.3	9.0	2.0
1/30/2018 17:00	BDL	BDL	BDL	0.1	0.1	2.4	8.0	5.0
1/30/2018 18:00	BDL	BDL	BDL	0.1	0.1	2.5	9.0	3.0
1/30/2018 19:00	BDL	BDL	BDL	0.1	0.1	2.6	11.0	2.0
1/30/2018 20:00	BDL	BDL	BDL	0.1	0.1	2.6	11.0	3.0
1/30/2018 21:00	BDL	BDL	BDL	0.1	0.1	2.6	11.0	3.0
1/30/2018 22:00	BDL	BDL	BDL	0.1	0.1	2.6	11.0	2.0
1/30/2018 23:00	BDL	BDL	BDL	0.1	0.1	2.6	16.0	3.0
1/31/2018 0:00	BDL	BDL	BDL	0.1	0.1	2.6	9.0	6.0
1/31/2018 1:00	BDL	BDL	BDL	0.1	0.1	2.6	10.0	5.0
1/31/2018 2:00	BDL	Calibration	Calibration	BDL	0.1	2.3	13.0	3.0
1/31/2018 3:00	BDL	Calibration	Calibration	BDL	0.1	2.5	11.0	3.0
1/31/2018 4:00	Calibration	BDL	Calibration	Calibration	0.1	2.5	11.0	2.0
1/31/2018 5:00	BDL	BDL	BDL	BDL	0.1	2.4	9.0	3.0
1/31/2018 6:00	BDL	0.5	BDL	BDL	0.1	2.4	14.0	3.0
1/31/2018 7:00	0.5	Audit	Audit	BDL	0.1	2.3	17.0	5.0
1/31/2018 8:00	Calibration	Too few samples	Calibration	BDL	0.1	2.3	18.0	3.0
1/31/2018 9:00	BDL	0.6	Calibration	Calibration	0.2	2.6	16.0	3.0
1/31/2018 10:00	BDL	BDL	BDL	0.1	0.1	2.4	15.0	6.0
1/31/2018 11:00	0.4	BDL	BDL	0.1	0.1	2.4	14.0	6.0
1/31/2018 12:00	0.4	Too few samples	Too few samples	1.7	0.1	2.3	13.0	6.0
1/31/2018 13:00	0.9	Calibration	Calibration	1.9	0.1	2.4	20.0	6.0
1/31/2018 14:00	0.6	Too few samples	Too few samples	0.7	0.1	2.4	18.0	7.0
1/31/2018 15:00	0.6	BDL	BDL	0.4	0.1	2.3	12.0	6.0
1/31/2018 16:00	BDL	BDL	BDL	0.1	0.1	2.2	11.0	4.0
1/31/2018 17:00	BDL	BDL	BDL	0.2	0.1	2.1	16.0	5.0
1/31/2018 18:00	BDL	BDL	BDL	0.4	0.2	2.1	12.0	7.0
1/31/2018 19:00	BDL	BDL	BDL	0.2	0.1	2.1	19.0	7.0
1/31/2018 20:00	BDL	0.6	BDL	0.1	0.1	2.3	12.0	7.0
1/31/2018 21:00	BDL	0.4	BDL	0.1	0.1	2.3	10.0	6.0
1/31/2018 22:00	BDL	0.4	BDL	0.1	0.1	2.5	7.0	7.0
1/31/2018 23:00	BDL	BDL	BDL	0.1	0.1	2.4	7.0	5.0
2/1/2018 0:00	BDL	BDL	BDL	0.4	0.1	2.2	17.0	4.0
2/1/2018 1:00	BDL	BDL	BDL	0.4	0.1	2.4	13.0	5.0
2/1/2018 2:00	BDL	Calibration	Calibration	11.8	0.2	2.5	17.0	6.0
2/1/2018 3:00	BDL	Calibration	Calibration	14.0	0.2	2.2	18.0	6.0
2/1/2018 4:00	Calibration	0.6	Calibration	18.7	0.3	2.5	17.0	6.0
2/1/2018 5:00	BDL	1.3	Calibration	19.7	0.3	2.5	22.0	10.0
2/1/2018 6:00	BDL	0.8	Calibration	22.0	0.3	2.5	24.0	10.0
2/1/2018 7:00	BDL	0.5	BDL	14.8	0.2	2.3	34.0	8.0
2/1/2018 8:00	BDL	Calibration	Calibration	13.0	0.2	2.4	20.0	7.0
2/1/2018 9:00	0.4	Calibration	Calibration	10.0	0.2	2.4	20.0	8.0
2/1/2018 10:00	0.7	BDL	0.4	4.2	0.2	2.4	18.0	10.0
2/1/2018 11:00	1.1	0.5	0.1	4.1	0.2	2.4	20.0	7.0
2/1/2018 12:00	1.0	0.4	BDL	0.2	0.2	2.4	20.0	9.0
2/1/2018 13:00	1.2	BDL	0.4	3.0	0.2	2.4	20.0	9.0
2/1/2018 14:00	0.9	0.5	0.4	8.2	0.2	2.3	26.0	10.0
2/1/2018 15:00	0.8	0.5	BDL	8.0	0.2	2.3	32.0	10.0
2/1/2018 16:00	1.4	0.8	0.5	21.7	0.2	2.3	27.0	12.0
2/1/2018 17:00	1.1	1.5	0.7	39.0	0.5	2.2	46.0	13.0
2/1/2018 18:00	1.2	1.7	0.9	43.2	0.5	2.6	36.0	15.0
2/1/2018 19:00	2.1	51.4	0.6	51.4	0.6	2.6	48.0	15.0
2/1/2018 20:00	1.0	2.0	1.2	41.5	0.5	2.3	42.0	15.0
2/1/2018 21:00	0.8	1.8	1.1	31.1	0.4	2.7	30.0	16.0
2/1/2018 22:00	1.0	2.2	1.3	47.4	0.5	3.0	24.0	13.0
2/1/2018 23:00	0.5	0.9	0.6	13.3	0.3	2.6	20.0	13.0
2/2/2018 0:00	BDL	0.6	0.5	7.1	0.2	2.4	16.0	14.0
2/2/2018 1:00	BDL	BDL	BDL	0.2	0.2	2.2	11.0	12.0
2/2/2018 2:00	BDL	Calibration	Calibration	BDL	0.3	2.2	12.0	13.0
2/2/2018 3:00	BDL	Calibration	Calibration	0.4	0.2	2.3	10.0	12.0
2/2/2018 4:00	Calibration	BDL	Calibration	BDL	0.2	2.2	12.0	8.0
2/2/2018 5:00	BDL	BDL	BDL	BDL	0.2	2.2	8.0	5.0
2/2/2018 6:00	BDL	BDL	BDL	BDL	0.1	2.4	8.0	5.0
2/2/2018 7:00	BDL	BDL	BDL	BDL	0.1	2.4	8.0	3.0
2/2/2018 8:00	BDL	BDL	BDL	BDL	0.1	2.4	9.0	4.0
2/2/2018 9:00	BDL	BDL	BDL	BDL	0.1	2.4	16.0	9.0
2/2/2018 10:00	BDL	BDL	BDL	BDL	0.1	2.4	13.0	8.0
2/2/2018 11:00	BDL	BDL	BDL	BDL	0.1	2.5	16.0	6.0
2/2/2018 12:00	BDL	BDL	BDL	BDL	0.1	2.4	17.0	7.0
2/2/2018 13:00	BDL	BDL	BDL	BDL	0.1	2.5	10.0	9.0
2/2/2018 14:00	BDL	BDL	BDL	BDL	0.1	2.5	16.0	8.0
2/2/2018 15:00	BDL	BDL	BDL	BDL	0.1	2.5	8.0	5.0
2/2/2018 16:00	BDL	BDL	BDL	BDL	0.1	2.4	16.0	5.0
2/2/2018 17:00	BDL	BDL	BDL	BDL	0.1	2.4	11.0	4.0
2/2/2								

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected.
 Quality data will be posted on a monthly basis.

Date & Time (EST)	SQ2 PPB	H2S PPB	TMG PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m³	PM2.5 µg/m³
Detection limit: See Downwind Weekly 2/4/2018-2/10/2018	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppp	10.0 ppp	1.0 µg/m³	1.0 µg/m³
2/4/2018 0:00	BDL	BDL	BDL	BDL	0.2	2.3	13.0	11.0
2/4/2018 1:00	BDL	BDL	BDL	BDL	0.1	2.2	10.0	8.0
2/4/2018 2:00	BDL	Calibration	Calibration	BDL	0.1	2.4	13.0	7.0
2/4/2018 3:00	BDL	Calibration	Calibration	BDL	0.1	2.4	14.0	4.0
2/4/2018 4:00	Calibration	BDL	BDL	Calibration	0.2	2.3	12.0	3.0
2/4/2018 5:00	BDL	BDL	BDL	BDL	0.2	2.2	8.0	6.0
2/4/2018 6:00	BDL	BDL	BDL	BDL	0.2	2.3	12.0	9.0
2/4/2018 7:00	BDL	BDL	BDL	BDL	0.2	2.2	17.0	6.0
2/4/2018 8:00	BDL	BDL	BDL	BDL	0.2	2.1	12.0	7.0
2/4/2018 9:00	BDL	BDL	BDL	BDL	0.2	2.3	13.0	5.0
2/4/2018 10:00	BDL	BDL	BDL	BDL	0.1	2.3	13.0	5.0
2/4/2018 11:00	1.6	BDL	0.4	2.3	0.2	2.5	17.0	7.0
2/4/2018 12:00	0.9	BDL	0.4	1.8	0.2	2.5	16.0	6.0
2/4/2018 13:00	BDL	0.7	0.6	9.9	0.3	2.7	38.0	7.0
2/4/2018 14:00	BDL	1.2	0.6	27.4	0.4	2.9	20.0	13.0
2/4/2018 15:00	0.5	1.8	0.9	45.6	0.6	2.6	26.0	12.0
2/4/2018 16:00	0.4	2.0	0.9	45.4	0.7	2.9	19.0	11.0
2/4/2018 17:00	1.1	2.3	1.0	56.7	0.7	3.4	22.0	13.0
2/4/2018 18:00	2.1	BDL	0.8	44.0	0.9	3.2	17.0	12.0
2/4/2018 19:00	1.8	1.8	0.8	34.5	0.5	3.7	19.0	14.0
2/4/2018 20:00	1.7	0.8	0.7	4.5	0.3	3.0	11.0	8.0
2/4/2018 21:00	1.4	0.7	0.7	4.9	0.3	2.9	11.0	9.0
2/4/2018 22:00	1.0	0.9	0.6	13.6	0.3	2.9	9.0	10.0
2/4/2018 23:00	0.8	0.9	0.7	11.1	0.3	2.4	14.0	13.0
2/5/2018 0:00	0.7	0.5	0.6	BDL	0.2	2.2	11.0	7.0
2/5/2018 1:00	0.7	0.6	0.6	BDL	0.2	2.3	11.0	6.0
2/5/2018 2:00	0.6	Calibration	BDL	Calibration	0.2	2.3	13.0	12.0
2/5/2018 3:00	0.6	Calibration	Calibration	Calibration	0.2	2.2	12.0	10.0
2/5/2018 4:00	Calibration	BDL	BDL	Calibration	0.2	2.2	21.0	19.0
2/5/2018 5:00	0.6	0.6	0.6	6.0	0.2	2.2	22.0	19.0
2/5/2018 6:00	0.7	0.7	0.7	11.9	0.2	2.4	24.0	19.0
2/5/2018 7:00	Too few samples	0.5	0.4	0.5	0.2	2.3	14.0	13.0
2/5/2018 8:00	0.9	BDL	BDL	BDL	0.2	2.4	13.0	7.0
2/5/2018 9:00	1.0	BDL	BDL	BDL	0.1	2.5	10.0	4.0
2/5/2018 10:00	0.9	BDL	BDL	BDL	0.1	2.4	11.0	3.0
2/5/2018 11:00	0.7	BDL	BDL	BDL	0.1	2.4	11.0	3.0
2/5/2018 12:00	0.5	BDL	BDL	BDL	0.1	2.4	8.0	2.0
2/5/2018 13:00	0.5	BDL	BDL	BDL	0.1	2.3	13.0	2.0
2/5/2018 14:00	0.5	BDL	BDL	BDL	0.1	2.3	11.0	3.0
2/5/2018 15:00	0.4	BDL	BDL	BDL	0.1	2.3	13.0	3.0
2/5/2018 16:00	BDL	BDL	BDL	BDL	0.1	2.5	10.0	3.0
2/5/2018 17:00	BDL	BDL	BDL	BDL	0.1	2.2	14.0	4.0
2/5/2018 18:00	BDL	BDL	BDL	BDL	0.2	2.2	9.0	4.0
2/5/2018 19:00	BDL	BDL	BDL	BDL	0.2	2.3	14.0	5.0
2/5/2018 20:00	BDL	BDL	BDL	BDL	0.2	2.3	17.0	4.0
2/5/2018 21:00	BDL	BDL	BDL	BDL	0.2	2.4	15.0	2.0
2/5/2018 22:00	0.4	BDL	BDL	8.1	0.3	2.5	21.0	8.0
2/5/2018 23:00	0.4	BDL	0.6	23.5	0.3	2.6	25.0	14.0
2/6/2018 0:00	BDL	0.8	0.8	24.9	0.3	2.5	19.0	8.0
2/6/2018 1:00	1.1	BDL	BDL	36.8	0.3	2.6	23.0	9.0
2/6/2018 2:00	BDL	Calibration	Calibration	33.0	0.3	2.4	28.0	11.0
2/6/2018 3:00	BDL	Calibration	Calibration	23.9	0.3	2.7	18.0	20.0
2/6/2018 4:00	Calibration	BDL	BDL	Calibration	0.3	2.4	15.0	12.0
2/6/2018 5:00	BDL	0.4	BDL	12.2	0.3	2.7	20.0	9.0
2/6/2018 6:00	0.4	0.8	BDL	27.1	0.3	2.3	26.0	8.0
2/6/2018 7:00	0.9	BDL	0.4	31.1	0.4	2.3	27.0	10.0
2/6/2018 8:00	Maintenance	1.3	0.5	48.2	0.4	2.2	34.0	11.0
2/6/2018 9:00	0.5	1.3	0.5	35.7	0.5	2.7	39.0	14.0
2/6/2018 10:00	1.3	1.8	0.6	46.9	0.3	2.2	40.0	13.0
2/6/2018 11:00	1.4	1.7	0.7	33.0	0.3	2.3	30.0	13.0
2/6/2018 12:00	2.7	1.0	0.6	19.9	0.2	2.4	28.0	13.0
2/6/2018 13:00	0.3	0.9	0.5	14.0	0.2	2.4	24.0	10.0
2/6/2018 14:00	0.4	BDL	BDL	3.8	0.2	2.5	22.0	16.0
2/6/2018 15:00	1.5	BDL	BDL	5.1	0.2	2.5	20.0	13.0
2/6/2018 16:00	1.4	BDL	3.8	2.9	0.2	2.4	28.0	13.0
2/6/2018 17:00	1.4	BDL	BDL	3.1	0.2	2.4	26.0	13.0
2/6/2018 18:00	1.3	BDL	6.0	6.0	0.2	2.5	24.0	10.0
2/6/2018 19:00	1.3	BDL	5.2	5.2	0.2	2.4	20.0	15.0
2/6/2018 20:00	1.4	BDL	12.0	12.0	0.2	2.6	20.0	11.0
2/6/2018 21:00	1.6	BDL	3.9	3.9	0.2	2.9	23.0	12.0
2/6/2018 22:00	1.3	BDL	8.5	8.5	0.3	2.5	25.0	12.0
2/6/2018 23:00	1.2	BDL	11.8	11.8	0.3	2.4	25.0	10.0
2/7/2018 0:00	1.5	BDL	11.8	11.8	0.3	2.4	15.0	9.0
2/7/2018 1:00	1.4	0.7	BDL	24.7	0.4	2.5	28.0	10.0
2/7/2018 2:00	1.5	Calibration	Calibration	50.0	0.4	2.8	35.0	15.0
2/7/2018 3:00	1.8	Calibration	Calibration	41.9	0.4	2.6	30.0	13.0
2/7/2018 4:00	Calibration	BDL	BDL	Calibration	0.4	2.9	31.0	15.0
2/7/2018 5:00	1.6	1.6	0.4	41.3	0.4	2.6	40.0	19.0
2/7/2018 6:00	1.7	2.3	0.8	56.1	0.5	2.5	36.0	24.0
2/7/2018 7:00	1.4	1.9	0.8	45.9	0.5	2.5	44.0	21.0
2/7/2018 8:00	2.0	2.0	0.7	51.3	0.5	2.4	43.0	21.0
2/7/2018 9:00	1.7	2.0	0.7	59.5	0.5	2.5	35.0	17.0
2/7/2018 10:00	1.7	1.9	0.6	48.0	0.5	3.5	34.0	19.0
2/7/2018 11:00	1.8	1.8	0.7	49.8	0.4	2.5	34.0	19.0
2/7/2018 12:00	1.6	1.8	0.7	51.7	0.5	2.7	43.0	21.0
2/7/2018 13:00	1.7	2.3	0.8	55.1	0.5	2.6	31.0	19.0
2/7/2018 14:00	1.3	1.9	0.9	40.0	0.4	2.5	19.0	13.0
2/7/2018 15:00	1.1	1.4	0.7	17.4	0.3	2.6	17.0	6.0
2/7/2018 16:00	1.4	2.0	1.2	21.2	0.3	2.1	6.0	6.0
2/7/2018 17:00	1.5	1.4	1.4	20.5	0.2	2.7	13.0	7.0
2/7/2018 18:00	1.2	0.8	0.8	5.9	0.2	2.4	13.0	8.0
2/7/2018 19:00	1.0	0.4	0.5	1.0	0.2	2.3	15.0	5.0
2/7/2018 20:00	BDL	BDL	0.2	BDL	0.2	2.4	14.0	7.0
2/7/2018 21:00	BDL	BDL	BDL	BDL	0.2	2.4	17.0	3.0
2/7/2018 22:00	1.1	BDL	BDL	BDL	0.2	2.4	14.0	3.0
2/7/2018 23:00	1.3	BDL	BDL	BDL	0.2	2.4	14.0	5.0
2/8/2018 0:00	1.4	BDL	BDL	BDL	0.2	2.4	15.0	7.0
2/8/2018 1:00	1.2	BDL	BDL	BDL	0.1	2.6	16.0	7.0
2/8/2018 2:00	1.1	Calibration	Calibration	BDL	0.2	2.5	12.0	9.0
2/8/2018 3:00	1.1	Calibration	Calibration	BDL	0.2	2.4	15.0	8.0
2/8/2018 4:00	Calibration	BDL	BDL	Calibration	0.2	2.4	18.0	12.0
2/8/2018 5:00	1.1	BDL	BDL	BDL	0.2	2.2	17.0	9.0
2/8/2018 6:00	1.2	BDL	BDL	BDL	0.2	2.3	22.0	8.0
2/8/2018 7:00	1.0	BDL	BDL	BDL	0.2	2.4	22.0	11.0
2/8/2018 8:00	1.1	BDL	BDL	BDL	0.2	2.5	23.0	10.0
2/8/2018 9:00	1.2	BDL	BDL	BDL	0.2	2.4	21.0	9.0
2/8/2018 10:00	1.1	BDL	BDL	BDL	0.1	2.5	13.0	6.0
2/8/2018 11:00	1.2	BDL	BDL	BDL	0.1	2.4	16.0	11.0
2/8/2018 12:00	1.1	BDL	BDL	BDL	0.1	2.4	19.0	10.0
2/8/2018 13:00	0.9	BDL	BDL	BDL	0.1	2.1	21.0	10.0
2/8/2018 14:00	1.0	BDL	BDL	BDL	0.1	2.3	21.0	9.0
2/8/2018 15:00	0.9	BDL	BDL	BDL	0.1	2.4	13.0	9.0
2/8/2018 16:00	1.0	BDL	BDL	BDL	0.1	2.3	23.0	10.0
2/8/2018 17:00	0.9	BDL	BDL	BDL	0.2	2.3	25.0	12.0
2/8/2018 18:00	1.6	BDL	BDL	BDL	0.2	2.4	23.0	13.0
2/8/2018 19:00	1.5	BDL	BDL	1.0	0.2	2.4	29.0	19.0
2/8/2018 20:00	1.6	BDL	BDL	BDL	0.2	2.4	30.0	17.0
2/8/2018 21:00	2.2	BDL	BDL	8.2	0.2	2.4	43.0	30.0
2/8/2018 22:00	3.8	BDL	BDL	11.5	0.2	2.4	49.0	28.0
2/8/2018 23:00	2.7	0.4	BDL	13.0	0.2	2.6	36.0	21.0
2/9/2018 0:00	2.0	0.4	BDL	15.1	0.3	2.7	36.0	23.0
2/9/2018 1:00	2.0	0.4	BDL	18.9	0.3	2.7	36.0	22.0
2/9/2018 2:00	1.2	Calibration	Calibration	18.3	0.3	2.9	35.0	24.0
2/9/2018 3:00	1.4	Calibration	Calibration	44.5	0.4	3.1	38.0	25.0
2/9/2018 4:00	Calibration	BDL	BDL	Calibration	0.4	3.4	38.0	27.0
2/9/2018 5:00	1.4	1.4	0.5	44.5	0.4	3.2	36.0	24.0
2/9/2018 6:00	1.7	2.4	0.8	69.8	0.5	2.9	43.0	26.0
2/9/2018 7:00	2.2	3.1	0.8	89.1	0.6	3.2	50.0	23.0
2/9/2018 8:00	2.3	2.8	0.7	76.4	0.5	2.6	59.0	27.0
2/9/2018 9:00	2.4	0.9	0.4	35.8	0.4	2.4	42.0	18.0
2/9/2018 10:00	1.8	0.7	BDL	20.4	0.3	2.4	46.0	20.0
2/9/2018 11:00	1.7	BDL	BDL	1.6	0.2	2.4	26.0	13.0
2/9/2018 12:00	1.7	BDL	BDL	BDL	0.2	2.3	21.0	10.0
2/9/2018 13:00	1.6	BDL	BDL	BDL	0.2	2.3	29.0	17.0
2/9/2018 14:00	1.6	BDL	BDL	BDL	0.2	2.3	26.0	12.0
2/9/2018 15:00	1.4	BDL	BDL	BDL	0.2	2.2	31.0	15.0
2/9/2018 16:00	1.4	BDL	BDL	BDL	0.2	2.2	23.0	11.0
2/9/20								

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	SQ2 PPB	H2S PPB	TMG PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m3	PM2.5 µg/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
See Downwind: Weekly 2/11/2018-2/17/2018								
2/11/2018 0:00	1.5	1.5	1.5	11.1	0.2	2.8	8.0	9.0
2/11/2018 1:00	1.3	1.2	1.1	8.0	0.3	2.8	6.0	6.0
2/11/2018 2:00	1.2	Calibration	Calibration	BDL	0.2	3.0	8.0	7.0
2/11/2018 3:00	1.2	Calibration	Calibration	15.8	0.3	3.0	7.0	7.0
2/11/2018 4:00	0.8	Calibration	Calibration	3.3	0.3	2.8	11.0	11.0
2/11/2018 5:00	0.8	0.7	0.7	3.3	0.3	Too few samples	12.0	6.0
2/11/2018 6:00	1.2	1.2	1.0	25.7	0.6	2.9	8.0	3.0
2/11/2018 7:00	1.6	1.7	1.7	25.9	0.5	3.6	8.0	7.0
2/11/2018 8:00	1.7	1.0	1.0	1.0	Calibration	3.0	8.0	5.0
2/11/2018 9:00	1.4	1.2	1.2	29	0.5	2.3	10.0	8.0
2/11/2018 10:00	1.4	1.7	1.1	28.4	0.5	2.9	11.0	5.0
2/11/2018 11:00	1.6	2.1	1.6	39.7	0.6	2.9	10.0	10.0
2/11/2018 12:00	1.6	2.6	1.7	40.2	0.6	2.8	13.0	6.0
2/11/2018 13:00	1.2	1.2	1.3	BDL	0.2	2.5	7.0	3.0
2/11/2018 14:00	0.9	1.5	0.8	BDL	0.2	2.3	3.0	6.0
2/11/2018 15:00	1.5	0.4	0.7	BDL	0.2	2.3	4.0	3.0
2/11/2018 16:00	1.6	0.6	0.9	BDL	0.3	2.4	7.0	3.0
2/11/2018 17:00	1.5	0.8	1.1	BDL	0.2	2.2	11.0	BDL
2/11/2018 18:00	1.4	1.1	1.1	BDL	0.3	2.2	10.0	4.0
2/11/2018 19:00	1.3	0.9	1.1	BDL	0.2	2.0	8.0	6.0
2/11/2018 20:00	1.2	0.8	1.2	BDL	0.3	2.2	9.0	5.0
2/11/2018 21:00	1.6	0.8	1.0	8.7	0.3	2.3	7.0	4.0
2/11/2018 22:00	1.4	0.7	0.9	2.5	0.3	2.3	7.0	5.0
2/11/2018 23:00	1.5	0.9	1.1	4.2	0.2	2.3	17.0	6.0
2/12/2018 0:00	2.2	0.9	1.2	7.0	0.3	2.3	13.0	7.0
2/12/2018 1:00	3.9	Calibration	Calibration	9.3	0.3	2.4	16.0	10.0
2/12/2018 2:00	2.5	Calibration	BDL	BDL	0.3	2.4	7.0	6.0
2/12/2018 3:00	1.7	Calibration	Calibration	BDL	0.3	2.7	6.0	3.0
2/12/2018 4:00	BDL	Calibration	Calibration	BDL	0.3	2.7	4.0	3.0
2/12/2018 5:00	BDL	BDL	BDL	BDL	0.3	2.8	3.0	4.0
2/12/2018 6:00	0.4	BDL	BDL	BDL	0.3	2.8	6.0	3.0
2/12/2018 7:00	0.6	Calibration	Calibration	BDL	0.3	2.7	5.0	5.0
2/12/2018 8:00	1.0	Calibration	Calibration	BDL	0.3	2.5	7.0	5.0
2/12/2018 9:00	0.9	BDL	BDL	1.0	0.2	2.6	8.0	6.0
2/12/2018 10:00	1.0	BDL	BDL	BDL	0.2	2.5	10.0	7.0
2/12/2018 11:00	1.0	BDL	BDL	BDL	0.2	2.5	12.0	8.0
2/12/2018 12:00	1.0	BDL	BDL	BDL	0.2	2.5	13.0	8.0
2/12/2018 13:00	1.0	BDL	BDL	BDL	0.2	2.5	11.0	6.0
2/12/2018 14:00	1.0	BDL	BDL	BDL	0.2	2.4	15.0	6.0
2/12/2018 15:00	0.8	BDL	BDL	BDL	0.1	2.4	15.0	6.0
2/12/2018 16:00	0.8	BDL	BDL	BDL	0.1	2.5	12.0	6.0
2/12/2018 17:00	0.9	BDL	BDL	BDL	0.2	2.6	18.0	6.0
2/12/2018 18:00	0.9	BDL	BDL	BDL	0.2	2.4	17.0	8.0
2/12/2018 19:00	0.9	BDL	BDL	BDL	0.2	2.8	18.0	8.0
2/12/2018 20:00	1.0	BDL	BDL	7.7	0.2	3.2	12.0	8.0
2/12/2018 21:00	1.0	BDL	BDL	BDL	0.2	2.7	14.0	5.0
2/12/2018 22:00	0.9	BDL	BDL	0.4	0.2	2.6	11.0	4.0
2/12/2018 23:00	0.9	BDL	BDL	BDL	0.2	2.5	12.0	4.0
2/13/2018 0:00	0.8	BDL	BDL	BDL	0.2	2.4	19.0	11.0
2/13/2018 1:00	0.8	BDL	BDL	BDL	0.1	2.4	11.0	7.0
2/13/2018 2:00	0.7	Calibration	Calibration	BDL	0.1	2.4	14.0	10.0
2/13/2018 3:00	0.7	Calibration	Calibration	BDL	0.1	2.4	16.0	12.0
2/13/2018 4:00	Calibration	BDL	Calibration	BDL	0.2	2.5	19.0	9.0
2/13/2018 5:00	0.6	BDL	BDL	0.6	0.2	2.4	16.0	10.0
2/13/2018 6:00	0.7	BDL	BDL	6.2	0.2	2.6	20.0	8.0
2/13/2018 7:00	0.7	BDL	BDL	7.9	0.2	2.4	21.0	8.0
2/13/2018 8:00	0.7	BDL	BDL	BDL	0.2	2.3	18.0	8.0
2/13/2018 9:00	0.8	BDL	BDL	12.9	0.2	2.3	19.0	8.0
2/13/2018 10:00	0.8	BDL	BDL	8.2	0.2	2.3	20.0	12.0
2/13/2018 11:00	0.8	0.4	BDL	10.5	0.2	2.4	22.0	9.0
2/13/2018 12:00	0.8	Calibration	Calibration	8.8	0.2	2.3	19.0	9.0
2/13/2018 13:00	0.8	Calibration	Calibration	10.6	0.2	2.3	21.0	9.0
2/13/2018 14:00	0.8	BDL	BDL	4.5	0.2	2.3	15.0	8.0
2/13/2018 15:00	0.7	BDL	BDL	1.2	0.2	2.3	12.0	8.0
2/13/2018 16:00	0.7	BDL	BDL	1.2	0.2	2.3	12.0	8.0
2/13/2018 17:00	0.7	BDL	BDL	1.0	0.2	2.2	15.0	2.0
2/13/2018 18:00	0.7	BDL	BDL	BDL	0.2	2.3	17.0	2.0
2/13/2018 19:00	0.6	BDL	BDL	BDL	0.2	2.3	14.0	5.0
2/13/2018 20:00	0.6	BDL	BDL	BDL	0.1	2.3	9.0	4.0
2/13/2018 21:00	0.6	BDL	BDL	BDL	0.2	2.3	11.0	2.0
2/13/2018 22:00	0.5	BDL	BDL	BDL	0.2	2.3	17.0	6.0
2/13/2018 23:00	0.7	BDL	BDL	BDL	0.2	2.3	14.0	2.0
2/14/2018 0:00	0.6	BDL	BDL	BDL	0.2	2.3	17.0	4.0
2/14/2018 1:00	0.6	BDL	BDL	BDL	0.1	2.3	17.0	7.0
2/14/2018 2:00	0.7	Calibration	Calibration	1.8	0.1	2.4	14.0	8.0
2/14/2018 3:00	0.7	Calibration	Calibration	2.0	0.2	2.4	17.0	6.0
2/14/2018 4:00	Calibration	0.4	Calibration	Calibration	0.2	2.5	20.0	9.0
2/14/2018 5:00	0.8	1.0	0.5	9.4	0.2	2.5	20.0	9.0
2/14/2018 6:00	0.8	1.1	0.7	1.9	0.2	2.6	25.0	9.0
2/14/2018 7:00	1.5	Audit	Audit	11.2	0.2	2.6	26.0	5.0
2/14/2018 8:00	0.8	Too few samples	Too few samples	Calibration	0.2	2.6	27.0	5.0
2/14/2018 9:00	1.7	0.6	0.6	1.7	0.8	Calibration	26.0	8.0
2/14/2018 10:00	1.6	0.7	BDL	5.2	0.2	2.4	24.0	11.0
2/14/2018 11:00	2.0	0.7	BDL	4.6	0.2	2.4	20.0	10.0
2/14/2018 12:00	2.0	0.6	BDL	0.7	0.2	2.4	27.0	9.0
2/14/2018 13:00	2.1	0.7	BDL	4.7	0.2	2.5	23.0	10.0
2/14/2018 14:00	2.2	0.7	BDL	3.7	0.2	2.5	29.0	13.0
2/14/2018 15:00	2.9	0.6	BDL	3.0	0.2	2.5	23.0	10.0
2/14/2018 16:00	2.1	0.6	BDL	3.2	0.2	2.5	23.0	10.0
2/14/2018 17:00	1.6	0.6	BDL	3.9	0.2	2.7	18.0	9.0
2/14/2018 18:00	1.8	0.7	BDL	6.8	0.2	2.6	19.0	12.0
2/14/2018 19:00	2.5	0.8	BDL	8.4	0.2	2.5	19.0	11.0
2/14/2018 20:00	0.8	0.8	BDL	8.8	0.2	2.6	19.0	11.0
2/14/2018 21:00	2.3	1.0	0.4	10.1	0.2	2.7	16.0	10.0
2/14/2018 22:00	1.4	1.1	0.5	8.3	0.2	2.7	13.0	14.0
2/14/2018 23:00	1.1	1.4	0.8	7.0	0.2	2.7	22.0	10.0
2/15/2018 0:00	1.0	1.3	1.0	2.9	0.2	2.6	15.0	17.0
2/15/2018 1:00	1.0	1.1	0.8	BDL	0.1	2.6	11.0	12.0
2/15/2018 2:00	1.0	Calibration	Calibration	3.9	0.2	3.0	12.0	8.0
2/15/2018 3:00	1.0	Calibration	Calibration	2.0	0.2	2.7	18.0	9.0
2/15/2018 4:00	Calibration	1.4	1.2	Calibration	0.2	2.7	19.0	14.0
2/15/2018 5:00	1.5	2.3	1.4	18.8	0.3	2.7	23.0	15.0
2/15/2018 6:00	1.7	Calibration	Calibration	30.3	0.3	2.8	23.0	11.0
2/15/2018 7:00	2.2	Calibration	Calibration	35.7	0.3	2.8	24.0	18.0
2/15/2018 8:00	2.4	Calibration	Calibration	34.5	0.3	2.7	26.0	12.0
2/15/2018 9:00	2.7	Calibration	Calibration	28.8	0.3	2.8	23.0	14.0
2/15/2018 10:00	2.7	Calibration	Calibration	23.9	0.3	2.6	23.0	18.0
2/15/2018 11:00	Calibration	1.4	0.9	25.0	0.3	2.7	20.0	13.0
2/15/2018 12:00	3.9	1.9	1.5	29.0	0.3	2.9	24.0	16.0
2/15/2018 13:00	4.7	1.4	0.7	21.9	0.3	2.7	18.0	13.0
2/15/2018 14:00	4.6	1.3	0.7	19.1	0.3	2.8	16.0	9.0
2/15/2018 15:00	1.1	0.7	0.7	12.9	0.2	2.7	16.0	7.0
2/15/2018 16:00	2.6	1.2	0.8	16.2	0.3	2.4	17.0	8.0
2/15/2018 17:00	1.4	2.0	0.9	21.8	0.4	2.3	18.0	7.0
2/15/2018 18:00	1.4	1.2	0.8	13.0	0.3	2.5	14.0	6.0
2/15/2018 19:00	1.5	1.5	1.0	29.0	Maintenance	2.6	17.0	8.0
2/15/2018 20:00	2.1	2.1	1.1	43.3	Maintenance	4.0	17.0	9.0
2/15/2018 21:00	2.1	2.1	1.1	46.7	Maintenance	3.1	18.0	14.0
2/15/2018 22:00	2.4	2.5	1.3	57.0	Maintenance	4.7	29.0	21.0
2/16/2018 0:00	2.2	2.6	1.2	52.9	Maintenance	3.5	13.0	11.0
2/16/2018 1:00	1.5	1.9	1.2	27.1	Maintenance	3.5	12.0	8.0
2/16/2018 2:00	1.9	Calibration	Calibration	29.8	Maintenance	4.1	13.0	8.0
2/16/2018 3:00	1.7	Calibration	Calibration	31.2	Maintenance	3.2	8.0	12.0
2/16/2018 4:00	Calibration	1.9	1.2	23.8	Maintenance	3.0	14.0	14.0
2/16/2018 5:00	2.3	1.9	1.2	Calibration	Maintenance	3.0	18.0	14.0
2/16/2018 6:00	2.3	2.2	1.8	22.4	Maintenance	2.8	16.0	12.0
2/16/2018 7:00	2.4	1.8	1.3	34.0	Maintenance	2.9	13.0	10.0
2/16/2018 8:00	2.0	1.1	0.7	12.7	Maintenance	2.4	12.0	6.0
2/16/2018 9:00	3.4	1.4	1.0	10.0	Maintenance	2.3	17.0	8.0
2/16/2018 10:00	3.7	1.2	0.9	13.7	Maintenance	2.5	16.0	8.0
2/16/2018 11:00	4.2	1.7	1.1	18.1	Maintenance	2.6	16.0	10.0
2/16/2018 12:00	5.0	1.8	1.4	12.4	Maintenance	2.3	19.0	11.0
2/16/2018 13:00	Calibration	0.8	0.8	Calibration	Calibration	2.3	12.0	6.0
2/16/2018 14:00	Calibration	0.6	0.5	Calibration	0.4	2.3	8.0	1.0
2/16/2018 15:00	Calibration	0.4	BDL	Calibration	0.3	2.3	7.0	3.0
2/16/2018 16:00	Calibration	BDL	BDL	Calibration	0.3	2.3	4.0	3.0
2/16/2018 17:00	Calibration	BDL	BDL	Calibration	0.4	2.3	6.0	3.0
2/16/2018 18:00	Calibration	0.4	BDL	Calibration	0.2	2.4	10.	

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	H2S PPB	TMG PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m ³	PM2.5 µg/m ³	
Detection Limit:	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m ³	1.0 µg/m ³	
2/18/2018 0:00	Calibration	1.2	0.4	Calibration	0.4	3.2	9.0	5.0
2/18/2018 1:00	Calibration	1.0	0.4	Calibration	0.4	2.6	12.0	7.0
2/18/2018 2:00	Calibration	Calibration	Calibration	Calibration	0.3	2.4	17.0	13.0
2/18/2018 3:00	Calibration	Calibration	Calibration	Calibration	0.2	2.4	10.0	9.0
2/18/2018 4:00	Calibration	0.4	0.4	Calibration	0.2	2.4	9.0	10.0
2/18/2018 5:00	Calibration	0.6	BDL	Calibration	0.2	Too few samples	17.0	15.0
2/18/2018 6:00	Calibration	0.4	BDL	Calibration	0.2	2.4	14.0	12.0
2/18/2018 7:00	Calibration	BDL	BDL	Calibration	0.2	2.3	12.0	10.0
2/18/2018 8:00	Calibration	BDL	BDL	Calibration	0.2	2.3	10.0	10.0
2/18/2018 9:00	Calibration	BDL	BDL	Calibration	0.2	2.4	11.0	6.0
2/18/2018 10:00	Calibration	BDL	BDL	Calibration	0.2	2.4	9.0	7.0
2/18/2018 11:00	Calibration	BDL	BDL	Calibration	0.2	2.4	9.0	8.0
2/18/2018 12:00	Calibration	BDL	BDL	Calibration	0.2	2.4	15.0	7.0
2/18/2018 13:00	Calibration	BDL	BDL	Calibration	0.2	2.3	12.0	6.0
2/18/2018 14:00	Calibration	BDL	BDL	Calibration	0.2	2.4	9.0	6.0
2/18/2018 15:00	Calibration	BDL	BDL	Calibration	0.2	2.6	12.0	9.0
2/18/2018 16:00	Calibration	BDL	BDL	Calibration	0.2	2.4	8.0	11.0
2/18/2018 17:00	Calibration	BDL	BDL	Calibration	0.2	2.4	14.0	8.0
2/18/2018 18:00	Calibration	BDL	BDL	Calibration	0.2	2.2	17.0	10.0
2/18/2018 19:00	Calibration	BDL	BDL	Calibration	0.2	2.9	17.0	12.0
2/18/2018 20:00	Calibration	0.9	0.9	Calibration	0.6	3.0	26.0	11.0
2/18/2018 21:00	Calibration	2.6	0.4	Calibration	0.8	3.1	38.0	16.0
2/18/2018 22:00	Calibration	2.9	0.7	Calibration	0.8	2.8	41.0	19.0
2/18/2018 23:00	Calibration	2.6	0.6	Calibration	0.8	3.1	38.0	16.0
2/19/2018 0:00	Calibration	1.6	0.4	Calibration	0.5	2.4	29.0	14.0
2/19/2018 1:00	Calibration	1.5	0.4	Calibration	0.5	2.3	23.0	15.0
2/19/2018 2:00	Calibration	Calibration	Calibration	Calibration	0.3	2.3	16.0	10.0
2/19/2018 3:00	Calibration	Calibration	Calibration	Calibration	0.3	2.3	16.0	8.0
2/19/2018 4:00	Calibration	BDL	Calibration	Calibration	0.4	2.6	15.0	6.0
2/19/2018 5:00	Calibration	1.4	0.6	Too few samples	0.4	0.3	16.0	13.0
2/19/2018 6:00	Too few samples	1.4	0.7	Too few samples	0.4	0.7	20.0	13.0
2/19/2018 7:00	BDL	1.8	0.8	Too few samples	0.4	2.6	19.0	12.0
2/19/2018 8:00	BDL	1.4	0.7	14.9	0.3	2.5	26.0	12.0
2/19/2018 9:00	BDL	1.1	0.6	8.0	0.3	2.3	22.0	8.0
2/19/2018 10:00	BDL	0.6	BDL	1.7	0.2	2.3	21.0	4.0
2/19/2018 11:00	BDL	0.9	0.6	BDL	0.2	2.4	13.0	3.0
2/19/2018 12:00	BDL	0.4	BDL	1.3	0.2	2.3	15.0	2.0
2/19/2018 13:00	BDL	0.4	BDL	1.3	0.2	2.3	12.0	4.0
2/19/2018 14:00	BDL	0.5	BDL	4.2	0.3	2.1	2.0	4.0
2/19/2018 15:00	BDL	0.5	BDL	BDL	0.3	2.7	17.0	4.0
2/19/2018 16:00	BDL	0.7	BDL	6.7	0.3	2.5	19.0	5.0
2/19/2018 17:00	BDL	0.8	BDL	6.0	0.3	2.3	27.0	6.0
2/19/2018 18:00	BDL	0.7	BDL	4.3	0.3	2.5	21.0	6.0
2/19/2018 19:00	BDL	0.8	0.4	5.4	0.3	2.8	25.0	8.0
2/19/2018 20:00	BDL	0.8	0.5	9.2	0.3	2.7	30.0	9.0
2/19/2018 21:00	BDL	1.4	0.8	17.8	0.4	3.0	32.0	11.0
2/19/2018 22:00	BDL	1.8	1.0	19.1	0.4	2.9	22.0	14.0
2/19/2018 23:00	BDL	1.7	1.2	11.7	0.2	3.1	16.0	15.0
2/20/2018 0:00	BDL	1.5	1.2	4.3	0.3	2.7	20.0	15.0
2/20/2018 1:00	BDL	1.6	1.3	5.8	0.3	2.8	24.0	17.0
2/20/2018 2:00	BDL	Calibration	Calibration	5.4	0.2	2.5	21.0	12.0
2/20/2018 3:00	Calibration	Calibration	Calibration	4.2	0.2	2.5	15.0	16.0
2/20/2018 4:00	Calibration	0.9	0.6	Calibration	0.3	2.8	13.0	9.0
2/20/2018 5:00	BDL	1.1	0.7	8.0	0.3	2.6	16.0	9.0
2/20/2018 6:00	BDL	0.8	0.4	5.7	0.3	2.5	11.0	9.0
2/20/2018 7:00	BDL	Calibration	Calibration	6.9	0.3	2.4	19.0	10.0
2/20/2018 8:00	BDL	Calibration	Calibration	8.8	0.3	2.5	14.0	10.0
2/20/2018 9:00	Too few samples	0.7	BDL	0.7	0.4	2.3	13.0	8.0
2/20/2018 10:00	Too few samples	0.7	0.4	Too few samples	0.3	2.5	17.0	10.0
2/20/2018 11:00	BDL	0.4	0.6	16.6	0.4	2.4	20.0	10.0
2/20/2018 12:00	0.8	BDL	4.3	0.3	2.3	17.0	13.0	10.0
2/20/2018 13:00	0.5	0.4	4.0	0.3	2.4	20.0	14.0	10.0
2/20/2018 14:00	2.1	0.7	5.0	0.4	2.5	5.0	24.0	10.0
2/20/2018 15:00	0.8	0.6	5.6	0.3	2.7	22.0	6.0	6.0
2/20/2018 16:00	BDL	BDL	BDL	0.3	2.5	15.0	13.0	8.0
2/20/2018 17:00	BDL	0.4	BDL	0.3	2.3	17.0	10.0	10.0
2/20/2018 18:00	BDL	0.7	0.5	7.4	0.4	2.3	19.0	8.0
2/20/2018 19:00	BDL	0.8	0.7	BDL	0.3	2.2	12.0	5.0
2/20/2018 20:00	BDL	0.8	0.7	BDL	0.3	2.3	15.0	8.0
2/20/2018 21:00	BDL	0.7	0.7	BDL	0.4	2.3	18.0	8.0
2/20/2018 22:00	BDL	0.9	0.7	8.6	0.4	2.3	16.0	7.0
2/20/2018 23:00	BDL	0.8	0.8	BDL	0.3	1.4	14.0	5.0
2/21/2018 0:00	BDL	0.9	0.8	3.1	0.3	2.3	9.0	5.0
2/21/2018 1:00	BDL	0.7	0.6	BDL	0.3	2.2	10.0	8.0
2/21/2018 2:00	BDL	Calibration	Calibration	BDL	0.3	2.3	14.0	8.0
2/21/2018 3:00	BDL	Calibration	Calibration	BDL	0.3	2.5	10.0	8.0
2/21/2018 4:00	Calibration	1.1	0.8	Calibration	0.6	2.9	16.0	7.0
2/21/2018 5:00	BDL	1.7	0.9	33.9	0.4	3.3	19.0	10.0
2/21/2018 6:00	BDL	0.6	Calibration	44.0	0.4	3.0	27.0	14.0
2/21/2018 7:00	BDL	Too few samples	Too few samples	20.2	0.3	2.8	14.0	14.0
2/21/2018 8:00	BDL	1.1	0.3	9.3	0.3	2.3	11.0	14.0
2/21/2018 9:00	BDL	1.0	0.7	9.4	0.3	3.0	14.0	14.0
2/21/2018 10:00	BDL	0.6	0.4	5.6	0.3	2.3	25.0	13.0
2/21/2018 11:00	BDL	0.8	0.9	BDL	0.2	2.0	26.0	11.0
2/21/2018 12:00	0.4	BDL	BDL	0.2	2.5	21.0	9.0	9.0
2/21/2018 13:00	0.4	BDL	BDL	0.2	2.5	24.0	10.0	10.0
2/21/2018 14:00	BDL	0.4	BDL	0.2	2.4	22.0	8.0	8.0
2/21/2018 15:00	0.4	BDL	BDL	0.2	2.6	28.0	6.0	6.0
2/21/2018 16:00	BDL	0.4	BDL	0.2	2.4	16.0	9.0	9.0
2/21/2018 17:00	BDL	0.5	0.4	BDL	0.2	2.4	15.0	6.0
2/21/2018 18:00	BDL	0.6	0.5	BDL	0.2	2.3	12.0	7.0
2/21/2018 19:00	BDL	0.8	0.6	10.0	0.3	2.3	18.0	7.0
2/21/2018 20:00	BDL	0.7	0.7	3.9	0.2	2.5	18.0	7.0
2/21/2018 21:00	BDL	0.5	0.4	BDL	0.3	2.6	21.0	7.0
2/21/2018 22:00	BDL	0.4	0.4	BDL	0.2	2.1	10.0	5.0
2/21/2018 23:00	BDL	0.5	0.4	BDL	0.2	2.2	8.0	2.0
2/22/2018 0:00	BDL	0.5	0.4	BDL	0.2	2.3	6.0	BDL
2/22/2018 1:00	BDL	0.8	0.8	BDL	0.2	2.2	6.0	BDL
2/22/2018 2:00	BDL	Calibration	Calibration	BDL	0.2	2.2	3.0	BDL
2/22/2018 3:00	Calibration	Calibration	Calibration	BDL	0.2	2.2	6.0	BDL
2/22/2018 4:00	Calibration	BDL	Calibration	BDL	0.2	2.2	6.0	1.0
2/22/2018 5:00	BDL	Too few samples	Too few samples	BDL	0.2	2.2	7.0	1.0
2/22/2018 6:00	BDL	0.3	BDL	6.6	0.3	2.3	9.0	2.0
2/22/2018 7:00	BDL	0.4	BDL	13.0	0.3	2.3	20.0	1.0
2/22/2018 8:00	BDL	0.8	BDL	12.3	0.3	2.3	9.0	1.0
2/22/2018 9:00	BDL	0.6	BDL	14.4	0.3	2.3	9.0	4.0
2/22/2018 10:00	BDL	0.8	BDL	11.2	0.3	2.3	14.0	3.0
2/22/2018 11:00	BDL	1.0	BDL	26.2	0.3	2.4	12.0	2.0
2/22/2018 12:00	BDL	0.7	0.5	28.1	0.3	2.3	14.0	3.0
2/22/2018 13:00	BDL	0.7	BDL	9.0	0.2	2.3	16.0	7.0
2/22/2018 14:00	BDL	0.5	BDL	8.7	0.2	2.3	20.0	5.0
2/22/2018 15:00	BDL	0.4	BDL	5.8	0.2	2.3	22.0	7.0
2/22/2018 16:00	BDL	0.5	BDL	10.6	0.2	2.3	13.0	6.0
2/22/2018 17:00	BDL	0.7	BDL	11.2	0.3	2.3	9.0	3.0
2/22/2018 18:00	BDL	0.7	BDL	12.0	0.3	2.4	8.0	7.0
2/22/2018 19:00	BDL	0.8	BDL	15.4	0.3	2.4	5.0	8.0
2/22/2018 20:00	BDL	0.7	BDL	12.2	0.3	2.3	10.0	6.0
2/22/2018 21:00	BDL	0.4	BDL	3.2	0.2	2.3	9.0	8.0
2/22/2018 22:00	BDL	0.4	BDL	1.9	0.2	2.3	9.0	5.0
2/22/2018 23:00	BDL	0.5	BDL	1.7	0.2	2.3	7.0	4.0
2/23/2018 0:00	BDL	0.5	BDL	11.9	0.2	2.4	10.0	6.0
2/23/2018 1:00	BDL	BDL	BDL	0.6	0.1	2.4	9.0	4.0
2/23/2018 2:00	BDL	Calibration	Calibration	BDL	0.1	2.3	15.0	8.0
2/23/2018 3:00	BDL	Calibration	Calibration	0.6	0.1	2.4	14.0	6.0
2/23/2018 4:00	Calibration	BDL	Calibration	BDL	0.2	2.3	13.0	4.0
2/23/2018 5:00	BDL	0.6	BDL	9.8	0.2	2.3	12.0	2.0
2/23/2018 6:00	BDL	0.7	BDL	17.1	0.2	2.3	17.0	3.0
2/23/2018 7:00	BDL	Calibration	Calibration	12.5	0.2	2.3	16.0	5.0
2/23/2018 8:00	BDL	Calibration	Calibration	21.3	0.3	2.3	16.0	5.0
2/23/2018 9:00	BDL	0.7	BDL	20.2	0.2	2.3	10.0	4.0
2/23/2018 10:00	BDL	1.0	BDL	22.3	0.3	2.3	9.0	8.0
2/23/2018 11:00	BDL	1.1	BDL	26.3	0.3	2.3	10.0	6.0
2/23/2018 12:00	BDL	0.8	BDL	13.8	0.3	2.3	8.0	3.0
2/23/2018 13:00	BDL	0.8	BDL	16.4	0.3	2.3	6.0	1.0
2/23/2018 14:00	BDL	0.7	BDL	14.2	0.3	2.4	9.0	4.0
2/23/2018 15:00	BDL	0.9	BDL	19.4	0.3	2.4		

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	H2S PPB	TRG PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m ³	PM2.5 µg/m ³
Detection limit: 0.4 ppb		0.4 ppb	0.4 ppb	40.0 ppm	10.0 ppb	1.0 µg/m ³	1.0 µg/m ³
See Downwind Weekly 2/25/2018-3/3/2018							
2/25/2018 0:00	BDL	0.8	0.5	9.6	0.4	2.5	15.0
2/25/2018 1:00	BDL	0.8	0.4	11.6	0.3	2.5	15.0
2/25/2018 2:00	BDL	Calibration	Calibration	BDL	0.3	2.4	14.0
2/25/2018 3:00	BDL	Calibration	Calibration	BDL	0.2	2.5	7.0
2/25/2018 4:00	Calibration	0.5	0.5	BDL	Calibration	2.3	5.0
2/25/2018 5:00	BDL	0.5	0.4	BDL	0.2	2.4	6.0
2/25/2018 6:00	BDL	0.5	0.4	BDL	0.2	2.3	6.0
2/25/2018 7:00	BDL	0.5	BDL	2.0	0.3	2.3	5.0
2/25/2018 8:00	BDL	0.6	BDL	3.4	0.2	2.4	6.0
2/25/2018 9:00	BDL	0.6	0.4	3.8	0.3	2.5	7.0
2/25/2018 10:00	BDL	0.6	0.4	6.2	0.3	2.3	6.0
2/25/2018 11:00	BDL	0.8	0.3	6.1	0.3	2.4	5.0
2/25/2018 12:00	BDL	0.7	0.4	4.1	0.2	2.6	5.0
2/25/2018 13:00	BDL	0.6	0.4	4.6	0.3	2.4	4.0
2/25/2018 14:00	BDL	0.7	0.4	5.1	0.3	2.5	7.0
2/25/2018 15:00	BDL	0.8	0.4	6.2	0.3	2.3	12.0
2/25/2018 16:00	BDL	0.8	0.4	8.4	0.4	2.2	9.0
2/25/2018 17:00	BDL	0.8	0.5	8.7	0.4	2.3	10.0
2/25/2018 18:00	BDL	1.1	0.5	18.8	0.3	2.5	22.0
2/25/2018 19:00	BDL	1.1	0.6	15.3	0.4	2.4	14.0
2/25/2018 20:00	BDL	0.9	0.5	9.8	0.4	2.6	20.0
2/25/2018 21:00	BDL	1.0	0.5	17.4	0.4	2.5	22.0
2/25/2018 22:00	BDL	0.9	0.5	11.7	0.4	2.8	15.0
2/25/2018 23:00	BDL	1.3	0.8	24.7	0.5	2.5	20.0
2/26/2018 0:00	BDL	1.3	0.6	25.0	0.5	2.2	22.0
2/26/2018 1:00	BDL	1.2	0.6	20.7	0.4	2.7	25.0
2/26/2018 2:00	BDL	Calibration	Calibration	11.6	0.3	2.3	22.0
2/26/2018 3:00	BDL	Calibration	Calibration	0.9	0.3	2.5	18.0
2/26/2018 4:00	Calibration	BDL	Calibration	2.6	Calibration	2.6	17.0
2/26/2018 5:00	BDL	BDL	BDL	8.8	0.3	2.6	20.0
2/26/2018 6:00	BDL	BDL	BDL	13.2	0.3	2.2	22.0
2/26/2018 7:00	BDL	BDL	BDL	17.3	0.3	2.7	12.0
2/26/2018 8:00	BDL	BDL	BDL	21.1	0.3	2.8	18.0
2/26/2018 9:00	BDL	BDL	BDL	4.6	0.2	2.5	13.0
2/26/2018 10:00	BDL	BDL	BDL	1.9	0.2	2.4	35.0
2/26/2018 11:00	BDL	BDL	BDL	BDL	0.2	2.3	9.0
2/26/2018 12:00	BDL	BDL	BDL	BDL	0.1	2.4	16.0
2/26/2018 13:00	BDL	BDL	BDL	BDL	0.1	2.4	10.0
2/26/2018 14:00	BDL	BDL	BDL	BDL	0.1	2.3	7.0
2/26/2018 15:00	BDL	BDL	BDL	BDL	0.1	2.4	10.0
2/26/2018 16:00	BDL	BDL	BDL	BDL	0.1	2.4	12.0
2/26/2018 17:00	BDL	BDL	BDL	BDL	0.1	2.4	15.0
2/26/2018 18:00	BDL	BDL	BDL	BDL	0.2	2.5	12.0
2/26/2018 19:00	BDL	BDL	BDL	2.9	0.2	2.4	24.0
2/26/2018 20:00	BDL	BDL	BDL	6.3	0.2	2.6	19.0
2/26/2018 21:00	BDL	BDL	BDL	18.6	0.4	2.9	20.0
2/26/2018 22:00	BDL	BDL	BDL	42.6	0.6	3.4	24.0
2/26/2018 23:00	BDL	BDL	BDL	21.3	0.4	3.1	14.0
2/27/2018 0:00	BDL	BDL	BDL	45.9	0.5	3.4	17.0
2/27/2018 1:00	BDL	BDL	BDL	27.0	0.3	3.1	13.0
2/27/2018 2:00	BDL	Calibration	Calibration	12.5	0.2	2.6	17.0
2/27/2018 3:00	BDL	Calibration	Calibration	12.7	0.2	2.9	13.0
2/27/2018 4:00	BDL	Calibration	Calibration	43.2	0.4	3.3	18.0
2/27/2018 5:00	BDL	Calibration	Calibration	66.5	0.5	3.4	12.0
2/27/2018 6:00	0.9	Too few samples	Too few samples	96.2	0.7	4.1	28.0
2/27/2018 7:00	BDL	Calibration	Calibration	47.8	0.4	3.0	20.0
2/27/2018 8:00	BDL	Calibration	Calibration	24.3	0.4	2.7	18.0
2/27/2018 9:00	BDL	Maintenance	Maintenance	30.7	0.3	2.5	21.0
2/27/2018 10:00	0.8	Maintenance	Maintenance	22.3	0.2	2.3	16.0
2/27/2018 11:00	0.5	Too few samples	Too few samples	BDL	0.2	2.4	17.0
2/27/2018 12:00	BDL	BDL	BDL	BDL	0.2	2.4	15.0
2/27/2018 13:00	0.4	BDL	BDL	BDL	0.2	2.4	15.0
2/27/2018 14:00	0.8	BDL	BDL	BDL	0.1	2.4	14.0
2/27/2018 15:00	0.8	BDL	BDL	0.6	0.2	2.4	12.0
2/27/2018 16:00	3.2	BDL	BDL	1.0	0.1	2.1	14.0
2/27/2018 17:00	BDL	BDL	BDL	BDL	0.2	2.6	12.0
2/27/2018 18:00	BDL	BDL	BDL	7.1	0.2	2.6	13.0
2/27/2018 19:00	1.0	BDL	BDL	12.3	0.2	2.6	17.0
2/27/2018 20:00	BDL	BDL	BDL	2.4	0.2	2.5	14.0
2/27/2018 21:00	BDL	BDL	BDL	11.0	0.3	2.2	16.0
2/27/2018 22:00	BDL	BDL	BDL	3.6	0.2	2.3	16.0
2/27/2018 23:00	BDL	BDL	BDL	BDL	0.1	2.6	9.0
2/28/2018 0:00	BDL	BDL	BDL	5.3	0.2	2.5	9.0
2/28/2018 1:00	BDL	BDL	BDL	BDL	0.1	2.6	8.0
2/28/2018 2:00	BDL	Calibration	Calibration	5.0	0.2	2.7	12.0
2/28/2018 3:00	BDL	Calibration	Calibration	BDL	Calibration	2.8	14.0
2/28/2018 4:00	Calibration	BDL	Calibration	21.5	0.3	2.6	13.0
2/28/2018 5:00	BDL	0.8	0.7	21.5	0.3	3.0	16.0
2/28/2018 6:00	BDL	1.9	1.0	43.9	0.3	3.1	62.0
2/28/2018 7:00	BDL	Audit	Audit	15.4	0.2	2.6	39.0
2/28/2018 8:00	1.2	Calibration	Calibration	2.6	Calibration	2.7	29.0
2/28/2018 9:00	BDL	BDL	BDL	BDL	Calibration	2.7	19.0
2/28/2018 10:00	BDL	BDL	BDL	BDL	0.2	2.5	25.0
2/28/2018 11:00	1.9	BDL	BDL	1.9	0.2	2.4	29.0
2/28/2018 12:00	0.8	BDL	BDL	BDL	0.2	2.4	16.0
2/28/2018 13:00	0.8	Calibration	Calibration	BDL	0.2	2.5	32.0
2/28/2018 14:00	0.7	Calibration	Calibration	BDL	0.2	2.5	21.0
2/28/2018 15:00	0.6	BDL	BDL	BDL	0.2	2.5	17.0
2/28/2018 16:00	1.0	BDL	BDL	1.5	0.2	2.5	16.0
2/28/2018 17:00	0.4	BDL	BDL	3.5	0.3	2.5	13.0
2/28/2018 18:00	0.4	BDL	BDL	11.6	0.3	2.5	16.0
2/28/2018 19:00	BDL	BDL	BDL	15.9	0.3	2.4	21.0
2/28/2018 20:00	BDL	BDL	BDL	9.5	0.3	2.5	18.0
2/28/2018 21:00	BDL	BDL	BDL	8.3	0.2	2.5	19.0
2/28/2018 22:00	BDL	BDL	BDL	7.5	0.2	2.6	18.0
2/28/2018 23:00	BDL	BDL	BDL	0.4	0.5	2.8	19.0
3/1/2018 0:00	BDL	0.4	0.4	6.8	0.2	3.0	21.0
3/1/2018 1:00	0.4	BDL	BDL	12.8	0.3	2.9	30.0
3/1/2018 2:00	BDL	Calibration	Calibration	16.8	0.3	2.9	19.0
3/1/2018 3:00	BDL	Calibration	Calibration	29.8	0.4	3.5	23.0
3/1/2018 4:00	Calibration	1.2	0.6	64.3	0.5	3.9	44.0
3/1/2018 5:00	0.6	2.3	1.0	64.3	0.5	2.9	29.0
3/1/2018 6:00	1.1	0.7	0.7	67.7	0.6	3.6	39.0
3/1/2018 7:00	0.4	2.1	0.8	56.5	0.5	3.6	44.0
3/1/2018 8:00	1.6	3.2	1.6	91.3	0.7	2.9	46.0
3/1/2018 9:00	1.9	3.7	1.9	107.3	0.7	2.8	56.0
3/1/2018 10:00	1.2	1.4	0.7	50.1	0.5	2.5	36.0
3/1/2018 11:00	1.3	1.1	0.8	47.8	0.4	2.4	41.0
3/1/2018 12:00	0.9	0.9	0.6	30.1	0.3	2.3	30.0
3/1/2018 13:00	0.5	0.7	0.4	12.2	0.4	2.7	40.0
3/1/2018 14:00	0.4	0.4	0.5	17.4	0.4	2.2	23.0
3/1/2018 15:00	0.8	0.7	0.7	40.8	0.4	2.2	25.0
3/1/2018 16:00	BDL	1.1	0.4	33.4	0.4	2.3	21.0
3/1/2018 17:00	BDL	BDL	0.4	16.8	0.4	2.2	16.0
3/1/2018 18:00	BDL	BDL	0.3	8.0	0.3	2.3	23.0
3/1/2018 19:00	BDL	0.4	0.5	6.5	0.4	2.4	21.0
3/1/2018 20:00	BDL	0.4	0.7	14.5	0.3	2.4	17.0
3/1/2018 21:00	BDL	0.6	0.6	6.4	0.3	2.4	21.0
3/1/2018 22:00	BDL	0.6	0.6	15.1	0.3	2.7	17.0
3/1/2018 23:00	BDL	0.6	0.6	11.4	0.3	2.6	14.0
3/2/2018 0:00	BDL	0.5	0.5	3.7	0.2	2.5	11.0
3/2/2018 1:00	BDL	0.5	0.5	3.2	0.2	2.4	9.0
3/2/2018 2:00	BDL	Calibration	Calibration	3.1	0.2	2.5	5.0
3/2/2018 3:00	BDL	Calibration	Calibration	BDL	0.2	2.5	7.0
3/2/2018 4:00	Calibration	BDL	Calibration	BDL	Calibration	2.4	7.0
3/2/2018 5:00	BDL	BDL	BDL	BDL	0.2	2.4	7.0
3/2/2018 6:00	BDL	BDL	BDL	BDL	0.2	2.3	9.0
3/2/2018 7:00	BDL	BDL	BDL	BDL	0.2	2.4	5.0
3/2/2018 8:00	BDL	BDL	BDL	BDL	0.2	2.4	3.0
3/2/2018 9:00	BDL	BDL	BDL	BDL	0.2	2.6	3.0
3/2/2018 10:00	BDL	BDL	BDL	BDL	0.2	2.5	1.0
3/2/2018 11:00	BDL	BDL	BDL	BDL	0.2	2.5	BDL
3/2/2018 12:00	BDL	BDL	BDL	BDL	0.2	2.5	BDL
3/2/2018 13:00	BDL	BDL	BDL	BDL	0.2	2.0	1.0
3/2/2018 14:00	BDL	BDL	BDL	BDL	0.1	2.9	4.0
3/2/2018 15:00	BDL	BDL	BDL	BDL	0.2	2.9	2.0
3/2/2018 16:00	BDL	BDL	BDL	BDL	0.1	2.9	5.0
3/2/2018 17:00	BDL	BDL	BDL	BDL	0.2	2.9	4.0
3/2/2018 18:00	BDL	BDL	BDL	BDL	0.1	3.0	5.0
3/2/2018 19:00	BDL	BDL	BDL	BDL	0.1	3.0	7.0
3/2/2018 20:00	BDL	BDL	BDL	BDL	0.1	3.0	6.0
3/2/2018 21:00	BDL	BDL	BDL	BDL	0.1	3.0	6.0
3/2/2018 22:00	BDL	BDL	BDL	BDL	0.1	3.0	7.0
3/2/2018 23:00	BDL	BDL	BDL	BDL	0.1	2.9	6.0
3/3/2018 0:00	BDL	BDL	BDL	BDL	0.1	2.7	5.0
3/3/2018 1:00	BDL	Calibration	Calibration	BDL	Calibration	2.7	1.0
3/3/2018 2:00	BDL	Calibration	Calibration	BDL	0.1	2.7	5.0
3/3/2018 3:00	BDL	BDL	BDL	BDL	0.1	2.7	6.0
3/3/2018 4:00	Calibration	BDL	Calibration	BDL	Calibration	2.8	5.0
3/3/2018 5:00	BDL	BDL	BDL	BDL	0.1	2.8	3.0
3/3/2018 6:00	BDL	BDL	BDL	BDL	0.1	2.7	6.0
3/3/2018 7:00	BDL	BDL	BDL	BDL	0.1	2.5	5.0
3/3/2018 8:00	BDL	BDL	BDL	BDL	0.2	2.3	3.0
3/3/2018 9:00	BDL	BDL	BDL	BDL	0.2	2.4	9.0
3/3/2018 10:00	BDL	BDL	BDL	BDL	0.2	2.4	BDL

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	H2S PPH	TMS PPH	NOx PPH	CO PPM	VOC PPM	PM10 µg/m3	PM2.5 µg/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppm	10.0 ppm	1.0 µg/m3	1.0 µg/m3
See Downwind Weekly 3/4/2018-3/10/2018							
3/4/2018 0:00	BDL	BDL	BDL	0.1	2.7	6.0	2.0
3/4/2018 1:00	BDL	BDL	BDL	0.1	2.6	5.0	2.0
3/4/2018 2:00	BDL	Calibration	Calibration	BDL	0.1	2.6	10.0
3/4/2018 3:00	BDL	Calibration	Calibration	BDL	0.1	2.7	6.0
3/4/2018 4:00	BDL	BDL	BDL	0.1	2.7	2.5	1.0
3/4/2018 5:00	BDL	BDL	BDL	0.1	2.6	9.0	1.0
3/4/2018 6:00	BDL	BDL	BDL	0.1	2.7	10.0	2.0
3/4/2018 7:00	BDL	BDL	BDL	0.1	2.7	10.0	2.0
3/4/2018 8:00	BDL	BDL	BDL	0.1	2.4	7.0	3.0
3/4/2018 9:00	BDL	BDL	BDL	0.1	2.4	5.0	3.0
3/4/2018 10:00	BDL	BDL	BDL	0.1	2.4	5.0	2.0
3/4/2018 11:00	BDL	BDL	BDL	0.1	2.4	8.0	1.0
3/4/2018 12:00	BDL	BDL	BDL	0.1	2.3	10.0	3.0
3/4/2018 13:00	BDL	BDL	BDL	0.1	2.4	9.0	3.0
3/4/2018 14:00	BDL	BDL	BDL	0.1	2.4	11.0	2.0
3/4/2018 15:00	BDL	BDL	BDL	0.1	2.4	11.0	2.0
3/4/2018 16:00	BDL	BDL	BDL	0.1	2.5	6.0	1.0
3/4/2018 17:00	BDL	BDL	BDL	0.1	2.4	13.0	1.0
3/4/2018 18:00	BDL	BDL	BDL	0.1	2.3	11.0	3.0
3/4/2018 19:00	BDL	BDL	BDL	0.1	2.3	8.0	2.0
3/4/2018 20:00	BDL	BDL	BDL	0.1	2.4	7.0	1.0
3/4/2018 21:00	BDL	BDL	BDL	0.1	2.4	7.0	1.0
3/4/2018 22:00	BDL	BDL	BDL	0.1	2.6	5.0	4.0
3/4/2018 23:00	BDL	BDL	BDL	0.1	2.4	4.0	4.0
3/5/2018 0:00	BDL	BDL	BDL	0.1	2.5	6.0	4.0
3/5/2018 1:00	BDL	BDL	BDL	0.1	2.5	5.0	5.0
3/5/2018 2:00	BDL	Calibration	Calibration	BDL	0.1	2.5	7.0
3/5/2018 3:00	BDL	Calibration	Calibration	BDL	0.1	2.4	8.0
3/5/2018 4:00	BDL	Calibration	Calibration	BDL	0.1	2.4	7.0
3/5/2018 5:00	BDL	BDL	BDL	BDL	0.1	2.0	3.0
3/5/2018 6:00	BDL	BDL	BDL	BDL	0.1	2.5	10.0
3/5/2018 7:00	BDL	BDL	BDL	0.2	3.7	2.4	20.0
3/5/2018 8:00	BDL	Calibration	Calibration	2.5	0.2	2.6	16.0
3/5/2018 9:00	BDL	Calibration	1.4	0.2	2.6	8.0	5.0
3/5/2018 10:00	BDL	BDL	BDL	0.1	2.6	9.0	BDL
3/5/2018 11:00	BDL	BDL	BDL	0.1	2.6	14.0	BDL
3/5/2018 12:00	BDL	BDL	BDL	0.1	2.4	11.0	2.0
3/5/2018 13:00	BDL	BDL	BDL	0.1	2.7	15.0	BDL
3/5/2018 14:00	BDL	BDL	BDL	0.2	2.5	18.0	BDL
3/5/2018 15:00	BDL	BDL	BDL	0.2	2.3	14.0	2.0
3/5/2018 16:00	BDL	BDL	BDL	0.5	0.2	2.3	1.0
3/5/2018 17:00	BDL	BDL	BDL	0.2	2.4	12.0	3.0
3/5/2018 18:00	BDL	BDL	BDL	0.2	2.4	13.0	4.0
3/5/2018 19:00	BDL	BDL	BDL	0.8	0.2	2.4	12.0
3/5/2018 20:00	BDL	BDL	BDL	2.1	0.2	2.3	13.0
3/5/2018 21:00	BDL	BDL	BDL	0.4	0.2	2.2	10.0
3/5/2018 22:00	BDL	BDL	BDL	0.4	0.2	2.2	4.0
3/5/2018 23:00	BDL	BDL	BDL	0.2	2.4	11.0	3.0
3/6/2018 0:00	BDL	BDL	BDL	7.5	0.2	2.7	11.0
3/6/2018 1:00	BDL	BDL	BDL	13.1	0.2	2.8	14.0
3/6/2018 2:00	BDL	Calibration	Calibration	4.5	0.2	2.4	9.0
3/6/2018 3:00	BDL	Calibration	Calibration	0.8	0.2	2.5	10.0
3/6/2018 4:00	BDL	BDL	BDL	0.2	2.6	14.0	5.0
3/6/2018 5:00	BDL	BDL	BDL	22.8	0.2	2.6	17.0
3/6/2018 6:00	BDL	BDL	BDL	23.2	0.3	2.2	14.0
3/6/2018 7:00	BDL	BDL	BDL	34.1	0.4	2.4	28.0
3/6/2018 8:00	BDL	BDL	BDL	31.2	0.4	2.3	24.0
3/6/2018 9:00	BDL	BDL	BDL	28.7	0.2	2.2	22.0
3/6/2018 10:00	BDL	BDL	BDL	13.3	0.2	2.3	21.0
3/6/2018 11:00	BDL	BDL	BDL	6.0	0.2	2.2	17.0
3/6/2018 12:00	BDL	BDL	BDL	0.2	2.2	2.0	4.0
3/6/2018 13:00	BDL	BDL	BDL	0.1	2.2	12.0	4.0
3/6/2018 14:00	BDL	BDL	BDL	0.2	2.3	17.0	4.0
3/6/2018 15:00	BDL	BDL	BDL	0.2	2.3	9.0	5.0
3/6/2018 16:00	BDL	BDL	BDL	0.2	2.4	10.0	5.0
3/6/2018 17:00	BDL	BDL	BDL	0.2	2.4	12.0	3.0
3/6/2018 18:00	BDL	BDL	BDL	0.2	2.2	16.0	6.0
3/6/2018 19:00	BDL	BDL	BDL	0.2	2.2	16.0	7.0
3/6/2018 20:00	BDL	BDL	BDL	0.3	2.5	11.0	7.0
3/6/2018 21:00	BDL	BDL	BDL	13.9	0.3	2.4	7.0
3/6/2018 22:00	BDL	Calibration	Calibration	9.7	0.2	2.4	7.0
3/6/2018 23:00	BDL	Calibration	Calibration	0.2	0.2	2.3	8.0
3/7/2018 0:00	BDL	BDL	BDL	4.3	0.2	2.3	9.0
3/7/2018 1:00	BDL	BDL	BDL	8.0	0.2	2.0	3.0
3/7/2018 2:00	BDL	BDL	BDL	13.3	0.2	2.3	8.0
3/7/2018 3:00	BDL	BDL	BDL	11.8	0.2	2.8	6.0
3/7/2018 4:00	BDL	BDL	BDL	15.1	0.2	2.2	4.0
3/7/2018 5:00	BDL	BDL	BDL	0.4	0.2	2.2	2.0
3/7/2018 6:00	BDL	BDL	BDL	8.0	0.2	2.2	7.0
3/7/2018 7:00	BDL	BDL	BDL	13.9	0.3	2.3	6.0
3/7/2018 8:00	BDL	BDL	BDL	8.0	0.2	2.3	2.0
3/7/2018 9:00	BDL	BDL	BDL	4.1	0.2	2.2	3.0
3/7/2018 10:00	BDL	BDL	BDL	4.7	0.2	2.3	9.0
3/7/2018 11:00	BDL	BDL	BDL	3.3	0.2	2.3	7.0
3/7/2018 12:00	BDL	BDL	BDL	4.4	0.2	2.4	7.0
3/7/2018 13:00	BDL	BDL	BDL	1.6	0.2	2.4	9.0
3/7/2018 14:00	BDL	BDL	BDL	1.7	0.2	2.4	8.0
3/7/2018 15:00	BDL	BDL	BDL	0.2	0.2	2.3	7.0
3/7/2018 16:00	BDL	BDL	BDL	0.7	0.2	2.3	6.0
3/7/2018 17:00	BDL	BDL	BDL	5.7	0.2	2.3	7.0
3/7/2018 18:00	BDL	BDL	BDL	0.8	0.2	2.3	4.0
3/7/2018 19:00	BDL	BDL	BDL	5.6	0.2	2.4	10.0
3/7/2018 20:00	BDL	BDL	BDL	0.2	0.2	2.5	11.0
3/7/2018 21:00	BDL	Calibration	Calibration	0.2	0.2	2.4	10.0
3/7/2018 22:00	BDL	Calibration	Calibration	0.2	0.2	2.4	8.0
3/7/2018 23:00	BDL	Calibration	Calibration	0.2	0.2	2.4	9.0
3/8/2018 0:00	BDL	BDL	BDL	2.5	0.2	2.5	11.0
3/8/2018 1:00	BDL	BDL	BDL	4.3	0.2	2.4	8.0
3/8/2018 2:00	BDL	BDL	BDL	3.7	0.2	2.4	8.0
3/8/2018 3:00	BDL	BDL	BDL	BDL	0.2	2.4	6.0
3/8/2018 4:00	BDL	BDL	BDL	BDL	0.2	2.3	5.0
3/8/2018 5:00	BDL	BDL	BDL	0.1	0.2	2.4	8.0
3/8/2018 6:00	BDL	BDL	BDL	0.1	0.2	2.4	9.0
3/8/2018 7:00	BDL	BDL	BDL	0.1	0.2	2.4	8.0
3/8/2018 8:00	BDL	BDL	BDL	0.1	0.2	2.4	9.0
3/8/2018 9:00	BDL	BDL	BDL	0.1	0.2	2.3	9.0
3/8/2018 10:00	BDL	BDL	BDL	0.1	0.2	2.3	14.0
3/8/2018 11:00	BDL	BDL	BDL	0.1	0.2	2.3	10.0
3/8/2018 12:00	BDL	BDL	BDL	0.1	0.2	2.4	13.0
3/8/2018 13:00	BDL	BDL	BDL	0.1	0.1	2.3	14.0
3/8/2018 14:00	0.5	BDL	BDL	0.4	0.1	2.5	10.0
3/8/2018 15:00	BDL	BDL	BDL	0.1	0.1	2.4	13.0
3/8/2018 16:00	BDL	BDL	BDL	0.1	0.1	2.3	13.0
3/8/2018 17:00	BDL	BDL	BDL	0.1	0.1	2.3	9.0
3/8/2018 18:00	BDL	BDL	BDL	0.2	0.2	2.3	10.0
3/8/2018 19:00	BDL	BDL	BDL	0.2	0.2	2.3	11.0
3/8/2018 20:00	BDL	BDL	BDL	0.2	0.2	2.3	14.0
3/8/2018 21:00	BDL	BDL	BDL	3.4	0.2	2.4	9.0
3/8/2018 22:00	1.8	BDL	BDL	7.1	0.2	2.4	18.0
3/8/2018 23:00	1.3	BDL	BDL	5.0	0.2	2.4	13.0
3/9/2018 0:00	BDL	BDL	BDL	BDL	0.2	2.5	7.0
3/9/2018 1:00	3.0	BDL	BDL	5.5	0.2	2.3	21.0
3/9/2018 2:00	2.0	BDL	BDL	16.4	0.2	2.5	14.0
3/9/2018 3:00	0.8	Calibration	Calibration	16.2	0.2	2.5	19.0
3/9/2018 4:00	Calibration	1.8	Calibration	1.8	0.2	2.5	15.0
3/9/2018 5:00	BDL	1.9	2.8	24.1	0.2	2.4	13.0
3/9/2018 6:00	0.8	2.1	2.8	16.5	0.2	2.5	17.0
3/9/2018 7:00	1.1	BDL	0.4	9.7	0.2	2.5	18.0
3/9/2018 8:00	0.7	BDL	6.3	6.3	0.2	2.6	14.0
3/9/2018 9:00	0.6	BDL	BDL	BDL	0.2	2.8	14.0
3/9/2018 10:00	BDL	BDL	BDL	BDL	0.2	2.8	18.0
3/9/2018 11:00	BDL	BDL	BDL	BDL	0.2	2.8	16.0
3/9/2018 12:00	BDL	BDL	BDL	BDL	0.1	2.8	12.0
3/9/2018 13:00	BDL	BDL	BDL	0.7	0.2	2.8	19.0
3/9/2018 14:00	BDL	BDL	BDL	1.1	0.2	2.7	29.0
3/9/2018 15:00	1.6	BDL	BDL	4.0	0.2	2.6	26.0
3/9/2018 16:00	1.0	BDL	BDL	4.1	0.2	2.7	18.0
3/9/2018 17:00	BDL	BDL	BDL	2.1	0.2	2.6	16.0
3/9/2018 18:00	0.5	BDL	BDL	6.0	0.2	2.5	19.0
3/9/2018 19:00	0.9	BDL	BDL	7.0	0.2	2.5	17.0
3/9/2018 20:00	2.2	BDL	BDL	6.4	0.2	2.3	13.0
3/9/2018 21:00	1.8	BDL	BDL	7.3	0.2	2.5	17.0
3/9/2018 22:00	0.9	BDL	BDL	5.2	0.2	2.6	16.0
3/9/2018 23:00	BDL	BDL	BDL	3.2	0.2	2.6	20.0
3/10/2018 0:00	0.4	BDL	BDL	3.6	0.2	2.5	24.0
3/10/2018 1:00	BDL	BDL	BDL	7.1	0.2	2.7	14.0
3/10/2018 2:00	0.7	Calibration	Calibration	3.9	0.2	2.4	22.0
3/10/2018 3:00	2.7	Calibration	Calibration	7.2	0.2	2.5	21.0
3/10/2018 4:00	Calibration	BDL	0.8	Calibration	Calibration	2.6	18.0
3/10/2018 5:00	BDL	BDL	11.9	BDL	0.2	2.5	29.0
3/10/2018 6:00	1.4	BDL	16.1	BDL	0.2	2.6	22.0
3/10/2018 7:00	2.0	BDL	18.3	BDL	0.2	2.5	23.0
3/10/2018 8:00	2.5	BDL	8.9	BDL	0.2	2.5	29.0
3/10/2018 9:00	0.6	BDL	BDL	BDL	0.2	2.7	18.0
3/10/2018 10:00	1.0	BDL	BDL	BDL	0.2	2.5	20.0
3/10/2018 11:00	BDL	BDL	BDL	BDL	0.1	2.5	16.0
3/10/2018 12:00	BDL	BDL	BDL	BDL	0.1	2.5	22.0
3/10/2018 13:00	0.6	BDL	BDL</				

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected.
 Quality data will be posted on a monthly basis.

Date & Time (EST)	SQ2 PPB	H2S PPB	TMG PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m ³	PM2.5 µg/m ³
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m ³	1.0 µg/m ³
See Downwind Weekly 3/11/2018-3/17/2018								
3/11/2018 0:00	BDL	BDL	BDL	3.5	0.2	2.4	11.0	3.0
3/11/2018 1:00	BDL	BDL	BDL	6.6	0.2	2.5	12.0	5.0
3/11/2018 2:00	BDL	Calibration	Calibration	10.7	0.3	2.7	9.0	7.0
3/11/2018 3:00	BDL	Calibration	Calibration	8.5	0.2	2.7	9.0	4.0
3/11/2018 4:00	Calibration	BDL	BDL	15.3	0.2	2.8	12.0	4.0
3/11/2018 5:00	BDL	BDL	BDL	6.2	0.2	2.7	10.0	3.0
3/11/2018 6:00	BDL	BDL	BDL	1.0	0.2	2.4	10.0	2.0
3/11/2018 7:00	BDL	BDL	BDL	0.1	0.1	2.4	7.0	4.0
3/11/2018 8:00	BDL	BDL	BDL	0.1	0.1	2.4	4.0	4.0
3/11/2018 9:00	BDL	BDL	BDL	0.1	0.1	2.4	4.0	4.0
3/11/2018 10:00	BDL	BDL	BDL	0.1	0.1	2.4	7.0	4.0
3/11/2018 11:00	BDL	BDL	BDL	0.1	0.1	2.4	9.0	5.0
3/11/2018 12:00	BDL	BDL	BDL	0.1	0.1	2.3	9.0	2.0
3/11/2018 13:00	BDL	BDL	BDL	0.1	0.1	2.3	7.0	4.0
3/11/2018 14:00	BDL	BDL	BDL	0.1	0.1	2.3	9.0	6.0
3/11/2018 15:00	BDL	BDL	BDL	0.1	0.1	2.3	11.0	6.0
3/11/2018 16:00	BDL	BDL	BDL	0.1	0.1	2.4	8.0	5.0
3/11/2018 17:00	BDL	BDL	BDL	0.2	0.2	2.4	10.0	3.0
3/11/2018 18:00	BDL	BDL	BDL	2.6	0.3	2.3	17.0	5.0
3/11/2018 19:00	BDL	BDL	BDL	8.9	0.3	2.4	17.0	7.0
3/11/2018 20:00	BDL	BDL	BDL	25.8	0.5	2.5	29.0	7.0
3/11/2018 21:00	BDL	BDL	BDL	14.0	0.3	2.4	21.0	6.0
3/11/2018 22:00	BDL	BDL	BDL	6.5	0.2	2.3	12.0	7.0
3/11/2018 23:00	BDL	BDL	BDL	0.2	0.2	2.3	10.0	5.0
3/12/2018 0:00	BDL	BDL	BDL	0.2	0.2	2.3	8.0	3.0
3/12/2018 1:00	BDL	BDL	BDL	0.2	0.2	2.2	8.0	3.0
3/12/2018 2:00	Calibration	Calibration	Calibration	BDL	0.2	2.2	8.0	6.0
3/12/2018 3:00	Calibration	Calibration	Calibration	5.2	0.2	2.3	13.0	7.0
3/12/2018 4:00	Calibration	BDL	BDL	17.2	0.3	2.3	13.0	9.0
3/12/2018 5:00	BDL	BDL	BDL	28.0	0.4	2.3	40.0	4.0
3/12/2018 6:00	BDL	BDL	BDL	36.6	0.4	2.4	32.0	8.0
3/12/2018 7:00	BDL	BDL	BDL	40.1	0.4	2.3	33.0	6.0
3/12/2018 8:00	0.5	BDL	BDL	26.7	0.3	2.4	30.0	7.0
3/12/2018 9:00	BDL	BDL	BDL	29.3	0.3	2.4	29.0	6.0
3/12/2018 10:00	BDL	BDL	BDL	24.2	0.3	2.3	33.0	4.0
3/12/2018 11:00	BDL	BDL	BDL	15.5	0.3	2.3	46.0	6.0
3/12/2018 12:00	BDL	BDL	BDL	12.6	0.3	2.2	27.0	4.0
3/12/2018 13:00	BDL	BDL	BDL	6.6	0.3	2.2	36.0	4.0
3/12/2018 14:00	BDL	BDL	BDL	3.7	0.3	2.2	32.0	4.0
3/12/2018 15:00	BDL	BDL	BDL	6.8	0.2	2.2	15.0	4.0
3/12/2018 16:00	BDL	BDL	BDL	2.0	0.2	2.1	14.0	3.0
3/12/2018 17:00	BDL	BDL	BDL	3.8	0.2	2.2	12.0	2.0
3/12/2018 18:00	BDL	BDL	BDL	6.3	0.3	2.2	12.0	3.0
3/12/2018 19:00	BDL	BDL	BDL	6.8	0.3	2.2	11.0	7.0
3/12/2018 20:00	BDL	BDL	BDL	5.5	0.3	2.2	17.0	5.0
3/12/2018 21:00	BDL	BDL	BDL	5.3	0.3	2.2	17.0	6.0
3/12/2018 22:00	BDL	BDL	BDL	6.2	0.3	2.2	11.0	7.0
3/12/2018 23:00	BDL	BDL	BDL	4.2	0.2	2.2	10.0	8.0
3/13/2018 0:00	BDL	BDL	BDL	BDL	0.2	2.2	7.0	7.0
3/13/2018 1:00	BDL	Calibration	Calibration	BDL	0.2	2.3	8.0	6.0
3/13/2018 2:00	BDL	Calibration	Calibration	BDL	0.2	2.3	8.0	6.0
3/13/2018 3:00	Calibration	BDL	BDL	4.6	0.2	2.2	10.0	6.0
3/13/2018 4:00	Calibration	BDL	Calibration	3.8	0.2	2.2	10.0	8.0
3/13/2018 5:00	BDL	Calibration	Calibration	1.3	0.2	2.3	8.0	3.0
3/13/2018 6:00	BDL	Calibration	Calibration	BDL	0.2	2.4	7.0	3.0
3/13/2018 7:00	BDL	Calibration	Calibration	BDL	0.2	2.4	5.0	4.0
3/13/2018 8:00	BDL	Calibration	Calibration	BDL	0.2	2.4	9.0	6.0
3/13/2018 9:00	BDL	Calibration	Calibration	BDL	0.1	2.4	10.0	6.0
3/13/2018 10:00	BDL	Calibration	Calibration	BDL	0.1	2.4	12.0	6.0
3/13/2018 11:00	BDL	Calibration	Calibration	BDL	0.2	2.4	16.0	8.0
3/13/2018 12:00	BDL	Calibration	Calibration	BDL	0.1	2.4	20.0	9.0
3/13/2018 13:00	BDL	Calibration	Calibration	BDL	0.1	2.4	20.0	7.0
3/13/2018 14:00	BDL	Calibration	Calibration	BDL	0.1	2.3	9.0	7.0
3/13/2018 15:00	BDL	Calibration	Calibration	BDL	0.1	2.3	15.0	8.0
3/13/2018 16:00	BDL	Calibration	Calibration	BDL	0.1	2.3	8.0	6.0
3/13/2018 17:00	BDL	Calibration	Calibration	BDL	0.1	2.3	11.0	3.0
3/13/2018 18:00	BDL	Calibration	Calibration	BDL	0.1	2.4	10.0	6.0
3/13/2018 19:00	BDL	Calibration	Calibration	BDL	0.1	2.5	15.0	6.0
3/13/2018 20:00	BDL	Calibration	Calibration	BDL	0.1	2.5	21.0	9.0
3/13/2018 21:00	1.3	BDL	BDL	3.1	0.2	2.2	15.0	10.0
3/13/2018 22:00	0.4	BDL	BDL	2.1	0.2	2.2	15.0	10.0
3/13/2018 23:00	0.4	BDL	BDL	5.7	0.2	2.4	10.0	6.0
3/14/2018 0:00	2.3	BDL	BDL	3.9	0.2	2.2	18.0	14.0
3/14/2018 1:00	1.1	Calibration	Calibration	4.6	0.2	2.3	14.0	8.0
3/14/2018 2:00	0.0	Calibration	Calibration	6.0	0.2	2.3	18.0	10.0
3/14/2018 3:00	3.1	BDL	BDL	7.6	0.2	2.8	17.0	9.0
3/14/2018 4:00	2.5	Calibration	Calibration	6.1	0.2	2.9	20.0	8.0
3/14/2018 5:00	2.3	Calibration	Calibration	6.6	0.2	2.3	26.0	7.0
3/14/2018 6:00	2.3	Calibration	Calibration	6.6	0.2	2.3	26.0	5.0
3/14/2018 7:00	2.3	Calibration	Calibration	6.6	0.2	2.3	26.0	4.0
3/14/2018 8:00	1.0	Calibration	Calibration	1.0	0.1	2.5	23.0	4.0
3/14/2018 9:00	0.7	BDL	BDL	0.1	0.1	2.5	29.0	5.0
3/14/2018 10:00	0.4	BDL	BDL	0.1	0.1	2.4	23.0	5.0
3/14/2018 11:00	1.2	BDL	BDL	4.3	0.2	2.4	25.0	6.0
3/14/2018 12:00	1.1	BDL	BDL	0.1	0.1	2.6	36.0	8.0
3/14/2018 13:00	0.6	BDL	BDL	0.1	0.1	2.6	36.0	6.0
3/14/2018 14:00	0.8	BDL	BDL	0.2	0.2	2.6	24.0	4.0
3/14/2018 15:00	0.9	BDL	BDL	0.2	0.2	2.6	19.0	4.0
3/14/2018 16:00	0.7	BDL	BDL	0.2	0.2	2.6	19.0	6.0
3/14/2018 17:00	1.2	BDL	BDL	0.8	0.2	2.7	24.0	4.0
3/14/2018 18:00	0.4	BDL	BDL	1.7	0.2	2.6	13.0	5.0
3/14/2018 19:00	0.4	BDL	BDL	1.0	0.2	2.6	19.0	7.0
3/14/2018 20:00	1.0	BDL	BDL	2.8	0.2	2.6	19.0	7.0
3/14/2018 21:00	BDL	BDL	BDL	0.1	0.1	2.6	16.0	8.0
3/14/2018 22:00	BDL	BDL	BDL	0.2	0.2	2.6	13.0	6.0
3/14/2018 23:00	0.4	BDL	BDL	0.2	0.2	2.5	13.0	3.0
3/15/2018 0:00	0.6	BDL	BDL	0.2	0.2	2.5	9.0	7.0
3/15/2018 1:00	BDL	BDL	BDL	0.1	0.1	2.5	8.0	8.0
3/15/2018 2:00	BDL	Calibration	Calibration	BDL	0.1	2.4	16.0	9.0
3/15/2018 3:00	1.0	Calibration	Calibration	4.4	0.2	2.4	19.0	12.0
3/15/2018 4:00	Calibration	BDL	BDL	8.0	0.2	2.3	13.0	11.0
3/15/2018 5:00	1.7	Calibration	Calibration	14.9	0.2	2.1	27.0	17.0
3/15/2018 6:00	2.9	BDL	BDL	18.7	0.2	2.6	31.0	19.0
3/15/2018 7:00	2.1	Calibration	Calibration	3.7	0.2	2.4	23.0	12.0
3/15/2018 8:00	3.3	BDL	BDL	5.8	0.2	2.3	22.0	10.0
3/15/2018 9:00	1.0	BDL	BDL	2.7	0.2	2.3	26.0	10.0
3/15/2018 10:00	1.1	BDL	BDL	1.6	0.2	2.2	29.0	10.0
3/15/2018 11:00	1.2	BDL	BDL	10.2	0.2	2.4	39.0	10.0
3/15/2018 12:00	1.8	BDL	BDL	0.4	0.4	2.4	53.0	13.0
3/15/2018 13:00	0.7	BDL	BDL	4.4	0.2	2.2	26.0	14.0
3/15/2018 14:00	2.7	BDL	BDL	3.7	0.2	2.3	25.0	15.0
3/15/2018 15:00	0.4	BDL	BDL	1.0	0.2	2.4	29.0	22.0
3/15/2018 16:00	1.0	BDL	BDL	0.2	0.2	2.4	23.0	14.0
3/15/2018 17:00	0.5	BDL	BDL	0.2	0.2	2.5	23.0	12.0
3/15/2018 18:00	1.0	BDL	BDL	0.2	0.2	2.5	22.0	11.0
3/15/2018 19:00	0.5	BDL	BDL	0.2	0.2	2.4	16.0	11.0
3/15/2018 20:00	0.4	BDL	BDL	0.2	0.2	2.3	13.0	9.0
3/15/2018 21:00	0.4	BDL	BDL	0.2	0.2	2.3	14.0	8.0
3/15/2018 22:00	0.8	BDL	BDL	2.5	0.2	2.5	12.0	11.0
3/15/2018 23:00	1.3	BDL	BDL	1.9	0.2	2.3	16.0	10.0
3/16/2018 0:00	0.4	BDL	BDL	0.2	0.2	2.4	8.0	9.0
3/16/2018 1:00	BDL	Calibration	Calibration	BDL	0.2	2.4	8.0	8.0

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	H2S PPB	TNG PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m3	PM2.5 µg/m3
3/18/2018 0:00	BDL	BDL	18.6	0.4	2.7	23.0	14.0
3/18/2018 1:00	BDL	BDL	42.5	0.4	3.1	23.0	14.0
3/18/2018 2:00	BDL	Calibration	46.4	0.4	3.0	22.0	15.0
3/18/2018 3:00	BDL	Calibration	29.7	0.3	2.9	17.0	12.0
3/18/2018 4:00	Calibration	0.5	Calibration	2.8	18.0	11.0	11.0
3/18/2018 5:00	BDL	0.4	BDL	10.0	0.2	Too few samples	10.0
3/18/2018 6:00	BDL	BDL	6.8	0.2	2.2	21.0	7.0
3/18/2018 7:00	BDL	BDL	3.0	0.2	2.2	16.0	6.0
3/18/2018 8:00	BDL	BDL	BDL	0.2	2.2	14.0	3.0
3/18/2018 9:00	BDL	BDL	BDL	0.1	2.3	15.0	3.0
3/18/2018 10:00	BDL	BDL	BDL	0.1	2.2	9.0	1.0
3/18/2018 11:00	BDL	BDL	BDL	0.1	2.3	8.0	1.0
3/18/2018 12:00	BDL	BDL	BDL	0.1	2.2	7.0	2.0
3/18/2018 13:00	BDL	BDL	BDL	0.1	2.1	8.0	3.0
3/18/2018 14:00	BDL	BDL	BDL	0.1	2.2	11.0	4.0
3/18/2018 15:00	BDL	BDL	BDL	0.1	2.3	10.0	7.0
3/18/2018 16:00	BDL	BDL	BDL	0.1	2.2	11.0	5.0
3/18/2018 17:00	BDL	BDL	BDL	0.1	2.3	7.0	4.0
3/18/2018 18:00	BDL	BDL	14.1	0.2	2.3	11.0	4.0
3/18/2018 19:00	BDL	0.4	BDL	20.7	0.4	25.0	7.0
3/18/2018 20:00	BDL	0.6	BDL	18.6	0.5	23.0	7.0
3/18/2018 21:00	BDL	BDL	6.3	0.2	2.5	12.0	6.0
3/18/2018 22:00	BDL	0.9	BDL	24.3	0.5	25.0	21.0
3/18/2018 23:00	BDL	0.8	BDL	16.1	0.3	24.0	13.0
3/19/2018 0:00	BDL	1.2	0.9	7.6	0.2	2.7	11.0
3/19/2018 1:00	BDL	0.8	0.9	5.9	0.2	2.6	14.0
3/19/2018 2:00	0.7	Calibration	Calibration	3.1	0.2	3.0	17.0
3/19/2018 3:00	BDL	Calibration	Calibration	24.9	0.3	3.1	22.0
3/19/2018 4:00	Calibration	1.4	Calibration	0.4	28.0	15.0	15.0
3/19/2018 5:00	0.8	2.7	1.0	78.8	0.5	3.4	49.0
3/19/2018 6:00	1.1	3.8	0.8	30.1	0.6	3.7	18.0
3/19/2018 7:00	1.0	1.8	0.5	40.6	0.4	2.5	37.0
3/19/2018 8:00	0.6	0.7	BDL	13.6	0.3	2.2	30.0
3/19/2018 9:00	BDL	BDL	BDL	7.1	0.2	2.2	10.0
3/19/2018 10:00	BDL	BDL	BDL	3.2	0.2	2.1	21.0
3/19/2018 11:00	BDL	BDL	BDL	1.3	0.2	2.1	19.0
3/19/2018 12:00	BDL	BDL	BDL	1.4	0.2	2.1	20.0
3/19/2018 13:00	BDL	BDL	BDL	BDL	0.2	2.2	26.0
3/19/2018 14:00	BDL	BDL	BDL	16.0	0.2	2.2	16.0
3/19/2018 15:00	BDL	BDL	BDL	BDL	0.2	2.3	15.0
3/19/2018 16:00	BDL	BDL	1.4	0.2	2.1	18.0	5.0
3/19/2018 17:00	BDL	BDL	6.5	0.3	2.1	25.0	4.0
3/19/2018 18:00	BDL	BDL	11.7	0.3	2.1	20.0	7.0
3/19/2018 19:00	BDL	0.5	BDL	18.0	0.4	2.2	24.0
3/19/2018 20:00	BDL	0.7	BDL	10.4	0.4	2.1	45.0
3/19/2018 21:00	BDL	0.8	0.5	13.7	0.4	2.2	44.0
3/19/2018 22:00	BDL	1.3	0.7	25.4	0.4	2.2	39.0
3/19/2018 23:00	BDL	1.5	0.8	24.6	0.3	2.2	28.0
3/20/2018 0:00	BDL	1.1	0.5	21.7	0.3	2.3	30.0
3/20/2018 1:00	BDL	Calibration	Calibration	3.8	0.2	2.2	18.0
3/20/2018 2:00	BDL	Calibration	Calibration	4.1	0.2	2.2	19.0
3/20/2018 3:00	Calibration	BDL	BDL	Calibration	0.3	2.2	16.0
3/20/2018 4:00	BDL	0.4	BDL	13.9	0.3	Too few samples	5.0
3/20/2018 5:00	BDL	0.6	BDL	15.7	0.3	2.1	15.0
3/20/2018 6:00	BDL	0.7	BDL	15.6	0.3	2.3	6.0
3/20/2018 7:00	BDL	0.8	BDL	19.2	0.3	2.1	30.0
3/20/2018 8:00	BDL	0.9	0.4	25.8	0.3	2.1	28.0
3/20/2018 9:00	BDL	0.7	BDL	16.7	0.3	2.1	28.0
3/20/2018 10:00	BDL	0.8	BDL	15.3	0.3	2.1	42.0
3/20/2018 11:00	BDL	0.7	BDL	15.1	0.3	2.1	20.0
3/20/2018 12:00	BDL	0.8	BDL	15.2	0.3	2.1	17.0
3/20/2018 13:00	BDL	0.8	BDL	21.3	0.3	2.1	3.0
3/20/2018 14:00	BDL	0.8	BDL	19.9	0.3	2.1	24.0
3/20/2018 15:00	BDL	1.8	0.4	40.8	0.4	2.2	18.0
3/20/2018 16:00	BDL	1.4	0.4	31.1	0.4	2.2	20.0
3/20/2018 17:00	BDL	1.1	0.4	28.6	0.4	2.2	18.0
3/20/2018 18:00	BDL	0.9	BDL	19.8	0.3	2.3	15.0
3/20/2018 19:00	BDL	0.9	BDL	19.1	0.3	2.2	15.0
3/20/2018 20:00	BDL	0.4	BDL	20.0	0.4	2.2	17.0
3/20/2018 21:00	BDL	1.1	BDL	23.8	0.4	2.3	20.0
3/20/2018 22:00	BDL	0.9	BDL	21.2	0.3	2.2	17.0
3/20/2018 23:00	BDL	0.7	BDL	15.8	0.3	2.2	18.0
3/21/2018 0:00	BDL	0.7	BDL	14.0	0.3	2.2	15.0
3/21/2018 1:00	BDL	Calibration	Calibration	5.4	0.2	2.1	12.0
3/21/2018 2:00	BDL	Calibration	Calibration	2.7	0.2	2.1	10.0
3/21/2018 3:00	Calibration	BDL	BDL	Calibration	0.2	2.1	19.0
3/21/2018 4:00	BDL	0.4	BDL	7.4	0.3	2.1	17.0
3/21/2018 5:00	BDL	0.4	BDL	3.7	0.2	2.0	18.0
3/21/2018 6:00	BDL	0.4	BDL	6.2	0.2	2.0	16.0
3/21/2018 7:00	BDL	0.5	BDL	6.5	0.2	2.0	17.0
3/21/2018 8:00	BDL	0.8	BDL	10.0	0.2	2.0	7.0
3/21/2018 9:00	BDL	0.7	BDL	10.9	0.3	2.0	15.0
3/21/2018 10:00	BDL	0.5	BDL	11.1	0.3	2.1	13.0
3/21/2018 11:00	BDL	0.5	BDL	8.3	0.3	2.1	10.0
3/21/2018 12:00	BDL	0.5	BDL	5.7	0.2	2.1	8.0
3/21/2018 13:00	BDL	0.4	BDL	6.5	0.2	2.0	6.0
3/21/2018 14:00	BDL	0.4	BDL	5.5	0.2	2.0	7.0
3/21/2018 15:00	BDL	BDL	BDL	2.3	0.2	2.0	8.0
3/21/2018 16:00	BDL	BDL	BDL	BDL	0.2	2.0	11.0
3/21/2018 17:00	BDL	BDL	BDL	BDL	0.2	2.0	8.0
3/21/2018 18:00	BDL	BDL	BDL	BDL	0.2	2.0	8.0
3/21/2018 19:00	BDL	BDL	BDL	BDL	0.2	2.0	8.0
3/21/2018 20:00	BDL	BDL	BDL	BDL	0.2	2.0	10.0
3/21/2018 21:00	BDL	BDL	BDL	BDL	0.2	2.1	11.0
3/21/2018 22:00	BDL	BDL	BDL	BDL	0.2	2.0	8.0
3/21/2018 23:00	BDL	BDL	BDL	BDL	0.2	2.1	6.0
3/22/2018 0:00	BDL	BDL	BDL	0.6	0.2	2.2	10.0
3/22/2018 1:00	BDL	Calibration	Calibration	4.0	0.2	2.2	12.0
3/22/2018 2:00	BDL	Calibration	Calibration	0.6	0.2	2.3	10.0
3/22/2018 3:00	Calibration	BDL	Calibration	2.6	0.2	2.3	12.0
3/22/2018 4:00	BDL	BDL	Calibration	1.0	0.2	2.3	12.0
3/22/2018 5:00	BDL	BDL	BDL	1.0	0.2	2.3	9.0
3/22/2018 6:00	BDL	BDL	BDL	1.1	0.2	2.3	7.0
3/22/2018 7:00	BDL	BDL	BDL	2.2	0.2	2.3	8.0
3/22/2018 8:00	BDL	BDL	BDL	3.2	0.2	2.3	11.0
3/22/2018 9:00	BDL	BDL	BDL	1.3	0.2	2.3	19.0
3/22/2018 10:00	BDL	BDL	BDL	BDL	0.2	2.3	16.0
3/22/2018 11:00	BDL	BDL	BDL	BDL	0.2	2.3	10.0
3/22/2018 12:00	BDL	BDL	BDL	BDL	0.2	2.4	15.0
3/22/2018 13:00	BDL	BDL	BDL	BDL	0.2	2.3	7.0
3/22/2018 14:00	BDL	BDL	BDL	BDL	0.2	2.3	9.0
3/22/2018 15:00	BDL	BDL	BDL	BDL	0.2	2.3	8.0
3/22/2018 16:00	BDL	BDL	BDL	BDL	0.1	2.3	12.0
3/22/2018 17:00	BDL	BDL	BDL	BDL	0.1	2.3	12.0
3/22/2018 18:00	BDL	BDL	BDL	BDL	0.2	2.2	12.0
3/22/2018 19:00	BDL	BDL	BDL	4.3	0.2	2.5	11.0
3/22/2018 20:00	BDL	0.4	BDL	13.4	0.2	2.6	16.0
3/22/2018 21:00	BDL	BDL	BDL	3.1	0.2	2.3	14.0
3/22/2018 22:00	BDL	BDL	BDL	BDL	0.2	2.3	13.0
3/22/2018 23:00	BDL	BDL	BDL	BDL	0.1	2.3	11.0
3/23/2018 0:00	BDL	BDL	BDL	0.4	0.1	2.3	10.0
3/23/2018 1:00	BDL	Calibration	Calibration	BDL	0.2	2.5	8.0
3/23/2018 2:00	BDL	Calibration	Calibration	BDL	0.2	2.4	9.0
3/23/2018 3:00	Calibration	BDL	BDL	Calibration	0.2	2.4	12.0
3/23/2018 4:00	BDL	BDL	BDL	0.2	0.2	Too few samples	6.0
3/23/2018 5:00	BDL	BDL	BDL	0.5	0.2	2.4	16.0
3/23/2018 6:00	BDL	BDL	BDL	2.2	0.2	2.3	20.0
3/23/2018 7:00	BDL	BDL	BDL	3.6	0.2	2.7	22.0
3/23/2018 8:00	BDL	BDL	BDL	BDL	0.2	2.7	14.0
3/23/2018 9:00	BDL	BDL	BDL	BDL	0.2	2.4	10.0
3/23/2018 10:00	BDL	BDL	BDL	BDL	0.2	2.4	10.0
3/23/2018 11:00	BDL	BDL	BDL	BDL	0.1	2.4	11.0
3/23/2018 12:00	BDL	BDL	BDL	BDL	0.1	2.3	10.0
3/23/2018 13:00	BDL	BDL	BDL	BDL	0.1	2.3	15.0
3/23/2018 14:00	BDL	BDL	BDL	BDL	0.1	2.3	11.0
3/23/2018 15:00	BDL	BDL	BDL	BDL	0.1	2.3	11.0
3/23/2018 16:00	BDL	BDL	BDL	BDL	0.1	2.3	11.0
3/23/2018 17:00	BDL	BDL	BDL	BDL	0.1	2.3	12.0
3/23/2018 18:00	BDL	BDL	BDL	BDL	0.2	2.3	18.0
3/23/2018 19:00	BDL	BDL	BDL	BDL	0.2	2.3	12.0
3/23/2018 20:00	BDL	BDL	BDL	BDL	0.2	2.3	12.0
3/23/2018 21:00	BDL	BDL	BDL	BDL	0.2	2.3	11.0
3/23/2018 22:00	BDL	BDL	BDL	BDL	0.2	2.2	12.0
3/23/2018 23:00	BDL	BDL	BDL	BDL	0.2	2.3	16.0
3/24/2018 0:00	BDL	BDL	BDL	BDL	0.2	2.4	15.0
3/24/2018 1:00	BDL	Calibration	Calibration	BDL	0.2	2.4	11.0
3/24/2018 2:00	BDL	Calibration	Calibration	BDL	0.2	2.5	15.0
3/24/2018 3:00	Calibration	BDL	BDL	Calibration	0.2	2.4	11.0
3/24/2018 4:00	BDL	BDL	BDL	0.6	0.2	Too few samples	12.0
3/24/2018 5:00	BDL	Calibration	Calibration	1.7	0.2	2.5	18.0
3/24/2018 6:00	BDL	Calibration	Calibration	3.8	0.2	3.5	13.0
3/24/2018 7:00	BDL	BDL	BDL	1.3	0.2	2.4	18.0
3/24/2018 8:00	BDL	BDL	BDL	BDL	0.2	2.3	12.0
3/24/2018 9:00	BDL	BDL	BDL	BDL	0.2	2.4	14.0
3/24/2018 10:00	BDL	BDL	BDL	BDL	0.1	2.3	10.0
3/24/2018 11:00	BDL	BDL	BDL	BDL	0.1	2.2	9.0
3/24/2018 12:00	BDL						

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	H2S PPB	TMG PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m ³	PM2.5 µg/m ³		
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m ³	1.0 µg/m ³		
See Downwind Weekly 3/25/2018-3/31/2018									
3/25/2018 0:00	BDL	BDL	BDL	0.2	2.2	13.0	6.0		
3/25/2018 1:00	BDL	Calibration	Calibration	0.2	2.2	11.0	4.0		
3/25/2018 2:00	BDL	Calibration	Calibration	0.2	2.2	11.0	7.0		
3/25/2018 3:00	Calibration	BDL	Calibration	0.2	2.2	11.0	6.0		
3/25/2018 4:00	BDL	BDL	BDL	0.2	2.2	10.0	6.0		
3/25/2018 5:00	BDL	BDL	BDL	0.2	2.2	9.0	5.0		
3/25/2018 6:00	BDL	BDL	BDL	0.2	2.2	8.0	8.0		
3/25/2018 7:00	BDL	BDL	BDL	0.2	2.2	9.0	6.0		
3/25/2018 8:00	BDL	BDL	BDL	0.2	2.2	15.0	5.0		
3/25/2018 9:00	BDL	BDL	BDL	0.2	2.2	15.0	8.0		
3/25/2018 10:00	BDL	BDL	BDL	0.2	2.2	17.0	6.0		
3/25/2018 11:00	BDL	BDL	BDL	0.2	2.2	23.0	6.0		
3/25/2018 12:00	BDL	BDL	BDL	0.2	2.2	18.0	6.0		
3/25/2018 13:00	BDL	BDL	8.3	0.3	2.2	17.0	8.0		
3/25/2018 14:00	BDL	BDL	0.5	0.2	2.2	8.0	5.0		
3/25/2018 15:00	BDL	BDL	BDL	0.2	2.2	18.0	5.0		
3/25/2018 16:00	BDL	BDL	BDL	0.2	2.2	16.0	8.0		
3/25/2018 17:00	BDL	BDL	BDL	0.2	2.2	29.0	6.0		
3/25/2018 18:00	BDL	BDL	4.8	0.3	2.2	38.0	6.0		
3/25/2018 19:00	BDL	BDL	8.1	0.2	2.2	24.0	6.0		
3/25/2018 20:00	BDL	BDL	4.8	0.3	2.2	28.0	6.0		
3/25/2018 21:00	BDL	BDL	8.0	0.3	2.2	29.0	6.0		
3/25/2018 22:00	BDL	BDL	8.0	0.3	2.2	28.0	6.0		
3/25/2018 23:00	BDL	BDL	11.5	0.3	2.3	22.0	9.0		
3/26/2018 0:00	BDL	BDL	10.2	0.3	2.3	19.0	9.0		
3/26/2018 1:00	BDL	Calibration	Calibration	8.9	0.2	2.3	19.0	9.0	
3/26/2018 2:00	BDL	Calibration	Calibration	10.4	0.2	2.4	19.0	8.0	
3/26/2018 3:00	Calibration	BDL	BDL	37.7	0.4	2.5	24.0	7.0	
3/26/2018 4:00	BDL	0.7	BDL	24.9	0.3	2.4	23.0	7.0	
3/26/2018 5:00	BDL	1.1	BDL	37.7	0.4	2.5	24.0	7.0	
3/26/2018 6:00	BDL	1.0	BDL	32.2	0.4	2.4	38.0	6.0	
3/26/2018 7:00	BDL	1.1	BDL	33.1	0.4	2.6	43.0	11.0	
3/26/2018 8:00	BDL	0.5	BDL	18.0	0.3	2.3	27.0	10.0	
3/26/2018 9:00	BDL	BDL	14.5	0.3	2.3	Avail	Avail		
3/26/2018 10:00	BDL	BDL	12.4	0.2	2.3	23.0	3.0		
3/26/2018 11:00	BDL	BDL	2.7	0.2	2.2	23.0	4.0		
3/26/2018 12:00	BDL	BDL	3.3	0.2	2.2	22.0	4.0		
3/26/2018 13:00	BDL	BDL	BDL	0.2	2.2	17.0	4.0		
3/26/2018 14:00	BDL	BDL	BDL	0.2	2.2	16.0	3.0		
3/26/2018 15:00	BDL	BDL	1.5	0.2	2.2	20.0	3.0		
3/26/2018 16:00	BDL	BDL	BDL	0.2	2.2	19.0	2.0		
3/26/2018 17:00	BDL	BDL	BDL	0.2	2.2	18.0	5.0		
3/26/2018 18:00	BDL	BDL	0.1	2.0	2.2	20.0	8.0		
3/26/2018 19:00	BDL	BDL	0.8	0.2	2.3	14.0	5.0		
3/26/2018 20:00	BDL	BDL	8.2	0.3	2.2	25.0	3.0		
3/26/2018 21:00	BDL	BDL	8.6	0.3	2.3	22.0	6.0		
3/26/2018 22:00	BDL	BDL	11.1	0.3	2.3	31.0	6.0		
3/26/2018 23:00	BDL	BDL	7.2	0.5	3.0	25.0	5.0		
3/27/2018 0:00	BDL	BDL	13.4	0.3	2.8	26.0	8.0		
3/27/2018 1:00	BDL	Calibration	Calibration	28.2	0.4	2.8	30.0	6.0	
3/27/2018 2:00	BDL	Calibration	Calibration	39.0	0.5	2.6	29.0	8.0	
3/27/2018 3:00	Calibration	1.4	0.4	48.2	0.4	2.7	34.0	10.0	
3/27/2018 4:00	BDL	1.7	0.4	7.1	0.6	2.5	49.0	12.0	
3/27/2018 5:00	BDL	2.8	0.7	72.1	0.6	2.5	49.0	12.0	
3/27/2018 6:00	BDL	2.0	0.5	50.6	0.5	2.5	43.0	6.0	
3/27/2018 7:00	BDL	0.5	BDL	35.4	0.4	2.4	41.0	6.0	
3/27/2018 8:00	BDL	BDL	15.5	0.3	2.3	23.0	5.0		
3/27/2018 9:00	BDL	BDL	14.5	0.3	2.4	28.0	7.0		
3/27/2018 10:00	BDL	0.5	BDL	12.1	0.2	2.3	27.0	4.0	
3/27/2018 11:00	BDL	BDL	5.5	0.2	2.3	20.0	5.0		
3/27/2018 12:00	BDL	BDL	BDL	0.2	2.3	24.0	5.0		
3/27/2018 13:00	BDL	BDL	BDL	0.2	2.3	46.0	5.0		
3/27/2018 14:00	BDL	BDL	BDL	0.2	2.2	20.0	4.0		
3/27/2018 15:00	BDL	BDL	BDL	0.2	2.3	16.0	6.0		
3/27/2018 16:00	BDL	BDL	BDL	0.2	2.5	18.0	7.0		
3/27/2018 17:00	BDL	BDL	2.2	0.2	2.7	31.0	7.0		
3/27/2018 18:00	BDL	0.7	0.7	1.1	0.2	2.5	33.0	4.0	
3/27/2018 19:00	BDL	0.7	0.5	0.5	0.2	2.3	20.0	7.0	
3/27/2018 20:00	BDL	0.7	0.8	BDL	0.2	2.0	20.0	4.0	
3/27/2018 21:00	BDL	0.8	0.9	BDL	0.2	2.7	23.0	4.0	
3/27/2018 22:00	BDL	0.5	0.6	BDL	0.2	2.6	18.0	5.0	
3/27/2018 23:00	BDL	BDL	BDL	0.2	2.2	20.0	4.0		
3/28/2018 0:00	BDL	BDL	BDL	0.2	2.3	15.0	3.0		
3/28/2018 1:00	Calibration	Calibration	Calibration	BDL	0.2	2.3	19.0	3.0	
3/28/2018 2:00	BDL	Calibration	Calibration	BDL	0.2	2.3	21.0	4.0	
3/28/2018 3:00	Calibration	0.4	0.4	Calibration	Calibration	2.6	19.0	9.0	
3/28/2018 4:00	Too few samples	0.9	0.7	Too few samples	Too few samples	2.2	22.0	7.0	
3/28/2018 5:00	BDL	1.3	0.9	2.7	0.5	2.3	22.0	6.0	
3/28/2018 6:00	Maintenance	1.7	1.3	Maintenance	Maintenance	2.1	21.0	6.0	
3/28/2018 7:00	Maintenance	Audit	Audit	Maintenance	Maintenance	3.3	32.0	17.0	
3/28/2018 8:00	Maintenance	Too few samples	Too few samples	Maintenance	Maintenance	3.8	38.0	17.0	
3/28/2018 9:00	Maintenance	0.9	1.4	Calibration	Calibration	4.1	41.0	17.0	
3/28/2018 10:00	Audit	1.1	0.9	Calibration	Calibration	Avail	Avail		
3/28/2018 11:00	Calibration	Audit	Calibration	Calibration	Calibration	Avail	Avail		
3/28/2018 12:00	Calibration	Calibration	Calibration	Calibration	Calibration	Avail	Avail		
3/28/2018 13:00	Too few samples	1.1	1.0	Calibration	Calibration	2.3	32.0	17.0	
3/28/2018 14:00	Too few samples	1.3	1.0	Calibration	Calibration	2.3	35.0	19.0	
3/28/2018 15:00	1.1	1.4	1.1	24.3	0.2	2.4	36.0	18.0	
3/28/2018 16:00	2.2	1.3	1.0	26.0	0.3	2.7	31.0	17.0	
3/28/2018 17:00	2.4	1.3	1.0	27.1	0.3	2.7	31.0	17.0	
3/28/2018 18:00	1.4	2.3	1.0	27.1	0.4	2.9	30.0	13.0	
3/28/2018 19:00	1.4	1.0	1.0	29.6	0.4	2.4	37.0	18.0	
3/28/2018 20:00	1.1	1.3	0.8	20.1	0.4	2.8	27.0	15.0	
3/28/2018 21:00	1.1	1.2	0.7	26.9	0.4	2.7	30.0	18.0	
3/28/2018 22:00	0.7	1.3	0.8	27.4	0.4	2.5	26.0	18.0	
3/28/2018 23:00	0.6	0.8	0.7	20.5	0.3	3.0	30.0	20.0	
3/29/2018 0:00	0.5	1.4	0.9	32.1	0.3	2.5	32.0	20.0	
3/29/2018 1:00	0.4	Calibration	Calibration	11.8	0.3	2.7	22.0	14.0	
3/29/2018 2:00	BDL	Calibration	Calibration	13.5	0.3	2.4	26.0	14.0	
3/29/2018 3:00	Calibration	1.5	1.0	Calibration	Calibration	2.6	27.0	18.0	
3/29/2018 4:00	0.5	1.7	1.3	44.0	0.4	2.5	27.0	18.0	
3/29/2018 5:00	0.8	Calibration	Calibration	60.3	0.5	2.3	32.0	16.0	
3/29/2018 6:00	Too few samples	0.9	0.7	Too few samples	Too few samples	2.4	30.0	15.0	
3/29/2018 7:00	Too few samples	0.9	1.5	Too few samples	Too few samples	2.3	28.0	20.0	
3/29/2018 8:00	BDL	0.7	1.2	37.5	0.2	2.3	31.0	20.0	
3/29/2018 9:00	0.9	BDL	1.0	26.5	0.4	2.1	30.0	16.0	
3/29/2018 10:00	0.7	BDL	0.7	8.4	0.3	2.1	25.0	17.0	
3/29/2018 11:00	1.0	BDL	0.5	BDL	0.3	2.0	21.0	12.0	
3/29/2018 12:00	1.2	BDL	0.6	2.4	0.1	2.1	31.0	14.0	
3/29/2018 13:00	1.5	BDL	0.9	9.3	0.5	2.1	36.0	9.0	
3/29/2018 14:00	0.7	BDL	0.8	3.4	0.4	2.1	32.0	15.0	
3/29/2018 15:00	0.6	BDL	0.8	BDL	0.4	2.1	29.0	15.0	
3/29/2018 16:00	0.6	BDL	0.4	BDL	0.3	2.3	28.0	11.0	
3/29/2018 17:00	0.8	BDL	0.7	BDL	0.4	2.3	34.0	12.0	
3/29/2018 18:00	1.0	BDL	1.1	9.6	0.5	2.1	28.0	13.0	
3/29/2018 19:00	0.7	BDL	1.1	8.5	0.5	2.2	31.0	16.0	
3/29/2018 20:00	0.5	BDL	1.2	6.0	0.5	2.2	30.0	21.0	
3/29/2018 21:00	BDL	0.6	BDL	8.7	0.5	2.4	29.0	16.0	
3/29/2018 22:00	BDL	0.6	BDL	10.9	0.5	2.5	36.0	14.0	
3/29/2018 23:00	0.4	BDL	0.7	28.1	0.5	2.6	38.0	18.0	
3/30/2018 0:00	0.6	BDL	0.8	15.3	0.4	2.6	22.0	10.0	
3/30/2018 1:00	1.0	Calibration	Calibration	BDL	0.3	2.6	24.0	8.0	
3/30/2018 2:00	1.2	Calibration	Calibration	2.3	0.3	2.5	20.0	11.0	
3/30/2018 3:00	BDL	Calibration	Calibration	BDL	0.2	2.7	20.0	10.0	
3/30/2018 4:00	0.7	Calibration	Calibration	6.9	0.4	2.4	28.0	11.0	
3/30/2018 5:00	0.6	Calibration	Calibration	2.7	0.4	2.3	25.0	13.0	
3/30/2018 6:00	0.5	BDL	0.5	1.6	0.4	2.3	27.0	15.0	
3/30/2018 7:00	0.5	0.4	0.6	BDL	0.4	2.4	24.0	14.0	
3/30/2018 8:00	0.9	BDL	0.4	2.5	0.4	2.4	20.0	9.0	
3/30/2018 9:00	0.7	BDL	0.2	2.2	0.4	2.4	30.0	13.0	
3/30/2018 10:00	2.2	BDL	0.6	3.0	0.4	2.3	28.0	14.0	
3/30/2018 11:00	1.8	BDL	0.6	0.6	0.4	2.3	26.0	14.0	
3/30/2018 12:00	1.0	BDL	0.6	0.4	0.4	2.4	16.0	9.0	
3/30/2018 13:00	0.6	BDL	0.4	BDL	0.4	2.3	14.0	6.0	
3/30/2018 14:00	BDL	BDL	0.3	BDL	0.3	2.3	9.0	3.0	
3/30/2018 15:00	BDL	BDL	0.3	BDL	0.3	2.5	7.0	3.0	
3/30/2018 16:00	0.4	BDL	0.3	BDL	0.2	2.4	6.0	5.0	
3/30/2018 17:00	BDL	BDL	0.2	BDL	0.2	2.4	7.0	3.0	
3/30/2018 18:00	BDL	BDL	0.2	BDL					

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	H2S PPB	TRG PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m ³	PM2.5 µg/m ³
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m ³	1.0 µg/m ³
See Downwind Weekly 4/1/2018-4/7/2018							
4/1/2018 0:00	BDL	BDL	2.0	0.2	2.5	7.0	2.0
4/1/2018 1:00	BDL	Calibration	0.7	0.2	2.5	9.0	5.0
4/1/2018 2:00	BDL	Calibration	29.6	0.2	2.5	10.0	6.0
4/1/2018 3:00	Calibration	BDL	BDL	Calibration	2.5	10.0	7.0
4/1/2018 4:00	BDL	BDL	3.7	0.2	2.5	15.0	9.0
4/1/2018 5:00	0.4	BDL	9.1	0.3	2.6	17.0	8.0
4/1/2018 6:00	BDL	BDL	11.0	0.3	2.4	16.0	6.0
4/1/2018 7:00	0.7	Too few samples	15.5	0.2	2.7	18.0	10.0
4/1/2018 8:00	1.9	Calibration	11.9	0.2	2.4	24.0	15.0
4/1/2018 9:00	2.8	BDL	14.9	0.3	2.5	19.0	11.0
4/1/2018 10:00	2.8	BDL	16.0	0.2	2.6	19.0	9.0
4/1/2018 11:00	2.1	BDL	11.9	0.2	2.3	16.0	8.0
4/1/2018 12:00	1.3	BDL	6.8	0.2	2.6	12.0	5.0
4/1/2018 13:00	0.5	BDL	1.4	0.3	2.5	11.0	4.0
4/1/2018 14:00	BDL	BDL	2.3	0.3	2.4	7.0	4.0
4/1/2018 15:00	0.8	BDL	6.6	0.3	2.7	17.0	5.0
4/1/2018 16:00	BDL	BDL	2.3	0.3	2.7	12.0	8.0
4/1/2018 17:00	BDL	BDL	2.7	0.3	2.6	17.0	6.0
4/1/2018 18:00	BDL	BDL	3.1	0.3	2.5	6.0	6.0
4/1/2018 19:00	BDL	BDL	4.8	0.3	2.4	7.0	3.0
4/1/2018 20:00	BDL	BDL	5.7	0.3	2.6	6.0	1.0
4/1/2018 21:00	BDL	BDL	29.2	0.4	2.4	16.0	5.0
4/1/2018 22:00	BDL	BDL	36.8	0.5	2.7	17.0	5.0
4/1/2018 23:00	BDL	BDL	22.4	0.4	2.4	16.0	5.0
4/2/2018 0:00	BDL	BDL	7.3	0.2	2.2	15.0	5.0
4/2/2018 1:00	BDL	Calibration	4.5	0.2	2.1	11.0	4.0
4/2/2018 2:00	BDL	Calibration	5.8	0.2	2.2	14.0	2.0
4/2/2018 3:00	Calibration	BDL	Calibration	0.2	2.1	12.0	7.0
4/2/2018 4:00	BDL	BDL	11.7	0.2	2.1	11.0	4.0
4/2/2018 5:00	BDL	BDL	15.3	0.3	2.1	13.0	5.0
4/2/2018 6:00	BDL	BDL	27.6	0.3	2.1	18.0	6.0
4/2/2018 7:00	BDL	BDL	28.1	0.3	2.2	15.0	8.0
4/2/2018 8:00	0.4	BDL	38.0	0.4	2.2	10.0	6.0
4/2/2018 9:00	0.4	BDL	91.1	0.3	2.4	14.0	7.0
4/2/2018 10:00	0.5	BDL	32.5	0.4	2.2	10.0	9.0
4/2/2018 11:00	BDL	BDL	31.1	0.4	2.3	15.0	8.0
4/2/2018 12:00	BDL	BDL	23.1	0.3	2.2	10.0	7.0
4/2/2018 13:00	BDL	BDL	17.7	0.3	2.2	21.0	4.0
4/2/2018 14:00	BDL	BDL	12.7	0.3	2.2	13.0	4.0
4/2/2018 15:00	BDL	BDL	6.7	0.2	2.1	12.0	2.0
4/2/2018 16:00	BDL	BDL	5.2	0.2	2.2	11.0	2.0
4/2/2018 17:00	BDL	BDL	5.4	0.2	2.2	17.0	6.0
4/2/2018 18:00	BDL	BDL	7.0	0.3	2.2	11.0	7.0
4/2/2018 19:00	BDL	BDL	8.7	0.3	2.3	13.0	11.0
4/2/2018 20:00	BDL	BDL	15.4	0.3	2.1	15.0	11.0
4/2/2018 21:00	BDL	BDL	17.8	0.3	2.0	20.0	9.0
4/2/2018 22:00	BDL	BDL	26.9	0.4	2.3	21.0	10.0
4/2/2018 23:00	BDL	BDL	23.0	0.3	2.2	22.0	14.0
4/3/2018 0:00	BDL	BDL	8.6	0.2	2.2	16.0	7.0
4/3/2018 1:00	BDL	Calibration	4.8	0.2	2.3	12.0	6.0
4/3/2018 2:00	BDL	Calibration	7.4	0.2	2.3	13.0	6.0
4/3/2018 3:00	Calibration	BDL	Calibration	0.3	2.4	14.0	5.0
4/3/2018 4:00	BDL	BDL	11.1	0.3	2.1	14.0	4.0
4/3/2018 5:00	BDL	BDL	26.7	0.3	2.1	19.0	7.0
4/3/2018 6:00	BDL	BDL	27.8	0.4	2.1	25.0	10.0
4/3/2018 7:00	BDL	BDL	28.5	0.3	2.1	27.0	11.0
4/3/2018 8:00	0.4	BDL	35.9	0.3	2.1	15.0	9.0
4/3/2018 9:00	0.4	BDL	29.3	0.3	2.1	11.0	4.0
4/3/2018 10:00	BDL	BDL	27.2	0.3	2.1	20.0	5.0
4/3/2018 11:00	0.6	BDL	32.1	0.3	2.1	13.0	6.0
4/3/2018 12:00	BDL	BDL	23.1	0.3	2.0	13.0	8.0
4/3/2018 13:00	BDL	BDL	22.4	0.3	2.1	9.0	6.0
4/3/2018 14:00	BDL	BDL	25.5	0.3	2.1	6.0	4.0
4/3/2018 15:00	BDL	BDL	17.7	0.3	2.1	9.0	2.0
4/3/2018 16:00	BDL	BDL	14.9	0.3	2.1	14.0	4.0
4/3/2018 17:00	BDL	BDL	13.2	0.3	2.3	11.0	7.0
4/3/2018 18:00	BDL	BDL	21.7	0.4	2.1	16.0	7.0
4/3/2018 19:00	BDL	BDL	32.5	0.5	2.2	17.0	12.0
4/3/2018 20:00	0.8	BDL	40.0	0.5	2.3	29.0	14.0
4/3/2018 21:00	0.4	BDL	24.3	0.4	2.7	21.0	16.0
4/3/2018 22:00	0.6	BDL	37.3	0.5	2.4	29.0	21.0
4/3/2018 23:00	0.5	BDL	32.4	0.5	2.6	33.0	26.0
4/4/2018 0:00	0.6	BDL	30.5	0.4	2.5	23.0	15.0
4/4/2018 1:00	BDL	Calibration	22.3	0.4	2.8	13.0	14.0
4/4/2018 2:00	BDL	Calibration	26.3	0.4	2.7	15.0	16.0
4/4/2018 3:00	Calibration	BDL	Calibration	0.4	2.4	18.0	9.0
4/4/2018 4:00	0.7	0.4	46.4	0.4	2.4	28.0	14.0
4/4/2018 5:00	0.8	1.9	69.4	0.7	2.5	32.0	18.0
4/4/2018 6:00	1.2	1.2	66.0	0.8	2.6	30.0	19.0
4/4/2018 7:00	1.8	3.4	111.1	0.9	3.3	36.0	19.0
4/4/2018 8:00	2.7	1.7	74.2	0.9	3.7	36.0	25.0
4/4/2018 9:00	2.4	1.3	28.6	0.4	3.0	24.0	12.0
4/4/2018 10:00	4.0	0.9	21.8	0.4	2.6	23.0	9.0
4/4/2018 11:00	0.4	0.8	11.2	0.4	2.4	25.0	16.0
4/4/2018 12:00	0.6	1.0	6.1	0.3	3.6	9.0	3.0
4/4/2018 13:00	1.1	0.4	10.2	0.3	3.8	10.0	2.0
4/4/2018 14:00	0.9	BDL	4.5	0.2	4.0	27.0	7.0
4/4/2018 15:00	BDL	BDL	3.8	0.2	3.7	33.0	7.0
4/4/2018 16:00	0.6	BDL	3.0	0.2	3.6	17.0	5.0
4/4/2018 17:00	0.6	BDL	4.9	0.2	3.6	20.0	3.0
4/4/2018 18:00	0.4	BDL	1.4	0.1	3.1	14.0	6.0
4/4/2018 19:00	0.9	BDL	4.8	0.2	3.9	13.0	6.0
4/4/2018 20:00	0.9	BDL	4.4	0.1	3.8	10.0	6.0
4/4/2018 21:00	0.7	BDL	1.1	0.1	3.0	9.0	6.0
4/4/2018 22:00	0.5	BDL	0.6	0.1	2.6	8.0	5.0
4/4/2018 23:00	0.4	BDL	0.6	0.1	2.9	6.0	6.0
4/5/2018 0:00	BDL	BDL	BDL	0.1	2.7	6.0	5.0
4/5/2018 1:00	BDL	Calibration	BDL	0.1	2.5	6.0	5.0
4/5/2018 2:00	BDL	Calibration	0.7	0.1	2.7	6.0	4.0
4/5/2018 3:00	Calibration	BDL	Calibration	0.1	2.7	7.0	6.0
4/5/2018 4:00	BDL	BDL	0.7	0.1	2.7	8.0	6.0
4/5/2018 5:00	BDL	BDL	2.0	0.1	2.5	9.0	4.0
4/5/2018 6:00	BDL	BDL	5.3	0.2	2.2	15.0	2.0
4/5/2018 7:00	BDL	BDL	4.7	0.1	2.7	17.0	2.0
4/5/2018 8:00	BDL	BDL	4.1	0.1	2.9	16.0	2.0
4/5/2018 9:00	BDL	BDL	6.5	0.1	3.1	32.0	6.0
4/5/2018 10:00	0.5	BDL	5.9	0.1	3.0	24.0	4.0
4/5/2018 11:00	0.5	BDL	15.0	0.1	3.5	27.0	10.0
4/5/2018 12:00	0.4	BDL	5.6	0.1	3.0	48.0	10.0
4/5/2018 13:00	0.4	BDL	5.4	0.1	3.1	36.0	8.0
4/5/2018 14:00	BDL	BDL	2.6	0.1	2.8	29.0	6.0
4/5/2018 15:00	0.4	BDL	2.8	0.1	2.7	29.0	7.0
4/5/2018 16:00	0.4	BDL	2.9	0.1	2.7	17.0	7.0
4/5/2018 17:00	0.6	BDL	4.6	0.1	2.9	21.0	10.0
4/5/2018 18:00	0.6	BDL	3.4	0.1	2.8	20.0	10.0
4/5/2018 19:00	BDL	BDL	4.4	0.2	2.4	14.0	6.0
4/5/2018 20:00	BDL	BDL	15.4	0.2	2.8	14.0	5.0
4/5/2018 21:00	0.4	BDL	25.0	0.3	2.5	21.0	14.0
4/5/2018 22:00	0.4	BDL	36.9	0.4	2.6	18.0	14.0
4/5/2018 23:00	0.4	BDL	34.0	0.4	2.9	25.0	12.0
4/6/2018 0:00	0.4	BDL	33.6	0.3	2.3	23.0	17.0
4/6/2018 1:00	BDL	Calibration	15.3	0.2	2.3	17.0	11.0
4/6/2018 2:00	BDL	Calibration	13.7	0.2	2.5	17.0	14.0
4/6/2018 3:00	Calibration	BDL	Calibration	0.2	2.3	19.0	10.0
4/6/2018 4:00	BDL	BDL	8.3	0.2	2.6	16.0	11.0
4/6/2018 5:00	BDL	BDL	24.1	0.2	2.2	19.0	11.0
4/6/2018 6:00	BDL	BDL	33.1	0.4	2.1	19.0	12.0
4/6/2018 7:00	0.5	BDL	59.6	0.4	2.2	19.0	11.0
4/6/2018 8:00	0.4	1.3	23.3	0.3	2.1	17.0	8.0
4/6/2018 9:00	BDL	0.4	8.2	0.2	2.1	15.0	7.0
4/6/2018 10:00	BDL	0.6	6.7	0.2	2.2	17.0	10.0
4/6/2018 11:00	0.4	BDL	3.4	0.2	2.3	19.0	9.0
4/6/2018 12:00	0.7	BDL	3.3	0.2	2.4	29.0	9.0
4/6/2018 13:00	1.0	BDL	4.6	0.2	2.4	30.0	10.0
4/6/2018 14:00	1.0	BDL	4.8	0.3	2.4	26.0	8.0
4/6/2018 15:00	1.9	BDL	9.3	0.3	2.4	28.0	11.0
4/6/2018 16:00	1.9	BDL	9.3	0.3	2.3	25.0	9.0
4/6/2018 17:00	BDL	BDL	10.1	0.2	2.5	31.0	9.0
4/6/2018 18:00	0.6	BDL	0.5	0.2	2.5	27.0	10.0
4/6/2018 19:00	0.4	BDL	12.4	0.4	2.3	23.0	13.0
4/6/2018 20:00	0.4	0.7	0.8	0.3	2.6	27.0	11.0
4/6/2018 21:00	0.8	1.8	46.4	0.4	2.5	34.0	10.0
4/6/2018 22:00	1.4	1.4	28.9	0.5	2.3	28.0	10.0
4/6/2018 23:00	BDL	0.6	12.6	0.4	2.7	26.0	13.0
4/7/2018 0:00	0.4	BDL	11.5	0.3	2.5	23.0	12.0
4/7/2018 1:00	0.7	Calibration	4.4	0.3	2.2	17.0	6.0
4/7/2018 2:00	BDL	Calibration	2.1	0.2	2.3	9.0	7.0
4/7/2018 3:00	Calibration	BDL	Calibration	0.2	2.3	10.0	7.0
4/7/2018 4:00	BDL	BDL	1.5	0.2	2.4	7.0	5.0
4/7/2018 5:00	BDL	BDL	1.1	0.2	2.3	10.0	4.0
4/7/2018 6:00	BD						

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	H2S PPB	TMG PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m ³	PM2.5 µg/m ³	
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m ³	1.0 µg/m ³	
See Downwind Weekly: 4/8/2018-4/14/2018								
4/8/2018 0:00	BDL	BDL	BDL	1.9	0.1	2.1	7.0	2.0
4/8/2018 1:00	BDL	Calibration	Calibration	1.4	0.1	2.1	9.0	5.0
4/8/2018 2:00	BDL	Calibration	Calibration	2.5	0.1	2.1	10.0	6.0
4/8/2018 3:00	Calibration	BDL	BDL	Calibration	2.1	10.0	7.0	9.0
4/8/2018 4:00	BDL	BDL	Calibration	4.1	0.2	15.0	15.0	9.0
4/8/2018 5:00	BDL	Calibration	Calibration	4.4	0.2	2.1	17.0	8.0
4/8/2018 6:00	BDL	Calibration	Calibration	4.9	0.2	2.1	16.0	6.0
4/8/2018 7:00	BDL	BDL	BDL	5.2	0.2	2.1	18.0	10.0
4/8/2018 8:00	BDL	BDL	BDL	2.2	0.2	2.2	24.0	15.0
4/8/2018 9:00	BDL	BDL	BDL	1.6	0.2	2.1	19.0	11.0
4/8/2018 10:00	0.4	BDL	BDL	BDL	0.1	2.3	19.0	9.0
4/8/2018 11:00	BDL	BDL	BDL	BDL	0.1	2.2	16.0	8.0
4/8/2018 12:00	BDL	BDL	BDL	BDL	0.1	2.3	12.0	5.0
4/8/2018 13:00	BDL	BDL	BDL	BDL	0.1	2.4	11.0	4.0
4/8/2018 14:00	BDL	BDL	BDL	BDL	0.1	2.3	7.0	4.0
4/8/2018 15:00	BDL	BDL	BDL	BDL	0.1	2.4	17.0	5.0
4/8/2018 16:00	BDL	BDL	BDL	BDL	0.1	2.4	12.0	8.0
4/8/2018 17:00	BDL	BDL	BDL	BDL	0.1	2.4	17.0	6.0
4/8/2018 18:00	BDL	BDL	BDL	20.0	0.1	2.4	6.0	6.0
4/8/2018 19:00	BDL	BDL	BDL	4.5	0.2	2.8	7.0	3.0
4/8/2018 20:00	BDL	BDL	BDL	7.7	0.2	2.8	6.0	1.0
4/8/2018 21:00	BDL	BDL	BDL	9.2	0.2	2.9	15.0	5.0
4/8/2018 22:00	BDL	BDL	BDL	9.2	0.2	2.9	17.0	1.0
4/8/2018 23:00	BDL	BDL	BDL	6.9	0.2	2.6	16.0	5.0
4/9/2018 0:00	BDL	BDL	BDL	6.1	0.2	2.4	15.0	5.0
4/9/2018 1:00	BDL	Calibration	Calibration	3.7	0.2	2.4	11.0	4.0
4/9/2018 2:00	BDL	Calibration	Calibration	2.8	0.1	2.5	14.0	4.0
4/9/2018 3:00	Calibration	BDL	BDL	Calibration	2.4	12.0	7.0	7.0
4/9/2018 4:00	BDL	BDL	BDL	17.7	0.2	2.1	11.0	4.0
4/9/2018 5:00	BDL	BDL	Calibration	21.2	0.3	2.3	13.0	5.0
4/9/2018 6:00	BDL	BDL	BDL	23.6	0.3	2.3	18.0	6.0
4/9/2018 7:00	BDL	BDL	BDL	11.3	0.2	2.1	15.0	8.0
4/9/2018 8:00	BDL	BDL	BDL	6.4	0.2	analyzer malfunction	10.0	6.0
4/9/2018 9:00	BDL	BDL	BDL	8.6	0.2	analyzer malfunction	14.0	7.0
4/9/2018 10:00	0.9	BDL	BDL	16.3	0.2	analyzer malfunction	10.0	9.0
4/9/2018 11:00	1.5	BDL	BDL	13.7	0.2	analyzer malfunction	15.0	8.0
4/9/2018 12:00	2.0	BDL	BDL	15.9	0.2	analyzer malfunction	10.0	8.0
4/9/2018 13:00	1.2	BDL	BDL	13.2	0.2	analyzer malfunction	12.0	4.0
4/9/2018 14:00	0.8	BDL	BDL	7.1	0.2	analyzer malfunction	21.0	2.0
4/9/2018 15:00	1.0	BDL	BDL	6.2	0.2	analyzer malfunction	11.0	2.0
4/9/2018 16:00	0.4	BDL	BDL	4.8	0.2	analyzer malfunction	11.0	1.0
4/9/2018 17:00	BDL	BDL	BDL	5.4	0.2	analyzer malfunction	17.0	6.0
4/9/2018 18:00	BDL	BDL	BDL	6.0	0.2	analyzer malfunction	11.0	7.0
4/9/2018 19:00	BDL	BDL	BDL	8.7	0.2	analyzer malfunction	13.0	11.0
4/9/2018 20:00	BDL	BDL	BDL	6.9	0.2	analyzer malfunction	15.0	11.0
4/9/2018 21:00	BDL	BDL	BDL	2.7	0.2	analyzer malfunction	20.0	9.0
4/9/2018 22:00	BDL	BDL	BDL	3.6	0.2	analyzer malfunction	21.0	10.0
4/9/2018 23:00	BDL	BDL	BDL	12.9	0.2	analyzer malfunction	22.0	14.0
4/10/2018 0:00	BDL	BDL	BDL	5.3	0.2	analyzer malfunction	16.0	7.0
4/10/2018 1:00	BDL	Calibration	Calibration	16.0	0.2	analyzer malfunction	12.0	5.0
4/10/2018 2:00	BDL	Calibration	Calibration	14.2	0.2	analyzer malfunction	13.0	6.0
4/10/2018 3:00	Calibration	BDL	BDL	14.2	0.2	analyzer malfunction	14.0	5.0
4/10/2018 4:00	0.4	0.4	0.4	14.2	0.2	analyzer malfunction	14.0	4.0
4/10/2018 5:00	0.4	0.5	15.2	15.2	0.2	analyzer malfunction	19.0	7.0
4/10/2018 6:00	0.5	0.5	103.9	103.9	0.2	analyzer malfunction	25.0	10.0
4/10/2018 7:00	BDL	0.5	8.3	0.2	analyzer malfunction	27.0	11.0	
4/10/2018 8:00	BDL	0.5	7.4	0.2	analyzer malfunction	15.0	9.0	
4/10/2018 9:00	BDL	0.5	6.3	0.2	2.4	11.0	10.0	
4/10/2018 10:00	BDL	0.4	4.7	0.2	2.4	20.0	5.0	
4/10/2018 11:00	BDL	0.4	2.6	0.2	2.5	13.0	6.0	
4/10/2018 12:00	BDL	0.4	1.9	0.2	2.5	13.0	8.0	
4/10/2018 13:00	BDL	0.4	1.8	0.2	2.3	9.0	6.0	
4/10/2018 14:00	BDL	0.4	2.1	0.2	2.4	6.0	4.0	
4/10/2018 15:00	BDL	0.4	2.3	0.2	2.4	9.0	2.0	
4/10/2018 16:00	BDL	0.4	2.6	0.1	2.4	14.0	4.0	
4/10/2018 17:00	BDL	0.4	2.3	0.2	2.4	11.0	7.0	
4/10/2018 18:00	BDL	0.4	3.1	0.2	2.4	16.0	7.0	
4/10/2018 19:00	BDL	0.5	5.9	0.2	2.4	17.0	12.0	
4/10/2018 20:00	BDL	0.5	6.2	0.2	6.2	28.0	14.0	
4/10/2018 21:00	BDL	0.4	9.0	0.2	2.2	21.0	16.0	
4/10/2018 22:00	BDL	0.4	11.5	0.2	2.2	29.0	20.0	
4/10/2018 23:00	BDL	0.5	14.5	0.2	2.2	33.0	21.0	
4/11/2018 0:00	BDL	0.7	29.9	0.4	2.3	23.0	15.0	
4/11/2018 1:00	BDL	Calibration	Calibration	42.8	0.4	2.3	13.0	14.0
4/11/2018 2:00	BDL	Calibration	Calibration	34.7	0.3	2.4	15.0	16.0
4/11/2018 3:00	Calibration	1.8	0.8	Calibration	2.8	18.0	32.0	14.0
4/11/2018 4:00	BDL	Too few samples	Too few samples	46.6	0.4	2.4	28.0	14.0
4/11/2018 5:00	0.4	Too few samples	Too few samples	80.1	0.4	3.1	32.0	18.0
4/11/2018 6:00	0.4	3.0	1.2	76.8	0.4	3.0	30.0	19.0
4/11/2018 7:00	0.7	Audit	Audit	44.1	0.3	2.3	36.0	19.0
4/11/2018 8:00	Calibration	0.4	0.5	Calibration	2.2	36.0	25.0	12.0
4/11/2018 9:00	BDL	Too few samples	Too few samples	10.0	0.2	2.2	23.0	9.0
4/11/2018 10:00	BDL	Too few samples	Too few samples	8.2	0.2	2.2	25.0	16.0
4/11/2018 11:00	1.1	Calibration	Calibration	7.2	0.2	2.2	9.0	3.0
4/11/2018 12:00	0.9	Calibration	Calibration	6.2	0.2	2.3	10.0	2.0
4/11/2018 13:00	0.9	Calibration	Calibration	4.0	0.2	2.2	2.0	2.0
4/11/2018 14:00	1.4	BDL	BDL	10.0	0.2	2.4	33.0	7.0
4/11/2018 15:00	1.3	0.4	BDL	11.2	0.2	2.4	27.0	5.0
4/11/2018 16:00	0.8	BDL	BDL	9.0	0.2	2.2	20.0	3.0
4/11/2018 17:00	1.0	BDL	BDL	10.9	0.2	2.5	14.0	2.0
4/11/2018 18:00	0.8	BDL	BDL	16.9	0.2	2.5	13.0	6.0
4/11/2018 19:00	0.6	0.5	BDL	9.8	0.2	2.5	10.0	6.0
4/11/2018 20:00	0.4	0.4	BDL	7.5	0.2	2.5	9.0	6.0
4/11/2018 21:00	0.4	0.4	BDL	9.5	0.2	2.2	8.0	5.0
4/11/2018 22:00	BDL	0.4	BDL	10.4	0.2	2.2	6.0	5.0
4/11/2018 23:00	BDL	0.6	BDL	12.5	0.2	2.2	6.0	5.0
4/12/2018 0:00	BDL	Calibration	Calibration	14.1	0.2	2.1	6.0	5.0
4/12/2018 1:00	BDL	Calibration	Calibration	11.2	0.3	2.0	5.0	4.0
4/12/2018 2:00	BDL	Calibration	Calibration	19.5	0.3	Calibration	7.0	6.0
4/12/2018 3:00	Calibration	BDL	BDL	33.3	0.4	2.4	9.0	4.0
4/12/2018 4:00	Calibration	BDL	BDL	34.4	0.3	2.3	15.0	2.0
4/12/2018 5:00	BDL	Calibration	Calibration	35.3	0.3	2.5	17.0	2.0
4/12/2018 6:00	BDL	Calibration	Calibration	21.1	0.3	2.1	16.0	2.0
4/12/2018 7:00	1.0	Calibration	Calibration	22.7	0.3	2.5	32.0	6.0
4/12/2018 8:00	1.7	BDL	BDL	18.9	0.3	2.4	24.0	2.0
4/12/2018 9:00	3.1	1.1	BDL	16.6	0.3	2.2	48.0	10.0
4/12/2018 10:00	0.7	0.4	BDL	13.4	0.3	2.2	36.0	8.0
4/12/2018 11:00	1.1	0.5	BDL	8.2	0.3	2.2	29.0	6.0
4/12/2018 12:00	0.5	BDL	BDL	3.3	0.3	2.2	29.0	7.0
4/12/2018 13:00	BDL	BDL	BDL	2.2	0.2	2.3	29.0	7.0
4/12/2018 14:00	BDL	BDL	BDL	1.0	0.2	2.4	17.0	7.0
4/12/2018 15:00	0.4	BDL	BDL	0.8	0.2	2.4	21.0	10.0
4/12/2018 16:00	0.5	BDL	BDL	2.0	0.3	2.1	20.0	10.0
4/12/2018 17:00	0.6	BDL	BDL	3.1	0.2	2.2	14.0	6.0
4/12/2018 18:00	0.5	BDL	BDL	3.7	0.3	2.1	14.0	5.0
4/12/2018 19:00	BDL	BDL	BDL	3.8	0.3	2.0	21.0	14.0
4/12/2018 20:00	BDL	BDL	BDL	5.9	0.2	2.2	18.0	14.0
4/12/2018 21:00	BDL	BDL	BDL	4.7	0.3	2.2	25.0	12.0
4/12/2018 22:00	BDL	BDL	BDL	0.7	0.3	2.2	23.0	17.0
4/12/2018 23:00	BDL	Calibration	Calibration	1.8	0.3	2.3	17.0	11.0
4/13/2018 0:00	BDL	Calibration	Calibration	10.4	0.4	2.4	17.0	14.0
4/13/2018 1:00	BDL	Calibration	Calibration	10.4	0.3	2.3	19.0	10.0
4/13/2018 2:00	0.9	BDL	BDL	12.2	0.4	2.3	16.0	11.0
4/13/2018 3:00	0.6	Calibration	Calibration	16.4	0.4	2.4	19.0	11.0
4/13/2018 4:00	2.5	BDL	BDL	18.3	0.3	2.3	19.0	12.0
4/13/2018 5:00	3.3	BDL	BDL	25.4	0.4	2.4	19.0	11.0
4/13/2018 6:00	2.7	0.4	BDL	18.7	0.4	2.4	17.0	8.0
4/13/2018 7:00	2.6	BDL	BDL	13.7	0.3	2.2	15.0	7.0
4/13/2018 8:00	2.2	BDL	BDL	10.6	0.3	2.4	17.0	10.0
4/13/2018 9:00	3.3	BDL	BDL	7.4	0.3	2.4	19.0	8.0
4/13/2018 10:00	1.3	BDL	BDL	6.3	0.2	2.3	29.0	9.0
4/13/2018 11:00	0.8	BDL	BDL	2.8	0.2	2.4	30.0	10.0
4/13/2018 12:00	0.8	BDL	BDL	2.5	0.2	2.4	26.0	8.0
4/13/2018 13:00	0.8	BDL	BDL	2.1	0.2	2.4	26.0	11.0
4/13/2018 14:00	0.7	BDL	BDL	2.4	0.2	2.4	25.0	8.0
4/13/2018 15:00	0.6	BDL	BDL	2.6	0.2	2.4	31.0	9.0
4/13/2018 16:00	0.6	BDL	BDL	3.2	0.2	2.4	27.0	10.0
4/13/2018 17:00	0.5	BDL	BDL	5.3	0.2	2.4	23.0	13.0
4/13/2018 18:00	0.4	BDL						

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	H2S PPB	TMG PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m ³	PM2.5 µg/m ³
Detection limit: 0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppm	10.0 ppb	1.0 µg/m ³	1.0 µg/m ³
See Downwind Weekly 4/15/2018-4/21/2018							
4/15/2018 0:00	BDL	BDL	3.3	0.2	2.0	52.0	13.0
4/15/2018 1:00	BDL	Calibration	4.1	0.2	2.0	2.0	45.0
4/15/2018 2:00	BDL	Calibration	BDL	0.2	2.0	30.0	12.0
4/15/2018 3:00	Calibration	BDL	Calibration	Calibration	2.0	34.0	10.0
4/15/2018 4:00	BDL	BDL	0.2	0.2	2.0	28.0	9.0
4/15/2018 5:00	BDL	BDL	1.0	0.2	2.0	13.0	7.0
4/15/2018 6:00	BDL	BDL	1.7	0.2	2.0	8.0	6.0
4/15/2018 7:00	BDL	BDL	4.1	0.2	2.0	6.0	4.0
4/15/2018 8:00	BDL	BDL	4.2	0.2	2.0	8.0	3.0
4/15/2018 9:00	BDL	BDL	3.6	0.2	2.0	11.0	2.0
4/15/2018 10:00	BDL	BDL	4.4	0.2	2.0	7.0	7.0
4/15/2018 11:00	BDL	BDL	5.1	0.2	2.0	9.0	5.0
4/15/2018 12:00	BDL	BDL	4.3	0.2	2.0	8.0	6.0
4/15/2018 13:00	BDL	BDL	4.3	0.2	2.0	10.0	5.0
4/15/2018 14:00	BDL	BDL	3.6	0.2	2.0	9.0	6.0
4/15/2018 15:00	BDL	BDL	5.0	0.2	2.0	7.0	6.0
4/15/2018 16:00	BDL	BDL	3.7	0.2	2.0	11.0	5.0
4/15/2018 17:00	BDL	BDL	4.4	0.2	2.0	8.0	7.0
4/15/2018 18:00	BDL	BDL	2.8	0.2	2.0	6.0	6.0
4/15/2018 19:00	BDL	BDL	2.8	0.2	2.0	6.0	2.0
4/15/2018 20:00	BDL	BDL	2.9	0.2	2.0	6.0	2.0
4/15/2018 21:00	BDL	BDL	3.8	0.2	2.0	4.0	2.0
4/15/2018 22:00	BDL	BDL	7.2	0.2	2.0	3.0	1.0
4/15/2018 23:00	BDL	BDL	2.2	0.2	2.0	5.0	1.0
4/16/2018 0:00	BDL	BDL	5.1	0.2	2.0	5.0	2.0
4/16/2018 1:00	BDL	Calibration	1.5	0.2	2.0	3.0	2.0
4/16/2018 2:00	BDL	Calibration	3.2	0.2	2.0	5.0	1.0
4/16/2018 3:00	Calibration	BDL	BDL	Calibration	2.1	5.0	1.0
4/16/2018 4:00	BDL	BDL	12.7	0.2	2.0	6.0	2.0
4/16/2018 5:00	BDL	BDL	18.3	0.3	2.0	2.2	3.0
4/16/2018 6:00	0.4	1.9	42.0	0.5	2.0	10.0	2.0
4/16/2018 7:00	1.6	0.4	40.5	0.5	2.0	8.0	2.0
4/16/2018 8:00	0.5	1.8	39.7	0.5	2.0	10.0	4.0
4/16/2018 9:00	0.9	1.6	20.8	0.4	2.0	11.0	5.0
4/16/2018 10:00	0.5	0.8	3.7	0.3	1.9	17.0	4.0
4/16/2018 11:00	0.7	BDL	4.3	0.3	1.9	28.0	11.0
4/16/2018 12:00	BDL	0.4	3.0	0.3	1.9	29.0	8.0
4/16/2018 13:00	0.7	0.7	7.4	0.2	2.0	11.0	6.0
4/16/2018 14:00	1.1	1.0	15.1	0.3	2.0	14.0	8.0
4/16/2018 15:00	0.7	0.9	11.2	0.3	2.2	11.0	6.0
4/16/2018 16:00	1.0	1.0	14.5	0.3	2.2	12.0	5.0
4/16/2018 17:00	0.5	0.7	10.5	0.2	2.2	11.0	4.0
4/16/2018 18:00	0.5	BDL	10.7	0.2	2.2	11.0	4.0
4/16/2018 19:00	0.4	BDL	7.5	0.2	2.3	10.0	2.0
4/16/2018 20:00	0.4	BDL	6.0	0.2	2.3	10.0	4.0
4/16/2018 21:00	BDL	BDL	0.6	0.2	2.2	9.0	3.0
4/16/2018 22:00	BDL	BDL	BDL	0.2	2.2	8.0	3.0
4/16/2018 23:00	BDL	BDL	1.3	0.2	2.2	8.0	3.0
4/17/2018 0:00	BDL	BDL	1.4	0.2	2.2	9.0	5.0
4/17/2018 1:00	BDL	Calibration	3.5	0.2	2.2	8.0	5.0
4/17/2018 2:00	BDL	Calibration	2.6	0.2	2.2	11.0	7.0
4/17/2018 3:00	Calibration	BDL	BDL	Calibration	2.2	11.0	4.0
4/17/2018 4:00	BDL	BDL	1.0	0.2	2.2	9.0	3.0
4/17/2018 5:00	BDL	BDL	8.6	0.2	2.2	7.0	4.0
4/17/2018 6:00	1.2	BDL	12.9	0.2	2.2	9.0	4.0
4/17/2018 7:00	1.1	0.6	13.7	0.2	2.1	16.0	6.0
4/17/2018 8:00	0.5	0.5	9.2	0.2	2.3	15.0	9.0
4/17/2018 9:00	0.7	0.6	9.9	0.2	2.2	19.0	8.0
4/17/2018 10:00	1.0	0.6	11.7	0.2	2.2	20.0	4.0
4/17/2018 11:00	1.0	0.6	13.3	0.2	2.2	17.0	6.0
4/17/2018 12:00	1.2	0.7	13.1	0.2	2.1	20.0	6.0
4/17/2018 13:00	1.2	0.7	13.6	0.2	2.2	18.0	6.0
4/17/2018 14:00	0.6	0.5	10.3	0.2	2.2	16.0	5.0
4/17/2018 15:00	0.9	0.5	8.8	0.2	2.2	14.0	4.0
4/17/2018 16:00	0.7	0.6	9.0	0.2	2.1	11.0	3.0
4/17/2018 17:00	BDL	BDL	5.2	0.2	2.2	9.0	3.0
4/17/2018 18:00	BDL	BDL	1.8	0.2	2.1	8.0	4.0
4/17/2018 19:00	2.0	0.4	10.4	0.2	2.0	21.0	14.0
4/17/2018 20:00	0.7	BDL	6.3	0.2	2.2	8.0	8.0
4/17/2018 21:00	0.4	BDL	6.1	0.2	2.2	7.0	5.0
4/17/2018 22:00	BDL	BDL	5.1	0.2	2.2	9.0	4.0
4/17/2018 23:00	0.5	0.4	10.1	0.2	2.2	12.0	6.0
4/18/2018 0:00	0.5	0.4	10.4	0.1	2.2	11.0	6.0
4/18/2018 1:00	0.9	Calibration	10.4	0.2	2.1	14.0	8.0
4/18/2018 2:00	3.1	Calibration	10.1	0.2	2.0	17.0	14.0
4/18/2018 3:00	Calibration	BDL	BDL	Calibration	2.1	18.0	11.0
4/18/2018 4:00	0.4	BDL	13.3	0.2	2.2	14.0	9.0
4/18/2018 5:00	2.2	1.3	19.6	0.2	2.3	18.0	8.0
4/18/2018 6:00	2.9	1.0	15.5	0.2	2.2	22.0	7.0
4/18/2018 7:00	2.5	0.9	BDL	0.2	2.1	17.0	8.0
4/18/2018 8:00	1.7	0.5	7.0	0.2	2.1	18.0	7.0
4/18/2018 9:00	1.4	0.4	8.2	0.2	2.2	15.0	7.0
4/18/2018 10:00	1.6	BDL	7.3	0.2	2.2	17.0	9.0
4/18/2018 11:00	1.1	BDL	5.9	0.2	2.1	20.0	7.0
4/18/2018 12:00	1.9	0.4	6.3	0.2	2.1	21.0	8.0
4/18/2018 13:00	1.6	0.4	5.8	0.2	2.1	20.0	10.0
4/18/2018 14:00	2.5	0.4	6.3	0.2	2.0	23.0	13.0
4/18/2018 15:00	2.0	0.5	6.2	0.2	2.0	20.0	11.0
4/18/2018 16:00	1.7	0.6	8.1	0.2	2.0	15.0	11.0
4/18/2018 17:00	0.7	0.5	2.9	0.2	2.1	18.0	6.0
4/18/2018 18:00	0.8	0.4	4.1	0.3	2.1	15.0	6.0
4/18/2018 19:00	0.5	0.5	12.9	0.4	2.1	18.0	8.0
4/18/2018 20:00	0.9	0.7	24.2	0.4	2.2	16.0	11.0
4/18/2018 21:00	1.2	1.2	32.9	0.5	2.1	26.0	12.0
4/18/2018 22:00	0.4	1.2	21.8	0.5	2.0	20.0	11.0
4/18/2018 23:00	BDL	1.1	BDL	0.5	2.1	18.0	10.0
4/19/2018 0:00	BDL	1.4	0.5	22.0	0.2	17.0	9.0
4/19/2018 1:00	BDL	Calibration	11.6	0.2	2.0	20.0	7.0
4/19/2018 2:00	BDL	Calibration	12.3	0.3	2.0	18.0	11.0
4/19/2018 3:00	Calibration	BDL	BDL	Calibration	2.0	22.0	12.0
4/19/2018 4:00	BDL	BDL	15.1	0.2	2.0	22.0	11.0
4/19/2018 5:00	0.4	1.3	27.2	0.3	2.1	21.0	7.0
4/19/2018 6:00	0.5	1.6	32.3	0.4	2.1	31.0	4.0
4/19/2018 7:00	0.5	1.5	33.2	0.4	2.3	32.0	11.0
4/19/2018 8:00	BDL	1.2	20.8	0.3	2.3	25.0	12.0
4/19/2018 9:00	BDL	1.1	16.7	0.3	2.2	21.0	12.0
4/19/2018 10:00	BDL	0.9	12.6	0.3	2.2	23.0	14.0
4/19/2018 11:00	BDL	0.8	13.2	0.2	2.4	26.0	13.0
4/19/2018 12:00	BDL	0.7	8.6	0.2	2.4	17.0	11.0
4/19/2018 13:00	BDL	0.7	7.3	0.2	2.4	16.0	6.0
4/19/2018 14:00	BDL	0.6	BDL	0.2	2.4	7.0	8.0
4/19/2018 15:00	0.4	BDL	1.8	0.2	2.4	9.0	6.0
4/19/2018 16:00	BDL	BDL	1.4	0.2	2.4	9.0	4.0
4/19/2018 17:00	BDL	BDL	1.0	0.1	2.4	8.0	1.0
4/19/2018 18:00	BDL	BDL	0.9	0.1	2.5	9.0	1.0
4/19/2018 19:00	BDL	BDL	1.3	0.1	2.5	7.0	5.0
4/19/2018 20:00	BDL	BDL	1.3	0.1	2.4	7.0	6.0
4/19/2018 21:00	BDL	BDL	2.1	0.1	2.3	6.0	5.0
4/19/2018 22:00	BDL	BDL	2.3	0.1	2.4	10.0	2.0
4/19/2018 23:00	BDL	BDL	0.8	0.1	2.4	6.0	2.0
4/20/2018 0:00	BDL	BDL	2.5	0.1	2.4	8.0	5.0
4/20/2018 1:00	BDL	Calibration	1.2	0.1	2.4	12.0	8.0
4/20/2018 2:00	BDL	Calibration	0.5	0.1	2.4	12.0	7.0
4/20/2018 3:00	Calibration	BDL	BDL	Calibration	2.3	12.0	6.0
4/20/2018 4:00	BDL	BDL	2.0	0.1	2.3	10.0	9.0
4/20/2018 5:00	BDL	BDL	5.6	0.1	2.3	11.0	8.0
4/20/2018 6:00	BDL	BDL	5.4	0.2	2.4	11.0	4.0
4/20/2018 7:00	BDL	BDL	5.9	0.2	2.4	14.0	1.0
4/20/2018 8:00	BDL	BDL	3.9	0.1	2.4	16.0	4.0
4/20/2018 9:00	BDL	BDL	3.1	0.2	2.5	17.0	4.0
4/20/2018 10:00	BDL	BDL	0.7	0.1	2.5	21.0	3.0
4/20/2018 11:00	BDL	BDL	1.2	0.1	2.4	27.0	3.0
4/20/2018 12:00	BDL	BDL	BDL	0.1	2.5	25.0	4.0
4/20/2018 13:00	BDL	BDL	0.4	0.1	2.4	11.0	1.0
4/20/2018 14:00	BDL	BDL	BDL	0.1	2.4	14.0	3.0
4/20/2018 15:00	BDL	BDL	BDL	0.1	2.5	16.0	3.0
4/20/2018 16:00	BDL	BDL	BDL	0.2	2.4	13.0	4.0
4/20/2018 17:00	BDL	BDL	0.8	0.2	2.4	11.0	4.0
4/20/2018 18:00	BDL	BDL	3.2	0.1	2.3	11.0	4.0
4/20/2018 19:00	BDL	BDL	4.0	0.2	2.3	14.0	6.0
4/20/2018 20:00	BDL	BDL	4.6	0.2	2.3	10.0	5.0
4/20/2018 21:00	BDL	BDL	4.4	0.2	2.3	10.0	7.0
4/20/2018 22:00	BDL	BDL	5.3	0.2	2.3	10.0	6.0
4/20/2018 23:00	BDL	BDL	5.7	0.2	2.4	10.0	5.0
4/21/2018 0:00	BDL	BDL	8.8	0.2	2.4	14.0	4.0
4/21/2018 1:00	BDL	Calibration	10.2	0.2	2.5	11.0	6.0
4/21/2018 2:00	BDL	Calibration	12.8	0.2	2.6	8.0	5.0
4/21/2018 3:00	Calibration	BDL	BDL	Calibration	2.5	5.0	4.0
4/21/2018 4:00	BDL	BDL	6.7	0.2	2.5	8.0	3.0
4/21/2018 5:00	BDL	BDL	17.4	0.2	2.7	13.0	8.0
4/21/2018 6:00	BDL	BDL	17.8	0.2	2.6	19.0	10.0
4/21/2018 7:00	BDL	BDL	5.0				

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	SQ2 PP8	H2S PP8	TMS PP8	NOx PP8	CO PPM	VOC PPM	PM10 10.0 ppb	PM2.5 µg/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
See Downwind Weekly 4/22/2018-4/28/2018								
4/22/2018 0:00	BDL	1.0	BDL	29.5	0.9	3.1	26.0	11.0
4/22/2018 1:00	BDL	Calibration	Calibration	41.3	0.8	3.9	27.0	12.0
4/22/2018 2:00	BDL	BDL	Calibration	16.8	0.4	2.5	13.0	7.0
4/22/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.5	12.0	4.0
4/22/2018 4:00	0.7	BDL	BDL	20.8	0.4	2.5	13.0	7.5
4/22/2018 5:00	BDL	1.2	BDL	26.5	0.4	3.6	12.0	8.0
4/22/2018 6:00	0.6	1.1	BDL	23.7	0.3	3.1	14.0	12.0
4/22/2018 7:00	0.4	0.8	BDL	14.1	0.3	2.3	14.0	6.0
4/22/2018 8:00	0.4	0.7	BDL	8.7	0.3	2.2	11.0	1.0
4/22/2018 9:00	0.4	0.4	BDL	2.5	0.2	2.5	9.0	1.0
4/22/2018 10:00	BDL	0.4	BDL	4.7	0.3	2.2	13.0	1.0
4/22/2018 11:00	BDL	BDL	BDL	3.6	0.3	2.2	10.0	1.0
4/22/2018 12:00	BDL	BDL	BDL	4.6	0.2	2.2	9.0	4.0
4/22/2018 13:00	0.4	BDL	BDL	3.8	0.2	2.2	12.0	5.0
4/22/2018 14:00	BDL	BDL	BDL	4.1	0.2	2.2	13.0	6.0
4/22/2018 15:00	BDL	BDL	BDL	3.0	0.2	2.3	14.0	6.0
4/22/2018 16:00	0.4	1.8	BDL	6.8	0.2	2.3	18.0	7.0
4/22/2018 17:00	2.0	0.4	BDL	9.5	0.2	2.4	15.0	10.0
4/22/2018 18:00	0.3	1.3	BDL	3.3	0.2	2.3	17.0	8.0
4/22/2018 19:00	0.9	0.7	BDL	12.3	0.3	2.5	19.0	10.0
4/22/2018 20:00	BDL	0.7	BDL	7.5	0.3	2.3	14.0	5.0
4/22/2018 21:00	0.5	1.3	BDL	10.5	0.3	2.5	20.0	10.0
4/22/2018 22:00	BDL	0.8	BDL	13.7	0.3	2.4	18.0	10.0
4/22/2018 23:00	0.5	1.3	BDL	20.9	0.3	2.6	20.0	10.0
4/23/2018 0:00	0.4	1.5	BDL	18.8	0.3	2.8	16.0	10.0
4/23/2018 1:00	0.7	Calibration	Calibration	21.6	0.3	3.3	22.0	9.0
4/23/2018 2:00	BDL	Calibration	Calibration	21.7	0.3	2.8	22.0	13.0
4/23/2018 3:00	Calibration	0.7	BDL	Calibration	Calibration	2.7	21.0	10.0
4/23/2018 4:00	0.7	BDL	BDL	9.1	0.2	2.7	20.0	9.0
4/23/2018 5:00	0.4	1.9	0.7	56.7	0.5	3.4	34.0	7.0
4/23/2018 6:00	1.4	3.8	0.7	84.8	0.3	3.4	35.0	20.0
4/23/2018 7:00	2.3	4.9	2.1	109.0	0.8	2.9	81.0	22.0
4/23/2018 8:00	2.1	3.6	1.4	89.6	0.6	2.7	63.0	18.0
4/23/2018 9:00	0.4	1.4	0.8	22.1	0.4	3.2	32.0	7.0
4/23/2018 10:00	BDL	0.9	BDL	13.4	0.3	2.2	28.0	8.0
4/23/2018 11:00	BDL	0.5	BDL	8.8	0.2	2.2	26.0	9.0
4/23/2018 12:00	BDL	0.5	BDL	7.7	0.2	2.2	35.0	15.0
4/23/2018 13:00	BDL	0.5	BDL	8.5	0.2	2.4	26.0	8.0
4/23/2018 14:00	0.7	0.5	BDL	4.5	0.2	2.4	invald	9.0
4/23/2018 15:00	0.6	0.6	BDL	4.9	0.2	2.4	26.0	7.0
4/23/2018 16:00	BDL	0.8	BDL	2.5	0.2	2.5	18.0	7.0
4/23/2018 17:00	BDL	0.5	BDL	4.0	0.2	2.3	16.0	4.0
4/23/2018 18:00	0.4	0.7	BDL	6.2	0.2	2.4	14.0	3.0
4/23/2018 19:00	BDL	0.8	BDL	4.9	0.3	2.3	18.0	6.0
4/23/2018 20:00	BDL	0.5	BDL	3.9	0.3	2.2	9.0	3.0
4/23/2018 21:00	BDL	0.5	BDL	6.0	0.2	2.2	10.0	4.0
4/23/2018 22:00	BDL	0.6	BDL	9.6	0.3	2.4	9.0	7.0
4/23/2018 23:00	BDL	0.8	BDL	20.6	0.3	2.3	12.0	6.0
4/24/2018 0:00	BDL	1.3	BDL	29.3	0.3	2.3	20.0	8.0
4/24/2018 1:00	BDL	Calibration	Calibration	33.9	0.4	2.3	20.0	8.0
4/24/2018 2:00	BDL	Calibration	Calibration	42.3	0.4	2.4	analyzer malfunction	analyzer malfunction
4/24/2018 3:00	Calibration	1.5	0.5	47.1	0.2	2.4	analyzer malfunction	analyzer malfunction
4/24/2018 4:00	BDL	2.4	1.0	47.1	0.2	2.4	analyzer malfunction	analyzer malfunction
4/24/2018 5:00	0.4	2.9	1.2	47.6	0.4	2.3	analyzer malfunction	analyzer malfunction
4/24/2018 6:00	0.6	2.7	1.2	47.5	0.4	2.3	analyzer malfunction	analyzer malfunction
4/24/2018 7:00	0.6	1.9	0.6	26.0	0.3	2.2	analyzer malfunction	analyzer malfunction
4/24/2018 8:00	0.8	1.4	0.6	17.7	0.3	2.3	analyzer malfunction	analyzer malfunction
4/24/2018 9:00	0.4	1.0	0.4	10.3	0.2	2.1	30.0	BDL
4/24/2018 10:00	BDL	0.8	BDL	9.0	0.2	2.1	22.0	5.0
4/24/2018 11:00	BDL	0.6	BDL	7.0	0.2	2.1	26.0	5.0
4/24/2018 12:00	BDL	0.7	BDL	9.0	0.2	2.1	26.0	9.0
4/24/2018 13:00	BDL	0.8	BDL	9.3	0.3	2.1	24.0	5.0
4/24/2018 14:00	BDL	0.8	BDL	8.3	0.3	2.1	BDL	BDL
4/24/2018 15:00	BDL	0.8	BDL	10.0	0.3	2.1	19.0	11.0
4/24/2018 16:00	0.4	0.9	0.4	7.5	0.3	2.1	30.0	6.0
4/24/2018 17:00	0.4	0.9	0.5	8.1	0.3	2.0	23.0	2.0
4/24/2018 18:00	1.0	1.0	0.4	10.6	0.4	2.0	20.0	6.0
4/24/2018 19:00	BDL	0.9	0.5	6.9	0.3	2.0	22.0	4.0
4/24/2018 20:00	BDL	0.9	0.5	6.8	0.3	2.0	24.0	5.0
4/24/2018 21:00	BDL	1.0	0.6	9.5	0.4	2.1	21.0	5.0
4/24/2018 22:00	BDL	1.0	0.6	10.7	0.3	2.1	17.0	10.0
4/24/2018 23:00	BDL	1.0	0.5	7.7	0.3	2.1	10.0	10.0
4/25/2018 0:00	BDL	0.9	0.5	7.5	0.3	2.1	8.0	4.0
4/25/2018 1:00	BDL	Calibration	Calibration	5.8	0.3	2.1	7.0	3.0
4/25/2018 2:00	BDL	Calibration	Calibration	6.0	0.3	2.0	6.0	3.0
4/25/2018 3:00	Calibration	1.1	0.7	15.2	0.2	2.0	6.0	3.0
4/25/2018 4:00	BDL	1.4	0.8	16.2	0.2	2.0	7.0	2.0
4/25/2018 5:00	BDL	1.4	0.9	19.8	0.4	2.0	8.0	BDL
4/25/2018 6:00	BDL	1.6	1.0	19.8	0.4	2.0	9.0	BDL
4/25/2018 7:00	BDL	Audt	Audt	15.9	0.4	2.0	12.0	1.0
4/25/2018 8:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	2.0	9.0	3.0
4/25/2018 9:00	BDL	1.6	0.4	24.4	0.4	2.0	17.0	5.0
4/25/2018 10:00	BDL	1.6	0.8	24.4	0.3	2.0	13.0	3.0
4/25/2018 11:00	Calibration	1.6	1.0	19.5	0.4	2.0	11.0	3.0
4/25/2018 12:00	BDL	1.5	1.0	19.5	0.3	2.0	13.0	3.0
4/25/2018 13:00	BDL	1.6	0.9	13.2	0.3	2.0	13.0	5.0
4/25/2018 14:00	BDL	1.3	0.8	5.7	0.3	2.1	17.0	7.0
4/25/2018 15:00	BDL	1.4	0.9	11.6	0.4	2.0	21.0	14.0
4/25/2018 16:00	BDL	1.2	0.9	4.9	0.3	2.1	14.0	8.0
4/25/2018 17:00	BDL	1.2	0.9	BDL	0.2	2.5	13.0	3.0
4/25/2018 18:00	BDL	1.2	0.8	BDL	0.2	2.4	13.0	3.0
4/25/2018 19:00	0.4	1.3	1.0	1.0	0.2	2.5	9.0	5.0
4/25/2018 20:00	BDL	1.2	0.9	BDL	0.3	2.3	15.0	5.0
4/25/2018 21:00	BDL	1.2	1.1	BDL	0.3	2.5	10.0	7.0
4/25/2018 22:00	BDL	1.3	1.0	BDL	0.3	2.5	8.0	6.0
4/25/2018 23:00	BDL	1.3	0.9	BDL	0.3	2.5	15.0	6.0
4/26/2018 0:00	BDL	1.1	0.8	BDL	0.2	2.1	8.0	6.0
4/26/2018 1:00	BDL	Calibration	Calibration	BDL	0.2	2.1	8.0	6.0
4/26/2018 2:00	BDL	Calibration	Calibration	BDL	0.2	2.1	6.0	4.0
4/26/2018 3:00	Calibration	0.9	0.6	Calibration	Calibration	2.2	4.0	2.0
4/26/2018 4:00	BDL	1.0	0.6	BDL	0.2	2.2	8.0	3.0
4/26/2018 5:00	BDL	0.8	0.4	BDL	0.2	2.2	10.0	2.0
4/26/2018 6:00	BDL	0.6	0.4	BDL	0.2	2.2	10.0	2.0
4/26/2018 7:00	BDL	0.7	0.4	BDL	0.2	2.3	17.0	3.0
4/26/2018 8:00	BDL	0.9	0.5	BDL	0.2	2.3	9.0	1.0
4/26/2018 9:00	BDL	0.8	0.5	BDL	0.2	2.2	19.0	1.0
4/26/2018 10:00	0.6	1.1	0.6	2.8	0.2	2.2	32.0	2.0
4/26/2018 11:00	BDL	0.8	0.5	BDL	0.2	2.2	18.0	2.0
4/26/2018 12:00	0.5	0.8	0.4	2.2	0.2	2.3	23.0	5.0
4/26/2018 13:00	BDL	0.7	0.4	2.7	0.1	2.7	36.0	5.0
4/26/2018 14:00	BDL	0.7	0.4	BDL	0.1	2.3	9.0	4.0
4/26/2018 15:00	0.9	0.7	0.4	BDL	0.1	2.3	19.0	2.0
4/26/2018 16:00	BDL	0.6	0.4	BDL	0.1	2.3	7.0	1.0
4/26/2018 17:00	0.9	0.6	BDL	BDL	0.1	2.3	13.0	1.0
4/26/2018 18:00	0.9	0.8	BDL	BDL	0.2	2.3	13.0	7.0
4/26/2018 19:00	BDL	0.8	BDL	BDL	0.2	2.4	13.0	6.0
4/26/2018 20:00	BDL	0.9	0.6	9.8	0.2	2.5	11.0	1.0
4/26/2018 21:00	BDL	0.9	0.4	BDL	0.3	2.7	10.0	3.0
4/26/2018 22:00	BDL	1.3	0.8	18.8	0.3	2.7	12.0	4.0
4/26/2018 23:00	BDL	1.8	0.8	25.8	0.4	3.0	15.0	6.0
4/27/2018 0:00	BDL	1.8	0.8	23.3	0.3	2.3	21.0	6.0</

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	H2S PPB	TRG PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m ³	PM2.5 µg/m ³
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppm	10.0 ppb	1.0 µg/m ³	1.0 µg/m ³
See Downwind Weekly 4/29/2018-5/5/2018							
4/29/2018 0:00	BDL	0.8	BDL	0.2	2.4	13.0	15.0
4/29/2018 1:00	BDL	Calibration	Calibration	0.2	2.3	14.0	5.0
4/29/2018 2:00	BDL	Calibration	Calibration	0.2	2.3	8.0	4.0
4/29/2018 3:00	Calibration	0.7	0.5	BDL	Calibration	2.3	2.0
4/29/2018 4:00	BDL	0.8	0.5	BDL	0.1	2.3	7.0
4/29/2018 5:00	BDL	Calibration	Calibration	0.1	2.4	7.0	5.0
4/29/2018 6:00	BDL	Calibration	Calibration	0.1	2.4	10.0	6.0
4/29/2018 7:00	BDL	0.6	BDL	0.1	2.5	8.0	6.0
4/29/2018 8:00	BDL	0.7	0.4	BDL	0.1	2.5	12.0
4/29/2018 9:00	BDL	0.7	0.5	BDL	0.1	2.3	8.0
4/29/2018 10:00	BDL	0.8	0.4	BDL	0.1	2.5	13.0
4/29/2018 11:00	BDL	0.7	0.4	BDL	0.1	2.4	8.0
4/29/2018 12:00	BDL	0.8	0.5	BDL	0.1	2.3	6.0
4/29/2018 13:00	BDL	0.8	0.6	BDL	0.1	2.4	6.0
4/29/2018 14:00	BDL	0.8	0.6	BDL	0.1	2.4	8.0
4/29/2018 15:00	BDL	0.8	0.5	BDL	0.1	2.4	4.0
4/29/2018 16:00	BDL	0.7	0.5	BDL	0.1	2.3	4.0
4/29/2018 17:00	BDL	0.7	0.4	BDL	0.1	2.4	10.0
4/29/2018 18:00	BDL	0.7	BDL	0.1	2.3	7.0	7.0
4/29/2018 19:00	BDL	0.5	BDL	0.1	2.5	7.0	5.0
4/29/2018 20:00	BDL	0.6	BDL	0.1	2.5	7.0	7.0
4/29/2018 21:00	1.0	0.9	BDL	2.7	0.1	2.3	14.0
4/29/2018 22:00	4.3	0.9	0.4	4.4	0.1	2.2	23.0
4/29/2018 23:00	0.6	0.9	0.4	7.0	0.1	2.3	11.0
4/30/2018 0:00	BDL	1.0	0.5	7.7	0.1	2.4	9.0
4/30/2018 1:00	BDL	Calibration	Calibration	4.9	0.1	2.4	6.0
4/30/2018 2:00	BDL	Calibration	Calibration	BDL	0.1	2.4	9.0
4/30/2018 3:00	Calibration	0.6	0.4	2.5	0.1	2.4	3.0
4/30/2018 4:00	BDL	0.8	0.4	2.9	0.1	2.4	14.0
4/30/2018 5:00	BDL	0.7	0.4	2.9	0.1	2.4	15.0
4/30/2018 6:00	BDL	0.8	0.4	5.4	0.1	2.3	18.0
4/30/2018 7:00	0.7	1.0	0.5	10.1	0.1	2.5	4.0
4/30/2018 8:00	1.0	1.1	0.4	11.3	0.1	2.4	36.0
4/30/2018 9:00	0.4	0.8	0.4	3.8	0.1	2.5	48.0
4/30/2018 10:00	BDL	0.7	0.4	BDL	0.1	2.6	23.0
4/30/2018 11:00	BDL	0.7	0.4	BDL	0.1	2.5	16.0
4/30/2018 12:00	0.4	0.7	0.4	BDL	0.1	2.4	11.0
4/30/2018 13:00	BDL	0.9	0.5	BDL	0.1	2.5	25.0
4/30/2018 14:00	BDL	0.9	0.5	BDL	0.1	2.3	14.0
4/30/2018 15:00	BDL	0.7	0.5	BDL	0.1	2.3	17.0
4/30/2018 16:00	BDL	0.7	BDL	0.1	2.4	27.0	5.0
4/30/2018 17:00	BDL	0.6	0.5	BDL	0.1	2.4	15.0
4/30/2018 18:00	0.4	0.7	0.4	1.1	0.1	2.3	13.0
4/30/2018 19:00	0.4	1.2	0.6	16.9	0.3	2.1	22.0
4/30/2018 20:00	BDL	1.2	0.6	13.6	0.3	2.2	21.0
4/30/2018 21:00	BDL	1.6	0.6	20.8	0.4	2.4	20.0
4/30/2018 22:00	BDL	1.7	0.6	23.5	0.4	2.3	20.0
4/30/2018 23:00	BDL	1.5	0.6	16.1	0.3	2.5	19.0
5/1/2018 0:00	BDL	1.5	0.8	10.3	0.2	3.1	9.0
5/1/2018 1:00	Calibration	Calibration	Calibration	14.6	0.3	3.0	13.0
5/1/2018 2:00	BDL	Calibration	Calibration	6.5	0.1	3.0	16.0
5/1/2018 3:00	Calibration	1.0	0.6	16.3	0.3	2.6	17.0
5/1/2018 4:00	BDL	1.7	0.7	16.3	0.3	2.6	21.0
5/1/2018 5:00	0.8	2.0	1.1	33.8	0.3	3.0	36.0
5/1/2018 6:00	3.4	1.9	1.0	63.6	0.5	3.3	46.0
5/1/2018 7:00	3.5	3.2	1.6	56.4	0.5	3.1	43.0
5/1/2018 8:00	2.2	2.2	1.1	19.5	0.2	2.5	38.0
5/1/2018 9:00	BDL	1.0	0.4	BDL	0.1	2.5	40.0
5/1/2018 10:00	0.5	0.9	0.4	2.6	0.1	2.5	38.0
5/1/2018 11:00	0.5	0.9	0.5	1.6	0.1	2.4	45.0
5/1/2018 12:00	1.5	0.9	0.5	0.6	0.1	2.4	47.0
5/1/2018 13:00	1.3	1.0	0.5	4.3	0.1	2.3	49.0
5/1/2018 14:00	2.6	1.0	0.6	4.6	0.1	2.3	46.0
5/1/2018 15:00	1.3	0.9	0.5	1.5	0.1	2.3	37.0
5/1/2018 16:00	2.4	1.2	0.6	5.1	0.1	2.3	51.0
5/1/2018 17:00	2.5	1.1	0.7	3.6	0.1	2.4	40.0
5/1/2018 18:00	3.0	1.4	0.8	16.7	0.2	2.5	32.0
5/1/2018 19:00	2.6	1.6	0.7	16.8	0.2	2.7	27.0
5/1/2018 20:00	3.5	1.8	0.8	15.7	0.2	2.6	32.0
5/1/2018 21:00	1.6	1.6	0.7	14.4	0.2	2.6	36.0
5/1/2018 22:00	1.2	1.5	0.9	10.8	0.2	2.6	24.0
5/1/2018 23:00	1.5	1.5	1.0	9.4	0.2	3.1	31.0
5/2/2018 0:00	1.6	1.7	1.1	12.6	0.2	2.5	22.0
5/2/2018 1:00	0.9	Calibration	Calibration	14.6	0.2	2.5	23.0
5/2/2018 2:00	2.0	Calibration	Calibration	26.5	0.3	2.8	23.0
5/2/2018 3:00	Calibration	2.1	1.2	42.9	0.4	3.4	24.0
5/2/2018 4:00	Calibration	1.1	0.9	41.7	0.5	3.2	45.0
5/2/2018 5:00	1.9	Calibration	Calibration	52.4	0.6	3.2	44.0
5/2/2018 6:00	3.6	Calibration	Calibration	52.8	0.5	3.1	52.0
5/2/2018 7:00	3.9	2.3	1.3	52.8	0.5	3.1	52.0
5/2/2018 8:00	3.8	3.5	1.8	46.2	0.3	2.9	43.0
5/2/2018 9:00	2.8	3.5	1.8	34.9	0.3	2.8	41.0
5/2/2018 10:00	1.7	3.3	1.9	19.8	0.2	2.6	45.0
5/2/2018 11:00	1.6	2.3	1.6	6.8	0.1	2.5	45.0
5/2/2018 12:00	2.1	2.2	1.2	4.7	0.1	2.4	65.0
5/2/2018 13:00	1.3	1.9	1.1	5.0	0.1	2.4	48.0
5/2/2018 14:00	1.2	1.4	1.0	BDL	0.1	2.4	47.0
5/2/2018 15:00	1.7	1.4	0.9	2.5	0.1	2.4	59.0
5/2/2018 16:00	1.4	1.5	1.0	4.4	0.1	2.4	40.0
5/2/2018 17:00	2.3	1.7	1.1	9.5	0.2	2.5	39.0
5/2/2018 18:00	4.7	2.2	1.2	22.2	0.2	2.5	42.0
5/2/2018 19:00	3.1	2.3	1.2	21.4	0.2	2.5	40.0
5/2/2018 20:00	2.2	2.2	1.3	15.2	0.2	2.7	35.0
5/2/2018 21:00	1.2	2.1	1.4	9.6	0.1	2.6	38.0
5/2/2018 22:00	0.7	2.2	1.8	7.9	0.2	2.7	30.0
5/2/2018 23:00	1.2	2.6	1.7	23.0	0.2	2.6	34.0
5/3/2018 0:00	1.3	2.8	2.0	19.5	0.2	2.6	52.0
5/3/2018 1:00	1.1	Calibration	Calibration	12.9	0.2	2.7	35.0
5/3/2018 2:00	1.5	Calibration	Calibration	13.5	0.2	2.7	28.0
5/3/2018 3:00	Calibration	2.0	1.2	15.1	0.3	2.7	37.0
5/3/2018 4:00	1.1	2.4	1.5	15.1	0.3	2.7	37.0
5/3/2018 5:00	1.9	2.8	1.7	27.3	0.3	2.7	34.0
5/3/2018 6:00	2.8	2.6	1.5	24.8	0.3	2.6	52.0
5/3/2018 7:00	3.5	2.5	1.4	23.7	0.2	2.6	56.0
5/3/2018 8:00	3.1	2.5	1.6	25.8	0.2	2.6	53.0
5/3/2018 9:00	2.2	2.3	1.4	12.9	0.2	2.5	45.0
5/3/2018 10:00	2.1	2.1	1.4	5.6	0.2	2.3	74.0
5/3/2018 11:00	1.9	1.6	1.1	BDL	0.2	2.6	67.0
5/3/2018 12:00	1.9	1.6	1.2	BDL	0.2	2.5	90.0
5/3/2018 13:00	1.2	1.6	1.3	BDL	0.2	2.6	73.0
5/3/2018 14:00	1.3	1.6	1.3	BDL	0.2	2.7	91.0
5/3/2018 15:00	2.1	1.6	1.2	1.3	0.2	2.6	95.0
5/3/2018 16:00	1.6	1.7	1.3	2.3	0.2	2.7	48.0
5/3/2018 17:00	1.2	1.7	1.3	1.9	0.2	2.6	38.0
5/3/2018 18:00	3.2	2.2	1.6	14.1	0.2	2.5	46.0
5/3/2018 19:00	1.2	2.2	1.6	4.4	0.2	2.4	43.0
5/3/2018 20:00	0.9	2.2	1.8	1.1	0.2	2.4	36.0
5/3/2018 21:00	1.4	2.6	2.0	7.2	0.2	2.6	46.0
5/3/2018 22:00	1.9	2.4	1.9	9.4	0.2	2.7	44.0
5/3/2018 23:00	1.4	2.5	1.9	15.3	0.3	2.3	42.0
5/4/2018 0:00	1.1	2.8	1.9	17.9	0.2	2.5	39.0
5/4/2018 1:00	1.1	Calibration	Calibration	15.9	0.2	2.8	40.0
5/4/2018 2:00	1.0	Calibration	Calibration	13.6	0.3	3.2	45.0
5/4/2018 3:00	Calibration	1.1	2.7	1.9	0.2	4.2	37.0
5/4/2018 4:00	1.1	4.8	2.6	64.1	0.5	2.7	48.0
5/4/2018 5:00	1.5	Calibration	Calibration	37.6	0.6	3.5	79.0
5/4/2018 6:00	2.4	Calibration	Calibration	61.7	0.6	3.6	62.0
5/4/2018 7:00	3.0	3.2	1.9	50.5	0.5	3.1	70.0
5/4/2018 8:00	3.1	Calibration	Calibration	49.2	0.3	2.5	87.0
5/4/2018 9:00	2.6	Too few samples	Too few samples	19.1	0.5	2.6	48.0
5/4/2018 10:00	3.4	2.3	1.8	16.2	0.3	2.4	46.0
5/4/2018 11:00	3.1	2.0	1.4	4.5	0.2	2.3	53.0
5/4/2018 12:00	1.4	1.6	1.3	BDL			

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	H2S PPB	TRG PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m3	PM2.5 µg/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
See Downwind Weekly 5/6/2018-5/12/2018							
5/6/2018 0:00	BDL	1.6	1.4	BDL	0.2	2.1	13.0
5/6/2018 1:00	BDL	Calibration	Calibration	BDL	0.2	2.2	15.0
5/6/2018 2:00	BDL	Calibration	Calibration	BDL	0.2	2.3	15.0
5/6/2018 3:00	Calibration	1.5	1.4	Calibration	Calibration	2.4	16.0
5/6/2018 4:00	BDL	1.8	1.2	BDL	0.1	2.3	20.0
5/6/2018 5:00	BDL	1.6	1.2	4.3	0.3	2.3	18.0
5/6/2018 6:00	BDL	1.7	1.3	3.3	0.3	2.1	22.0
5/6/2018 7:00	BDL	1.2	0.8	4.2	0.2	2.3	30.0
5/6/2018 8:00	BDL	Too few samples	Too few samples	3.7	0.2	2.4	30.0
5/6/2018 9:00	0.5	Calibration	Calibration	3.2	0.1	2.3	36.0
5/6/2018 10:00	0.4	1.1	0.8	5.8	0.1	2.2	31.0
5/6/2018 11:00	BDL	1.3	0.7	BDL	0.1	2.2	27.0
5/6/2018 12:00	BDL	1.1	1.0	1.0	0.1	2.1	24.0
5/6/2018 13:00	BDL	1.1	0.7	BDL	0.1	2.1	25.0
5/6/2018 14:00	BDL	1.2	0.8	3.3	0.1	2.1	23.0
5/6/2018 15:00	0.8	1.2	0.8	0.5	0.1	2.1	22.0
5/6/2018 16:00	0.8	1.2	0.8	1.9	0.1	2.1	27.0
5/6/2018 17:00	BDL	1.4	1.0	2.2	0.2	2.4	31.0
5/6/2018 18:00	BDL	1.4	1.0	BDL	0.1	2.4	22.0
5/6/2018 19:00	BDL	1.2	0.8	BDL	0.1	2.1	15.0
5/6/2018 20:00	BDL	1.1	0.8	0.4	0.1	2.2	14.0
5/6/2018 21:00	BDL	1.1	0.8	BDL	0.1	2.2	17.0
5/6/2018 22:00	BDL	1.2	0.9	BDL	0.1	2.2	14.0
5/6/2018 23:00	BDL	1.1	0.7	BDL	0.1	2.2	14.0
5/7/2018 0:00	BDL	1.1	0.8	BDL	0.1	2.2	14.0
5/7/2018 1:00	BDL	Calibration	Calibration	BDL	0.1	2.2	14.0
5/7/2018 2:00	BDL	Calibration	Calibration	BDL	0.1	2.1	14.0
5/7/2018 3:00	Calibration	1.3	0.9	Calibration	0.1	2.2	14.0
5/7/2018 4:00	BDL	1.4	0.8	5.0	0.1	2.2	16.0
5/7/2018 5:00	BDL	1.3	0.9	5.6	0.1	2.2	16.0
5/7/2018 6:00	Too few samples	1.3	0.8	Too few samples	2.3	2.0	14.0
5/7/2018 7:00	Too few samples	1.6	1.0	Too few samples	0.1	2.0	8.0
5/7/2018 8:00	1.1	1.9	1.4	13.7	0.3	analyzer malfunction	17.0
5/7/2018 9:00	BDL	1.7	1.2	10.3	0.2	analyzer malfunction	10.0
5/7/2018 10:00	BDL	1.4	0.9	5.8	0.2	Too few samples	28.0
5/7/2018 11:00	BDL	1.3	0.9	2.9	0.2	Too few samples	18.0
5/7/2018 12:00	BDL	1.3	0.9	2.8	0.2	analyzer malfunction	24.0
5/7/2018 13:00	BDL	1.2	0.9	1.1	0.2	analyzer malfunction	23.0
5/7/2018 14:00	BDL	1.1	1.0	BDL	0.2	analyzer malfunction	19.0
5/7/2018 15:00	BDL	1.2	0.9	BDL	0.2	analyzer malfunction	8.0
5/7/2018 16:00	BDL	1.1	0.9	BDL	0.2	analyzer malfunction	18.0
5/7/2018 17:00	BDL	1.1	0.9	BDL	0.2	analyzer malfunction	17.0
5/7/2018 18:00	BDL	1.3	0.9	BDL	0.2	analyzer malfunction	20.0
5/7/2018 19:00	BDL	1.0	0.7	BDL	0.2	analyzer malfunction	21.0
5/7/2018 20:00	BDL	1.2	1.0	BDL	0.2	analyzer malfunction	22.0
5/7/2018 21:00	BDL	1.4	1.1	BDL	0.2	analyzer malfunction	11.0
5/7/2018 22:00	BDL	1.4	1.3	5.2	0.3	analyzer malfunction	11.0
5/7/2018 23:00	BDL	1.6	1.3	10.0	0.3	analyzer malfunction	16.0
5/8/2018 0:00	BDL	1.5	1.2	5.6	0.2	analyzer malfunction	11.0
5/8/2018 1:00	BDL	Calibration	Calibration	0.4	0.3	analyzer malfunction	14.0
5/8/2018 2:00	BDL	Calibration	Calibration	4.1	0.2	analyzer malfunction	12.0
5/8/2018 3:00	Calibration	1.3	1.1	Calibration	0.4	Calibration	14.0
5/8/2018 4:00	BDL	Calibration	Calibration	21.9	0.4	Calibration	16.0
5/8/2018 5:00	BDL	Calibration	Calibration	20.3	0.4	analyzer malfunction	27.0
5/8/2018 6:00	Too few samples	1.6	1.2	Too few samples	1.2	Too few samples	20.0
5/8/2018 7:00	Too few samples	1.6	0.6	Too few samples	0.2	Too few samples	24.0
5/8/2018 8:00	Too few samples	1.9	0.9	13.3	0.2	Too few samples	26.0
5/8/2018 9:00	Too few samples	1.8	0.9	Too few samples	0.2	Calibration	30.0
5/8/2018 10:00	Calibration	1.8	1.1	Calibration	0.1	Calibration	2.1
5/8/2018 11:00	BDL	1.4	0.9	BDL	0.1	2.0	29.0
5/8/2018 12:00	BDL	1.4	1.0	BDL	0.1	2.0	38.0
5/8/2018 13:00	BDL	1.4	0.9	BDL	0.1	2.0	24.0
5/8/2018 14:00	BDL	1.3	1.0	BDL	0.1	2.0	24.0
5/8/2018 15:00	BDL	1.4	1.0	BDL	0.1	2.0	11.0
5/8/2018 16:00	BDL	1.2	0.9	BDL	0.1	2.0	18.0
5/8/2018 17:00	BDL	1.2	0.9	BDL	0.1	2.0	17.0
5/8/2018 18:00	BDL	1.5	1.1	4.2	0.2	2.0	21.0
5/8/2018 19:00	BDL	1.6	1.0	BDL	0.1	2.0	21.0
5/8/2018 20:00	BDL	1.8	1.0	BDL	0.1	2.0	17.0
5/8/2018 21:00	BDL	1.4	1.0	BDL	0.1	2.0	17.0
5/8/2018 22:00	BDL	1.4	0.9	BDL	0.2	2.5	13.0
5/8/2018 23:00	BDL	1.5	1.0	3.4	0.2	2.8	16.0
5/8/2018 0:00	BDL	1.8	1.1	15.4	0.2	2.2	16.0
5/8/2018 1:00	Calibration	Calibration	Calibration	18.5	0.2	2.5	16.0
5/8/2018 2:00	BDL	Calibration	Calibration	7.0	0.2	2.1	15.0
5/8/2018 3:00	Calibration	2.3	1.2	Calibration	0.4	Calibration	24.0
5/8/2018 4:00	BDL	Calibration	Calibration	29.6	0.4	Too few samples	19.0
5/8/2018 5:00	BDL	Calibration	Calibration	33.6	0.4	2.4	24.0
5/8/2018 6:00	BDL	Calibration	Calibration	28.6	0.3	2.6	26.0
5/8/2018 7:00	0.4	Audit	Audit	22.1	0.3	2.2	31.0
5/8/2018 8:00	Calibration	1.8	1.1	Calibration	0.2	2.2	41.0
5/8/2018 9:00	BDL	Too few samples	Too few samples	Calibration	0.2	2.2	29.0
5/8/2018 10:00	BDL	2.2	1.0	16.4	0.2	2.1	26.0
5/8/2018 11:00	BDL	1.7	1.0	BDL	0.2	2.1	26.0
5/8/2018 12:00	BDL	1.4	1.0	BDL	0.1	2.1	30.0
5/8/2018 13:00	BDL	1.3	0.9	BDL	0.1	2.1	21.0
5/8/2018 14:00	BDL	1.4	1.0	BDL	0.1	2.0	21.0
5/8/2018 15:00	BDL	1.4	1.0	BDL	0.1	2.0	31.0
5/8/2018 16:00	BDL	1.4	1.0	BDL	0.1	2.0	25.0
5/8/2018 17:00	BDL	1.3	1.0	BDL	0.1	2.0	46.0
5/8/2018 18:00	BDL	1.4	1.0	BDL	0.1	2.0	26.0
5/8/2018 19:00	BDL	1.4	0.9	BDL	0.1	2.0	19.0
5/8/2018 20:00	BDL	1.4	0.9	BDL	0.1	2.1	17.0
5/8/2018 21:00	BDL	1.4	1.0	2.2	0.2	2.2	16.0
5/8/2018 22:00	BDL	1.5	1.0	4.2	0.2	2.1	17.0
5/8/2018 23:00	BDL	1.8	1.2	14.9	0.1	2.4	24.0
5/9/2018 0:00	BDL	2.1	1.3	14.1	0.2	2.4	22.0
5/9/2018 1:00	Calibration	Calibration	Calibration	34.4	0.2	2.4	21.0
5/9/2018 2:00	BDL	Calibration	Calibration	18.8	0.2	2.3	16.0
5/9/2018 3:00	Calibration	1.9	1.1	Calibration	0.2	2.2	12.0
5/9/2018 4:00	BDL	2.5	1.6	19.8	0.2	2.2	13.0
5/9/2018 5:00	BDL	Too few samples	Too few samples	15.8	0.2	2.4	13.0
5/9/2018 6:00	Too few samples	Audit	Audit	Too few samples	1.4	Too few samples	14.0
5/9/2018 7:00	Too few samples	Audit	Audit	Too few samples	0.1	Too few samples	21.0
5/9/2018 8:00	BDL	Audit	Audit	10.5	0.1	2.0	33.0
5/9/2018 9:00	BDL	Audit	Audit	3.0	0.1	2.0	28.0
5/9/2018 10:00	BDL	Audit	Audit	BDL	0.1	2.0	34.0
5/9/2018 11:00	BDL	Audit	Audit	BDL	0.1	2.1	37.0
5/9/2018 12:00	BDL	Audit	Audit	1.6	0.1	2.1	7.0
5/9/2018 13:00	BDL	Audit	Audit	2.8	0.2	2.0	70.0
5/9/2018 14:00	BDL	2.6	2.2	BDL	0.1	2.1	48.0
5/9/2018 15:00	BDL	0.7	2.2	BDL	0.2	2.2	37.0
5/9/2018 16:00	0.9	2.1	1.8	BDL	0.2	2.3	63.0
5/9/2018 17:00	0.8	2.0	1.6	BDL	0.2	2.3	43.0
5/9/2018 18:00	1.8	2.1	1.8	0.9	0.2	2.3	40.0
5/9/2018 19:00	1.8	2.2	1.7	9.0	0.3	2.3	39.0
5/9/2018 20:00	2.6	2.2	1.8	8.9	0.2	2.3	54.0
5/9/2018 21:00	2.8	2.3	1.8	4.5	0.2	2.2	25.0
5/9/2018 22:00	2.8	2.2	1.7	24.0	0.2	2.3	24.0
5/9/2018 23:00	2.1	2.2	1.6	4.9	0.2	2.3	21.0
5/10/2018 0:00	0.7	1.9	1.5	BDL	0.2	2.4	16.0
5/10/2018 1:00	0.5	Calibration	Calibration	1.7	0.2	2.5	17.0
5/10/2018 2:00	0.7	Calibration	Calibration	5.3	0.2	2.4	27.0
5/10/2018 3:00	BDL	2.0	1.6	Calibration	0.2	2.6	23.0
5/10/2018 4:00	BDL	2.0	1.6	BDL	0.2	3.0	21.0
5/10/2018 5:00	BDL	2.0	1.6	BDL	0.2	3.4	25.0
5/10/2018 6:00	Calibration	2.1	1.6	Calibration	0.2	3.0	32.0
5/10/2018 7:00	BDL	2.2	1.6	5.6	0.2	2.5	30.0
5/10/2018 8:00	Calibration	1.9	1.5	Calibration	0.1	2.2	26.0
5/10/2018 9:00	BDL	1.9	1.4	2.0	0.2	2.1	26.0
5/10/2018 10:00	BDL	1.7	1.4	BDL	0.1	2.2	27.0
5/10/2018 11:00	BDL	1.6	1.3	BDL	0.1	2.3	29.0
5/10/2018 12:00	BDL	1.5	1.2	BDL	0.1	2.2	26.0
5/10/2018 13:00	BDL	1.5	1.3	BDL	0.1	2.2	36.0
5/10/2018 14:00	BDL	1.5	1.3	BDL	0.1	2.6	37.0</

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	SQ2 PP8	H2S PP8	TMG PP8	NOx PP8	CO PPM	VOC PPM	PM10 µg/m3	PM2.5 µg/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
See Downwind Weekly 5/13/2018-5/19/2018								
5/13/2018 0:00	BDL	2.0	1.7	5.9	0.3	2.2	28.0	23.0
5/13/2018 1:00	BDL	Calibration	Calibration	5.3	0.3	2.2	35.0	17.0
5/13/2018 2:00	BDL	Calibration	Calibration	2.2	0.2	2.1	27.0	19.0
5/13/2018 3:00	Calibration	1.8	1.6	BDL	Calibration	2.2	16.0	16.0
5/13/2018 4:00	BDL	2.0	1.6	BDL	0.2	2.0	16.0	13.0
5/13/2018 5:00	BDL	1.8	1.5	2.0	0.2	2.0	12.0	12.0
5/13/2018 6:00	BDL	1.9	1.8	BDL	0.2	2.0	16.0	10.0
5/13/2018 7:00	BDL	2.1	1.7	5.1	0.2	2.2	12.0	11.0
5/13/2018 8:00	BDL	2.2	1.7	6.5	0.2	2.2	14.0	13.0
5/13/2018 9:00	BDL	2.2	1.7	2.7	0.2	2.3	24.0	14.0
5/13/2018 10:00	BDL	2.2	1.8	4.8	0.2	2.2	21.0	16.0
5/13/2018 11:00	BDL	2.2	1.9	4.8	0.2	2.1	27.0	10.0
5/13/2018 12:00	BDL	2.1	1.7	3.5	0.2	2.0	19.0	18.0
5/13/2018 13:00	BDL	2.1	1.6	2.8	0.2	2.0	9.0	7.0
5/13/2018 14:00	BDL	2.0	1.6	4.1	0.2	2.0	8.0	4.0
5/13/2018 15:00	BDL	1.9	1.6	7.5	0.2	2.0	11.0	6.0
5/13/2018 16:00	BDL	2.0	1.5	1.9	0.2	2.0	7.0	5.0
5/13/2018 17:00	BDL	1.9	1.6	2.9	0.2	1.9	8.0	4.0
5/13/2018 18:00	BDL	1.9	1.6	1.7	0.2	1.9	9.0	4.0
5/13/2018 19:00	BDL	2.0	1.6	3.1	0.2	1.9	11.0	4.0
5/13/2018 20:00	BDL	2.0	1.5	5.5	0.2	1.9	8.0	3.0
5/13/2018 21:00	BDL	1.9	1.5	2.2	0.1	2.0	5.0	5.0
5/13/2018 22:00	BDL	2.0	1.6	3.1	0.2	2.0	5.0	5.0
5/13/2018 23:00	BDL	2.2	1.8	4.2	0.1	2.1	7.0	4.0
5/14/2018 0:00	BDL	2.1	1.7	4.8	0.1	2.1	4.0	4.0
5/14/2018 1:00	BDL	Calibration	Calibration	6.5	0.1	2.1	4.0	3.0
5/14/2018 2:00	BDL	Calibration	Calibration	6.8	0.1	2.2	10.0	2.0
5/14/2018 3:00	Calibration	2.1	1.7	7.1	0.2	2.2	9.0	1.0
5/14/2018 4:00	BDL	2.3	1.7	11.6	0.2	2.0	8.0	1.0
5/14/2018 5:00	BDL	2.4	1.7	11.6	0.2	2.0	8.0	1.0
5/14/2018 6:00	BDL	2.3	1.7	19.1	0.3	2.1	11.0	2.0
5/14/2018 7:00	BDL	2.8	1.9	24.8	0.3	2.3	24.0	9.0
5/14/2018 8:00	BDL	3.0	2.0	26.1	0.3	2.3	20.0	11.0
5/14/2018 9:00	BDL	3.0	2.1	26.8	0.3	2.3	25.0	16.0
5/14/2018 10:00	BDL	3.3	2.2	27.2	0.2	2.2	32.0	Invalid
5/14/2018 11:00	BDL	3.2	2.2	27.2	0.2	2.3	32.0	19.0
5/14/2018 12:00	0.4	3.2	2.3	25.3	0.3	2.3	29.0	29.0
5/14/2018 13:00	1.0	2.9	2.3	19.1	0.3	2.2	36.0	20.0
5/14/2018 14:00	1.0	3.2	2.5	17.6	0.2	2.2	32.0	21.0
5/14/2018 15:00	1.0	2.8	2.4	11.5	0.3	2.3	27.0	15.0
5/14/2018 16:00	0.8	2.8	2.5	7.8	0.2	2.2	25.0	13.0
5/14/2018 17:00	0.5	3.0	2.5	4.1	0.3	2.2	27.0	15.0
5/14/2018 18:00	0.5	2.5	2.4	1.8	0.2	2.3	24.0	16.0
5/14/2018 19:00	BDL	2.7	2.4	2.9	0.3	2.2	18.0	15.0
5/14/2018 20:00	BDL	2.8	2.3	5.3	0.3	2.5	26.0	14.0
5/14/2018 21:00	BDL	2.7	2.4	2.8	0.2	2.4	28.0	19.0
5/14/2018 22:00	BDL	2.8	2.5	2.8	0.2	2.1	21.0	14.0
5/14/2018 23:00	BDL	2.5	2.3	3.6	0.2	2.1	17.0	17.0
5/15/2018 0:00	BDL	2.3	2.0	6.8	0.2	2.1	15.0	13.0
5/15/2018 1:00	Calibration	Calibration	Calibration	12.3	0.2	2.1	20.0	11.0
5/15/2018 2:00	Calibration	Calibration	Calibration	12.2	0.2	2.3	22.0	9.0
5/15/2018 3:00	Calibration	3.0	2.3	24.2	0.4	2.2	25.0	14.0
5/15/2018 4:00	0.4	3.4	2.5	27.7	0.5	2.7	23.0	17.0
5/15/2018 5:00	0.4	3.3	2.5	30.2	0.5	2.7	25.0	12.0
5/15/2018 6:00	0.5	3.2	2.3	29.1	0.4	2.3	25.0	16.0
5/15/2018 7:00	0.7	2.6	1.9	19.3	0.3	2.5	25.0	12.0
5/15/2018 8:00	1.6	2.1	1.5	13.7	0.2	2.3	30.0	10.0
5/15/2018 9:00	2.4	2.0	1.5	11.2	0.2	3.1	31.0	11.0
5/15/2018 10:00	2.1	1.9	1.5	5.9	0.2	2.3	35.0	10.0
5/15/2018 11:00	1.3	1.8	1.5	5.0	0.2	2.2	49.0	12.0
5/15/2018 12:00	0.9	1.5	1.1	1.7	0.2	2.2	34.0	15.0
5/15/2018 13:00	0.7	1.5	1.2	1.0	0.2	2.3	55.0	12.0
5/15/2018 14:00	0.5	1.5	1.3	BDL	0.2	2.5	50.0	19.0
5/15/2018 15:00	0.6	1.3	1.0	BDL	0.2	2.4	52.0	19.0
5/15/2018 16:00	0.4	1.4	1.1	BDL	0.2	2.3	42.0	21.0
5/15/2018 17:00	0.8	1.2	1.0	0.6	0.2	2.4	49.0	20.0
5/15/2018 18:00	0.4	0.9	0.7	BDL	0.1	2.4	44.0	9.0
5/15/2018 19:00	BDL	1.0	1.0	3.6	0.2	2.3	17.0	9.0
5/15/2018 20:00	BDL	1.1	0.9	0.7	0.2	2.3	18.0	6.0
5/15/2018 21:00	BDL	1.4	0.9	11.7	0.4	2.7	19.0	14.0
5/15/2018 22:00	BDL	1.5	0.9	22.6	0.4	2.8	23.0	15.0
5/15/2018 23:00	BDL	1.9	1.1	21.8	0.3	2.4	19.0	15.0
5/16/2018 0:00	BDL	1.5	0.9	8.4	0.3	2.4	19.0	17.0
5/16/2018 1:00	Calibration	Calibration	Calibration	5.8	0.2	2.8	21.0	14.0
5/16/2018 2:00	Calibration	Calibration	Calibration	1.8	0.2	2.3	23.0	11.0
5/16/2018 3:00	Calibration	1.3	0.9	12.9	0.4	2.3	19.0	8.0
5/16/2018 4:00	BDL	1.3	0.8	12.9	0.3	2.4	17.0	7.0
5/16/2018 5:00	BDL	1.5	0.9	19.5	0.2	2.0	21.0	7.0
5/16/2018 6:00	Too few samples	Too few samples	Too few samples	16.0	0.3	2.0	18.0	7.0
5/16/2018 7:00	BDL	Calibration	Calibration	14.0	0.2	2.2	21.0	8.0
5/16/2018 8:00	BDL	Calibration	Calibration	23.1	0.3	2.1	21.0	6.0
5/16/2018 9:00	BDL	Calibration	Calibration	16.7	0.3	2.1	17.0	7.0
5/16/2018 10:00	BDL	1.5	1.0	16.4	0.3	2.0	13.0	8.0
5/16/2018 11:00	BDL	1.5	0.9	14.3	0.3	2.0	9.0	7.0
5/16/2018 12:00	BDL	1.3	0.8	11.5	0.2	2.0	16.0	10.0
5/16/2018 13:00	BDL	1.3	0.8	11.2	0.3	2.0	20.0	8.0
5/16/2018 14:00	BDL	1.3	0.8	10.2	0.3	2.0	9.0	5.0
5/16/2018 15:00	BDL	1.4	0.9	11.8	0.3	2.0	12.0	4.0
5/16/2018 16:00	BDL	1.6	0.9	21.3	0.3	2.0	12.0	4.0
5/16/2018 17:00	BDL	1.3	0.9	6.1	0.3	2.0	10.0	4.0
5/16/2018 18:00	BDL	1.2	0.8	12.2	0.3	2.0	14.0	7.0
5/16/2018 19:00	BDL	1.2	0.8	7.6	0.2	2.0	8.0	5.0
5/16/2018 20:00	BDL	1.2	0.8	7.9	0.2	2.1	11.0	2.0
5/16/2018 21:00	BDL	1.1	0.8	4.3	0.2	2.2	12.0	2.0
5/16/2018 22:00	BDL	1.2	0.8	4.2	0.2	2.2	10.0	3.0
5/16/2018 23:00	BDL	1.2	0.8	1.2	0.2	2.2	8.0	2.0
5/17/2018 0:00	BDL	1.2	0.8	4.4	0.2	2.1	8.0	7.0
5/17/2018 1:00	Calibration	Calibration	Calibration	6.4	0.1	2.1	10.0	8.0
5/17/2018 2:00	BDL	1.2	0.8	6.5	0.1	2.1	8.0	7.0
5/17/2018 3:00	Calibration	1.1	0.8	7.4	0.1	2.2	7.0	6.0
5/17/2018 4:00	BDL	1.3	0.8	7.4	0.1	2.2	6.0	3.0
5/17/2018 5:00	BDL	1.4	0.9	12.5	0.3	2.2	7.0	2.0
5/17/2018 6:00	BDL	1.8	1.1	25.3	0.4	2.4	7.0	2.0
5/17/2018 7:00	BDL	2.0	1.3	27.6	0.3	2.3	5.0	1.0
5/17/2018 8:00	BDL	2.3	1.4	31.5	0.4	2.3	11.0	5.0
5/17/2018 9:00	BDL	2.3	1.3	32.1	0.4	2.3	15.0	5.0
5/17/2018 10:00	BDL	2.5	1.2	37.9	0.4	2.3	15.0	4.0
5/17/2018 11:00	BDL	2.3	1.3	28.7	0.3	2.2	12.0	3.0
5/17/2018 12:00	BDL	2.0	1.2	21.4	0.4	2.2	14.0	3.0
5/17/2018 13:00	BDL	2.0	1.3	23.9	0.4	2.3	16.0	6.0
5/17/2018 14:00	BDL	2.0	1.3	25.8	0.4	2.2	17.0	8.0
5/17/2018 15:00	BDL	1.9	1.2	23.9	0.4	2.1	23.0	8.0
5/17/2018 16:00	BDL	1.9	1.2	19.7	0.4	2.1	19.0	10.0
5/17/2018 17:00	BDL	2.0	1.3	16.6	0.4	2.1	17.0	9.0
5/17/2018 18:00	BDL	1.9	1.3	16.0	0.4	2.1	17.0	10.0
5/17/2018 19:00	BDL	1.8	1.2	16.2	0.4	2.1	13.0	6.0
5/17/2018 20:00	BDL	1.9	1.4	21.3	0.5	2.1	16.0	6.0
5/17/2018 21:00	BDL	2.0	1.4	21.9	0.6	2.2	17.0	6.0
5/17/2018 22:00	BDL	2.3	1.5	28.3	0.7	2.3	17.0	8.0
5/17/2018 23:00	BDL	2.6	1.8	32.9	0.8	2.5	20.0	13.0
5/18/2018 0:00	0.4	2.9	1.8	46.6	0.6	2.7	23.0	11.0
5/18/2018 1:00	Calibration	Calibration	Calibration	26.0	0.4	2.4	23.0	11.0
5/18/2018 2:00	BDL	Calibration	Calibration	29.9	0.5	2.4	19.0	9.0
5/18/2018 3:00	Calibration	3.0	1.7	32.1	0.4	2.5	26.0	11.0
5/18/2018 4:00	BDL	2.9	1.7	32.1	0.4	2.5	26.0	12.0
5/18/2018 5:00	BDL	2.7	1.8	29.7	0.4	2.4	12.0	10.0
5/18/2018 6:00	BDL	2.4	1.6	27.7	0.4	2.3	19.0	14.0
5/18/2018 7:00	BDL	2.3	1.4	27.2	0.4	2.2	21.0	13.0
5/18/2018 8:00	BDL	2.1	1.5	30.0	0.3	2.2	14.0	9.0
5/18/2018 9:00	BDL	2.2	1.5	20.7	0.4	2.4	19.0	10.0
5/18/2018 10:00	BDL	1.8	1.3	10.2	0.3	2.1	17.0	10.0
5/18/2018 11:00	BDL	1.6	1.1	6.3	0.2	2.1	22.0	7.0
5/18/2018 12:00	BDL	1.5	1.0	5.5	0.2	2.1	30.0	8.0
5/18/2018 13:00	BDL	1.5	1.1	7.3	0.2	2.1	41.0	7.0
5/								

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	H2S PPB	TRG PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m ³	PM2.5 µg/m ³
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	1.0 ppb	1.0 µg/m ³	1.0 µg/m ³
See Downwind Weekly 5/20/2018-5/26/2018							
5/20/2018 0:00	BDL	2.1	1.9	BDL	0.1	2.4	4.0
5/20/2018 1:00	BDL	Calibration	Calibration	BDL	0.1	2.3	11.0
5/20/2018 2:00	BDL	Calibration	Calibration	BDL	0.1	2.3	13.0
5/20/2018 3:00	Calibration	1.9	1.7	Calibration	Calibration	2.3	9.0
5/20/2018 4:00	BDL	1.8	1.5	BDL	0.1	2.3	11.0
5/20/2018 5:00	BDL	1.7	1.5	BDL	0.1	2.2	10.0
5/20/2018 6:00	BDL	1.8	1.8	BDL	0.1	2.4	14.0
5/20/2018 7:00	BDL	1.8	1.6	BDL	0.1	2.3	15.0
5/20/2018 8:00	BDL	2.0	1.7	6.8	0.2	2.3	7.0
5/20/2018 9:00	0.5	1.7	1.5	2.7	0.2	2.4	21.0
5/20/2018 10:00	1.3	1.7	1.4	2.0	0.2	2.3	22.0
5/20/2018 11:00	1.8	1.7	1.4	2.0	0.2	2.3	22.0
5/20/2018 12:00	2.1	1.8	1.6	0.5	0.2	2.3	26.0
5/20/2018 13:00	1.5	1.7	1.5	BDL	0.2	2.3	20.0
5/20/2018 14:00	0.5	1.7	1.4	BDL	0.2	2.3	13.0
5/20/2018 15:00	BDL	1.5	1.4	BDL	0.1	2.3	17.0
5/20/2018 16:00	BDL	1.8	1.6	BDL	0.1	2.3	16.0
5/20/2018 17:00	BDL	1.6	1.5	BDL	0.1	2.3	18.0
5/20/2018 18:00	BDL	1.5	1.4	BDL	0.1	2.3	17.0
5/20/2018 19:00	BDL	1.6	1.4	BDL	0.1	2.5	16.0
5/20/2018 20:00	BDL	1.6	1.4	BDL	0.2	2.4	14.0
5/20/2018 21:00	BDL	1.7	1.4	0.9	0.2	2.1	20.0
5/20/2018 22:00	BDL	1.6	1.3	BDL	0.2	2.1	12.0
5/20/2018 23:00	1.6	1.6	1.3	BDL	0.2	2.1	16.0
5/21/2018 0:00	BDL	1.7	1.4	BDL	0.2	2.1	11.0
5/21/2018 1:00	BDL	Calibration	Calibration	0.7	0.2	2.1	2.0
5/21/2018 2:00	BDL	Calibration	Calibration	BDL	0.1	2.2	10.0
5/21/2018 3:00	Calibration	1.5	1.2	Calibration	Calibration	2.1	16.0
5/21/2018 4:00	BDL	1.7	1.3	3.5	0.2	2.2	11.0
5/21/2018 5:00	BDL	Calibration	Calibration	7.6	0.2	2.3	10.0
5/21/2018 6:00	BDL	Calibration	Calibration	12.6	0.2	2.2	12.0
5/21/2018 7:00	BDL	Calibration	Calibration	11.6	0.2	2.1	10.0
5/21/2018 8:00	BDL	1.7	1.3	4.6	0.1	analyzer malfunction	23.0
5/21/2018 9:00	BDL	1.6	1.3	3.6	0.1	analyzer malfunction	22.0
5/21/2018 10:00	BDL	1.8	1.3	7.5	0.1	analyzer malfunction	15.0
5/21/2018 11:00	BDL	1.5	1.3	BDL	0.1	analyzer malfunction	17.0
5/21/2018 12:00	BDL	1.4	1.0	1.8	0.1	analyzer malfunction	8.0
5/21/2018 13:00	BDL	1.5	1.3	3.8	0.1	analyzer malfunction	16.0
5/21/2018 14:00	0.5	1.4	1.1	0.7	0.1	analyzer malfunction	4.0
5/21/2018 15:00	BDL	1.4	1.1	2.4	0.1	analyzer malfunction	27.0
5/21/2018 16:00	BDL	1.5	1.2	1.2	0.1	analyzer malfunction	25.0
5/21/2018 17:00	0.4	1.6	1.3	2.2	0.1	analyzer malfunction	21.0
5/21/2018 18:00	1.6	1.6	1.3	1.8	0.1	analyzer malfunction	22.0
5/21/2018 19:00	BDL	1.6	1.2	4.2	0.2	analyzer malfunction	29.0
5/21/2018 20:00	BDL	1.8	1.4	4.9	0.2	analyzer malfunction	22.0
5/21/2018 21:00	BDL	1.6	1.3	3.9	0.1	analyzer malfunction	24.0
5/21/2018 22:00	BDL	1.7	1.4	3.4	0.2	analyzer malfunction	7.0
5/21/2018 23:00	BDL	1.6	1.3	11.5	0.1	analyzer malfunction	7.0
5/22/2018 0:00	BDL	2.0	1.7	7.7	0.2	analyzer malfunction	16.0
5/22/2018 1:00	BDL	Calibration	Calibration	0.1	0.1	analyzer malfunction	11.0
5/22/2018 2:00	BDL	Calibration	Calibration	22.7	0.1	analyzer malfunction	16.0
5/22/2018 3:00	Calibration	3.1	2.3	Calibration	Calibration	19.0	7.0
5/22/2018 4:00	BDL	3.7	2.3	33.4	0.2	analyzer malfunction	19.0
5/22/2018 5:00	BDL	3.1	2.3	27.0	0.3	analyzer malfunction	6.0
5/22/2018 6:00	BDL	3.7	2.4	33.5	0.3	analyzer malfunction	10.0
5/22/2018 7:00	BDL	Calibration	Calibration	21.2	0.2	analyzer malfunction	7.0
5/22/2018 8:00	BDL	Too few samples	Too few samples	24.9	0.2	analyzer malfunction	20.0
5/22/2018 9:00	BDL	2.8	2.1	19.2	0.2	analyzer malfunction	26.0
5/22/2018 10:00	BDL	2.9	2.0	22.8	0.2	analyzer malfunction	5.0
5/22/2018 11:00	BDL	2.4	1.8	11.5	0.2	analyzer malfunction	36.0
5/22/2018 12:00	BDL	2.1	1.7	8.4	0.2	analyzer malfunction	29.0
5/22/2018 13:00	BDL	2.8	1.9	30.5	0.3	2.1	33.0
5/22/2018 14:00	BDL	3.2	2.2	35.8	0.3	2.3	18.0
5/22/2018 15:00	BDL	3.0	2.2	18.3	0.3	2.3	16.0
5/22/2018 16:00	BDL	2.8	2.1	16.4	0.2	2.1	18.0
5/22/2018 17:00	BDL	2.7	2.3	16.0	0.3	2.1	21.0
5/22/2018 18:00	BDL	2.7	2.2	13.9	0.3	2.1	15.0
5/22/2018 19:00	BDL	2.5	2.1	11.1	0.3	2.2	15.0
5/22/2018 20:00	BDL	2.8	2.3	11.4	0.3	2.2	17.0
5/22/2018 21:00	BDL	2.9	2.5	10.3	0.3	2.2	10.0
5/22/2018 22:00	BDL	2.5	2.0	9.3	0.3	2.1	18.0
5/22/2018 23:00	BDL	2.6	2.2	10.4	0.3	2.2	13.0
5/23/2018 0:00	BDL	2.7	2.3	10.7	0.2	2.2	22.0
5/23/2018 1:00	BDL	Calibration	Calibration	11.2	0.2	2.3	20.0
5/23/2018 2:00	BDL	Calibration	Calibration	15.2	0.2	2.5	24.0
5/23/2018 3:00	Calibration	2.8	2.4	47.9	0.2	Calibration	27.0
5/23/2018 4:00	0.5	3.8	2.9	52.3	0.3	Too few samples	36.0
5/23/2018 5:00	0.5	Calibration	Too few samples	52.3	0.3	2.2	27.0
5/23/2018 6:00	BDL	Calibration	Calibration	22.5	0.3	2.2	25.0
5/23/2018 7:00	BDL	Calibration	Calibration	35.4	0.3	2.4	32.0
5/23/2018 8:00	Calibration	Too few samples	Too few samples	35.4	0.3	2.4	38.0
5/23/2018 9:00	BDL	1.2	0.9	Calibration	Calibration	2.2	24.0
5/23/2018 10:00	BDL	0.6	BDL	BDL	0.1	2.4	23.0
5/23/2018 11:00	BDL	0.4	BDL	BDL	0.2	2.4	14.0
5/23/2018 12:00	BDL	Calibration	Calibration	BDL	0.1	analyzer malfunction	7.0
5/23/2018 13:00	BDL	Calibration	Calibration	BDL	0.1	2.2	6.0
5/23/2018 14:00	BDL	0.4	BDL	BDL	0.1	2.4	18.0
5/23/2018 15:00	BDL	BDL	BDL	BDL	0.1	2.4	3.0
5/23/2018 16:00	BDL	BDL	BDL	BDL	0.1	2.3	22.0
5/23/2018 17:00	BDL	BDL	BDL	BDL	0.1	2.3	23.0
5/23/2018 18:00	BDL	BDL	BDL	BDL	0.1	3.4	9.0
5/23/2018 19:00	BDL	BDL	BDL	BDL	0.1	2.4	18.0
5/23/2018 20:00	BDL	BDL	BDL	BDL	0.1	2.5	22.0
5/23/2018 21:00	0.4	BDL	BDL	5.2	0.2	2.4	17.0
5/23/2018 22:00	BDL	0.5	BDL	4.0	0.1	2.4	23.0
5/23/2018 23:00	BDL	0.4	BDL	2.2	0.2	2.2	9.0
5/24/2018 0:00	BDL	0.5	BDL	3.3	0.2	3.1	18.0
5/24/2018 1:00	BDL	Calibration	Calibration	1.0	0.1	1.9	11.0
5/24/2018 2:00	BDL	Calibration	Calibration	4.6	0.1	3.0	19.0
5/24/2018 3:00	Calibration	0.4	BDL	Calibration	Calibration	3.9	20.0
5/24/2018 4:00	BDL	0.6	BDL	4.6	0.1	2.5	21.0
5/24/2018 5:00	BDL	0.5	BDL	5.5	0.1	2.8	24.0
5/24/2018 6:00	BDL	0.5	BDL	6.1	0.1	2.6	25.0
5/24/2018 7:00	BDL	0.6	BDL	7.8	0.1	2.5	27.0
5/24/2018 8:00	BDL	0.6	BDL	7.8	0.1	2.4	37.0
5/24/2018 9:00	BDL	0.6	BDL	7.0	0.2	2.2	32.0
5/24/2018 10:00	BDL	BDL	BDL	3.1	0.1	Too few samples	46.0
5/24/2018 11:00	BDL	BDL	BDL	2.3	0.1	Too few samples	6.0
5/24/2018 12:00	BDL	BDL	BDL	0.5	0.1	2.1	6.0
5/24/2018 13:00	BDL	BDL	BDL	0.0	0.1	2.1	5.0
5/24/2018 14:00	BDL	BDL	BDL	BDL	0.1	2.3	20.0
5/24/2018 15:00	0.4	BDL	BDL	BDL	0.1	2.2	11.0
5/24/2018 16:00	BDL	BDL	BDL	BDL	0.1	2.3	22.0
5/24/2018 17:00	1.3	BDL	BDL	1.2	0.1	2.4	23.0
5/24/2018 18:00	1.9	0.4	BDL	2.9	0.1	2.4	24.0
5/24/2018 19:00	1.1	0.4	BDL	3.3	0.1	2.6	27.0
5/24/2018 20:00	0.6	0.6	BDL	8.3	0.2	2.6	29.0
5/24/2018 21:00	BDL	0.7	BDL	5.6	0.1	2.4	27.0
5/24/2018 22:00	BDL	0.4	BDL	0.4	0.1	2.4	18.0
5/24/2018 23:00	0.6	0.9	BDL	17.8	0.2	2.4	22.0
5/25/2018 0:00	0.5	1.1	BDL	11.2	0.2	2.9	25.0
5/25/2018 1:00	0.6	Calibration	Calibration	13.1	0.2	3.0	26.0
5/25/2018 2:00	0.5	Calibration	Calibration	16.9	0.2	3.0	23.0
5/25/2018 3:00	Calibration	1.6	BDL	Calibration	Calibration	2.4	26.0
5/25/2018 4:00	0.8	2.0	0.5	18.7	0.2	Too few samples	8.0
5/25/2018 5:00	0.5	Calibration	Calibration	21.5	0.3	3.6	40.0
5/25/2018 6:00	0.5	Calibration	Calibration	19.7	0.3	3.2	36.0
5/25/2018 7:00	0.7	2.0	0.6	31.1	0.3	2.9	36.0
5/25/2018 8:00	2.4	1.7	0.4	23.2	0.3	2.8	37.0
5/25/2018 9:00	2.5	1.6	BDL	18.1	0.2	2.6	35.0
5/25/2018 10:00	2.7	1.2	BDL	10.8	0.2	3.2	32.0
5/25/2018 11:00	1.9	1.0	BDL	4.0	0.2	2.4	44.0
5/25/2018 12:00	1.5	0.7	BDL	BDL	0.2	2.4	41.0
5/25/2018 13:00	1.1	0.7	BDL	BDL	0.2	2.3	65.0
5/25/2018 14:00	1.0	0.7	BDL	BDL	0.1	2.4	52.0
5/25/2018 15:00	1.5	0.7	BDL	BDL	0.1	2.4	37.0
5/25/2018 16:00	1.2	0.8	BDL	BDL	0.1	2.4	33.0
5/25/2018 17:00	0.9	0.7	BDL	BDL	0.1	2.4	31.0
5/25/2018 18:00	0.8	0.9	BDL	BDL	0.1	2.4	23.0
5/25/2018 19:00	1.0	0.7	BDL	3.5	0.2	2.4	28.0
5/25/2018 20:00	0.4	0.9	BDL	BDL	0.1	2.4	42.0
5/25/2018 21:00	BDL	0.8	BDL	BDL	0.1	2.4	27.0
5/25/2018 22:00	BDL	1.1	BDL	4.8	0.1	2.4	27.0
5/25/2018 23:00	BDL	1.2	BDL	0.5	0.1	2.5	23.0
5/26/2018 0:00	BDL	1.1	BDL	BDL	0.1	2.4	26.0
5/26/2018 1:00	BDL	Calibration	Calibration	3.8	0.1	2.5	25.0
5/26/2018 2:00	BDL	Calibration	Calibration	3.0	0.1	2.6	20.0
5/26/2018 3:00	Calibration	1.7	0.7	Calibration	Calibration	2.6	15.0
5/26/2018 4:00	BDL	1.9	0.8	5.2	0.2	Too few samples	12.0
5/26/2018 5:00	BDL	1.8	0.7	6.4	0.1	2.4	26.0

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	H2S PPB 0.4 ppb	TRG PPB 0.4 ppb	NOx PPB 0.4 ppb	CO PPM 40.0 ppm	VOC PPM 10.0 ppm	PM10 µg/m3 1.0 µg/m3	PM2.5 µg/m3 1.0 µg/m3
5/27/2018 0:00	BDL	1.0	1.8	0.2	2.2	21.0	8.0
5/27/2018 1:00	BDL	Calibration	4.4	0.2	3.0	19.0	12.0
5/27/2018 2:00	0.4	Calibration	3.0	0.2	2.9	13.0	7.0
5/27/2018 3:00	Calibration	BDL	1.0	Calibration	2.2	15.0	9.0
5/27/2018 4:00	BDL	1.0	3.7	0.1	2.1	24.0	8.0
5/27/2018 5:00	BDL	1.0	2.9	0.1	2.5	12.0	6.0
5/27/2018 6:00	BDL	1.4	4.0	0.1	2.2	15.0	7.0
5/27/2018 7:00	Calibration	0.5	1.7	Calibration	2.1	14.0	11.0
5/27/2018 8:00	Too few samples	0.6	BDL	0.4	2.1	7.0	7.0
5/27/2018 9:00	BDL	0.6	BDL	0.4	2.1	6.0	2.0
5/27/2018 10:00	BDL	0.6	BDL	0.4	2.1	6.0	2.0
5/27/2018 11:00	BDL	0.5	BDL	0.4	2.1	13.0	5.0
5/27/2018 12:00	BDL	0.5	BDL	0.4	2.0	17.0	7.0
5/27/2018 13:00	BDL	0.5	BDL	0.3	2.0	6.0	5.0
5/27/2018 14:00	BDL	0.4	BDL	0.3	2.0	14.0	10.0
5/27/2018 15:00	BDL	0.4	BDL	0.3	2.0	17.0	9.0
5/27/2018 16:00	BDL	0.3	BDL	0.3	2.0	12.0	5.0
5/27/2018 17:00	BDL	BDL	BDL	0.3	2.0	12.0	4.0
5/27/2018 18:00	BDL	BDL	BDL	0.3	2.0	12.0	7.0
5/27/2018 19:00	BDL	BDL	BDL	0.3	2.0	10.0	5.0
5/27/2018 20:00	BDL	BDL	BDL	0.3	2.0	6.0	3.0
5/27/2018 21:00	BDL	BDL	BDL	0.3	2.0	10.0	6.0
5/27/2018 22:00	BDL	BDL	BDL	0.3	2.0	7.0	4.0
5/27/2018 23:00	BDL	BDL	BDL	0.3	2.0	6.0	6.0
5/28/2018 0:00	BDL	BDL	BDL	0.3	2.0	6.0	3.0
5/28/2018 1:00	BDL	Calibration	Calibration	0.2	2.0	9.0	1.0
5/28/2018 2:00	BDL	Calibration	Calibration	0.2	2.0	10.0	2.0
5/28/2018 3:00	Calibration	BDL	Calibration	0.3	2.0	12.0	4.0
5/28/2018 4:00	BDL	BDL	Calibration	0.2	2.1	10.0	2.0
5/28/2018 5:00	BDL	BDL	BDL	0.3	2.0	14.0	6.0
5/28/2018 6:00	BDL	BDL	BDL	0.3	2.0	11.0	6.0
5/28/2018 7:00	BDL	BDL	BDL	0.3	2.0	13.0	6.0
5/28/2018 8:00	BDL	BDL	1.5	0.2	2.0	11.0	4.0
5/28/2018 9:00	BDL	BDL	BDL	0.2	2.0	9.0	4.0
5/28/2018 10:00	BDL	BDL	BDL	0.3	2.0	11.0	5.0
5/28/2018 11:00	BDL	BDL	BDL	0.3	2.0	15.0	9.0
5/28/2018 12:00	BDL	BDL	BDL	0.3	2.0	16.0	8.0
5/28/2018 13:00	BDL	BDL	BDL	0.3	2.2	10.0	6.0
5/28/2018 14:00	0.5	BDL	BDL	0.3	2.2	18.0	9.0
5/28/2018 15:00	BDL	BDL	BDL	0.3	2.1	12.0	7.0
5/28/2018 16:00	BDL	BDL	BDL	0.3	2.1	19.0	6.0
5/28/2018 17:00	BDL	BDL	BDL	0.3	2.2	15.0	7.0
5/28/2018 18:00	BDL	BDL	BDL	0.3	2.2	16.0	6.0
5/28/2018 19:00	BDL	0.5	BDL	0.3	2.3	13.0	4.0
5/28/2018 20:00	BDL	BDL	BDL	0.3	2.2	11.0	6.0
5/28/2018 21:00	BDL	BDL	BDL	0.3	2.0	15.0	4.0
5/28/2018 22:00	BDL	BDL	BDL	0.3	2.1	11.0	4.0
5/28/2018 23:00	BDL	1.0	BDL	0.3	2.2	17.0	8.0
5/29/2018 0:00	BDL	0.9	BDL	0.3	2.2	17.0	8.0
5/29/2018 1:00	BDL	Calibration	Calibration	0.3	2.2	18.0	12.0
5/29/2018 2:00	BDL	Calibration	Calibration	0.2	2.2	21.0	8.0
5/29/2018 3:00	Calibration	BDL	Calibration	0.3	2.0	18.0	10.0
5/29/2018 4:00	BDL	1.0	6.1	0.3	2.0	15.0	11.0
5/29/2018 5:00	BDL	1.1	12.0	0.3	2.2	18.0	13.0
5/29/2018 6:00	BDL	1.3	11.0	0.4	2.3	18.0	9.0
5/29/2018 7:00	0.8	1.6	20.3	0.4	2.4	29.0	16.0
5/29/2018 8:00	BDL	0.5	13.8	0.3	2.9	36.0	15.0
5/29/2018 9:00	BDL	0.4	1.2	7.5	0.4	28.0	10.0
5/29/2018 10:00	BDL	1.2	4.4	0.4	0.4	22.0	7.0
5/29/2018 11:00	BDL	0.6	14.4	0.6	0.4	43.0	13.0
5/29/2018 12:00	0.8	0.5	1.4	4.2	2.3	38.0	12.0
5/29/2018 13:00	1.0	0.4	1.4	2.9	1.4	31.0	13.0
5/29/2018 14:00	1.0	0.5	1.5	2.9	0.4	23.0	15.0
5/29/2018 15:00	0.7	0.4	1.5	BDL	0.4	21.0	12.0
5/29/2018 16:00	0.5	0.4	1.5	BDL	0.4	49.0	10.0
5/29/2018 17:00	BDL	0.6	1.6	BDL	0.4	21.0	12.0
5/29/2018 18:00	BDL	0.6	1.7	BDL	0.4	29.0	13.0
5/29/2018 19:00	BDL	0.6	1.7	BDL	0.4	21.0	14.0
5/29/2018 20:00	BDL	0.7	1.8	BDL	0.4	23.0	10.0
5/29/2018 21:00	BDL	0.9	2.0	BDL	0.4	18.0	8.0
5/29/2018 22:00	BDL	1.4	2.5	2.4	0.4	26.0	15.0
5/29/2018 23:00	BDL	1.8	2.7	11.0	0.4	21.0	12.0
5/30/2018 0:00	0.5	2.1	3.0	2.5	0.5	35.0	20.0
5/30/2018 1:00	BDL	Calibration	Calibration	4.8	0.5	28.0	13.0
5/30/2018 2:00	BDL	Calibration	Calibration	8.7	0.4	23.0	13.0
5/30/2018 3:00	Calibration	1.7	2.5	Calibration	2.4	21.0	9.0
5/30/2018 4:00	BDL	1.9	2.5	12.5	0.4	16.0	7.0
5/30/2018 5:00	BDL	1.5	2.2	12.9	0.4	23.0	7.0
5/30/2018 6:00	0.4	2.6	2.9	33.9	0.5	30.0	13.0
5/30/2018 7:00	BDL	1.8	2.5	15.3	0.4	20.0	11.0
5/30/2018 8:00	BDL	1.3	2.2	6.8	0.4	22.0	12.0
5/30/2018 9:00	BDL	1.4	2.3	3.9	0.4	20.0	12.0
5/30/2018 10:00	BDL	1.2	2.3	0.6	0.3	19.0	9.0
5/30/2018 11:00	BDL	1.5	2.4	12.0	0.3	12.0	7.0
5/30/2018 12:00	BDL	1.5	2.3	0.8	0.3	19.0	6.0
5/30/2018 13:00	BDL	1.1	2.1	BDL	0.3	17.0	4.0
5/30/2018 14:00	BDL	1.1	2.1	BDL	0.3	1.8	2.0
5/30/2018 15:00	BDL	0.9	2.1	BDL	0.3	18.0	2.0
5/30/2018 16:00	BDL	1.0	2.1	BDL	0.3	1.8	12.0
5/30/2018 17:00	BDL	1.0	2.2	BDL	0.3	1.8	18.0
5/30/2018 18:00	BDL	1.0	2.1	BDL	0.3	5.0	20.0
5/30/2018 19:00	BDL	0.9	2.1	BDL	0.3	1.9	4.0
5/30/2018 20:00	BDL	0.9	2.0	BDL	0.3	1.9	4.0
5/30/2018 21:00	BDL	0.8	2.1	BDL	0.3	1.9	3.0
5/30/2018 22:00	BDL	1.1	2.1	BDL	0.3	20.0	3.0
5/30/2018 23:00	BDL	1.1	2.1	BDL	0.3	9.0	4.0
5/31/2018 0:00	BDL	1.1	2.1	BDL	0.3	20.0	4.0
5/31/2018 1:00	BDL	Calibration	Calibration	BDL	0.3	16.0	6.0
5/31/2018 2:00	BDL	Calibration	Calibration	BDL	0.3	20.0	5.0
5/31/2018 3:00	Calibration	1.0	Calibration	BDL	0.3	19.0	4.0
5/31/2018 4:00	BDL	1.1	2.1	Calibration	0.3	32.0	6.0
5/31/2018 5:00	BDL	1.4	2.4	3.1	0.4	21.0	7.0
5/31/2018 6:00	BDL	1.8	2.6	9.6	0.4	19.0	7.0
5/31/2018 7:00	BDL	2.1	2.7	12.7	0.4	21.0	8.0
5/31/2018 8:00	BDL	2.2	3.0	12.0	0.4	21.0	9.0
5/31/2018 9:00	BDL	2.7	3.5	13.6	0.4	20.0	12.0
5/31/2018 10:00	BDL	2.8	3.8	12.1	0.4	33.0	25.0
5/31/2018 11:00	BDL	2.7	3.5	13.3	0.4	22.0	12.0
5/31/2018 12:00	BDL	2.4	3.4	3.2	0.4	19.0	10.0
5/31/2018 13:00	BDL	2.3	3.3	5.1	0.3	33.0	17.0
5/31/2018 14:00	BDL	2.4	3.3	2.3	0.4	1.9	9.0
5/31/2018 15:00	BDL	2.1	3.2	BDL	0.3	2.0	6.0
5/31/2018 16:00	BDL	2.0	3.3	BDL	0.3	1.9	25.0
5/31/2018 17:00	BDL	2.0	3.3	BDL	0.3	1.9	23.0
5/31/2018 18:00	BDL	2.1	3.4	BDL	0.3	1.9	25.0
5/31/2018 19:00	BDL	2.4	3.9	BDL	0.3	20.0	8.0
5/31/2018 20:00	BDL	2.4	3.7	BDL	0.3	1.9	16.0
5/31/2018 21:00	BDL	2.7	3.8	BDL	0.3	1.9	15.0
5/31/2018 22:00	BDL	3.0	4.0	BDL	0.3	1.8	12.0
5/31/2018 23:00	BDL	2.7	4.0	BDL	0.3	8.0	2.0
6/1/2018 0:00	BDL	2.8	4.0	BDL	0.2	1.9	13.0
6/1/2018 1:00	BDL	Calibration	Calibration	BDL	0.2	1.9	15.0
6/1/2018 2:00	BDL	Calibration	Calibration	BDL	0.3	1.9	17.0
6/1/2018 3:00	Calibration	3.2	4.3	Calibration	0.3	2.0	17.0
6/1/2018 4:00	BDL	3.1	4.3	6.1	0.3	14.0	7.0
6/1/2018 5:00	BDL	Maintenance	Maintenance	10.3	0.4	21.0	6.0
6/1/2018 6:00	BDL	Maintenance	Maintenance	15.0	0.4	20.0	8.0
6/1/2018 7:00	BDL	Maintenance	Maintenance	9.8	0.4	21.0	11.0
6/1/2018 8:00	BDL	Maintenance	Maintenance	10.3	0.4	20.0	13.0
6/1/2018 9:00	BDL	Maintenance	Maintenance	17.4	0.4	15.0	19.0
6/1/2018 10:00	BDL	Maintenance	Maintenance	16.0	0.4	32.0	18.0
6/1/2018 11:00	BDL	0.4	0.9	17.1	0.4	23.0	17.0
6/1/2018 12:00	BDL	0.9	0.9	6.5	0.3	22.0	20.0
6/1/2018 13:00	BDL	0.9	1.0	7.9	0.3	21.0	12.0
6/1/2018 14:00	0.9	BDL	0.9	BDL	0.3	21.0	13.0
6/1/2018 15:00	0.7	BDL	1.1	1.5	0.3	21.0	17.0
6/1/2018 16:00	0.7	BDL	0.8	BDL	0.3	2.2	18.0
6/1/2018 17:00	0.4	BDL	0.8	BDL	0.3	20.0	28.0
6/1/2018 18:00	BDL	BDL	0.7	BDL	0.3	2.2	15.0
6/1/2018 19:00	BDL	BDL	0.7	BDL	0.4	2.4	31.0
6/1/2018 20:00	BDL	BDL	0.7	BDL	0.4	2.2	18.0
6/1/2018 21:00	BDL	BDL	0.7	BDL	0.4	2.7	27.0
6/1/2018 22:00	BDL	BDL	0.7	BDL	0.4	2.7	22.0
6/1/2018 23:00	BDL	0.6	1.5	5.7	0.4	3.0	14.0
6/2/2018 0:00	BDL	0.8	1.6	0.4	0.3	2.8	14.0
6/2/2018 1:00	BDL	Calibration	Calibration	6.0	0.4	30.0	21.0
6/2/2018 2:00	0.6	Calibration	Calibration	BDL	0.3	2.5	25.0
6/2/2018 3:00	BDL	0.7	BDL	Calibration	0.3	2.5	9.0
6/2/2018 4:00	BDL	0.7	BDL	0.3	2.3	12.0	6.0
6/2/2018 5:00	BDL	Calibration	Calibration	BDL	0.3	2.2	19.0
6/2/2018 6:00	BDL	Calibration	Calibration	BDL	0.3	2.2	19.0
6/2/2018 7:00	BDL	Calibration	Calibration	0.4	0.3	2.1	9.0
6/2/2018 8:00							

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	H2S PPB	TMG PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m ³	PM2.5 µg/m ³
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m ³	1.0 µg/m ³
6/3/2018 0:00	BDL	BDL	BDL	0.3	2.0	19.0	10.0
6/3/2018 1:00	BDL	Calibration	Calibration	BDL	1.9	21.0	12.0
6/3/2018 2:00	BDL	Calibration	Calibration	BDL	0.3	1.9	18.0
6/3/2018 3:00	Calibration	BDL	Calibration	Calibration	1.9	13.0	7.0
6/3/2018 4:00	BDL	BDL	BDL	0.2	BDL	18.0	4.0
6/3/2018 5:00	BDL	BDL	BDL	0.2	2.0	12.0	3.0
6/3/2018 6:00	BDL	Calibration	Calibration	BDL	0.2	1.9	13.0
6/3/2018 7:00	BDL	Calibration	Calibration	BDL	0.2	2.0	14.0
6/3/2018 8:00	BDL	BDL	BDL	0.2	2.0	16.0	4.0
6/3/2018 9:00	BDL	BDL	BDL	0.2	1.9	29.0	8.0
6/3/2018 10:00	BDL	BDL	BDL	0.2	1.9	22.0	6.0
6/3/2018 11:00	BDL	BDL	BDL	0.2	1.9	18.0	5.0
6/3/2018 12:00	BDL	BDL	BDL	0.2	1.9	23.0	6.0
6/3/2018 13:00	BDL	BDL	BDL	0.2	1.9	19.0	3.0
6/3/2018 14:00	BDL	BDL	BDL	0.2	1.9	26.0	7.0
6/3/2018 15:00	BDL	BDL	BDL	0.2	1.9	20.0	7.0
6/3/2018 16:00	BDL	BDL	BDL	0.2	1.9	20.0	5.0
6/3/2018 17:00	BDL	BDL	BDL	0.2	1.9	14.0	8.0
6/3/2018 18:00	BDL	BDL	BDL	0.2	1.9	13.0	8.0
6/3/2018 19:00	BDL	BDL	BDL	0.2	1.9	14.0	6.0
6/3/2018 20:00	BDL	BDL	BDL	0.2	1.9	9.0	3.0
6/3/2018 21:00	BDL	BDL	BDL	0.2	1.9	7.0	BDL
6/3/2018 22:00	BDL	BDL	BDL	0.2	2.0	7.0	BDL
6/3/2018 23:00	BDL	BDL	BDL	0.2	2.0	7.0	1.0
6/4/2018 0:00	BDL	BDL	BDL	0.2	2.0	6.0	2.0
6/4/2018 1:00	BDL	Calibration	Calibration	4.3	2.0	5.0	1.0
6/4/2018 2:00	BDL	Calibration	Calibration	BDL	0.2	4.0	2.0
6/4/2018 3:00	Calibration	BDL	Calibration	BDL	2.1	3.0	1.0
6/4/2018 4:00	BDL	BDL	BDL	0.2	2.0	2.0	1.0
6/4/2018 5:00	BDL	BDL	BDL	0.2	2.1	3.0	BDL
6/4/2018 6:00	BDL	BDL	BDL	0.2	2.1	6.0	BDL
6/4/2018 7:00	BDL	BDL	BDL	0.2	2.1	8.0	BDL
6/4/2018 8:00	BDL	1.0	0.6	37.7	0.3	2.2	12.0
6/4/2018 9:00	BDL	BDL	BDL	0.2	2.2	13.0	3.0
6/4/2018 10:00	BDL	BDL	BDL	0.2	2.2	12.0	2.0
6/4/2018 11:00	BDL	BDL	BDL	0.2	2.2	11.0	2.0
6/4/2018 12:00	BDL	BDL	BDL	0.2	2.2	15.0	4.0
6/4/2018 13:00	BDL	BDL	BDL	0.2	2.3	20.0	4.0
6/4/2018 14:00	BDL	BDL	BDL	0.2	2.3	22.0	6.0
6/4/2018 15:00	BDL	BDL	BDL	0.2	2.3	20.0	9.0
6/4/2018 16:00	BDL	BDL	BDL	0.2	2.3	18.0	9.0
6/4/2018 17:00	BDL	BDL	BDL	0.2	2.2	19.0	6.0
6/4/2018 18:00	BDL	BDL	BDL	0.2	2.1	26.0	8.0
6/4/2018 19:00	BDL	BDL	BDL	0.2	2.1	21.0	8.0
6/4/2018 20:00	0.7	BDL	0.4	4.8	0.2	2.2	31.0
6/4/2018 21:00	0.4	BDL	BDL	5.1	0.2	18.0	11.0
6/4/2018 22:00	BDL	BDL	BDL	2.4	BDL	8.0	8.0
6/4/2018 23:00	BDL	BDL	BDL	0.1	2.4	17.0	9.0
6/5/2018 0:00	BDL	BDL	BDL	0.1	2.4	10.0	5.0
6/5/2018 1:00	Calibration	Calibration	Calibration	BDL	0.1	18.0	4.0
6/5/2018 2:00	Calibration	Calibration	Calibration	BDL	0.1	11.0	6.0
6/5/2018 3:00	Calibration	BDL	Calibration	BDL	2.6	12.0	4.0
6/5/2018 4:00	BDL	BDL	BDL	0.1	2.7	13.0	6.0
6/5/2018 5:00	Calibration	Calibration	Calibration	8.3	0.3	2.7	7.0
6/5/2018 6:00	0.9	Calibration	Calibration	15.2	0.3	19.0	6.0
6/5/2018 7:00	2.2	0.4	0.6	11.6	0.2	2.3	8.0
6/5/2018 8:00	3.2	0.8	0.6	15.6	0.3	2.4	35.0
6/5/2018 9:00	1.2	1.2	1.0	8.8	0.4	37.0	4.0
6/5/2018 10:00	2.7	BDL	0.4	6.2	0.2	2.3	63.0
6/5/2018 11:00	2.3	BDL	0.4	2.5	0.2	2.3	36.0
6/5/2018 12:00	1.5	BDL	BDL	0.2	2.6	54.0	7.0
6/5/2018 13:00	1.4	BDL	BDL	0.1	1.4	78.0	5.0
6/5/2018 14:00	1.4	BDL	BDL	0.2	2.4	41.0	5.0
6/5/2018 15:00	1.9	BDL	BDL	2.6	0.1	2.4	6.0
6/5/2018 16:00	1.7	BDL	BDL	4.0	0.1	2.4	43.0
6/5/2018 17:00	1.7	BDL	BDL	3.5	0.1	2.4	38.0
6/5/2018 18:00	BDL	BDL	BDL	0.2	2.4	32.0	13.0
6/5/2018 19:00	BDL	BDL	BDL	0.2	2.4	27.0	8.0
6/5/2018 20:00	BDL	BDL	BDL	0.2	2.4	13.0	8.0
6/5/2018 21:00	BDL	BDL	BDL	1.2	0.3	2.6	13.0
6/5/2018 22:00	BDL	BDL	BDL	0.3	2.6	16.0	8.0
6/5/2018 23:00	BDL	BDL	BDL	0.2	2.4	16.0	7.0
6/6/2018 0:00	BDL	BDL	BDL	0.2	2.2	18.0	5.0
6/6/2018 1:00	Calibration	Calibration	Calibration	BDL	0.2	2.0	21.0
6/6/2018 2:00	Calibration	Calibration	Calibration	BDL	0.2	2.0	17.0
6/6/2018 3:00	Calibration	BDL	Calibration	BDL	2.1	15.0	10.0
6/6/2018 4:00	BDL	BDL	11.0	0.1	16.0	9.0	9.0
6/6/2018 5:00	BDL	0.5	BDL	18.3	0.3	2.1	15.0
6/6/2018 6:00	BDL	BDL	BDL	15.0	0.3	2.2	12.0
6/6/2018 7:00	BDL	Audit	Audit	8.7	0.2	2.1	17.0
6/6/2018 8:00	Calibration	Too few samples	Too few samples	Calibration	2.0	31.0	9.0
6/6/2018 9:00	BDL	BDL	BDL	0.2	Calibration	Too few samples	6.0
6/6/2018 10:00	BDL	BDL	BDL	0.2	2.0	18.0	4.0
6/6/2018 11:00	BDL	BDL	BDL	0.2	2.1	22.0	5.0
6/6/2018 12:00	BDL	BDL	BDL	0.2	2.1	17.0	5.0
6/6/2018 13:00	BDL	BDL	BDL	1.6	0.2	2.1	18.0
6/6/2018 14:00	BDL	BDL	BDL	5.0	0.3	2.1	32.0
6/6/2018 15:00	BDL	BDL	BDL	0.2	2.1	20.0	7.0
6/6/2018 16:00	BDL	BDL	BDL	10.0	0.2	2.7	3.0
6/6/2018 17:00	BDL	BDL	BDL	0.3	2.1	13.0	6.0
6/6/2018 18:00	BDL	BDL	BDL	0.7	0.3	19.0	11.0
6/6/2018 19:00	BDL	BDL	BDL	0.2	2.2	15.0	6.0
6/6/2018 20:00	BDL	BDL	BDL	0.2	2.3	13.0	3.0
6/6/2018 21:00	BDL	BDL	BDL	0.2	2.1	12.0	1.0
6/6/2018 22:00	BDL	BDL	BDL	0.2	2.2	10.0	2.0
6/6/2018 23:00	BDL	BDL	BDL	0.2	2.2	11.0	2.0
6/7/2018 0:00	BDL	BDL	BDL	0.2	2.3	11.0	3.0
6/7/2018 1:00	Calibration	Calibration	Calibration	BDL	0.2	8.0	4.0
6/7/2018 2:00	BDL	Calibration	Calibration	BDL	0.2	2.0	10.0
6/7/2018 3:00	Calibration	BDL	Calibration	BDL	1.0	8.0	5.0
6/7/2018 4:00	BDL	BDL	BDL	3.2	0.2	2.2	12.0
6/7/2018 5:00	BDL	Calibration	Calibration	9.4	0.2	2.2	17.0
6/7/2018 6:00	BDL	BDL	BDL	3.0	0.2	2.2	19.0
6/7/2018 7:00	BDL	BDL	BDL	4.7	0.2	2.1	6.0
6/7/2018 8:00	BDL	0.5	0.6	6.7	0.4	2.3	22.0
6/7/2018 9:00	0.8	BDL	BDL	0.2	2.1	16.0	3.0
6/7/2018 10:00	0.7	BDL	BDL	0.2	2.1	18.0	4.0
6/7/2018 11:00	BDL	BDL	BDL	0.1	2.1	18.0	3.0
6/7/2018 12:00	BDL	BDL	BDL	0.1	2.1	22.0	6.0
6/7/2018 13:00	BDL	BDL	BDL	0.1	2.1	26.0	6.0
6/7/2018 14:00	BDL	BDL	BDL	0.1	2.1	28.0	6.0
6/7/2018 15:00	BDL	BDL	BDL	0.1	2.1	28.0	6.0
6/7/2018 16:00	BDL	BDL	BDL	0.2	2.2	19.0	7.0
6/7/2018 17:00	BDL	BDL	BDL	0.1	2.2	26.0	9.0
6/7/2018 18:00	0.6	BDL	BDL	0.1	2.2	23.0	6.0
6/7/2018 19:00	0.4	BDL	BDL	0.2	2.2	14.0	5.0
6/7/2018 20:00	BDL	BDL	BDL	0.1	2.3	17.0	5.0
6/7/2018 21:00	BDL	BDL	BDL	0.2	2.2	10.0	4.0
6/7/2018 22:00	BDL	BDL	BDL	0.1	2.2	8.0	6.0
6/7/2018 23:00	BDL	BDL	BDL	0.1	2.2	9.0	6.0
6/8/2018 0:00	BDL	BDL	BDL	0.1	2.1	13.0	5.0
6/8/2018 1:00	Calibration	Calibration	Calibration	2.6	0.2	2.2	10.0
6/8/2018 2:00	BDL	Calibration	Calibration	2.0	0.2	2.0	12.0
6/8/2018 3:00	Calibration	BDL	Calibration	0.5	0.2	2.2	11.0
6/8/2018 4:00	BDL	1.2	1.3	5.6	0.2	2.2	12.0
6/8/2018 5:00	BDL	1.2	1.3	11.7	0.3	2.4	16.0
6/8/2018 6:00	0.7	1.4	1.2	24.3	0.4	2.4	7.0
6/8/2018 7:00	0.7	Calibration	Calibration	14.7	0.3	2.7	17.0
6/8/2018 8:00	1.8	BDL	BDL	17.6	0.3	2.8	29.0
6/8/2018 9:00	3.3	0.5	BDL	19.0	0.3	2.8	71.0
6/8/2018 10:00	1.8	BDL	BDL	8.1	0.3	2.7	49.0
6/8/2018 11:00	1.8	BDL	BDL	13.3	0.3	2.9	50.0
6/8/2018 12:00	1.8	BDL	BDL	5.1	0.3	2.3	53.0
6/8/2018 13:00	1.6	BDL	BDL	9.1	0.2	2.2	50.0
6/8/2018 14:00	0.8	BDL	BDL	0.2	2.3	51.0	7.0
6/8/2018 15:00	0.8	BDL	BDL	0.2	2.3	29.0	11.0
6/8/2018 16:00	0.4	BDL	BDL	0.2	2.2	25.0	13.0
6/8/2018 17:00	0.4	BDL	BDL	0.3	2.3	27.0	9.0
6/8/2018 18:00	0.6	BDL	BDL	0.3	2.3	28.0	13.0
6/8/2018 19:00	1.0	BDL	BDL	0.3	2.3	33.0	13.0
6/8/2018 20:00	0.4	BDL	BDL	0.3	2.3	26.0	11.0
6/8/2018 21:00	BDL	0.4	1.1	1.1	0.3	2.3	23.0
6/8/2018 22:00	BDL	0.4	4.0	4.0	0.3	2.3	27.0
6/8/2018 23:00	BDL	0.5	12.8	12.8	0.5	2.5	27.0
6/9/2018 0:00	BDL	0.7	13.2	13.2	0.6	2.8	22.0
6/9/2018 1:00	BDL	Calibration	Calibration	13.9	0.4	2.5	27.0
6/9/2018 2:00	BDL	Calibration	Calibration	17.7	0.6	2.8	28.0
6/9/2018 3:00	Calibration	0.5	0.7	Calibration	3.0	23.0	17.0
6/9/2018 4:00	BDL	0.6	0.6	12.9	0.5	2.5	37.0
6/9/2018 5:00	BDL	1.2	0.9	20.8	0.6	3.4	38.0
6/9/2018 6:00	BDL	Calibration	Calibration	12.7	0.4	4.1	52.0
6/9/2018 7:00	BDL	Calibration	Calibration	5.9	0.4	2.4	37.0
6/9/2018 8:00	BDL	BDL	BDL	3.1	0.3	2.2	34.0
6/9/2018 9:00	BDL	BDL	BDL	1.7	0.2	2.2	30.0
6/9/2018 10:00	BDL	BDL	BDL	0.3			

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	SQ2 PPB	H2S PPB	TRG PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m3	PM2.5 µg/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
See Downwind Weekly 6/10/2018-6/16/2018								
6/10/2018 0:00	BDL	BDL	BDL	BDL	0.4	2.2	14.0	7.0
6/10/2018 1:00	BDL	Calibration	Calibration	BDL	0.3	2.2	18.0	8.0
6/10/2018 2:00	BDL	Calibration	Calibration	BDL	0.5	0.4	2.1	9.0
6/10/2018 3:00	Calibration	BDL	0.4	Calibration	Calibration	2.2	27.0	15.0
6/10/2018 4:00	BDL	0.5	BDL	0.3	0.3	2.3	21.0	16.0
6/10/2018 5:00	BDL	BDL	0.5	BDL	0.3	2.4	25.0	19.0
6/10/2018 6:00	BDL	BDL	BDL	BDL	0.3	2.4	30.0	17.0
6/10/2018 7:00	BDL	Calibration	Calibration	1.2	0.4	2.1	27.0	16.0
6/10/2018 8:00	BDL	Calibration	Calibration	14.0	0.5	2.7	28.0	14.0
6/10/2018 9:00	BDL	BDL	BDL	5.8	0.4	2.4	28.0	14.0
6/10/2018 10:00	BDL	Calibration	Calibration	2.6	0.3	2.2	23.0	12.0
6/10/2018 11:00	BDL	Calibration	Calibration	6.2	0.3	2.2	21.0	10.0
6/10/2018 12:00	BDL	BDL	BDL	BDL	0.3	2.1	17.0	9.0
6/10/2018 13:00	BDL	BDL	BDL	BDL	0.3	2.0	31.0	7.0
6/10/2018 14:00	BDL	BDL	BDL	BDL	0.2	2.0	17.0	2.0
6/10/2018 15:00	BDL	BDL	BDL	BDL	0.3	2.0	19.0	4.0
6/10/2018 16:00	BDL	BDL	BDL	BDL	0.3	2.0	9.0	6.0
6/10/2018 17:00	BDL	BDL	BDL	BDL	0.2	2.0	15.0	5.0
6/10/2018 18:00	BDL	BDL	BDL	BDL	0.2	2.0	14.0	6.0
6/10/2018 19:00	BDL	BDL	BDL	BDL	0.2	2.1	8.0	6.0
6/10/2018 20:00	BDL	BDL	BDL	BDL	0.2	2.0	10.0	7.0
6/10/2018 21:00	BDL	BDL	BDL	BDL	0.2	2.1	10.0	5.0
6/10/2018 22:00	BDL	BDL	BDL	BDL	0.2	2.0	11.0	7.0
6/10/2018 23:00	BDL	BDL	BDL	BDL	0.2	2.1	8.0	6.0
6/11/2018 0:00	BDL	BDL	BDL	BDL	0.2	2.1	5.0	5.0
6/11/2018 1:00	BDL	Calibration	Calibration	6.1	0.2	2.2	5.0	3.0
6/11/2018 2:00	BDL	Calibration	Calibration	BDL	0.2	2.1	5.0	3.0
6/11/2018 3:00	Calibration	BDL	BDL	Calibration	0.2	2.1	3.0	4.0
6/11/2018 4:00	BDL	BDL	BDL	BDL	0.2	2.1	3.0	2.0
6/11/2018 5:00	BDL	BDL	BDL	Calibration	0.2	2.1	11.0	3.0
6/11/2018 6:00	BDL	BDL	BDL	3.7	0.2	2.0	9.0	5.0
6/11/2018 7:00	BDL	BDL	BDL	4.2	0.2	2.0	7.0	5.0
6/11/2018 8:00	BDL	BDL	BDL	4.1	0.2	2.0	11.0	5.0
6/11/2018 9:00	BDL	BDL	BDL	5.8	0.2	2.0	12.0	7.0
6/11/2018 10:00	BDL	BDL	BDL	10.1	0.2	2.0	13.0	9.0
6/11/2018 11:00	BDL	BDL	BDL	1.2	0.2	2.0	57.0	3.0
6/11/2018 12:00	BDL	BDL	BDL	BDL	0.2	2.0	16.0	6.0
6/11/2018 13:00	BDL	BDL	BDL	BDL	0.2	2.0	11.0	3.0
6/11/2018 14:00	BDL	BDL	BDL	BDL	0.2	2.0	14.0	3.0
6/11/2018 15:00	BDL	BDL	BDL	BDL	0.2	2.0	15.0	3.0
6/11/2018 16:00	BDL	BDL	BDL	BDL	0.2	2.0	19.0	9.0
6/11/2018 17:00	BDL	BDL	BDL	BDL	0.2	2.0	9.0	7.0
6/11/2018 18:00	BDL	BDL	BDL	BDL	0.1	2.0	16.0	3.0
6/11/2018 19:00	BDL	BDL	BDL	BDL	0.2	2.0	14.0	4.0
6/11/2018 20:00	BDL	BDL	BDL	0.5	0.2	2.0	9.0	4.0
6/11/2018 21:00	BDL	BDL	BDL	4.4	0.2	2.0	14.0	7.0
6/11/2018 22:00	BDL	BDL	BDL	1.8	0.2	2.0	11.0	6.0
6/11/2018 23:00	BDL	BDL	BDL	4.7	0.2	2.1	11.0	6.0
6/12/2018 0:00	BDL	BDL	BDL	5.0	0.3	2.1	12.0	10.0
6/12/2018 1:00	Calibration	Calibration	Calibration	4.4	0.3	2.1	12.0	7.0
6/12/2018 2:00	BDL	Calibration	Calibration	13.5	0.3	2.0	23.0	8.0
6/12/2018 3:00	Calibration	BDL	BDL	Calibration	0.3	2.2	21.0	9.0
6/12/2018 4:00	BDL	BDL	BDL	28.0	0.3	2.3	22.0	9.0
6/12/2018 5:00	BDL	0.7	0.5	44.5	0.6	2.3	22.0	9.0
6/12/2018 6:00	0.4	Calibration	Calibration	44.3	0.4	2.5	29.0	13.0
6/12/2018 7:00	BDL	Calibration	Calibration	20.5	0.3	2.4	31.0	15.0
6/12/2018 8:00	BDL	BDL	BDL	14.8	0.3	2.5	3.0	11.0
6/12/2018 9:00	BDL	BDL	BDL	8.7	0.2	2.1	45.0	8.0
6/12/2018 10:00	BDL	BDL	BDL	8.5	0.2	2.1	23.0	8.0
6/12/2018 11:00	BDL	BDL	BDL	BDL	0.1	2.2	23.0	7.0
6/12/2018 12:00	BDL	BDL	BDL	BDL	0.1	2.1	22.0	5.0
6/12/2018 13:00	BDL	BDL	BDL	BDL	0.2	2.1	17.0	5.0
6/12/2018 14:00	BDL	BDL	BDL	BDL	0.1	2.1	17.0	6.0
6/12/2018 15:00	BDL	BDL	BDL	BDL	0.1	2.2	25.0	3.0
6/12/2018 16:00	BDL	BDL	BDL	BDL	0.1	2.2	19.0	3.0
6/12/2018 17:00	BDL	BDL	BDL	BDL	0.1	2.3	19.0	7.0
6/12/2018 18:00	BDL	BDL	BDL	BDL	0.1	2.2	19.0	7.0
6/12/2018 19:00	BDL	BDL	BDL	BDL	0.2	2.2	19.0	4.0
6/12/2018 20:00	BDL	BDL	BDL	BDL	0.2	2.4	20.0	3.0
6/12/2018 21:00	BDL	BDL	BDL	BDL	0.2	2.1	20.0	5.0
6/12/2018 22:00	BDL	BDL	BDL	BDL	0.2	2.5	17.0	6.0
6/12/2018 23:00	BDL	BDL	BDL	BDL	0.2	2.2	16.0	7.0
6/13/2018 0:00	BDL	BDL	BDL	BDL	0.1	2.3	13.0	6.0
6/13/2018 1:00	Calibration	Calibration	Calibration	BDL	0.2	2.1	19.0	5.0
6/13/2018 2:00	BDL	Calibration	Calibration	BDL	0.1	2.0	20.0	4.0
6/13/2018 3:00	Calibration	BDL	BDL	Calibration	0.2	2.3	16.0	2.0
6/13/2018 4:00	BDL	BDL	BDL	BDL	0.2	2.3	22.0	4.0
6/13/2018 5:00	BDL	Calibration	Calibration	0.8	0.3	2.3	20.0	6.0
6/13/2018 6:00	BDL	Calibration	Calibration	3.9	0.3	2.3	20.0	6.0
6/13/2018 7:00	BDL	0.5	4.6	0.5	0.2	2.3	19.0	6.0
6/13/2018 8:00	BDL	0.4	11.4	0.9	0.2	2.3	23.0	6.0
6/13/2018 9:00	BDL	0.7	6.5	0.7	0.2	2.3	25.0	7.0
6/13/2018 10:00	BDL	BDL	BDL	0.5	0.2	2.3	23.0	7.0
6/13/2018 11:00	BDL	BDL	BDL	BDL	0.2	2.3	24.0	7.0
6/13/2018 12:00	BDL	BDL	BDL	BDL	0.2	2.3	20.0	7.0
6/13/2018 13:00	BDL	BDL	BDL	BDL	0.2	2.3	27.0	9.0
6/13/2018 14:00	BDL	BDL	BDL	BDL	0.2	2.2	34.0	14.0
6/13/2018 15:00	1.4	BDL	BDL	BDL	0.2	2.2	26.0	12.0
6/13/2018 16:00	1.1	BDL	BDL	BDL	0.3	2.3	25.0	9.0
6/13/2018 17:00	0.8	BDL	BDL	BDL	0.3	2.4	21.0	15.0
6/13/2018 18:00	0.8	BDL	BDL	BDL	0.3	2.4	25.0	16.0
6/13/2018 19:00	1.0	BDL	0.5	4.5	0.4	2.5	30.0	13.0
6/13/2018 20:00	0.8	BDL	0.4	3.0	0.3	2.5	21.0	12.0
6/13/2018 21:00	0.5	BDL	0.5	1.7	0.4	2.5	18.0	13.0
6/13/2018 22:00	0.5	BDL	0.5	4.6	0.4	2.4	19.0	10.0
6/13/2018 23:00	0.4	BDL	0.5	BDL	0.5	2.3	27.0	14.0
6/14/2018 0:00	0.5	BDL	0.5	BDL	0.3	2.3	23.0	11.0
6/14/2018 1:00	1.0	Calibration	Calibration	0.5	0.3	2.4	26.0	20.0
6/14/2018 2:00	1.9	Calibration	Calibration	BDL	0.3	2.1	22.0	6.0
6/14/2018 3:00	Calibration	BDL	BDL	Calibration	0.2	2.1	24.0	9.0
6/14/2018 4:00	0.8	BDL	BDL	BDL	0.1	2.5	21.0	10.0
6/14/2018 5:00	BDL	BDL	BDL	BDL	0.1	2.5	17.0	10.0
6/14/2018 6:00	BDL	Too few samples	Too few samples	BDL	0.1	2.3	22.0	6.0
6/14/2018 7:00	BDL	Calibration	Calibration	BDL	0.1	2.3	25.0	1.0
6/14/2018 8:00	BDL	Calibration	Calibration	BDL	0.1	2.4	24.0	4.0
6/14/2018 9:00	BDL	BDL	BDL	BDL	0.1	2.9	38.0	6.0
6/14/2018 10:00	BDL	BDL	BDL	BDL	0.1	2.6	47.0	3.0
6/14/2018 11:00	BDL	BDL	BDL	BDL	0.1	2.4	33.0	3.0
6/14/2018 12:00	BDL	BDL	BDL	BDL	0.1	2.3	44.0	5.0
6/14/2018 13:00	BDL	BDL	BDL	BDL	0.1	2.6	42.0	6.0
6/14/2018 14:00	BDL	BDL	BDL	BDL	0.1	2.5	30.0	4.0
6/14/2018 15:00	BDL	BDL	BDL	BDL	0.1	2.5	27.0	3.0
6/14/2018 16:00	BDL	BDL	BDL	BDL	0.1	2.3	23.0	4.0
6/14/2018 17:00	BDL	BDL	BDL	BDL	0.1	2.5	24.0	3.0
6/14/2018 18:00	BDL	BDL	BDL	BDL	0.1	2.3	26.0	3.0
6/14/2018 19:00	BDL	BDL	BDL	BDL	0.1	2.2	19.0	5.0
6/14/2018 20:00	BDL	BDL	BDL	BDL	0.1	2.5	17.0	4.0
6/14/2018 21:00	BDL	BDL	BDL	BDL	0.2	4.1	19.0	6.0
6/14/2018 22:00	BDL	BDL	BDL	BDL	0.2	2.9	17.0	8.0
6/14/2018 23:00	BDL	BDL	BDL	BDL	0.2	2.7	20.0	10.0
6/15/2018 0:00	BDL	BDL	BDL	BDL	0.2	2.7	17.0	6.0
6/15/2018 1:00	Calibration	Calibration	Calibration	1.2	0.2	2.6	24.0	5.0
6/15/2018 2:00	BDL	Calibration	Calibration	3.4	0.2	2.4	12.0	4.0
6/15/2018 3:00	BDL	BDL	BDL	Calibration	0.1	2.6	20.0	8.0
6/15/2018 4:00	BDL	BDL	BDL	BDL	0.1	2.9	23.0	9.0
6/15/2018 5:00	BDL	BDL	BDL	1.3	0.2	2.9	19.0	8.0
6/15/2018 6:00	BDL	Calibration	Calibration	7.4	0.2	2.7	25.0	10.0
6/15/2018 7:00	BDL	Calibration	Calibration	1.6	0.1	2.4	30.0	11.0
6/15/2018 8:00	BDL	BDL	BDL	BDL	0.1	2.3	17.0	5.0
6/15/2018 9:00	BDL	BDL	BDL	BDL	0.1	2.3	20.0	6.0
6/15/2018 10:00	BDL	BDL	BDL	BDL	0.1	2.3	37.0	3.0
6/15/2018 11:00	BDL	BDL	BDL	BDL	0.1	2.3	18.0	3.0
6/15/2018 12:00	BDL	BDL	BDL	BDL	0.1	2.3	19.0	5.0
6/15/2018 13:00	BDL	BDL	BDL	BDL	0.1	2.0	22.0	4.0
6/15/2018 14:00	BDL	BDL	BDL	BDL	0.1	2.2	13.0	4.0
6/15/2018 15:00	BDL	BDL	BDL	BDL	0.1	2.1	16.0	5.0
6/15/2018 16:00	BDL	BDL	BDL	BDL	0.1	2.2	16.0	6.0
6/15/2018 17:00	BDL	BDL	BDL	BDL	0.1	2.4	15.0	4.0
6/15/2018 18:00	BDL	BDL	BDL	BDL	0.1			

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	H2S PPB	TRG PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m ³	PM2.5 µg/m ³
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m ³	1.0 µg/m ³
See Downwind Weekly 6/17/2018-6/23/2018							
6/17/2018 0:00	BDL	1.1	1.6	15.7	0.4	2.7	7.0
6/17/2018 1:00	BDL	Calibration	Calibration	13.8	0.4	2.7	8.0
6/17/2018 2:00	BDL	Calibration	Calibration	15.2	0.3	2.8	17.0
6/17/2018 3:00	Calibration	1.7	2.2	Calibration	Calibration	3.1	27.0
6/17/2018 4:00	BDL	1.8	2.4	10.1	0.4	2.4	21.0
6/17/2018 5:00	BDL	1.8	2.6	9.4	0.6	3.2	25.0
6/17/2018 6:00	BDL	Calibration	Calibration	23.7	0.5	2.9	30.0
6/17/2018 7:00	0.6	0.7	0.8	25.5	0.4	2.8	27.0
6/17/2018 8:00	0.7	0.7	0.9	14.9	0.3	2.8	28.0
6/17/2018 9:00	1.0	1.1	1.5	23.2	0.4	2.9	28.0
6/17/2018 10:00	2.8	1.1	1.3	31.7	0.4	2.6	23.0
6/17/2018 11:00	1.6	BDL	BDL	BDL	0.2	2.1	21.0
6/17/2018 12:00	0.9	BDL	BDL	BDL	0.2	2.1	17.0
6/17/2018 13:00	0.7	BDL	BDL	BDL	0.2	2.1	31.0
6/17/2018 14:00	0.7	BDL	BDL	BDL	0.2	2.1	17.0
6/17/2018 15:00	1.3	BDL	BDL	BDL	0.2	2.3	19.0
6/17/2018 16:00	1.5	BDL	BDL	BDL	0.2	2.2	9.0
6/17/2018 17:00	1.8	BDL	BDL	3.5	0.2	2.3	15.0
6/17/2018 18:00	2.2	BDL	BDL	0.3	0.2	2.4	14.0
6/17/2018 19:00	2.1	BDL	BDL	0.9	0.2	2.3	8.0
6/17/2018 20:00	0.5	BDL	0.9	BDL	0.2	2.4	10.0
6/17/2018 21:00	BDL	0.7	0.5	BDL	0.2	2.4	10.0
6/17/2018 22:00	BDL	0.6	0.6	BDL	0.2	2.3	11.0
6/17/2018 23:00	BDL	0.7	0.7	BDL	0.3	2.4	8.0
6/18/2018 0:00	BDL	0.9	0.9	6.4	0.3	2.2	5.0
6/18/2018 1:00	BDL	Calibration	Calibration	5.2	0.3	2.2	5.0
6/18/2018 2:00	BDL	Calibration	Calibration	16.0	0.2	2.1	5.0
6/18/2018 3:00	Calibration	1.0	1.7	Calibration	Calibration	2.3	3.0
6/18/2018 4:00	BDL	1.1	1.9	BDL	0.2	2.3	3.0
6/18/2018 5:00	BDL	Calibration	Calibration	4.5	0.2	2.9	11.0
6/18/2018 6:00	0.7	Calibration	Calibration	26.7	0.4	2.6	5.0
6/18/2018 7:00	BDL	1.1	1.4	7.0	0.3	2.3	7.0
6/18/2018 8:00	0.5	0.9	1.3	19.8	0.3	2.9	11.0
6/18/2018 9:00	0.5	0.1	0.5	14.1	0.3	2.3	12.0
6/18/2018 10:00	2.1	BDL	0.7	6.0	0.3	2.6	13.0
6/18/2018 11:00	1.8	BDL	0.5	1.7	0.3	2.5	57.0
6/18/2018 12:00	1.1	BDL	0.4	BDL	0.3	2.7	16.0
6/18/2018 13:00	0.8	BDL	0.2	BDL	0.2	2.6	11.0
6/18/2018 14:00	0.9	BDL	0.4	BDL	0.2	2.5	14.0
6/18/2018 15:00	1.0	BDL	0.5	BDL	0.2	2.5	15.0
6/18/2018 16:00	0.8	BDL	0.8	BDL	0.3	2.5	19.0
6/18/2018 17:00	0.5	BDL	0.6	BDL	0.3	2.5	9.0
6/18/2018 18:00	0.4	BDL	0.5	BDL	0.3	2.5	16.0
6/18/2018 19:00	BDL	0.9	0.9	BDL	0.3	2.5	14.0
6/18/2018 20:00	BDL	0.5	1.5	BDL	0.3	2.5	9.0
6/18/2018 21:00	BDL	BDL	0.8	BDL	0.3	2.2	14.0
6/18/2018 22:00	BDL	BDL	0.8	BDL	0.3	2.6	11.0
6/18/2018 23:00	BDL	1.0	1.0	4.2	0.3	2.7	11.0
6/19/2018 0:00	BDL	BDL	1.1	2.6	0.3	2.6	12.0
6/19/2018 1:00	BDL	Calibration	Calibration	1.2	0.3	2.7	12.0
6/19/2018 2:00	BDL	Calibration	Calibration	0.4	0.3	2.7	23.0
6/19/2018 3:00	Calibration	BDL	0.8	Calibration	Calibration	2.5	21.0
6/19/2018 4:00	BDL	0.4	0.6	BDL	0.2	2.4	22.0
6/19/2018 5:00	BDL	Calibration	Calibration	BDL	0.2	2.4	22.0
6/19/2018 6:00	BDL	Calibration	Calibration	BDL	0.2	2.3	29.0
6/19/2018 7:00	BDL	BDL	0.7	BDL	0.2	2.4	31.0
6/19/2018 8:00	BDL	BDL	0.7	BDL	0.2	2.3	23.0
6/19/2018 9:00	BDL	BDL	0.8	BDL	0.2	2.4	46.0
6/19/2018 10:00	BDL	BDL	0.7	BDL	0.2	2.4	23.0
6/19/2018 11:00	BDL	BDL	0.5	BDL	0.2	2.4	23.0
6/19/2018 12:00	BDL	BDL	0.7	BDL	0.2	2.5	22.0
6/19/2018 13:00	BDL	BDL	0.5	BDL	0.2	2.3	17.0
6/19/2018 14:00	BDL	BDL	0.6	BDL	0.2	2.3	17.0
6/19/2018 15:00	BDL	BDL	0.4	BDL	0.2	2.2	25.0
6/19/2018 16:00	BDL	BDL	0.4	BDL	0.2	2.1	19.0
6/19/2018 17:00	BDL	BDL	BDL	BDL	0.2	2.1	19.0
6/19/2018 18:00	BDL	BDL	BDL	BDL	0.2	2.2	19.0
6/19/2018 19:00	BDL	BDL	BDL	BDL	0.2	2.2	4.0
6/19/2018 20:00	BDL	BDL	BDL	BDL	0.2	2.1	20.0
6/19/2018 21:00	BDL	BDL	BDL	BDL	0.2	2.4	20.0
6/19/2018 22:00	BDL	BDL	0.4	BDL	0.2	2.2	17.0
6/19/2018 23:00	BDL	BDL	0.4	2.3	0.3	2.3	16.0
6/20/2018 0:00	BDL	BDL	BDL	2.1	0.2	2.2	13.0
6/20/2018 1:00	BDL	Calibration	Calibration	4.2	0.2	2.8	19.0
6/20/2018 2:00	BDL	Calibration	Calibration	1.7	0.2	2.7	20.0
6/20/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.4	20.0
6/20/2018 4:00	BDL	0.4	0.4	4.8	0.3	2.4	16.0
6/20/2018 5:00	BDL	Calibration	Calibration	11.0	0.3	2.2	22.0
6/20/2018 6:00	BDL	Calibration	Calibration	16.4	0.3	2.2	20.0
6/20/2018 7:00	BDL	Calibration	Calibration	15.5	0.3	2.2	19.0
6/20/2018 8:00	BDL	Calibration	Calibration	14.5	0.3	2.1	23.0
6/20/2018 9:00	0.5	Too few samples	Too few samples	0.5	1.1	2.0	25.0
6/20/2018 10:00	BDL	0.6	0.6	2.3	0.3	2.0	23.0
6/20/2018 11:00	BDL	0.6	BDL	0.3	0.3	2.0	24.0
6/20/2018 12:00	BDL	0.5	BDL	BDL	0.3	2.1	23.0
6/20/2018 13:00	Too few samples	BDL	0.5	BDL	0.3	2.1	27.0
6/20/2018 14:00	Audit	BDL	0.5	BDL	0.2	2.7	34.0
6/20/2018 15:00	BDL	BDL	0.8	Audit	0.3	2.6	26.0
6/20/2018 16:00	BDL	BDL	0.7	Audit	0.3	2.6	25.0
6/20/2018 17:00	0.8	BDL	0.8	Audit	0.2	2.6	21.0
6/20/2018 18:00	0.8	BDL	0.9	Audit	0.2	2.7	25.0
6/20/2018 19:00	0.4	BDL	0.9	Audit	0.3	2.4	30.0
6/20/2018 20:00	BDL	BDL	0.9	Audit	0.3	2.5	21.0
6/20/2018 21:00	BDL	BDL	0.7	Audit	0.3	2.3	18.0
6/20/2018 22:00	BDL	BDL	0.8	Audit	0.3	2.1	19.0
6/20/2018 23:00	BDL	BDL	1.1	Audit	0.3	2.4	27.0
6/21/2018 0:00	BDL	BDL	0.9	Audit	0.3	2.5	23.0
6/21/2018 1:00	BDL	Calibration	Calibration	Audit	0.3	2.5	26.0
6/21/2018 2:00	BDL	Calibration	Calibration	Audit	0.3	2.8	22.0
6/21/2018 3:00	Calibration	BDL	0.8	Audit	0.3	2.4	24.0
6/21/2018 4:00	BDL	0.6	0.6	Audit	0.3	2.8	22.0
6/21/2018 5:00	BDL	0.6	0.6	Audit	0.3	2.0	17.0
6/21/2018 6:00	BDL	Calibration	Calibration	Audit	0.4	2.0	22.0
6/21/2018 7:00	BDL	Calibration	Calibration	Audit	0.3	2.0	25.0
6/21/2018 8:00	BDL	Calibration	Calibration	Audit	0.3	2.0	24.0
6/21/2018 9:00	BDL	Audit	4.2	0.3	2.1	38.0	6.0
6/21/2018 10:00	BDL	BDL	0.4	0.3	2.1	47.0	3.0
6/21/2018 11:00	BDL	0.5	1.5	0.3	2.1	33.0	3.0
6/21/2018 12:00	BDL	0.5	BDL	0.3	2.0	44.0	5.0
6/21/2018 13:00	BDL	0.5	2.5	0.3	2.0	42.0	6.0
6/21/2018 14:00	BDL	0.5	1.1	0.3	2.1	30.0	4.0
6/21/2018 15:00	BDL	0.8	BDL	0.3	2.1	27.0	3.0
6/21/2018 16:00	BDL	0.6	2.2	0.3	2.1	23.0	4.0
6/21/2018 17:00	BDL	0.7	0.5	0.3	2.0	24.0	3.0
6/21/2018 18:00	BDL	0.5	BDL	0.2	2.0	26.0	3.0
6/21/2018 19:00	BDL	0.4	BDL	0.2	2.0	19.0	5.0
6/21/2018 20:00	BDL	0.5	4.8	0.4	2.1	17.0	4.0
6/21/2018 21:00	BDL	0.8	11.8	0.4	2.1	19.0	6.0
6/21/2018 22:00	BDL	0.9	19.7	0.4	2.2	17.0	8.0
6/21/2018 23:00	BDL	1.2	8.5	0.4	2.2	20.0	10.0
6/22/2018 0:00	BDL	1.2	9.6	0.6	0.3	2.3	17.0
6/22/2018 1:00	Calibration	Calibration	Calibration	8.5	0.4	2.8	24.0
6/22/2018 2:00	BDL	Calibration	Calibration	4.8	0.3	2.2	12.0
6/22/2018 3:00	Calibration	1.8	2.4	Calibration	Calibration	2.1	20.0
6/22/2018 4:00	BDL	1.4	2.3	8.3	0.3	2.3	9.0
6/22/2018 5:00	BDL	0.8	7.1	0.3	0.3	2.0	19.0
6/22/2018 6:00	BDL	Too few samples	10.6	0.3	0.3	2.0	25.0
6/22/2018 7:00	BDL	Calibration	Calibration	2.1	0.2	2.0	30.0
6/22/2018 8:00	BDL	0.4	2.6	0.2	1.9	17.0	11.0
6/22/2018 9:00	BDL	0.6	3.7	0.2	1.9	20.0	BDL
6/22/2018 10:00	BDL	0.5	BDL	0.2	1.9	37.0	3.0
6/22/2018 11:00	BDL	0.4	8.1	0.2	1.9	18.0	3.0
6/22/2018 12:00	BDL	0.4	0.6	0.2	1.9	19.0	5.0
6/22/2018 13:00	BDL	0.4	BDL	0.2	1.9	22.0	4.0
6/22/2018 14:00							

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	H2S PPB	TRG PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m ³	PM2.5 µg/m ³
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m ³	1.0 µg/m ³
See Downwind Weekly 6/24/2018-6/30/2018							
6/24/2018 0:00	BDL	0.9	0.5	0.3	1.9	23.0	14.0
6/24/2018 1:00	BDL	Calibration	BDL	0.3	1.9	18.0	22.0
6/24/2018 2:00	BDL	Calibration	BDL	0.3	1.9	16.0	14.0
6/24/2018 3:00	Calibration	BDL	0.9	Calibration	2.2	16.0	12.0
6/24/2018 4:00	BDL	1.0	1.0	1.0	2.4	20.0	13.0
6/24/2018 5:00	BDL	0.4	3.6	0.3	3.4	27.0	16.0
6/24/2018 6:00	BDL	1.3	1.3	0.3	3.2	18.0	11.0
6/24/2018 7:00	0.4	1.3	1.3	0.3	3.0	25.0	15.0
6/24/2018 8:00	Calibration	BDL	Calibration	2.5	2.5	17.0	10.0
6/24/2018 9:00	BDL	0.9	9.5	0.3	2.3	15.0	13.0
6/24/2018 10:00	BDL	Calibration	4.4	0.2	Too few samples	20.0	7.0
6/24/2018 11:00	0.5	BDL	0.2	0.2	2.2	17.0	10.0
6/24/2018 12:00	0.9	1.2	BDL	0.2	2.3	13.0	8.0
6/24/2018 13:00	1.0	BDL	1.2	0.2	2.2	16.0	10.0
6/24/2018 14:00	0.9	BDL	1.0	0.2	2.6	13.0	7.0
6/24/2018 15:00	0.8	BDL	0.9	0.2	2.2	19.0	10.0
6/24/2018 16:00	0.8	BDL	0.8	0.2	2.3	20.0	13.0
6/24/2018 17:00	1.2	BDL	0.9	0.2	2.4	19.0	12.0
6/24/2018 18:00	1.0	BDL	0.8	0.2	2.4	19.0	9.0
6/24/2018 19:00	0.9	BDL	2.4	0.2	2.5	23.0	12.0
6/24/2018 20:00	0.6	BDL	0.9	0.2	2.9	10.0	7.0
6/24/2018 21:00	BDL	0.9	3.4	0.2	2.2	10.0	8.0
6/24/2018 22:00	BDL	0.9	BDL	0.2	2.4	13.0	5.0
6/24/2018 23:00	BDL	0.9	BDL	0.2	3.3	12.0	3.0
6/25/2018 0:00	BDL	0.8	BDL	0.1	2.8	6.0	3.0
6/25/2018 1:00	BDL	Calibration	BDL	0.2	2.6	6.0	5.0
6/25/2018 2:00	BDL	Calibration	BDL	0.2	3.1	10.0	6.0
6/25/2018 3:00	Calibration	BDL	Calibration	2.7	2.7	9.0	6.0
6/25/2018 4:00	BDL	0.8	BDL	0.2	4.1	12.0	5.0
6/25/2018 5:00	BDL	0.7	BDL	0.1	3.5	7.0	4.0
6/25/2018 6:00	BDL	0.6	BDL	0.1	3.3	6.0	2.0
6/25/2018 7:00	BDL	0.5	BDL	0.1	2.8	9.0	BDL
6/25/2018 8:00	BDL	0.6	BDL	0.1	2.4	14.0	4.0
6/25/2018 9:00	BDL	0.6	BDL	0.1	2.5	10.0	8.0
6/25/2018 10:00	BDL	0.6	BDL	0.1	2.7	14.0	10.0
6/25/2018 11:00	BDL	0.5	BDL	0.1	2.8	15.0	7.0
6/25/2018 12:00	BDL	0.4	BDL	0.1	3.0	17.0	6.0
6/25/2018 13:00	BDL	0.5	BDL	0.1	2.8	18.0	4.0
6/25/2018 14:00	BDL	0.5	BDL	0.1	2.8	16.0	4.0
6/25/2018 15:00	BDL	0.4	BDL	0.1	2.9	13.0	4.0
6/25/2018 16:00	BDL	0.4	BDL	0.1	2.5	16.0	6.0
6/25/2018 17:00	BDL	0.4	BDL	0.1	2.5	14.0	5.0
6/25/2018 18:00	BDL	BDL	BDL	0.1	2.5	22.0	5.0
6/25/2018 19:00	BDL	BDL	BDL	0.1	2.9	13.0	7.0
6/25/2018 20:00	BDL	BDL	BDL	0.1	2.3	13.0	6.0
6/25/2018 21:00	BDL	BDL	BDL	0.2	2.3	13.0	10.0
6/25/2018 22:00	BDL	BDL	BDL	0.1	2.2	11.0	9.0
6/25/2018 23:00	BDL	BDL	BDL	0.1	2.2	11.0	6.0
6/26/2018 0:00	BDL	BDL	1.9	0.1	2.2	11.0	5.0
6/26/2018 1:00	Calibration	Calibration	2.2	0.1	2.2	12.0	5.0
6/26/2018 2:00	BDL	Calibration	4.5	0.1	2.2	9.0	5.0
6/26/2018 3:00	Calibration	BDL	BDL	Calibration	2.3	12.0	8.0
6/26/2018 4:00	BDL	BDL	BDL	0.1	9.0	9.0	7.0
6/26/2018 5:00	BDL	BDL	5.4	0.2	2.2	15.0	6.0
6/26/2018 6:00	BDL	0.5	16.0	0.2	2.2	19.0	6.0
6/26/2018 7:00	Audit	Audit	19.4	0.2	2.3	30.0	7.0
6/26/2018 8:00	Calibration	Too few samples	Calibration	Calibration	2.4	3.0	8.0
6/26/2018 9:00	BDL	1.1	1.0	0.2	2.4	24.0	7.0
6/26/2018 10:00	BDL	0.4	0.7	10.0	0.2	2.2	31.0
6/26/2018 11:00	BDL	BDL	0.4	BDL	0.1	2.1	19.0
6/26/2018 12:00	BDL	BDL	BDL	0.1	2.5	18.0	10.0
6/26/2018 13:00	BDL	BDL	BDL	0.1	2.3	18.0	8.0
6/26/2018 14:00	BDL	BDL	BDL	0.1	2.9	22.0	8.0
6/26/2018 15:00	BDL	0.5	BDL	0.1	2.4	26.0	11.0
6/26/2018 16:00	BDL	0.5	BDL	0.1	2.1	21.0	8.0
6/26/2018 17:00	BDL	0.5	BDL	0.1	2.1	15.0	7.0
6/26/2018 18:00	BDL	0.4	BDL	0.1	2.2	15.0	10.0
6/26/2018 19:00	BDL	0.4	BDL	0.1	2.3	16.0	9.0
6/26/2018 20:00	BDL	0.5	BDL	0.1	2.3	15.0	6.0
6/26/2018 21:00	BDL	0.5	BDL	0.1	2.1	14.0	4.0
6/26/2018 22:00	BDL	0.6	1.8	0.2	2.2	16.0	4.0
6/26/2018 23:00	BDL	0.6	BDL	0.1	2.1	13.0	6.0
6/27/2018 0:00	BDL	0.7	BDL	0.1	2.2	20.0	6.0
6/27/2018 1:00	Calibration	Calibration	0.6	0.1	2.1	13.0	4.0
6/27/2018 2:00	BDL	Calibration	BDL	0.1	2.0	19.0	5.0
6/27/2018 3:00	Calibration	BDL	Calibration	Calibration	2.1	16.0	6.0
6/27/2018 4:00	BDL	0.8	BDL	0.2	BDL	16.0	4.0
6/27/2018 5:00	BDL	0.9	3.3	0.2	2.1	21.0	2.0
6/27/2018 6:00	BDL	1.1	5.9	0.2	2.2	22.0	3.0
6/27/2018 7:00	BDL	1.3	5.9	0.2	2.1	18.0	5.0
6/27/2018 8:00	BDL	1.2	5.8	0.2	2.1	38.0	6.0
6/27/2018 9:00	BDL	1.1	2.5	0.2	2.1	27.0	4.0
6/27/2018 10:00	BDL	1.0	2.0	0.1	2.0	24.0	5.0
6/27/2018 11:00	BDL	0.8	3.8	0.2	2.0	33.0	7.0
6/27/2018 12:00	BDL	0.7	BDL	0.2	2.0	15.0	4.0
6/27/2018 13:00	BDL	0.7	BDL	0.1	2.1	23.0	5.0
6/27/2018 14:00	BDL	0.7	BDL	0.2	2.0	27.0	7.0
6/27/2018 15:00	BDL	0.8	1.9	0.2	2.0	26.0	5.0
6/27/2018 16:00	BDL	0.9	BDL	0.2	2.0	26.0	7.0
6/27/2018 17:00	BDL	1.1	BDL	0.1	2.1	24.0	5.0
6/27/2018 18:00	BDL	1.1	BDL	0.1	2.1	25.0	3.0
6/27/2018 19:00	BDL	1.1	BDL	0.2	2.1	22.0	7.0
6/27/2018 20:00	BDL	1.2	BDL	0.2	2.0	27.0	8.0
6/27/2018 21:00	BDL	0.9	BDL	0.2	2.0	25.0	6.0
6/27/2018 22:00	BDL	0.9	BDL	0.2	2.0	17.0	5.0
6/27/2018 23:00	BDL	0.9	BDL	0.1	2.0	23.0	6.0
6/28/2018 0:00	BDL	0.8	BDL	0.1	2.3	23.0	5.0
6/28/2018 1:00	Calibration	Calibration	BDL	0.1	2.2	23.0	2.0
6/28/2018 2:00	BDL	Calibration	BDL	0.2	2.0	22.0	3.0
6/28/2018 3:00	Calibration	BDL	Calibration	Calibration	2.0	26.0	3.0
6/28/2018 4:00	BDL	1.5	BDL	0.2	BDL	27.0	3.0
6/28/2018 5:00	BDL	0.4	1.7	0.2	2.1	21.0	5.0
6/28/2018 6:00	BDL	0.9	2.0	0.8	2.0	27.0	8.0
6/28/2018 7:00	BDL	1.1	2.2	0.5	2.5	26.0	7.0
6/28/2018 8:00	BDL	0.9	1.9	0.3	2.5	37.0	7.0
6/28/2018 9:00	BDL	0.6	1.8	0.3	2.4	27.0	9.0
6/28/2018 10:00	BDL	0.5	1.8	0.3	2.1	21.0	8.0
6/28/2018 11:00	BDL	0.4	1.5	0.2	2.1	21.0	7.0
6/28/2018 12:00	BDL	1.3	1.4	0.2	2.4	18.0	8.0
6/28/2018 13:00	BDL	1.2	1.2	0.2	2.4	24.0	6.0
6/28/2018 14:00	BDL	1.3	2.4	0.2	2.2	18.0	5.0
6/28/2018 15:00	BDL	1.2	3.1	0.2	2.3	27.0	4.0
6/28/2018 16:00	BDL	1.1	2.9	0.2	2.3	24.0	6.0
6/28/2018 17:00	0.6	BDL	0.5	0.2	2.3	19.0	6.0
6/28/2018 18:00	0.5	BDL	1.0	0.2	2.2	21.0	6.0
6/28/2018 19:00	BDL	1.1	BDL	0.2	2.6	9.0	6.0
6/28/2018 20:00	BDL	1.0	BDL	0.2	3.0	17.0	1.0
6/28/2018 21:00	BDL	0.9	BDL	0.2	4.0	16.0	BDL
6/28/2018 22:00	BDL	1.0	BDL	0.2	3.7	17.0	5.0
6/28/2018 23:00	BDL	1.0	BDL	0.2	3.1	10.0	BDL
6/29/2018 0:00	BDL	1.2	BDL	0.2	5.0	12.0	5.0
6/29/2018 1:00	Calibration	Calibration	2.3	0.2	5.0	13.0	5.0
6/29/2018 2:00	BDL	Calibration	0.6	0.3	2.9	10.0	4.0
6/29/2018 3:00	Calibration	BDL	Calibration	Calibration	4.4	14.0	3.0
6/29/2018 4:00	BDL	1.1	1.7	0.3	7.2	16.0	2.0
6/29/2018 5:00	BDL	1.2	10.8	0.3	5.7	15.0	4.0
6/29/2018 6:00	BDL	1.1	9.7	0.3	3.0	20.0	7.0
6/29/2018 7:00	BDL	1.0	4.9	0.2	2.7	17.0	9.0
6/29/2018 8:00	BDL	0.9	0.6	0.2	2.7	22.0	7.0
6/29/2018 9:00	BDL	0.9	0.9	0.2	3.5	18.0	7.0
6/29/2018 10:00	BDL	1.1	7.2	0.2	3.0	24.0	11.0
6/29/2018 11:00	BDL	0.9	BDL	0.2	3.1	22.0	9.0
6/29/2018 12:00	BDL	0.8	BDL	0.2	3.6	17.0	9.0
6/29/2018 13:00	BDL	0.8	BDL	0.1	2.9	23.0	11.0
6/29/2018 14:00	0.5	BDL	0.8	0.1	3.1	27.0	11.0
6/29/2018 15:00	BDL	0.8	BDL	0.1	2.9	25.0	9.0
6/29/2018 16:00	BDL	0.7	BDL	0.1	2.5	18.0	8.0
6/29/2018 17:00	BDL	0.7	BDL	0.1	3.0	21.0	11.0
6/29/2018 18:00	BDL	0.7	BDL	0.1	2.9	23.0	8.0
6/29/2018 19:00	BDL	0.7	BDL	0.2	2.9	21.0	9.0
6/29/2018 20:00	BDL	0.7	BDL	0.2	2.9	21.0	9.0
6/29/2018 21:00	BDL	0.8	BDL	0.2	5.2	26.0	8.0
6/29/2018 22:00	BDL	0.8	3.7	0.2	4.9	32.0	12.0
6/29/2018 23:00	BDL	0.9	5.4	0.3	4.4	30.0	10.0
6/30/2018 0:00	BDL	0.9	6.6	0.3	3.6	20.0	12.0
6/30/2018 1:00	Calibration	Calibration	12.7	0.5	4.6	25.0	13.0
6/30/2018 2:00	BDL	Calibration	18.3	0.6	4.4	35.0	16.0
6/30/2018 3:00	Calibration	1.8	2.7	Calibration	4.6	26.0	15.0
6/30/2018 4:00	BDL	1.0	1.7	0.6	3.6	28.0	14.0
6/30/2018 5:00	0.4	1.0	41.6	0.4	3.9	27.0	

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	SQ2 PP8 0.4 ppb	H2S PP8 0.4 ppb	TMS PP8 0.4 ppb	NOx PP8 0.4 ppb	CO PPM 40.0 ppb	VOC PPM 10.0 ppb	PM10 µg/m3 1.0 µg/m3	PM2.5 µg/m3 1.0 µg/m3
7/1/2018 0:00	0.6	0.8	1.9	7.6	0.3	2.6	29.0	17.0
7/1/2018 1:00	0.6	Calibration	Calibration	5.2	0.3	2.6	27.0	20.0
7/1/2018 2:00	0.8	Calibration	Calibration	7.1	0.4	3.0	35.0	22.0
7/1/2018 3:00	Calibration	1.2	2.1	4.3	Calibration	4.4	35.0	23.0
7/1/2018 4:00	1.3	2.1	4.5	4.3	0.3	3.1	38.0	25.0
7/1/2018 5:00	BDL	0.7	1.7	4.3	0.3	3.1	27.0	22.0
7/1/2018 6:00	BDL	Too few samples	Too few samples	BDL	0.2	3.8	32.0	19.0
7/1/2018 7:00	BDL	Calibration	Calibration	0.2	0.2	3.5	26.0	18.0
7/1/2018 8:00	BDL	0.8	0.8	BDL	0.2	2.9	30.0	10.0
7/1/2018 9:00	BDL	BDL	BDL	BDL	0.2	3.5	23.0	18.0
7/1/2018 10:00	BDL	BDL	BDL	BDL	0.2	4.0	24.0	16.0
7/1/2018 11:00	BDL	BDL	BDL	BDL	0.2	2.7	15.0	15.0
7/1/2018 12:00	BDL	0.8	0.8	BDL	0.2	2.7	25.0	9.0
7/1/2018 13:00	0.8	BDL	BDL	BDL	0.2	2.4	30.0	17.0
7/1/2018 14:00	0.7	BDL	0.8	BDL	0.2	2.2	25.0	10.0
7/1/2018 15:00	1.2	BDL	0.9	BDL	0.2	2.4	27.0	19.0
7/1/2018 16:00	1.3	BDL	1.1	BDL	0.2	1.4	28.0	17.0
7/1/2018 17:00	1.1	BDL	0.9	BDL	0.2	2.4	21.0	14.0
7/1/2018 18:00	BDL	BDL	0.9	BDL	0.2	BDL	22.0	14.0
7/1/2018 19:00	BDL	BDL	1.2	BDL	0.2	2.2	36.0	17.0
7/1/2018 20:00	BDL	0.6	1.6	BDL	0.3	2.3	34.0	19.0
7/1/2018 21:00	BDL	1.1	2.2	BDL	0.2	2.5	40.0	23.0
7/1/2018 22:00	BDL	1.2	2.4	2.9	0.3	2.7	37.0	21.0
7/1/2018 23:00	BDL	0.5	1.7	3.4	0.4	2.8	35.0	19.0
7/2/2018 0:00	0.6	0.9	1.9	14.9	0.4	2.8	30.0	15.0
7/2/2018 1:00	0.4	Calibration	Calibration	11.1	0.4	3.1	30.0	15.0
7/2/2018 2:00	BDL	Calibration	Calibration	6.7	0.4	3.1	32.0	19.0
7/2/2018 3:00	Calibration	1.0	1.7	2.0	0.3	3.3	33.0	20.0
7/2/2018 4:00	BDL	0.6	1.7	2.0	0.3	3.3	30.0	20.0
7/2/2018 5:00	BDL	1.8	2.6	33.4	0.5	2.9	40.0	21.0
7/2/2018 6:00	BDL	1.9	2.0	29.0	0.4	2.4	36.0	23.0
7/2/2018 7:00	BDL	1.9	2.0	24.8	0.4	2.9	31.0	25.0
7/2/2018 8:00	BDL	1.1	1.7	23.6	0.4	2.9	51.0	25.0
7/2/2018 9:00	BDL	Too few samples	Too few samples	31.0	0.4	2.6	55.0	27.0
7/2/2018 10:00	BDL	Calibration	Calibration	24.8	0.4	2.7	52.0	26.0
7/2/2018 11:00	BDL	0.7	1.2	7.4	0.3	2.3	49.0	20.0
7/2/2018 12:00	BDL	BDL	1.3	BDL	0.2	2.3	35.0	18.0
7/2/2018 13:00	BDL	BDL	1.1	BDL	0.2	2.7	27.0	23.0
7/2/2018 14:00	BDL	BDL	1.2	BDL	0.2	2.8	35.0	23.0
7/2/2018 15:00	BDL	BDL	1.2	BDL	0.2	2.2	35.0	22.0
7/2/2018 16:00	BDL	BDL	1.1	BDL	0.2	2.0	36.0	17.0
7/2/2018 17:00	BDL	BDL	1.1	BDL	0.2	2.2	30.0	18.0
7/2/2018 18:00	BDL	BDL	1.2	BDL	0.2	2.3	27.0	18.0
7/2/2018 19:00	BDL	BDL	1.4	BDL	0.2	2.5	40.0	19.0
7/2/2018 20:00	BDL	1.0	2.2	BDL	0.2	2.4	33.0	19.0
7/2/2018 21:00	BDL	0.8	2.1	BDL	0.2	2.2	32.0	18.0
7/2/2018 22:00	BDL	0.8	1.9	BDL	0.2	2.2	28.0	20.0
7/2/2018 23:00	BDL	0.8	1.7	0.4	0.3	2.3	28.0	17.0
7/3/2018 0:00	BDL	0.8	1.7	4.7	0.3	2.3	29.0	14.0
7/3/2018 1:00	BDL	Calibration	Calibration	12.8	0.3	2.3	32.0	22.0
7/3/2018 2:00	BDL	Calibration	Calibration	12.3	0.3	2.6	34.0	23.0
7/3/2018 3:00	Calibration	1.4	2.1	2.1	Calibration	2.5	29.0	22.0
7/3/2018 4:00	BDL	1.6	2.6	5.1	0.3	2.9	36.0	17.0
7/3/2018 5:00	BDL	1.9	2.8	6.8	0.3	2.6	36.0	17.0
7/3/2018 6:00	BDL	2.0	2.8	8.7	0.3	2.8	39.0	20.0
7/3/2018 7:00	BDL	1.8	2.8	9.2	0.3	2.5	35.0	23.0
7/3/2018 8:00	BDL	2.2	3.1	17.5	0.3	3.0	60.0	24.0
7/3/2018 9:00	BDL	2.4	3.1	22.8	0.3	2.4	59.0	31.0
7/3/2018 10:00	BDL	1.2	2.1	6.5	0.2	2.3	43.0	28.0
7/3/2018 11:00	BDL	0.7	1.6	BDL	0.2	2.2	42.0	18.0
7/3/2018 12:00	BDL	0.5	1.5	2.5	0.3	2.1	39.0	25.0
7/3/2018 13:00	BDL	BDL	1.4	BDL	0.2	3.0	50.0	28.0
7/3/2018 14:00	BDL	1.5	BDL	BDL	0.2	2.3	41.0	22.0
7/3/2018 15:00	BDL	BDL	1.2	BDL	0.2	3.3	38.0	26.0
7/3/2018 16:00	BDL	BDL	1.7	BDL	0.3	2.1	39.0	23.0
7/3/2018 17:00	BDL	BDL	1.6	2.4	0.2	2.1	52.0	22.0
7/3/2018 18:00	BDL	BDL	1.2	1.4	0.2	1.3	27.0	17.0
7/3/2018 19:00	BDL	BDL	1.4	3.0	0.2	2.2	26.0	12.0
7/3/2018 20:00	BDL	0.3	1.8	2.4	0.3	2.6	20.0	18.0
7/3/2018 21:00	BDL	0.8	1.7	18.3	0.4	2.6	38.0	17.0
7/3/2018 22:00	BDL	0.8	1.8	15.9	0.4	2.6	23.0	17.0
7/3/2018 23:00	BDL	1.1	2.4	17.0	0.4	2.2	32.0	17.0
7/4/2018 0:00	BDL	1.0	2.0	24.0	0.4	2.3	27.0	20.0
7/4/2018 1:00	BDL	Calibration	Calibration	21.8	0.3	2.3	26.0	10.0
7/4/2018 2:00	BDL	Calibration	Calibration	9.0	0.4	2.2	31.0	16.0
7/4/2018 3:00	Calibration	0.7	1.8	Calibration	0.2	2.2	24.0	14.0
7/4/2018 4:00	BDL	0.8	1.7	4.5	Calibration	2.2	30.0	13.0
7/4/2018 5:00	0.4	0.9	1.8	7.7	0.4	2.3	29.0	12.0
7/4/2018 6:00	0.7	0.7	1.8	7.4	0.3	2.4	38.0	24.0
7/4/2018 7:00	BDL	Calibration	Calibration	8.2	0.3	2.2	28.0	19.0
7/4/2018 8:00	BDL	Calibration	Calibration	BDL	0.3	2.1	22.0	18.0
7/4/2018 9:00	BDL	Calibration	Calibration	1.7	0.2	2.2	24.0	16.0
7/4/2018 10:00	BDL	0.4	1.4	Calibration	0.2	2.1	23.0	16.0
7/4/2018 11:00	Calibration	BDL	1.2	4.6	0.2	2.1	23.0	16.0
7/4/2018 12:00	2.5	BDL	1.4	3.7	0.2	2.0	29.0	14.0
7/4/2018 13:00	1.2	BDL	1.3	3.9	0.2	2.0	22.0	12.0
7/4/2018 14:00	0.7	BDL	0.8	1.8	0.2	2.0	18.0	10.0
7/4/2018 15:00	0.4	BDL	1.1	2.4	0.2	2.0	21.0	12.0
7/4/2018 16:00	BDL	BDL	1.2	2.0	0.2	1.9	23.0	11.0
7/4/2018 17:00	BDL	BDL	1.1	6.4	0.1	1.9	18.0	8.0
7/4/2018 18:00	BDL	BDL	1.1	4.2	0.1	2.0	25.0	9.0
7/4/2018 19:00	BDL	BDL	1.1	5.4	0.1	2.2	17.0	6.0
7/4/2018 20:00	BDL	BDL	1.5	6.7	0.1	2.4	24.0	7.0
7/4/2018 21:00	BDL	BDL	1.5	6.8	0.1	2.2	25.0	17.0
7/4/2018 22:00	BDL	BDL	1.5	4.4	0.2	2.2	32.0	15.0
7/4/2018 23:00	BDL	0.5	1.6	5	0.2	2.4	37.0	21.0
7/5/2018 0:00	BDL	0.5	1.7	5.1	0.2	2.2	23.0	11.0
7/5/2018 1:00	BDL	Calibration	Calibration	4.2	0.2	2.1	20.0	7.0
7/5/2018 2:00	BDL	Calibration	Calibration	4.1	0.2	2.0	18.0	9.0
7/5/2018 3:00	Calibration	0.6	1.6	Calibration	0.2	2.2	17.0	7.0
7/5/2018 4:00	BDL	0.6	1.6	8.5	0.2	2.2	17.0	8.0
7/5/2018 5:00	BDL	0.6	1.6	9.5	0.2	2.2	19.0	6.0
7/5/2018 6:00	BDL	Calibration	Calibration	10.4	0.2	2.1	21.0	7.0
7/5/2018 7:00	BDL	Calibration	Calibration	10.6	0.2	2.1	16.0	6.0
7/5/2018 8:00	Calibration	0.8	1.2	Calibration	0.2	2.1	18.0	9.0
7/5/2018 9:00	Too few samples	BDL	1.3	Too few samples	0.1	2.0	18.0	6.0
7/5/2018 10:00	3.8	Audit	BDL	Audit	0.1	2.0	14.0	4.0
7/5/2018 11:00	BDL	Too few samples	BDL	0.4	0.1	2.0	17.0	3.0
7/5/2018 12:00	BDL	BDL	1.4	BDL	0.1	2.0	20.0	6.0
7/5/2018 13:00	BDL	BDL	1.3	BDL	0.1	2.0	17.0	6.0
7/5/2018 14:00	BDL	BDL	1.1	BDL	0.1	2.1	14.0	6.0
7/5/2018 15:00	BDL	BDL	1.3	BDL	0.1	2.2	21.0	5.0
7/5/2018 16:00	BDL	BDL	1.4	BDL	0.1	2.1	17.0	7.0
7/5/2018 17:00	BDL	BDL	1.2	BDL	0.1	2.0	19.0	7.0
7/5/2018 18:00	BDL	BDL	1.2	BDL	0.1	2.1	26.0	8.0
7/5/2018 19:00	BDL	BDL	1.2	BDL	0.1	2.1	18.0	6.0
7/5/2018 20:00	BDL	BDL	1.2	BDL	0.1	2.1	20.0	11.0
7/5/2018 21:00	BDL	0.4	1.5	BDL	0.1	2.1	21.0	9.0
7/5/2018 22:00	BDL	0.9	1.9	BDL	0.1	2.1	18.0	8.0
7/5/2018 23:00	BDL	1.2	2.2	BDL	0.1	2.3	21.0	8.0
7/6/2018 0:00	BDL	0.3	BDL	BDL	0.1	2.3	18.0	8.0
7/6/2018 1:00	BDL	Calibration	Calibration	BDL	0.2	2.3	15.0	6.0
7/6/2018 2:00	BDL	Calibration	Calibration	BDL	0.2	2.3	22.0	7.0
7/6/2018 3:00	Calibration	1.0	2.2	Calibration	0.2	2.3	16.0	7.0
7/6/2018 4:00	BDL	1.0	2.5	Calibration	0.1	2.1	17.0	6.0
7/6/2018 5:00	BDL	0.5	1.8	1.1	0.2	2.4	17.0	5.0
7/6/2018 6:00	BDL	Calibration	Calibration	9.0	0.2	2.4	26.0	21.0
7/6/2018 7:00	BDL	Calibration	Calibration	9.6	0.2	2.4	15.0	7.0
7/6/2018 8:00	BDL	1.0	1.8	11.1	0.1	2.3	24.0	10.0
7/6/2018 9:00	BDL	0.7	1.6	2.0	0.2	2.2	20.0	9.0
7/6/2018 10:00	BDL	BDL	1.2	BDL	0.2	2.3	27.0	10.0
7/6/2018 11:00	BDL	BDL	1.3	BDL	0.2	2.3	31.0	12.0
7/6/2018 12:00	BDL	BDL	1.3	BDL	0.2	2.5	15.0	8.0
7/6/2018 13:00	BDL	BDL	1.2	BDL	0.2	2.5	15.0	6.0
7/6/2018 14:00	BDL	BDL	1.2	BDL	0.2	2.5	18.0	12.0
7/6/2018 15:00	BDL	BDL	1.1	BDL	0.2	2.4	25.0	12.0
7/6/2018 16:00	BDL	BDL	1.2	BDL	0.2	2.4	20.0	12.0
7/6/2018 17:00	BDL	BDL	1.1	BDL	0.2	2.4	25.0	12.0
7/6/2018 18:00	BDL	BDL	1.1</					

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	H2S PPB	TMG PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m ³	PM2.5 µg/m ³
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m ³	1.0 µg/m ³
7/8/2018 0:00	BDL	0.6	11.6	0.2	2.4	16.0	9.0
7/8/2018 1:00	BDL	Calibration	15.2	0.2	2.1	20.0	7.0
7/8/2018 2:00	BDL	Calibration	11.5	0.3	2.3	18.0	7.0
7/8/2018 3:00	Calibration	0.4	0.9	Calibration	Calibration	2.8	22.0
7/8/2018 4:00	BDL	0.8	18.8	0.4	Too few samples	2.7	13.0
7/8/2018 5:00	BDL	1.0	17.6	0.3	2.3	16.0	9.0
7/8/2018 6:00	BDL	0.5	0.9	13.8	0.2	2.6	23.0
7/8/2018 7:00	BDL	Calibration	8.0	0.2	2.5	22.0	12.0
7/8/2018 8:00	BDL	Calibration	3.3	0.1	2.3	15.0	10.0
7/8/2018 9:00	BDL	0.1	4.2	0.1	2.2	12.0	11.0
7/8/2018 10:00	BDL	0.7	BDL	0.1	2.2	16.0	12.0
7/8/2018 11:00	BDL	0.6	BDL	0.1	2.1	11.0	8.0
7/8/2018 12:00	BDL	0.6	BDL	0.1	2.1	9.0	7.0
7/8/2018 13:00	BDL	0.7	BDL	0.1	2.2	12.0	6.0
7/8/2018 14:00	BDL	0.7	BDL	0.1	2.2	17.0	8.0
7/8/2018 15:00	BDL	0.7	BDL	0.1	2.1	14.0	9.0
7/8/2018 16:00	BDL	0.7	BDL	0.1	2.1	18.0	13.0
7/8/2018 17:00	BDL	0.9	BDL	0.1	2.1	18.0	12.0
7/8/2018 18:00	BDL	0.7	BDL	0.1	2.1	18.0	12.0
7/8/2018 19:00	BDL	0.8	BDL	0.1	2.1	12.0	11.0
7/8/2018 20:00	BDL	0.6	0.7	0.1	2.1	11.0	10.0
7/8/2018 21:00	BDL	0.8	1.5	0.1	2.1	15.0	11.0
7/8/2018 22:00	BDL	0.8	4.8	0.2	2.1	15.0	12.0
7/8/2018 23:00	BDL	0.7	4.3	0.1	2.1	16.0	12.0
7/9/2018 0:00	BDL	1.0	11.1	0.2	2.2	14.0	11.0
7/9/2018 1:00	BDL	Calibration	14.2	0.2	2.4	19.0	9.0
7/9/2018 2:00	BDL	Calibration	8.8	0.1	2.7	13.0	11.0
7/9/2018 3:00	Calibration	0.4	1.0	Calibration	Calibration	2.7	17.0
7/9/2018 4:00	BDL	1.0	3.3	0.1	2.9	11.0	8.0
7/9/2018 5:00	BDL	0.4	1.2	5.0	0.1	2.7	16.0
7/9/2018 6:00	BDL	0.8	1.8	BDL	0.1	2.7	14.0
7/9/2018 7:00	BDL	1.0	5.6	0.1	2.6	27.0	10.0
7/9/2018 8:00	BDL	Calibration	1.1	5.5	0.1	2.5	47.0
7/9/2018 9:00	BDL	Calibration	1.4	1.4	0.1	2.3	20.0
7/9/2018 10:00	BDL	Too few samples	3.3	0.1	2.3	29.0	8.0
7/9/2018 11:00	BDL	0.9	1.8	0.1	2.3	27.0	12.0
7/9/2018 12:00	0.4	BDL	5.2	0.1	2.2	29.0	14.0
7/9/2018 13:00	1.0	BDL	3.4	0.1	2.2	28.0	12.0
7/9/2018 14:00	1.3	BDL	1.0	4.3	0.1	2.3	33.0
7/9/2018 15:00	2.3	BDL	6.0	0.1	2.3	27.0	16.0
7/9/2018 16:00	1.4	0.4	1.2	4.0	0.1	2.7	14.0
7/9/2018 17:00	1.7	0.4	1.3	4.6	0.1	2.5	28.0
7/9/2018 18:00	1.1	BDL	1.1	4.2	0.1	2.4	28.0
7/9/2018 19:00	1.5	BDL	5.5	0.1	2.5	22.0	16.0
7/9/2018 20:00	0.8	0.5	1.5	5.4	0.1	2.5	26.0
7/9/2018 21:00	BDL	0.4	1.2	BDL	0.1	17.0	14.0
7/9/2018 22:00	BDL	1.2	3.2	0.1	2.3	20.0	15.0
7/9/2018 23:00	BDL	0.4	1.1	9.2	0.1	2.4	19.0
7/10/2018 0:00	BDL	1.0	1.7	9.6	0.2	2.9	18.0
7/10/2018 1:00	0.7	Calibration	8.3	0.1	3.1	23.0	12.0
7/10/2018 2:00	0.5	Calibration	20.3	0.2	2.6	28.0	15.0
7/10/2018 3:00	Calibration	1.7	2.2	Calibration	Calibration	2.4	19.0
7/10/2018 4:00	BDL	2.6	2.6	30.7	0.1	3.0	29.0
7/10/2018 5:00	0.4	2.7	3.3	24.2	0.5	3.8	30.0
7/10/2018 6:00	0.5	2.8	3.1	36.0	0.5	3.7	18.0
7/10/2018 7:00	0.8	2.0	2.2	20.4	0.2	3.1	29.0
7/10/2018 8:00	0.7	Too few samples	12.7	0.2	2.8	BDL	Invald
7/10/2018 9:00	0.5	Calibration	6.8	0.2	2.5	40.0	17.0
7/10/2018 10:00	BDL	1.2	1.1	0.2	2.2	24.0	12.0
7/10/2018 11:00	BDL	1.1	BDL	0.1	2.2	28.0	14.0
7/10/2018 12:00	1.0	Too few samples	3.0	0.2	2.5	35.0	18.0
7/10/2018 13:00	1.4	Too few samples	1.9	0.1	2.3	29.0	20.0
7/10/2018 14:00	1.1	BDL	3.8	0.1	2.4	35.0	21.0
7/10/2018 15:00	1.3	BDL	4.3	0.2	2.2	43.0	18.0
7/10/2018 16:00	0.7	BDL	0.6	0.2	2.2	34.0	17.0
7/10/2018 17:00	0.6	BDL	BDL	0.2	2.5	Invald	19.0
7/10/2018 18:00	0.4	BDL	BDL	0.2	2.5	31.0	15.0
7/10/2018 19:00	BDL	BDL	BDL	0.2	2.6	32.0	18.0
7/10/2018 20:00	BDL	BDL	BDL	0.2	2.8	32.0	19.0
7/10/2018 21:00	BDL	BDL	BDL	0.2	2.7	30.0	18.0
7/10/2018 22:00	BDL	BDL	1.6	0.2	2.8	29.0	20.0
7/10/2018 23:00	BDL	BDL	9.2	0.3	2.9	36.0	20.0
7/11/2018 0:00	BDL	1.1	18.1	0.3	2.6	34.0	20.0
7/11/2018 1:00	BDL	Calibration	4.9	0.2	3.0	31.0	21.0
7/11/2018 2:00	BDL	Calibration	2.0	0.2	2.3	27.0	18.0
7/11/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.3	25.0
7/11/2018 4:00	BDL	3.4	3.3	24.0	0.1	2.5	17.0
7/11/2018 5:00	BDL	BDL	7.4	0.2	2.1	21.0	10.0
7/11/2018 6:00	BDL	BDL	13.1	0.2	2.2	19.0	17.0
7/11/2018 7:00	BDL	Calibration	11.3	0.2	2.1	24.0	16.0
7/11/2018 8:00	BDL	Calibration	7.5	0.2	2.1	27.0	13.0
7/11/2018 9:00	0.6	BDL	4.2	0.2	2.1	26.0	15.0
7/11/2018 10:00	0.5	BDL	0.9	0.1	2.2	24.0	10.0
7/11/2018 11:00	BDL	BDL	BDL	0.1	2.3	33.0	15.0
7/11/2018 12:00	BDL	BDL	BDL	0.1	2.1	28.0	15.0
7/11/2018 13:00	BDL	BDL	BDL	0.1	2.1	35.0	15.0
7/11/2018 14:00	BDL	BDL	BDL	0.1	2.1	20.0	9.0
7/11/2018 15:00	BDL	BDL	BDL	0.1	2.2	24.0	9.0
7/11/2018 16:00	BDL	BDL	BDL	0.1	2.3	26.0	13.0
7/11/2018 17:00	BDL	BDL	BDL	0.1	2.2	25.0	16.0
7/11/2018 18:00	BDL	BDL	BDL	0.2	2.7	27.0	16.0
7/11/2018 19:00	BDL	BDL	BDL	0.2	2.0	21.0	13.0
7/11/2018 20:00	BDL	BDL	BDL	0.2	2.0	29.0	18.0
7/11/2018 21:00	BDL	BDL	BDL	0.1	2.1	21.0	20.0
7/11/2018 22:00	BDL	BDL	4.7	0.1	2.0	21.0	12.0
7/11/2018 23:00	BDL	BDL	BDL	0.1	2.2	18.0	8.0
7/12/2018 0:00	BDL	BDL	BDL	0.2	2.0	21.0	7.0
7/12/2018 1:00	BDL	Calibration	0.7	0.2	1.9	31.0	19.0
7/12/2018 2:00	BDL	Calibration	1.0	0.2	2.0	34.0	19.0
7/12/2018 3:00	Calibration	BDL	Calibration	1.9	0.2	32.0	18.0
7/12/2018 4:00	BDL	BDL	16.8	0.4	2.3	36.0	21.0
7/12/2018 5:00	BDL	0.8	BDL	0.3	2.1	39.0	18.0
7/12/2018 6:00	BDL	Calibration	22.7	0.3	2.1	41.0	17.0
7/12/2018 7:00	BDL	Calibration	16.3	0.3	2.1	41.0	18.0
7/12/2018 8:00	BDL	Calibration	13.4	0.3	2.0	36.0	17.0
7/12/2018 9:00	BDL	BDL	5.6	0.2	2.0	37.0	16.0
7/12/2018 10:00	BDL	BDL	5.1	0.2	2.0	33.0	14.0
7/12/2018 11:00	BDL	BDL	4.9	0.2	2.0	33.0	12.0
7/12/2018 12:00	BDL	BDL	0.6	0.2	1.9	31.0	14.0
7/12/2018 13:00	BDL	BDL	0.6	0.2	1.9	31.0	13.0
7/12/2018 14:00	BDL	BDL	0.5	0.2	2.0	33.0	14.0
7/12/2018 15:00	BDL	BDL	BDL	0.2	2.0	30.0	18.0
7/12/2018 16:00	BDL	BDL	2.7	0.2	2.0	28.0	10.0
7/12/2018 17:00	BDL	BDL	BDL	0.3	2.0	45.0	16.0
7/12/2018 18:00	BDL	BDL	13.9	0.3	1.9	29.0	17.0
7/12/2018 19:00	BDL	BDL	7.1	0.2	1.9	25.0	13.0
7/12/2018 20:00	BDL	BDL	4.5	0.2	1.9	20.0	12.0
7/12/2018 21:00	BDL	BDL	0.4	0.2	2.1	20.0	12.0
7/12/2018 22:00	BDL	BDL	3.3	0.2	2.1	24.0	14.0
7/12/2018 23:00	BDL	BDL	0.3	0.2	2.0	17.0	11.0
7/13/2018 0:00	BDL	BDL	1.4	0.2	2.2	22.0	12.0
7/13/2018 1:00	BDL	Calibration	6.8	0.2	2.2	25.0	12.0
7/13/2018 2:00	BDL	Calibration	2.2	0.2	2.0	23.0	12.0
7/13/2018 3:00	Calibration	BDL	Calibration	0.4	2.9	27.0	13.0
7/13/2018 4:00	0.6	BDL	24.7	0.4	Too few samples	24.0	19.0
7/13/2018 5:00	BDL	1.3	49.1	0.6	2.4	39.0	17.0
7/13/2018 6:00	0.6	2.4	0.7	63.8	0.6	3.1	31.0
7/13/2018 7:00	0.5	2.2	1.1	39.9	0.5	2.4	41.0
7/13/2018 8:00	0.5	1.1	BDL	39.4	0.3	2.4	Auth
7/13/2018 9:00	0.6	0.8	BDL	21.1	0.2	2.1	Auth
7/13/2018 10:00	0.4	0.4	BDL	Auth	Auth	2.3	Auth
7/13/2018 11:00	Too few samples	BDL	Too few samples	Too few samples	2.0	62.0	17.0
7/13/2018 12:00	Maintenance	BDL	2.7	0.1	2.0	52.0	10.0
7/13/2018 13:00	BDL	BDL	0.9	0.1	2.0	31.0	9.0
7/13/2018 14:00	BDL	BDL	0.9	0.1	1.9	29.0	11.0
7/13/2018 15:00	BDL	BDL	BDL	0.1	2.0	25.0	11.0
7/13/2018 16:00	BDL	BDL	BDL	0.1	2.0	20.0	9.0
7/13/2018 17:00	BDL	BDL	0.5	0.2	2.1	53.0	9.0
7/13/2018 18:00	BDL	BDL	0.6	0.2	2.0	32.0	8.0
7/13/2018 19:00	BDL	0.6	BDL	0.1	2.1	22.0	7.0
7/13/2018 20:00	BDL	0.7	0.4	BDL	0.1	2.2	7.0
7/13/2018 21:00	BDL	1.0	0.5	3.1	0.1	2.3	4.0
7/13/2018 22:00	BDL	0.8	0.4	5.4	0.1	2.3	21.0
7/13/2018 23:00	BDL	0.8	13.0	8.6	0.2	2.4	26.0
7/14/2018 0:00	BDL	Calibration	8.6	0.1	2.3	22.0	6.0
7/14/2018 1:00	BDL	Calibration	13.6	0.2	2.4	24.0	8.0
7/14/2018 2:00	BDL	Calibration	23.9	0.2	2.2	22.0	10.0
7/14/2018 3:00	Calibration	1.4	0.8	Calibration	Calibration	2.8	22.0
7/14/2018 4:00	0.5	1.3	0.6	13.9	0.2	2.9	30.0
7/14/2018 5:00	0.6	1.9	0.3	21.2	0.3	2.9	31.0
7/14/2018							

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	SQ2 PPB 0.4 ppb	H2S PPB 0.4 ppb	TMS PPB 0.4 ppb	NOx PPB 0.4 ppb	CO PPM 40.0 ppb	VOC PPM 40.0 ppb	PM10 µg/m3 1.0 µg/m3	PM2.5 µg/m3 1.0 µg/m3
7/15/2018 0:00	0.7	BDL	BDL	4.4	0.1	2.5	19.0	12.0
7/15/2018 1:00	0.9	Calibration	Calibration	3.3	0.1	2.5	16.0	9.0
7/15/2018 2:00	0.8	Calibration	Calibration	4.8	0.1	2.6	19.0	11.0
7/15/2018 3:00	0.6	BDL	Calibration	10.2	0.2	2.5	18.0	13.0
7/15/2018 4:00	1.0	0.2	13.8	13.3	0.2	0.1	15.0	9.0
7/15/2018 5:00	1.1	0.6	8.1	0.2	0.2	2.4	16.0	10.0
7/15/2018 6:00	0.5	1.1	0.7	8.8	0.2	2.2	19.0	15.0
7/15/2018 7:00	0.4	1.4	1.0	10.4	0.2	2.1	17.0	12.0
7/15/2018 8:00	0.6	0.6	0.6	10.2	0.3	2.4	23.0	15.0
7/15/2018 9:00	2.2	0.7	BDL	13.3	0.2	2.3	29.0	12.0
7/15/2018 10:00	1.8	0.5	BDL	4.6	0.2	2.6	25.0	17.0
7/15/2018 11:00	BDL	0.6	BDL	0.6	0.2	2.1	15.0	7.0
7/15/2018 12:00	0.8	BDL	1.2	1.2	0.2	2.1	14.0	6.0
7/15/2018 13:00	BDL	0.6	0.7	5.0	0.1	2.1	12.0	6.0
7/15/2018 14:00	BDL	0.5	0.4	7.8	0.2	2.3	26.0	16.0
7/15/2018 15:00	0.6	0.5	BDL	9.9	0.1	2.3	24.0	16.0
7/15/2018 16:00	1.6	0.5	BDL	7.4	0.2	2.3	24.0	17.0
7/15/2018 17:00	1.4	0.6	BDL	5.7	0.2	2.2	22.0	17.0
7/15/2018 18:00	0.8	BDL	BDL	7.1	0.3	2.3	36.0	15.0
7/15/2018 19:00	1.2	BDL	BDL	2.2	0.2	2.1	36.0	26.0
7/15/2018 20:00	0.4	0.4	0.4	0.4	0.2	2.2	29.0	19.0
7/15/2018 21:00	BDL	0.5	0.4	4.1	0.2	2.2	56.0	26.0
7/15/2018 22:00	0.9	0.4	0.4	12.5	0.3	3.0	36.0	17.0
7/15/2018 23:00	1.1	0.6	0.6	13.7	0.3	3.1	30.0	20.0
7/16/2018 0:00	1.2	0.6	0.6	15.9	0.4	3.0	57.0	15.0
7/16/2018 1:00	BDL	Calibration	Calibration	17.9	0.3	3.1	27.0	19.0
7/16/2018 2:00	BDL	Calibration	Calibration	13.4	0.2	3.1	27.0	22.0
7/16/2018 3:00	Calibration	1.7	1.1	14.5	0.3	3.1	24.0	21.0
7/16/2018 4:00	BDL	2.0	1.6	24.0	0.3	3.1	32.0	21.0
7/16/2018 5:00	BDL	2.5	2.2	24.0	0.3	3.5	38.0	22.0
7/16/2018 6:00	BDL	3.1	2.2	29.4	0.4	3.7	37.0	24.0
7/16/2018 7:00	BDL	1.6	1.0	17.1	0.3	3.2	47.0	26.0
7/16/2018 8:00	BDL	1.0	0.4	11.0	0.3	3.0	30.0	25.0
7/16/2018 9:00	BDL	1.0	0.3	16.2	0.3	3.0	33.0	26.0
7/16/2018 10:00	BDL	0.9	BDL	11.2	0.3	2.4	27.0	17.0
7/16/2018 11:00	BDL	0.6	BDL	4.5	0.2	2.3	25.0	19.0
7/16/2018 12:00	BDL	0.4	BDL	1.0	0.2	2.3	28.0	14.0
7/16/2018 13:00	BDL	0.5	BDL	2.6	0.3	2.3	34.0	17.0
7/16/2018 14:00	0.4	0.5	BDL	2.6	0.3	2.3	28.0	17.0
7/16/2018 15:00	1.0	BDL	2.8	2.8	0.2	2.3	37.0	22.0
7/16/2018 16:00	1.0	0.4	BDL	0.8	0.2	2.3	35.0	18.0
7/16/2018 17:00	0.5	0.6	0.4	1.4	0.2	2.5	32.0	25.0
7/16/2018 18:00	0.5	BDL	0.3	0.9	0.2	2.3	36.0	21.0
7/16/2018 19:00	BDL	0.7	0.4	0.7	0.2	2.2	30.0	22.0
7/16/2018 20:00	BDL	1.2	1.0	5.9	0.2	2.3	37.0	19.0
7/16/2018 21:00	BDL	1.5	1.2	4.7	0.2	2.5	32.0	19.0
7/16/2018 22:00	BDL	1.0	1.0	5.3	0.3	2.5	28.0	20.0
7/16/2018 23:00	BDL	0.9	0.6	1.9	0.2	2.4	30.0	19.0
7/17/2018 0:00	BDL	0.8	0.7	1.9	0.2	2.4	30.0	19.0
7/17/2018 1:00	Calibration	Calibration	Calibration	3.1	0.2	2.8	28.0	18.0
7/17/2018 2:00	BDL	Calibration	Calibration	2.2	0.2	2.3	32.0	17.0
7/17/2018 3:00	Calibration	1.9	1.6	2.0	0.2	2.4	35.0	16.0
7/17/2018 4:00	BDL	1.6	1.4	4.0	0.2	2.4	25.0	13.0
7/17/2018 5:00	BDL	1.8	1.6	4.7	0.2	2.3	32.0	20.0
7/17/2018 6:00	BDL	2.1	2.0	6.3	0.2	2.3	27.0	14.0
7/17/2018 7:00	BDL	Calibration	Calibration	4.4	0.2	2.3	32.0	17.0
7/17/2018 8:00	BDL	Calibration	Calibration	4.0	0.2	2.4	34.0	20.0
7/17/2018 9:00	BDL	1.3	0.9	0.9	0.2	2.3	34.0	18.0
7/17/2018 10:00	BDL	1.0	0.9	3.1	0.2	2.3	42.0	19.0
7/17/2018 11:00	BDL	0.7	0.6	2.4	0.2	2.3	45.0	20.0
7/17/2018 12:00	BDL	0.6	0.4	1.5	0.2	2.3	37.0	20.0
7/17/2018 13:00	BDL	0.6	0.3	BDL	0.2	2.6	40.0	21.0
7/17/2018 14:00	BDL	1.0	0.9	1.2	0.2	2.7	38.0	17.0
7/17/2018 15:00	BDL	0.7	0.6	1.1	0.2	3.0	32.0	12.0
7/17/2018 16:00	BDL	0.4	BDL	BDL	0.2	2.9	10.0	7.0
7/17/2018 17:00	BDL	0.5	0.4	8.2	0.2	2.0	21.0	6.0
7/17/2018 18:00	BDL	0.5	BDL	5.8	0.2	1.9	20.0	11.0
7/17/2018 19:00	BDL	0.6	BDL	12.2	0.3	1.9	18.0	11.0
7/17/2018 20:00	BDL	0.9	0.3	6.8	0.3	1.9	12.0	9.0
7/17/2018 21:00	BDL	1.0	0.7	6.2	0.3	2.0	15.0	9.0
7/17/2018 22:00	BDL	0.7	0.5	7.6	0.3	2.5	15.0	16.0
7/17/2018 23:00	BDL	0.8	0.5	9.6	0.3	4.8	44.0	36.0
7/18/2018 0:00	BDL	0.6	0.4	4.8	0.2	4.1	18.0	4.0
7/18/2018 1:00	BDL	Calibration	Calibration	1.8	0.2	2.9	13.0	5.0
7/18/2018 2:00	BDL	Calibration	Calibration	0.4	0.1	2.8	17.0	13.0
7/18/2018 3:00	Calibration	0.6	BDL	Calibration	0.1	2.8	19.0	14.0
7/18/2018 4:00	BDL	0.5	BDL	2.8	0.2	2.5	21.0	14.0
7/18/2018 5:00	BDL	0.5	BDL	5.1	0.2	2.5	32.0	10.0
7/18/2018 6:00	BDL	0.6	BDL	0.1	0.2	2.1	21.0	10.0
7/18/2018 7:00	BDL	Calibration	Calibration	6.4	0.1	3.0	17.0	14.0
7/18/2018 8:00	Calibration	Too few samples	Too few samples	Calibration	0.1	3.0	21.0	9.0
7/18/2018 9:00	BDL	0.5	BDL	Calibration	0.1	3.0	25.0	11.0
7/18/2018 10:00	BDL	0.5	BDL	3.6	0.1	2.5	17.0	11.0
7/18/2018 11:00	BDL	Too few samples	Too few samples	1.4	0.1	2.6	18.0	13.0
7/18/2018 12:00	BDL	Calibration	Calibration	1.3	0.1	2.4	25.0	12.0
7/18/2018 13:00	BDL	Calibration	Calibration	1.5	0.1	2.1	23.0	10.0
7/18/2018 14:00	Calibration	Too few samples	Too few samples	Calibration	0.1	2.3	19.0	10.0
7/18/2018 15:00	BDL	BDL	BDL	BDL	0.1	2.7	15.0	10.0
7/18/2018 16:00	BDL	BDL	BDL	BDL	0.1	2.9	19.0	11.0
7/18/2018 17:00	BDL	BDL	BDL	BDL	0.1	2.4	17.0	11.0
7/18/2018 18:00	BDL	BDL	BDL	BDL	0.1	2.7	17.0	11.0
7/18/2018 19:00	BDL	BDL	BDL	BDL	0.1	2.6	15.0	10.0
7/18/2018 20:00	BDL	BDL	BDL	BDL	0.1	2.5	19.0	10.0
7/18/2018 21:00	BDL	BDL	BDL	3.5	0.2	2.2	23.0	10.0
7/18/2018 22:00	BDL	BDL	BDL	4.3	0.2	2.3	18.0	12.0
7/18/2018 23:00	BDL	BDL	BDL	2.4	0.1	2.2	17.0	9.0
7/19/2018 0:00	BDL	BDL	BDL	2.6	0.1	2.2	17.0	10.0
7/19/2018 1:00	BDL	Calibration	Calibration	2.3	0.1	2.1	19.0	10.0
7/19/2018 2:00	BDL	Calibration	Calibration	2.2	0.1	2.2	16.0	9.0
7/19/2018 3:00	Calibration	BDL	Calibration	4.5	0.1	2.5	15.0	14.0
7/19/2018 4:00	BDL	BDL	BDL	12.2	0.1	2.8	15.0	13.0
7/19/2018 5:00	BDL	0.5	BDL	12.2	0.1	2.7	19.0	11.0
7/19/2018 6:00	BDL	0.8	BDL	16.2	0.1	2.6	21.0	10.0
7/19/2018 7:00	0.9	0.8	BDL	13.4	0.1	2.6	21.0	15.0
7/19/2018 8:00	0.8	0.6	BDL	10.2	0.1	2.9	17.0	11.0
7/19/2018 9:00	0.5	0.7	BDL	11.8	0.1	2.6	15.0	8.0
7/19/2018 10:00	BDL	0.6	BDL	10.3	0.2	2.4	24.0	14.0
7/19/2018 11:00	BDL	BDL	BDL	5.7	0.1	2.7	14.0	11.0
7/19/2018 12:00	BDL	BDL	BDL	4.4	0.1	2.4	23.0	7.0
7/19/2018 13:00	BDL	BDL	BDL	4.1	0.1	2.1	21.0	9.0
7/19/2018 14:00	BDL	BDL	BDL	4.5	0.1	2.3	21.0	13.0
7/19/2018 15:00	BDL	BDL	BDL	3.2	0.1	2.4	26.0	14.0
7/19/2018 16:00	BDL	BDL	BDL	1.4	0.1	2.2	24.0	11.0
7/19/2018 17:00	BDL	BDL	BDL	5.0	0.1	2.0	21.0	14.0
7/19/2018 18:00	0.5	BDL	BDL	2.3	0.1	2.3	20.0	12.0
7/19/2018 19:00	BDL	BDL	BDL	BDL	0.1	2.4	18.0	7.0
7/19/2018 20:00	BDL	BDL	BDL	2.2	0.1	1.9	26.0	17.0
7/19/2018 21:00	BDL	BDL	BDL	1.0	0.1	2.1	17.0	14.0
7/19/2018 22:00	BDL	BDL	BDL	BDL	0.1	2.0	15.0	11.0
7/19/2018 23:00	BDL	0.4	BDL	6.4	0.2	1.9	15.0	8.0
7/20/2018 0:00	BDL	0.4	BDL	2.7	0.2	2.2	8.0	8.0
7/20/2018 1:00	BDL	Calibration	Calibration	1.3	0.2	2.1	16.0	11.0
7/20/2018 2:00	BDL	Calibration	Calibration	4.4	0.2	2.1	18.0	13.0
7/20/2018 3:00	Calibration	1.2	0.6	16.5	0.1	2.4	21.0	15.0
7/20/2018 4:00	BDL	1.5	1.0	0.8	0.3	2.4	28.0	13.0
7/20/2018 5:00	BDL	1.5	0.8	18.9	0.4	2.4	21.0	12.0
7/20/2018 6:00	BDL	1.7	0.9	23.9	0.4	2.0	23.0	14.0
7/20/2018 7:00	BDL	Calibration	Calibration	28.3	0.4	2.1	32.0	16.0
7/20/2018 8:00	BDL	1.8	0.6	26.5	0.4	2.2	34.0	20.0
7/20/2018 9:00	0.4	1.8	0.6	22.3	0.3	2.0	28.0	18.0
7/20/2018 10:00	BDL	0.7	BDL	5.1	0.2	2.0	18.0	17.0
7/20/2018 11:00	BDL	1.0	BDL	1.4	0.1	1.9	18.0	14.0
7/20/2018 12:00	BDL	BDL	BDL	BDL	0.1	1.9	18.0	12.0
7/20/2018 13:00	BDL	BDL	BDL	BDL	0.1	2.0	18.0	10.0
7/20/2018 14:00	BDL	0.4	BDL	4.7	0.1	1.9	19.0	8.0
7/20/2018 15:00	BDL	0.5	BDL	0.9	0.1	1.9	18.0	14.0
7/20/2018 16								

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	H2S PPB	TRG PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m ³	PM2.5 µg/m ³
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m ³	1.0 µg/m ³
7/22/2018 0:00	BDL	0.5	BDL	BDL	1.9	5.0	7.0
7/22/2018 1:00	BDL	Calibration	Calibration	BDL	1.8	12.0	8.0
7/22/2018 2:00	BDL	Calibration	Calibration	BDL	0.1	1.8	13.0
7/22/2018 3:00	Calibration	1.0	0.7	Calibration	Calibration	1.7	54
7/22/2018 4:00	BDL	0.9	0.8	BDL	0.1	1.8	8.0
7/22/2018 5:00	BDL	0.9	0.9	0.5	0.1	1.9	9.0
7/22/2018 6:00	BDL	0.9	0.8	2.9	0.1	2.1	16.0
7/22/2018 7:00	BDL	0.5	0.6	3.4	0.1	2.0	16.0
7/22/2018 8:00	BDL	0.7	0.5	0.6	0.1	2.0	14.0
7/22/2018 9:00	BDL	0.7	0.4	1.1	0.1	2.0	9.0
7/22/2018 10:00	BDL	0.7	0.5	BDL	0.1	2.0	9.0
7/22/2018 11:00	BDL	0.7	0.5	BDL	0.1	1.9	14.0
7/22/2018 12:00	BDL	0.5	BDL	BDL	0.1	1.8	14.0
7/22/2018 13:00	BDL	0.6	0.4	BDL	0.1	1.8	17.0
7/22/2018 14:00	BDL	0.4	0.5	BDL	0.1	1.8	17.0
7/22/2018 15:00	BDL	0.4	0.4	BDL	0.1	1.8	9.0
7/22/2018 16:00	BDL	0.5	0.5	BDL	0.1	1.7	22.0
7/22/2018 17:00	BDL	0.5	0.4	BDL	0.1	1.7	21.0
7/22/2018 18:00	BDL	0.5	0.4	BDL	0.1	1.7	26.0
7/22/2018 19:00	BDL	0.4	0.5	BDL	0.1	1.7	37.0
7/22/2018 20:00	BDL	0.6	0.5	4.6	0.1	1.7	33.0
7/22/2018 21:00	BDL	0.5	0.4	BDL	0.1	1.7	40.0
7/22/2018 22:00	BDL	0.5	0.4	2.5	0.1	1.7	32.0
7/22/2018 23:00	BDL	0.6	0.4	BDL	0.1	1.7	43.0
7/23/2018 0:00	BDL	0.6	0.4	BDL	0.1	1.8	33.0
7/23/2018 1:00	BDL	Calibration	Calibration	BDL	0.0	1.7	37.0
7/23/2018 2:00	BDL	Calibration	Calibration	BDL	3.9	0.1	35.0
7/23/2018 3:00	Calibration	1.1	1.0	Calibration	Calibration	1.7	10.0
7/23/2018 4:00	BDL	1.0	1.0	BDL	0.1	1.7	44.0
7/23/2018 5:00	BDL	1.1	1.0	3.2	0.1	1.8	33.0
7/23/2018 6:00	BDL	0.9	0.7	3.6	0.1	1.8	38.0
7/23/2018 7:00	BDL	0.7	0.6	2.6	0.1	1.8	42.0
7/23/2018 8:00	BDL	0.7	0.6	4.8	0.1	1.8	40.0
7/23/2018 9:00	BDL	0.7	0.7	3.7	0.1	1.8	39.0
7/23/2018 10:00	BDL	0.7	0.5	1.3	0.1	1.8	27.0
7/23/2018 11:00	BDL	0.7	0.5	1.7	0.1	1.8	26.0
7/23/2018 12:00	BDL	0.7	0.6	0.7	0.1	1.8	40.0
7/23/2018 13:00	BDL	0.8	0.7	1.4	0.1	1.8	28.0
7/23/2018 14:00	BDL	0.7	0.6	BDL	0.1	1.8	35.0
7/23/2018 15:00	BDL	0.5	0.5	BDL	0.1	1.8	26.0
7/23/2018 16:00	BDL	0.5	0.5	BDL	0.1	1.8	26.0
7/23/2018 17:00	BDL	0.6	0.5	BDL	0.1	1.8	16.0
7/23/2018 18:00	BDL	0.6	0.5	BDL	0.1	1.8	20.0
7/23/2018 19:00	BDL	0.6	0.5	BDL	0.1	1.8	42.0
7/23/2018 20:00	BDL	0.5	0.5	BDL	0.1	1.8	29.0
7/23/2018 21:00	BDL	0.5	0.5	BDL	0.0	1.8	35.0
7/23/2018 22:00	BDL	0.4	0.4	BDL	0.0	1.8	35.0
7/23/2018 23:00	BDL	0.5	0.5	BDL	0.1	1.8	38.0
7/24/2018 0:00	BDL	0.6	0.6	BDL	0.1	1.8	30.0
7/24/2018 1:00	BDL	Calibration	Calibration	BDL	1.8	35.0	8.0
7/24/2018 2:00	BDL	Calibration	Calibration	BDL	1.8	36.0	10.0
7/24/2018 3:00	Calibration	0.5	0.4	Calibration	Calibration	1.8	33.0
7/24/2018 4:00	BDL	0.7	0.6	BDL	0.1	1.8	36.0
7/24/2018 5:00	BDL	0.6	0.6	BDL	0.1	1.8	37.0
7/24/2018 6:00	BDL	0.6	0.5	BDL	0.1	1.8	29.0
7/24/2018 7:00	Calibration	BDL	0.5	Calibration	Calibration	1.8	36.0
7/24/2018 8:00	BDL	Calibration	Calibration	0.9	0.1	1.8	31.0
7/24/2018 9:00	BDL	Calibration	Calibration	1.5	0.1	1.8	34.0
7/24/2018 10:00	BDL	1.0	1.2	3.3	0.1	1.8	35.0
7/24/2018 11:00	BDL	0.9	0.7	2.8	0.1	1.9	29.0
7/24/2018 12:00	BDL	0.5	0.5	2.2	0.1	1.9	22.0
7/24/2018 13:00	BDL	0.5	0.5	0.8	0.1	1.9	21.0
7/24/2018 14:00	BDL	0.5	0.5	0.9	0.1	1.9	25.0
7/24/2018 15:00	BDL	0.5	0.6	BDL	0.1	1.9	26.0
7/24/2018 16:00	BDL	0.5	0.6	BDL	0.1	1.9	22.0
7/24/2018 17:00	BDL	0.5	0.4	BDL	0.1	1.9	28.0
7/24/2018 18:00	BDL	0.5	0.5	BDL	0.1	1.9	25.0
7/24/2018 19:00	BDL	0.5	0.5	6.6	0.1	2.0	29.0
7/24/2018 20:00	BDL	0.4	0.4	BDL	0.1	2.0	24.0
7/24/2018 21:00	BDL	0.4	0.4	BDL	0.1	1.9	21.0
7/24/2018 22:00	BDL	0.4	0.4	BDL	0.1	1.9	28.0
7/24/2018 23:00	BDL	0.4	0.4	BDL	0.0	1.9	32.0
7/25/2018 0:00	BDL	0.4	0.4	BDL	0.0	2.0	25.0
7/25/2018 1:00	BDL	Calibration	Calibration	BDL	2.0	26.0	6.0
7/25/2018 2:00	BDL	Calibration	Calibration	BDL	1.9	27.0	6.0
7/25/2018 3:00	Calibration	0.9	0.8	Calibration	Calibration	1.9	8.0
7/25/2018 4:00	BDL	0.6	0.4	BDL	0.1	2.0	11.0
7/25/2018 5:00	BDL	0.7	1.0	BDL	0.1	2.0	6.0
7/25/2018 6:00	BDL	1.1	1.7	1.9	0.1	2.0	12.0
7/25/2018 7:00	BDL	Calibration	Calibration	3.4	0.1	2.0	11.0
7/25/2018 8:00	BDL	Calibration	Calibration	2.3	0.1	2.0	12.0
7/25/2018 9:00	Calibration	1.0	0.7	Calibration	Calibration	1.9	17.0
7/25/2018 10:00	BDL	1.0	0.7	11.1	0.1	1.9	17.0
7/25/2018 11:00	BDL	0.7	0.5	6.1	0.1	1.9	17.0
7/25/2018 12:00	BDL	0.5	0.7	6.7	0.1	2.1	15.0
7/25/2018 13:00	BDL	0.7	0.5	6.7	0.1	2.0	19.0
7/25/2018 14:00	BDL	0.6	0.5	5.5	0.1	2.0	22.0
7/25/2018 15:00	BDL	0.6	0.5	6.4	0.1	2.0	12.0
7/25/2018 16:00	BDL	0.6	0.5	7.3	0.1	2.0	12.0
7/25/2018 17:00	BDL	0.7	0.5	5.1	0.1	2.0	16.0
7/25/2018 18:00	BDL	1.0	0.6	1.4	0.1	2.0	14.0
7/25/2018 19:00	BDL	0.7	0.4	7.4	0.1	2.0	15.0
7/25/2018 20:00	BDL	0.8	0.4	12.2	0.2	2.1	13.0
7/25/2018 21:00	BDL	0.8	0.6	8.1	0.1	2.0	14.0
7/25/2018 22:00	BDL	0.7	0.4	8.8	0.1	2.1	14.0
7/25/2018 23:00	BDL	0.5	0.5	BDL	0.1	2.0	13.0
7/26/2018 0:00	BDL	0.7	0.5	10.4	0.1	2.4	10.0
7/26/2018 1:00	BDL	Calibration	Calibration	11.6	0.1	2.2	12.0
7/26/2018 2:00	BDL	Calibration	Calibration	8.8	0.1	2.4	18.0
7/26/2018 3:00	Calibration	0.9	0.8	Calibration	Calibration	2.4	14.0
7/26/2018 4:00	BDL	0.8	0.4	3.9	0.1	2.0	16.0
7/26/2018 5:00	BDL	0.8	0.7	5.5	0.1	3.2	6.0
7/26/2018 6:00	BDL	1.1	0.4	28.5	0.1	3.4	14.0
7/26/2018 7:00	Calibration	0.9	0.5	Calibration	Calibration	4.4	19.0
7/26/2018 8:00	Calibration	1.0	0.6	Calibration	Calibration	3.5	19.0
7/26/2018 9:00	BDL	0.5	BDL	7.6	0.1	3.4	13.0
7/26/2018 10:00	BDL	0.4	BDL	8.3	0.1	3.1	17.0
7/26/2018 11:00	BDL	0.4	BDL	5.1	0.1	3.1	18.0
7/26/2018 12:00	BDL	0.4	BDL	7.3	0.1	3.0	20.0
7/26/2018 13:00	BDL	0.4	BDL	9.3	0.1	2.9	26.0
7/26/2018 14:00	BDL	0.6	BDL	9.4	0.1	2.2	22.0
7/26/2018 15:00	BDL	0.6	BDL	9.8	0.1	2.3	25.0
7/26/2018 16:00	BDL	0.4	BDL	7.2	0.1	2.3	19.0
7/26/2018 17:00	BDL	0.5	BDL	5.8	0.1	2.3	25.0
7/26/2018 18:00	BDL	0.5	BDL	7.8	0.1	2.4	21.0
7/26/2018 19:00	BDL	0.5	BDL	11.0	0.2	2.4	21.0
7/26/2018 20:00	BDL	0.6	BDL	13.9	0.2	3.1	26.0
7/26/2018 21:00	BDL	0.5	BDL	12.9	0.2	2.8	23.0
7/26/2018 22:00	BDL	1.1	0.6	19.0	0.2	2.6	29.0
7/26/2018 23:00	BDL	1.1	0.6	25.3	0.2	2.4	22.0
7/27/2018 0:00	BDL	1.2	0.8	18.0	0.3	2.4	21.0
7/27/2018 1:00	BDL	Calibration	Calibration	17.7	0.2	2.6	25.0
7/27/2018 2:00	BDL	Calibration	Calibration	17.0	0.3	2.6	30.0
7/27/2018 3:00	Calibration	0.9	0.8	Calibration	Calibration	2.4	23.0
7/27/2018 4:00	BDL	1.0	0.8	18.8	0.2	2.8	19.0
7/27/2018 5:00	BDL	1.4	1.0	27.7	0.3	2.3	34.0
7/27/2018 6:00	BDL	1.7	1.2	36.2	0.3	2.3	29.0
7/27/2018 7:00	BDL	2.0	1.7	29.4	0.2	2.4	33.0
7/27/2018 8:00	BDL	2.0	1.6	18.5	0.2	2.4	31.0
7/27/2018 9:00	BDL	1.8	1.4	23.1	0.2	2.4	42.0
7/27/2018 10:00	BDL	1.3	1.1	12.7	0.2	2.3	36.0
7/27/2018 11:00	BDL	0.8	0.6	7.4	0.1	2.2	29.0
7/27/2018 12:00	BDL	0.8	0.5	5.6	0.1	2.1	25.0
7/27/2018 13:00	BDL	0.4	BDL	5.1	0.1	2.1	24.0
7/27/2018 14:00	BDL	0.4	BDL	5.0	0.2	2.1	24.0
7/27/2018 15:00	BDL	0.5	BDL	4.6	0.1	2.1	27.0
7/27/2018 16:00	BDL	0.4	BDL	6.6	0.1	2.1	17.0
7/27/2018 17:00	BDL	0.4	BDL	6.3	0.2	2.1	26.0
7/27/2018 18:00	BDL	0.4	BDL	6.3	0.2	2.2	18.0
7/27/2018 19:00	BDL	0.4	BDL	6.3	0.1	2.3	22.0
7/27/2018 20:00	BDL	0.5	BDL	11.9	0.2	2.3	21.0
7/27/2018 21:00	BDL	0.5	BDL	13.3	0.2	2.3	13.0
7/27/2018 22:00	BDL	0.7	BDL	18.0	0.3	3.8	22.0
7/27/2018 23:00	BDL	0.9	0.4	42.0	0.5	3.1	27.0
7/28/2018 0:00	BDL	1.1	0.5	42.9	0.5	4.9	24.0
7/28/2018 1:00	BDL	Calibration	Calibration	40.8	0.6	3.6	23.0
7/28/2018 2:00	BDL	Calibration	Calibration	0.5	0.6	3.6	25.0
7/28/2018 3:00	Calibration	0.9	BDL	Calibration	Calibration	2.7	34.0
7/28/2018 4:00	BDL	0.7	0.4	18.2	0.4	2.4	34.0
7/28/2018 5:00	BDL	0.8	0.4	21.0	0.4	2.5	41.0
7/28/2018 6:00	BDL	1.4	1.3	16.7	0.4	6.6	32.0

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	H2S PPB	TRG PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m3	PM2.5 µg/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppm	10.0 ppm	1.0 µg/m3	1.0 µg/m3
See Downwind Weekly 7/22/2018-7/28/2018							
7/29/2018 0:00	BDL	BDL	4.4	0.1	3.0	17.0	14.0
7/29/2018 1:00	BDL	Calibration	3.6	0.1	3.7	15.0	11.0
7/29/2018 2:00	BDL	Calibration	3.0	0.1	3.6	20.0	12.0
7/29/2018 3:00	Calibration	BDL	Calibration	Calibration	3.1	20.0	13.0
7/29/2018 4:00	BDL	BDL	4.5	0.1	3.1	23.0	9.0
7/29/2018 5:00	BDL	BDL	6.9	0.1	2.8	21.0	21.0
7/29/2018 6:00	BDL	BDL	6.7	0.1	2.5	16.0	16.0
7/29/2018 7:00	BDL	BDL	8.7	0.1	2.7	15.0	10.0
7/29/2018 8:00	BDL	BDL	5.9	0.1	2.5	21.0	13.0
7/29/2018 9:00	BDL	BDL	5.6	0.1	2.6	13.0	13.0
7/29/2018 10:00	BDL	BDL	5.7	0.1	2.4	16.0	10.0
7/29/2018 11:00	BDL	BDL	3.7	0.1	2.3	16.0	14.0
7/29/2018 12:00	BDL	BDL	1.3	0.1	2.3	15.0	13.0
7/29/2018 13:00	BDL	BDL	2.1	0.04	2.4	17.0	13.0
7/29/2018 14:00	0.8	BDL	3.7	0.1	2.5	12.0	14.0
7/29/2018 15:00	1.0	BDL	3.6	0.04	2.5	11.0	9.0
7/29/2018 16:00	0.4	BDL	2.2	BDL	2.5	12.0	8.0
7/29/2018 17:00	1.1	BDL	4.3	0.04	2.4	10.0	11.0
7/29/2018 18:00	BDL	BDL	1.4	BDL	2.3	15.0	11.0
7/29/2018 19:00	BDL	BDL	3.3	0.1	2.6	16.0	14.0
7/29/2018 20:00	BDL	BDL	2.0	0.2	3.1	24.0	11.0
7/29/2018 21:00	0.8	BDL	5.4	0.1	3.2	20.0	10.0
7/29/2018 22:00	0.6	BDL	12.0	0.1	3.4	22.0	10.0
7/29/2018 23:00	0.8	BDL	0.5	14.7	0.3	2.5	21.0
7/30/2018 0:00	1.9	BDL	1.5	13.0	0.2	2.9	19.0
7/30/2018 1:00	BDL	Calibration	15.4	0.2	2.9	22.0	19.0
7/30/2018 2:00	BDL	Calibration	14.3	0.2	2.8	36.0	20.0
7/30/2018 3:00	Calibration	0.6	BDL	Calibration	2.5	21.0	17.0
7/30/2018 4:00	1.8	BDL	1.7	22.1	0.4	2.8	28.0
7/30/2018 5:00	1.4	BDL	41.2	0.4	2.9	23.0	15.0
7/30/2018 6:00	1.1	BDL	36.1	0.4	2.6	31.0	18.0
7/30/2018 7:00	1.0	BDL	Too few samples	0.4	2.6	33.0	17.0
7/30/2018 8:00	BDL	BDL	32.2	0.4	2.4	28.0	17.0
7/30/2018 9:00	0.4	BDL	25.2	0.4	2.3	36.0	14.0
7/30/2018 10:00	BDL	0.5	26.8	0.2	2.3	29.0	13.0
7/30/2018 11:00	BDL	0.4	23.9	0.2	2.2	29.0	14.0
7/30/2018 12:00	BDL	0.6	22.4	0.2	2.1	29.0	18.0
7/30/2018 13:00	BDL	0.8	14.5	0.2	2.1	35.0	18.0
7/30/2018 14:00	BDL	1.0	10.1	0.1	2.1	48.0	15.0
7/30/2018 15:00	BDL	0.7	9.6	0.2	2.1	21.0	12.0
7/30/2018 16:00	BDL	0.4	5.0	0.1	2.1	22.0	15.0
7/30/2018 17:00	BDL	BDL	4.0	0.2	2.1	19.0	13.0
7/30/2018 18:00	0.4	BDL	4.5	0.2	2.1	21.0	11.0
7/30/2018 19:00	BDL	BDL	8.1	0.2	2.1	22.0	12.0
7/30/2018 20:00	BDL	BDL	8.4	0.1	2.2	20.0	15.0
7/30/2018 21:00	BDL	0.4	BDL	0.1	2.1	23.0	16.0
7/30/2018 22:00	BDL	0.5	12.4	0.1	2.1	25.0	16.0
7/30/2018 23:00	BDL	0.8	14.9	0.2	2.1	26.0	14.0
7/31/2018 0:00	BDL	0.4	17.1	0.1	2.1	25.0	13.0
7/31/2018 1:00	Calibration	Calibration	8.8	0.1	2.1	23.0	17.0
7/31/2018 2:00	Calibration	Calibration	11.6	0.1	2.1	17.0	7.0
7/31/2018 3:00	Calibration	BDL	Calibration	0.1	2.1	21.0	9.0
7/31/2018 4:00	0.5	BDL	9.6	0.1	2.1	24.0	14.0
7/31/2018 5:00	BDL	BDL	12.4	0.1	2.2	22.0	16.0
7/31/2018 6:00	0.5	BDL	20.8	0.2	2.2	29.0	11.0
7/31/2018 7:00	BDL	BDL	23.5	0.2	2.2	33.0	16.0
7/31/2018 8:00	BDL	BDL	24.4	0.2	2.1	38.0	17.0
7/31/2018 9:00	BDL	BDL	13.7	0.1	2.1	27.0	8.0
7/31/2018 10:00	BDL	0.4	13.8	0.1	2.0	25.0	14.0
7/31/2018 11:00	BDL	0.4	13.7	0.1	2.0	23.0	10.0
7/31/2018 12:00	BDL	0.4	13.5	0.1	2.0	21.0	10.0
7/31/2018 13:00	BDL	0.4	9.4	0.1	2.0	30.0	7.0
7/31/2018 14:00	BDL	0.7	12.7	0.1	2.0	17.0	11.0
7/31/2018 15:00	BDL	0.4	10.5	0.1	2.0	15.0	9.0
7/31/2018 16:00	BDL	BDL	4.8	0.1	2.0	16.0	16.0
7/31/2018 17:00	BDL	0.4	6.9	0.1	1.9	12.0	3.0
7/31/2018 18:00	BDL	0.4	7.3	0.1	1.9	16.0	9.0
7/31/2018 19:00	BDL	0.4	7.3	0.1	1.9	18.0	9.0
7/31/2018 20:00	BDL	BDL	6.3	0.1	1.9	12.0	12.0
7/31/2018 21:00	BDL	0.4	5.9	0.1	1.9	36.0	9.0
7/31/2018 22:00	BDL	0.4	BDL	0.1	2.0	22.0	9.0
7/31/2018 23:00	BDL	0.5	BDL	0.1	2.0	25.0	9.0
8/1/2018 0:00	BDL	0.6	4.4	0.1	2.0	19.0	6.0
8/1/2018 1:00	Calibration	Calibration	9.0	0.1	2.0	21.0	9.0
8/1/2018 2:00	Calibration	Calibration	9.3	0.1	2.0	25.0	9.0
8/1/2018 3:00	Calibration	0.7	0.6	Calibration	2.0	23.0	9.0
8/1/2018 4:00	BDL	0.8	16.2	0.1	2.0	21.0	9.0
8/1/2018 5:00	BDL	0.9	22.8	0.1	2.1	18.0	8.0
8/1/2018 6:00	BDL	0.7	21.2	0.2	2.1	14.0	2.0
8/1/2018 7:00	BDL	Audit	22.6	0.1	2.1	22.0	6.0
8/1/2018 8:00	Calibration	Too few samples	0.1	0.5	2.1	25.0	7.0
8/1/2018 9:00	BDL	0.7	0.5	Calibration	2.1	15.0	7.0
8/1/2018 10:00	BDL	0.7	0.5	0.1	2.3	61.0	8.0
8/1/2018 11:00	BDL	0.7	0.5	0.1	2.3	18.0	9.0
8/1/2018 12:00	BDL	0.9	0.4	0.1	2.4	23.0	8.0
8/1/2018 13:00	BDL	0.5	BDL	0.1	2.3	14.0	16.0
8/1/2018 14:00	BDL	0.6	0.4	0.1	2.5	18.0	10.0
8/1/2018 15:00	BDL	0.6	BDL	0.1	2.6	21.0	9.0
8/1/2018 16:00	BDL	0.6	0.5	0.1	2.4	17.0	11.0
8/1/2018 17:00	BDL	0.5	3.3	0.1	2.2	17.0	10.0
8/1/2018 18:00	BDL	0.6	0.5	0.1	2.1	21.0	10.0
8/1/2018 19:00	BDL	0.7	0.5	0.1	2.3	16.0	12.0
8/1/2018 20:00	BDL	0.8	0.7	0.1	2.2	21.0	11.0
8/1/2018 21:00	BDL	0.8	0.7	0.1	2.2	22.0	13.0
8/1/2018 22:00	BDL	0.9	0.9	0.04	2.3	18.0	10.0
8/1/2018 23:00	BDL	1.3	1.2	7.9	0.1	22.0	15.0
8/2/2018 0:00	BDL	1.3	1.0	9.1	0.1	19.0	10.0
8/2/2018 1:00	Calibration	Calibration	7.2	0.1	2.4	12.0	9.0
8/2/2018 2:00	BDL	Calibration	11.1	0.1	2.4	13.0	5.0
8/2/2018 3:00	Calibration	0.9	19.4	0.2	2.5	14.0	3.0
8/2/2018 4:00	BDL	1.0	0.7	0.2	2.5	16.0	4.0
8/2/2018 5:00	BDL	0.9	13.4	0.2	2.5	14.0	8.0
8/2/2018 6:00	BDL	1.3	30.4	0.3	2.3	23.0	10.0
8/2/2018 7:00	BDL	1.2	0.9	17.1	0.1	2.5	24.0
8/2/2018 8:00	Calibration	0.8	0.7	Calibration	2.7	27.0	8.0
8/2/2018 9:00	Too few samples	0.8	0.5	0.1	2.2	20.0	8.0
8/2/2018 10:00	BDL	0.7	0.5	0.1	2.2	17.0	9.0
8/2/2018 11:00	BDL	0.6	0.5	0.1	2.2	26.0	11.0
8/2/2018 12:00	BDL	0.7	0.5	0.1	2.3	38.0	12.0
8/2/2018 13:00	BDL	0.8	0.5	0.1	2.3	22.0	7.0
8/2/2018 14:00	BDL	0.6	0.5	0.1	2.3	23.0	7.0
8/2/2018 15:00	BDL	0.7	0.5	0.1	2.2	36.0	11.0
8/2/2018 16:00	BDL	0.8	0.4	0.1	2.2	18.0	10.0
8/2/2018 17:00	BDL	0.7	0.6	0.1	2.3	17.0	10.0
8/2/2018 18:00	BDL	0.8	0.7	0.1	2.4	20.0	17.0
8/2/2018 19:00	BDL	0.9	0.7	0.1	2.0	34.0	12.0
8/2/2018 20:00	BDL	0.9	0.6	0.1	2.3	18.0	10.0
8/2/2018 21:00	BDL	1.3	0.8	0.2	2.3	19.0	8.0
8/2/2018 22:00	BDL	1.3	1.0	20.8	0.2	23.0	17.0
8/2/2018 23:00	BDL	1.0	0.8	11.3	0.1	2.0	19.0
8/3/2018 0:00	BDL	1.3	0.9	7.9	0.1	2.1	13.0
8/3/2018 1:00	Calibration	Calibration	10.6	0.04	2.4	20.0	6.0
8/3/2018 2:00	BDL	Calibration	17.1	0.1	2.3	17.0	7.0
8/3/2018 3:00	Calibration	2.1	2.8	Calibration	2.4	23.0	6.0
8/3/2018 4:00	0.6	1.0	8.9	0.1	2.0	9.0	9.0
8/3/2018 5:00	BDL	1.1	10.5	0.1	2.0	18.0	7.0
8/3/2018 6:00	BDL	1.1	15.0	0.1	2.2	24.0	6.0
8/3/2018 7:00	BDL	1.3	18.3	0.1	2.3	30.0	11.0
8/3/2018 8:00	BDL	1.2	0.9	14.1	0.1	2.2	29.0
8/3/2018 9:00	BDL	1.2	1.0	8.3	0.04	2.2	30.0
8/3/2018 10:00	BDL	1.2	1.0	8.0	0.04	2.1	26.0
8/3/2018 11:00	BDL	1.1	0.9	6.0	0.04	2.0	27.0
8/3/2018 12:00	BDL						

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	SQ2 PPB	H2S PPB	TRG PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m3	PM2.5 µg/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
See Downwind Weekly 8/5/2018-8/11/2018								
8/5/2018 0:00	BDL	1.7	1.4	17.6	0.5	3.2	25.0	14.0
8/5/2018 1:00	BDL	Calibration	Calibration	17.4	0.5	9.5	26.0	15.0
8/5/2018 2:00	BDL	Calibration	Calibration	15.8	0.5	4.0	31.0	19.0
8/5/2018 3:00	Calibration	2.6	2.3	Calibration	Calibration	4.5	28.0	20.0
8/5/2018 4:00	BDL	2.0	1.8	10.6	0.4	14.7	29.0	18.0
8/5/2018 5:00	0.5	2.4	2.3	6.9	0.4	8.9	24.0	17.0
8/5/2018 6:00	BDL	2.1	2.0	14.8	0.5	7.0	31.0	21.0
8/5/2018 7:00	0.7	1.7	1.5	8.1	0.4	14.0	30.0	26.0
8/5/2018 8:00	0.4	1.4	1.2	3.9	0.3	14.8	28.0	17.0
8/5/2018 9:00	0.4	1.0	0.8	3.3	0.3	8.1	27.0	14.0
8/5/2018 10:00	BDL	0.9	0.7	BDL	0.2	5.5	28.0	20.0
8/5/2018 11:00	0.9	0.7	0.7	BDL	0.3	5.5	26.0	19.0
8/5/2018 12:00	BDL	0.8	0.7	BDL	0.2	4.2	23.0	11.0
8/5/2018 13:00	BDL	0.9	0.6	BDL	0.2	2.5	23.0	16.0
8/5/2018 14:00	BDL	1.0	0.8	1.2	0.2	2.6	26.0	21.0
8/5/2018 15:00	BDL	1.0	0.8	5.0	0.2	3.0	26.0	20.0
8/5/2018 16:00	BDL	1.0	0.8	8.5	0.2	3.0	26.0	20.0
8/5/2018 17:00	0.5	1.1	0.9	4.3	0.2	2.7	33.0	18.0
8/5/2018 18:00	0.8	1.3	0.9	6.8	0.2	2.7	29.0	24.0
8/5/2018 19:00	0.5	1.2	0.9	12.3	0.2	2.6	29.0	20.0
8/5/2018 20:00	0.7	1.2	1.0	9.5	0.2	2.8	29.0	23.0
8/5/2018 21:00	BDL	1.6	1.1	11.5	0.3	2.3	28.0	17.0
8/5/2018 22:00	BDL	1.6	1.6	4.3	0.2	2.7	29.0	17.0
8/5/2018 23:00	BDL	1.6	1.5	10.5	0.3	2.3	28.0	17.0
8/6/2018 0:00	BDL	1.8	1.5	14.5	0.4	2.8	32.0	15.0
8/6/2018 1:00	BDL	Calibration	Calibration	15.8	0.4	6.7	34.0	15.0
8/6/2018 2:00	BDL	Calibration	Calibration	13.3	0.3	6.0	29.0	20.0
8/6/2018 3:00	Calibration	2.5	2.1	Calibration	Calibration	3.2	30.0	19.0
8/6/2018 4:00	BDL	2.9	2.4	13.8	0.4	3.2	33.0	18.0
8/6/2018 5:00	BDL	2.4	2.0	16.8	0.4	5.6	33.0	22.0
8/6/2018 6:00	BDL	2.3	2.0	20.3	0.5	5.2	42.0	25.0
8/6/2018 7:00	0.4	2.3	1.9	46.1	0.5	3.2	47.0	20.0
8/6/2018 8:00	BDL	2.4	1.8	28.2	0.4	3.2	51.0	24.0
8/6/2018 9:00	BDL	2.1	1.6	23.7	0.4	3.9	66.0	21.0
8/6/2018 10:00	BDL	2.0	1.4	31.9	0.5	3.0	47.0	21.0
8/6/2018 11:00	BDL	1.5	1.2	10.7	0.3	2.8	45.0	31.0
8/6/2018 12:00	BDL	1.3	1.1	4.4	0.3	2.8	36.0	23.0
8/6/2018 13:00	BDL	1.4	1.2	6.3	0.3	3.9	29.0	20.0
8/6/2018 14:00	BDL	1.4	1.1	6.3	0.3	4.1	41.0	19.0
8/6/2018 15:00	BDL	1.6	1.4	5.5	0.3	8.0	25.0	19.0
8/6/2018 16:00	BDL	1.7	1.4	8.3	0.4	6.3	36.0	21.0
8/6/2018 17:00	BDL	1.5	1.2	11.0	0.5	2.9	38.0	25.0
8/6/2018 18:00	BDL	1.5	1.2	7.4	0.4	2.3	35.0	17.0
8/6/2018 19:00	BDL	1.6	1.5	5.3	0.3	2.6	25.0	17.0
8/6/2018 20:00	BDL	1.6	1.5	5.3	0.3	2.5	35.0	14.0
8/6/2018 21:00	BDL	1.5	1.4	5.3	0.3	2.5	25.0	17.0
8/6/2018 22:00	BDL	1.8	1.6	8.3	0.3	2.7	26.0	17.0
8/6/2018 23:00	BDL	1.6	1.5	7.2	0.2	2.4	24.0	15.0
8/7/2018 0:00	BDL	1.9	1.8	11.4	0.3	2.5	20.0	13.0
8/7/2018 1:00	Calibration	Calibration	Calibration	9.1	0.3	2.5	29.0	24.0
8/7/2018 2:00	BDL	Calibration	Calibration	7.5	0.2	2.8	26.0	14.0
8/7/2018 3:00	Calibration	2.2	2.1	Calibration	Calibration	2.6	26.0	17.0
8/7/2018 4:00	BDL	2.4	2.2	13.1	0.3	2.6	32.0	19.0
8/7/2018 5:00	BDL	2.6	2.3	19.2	0.3	2.6	32.0	17.0
8/7/2018 6:00	BDL	2.6	2.2	26.9	0.3	2.6	33.0	20.0
8/7/2018 7:00	BDL	2.4	2.1	17.6	0.3	2.3	22.0	13.0
8/7/2018 8:00	BDL	Calibration	Calibration	15.9	0.3	2.4	34.0	15.0
8/7/2018 9:00	BDL	Calibration	Calibration	13.9	0.3	2.5	35.0	17.0
8/7/2018 10:00	BDL	0.6	BDL	7.4	0.4	2.2	31.0	19.0
8/7/2018 11:00	BDL	0.4	BDL	2.1	0.2	2.1	34.0	19.0
8/7/2018 12:00	BDL	0.4	BDL	2.1	0.2	2.3	38.0	17.0
8/7/2018 13:00	BDL	0.4	BDL	2.4	0.2	2.4	39.0	20.0
8/7/2018 14:00	BDL	0.4	BDL	1.3	0.2	2.5	36.0	20.0
8/7/2018 15:00	BDL	0.5	BDL	1.5	0.2	2.5	35.0	19.0
8/7/2018 16:00	BDL	0.5	BDL	1.0	0.2	2.5	31.0	17.0
8/7/2018 17:00	BDL	BDL	BDL	0.9	0.2	2.5	31.0	22.0
8/7/2018 18:00	BDL	0.7	BDL	2.1	0.2	2.3	23.0	14.0
8/7/2018 19:00	BDL	0.8	BDL	2.4	0.2	2.4	28.0	15.0
8/7/2018 20:00	BDL	0.8	BDL	2.6	0.2	3.7	23.0	18.0
8/7/2018 21:00	BDL	BDL	BDL	2.0	0.2	3.9	20.0	10.0
8/7/2018 22:00	BDL	0.4	BDL	9.1	0.3	3.5	24.0	11.0
8/7/2018 23:00	BDL	0.6	BDL	18.5	0.4	2.9	19.0	11.0
8/8/2018 0:00	BDL	0.8	BDL	20.5	0.3	2.9	19.0	12.0
8/8/2018 1:00	BDL	Calibration	Calibration	12.7	0.3	3.4	18.0	13.0
8/8/2018 2:00	BDL	Calibration	Calibration	19.3	0.3	3.4	25.0	6.0
8/8/2018 3:00	Calibration	0.4	BDL	Calibration	Calibration	10.8	18.0	6.0
8/8/2018 4:00	0.7	BDL	BDL	8.3	0.3	8.3	25.0	10.0
8/8/2018 5:00	0.4	1.7	BDL	26.6	0.5	3.2	24.0	21.0
8/8/2018 6:00	0.4	1.9	0.4	36.4	0.4	13.3	37.0	16.0
8/8/2018 7:00	1.2	1.5	BDL	15.3	0.3	19.4	25.0	19.0
8/8/2018 8:00	1.0	0.9	BDL	8.1	0.3	19.4	23.0	8.0
8/8/2018 9:00	0.4	0.8	BDL	13.7	0.3	6.3	30.0	17.0
8/8/2018 10:00	BDL	0.8	BDL	18.8	0.3	2.6	41.0	15.0
8/8/2018 11:00	BDL	0.8	BDL	18.4	0.3	2.9	33.0	15.0
8/8/2018 12:00	BDL	0.7	BDL	7.7	0.3	3.4	33.0	18.0
8/8/2018 13:00	BDL	0.6	BDL	5.6	0.2	3.6	32.0	18.0
8/8/2018 14:00	BDL	0.6	BDL	3.5	0.2	3.5	30.0	17.0
8/8/2018 15:00	BDL	0.6	BDL	2.7	0.2	4.3	46.0	17.0
8/8/2018 16:00	BDL	0.6	BDL	3.3	0.2	3.3	35.0	16.0
8/8/2018 17:00	BDL	0.6	BDL	2.7	0.2	2.8	30.0	16.0
8/8/2018 18:00	BDL	0.7	BDL	9.1	0.2	3.2	32.0	19.0
8/8/2018 19:00	BDL	0.5	BDL	6.5	0.2	2.5	23.0	14.0
8/8/2018 20:00	BDL	0.8	BDL	6.3	0.2	2.9	29.0	17.0
8/8/2018 21:00	BDL	1.1	BDL	11.9	0.3	2.7	27.0	17.0
8/8/2018 22:00	BDL	0.7	BDL	7.2	0.3	2.5	30.0	15.0
8/8/2018 23:00	BDL	1.1	BDL	10.8	0.3	2.5	28.0	15.0
8/9/2018 0:00	BDL	1.2	BDL	11.2	0.2	2.8	34.0	23.0
8/9/2018 1:00	BDL	Calibration	Calibration	7.0	0.2	0.2	17.0	9.0
8/9/2018 2:00	0.4	Calibration	Calibration	0.4	0.2	10.5	16.0	9.0
8/9/2018 3:00	Calibration	1.0	BDL	Calibration	Calibration	2.5	22.0	15.0
8/9/2018 4:00	1.2	BDL	BDL	8.6	0.2	4.1	26.0	15.0
8/9/2018 5:00	0.5	0.9	BDL	8.1	0.2	6.2	28.0	14.0
8/9/2018 6:00	0.5	0.8	BDL	6.8	0.2	10.0	24.0	14.0
8/9/2018 7:00	0.6	0.9	BDL	6.2	0.2	11.0	25.0	19.0
8/9/2018 8:00	0.6	0.7	BDL	5.5	0.2	8.2	24.0	18.0
8/9/2018 9:00	BDL	0.6	BDL	4.6	0.2	4.2	20.0	9.0
8/9/2018 10:00	BDL	0.6	BDL	5.6	0.2	3.0	25.0	12.0
8/9/2018 11:00	BDL	0.5	BDL	2.6	0.2	2.6	27.0	9.0
8/9/2018 12:00	BDL	0.6	BDL	BDL	0.2	2.6	21.0	11.0
8/9/2018 13:00	BDL	0.6	BDL	BDL	0.2	2.6	21.0	11.0
8/9/2018 14:00	BDL	0.6	BDL	0.5	0.2	4.6	24.0	9.0
8/9/2018 15:00	BDL	0.6	BDL	BDL	0.2	3.7	34.0	10.0
8/9/2018 16:00	BDL	0.6	BDL	0.5	0.2	3.5	25.0	11.0
8/9/2018 17:00	BDL	0.6	BDL	0.7	0.2	3.6	23.0	13.0
8/9/2018 18:00	BDL	0.6	BDL	BDL	0.1	3.0	24.0	9.0
8/9/2018 19:00	BDL	0.6	BDL	BDL	0.2	3.2	15.0	2.0
8/9/2018 20:00	BDL	0.7	BDL	0.9	0.2	2.7	17.0	14.0
8/9/2018 21:00	BDL	0.7	BDL	4.7	0.2	2.9	24.0	10.0
8/9/2018 22:00	BDL	0.7	BDL	4.1	0.2	2.9	18.0	15.0
8/9/2018 23:00	BDL	0.7	BDL	8.1	0.2	3.4	21.0	11.0
8/10/2018 0:00	BDL	0.7	BDL	20.8	0.4	3.1	21.0	13.0
8/10/2018 1:00	BDL	Calibration	Calibration	15.1	0.3	4.7	20.0	14.0
8/10/2018 2:00	BDL	Calibration	Calibration	20.9	0.3	4.3	26.0	16.0
8/10/2018 3:00	Calibration	0.9	BDL	Calibration	Calibration	4.1	28.0	16.0
8/10/2018 4:00	BDL	1.0	BDL	31.6	0.4	2.0	23.0	17.0
8/10/2018 5:00	0.6	1.2	BDL	55.4	0.6	2.9	38.0	19.0
8/10/2018 6:00	1.1	2.7	0.6	86.4	0.7	4.4	173.0	20.0
8/10/2018 7:00	0.5	1.8	BDL	42.6	0.5	4.2	89.0	14.0
8/10/2018 8:00	0.4	1.3	BDL	27.8	0.4	4.3	50.0	22.0
8/10/2018 9:00	0.5	1.1	BDL	14.7	0.3	3.1	34.0	13.0
8/10/2018 10:00	1.0	1.9	BDL	26.1	0.3	2.6	45.0	21.0
8/10/2018 11:00	1.1	1.0	BDL	11.1	0.2	2.6	39.0	19.0
8/10/2018 12:00	1.5	1.0	BDL	6.4	0.2	3.4	40.0	19.0
8/10/2018 13:00	0.9	1.2	BDL	5.9	0.2	3.6	42.0	19.0
8/10/2018 14:00	1.5	0.9	BDL	6.0	0.2	3.5	46.0	21.0
8/10/2018 15:00	1.5	1.						

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	H2S PPB	TMG PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m ³	PM2.5 µg/m ³
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m ³	1.0 µg/m ³
8/12/2018 0:00	BDL	BDL	13.1	0.3	2.4	17.0	9.0
8/12/2018 1:00	BDL	Calibration	14.6	0.4	2.4	19.0	15.0
8/12/2018 2:00	BDL	Calibration	11.3	0.4	2.4	22.0	16.0
8/12/2018 3:00	Calibration	BDL	Calibration	Calibration	2.3	18.0	14.0
8/12/2018 4:00	BDL	BDL	7.2	0.3	Too few samples	27.0	17.0
8/12/2018 5:00	BDL	BDL	9.3	0.4	2.3	19.0	12.0
8/12/2018 6:00	BDL	BDL	9.4	0.3	2.3	20.0	12.0
8/12/2018 7:00	BDL	BDL	11.0	0.3	2.3	17.0	13.0
8/12/2018 8:00	BDL	BDL	6.4	0.3	2.2	23.0	21.0
8/12/2018 9:00	BDL	BDL	15.1	0.3	2.3	18.0	12.0
8/12/2018 10:00	BDL	BDL	5.6	0.3	2.2	21.0	14.0
8/12/2018 11:00	BDL	BDL	4.2	0.3	2.3	25.0	12.0
8/12/2018 12:00	BDL	BDL	2.0	0.2	2.2	19.0	10.0
8/12/2018 13:00	BDL	BDL	1.0	0.2	2.4	19.0	11.0
8/12/2018 14:00	BDL	BDL	BDL	0.2	2.4	17.0	14.0
8/12/2018 15:00	BDL	BDL	BDL	0.2	2.5	19.0	11.0
8/12/2018 16:00	BDL	BDL	13.9	0.2	2.3	16.0	15.0
8/12/2018 17:00	BDL	BDL	2.7	0.2	2.3	16.0	15.0
8/12/2018 18:00	BDL	BDL	4.8	0.2	2.3	18.0	15.0
8/12/2018 19:00	BDL	BDL	2.8	0.2	2.3	22.0	14.0
8/12/2018 20:00	BDL	BDL	5.8	0.3	2.4	18.0	13.0
8/12/2018 21:00	BDL	BDL	5.7	0.2	2.0	20.0	8.0
8/12/2018 22:00	BDL	BDL	3.4	0.2	2.1	18.0	8.0
8/12/2018 23:00	BDL	BDL	4.5	0.2	2.0	20.0	8.0
8/13/2018 0:00	BDL	BDL	3.3	0.2	2.0	17.0	6.0
8/13/2018 1:00	BDL	Calibration	2.6	0.2	2.1	11.0	5.0
8/13/2018 2:00	BDL	Calibration	7.5	0.2	2.3	27.0	3.0
8/13/2018 3:00	Calibration	BDL	Calibration	Calibration	2.2	25.0	5.0
8/13/2018 4:00	BDL	BDL	6.0	0.2	2.1	21.0	3.0
8/13/2018 5:00	BDL	BDL	8.2	0.2	2.1	24.0	8.0
8/13/2018 6:00	BDL	BDL	11.1	0.2	2.1	23.0	6.0
8/13/2018 7:00	BDL	BDL	8.5	0.2	2.1	17.0	9.0
8/13/2018 8:00	BDL	BDL	1.5	0.4	2.6	9.0	8.0
8/13/2018 9:00	BDL	BDL	12.1	0.2	2.3	5.0	7.0
8/13/2018 10:00	BDL	BDL	13.4	0.3	2.3	8.0	3.0
8/13/2018 11:00	BDL	BDL	13.3	0.2	2.2	10.0	5.0
8/13/2018 12:00	BDL	BDL	10.7	0.3	2.1	9.0	9.0
8/13/2018 13:00	BDL	BDL	9.7	0.3	2.1	13.0	11.0
8/13/2018 14:00	BDL	BDL	7.1	0.2	2.1	11.0	8.0
8/13/2018 15:00	BDL	BDL	11.5	0.3	2.2	17.0	6.0
8/13/2018 16:00	BDL	BDL	11.6	0.3	2.2	15.0	9.0
8/13/2018 17:00	BDL	BDL	15.1	0.3	2.1	17.0	12.0
8/13/2018 18:00	BDL	BDL	12.7	0.3	2.0	10.0	9.0
8/13/2018 19:00	BDL	BDL	12.8	0.3	2.2	12.0	8.0
8/13/2018 20:00	BDL	BDL	8.0	0.2	2.0	12.0	4.0
8/13/2018 21:00	BDL	BDL	12.2	0.3	2.4	19.0	4.0
8/13/2018 22:00	BDL	BDL	14.9	0.3	2.2	16.0	9.0
8/13/2018 23:00	BDL	BDL	11.2	0.2	2.6	18.0	11.0
8/14/2018 0:00	BDL	0.4	13.9	0.2	3.1	18.0	10.0
8/14/2018 1:00	Calibration	Calibration	14.1	0.2	3.1	19.0	10.0
8/14/2018 2:00	BDL	Calibration	11.1	0.2	2.6	18.0	11.0
8/14/2018 3:00	Calibration	BDL	Calibration	Calibration	2.8	25.0	17.0
8/14/2018 4:00	BDL	0.4	20.1	0.3	3.1	28.0	9.0
8/14/2018 5:00	BDL	0.5	16.5	0.2	3.1	27.0	10.0
8/14/2018 6:00	BDL	1.0	16.1	0.2	3.0	32.0	16.0
8/14/2018 7:00	BDL	2.0	8.8	0.2	3.1	20.0	11.0
8/14/2018 8:00	0.4	0.8	24.9	0.3	2.8	32.0	12.0
8/14/2018 9:00	0.4	2.0	19.1	0.2	2.2	22.0	12.0
8/14/2018 10:00	0.5	0.7	12.5	0.2	2.6	17.0	9.0
8/14/2018 11:00	0.5	1.6	11.7	0.2	2.7	24.0	6.0
8/14/2018 12:00	0.5	0.5	5.7	0.2	2.5	19.0	11.0
8/14/2018 13:00	0.5	1.6	0.2	0.2	2.5	17.0	9.0
8/14/2018 14:00	0.5	1.5	6.4	0.2	2.6	17.0	9.0
8/14/2018 15:00	BDL	BDL	11.2	0.2	2.5	20.0	8.0
8/14/2018 16:00	BDL	BDL	9.7	0.2	2.2	15.0	8.0
8/14/2018 17:00	BDL	0.6	6.4	0.2	2.5	14.0	7.0
8/14/2018 18:00	0.5	1.7	9.5	0.2	2.4	23.0	10.0
8/14/2018 19:00	1.3	2.2	12.8	0.2	2.5	17.0	7.0
8/14/2018 20:00	1.1	1.1	14.2	0.2	2.8	28.0	12.0
8/14/2018 21:00	1.5	1.9	7.0	0.2	2.2	20.0	16.0
8/14/2018 22:00	1.1	2.0	7.6	0.2	2.3	23.0	12.0
8/14/2018 23:00	1.1	1.7	8.7	0.2	2.4	20.0	14.0
8/15/2018 0:00	1.3	2.1	13.6	0.2	2.6	19.0	14.0
8/15/2018 1:00	1.7	Calibration	Calibration	Calibration	2.8	20.0	16.0
8/15/2018 2:00	2.4	Calibration	Calibration	Calibration	2.3	28.0	19.0
8/15/2018 3:00	Calibration	1.8	0.9	0.3	Calibration	2.6	22.0
8/15/2018 4:00	0.5	1.2	0.4	3.5	2.0	24.0	13.0
8/15/2018 5:00	0.8	1.7	0.5	8.6	0.1	2.6	25.0
8/15/2018 6:00	0.5	1.6	0.5	1.7	0.1	2.7	16.0
8/15/2018 7:00	0.5	Audit	Audit	4.7	0.2	2.6	27.0
8/15/2018 8:00	Calibration	Too few samples	Calibration	Calibration	2.6	21.0	15.0
8/15/2018 9:00	0.5	1.5	0.5	1.5	0.2	3.0	18.0
8/15/2018 10:00	0.4	1.5	0.5	3.2	0.2	2.6	29.0
8/15/2018 11:00	BDL	1.5	0.5	0.8	0.2	2.5	27.0
8/15/2018 12:00	BDL	1.5	0.4	BDL	0.2	2.6	31.0
8/15/2018 13:00	0.5	1.6	0.4	5.0	0.2	3.0	21.0
8/15/2018 14:00	0.9	1.6	0.5	9.6	0.2	2.3	36.0
8/15/2018 15:00	0.6	1.5	0.4	4.3	0.2	2.4	37.0
8/15/2018 16:00	0.6	1.5	0.4	3.7	0.1	2.4	36.0
8/15/2018 17:00	0.5	1.5	0.5	3.7	0.2	2.4	34.0
8/15/2018 18:00	0.8	2.1	0.8	4.8	0.2	3.4	26.0
8/15/2018 19:00	1.2	2.5	1.3	9.3	0.2	2.2	41.0
8/15/2018 20:00	1.6	2.0	0.9	6.2	0.2	2.5	37.0
8/15/2018 21:00	2.6	2.4	1.5	11.1	0.3	3.0	38.0
8/15/2018 22:00	3.0	2.5	1.5	12.5	0.3	3.0	37.0
8/15/2018 23:00	1.4	2.5	1.6	11.7	0.3	2.8	36.0
8/16/2018 0:00	0.8	2.8	1.7	12.3	0.3	2.7	31.0
8/16/2018 1:00	0.4	Calibration	Calibration	7.7	0.2	2.7	29.0
8/16/2018 2:00	0.5	Calibration	Calibration	11.5	0.2	2.6	37.0
8/16/2018 3:00	0.5	2.3	1.8	12.1	0.2	3.1	39.0
8/16/2018 4:00	1.3	2.7	1.4	21.4	0.2	3.1	39.0
8/16/2018 5:00	0.6	2.7	1.4	24.9	0.5	3.3	49.0
8/16/2018 6:00	0.6	3.0	0.7	38.6	0.6	3.5	52.0
8/16/2018 7:00	0.7	Calibration	Calibration	28.8	0.5	3.5	44.0
8/16/2018 8:00	0.7	Calibration	Calibration	18.8	0.3	3.1	43.0
8/16/2018 9:00	0.5	Calibration	Calibration	13.2	0.2	2.6	47.0
8/16/2018 10:00	0.5	Calibration	Calibration	21.0	0.4	2.6	47.0
8/16/2018 11:00	0.4	2.2	0.4	23.0	0.2	2.6	30.0
8/16/2018 12:00	0.8	2.1	0.8	19.4	0.4	2.5	47.0
8/16/2018 13:00	1.6	1.9	0.8	11.9	0.3	2.6	45.0
8/16/2018 14:00	1.7	1.9	0.8	12.1	0.3	2.4	44.0
8/16/2018 15:00	2.0	1.9	0.3	6.7	0.3	2.8	41.0
8/16/2018 16:00	1.7	2.0	0.2	6.6	0.3	2.7	48.0
8/16/2018 17:00	1.0	1.8	0.7	4.9	0.3	2.6	40.0
8/16/2018 18:00	0.7	1.8	0.8	7.1	0.3	2.4	40.0
8/16/2018 19:00	0.4	1.9	0.9	10.4	0.4	2.4	33.0
8/16/2018 20:00	0.8	2.2	1.1	19.6	0.4	3.0	39.0
8/16/2018 21:00	0.6	2.3	1.1	28.5	0.4	2.5	37.0
8/16/2018 22:00	BDL	2.2	1.2	9.3	0.3	2.6	37.0
8/16/2018 23:00	BDL	2.6	1.6	16.7	0.3	2.4	33.0
8/17/2018 0:00	BDL	2.9	1.7	23.2	0.3	2.4	30.0
8/17/2018 1:00	BDL	Calibration	Calibration	18.2	0.3	2.5	29.0
8/17/2018 2:00	BDL	Calibration	Calibration	13.3	0.3	3.3	29.0
8/17/2018 3:00	Calibration	2.8	1.9	21.4	0.2	3.3	36.0
8/17/2018 4:00	BDL	3.0	2.1	14.4	0.3	3.0	34.0
8/17/2018 5:00	BDL	2.8	2.1	15.0	0.3	2.8	32.0
8/17/2018 6:00	BDL	3.0	2.1	29.1	0.4	2.7	44.0
8/17/2018 7:00	BDL	3.6	2.5	28.8	0.3	2.6	38.0
8/17/2018 8:00	BDL	3.5	2.4	26.6	0.3	2.6	42.0
8/17/2018 9:00	BDL	2.9	1.9	19.6	0.3	2.5	38.0
8/17/2018 10:00	BDL	2.7	1.7	12.9	0.3	2.3	38.0
8/17/2018 11:00	BDL	2.2	1.3	4.5	0.2	2.4	41.0
8/17/2018 12:00							

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	SQ2 PP8 0.4 ppb	H2S PP8 0.4 ppb	TMS PP8 0.4 ppb	NOx PP8 0.4 ppb	CO PPM 40.0 ppb	VOC PPM 10.0 ppb	PM10 µg/m3 1.0 µg/m3	PM2.5 µg/m3 1.0 µg/m3
8/19/2018 0:00	BDL	2.5	1.6	4.0	0.2	2.0	4.0	8.0
8/19/2018 1:00	BDL	Calibration	Calibration	3.1	0.2	2.0	11.0	7.0
8/19/2018 2:00	BDL	Calibration	Calibration	1.2	0.2	2.0	13.0	12.0
8/19/2018 3:00	Calibration	2.4	1.6	Calibration	Calibration	2.0	17.0	9.0
8/19/2018 4:00	BDL	2.4	1.5	3.7	0.2	2.0	15.0	10.0
8/19/2018 5:00	BDL	2.4	1.5	3.3	0.2	2.0	16.0	10.0
8/19/2018 6:00	BDL	Calibration	Calibration	3.8	0.2	2.1	19.0	10.0
8/19/2018 7:00	BDL	Calibration	Calibration	6.5	0.2	2.1	11.0	7.0
8/19/2018 8:00	BDL	BDL	BDL	6.3	0.2	2.1	15.0	8.0
8/19/2018 9:00	BDL	BDL	BDL	6.0	0.2	2.2	15.0	6.0
8/19/2018 10:00	BDL	BDL	BDL	4.6	0.2	2.2	12.0	5.0
8/19/2018 11:00	BDL	BDL	BDL	6.2	0.2	2.1	8.3	7.0
8/19/2018 12:00	BDL	BDL	BDL	4.9	0.2	2.1	7.0	6.0
8/19/2018 13:00	BDL	BDL	BDL	9.5	0.2	2.2	16.0	4.0
8/19/2018 14:00	BDL	BDL	BDL	6.5	0.2	2.1	4.0	4.0
8/19/2018 15:00	BDL	BDL	BDL	8.0	0.2	2.1	10.0	4.0
8/19/2018 16:00	BDL	BDL	BDL	7.0	0.2	2.0	13.0	5.0
8/19/2018 17:00	BDL	BDL	BDL	4.3	0.2	2.1	20.0	6.0
8/19/2018 18:00	BDL	BDL	BDL	6.1	0.2	2.1	20.0	7.0
8/19/2018 19:00	BDL	BDL	BDL	4.5	0.2	2.1	15.0	12.0
8/19/2018 20:00	BDL	BDL	BDL	2.7	0.2	2.1	14.0	7.0
8/19/2018 21:00	BDL	BDL	BDL	1.7	0.1	2.1	11.0	8.0
8/19/2018 22:00	BDL	BDL	BDL	0.7	0.1	2.0	10.0	8.0
8/19/2018 23:00	BDL	BDL	BDL	3.8	0.2	2.1	18.0	7.0
8/20/2018 0:00	BDL	BDL	BDL	5.5	0.1	2.1	17.0	8.0
8/20/2018 1:00	BDL	Calibration	Calibration	5.1	0.1	2.2	18.0	12.0
8/20/2018 2:00	BDL	Calibration	Calibration	3.4	0.1	2.1	19.0	8.0
8/20/2018 3:00	Calibration	BDL	BDL	5.5	0.1	2.1	19.0	11.0
8/20/2018 4:00	BDL	BDL	BDL	8.8	0.2	2.1	22.0	11.0
8/20/2018 5:00	BDL	BDL	BDL	14.0	0.2	2.1	18.0	13.0
8/20/2018 6:00	BDL	BDL	BDL	16.0	0.2	2.2	21.0	12.0
8/20/2018 7:00	BDL	BDL	BDL	14.8	0.2	2.2	24.0	12.0
8/20/2018 8:00	BDL	BDL	BDL	14.7	0.2	2.2	20.0	8.0
8/20/2018 9:00	BDL	0.4	BDL	10.0	0.1	2.2	16.0	6.0
8/20/2018 10:00	BDL	0.4	BDL	10.9	0.1	2.1	17.0	7.0
8/20/2018 11:00	BDL	0.4	BDL	14.5	0.1	2.1	17.0	15.0
8/20/2018 12:00	BDL	0.4	BDL	11.5	0.2	2.1	15.0	12.0
8/20/2018 13:00	BDL	0.4	BDL	12.2	0.2	2.1	15.0	10.0
8/20/2018 14:00	BDL	0.4	BDL	11.1	0.2	2.2	17.0	11.0
8/20/2018 15:00	BDL	0.4	BDL	10.6	0.2	2.2	18.0	7.0
8/20/2018 16:00	BDL	0.4	BDL	7.8	0.2	2.1	15.0	6.0
8/20/2018 17:00	BDL	0.4	BDL	7.1	0.2	2.0	14.0	7.0
8/20/2018 18:00	BDL	0.4	BDL	8.1	0.2	2.0	11.0	7.0
8/20/2018 19:00	BDL	0.4	BDL	5.8	0.2	2.0	12.0	7.0
8/20/2018 20:00	BDL	0.4	BDL	7.6	0.2	2.0	16.0	7.0
8/20/2018 21:00	BDL	0.4	BDL	5.2	0.2	2.0	14.0	5.0
8/20/2018 22:00	BDL	0.5	BDL	4.9	0.2	2.1	16.0	5.0
8/20/2018 23:00	BDL	0.5	BDL	11.8	0.2	2.1	17.0	5.0
8/21/2018 0:00	BDL	0.8	BDL	7.1	0.2	2.2	19.0	4.0
8/21/2018 1:00	Calibration	Calibration	Calibration	5.3	0.1	2.2	23.0	6.0
8/21/2018 2:00	BDL	BDL	BDL	8.6	0.2	2.1	27.0	14.0
8/21/2018 3:00	Calibration	BDL	BDL	11.2	0.2	2.2	21.0	10.0
8/21/2018 4:00	BDL	BDL	BDL	17.1	0.3	2.1	21.0	6.0
8/21/2018 5:00	BDL	0.4	BDL	15.4	0.2	2.1	26.0	9.0
8/21/2018 6:00	BDL	0.6	BDL	14.7	0.2	3.8	BDL	BDL
8/21/2018 7:00	BDL	0.5	BDL	13.0	0.2	2.1	4.0	BDL
8/21/2018 8:00	BDL	0.4	BDL	24.9	0.2	2.0	2.0	BDL
8/21/2018 9:00	BDL	0.7	BDL	5.0	0.2	2.0	3.0	BDL
8/21/2018 10:00	BDL	0.4	BDL	5.4	0.2	2.0	6.0	BDL
8/21/2018 11:00	BDL	0.4	BDL	7.5	0.2	2.0	4.0	BDL
8/21/2018 12:00	BDL	0.5	BDL	8.3	0.2	2.0	7.0	BDL
8/21/2018 13:00	BDL	0.4	BDL	5.4	0.2	2.0	4.0	BDL
8/21/2018 14:00	BDL	0.5	BDL	3.5	0.2	2.0	BDL	BDL
8/21/2018 15:00	BDL	0.4	BDL	8.5	0.2	2.0	BDL	BDL
8/21/2018 16:00	BDL	0.4	BDL	5.1	0.2	2.0	BDL	BDL
8/21/2018 17:00	BDL	0.4	BDL	3.9	0.2	2.0	BDL	BDL
8/21/2018 18:00	BDL	0.4	BDL	4.4	0.2	2.0	BDL	BDL
8/21/2018 19:00	BDL	0.5	BDL	5.3	0.2	2.0	3.0	BDL
8/21/2018 20:00	BDL	0.4	BDL	4.4	0.2	2.0	4.0	BDL
8/21/2018 21:00	BDL	0.4	BDL	1.7	0.1	2.0	2.0	BDL
8/21/2018 22:00	BDL	0.5	BDL	4.7	0.2	3.2	BDL	BDL
8/21/2018 23:00	BDL	0.6	BDL	4.7	0.2	3.4	BDL	BDL
8/22/2018 0:00	BDL	Calibration	Calibration	8.3	0.2	3.4	BDL	BDL
8/22/2018 1:00	BDL	Calibration	Calibration	5.2	0.2	3.0	BDL	BDL
8/22/2018 2:00	BDL	Calibration	Calibration	1.0	1.0	Calibration	3.0	BDL
8/22/2018 3:00	BDL	1.7	1.3	19.6	0.2	2.5	7.0	1.0
8/22/2018 4:00	BDL	1.0	0.8	11.7	0.2	2.5	12.0	1.0
8/22/2018 5:00	BDL	1.3	1.1	8.6	0.2	2.5	10.0	1.0
8/22/2018 6:00	BDL	1.2	1.0	11.0	0.2	2.1	18.0	4.0
8/22/2018 7:00	BDL	1.0	0.8	9.4	0.2	2.2	7.0	5.0
8/22/2018 8:00	BDL	1.0	0.8	5.4	0.2	2.2	13.0	5.0
8/22/2018 9:00	BDL	0.8	0.6	5.9	0.2	2.2	20.0	1.0
8/22/2018 10:00	BDL	0.8	0.6	5.1	0.2	2.3	10.0	2.0
8/22/2018 11:00	BDL	0.9	0.6	5.4	0.2	2.3	6.0	BDL
8/22/2018 12:00	BDL	0.4	0.7	6.4	0.1	2.3	13.0	3.0
8/22/2018 13:00	BDL	0.4	0.7	5.9	0.1	2.3	13.0	6.0
8/22/2018 14:00	BDL	0.4	0.7	5.7	0.2	2.3	12.0	3.0
8/22/2018 15:00	0.4	0.7	0.5	6.4	0.1	2.3	13.0	3.0
8/22/2018 16:00	0.4	0.7	0.5	5.9	0.1	2.3	13.0	6.0
8/22/2018 17:00	0.4	0.7	0.5	2.1	0.1	2.5	14.0	10.0
8/22/2018 18:00	0.4	0.7	0.5	2.1	0.1	2.4	21.0	7.0
8/22/2018 19:00	0.5	0.8	0.6	7	0.2	2.5	17.0	13.0
8/22/2018 20:00	BDL	0.6	0.4	1.6	0.1	2.5	19.0	13.0
8/22/2018 21:00	BDL	0.7	0.5	2.4	0.1	2.5	21.0	12.0
8/22/2018 22:00	BDL	0.7	0.5	2.4	0.1	2.6	19.0	12.0
8/22/2018 23:00	BDL	Calibration	Calibration	1.7	0.1	2.7	12.0	10.0
8/23/2018 0:00	BDL	Calibration	Calibration	0.4	0.2	2.6	16.0	9.0
8/23/2018 1:00	BDL	Calibration	Calibration	0.6	0.2	2.6	12.0	12.0
8/23/2018 2:00	BDL	Calibration	Calibration	1.2	0.1	2.6	12.0	8.0
8/23/2018 3:00	Calibration	BDL	BDL	1.3	0.2	2.5	16.0	13.0
8/23/2018 4:00	BDL	0.6	0.5	1.6	0.2	2.6	10.0	8.0
8/23/2018 5:00	BDL	0.6	0.5	6.0	0.2	2.8	16.0	8.0
8/23/2018 6:00	BDL	0.6	0.5	7.1	0.2	2.8	24.0	9.0
8/23/2018 7:00	BDL	0.6	0.4	7.2	0.2	2.8	19.0	14.0
8/23/2018 8:00	BDL	0.6	0.4	6.3	0.2	2.6	23.0	11.0
8/23/2018 9:00	BDL	0.6	0.4	5.0	0.1	2.4	17.0	11.0
8/23/2018 10:00	BDL	0.5	0.4	1.7	0.1	2.4	12.0	8.0
8/23/2018 11:00	BDL	0.6	0.4	2.3	0.1	2.5	15.0	8.0
8/23/2018 12:00	BDL	0.6	0.4	3.2	0.1	2.6	15.0	5.0
8/23/2018 13:00	BDL	0.6	0.4	1.1	0.1	2.5	15.0	6.0
8/23/2018 14:00	BDL	0.5	0.4	BDL	0.1	2.4	9.0	3.0
8/23/2018 15:00	BDL	0.6	0.4	BDL	0.1	2.4	12.0	6.0
8/23/2018 16:00	BDL	0.6	0.4	BDL	0.1	2.5	18.0	4.0
8/23/2018 17:00	BDL	0.6	0.4	2.0	0.1	2.7	9.0	5.0
8/23/2018 18:00	BDL	0.6	0.4	7.2	0.2	2.2	16.0	15.0
8/23/2018 19:00	BDL	0.7	0.5	6.5	0.1	2.5	20.0	10.0
8/23/2018 20:00	BDL	0.7	0.5	8.5	0.2	2.8	17.0	6.0
8/23/2018 21:00	BDL	0.7	0.5	8.2	0.2	2.8	19.0	6.0
8/23/2018 22:00	BDL	0.8	0.5	8.7	0.1	2.9	17.0	4.0
8/23/2018 23:00	BDL	Calibration	Calibration	8.4	0.1	3.2	15.0	6.0
8/24/2018 0:00	BDL	Calibration	Calibration	11.8	0.1	3.1	15.0	7.0
8/24/2018 1:00	BDL	Calibration	Calibration	0.8	0.7	Calibration	2.9	15.0
8/24/2018 2:00	BDL	0.8	0.6	19.5	0.2	2.9	21.0	7.0
8/24/2018 3:00	0.8	1.7	0.9	50.5	0.5	3.3	29.0	8.0
8/24/2018 4:00	0.5	2.0	0.8	92.4	0.3	4.6	24.0	10.0
8/24/2018 5:00	1.1	1.9	0.9	53.1	0.4	3.4	43.0	11.0
8/24/2018 6:00	1.3	2.0	0.9	49.2	0.4	3.9	29.0	9.0
8/24/2018 7:00	1.1	1.6	0.8	33.4	0.3	2.4	24.0	5.0
8/24/2018 8:00	0.7	1.4	0.7	20.6	0.2	2.3	36.0	14.0
8/24/2018 9:00	BDL	1.0	0.6	9.7	0.2	2.3	26.0	11.0
8/24/2018 10:00	BDL	0.8	0.5	5.0	0.2	2.2	19.0	11.0
8/24/2018 11:00	BDL	0.8	0.5	2.3	0.2	2.3	29.0	15.0
8/24/2018 12:00	BDL	0.7	0.5	3.8	0.2	2.1	23.0	16.0
8/24/2018 13:00	BDL	0.7	0.5	4.5	0.1	2.1	25.0	11.0
8/24/2018 14:00	BDL	0.8	0.5	1.8	0.2	2.1	25.0	14.0
8/24/2018 15:00	BDL	0.6	0.5	4.7	0.2	2.4	22.0	14.0
8/24/2018 16:00	BDL	0.6	0.5	9.1	0.2	2.7	23.0	17.0
8/24/2018 17:00	BDL	1.2	0.7	9.1	0.1	2.7		

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	H2S PPB	TMG PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m ³	PM2.5 µg/m ³
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m ³	1.0 µg/m ³
8/26/2018 0:00	BDL	1.0	0.9	5.3	0.2	2.0	11.0
8/26/2018 1:00	BDL	Calibration	Calibration	5.8	0.2	2.5	12.0
8/26/2018 2:00	BDL	Calibration	Calibration	17.4	0.3	2.5	13.0
8/26/2018 3:00	Calibration	2.2	2.0	Calibration	Calibration	2.3	18.0
8/26/2018 4:00	BDL	1.8	1.8	14.3	0.2	2.3	12.0
8/26/2018 5:00	BDL	2.0	1.8	26.9	0.3	2.3	12.0
8/26/2018 6:00	BDL	1.9	1.7	20.4	0.3	2.4	11.0
8/26/2018 7:00	0.9	2.0	1.6	23.1	0.1	2.3	14.0
8/26/2018 8:00	0.9	2.0	1.8	17.1	0.2	2.7	17.0
8/26/2018 9:00	1.5	1.9	1.6	11.9	0.2	2.5	17.0
8/26/2018 10:00	1.3	1.4	1.3	5.0	0.1	2.4	20.0
8/26/2018 11:00	1.5	1.3	1.2	4.0	0.1	2.3	18.0
8/26/2018 12:00	0.7	1.1	1.1	1.1	0.1	2.3	19.0
8/26/2018 13:00	0.6	1.3	1.2	1.3	0.1	2.5	18.0
8/26/2018 14:00	0.5	1.3	1.1	0.8	0.1	2.4	23.0
8/26/2018 15:00	0.5	1.3	1.2	1.5	0.1	2.3	18.0
8/26/2018 16:00	0.9	1.3	1.1	4.1	0.2	2.4	20.0
8/26/2018 17:00	1.2	1.4	1.1	6.7	0.2	2.4	22.0
8/26/2018 18:00	1.4	1.3	1.2	6.3	0.2	2.3	19.0
8/26/2018 19:00	1.5	1.7	1.5	10.8	0.3	2.5	25.0
8/26/2018 20:00	0.6	1.5	1.3	7.2	0.2	2.7	30.0
8/26/2018 21:00	0.9	2.3	1.5	12.7	0.3	2.9	17.0
8/26/2018 22:00	1.2	2.0	1.9	15.7	0.2	3.0	21.0
8/26/2018 23:00	0.9	2.3	2.2	9.9	0.2	2.8	20.0
8/27/2018 0:00	0.6	2.1	2.0	9.5	0.2	2.9	19.0
8/27/2018 1:00	BDL	Calibration	Calibration	9.1	0.2	2.9	19.0
8/27/2018 2:00	BDL	Calibration	Calibration	8.2	0.3	3.2	22.0
8/27/2018 3:00	Calibration	2.2	2.2	11.5	0.3	3.1	20.0
8/27/2018 4:00	BDL	2.1	1.8	11.5	0.3	3.1	21.0
8/27/2018 5:00	BDL	2.5	2.5	25.4	0.4	3.4	28.0
8/27/2018 6:00	BDL	1.9	1.6	16.8	0.3	3.1	26.0
8/27/2018 7:00	BDL	1.8	1.6	13.6	0.3	3.0	38.0
8/27/2018 8:00	BDL	1.8	1.5	13.9	0.3	2.7	36.0
8/27/2018 9:00	BDL	1.7	1.4	8.4	0.3	2.9	32.0
8/27/2018 10:00	BDL	1.7	1.4	5.8	0.3	2.3	35.0
8/27/2018 11:00	BDL	1.7	1.4	4.8	0.3	2.3	40.0
8/27/2018 12:00	BDL	1.6	1.4	2.6	0.3	2.3	40.0
8/27/2018 13:00	BDL	1.5	1.3	9.5	0.3	2.3	50.0
8/27/2018 14:00	0.5	1.9	1.7	7.3	0.3	2.4	42.0
8/27/2018 15:00	0.6	2.0	1.6	6.2	0.3	2.3	42.0
8/27/2018 16:00	BDL	1.8	1.6	0.8	0.2	2.5	33.0
8/27/2018 17:00	BDL	1.8	1.6	1.3	0.3	2.5	35.0
8/27/2018 18:00	BDL	1.9	1.7	4.7	0.2	2.3	37.0
8/27/2018 19:00	BDL	2.0	1.8	4.0	0.2	2.4	40.0
8/27/2018 20:00	BDL	2.6	BDL	10.0	0.3	2.6	45.0
8/27/2018 21:00	BDL	1.8	BDL	17.0	0.4	3.0	44.0
8/27/2018 22:00	BDL	3.8	BDL	4.4	0.3	3.3	45.0
8/27/2018 23:00	BDL	BDL	24.1	0.3	2.7	4.3	28.0
8/28/2018 0:00	BDL	BDL	34.7	0.3	2.7	3.8	30.0
8/28/2018 1:00	Calibration	Calibration	25.8	0.3	3.2	3.8	28.0
8/28/2018 2:00	Calibration	Calibration	14.3	0.4	3.6	4.0	24.0
8/28/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	3.5	29.0
8/28/2018 4:00	BDL	BDL	BDL	29.6	0.4	4.0	37.0
8/28/2018 5:00	BDL	BDL	32.6	0.5	3.1	4.4	31.0
8/28/2018 6:00	0.4	BDL	51.2	0.7	3.1	6.1	36.0
8/28/2018 7:00	0.6	Too few samples	Too few samples	66.6	0.7	3.3	70.0
8/28/2018 8:00	BDL	Calibration	30.0	0.5	3.2	4.3	29.0
8/28/2018 9:00	BDL	Audit	30.0	0.2	3.0	4.9	26.0
8/28/2018 10:00	BDL	Calibration	22.7	0.4	3.1	6.0	30.0
8/28/2018 11:00	BDL	Calibration	18.3	0.3	3.0	6.3	26.0
8/28/2018 12:00	BDL	Too few samples	10.2	0.3	3.0	8.3	27.0
8/28/2018 13:00	0.7	Too few samples	6.7	0.3	2.7	4.4	22.0
8/28/2018 14:00	1.7	2.5	5.5	0.2	2.6	6.1	18.0
8/28/2018 15:00	0.9	1.8	2.6	4.1	0.2	2.4	48.0
8/28/2018 16:00	0.6	1.6	2.4	3.4	0.2	2.4	37.0
8/28/2018 17:00	0.7	1.6	2.4	3.6	0.2	2.5	29.0
8/28/2018 18:00	0.8	1.5	2.4	4.4	0.2	2.5	31.0
8/28/2018 19:00	0.8	1.8	2.5	11.0	0.2	2.6	22.0
8/28/2018 20:00	0.7	1.8	2.6	12.8	0.3	2.8	28.0
8/28/2018 21:00	0.5	1.8	2.6	15.2	0.3	2.8	27.0
8/28/2018 22:00	BDL	2.1	2.9	15.4	0.3	3.0	32.0
8/28/2018 23:00	BDL	2.0	2.9	12.1	0.3	3.0	33.0
8/29/2018 0:00	BDL	2.1	3.0	11.3	0.3	3.3	29.0
8/29/2018 1:00	BDL	Calibration	Calibration	15.1	0.3	3.3	31.0
8/29/2018 2:00	BDL	Calibration	Calibration	16.4	0.3	3.5	36.0
8/29/2018 3:00	Calibration	2.4	3.1	36.6	0.4	3.2	31.0
8/29/2018 4:00	BDL	2.3	3.0	30.6	0.5	2.9	36.0
8/29/2018 5:00	BDL	2.1	2.8	40.7	0.5	2.9	35.0
8/29/2018 6:00	BDL	2.4	3.1	44.7	0.5	3.1	44.0
8/29/2018 7:00	BDL	Audit	34.3	0.4	2.8	4.3	27.0
8/29/2018 8:00	Calibration	Too few samples	Too few samples	34.3	0.4	2.8	43.0
8/29/2018 9:00	Calibration	1.6	2.0	29.6	0.5	2.9	51.0
8/29/2018 10:00	BDL	2.0	2.6	29.6	0.3	2.7	49.0
8/29/2018 11:00	BDL	1.9	2.6	17.0	0.3	2.7	45.0
8/29/2018 12:00	BDL	2.5	2.5	8.6	0.3	2.4	45.0
8/29/2018 13:00	Calibration	2.6	36.3	9.2	0.2	2.5	73.0
8/29/2018 14:00	BDL	0.8	BDL	5.0	0.2	2.6	59.0
8/29/2018 15:00	BDL	0.7	BDL	5.8	0.2	2.4	36.0
8/29/2018 16:00	BDL	0.5	BDL	4.5	0.2	2.4	30.0
8/29/2018 17:00	BDL	0.4	BDL	2.4	0.2	2.4	33.0
8/29/2018 18:00	BDL	0.5	BDL	5	0.2	2.5	32.0
8/29/2018 19:00	BDL	0.6	BDL	10.2	0.3	2.6	31.0
8/29/2018 20:00	0.4	0.9	BDL	12.3	0.3	2.8	33.0
8/29/2018 21:00	0.6	0.9	BDL	12.9	0.3	2.7	36.0
8/29/2018 22:00	0.7	1.2	BDL	16.1	0.3	2.8	29.0
8/29/2018 23:00	BDL	0.8	BDL	8.4	0.3	2.8	24.0
8/30/2018 0:00	BDL	1.0	0.6	8.3	0.2	3.0	27.0
8/30/2018 1:00	BDL	Calibration	Calibration	11.3	0.3	2.8	31.0
8/30/2018 2:00	BDL	Calibration	Calibration	11.3	0.2	2.9	24.0
8/30/2018 3:00	Calibration	0.8	BDL	12.4	0.3	2.7	31.0
8/30/2018 4:00	BDL	1.0	BDL	12.4	0.2	2.9	29.0
8/30/2018 5:00	BDL	0.8	BDL	9.1	0.2	2.5	27.0
8/30/2018 6:00	BDL	0.8	0.4	7.4	0.2	2.7	27.0
8/30/2018 7:00	BDL	0.5	BDL	6.2	0.2	2.7	21.0
8/30/2018 8:00	BDL	0.5	BDL	6.7	0.2	2.7	31.0
8/30/2018 9:00	0.6	0.7	BDL	24.1	0.2	2.2	27.0
8/30/2018 10:00	0.5	0.8	BDL	25.6	0.2	2.2	37.0
8/30/2018 11:00	0.4	0.4	BDL	11.8	0.2	2.1	46.0
8/30/2018 12:00	BDL	0.4	BDL	6.5	0.1	2.2	28.0
8/30/2018 13:00	BDL	BDL	3.4	0.1	2.1	23.0	4.0
8/30/2018 14:00	BDL	BDL	1.6	0.1	2.2	22.0	5.0
8/30/2018 15:00	BDL	BDL	0.9	0.1	2.2	16.0	8.0
8/30/2018 16:00	BDL	BDL	BDL	0.1	0.1	2.3	27.0
8/30/2018 17:00	BDL	BDL	0.7	0.1	2.5	13.0	7.0
8/30/2018 18:00	BDL	BDL	2.6	0.1	2.8	19.0	7.0
8/30/2018 19:00	BDL	BDL	6.0	0.2	2.3	17.0	6.0
8/30/2018 20:00	BDL	BDL	6.3	0.2	2.2	17.0	10.0
8/30/2018 21:00	BDL	BDL	5.3	0.2	2.2	16.0	9.0
8/30/2018 22:00	BDL	BDL	4.5	0.2	2.1	16.0	7.0
8/30/2018 23:00	BDL	BDL	4.2	0.2	2.1	12.0	3.0
8/31/2018 0:00	BDL	BDL	4.0	0.1	2.2	10.0	5.0
8/31/2018 1:00	BDL	Calibration	Calibration	6.1	0.1	2.2	9.0
8/31/2018 2:00	BDL	Calibration	Calibration	4.7	0.1	2.1	12.0
8/31/2018 3:00	Calibration	0.4	BDL	Calibration	Calibration	2.2	17.0
8/31/2018 4:00	BDL	0.5	BDL	9.1	0.2	2.2	13.0
8/31/2018 5:00	BDL	0.4	BDL	8.8	0.2	2.1	21.0
8/31/2018 6:00	BDL	BDL	BDL	7.7	0.2	2.1	16.0
8/31/2018 7:00	BDL	BDL	BDL	7.9	0.2	2.0	14.0
8/31/2018 8:00	BDL	0.6	BDL	13.7	0.2	2.0	21.0
8/31/2018 9:00	BDL	0.4	BDL	8.0	0.2	2.0	9.0
8/31/2018 10:00	BDL	0.4	BDL	9.1	0.2	2.0	21.0
8/31/2018 11:00	BDL	0.4	BDL	7.0	0.2	2.0	27.0
8/31/2018 12:00	BDL	0.4	BDL	7.2	0.2	2.0	27.0
8/31/2018 13:00	BDL	0.4	BDL	7.1	0.2	2.0	24.0
8/31/2018 14:00	BDL	0.4	BDL	6.0	0.2	2.0	33.0
8/31/2018 15:00	BDL	0.4	BDL	6.7	0.2	2.0	21.0
8/31/2018 16:00	BDL	0.4	BDL	7.3	0.2	2.0	19.0
8/31/2018 17:00	BDL	0.4	BDL	6.1	0.2	2.0	20.0
8/31/2018 18:00	BDL	0.4	BDL	6.3	0.2	2.0	19.0
8/31/2018 19:00	BDL	BDL	4.4	0.2	2.0	19.0	6.0
8/31/2018 20:00	BDL	BDL	BDL	0.2	0.2	2.0	18.0
8/31/2018 21:00	Calibration	0.4	BDL	Calibration	Calibration	2.1	26.0
8/31/2018 22:00	BDL	0.4	BDL	4.8	0.2	2.1	21.0
8/31/2018 23:00	BDL	0.6	BDL	4.5	0.2	2.2	17.0
9/1/2018 0:00	BDL	0.5	BDL	6.2	0.2	2.2	19.0
9/1/2018 1:00	BDL	Calibration	Calibration	4.4	0.2	2.1	19.0
9/1/2018 2:00	BDL	Calibration	Calibration	3.8	0.2	2.1	20.0
9/1/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.1	20.0
9/1/2018 4:00	BDL	BDL	BDL	2.4	0.2	2.0	26.0
9/1/2018 5:00	BDL	BDL	BDL	2.8	0.2	2.1	

This report contains preliminary data that has not been subjected to QA procedures. After quality review, this data may be corrected. Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2 PPB	H2S PPB	TRS PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m ³	PM2.5 µg/m ³
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m ³	1.0 µg/m ³
9/20/2018 0:00	BDL	0.5	BDL	7.0	0.2	2.1	19.0	5.0
9/20/2018 1:00	BDL	Calibration	Calibration	4.1	0.2	2.1	19.0	6.0
9/20/2018 2:00	BDL	0.4	BDL	4.9	0.2	2.2	24.0	5.0
9/20/2018 3:00	Calibration	0.6	BDL	Calibration	Calibration	2.1	18.0	9.0
9/20/2018 4:00	BDL	0.4	BDL	3.7	0.2	2.1	22.0	9.0
9/20/2018 5:00	BDL	0.7	BDL	4.1	0.2	2.2	20.0	7.0
9/20/2018 6:00	BDL	0.6	BDL	5.7	0.2	2.2	19.0	8.0
9/20/2018 7:00	BDL	0.6	BDL	8.8	0.1	2.3	25.0	12.0
9/20/2018 8:00	BDL	0.6	BDL	8.2	0.3	2.2	21.0	13.0
9/20/2018 9:00	BDL	0.6	BDL	9.3	0.2	2.2	22.0	9.0
9/20/2018 10:00	BDL	0.4	BDL	7.9	0.2	2.1	22.0	9.0
9/20/2018 11:00	BDL	0.5	BDL	1.8	0.2	2.1	18.0	11.0
9/20/2018 12:00	BDL	0.4	BDL	3.1	0.2	2.2	16.0	11.0
9/20/2018 13:00	BDL	0.4	BDL	3.4	0.2	2.3	19.0	9.0
9/20/2018 14:00	BDL	0.5	BDL	3.3	0.1	2.3	23.0	11.0
9/20/2018 15:00	BDL	1.1	BDL	6.8	0.1	2.3	23.0	11.0
9/20/2018 16:00	BDL	0.5	BDL	1.0	0.1	2.3	17.0	9.0
9/20/2018 17:00	BDL	0.5	BDL	2.6	0.2	2.0	13.0	6.0
9/20/2018 18:00	BDL	0.3	BDL	1.2	0.2	2.0	8.0	6.0
9/20/2018 19:00	BDL	0.5	BDL	1.6	0.2	2.1	10.0	6.0
9/20/2018 20:00	BDL	0.4	BDL	2.1	0.2	2.3	13.0	8.0
9/20/2018 21:00	BDL	0.5	BDL	2.0	0.2	2.2	16.0	4.0
9/20/2018 22:00	BDL	0.5	BDL	3.4	0.2	2.1	13.0	6.0
9/20/2018 23:00	BDL	0.5	BDL	4.2	0.2	2.1	16.0	4.0
9/20/2018 0:00	BDL	0.6	BDL	3.8	0.2	2.1	14.0	5.0
9/20/2018 1:00	BDL	Calibration	Calibration	2.4	0.2	2.3	14.0	6.0
9/20/2018 2:00	BDL	0.4	BDL	1.4	0.2	2.1	16.0	6.0
9/20/2018 3:00	Calibration	1.4	0.9	Calibration	Calibration	2.1	17.0	6.0
9/20/2018 4:00	BDL	0.4	0.4	3.7	0.2	2.1	11.0	7.0
9/20/2018 5:00	BDL	0.7	0.4	6.4	0.2	2.7	12.0	13.0
9/20/2018 6:00	BDL	0.8	0.4	9.1	0.2	2.6	22.0	21.0
9/20/2018 7:00	BDL	0.8	0.4	11.3	0.2	2.4	31.0	23.0
9/20/2018 8:00	BDL	0.8	0.4	11.4	0.2	2.6	32.0	25.0
9/20/2018 9:00	BDL	0.8	BDL	14.0	0.2	2.6	38.0	26.0
9/20/2018 10:00	BDL	0.8	BDL	18.1	0.2	2.7	36.0	30.0
9/20/2018 11:00	BDL	0.8	BDL	18.9	0.2	2.6	31.0	22.0
9/20/2018 12:00	BDL	0.7	BDL	10.3	0.2	3.0	32.0	18.0
9/20/2018 13:00	BDL	0.4	BDL	4.8	0.1	3.0	16.0	14.0
9/20/2018 14:00	BDL	0.4	BDL	4.1	0.1	3.0	16.0	10.0
9/20/2018 15:00	BDL	0.4	BDL	3.2	0.1	3.3	13.0	7.0
9/20/2018 16:00	BDL	0.5	BDL	3.1	0.1	3.3	23.0	10.0
9/20/2018 17:00	BDL	0.5	BDL	8.7	0.1	3.0	17.0	19.0
9/20/2018 18:00	BDL	0.5	BDL	6.0	0.1	3.2	23.0	17.0
9/20/2018 19:00	BDL	0.6	BDL	9.6	0.2	3.2	19.0	12.0
9/20/2018 20:00	BDL	0.7	BDL	8.3	0.2	2.9	15.0	12.0
9/20/2018 21:00	BDL	0.7	BDL	6.2	0.2	2.7	17.0	9.0
9/20/2018 22:00	BDL	0.6	BDL	10.2	0.2	2.7	19.0	6.0
9/20/2018 23:00	BDL	0.8	0.4	6.0	0.2	2.6	13.0	6.0
9/4/2018 0:00	BDL	0.9	0.4	9.3	0.1	3.0	13.0	11.0
9/4/2018 1:00	Calibration	Calibration	Calibration	10.6	0.1	3.0	16.0	7.0
9/4/2018 2:00	BDL	Calibration	Calibration	10.6	0.1	3.5	20.0	8.0
9/4/2018 3:00	Calibration	0.8	0.4	Calibration	Calibration	4.1	20.0	10.0
9/4/2018 4:00	BDL	1.0	0.4	20.0	0.2	4.1	21.0	9.0
9/4/2018 5:00	BDL	1.1	BDL	26.8	0.4	3.8	18.0	11.0
9/4/2018 6:00	BDL	1.4	0.4	43.5	0.5	4.1	26.0	9.0
9/4/2018 7:00	0.4	BDL	41.7	4.0	0.3	analyzer malfunction	72.0	16.0
9/4/2018 8:00	BDL	0.9	BDL	37.5	0.4	analyzer malfunction	36.0	11.0
9/4/2018 9:00	BDL	1.0	BDL	41.0	0.3	analyzer malfunction	81.0	12.0
9/4/2018 10:00	BDL	1.1	BDL	34.8	0.3	analyzer malfunction	56.0	11.0
9/4/2018 11:00	BDL	0.5	BDL	16.3	0.2	analyzer malfunction	79.0	15.0
9/4/2018 12:00	BDL	0.6	BDL	4.4	0.1	analyzer malfunction	22.0	12.0
9/4/2018 13:00	BDL	0.6	BDL	3.9	0.1	analyzer malfunction	74.0	19.0
9/4/2018 14:00	BDL	0.5	BDL	1.4	0.1	analyzer malfunction	34.0	12.0
9/4/2018 15:00	BDL	0.4	BDL	0.8	0.1	analyzer malfunction	17.0	10.0
9/4/2018 16:00	BDL	0.5	BDL	0.7	0.1	analyzer malfunction	17.0	11.0
9/4/2018 17:00	BDL	0.5	BDL	0.6	0.1	analyzer malfunction	15.0	9.0
9/4/2018 18:00	BDL	0.5	BDL	0.7	0.1	analyzer malfunction	17.0	13.0
9/4/2018 19:00	BDL	0.6	BDL	3.9	0.1	analyzer malfunction	10.0	10.0
9/4/2018 20:00	BDL	0.6	BDL	9.9	0.2	analyzer malfunction	17.0	10.0
9/4/2018 21:00	BDL	0.5	BDL	0.7	0.2	analyzer malfunction	20.0	15.0
9/4/2018 22:00	BDL	0.5	BDL	9.1	0.2	analyzer malfunction	15.0	6.0
9/4/2018 23:00	BDL	0.6	BDL	13.1	0.2	analyzer malfunction	19.0	12.0
9/5/2018 0:00	BDL	0.8	BDL	15.8	0.2	analyzer malfunction	24.0	15.0
9/5/2018 1:00	Calibration	Calibration	Calibration	20.7	0.3	analyzer malfunction	20.0	14.0
9/5/2018 2:00	BDL	Calibration	Calibration	17.5	0.2	analyzer malfunction	16.0	10.0
9/5/2018 3:00	Calibration	0.6	BDL	Calibration	Calibration	analyzer malfunction	10.0	7.0
9/5/2018 4:00	BDL	0.6	BDL	12.8	0.2	analyzer malfunction	21.0	21.0
9/5/2018 5:00	BDL	0.9	BDL	27.1	0.3	analyzer malfunction	17.0	15.0
9/5/2018 6:00	BDL	1.0	BDL	36.8	0.4	analyzer malfunction	25.0	10.0
9/5/2018 7:00	BDL	1.2	BDL	38.6	0.4	analyzer malfunction	49.0	16.0
9/5/2018 8:00	BDL	1.1	BDL	30.3	0.3	analyzer malfunction	48.0	7.0
9/5/2018 9:00	BDL	0.9	BDL	20.9	0.2	analyzer malfunction	48.0	7.0
9/5/2018 10:00	BDL	1.0	0.4	11.1	0.2	analyzer malfunction	28.0	11.0
9/5/2018 11:00	BDL	0.8	BDL	8.6	0.2	analyzer malfunction	30.0	8.0
9/5/2018 12:00	BDL	0.6	BDL	3.7	0.1	analyzer malfunction	20.0	8.0
9/5/2018 13:00	BDL	0.6	BDL	4.7	0.2	2.5	44.0	11.0
9/5/2018 14:00	BDL	0.6	BDL	5.6	0.2	2.1	24.0	8.0
9/5/2018 15:00	BDL	0.6	BDL	3.6	0.1	2.1	22.0	10.0
9/5/2018 16:00	BDL	0.9	BDL	4.6	0.1	2.3	20.0	11.0
9/5/2018 17:00	BDL	0.7	BDL	3	0.2	2.1	16.0	14.0
9/5/2018 18:00	BDL	1.0	0.7	1.4	0.2	2.0	19.0	11.0
9/5/2018 19:00	BDL	1.3	0.9	1.6	0.2	2.0	17.0	15.0
9/5/2018 20:00	BDL	1.0	0.5	1.4	0.2	2.0	24.0	11.0
9/5/2018 21:00	BDL	1.0	0.5	2.3	0.2	2.1	21.0	16.0
9/5/2018 22:00	BDL	0.9	0.5	6.4	0.2	2.0	20.0	13.0
9/5/2018 23:00	BDL	1.0	0.5	2.4	0.2	2.1	17.0	10.0
9/6/2018 0:00	BDL	1.1	0.7	0.5	0.1	2.5	20.0	16.0
9/6/2018 1:00	Calibration	Calibration	Calibration	6.0	0.1	2.2	22.0	15.0
9/6/2018 2:00	BDL	Calibration	Calibration	7.0	0.1	2.6	25.0	15.0
9/6/2018 3:00	Calibration	1.2	BDL	Calibration	Calibration	3.9	23.0	17.0
9/6/2018 4:00	BDL	1.1	0.7	3.8	0.2	2.8	17.0	11.0
9/6/2018 5:00	BDL	1.3	0.9	9.6	0.2	2.6	21.0	15.0
9/6/2018 6:00	BDL	1.6	1.2	19.3	0.2	2.7	31.0	11.0
9/6/2018 7:00	BDL	1.5	1.1	15.8	0.2	2.8	35.0	22.0
9/6/2018 8:00	BDL	1.5	1.1	22.2	0.2	2.9	47.0	28.0
9/6/2018 9:00	BDL	1.5	0.9	25.1	0.2	3.1	46.0	29.0
9/6/2018 10:00	BDL	1.4	0.8	22.8	0.2	3.2	57.0	20.0
9/6/2018 11:00	BDL	1.1	0.5	11.1	0.2	4.3	53.0	21.0
9/6/2018 12:00	BDL	1.0	0.4	6.4	0.1	4.3	48.0	13.0
9/6/2018 13:00	BDL	0.8	0.4	5.8	0.1	4.5	36.0	16.0
9/6/2018 14:00	BDL	0.9	BDL	4.5	0.1	4.6	40.0	15.0
9/6/2018 15:00	BDL	0.8	BDL	4.2	0.1	4.0	41.0	17.0
9/6/2018 16:00	BDL	0.8	BDL	4.0	0.1	3.3	43.0	15.0
9/6/2018 17:00	BDL	0.8	BDL	4.8	0.1	3.2	24.0	12.0
9/6/2018 18:00	BDL	0.8	BDL	6.5	0.2	3.1	33.0	17.0
9/6/2018 19:00	BDL	0.8	BDL	4.4	0.2	2.9	36.0	17.0
9/6/2018 20:00	BDL	0.8	BDL	4.5	0.1	2.5	26.0	9.0
9/6/2018 21:00	BDL	0.8	BDL	10.3	0.2	2.2	17.0	7.0
9/6/2018 22:00	BDL	0.8	BDL	5.1	0.2	2.1	13.0	7.0
9/6/2018 23:00	BDL	0.8	BDL	9.7	0.2	2.1	14.0	8.0
9/7/2018 0:00	BDL	1.0	BDL	10.5	0.2	2.3	21.0	8.0
9/7/2018 1:00	Calibration	Calibration	Calibration	5.8	0.1	2.3	8.0	7.0
9/7/2018 2:00	BDL	Calibration	Calibration	3.9	0.2	2.2	12.0	4.0
9/7/2018 3:00	Calibration	0.8	BDL	Calibration	Calibration	2.2	10.0	6.0
9/7/2018 4:00	BDL	0.8	BDL	5.9	0.1	Calibration	13.0	5.0
9/7/2018 5:00	BDL	0.8	BDL	9.7	0.2	2.2	16.0	5.0
9/7/2018 6:00	BDL	1.0	BDL	17.4	0.2	2.2	22.0	11.0
9/7/2018 7:00	BDL	1.0	BDL	18.1	0.2	2.2	24.0	13.0
9/7/2018 8:00	BDL	1.1	0.4	22.9	0.3	2.3	32.0	13.0
9/7/2018 9:00	BDL	1.1	0.5	17.0	0.2	2.2	28.0	11.0
9/7/2018 10:00	BDL	1.1	0.4	10.9	0.1	2.1	24.0	12.0
9/7/2018 11:00	BDL	1.0	0.4	9.1	0.1	2.2	31.0	11.0
9/7/2018 12:00	BDL	0.9	BDL	9.8	0.2	2.2	28.0	8.0
9/7/2018 13:00	BDL	1.1	0.4	15.3	0.2	2.2	32.0	11.0
9/7/2018 14:00	BDL	1.1	0.4	15.1	0.2	2.2	38.0	10.0
9/7/2018 15:00	BDL	1.0	BDL	8.2	0.2	2.2	21.0	15.0
9/7/2018 16:00	BDL	0.9	0.4	5.8	0.2	2.1		