This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 10/18/2015-10/24/2015								
10/18/2015 0:00	BDL	BDL	BDL	7.2	0.2	1.7	7.0	6.0
10/18/2015 1:00	BDL	BDL	BDL	5.1	0.1	1.7	7.0	8.0
10/18/2015 2:00	BDL	BDL	BDL	4.1	0.1	1.8	6.0	5.0
10/18/2015 3:00	0.4	BDL	BDL	7.7	0.1	2.3	5.0	3.0
10/18/2015 4:00	0.5	BDL	BDL	16.6	0.2	2.3	9.0	9.0
10/18/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	10.0	13.0
10/18/2015 6:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	8.0	7.0
10/18/2015 7:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	8.0	5.0
10/18/2015 8:00	0.5	BDL	BDL	3.1	0.1	2.2	6.0	3.0
10/18/2015 9:00	0.4	BDL	BDL	2.2	0.1	1.9	7.0	2.0
10/18/2015 10:00	0.4	BDL	BDL	1.1	0.1	1.8	5.0	2.0
10/18/2015 11:00	BDL	BDL	BDL	1.1	0.1	1.8	8.0	3.0
10/18/2015 12:00	BDL	BDL	BDL	BDL	0.1	1.7	12.0	3.0
10/18/2015 13:00	BDL	BDL	BDL	0.6	0.1	1.6	8.0	8.0
10/18/2015 14:00	BDL	BDL	BDL	BDL	0.1	1.6	19.0	5.0
10/18/2015 15:00	BDL	BDL	BDL	2.1	0.1	1.7	6.0	2.0
10/18/2015 16:00	0.4	BDL	BDL	7.0	0.1	1.8	7.0	2.0
10/18/2015 17:00	BDL	BDL	BDL	1.9	0.1	1.7	5.0	5.0
10/18/2015 18:00	BDL	BDL	BDL	4.0	0.1	1.9	5.0	6.0
10/18/2015 19:00	BDL	BDL	BDL	13.1	0.2	2.0	10.0	5.0
10/18/2015 20:00	BDL	BDL	BDL	12.9	0.2	2.1	10.0	6.0
10/18/2015 21:00	BDL	BDL	BDL	13.5	0.2	1.8	10.0	6.0
10/18/2015 22:00	BDL	BDL	BDL	10.8	0.2	1.8	8.0	15.0
10/18/2015 23:00	BDL	BDL	BDL	15.5	0.2	1.8	10.0	8.0
10/19/2015 0:00	BDL	BDL	BDL	15.0	0.2	1.9	10.0	4.0
10/19/2015 1:00	0.4	BDL	BDL	18.8	0.2	2.3	8.0	6.0
10/19/2015 2:00	0.4	BDL	BDL	20.7	0.2	2.0	10.0	7.0
10/19/2015 3:00	BDL	BDL	BDL	18.8	0.1	2.0	11.0	12.0
10/19/2015 4:00	0.4	BDL	BDL	24.7	0.2	2.1	16.0	8.0
10/19/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	13.0	8.0
10/19/2015 6:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	18.0	11.0
10/19/2015 7:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	16.0	13.0
10/19/2015 8:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	16.0	13.0
10/19/2015 9:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	27.0	12.0
10/19/2015 10:00	2.0	0.5	BDL	27.1	0.2	1.8	21.0	6.0
10/19/2015 11:00	1.3	BDL	BDL	13.0	0.1	1.7	7.0	2.0
10/19/2015 12:00	2.7	BDL	BDL	4.3	0.1	1.7	8.0	BDL
10/19/2015 13:00	4.4	BDL	BDL	8.8	0.1	1.7	18.0	BDL
10/19/2015 14:00	3.9	BDL	BDL	12.9	0.1	1.7	10.0	5.0
10/19/2015 15:00	1.7	BDL	BDL	7.5	0.1	1.7	20.0	8.0
10/19/2015 16:00	1.2	BDL	BDL	7.3	0.1	1.8	17.0	7.0
10/19/2015 17:00	0.9	BDL	BDL	6.9	0.1	1.8	12.0	5.0
10/19/2015 18:00	0.8	BDL	BDL	7.2	0.1	1.9	11.0	9.0
10/19/2015 19:00	1.8	BDL	BDL	18.7	0.2	1.8	9.0	6.0
10/19/2015 20:00	0.5	0.4	BDL	13.6	0.2	1.9	11.0	7.0
10/19/2015 21:00	0.5	0.4	BDL	11.9	0.2	2.0	4.0	10.0
10/19/2015 22:00	0.5	0.5	BDL	11.6	0.2	2.1	13.0	7.0
10/19/2015 23:00	0.6	0.7	BDL	10.3	0.1	2.2	10.0	7.0
10/20/2015 0:00	0.4	0.7	BDL	8.6	0.1	2.3	11.0	7.0
10/20/2015 1:00	BDL	0.6	BDL	8.1	0.1	2.2	10.0	7.0
10/20/2015 2:00	BDL	0.8	BDL	9.9	0.1	2.2	10.0	6.0
10/20/2015 3:00	0.5	0.7	BDL	12.5	0.1	2.0	11.0	6.0
10/20/2015 4:00	0.4	0.7	BDL	12.1	0.1	2.1	9.0	5.0
10/20/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	11.0	9.0
10/20/2015 6:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	15.0	10.0
10/20/2015 7:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	24.0	10.0
10/20/2015 8:00	1.8	BDL	BDL	24.0	0.2	1.9	23.0	10.0
10/20/2015 9:00	1.8	0.4	BDL	22.4	0.2	2.0	27.0	6.0
10/20/2015 10:00	2.4	BDL	BDL	22.1	0.2	2.0	58.0	11.0
10/20/2015 11:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	35.0	10.0
10/20/2015 12:00	1.8	BDL	BDL	14.2	0.2	2.0	23.0	6.0
10/20/2015 13:00	1.5	BDL	BDL	16.0	0.2	1.9	59.0	5.0
10/20/2015 14:00	1.4	BDL	BDL	15.7	0.2	2.0	39.0	6.0
10/20/2015 15:00	1.3	BDL	BDL	12.0	0.2	2.0	34.0	6.0
10/20/2015 16:00	1.3	BDL	BDL	12.3	0.2	2.0	31.0	5.0
10/20/2015 17:00	1.7	BDL	BDL	15.3	0.2	1.9	25.0	10.0
10/20/2015 18:00	1.8	BDL	BDL	17.3	0.2	1.9	20.0	9.0
10/20/2015 19:00	2.4	0.4	BDL	19.9	0.2	1.9	29.0	11.0
10/20/2015 20:00	2.0	0.4	BDL	18.6	0.2	2.0	26.0	10.0
10/20/2015 21:00	2.3	0.5	BDL	15.7	0.2	2.0	27.0	16.0
10/20/2015 22:00	1.8	0.5	BDL	19.1	0.2	2.2	19.0	13.0
10/20/2015 23:00	1.7	0.5	BDL	22.9	0.3	2.4	23.0	13.0
10/21/2015 0:00	1.1	0.5	BDL	17.2	0.2	2.5	23.0	10.0
10/21/2015 1:00	0.7	0.4	BDL	13.9	0.2	2.6	14.0	8.0
10/21/2015 2:00	0.4	0.5	BDL	14.4	0.2	3.1	19.0	14.0
10/21/2015 3:00	0.8	0.9	1	16.9	0.2	3.6	19.0	12.0
10/21/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	21.0	13.0
10/21/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	25.0	10.0
10/21/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	33.0	12.0
10/21/2015 7:00	1.7	2.3	1.4	96.6	0.6	2.5	48.0	14.0
10/21/2015 8:00	2.4	1.7	1	61.5	0.5	3.0	43.0	20.0
10/21/2015 9:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	37.0	23.0
10/21/2015 10:00	3.2	1.5	BDL	68.6	0.4	3.0	47.0	24.0
10/21/2015 11:00	3.1	1.1	BDL	54.5	0.4	2.6	43.0	16.0
10/21/2015 12:00	2.5	0.9	BDL	38.5	0.3	2.5	44.0	15.0
10/21/2015 13:00	1.9	0.6	BDL	23.2	0.3	2.1	27.0	10.0
10/21/2015 14:00	1.2	0.6	BDL	13.2	0.2	2.0	23.0	12.0
10/21/2015 15:00	1.1	0.4	BDL	10.2	0.2	1.9	23.0	10.0
10/21/2015 16:00	0.9	BDL	BDL	9.9	0.2	1.8	24.0	9.0
10/21/2015 17:00	1.3	BDL	BDL	13.3	0.2	2.0	22.0	13.0
10/21/2015 18:00	1.4	BDL	BDL	32.5	0.4	2.0	33.0	12.0
10/21/2015 19:00	0.9	0.7	BDL	39.9	0.4	1.8	29.0	13.0
10/21/2015 20:00	0.8	0.9	BDL	27.3	0.3	2.1	27.0	17.0
10/21/2015 21:00	0.7	0.9	BDL	39.4	0.4	2.2	28.0	16.0
10/21/2015 22:00	0.7	0.8	BDL	15.5	0.3	2.5	25.0	12.0
10/21/2015 23:00	1.0	0.9	BDL	37.4	0.4	2.3	25.0	17.0
10/22/2015 0:00	1.0	1.1	BDL	28.7	0.3	2.0	24.0	13.0
10/22/2015 1:00	0.7	1.4	1.5	25.0	0.3	2.4	24.0	21.0
10/22/2015 2:00	0.5	1.2	1.3	23.2	0.2	2.0	23.0	17.0
10/22/2015 3:00	0.5	1.3	1.3	24.4	0.2	2.1	19.0	15.0
10/22/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	24.0	12.0
10/22/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	24.0	13.0
10/22/2015 6:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	21.0	15.0
10/22/2015 7:00	0.7	1.8	1.9	49.9	0.3	2.9	24.0	14.0
10/22/2015 8:00	2.2	2.4	1.7	71.3	0.4	2.9	44.0	20.0
10/22/2015 9:00	1.6	1.8	1.5	30.2	0.3	2.6	29.0	16.0
10/22/2015 10:00	1.8	1.1	BDL	29.9	0.3	2.2	26.0	17.0
10/22/2015 11:00	1.5	0.8	Too few samples	25.8	0.3	Too few samples	31.0	20.0
10/22/2015 12:00	2.1	0.7	Too few samples	24.9	0.3	Too few samples	36.0	12.0
10/22/2015 13:00	1.7	0.5	BDL	19.3	0.2	2.3	37.0	13.0
10/22/2015 14:00	1.7	BDL	BDL	16.1	0.2	2.1	43.0	15.0
10/22/2015 15:00	1.4	BDL	BDL	10.7	0.2	2.1	36.0	8.0
10/22/2015 16:00	1.5	BDL	BDL	11.3	0.2	2.1	28.0	9.0
10/22/2015 17:00	1.2	BDL	BDL	13.2	0.2	2.4	31.0	13.0
10/22/2015 18:00	1.6	BDL	Too few samples	20.4	0.3	Too few samples	35.0	19.0
10/22/2015 19:00	2.0	0.5	BDL	27.9	0.3	BDL	35.0	24.0
10/22/2015 20:00	1.8	0.4	BDL	18.7	0.3	Too few samples	41.0	22.0
10/22/2015 21:00	1.7	0.4	BDL	19.4	0.3	BDL	36.0	16.0
10/22/2015 22:00	1.6	0.5	Too few samples	19.5	0.3	Too few samples	28.0	16.0
10/22/2015 23:00	3.0	0.6	Too few samples	21.7	0.3	Too few samples	33.0	17.0
10/23/2015 0:00	1.7	0.6	Invalid	22.7	0.3	Invalid	25.0	12.0
10/23/2015 1:00	1.3	0.8	Invalid	32.6	0.4	Invalid	26.0	18.0
10/23/2015 2:00	0.8	0.5	Invalid	27.4	0.4	Invalid	26.0	17.0
10/23/2015 3:00	0.7	BDL	Invalid	13.1	0.3	Invalid	28.0	15.0
10/23/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	28.0	11.0
10/23/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	15.0	11.0
10/23/2015 6:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	11.0	9.0
10/23/2015 7:00	0.5	BDL	BDL	21.4	0.3	1.7	21.0	8.0
10/23/2015 8:00	0.4	BDL	BDL	16.2	0.2	1.6	14.0	10.0
10/23/2015 9:00	BDL	BDL	BDL	11.9	0.2	1.5	24.0	6.0
10/23/2015 10:00	BDL	BDL	BDL	9.9	0.2	1.6	14.0	3.0
10/23/2015 11:00	BDL	BDL	BDL	10.4	0.2	1.6	12.0	2.0
10/23/2015 12:00	BDL	BDL	BDL	6.2	0.1	1.6	15.0	0.0
10/23/2015 13:00	BDL	BDL	BDL	5.7	0.1	1.6	19.0	3.0
10/23/2015 14:00	BDL	BDL	BDL	4.2	0.1	1.5	12.0	2.0
10/23/2015 15:00	BDL	BDL	BDL	7.3	0.2	1.5	10.0	3.0
10/23/2015 16:00	BDL	BDL	BDL	7.1	0.2	1.5	14.0	3.0
10/23/2015 17:00	BDL	BDL	BDL	11.5	0.2	1.5	15.0	2.0
10/23/2015 18:00	0.4	BDL	BDL	17.6	0.3	1.5	16.0	1.0
10/23/2015 19:00	BDL	BDL	BDL	23.1	0.4	1.5	16.0	2.0
10/23/2015 20:00	BDL	BDL	BDL	28.9	0.4	1.5	17.0	4.0
10/23/2015 21:00	BDL	0.4	BDL	31.8	0.4	1.6	16.0	4.0
10/23/2015 22:00	BDL	BDL	BDL	17.6	0.3	1.5	16.0	5.0
10/23/2015 23:00	BDL	BDL	BDL	15.4	0.2	1.5	11.0	6.0
10/24/2015 0:00	BDL	BDL	BDL	14.2	0.2	1.5	15.0	7.0
10/24/2015 1:00	0.5	BDL	BDL	22.4	0.3	1.7	14.0	7.0
10/24/2015 2:00	BDL	BDL	BDL	17.2	0.2	1.6	14.0	5.0
10/24/2015 3:00	BDL	BDL	BDL	14.9	0.2	1.6	10.0	6.0
10/24/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	9.0	7.0
10/24/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	12.0	9.0
10/24/2015 6:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	12.0	10.0
10/24/2015 7:00	0.5	BDL	BDL	29.2	0.3	1.7	17.0	6.0
10/24/2015 8:00	0.5	0.5	BDL	30.2	0.3	1.7	14.0	4.0
10/24/2015 9:00	0.5	0.5	BDL	24.5	0.3	1.6	13.0	7.0
10/24/2015 10:00	0.4	0.5	BDL	22.7	0.3	1.7	21.0	8.0
10/24/2015 11:00	0.4	0.4	BDL	24.5	0.3	1.6	14.0	5.0
10/24/2015 12:00	BDL	BDL	BDL	12.3	0.2	1.5	12.0	3.0
10/24/2015 13:00	BDL	BDL	BDL	3.5	0.2	1.4	9.0	2.0
10/24/2015 14:00	BDL	BDL	BDL	2.1	0.1	1.4	9.0	3.0
10/24/2015 15:00	BDL	BDL	BDL	1.6	0.2	1.4	9.0	5.0
10/24/2015 16:00	BDL	BDL	BDL	3.1	0.2	1.4	12.0	5.0
10/24/2015 17:00	BDL	BDL	BDL	4	0.2	1.4	11.0	6.0
10/24/2015 18:00	BDL	BDL	BDL	7.9	0.2	1.4	16.0	6.0
10/24/2015 19:00	BDL	BDL	BDL	5.7	0.2	1.4	13.0	4.0
10/24/2015 20:00	BDL	BDL	BDL	2	0.2	1.4	9.0	5.0
10/24/2015 21:00	BDL	BDL	BDL	3.9	0.2	1.4	12.0	5.0
10/24/2015 22:00	BDL	BDL	BDL	3.8	0.2	1.4	11.0	7.0
10/24/2015 23:00	BDL	BDL	BDL	4.4	0.2	1.4	10.0	6.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 10/25/2015-10/31/2015								
10/25/2015 0:00	BDL	BDL	BDL	3.9	0.2	1.4	7.0	6.0
10/25/2015 1:00	BDL	BDL	BDL	2.4	0.2	1.5	7.0	8.0
10/25/2015 2:00	BDL	BDL	BDL	10.1	0.2	1.6	6.0	5.0
10/25/2015 3:00	BDL	BDL	BDL	6.1	0.2	1.6	5.0	3.0
10/25/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	9.0	9.0
10/25/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	10.0	13.0
10/25/2015 6:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	8.0	7.0
10/25/2015 7:00	0.5	0.5	Too few samples	10.0	0.2	Too few samples	8.0	5.0
10/25/2015 8:00	0.4	BDL	Too few samples	8.5	0.2	Too few samples	6.0	3.0
10/25/2015 9:00	BDL	BDL	Too few samples	3.8	0.2	Too few samples	7.0	2.0
10/25/2015 10:00	0.6	0.4	Too few samples	7.6	0.2	Too few samples	5.0	2.0
10/25/2015 11:00	1.1	0.4	Too few samples	10.2	0.2	Too few samples	8.0	3.0
10/25/2015 12:00	2.7	BDL	Too few samples	7.2	0.2	Too few samples	12.0	3.0
10/25/2015 13:00	0.8	BDL	Too few samples	2.4	0.2	Too few samples	8.0	8.0
10/25/2015 14:00	0.5	BDL	Too few samples	2.0	0.2	Too few samples	19.0	5.0
10/25/2015 15:00	BDL	BDL	Too few samples	2.5	0.2	Too few samples	6.0	2.0
10/25/2015 16:00	BDL	BDL	Too few samples	2.3	0.2	Too few samples	7.0	2.0
10/25/2015 17:00	BDL	BDL	Too few samples	2.5	0.2	Too few samples	5.0	5.0
10/25/2015 18:00	BDL	BDL	Too few samples	4.5	0.2	Too few samples	5.0	6.0
10/25/2015 19:00	BDL	BDL	Too few samples	4.2	0.2	Too few samples	10.0	5.0
10/25/2015 20:00	BDL	BDL	Too few samples	3.4	0.2	Too few samples	10.0	6.0
10/25/2015 21:00	BDL	BDL	BDL	4.2	0.2	1.5	10.0	6.0
10/25/2015 22:00	BDL	BDL	Too few samples	5.3	0.2	Too few samples	8.0	15.0
10/25/2015 23:00	BDL	BDL	Too few samples	4.6	0.2	Too few samples	10.0	8.0
10/26/2015 0:00	BDL	BDL	BDL	14.2	0.2	1.5	10.0	4.0
10/26/2015 1:00	BDL	BDL	BDL	11.0	0.2	1.6	8.0	6.0
10/26/2015 2:00	BDL	BDL	BDL	17.3	0.2	1.8	10.0	7.0
10/26/2015 3:00	BDL	BDL	BDL	12.7	0.2	1.8	11.0	12.0
10/26/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	16.0	8.0
10/26/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	13.0	8.0
10/26/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	18.0	11.0
10/26/2015 7:00	0.5	BDL	BDL	32.9	0.3	2.2	16.0	13.0
10/26/2015 8:00	0.4	BDL	BDL	31.7	0.3	1.8	16.0	13.0
10/26/2015 9:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Too few samples	27.0	12.0
10/26/2015 10:00	0.4	BDL	BDL	20.4	0.2	1.7	21.0	6.0
10/26/2015 11:00	BDL	BDL	BDL	17.9	0.2	1.6	7.0	2.0
10/26/2015 12:00	BDL	BDL	BDL	16.9	0.2	1.6	8.0	BDL
10/26/2015 13:00	BDL	BDL	BDL	14.4	0.2	1.6	18.0	BDL
10/26/2015 14:00	BDL	BDL	BDL	11.7	0.2	1.5	10.0	5.0
10/26/2015 15:00	BDL	BDL	BDL	14.5	0.2	1.5	20.0	8.0
10/26/2015 16:00	0.4	BDL	BDL	16.4	0.2	1.5	17.0	7.0
10/26/2015 17:00	0.6	BDL	BDL	23.8	0.3	1.5	12.0	5.0
10/26/2015 18:00	0.7	0.4	BDL	40.2	0.4	1.5	11.0	9.0
10/26/2015 19:00	0.5	0.4	BDL	35.1	0.4	1.5	9.0	6.0
10/26/2015 20:00	0.5	0.4	BDL	39.9	0.5	1.6	11.0	7.0
10/26/2015 21:00	0.5	0.5	BDL	37.9	0.4	1.8	4.0	10.0
10/26/2015 22:00	0.6	0.7	BDL	46.1	0.5	1.8	13.0	7.0
10/26/2015 23:00	0.4	0.9	BDL	42.2	0.4	1.7	10.0	7.0
10/27/2015 0:00	0.6	0.8	BDL	48.2	0.5	1.8	11.0	7.0
10/27/2015 1:00	0.8	1.2	BDL	69.2	0.6	2.3	10.0	7.0
10/27/2015 2:00	1.5	2.4	BDL	124.5	0.7	3.1	10.0	6.0
10/27/2015 3:00	2.0	3.7	1.6	162.6	0.7	2.9	11.0	6.0
10/27/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	9.0	5.0
10/27/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	11.0	9.0
10/27/2015 6:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	15.0	10.0
10/27/2015 7:00	1.5	1.2	BDL	77.1	0.5	2.0	24.0	10.0
10/27/2015 8:00	1.5	1.4	BDL	78.9	0.6	2.0	23.0	10.0
10/27/2015 9:00	1.6	1.6	BDL	84.5	0.6	1.9	27.0	6.0
10/27/2015 10:00	1.3	1.4	BDL	70.0	0.5	1.9	58.0	11.0
10/27/2015 11:00	1.0	1.1	BDL	53.5	0.4	1.8	35.0	10.0
10/27/2015 12:00	0.4	0.6	BDL	31.3	0.3	1.6	23.0	6.0
10/27/2015 13:00	BDL	BDL	BDL	24.1	0.2	1.5	59.0	5.0
10/27/2015 14:00	BDL	BDL	BDL	15.5	0.2	1.4	39.0	6.0
10/27/2015 15:00	BDL	BDL	BDL	15.1	0.2	1.4	34.0	6.0
10/27/2015 16:00	BDL	BDL	BDL	12.6	0.2	1.4	31.0	5.0
10/27/2015 17:00	BDL	BDL	BDL	11.7	0.2	1.4	25.0	10.0
10/27/2015 18:00	BDL	BDL	BDL	12.5	0.2	1.4	20.0	9.0
10/27/2015 19:00	BDL	BDL	BDL	12.9	0.2	1.5	29.0	11.0
10/27/2015 20:00	BDL	BDL	BDL	11.5	0.2	1.4	26.0	10.0
10/27/2015 21:00	BDL	BDL	BDL	12.6	0.2	1.5	27.0	16.0
10/27/2015 22:00	BDL	BDL	BDL	13.3	0.2	1.5	19.0	13.0
10/27/2015 23:00	BDL	BDL	BDL	12.5	0.2	1.5	23.0	13.0
10/28/2015 0:00	BDL	BDL	BDL	13.3	0.2	1.5	23.0	10.0
10/28/2015 1:00	BDL	BDL	BDL	8.2	0.2	1.5	14.0	8.0
10/28/2015 2:00	BDL	BDL	BDL	7.6	0.2	1.5	19.0	14.0
10/28/2015 3:00	BDL	BDL	BDL	13.6	0.2	1.5	19.0	12.0
10/28/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	21.0	13.0
10/28/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	25.0	10.0
10/28/2015 6:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	33.0	12.0
10/28/2015 7:00	BDL	BDL	BDL	19.6	0.3	1.5	48.0	14.0
10/28/2015 8:00	BDL	0.4	BDL	21.8	0.3	1.4	43.0	20.0
10/28/2015 9:00	BDL	BDL	Too few samples	17.1	0.3	Too few samples	37.0	23.0
10/28/2015 10:00	---	---	---	---	---	---	47.0	24.0
10/28/2015 11:00	BDL	BDL	Too few samples	15.7	0.2	1.3	43.0	16.0
10/28/2015 12:00	BDL	BDL	Too few samples	15.2	0.2	1.4	44.0	15.0
10/28/2015 13:00	BDL	BDL	BDL	14.8	0.3	1.5	27.0	10.0
10/28/2015 14:00	BDL	BDL	BDL	13.3	0.2	1.5	23.0	12.0
10/28/2015 15:00	BDL	BDL	BDL	9.9	0.3	1.5	23.0	10.0
10/28/2015 16:00	BDL	BDL	BDL	6.2	0.3	1.6	24.0	9.0
10/28/2015 17:00	BDL	BDL	BDL	6.5	0.2	1.7	22.0	13.0
10/28/2015 18:00	BDL	BDL	BDL	2.7	0.2	1.7	33.0	12.0
10/28/2015 19:00	BDL	BDL	Too few samples	2.0	0.2	1.6	29.0	13.0
10/28/2015 20:00	BDL	BDL	BDL	0.8	0.2	1.7	27.0	17.0
10/28/2015 21:00	BDL	BDL	BDL	2.3	0.2	1.5	28.0	16.0
10/28/2015 22:00	BDL	BDL	Too few samples	0.6	0.2	1.5	25.0	12.0
10/28/2015 23:00	BDL	BDL	Too few samples	0.6	0.2	1.7	25.0	17.0
10/29/2015 0:00	BDL	BDL	BDL	0.9	0.2	1.8	24.0	13.0
10/29/2015 1:00	BDL	BDL	BDL	0.4	0.2	1.9	24.0	21.0
10/29/2015 2:00	BDL	0.5	BDL	4.3	0.2	1.7	23.0	17.0
10/29/2015 3:00	BDL	BDL	BDL	5.1	0.2	1.7	19.0	15.0
10/29/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	24.0	12.0
10/29/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	24.0	13.0
10/29/2015 6:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	21.0	15.0
10/29/2015 7:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	24.0	14.0
10/29/2015 8:00	1.0	0.5	BDL	31.4	0.3	1.8	44.0	20.0
10/29/2015 9:00	0.6	0.4	BDL	20.4	0.2	1.9	29.0	16.0
10/29/2015 10:00	BDL	BDL	BDL	16.3	0.2	2.0	26.0	17.0
10/29/2015 11:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	2.1	31.0	20.0
10/29/2015 12:00	0.4	BDL	BDL	9.5	0.2	1.8	36.0	12.0
10/29/2015 13:00	0.4	BDL	Too few samples	7.2	0.2	1.6	37.0	13.0
10/29/2015 14:00	0.7	BDL	BDL	10.3	0.2	1.6	43.0	15.0
10/29/2015 15:00	0.7	BDL	BDL	12.4	0.2	1.6	36.0	8.0
10/29/2015 16:00	0.6	BDL	BDL	11.4	0.2	1.6	28.0	9.0
10/29/2015 17:00	0.5	BDL	BDL	8.1	0.2	1.6	31.0	13.0
10/29/2015 18:00	0.7	BDL	BDL	14.9	0.2	1.6	35.0	19.0
10/29/2015 19:00	0.8	BDL	BDL	9.4	0.2	1.6	35.0	24.0
10/29/2015 20:00	0.6	BDL	BDL	13.5	0.2	1.6	41.0	22.0
10/29/2015 21:00	0.9	BDL	BDL	12.2	0.2	1.6	36.0	16.0
10/29/2015 22:00	0.7	BDL	BDL	11.6	0.2	1.6	28.0	16.0
10/29/2015 23:00	1.0	BDL	BDL	9.7	0.2	1.6	33.0	17.0
10/30/2015 0:00	1.0	BDL	BDL	14.3	0.2	1.6	25.0	12.0
10/30/2015 1:00	0.7	BDL	BDL	4.2	0.2	1.6	26.0	18.0
10/30/2015 2:00	0.7	BDL	BDL	6.8	0.2	0.7	26.0	17.0
10/30/2015 3:00	0.6	BDL	BDL	8.7	0.2	1.6	28.0	15.0
10/30/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	28.0	11.0
10/30/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	15.0	11.0
10/30/2015 6:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	11.0	9.0
10/30/2015 7:00	1.0	BDL	BDL	15.5	0.2	1.6	21.0	8.0
10/30/2015 8:00	1.4	0.4	BDL	28.3	0.2	1.6	14.0	10.0
10/30/2015 9:00	0.6	BDL	BDL	15.6	0.2	1.6	24.0	6.0
10/30/2015 10:00	0.4	BDL	BDL	4.8	0.2	1.6	14.0	3.0
10/30/2015 11:00	0.4	BDL	BDL	3.5	0.2	0.4	12.0	2.0
10/30/2015 12:00	0.4	BDL	BDL	3.4	0.2	1.5	15.0	BDL
10/30/2015 13:00	0.4	BDL	BDL	4.5	0.2	1.5	19.0	3.0
10/30/2015 14:00	0.4	BDL	BDL	3.0	0.2	1.5	12.0	2.0
10/30/2015 15:00	0.4	BDL	BDL	4.9	0.2	1.6	10.0	3.0
10/30/2015 16:00	0.4	BDL	BDL	3.8	0.2	1.5	14.0	3.0
10/30/2015 17:00	0.4	BDL	BDL	4.0	0.2	1.5	15.0	2.0
10/30/2015 18:00	0.4	BDL	BDL	8.7	0.2	1.6	16.0	1.0
10/30/2015 19:00	0.4	BDL	BDL	20.3	0.3	1.7	16.0	2.0
10/30/2015 20:00	BDL	BDL	BDL	16.6	0.3	1.8	17.0	4.0
10/30/2015 21:00	0.4	BDL	BDL	23.5	0.3	1.9	16.0	4.0
10/30/2015 22:00	0.9	BDL	BDL	20.3	0.3	1.8	16.0	5.0
10/30/2015 23:00	0.7	BDL	BDL	25.2	0.3	1.5	11.0	6.0
10/31/2015 0:00	1.0	0.4	BDL	40.5	0.4	2.1	15.0	7.0
10/31/2015 1:00	0.9	0.7	BDL	49.8	0.5	2.5	14.0	7.0
10/31/2015 2:00	0.8	0.5	BDL	43.0	0.4	2.4	14.0	5.0
10/31/2015 3:00	0.7	0.7	BDL	49.2	0.4	2.5	10.0	6.0
10/31/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	9.0	7.0
10/31/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	12.0	9.0
10/31/2015 6:00	BDL	Too few samples	Too few samples	Too few samples	Calibration	Calibration	12.0	10.0
10/31/2015 7:00	0.8	0.8	BDL	52.4	0.4	2.0	17.0	6.0
10/31/2015 8:00	0.7	0.5	BDL	36.6	0.3	2.0	14.0	4.0
10/31/2015 9:00	0.7	0.6	BDL	36.5	0.4	2.1	13.0	7.0
10/31/2015 10:00	0.8	0.4	BDL	24.6	0.3	1.7	21.0	8.0
10/31/2015 11:00	0.7	0.4	BDL	24.2	0.3	1.6	14.0	5.0
10/31/2015 12:00	0.8	0.5	BDL	28.5	0.3	1.6	12.0	3.0
10/31/2015 13:00	1.1	BDL	BDL	13.8	0.2	1.6	9.0	2.0
10/31/2015 14:00	1.2	BDL	BDL	9.3	0.2	1.6	9.0	3.0
10/31/2015 15:00	1.1	BDL	BDL	8.1	0.2	1.6	9.0	5.0
10/31/2015 16:00	1.1	0.8	BDL	9.7	0.2	1.6	12.0	5.0
10/31/2015 17:00	1.2	0.5	BDL	11.9	0.2	1.6	11.0	6.0
10/31/2015 18:00	0.9	BDL	BDL	21.5	0.3	1.5	16.0	6.0
10/31/2015 19:00	0.8	0.6	BDL	30.1	0.4	1.5	13.0	4.0
10/31/2015 20:00	0.8	0.6	BDL	30.8	0.3	1.5	9.0	5.0
10/31/2015 21:00	0.5	0.5	BDL	20.8	0.3	1.5	12.0	5.0
10/31/2015 22:00	BDL	0.5	BDL	10.0	0.2	1.4	11.0	7.0
10/31/2015 23:00	BDL	0.9	1	12.6	0.3	1.4	10.0	6.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 11/1/2015-11/7/2015								
11/1/2015 0:00	BDL	1.2	1.4	8.6	0.3	1.8	14.0	8.0
11/1/2015 1:00	BDL	1.6	1.9	8.6	0.2	1.7	17.0	9.0
11/1/2015 2:00	BDL	1.9	2.1	16.6	0.2	1.5	14.0	9.0
11/1/2015 3:00	BDL	1.8	2	7.2	0.3	1.8	15.0	8.0
11/1/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	16.0	9.0
11/1/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	14.0	6.0
11/1/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	14.0	7.0
11/1/2015 7:00	0.4	0.8	1	8.8	0.2	1.8	10.0	7.0
11/1/2015 8:00	BDL	0.9	1	6.7	0.2	1.8	14.0	8.0
11/1/2015 9:00	0.8	1.0	1.2	9.1	0.2	1.8	13.0	9.0
11/1/2015 10:00	0.7	0.7	BDL	7.4	0.2	1.8	20.0	10.0
11/1/2015 11:00	0.9	0.4	BDL	9.4	0.2	1.7	17.0	10.0
11/1/2015 12:00	0.9	BDL	BDL	8.2	0.2	1.7	20.0	13.0
11/1/2015 13:00	1.0	BDL	BDL	7.8	0.2	1.8	17.0	18.0
11/1/2015 14:00	0.8	BDL	BDL	5.2	0.2	1.8	21.0	12.0
11/1/2015 15:00	1.5	BDL	BDL	9.2	0.3	1.7	25.0	22.0
11/1/2015 16:00	1.7	BDL	BDL	10.5	0.3	1.7	14.0	12.0
11/1/2015 17:00	2.0	BDL	BDL	13.2	0.3	1.7	22.0	17.0
11/1/2015 18:00	1.9	BDL	BDL	16.0	0.3	1.7	20.0	14.0
11/1/2015 19:00	2.4	BDL	BDL	16.0	0.3	1.7	27.0	24.0
11/1/2015 20:00	2.6	BDL	BDL	15.1	0.3	1.8	32.0	26.0
11/1/2015 21:00	2.9	0.4	Too few samples	13.5	0.3	Too few samples	34.0	24.0
11/1/2015 22:00	2.4	0.4	Too few samples	17.9	0.3	Too few samples	30.0	26.0
11/1/2015 23:00	2.3	0.6	BDL	18.5	0.4	2.1	27.0	17.0
11/2/2015 0:00	2.0	1.0	Too few samples	20.7	0.4	Too few samples	29.0	22.0
11/2/2015 1:00	1.2	1.4	Too few samples	20.5	0.4	Too few samples	26.0	19.0
11/2/2015 2:00	0.9	1.2	Invalid	26.5	0.4	Invalid	22.0	18.0
11/2/2015 3:00	0.5	1.5	Invalid	33.2	0.4	Invalid	30.0	19.0
11/2/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	28.0	18.0
11/2/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	19.0	18.0
11/2/2015 6:00	Too few samples	Too few samples	Calibration	Too few samples	Calibration	Calibration	24.0	14.0
11/2/2015 7:00	1.9	1.8	Invalid	102.6	0.7	Too few samples	18.0	14.0
11/2/2015 8:00	1.5	1.1	Invalid	61.4	0.5	Invalid	21.0	9.0
11/2/2015 9:00	1.3	0.8	Invalid	50.8	0.4	Invalid	23.0	18.0
11/2/2015 10:00	1.0	0.6	Too few samples	36.9	0.4	Invalid	17.0	7.0
11/2/2015 11:00	1.1	0.4	Too few samples	26.2	0.3	Too few samples	19.0	8.0
11/2/2015 12:00	1.3	0.5	Too few samples	34.8	0.3	Too few samples	19.0	8.0
11/2/2015 13:00	1.1	0.6	BDL	35.7	0.4	1.6	20.0	11.0
11/2/2015 14:00	1.1	0.5	BDL	31.0	0.4	1.7	25.0	9.0
11/2/2015 15:00	1.0	0.4	BDL	25.7	0.3	1.6	20.0	7.0
11/2/2015 16:00	1.1	0.6	BDL	40.5	0.5	1.6	22.0	8.0
11/2/2015 17:00	1.5	1.0	BDL	65.4	0.7	1.7	34.0	16.0
11/2/2015 18:00	1.6	1.4	BDL	75.5	0.8	1.8	35.0	17.0
11/2/2015 19:00	1.9	1.8	1	83.9	0.7	2.0	28.0	13.0
11/2/2015 20:00	2.6	2.2	BDL	105	0.9	2.2	35.0	18.0
11/2/2015 21:00	2.0	2.0	BDL	103.3	0.9	2.4	28.0	14.0
11/2/2015 22:00	2.1	2.6	1.4	117.2	1.0	3.1	33.0	16.0
11/2/2015 23:00	2.3	2.9	1.1	119.4	1.1	3.1	34.0	17.0
11/3/2015 0:00	1.6	1.9	Too few samples	97.8	1.0	Too few samples	33.0	17.0
11/3/2015 1:00	1.2	1.7	Too few samples	84.9	0.9	Too few samples	28.0	17.0
11/3/2015 2:00	1.5	2.2	Too few samples	106.9	1.0	Too few samples	29.0	16.0
11/3/2015 3:00	1.4	1.9	Too few samples	100.2	0.9	Too few samples	33.0	16.0
11/3/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	29.0	19.0
11/3/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	38.0	27.0
11/3/2015 6:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	33.0	20.0
11/3/2015 7:00	1.4	2.0	Too few samples	94.6	0.8	Too few samples	30.0	17.0
11/3/2015 8:00	2.2	2.5	Invalid	152.3	1.1	Invalid	42.0	27.0
11/3/2015 9:00	2.9	3.6	Invalid	182.3	1.2	Invalid	43.0	34.0
11/3/2015 10:00	3.1	3.2	Too few samples	140.6	0.9	Invalid	50.0	36.0
11/3/2015 11:00	2.3	1.6	Too few samples	69.1	0.6	Too few samples	44.0	23.0
11/3/2015 12:00	3.4	0.8	BDL	47.4	0.4	1.7	37.0	16.0
11/3/2015 13:00	3.2	0.6	BDL	34.5	0.3	1.5	30.0	15.0
11/3/2015 14:00	2.3	0.6	BDL	33.2	0.3	1.6	27.0	11.0
11/3/2015 15:00	2.6	0.4	BDL	26.1	0.3	1.7	27.0	8.0
11/3/2015 16:00	3.3	0.3	BDL	23.1	0.3	1.7	27.0	9.0
11/3/2015 17:00	1.7	0.5	BDL	31.7	0.4	1.7	31.0	13.0
11/3/2015 18:00	1.8	1.0	BDL	43.2	0.4	1.8	29.0	14.0
11/3/2015 19:00	3.3	1.2	BDL	41.4	0.4	2.1	26.0	14.0
11/3/2015 20:00	2.6	1.2	BDL	47.5	0.5	2.2	26.0	12.0
11/3/2015 21:00	2.2	1.4	1.1	62.7	0.7	2.4	27.0	12.0
11/3/2015 22:00	3.5	2.3	1.6	82.7	0.7	2.6	28.0	17.0
11/3/2015 23:00	2.2	2.3	BDL	102.3	0.9	3.2	31.0	16.0
11/4/2015 0:00	1.9	1.9	BDL	98.7	1.0	3.2	29.0	21.0
11/4/2015 1:00	1.3	1.2	BDL	54.9	0.7	3.0	30.0	17.0
11/4/2015 2:00	1.6	2.4	1.7	79.3	0.8	3.4	25.0	18.0
11/4/2015 3:00	1.4	1.9	1	83.1	0.7	3.2	29.0	19.0
11/4/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	33.0	19.0
11/4/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	34.0	19.0
11/4/2015 6:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	39.0	21.0
11/4/2015 7:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	45.0	27.0
11/4/2015 8:00	3.5	6.0	2.3	252.7	1.6	3.7	48.0	31.0
11/4/2015 9:00	Calibration	Calibration	Calibration	Calib	Calibration	Calibration	39.0	25.0
11/4/2015 10:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	43.0	23.0
11/4/2015 11:00	1.8	1.7	BDL	69.6	0.6	2.1	38.0	16.0
11/4/2015 12:00	1.2	0.9	BDL	47.1	0.5	1.9	30.0	18.0
11/4/2015 13:00	0.8	0.5	BDL	31.4	0.4	1.6	22.0	11.0
11/4/2015 14:00	0.7	0.5	BDL	25.4	0.4	1.5	23.0	9.0
11/4/2015 15:00	0.7	0.4	BDL	14.3	0.3	Too few samples	20.0	7.0
11/4/2015 16:00	0.7	0.5	BDL	16.5	0.4	BDL	17.0	7.0
11/4/2015 17:00	0.8	BDL	BDL	21.5	0.4	BDL	23.0	12.0
11/4/2015 18:00	0.5	BDL	BDL	22.1	0.4	BDL	25.0	11.0
11/4/2015 19:00	0.4	0.4	BDL	23.8	0.4	BDL	21.0	18.0
11/4/2015 20:00	0.4	0.5	BDL	30.8	0.5	BDL	28.0	17.0
11/4/2015 21:00	BDL	0.4	BDL	23.1	0.5	BDL	29.0	18.0
11/4/2015 22:00	BDL	0.4	BDL	24.3	0.5	BDL	27.0	19.0
11/4/2015 23:00	BDL	0.4	BDL	32.1	0.5	BDL	32.0	20.0
11/5/2015 0:00	BDL	0.7	BDL	43.9	0.6	BDL	33.0	27.0
11/5/2015 1:00	BDL	0.9	BDL	45.1	0.6	BDL	35.0	27.0
11/5/2015 2:00	BDL	0.9	BDL	54.6	0.6	BDL	43.0	32.0
11/5/2015 3:00	BDL	0.9	BDL	53.6	0.6	BDL	34.0	29.0
11/5/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calib	25.0	20.0
11/5/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calib	30.0	26.0
11/5/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	0.6	BDL	28.0	21.0
11/5/2015 7:00	0.7	1.0	BDL	64.8	0.7	BDL	32.0	21.0
11/5/2015 8:00	Too few samples	Too few samples	Too few samples	Too few samples	0.8	BDL	43.0	26.0
11/5/2015 9:00	1.5	3.3	1.6	139.7	1.0	BDL	48.0	33.0
11/5/2015 10:00	1.5	3.3	1.7	145.9	0.9	0.1	49.0	35.0
11/5/2015 11:00	0.6	1.4	BDL	77.1	0.6	Too few samples	29.0	23.0
11/5/2015 12:00	BDL	0.4	BDL	22.7	0.4	Invalid	17.0	12.0
11/5/2015 13:00	BDL	0.4	BDL	17.5	0.3	Invalid	12.0	8.0
11/5/2015 14:00	0.4	0.6	BDL	19.8	0.3	Invalid	16.0	6.0
11/5/2015 15:00	0.4	0.6	BDL	17.1	0.4	Too few samples	21.0	19.0
11/5/2015 16:00	0.4	0.7	BDL	29.7	0.4	BDL	25.0	19.0
11/5/2015 17:00	BDL	0.4	BDL	18.0	0.3	Too few samples	17.0	8.0
11/5/2015 18:00	Too few samples	Too few samples	Too few samples	Too few samples	0.3	Too few samples	15.0	10.0
11/5/2015 19:00	BDL	0.9	BDL	33.4	0.5	4.6	22.0	14.0
11/5/2015 20:00	BDL	0.9	BDL	24.6	0.4	9.4	22.0	14.0
11/5/2015 21:00	BDL	0.8	BDL	19.0	0.3	2.0	20.0	12.0
11/5/2015 22:00	BDL	0.6	BDL	15.6	0.3	1.5	12.0	12.0
11/5/2015 23:00	BDL	0.6	BDL	12.8	0.3	1.5	10.0	10.0
11/6/2015 0:00	BDL	0.4	BDL	4.9	0.2	1.0	11.0	6.0
11/6/2015 1:00	BDL	0.5	BDL	7.8	0.3	1.3	11.0	8.0
11/6/2015 2:00	BDL	0.5	BDL	14.7	0.3	1.0	12.0	13.0
11/6/2015 3:00	BDL	0.7	1	12.2	0.3	0.6	10.0	10.0
11/6/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	7.0	8.0
11/6/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	6.0	8.0
11/6/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	0.3	Too few samples	10.0	14.0
11/6/2015 7:00	0.4	0.9	BDL	27.6	0.3	0.1	14.0	11.0
11/6/2015 8:00	Too few samples	Too few samples	Too few samples	Too few samples	0.3	Too few samples	13.0	10.0
11/6/2015 9:00	BDL	0.4	BDL	8.4	0.2	0.2	16.0	11.0
11/6/2015 10:00	BDL	0.4	BDL	10.1	0.2	0.2	20.0	11.0
11/6/2015 11:00	0.4	BDL	BDL	8.2	0.2	0.4	16.0	13.0
11/6/2015 12:00	0.9	BDL	BDL	12.5	0.2	0.2	23.0	16.0
11/6/2015 13:00	0.7	BDL	BDL	8.6	0.2	0.1	24.0	16.0
11/6/2015 14:00	0.4	BDL	BDL	5.2	0.2	0.3	19.0	14.0
11/6/2015 15:00	BDL	BDL	BDL	4.5	0.2	0.1	21.0	13.0
11/6/2015 16:00	0.7	BDL	BDL	8.9	0.3	BDL	21.0	16.0
11/6/2015 17:00	1.0	BDL	BDL	14.3	0.3	BDL	25.0	9.0
11/6/2015 18:00	1.6	0.4	BDL	21.4	0.3	BDL	23.0	14.0
11/6/2015 19:00	1.2	0.4	BDL	18.4	0.3	BDL	24.0	9.0
11/6/2015 20:00	1.8	0.6	BDL	26.1	0.3	BDL	23.0	12.0
11/6/2015 21:00	1.8	0.4	BDL	18.2	0.3	BDL	24.0	13.0
11/6/2015 22:00	1.9	0.5	BDL	15.8	0.3	BDL	17.0	15.0
11/6/2015 23:00	1.8	0.6	BDL	14.8	0.3	0.8	25.0	15.0
11/7/2015 0:00	1.4	0.5	BDL	14	0.3	0.1	21.0	8.0
11/7/2015 1:00	1.0	0.6	BDL	9.0	0.2	BDL	14.0	5.0
11/7/2015 2:00	2.0	1.1	1.2	21.5	0.3	BDL	20.0	10.0
11/7/2015 3:00	2.2	1.1	1	16.8	0.3	BDL	20.0	11.0
11/7/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calib	16.0	6.0
11/7/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calib	16.0	10.0
11/7/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	0.3	Too few samples	20.0	6.0
11/7/2015 7:00	1.2	1.1	1.2	7.8	0.2	BDL	10.0	6.0
11/7/2015 8:00	Too few samples	Too few samples	Too few samples	Too few samples	0.3	0.1	16.0	7.0
11/7/2015 9:00	0.7	1.1	1.1	37.4	0.4	0.1	17.0	6.0
11/7/2015 10:00	0.5	BDL	BDL	10.5	0.2	BDL	15.0	6.0
11/7/2015 11:00	0.4	BDL	BDL	3.4	0.2	BDL	12.0	8.0
11/7/2015 12:00	0.4	BDL	BDL	5.8	0.2	BDL	10.0	6.0
11/7/2015 13:00	0.4	BDL	BDL	8.3	0.2	BDL	13.0	6.0
11/7/2015 14:00	BDL	BDL	BDL	5.2	0.2	BDL	9.0	5.0
11/7/2015 15:00	BDL	BDL	BDL	6.8	0.2	BDL	9.0	7.0
11/7/2015 16:00	BDL	BDL	BDL	4.0	0.2	BDL	6.0	6.0
11/7/2015 17:00	BDL	BDL	BDL	4.1	0.2	BDL	7.0	5.0
11/7/2015 18:00	BDL	BDL	BDL	6.0	0.2	BDL	8.0	6.0
11/7/2015 19:00	0.4	BDL	BDL	5.3	0.2	BDL	10.0	5.0
11/7/2015 20:00	BDL	BDL	BDL	4.6	0.2	BDL	12.0	7.0
11/7/2015 21:00	BDL	BDL	BDL	2.4	0.2	BDL	11.0	8.0
11/7/2015 22:00	BDL	BDL	BDL	2.6	0.2	BDL	11.0	11.0
11/7/2015 23:00	0.4	BDL	BDL	3.6	0.2	BDL	8.0	12.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 11/8/2015-11/14/2015								
11/8/2015 0:00	0.4	BDL	BDL	4.3	0.2	BDL	14.0	8.0
11/8/2015 1:00	0.7	BDL	BDL	4.4	0.1	BDL	17.0	9.0
11/8/2015 2:00	0.8	BDL	BDL	3.5	0.1	BDL	14.0	9.0
11/8/2015 3:00	0.5	BDL	BDL	2.7	0.1	BDL	15.0	8.0
11/8/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	16.0	9.0
11/8/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	14.0	6.0
11/8/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	0.1	Too few samples	14.0	7.0
11/8/2015 7:00	0.7	BDL	BDL	6.5	0.2	BDL	10.0	7.0
11/8/2015 8:00	Too few samples	Too few samples	Too few samples	Too few samples	0.2	BDL	14.0	8.0
11/8/2015 9:00	0.7	BDL	BDL	6.8	0.1	BDL	13.0	9.0
11/8/2015 10:00	0.5	BDL	BDL	5.2	0.2	BDL	20.0	10.0
11/8/2015 11:00	BDL	BDL	BDL	2.5	0.1	BDL	17.0	10.0
11/8/2015 12:00	BDL	BDL	BDL	2.3	0.1	BDL	20.0	13.0
11/8/2015 13:00	BDL	BDL	BDL	1.2	0.1	BDL	17.0	18.0
11/8/2015 14:00	BDL	BDL	BDL	1.9	0.1	BDL	21.0	12.0
11/8/2015 15:00	BDL	BDL	BDL	1.4	0.1	BDL	25.0	22.0
11/8/2015 16:00	BDL	BDL	BDL	1.1	0.1	BDL	14.0	12.0
11/8/2015 17:00	BDL	BDL	BDL	1.4	0.1	BDL	22.0	17.0
11/8/2015 18:00	BDL	BDL	BDL	13.2	0.2	0.2	20.0	14.0
11/8/2015 19:00	0.6	0.6	BDL	58.2	0.4	0.8	27.0	24.0
11/8/2015 20:00	0.4	BDL	BDL	17.9	0.3	BDL	32.0	26.0
11/8/2015 21:00	0.5	BDL	BDL	30.5	0.3	0.3	34.0	24.0
11/8/2015 22:00	0.5	0.6	BDL	36.9	0.6	BDL	30.0	26.0
11/8/2015 23:00	0.5	0.7	BDL	39.3	0.6	0.1	27.0	17.0
11/9/2015 0:00	0.6	1.2	BDL	45.6	0.5	0.5	29.0	22.0
11/9/2015 1:00	0.6	1.0	BDL	48.3	0.7	0.9	26.0	19.0
11/9/2015 2:00	0.9	1.5	BDL	71.6	0.7	0.7	22.0	18.0
11/9/2015 3:00	0.5	0.9	BDL	47.6	0.5	0.6	30.0	19.0
11/9/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	28.0	18.0
11/9/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	19.0	18.0
11/9/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	1.1	Too few samples	24.0	14.0
11/9/2015 7:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	18.0	14.0
11/9/2015 8:00	2.7	5.2	2.2	208.5	1.4	1.5	21.0	9.0
11/9/2015 9:00	2.4	4.1	2	154.3	1.1	Too few samples	23.0	18.0
11/9/2015 10:00	1.7	1.7	BDL	84.2	0.6	BDL	17.0	7.0
11/9/2015 11:00	1.9	1.5	BDL	67.9	0.5	BDL	19.0	8.0
11/9/2015 12:00	1.4	0.7	BDL	40.4	0.3	BDL	19.0	8.0
11/9/2015 13:00	0.7	0.5	BDL	28.1	0.3	BDL	20.0	11.0
11/9/2015 14:00	0.4	BDL	BDL	14.7	0.2	Too few samples	25.0	9.0
11/9/2015 15:00	0.4	BDL	BDL	15.1	0.2	Too few samples	20.0	7.0
11/9/2015 16:00	0.5	BDL	BDL	20.3	0.3	Too few samples	22.0	8.0
11/9/2015 17:00	0.7	0.4	BDL	30.2	0.4	Too few samples	34.0	16.0
11/9/2015 18:00	0.5	0.5	BDL	36.5	0.4	Too few samples	35.0	17.0
11/9/2015 19:00	0.5	0.7	BDL	33.3	0.4	BDL	28.0	13.0
11/9/2015 20:00	0.4	0.7	BDL	30.6	0.4	BDL	35.0	18.0
11/9/2015 21:00	0.4	0.5	BDL	25.9	0.4	BDL	28.0	14.0
11/9/2015 22:00	0.4	0.5	BDL	25.0	0.3	BDL	33.0	16.0
11/9/2015 23:00	0.4	0.4	BDL	22.1	0.3	BDL	34.0	17.0
11/10/2015 0:00	BDL	0.4	BDL	21.1	0.3	BDL	33.0	17.0
11/10/2015 1:00	BDL	BDL	BDL	17.0	0.3	BDL	28.0	17.0
11/10/2015 2:00	BDL	0.4	BDL	16.9	0.2	BDL	29.0	16.0
11/10/2015 3:00	BDL	0.4	BDL	20.4	0.2	BDL	33.0	16.0
11/10/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	29.0	19.0
11/10/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	38.0	27.0
11/10/2015 6:00	BDL	Too few samples	Too few samples	Too few samples	Calibration	Calibration	33.0	20.0
11/10/2015 7:00	BDL	0.6	BDL	30.7	0.3	BDL	30.0	17.0
11/10/2015 8:00	BDL	0.7	BDL	37.1	0.4	BDL	42.0	27.0
11/10/2015 9:00	BDL	0.7	BDL	40.3	0.4	BDL	43.0	34.0
11/10/2015 10:00	0.7	0.8	BDL	37.5	0.3	BDL	50.0	36.0
11/10/2015 11:00	0.7	0.4	BDL	32.1	0.3	BDL	44.0	23.0
11/10/2015 12:00	1.6	BDL	BDL	21.7	0.3	Too few samples	37.0	16.0
11/10/2015 13:00	4.5	BDL	BDL	19.5	0.3	Too few samples	30.0	15.0
11/10/2015 14:00	2.2	0.4	BDL	13.3	0.2	Out for Repair	27.0	11.0
11/10/2015 15:00	1.4	0.6	BDL	22.3	0.3	Out for Repair	27.0	8.0
11/10/2015 16:00	1.6	BDL	BDL	19.6	0.3	Out for Repair	27.0	9.0
11/10/2015 17:00	1.0	BDL	BDL	16.2	0.3	Out for Repair	31.0	13.0
11/10/2015 18:00	0.4	BDL	BDL	18.1	0.4	Out for Repair	29.0	14.0
11/10/2015 19:00	0.4	BDL	BDL	14.8	0.3	Out for Repair	26.0	14.0
11/10/2015 20:00	1.0	BDL	BDL	10.5	0.3	Out for Repair	26.0	12.0
11/10/2015 21:00	1.1	BDL	BDL	9.8	0.3	Out for Repair	27.0	12.0
11/10/2015 22:00	1.3	BDL	BDL	8.7	0.4	Out for Repair	28.0	17.0
11/10/2015 23:00	0.7	BDL	BDL	14.5	0.4	Out for Repair	31.0	16.0
11/11/2015 0:00	1.1	BDL	BDL	10.2	0.4	Out for Repair	29.0	21.0
11/11/2015 1:00	1.3	BDL	BDL	6.4	0.3	Out for Repair	30.0	17.0
11/11/2015 2:00	3.8	BDL	BDL	4.8	0.3	Out for Repair	25.0	18.0
11/11/2015 3:00	2.4	BDL	BDL	5.7	0.3	Out for Repair	29.0	19.0
11/11/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Out for Repair	33.0	19.0
11/11/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Out for Repair	34.0	19.0
11/11/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Out for Repair	39.0	21.0
11/11/2015 7:00	Calibration	Calibration	Calibration	Calibration	Calibration	Out for Repair	45.0	27.0
11/11/2015 8:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Out for Repair	48.0	31.0
11/11/2015 9:00	Calibration	Calibration	Calibration	Calib	Calibration	Out for Repair	39.0	25.0
11/11/2015 10:00	Calibration	Calibration	Calibration	Calib	Calibration	Out for Repair	43.0	23.0
11/11/2015 11:00	Too few samples	BDL	BDL	10.3	0.2	Out for Repair	38.0	16.0
11/11/2015 12:00	BDL	BDL	BDL	8.3	0.2	Out for Repair	30.0	18.0
11/11/2015 13:00	BDL	BDL	BDL	7.4	0.2	Out for Repair	22.0	11.0
11/11/2015 14:00	BDL	BDL	BDL	5.1	0.2	Out for Repair	23.0	9.0
11/11/2015 15:00	BDL	BDL	BDL	5.3	0.2	Out for Repair	20.0	7.0
11/11/2015 16:00	BDL	BDL	BDL	6.3	0.2	Out for Repair	17.0	7.0
11/11/2015 17:00	BDL	BDL	BDL	8.3	0.2	Out for Repair	23.0	12.0
11/11/2015 18:00	BDL	BDL	BDL	7.7	0.3	Out for Repair	25.0	11.0
11/11/2015 19:00	BDL	BDL	BDL	9.7	0.3	Out for Repair	21.0	18.0
11/11/2015 20:00	BDL	BDL	BDL	12.7	0.3	Out for Repair	28.0	17.0
11/11/2015 21:00	BDL	BDL	BDL	17.0	0.3	Out for Repair	29.0	18.0
11/11/2015 22:00	BDL	BDL	BDL	12.5	0.3	Out for Repair	27.0	19.0
11/11/2015 23:00	BDL	BDL	BDL	16.2	0.3	Out for Repair	32.0	20.0
11/12/2015 0:00	BDL	BDL	BDL	12.3	0.3	Out for Repair	33.0	27.0
11/12/2015 1:00	BDL	0.5	BDL	9.5	0.3	Out for Repair	35.0	27.0
11/12/2015 2:00	BDL	0.5	BDL	34.4	0.4	Out for Repair	43.0	32.0
11/12/2015 3:00	Calibration	1.1	BDL	62.9	0.4	Out for Repair	34.0	29.0
11/12/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Out for Repair	25.0	20.0
11/12/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Out for Repair	30.0	26.0
11/12/2015 6:00	Calibration	Calibration	Calibration	Calibration	Calibration	Out for Repair	28.0	21.0
11/12/2015 7:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Out for Repair	32.0	21.0
11/12/2015 8:00	1.4	0.9	BDL	46.2	0.4	Out for Repair	43.0	26.0
11/12/2015 9:00	1.5	0.9	BDL	41.3	0.4	Out for Repair	48.0	33.0
11/12/2015 10:00	1.5	0.6	BDL	30.6	0.4	Out for Repair	49.0	35.0
11/12/2015 11:00	Calibration	Calibration	Calibration	Calibration	Calibration	Out for Repair	29.0	23.0
11/12/2015 12:00	2.0	1.0	BDL	24.7	0.3	Out for Repair	17.0	12.0
11/12/2015 13:00	2.0	0.7	BDL	15.6	0.3	Out for Repair	12.0	8.0
11/12/2015 14:00	Calibration	Calibration	Calibration	Calibration	Calibration	Out for Repair	16.0	6.0
11/12/2015 15:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Out for Repair	21.0	19.0
11/12/2015 16:00	2.1	0.4	BDL	15.1	0.3	Out for Repair	25.0	19.0
11/12/2015 17:00	1.8	0.5	BDL	19.9	0.3	Out for Repair	17.0	8.0
11/12/2015 18:00	1.6	0.6	BDL	20.4	0.4	Out for Repair	15.0	10.0
11/12/2015 19:00	1.5	0.7	BDL	21.4	0.4	Out for Repair	22.0	14.0
11/12/2015 20:00	1.4	0.6	BDL	21.1	0.3	Out for Repair	22.0	14.0
11/12/2015 21:00	2.5	1.0	1	18.8	0.3	Out for Repair	20.0	12.0
11/12/2015 22:00	1.5	0.8	BDL	13.1	0.3	Out for Repair	12.0	12.0
11/12/2015 23:00	1.4	0.5	BDL	8.4	0.2	Out for Repair	10.0	10.0
11/13/2015 0:00	1.2	BDL	BDL	11.6	0.2	Out for Repair	11.0	6.0
11/13/2015 1:00	1.2	BDL	BDL	16.1	0.2	Out for Repair	11.0	8.0
11/13/2015 2:00	1.9	BDL	BDL	18.6	0.2	Out for Repair	12.0	13.0
11/13/2015 3:00	1.9	0.7	BDL	24.5	0.2	Out for Repair	10.0	10.0
11/13/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Out for Repair	7.0	8.0
11/13/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Out for Repair	6.0	8.0
11/13/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Out for Repair	10.0	14.0
11/13/2015 7:00	2.5	0.5	BDL	18.9	0.2	Out for Repair	14.0	11.0
11/13/2015 8:00	3.8	0.5	BDL	20.9	0.2	Out for Repair	13.0	10.0
11/13/2015 9:00	2.7	0.9	BDL	27.7	0.2	Out for Repair	16.0	11.0
11/13/2015 10:00	1.7	0.7	BDL	18.1	0.2	Out for Repair	20.0	11.0
11/13/2015 11:00	1.0	0.4	BDL	12.0	0.2	Out for Repair	16.0	13.0
11/13/2015 12:00	1.1	BDL	BDL	13.5	0.2	Out for Repair	23.0	16.0
11/13/2015 13:00	1.2	BDL	BDL	13.7	0.2	Out for Repair	24.0	16.0
11/13/2015 14:00	0.9	~~0.2~~	BDL	11.8	0.2	Out for Repair	19.0	14.0
11/13/2015 15:00	0.9	BDL	BDL	7.6	0.2	Out for Repair	21.0	13.0
11/13/2015 16:00	0.9	BDL	BDL	10.6	0.2	Out for Repair	21.0	16.0
11/13/2015 17:00	0.7	BDL	1	6.0	0.2	Out for Repair	25.0	9.0
11/13/2015 18:00	0.5	BDL	BDL	7.5	0.2	Out for Repair	23.0	14.0
11/13/2015 19:00	1.4	BDL	BDL	14.8	0.2	Out for Repair	24.0	9.0
11/13/2015 20:00	0.9	BDL	BDL	15.2	0.1	Out for Repair	23.0	12.0
11/13/2015 21:00	0.8	BDL	BDL	9.0	0.1	Out for Repair	24.0	13.0
11/13/2015 22:00	0.9	BDL	BDL	5.7	0.1	Out for Repair	17.0	15.0
11/13/2015 23:00	1.1	BDL	BDL	13.2	0.1	Out for Repair	25.0	15.0
11/14/2015 0:00	1.0	BDL	BDL	12.4	0.1	Out for Repair	21.0	8.0
11/14/2015 1:00	1.1	BDL	BDL	13.2	0.1	Out for Repair	14.0	5.0
11/14/2015 2:00	2.9	BDL	BDL	20.0	0.1	Out for Repair	20.0	10.0
11/14/2015 3:00	3.2	BDL	BDL	15.6	0.1	Out for Repair	20.0	11.0
11/14/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Out for Repair	16.0	6.0
11/14/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Out for Repair	16.0	10.0
11/14/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Out for Repair	20.0	6.0
11/14/2015 7:00	2.8	BDL	BDL	15.5	0.1	Out for Repair	10.0	6.0
11/14/2015 8:00	1.8	BDL	BDL	17.3	0.1	Out for Repair	16.0	7.0
11/14/2015 9:00	Calibration	Calibration	Calibration	Calibration	Calibration	Out for Repair	17.0	6.0
11/14/2015 10:00	0.8	BDL	BDL	3.1	0.1	Out for Repair	15.0	6.0
11/14/2015 11:00	0.7	BDL	BDL	3.3	0.1	Out for Repair	12.0	8.0
11/14/2015 12:00	0.6	BDL	BDL	2.8	0.1	Out for Repair	10.0	6.0
11/14/2015 13:00	0.5	BDL	BDL	2.4	0.1	Out for Repair	13.0	6.0
11/14/2015 14:00	0.5	BDL	BDL	2.9	0.1	Out for Repair	9.0	5.0
11/14/2015 15:00	0.5	BDL	BDL	2.4	0.1	Out for Repair	9.0	7.0
11/14/2015 16:00	0.5	BDL	BDL	3.1	0.1	Out for Repair	6.0	6.0
11/14/2015 17:00	0.5	BDL	BDL	4.6	0.1	Out for Repair	7.0	5.0
11/14/2015 18:00	0.5	BDL	BDL	6.0	0.1	Out for Repair	8.0	6.0
11/14/2015 19:00	0.6	BDL	BDL	11.0	0.1	Out for Repair	10.0	5.0
11/14/2015 20:00	0.5	BDL	BDL	10.5	0.1	Out for Repair	12.0	7.0
11/14/2015 21:00	0.5	BDL	BDL	11.4	0.1	Out for Repair	11.0	8.0
11/14/2015 22:00	0.4	BDL	BDL	12.5	0.2	Out for Repair	11.0	11.0
11/14/2015 23:00	0.5	BDL	BDL	20.2	0.2	Out for Repair	8.0	12.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 11/15/2015-11/21/2015								
11/15/2015 0:00	0.6	BDL	BDL	11.3	0.2	Out for Repair	11.0	6.0
11/15/2015 1:00	0.6	BDL	BDL	12.7	0.2	Out for Repair	6.0	5.0
11/15/2015 2:00	1.8	BDL	BDL	16.8	0.1	Out for Repair	20.0	5.0
11/15/2015 3:00	1.2	BDL	BDL	15.5	0.1	Out for Repair	13.0	12.0
11/15/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Out for Repair	21.0	15.0
11/15/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Out for Repair	15.0	11.0
11/15/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Out for Repair	20.0	16.0
11/15/2015 7:00	2.5	0.6	BDL	39.5	0.3	Out for Repair	17.0	15.0
11/15/2015 8:00	3.1	0.9	BDL	49.1	0.3	Out for Repair	21.0	19.0
11/15/2015 9:00	5.5	0.7	BDL	44.5	0.2	Out for Repair	28.0	24.0
11/15/2015 10:00	3.1	0.7	BDL	42.8	0.2	Out for Repair	16.0	16.0
11/15/2015 11:00	2.9	BDL	BDL	25.0	0.2	Out for Repair	16.0	11.0
11/15/2015 12:00	2.4	BDL	BDL	22.2	0.2	Out for Repair	15.0	8.0
11/15/2015 13:00	2.6	BDL	BDL	19.7	0.2	Out for Repair	15.0	11.0
11/15/2015 14:00	2.1	0.4	BDL	15.1	0.2	Out for Repair	17.0	11.0
11/15/2015 15:00	1.7	BDL	BDL	17.7	0.2	Out for Repair	7.0	6.0
11/15/2015 16:00	1.8	BDL	BDL	21.3	0.2	Out for Repair	15.0	5.0
11/15/2015 17:00	1.9	BDL	BDL	29.9	0.3	Out for Repair	16.0	5.0
11/15/2015 18:00	2.1	BDL	BDL	39.2	0.2	Out for Repair	18.0	10.0
11/15/2015 19:00	2.5	0.4	BDL	40.1	0.3	Out for Repair	15.0	10.0
11/15/2015 20:00	2.9	0.5	BDL	45.1	0.2	Out for Repair	16.0	7.0
11/15/2015 21:00	2.2	0.4	BDL	25.1	0.2	Out for Repair	20.0	10.0
11/15/2015 22:00	3.4	BDL	BDL	25.1	0.2	Out for Repair	24.0	15.0
11/15/2015 23:00	4.3	0.4	BDL	31.7	0.3	Out for Repair	26.0	18.0
11/16/2015 0:00	3.6	0.4	BDL	38.5	0.3	Out for Repair	17.0	12.0
11/16/2015 1:00	1.8	0.9	1	28.1	0.2	Out for Repair	20.0	9.0
11/16/2015 2:00	1.7	1.3	1.1	46.1	0.3	Out for Repair	21.0	16.0
11/16/2015 3:00	1.2	1.5	1.5	48.4	0.3	Out for Repair	18.0	14.0
11/16/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Out for Repair	21.0	15.0
11/16/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Out for Repair	17.0	14.0
11/16/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Out for Repair	25.0	14.0
11/16/2015 7:00	2.5	1.9	BDL	111.1	0.6	Out for Repair	37.0	17.0
11/16/2015 8:00	3.3	2.6	BDL	153.6	0.7	Out for Repair	51.0	20.0
11/16/2015 9:00	3.1	2.0	BDL	104.5	0.5	Out for Repair	45.0	17.0
11/16/2015 10:00	2.6	1.1	BDL	65.5	0.3	Out for Repair	30.0	12.0
11/16/2015 11:00	1.9	0.5	BDL	18.1	0.2	Out for Repair	16.0	7.0
11/16/2015 12:00	1.7	BDL	BDL	11.0	0.2	Out for Repair	17.0	5.0
11/16/2015 13:00	1.4	BDL	BDL	8.6	0.2	Out for Repair	15.0	6.0
11/16/2015 14:00	1.4	BDL	BDL	11.9	0.2	Out for Repair	15.0	10.0
11/16/2015 15:00	1.4	BDL	BDL	13.7	0.2	Out for Repair	19.0	7.0
11/16/2015 16:00	1.3	BDL	BDL	14.8	0.2	Out for Repair	18.0	7.0
11/16/2015 17:00	1.4	BDL	BDL	25.7	0.3	Out for Repair	24.0	9.0
11/16/2015 18:00	1.3	BDL	BDL	32.8	0.3	Out for Repair	31.0	17.0
11/16/2015 19:00	1.2	BDL	BDL	33.7	0.3	Out for Repair	29.0	13.0
11/16/2015 20:00	1.3	0.5	BDL	75.5	0.6	Out for Repair	34.0	18.0
11/16/2015 21:00	2.0	1.5	BDL	125.0	0.9	Out for Repair	35.0	18.0
11/16/2015 22:00	2.0	1.4	BDL	108.4	1.0	Out for Repair	37.0	20.0
11/16/2015 23:00	3.0	3.1	BDL	215.8	1.5	Out for Repair	44.0	24.0
11/17/2015 0:00	3.2	3.7	BDL	241.3	1.4	Out for Repair	45.0	24.0
11/17/2015 1:00	1.4	1.3	BDL	81.7	0.6	Out for Repair	27.0	15.0
11/17/2015 2:00	2.0	1.2	BDL	96.7	0.6	Out for Repair	31.0	22.0
11/17/2015 3:00	2.1	1.2	BDL	97.1	0.4	Out for Repair	27.0	21.0
11/17/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Out for Repair	15.0	9.0
11/17/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Out for Repair	10.0	7.0
11/17/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Out for Repair	15.0	4.0
11/17/2015 7:00	1.0	BDL	BDL	35.0	0.2	Out for Repair	12.0	3.0
11/17/2015 8:00	0.7	BDL	BDL	32.7	0.2	Out for Repair	18.0	6.0
11/17/2015 9:00	0.8	BDL	BDL	26.9	0.2	Out for Repair	22.0	7.0
11/17/2015 10:00	0.7	BDL	BDL	26.9	0.2	Out for Repair	16.0	6.0
11/17/2015 11:00	0.5	BDL	BDL	27.1	0.2	Out for Repair	15.0	6.0
11/17/2015 12:00	0.5	BDL	BDL	27.0	0.2	Out for Repair	24.0	8.0
11/17/2015 13:00	0.5	BDL	BDL	22.0	0.2	Out for Repair	16.0	8.0
11/17/2015 14:00	0.4	BDL	BDL	22.1	0.2	Out for Repair	21.0	9.0
11/17/2015 15:00	0.4	BDL	BDL	21.6	0.2	Out for Repair	17.0	8.0
11/17/2015 16:00	0.4	BDL	BDL	23.4	0.2	Out for Repair	16.0	6.0
11/17/2015 17:00	0.4	BDL	BDL	29.6	0.2	Out for Repair	16.0	6.0
11/17/2015 18:00	0.4	BDL	BDL	31.7	0.2	Out for Repair	21.0	13.0
11/17/2015 19:00	BDL	BDL	BDL	25.1	0.2	Out for Repair	21.0	9.0
11/17/2015 20:00	0.4	BDL	BDL	29.8	0.2	Out for Repair	19.0	10.0
11/17/2015 21:00	0.5	BDL	BDL	45.7	0.3	Out for Repair	18.0	11.0
11/17/2015 22:00	0.4	0.5	BDL	32.2	0.3	Out for Repair	17.0	10.0
11/17/2015 23:00	0.4	BDL	BDL	32.6	0.3	Out for Repair	16.0	7.0
11/18/2015 0:00	0.4	BDL	BDL	34.9	0.3	Out for Repair	15.0	6.0
11/18/2015 1:00	0.5	0.4	BDL	49.9	0.3	Out for Repair	19.0	5.0
11/18/2015 2:00	0.7	0.7	BDL	67.5	0.2	Out for Repair	18.0	10.0
11/18/2015 3:00	0.4	0.4	BDL	42.1	0.2	Out for Repair	20.0	14.0
11/18/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Out for Repair	17.0	11.0
11/18/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Out for Repair	22.0	9.0
11/18/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Out for Repair	BDL	Invalid
11/18/2015 7:00	---	---	---	---	---	Out for Repair	---	---
11/18/2015 8:00	29.7	BDL	BDL	84.5	2.0	Out for Repair	17.0	7.0
11/18/2015 9:00	Calibration	Calibration	Calibration	Calibration	Calibration	Out for Repair	23.0	9.0
11/18/2015 10:00	1.7	0.9	BDL	52.7	0.4	Out for Repair	29.0	12.0
11/18/2015 11:00	1.0	0.7	BDL	19.8	0.2	Out for Repair	18.0	7.0
11/18/2015 12:00	0.8	0.7	BDL	20.5	0.2	Out for Repair	27.0	6.0
11/18/2015 13:00	0.7	0.5	BDL	11.2	0.2	Out for Repair	18.0	6.0
11/18/2015 14:00	0.6	0.4	BDL	14.9	0.3	Out for Repair	16.0	3.0
11/18/2015 15:00	0.5	BDL	BDL	14.9	0.3	Out for Repair	Audit	Audit
11/18/2015 16:00	0.5	BDL	BDL	13.1	0.2	Out for Repair	22.0	9.0
11/18/2015 17:00	0.6	BDL	BDL	12.8	0.2	Out for Repair	21.0	7.0
11/18/2015 18:00	0.6	BDL	BDL	8.5	0.2	Out for Repair	14.0	7.0
11/18/2015 19:00	0.6	BDL	BDL	13.9	0.3	Out for Repair	14.0	7.0
11/18/2015 20:00	0.7	BDL	BDL	16.5	0.3	Out for Repair	19.0	5.0
11/18/2015 21:00	0.8	BDL	BDL	12.3	0.2	Out for Repair	14.0	3.0
11/18/2015 22:00	0.9	0.4	BDL	10.7	0.2	Out for Repair	14.0	3.0
11/18/2015 23:00	0.9	0.4	BDL	4.4	0.2	Out for Repair	15.0	5.0
11/19/2015 0:00	0.8	0.4	BDL	15.1	0.3	Out for Repair	15.0	8.0
11/19/2015 1:00	0.8	0.7	BDL	28.4	0.3	Out for Repair	16.0	5.0
11/19/2015 2:00	0.8	1.0	BDL	25.3	0.3	Out for Repair	17.0	4.0
11/19/2015 3:00	0.8	0.8	BDL	18.2	0.2	Out for Repair	16.0	2.0
11/19/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Out for Repair	16.0	2.0
11/19/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Out for Repair	16.0	3.0
11/19/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Out for Repair	15.0	3.0
11/19/2015 7:00	Calibration	Calibration	Calibration	Calibration	Calibration	Out for Repair	17.0	2.0
11/19/2015 8:00	0.9	BDL	BDL	23.8	0.3	Out for Repair	14.0	1.0
11/19/2015 9:00	1.0	0.5	BDL	30.8	0.3	Out for Repair	17.0	2.0
11/19/2015 10:00	1.0	0.5	BDL	36.1	0.3	Out for Repair	21.0	5.0
11/19/2015 11:00	1.1	BDL	BDL	17.5	0.3	Out for Repair	17.0	5.0
11/19/2015 12:00	1.5	0.5	1.4	8.6	0.2	Out for Repair	9.0	6.0
11/19/2015 13:00	1.9	BDL	BDL	7.7	0.2	Out for Repair	9.0	4.0
11/19/2015 14:00	2.0	BDL	BDL	6.4	0.2	Out for Repair	14.0	4.0
11/19/2015 15:00	1.9	BDL	BDL	6.8	0.3	Out for Repair	8.0	3.0
11/19/2015 16:00	1.5	BDL	BDL	16.4	0.2	Out for Repair	4.0	3.0
11/19/2015 17:00	1.4	BDL	BDL	1.8	0.2	Out for Repair	2.0	2.0
11/19/2015 18:00	1.3	BDL	BDL	4.1	0.2	Out for Repair	2.0	BDL
11/19/2015 19:00	1.4	BDL	BDL	0.5	0.2	Out for Repair	3.0	1.0
11/19/2015 20:00	1.4	BDL	BDL	10.6	0.3	Out for Repair	3.0	3.0
11/19/2015 21:00	1.2	BDL	BDL	9.7	0.3	Out for Repair	4.0	2.0
11/19/2015 22:00	1.1	BDL	BDL	21.5	0.3	Out for Repair	7.0	2.0
11/19/2015 23:00	1.1	BDL	BDL	24.0	0.3	Out for Repair	9.0	8.0
11/20/2015 0:00	1.1	BDL	BDL	5.0	0.3	Out for Repair	6.0	5.0
11/20/2015 1:00	0.9	BDL	BDL	5.5	0.3	Out for Repair	8.0	1.0
11/20/2015 2:00	0.7	BDL	BDL	1.3	0.2	Out for Repair	11.0	6.0
11/20/2015 3:00	0.5	BDL	BDL	5.0	0.2	Out for Repair	13.0	7.0
11/20/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Out for Repair	10.0	6.0
11/20/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Out for Repair	7.0	6.0
11/20/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Out for Repair	10.0	4.0
11/20/2015 7:00	0.5	BDL	BDL	1.9	0.2	Out for Repair	9.0	3.0
11/20/2015 8:00	0.5	BDL	BDL	8.9	0.2	Out for Repair	11.0	5.0
11/20/2015 9:00	0.5	BDL	BDL	7.0	0.2	Out for Repair	13.0	5.0
11/20/2015 10:00	0.4	BDL	BDL	4.7	0.2	Out for Repair	12.0	4.0
11/20/2015 11:00	0.4	BDL	BDL	4.2	0.2	Out for Repair	11.0	4.0
11/20/2015 12:00	BDL	BDL	BDL	2.0	0.1	Out for Repair	12.0	5.0
11/20/2015 13:00	BDL	BDL	BDL	BDL	0.1	Out for Repair	9.0	4.0
11/20/2015 14:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Audit	Audit
11/20/2015 15:00	0.4	BDL	BDL	BDL	0.1	2.2	11.0	BDL
11/20/2015 16:00	0.4	BDL	BDL	1.4	0.1	2.0	9.0	BDL
11/20/2015 17:00	0.4	BDL	BDL	6.2	0.2	2.1	9.0	BDL
11/20/2015 18:00	0.5	BDL	BDL	25.1	0.3	2.4	8.0	8.0
11/20/2015 19:00	0.6	BDL	BDL	37.2	0.4	2.3	15.0	9.0
11/20/2015 20:00	0.9	0.5	BDL	60.9	0.5	2.8	18.0	8.0
11/20/2015 21:00	0.9	0.4	BDL	52.0	0.4	2.7	14.0	6.0
11/20/2015 22:00	1.0	0.7	BDL	65.2	0.5	3.7	20.0	14.0
11/20/2015 23:00	0.9	0.7	BDL	48.7	0.4	2.5	17.0	11.0
11/21/2015 0:00	0.9	BDL	BDL	25.9	0.2	2.2	14.0	7.0
11/21/2015 1:00	1.1	BDL	BDL	20.4	0.2	2.4	13.0	7.0
11/21/2015 2:00	1.1	BDL	BDL	23.1	0.3	2.6	12.0	9.0
11/21/2015 3:00	1.0	BDL	BDL	30.1	0.3	2.1	14.0	8.0
11/21/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	12.0	11.0
11/21/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	7.0	8.0
11/21/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	0.2	Too few samples	6.0	7.0
11/21/2015 7:00	0.9	BDL	BDL	32.2	0.2	1.8	7.0	6.0
11/21/2015 8:00	Too few samples	Too few samples	Too few samples	Too few samples	0.2	1.8	11.0	6.0
11/21/2015 9:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	10.0	4.0
11/21/2015 10:00	1.1	BDL	BDL	14.6	0.2	1.8	12.0	2.0
11/21/2015 11:00	0.7	0.4	BDL	15.9	0.2	1.7	11.0	3.0
11/21/2015 12:00	0.6	0.5	BDL	17.2	0.2	1.7	9.0	4.0
11/21/2015 13:00	0.5	BDL	BDL	14.3	0.2	1.6	7.0	3.0
11/21/2015 14:00	0.4	BDL	BDL	6.5	0.2	1.6	10.0	5.0
11/21/2015 15:00	0.4	BDL	BDL	3.4	0.2	1.6	14.0	4.0
11/21/2015 16:00	0.4	BDL	BDL	13.5	0.2	1.6	12.0	5.0
11/21/2015 17:00	BDL	BDL	BDL	9.6	0.2	1.6	13.0	3.0
11/21/2015 18:00	BDL	BDL	BDL	10.0	0.3	1.6	12.0	4.0
11/21/2015 19:00	BDL	BDL	BDL	13.5	0.3	1.7	15.0	5.0
11/21/2015 20:00	BDL	BDL	BDL	10.9	0.3	1.7	12.0	5.0
11/21/2015 21:00	BDL	BDL	BDL	9.3	0.3	1.7	14.0	7.0
11/21/2015 22:00	BDL	BDL	BDL	9.3	0.3	1.8	17.0	13.0
11/21/2015 23:00	BDL	BDL	BDL	7.5	0.3	1.9	17.0	9.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
wind Weekly: 11/22/2015-11/28/2015								
11/22/2015 0:00	BDL	BDL	BDL	12.4	0.3	2.1	17.0	6.0
11/22/2015 1:00	BDL	0.4	BDL	12.6	0.2	2.2	13.0	4.0
11/22/2015 2:00	BDL	0.4	BDL	6.0	0.3	2.2	23.0	7.0
11/22/2015 3:00	0.4	0.7	BDL	8.0	0.3	3.1	24.0	11.0
11/22/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	18.0	8.0
11/22/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	25.0	10.0
11/22/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	0.2	Too few samples	23.0	15.0
11/22/2015 7:00	1.0	BDL	BDL	1.8	0.2	1.9	12.0	9.0
11/22/2015 8:00	Too few samples	Too few samples	Too few samples	Too few samples	0.2	2.0	14.0	7.0
11/22/2015 9:00	1.0	BDL	BDL	BDL	0.1	1.9	8.0	6.0
11/22/2015 10:00	1.1	BDL	BDL	BDL	0.1	2.0	12.0	6.0
11/22/2015 11:00	1.1	BDL	BDL	BDL	0.2	2.0	11.0	6.0
11/22/2015 12:00	1.2	BDL	BDL	2.0	0.1	2.0	6.0	7.0
11/22/2015 13:00	1.0	BDL	BDL	2.6	0.2	2.0	6.0	6.0
11/22/2015 14:00	0.9	BDL	BDL	0.5	0.2	1.8	10.0	4.0
11/22/2015 15:00	1.0	BDL	BDL	2.3	0.1	1.9	8.0	2.0
11/22/2015 16:00	1.1	BDL	BDL	2.6	0.1	2.0	5.0	3.0
11/22/2015 17:00	1.0	BDL	BDL	3.3	0.2	2.1	6.0	8.0
11/22/2015 18:00	0.9	BDL	BDL	2.6	0.2	2.0	6.0	6.0
11/22/2015 19:00	0.8	BDL	BDL	2.4	0.1	2.0	7.0	5.0
11/22/2015 20:00	0.9	BDL	BDL	4.1	0.1	2.1	6.0	4.0
11/22/2015 21:00	1.1	BDL	BDL	3.8	0.1	2.1	7.0	5.0
11/22/2015 22:00	0.8	BDL	BDL	4.8	0.1	2.0	7.0	6.0
11/22/2015 23:00	0.7	BDL	BDL	1.4	0.1	1.8	9.0	6.0
11/23/2015 0:00	0.5	BDL	BDL	2.0	0.1	1.9	6.0	4.0
11/23/2015 1:00	0.5	BDL	BDL	2.5	0.1	2.0	7.0	6.0
11/23/2015 2:00	0.6	BDL	BDL	1.8	0.1	2.0	8.0	5.0
11/23/2015 3:00	0.6	BDL	BDL	1.4	0.1	2.1	6.0	4.0
11/23/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	4.0	4.0
11/23/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	6.0	2.0
11/23/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	0.1	Too few samples	11.0	4.0
11/23/2015 7:00	0.9	BDL	BDL	4.2	0.1	2.1	11.0	6.0
11/23/2015 8:00	Too few samples	Too few samples	Too few samples	Too few samples	0.1	Too few samples	10.0	7.0
11/23/2015 9:00	0.9	BDL	BDL	5.1	0.1	2.1	10.0	8.0
11/23/2015 10:00	0.7	BDL	BDL	3.0	0.1	2.0	8.0	7.0
11/23/2015 11:00	0.6	BDL	BDL	2.1	0.1	2.0	7.0	7.0
11/23/2015 12:00	0.6	BDL	BDL	0.6	0.1	2.0	11.0	7.0
11/23/2015 13:00	0.5	BDL	BDL	BDL	0.1	2.0	11.0	5.0
11/23/2015 14:00	0.4	BDL	BDL	0.9	0.1	2.0	12.0	5.0
11/23/2015 15:00	0.4	BDL	BDL	0.9	0.1	2.0	9.0	3.0
11/23/2015 16:00	0.5	BDL	BDL	0.6	0.1	2.0	13.0	3.0
11/23/2015 17:00	0.6	BDL	BDL	3.3	0.1	2.0	12.0	4.0
11/23/2015 18:00	0.5	BDL	BDL	3.1	0.1	2.0	11.0	3.0
11/23/2015 19:00	0.5	BDL	BDL	6.5	0.1	2.0	10.0	4.0
11/23/2015 20:00	0.6	BDL	BDL	20.7	0.2	2.4	15.0	7.0
11/23/2015 21:00	0.8	BDL	BDL	28.7	0.2	2.4	16.0	7.0
11/23/2015 22:00	1.0	BDL	BDL	32.2	0.3	2.5	17.0	11.0
11/23/2015 23:00	1.4	0.7	BDL	49.3	0.3	2.6	17.0	13.0
11/24/2015 0:00	1.1	0.4	BDL	32.2	0.3	2.5	14.0	16.0
11/24/2015 1:00	1.1	BDL	BDL	29.4	0.2	2.5	21.0	13.0
11/24/2015 2:00	1.3	0.8	BDL	52.5	0.3	2.5	24.0	12.0
11/24/2015 3:00	1.6	1.0	BDL	44.3	0.3	2.4	19.0	13.0
11/24/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	22.0	15.0
11/24/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	21.0	18.0
11/24/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	0.4	Too few samples	24.0	16.0
11/24/2015 7:00	1.6	1.6	BDL	69.4	0.4	2.2	27.0	16.0
11/24/2015 8:00	1.3	1.6	BDL	50.2	0.3	2.1	21.0	10.0
11/24/2015 9:00	1.1	1.9	BDL	28.0	0.2	2.4	20.0	9.0
11/24/2015 10:00	1.8	1.6	BDL	18.6	0.3	2.2	28.0	10.0
11/24/2015 11:00	5.8	0.8	BDL	34.7	0.2	1.9	34.0	12.0
11/24/2015 12:00	2.5	BDL	BDL	16.3	0.2	2.0	22.0	10.0
11/24/2015 13:00	1.3	BDL	BDL	12.9	0.2	1.9	16.0	10.0
11/24/2015 14:00	1.5	BDL	BDL	12.5	0.2	1.9	17.0	9.0
11/24/2015 15:00	1.2	0.5	BDL	21.4	0.2	2.5	20.0	13.0
11/24/2015 16:00	1.1	BDL	BDL	8.5	0.2	2.6	22.0	10.0
11/24/2015 17:00	1.1	BDL	BDL	7.6	0.2	2.2	32.0	15.0
11/24/2015 18:00	1.4	BDL	BDL	21.5	0.3	3.6	23.0	14.0
11/24/2015 19:00	1.1	BDL	BDL	30.5	0.4	2.7	24.0	17.0
11/24/2015 20:00	1.2	0.5	BDL	35.3	0.4	2.3	29.0	17.0
11/24/2015 21:00	1.2	0.4	BDL	37.4	0.5	2.2	24.0	18.0
11/24/2015 22:00	1.7	1.1	BDL	71.3	0.8	2.7	25.0	17.0
11/24/2015 23:00	1.5	1.2	BDL	71.2	0.8	2.4	21.0	15.0
11/25/2015 0:00	1.3	1.0	BDL	62.2	0.6	2.2	21.0	14.0
11/25/2015 1:00	1.7	1.6	BDL	91.0	0.8	2.6	23.0	16.0
11/25/2015 2:00	2.2	2.5	BDL	147	1.0	2.8	29.0	18.0
11/25/2015 3:00	3.0	4.5	1.6	214.3	1.3	3.5	42.0	25.0
11/25/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	51.0	28.0
11/25/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	50.0	33.0
11/25/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	43.0	25.0
11/25/2015 7:00	3.5	5.0	1.6	241.7	1.6	3.5	45.0	24.0
11/25/2015 8:00	4.3	5.6	1.9	283.7	1.8	3.8	49.0	32.0
11/25/2015 9:00	3.1	3.5	1	166.8	1.1	3.2	47.0	26.0
11/25/2015 10:00	1.9	1.9	BDL	93.8	0.7	2.6	35.0	19.0
11/25/2015 11:00	1.1	0.9	BDL	57.1	0.4	2.4	27.0	15.0
11/25/2015 12:00	0.7	BDL	BDL	32.5	0.3	2.0	20.0	12.0
11/25/2015 13:00	0.6	BDL	BDL	23.0	0.3	2.1	27.0	12.0
11/25/2015 14:00	0.6	BDL	BDL	17.0	0.3	2.0	27.0	15.0
11/25/2015 15:00	0.7	BDL	BDL	19.4	0.3	1.9	19.0	12.0
11/25/2015 16:00	0.6	BDL	BDL	15.5	0.3	1.9	15.0	9.0
11/25/2015 17:00	0.7	BDL	BDL	28.9	0.4	1.8	21.0	12.0
11/25/2015 18:00	0.5	0.4	BDL	25.4	0.4	1.8	24.0	11.0
11/25/2015 19:00	BDL	0.6	BDL	21.3	0.3	1.8	18.0	9.0
11/25/2015 20:00	0.4	0.5	BDL	27.4	0.4	1.9	22.0	13.0
11/25/2015 21:00	BDL	BDL	BDL	26.3	0.4	2.0	20.0	15.0
11/25/2015 22:00	0.4	BDL	BDL	33.1	0.4	2.1	21.0	16.0
11/25/2015 23:00	0.4	0.5	BDL	35.9	0.5	2.2	23.0	21.0
11/26/2015 0:00	0.5	0.9	BDL	43.4	0.6	2.3	29.0	20.0
11/26/2015 1:00	0.6	0.9	BDL	52.1	0.8	2.3	32.0	17.0
11/26/2015 2:00	0.5	1.0	BDL	56.8	0.6	2.3	26.0	20.0
11/26/2015 3:00	0.5	0.7	BDL	51.2	0.6	2.3	20.0	19.0
11/26/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	25.0	21.0
11/26/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	27.0	16.0
11/26/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	29.0	21.0
11/26/2015 7:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	35.0	24.0
11/26/2015 8:00	Calibration	Audit	Calibration	Calibration	Calibration	Too few samples	36.0	18.0
11/26/2015 9:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	26.0	21.0
11/26/2015 10:00	1.0	0.8	BDL	41.2	0.5	2.4	30.0	24.0
11/26/2015 11:00	0.8	0.6	BDL	28.8	0.4	2.2	31.0	24.0
11/26/2015 12:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	28.0	21.0
11/26/2015 13:00	0.7	BDL	BDL	13.6	0.3	2.3	14.0	9.0
11/26/2015 14:00	0.6	BDL	BDL	5.6	0.3	2.1	10.0	7.0
11/26/2015 15:00	0.4	BDL	BDL	2.7	0.2	2.3	10.0	6.0
11/26/2015 16:00	0.6	BDL	BDL	4.5	0.3	2.3	11.0	7.0
11/26/2015 17:00	0.6	BDL	BDL	10.8	0.5	2.5	12.0	6.0
11/26/2015 18:00	0.9	0.7	BDL	29.8	0.7	2.3	16.0	9.0
11/26/2015 19:00	1.1	1.1	BDL	64.0	0.9	2.4	20.0	15.0
11/26/2015 20:00	1.2	1.3	BDL	80.7	0.9	2.4	17.0	16.0
11/26/2015 21:00	0.9	1.2	BDL	71.3	1.0	2.3	25.0	15.0
11/26/2015 22:00	0.6	BDL	BDL	48.3	0.8	2.3	20.0	16.0
11/26/2015 23:00	0.4	BDL	BDL	33.3	0.6	3.4	22.0	12.0
11/27/2015 0:00	0.5	1.1	1.1	32.4	0.7	3.7	13.0	10.0
11/27/2015 1:00	0.5	1.0	BDL	44.9	0.9	3.2	19.0	16.0
11/27/2015 2:00	0.8	1.6	BDL	74.5	0.8	3.2	26.0	21.0
11/27/2015 3:00	0.9	1.8	1	84.8	0.7	3.5	25.0	15.0
11/27/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	32.0	27.0
11/27/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	31.0	24.0
11/27/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	36.0	27.0
11/27/2015 7:00	2.8	5.1	1.5	196.4	1.4	6.6	36.0	21.0
11/27/2015 8:00	2.0	4.5	2.3	151.1	1.1	4.3	36.0	22.0
11/27/2015 9:00	1.6	3.2	1.3	121.2	0.9	4.3	42.0	18.0
11/27/2015 10:00	1.9	4.0	2.6	114.3	0.9	4.7	42.0	31.0
11/27/2015 11:00	1.6	2.5	2	67.3	0.6	3.2	27.0	19.0
11/27/2015 12:00	2.7	1.2	BDL	37.2	0.4	3.0	20.0	11.0
11/27/2015 13:00	1.3	0.6	BDL	13.8	0.3	2.6	8.0	8.0
11/27/2015 14:00	0.9	BDL	BDL	11.0	0.3	2.5	7.0	5.0
11/27/2015 15:00	0.8	BDL	BDL	10.1	0.3	2.5	11.0	5.0
11/27/2015 16:00	0.7	BDL	BDL	8.0	0.3	2.5	12.0	4.0
11/27/2015 17:00	0.6	BDL	BDL	18.4	0.3	2.2	11.0	3.0
11/27/2015 18:00	0.6	0.4	BDL	30.8	0.4	2.3	16.0	4.0
11/27/2015 19:00	0.5	1.2	1	31.8	0.4	2.6	8.0	2.0
11/27/2015 20:00	0.5	0.7	BDL	25.7	0.4	2.4	12.0	4.0
11/27/2015 21:00	0.6	0.7	BDL	17.3	0.4	3.1	19.0	8.0
11/27/2015 22:00	1.0	1.1	1	32.3	0.6	3.1	19.0	8.0
11/27/2015 23:00	0.8	1.4	1.1	28.6	0.5	3.2	15.0	9.0
11/28/2015 0:00	0.8	1.2	1.2	20.7	0.3	3.1	14.0	14.0
11/28/2015 1:00	1.0	0.9	BDL	14.2	0.4	3.0	16.0	12.0
11/28/2015 2:00	2.7	0.8	BDL	13.2	0.3	2.6	22.0	20.0
11/28/2015 3:00	0.8	1.2	1	19.2	0.4	3.0	16.0	11.0
11/28/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	19.0	13.0
11/28/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	21.0	10.0
11/28/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	17.0	13.0
11/28/2015 7:00	1.2	0.8	BDL	31.9	0.5	3.1	20.0	13.0
11/28/2015 8:00	1.1	0.8	BDL	21.2	0.4	2.7	15.0	13.0
11/28/2015 9:00	1.2	0.8	BDL	27.8	0.4	3.1	19.0	19.0
11/28/2015 10:00	2.2	1.4	BDL	54.4	0.6	3.6	27.0	18.0
11/28/2015 11:00	2.4	1.5	BDL	50.6	0.5	2.9	35.0	18.0
11/28/2015 12:00	2.3	1.2	BDL	44.4	0.5	3.2	23.0	17.0
11/28/2015 13:00	3.3	1.0	BDL	44.7	0.6	3.3	30.0	17.0
11/28/2015 14:00	2.5	1.2	BDL	44.3	0.6	2.8	32.0	17.0
11/28/2015 15:00	1.8	1.4	BDL	56.0	0.6	3.0	29.0	17.0
11/28/2015 16:00	1.9	1.9	1	85.0	0.9	3.5	36.0	24.0
11/28/2015 17:00	1.3	1.2	BDL	49.6	0.7	2.6	24.0	15.0
11/28/2015 18:00	1.0	0.4	BDL	20.2	0.4	2.0	21.0	10.0
11/28/2015 19:00	0.7	BDL	BDL	22.7	0.5	2.0	20.0	10.0
11/28/2015 20:00	0.5	BDL	BDL	14.9	0.4	1.9	22.0	16.0
11/28/2015 21:00	0.4	BDL	BDL	6.7	0.3	1.8	12.0	6.0
11/28/2015 22:00	BDL	BDL	BDL	4.1	0.3	1.6	7.0	5.0
11/28/2015 23:00	BDL	BDL	BDL	8.6	0.3	1.7	10.0	5.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 11/29/2015-12/5/2015								
11/29/2015 0:00	BDL	BDL	BDL	5.5	0.3	1.7	10.0	4.0
11/29/2015 1:00	BDL	BDL	BDL	3.3	0.3	1.7	8.0	4.0
11/29/2015 2:00	BDL	BDL	BDL	5.1	0.3	1.7	7.0	4.0
11/29/2015 3:00	BDL	BDL	BDL	5.8	0.2	1.7	6.0	3.0
11/29/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	6.0	4.0
11/29/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	5.0	5.0
11/29/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	6.0	5.0
11/29/2015 7:00	BDL	BDL	BDL	1.2	0.2	1.7	5.0	2.0
11/29/2015 8:00	BDL	BDL	BDL	3.4	0.2	1.7	5.0	6.0
11/29/2015 9:00	BDL	BDL	BDL	6.2	0.2	1.8	6.0	7.0
11/29/2015 10:00	BDL	BDL	BDL	9.1	0.3	1.7	10.0	7.0
11/29/2015 11:00	BDL	BDL	BDL	9.1	0.3	1.8	7.0	4.0
11/29/2015 12:00	BDL	BDL	BDL	6.5	0.3	1.8	6.0	4.0
11/29/2015 13:00	BDL	BDL	BDL	7.1	0.3	1.8	6.0	7.0
11/29/2015 14:00	BDL	BDL	BDL	5.1	0.2	1.8	5.0	6.0
11/29/2015 15:00	BDL	BDL	BDL	8.0	0.2	1.8	8.0	9.0
11/29/2015 16:00	BDL	BDL	BDL	5.4	0.2	1.9	9.0	8.0
11/29/2015 17:00	BDL	BDL	BDL	12.8	0.3	1.9	8.0	6.0
11/29/2015 18:00	0.4	BDL	BDL	23.5	0.4	1.8	10.0	7.0
11/29/2015 19:00	0.5	0.5	BDL	37.0	0.6	2.0	16.0	7.0
11/29/2015 20:00	0.5	0.5	BDL	37.2	0.5	2.0	14.0	6.0
11/29/2015 21:00	0.4	BDL	BDL	21.8	0.4	1.8	13.0	9.0
11/29/2015 22:00	BDL	BDL	BDL	10.2	0.3	1.7	12.0	10.0
11/29/2015 23:00	0.4	BDL	BDL	10.3	0.3	1.7	10.0	8.0
11/30/2015 0:00	0.4	BDL	BDL	11.5	0.3	1.7	8.0	9.0
11/30/2015 1:00	BDL	BDL	BDL	5.6	0.2	1.7	8.0	8.0
11/30/2015 2:00	BDL	BDL	BDL	7.8	0.2	1.7	7.0	5.0
11/30/2015 3:00	BDL	BDL	BDL	10.2	0.2	1.7	7.0	6.0
11/30/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	5.0	6.0
11/30/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	4.0	7.0
11/30/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	9.0	9.0
11/30/2015 7:00	0.4	BDL	BDL	24.6	0.3	1.7	7.0	7.0
11/30/2015 8:00	0.5	0.4	BDL	35.1	0.4	1.8	8.0	5.0
11/30/2015 9:00	0.6	0.6	BDL	35.5	0.4	1.8	18.0	6.0
11/30/2015 10:00	0.7	0.7	BDL	44.3	0.4	1.8	19.0	5.0
11/30/2015 11:00	0.6	0.7	BDL	33.3	0.3	1.8	21.0	8.0
11/30/2015 12:00	0.6	0.6	BDL	33.9	0.3	1.9	24.0	12.0
11/30/2015 13:00	0.8	0.7	BDL	41.0	0.4	1.9	26.0	15.0
11/30/2015 14:00	0.9	0.9	BDL	52.5	0.4	2.0	42.0	10.0
11/30/2015 15:00	0.7	0.8	BDL	43.6	0.4	1.9	30.0	14.0
11/30/2015 16:00	0.8	0.8	BDL	47.2	0.4	1.9	29.0	13.0
11/30/2015 17:00	0.6	0.6	BDL	35.1	0.4	1.8	28.0	9.0
11/30/2015 18:00	0.5	0.4	BDL	25.1	0.4	1.8	29.0	5.0
11/30/2015 19:00	0.6	0.4	BDL	39.7	0.4	1.6	20.0	7.0
11/30/2015 20:00	0.5	0.4	BDL	26.4	0.4	1.9	20.0	9.0
11/30/2015 21:00	0.5	0.4	BDL	27.0	0.4	1.9	19.0	10.0
11/30/2015 22:00	0.4	0.5	BDL	35.5	0.4	1.9	18.0	10.0
11/30/2015 23:00	0.5	0.8	BDL	47.8	0.4	2.0	18.0	11.0
12/1/2015 0:00	0.5	0.8	BDL	46.6	0.4	1.9	17.0	11.0
12/1/2015 1:00	0.5	0.9	BDL	42.5	0.4	2.0	16.0	8.0
12/1/2015 2:00	0.4	0.8	BDL	40.0	0.4	2.0	10.0	7.0
12/1/2015 3:00	BDL	0.7	BDL	30.0	0.3	2.0	9.0	7.0
12/1/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	6.0	7.0
12/1/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	6.0	5.0
12/1/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	8.0	4.0
12/1/2015 7:00	0.5	0.6	BDL	33.8	0.4	2.0	6.0	6.0
12/1/2015 8:00	0.6	0.7	BDL	49.4	0.5	2.0	16.0	5.0
12/1/2015 9:00	0.5	0.9	BDL	46.3	0.5	1.6	11.0	4.0
12/1/2015 10:00	0.4	0.8	BDL	42.4	0.4	1.5	11.0	4.0
12/1/2015 11:00	0.4	0.6	BDL	36.4	0.4	1.5	6.0	3.0
12/1/2015 12:00	0.4	0.6	BDL	31.8	0.4	1.5	8.0	2.0
12/1/2015 13:00	BDL	0.5	BDL	37.2	0.4	1.6	6.0	4.0
12/1/2015 14:00	0.4	0.4	BDL	35.7	0.4	1.5	6.0	6.0
12/1/2015 15:00	0.4	0.8	BDL	41.8	0.4	1.6	8.0	5.0
12/1/2015 16:00	0.4	0.6	BDL	33.5	0.4	1.5	9.0	5.0
12/1/2015 17:00	BDL	0.4	BDL	23.9	0.4	1.6	7.0	5.0
12/1/2015 18:00	BDL	BDL	BDL	25.8	0.4	1.6	6.0	3.0
12/1/2015 19:00	BDL	BDL	BDL	18.7	0.4	1.4	7.0	3.0
12/1/2015 20:00	BDL	BDL	BDL	23.9	0.4	1.5	6.0	7.0
12/1/2015 21:00	BDL	BDL	BDL	25.2	0.4	1.6	9.0	5.0
12/1/2015 22:00	BDL	BDL	BDL	23.1	0.4	1.7	10.0	4.0
12/1/2015 23:00	BDL	BDL	BDL	19.6	0.4	1.6	6.0	9.0
12/2/2015 0:00	BDL	BDL	BDL	20.1	0.3	1.6	4.0	9.0
12/2/2015 1:00	BDL	0.4	BDL	9.7	0.3	1.9	9.0	9.0
12/2/2015 2:00	0.4	BDL	BDL	13.4	0.3	2.4	13.0	7.0
12/2/2015 3:00	0.4	0.4	BDL	16.7	0.3	2.0	13.0	9.0
12/2/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	12.0	9.0
12/2/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	14.0	10.0
12/2/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	11.0	8.0
12/2/2015 7:00	0.6	1.1	BDL	35.1	0.5	2.0	12.0	7.0
12/2/2015 8:00	1.0	1.6	1	59.9	0.6	2.8	21.0	16.0
12/2/2015 9:00	Too few samples	Too few samples	Too few samples	Too few samples	0.5	Too few samples	8.0	6.0
12/2/2015 10:00	1.1	1.4	BDL	56.3	0.5	2.7	13.0	10.0
12/2/2015 11:00	1.4	1.7	BDL	78.1	0.6	3.3	18.0	12.0
12/2/2015 12:00	1.0	1.5	BDL	54.1	0.4	2.9	20.0	13.0
12/2/2015 13:00	0.7	1.0	BDL	27.2	0.4	3.1	11.0	11.0
12/2/2015 14:00	0.8	0.6	BDL	26.9	0.4	3.4	9.0	9.0
12/2/2015 15:00	0.4	0.7	BDL	25.9	0.4	2.5	16.0	7.0
12/2/2015 16:00	0.6	1.0	BDL	32.2	0.5	2.5	8.0	6.0
12/2/2015 17:00	0.5	0.8	BDL	17.0	0.4	2.6	7.0	5.0
12/2/2015 18:00	0.9	0.4	BDL	6.5	0.3	2.7	11.0	5.0
12/2/2015 19:00	1.2	0.4	BDL	10.9	0.3	2.6	7.0	6.0
12/2/2015 20:00	1.2	BDL	BDL	13.3	0.3	2.6	7.0	8.0
12/2/2015 21:00	1.4	BDL	BDL	11.0	0.3	2.6	9.0	14.0
12/2/2015 22:00	0.8	BDL	BDL	7.2	0.3	2.3	6.0	7.0
12/2/2015 23:00	0.7	BDL	BDL	7.9	0.3	2.3	7.0	2.0
12/3/2015 0:00	0.6	BDL	BDL	4.0	0.3	2.2	6.0	7.0
12/3/2015 1:00	0.6	BDL	BDL	2.0	0.2	2.3	4.0	6.0
12/3/2015 2:00	0.7	BDL	BDL	2.7	0.2	2.4	10.0	6.0
12/3/2015 3:00	1.0	BDL	BDL	7.9	0.2	2.3	11.0	7.0
12/3/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	13.0	11.0
12/3/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	12.0	7.0
12/3/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	9.0	5.0
12/3/2015 7:00	0.7	BDL	BDL	7.4	0.2	2.4	10.0	10.0
12/3/2015 8:00	1.0	BDL	BDL	11.4	0.2	2.3	9.0	9.0
12/3/2015 9:00	1.6	BDL	BDL	11.0	0.2	2.4	12.0	7.0
12/3/2015 10:00	0.9	BDL	BDL	4.2	0.2	2.4	8.0	6.0
12/3/2015 11:00	0.9	BDL	BDL	2.0	0.2	2.5	9.0	7.0
12/3/2015 12:00	0.5	BDL	BDL	0.9	0.2	2.5	6.0	7.0
12/3/2015 13:00	0.4	BDL	BDL	1.9	0.2	2.4	13.0	5.0
12/3/2015 14:00	0.4	BDL	BDL	0.6	0.2	2.4	9.0	4.0
12/3/2015 15:00	BDL	BDL	BDL	BDL	0.2	2.3	11.0	5.0
12/3/2015 16:00	BDL	BDL	BDL	1.2	0.2	2.4	9.0	7.0
12/3/2015 17:00	BDL	BDL	BDL	1.6	0.2	2.4	7.0	5.0
12/3/2015 18:00	0.4	BDL	BDL	8.7	0.2	2.5	6.0	6.0
12/3/2015 19:00	0.4	BDL	BDL	8.6	0.2	2.6	6.0	6.0
12/3/2015 20:00	0.4	BDL	BDL	6.7	0.2	2.5	11.0	3.0
12/3/2015 21:00	0.4	BDL	BDL	6.5	0.2	2.5	15.0	9.0
12/3/2015 22:00	0.9	BDL	BDL	12.7	0.2	2.7	11.0	12.0
12/3/2015 23:00	0.8	BDL	BDL	7.7	0.2	2.6	13.0	11.0
12/4/2015 0:00	1.4	BDL	BDL	14.3	0.2	2.5	14.0	15.0
12/4/2015 1:00	1.0	BDL	BDL	14.0	0.2	2.6	16.0	15.0
12/4/2015 2:00	1.8	BDL	BDL	14.2	0.2	2.6	15.0	11.0
12/4/2015 3:00	0.9	BDL	BDL	15.5	0.2	2.7	15.0	12.0
12/4/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	14.0	12.0
12/4/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	10.0	9.0
12/4/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	13.0	11.0
12/4/2015 7:00	1.9	BDL	BDL	14.1	0.2	2.5	10.0	9.0
12/4/2015 8:00	1.2	BDL	BDL	19.2	0.2	2.5	12.0	6.0
12/4/2015 9:00	0.6	BDL	BDL	15.9	0.3	2.5	14.0	12.0
12/4/2015 10:00	0.4	BDL	BDL	2.9	0.2	2.5	10.0	11.0
12/4/2015 11:00	0.4	BDL	BDL	3.6	0.2	2.6	12.0	13.0
12/4/2015 12:00	0.4	BDL	BDL	1.6	0.2	2.5	11.0	9.0
12/4/2015 13:00	0.4	BDL	BDL	3.9	0.2	2.5	14.0	8.0
12/4/2015 14:00	0.5	BDL	BDL	5.1	0.2	2.5	15.0	10.0
12/4/2015 15:00	1.2	BDL	BDL	6.4	0.2	2.4	14.0	12.0
12/4/2015 16:00	2.1	BDL	BDL	7.8	0.2	2.5	20.0	10.0
12/4/2015 17:00	0.5	BDL	BDL	6.8	0.2	2.5	16.0	11.0
12/4/2015 18:00	0.5	BDL	BDL	12.3	0.3	2.5	19.0	10.0
12/4/2015 19:00	0.6	BDL	BDL	21.9	0.4	2.8	23.0	13.0
12/4/2015 20:00	1.0	0.5	BDL	44.8	0.5	3.0	23.0	16.0
12/4/2015 21:00	1.0	0.9	BDL	51.4	0.5	3.7	22.0	16.0
12/4/2015 22:00	0.7	0.4	BDL	28.6	0.5	4.1	23.0	17.0
12/4/2015 23:00	0.9	0.5	BDL	41.0	0.5	3.2	22.0	11.0
12/5/2015 0:00	1.1	0.5	BDL	38.4	0.5	3.2	23.0	15.0
12/5/2015 1:00	1.2	0.8	BDL	55.4	0.6	3.5	23.0	15.0
12/5/2015 2:00	1.1	0.7	BDL	46.2	0.5	3.9	17.0	18.0
12/5/2015 3:00	1.1	0.7	BDL	46.3	0.6	4.3	22.0	12.0
12/5/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	20.0	13.0
12/5/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	21.0	14.0
12/5/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	15.0	11.0
12/5/2015 7:00	0.8	BDL	BDL	24.6	0.3	2.9	15.0	14.0
12/5/2015 8:00	0.6	BDL	BDL	24.9	0.4	3.0	25.0	15.0
12/5/2015 9:00	0.6	BDL	BDL	18.5	0.3	2.9	16.0	13.0
12/5/2015 10:00	1.3	BDL	BDL	26.4	0.4	2.7	18.0	16.0
12/5/2015 11:00	1.3	BDL	BDL	22.2	0.3	2.6	16.0	17.0
12/5/2015 12:00	0.9	BDL	BDL	17.7	0.3	2.6	19.0	15.0
12/5/2015 13:00	0.8	BDL	BDL	14.9	0.3	2.3	20.0	14.0
12/5/2015 14:00	1.0	BDL	BDL	18.8	0.3	2.6	20.0	19.0
12/5/2015 15:00	1.1	BDL	BDL	20.1	0.3	2.6	20.0	17.0
12/5/2015 16:00	1.1	BDL	BDL	21.4	0.3	2.2	19.0	15.0
12/5/2015 17:00	1.4	0.5	BDL	34.3	0.5	2.4	22.0	16.0
12/5/2015 18:00	1.5	0.7	BDL	44.1	0.5	2.5	27.0	16.0
12/5/2015 19:00	1.5	1.2	BDL	62.9	0.8	2.7	31.0	20.0
12/5/2015 20:00	1.8	2.1	BDL	68.0	0.8	3.0	24.0	23.0
12/5/2015 21:00	2.2	1.5	BDL	87.6	0.9	3.9	36.0	25.0
12/5/2015 22:00	1.9	1.6	BDL	83.1	0.9	3.5	32.0	22.0
12/5/2015 23:00	2.5	2.8	1	128.4	1.1	4.4	43.0	29.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
rwind Weekly: 12/6/2015-12/12/2015								
12/6/2015 0:00	1.9	3.0	1.4	125.1	1.2	3.6	45.0	32.0
12/6/2015 1:00	1.7	2.7	1	123.3	1.2	4.3	45.0	36.0
12/6/2015 2:00	1.5	2.4	BDL	114.1	1.0	3.5	41.0	36.0
12/6/2015 3:00	1.8	2.7	BDL	130.1	1.4	4.4	40.0	29.0
12/6/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	39.0	34.0
12/6/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	42.0	36.0
12/6/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	35.0	34.0
12/6/2015 7:00	1.9	2.4	BDL	123.1	1.0	4.7	33.0	27.0
12/6/2015 8:00	Too few samples	Too few samples	Too few samples	Too few samples	1.1	13.5	43.0	30.0
12/6/2015 9:00	1.9	2.3	BDL	95.2	0.8	4.8	35.0	31.0
12/6/2015 10:00	1.7	1.0	BDL	50.7	0.5	3.4	29.0	29.0
12/6/2015 11:00	6.6	0.7	BDL	38.2	0.4	3.1	30.0	29.0
12/6/2015 12:00	5.1	0.4	BDL	23.3	0.4	3.2	32.0	31.0
12/6/2015 13:00	4.9	0.4	BDL	18.9	0.3	3.0	29.0	28.0
12/6/2015 14:00	3.6	BDL	BDL	16.0	0.3	3.2	28.0	27.0
12/6/2015 15:00	3.5	0.6	BDL	15.9	0.3	3.0	32.0	27.0
12/6/2015 16:00	3.3	0.7	BDL	18.3	0.3	3.1	28.0	25.0
12/6/2015 17:00	2.7	0.7	BDL	30.9	0.4	2.9	36.0	31.0
12/6/2015 18:00	3.9	0.9	BDL	32.6	0.4	3.2	40.0	37.0
12/6/2015 19:00	6.5	1.2	1	33.6	0.4	3.2	49.0	44.0
12/6/2015 20:00	5.9	0.8	BDL	33.5	0.5	3.5	44.0	44.0
12/6/2015 21:00	5.7	0.6	BDL	37.4	0.5	3.6	47.0	44.0
12/6/2015 22:00	4.8	0.8	BDL	35.5	0.6	4.3	46.0	44.0
12/6/2015 23:00	4.5	1.8	1.2	70.2	0.7	4.2	49.0	48.0
12/7/2015 0:00	2.4	1.2	BDL	37.1	0.4	4.1	41.0	39.0
12/7/2015 1:00	2.6	0.9	BDL	26.8	0.4	4.3	47.0	39.0
12/7/2015 2:00	2.4	1.1	BDL	54.9	0.6	4.2	48.0	38.0
12/7/2015 3:00	1.9	1.6	BDL	60.7	0.5	3.9	41.0	38.0
12/7/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	38.0	32.0
12/7/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	45.0	38.0
12/7/2015 6:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	56.0	46.0
12/7/2015 7:00	2.0	3.0	1.2	115.5	0.7	3.4	52.0	42.0
12/7/2015 8:00	2.4	3.4	1.5	133.8	0.9	4.6	67.0	47.0
12/7/2015 9:00	2.3	3.1	BDL	132.4	0.9	4.1	72.0	49.0
12/7/2015 10:00	3.0	2.3	BDL	93.7	0.7	4.1	60.0	48.0
12/7/2015 11:00	4.0	2.2	BDL	94.3	0.7	3.9	67.0	50.0
12/7/2015 12:00	3.5	1.4	BDL	59.7	0.5	3.1	48.0	38.0
12/7/2015 13:00	5.1	0.4	BDL	22.5	0.3	2.6	35.0	17.0
12/7/2015 14:00	4.7	BDL	BDL	21.1	0.3	2.8	25.0	20.0
12/7/2015 15:00	3.3	BDL	BDL	17.9	0.3	2.9	33.0	21.0
12/7/2015 16:00	3.2	0.4	BDL	20.4	0.3	3.0	27.0	20.0
12/7/2015 17:00	2.5	0.4	BDL	36.9	0.4	3.9	28.0	26.0
12/7/2015 18:00	2.6	0.5	BDL	39.6	0.5	3.5	27.0	19.0
12/7/2015 19:00	2.7	0.8	BDL	49.5	0.5	3.3	27.0	18.0
12/7/2015 20:00	2.9	1.0	BDL	62.6	0.6	3.2	32.0	21.0
12/7/2015 21:00	3.1	1.4	BDL	74.7	0.7	4.0	28.0	15.0
12/7/2015 22:00	2.4	0.4	BDL	30.3	0.4	3.1	19.0	11.0
12/7/2015 23:00	1.7	BDL	BDL	17.2	0.3	2.7	12.0	11.0
12/8/2015 0:00	1.5	BDL	BDL	16.1	0.3	2.8	16.0	14.0
12/8/2015 1:00	1.4	BDL	BDL	21.3	0.3	2.9	14.0	13.0
12/8/2015 2:00	1.4	BDL	BDL	20.3	0.3	2.9	17.0	11.0
12/8/2015 3:00	1.4	BDL	BDL	16.8	0.3	2.7	19.0	11.0
12/8/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	19.0	15.0
12/8/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	18.0	14.0
12/8/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	22.0	13.0
12/8/2015 7:00	1.1	0.4	BDL	29.6	0.4	2.8	18.0	21.0
12/8/2015 8:00	1.2	0.6	BDL	33.0	0.4	2.9	34.0	21.0
12/8/2015 9:00	0.9	0.4	BDL	23.2	0.3	2.7	28.0	24.0
12/8/2015 10:00	1.0	BDL	BDL	19.9	0.3	2.6	27.0	24.0
12/8/2015 11:00	0.9	BDL	BDL	22.4	0.3	2.3	24.0	19.0
12/8/2015 12:00	1.0	BDL	BDL	17.0	0.3	2.5	26.0	19.0
12/8/2015 13:00	1.1	BDL	BDL	15.3	0.3	2.4	26.0	20.0
12/8/2015 14:00	0.9	BDL	BDL	15.2	0.3	2.4	28.0	19.0
12/8/2015 15:00	0.8	BDL	BDL	10.1	0.2	2.4	22.0	15.0
12/8/2015 16:00	0.6	BDL	BDL	10.4	0.3	2.4	21.0	13.0
12/8/2015 17:00	0.6	BDL	BDL	15.9	0.3	2.7	18.0	17.0
12/8/2015 18:00	0.8	0.4	BDL	34.2	0.3	3.1	28.0	17.0
12/8/2015 19:00	1.2	1.1	BDL	63.0	0.6	3.3	30.0	22.0
12/8/2015 20:00	1.1	1.0	BDL	54.4	0.7	2.8	35.0	20.0
12/8/2015 21:00	1.6	1.8	BDL	82.2	0.7	3.4	39.0	27.0
12/8/2015 22:00	1.9	2.1	BDL	94.2	0.9	3.6	44.0	27.0
12/8/2015 23:00	1.7	1.7	BDL	78.9	0.8	3.0	44.0	35.0
12/9/2015 0:00	1.9	1.9	BDL	103.3	0.9	3.4	52.0	36.0
12/9/2015 1:00	2.0	2.5	1	111.4	0.9	3.1	45.0	35.0
12/9/2015 2:00	1.8	2.6	BDL	111.8	0.7	2.9	47.0	35.0
12/9/2015 3:00	2.1	2.6	BDL	129.5	0.8	3.2	50.0	37.0
12/9/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	48.0	35.0
12/9/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	51.0	40.0
12/9/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	61.0	48.0
12/9/2015 7:00	3.2	5.0	2	218.7	1.3	3.4	55.0	41.0
12/9/2015 8:00	3.1	4.9	2.2	199.5	1.2	3.1	58.0	43.0
12/9/2015 9:00	2.3	2.8	1	129.1	0.9	2.8	58.0	35.0
12/9/2015 10:00	Audit	Audit	Audit	Audit	Audit	Audit	48.0	37.0
12/9/2015 11:00	Audit	Audit	Audit	Audit	Audit	Audit	49.0	33.0
12/9/2015 12:00	Audit	Audit	Audit	Audit	Audit	Audit	34.0	21.0
12/9/2015 13:00	Audit	Audit	Audit	Audit	Audit	Audit	28.0	17.0
12/9/2015 14:00	Audit	Audit	Audit	Audit	Audit	Audit	24.0	11.0
12/9/2015 15:00	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit
12/9/2015 16:00	Audit	Audit	Audit	Audit	Audit	Audit	25.0	985.0
12/9/2015 17:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	14.0	13.0
12/9/2015 18:00	0.7	0.7	BDL	7.5	0.3	2.1	18.0	13.0
12/9/2015 19:00	0.7	0.5	BDL	8.0	0.3	2.2	16.0	17.0
12/9/2015 20:00	0.6	0.4	BDL	5.0	0.3	2.1	21.0	11.0
12/9/2015 21:00	0.5	BDL	BDL	5.8	0.3	2.3	16.0	13.0
12/9/2015 22:00	0.5	BDL	BDL	6.3	0.3	2.2	15.0	10.0
12/9/2015 23:00	0.5	BDL	BDL	19.7	0.3	2.3	22.0	12.0
12/10/2015 0:00	0.5	0.4	BDL	29.0	0.4	2.3	17.0	16.0
12/10/2015 1:00	0.4	BDL	BDL	18.3	0.4	2.2	17.0	12.0
12/10/2015 2:00	0.4	BDL	BDL	18.5	0.3	2.3	15.0	14.0
12/10/2015 3:00	BDL	0.4	BDL	16.4	0.3	2.3	22.0	14.0
12/10/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	18.0	13.0
12/10/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	17.0	13.0
12/10/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	29.0	18.0
12/10/2015 7:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	31.0	20.0
12/10/2015 8:00	Calibration	Calibration	Calibration	Calibration	Calibration	Too few samples	28.0	22.0
12/10/2015 9:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	29.0	22.0
12/10/2015 10:00	Audit	Audit	Audit	Audit	Audit	Audit	31.0	25.0
12/10/2015 11:00	2.3	1.0	BDL	20.1	0.4	2.7	32.0	28.0
12/10/2015 12:00	1.6	0.9	BDL	21.2	0.4	2.5	32.0	25.0
12/10/2015 13:00	1.6	0.7	BDL	15.0	0.4	2.4	29.0	20.0
12/10/2015 14:00	1.3	BDL	BDL	13.0	0.3	2.4	29.0	17.0
12/10/2015 15:00	1.8	0.5	BDL	27.9	0.4	2.4	40.0	27.0
12/10/2015 16:00	1.8	0.5	BDL	27.6	0.4	2.3	32.0	29.0
12/10/2015 17:00	2.0	0.8	BDL	38.7	0.5	2.4	33.0	23.0
12/10/2015 18:00	2.3	1.0	BDL	47.3	0.6	2.5	32.0	21.0
12/10/2015 19:00	2.9	1.4	BDL	60.7	0.7	3.3	32.0	18.0
12/10/2015 20:00	4.1	2.4	BDL	110.2	0.9	2.7	36.0	22.0
12/10/2015 21:00	3.8	3.1	1.1	126.5	0.9	2.7	41.0	31.0
12/10/2015 22:00	2.6	2.5	BDL	101.8	0.9	2.7	36.0	24.0
12/10/2015 23:00	2.1	2.0	BDL	83.6	0.7	2.6	32.0	24.0
12/11/2015 0:00	1.4	1.3	BDL	51.1	0.6	3.4	33.0	27.0
12/11/2015 1:00	1.3	1.9	1.1	55.9	0.6	3.6	30.0	21.0
12/11/2015 2:00	0.9	1.5	1.2	35.3	0.5	2.9	28.0	20.0
12/11/2015 3:00	0.8	1.4	BDL	39.9	0.5	2.5	31.0	25.0
12/11/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	34.0	23.0
12/11/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	35.0	26.0
12/11/2015 6:00	Too few samples	Calibration	Calibration	Too few samples	Calibration	Calibration	44.0	30.0
12/11/2015 7:00	0.9	1.7	BDL	53.4	0.5	2.5	37.0	26.0
12/11/2015 8:00	16.9	1.9	BDL	89.7	2.0	2.5	40.0	31.0
12/11/2015 9:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	45.0	31.0
12/11/2015 10:00	2.6	2.5	1.4	Calibration	0.5	2.6	43.0	32.0
12/11/2015 11:00	2.2	1.9	1.2	Calibration	0.4	2.9	46.0	26.0
12/11/2015 12:00	2.4	1.5	1	Calibration	0.4	2.7	37.0	27.0
12/11/2015 13:00	2.6	1.2	1	Calibration	0.3	2.8	34.0	24.0
12/11/2015 14:00	2.0	0.9	BDL	Calibration	0.4	2.8	36.0	25.0
12/11/2015 15:00	2.5	0.5	BDL	Calibration	0.4	2.8	39.0	20.0
12/11/2015 16:00	1.9	0.7	BDL	Calibration	0.4	2.9	33.0	22.0
12/11/2015 17:00	1.9	0.6	BDL	Calibration	0.4	3	27.0	17.0
12/11/2015 18:00	2.1	0.7	BDL	Calibration	0.5	3	29.0	18.0
12/11/2015 19:00	1.9	0.9	BDL	Calibration	0.5	3.3	32.0	24.0
12/11/2015 20:00	2.8	1.0	BDL	Calibration	0.5	3.1	38.0	26.0
12/11/2015 21:00	3.5	1.0	BDL	Calibration	0.6	3.4	37.0	26.0
12/11/2015 22:00	2.5	1.6	BDL	Calibration	0.7	3.5	38.0	26.0
12/11/2015 23:00	3.1	1.7	BDL	Calibration	0.8	3.6	38.0	32.0
12/12/2015 0:00	2.2	1.3	BDL	Calibration	0.6	3.3	34.0	26.0
12/12/2015 1:00	1.7	1.2	BDL	Calibration	0.6	3.3	31.0	29.0
12/12/2015 2:00	1.7	1.3	BDL	Calibration	0.6	3.3	34.0	31.0
12/12/2015 3:00	1.5	1.6	BDL	Calibration	0.7	3.3	37.0	28.0
12/12/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	33.0	26.0
12/12/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	39.0	29.0
12/12/2015 6:00	Too few samples	Too few samples	Too few samples	Calibration	Calibration	Calibration	42.0	33.0
12/12/2015 7:00	1.4	2.0	1.4	Calibration	0.6	3.4	37.0	35.0
12/12/2015 8:00	1.7	2.8	1.8	Calibration	0.9	3.2	50.0	33.0
12/12/2015 9:00	1.8	3.0	1.9	Calibration	0.7	3.1	42.0	31.0
12/12/2015 10:00	1.9	2.8	2.3	Calibration	0.5	3.4	41.0	37.0
12/12/2015 11:00	3.4	3.1	2.3	Calibration	0.7	3.4	54.0	40.0
12/12/2015 12:00	4.2	1.6	BDL	Calibration	0.6	2.8	44.0	34.0
12/12/2015 13:00	2.7	0.9	BDL	Calibration	0.4	2.7	27.0	26.0
12/12/2015 14:00	1.7	0.5	BDL	Calibration	0.4	2.6	28.0	22.0
12/12/2015 15:00	1.3	0.4	BDL	Calibration	0.4	2.8	25.0	20.0
12/12/2015 16:00	1.2	0.4	BDL	Calibration	0.4	2.7	25.0	17.0
12/12/2015 17:00	1.4	0.7	BDL	Calibration	0.6	3	27.0	20.0
12/12/2015 18:00	2.0	1.1	BDL	Calibration	0.8	2.6	27.0	21.0
12/12/2015 19:00	1.1	1.1	BDL	Calibration	0.5	3.1	26.0	17.0
12/12/2015 20:00	2.6	1.3	1.1	Calibration	0.6	3.3	33.0	24.0
12/12/2015 21:00	1.3	1.8	1.6	Calibration	0.6	3.6	30.0	23.0
12/12/2015 22:00	1.9	2.6	2.1	Calibration	0.6	3.7	34.0	23.0
12/12/2015 23:00	2.1	2.4	2.1	Calibration	0.6	3.8	34.0	25.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 12/13/2015-12/19/2015								
12/13/2015 0:00	1.5	2.2	2	Calibration	0.7	3.7	45.0	32.0
12/13/2015 1:00	1.4	2.3	2.2	Calibration	0.7	3.6	45.0	36.0
12/13/2015 2:00	1.1	2.2	1.9	Calibration	0.6	3.8	41.0	36.0
12/13/2015 3:00	0.9	1.6	1.5	Calibration	0.6	3.9	40.0	29.0
12/13/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	39.0	34.0
12/13/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	42.0	36.0
12/13/2015 6:00	Too few samples	Too few samples	Too few samples	Calibration	Calibration	Calibration	35.0	34.0
12/13/2015 7:00	1.5	2.2	1.3	Calibration	0.8	3.5	33.0	27.0
12/13/2015 8:00	1.5	2.2	1.4	Calibration	0.9	3.6	43.0	30.0
12/13/2015 9:00	1.8	2.8	1.5	Calibration	0.9	3.7	35.0	31.0
12/13/2015 10:00	2.1	2.4	1.4	Calibration	1.0	3.3	29.0	29.0
12/13/2015 11:00	4.2	2.7	1.9	Calibration	0.7	3.5	30.0	29.0
12/13/2015 12:00	5.2	1.9	1.1	Calibration	0.7	3.8	32.0	31.0
12/13/2015 13:00	7.0	1.0	BDL	Calibration	0.6	3.1	29.0	28.0
12/13/2015 14:00	6.8	0.7	BDL	Calibration	0.5	2.8	28.0	27.0
12/13/2015 15:00	3.9	1.3	1	Calibration	0.5	2.8	32.0	27.0
12/13/2015 16:00	2.9	0.8	BDL	Calibration	0.6	2.4	28.0	25.0
12/13/2015 17:00	2.4	1.0	BDL	Calibration	0.7	2.5	36.0	31.0
12/13/2015 18:00	2.4	1.0	BDL	Calibration	1.0	2.5	40.0	37.0
12/13/2015 19:00	1.5	1.5	1	Calibration	0.8	2.9	49.0	44.0
12/13/2015 20:00	1.3	1.5	1.1	Calibration	1.0	2.5	44.0	44.0
12/13/2015 21:00	1.2	1.4	BDL	Calibration	0.9	2.5	47.0	44.0
12/13/2015 22:00	1.1	1.2	BDL	Calibration	1.0	2.5	46.0	44.0
12/13/2015 23:00	1.0	1.4	BDL	Calibration	1.0	2.8	49.0	48.0
12/14/2015 0:00	0.6	1.0	BDL	Calibration	0.8	2.8	41.0	39.0
12/14/2015 1:00	0.4	0.7	BDL	Calibration	0.6	2.6	47.0	39.0
12/14/2015 2:00	0.5	0.7	BDL	Calibration	0.5	2.6	48.0	38.0
12/14/2015 3:00	0.5	1.1	BDL	Calibration	0.5	2.6	41.0	38.0
12/14/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	38.0	32.0
12/14/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	45.0	38.0
12/14/2015 6:00	Too few samples	Too few samples	Too few samples	Calibration	Calibration	Calibration	56.0	46.0
12/14/2015 7:00	1.0	1.8	1	Calibration	0.6	2.6	52.0	42.0
12/14/2015 8:00	1.0	1.8	1	63.3	0.7	2.6	67.0	47.0
12/14/2015 9:00	1.1	1.9	1.1	73.0	0.8	2.7	72.0	49.0
12/14/2015 10:00	1.6	2.7	1.3	105.0	0.8	2.7	60.0	48.0
12/14/2015 11:00	1.0	1.5	1	47.5	0.5	2.9	67.0	50.0
12/14/2015 12:00	1.4	1.6	1	52.9	0.5	3.7	48.0	38.0
12/14/2015 13:00	1.3	1.0	BDL	22.0	0.5	3.7	35.0	17.0
12/14/2015 14:00	1.0	0.6	BDL	12.7	0.4	3.9	25.0	20.0
12/14/2015 15:00	1.1	0.5	BDL	19.8	0.4	4.4	33.0	21.0
12/14/2015 16:00	0.8	0.6	BDL	23.6	0.5	3.6	27.0	20.0
12/14/2015 17:00	0.7	0.4	BDL	18.3	0.4	3.6	28.0	26.0
12/14/2015 18:00	0.5	BDL	BDL	6.7	0.4	3.4	27.0	19.0
12/14/2015 19:00	0.4	BDL	BDL	6.4	0.4	3.2	27.0	18.0
12/14/2015 20:00	0.4	BDL	BDL	3.3	0.4	3.6	32.0	21.0
12/14/2015 21:00	0.5	0.4	BDL	4.4	0.3	3.7	28.0	15.0
12/14/2015 22:00	0.6	0.5	BDL	2.1	0.3	3.8	19.0	11.0
12/14/2015 23:00	0.6	0.6	BDL	4.3	0.3	3.9	12.0	11.0
12/15/2015 0:00	0.8	0.6	1	3.1	0.3	4.2	16.0	14.0
12/15/2015 1:00	0.9	0.6	BDL	3.4	0.3	4.2	14.0	13.0
12/15/2015 2:00	1.0	BDL	BDL	3.0	0.3	3.2	17.0	11.0
12/15/2015 3:00	1.5	BDL	BDL	4.9	0.3	2.1	19.0	11.0
12/15/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	19.0	15.0
12/15/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	18.0	14.0
12/15/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	22.0	13.0
12/15/2015 7:00	BDL	0.9	2.3	BDL	0.3	2.4	18.0	21.0
12/15/2015 8:00	Too few samples	Too few samples	Calibration	Too few samples	0.3	12.6	34.0	21.0
12/15/2015 9:00	Too few samples	Too few samples	Calibration	Too few samples	0.3	2.3	28.0	24.0
12/15/2015 10:00	0.4	BDL	BDL	1.2	0.3	2.4	27.0	24.0
12/15/2015 11:00	0.5	BDL	BDL	1.8	0.3	0.5	2.4	24.0	19.0
12/15/2015 12:00	0.7	BDL	BDL	2.0	0.3	2.5	26.0	19.0
12/15/2015 13:00	1.0	BDL	BDL	3.3	0.3	2.5	26.0	20.0
12/15/2015 14:00	1.8	BDL	BDL	8.9	0.3	2.4	28.0	19.0
12/15/2015 15:00	1.4	BDL	BDL	8.4	0.3	2.4	22.0	15.0
12/15/2015 16:00	0.8	BDL	BDL	3.1	0.3	0.8	2.4	21.0	13.0
12/15/2015 17:00	0.5	BDL	BDL	2.3	0.3	2.5	18.0	17.0
12/15/2015 18:00	0.4	BDL	BDL	3.0	0.3	2.3	28.0	17.0
12/15/2015 19:00	0.4	BDL	BDL	6.3	0.3	2.4	30.0	22.0
12/15/2015 20:00	BDL	BDL	BDL	4.9	0.3	2.4	35.0	20.0
12/15/2015 21:00	0.4	BDL	BDL	5.0	0.3	2.4	39.0	27.0
12/15/2015 22:00	0.4	BDL	BDL	2.5	0.3	2.4	44.0	27.0
12/15/2015 23:00	3.7	BDL	BDL	10.1	0.3	2.4	44.0	35.0
12/16/2015 0:00	1.9	BDL	BDL	13.5	0.3	2.4	52.0	36.0
12/16/2015 1:00	0.6	BDL	BDL	6.5	0.3	2.5	45.0	35.0
12/16/2015 2:00	0.6	BDL	BDL	5.0	0.3	2.4	47.0	35.0
12/16/2015 3:00	0.5	BDL	BDL	7.7	0.3	2.7	50.0	37.0
12/16/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	48.0	35.0
12/16/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	51.0	40.0
12/16/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	61.0	48.0
12/16/2015 7:00	0.5	BDL	BDL	11.8	0.3	2.2	55.0	41.0
12/16/2015 8:00	0.4	BDL	BDL	13.9	0.4	2.2	58.0	43.0
12/16/2015 9:00	0.4	BDL	BDL	22.9	0.4	2.2	58.0	35.0
12/16/2015 10:00	0.4	BDL	BDL	22.6	0.4	Audit	48.0	37.0
12/16/2015 11:00	0.4	BDL	BDL	25.0	0.4	Audit	49.0	33.0
12/16/2015 12:00	BDL	0.4	BDL	21.6	0.3	Audit	34.0	21.0
12/16/2015 13:00	BDL	BDL	BDL	11.4	0.3	Audit	28.0	17.0
12/16/2015 14:00	0.4	BDL	BDL	15.0	0.3	Audit	24.0	11.0
12/16/2015 15:00	0.5	0.4	BDL	26.1	0.4	Audit	Audit	Audit
12/16/2015 16:00	0.5	0.4	BDL	24.3	0.4	Audit	25.0	985.0
12/16/2015 17:00	BDL	BDL	BDL	14.5	0.4	Too few samples	14.0	13.0
12/16/2015 18:00	BDL	BDL	BDL	14.3	0.4	2.1	18.0	13.0
12/16/2015 19:00	BDL	BDL	BDL	16.8	0.4	2.1	16.0	17.0
12/16/2015 20:00	BDL	BDL	BDL	23.3	0.4	2.1	21.0	11.0
12/16/2015 21:00	BDL	BDL	BDL	18.1	0.4	2.1	16.0	13.0
12/16/2015 22:00	BDL	BDL	BDL	22.3	0.4	2.1	15.0	10.0
12/16/2015 23:00	BDL	BDL	BDL	19.0	0.4	2.1	22.0	12.0
12/17/2015 0:00	BDL	0.4	BDL	23.8	0.4	2.1	17.0	16.0
12/17/2015 1:00	BDL	BDL	BDL	21.7	0.4	2.1	17.0	12.0
12/17/2015 2:00	BDL	0.5	BDL	19.3	0.4	2.1	15.0	14.0
12/17/2015 3:00	0.5	0.9	BDL	45.3	0.5	2.2	22.0	14.0
12/17/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	18.0	13.0
12/17/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	17.0	13.0
12/17/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	29.0	18.0
12/17/2015 7:00	0.9	1.4	BDL	54.6	0.5	Too few samples	31.0	20.0
12/17/2015 8:00	1.1	1.6	BDL	68.1	0.7	Too few samples	28.0	22.0
12/17/2015 9:00	1.5	2.1	BDL	99.2	0.8	Calibration	29.0	22.0
12/17/2015 10:00	1.4	2.1	BDL	90.0	0.8	Audit	31.0	25.0
12/17/2015 11:00	1.2	1.8	BDL	86.1	0.8	2.6	32.0	28.0
12/17/2015 12:00	1.1	1.6	BDL	74.4	0.7	2.4	32.0	25.0
12/17/2015 13:00	1.1	1.7	BDL	82.8	0.8	2.5	29.0	20.0
12/17/2015 14:00	1.2	1.9	BDL	90.2	0.8	2.6	29.0	17.0
12/17/2015 15:00	1.3	2.1	BDL	97.2	1.0	2.7	40.0	27.0
12/17/2015 16:00	1.7	2.4	BDL	103.2	1.1	8.4	32.0	29.0
12/17/2015 17:00	1.9	2.5	BDL	122.1	1.2	3.9	33.0	23.0
12/17/2015 18:00	2.6	3.9	1.5	187.9	1.3	3.6	32.0	21.0
12/17/2015 19:00	1.9	2.7	1	116.4	1.1	3.3	32.0	18.0
12/17/2015 20:00	1.8	1.2	BDL	49.4	0.7	2.5	36.0	22.0
12/17/2015 21:00	0.9	1.0	BDL	37.9	0.6	2.5	41.0	31.0
12/17/2015 22:00	0.8	0.8	BDL	37.3	0.6	2.4	36.0	24.0
12/17/2015 23:00	0.5	0.6	BDL	22.6	0.5	2.4	32.0	24.0
12/18/2015 0:00	0.5	0.5	BDL	9.4	0.4	2.3	33.0	27.0
12/18/2015 1:00	0.6	0.4	BDL	4.6	0.4	2.4	30.0	21.0
12/18/2015 2:00	1.9	0.4	BDL	9.9	0.4	1.9	2.3	28.0	20.0
12/18/2015 3:00	4.3	0.5	BDL	12.0	0.4	2.2	31.0	25.0
12/18/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	34.0	23.0
12/18/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	35.0	26.0
12/18/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	44.0	30.0
12/18/2015 7:00	0.6	BDL	BDL	0.9	0.3	2.4	37.0	26.0
12/18/2015 8:00	0.6	BDL	BDL	5	0.3	2.4	40.0	31.0
12/18/2015 9:00	0.6	BDL	BDL	8.9	0.3	Calibration	45.0	31.0
12/18/2015 10:00	0.6	BDL	BDL	8.5	0.3	2.4	43.0	32.0
12/18/2015 11:00	0.6	BDL	BDL	7.8	0.3	0.6	2.5	46.0	26.0
12/18/2015 12:00	0.7	BDL	BDL	7.7	0.3	2.2	37.0	27.0
12/18/2015 13:00	0.6	BDL	BDL	8.3	0.3	2.4	34.0	24.0
12/18/2015 14:00	0.6	BDL	BDL	4.3	0.3	2.4	36.0	25.0
12/18/2015 15:00	0.7	BDL	BDL	2.2	0.3	2.3	39.0	20.0
12/18/2015 16:00	0.5	BDL	BDL	1.7	0.3	2.1	33.0	22.0
12/18/2015 17:00	0.4	BDL	BDL	2.2	0.3	2.2	27.0	17.0
12/18/2015 18:00	BDL	BDL	BDL	0.9	0.3	2.2	29.0	18.0
12/18/2015 19:00	BDL	BDL	BDL	1.4	0.3	2.2	32.0	24.0
12/18/2015 20:00	0.4	BDL	BDL	4.2	0.3	2.2	38.0	26.0
12/18/2015 21:00	BDL	BDL	BDL	3.6	0.3	2.3	37.0	26.0
12/18/2015 22:00	BDL	BDL	BDL	0.8	0.3	2.3	38.0	26.0
12/18/2015 23:00	BDL	BDL	BDL	0.7	0.3	2.3	38.0	32.0
12/19/2015 0:00	0.6	BDL	BDL	2.3	0.3	2.4	34.0	26.0
12/19/2015 1:00	1.2	BDL	BDL	3.7	0.3	2.4	31.0	29.0
12/19/2015 2:00	1.2	BDL	BDL	4.9	0.3	2.4	34.0	31.0
12/19/2015 3:00	1.6	BDL	BDL	10.1	0.3	2.3	37.0	28.0
12/19/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	33.0	26.0
12/19/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	39.0	29.0
12/19/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	42.0	33.0
12/19/2015 7:00	0.5	BDL	BDL	2.0	0.3	2.3	37.0	35.0
12/19/2015 8:00	1.4	BDL	BDL	8.9	0.3	2.3	50.0	33.0
12/19/2015 9:00	5.2	BDL	BDL	12.3	0.3	2.2	42.0	31.0
12/19/2015 10:00	5.1	BDL	BDL	13.8	0.3	2.2	41.0	37.0
12/19/2015 11:00	3.2	BDL	BDL	10.4	0.3	2.3	54.0	40.0
12/19/2015 12:00	3.1	BDL	BDL	10.4	0.2	2.3	44.0	34.0
12/19/2015 13:00	3.3	BDL	BDL	11.5	0.2	2.4	27.0	26.0
12/19/2015 14:00	2.5	BDL	BDL	10.8	0.2	2.4	28.0	22.0
12/19/2015 15:00	3.3	BDL	BDL	11.6	0.2	2.4	25.0	20.0
12/19/2015 16:00	0.7	BDL	BDL	6.1	0.3	2.4	25.0	17.0
12/19/2015 17:00	1.0	BDL	BDL	9.9	0.3	2.5	27.0	20.0
12/19/2015 18:00	0.9	BDL	BDL	10.0	0.3	2.5	27.0	21.0
12/19/2015 19:00	1.9	BDL	BDL	9.9	0.3	2.4	26.0	17.0
12/19/2015 20:00	5.1	BDL	BDL	14.6	0.3	2.4	33.0	24.0
12/19/2015 21:00	3.6	0.5	BDL	16.8	0.3	2.5	30.0	23.0
12/19/2015 22:00	5.7	0.4	BDL	12.4	0.3	2.3	34.0	23.0
12/19/2015 23:00	5.9	BDL	BDL	16.5	0.3	2.4	34.0	25.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 12/20/2015-12/26/2015								
12/20/2015 0:00	6.9	BDL	BDL	11.7	0.3	2.3	25.0	11.0
12/20/2015 1:00	6.5	0.5	BDL	13.8	0.3	2.4	23.0	18.0
12/20/2015 2:00	4.4	0.9	1	17.6	0.3	2.7	15.0	13.0
12/20/2015 3:00	3.2	1.2	1.2	13.2	0.3	2.6	17.0	14.0
12/20/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	22.0	12.0
12/20/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	14.0	13.0
12/20/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	11.0	10.0
12/20/2015 7:00	0.8	BDL	BDL	7.2	0.3	2.5	12.0	9.0
12/20/2015 8:00	6.6	BDL	BDL	8.8	0.3	2.4	15.0	10.0
12/20/2015 9:00	2.6	BDL	BDL	11.2	0.3	2.5	13.0	9.0
12/20/2015 10:00	0.6	BDL	BDL	3.5	0.3	2.5	10.0	9.0
12/20/2015 11:00	0.4	BDL	BDL	1.3	0.3	2.5	10.0	8.0
12/20/2015 12:00	0.5	BDL	BDL	BDL	0.3	2.5	11.0	5.0
12/20/2015 13:00	2.5	BDL	BDL	5.3	0.3	2.4	9.0	9.0
12/20/2015 14:00	1.5	BDL	BDL	4.8	0.3	2.5	11.0	11.0
12/20/2015 15:00	1.2	BDL	BDL	4.9	0.3	2.5	12.0	10.0
12/20/2015 16:00	1.3	BDL	BDL	7.1	0.3	2.6	10.0	11.0
12/20/2015 17:00	1.4	BDL	BDL	9.5	0.3	2.7	14.0	8.0
12/20/2015 18:00	1.7	BDL	BDL	10.2	0.3	2.8	11.0	8.0
12/20/2015 19:00	3.1	BDL	BDL	24.0	0.4	2.5	18.0	13.0
12/20/2015 20:00	1.6	0.6	BDL	40.2	0.6	2.6	21.0	17.0
12/20/2015 21:00	0.7	BDL	BDL	18.6	0.4	2.7	11.0	12.0
12/20/2015 22:00	0.7	0.4	BDL	21.0	0.4	2.7	15.0	12.0
12/20/2015 23:00	0.6	0.4	BDL	27.4	0.5	2.3	13.0	11.0
12/21/2015 0:00	0.8	0.6	BDL	27.7	0.6	2.4	17.0	12.0
12/21/2015 1:00	0.9	0.9	BDL	32.3	0.5	2.7	16.0	10.0
12/21/2015 2:00	0.8	1.4	1.2	31.0	0.4	3	15.0	8.0
12/21/2015 3:00	0.7	1.4	1.1	25.7	0.3	3	12.0	8.0
12/21/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	7.0	9.0
12/21/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	11.0	9.0
12/21/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	11.0	12.0
12/21/2015 7:00	1.6	0.8	BDL	15.9	0.3	2.7	11.0	8.0
12/21/2015 8:00	0.9	0.8	BDL	13.2	0.3	2.7	10.0	5.0
12/21/2015 9:00	0.5	0.8	BDL	15.2	0.3	2.6	11.0	2.0
12/21/2015 10:00	0.6	0.7	BDL	9.0	0.3	2.7	13.0	3.0
12/21/2015 11:00	0.8	0.4	BDL	8.2	0.3	2.7	13.0	4.0
12/21/2015 12:00	1.0	0.5	BDL	6.7	0.3	2.6	13.0	1.0
12/21/2015 13:00	1.0	BDL	BDL	6.6	0.3	2.6	15.0	4.0
12/21/2015 14:00	1.1	BDL	BDL	8.0	0.3	2.6	12.0	6.0
12/21/2015 15:00	1.3	BDL	BDL	9.2	0.3	2.7	16.0	6.0
12/21/2015 16:00	1.6	BDL	BDL	9.0	0.4	2.6	18.0	10.0
12/21/2015 17:00	1.5	BDL	BDL	13.5	0.4	2.7	8.0	7.0
12/21/2015 18:00	0.5	BDL	BDL	5.6	0.3	2.6	11.0	7.0
12/21/2015 19:00	0.5	BDL	BDL	5.4	0.3	2.6	10.0	5.0
12/21/2015 20:00	0.7	BDL	BDL	6.4	0.3	2.6	14.0	7.0
12/21/2015 21:00	1.2	0.4	BDL	11.7	0.4	2.6	11.0	7.0
12/21/2015 22:00	1.5	0.5	BDL	13.6	0.5	2.4	10.0	6.0
12/21/2015 23:00	1.3	0.5	BDL	11.9	0.4	2.5	10.0	6.0
12/22/2015 0:00	1.2	0.5	BDL	11.3	0.4	2.5	10.0	8.0
12/22/2015 1:00	1.0	0.5	BDL	7.3	0.4	2.7	11.0	9.0
12/22/2015 2:00	0.5	BDL	BDL	8.2	0.3	2.6	13.0	8.0
12/22/2015 3:00	0.6	BDL	BDL	6.3	0.3	2.5	11.0	6.0
12/22/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	9.0	6.0
12/22/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	8.0	8.0
12/22/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	12.0	9.0
12/22/2015 7:00	0.5	1.2	1.1	25.6	0.5	2.2	15.0	13.0
12/22/2015 8:00	BDL	1.2	1.1	22.2	0.4	2.6	17.0	11.0
12/22/2015 9:00	BDL	1.2	1	28.8	0.4	2.3	13.0	6.0
12/22/2015 10:00	BDL	0.8	BDL	18.0	0.4	2.4	13.0	5.0
12/22/2015 11:00	BDL	0.8	BDL	14.9	0.3	2.5	9.0	3.0
12/22/2015 12:00	BDL	0.8	BDL	17.5	0.4	2.9	12.0	4.0
12/22/2015 13:00	BDL	0.9	1	15.1	0.4	2.9	7.0	4.0
12/22/2015 14:00	0.4	0.7	BDL	6.5	0.4	2.8	4.0	4.0
12/22/2015 15:00	0.8	0.6	BDL	10.1	0.4	2.5	13.0	7.0
12/22/2015 16:00	1.3	0.5	BDL	9.7	0.4	2.4	14.0	10.0
12/22/2015 17:00	1.6	BDL	BDL	12.0	0.4	2.4	23.0	18.0
12/22/2015 18:00	2.0	BDL	BDL	14.1	0.4	2.4	17.0	16.0
12/22/2015 19:00	1.9	BDL	BDL	11.6	0.4	2.3	23.0	18.0
12/22/2015 20:00	2.9	BDL	BDL	11.9	0.4	2.2	17.0	12.0
12/22/2015 21:00	5.2	BDL	BDL	11.3	0.4	2	22.0	14.0
12/22/2015 22:00	3.5	0.4	BDL	15.0	0.5	2.1	17.0	11.0
12/22/2015 23:00	1.3	0.4	BDL	26.5	0.5	2.1	19.0	11.0
12/23/2015 0:00	0.8	0.5	BDL	18.0	0.5	2.3	16.0	17.0
12/23/2015 1:00	0.9	0.5	BDL	23.5	0.5	2.2	21.0	13.0
12/23/2015 2:00	0.7	0.4	BDL	21.6	0.5	2.2	17.0	10.0
12/23/2015 3:00	0.6	0.5	BDL	27.2	0.5	2.1	18.0	14.0
12/23/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	14.0	15.0
12/23/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	15.0	12.0
12/23/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	17.0	16.0
12/23/2015 7:00	0.7	1.1	BDL	45.3	0.6	2.2	17.0	11.0
12/23/2015 8:00	0.9	1.2	BDL	58.1	0.7	2.3	18.0	12.0
12/23/2015 9:00	0.9	1.1	BDL	59.2	0.6	2.1	22.0	11.0
12/23/2015 10:00	0.6	0.8	BDL	38.7	0.5	2	17.0	10.0
12/23/2015 11:00	0.6	0.8	BDL	37.5	0.5	2	15.0	8.0
12/23/2015 12:00	0.6	1.1	BDL	40.7	0.6	2.1	15.0	8.0
12/23/2015 13:00	0.4	0.8	BDL	32.2	0.5	2.1	11.0	7.0
12/23/2015 14:00	0.5	0.6	BDL	35.9	0.5	2.1	14.0	5.0
12/23/2015 15:00	0.4	0.7	BDL	32.7	0.5	2	12.0	5.0
12/23/2015 16:00	0.4	0.8	BDL	32.4	0.5	1.9	8.0	6.0
12/23/2015 17:00	0.5	0.9	BDL	41.1	0.6	2.2	5.0	7.0
12/23/2015 18:00	0.4	0.7	BDL	31.8	0.5	2.1	6.0	6.0
12/23/2015 19:00	0.4	0.6	BDL	26.4	0.5	2.2	10.0	5.0
12/23/2015 20:00	BDL	0.7	BDL	22.7	0.5	2.1	10.0	4.0
12/23/2015 21:00	0.5	0.4	BDL	1.6	0.3	2.1	6.0	4.0
12/23/2015 22:00	0.6	0.4	BDL	BDL	0.3	2	4.0	3.0
12/23/2015 23:00	0.7	BDL	BDL	0.5	0.3	2.2	5.0	0.0
12/24/2015 0:00	0.6	BDL	BDL	0.4	0.3	2.4	5.0	3.0
12/24/2015 1:00	0.5	BDL	BDL	BDL	0.3	2.6	5.0	2.0
12/24/2015 2:00	0.4	0.6	BDL	4.2	0.3	2.7	9.0	-1.0
12/24/2015 3:00	0.5	BDL	BDL	3.0	0.3	2.7	9.0	1.0
12/24/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	13.0	4.0
12/24/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	9.0	4.0
12/24/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	8.0	4.0
12/24/2015 7:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	8.0	5.0
12/24/2015 8:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	9.0	4.0
12/24/2015 9:00	0.5	5.4	1.6	6.7	0.4	2.4	6.0	3.0
12/24/2015 10:00	0.4	BDL	BDL	3.2	0.3	2.3	6.0	3.0
12/24/2015 11:00	0.5	BDL	BDL	5.1	0.4	2.5	6.0	6.0
12/24/2015 12:00	0.7	BDL	BDL	10.0	0.4	2.6	7.0	5.0
12/24/2015 13:00	0.7	BDL	BDL	7.7	0.4	2.7	11.0	7.0
12/24/2015 14:00	0.8	BDL	BDL	7.9	0.4	2.6	16.0	15.0
12/24/2015 15:00	1.0	BDL	BDL	12.1	0.4	2.5	10.0	12.0
12/24/2015 16:00	0.6	BDL	BDL	11.0	0.4	2.5	9.0	9.0
12/24/2015 17:00	0.8	BDL	BDL	10.5	0.4	2.6	12.0	10.0
12/24/2015 18:00	0.8	BDL	BDL	15.9	0.5	2.9	11.0	8.0
12/24/2015 19:00	0.7	0.4	BDL	24.3	0.6	2.4	9.0	6.0
12/24/2015 20:00	0.7	0.6	BDL	32.4	0.7	2	13.0	7.0
12/24/2015 21:00	0.6	0.5	BDL	29.4	0.6	2.2	12.0	6.0
12/24/2015 22:00	0.4	0.7	BDL	25.4	0.5	2.3	11.0	5.0
12/24/2015 23:00	0.6	1.0	BDL	38.5	0.6	2.2	11.0	5.0
12/25/2015 0:00	0.5	0.7	BDL	24.5	0.6	2.2	10.0	5.0
12/25/2015 1:00	0.5	0.5	BDL	16.0	0.5	2.3	13.0	5.0
12/25/2015 2:00	BDL	0.5	BDL	9.2	0.4	2.4	9.0	2.0
12/25/2015 3:00	BDL	0.6	BDL	9.4	0.4	2.5	6.0	1.0
12/25/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	10.0	4.0
12/25/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	9.0	4.0
12/25/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	11.0	4.0
12/25/2015 7:00	0.4	BDL	BDL	4.7	0.4	2.5	11.0	7.0
12/25/2015 8:00	0.4	0.4	BDL	16.0	0.4	2.9	9.0	6.0
12/25/2015 9:00	0.7	0.4	BDL	26.9	0.5	2.9	9.0	5.0
12/25/2015 10:00	0.7	BDL	BDL	14.6	0.4	2.8	8.0	8.0
12/25/2015 11:00	0.6	BDL	BDL	8.9	0.4	2.7	7.0	6.0
12/25/2015 12:00	0.8	BDL	BDL	10.2	0.4	2.5	7.0	6.0
12/25/2015 13:00	0.5	BDL	BDL	8.4	0.4	3	11.0	11.0
12/25/2015 14:00	0.6	BDL	BDL	13.2	0.5	3.3	12.0	10.0
12/25/2015 15:00	0.6	BDL	BDL	16.0	0.5	2.9	11.0	14.0
12/25/2015 16:00	0.8	0.6	BDL	30.1	0.7	2.8	19.0	12.0
12/25/2015 17:00	0.6	0.6	BDL	33.7	0.6	2.6	18.0	13.0
12/25/2015 18:00	0.7	0.9	BDL	45.4	0.7	3.2	23.0	14.0
12/25/2015 19:00	0.6	0.7	BDL	40.2	0.7	2.7	21.0	13.0
12/25/2015 20:00	0.5	0.6	BDL	29.3	0.6	2.5	19.0	10.0
12/25/2015 21:00	BDL	BDL	BDL	10.2	0.4	2.1	11.0	8.0
12/25/2015 22:00	BDL	BDL	BDL	14.5	0.5	2.2	11.0	8.0
12/25/2015 23:00	BDL	BDL	BDL	13.9	0.5	2.6	11.0	8.0
12/26/2015 0:00	BDL	0.4	BDL	29.1	0.8	2.8	11.0	7.0
12/26/2015 1:00	BDL	0.5	BDL	31.9	0.7	3.3	13.0	10.0
12/26/2015 2:00	BDL	BDL	BDL	8.8	0.5	2.6	16.0	9.0
12/26/2015 3:00	BDL	BDL	BDL	2.7	0.4	2.3	11.0	9.0
12/26/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	9.0	5.0
12/26/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	7.0	4.0
12/26/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	12.0	5.0
12/26/2015 7:00	BDL	BDL	BDL	5.3	0.3	2.3	8.0	6.0
12/26/2015 8:00	BDL	BDL	BDL	9.4	0.3	2.3	4.0	4.0
12/26/2015 9:00	BDL	BDL	BDL	8.9	0.3	2.4	6.0	4.0
12/26/2015 10:00	BDL	BDL	BDL	27.1	0.3	2.5	6.0	4.0
12/26/2015 11:00	BDL	BDL	BDL	12.9	0.4	2.5	7.0	2.0
12/26/2015 12:00	BDL	BDL	BDL	14.0	0.4	2.4	8.0	2.0
12/26/2015 13:00	BDL	BDL	BDL	11.9	0.4	2.3	9.0	3.0
12/26/2015 14:00	BDL	BDL	BDL	8.9	0.4	2.3	11.0	4.0
12/26/2015 15:00	BDL	BDL	BDL	6.2	0.4	2.3	11.0	5.0
12/26/2015 16:00	BDL	BDL	BDL	12.0	0.4	2.3	13.0	4.0
12/26/2015 17:00	BDL	BDL	BDL	6.9	0.4	2.2	12.0	7.0
12/26/2015 18:00	BDL	BDL	BDL	9.2	0.4	2.3	21.0	6.0
12/26/2015 19:00	BDL	BDL	BDL	6.7	0.4	2.3	22.0	8.0
12/26/2015 20:00	BDL	BDL	BDL	8.4	0.4	2.4	18.0	8.0
12/26/2015 21:00	BDL	BDL	BDL	8.7	0.4	2.4	22.0	7.0
12/26/2015 22:00	BDL	BDL	BDL	4.2	0.4	2.3	20.0	8.0
12/26/2015 23:00	BDL	BDL	BDL	4.3	0.4	2.4	26.0	6.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 12/27/2015-1/2/2016								
12/27/2015 0:00	BDL	BDL	BDL	6.4	0.4	2.3	18.0	4.0
12/27/2015 1:00	BDL	BDL	BDL	9.9	0.4	2.3	15.0	6.0
12/27/2015 2:00	BDL	BDL	BDL	8.6	0.4	2.4	14.0	5.0
12/27/2015 3:00	BDL	BDL	BDL	6.2	0.4	2.7	14.0	5.0
12/27/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	14.0	12.0
12/27/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	8.0	9.0
12/27/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	11.0	11.0
12/27/2015 7:00	0.4	BDL	BDL	10.0	0.4	3.6	10.0	8.0
12/27/2015 8:00	BDL	BDL	BDL	9.0	0.4	3.6	11.0	7.0
12/27/2015 9:00	BDL	BDL	BDL	8.7	0.3	3.3	8.0	9.0
12/27/2015 10:00	BDL	0.4	BDL	7.7	0.3	3.2	6.0	8.0
12/27/2015 11:00	0.6	0.4	BDL	8.2	0.4	3.7	12.0	12.0
12/27/2015 12:00	0.8	0.4	BDL	8.7	0.4	4	18.0	17.0
12/27/2015 13:00	0.8	BDL	BDL	6.6	0.4	4.1	14.0	11.0
12/27/2015 14:00	1.0	BDL	BDL	6.6	0.4	4	13.0	11.0
12/27/2015 15:00	0.8	BDL	BDL	5.9	0.4	4	10.0	8.0
12/27/2015 16:00	0.7	BDL	BDL	7.0	0.4	3.7	8.0	6.0
12/27/2015 17:00	0.8	BDL	BDL	8.6	0.4	3.3	15.0	9.0
12/27/2015 18:00	1.1	BDL	BDL	12.2	0.4	2.6	13.0	9.0
12/27/2015 19:00	0.9	BDL	BDL	12.1	0.4	2.6	12.0	8.0
12/27/2015 20:00	0.6	BDL	BDL	6.7	0.4	2.5	6.0	5.0
12/27/2015 21:00	BDL	BDL	BDL	1.6	0.4	2.3	6.0	3.0
12/27/2015 22:00	BDL	BDL	BDL	0.9	0.3	2.4	5.0	1.0
12/27/2015 23:00	BDL	BDL	BDL	BDL	0.3	2.3	3.0	2.0
12/28/2015 0:00	BDL	BDL	BDL	BDL	0.3	2.3	3.0	3.0
12/28/2015 1:00	BDL	BDL	BDL	BDL	0.3	2.4	3.0	2.0
12/28/2015 2:00	BDL	BDL	BDL	BDL	0.3	2.4	4.0	4.0
12/28/2015 3:00	BDL	BDL	BDL	BDL	0.3	2.4	6.0	3.0
12/28/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	5.0	1.0
12/28/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	3.0	2.0
12/28/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	3.0	2.0
12/28/2015 7:00	BDL	BDL	BDL	10.4	0.3	2.4	6.0	2.0
12/28/2015 8:00	BDL	BDL	BDL	16.8	0.3	2.3	5.0	4.0
12/28/2015 9:00	BDL	BDL	BDL	21.2	0.3	2.3	6.0	3.0
12/28/2015 10:00	BDL	BDL	BDL	15.7	0.3	2.3	7.0	2.0
12/28/2015 11:00	BDL	BDL	BDL	14.4	0.3	2.3	8.0	3.0
12/28/2015 12:00	BDL	BDL	BDL	19.6	0.3	2.3	9.0	2.0
12/28/2015 13:00	BDL	BDL	BDL	19.0	0.3	2.3	6.0	5.0
12/28/2015 14:00	BDL	BDL	BDL	20.9	0.4	2.4	11.0	5.0
12/28/2015 15:00	BDL	0.4	BDL	36.7	0.4	2.4	9.0	5.0
12/28/2015 16:00	0.4	0.6	BDL	33.6	0.4	2.3	8.0	5.0
12/28/2015 17:00	BDL	BDL	BDL	18.9	0.4	2.3	6.0	3.0
12/28/2015 18:00	BDL	BDL	BDL	9.9	0.3	2.3	11.0	1.0
12/28/2015 19:00	BDL	BDL	BDL	11.0	0.4	2.3	8.0	3.0
12/28/2015 20:00	BDL	BDL	BDL	11.6	0.4	2.3	10.0	6.0
12/28/2015 21:00	BDL	BDL	BDL	7.6	0.3	2.3	12.0	7.0
12/28/2015 22:00	BDL	BDL	BDL	5.3	0.3	2.3	11.0	4.0
12/28/2015 23:00	BDL	BDL	BDL	5.9	0.3	2.3	9.0	4.0
12/29/2015 0:00	BDL	BDL	BDL	12.6	0.3	2.2	8.0	4.0
12/29/2015 1:00	BDL	BDL	BDL	9.6	0.3	2.2	8.0	3.0
12/29/2015 2:00	BDL	BDL	BDL	23.0	0.3	2.2	6.0	1.0
12/29/2015 3:00	BDL	BDL	BDL	14.2	0.3	2.3	7.0	2.0
12/29/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	6.0	2.0
12/29/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	4.0	2.0
12/29/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	5.0	2.0
12/29/2015 7:00	BDL	BDL	BDL	21.1	0.4	2.3	3.0	1.0
12/29/2015 8:00	BDL	BDL	BDL	23.7	0.4	2.3	4.0	4.0
12/29/2015 9:00	BDL	0.5	BDL	32.5	0.4	2.4	5.0	3.0
12/29/2015 10:00	BDL	0.6	BDL	33.0	0.4	2.5	7.0	3.0
12/29/2015 11:00	BDL	0.7	BDL	33.0	0.5	2.4	7.0	3.0
12/29/2015 12:00	BDL	0.5	BDL	30.2	0.5	2.4	6.0	4.0
12/29/2015 13:00	0.4	0.6	BDL	26.8	0.4	2.6	5.0	5.0
12/29/2015 14:00	0.4	0.5	BDL	26.1	0.4	2.6	6.0	8.0
12/29/2015 15:00	0.4	0.5	BDL	27.0	0.4	2.5	6.0	6.0
12/29/2015 16:00	0.4	0.7	BDL	34.5	0.5	2.4	12.0	8.0
12/29/2015 17:00	0.4	0.8	BDL	40.1	0.5	2.4	11.0	8.0
12/29/2015 18:00	BDL	0.6	BDL	30.5	0.5	2.3	15.0	13.0
12/29/2015 19:00	BDL	0.4	BDL	20.2	0.5	2.4	13.0	14.0
12/29/2015 20:00	BDL	0.4	BDL	15.9	0.4	2.4	12.0	13.0
12/29/2015 21:00	BDL	BDL	BDL	12.5	0.4	2.6	13.0	16.0
12/29/2015 22:00	0.4	BDL	BDL	10.1	0.4	2.6	17.0	14.0
12/29/2015 23:00	BDL	BDL	BDL	12.5	0.4	2.6	19.0	19.0
12/30/2015 0:00	BDL	BDL	BDL	13.1	0.4	2.6	17.0	18.0
12/30/2015 1:00	BDL	BDL	BDL	15.4	0.4	2.7	15.0	14.0
12/30/2015 2:00	BDL	0.4	BDL	22.5	0.4	2.5	19.0	16.0
12/30/2015 3:00	0.5	0.7	BDL	42.6	0.5	2.4	26.0	21.0
12/30/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	22.0	21.0
12/30/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	26.0	19.0
12/30/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	23.0	16.0
12/30/2015 7:00	0.5	0.7	BDL	29.0	0.4	2.3	18.0	17.0
12/30/2015 8:00	0.5	0.6	BDL	35.1	0.4	2.3	20.0	17.0
12/30/2015 9:00	0.5	0.7	BDL	36.2	0.5	2.3	19.0	17.0
12/30/2015 10:00	0.5	0.5	1.3	32.7	0.4	2.3	19.0	12.0
12/30/2015 11:00	0.5	0.6	1.1	32.3	0.4	2.2	16.0	10.0
12/30/2015 12:00	0.7	0.8	BDL	48.3	0.5	2.3	28.0	18.0
12/30/2015 13:00	0.6	0.8	BDL	41.5	0.5	2.2	22.0	18.0
12/30/2015 14:00	0.5	0.6	BDL	28.8	0.4	2.2	15.0	10.0
12/30/2015 15:00	0.6	0.8	BDL	37.2	0.5	2.2	19.0	10.0
12/30/2015 16:00	0.4	0.5	BDL	27.3	0.5	2.2	19.0	10.0
12/30/2015 17:00	0.4	0.4	BDL	24.8	0.5	2.1	13.0	6.0
12/30/2015 18:00	0.6	0.8	BDL	39.5	0.5	2.2	10.0	9.0
12/30/2015 19:00	0.4	0.5	BDL	22.8	0.5	2.2	10.0	6.0
12/30/2015 20:00	BDL	BDL	BDL	15.3	0.4	2.3	15.0	4.0
12/30/2015 21:00	BDL	BDL	BDL	15.8	0.4	2.3	15.0	6.0
12/30/2015 22:00	BDL	BDL	BDL	19.5	0.4	2.3	10.0	4.0
12/30/2015 23:00	BDL	BDL	BDL	20.0	0.5	2.5	6.0	5.0
12/31/2015 0:00	BDL	BDL	BDL	16.4	0.5	2.4	3.0	4.0
12/31/2015 1:00	BDL	BDL	BDL	10.4	0.4	2.3	3.0	3.0
12/31/2015 2:00	0.4	BDL	BDL	15.0	0.4	2.7	5.0	3.0
12/31/2015 3:00	0.5	0.4	BDL	16.9	0.4	2.9	4.0	10.0
12/31/2015 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	5.0	6.0
12/31/2015 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	6.0	2.0
12/31/2015 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	11.0	6.0
12/31/2015 7:00	0.6	0.7	BDL	26.1	0.5	2.7	12.0	10.0
12/31/2015 8:00	0.6	BDL	BDL	13.2	0.4	2.6	15.0	13.0
12/31/2015 9:00	0.7	0.4	BDL	16.6	0.4	2.5	17.0	13.0
12/31/2015 10:00	0.6	BDL	BDL	8.6	0.3	2.5	15.0	10.0
12/31/2015 11:00	0.5	BDL	BDL	2.5	0.3	2.5	14.0	7.0
12/31/2015 12:00	0.5	BDL	BDL	2.5	0.3	2.5	10.0	7.0
12/31/2015 13:00	0.5	BDL	BDL	1.7	0.3	2.4	10.0	6.0
12/31/2015 14:00	0.5	BDL	BDL	1.2	0.3	2.3	8.0	7.0
12/31/2015 15:00	0.4	BDL	BDL	1.3	0.3	2.4	9.0	5.0
12/31/2015 16:00	0.4	BDL	BDL	0.8	0.3	2.4	8.0	6.0
12/31/2015 17:00	0.4	BDL	BDL	1.2	0.3	2.3	9.0	6.0
12/31/2015 18:00	0.5	BDL	BDL	4.0	0.3	2.4	11.0	9.0
12/31/2015 19:00	0.4	BDL	BDL	5.7	0.3	2.5	10.0	7.0
12/31/2015 20:00	0.4	BDL	BDL	2.5	0.3	2.5	6.0	6.0
12/31/2015 21:00	BDL	BDL	BDL	1.0	0.3	2.4	9.0	8.0
12/31/2015 22:00	BDL	BDL	BDL	BDL	0.3	2.4	7.0	5.0
12/31/2015 23:00	BDL	BDL	BDL	BDL	0.3	2.4	5.0	2.0
1/1/2016 0:00	0.4	BDL	BDL	BDL	0.3	2.4	4.0	8.0
1/1/2016 1:00	BDL	BDL	BDL	BDL	0.3	2.3	3.0	7.0
1/1/2016 2:00	BDL	BDL	BDL	BDL	0.3	2.4	3.0	5.0
1/1/2016 3:00	BDL	BDL	BDL	BDL	0.3	2.4	4.0	6.0
1/1/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	4.0	6.0
1/1/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	6.0	8.0
1/1/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	9.0	9.0
1/1/2016 7:00	0.9	BDL	BDL	BDL	0.3	2.4	11.0	5.0
1/1/2016 8:00	0.7	BDL	BDL	BDL	0.2	2.3	8.0	5.0
1/1/2016 9:00	0.7	BDL	BDL	0.8	0.3	2.4	6.0	5.0
1/1/2016 10:00	0.7	BDL	BDL	0.8	0.2	2.3	4.0	5.0
1/1/2016 11:00	0.7	BDL	BDL	0.7	0.2	2.3	6.0	6.0
1/1/2016 12:00	0.6	BDL	BDL	BDL	0.2	2.3	8.0	7.0
1/1/2016 13:00	0.6	BDL	BDL	5.4	0.2	2.4	9.0	7.0
1/1/2016 14:00	0.6	BDL	BDL	1.3	0.2	2.3	11.0	10.0
1/1/2016 15:00	0.4	BDL	BDL	3.3	0.2	2.3	9.0	8.0
1/1/2016 16:00	BDL	BDL	BDL	2.7	0.2	2.3	7.0	6.0
1/1/2016 17:00	BDL	BDL	BDL	0.8	0.2	2.3	6.0	6.0
1/1/2016 18:00	BDL	BDL	BDL	3	0.2	2.3	7.0	6.0
1/1/2016 19:00	BDL	BDL	BDL	BDL	0.3	2.3	6.0	6.0
1/1/2016 20:00	0.4	BDL	BDL	BDL	0.3	2.3	11.0	6.0
1/1/2016 21:00	0.5	BDL	BDL	1.3	0.3	2.3	9.0	6.0
1/1/2016 22:00	0.7	BDL	BDL	3.2	0.3	2.4	9.0	14.0
1/1/2016 23:00	0.7	BDL	BDL	8.7	0.3	2.3	13.0	11.0
1/2/2016 0:00	0.9	BDL	BDL	14.1	0.3	2.5	14.0	15.0
1/2/2016 1:00	1.2	BDL	BDL	10.4	0.3	2.4	15.0	14.0
1/2/2016 2:00	0.7	BDL	BDL	7.5	0.3	2.5	14.0	13.0
1/2/2016 3:00	0.6	BDL	BDL	4.6	0.3	2.4	12.0	10.0
1/2/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	14.0	12.0
1/2/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	12.0	11.0
1/2/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	13.0	7.0
1/2/2016 7:00	0.5	BDL	BDL	7.4	0.3	2.6	13.0	7.0
1/2/2016 8:00	0.7	0.4	BDL	29.3	0.4	2.7	15.0	17.0
1/2/2016 9:00	0.6	0.5	BDL	17.4	0.3	2.5	11.0	13.0
1/2/2016 10:00	0.5	BDL	BDL	5.0	0.3	2.4	13.0	9.0
1/2/2016 11:00	0.6	BDL	BDL	3.3	0.2	2.3	10.0	9.0
1/2/2016 12:00	0.9	BDL	BDL	5.4	0.3	2.3	12.0	9.0
1/2/2016 13:00	1.3	BDL	BDL	11.3	0.2	2.3	19.0	10.0
1/2/2016 14:00	1.5	0.4	BDL	9.9	0.3	2.4	16.0	11.0
1/2/2016 15:00	1.0	BDL	BDL	7.3	0.2	2.3	20.0	11.0
1/2/2016 16:00	0.7	BDL	BDL	3.2	0.3	2.4	11.0	12.0
1/2/2016 17:00	0.5	BDL	BDL	3.8	0.3	2.3	14.0	10.0
1/2/2016 18:00	0.5	BDL	BDL	4.2	0.3	2.3	14.0	10.0
1/2/2016 19:00	0.6	BDL	BDL	4.7	0.3	2.4	14.0	8.0
1/2/2016 20:00	1.1	BDL	BDL	2.3	0.2	InVld	15.0	8.0
1/2/2016 21:00	1.3	BDL	BDL	23.2	0.4	InVld	16.0	14.0
1/2/2016 22:00	1.5	1.2	BDL	62.3	0.8	InVld	28.0	22.0
1/2/2016 23:00	2.0	2.2	BDL	105.5	1.0	InVld	36.0	26.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 1/3/2016-1/9/2016								
1/3/2016 0:00	1.9	2.3	BDL	104.7	1.1	InVld	34.0	27.0
1/3/2016 1:00	1.4	1.6	BDL	67.9	0.8	InVld	23.0	18.0
1/3/2016 2:00	1.6	2.0	BDL	97.2	1.0	InVld	27.0	27.0
1/3/2016 3:00	1.8	3.0	1	109.8	1.1	InVld	35.0	27.0
1/3/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	31.0	31.0
1/3/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	19.0	20.0
1/3/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	24.0	23.0
1/3/2016 7:00	0.8	0.9	BDL	22.9	0.4	InVld	17.0	17.0
1/3/2016 8:00	1.0	1.1	BDL	28.8	0.5	InVld	21.0	16.0
1/3/2016 9:00	1.4	1.0	BDL	30.5	0.5	InVld	23.0	18.0
1/3/2016 10:00	1.4	0.8	BDL	26.4	0.4	Too few samples	19.0	17.0
1/3/2016 11:00	Too few samples	Too few samples	Too few samples	Too few samples	0.3	Too few samples	18.0	18.0
1/3/2016 12:00	2.5	0.5	BDL	17.9	0.3	2.7	19.0	17.0
1/3/2016 13:00	1.1	0.4	BDL	4.7	0.2	2.2	7.0	2.0
1/3/2016 14:00	0.8	BDL	BDL	BDL	0.2	2.1	9.0	4.0
1/3/2016 15:00	1.0	BDL	BDL	BDL	0.2	2.2	7.0	6.0
1/3/2016 16:00	1.2	BDL	BDL	1.9	0.3	2.2	6.0	6.0
1/3/2016 17:00	1.3	BDL	BDL	2.1	0.3	2.2	11.0	8.0
1/3/2016 18:00	0.8	BDL	BDL	1.4	0.3	2.1	10.0	7.0
1/3/2016 19:00	0.5	BDL	BDL	3.6	0.3	2.1	9.0	8.0
1/3/2016 20:00	0.5	BDL	BDL	3.9	0.3	2.1	10.0	10.0
1/3/2016 21:00	0.5	BDL	BDL	6.7	0.3	2.2	14.0	9.0
1/3/2016 22:00	0.7	BDL	BDL	16.6	0.3	2.2	11.0	6.0
1/3/2016 23:00	0.6	BDL	BDL	7.9	0.3	2.2	9.0	4.0
1/4/2016 0:00	0.6	BDL	BDL	6.8	0.3	2.2	8.0	4.0
1/4/2016 1:00	0.6	BDL	BDL	8.6	0.3	2.3	9.0	9.0
1/4/2016 2:00	0.6	BDL	BDL	13.5	0.3	2.3	7.0	7.0
1/4/2016 3:00	0.6	BDL	BDL	13.9	0.3	2.4	6.0	8.0
1/4/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	5.0	4.0
1/4/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	3.0	3.0
1/4/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	6.0	5.0
1/4/2016 7:00	0.8	BDL	BDL	7.1	0.3	2.0	7.0	7.0
1/4/2016 8:00	0.9	BDL	BDL	7.2	0.3	2.0	9.0	5.0
1/4/2016 9:00	0.8	BDL	BDL	7.7	0.3	2.1	9.0	5.0
1/4/2016 10:00	0.8	BDL	BDL	5.8	0.3	2.1	10.0	4.0
1/4/2016 11:00	0.7	BDL	BDL	5.9	0.3	2.1	6.0	2.0
1/4/2016 12:00	0.6	BDL	BDL	3.6	0.2	2.0	4.0	2.0
1/4/2016 13:00	0.5	BDL	BDL	3.9	0.3	2.1	8.0	3.0
1/4/2016 14:00	0.4	BDL	BDL	2.3	0.2	2.1	11.0	2.0
1/4/2016 15:00	BDL	BDL	BDL	1.7	0.2	2.1	15.0	2.0
1/4/2016 16:00	BDL	BDL	BDL	2.8	0.2	2.1	12.0	1.0
1/4/2016 17:00	BDL	BDL	BDL	2.7	0.3	2.1	13.0	3.0
1/4/2016 18:00	BDL	BDL	BDL	2.8	0.3	2.1	12.0	5.0
1/4/2016 19:00	BDL	BDL	BDL	1.4	0.3	2.1	18.0	4.0
1/4/2016 20:00	BDL	BDL	BDL	0.9	0.3	2.2	14.0	5.0
1/4/2016 21:00	BDL	BDL	BDL	1.7	0.3	2.2	15.0	4.0
1/4/2016 22:00	BDL	BDL	BDL	BDL	0.2	2.2	10.0	2.0
1/4/2016 23:00	BDL	BDL	BDL	1.6	0.3	2.2	10.0	2.0
1/5/2016 0:00	BDL	BDL	BDL	0.9	0.2	2.6	10.0	8.0
1/5/2016 1:00	BDL	BDL	BDL	0.6	0.2	2.7	9.0	6.0
1/5/2016 2:00	BDL	BDL	BDL	2.9	0.3	2.8	6.0	6.0
1/5/2016 3:00	0.4	BDL	BDL	2.8	0.2	2.7	6.0	7.0
1/5/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	7.0	11.0
1/5/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	8.0	8.0
1/5/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	8.0	7.0
1/5/2016 7:00	0.4	BDL	BDL	10.9	0.3	2.5	16.0	6.0
1/5/2016 8:00	0.4	BDL	BDL	15.7	0.3	2.6	9.0	6.0
1/5/2016 9:00	0.6	BDL	BDL	24.7	0.4	2.3	13.0	8.0
1/5/2016 10:00	0.6	BDL	BDL	20.1	0.3	2.3	9.0	6.0
1/5/2016 11:00	0.8	BDL	BDL	18.3	0.3	2.3	17.0	7.0
1/5/2016 12:00	0.6	BDL	BDL	12.7	0.3	2.3	13.0	6.0
1/5/2016 13:00	0.6	BDL	BDL	12.3	0.3	2.3	13.0	6.0
1/5/2016 14:00	0.6	BDL	BDL	13.2	0.3	2.4	14.0	7.0
1/5/2016 15:00	0.5	BDL	BDL	12.3	0.3	2.3	11.0	7.0
1/5/2016 16:00	0.5	BDL	BDL	12.2	0.3	2.3	16.0	4.0
1/5/2016 17:00	0.5	BDL	BDL	16.4	0.3	2.4	14.0	5.0
1/5/2016 18:00	0.5	BDL	BDL	24.0	0.3	2.7	15.0	8.0
1/5/2016 19:00	0.6	BDL	BDL	30.3	0.4	2.9	18.0	7.0
1/5/2016 20:00	1.2	BDL	BDL	54.1	0.5	3.4	19.0	7.0
1/5/2016 21:00	1.7	BDL	BDL	56.3	0.6	2.9	24.0	13.0
1/5/2016 22:00	2.3	1.4	BDL	79.0	0.7	3.4	34.0	16.0
1/5/2016 23:00	1.9	1.1	BDL	58.4	0.6	3.0	27.0	17.0
1/6/2016 0:00	2.2	1.5	BDL	75.2	0.8	3.6	29.0	22.0
1/6/2016 1:00	2.1	1.8	BDL	82.6	0.6	4.0	29.0	17.0
1/6/2016 2:00	1.8	1.9	BDL	87.9	0.7	4.4	28.0	16.0
1/6/2016 3:00	1.7	1.8	BDL	77.8	0.7	3.4	26.0	17.0
1/6/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	25.0	21.0
1/6/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	28.0	16.0
1/6/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	34.0	25.0
1/6/2016 7:00	3.0	3.1	BDL	145.2	1	3.5	44.0	25.0
1/6/2016 8:00	3.0	4.1	1	177.5	1.1	3.7	58.0	25.0
1/6/2016 9:00	2.9	3.2	1	131.6	0.9	3.2	40.0	20.0
1/6/2016 10:00	2.7	2.1	BDL	99.4	0.8	3.0	42.0	22.0
1/6/2016 11:00	3.0	1.0	BDL	49.0	0.5	2.9	34.0	14.0
1/6/2016 12:00	2.9	0.7	BDL	36.6	0.4	2.4	30.0	12.0
1/6/2016 13:00	3.5	0.8	BDL	38.9	0.4	2.4	28.0	19.0
1/6/2016 14:00	4.7	1.9	BDL	41.6	0.4	2.4	36.0	18.0
1/6/2016 15:00	4.1	16.5	1.2	39.9	0.4	2.4	44.0	18.0
1/6/2016 16:00	2.4	0.7	BDL	24.8	0.3	2.3	27.0	12.0
1/6/2016 17:00	3.4	BDL	BDL	16.7	0.3	2.5	18.0	12.0
1/6/2016 18:00	4.9	BDL	BDL	22.9	0.4	2.7	20.0	11.0
1/6/2016 19:00	5.1	0.8	BDL	50.9	0.5	2.4	28.0	17.0
1/6/2016 20:00	3.5	1.5	BDL	64.2	0.5	2.2	35.0	20.0
1/6/2016 21:00	2.7	1.2	BDL	51.9	0.5	2.5	29.0	19.0
1/6/2016 22:00	2.1	1.6	1.1	51.3	0.6	3.0	20.0	14.0
1/6/2016 23:00	2.2	1.8	1	60.9	0.7	2.9	25.0	13.0
1/7/2016 0:00	2.5	2.9	1.3	95.2	0.8	3.0	26.0	19.0
1/7/2016 1:00	2.3	2.7	1.2	76.6	0.7	3.1	25.0	16.0
1/7/2016 2:00	2.1	2.6	1.2	93.5	0.7	3.4	27.0	18.0
1/7/2016 3:00	3.2	3.2	1.1	115.7	0.8	3.2	28.0	20.0
1/7/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	30.0	19.0
1/7/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	29.0	20.0
1/7/2016 6:00	Too few samples	Too few samples	Too few samples	Calibration	Calibration	Calibration	28.0	20.0
1/7/2016 7:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	33.0	22.0
1/7/2016 8:00	Too few samples	Too few samples	Too few samples	Too few samples	1.2	11.9	42.0	27.0
1/7/2016 9:00	4.1	3.7	1.4	171.1	1.0	3.8	54.0	26.0
1/7/2016 10:00	4.8	5.2	1.7	233.9	1.3	3.6	71.0	34.0
1/7/2016 11:00	4.3	4.7	1.5	182.6	1.0	3.3	85.0	34.0
1/7/2016 12:00	5.4	4.3	1.3	186.4	1.0	3.6	97.0	42.0
1/7/2016 13:00	5.1	4.0	1.2	161.2	0.9	3.3	70.0	38.0
1/7/2016 14:00	4.4	11.0	1.8	121.6	0.8	2.9	62.0	35.0
1/7/2016 15:00	4.4	14.6	2.2	146.6	0.9	2.9	88.0	50.0
1/7/2016 16:00	3.1	2.0	BDL	94.9	0.7	2.7	56.0	30.0
1/7/2016 17:00	3.5	3.0	1.0	128.2	0.9	2.8	73.0	40.0
1/7/2016 18:00	3.8	3.5	1.0	151.2	1.0	3.6	79.0	37.0
1/7/2016 19:00	3.6	3.8	1.2	167.9	1.3	3.1	77.0	47.0
1/7/2016 20:00	3.6	4.4	1.5	198.0	1.5	3.3	80.0	39.0
1/7/2016 21:00	3.3	4.3	1.4	191.8	1.6	3.4	62.0	29.0
1/7/2016 22:00	3.1	4.0	1.4	178.0	1.7	3.4	53.0	30.0
1/7/2016 23:00	2.9	3.3	BDL	150.9	1.4	3.9	45.0	28.0
1/8/2016 0:00	2.9	3.2	BDL	143.8	1.4	4.1	38.0	22.0
1/8/2016 1:00	2.7	2.5	BDL	120.3	1.1	3.6	37.0	23.0
1/8/2016 2:00	2.4	1.9	BDL	90.5	0.8	3.1	31.0	20.0
1/8/2016 3:00	1.9	1.5	BDL	76.6	0.7	2.8	26.0	19.0
1/8/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	22.0	20.0
1/8/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	30.0	23.0
1/8/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	36.0	28.0
1/8/2016 7:00	1.1	1.0	BDL	52.1	0.6	2.6	35.0	24.0
1/8/2016 8:00	1.9	1.5	BDL	65.3	0.6	2.3	0.0	24.0
1/8/2016 9:00	---	1.7	BDL	86.5	0.8	2.4	34.2	24.0
1/8/2016 10:00	2.1	1.7	BDL	79.7	0.7	2.3	39.0	21.0
1/8/2016 11:00	2.1	1.6	BDL	74.0	0.6	2.3	36.0	23.0
1/8/2016 12:00	2.5	1.8	BDL	84.1	0.7	2.3	46.0	24.0
1/8/2016 13:00	2.2	1.6	BDL	76.3	0.7	2.3	40.0	17.0
1/8/2016 14:00	2.3	1.7	BDL	79.7	0.7	2.5	47.0	20.0
1/8/2016 15:00	2.0	1.6	BDL	78.6	0.7	2.4	44.0	22.0
1/8/2016 16:00	1.5	1.3	BDL	65.7	0.6	2.2	34.0	17.0
1/8/2016 17:00	1.0	0.9	BDL	45.0	0.6	2.2	32.0	14.0
1/8/2016 18:00	0.9	0.8	BDL	39.1	0.6	2.1	29.0	15.0
1/8/2016 19:00	0.8	0.8	BDL	38.5	0.6	2.2	33.0	13.0
1/8/2016 20:00	0.7	0.7	BDL	40.7	0.6	2.2	31.0	12.0
1/8/2016 21:00	1.0	0.7	BDL	41.7	0.6	2.2	30.0	10.0
1/8/2016 22:00	0.8	0.9	BDL	45.1	0.7	2.3	35.0	12.0
1/8/2016 23:00	0.8	1.0	BDL	40.6	0.6	2.4	29.0	17.0
1/9/2016 0:00	0.7	0.9	BDL	35.3	0.5	2.4	25.0	13.0
1/9/2016 1:00	0.6	0.6	BDL	26.7	0.5	2.3	27.0	11.0
1/9/2016 2:00	0.5	0.4	BDL	16.2	0.4	2.2	20.0	9.0
1/9/2016 3:00	0.5	BDL	BDL	11.7	0.4	2.1	19.0	9.0
1/9/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	19.0	14.0
1/9/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	19.0	12.0
1/9/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	22.0	9.0
1/9/2016 7:00	0.7	0.7	BDL	30.8	0.4	2.2	25.0	13.0
1/9/2016 8:00	0.6	0.7	BDL	23.8	0.4	2.2	28.0	10.0
1/9/2016 9:00	0.6	0.5	BDL	24.0	0.4	2.2	32.0	11.0
1/9/2016 10:00	0.5	0.5	BDL	22.5	0.4	2.2	36.0	11.0
1/9/2016 11:00	0.6	0.5	BDL	25.3	0.4	2.2	38.0	12.0
1/9/2016 12:00	0.7	0.5	BDL	23.1	0.5	2.2	39.0	17.0
1/9/2016 13:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	44.0	12.0
1/9/2016 14:00	BDL	0.5	BDL	19.1	0.5	2.1	42.0	11.0
1/9/2016 15:00	0.6	0.4	BDL	19.3	0.4	2	38.0	14.0
1/9/2016 16:00	0.6	0.4	BDL	17.2	0.5	2	48.0	11.0
1/9/2016 17:00	0.4	BDL	BDL	19.0	0.5	2	70.0	17.0
1/9/2016 18:00	BDL	BDL	BDL	18.5	0.5	2	86.0	15.0
1/9/2016 19:00	BDL	BDL	BDL	15.8	0.5	2	74.0	15.0
1/9/2016 20:00	BDL	BDL	BDL	15.0	0.5	2	38.0	10.0
1/9/2016 21:00	BDL	BDL	BDL	12.8	0.4	2	30.0	12.0
1/9/2016 22:00	BDL	BDL	BDL	10.2	0.4	2	21.0	10.0
1/9/2016 23:00	BDL	BDL	BDL	12.5	0.4	2.1	15.0	9.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 1/10/2016-1/16/2016								
1/10/2016 0:00	BDL	BDL	BDL	9.2	0.4	2.2	12.0	7.0
1/10/2016 1:00	BDL	BDL	BDL	7.2	0.3	2.2	20.0	5.0
1/10/2016 2:00	BDL	BDL	BDL	6.2	0.3	2.2	25.0	6.0
1/10/2016 3:00	BDL	BDL	BDL	9.6	Calibration	2.2	12.0	4.0
1/10/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	9.0	4.0
1/10/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	2.0	3.0
1/10/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	0.3	Calibration	1.0	1.0
1/10/2016 7:00	BDL	BDL	BDL	3.6	0.3	2.7	3.0	BDL
1/10/2016 8:00	BDL	BDL	BDL	BDL	0.3	2.2	3.0	BDL
1/10/2016 9:00	BDL	BDL	BDL	BDL	0.3	2	11.0	1.0
1/10/2016 10:00	0.4	BDL	BDL	1.1	0.3	2.2	10.0	1.0
1/10/2016 11:00	0.4	BDL	BDL	4.8	0.3	2.5	11.0	3.0
1/10/2016 12:00	BDL	BDL	BDL	1.6	0.3	2.6	12.0	3.0
1/10/2016 13:00	0.4	BDL	BDL	4.3	0.3	2.9	10.0	5.0
1/10/2016 14:00	0.4	BDL	BDL	1.0	0.4	2.8	9.0	8.0
1/10/2016 15:00	1.5	0.4	BDL	4.4	0.3	2.7	20.0	20.0
1/10/2016 16:00	1.2	0.4	BDL	8.9	0.4	2.2	9.0	3.0
1/10/2016 17:00	1.7	0.6	BDL	12.4	0.3	2.1	9.0	5.0
1/10/2016 18:00	2.3	0.7	BDL	15.2	Too few samples	2	12.0	6.0
1/10/2016 19:00	1.4	0.5	BDL	21.9	Analyzer Issue	1.9	17.0	6.0
1/10/2016 20:00	1.4	0.5	BDL	19.9	Analyzer Issue	2.1	13.0	5.0
1/10/2016 21:00	0.9	BDL	BDL	9.2	Analyzer Issue	2.2	8.0	3.0
1/10/2016 22:00	0.7	BDL	BDL	8.1	Analyzer Issue	2.1	6.0	5.0
1/10/2016 23:00	0.7	BDL	BDL	5.5	Analyzer Issue	2.2	8.0	6.0
1/11/2016 0:00	0.8	BDL	BDL	7.5	Analyzer Issue	2.2	6.0	4.0
1/11/2016 1:00	0.8	BDL	BDL	8.1	Analyzer Issue	2.2	6.0	4.0
1/11/2016 2:00	0.6	BDL	BDL	1.3	Analyzer Issue	2.2	9.0	4.0
1/11/2016 3:00	0.5	BDL	BDL	BDL	Calibration	2.2	5.0	4.0
1/11/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	3.0	6.0
1/11/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	5.0	6.0
1/11/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	7.0	4.0
1/11/2016 7:00	Calibration	Calibration	Calibration	Calibration	0.2	Calibration	9.0	3.0
1/11/2016 8:00	0.7	BDL	BDL	13.6	0.2	2.2	11.0	5.0
1/11/2016 9:00	0.8	BDL	BDL	16.0	0.2	2.2	11.0	8.0
1/11/2016 10:00	1.3	BDL	BDL	21.4	0.2	2.2	18.0	9.0
1/11/2016 11:00	1.4	BDL	BDL	22.0	0.2	2.2	18.0	8.0
1/11/2016 12:00	1.2	BDL	BDL	20.3	0.2	2.1	13.0	8.0
1/11/2016 13:00	1.1	BDL	BDL	17.9	0.2	2.1	17.0	6.0
1/11/2016 14:00	1.1	BDL	BDL	16.0	0.2	2.2	12.0	4.0
1/11/2016 15:00	1.3	BDL	BDL	12.1	0.2	2.2	17.0	7.0
1/11/2016 16:00	0.9	BDL	BDL	10.4	0.2	2.3	18.0	10.0
1/11/2016 17:00	0.7	BDL	BDL	6.7	0.2	2.2	6.0	7.0
1/11/2016 18:00	0.8	BDL	BDL	9.7	0.3	2.1	6.0	6.0
1/11/2016 19:00	1.0	BDL	BDL	17.1	0.3	2.2	8.0	6.0
1/11/2016 20:00	0.9	BDL	BDL	21.8	0.3	2.3	15.0	7.0
1/11/2016 21:00	0.8	BDL	BDL	20.9	0.3	2.3	13.0	7.0
1/11/2016 22:00	0.8	BDL	BDL	19.4	0.4	2.5	14.0	9.0
1/11/2016 23:00	1.0	0.4	BDL	35.1	0.4	2.3	16.0	8.0
1/12/2016 0:00	1.0	0.6	BDL	41.4	0.5	2.5	14.0	11.0
1/12/2016 1:00	1.1	1.3	BDL	69.0	0.5	2.2	21.0	13.0
1/12/2016 2:00	1.2	1.6	BDL	77.7	0.4	2.1	26.0	14.0
1/12/2016 3:00	1.2	1.4	BDL	72.7	Calibration	2.1	19.0	13.0
1/12/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	20.0	13.0
1/12/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	18.0	14.0
1/12/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	0.4	Calibration	14.0	8.0
1/12/2016 7:00	1.5	1.6	BDL	68.8	0.4	2.0	25.0	8.0
1/12/2016 8:00	1.3	1.0	BDL	56.8	0.4	2.0	25.0	9.0
1/12/2016 9:00	1.2	1.2	BDL	52.4	0.3	1.9	23.0	10.0
1/12/2016 10:00	0.9	0.8	BDL	28.4	0.2	1.9	15.0	10.0
1/12/2016 11:00	0.8	1.2	1	22.1	0.2	0.8	18.0	9.0
1/12/2016 12:00	0.6	0.8	BDL	17.8	0.2	2.0	22.0	8.0
1/12/2016 13:00	0.6	0.6	BDL	17.1	0.2	2.3	15.0	6.0
1/12/2016 14:00	0.5	0.7	BDL	17.5	0.2	2.4	18.0	9.0
1/12/2016 15:00	1.0	0.4	BDL	10.4	0.2	2.3	35.0	10.0
1/12/2016 16:00	2.3	0.6	BDL	21.7	0.2	2.2	18.0	8.0
1/12/2016 17:00	2.1	BDL	BDL	14.9	0.2	2.3	13.0	11.0
1/12/2016 18:00	2.5	0.7	BDL	24.0	0.3	2.2	12.0	8.0
1/12/2016 19:00	2.6	0.6	BDL	21.9	0.2	2.3	18.0	10.0
1/12/2016 20:00	1.5	0.7	BDL	19.3	0.2	2.1	16.0	10.0
1/12/2016 21:00	0.4	BDL	BDL	8.6	0.2	2.1	5.0	5.0
1/12/2016 22:00	0.8	BDL	BDL	10.3	0.2	2.1	8.0	3.0
1/12/2016 23:00	0.7	BDL	BDL	5.6	0.2	2.3	21.0	8.0
1/13/2016 0:00	0.7	BDL	BDL	8.8	0.2	2.2	17.0	10.0
1/13/2016 1:00	0.8	BDL	BDL	7.4	0.2	2.3	25.0	10.0
1/13/2016 2:00	1.6	BDL	BDL	10.2	0.2	2.2	24.0	14.0
1/13/2016 3:00	1.6	BDL	BDL	12.1	Calibration	2.2	19.0	11.0
1/13/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	17.0	15.0
1/13/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	15.0	14.0
1/13/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	0.2	Calibration	19.0	13.0
1/13/2016 7:00	5.8	BDL	BDL	23.8	0.2	2.0	24.0	14.0
1/13/2016 8:00	3.2	0.5	BDL	25.2	0.2	2.0	27.0	17.0
1/13/2016 9:00	2.5	0.7	BDL	24.3	0.2	2.0	33.0	15.0
1/13/2016 10:00	2.4	0.4	BDL	22.9	0.2	2.3	39.0	13.0
1/13/2016 11:00	1.9	BDL	BDL	13.3	0.2	2.3	35.0	10.0
1/13/2016 12:00	1.5	BDL	BDL	9.9	0.2	2.3	36.0	7.0
1/13/2016 13:00	1.5	BDL	BDL	9.7	0.2	2.2	23.0	11.0
1/13/2016 14:00	1.6	BDL	BDL	15.4	0.2	2.2	23.0	11.0
1/13/2016 15:00	1.2	BDL	BDL	15.9	0.2	2.2	25.0	10.0
1/13/2016 16:00	1.0	BDL	BDL	14.2	0.2	2.1	19.0	11.0
1/13/2016 17:00	1.7	BDL	BDL	17.4	0.2	2.2	22.0	12.0
1/13/2016 18:00	2.2	BDL	BDL	19.2	0.2	2.1	18.0	12.0
1/13/2016 19:00	2.4	BDL	BDL	21.6	0.2	2.0	21.0	14.0
1/13/2016 20:00	1.3	BDL	BDL	20.5	0.2	2.0	19.0	10.0
1/13/2016 21:00	1.7	BDL	BDL	22.3	0.2	1.9	20.0	12.0
1/13/2016 22:00	1.9	BDL	BDL	20.8	0.2	2.0	20.0	12.0
1/13/2016 23:00	1.2	BDL	BDL	9.6	0.2	2.3	12.0	11.0
1/14/2016 0:00	1.8	BDL	BDL	15.3	0.2	2.1	16.0	9.0
1/14/2016 1:00	2.0	BDL	BDL	11.4	0.2	2.3	16.0	11.0
1/14/2016 2:00	1.9	BDL	BDL	19.6	0.2	2.3	12.0	8.0
1/14/2016 3:00	2.0	BDL	BDL	10.5	Calibration	2.2	20.0	7.0
1/14/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	18.0	8.0
1/14/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	18.0	9.0
1/14/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	0.2	Calibration	19.0	10.0
1/14/2016 7:00	1.8	0.4	BDL	19.5	0.3	2.2	18.0	10.0
1/14/2016 8:00	2.0	0.7	BDL	40.0	0.3	2.3	30.0	10.0
1/14/2016 9:00	3.7	1.0	BDL	41.2	0.3	2.1	27.0	13.0
1/14/2016 10:00	4.1	0.9	BDL	30.5	0.3	2.2	39.0	15.0
1/14/2016 11:00	3.6	0.7	BDL	29.3	0.3	2.1	35.0	21.0
1/14/2016 12:00	3.1	0.6	BDL	26.8	0.3	2.1	29.0	17.0
1/14/2016 13:00	3.5	0.6	BDL	21.2	0.2	2.1	30.0	13.0
1/14/2016 14:00	3.0	0.5	BDL	20.5	0.2	2.1	26.0	14.0
1/14/2016 15:00	2.1	BDL	BDL	17.0	0.3	2.1	23.0	13.0
1/14/2016 16:00	2.4	BDL	BDL	17.0	0.3	2.1	25.0	12.0
1/14/2016 17:00	3.0	0.4	BDL	20.6	0.3	2.1	21.0	17.0
1/14/2016 18:00	3.1	0.6	BDL	28.0	0.3	2.3	21.0	14.0
1/14/2016 19:00	2.8	0.5	BDL	33.3	0.4	2.2	18.0	9.0
1/14/2016 20:00	1.9	1.1	BDL	53.7	0.5	1.9	21.0	8.0
1/14/2016 21:00	1.3	1.1	BDL	56.3	0.3	2.0	21.0	12.0
1/14/2016 22:00	1.1	0.8	BDL	36.8	0.5	2.4	15.0	9.0
1/14/2016 23:00	1.9	1.0	BDL	48.6	0.6	2.6	22.0	12.0
1/15/2016 0:00	1.7	1.6	BDL	72.4	0.6	2.2	24.0	16.0
1/15/2016 1:00	1.2	1.7	BDL	66.8	0.5	2.3	20.0	14.0
1/15/2016 2:00	1.1	1.6	1	55.3	0.5	2.4	16.0	13.0
1/15/2016 3:00	1.6	2.4	1.2	95.8	Calibration	3.5	23.0	17.0
1/15/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	31.0	17.0
1/15/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	38.0	25.0
1/15/2016 6:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	50.0	30.0
1/15/2016 7:00	Calibration	Calibration	Calibration	Calibration	1.6	Calibration	45.0	32.0
1/15/2016 8:00	3.9	5.7	2.1	245.6	1.3	3.5	66.0	32.0
1/15/2016 9:00	3.2	5.0	1.7	191.1	1	3.3	66.0	31.0
1/15/2016 10:00	2.8	4.1	1.6	161.3	0.7	2.8	55.0	30.0
1/15/2016 11:00	2.9	3.3	1.3	106.1	0.4	2.9	15	44.0	24.0
1/15/2016 12:00	1.3	1.4	BDL	48.2	0.3	2.7	36.0	23.0
1/15/2016 13:00	1.1	1.3	BDL	28.0	0.3	2.6	22.0	11.0
1/15/2016 14:00	1.0	3.6	5.5	20.5	0.3	2.7	35.0	10.0
1/15/2016 15:00	0.8	1.0	BDL	21.0	0.4	3.0	27.0	13.0
1/15/2016 16:00	1.0	1.2	BDL	36.9	0.4	2.8	35.0	17.0
1/15/2016 17:00	0.8	0.8	BDL	28.8	0.3	2.1	23.0	16.0
1/15/2016 18:00	0.7	0.6	BDL	19.1	0.4	2.2	21.0	15.0
1/15/2016 19:00	0.8	0.8	BDL	36.2	0.5	2.6	21.0	14.0
1/15/2016 20:00	1.1	1.4	BDL	53.2	0.8	2.7	33.0	18.0
1/15/2016 21:00	1.3	1.9	BDL	81.5	0.8	2.8	35.0	18.0
1/15/2016 22:00	0.9	1.9	BDL	81.5	0.7	2.8	52.0	24.0
1/15/2016 23:00	0.8	1.4	BDL	60.8	0.6	4.2	39.0	20.0
1/16/2016 0:00	0.6	1.1	BDL	43.5	0.6	3.6	20.0	12.0
1/16/2016 1:00	0.8	1.4	BDL	57.0	0.4	4.5	17.0	15.0
1/16/2016 2:00	0.5	0.8	BDL	25.0	0.3	2.2	11.0	10.0
1/16/2016 3:00	0.4	0.8	BDL	18.6	Calibration	2.4	13.0	8.0
1/16/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	10.0	5.0
1/16/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	11.0	10.0
1/16/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	0.4	Calibration	19.0	18.0
1/16/2016 7:00	0.5	0.8	BDL	30.5	0.4	2.3	25.0	25.0
1/16/2016 8:00	0.6	0.7	BDL	25.6	0.3	2.2	21.0	18.0
1/16/2016 9:00	0.9	0.8	BDL	27.4	0.3	2.0	27.0	21.0
1/16/2016 10:00	1.0	0.8	BDL	24.2	0.3	2.1	21.0	24.0
1/16/2016 11:00	0.7	0.5	BDL	12.2	0.2	2.1	16.0	20.0
1/16/2016 12:00	0.6	BDL	BDL	8.3	0.2	2.2	10.0	4.0
1/16/2016 13:00	0.8	0.4	BDL	10.5	0.2	2.1	11.0	7.0
1/16/2016 14:00	0.9	0.4	BDL	11.9	0.3	2.2	11.0	8.0
1/16/2016 15:00	0.6	BDL	BDL	10.3	0.3	2.1	9.0	8.0
1/16/2016 16:00	0.5	BDL	BDL	10.6	0.2	2.1	9.0	7.0
1/16/2016 17:00	0.4	BDL	BDL	7.2	0.2	2.3	11.0	7.0
1/16/2016 18:00	0.5	BDL	BDL	16.3	0.2	2.3	14.0	10.0
1/16/2016 19:00	0.4	BDL	BDL	13.8	0.2	2.2	12.0	11.0
1/16/2016 20:00	0.4	BDL	BDL	7.9	0.2	2.2	10.0	11.0
1/16/2016 21:00	0.5	BDL	BDL	7.7	0.3	2.2	13.0	10.0
1/16/2016 22:00	1.0	BDL	BDL	7.9	0.3	2.3	10.0	10.0
1/16/2016 23:00	0.8	BDL	BDL	9.7	0.4	2.2	11.0	11.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 1/17/2016-1/23/2016								
1/17/2016 12:00 AM	0.7	BDL	BDL	10.9	0.3	2.3	12.0	13.0
1/17/2016 1:00 AM	0.6	BDL	BDL	5.4	0.2	2.2	6.0	7.0
1/17/2016 2:00 AM	0.5	BDL	BDL	5.5	0.2	2.2	4.0	6.0
1/17/2016 3:00 AM	0.5	BDL	BDL	6.5	0.2	2.3	6.0	4.0
1/17/2016 4:00 AM	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	5.0	6.0
1/17/2016 5:00 AM	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	7.0	5.0
1/17/2016 6:00 AM	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	4.0	3.0
1/17/2016 7:00 AM	0.4	BDL	BDL	8.3	0.2	2.1	6.0	~~2.0~~
1/17/2016 8:00 AM	0.4	BDL	BDL	15.7	0.3	2.1	6.0	~~2.0~~
1/17/2016 9:00 AM	0.5	0.4	BDL	24.9	0.3	2.4	16.0	6.0
1/17/2016 10:00 AM	0.4	BDL	BDL	19.0	0.3	2.1	7.0	6.0
1/17/2016 11:00 AM	0.4	BDL	BDL	18.7	0.3	1.9	5.0	5.0
1/17/2016 12:00 PM	BDL	BDL	BDL	16.2	0.3	1.9	5.0	5.0
1/17/2016 1:00 PM	BDL	BDL	BDL	18.8	0.3	1.9	6.0	6.0
1/17/2016 2:00 PM	BDL	BDL	BDL	12.0	0.3	Too few samples	7.0	4.0
1/17/2016 3:00 PM	BDL	BDL	BDL	18.0	0.3	Analyzer issue	6.0	4.0
1/17/2016 4:00 PM	BDL	0.4	BDL	20.0	0.3	Analyzer issue	12.0	5.0
1/17/2016 5:00 PM	BDL	BDL	BDL	12.8	0.3	Analyzer issue	9.0	8.0
1/17/2016 6:00 PM	BDL	BDL	BDL	12.8	0.3	Analyzer issue	6.0	5.0
1/17/2016 7:00 PM	BDL	BDL	BDL	12.9	0.3	Analyzer issue	13.0	10.0
1/17/2016 8:00 PM	0.4	BDL	BDL	15.5	0.3	Analyzer issue	17.0	12.0
1/17/2016 9:00 PM	0.4	BDL	BDL	14.1	0.3	Analyzer issue	14.0	15.0
1/17/2016 10:00 PM	0.7	BDL	BDL	16.0	0.3	Analyzer issue	19.0	17.0
1/17/2016 11:00 PM	0.5	0.4	BDL	15.6	0.3	Analyzer issue	24.0	21.0
1/18/2016 12:00 AM	0.6	0.5	BDL	28.0	0.4	Analyzer issue	24.0	22.0
1/18/2016 1:00 AM	0.8	0.5	BDL	19.5	0.3	Analyzer issue	29.0	23.0
1/18/2016 2:00 AM	1.2	0.7	BDL	23.8	0.3	Analyzer issue	22.0	21.0
1/18/2016 3:00 AM	0.6	BDL	BDL	7.1	0.2	Analyzer issue	10.0	9.0
1/18/2016 4:00 AM	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	12.0	9.0
1/18/2016 5:00 AM	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	19.0	8.0
1/18/2016 6:00 AM	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	30.0	7.0
1/18/2016 7:00 AM	0.4	BDL	BDL	6.0	0.2	Analyzer issue	24.0	7.0
1/18/2016 8:00 AM	0.4	BDL	BDL	5.9	0.2	Analyzer issue	24.0	9.0
1/18/2016 9:00 AM	0.5	BDL	BDL	6.9	0.2	Analyzer issue	18.0	10.0
1/18/2016 10:00 AM	0.5	BDL	BDL	6.0	0.2	Analyzer issue	25.0	7.0
1/18/2016 11:00 AM	Too few samples	Too few samples	Too few samples	Too few samples	0.1	Too few samples	26.0	5.0
1/18/2016 12:00 PM	0.8	BDL	BDL	6.5	0.2	2.3	19.0	5.0
1/18/2016 1:00 PM	0.9	BDL	BDL	9.0	0.2	2.2	15.0	4.0
1/18/2016 2:00 PM	0.9	BDL	BDL	8.1	0.2	2.2	19.0	8.0
1/18/2016 3:00 PM	0.8	BDL	BDL	8.8	0.2	2.2	18.0	6.0
1/18/2016 4:00 PM	0.9	BDL	BDL	7.1	0.2	2.2	17.0	7.0
1/18/2016 5:00 PM	0.9	BDL	BDL	5.8	0.2	2.3	16.0	5.0
1/18/2016 6:00 PM	1.0	BDL	BDL	8.0	0.2	2.2	13.0	11.0
1/18/2016 7:00 PM	1.2	BDL	BDL	7.3	0.2	2.3	18.0	8.0
1/18/2016 8:00 PM	1.5	BDL	BDL	10.4	0.2	2.3	15.0	5.0
1/18/2016 9:00 PM	1.4	BDL	BDL	10.7	0.2	2.3	14.0	4.0
1/18/2016 10:00 PM	1.4	BDL	BDL	14.1	0.2	2.3	11.0	7.0
1/18/2016 11:00 PM	1.2	BDL	BDL	11.1	0.2	2.3	12.0	11.0
1/19/2016 12:00 AM	1.4	BDL	BDL	12.9	0.2	2.3	17.0	9.0
1/19/2016 1:00 AM	2.2	BDL	BDL	10.9	0.2	2.3	16.0	7.0
1/19/2016 2:00 AM	2.6	BDL	BDL	10.3	0.2	2.3	15.0	9.0
1/19/2016 3:00 AM	2.6	BDL	BDL	8.9	0.2	2.3	16.0	12.0
1/19/2016 4:00 AM	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	16.0	9.0
1/19/2016 5:00 AM	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	14.0	9.0
1/19/2016 6:00 AM	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	12.0	11.0
1/19/2016 7:00 AM	1.8	BDL	BDL	10.7	0.2	2.3	21.0	8.0
1/19/2016 8:00 AM	1.7	BDL	BDL	12.8	0.2	2.3	24.0	7.0
1/19/2016 9:00 AM	1.9	BDL	BDL	12.1	0.2	2.3	20.0	8.0
1/19/2016 10:00 AM	1.8	BDL	BDL	11.8	0.2	2.3	31.0	8.0
1/19/2016 11:00 AM	1.3	BDL	BDL	9.5	0.2	2.3	32.0	6.0
1/19/2016 12:00 PM	0.7	BDL	BDL	5.3	0.2	2.4	39.0	2.0
1/19/2016 1:00 PM	0.6	BDL	BDL	5.4	0.2	2.4	28.0	3.0
1/19/2016 2:00 PM	0.6	BDL	BDL	7.2	0.2	2.3	19.0	5.0
1/19/2016 3:00 PM	0.6	BDL	BDL	8.0	0.2	2.3	24.0	5.0
1/19/2016 4:00 PM	0.6	BDL	BDL	7.5	0.2	2.3	19.0	3.0
1/19/2016 5:00 PM	0.5	BDL	BDL	6.5	0.2	2.4	11.0	3.0
1/19/2016 6:00 PM	0.5	BDL	BDL	9.4	0.2	2.3	14.0	5.0
1/19/2016 7:00 PM	0.5	BDL	BDL	11.9	0.2	2.3	12.0	7.0
1/19/2016 8:00 PM	0.7	BDL	BDL	12.5	0.2	2.3	15.0	6.0
1/19/2016 9:00 PM	0.5	BDL	BDL	9.0	0.2	2.3	12.0	9.0
1/19/2016 10:00 PM	BDL	BDL	BDL	4.4	0.2	2.3	11.0	6.0
1/19/2016 11:00 PM	0.4	BDL	BDL	4.3	0.2	2.3	8.0	5.0
1/20/2016 12:00 AM	0.5	BDL	BDL	4.8	0.2	2.2	8.0	7.0
1/20/2016 1:00 AM	0.5	BDL	BDL	6.4	0.2	2.2	10.0	4.0
1/20/2016 2:00 AM	0.6	BDL	BDL	6.0	0.2	2.2	8.0	4.0
1/20/2016 3:00 AM	0.7	BDL	BDL	12.3	0.2	2.2	9.0	5.0
1/20/2016 4:00 AM	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	9.0	4.0
1/20/2016 5:00 AM	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	9.0	3.0
1/20/2016 6:00 AM	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	7.0	4.0
1/20/2016 7:00 AM	0.7	BDL	BDL	11.5	0.2	2.3	10.0	6.0
1/20/2016 8:00 AM	0.7	BDL	BDL	18.9	0.3	2.2	13.0	6.0
1/20/2016 9:00 AM	0.8	0.4	BDL	32.7	0.3	2.3	19.0	5.0
1/20/2016 10:00 AM	0.6	BDL	BDL	12.9	0.2	2.3	9.0	3.0
1/20/2016 11:00 AM	0.6	BDL	BDL	11.4	0.2	2.3	13.0	2.0
1/20/2016 12:00 PM	0.5	BDL	BDL	8.6	0.2	2.2	11.0	4.0
1/20/2016 1:00 PM	0.4	BDL	BDL	8.8	0.2	2.2	12.0	2.0
1/20/2016 2:00 PM	BDL	BDL	BDL	7.6	0.2	2.1	10.0	BDL
1/20/2016 3:00 PM	BDL	BDL	BDL	7.4	0.2	2.2	11.0	1.0
1/20/2016 4:00 PM	0.4	BDL	BDL	8.8	0.2	2.2	16.0	5.0
1/20/2016 5:00 PM	0.4	BDL	BDL	10.3	0.2	2.2	11.0	8.0
1/20/2016 6:00 PM	0.5	BDL	BDL	12.0	0.2	2.3	12.0	7.0
1/20/2016 7:00 PM	1.0	BDL	BDL	18.3	0.2	2.0	16.0	8.0
1/20/2016 8:00 PM	1.2	BDL	BDL	19.7	0.2	2.1	21.0	11.0
1/20/2016 9:00 PM	1.5	0.4	BDL	18.8	0.2	2.1	23.0	16.0
1/20/2016 10:00 PM	1.4	0.4	BDL	18.2	0.2	2.2	28.0	13.0
1/20/2016 11:00 PM	1.4	0.4	BDL	20.5	0.2	2.1	23.0	16.0
1/21/2016 12:00 AM	1.6	BDL	BDL	16.7	0.2	2.2	21.0	15.0
1/21/2016 1:00 AM	2.0	BDL	BDL	14.3	0.3	2.3	25.0	18.0
1/21/2016 2:00 AM	2.0	BDL	BDL	16.0	0.3	2.3	27.0	15.0
1/21/2016 3:00 AM	1.5	BDL	BDL	19.1	0.3	2.5	24.0	16.0
1/21/2016 4:00 AM	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	21.0	15.0
1/21/2016 5:00 AM	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	21.0	12.0
1/21/2016 6:00 AM	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	15.0	8.0
1/21/2016 7:00 AM	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	16.0	6.0
1/21/2016 8:00 AM	Calibration	Audit	Audit	Calibration	Calibration	Too few samples	13.0	8.0
1/21/2016 9:00 AM	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	16.0	10.0
1/21/2016 10:00 AM	0.7	BDL	BDL	12.3	0.2	2.3	13.0	11.0
1/21/2016 11:00 AM	0.6	BDL	BDL	8.7	0.2	2.2	14.0	9.0
1/21/2016 12:00 PM	0.7	BDL	BDL	10.3	0.2	2.3	19.0	13.0
1/21/2016 1:00 PM	0.7	BDL	BDL	9.5	0.2	2.3	17.0	9.0
1/21/2016 2:00 PM	0.7	BDL	BDL	7.7	0.2	2.3	14.0	8.0
1/21/2016 3:00 PM	0.8	BDL	BDL	8.8	0.2	2.2	17.0	8.0
1/21/2016 4:00 PM	1.0	BDL	BDL	9.1	0.2	2.3	16.0	9.0
1/21/2016 5:00 PM	1.0	BDL	BDL	12.3	0.2	2.3	19.0	9.0
1/21/2016 6:00 PM	0.7	BDL	BDL	13.3	0.2	2.5	15.0	8.0
1/21/2016 7:00 PM	0.5	BDL	BDL	12.1	0.2	2.6	13.0	6.0
1/21/2016 8:00 PM	0.8	BDL	BDL	18.0	0.3	2.8	17.0	7.0
1/21/2016 9:00 PM	0.7	BDL	BDL	19.8	0.3	3.0	13.0	8.0
1/21/2016 10:00 PM	0.5	BDL	BDL	18.2	0.3	2.7	17.0	10.0
1/21/2016 11:00 PM	0.9	BDL	BDL	24.9	0.3	2.4	16.0	9.0
1/22/2016 12:00 AM	0.9	BDL	BDL	28.3	0.3	2.6	15.0	13.0
1/22/2016 1:00 AM	0.5	BDL	BDL	13.6	0.3	2.3	11.0	8.0
1/22/2016 2:00 AM	0.6	BDL	BDL	8.2	0.2	2.1	9.0	5.0
1/22/2016 3:00 AM	0.4	BDL	BDL	8.6	0.2	2.4	6.0	4.0
1/22/2016 4:00 AM	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	6.0	2.0
1/22/2016 5:00 AM	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	8.0	1.0
1/22/2016 6:00 AM	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	7.0	7.0
1/22/2016 7:00 AM	0.7	BDL	BDL	30.6	0.3	2.4	11.0	5.0
1/22/2016 8:00 AM	0.6	BDL	BDL	28.4	0.3	2.3	15.0	3.0
1/22/2016 9:00 AM	0.6	BDL	BDL	27.7	0.3	2.2	13.0	5.0
1/22/2016 10:00 AM	0.6	BDL	BDL	26.7	0.3	2.1	15.0	4.0
1/22/2016 11:00 AM	0.5	0.4	BDL	37.1	0.3	2.1	21.0	4.0
1/22/2016 12:00 PM	0.6	0.6	BDL	47.0	0.3	2.1	20.0	6.0
1/22/2016 1:00 PM	0.4	BDL	BDL	31.0	0.3	2.0	18.0	6.0
1/22/2016 2:00 PM	0.5	0.4	BDL	37.4	0.3	2.0	18.0	6.0
1/22/2016 3:00 PM	0.6	0.5	BDL	34.8	0.4	1.9	17.0	5.0
1/22/2016 4:00 PM	0.4	0.4	BDL	28.7	0.3	2.1	16.0	4.0
1/22/2016 5:00 PM	BDL	BDL	BDL	24.3	0.4	2.1	13.0	3.0
1/22/2016 6:00 PM	0.4	BDL	BDL	23.5	0.3	2.1	14.0	2.0
1/22/2016 7:00 PM	BDL	BDL	BDL	30.0	0.3	2.0	15.0	6.0
1/22/2016 8:00 PM	BDL	0.4	BDL	24.1	0.3	2.0	15.0	5.0
1/22/2016 9:00 PM	BDL	0.4	BDL	25.4	0.3	2.1	14.0	5.0
1/22/2016 10:00 PM	BDL	0.5	BDL	29.9	0.3	2.2	13.0	8.0
1/22/2016 11:00 PM	0.4	0.7	BDL	31.7	0.3	2.2	17.0	8.0
1/23/2016 12:00 AM	0.4	0.5	BDL	27.5	0.3	2.1	16.0	8.0
1/23/2016 1:00 AM	0.5	0.5	BDL	26.5	0.3	2.1	14.0	13.0
1/23/2016 2:00 AM	0.7	0.4	BDL	21.6	0.3	2.0	14.0	7.0
1/23/2016 3:00 AM	0.6	0.4	BDL	20.6	0.3	2.0	19.0	7.0
1/23/2016 4:00 AM	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	10.0	7.0
1/23/2016 5:00 AM	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	14.0	6.0
1/23/2016 6:00 AM	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	11.0	2.0
1/23/2016 7:00 AM	0.7	BDL	BDL	13.3	0.2	1.9	10.0	7.0
1/23/2016 8:00 AM	0.6	BDL	BDL	14.4	0.3	1.8	9.0	6.0
1/23/2016 9:00 AM	0.6	BDL	BDL	15.1	0.3	1.9	9.0	12.0
1/23/2016 10:00 AM	0.4	BDL	BDL	13.4	0.3	1.9	8.0	6.0
1/23/2016 11:00 AM	0.4	BDL	BDL	11.3	0.2	1.8	9.0	1.0
1/23/2016 12:00 PM	0.4	BDL	BDL	10.3	0.2	1.8	8.0	4.0
1/23/2016 1:00 PM	0.4	BDL	BDL	9.5	0.2	1.8	5.0	3.0
1/23/2016 2:00 PM	BDL	BDL	BDL	8.9	0.2	1.8	5.0	1.0
1/23/2016 3:00 PM	BDL	BDL	BDL	7.9	0.2	1.8	3.0	3.0
1/23/2016 4:00 PM	BDL	BDL	BDL	7.1	0.2	1.8	4.0	5.0
1/23/2016 5:00 PM	BDL	BDL	BDL	8.0	0.2	1.8	7.0	6.0
1/23/2016 6:00 PM	BDL	BDL	BDL	8.8	0.2	1.8	14.0	7.0
1/23/2016 7:00 PM	BDL	BDL	BDL	10.6	0.2	1.8	8.0	6.0
1/23/2016 8:00 PM	BDL	BDL	BDL	9.1	0.2	1.7	5.0	2.0
1/23/2016 9:00 PM	BDL	BDL	BDL	5.5	0.2	1.9	8.0	~~0.0~~
1/23/2016 10:00 PM	BDL	BDL	BDL	5.7	0.2	1.9	7.0	4.0
1/23/2016 11:00 PM	BDL	BDL	BDL	5.2	0.2	1.9	7.0	3.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 1/24/2016-1/30/2016								
1/24/2016 0:00	BDL	BDL	BDL	4.9	0.2	1.9	5.0	4.0
1/24/2016 1:00	BDL	BDL	BDL	6.2	0.2	1.9	5.0	3.0
1/24/2016 2:00	0.4	BDL	BDL	6.7	0.2	2.0	10.0	4.0
1/24/2016 3:00	0.5	BDL	BDL	5.9	0.2	2.0	8.0	3.0
1/24/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	12.0	4.0
1/24/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	8.0	5.0
1/24/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	8.0	5.0
1/24/2016 7:00	0.5	BDL	BDL	10.2	0.2	2.1	9.0	6.0
1/24/2016 8:00	0.5	BDL	BDL	9.4	0.2	2.2	9.0	5.0
1/24/2016 9:00	0.6	BDL	BDL	12.7	0.2	2.1	7.0	5.0
1/24/2016 10:00	0.7	BDL	BDL	9.9	0.2	2.1	8.0	6.0
1/24/2016 11:00	1.0	BDL	BDL	9.6	0.2	2.1	8.0	4.0
1/24/2016 12:00	1.1	BDL	BDL	9.5	0.2	2.1	9.0	4.0
1/24/2016 13:00	1.3	BDL	BDL	9.4	0.2	2.1	11.0	5.0
1/24/2016 14:00	1.5	BDL	BDL	9.1	0.2	1.9	10.0	4.0
1/24/2016 15:00	1.6	BDL	BDL	10.6	0.2	2.2	10.0	7.0
1/24/2016 16:00	1.5	BDL	BDL	10.5	0.2	2.2	12.0	6.0
1/24/2016 17:00	1.3	BDL	BDL	9.1	0.2	2.0	10.0	9.0
1/24/2016 18:00	1.0	BDL	BDL	17.3	0.2	2.1	14.0	6.0
1/24/2016 19:00	1.1	BDL	BDL	21.5	0.3	2.3	14.0	12.0
1/24/2016 20:00	0.7	BDL	BDL	25.8	0.4	2.3	18.0	13.0
1/24/2016 21:00	0.8	BDL	BDL	28.9	0.4	2.3	22.0	18.0
1/24/2016 22:00	0.8	BDL	BDL	17.9	0.3	2.4	18.0	16.0
1/24/2016 23:00	1.0	BDL	BDL	21.6	0.3	2.5	34.0	48.0
1/25/2016 0:00	1.0	0.5	BDL	33.6	0.4	2.7	47.0	25.0
1/25/2016 1:00	1.3	1.0	BDL	53.5	0.4	3.0	41.0	27.0
1/25/2016 2:00	1.5	1.2	BDL	58.6	0.4	3.2	42.0	24.0
1/25/2016 3:00	1.7	1.4	BDL	69.1	0.5	3.1	38.0	27.0
1/25/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	24.0	19.0
1/25/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	43.0	23.0
1/25/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	30.0	16.0
1/25/2016 7:00	3.6	1.7	BDL	88.0	0.6	2.8	54.0	24.0
1/25/2016 8:00	3.3	1.9	BDL	92.6	0.7	3.0	56.0	25.0
1/25/2016 9:00	5.0	2.1	BDL	109.2	0.7	3.2	46.0	30.0
1/25/2016 10:00	5.3	2.0	BDL	86.0	0.6	2.9	46.0	27.0
1/25/2016 11:00	5.3	1.4	BDL	63.9	0.5	2.7	29.0	24.0
1/25/2016 12:00	5.2	1.6	BDL	79.7	0.5	2.6	72.0	31.0
1/25/2016 13:00	5.5	1.4	BDL	66.1	0.4	2.4	49.0	23.0
1/25/2016 14:00	4.3	0.8	BDL	43.1	0.3	2.5	37.0	20.0
1/25/2016 15:00	3.6	0.6	BDL	33.3	0.3	2.4	37.0	23.0
1/25/2016 16:00	3.4	0.5	BDL	25.9	0.3	2.3	34.0	15.0
1/25/2016 17:00	2.9	0.4	BDL	25.7	0.3	2.2	40.0	17.0
1/25/2016 18:00	2.6	0.8	BDL	50.6	0.6	2.5	121.0	21.0
1/25/2016 19:00	2.5	1.3	BDL	72.5	0.6	2.3	103.0	22.0
1/25/2016 20:00	2.0	1.3	BDL	77.3	0.7	2.3	92.0	20.0
1/25/2016 21:00	1.6	1.5	BDL	67.1	0.6	2.3	66.0	19.0
1/25/2016 22:00	1.3	1.2	BDL	47.8	0.5	2.3	40.0	18.0
1/25/2016 23:00	1.2	1.7	BDL	72.0	0.6	2.4	38.0	17.0
1/26/2016 0:00	1.5	2.3	BDL	115.8	0.7	2.5	31.0	22.0
1/26/2016 1:00	2.0	3.5	1.1	148.1	0.7	2.7	23.0	16.0
1/26/2016 2:00	1.7	3.0	BDL	135.5	0.8	3.1	27.0	19.0
1/26/2016 3:00	2.0	3.4	BDL	166.8	0.6	2.7	26.0	16.0
1/26/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	22.0	15.0
1/26/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	28.0	18.0
1/26/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	24.0	19.0
1/26/2016 7:00	1.9	3.4	1.2	140.7	0.7	2.5	19.0	13.0
1/26/2016 8:00	1.2	2.6	1.0	95.5	0.5	2.6	22.0	11.0
1/26/2016 9:00	2.4	1.5	1.1	42.0	0.4	2.4	16.0	13.0
1/26/2016 10:00	2.1	1.9	BDL	67.1	0.5	2.5	22.0	16.0
1/26/2016 11:00	1.6	1.2	BDL	29.5	0.3	1.6	12.0	11.0
1/26/2016 12:00	1.4	0.9	BDL	18.2	0.2	2.3	17.0	12.0
1/26/2016 13:00	1.3	0.6	BDL	19.7	0.2	2.3	21.0	12.0
1/26/2016 14:00	1.3	0.5	BDL	22.1	0.2	2.4	27.0	10.0
1/26/2016 15:00	1.1	0.4	BDL	13.3	0.2	2.2	17.0	6.0
1/26/2016 16:00	1.3	BDL	BDL	19.8	0.3	2.4	18.0	12.0
1/26/2016 17:00	1.7	0.6	BDL	33.9	0.3	2.4	33.0	14.0
1/26/2016 18:00	1.8	0.7	BDL	38.3	0.4	2.5	39.0	16.0
1/26/2016 19:00	2.6	0.6	BDL	33.8	0.4	2.6	29.0	19.0
1/26/2016 20:00	2.0	0.9	BDL	41.4	0.4	2.5	32.0	15.0
1/26/2016 21:00	1.5	1.3	BDL	46.3	0.4	2.2	41.0	15.0
1/26/2016 22:00	1.9	1.4	BDL	50	0.5	2.7	40.0	17.0
1/26/2016 23:00	1.9	1.7	1.2	47.2	0.5	2.9	37.0	17.0
1/27/2016 0:00	1.6	1.7	1.4	35.8	0.4	2.8	27.0	13.0
1/27/2016 1:00	1.2	1.9	1.7	29.1	0.4	2.6	20.0	15.0
1/27/2016 2:00	1.5	1.7	1.4	32.8	0.3	2.7	21.0	18.0
1/27/2016 3:00	1.4	1.4	1.0	41.9	0.4	2.6	24.0	19.0
1/27/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	23.0	22.0
1/27/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	21.0	17.0
1/27/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	13.0	13.0
1/27/2016 7:00	0.7	BDL	BDL	8.7	0.2	2.1	11.0	12.0
1/27/2016 8:00	0.5	BDL	BDL	9.5	0.2	2.1	15.0	12.0
1/27/2016 9:00	0.4	BDL	BDL	10.6	0.2	2.1	Audit	Audit
1/27/2016 10:00	0.5	BDL	BDL	12.2	0.2	2.1	Audit	Audit
1/27/2016 11:00	0.4	BDL	BDL	9.9	0.2	2.1	12.0	7.0
1/27/2016 12:00	BDL	BDL	BDL	6.6	0.2	2.1	9.0	6.0
1/27/2016 13:00	BDL	BDL	BDL	8.4	0.2	2.1	9.0	4.0
1/27/2016 14:00	BDL	BDL	BDL	6.7	0.2	2.1	7.0	3.0
1/27/2016 15:00	0.4	BDL	BDL	7.2	0.2	2.2	12.0	3.0
1/27/2016 16:00	0.4	BDL	BDL	7.3	0.2	2.1	13.0	3.0
1/27/2016 17:00	0.4	BDL	BDL	8.6	0.2	2.1	14.0	3.0
1/27/2016 18:00	0.4	BDL	BDL	10.2	0.2	2.1	16.0	5.0
1/27/2016 19:00	0.5	BDL	BDL	24.0	0.3	2.3	19.0	10.0
1/27/2016 20:00	0.6	0.4	BDL	34.3	0.4	2.3	23.0	8.0
1/27/2016 21:00	0.7	0.6	BDL	34.4	0.4	2.4	17.0	7.0
1/27/2016 22:00	0.6	0.5	BDL	32.5	0.4	2.6	21.0	6.0
1/27/2016 23:00	0.7	0.5	BDL	31.5	0.4	2.4	25.0	7.0
1/28/2016 0:00	0.6	0.4	BDL	26.5	0.4	2.4	22.0	13.0
1/28/2016 1:00	0.7	0.6	BDL	33.6	0.4	2.6	18.0	10.0
1/28/2016 2:00	1.0	1.4	BDL	71.8	0.5	2.9	31.0	11.0
1/28/2016 3:00	0.8	1.2	BDL	52.7	0.4	3.3	20.0	16.0
1/28/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	33.0	13.0
1/28/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	39.0	13.0
1/28/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	35.0	16.0
1/28/2016 7:00	3.1	4.5	1.1	194.6	1.4	4.6	39.0	17.0
1/28/2016 8:00	3.7	4.7	1.5	218.3	1.4	3.8	67.0	22.0
1/28/2016 9:00	4.7	6.1	1.1	260.8	1.2	4.4	70.0	37.0
1/28/2016 10:00	3.4	4.4	1.3	168	0.8	2.8	69.0	29.0
1/28/2016 11:00	1.8	2.0	BDL	73.3	0.4	2.5	30.0	19.0
1/28/2016 12:00	1.0	0.9	BDL	29.1	0.3	2.4	16.0	10.0
1/28/2016 13:00	0.9	BDL	BDL	12.3	0.2	2.3	12.0	7.0
1/28/2016 14:00	1.0	BDL	BDL	12.3	0.2	2.2	12.0	6.0
1/28/2016 15:00	1.1	0.7	BDL	14.5	0.2	2.3	15.0	9.0
1/28/2016 16:00	0.8	0.4	BDL	12.1	0.2	2.3	13.0	7.0
1/28/2016 17:00	0.7	0.4	BDL	12.7	0.2	2.5	15.0	8.0
1/28/2016 18:00	1.2	0.7	BDL	37.0	0.4	2.4	24.0	18.0
1/28/2016 19:00	1.3	1.0	BDL	44.3	0.4	2.2	30.0	16.0
1/28/2016 20:00	1.4	1.1	BDL	52.4	0.4	2.3	25.0	17.0
1/28/2016 21:00	1.1	1.3	BDL	56.4	0.5	2.3	30.0	16.0
1/28/2016 22:00	1.0	1.3	BDL	60.8	0.5	2.5	28.0	15.0
1/28/2016 23:00	0.9	1.1	BDL	52.3	0.5	2.5	26.0	20.0
1/29/2016 0:00	1.0	1.3	BDL	47.9	0.5	2.8	29.0	22.0
1/29/2016 1:00	1.1	1.4	BDL	49.9	0.5	3.1	27.0	20.0
1/29/2016 2:00	1.1	1.6	BDL	62.2	0.5	3.7	30.0	18.0
1/29/2016 3:00	1.2	1.8	1.0	62.7	0.5	3.4	31.0	18.0
1/29/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	30.0	19.0
1/29/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	24.0	22.0
1/29/2016 6:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	33.0	19.0
1/29/2016 7:00	2.4	3.8	1.6	133.7	0.8	3.4	35.0	28.0
1/29/2016 8:00	1.9	3.7	1.6	106.3	0.6	3.4	33.0	29.0
1/29/2016 9:00	2.3	3.0	1.5	85.1	0.6	11.1	33.0	28.0
1/29/2016 10:00	2.5	1.5	1.1	57.8	0.5	2.6	40.0	32.0
1/29/2016 11:00	2.2	1.3	BDL	43.4	0.4	2.4	34.0	25.0
1/29/2016 12:00	1.3	0.6	BDL	15.1	0.3	2.1	22.0	14.0
1/29/2016 13:00	0.9	0.5	BDL	13.8	0.3	2.2	13.0	12.0
1/29/2016 14:00	0.8	0.4	BDL	11.9	0.3	2.2	19.0	12.0
1/29/2016 15:00	0.6	BDL	BDL	8.2	0.2	2.1	14.0	7.0
1/29/2016 16:00	0.4	BDL	BDL	6.3	0.2	2.1	12.0	5.0
1/29/2016 17:00	0.4	BDL	BDL	5.8	0.2	2.1	10.0	3.0
1/29/2016 18:00	BDL	BDL	BDL	6.4	0.2	2.1	8.0	4.0
1/29/2016 19:00	0.4	BDL	BDL	5.0	0.2	2.2	7.0	3.0
1/29/2016 20:00	0.5	BDL	BDL	5.5	0.2	2.2	6.0	2.0
1/29/2016 21:00	0.4	BDL	BDL	5.7	0.2	2.2	7.0	4.0
1/29/2016 22:00	0.4	BDL	BDL	4.8	0.2	2.2	7.0	3.0
1/29/2016 23:00	0.4	BDL	BDL	4.7	0.2	2.2	7.0	3.0
1/30/2016 0:00	0.4	BDL	BDL	5.5	0.2	2.2	7.0	5.0
1/30/2016 1:00	0.4	BDL	BDL	6.4	0.2	2.2	6.0	6.0
1/30/2016 2:00	0.4	BDL	BDL	7.6	0.2	2.3	8.0	6.0
1/30/2016 3:00	0.4	BDL	BDL	5.3	0.2	2.2	7.0	4.0
1/30/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	4.0	5.0
1/30/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	15.0	6.0
1/30/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	8.0	5.0
1/30/2016 7:00	0.7	BDL	BDL	13.2	0.2	2.3	8.0	7.0
1/30/2016 8:00	0.6	BDL	BDL	12.6	0.2	2.1	12.0	7.0
1/30/2016 9:00	0.8	BDL	BDL	16.6	0.2	2.3	12.0	7.0
1/30/2016 10:00	0.9	BDL	BDL	10.9	0.2	2.3	10.0	6.0
1/30/2016 11:00	0.8	BDL	BDL	10.9	0.2	2.3	11.0	7.0
1/30/2016 12:00	1.3	BDL	BDL	16.4	0.3	2.8	14.0	6.0
1/30/2016 13:00	1.6	BDL	BDL	15.9	0.2	2.4	12.0	6.0
1/30/2016 14:00	1.0	BDL	BDL	11.1	0.2	2.6	14.0	9.0
1/30/2016 15:00	1.4	BDL	BDL	9.7	0.2	2.8	12.0	8.0
1/30/2016 16:00	1.4	BDL	BDL	8.3	0.2	3.2	12.0	19.0
1/30/2016 17:00	1.1	BDL	BDL	6.9	0.2	2.6	16.0	8.0
1/30/2016 18:00	1.0	BDL	BDL	15.9	0.3	2.0	15.0	11.0
1/30/2016 19:00	1.0	BDL	BDL	21.5	0.3	2.1	16.0	15.0
1/30/2016 20:00	0.8	BDL	BDL	16.3	0.3	2.3	14.0	14.0
1/30/2016 21:00	0.6	0.5	BDL	14.6	0.3	2.3	14.0	9.0
1/30/2016 22:00	0.6	0.8	BDL	21.2	0.3	2.2	18.0	10.0
1/30/2016 23:00	0.7	1.4	1.0	42.2	0.4	2.1	21.0	13.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 1/31/2016-2/6/2016								
1/31/2016 0:00	0.4	1.0	BDL	20.1	0.3	2.4	18.0	8.0
1/31/2016 1:00	0.4	0.8	BDL	16.9	0.3	2.4	12.0	10.0
1/31/2016 2:00	0.5	1.0	BDL	27.6	0.4	2.5	19.0	9.0
1/31/2016 3:00	0.8	1.6	BDL	60.5	0.6	2.8	24.0	11.0
1/31/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	20.0	11.0
1/31/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	14.0	11.0
1/31/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	18.0	17.0
1/31/2016 7:00	1.1	1.9	1.4	57.4	0.6	3.7	17.0	17.0
1/31/2016 8:00	1.4	1.9	1.2	54.1	0.5	3.9	23.0	17.0
1/31/2016 9:00	1.7	1.5	1.0	40.4	0.4	3.1	18.0	10.0
1/31/2016 10:00	2.0	1.0	BDL	26.1	0.3	2.7	24.0	14.0
1/31/2016 11:00	2.5	0.8	BDL	23.4	0.3	2.8	17.0	12.0
1/31/2016 12:00	1.9	0.7	BDL	19.6	0.3	2.8	18.0	10.0
1/31/2016 13:00	2.1	0.5	BDL	20.3	0.3	3.0	20.0	12.0
1/31/2016 14:00	2.1	0.7	BDL	19.1	0.3	2.9	17.0	13.0
1/31/2016 15:00	1.4	0.5	BDL	10.1	0.2	2.9	14.0	10.0
1/31/2016 16:00	1.6	0.4	BDL	9.5	0.3	3.4	12.0	13.0
1/31/2016 17:00	2.3	0.9	BDL	23.2	0.4	3.2	22.0	13.0
1/31/2016 18:00	0.8	0.7	BDL	19.9	0.4	2.6	21.0	11.0
1/31/2016 19:00	0.7	0.5	BDL	14.0	0.3	2.8	17.0	12.0
1/31/2016 20:00	0.7	0.6	BDL	17.3	0.3	2.8	19.0	14.0
1/31/2016 21:00	1.0	0.6	BDL	11.9	0.3	2.9	17.0	15.0
1/31/2016 22:00	1.1	0.7	BDL	26.2	0.4	3.5	26.0	12.0
1/31/2016 23:00	1.6	1.0	BDL	48.8	0.4	3.4	29.0	16.0
2/1/2016 0:00	1.5	1.4	BDL	49.2	0.5	3.8	27.0	17.0
2/1/2016 1:00	3.0	1.3	1.1	26.5	0.3	2.9	19.0	13.0
2/1/2016 2:00	2.0	1.5	1.4	19.7	0.2	2.9	17.0	11.0
2/1/2016 3:00	1.7	1.1	1.0	16.5	0.2	2.7	15.0	14.0
2/1/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	16.0	14.0
2/1/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	23.0	19.0
2/1/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	12.0	9.0
2/1/2016 7:00	1.3	0.6	BDL	30.3	0.3	3.0	19.0	11.0
2/1/2016 8:00	1.4	0.7	BDL	29.3	0.4	2.6	14.0	14.0
2/1/2016 9:00	2.3	0.7	BDL	30.4	0.3	2.5	18.0	17.0
2/1/2016 10:00	2.9	0.7	BDL	34.1	0.3	2.7	32.0	20.0
2/1/2016 11:00	2.4	0.9	BDL	42.9	0.4	2.9	24.0	15.0
2/1/2016 12:00	1.7	1.0	BDL	58.1	0.5	3.2	42.0	14.0
2/1/2016 13:00	1.3	1.0	BDL	33.5	0.4	2.5	24.0	14.0
2/1/2016 14:00	0.9	0.6	BDL	15.3	0.3	2.3	18.0	10.0
2/1/2016 15:00	0.7	BDL	BDL	13.2	0.3	2.3	19.0	11.0
2/1/2016 16:00	0.8	BDL	BDL	14.3	0.3	2.3	15.0	10.0
2/1/2016 17:00	0.5	BDL	BDL	24.7	0.3	2.3	24.0	11.0
2/1/2016 18:00	0.6	0.5	BDL	36.9	0.4	2.6	37.0	15.0
2/1/2016 19:00	0.8	0.7	BDL	45.2	0.5	2.8	32.0	17.0
2/1/2016 20:00	0.5	0.5	BDL	30.1	0.4	2.4	18.0	15.0
2/1/2016 21:00	0.7	0.9	BDL	52.4	0.6	2.9	42.0	21.0
2/1/2016 22:00	0.9	1.3	BDL	68.4	0.6	3.6	27.0	20.0
2/1/2016 23:00	0.7	1.1	BDL	51.3	0.6	2.9	18.0	16.0
2/2/2016 0:00	0.4	0.5	BDL	29.6	0.4	2.3	17.0	12.0
2/2/2016 1:00	BDL	BDL	BDL	17.3	0.3	2.2	8.0	7.0
2/2/2016 2:00	BDL	BDL	BDL	15.9	0.3	2.2	8.0	4.0
2/2/2016 3:00	BDL	BDL	BDL	15.1	0.2	2.3	12.0	7.0
2/2/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	7.0	6.0
2/2/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	7.0	7.0
2/2/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	12.0	7.0
2/2/2016 7:00	0.4	0.4	BDL	33.5	0.3	2.5	12.0	8.0
2/2/2016 8:00	0.6	0.8	BDL	54.9	0.4	2.6	22.0	8.0
2/2/2016 9:00	0.7	1.0	BDL	53.7	0.4	2.5	24.0	6.0
2/2/2016 10:00	0.7	0.7	BDL	43.6	0.4	2.3	21.0	8.0
2/2/2016 11:00	0.8	0.6	BDL	35.9	0.3	2.2	20.0	7.0
2/2/2016 12:00	0.7	0.5	BDL	29.0	0.3	2.1	14.0	7.0
2/2/2016 13:00	0.6	0.4	BDL	30.6	0.3	2.1	14.0	5.0
2/2/2016 14:00	0.6	BDL	BDL	23.5	0.2	2.1	19.0	6.0
2/2/2016 15:00	0.4	BDL	BDL	16.8	0.3	2.1	17.0	8.0
2/2/2016 16:00	0.4	BDL	BDL	19.9	0.3	2.1	20.0	8.0
2/2/2016 17:00	0.4	BDL	BDL	24.0	0.3	2.1	17.0	7.0
2/2/2016 18:00	0.8	0.6	BDL	44.6	0.5	2.2	38.0	10.0
2/2/2016 19:00	0.6	0.9	BDL	50.8	0.5	2.2	30.0	12.0
2/2/2016 20:00	BDL	0.5	BDL	20.3	0.3	2.1	17.0	8.0
2/2/2016 21:00	BDL	0.5	BDL	29.0	0.4	2.1	17.0	5.0
2/2/2016 22:00	BDL	0.5	BDL	28.8	0.3	2.2	17.0	8.0
2/2/2016 23:00	BDL	BDL	BDL	27.7	0.4	2.2	17.0	7.0
2/3/2016 0:00	BDL	0.7	BDL	41.0	0.5	2.4	21.0	8.0
2/3/2016 1:00	0.4	0.7	BDL	56.7	0.5	2.3	17.0	9.0
2/3/2016 2:00	BDL	0.9	BDL	43.1	0.4	2.3	12.0	9.0
2/3/2016 3:00	BDL	0.5	BDL	25.8	0.3	2.2	10.0	5.0
2/3/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	13.0	7.0
2/3/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	10.0	5.0
2/3/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	18.0	4.0
2/3/2016 7:00	0.7	1.3	BDL	63.1	0.5	2.5	36.0	7.0
2/3/2016 8:00	0.9	1.7	BDL	80.3	0.7	2.5	24.0	12.0
2/3/2016 9:00	0.7	1.3	BDL	55.6	0.5	2.3	19.0	7.0
2/3/2016 10:00	0.7	1.1	BDL	50.9	0.4	2.3	21.0	4.0
2/3/2016 11:00	0.6	0.4	BDL	22.8	0.3	2.3	15.0	6.0
2/3/2016 12:00	0.5	0.5	BDL	13.7	0.2	2.2	17.0	6.0
2/3/2016 13:00	0.4	0.4	BDL	15.1	0.3	2.2	22.0	10.0
2/3/2016 14:00	BDL	0.5	BDL	12.7	0.3	2.3	19.0	9.0
2/3/2016 15:00	0.5	0.7	BDL	33.2	0.4	2.2	29.0	10.0
2/3/2016 16:00	3.5	0.5	BDL	19.8	0.4	2.3	17.0	9.0
2/3/2016 17:00	2.8	0.4	BDL	29.1	0.5	2.1	14.0	6.0
2/3/2016 18:00	1.0	0.6	BDL	37.0	0.5	2.1	15.0	4.0
2/3/2016 19:00	1.2	0.5	BDL	20.9	0.3	2.0	8.0	3.0
2/3/2016 20:00	1.4	BDL	BDL	8.8	0.3	1.9	7.0	2.0
2/3/2016 21:00	1.5	0.5	BDL	11.7	0.3	2.4	8.0	4.0
2/3/2016 22:00	3.1	0.6	BDL	16.6	0.3	2.5	15.0	14.0
2/3/2016 23:00	1.8	0.7	BDL	15.7	0.3	1.8	2.4	11.0	7.0
2/4/2016 0:00	1.1	0.6	BDL	8.5	0.2	2.5	6.0	1.0
2/4/2016 1:00	0.6	0.4	BDL	2.8	0.2	2.2	3.0	~~0.0~~
2/4/2016 2:00	0.5	0.4	BDL	5.4	0.2	2.7	4.0	2.0
2/4/2016 3:00	0.5	0.6	BDL	10.1	0.3	3.5	8.0	3.0
2/4/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	6.0	5.0
2/4/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	7.0	9.0
2/4/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	6.0	8.0
2/4/2016 7:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	6.0	6.0
2/4/2016 8:00	Calibration	Audit	Audit	Calibration	Calibration	Calibration	7.0	10.0
2/4/2016 9:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	13.0	9.0
2/4/2016 10:00	0.9	BDL	BDL	12.6	0.3	2.4	12.0	7.0
2/4/2016 11:00	0.7	BDL	BDL	10.0	0.2	2.3	14.0	8.0
2/4/2016 12:00	0.6	BDL	BDL	14.3	0.2	2.4	14.0	7.0
2/4/2016 13:00	0.5	BDL	BDL	10.2	0.2	2.4	15.0	5.0
2/4/2016 14:00	Too few samples	Too few samples	Too few samples	Too few samples	0.2	2.3	11.0	6.0
2/4/2016 15:00	0.5	BDL	BDL	11.7	0.2	2.3	12.0	5.0
2/4/2016 16:00	0.5	BDL	BDL	11.3	0.2	2.3	12.0	4.0
2/4/2016 17:00	0.6	BDL	BDL	10.5	0.2	2.3	11.0	6.0
2/4/2016 18:00	0.6	BDL	BDL	10.0	0.2	2.4	10.0	5.0
2/4/2016 19:00	0.6	BDL	BDL	17.8	0.3	2.5	9.0	5.0
2/4/2016 20:00	0.6	BDL	BDL	15.2	0.3	2.6	10.0	5.0
2/4/2016 21:00	0.5	BDL	BDL	15.9	0.3	2.5	13.0	6.0
2/4/2016 22:00	0.5	BDL	BDL	16.9	0.3	2.4	12.0	8.0
2/4/2016 23:00	0.5	BDL	BDL	14.5	0.3	2.3	11.0	6.0
2/5/2016 0:00	0.6	BDL	BDL	11.5	0.3	2.2	12.0	5.0
2/5/2016 1:00	BDL	BDL	BDL	10.3	0.3	2.2	14.0	6.0
2/5/2016 2:00	BDL	BDL	BDL	9.1	0.3	2.2	11.0	6.0
2/5/2016 3:00	0.8	BDL	BDL	8.6	0.3	2.1	8.0	6.0
2/5/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	7.0	4.0
2/5/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	5.0	4.0
2/5/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	7.0	4.0
2/5/2016 7:00	0.6	BDL	BDL	15.0	0.3	2.2	8.0	5.0
2/5/2016 8:00	0.4	BDL	BDL	17.5	0.3	2.1	8.0	8.0
2/5/2016 9:00	0.4	BDL	BDL	18.2	0.3	2.4	10.0	6.0
2/5/2016 10:00	BDL	BDL	BDL	23.4	0.3	2.1	11.0	7.0
2/5/2016 11:00	BDL	BDL	BDL	23.0	0.3	2.6	8.0	7.0
2/5/2016 12:00	0.4	BDL	BDL	18.0	0.3	2.5	10.0	5.0
2/5/2016 13:00	0.5	BDL	BDL	9.3	0.2	2.4	9.0	3.0
2/5/2016 14:00	0.4	BDL	BDL	6.6	0.2	2.3	11.0	5.0
2/5/2016 15:00	BDL	BDL	BDL	5.6	0.2	2.2	23.0	6.0
2/5/2016 16:00	BDL	BDL	BDL	5.6	0.2	2.2	14.0	6.0
2/5/2016 17:00	BDL	BDL	BDL	5.1	0.2	2.3	22.0	4.0
2/5/2016 18:00	BDL	BDL	BDL	8.5	0.2	2.4	11.0	4.0
2/5/2016 19:00	BDL	BDL	BDL	11.7	0.2	2.6	13.0	4.0
2/5/2016 20:00	BDL	BDL	BDL	11.0	0.2	2.6	10.0	3.0
2/5/2016 21:00	BDL	BDL	BDL	12.7	0.2	2.7	10.0	4.0
2/5/2016 22:00	BDL	BDL	BDL	17.1	0.3	2.6	12.0	7.0
2/5/2016 23:00	BDL	BDL	BDL	13.5	0.3	2.8	10.0	4.0
2/6/2016 0:00	BDL	BDL	BDL	14.7	0.3	3.0	11.0	2.0
2/6/2016 1:00	0.4	BDL	BDL	29.9	0.3	2.7	12.0	6.0
2/6/2016 2:00	0.8	0.8	BDL	51.2	0.4	2.9	14.0	9.0
2/6/2016 3:00	0.6	0.4	BDL	34.9	0.4	2.9	14.0	9.0
2/6/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	13.0	9.0
2/6/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	17.0	11.0
2/6/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	23.0	10.0
2/6/2016 7:00	1.0	1.3	BDL	71.1	0.6	3.2	24.0	11.0
2/6/2016 8:00	1.2	1.4	BDL	69.7	0.7	3.3	27.0	11.0
2/6/2016 9:00	1.1	1.1	BDL	55.8	0.5	3.0	25.0	17.0
2/6/2016 10:00	1.4	0.9	BDL	36.0	0.4	2.8	19.0	11.0
2/6/2016 11:00	3.4	0.4	BDL	23.7	0.3	2.5	16.0	13.0
2/6/2016 12:00	1.2	BDL	BDL	15.2	0.2	2.4	7.0	10.0
2/6/2016 13:00	0.8	BDL	BDL	10.7	0.2	2.3	6.0	7.0
2/6/2016 14:00	0.6	BDL	BDL	7.4	0.2	2.3	10.0	8.0
2/6/2016 15:00	0.7	BDL	BDL	6.8	0.2	2.4	8.0	6.0
2/6/2016 16:00	0.6	BDL	BDL	5.0	0.2	2.3	7.0	6.0
2/6/2016 17:00	0.7	BDL	BDL	5.1	0.2	2.4	11.0	7.0
2/6/2016 18:00	0.5	BDL	BDL	8.9	0.2	2.5	12.0	10.0
2/6/2016 19:00	0.5	BDL	BDL	17.2	0.3	2.3	16.0	10.0
2/6/2016 20:00	0.5	0.5	BDL	20.9	0.3	2.3	17.0	12.0
2/6/2016 21:00	0.5	0.7	BDL	15.8	0.3	2.3	11.0	12.0
2/6/2016 22:00	BDL	0.9	BDL	18.8	0.3	2.4	17.0	10.0
2/6/2016 23:00	BDL	0.8	BDL	15.8	0.3	2.6	13.0	9.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 2/7/2016-2/13/2016								
2/7/2016 0:00	0.5	0.9	BDL	28.7	0.4	2.5	17.0	9.0
2/7/2016 1:00	BDL	0.9	BDL	28.0	0.4	2.3	20.0	10.0
2/7/2016 2:00	0.4	1.3	BDL	31.8	0.4	2.3	21.0	12.0
2/7/2016 3:00	0.4	1.1	BDL	29.0	0.3	2.6	17.0	15.0
2/7/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	15.0	11.0
2/7/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	19.0	17.0
2/7/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	19.0	11.0
2/7/2016 7:00	0.8	1.5	BDL	51.8	0.5	3.2	19.0	14.0
2/7/2016 8:00	1.3	1.8	BDL	73.9	0.6	3.5	22.0	15.0
2/7/2016 9:00	1.1	1.7	BDL	57.0	0.5	3.6	30.0	19.0
2/7/2016 10:00	1.4	1.1	BDL	48.9	0.5	3.0	31.0	17.0
2/7/2016 11:00	1.8	1.4	BDL	60.7	0.5	3.2	31.0	20.0
2/7/2016 12:00	1.6	0.6	BDL	24.8	0.3	2.4	20.0	14.0
2/7/2016 13:00	1.4	0.6	BDL	28.0	0.4	2.3	22.0	14.0
2/7/2016 14:00	1.5	0.5	BDL	28.7	0.4	2.5	29.0	18.0
2/7/2016 15:00	1.4	0.6	BDL	28.1	0.4	2.5	24.0	12.0
2/7/2016 16:00	2.0	0.4	BDL	28.7	0.4	2.4	28.0	17.0
2/7/2016 17:00	2.6	0.6	BDL	30.5	0.4	2.5	29.0	15.0
2/7/2016 18:00	2.5	0.7	BDL	33.6	0.5	2.5	25.0	16.0
2/7/2016 19:00	1.8	0.5	BDL	28.6	0.4	2.4	27.0	22.0
2/7/2016 20:00	1.7	0.7	BDL	33.6	0.4	2.4	26.0	18.0
2/7/2016 21:00	1.5	0.7	BDL	27.7	0.4	2.5	27.0	20.0
2/7/2016 22:00	1.4	0.5	BDL	22.0	0.4	2.4	24.0	16.0
2/7/2016 23:00	1.5	0.6	BDL	29.2	0.4	2.4	27.0	17.0
2/8/2016 0:00	1.4	0.7	BDL	35.3	0.5	2.4	34.0	22.0
2/8/2016 1:00	1.2	0.6	BDL	27.6	0.4	2.3	28.0	18.0
2/8/2016 2:00	1.1	0.4	BDL	19.9	0.3	2.3	20.0	13.0
2/8/2016 3:00	1.0	0.4	BDL	14.2	0.3	2.2	17.0	20.0
2/8/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	15.0	9.0
2/8/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	14.0	10.0
2/8/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	19.0	10.0
2/8/2016 7:00	0.6	0.4	BDL	21.2	0.3	2.0	16.0	9.0
2/8/2016 8:00	0.5	0.5	BDL	24.0	0.3	2.0	19.0	8.0
2/8/2016 9:00	0.5	0.6	BDL	28.7	0.4	2.0	23.0	12.0
2/8/2016 10:00	0.5	0.6	BDL	26.8	0.3	2.0	19.0	11.0
2/8/2016 11:00	0.5	0.5	BDL	24.0	0.3	2.0	26.0	9.0
2/8/2016 12:00	0.4	0.5	BDL	21.3	0.3	1.9	43.0	7.0
2/8/2016 13:00	0.4	0.5	BDL	22.7	0.3	1.9	26.0	6.0
2/8/2016 14:00	0.4	0.5	BDL	22.3	0.3	1.8	36.0	7.0
2/8/2016 15:00	0.4	BDL	BDL	20.1	0.3	1.9	21.0	5.0
2/8/2016 16:00	BDL	BDL	BDL	20.6	0.3	1.8	21.0	6.0
2/8/2016 17:00	0.4	0.4	BDL	23.9	0.3	1.9	27.0	7.0
2/8/2016 18:00	0.5	0.6	BDL	27.4	0.4	1.9	21.0	7.0
2/8/2016 19:00	BDL	0.4	BDL	21.4	0.3	1.8	11.0	5.0
2/8/2016 20:00	0.4	0.4	BDL	27.0	0.3	1.8	16.0	2.0
2/8/2016 21:00	BDL	0.5	BDL	24.2	0.3	1.8	18.0	4.0
2/8/2016 22:00	BDL	0.4	BDL	15.8	0.3	1.8	12.0	8.0
2/8/2016 23:00	BDL	BDL	BDL	17.5	0.3	1.8	11.0	8.0
2/9/2016 0:00	BDL	BDL	BDL	18.6	0.3	1.9	15.0	10.0
2/9/2016 1:00	BDL	0.4	BDL	19.2	0.3	1.9	15.0	10.0
2/9/2016 2:00	BDL	BDL	BDL	15.1	0.3	1.9	12.0	9.0
2/9/2016 3:00	BDL	BDL	BDL	13.3	0.3	1.9	16.0	7.0
2/9/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	8.0	6.0
2/9/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	8.0	6.0
2/9/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	9.0	5.0
2/9/2016 7:00	BDL	0.4	BDL	25.0	0.3	1.8	10.0	8.0
2/9/2016 8:00	0.4	0.6	BDL	30.0	0.4	1.8	11.0	7.0
2/9/2016 9:00	BDL	0.6	BDL	28.7	0.3	1.8	17.0	7.0
2/9/2016 10:00	0.4	0.7	BDL	30.5	0.3	1.9	18.0	12.0
2/9/2016 11:00	0.5	0.9	BDL	37.8	0.3	1.9	21.0	10.0
2/9/2016 12:00	0.5	0.8	BDL	32.6	0.3	1.9	26.0	12.0
2/9/2016 13:00	0.5	0.7	BDL	33.5	0.4	2.0	48.0	10.0
2/9/2016 14:00	0.5	0.7	BDL	29.4	0.3	1.9	36.0	13.0
2/9/2016 15:00	0.5	0.8	BDL	33.7	0.4	1.9	27.0	13.0
2/9/2016 16:00	0.6	0.9	BDL	38.7	0.4	1.9	33.0	14.0
2/9/2016 17:00	BDL	0.7	BDL	29.5	0.4	1.8	23.0	11.0
2/9/2016 18:00	BDL	0.7	BDL	36.2	0.5	1.8	35.0	15.0
2/9/2016 19:00	BDL	0.9	BDL	40.6	0.5	1.9	29.0	12.0
2/9/2016 20:00	BDL	0.8	BDL	35.6	0.5	1.9	29.0	17.0
2/9/2016 21:00	BDL	0.7	BDL	31.1	0.4	1.8	22.0	14.0
2/9/2016 22:00	BDL	0.7	BDL	34.4	0.4	1.9	24.0	17.0
2/9/2016 23:00	0.4	0.8	BDL	44.8	0.4	2.8	32.0	18.0
2/10/2016 0:00	0.4	0.9	BDL	37.3	0.4	2.2	23.0	16.0
2/10/2016 1:00	0.5	0.7	BDL	28.7	0.4	2.2	20.0	18.0
2/10/2016 2:00	0.6	0.5	BDL	18.9	0.3	2.1	17.0	17.0
2/10/2016 3:00	0.7	0.5	BDL	15.6	0.3	2.1	18.0	16.0
2/10/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	17.0	15.0
2/10/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	16.0	20.0
2/10/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	16.0	16.0
2/10/2016 7:00	1.6	0.5	BDL	21.1	0.3	1.9	21.0	21.0
2/10/2016 8:00	1.5	0.7	BDL	25.5	0.3	2.0	20.0	20.0
2/10/2016 9:00	1.4	0.6	BDL	25.1	0.3	2.0	21.0	19.0
2/10/2016 10:00	2.1	0.8	BDL	25.8	0.3	2.0	20.0	18.0
2/10/2016 11:00	1.6	0.6	BDL	22.1	0.2	2.1	13.0	11.0
2/10/2016 12:00	1.5	0.4	BDL	17.9	0.2	2.0	13.0	11.0
2/10/2016 13:00	1.2	BDL	BDL	12.2	0.2	2.0	13.0	15.0
2/10/2016 14:00	1.2	BDL	BDL	14.8	0.2	2.0	15.0	10.0
2/10/2016 15:00	1.2	BDL	BDL	13.5	0.2	2.0	14.0	8.0
2/10/2016 16:00	1.0	BDL	BDL	14.3	0.2	2.0	17.0	10.0
2/10/2016 17:00	1.1	0.4	BDL	16.2	0.2	2.0	15.0	9.0
2/10/2016 18:00	1.0	BDL	BDL	13.3	0.2	2.1	13.0	8.0
2/10/2016 19:00	0.8	BDL	BDL	15.0	0.2	2.0	13.0	5.0
2/10/2016 20:00	0.9	BDL	BDL	15.7	0.2	2.0	14.0	6.0
2/10/2016 21:00	0.9	BDL	BDL	12.3	0.2	2.0	13.0	8.0
2/10/2016 22:00	1.3	BDL	BDL	6.3	0.2	2.1	10.0	9.0
2/10/2016 23:00	1.2	BDL	BDL	10.6	0.2	2.1	10.0	7.0
2/11/2016 0:00	1.4	BDL	BDL	8.9	0.2	2.1	11.0	9.0
2/11/2016 1:00	1.3	BDL	BDL	7.8	0.2	2.1	11.0	9.0
2/11/2016 2:00	1.2	BDL	BDL	7.3	0.2	2.1	13.0	10.0
2/11/2016 3:00	1.3	BDL	BDL	12.6	0.2	2.1	16.0	10.0
2/11/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	15.0	8.0
2/11/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	12.0	10.0
2/11/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	16.0	14.0
2/11/2016 7:00	1.4	BDL	BDL	19.7	0.2	2.1	16.0	13.0
2/11/2016 8:00	1.5	0.4	BDL	25.4	0.2	2.1	20.0	11.0
2/11/2016 9:00	1.5	0.4	BDL	21.4	0.2	2.1	26.0	12.0
2/11/2016 10:00	1.4	BDL	BDL	15.3	0.2	2.1	39.0	8.0
2/11/2016 11:00	1.2	BDL	BDL	14.5	0.2	2.2	55.0	8.0
2/11/2016 12:00	0.8	BDL	BDL	11.2	0.2	2.1	35.0	6.0
2/11/2016 13:00	0.6	BDL	BDL	10.1	0.2	2.1	26.0	3.0
2/11/2016 14:00	0.9	BDL	BDL	12.1	0.2	2.6	22.0	1.0
2/11/2016 15:00	0.5	BDL	BDL	12.1	0.2	3.2	21.0	4.0
2/11/2016 16:00	0.5	BDL	BDL	9.7	0.2	2.6	22.0	5.0
2/11/2016 17:00	0.6	BDL	BDL	11.6	0.2	2.6	18.0	5.0
2/11/2016 18:00	0.5	BDL	BDL	8.5	0.2	2.2	19.0	4.0
2/11/2016 19:00	0.6	BDL	BDL	12.8	0.2	2.1	9.0	7.0
2/11/2016 20:00	0.6	BDL	BDL	12.0	0.2	2.1	12.0	6.0
2/11/2016 21:00	0.7	BDL	BDL	12.9	0.2	2.1	17.0	6.0
2/11/2016 22:00	0.5	BDL	BDL	6.3	0.2	2.1	9.0	3.0
2/11/2016 23:00	0.5	BDL	BDL	5.7	0.2	2.1	7.0	2.0
2/12/2016 0:00	0.5	BDL	BDL	5.6	0.2	2.1	7.0	4.0
2/12/2016 1:00	0.5	BDL	BDL	5.6	0.2	2.1	7.0	5.0
2/12/2016 2:00	0.4	BDL	BDL	5.6	0.2	2.1	5.0	3.0
2/12/2016 3:00	0.5	BDL	BDL	11.5	0.2	2.1	6.0	4.0
2/12/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	7.0	4.0
2/12/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	9.0	3.0
2/12/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	7.0	4.0
2/12/2016 7:00	0.8	BDL	BDL	17.4	0.2	2.3	10.0	7.0
2/12/2016 8:00	0.9	BDL	BDL	21.6	0.2	2.4	11.0	9.0
2/12/2016 9:00	0.9	BDL	BDL	24.1	0.3	2.3	10.0	6.0
2/12/2016 10:00	0.9	BDL	BDL	14.6	0.2	2.1	12.0	4.0
2/12/2016 11:00	0.9	BDL	BDL	13.0	0.2	2.1	15.0	4.0
2/12/2016 12:00	1.8	BDL	BDL	17.3	0.2	2.1	16.0	6.0
2/12/2016 13:00	1.8	BDL	BDL	14.5	0.2	2.1	17.0	8.0
2/12/2016 14:00	1.6	BDL	BDL	12.4	0.2	2.1	12.0	7.0
2/12/2016 15:00	1.6	BDL	BDL	12.2	0.2	2.0	11.0	8.0
2/12/2016 16:00	1.8	BDL	BDL	14.0	0.2	2.0	12.0	11.0
2/12/2016 17:00	1.6	BDL	BDL	13.0	0.2	2.1	14.0	7.0
2/12/2016 18:00	1.8	BDL	BDL	19.6	0.2	2.1	15.0	7.0
2/12/2016 19:00	1.2	BDL	BDL	15.8	0.2	2.0	17.0	8.0
2/12/2016 20:00	0.8	BDL	BDL	18.0	0.3	2.1	16.0	11.0
2/12/2016 21:00	1.5	0.5	BDL	23.8	0.3	2.2	20.0	17.0
2/12/2016 22:00	1.8	0.5	BDL	27.8	0.3	2.2	24.0	18.0
2/12/2016 23:00	3.1	0.5	BDL	34.9	0.3	2.1	39.0	19.0
2/13/2016 0:00	2.1	0.5	BDL	27.0	0.3	2.1	24.0	19.0
2/13/2016 1:00	2.0	0.5	BDL	24.3	0.3	2.0	32.0	22.0
2/13/2016 2:00	1.8	0.5	BDL	23.3	0.3	2.1	27.0	22.0
2/13/2016 3:00	2.0	0.5	BDL	22.8	0.3	2.1	27.0	21.0
2/13/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	26.0	23.0
2/13/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	23.0	21.0
2/13/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	23.0	19.0
2/13/2016 7:00	0.8	BDL	BDL	6.6	0.2	2.1	15.0	10.0
2/13/2016 8:00	0.8	BDL	BDL	5.7	0.2	2.1	21.0	7.0
2/13/2016 9:00	0.7	BDL	BDL	4.5	0.2	2.1	32.0	5.0
2/13/2016 10:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	30.0	2.0
2/13/2016 11:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	19.0	4.0
2/13/2016 12:00	0.4	BDL	BDL	3.5	0.2	2.1	22.0	3.0
2/13/2016 13:00	0.4	BDL	BDL	3.3	0.2	2.2	30.0	1.0
2/13/2016 14:00	BDL	BDL	BDL	3.6	0.2	2.2	33.0	1.0
2/13/2016 15:00	BDL	BDL	BDL	3.2	0.2	2.2	18.0	2.0
2/13/2016 16:00	BDL	BDL	BDL	5.5	0.1	2.2	19.0	2.0
2/13/2016 17:00	BDL	BDL	BDL	2.2	0.2	2.2	28.0	3.0
2/13/2016 18:00	BDL	BDL	BDL	1.8	0.1	2.2	12.0	2.0
2/13/2016 19:00	BDL	BDL	BDL	2.8	0.2	2.2	9.0	2.0
2/13/2016 20:00	BDL	BDL	BDL	3.7	0.2	2.2	10.0	2.0
2/13/2016 21:00	BDL	BDL	BDL	4.0	0.2	2.2	8.0	3.0
2/13/2016 22:00	BDL	BDL	BDL	2.8	0.2	2.2	7.0	2.0
2/13/2016 23:00	BDL	BDL	BDL	3.2	0.2	2.2	6.0	3.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 2/14/2016-2/20/2016								
2/14/2016 0:00	BDL	BDL	BDL	3.2	BDL	BDL	6.0	4.0
2/14/2016 1:00	BDL	BDL	BDL	2.1	BDL	BDL	4.0	4.0
2/14/2016 2:00	BDL	BDL	BDL	2.5	BDL	BDL	3.0	3.0
2/14/2016 3:00	BDL	BDL	BDL	2.5	BDL	BDL	2.0	1.0
2/14/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	2.0	2.0
2/14/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	4.0	1.0
2/14/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	6.0	6.0
2/14/2016 7:00	0.5	BDL	BDL	6.2	0.1	2.4	9.0	4.0
2/14/2016 8:00	0.5	BDL	BDL	6.5	0.1	2.4	7.0	3.0
2/14/2016 9:00	0.5	BDL	BDL	5.2	0.1	2.4	6.0	4.0
2/14/2016 10:00	0.5	BDL	BDL	3.7	0.1	2.3	5.0	4.0
2/14/2016 11:00	0.5	BDL	BDL	4.6	0.2	2.3	11.0	6.0
2/14/2016 12:00	0.6	BDL	BDL	3.7	0.2	2.3	11.0	5.0
2/14/2016 13:00	0.6	BDL	BDL	4.0	0.2	2.2	9.0	2.0
2/14/2016 14:00	0.6	BDL	BDL	4.3	0.2	2.2	6.0	3.0
2/14/2016 15:00	0.7	BDL	BDL	4.5	0.2	2.2	5.0	4.0
2/14/2016 16:00	0.7	BDL	BDL	3.9	0.2	2.2	9.0	6.0
2/14/2016 17:00	0.6	BDL	BDL	5.1	0.2	2.2	11.0	5.0
2/14/2016 18:00	0.7	BDL	BDL	5.6	0.2	2.3	12.0	6.0
2/14/2016 19:00	1.2	BDL	BDL	9.5	0.2	2.3	13.0	6.0
2/14/2016 20:00	1.4	BDL	BDL	12.8	0.2	2.3	12.0	11.0
2/14/2016 21:00	1.4	BDL	BDL	16.6	0.3	2.3	16.0	9.0
2/14/2016 22:00	1.2	BDL	BDL	14.7	0.3	2.1	14.0	11.0
2/14/2016 23:00	0.8	BDL	BDL	24.1	0.3	2.2	28.0	15.0
2/15/2016 0:00	0.9	BDL	BDL	27.0	0.4	2.2	23.0	15.0
2/15/2016 1:00	0.7	BDL	BDL	21.0	0.3	2.2	23.0	12.0
2/15/2016 2:00	0.6	BDL	BDL	14.8	0.3	2.1	17.0	10.0
2/15/2016 3:00	0.5	BDL	BDL	12.8	0.2	2.1	12.0	10.0
2/15/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	15.0	10.0
2/15/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	18.0	12.0
2/15/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	23.0	8.0
2/15/2016 7:00	0.8	0.4	BDL	37.4	0.3	2.2	34.0	8.0
2/15/2016 8:00	0.9	0.7	BDL	43.4	0.4	2.2	34.0	11.0
2/15/2016 9:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	46.0	12.0
2/15/2016 10:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	38.0	12.0
2/15/2016 11:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	41.0	11.0
2/15/2016 12:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	35.0	13.0
2/15/2016 13:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	27.0	13.0
2/15/2016 14:00	0.6	0.9	BDL	51.2	0.4	2.3	26.0	11.0
2/15/2016 15:00	0.6	1.1	BDL	54.6	0.5	2.4	28.0	18.0
2/15/2016 16:00	0.8	1.6	BDL	71.3	0.6	2.5	30.0	20.0
2/15/2016 17:00	0.8	1.5	BDL	76.3	0.6	2.4	31.0	17.0
2/15/2016 18:00	0.5	1.2	BDL	60.3	0.5	2.4	26.0	16.0
2/15/2016 19:00	0.6	1.4	BDL	63.1	0.5	2.4	25.0	16.0
2/15/2016 20:00	0.8	1.6	BDL	77.9	0.6	2.6	23.0	17.0
2/15/2016 21:00	1.1	1.9	BDL	94.7	0.7	2.8	27.0	19.0
2/15/2016 22:00	1.3	2.2	BDL	107.9	0.8	2.8	24.0	21.0
2/15/2016 23:00	1.6	2.9	BDL	130.4	0.9	2.8	20.0	20.0
2/16/2016 0:00	1.8	3.3	BDL	150.7	1.1	3.0	33.0	22.0
2/16/2016 1:00	2.3	4.0	1	187.8	1.4	3.1	24.0	23.0
2/16/2016 2:00	2.6	4.7	1	202.1	1.3	4.1	27.0	20.0
2/16/2016 3:00	3.1	5.3	1.1	235.6	1.4	4.0	33.0	25.0
2/16/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	27.0	13.0
2/16/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	17.0	7.0
2/16/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	23.0	3.0
2/16/2016 7:00	0.9	0.4	BDL	8.9	0.2	1.7	25.0	6.0
2/16/2016 8:00	0.7	BDL	BDL	10.4	0.2	1.8	25.0	5.0
2/16/2016 9:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	19.0	6.0
2/16/2016 10:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	19.0	6.0
2/16/2016 11:00	0.4	0.4	BDL	10.9	0.2	1.8	13.0	5.0
2/16/2016 12:00	BDL	BDL	BDL	6.0	0.2	2.0	14.0	4.0
2/16/2016 13:00	0.4	0.4	BDL	6.7	0.2	1.9	9.0	5.0
2/16/2016 14:00	BDL	0.5	BDL	16.3	0.2	2.3	7.0	4.0
2/16/2016 15:00	0.5	0.4	BDL	13.1	0.2	2.4	8.0	6.0
2/16/2016 16:00	0.7	0.8	BDL	19.5	0.2	1.9	7.0	5.0
2/16/2016 17:00	0.8	0.6	BDL	21.3	0.2	2.0	10.0	9.0
2/16/2016 18:00	1.1	BDL	BDL	17.5	0.3	2.1	7.0	7.0
2/16/2016 19:00	1.0	BDL	BDL	10.8	0.3	2.0	9.0	6.0
2/16/2016 20:00	0.8	BDL	BDL	13.9	0.3	1.9	8.0	10.0
2/16/2016 21:00	0.7	BDL	BDL	14.7	0.3	2.0	8.0	9.0
2/16/2016 22:00	0.7	0.4	BDL	13.2	0.2	1.8	15.0	11.0
2/16/2016 23:00	0.5	BDL	BDL	17.1	0.3	2.0	9.0	7.0
2/17/2016 0:00	0.5	0.4	BDL	18.9	0.3	2.0	10.0	8.0
2/17/2016 1:00	0.5	0.4	BDL	19.2	0.3	2.0	7.0	8.0
2/17/2016 2:00	0.4	BDL	BDL	12.1	0.3	2.1	10.0	10.0
2/17/2016 3:00	0.4	BDL	BDL	8.7	0.2	2.0	10.0	7.0
2/17/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	11.0	8.0
2/17/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	7.0	11.0
2/17/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	15.0	12.0
2/17/2016 7:00	1.3	0.7	BDL	19.7	0.3	2.3	24.0	16.0
2/17/2016 8:00	0.6	0.4	BDL	16.5	0.3	2.0	20.0	10.0
2/17/2016 9:00	0.8	0.6	BDL	32.5	0.3	2.1	24.0	14.0
2/17/2016 10:00	0.6	BDL	BDL	15.6	0.3	2.1	18.0	11.0
2/17/2016 11:00	0.7	BDL	BDL	8.0	0.2	2.1	9.0	9.0
2/17/2016 12:00	0.8	BDL	BDL	6.8	0.2	2.1	11.0	23.0
2/17/2016 13:00	0.8	BDL	BDL	8.4	0.2	2.1	13.0	8.0
2/17/2016 14:00	5.8	1.4	BDL	22.3	1.1	6.4	14.0	11.0
2/17/2016 15:00	BDL	1.2	BDL	4.7	0.1	23.8	13.0	13.0
2/17/2016 16:00	BDL	BDL	BDL	11.2	0.2	2.2	14.0	9.0
2/17/2016 17:00	BDL	BDL	BDL	8.1	0.2	2.2	12.0	10.0
2/17/2016 18:00	BDL	BDL	BDL	8.8	0.2	2.2	15.0	8.0
2/17/2016 19:00	0.7	BDL	BDL	9.6	0.2	2.2	16.0	11.0
2/17/2016 20:00	0.9	BDL	BDL	11.5	0.3	2.3	20.0	16.0
2/17/2016 21:00	1.2	BDL	BDL	12.1	0.3	2.3	23.0	17.0
2/17/2016 22:00	1.0	BDL	BDL	14.8	0.3	2.4	14.0	17.0
2/17/2016 23:00	0.8	BDL	BDL	16.7	0.3	2.4	23.0	13.0
2/18/2016 0:00	0.7	BDL	BDL	13.2	0.3	2.4	12.0	13.0
2/18/2016 1:00	0.5	BDL	BDL	13.8	0.3	2.4	17.0	15.0
2/18/2016 2:00	0.6	BDL	BDL	14.0	0.3	2.4	17.0	13.0
2/18/2016 3:00	0.6	BDL	BDL	13.9	0.2	2.4	17.0	14.0
2/18/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	10.0	13.0
2/18/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	7.0	7.0
2/18/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	9.0	6.0
2/18/2016 7:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	10.0	5.0
2/18/2016 8:00	Calibration	Audit	Audit	Calibration	Calibration	Too few samples	18.0	4.0
2/18/2016 9:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	17.0	6.0
2/18/2016 10:00	Too few samples	BDL	7.3	Too few samples	Too few samples	Too few samples	19.0	5.0
2/18/2016 11:00	Calibration	7.3	4.7	Calibration	Calibration	Calibration	14.0	6.0
2/18/2016 12:00	Calibration	24.8	27.8	Calibration	Calibration	Calibration	12.0	5.0
2/18/2016 13:00	Calibration	24.6	22.2	Calibration	Calibration	Calibration	15.0	4.0
2/18/2016 14:00	Calibration	0.8	3.4	Calibration	Calibration	Calibration	11.0	2.0
2/18/2016 15:00	BDL	BDL	BDL	7.0	0.2	2.3	9.0	2.0
2/18/2016 16:00	BDL	BDL	BDL	6.6	0.2	2.3	11.0	2.0
2/18/2016 17:00	BDL	BDL	BDL	7.9	0.2	2.3	13.0	3.0
2/18/2016 18:00	BDL	BDL	BDL	10.3	0.2	2.4	12.0	5.0
2/18/2016 19:00	BDL	BDL	BDL	11.8	0.2	2.4	10.0	4.0
2/18/2016 20:00	BDL	BDL	BDL	12.0	0.2	2.4	9.0	2.0
2/18/2016 21:00	BDL	BDL	BDL	11.1	0.2	2.4	11.0	4.0
2/18/2016 22:00	BDL	BDL	BDL	12.2	0.2	2.4	10.0	4.0
2/18/2016 23:00	0.5	BDL	BDL	15.3	0.3	2.5	11.0	1.0
2/19/2016 0:00	BDL	BDL	BDL	13.1	0.3	2.4	11.0	3.0
2/19/2016 1:00	0.4	BDL	BDL	15.6	0.3	2.5	9.0	8.0
2/19/2016 2:00	0.5	BDL	BDL	17.8	0.3	2.5	9.0	5.0
2/19/2016 3:00	0.4	BDL	BDL	17.7	0.3	2.5	15.0	4.0
2/19/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	11.0	8.0
2/19/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	13.0	7.0
2/19/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	16.0	6.0
2/19/2016 7:00	0.8	0.8	BDL	56.7	0.4	2.8	17.0	7.0
2/19/2016 8:00	1.2	1.5	BDL	77.9	0.5	2.8	24.0	9.0
2/19/2016 9:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	26.0	6.0
2/19/2016 10:00	16.9	1.1	BDL	71.3	1.4	2.2	29.0	8.0
2/19/2016 11:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	22.0	13.0
2/19/2016 12:00	Calibration	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	19.0	13.0
2/19/2016 13:00	Calibration	BDL	BDL	23.3	0.2	2.4	16.0	8.0
2/19/2016 14:00	Calibration	0.4	BDL	23.2	0.2	2.3	17.0	3.0
2/19/2016 15:00	Calibration	0.4	BDL	19.7	0.2	2.3	19.0	5.0
2/19/2016 16:00	Calibration	0.4	BDL	17.1	0.2	2.5	19.0	8.0
2/19/2016 17:00	Calibration	0.6	BDL	12.4	0.1	2.6	15.0	11.0
2/19/2016 18:00	Calibration	0.6	BDL	11.2	0.1	2.3	17.0	9.0
2/19/2016 19:00	Calibration	BDL	BDL	11.6	0.1	2.3	16.0	6.0
2/19/2016 20:00	Calibration	BDL	BDL	9.8	0.1	2.3	15.0	5.0
2/19/2016 21:00	Calibration	BDL	BDL	12.0	0.1	2.3	18.0	13.0
2/19/2016 22:00	Calibration	BDL	BDL	13.6	0.1	2.3	18.0	9.0
2/19/2016 23:00	Calibration	BDL	BDL	8.7	0.1	2.4	15.0	9.0
2/20/2016 0:00	Calibration	BDL	BDL	4.7	0.1	2.3	13.0	8.0
2/20/2016 1:00	Calibration	BDL	BDL	4.8	0.1	2.4	12.0	5.0
2/20/2016 2:00	Calibration	BDL	BDL	4.2	0.1	2.6	10.0	5.0
2/20/2016 3:00	Calibration	BDL	BDL	3.8	0.1	2.4	10.0	8.0
2/20/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	13.0	6.0
2/20/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	13.0	5.0
2/20/2016 6:00	Calibration	Too few samples	Too few samples	Too few samples	Calibration	Calibration	14.0	9.0
2/20/2016 7:00	Calibration	BDL	BDL	11.9	0.1	2.7	17.0	11.0
2/20/2016 8:00	Calibration	BDL	BDL	17.1	0.2	3	20.0	10.0
2/20/2016 9:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	14.0	8.0
2/20/2016 10:00	1.6	0.6	BDL	22.5	0.2	2.7	21.0	10.0
2/20/2016 11:00	2.3	0.5	BDL	21.1	0.3	2.7	20.0	13.0
2/20/2016 12:00	1.8	0.5	BDL	19.9	0.2	2.9	20.0	14.0
2/20/2016 13:00	1.9	0.6	BDL	18.8	0.3	3	19.0	10.0
2/20/2016 14:00	1.5	0.5	BDL	18.3	0.3	3.3	17.0	11.0
2/20/2016 15:00	1.8	0.5	BDL	23.0	0.3	3.2	23.0	8.0
2/20/2016 16:00	1.3	0.6	BDL	19.9	0.3	3.4	15.0	6.0
2/20/2016 17:00	1.1	0.5	BDL	18.3	0.3	3.3	21.0	10.0
2/20/2016 18:00	0.6	0.4	BDL	13.3	0.3	2.9	20.0	9.0
2/20/2016 19:00	0.5	0.4	BDL	14.0	0.3	3.1	16.0	8.0
2/20/2016 20:00	0.6	0.6	BDL	12.0	0.3	3.1	15.0	17.0
2/20/2016 21:00	1.0	0.5	BDL	22.2	0.3	3.1	24.0	17.0
2/20/2016 22:00	1.5	0.7	BDL	24.9	0.3	2.9	19.0	17.0
2/20/2016 23:00	1.3	0.6	BDL	20.1	0.3	2.8	20.0	17.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 2/21/2016-2/27/2016								
2/21/2016 0:00	1.4	0.5	BDL	15.9	0.3	2.6	21.0	17.0
2/21/2016 1:00	2.6	BDL	BDL	11.5	0.3	2.6	31.0	29.0
2/21/2016 2:00	5.0	0.4	BDL	14.8	0.3	2.8	34.0	30.0
2/21/2016 3:00	6.1	0.6	BDL	26.7	0.4	2.8	32.0	25.0
2/21/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	27.0	21.0
2/21/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	30.0	21.0
2/21/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	31.0	22.0
2/21/2016 7:00	1.5	2.0	BDL	80.7	1	3.8	36.0	22.0
2/21/2016 8:00	1.3	19.0	11.4	63.2	0.6	3.9	34.0	27.0
2/21/2016 9:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	39.0	33.0
2/21/2016 10:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	36.0	32.0
2/21/2016 11:00	1.4	BDL	BDL	48.8	0.5	3.0	38.0	25.0
2/21/2016 12:00	1.6	BDL	BDL	68.6	0.7	2.9	45.0	21.0
2/21/2016 13:00	1.9	BDL	BDL	65.2	0.7	2.7	37.0	21.0
2/21/2016 14:00	1.3	BDL	BDL	32.6	0.4	2.4	24.0	9.0
2/21/2016 15:00	1.2	BDL	BDL	28.1	0.5	2.2	22.0	11.0
2/21/2016 16:00	1.0	BDL	BDL	23.5	0.5	2.0	21.0	7.0
2/21/2016 17:00	0.8	BDL	BDL	24.9	0.5	2.0	17.0	6.0
2/21/2016 18:00	0.9	BDL	BDL	25.1	0.5	2.0	22.0	6.0
2/21/2016 19:00	0.9	BDL	BDL	43.0	0.6	2.1	24.0	13.0
2/21/2016 20:00	0.7	BDL	BDL	29.6	0.5	2.1	22.0	9.0
2/21/2016 21:00	0.4	BDL	BDL	14	0.3	2.1	15.0	12.0
2/21/2016 22:00	BDL	BDL	BDL	12.2	0.3	2.0	14.0	11.0
2/21/2016 23:00	BDL	BDL	BDL	15.2	0.3	2.0	10.0	10.0
2/22/2016 0:00	BDL	BDL	BDL	12.6	0.3	2.0	14.0	7.0
2/22/2016 1:00	BDL	BDL	BDL	9.1	0.2	2.0	8.0	6.0
2/22/2016 2:00	BDL	BDL	BDL	6.8	0.2	2.0	5.0	4.0
2/22/2016 3:00	BDL	BDL	BDL	8.6	0.2	2.1	5.0	4.0
2/22/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	6.0	4.0
2/22/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	5.0	14.0
2/22/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	10.0	8.0
2/22/2016 7:00	0.4	BDL	BDL	17.5	0.3	2.2	9.0	6.0
2/22/2016 8:00	0.5	BDL	BDL	23.8	0.3	2.3	10.0	5.0
2/22/2016 9:00	0.5	BDL	BDL	26.2	0.3	2.2	17.0	7.0
2/22/2016 10:00	0.5	BDL	BDL	20.5	0.3	2.1	10.0	6.0
2/22/2016 11:00	0.5	BDL	BDL	16.7	0.3	2.1	15.0	8.0
2/22/2016 12:00	0.5	BDL	BDL	16.4	0.2	2.0	14.0	6.0
2/22/2016 13:00	0.4	BDL	BDL	11.7	0.2	2.1	12.0	6.0
2/22/2016 14:00	0.5	BDL	BDL	10.3	0.2	2.1	9.0	4.0
2/22/2016 15:00	0.5	BDL	BDL	18.0	0.2	2.0	20.0	6.0
2/22/2016 16:00	0.9	BDL	BDL	21.9	0.3	2.0	20.0	11.0
2/22/2016 17:00	0.9	BDL	BDL	21.3	0.3	2.0	23.0	10.0
2/22/2016 18:00	0.9	BDL	BDL	26.4	0.3	2.1	22.0	12.0
2/22/2016 19:00	1.1	BDL	BDL	55.2	0.5	2.1	24.0	13.0
2/22/2016 20:00	0.7	BDL	BDL	37.2	0.4	2.0	22.0	8.0
2/22/2016 21:00	0.4	BDL	BDL	27.1	0.3	2.0	20.0	11.0
2/22/2016 22:00	BDL	BDL	BDL	17.4	0.3	2.1	14.0	8.0
2/22/2016 23:00	BDL	BDL	BDL	26.3	0.4	2.1	16.0	7.0
2/23/2016 0:00	BDL	BDL	BDL	34.0	0.5	2.1	14.0	8.0
2/23/2016 1:00	0.5	BDL	BDL	40.9	0.4	2.2	21.0	10.0
2/23/2016 2:00	BDL	BDL	BDL	22.9	0.3	2.2	16.0	11.0
2/23/2016 3:00	0.4	BDL	BDL	22.2	0.3	2.4	15.0	7.0
2/23/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	17.0	7.0
2/23/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	13.0	12.0
2/23/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	16.0	9.0
2/23/2016 7:00	0.9	BDL	BDL	34.0	0.3	2.2	19.0	8.0
2/23/2016 8:00	0.8	BDL	BDL	41.2	0.3	2.2	21.0	9.0
2/23/2016 9:00	0.6	BDL	BDL	44.4	0.4	2.3	20.0	9.0
2/23/2016 10:00	0.5	BDL	BDL	49.3	0.4	2.2	20.0	7.0
2/23/2016 11:00	0.5	BDL	BDL	52.7	0.4	2.2	18.0	6.0
2/23/2016 12:00	BDL	BDL	BDL	38.7	0.4	2.1	Analyzer issue	Analyzer issue
2/23/2016 13:00	BDL	BDL	BDL	26.6	0.3	2.0	13.0	11.0
2/23/2016 14:00	BDL	BDL	BDL	28.3	0.4	2.1	60.0	49.0
2/23/2016 15:00	BDL	BDL	BDL	34.2	0.3	2.0	12.0	7.0
2/23/2016 16:00	BDL	BDL	BDL	25.5	0.3	2.0	10.0	6.0
2/23/2016 17:00	BDL	BDL	BDL	17.5	0.3	2.0	6.0	3.0
2/23/2016 18:00	BDL	BDL	BDL	15.1	0.3	1.9	7.0	3.0
2/23/2016 19:00	BDL	BDL	BDL	13.5	0.3	1.9	6.0	4.0
2/23/2016 20:00	BDL	BDL	BDL	11.7	0.3	1.9	5.0	4.0
2/23/2016 21:00	BDL	BDL	BDL	12.6	0.2	1.9	5.0	3.0
2/23/2016 22:00	BDL	BDL	BDL	11.0	0.2	1.9	5.0	1.0
2/23/2016 23:00	BDL	BDL	BDL	11.0	0.2	2.0	3.0	BDL
2/24/2016 0:00	BDL	BDL	BDL	15.3	0.2	2.0	9.0	1.0
2/24/2016 1:00	BDL	BDL	BDL	10.3	0.2	2.0	5.0	2.0
2/24/2016 2:00	BDL	BDL	BDL	8.9	0.2	2.0	3.0	2.0
2/24/2016 3:00	BDL	BDL	BDL	11.8	0.2	2.0	2.0	1.0
2/24/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	2.0	2.0
2/24/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	2.0	2.0
2/24/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	3.0	4.0
2/24/2016 7:00	BDL	BDL	BDL	26.9	0.3	2.0	9.0	4.0
2/24/2016 8:00	BDL	BDL	BDL	29.4	0.3	2.0	10.0	3.0
2/24/2016 9:00	BDL	BDL	BDL	33.4	0.4	2.0	10.0	6.0
2/24/2016 10:00	0.4	BDL	BDL	53.1	0.4	2.1	7.0	6.0
2/24/2016 11:00	0.4	BDL	BDL	46.5	0.4	2.3	7.0	9.0
2/24/2016 12:00	0.6	BDL	BDL	63.6	0.5	2.3	6.0	7.0
2/24/2016 13:00	1.2	BDL	BDL	103.7	0.8	2.8	20.0	8.0
2/24/2016 14:00	1.1	BDL	BDL	62.9	0.6	3.4	19.0	6.0
2/24/2016 15:00	0.6	BDL	BDL	6.4	0.3	2.1	11.0	3.0
2/24/2016 16:00	0.5	BDL	BDL	5.7	0.3	2.1	13.0	BDL
2/24/2016 17:00	BDL	BDL	BDL	4.2	0.3	2.1	15.0	1.0
2/24/2016 18:00	BDL	BDL	BDL	4.5	0.3	2.1	10.0	1.0
2/24/2016 19:00	BDL	BDL	BDL	2.7	0.3	2.0	11.0	1.0
2/24/2016 20:00	BDL	BDL	BDL	2.0	0.3	2.0	13.0	5.0
2/24/2016 21:00	BDL	BDL	BDL	1.9	0.3	2.0	19.0	8.0
2/24/2016 22:00	BDL	BDL	BDL	1.9	0.3	1.9	20.0	10.0
2/24/2016 23:00	BDL	BDL	BDL	5.7	0.3	2.0	2.0	6.0
2/25/2016 0:00	BDL	BDL	BDL	5.1	0.3	1.7	9.0	4.0
2/25/2016 1:00	BDL	BDL	BDL	4.8	0.3	1.8	13.0	6.0
2/25/2016 2:00	BDL	BDL	BDL	9.7	0.3	2.0	17.0	7.0
2/25/2016 3:00	BDL	BDL	BDL	12.2	0.3	2.5	10.0	5.0
2/25/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	12.0	7.0
2/25/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	8.0	6.0
2/25/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	7.0	3.0
2/25/2016 7:00	0.5	BDL	BDL	10.7	0.2	2.6	9.0	1.0
2/25/2016 8:00	1.4	BDL	BDL	19.0	0.3	2.4	14.0	14.0
2/25/2016 9:00	0.6	BDL	BDL	20.4	0.2	2.4	10.0	9.0
2/25/2016 10:00	0.8	BDL	BDL	22.0	0.2	2.6	13.0	7.0
2/25/2016 11:00	0.9	BDL	BDL	22.4	0.2	2.5	9.0	7.0
2/25/2016 12:00	1.1	BDL	BDL	22.6	0.2	2.3	17.0	10.0
2/25/2016 13:00	1.3	BDL	1	25.6	0.2	2.4	11.0	7.0
2/25/2016 14:00	1.1	BDL	BDL	24.7	0.2	2.3	10.0	3.0
2/25/2016 15:00	1.1	BDL	BDL	25.6	0.2	2.2	18.0	2.0
2/25/2016 16:00	0.8	BDL	BDL	21.2	0.2	2.2	12.0	3.0
2/25/2016 17:00	0.9	BDL	BDL	20.5	0.2	2.1	14.0	6.0
2/25/2016 18:00	1.1	BDL	1	25.1	0.2	2.1	15.0	7.0
2/25/2016 19:00	1.2	BDL	BDL	22.8	0.2	2.2	11.0	4.0
2/25/2016 20:00	1.2	BDL	BDL	23.7	0.2	2.1	11.0	13.0
2/25/2016 21:00	1.1	BDL	BDL	21.5	0.2	2.1	15.0	8.0
2/25/2016 22:00	1.1	BDL	BDL	20.3	0.2	2.1	10.0	6.0
2/25/2016 23:00	0.9	BDL	BDL	14.5	0.2	2.2	6.0	4.0
2/26/2016 0:00	0.6	BDL	BDL	8.2	0.2	2.3	6.0	3.0
2/26/2016 1:00	0.5	BDL	BDL	4.9	0.2	2.3	7.0	3.0
2/26/2016 2:00	0.4	BDL	BDL	5.0	0.2	2.2	7.0	2.0
2/26/2016 3:00	0.5	BDL	BDL	12.9	0.2	2.2	8.0	5.0
2/26/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	7.0	7.0
2/26/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	5.0	4.0
2/26/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	4.0	4.0
2/26/2016 7:00	BDL	BDL	BDL	3.7	0.2	2.2	6.0	4.0
2/26/2016 8:00	BDL	BDL	BDL	7.1	0.2	2.2	6.0	4.0
2/26/2016 9:00	BDL	BDL	BDL	3.9	0.2	2.3	13.0	3.0
2/26/2016 10:00	BDL	BDL	BDL	5.3	0.1	2.4	8.0	2.0
2/26/2016 11:00	BDL	BDL	BDL	4.0	0.1	2.4	11.0	2.0
2/26/2016 12:00	BDL	BDL	BDL	4.1	0.2	2.3	9.0	1.0
2/26/2016 13:00	BDL	BDL	BDL	3.2	0.1	2.3	9.0	4.0
2/26/2016 14:00	BDL	BDL	BDL	3.6	0.1	2.3	8.0	4.0
2/26/2016 15:00	BDL	BDL	BDL	3.5	0.1	2.3	10.0	3.0
2/26/2016 16:00	BDL	BDL	BDL	3.3	0.1	2.3	7.0	2.0
2/26/2016 17:00	BDL	BDL	BDL	4.3	0.1	2.3	9.0	BDL
2/26/2016 18:00	BDL	BDL	BDL	3.8	0.1	2.3	9.0	BDL
2/26/2016 19:00	BDL	BDL	BDL	3.4	0.2	2.3	7.0	2.0
2/26/2016 20:00	BDL	BDL	BDL	6.0	0.2	2.3	6.0	6.0
2/26/2016 21:00	BDL	BDL	BDL	5.0	0.2	2.3	4.0	6.0
2/26/2016 22:00	BDL	BDL	BDL	4.5	0.2	2.3	3.0	8.0
2/26/2016 23:00	0.4	BDL	BDL	7.2	0.2	2.4	2.0	8.0
2/27/2016 0:00	0.5	BDL	BDL	7.6	0.2	2.5	8.0	5.0
2/27/2016 1:00	0.5	BDL	BDL	9.0	0.2	2.6	7.0	1.0
2/27/2016 2:00	0.5	BDL	BDL	9.8	0.2	2.5	7.0	7.0
2/27/2016 3:00	0.6	BDL	BDL	10.2	0.2	2.6	8.0	6.0
2/27/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	5.0	6.0
2/27/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	5.0	8.0
2/27/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	6.0	7.0
2/27/2016 7:00	0.6	BDL	BDL	14.0	0.2	2.4	5.0	5.0
2/27/2016 8:00	0.7	BDL	BDL	15.8	0.2	2.4	14.0	4.0
2/27/2016 9:00	0.7	BDL	BDL	8.0	0.2	2.4	11.0	4.0
2/27/2016 10:00	0.6	BDL	BDL	4.4	0.2	2.4	7.0	3.0
2/27/2016 11:00	0.7	BDL	BDL	3.1	0.2	2.4	5.0	6.0
2/27/2016 12:00	0.6	BDL	BDL	4.3	0.2	2.3	5.0	6.0
2/27/2016 13:00	0.9	BDL	BDL	11.1	0.2	2.3	8.0	10.0
2/27/2016 14:00	0.9	BDL	BDL	11.8	0.2	2.4	20.0	10.0
2/27/2016 15:00	1.2	BDL	BDL	9.9	0.2	2.3	16.0	10.0
2/27/2016 16:00	1.7	BDL	BDL	13.5	0.2	2.4	19.0	13.0
2/27/2016 17:00	0.9	BDL	BDL	14.7	0.2	2.3	19.0	12.0
2/27/2016 18:00	0.9	BDL	BDL	15.3	0.2	2.3	14.0	10.0
2/27/2016 19:00	1.0	BDL	BDL	14.2	0.2	2.2	16.0	15.0
2/27/2016 20:00	1.3	BDL	BDL	11.8	0.2	2.8	20.0	12.0
2/27/2016 21:00	1.1	BDL	BDL	14.6	0.2	2.7	14.0	9.0
2/27/2016 22:00	1.4	BDL	BDL	18.8	0.2	2.7	12.0	10.0
2/27/2016 23:00	1.9	BDL	BDL	18.8	0.2	2.6	20.0	18.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 2/28/2016-3/5/2016								
2/28/2016 0:00	2.3	BDL	BDL	16.7	0.3	2.7	24.0	19.0
2/28/2016 1:00	2.4	BDL	BDL	18.8	0.3	2.7	27.0	18.0
2/28/2016 2:00	2.5	BDL	BDL	24.2	0.3	2.8	24.0	15.0
2/28/2016 3:00	2.9	BDL	BDL	22.3	0.3	2.8	20.0	18.0
2/28/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	22.0	12.0
2/28/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	15.0	13.0
2/28/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	17.0	14.0
2/28/2016 7:00	0.8	BDL	BDL	21.8	0.3	2.8	18.0	17.0
2/28/2016 8:00	1.1	BDL	BDL	24.7	0.3	2.9	17.0	16.0
2/28/2016 9:00	3.0	BDL	BDL	24.3	0.3	2.7	25.0	19.0
2/28/2016 10:00	2.5	BDL	BDL	20.3	0.3	2.7	18.0	15.0
2/28/2016 11:00	1.9	BDL	BDL	16.9	0.2	2.7	18.0	16.0
2/28/2016 12:00	2.3	BDL	BDL	14.9	0.2	2.7	16.0	13.0
2/28/2016 13:00	1.2	BDL	BDL	8.1	0.2	2.7	13.0	8.0
2/28/2016 14:00	1.2	BDL	BDL	8.7	0.2	2.9	16.0	4.0
2/28/2016 15:00	1.6	BDL	BDL	10.1	0.3	3.5	19.0	6.0
2/28/2016 16:00	1.0	BDL	BDL	9.1	0.3	4.3	9.0	9.0
2/28/2016 17:00	0.6	BDL	BDL	6.3	0.2	2.9	6.0	6.0
2/28/2016 18:00	0.4	BDL	BDL	7.7	0.3	2.6	8.0	3.0
2/28/2016 19:00	0.4	BDL	BDL	10.0	0.3	2.6	7.0	3.0
2/28/2016 20:00	0.4	BDL	BDL	6.7	0.3	2.6	15.0	4.0
2/28/2016 21:00	0.5	BDL	BDL	7.0	0.2	2.8	11.0	10.0
2/28/2016 22:00	0.9	BDL	BDL	13.2	0.3	2.9	16.0	10.0
2/28/2016 23:00	0.8	BDL	BDL	8.4	0.2	3.0	12.0	6.0
2/29/2016 0:00	0.6	BDL	BDL	6.0	0.2	3.0	15.0	7.0
2/29/2016 1:00	0.7	BDL	BDL	13.3	0.2	3.1	15.0	10.0
2/29/2016 2:00	0.9	BDL	1.1	15.2	0.2	3.1	9.0	10.0
2/29/2016 3:00	0.8	BDL	1.0	18.6	0.2	3.5	11.0	10.0
2/29/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	13.0	10.0
2/29/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	10.0	10.0
2/29/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	12.0	9.0
2/29/2016 7:00	1.1	BDL	BDL	11.4	0.2	3.0	20.0	11.0
2/29/2016 8:00	1.3	BDL	BDL	20.2	0.3	2.7	22.0	10.0
2/29/2016 9:00	1.8	BDL	BDL	24.5	0.3	2.6	22.0	19.0
2/29/2016 10:00	2.6	BDL	BDL	26.3	0.3	2.9	31.0	22.0
2/29/2016 11:00	2.2	BDL	BDL	27.7	0.3	2.7	28.0	24.0
2/29/2016 12:00	2.7	BDL	BDL	22.6	0.3	2.7	30.0	23.0
2/29/2016 13:00	2.7	BDL	BDL	26.5	0.3	2.7	27.0	19.0
2/29/2016 14:00	0.9	BDL	BDL	12.1	0.3	2.3	15.0	7.0
2/29/2016 15:00	0.5	BDL	BDL	9.5	0.3	2.3	25.0	5.0
2/29/2016 16:00	0.4	BDL	BDL	9.9	0.3	2.2	15.0	5.0
2/29/2016 17:00	0.8	BDL	BDL	22.7	0.3	2.2	28.0	9.0
2/29/2016 18:00	0.8	BDL	BDL	19.5	0.2	2.1	14.0	8.0
2/29/2016 19:00	0.7	BDL	BDL	13.8	0.2	2.2	11.0	9.0
2/29/2016 20:00	0.8	BDL	BDL	17.9	0.2	2.3	9.0	7.0
2/29/2016 21:00	0.8	BDL	BDL	12.3	0.2	2.3	16.0	8.0
2/29/2016 22:00	0.9	BDL	BDL	21.4	0.2	5.1	14.0	8.0
2/29/2016 23:00	0.9	BDL	BDL	20.6	0.2	2.6	12.0	6.0
3/1/2016 0:00	1.1	BDL	BDL	27.4	0.2	2.3	18.0	8.0
3/1/2016 1:00	0.8	BDL	1.0	16.2	0.2	2.2	12.0	6.0
3/1/2016 2:00	1.2	BDL	1.0	14.3	0.2	2.7	13.0	6.0
3/1/2016 3:00	0.8	BDL	1.0	12.7	0.2	2.4	11.0	7.0
3/1/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	15.0	9.0
3/1/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	12.0	8.0
3/1/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	21.0	8.0
3/1/2016 7:00	2.3	1.3	1.0	138.9	0.8	3.3	32.0	13.0
3/1/2016 8:00	2.9	1.7	1.0	160.2	0.9	3.6	33.0	21.0
3/1/2016 9:00	1.7	BDL	BDL	63.8	0.5	2.5	27.0	13.0
3/1/2016 10:00	1.2	BDL	BDL	37.2	0.3	2.2	21.0	10.0
3/1/2016 11:00	1.4	BDL	BDL	37.2	0.3	2.3	21.0	10.0
3/1/2016 12:00	1.1	BDL	BDL	26.2	0.3	2.1	17.0	6.0
3/1/2016 13:00	1.1	BDL	BDL	18.6	0.2	2.1	10.0	3.0
3/1/2016 14:00	0.7	BDL	BDL	9.5	0.2	2.0	19.0	3.0
3/1/2016 15:00	0.5	BDL	BDL	8.9	0.3	2.0	16.0	2.0
3/1/2016 16:00	0.5	BDL	BDL	10.8	0.3	2.0	14.0	1.0
3/1/2016 17:00	0.6	BDL	BDL	12.7	0.3	1.9	14.0	4.0
3/1/2016 18:00	0.6	BDL	BDL	16.1	0.3	1.9	16.0	6.0
3/1/2016 19:00	0.5	BDL	BDL	15.9	0.3	2.0	14.0	5.0
3/1/2016 20:00	0.4	BDL	BDL	24.3	0.3	2.1	12.0	8.0
3/1/2016 21:00	0.4	BDL	BDL	33.3	0.3	2.2	20.0	10.0
3/1/2016 22:00	0.4	BDL	BDL	25.9	0.3	2.2	21.0	8.0
3/1/2016 23:00	0.4	BDL	BDL	25.2	0.3	2.4	21.0	10.0
3/2/2016 0:00	0.5	BDL	BDL	13.5	0.3	2.3	23.0	20.0
3/2/2016 1:00	0.6	BDL	BDL	3.3	0.2	2.4	30.0	19.0
3/2/2016 2:00	0.5	BDL	BDL	2.8	0.3	2.4	26.0	17.0
3/2/2016 3:00	0.5	BDL	BDL	8.6	0.3	2.8	28.0	21.0
3/2/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	28.0	25.0
3/2/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	18.0	16.0
3/2/2016 6:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	23.0	17.0
3/2/2016 7:00	0.8	BDL	BDL	11.4	0.2	2.4	9.0	8.0
3/2/2016 8:00	0.5	BDL	BDL	9.0	0.2	2.4	10.0	7.0
3/2/2016 9:00	0.6	BDL	BDL	8.2	0.2	2.5	11.0	7.0
3/2/2016 10:00	0.4	BDL	BDL	5.1	0.2	2.5	10.0	5.0
3/2/2016 11:00	0.4	BDL	BDL	4.2	0.1	2.3	11.0	3.0
3/2/2016 12:00	BDL	BDL	BDL	3.3	0.1	2.3	6.0	BDL
3/2/2016 13:00	BDL	BDL	BDL	3.1	0.1	2.3	7.0	3.0
3/2/2016 14:00	BDL	BDL	BDL	3.7	0.1	2.2	12.0	3.0
3/2/2016 15:00	0.4	BDL	BDL	3.2	0.1	2.3	10.0	3.0
3/2/2016 16:00	0.4	BDL	BDL	2.9	0.1	2.3	10.0	1.0
3/2/2016 17:00	0.4	BDL	BDL	3.6	0.1	2.4	7.0	BDL
3/2/2016 18:00	0.4	BDL	BDL	3.6	0.1	2.4	8.0	10.0
3/2/2016 19:00	0.4	BDL	BDL	3.5	0.2	2.4	9.0	6.0
3/2/2016 20:00	BDL	BDL	BDL	4.1	0.2	2.3	6.0	BDL
3/2/2016 21:00	BDL	BDL	BDL	3.2	0.2	2.4	7.0	5.0
3/2/2016 22:00	0.4	BDL	BDL	3.1	0.2	2.3	7.0	6.0
3/2/2016 23:00	BDL	BDL	BDL	3.3	0.2	2.3	7.0	4.0
3/3/2016 0:00	BDL	BDL	BDL	3.4	0.2	2.3	8.0	4.0
3/3/2016 1:00	0.4	BDL	BDL	4.6	0.2	2.4	5.0	3.0
3/3/2016 2:00	0.4	BDL	BDL	5.3	0.2	2.4	3.0	4.0
3/3/2016 3:00	0.4	BDL	BDL	6.3	0.2	2.4	3.0	3.0
3/3/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	BDL	2.0
3/3/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	2.0	7.0
3/3/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	7.0	5.0
3/3/2016 7:00	BDL	BDL	BDL	13.5	0.4	2.5	9.0	6.0
3/3/2016 8:00	Calibration	Audit	Audit	Calibration	Calibration	Too few samples	16.0	6.0
3/3/2016 9:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	8.0	4.0
3/3/2016 10:00	0.5	BDL	BDL	9.7	0.2	2.3	8.0	3.0
3/3/2016 11:00	0.6	BDL	BDL	9.4	0.2	2.3	Analyzer issue	Analyzer issue
3/3/2016 12:00	0.5	BDL	BDL	13.4	0.2	2.2	Analyzer issue	Analyzer issue
3/3/2016 13:00	0.5	BDL	BDL	12.2	0.2	2.2	16.0	9.0
3/3/2016 14:00	0.7	BDL	BDL	14.8	0.2	2.2	7.0	12.0
3/3/2016 15:00	0.9	BDL	BDL	14.9	0.2	2.1	17.0	8.0
3/3/2016 16:00	1.0	BDL	BDL	13.4	0.2	2.1	16.0	12.0
3/3/2016 17:00	1.2	BDL	BDL	15.1	0.2	2.1	12.0	9.0
3/3/2016 18:00	1.0	BDL	BDL	16.2	0.2	2.1	16.0	13.0
3/3/2016 19:00	0.8	BDL	BDL	16.2	0.2	2.1	21.0	11.0
3/3/2016 20:00	0.7	BDL	BDL	12.6	0.2	2.2	19.0	8.0
3/3/2016 21:00	0.5	BDL	BDL	10.4	0.2	2.4	9.0	8.0
3/3/2016 22:00	0.7	BDL	BDL	6.0	0.2	2.3	10.0	7.0
3/3/2016 23:00	0.5	BDL	BDL	8.2	0.2	2.1	17.0	14.0
3/4/2016 0:00	BDL	BDL	BDL	7.4	0.2	2.1	20.0	15.0
3/4/2016 1:00	BDL	BDL	BDL	16.1	0.2	2.1	17.0	12.0
3/4/2016 2:00	BDL	BDL	BDL	12.3	0.2	2.1	16.0	18.0
3/4/2016 3:00	BDL	BDL	BDL	25.2	0.2	2.1	18.0	18.0
3/4/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	15.0	14.0
3/4/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	15.0	14.0
3/4/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	21.0	12.0
3/4/2016 7:00	0.4	BDL	BDL	33.1	0.3	2.2	22.0	16.0
3/4/2016 8:00	0.4	BDL	BDL	38.5	0.4	2.2	18.0	15.0
3/4/2016 9:00	0.5	BDL	BDL	40.9	0.4	2.2	22.0	15.0
3/4/2016 10:00	0.5	BDL	BDL	44.3	0.4	2.2	17.0	17.0
3/4/2016 11:00	0.4	BDL	BDL	37.4	0.4	2.2	18.0	17.0
3/4/2016 12:00	0.5	BDL	BDL	37.4	0.4	2.2	14.0	12.0
3/4/2016 13:00	BDL	BDL	BDL	32.9	0.4	2.2	23.0	17.0
3/4/2016 14:00	0.4	BDL	BDL	34.4	0.4	2.2	21.0	14.0
3/4/2016 15:00	0.4	BDL	BDL	22.2	0.3	2.1	21.0	10.0
3/4/2016 16:00	0.4	BDL	BDL	20.9	0.3	2.1	19.0	10.0
3/4/2016 17:00	0.4	BDL	BDL	23.2	0.3	2.1	17.0	11.0
3/4/2016 18:00	0.4	BDL	BDL	13.9	0.3	2.2	18.0	11.0
3/4/2016 19:00	0.4	BDL	BDL	17.9	0.3	2.2	20.0	9.0
3/4/2016 20:00	0.4	BDL	BDL	16.1	0.3	2.2	16.0	11.0
3/4/2016 21:00	0.5	BDL	BDL	15.1	0.3	2.4	17.0	12.0
3/4/2016 22:00	0.6	BDL	BDL	20.6	0.3	2.6	19.0	15.0
3/4/2016 23:00	0.6	BDL	BDL	11.7	0.2	2.4	15.0	16.0
3/5/2016 0:00	0.5	BDL	BDL	14.0	0.2	2.4	15.0	9.0
3/5/2016 1:00	0.4	BDL	BDL	12.4	0.3	2.4	18.0	11.0
3/5/2016 2:00	BDL	BDL	BDL	10.9	0.2	2.3	14.0	13.0
3/5/2016 3:00	0.4	BDL	BDL	12.3	0.2	2.4	17.0	15.0
3/5/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	13.0	10.0
3/5/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	15.0	9.0
3/5/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	17.0	9.0
3/5/2016 7:00	0.4	BDL	BDL	18.9	0.2	2.4	13.0	11.0
3/5/2016 8:00	0.5	BDL	BDL	12.8	0.2	2.3	12.0	10.0
3/5/2016 9:00	0.6	BDL	BDL	11.7	0.2	2.4	11.0	7.0
3/5/2016 10:00	0.5	BDL	BDL	9.4	0.2	2.3	11.0	6.0
3/5/2016 11:00	BDL	BDL	BDL	6.6	0.2	2.2	12.0	5.0
3/5/2016 12:00	0.4	BDL	BDL	6.0	0.2	2.2	9.0	8.0
3/5/2016 13:00	0.5	BDL	BDL	8.5	0.2	2.2	14.0	8.0
3/5/2016 14:00	0.4	BDL	BDL	8.5	0.2	2.2	14.0	4.0
3/5/2016 15:00	BDL	BDL	BDL	6.0	0.2	2.2	11.0	5.0
3/5/2016 16:00	0.8	BDL	BDL	11.9	0.2	2.2	11.0	7.0
3/5/2016 17:00	1.1	BDL	BDL	10.1	0.2	2.2	17.0	12.0
3/5/2016 18:00	1.5	BDL	BDL	9.2	0.2	2.3	17.0	9.0
3/5/2016 19:00	1.2	BDL	BDL	10.4	0.2	2.3	22.0	15.0
3/5/2016 20:00	0.8	BDL	BDL	11.2	0.3	2.6	20.0	14.0
3/5/2016 21:00	0.9	BDL	BDL	16.7	0.3	2.6	24.0	22.0
3/5/2016 22:00	1.1	BDL	BDL	19.0	0.3	2.5	28.0	20.0
3/5/2016 23:00	1.2	BDL	BDL	30.1	0.4	2.6	31.0	20.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 3/6/2016-3/12/2016								
3/6/2016 0:00	0.9	BDL	1.7	22.3	0.3	2.6	28.0	21.0
3/6/2016 1:00	0.8	BDL	BDL	34.4	0.4	2.5	33.0	25.0
3/6/2016 2:00	0.5	BDL	BDL	34.0	0.4	2.4	28.0	22.0
3/6/2016 3:00	BDL	BDL	BDL	28.5	0.4	2.5	26.0	22.0
3/6/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	24.0	23.0
3/6/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	30.0	23.0
3/6/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	26.0	18.0
3/6/2016 7:00	1.1	BDL	BDL	37.5	0.5	2.65	31.0	26.0
3/6/2016 8:00	0.9	BDL	BDL	36.7	0.5	2.5	30.0	23.0
3/6/2016 9:00	0.6	BDL	BDL	26.9	0.4	2.3	23.0	11.0
3/6/2016 10:00	0.7	BDL	BDL	31.3	0.4	2.3	27.0	15.0
3/6/2016 11:00	0.7	BDL	BDL	26.2	0.4	2.3	26.0	11.0
3/6/2016 12:00	0.7	BDL	BDL	22.9	0.3	2.2	25.0	13.0
3/6/2016 13:00	0.8	BDL	BDL	18.1	0.3	2.2	22.0	13.0
3/6/2016 14:00	1.1	BDL	BDL	12.1	0.3	2.2	22.0	19.0
3/6/2016 15:00	1.0	BDL	BDL	7.7	0.2	2.3	15.0	16.0
3/6/2016 16:00	0.6	BDL	BDL	6.1	0.2	2.4	16.0	18.0
3/6/2016 17:00	0.5	BDL	BDL	6.4	0.2	2.3	17.0	12.0
3/6/2016 18:00	0.5	BDL	BDL	7.7	0.2	2.3	14.0	13.0
3/6/2016 19:00	0.5	BDL	BDL	11.0	0.2	2.4	24.0	15.0
3/6/2016 20:00	0.8	BDL	BDL	34.3	0.5	2.3	29.0	19.0
3/6/2016 21:00	0.9	BDL	BDL	49.8	0.6	2.3	34.0	25.0
3/6/2016 22:00	0.9	BDL	BDL	56.3	0.6	2.5	37.0	26.0
3/6/2016 23:00	0.7	BDL	BDL	53.5	0.6	2.5	37.0	27.0
3/7/2016 0:00	0.7	BDL	BDL	59.9	0.7	2.6	38.0	30.0
3/7/2016 1:00	0.4	BDL	BDL	41.3	0.5	2.8	43.0	31.0
3/7/2016 2:00	0.5	BDL	BDL	47.0	0.5	2.9	35.0	31.0
3/7/2016 3:00	0.4	BDL	BDL	32.6	0.4	2.7	32.0	26.0
3/7/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	36.0	33.0
3/7/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	32.0	32.0
3/7/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	36.0	27.0
3/7/2016 7:00	0.5	BDL	1.8	21.6	0.3	2.6	36.0	29.0
3/7/2016 8:00	0.5	0.5	2	23.7	0.3	2.7	39.0	27.0
3/7/2016 9:00	1.1	BDL	1.4	28.6	0.3	2.7	36.0	29.0
3/7/2016 10:00	1.0	BDL	BDL	13.1	0.2	2.7	32.0	20.0
3/7/2016 11:00	1.2	BDL	BDL	12.9	0.2	2.4	31.0	20.0
3/7/2016 12:00	1.0	BDL	BDL	10.8	0.2	2.5	33.0	16.0
3/7/2016 13:00	0.7	BDL	BDL	8.3	0.2	2.4	23.0	13.0
3/7/2016 14:00	0.6	BDL	BDL	8.5	0.2	2.7	21.0	12.0
3/7/2016 15:00	1.2	BDL	BDL	12.4	0.3	2.5	31.0	10.0
3/7/2016 16:00	1.4	BDL	BDL	13.4	0.3	2.6	26.0	11.0
3/7/2016 17:00	2.4	BDL	BDL	16.0	0.3	2.6	25.0	17.0
3/7/2016 18:00	2.2	BDL	BDL	16.0	0.3	2.6	26.0	18.0
3/7/2016 19:00	2.3	BDL	BDL	26.8	0.4	2.6	19.0	10.0
3/7/2016 20:00	1.4	BDL	BDL	29.0	0.3	2.4	20.0	15.0
3/7/2016 21:00	0.5	BDL	BDL	13.6	0.3	2.4	18.0	11.0
3/7/2016 22:00	1.0	BDL	BDL	25.2	0.3	2.6	17.0	14.0
3/7/2016 23:00	1.4	BDL	BDL	30.5	0.4	3.0	20.0	15.0
3/8/2016 0:00	1.8	BDL	BDL	31.9	0.4	3.2	23.0	18.0
3/8/2016 1:00	2.1	BDL	BDL	35.7	0.4	3.2	21.0	15.0
3/8/2016 2:00	1.4	BDL	BDL	40.4	0.4	3.0	22.0	16.0
3/8/2016 3:00	1.6	BDL	BDL	55.6	0.4	3.3	27.0	18.0
3/8/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	23.0	26.0
3/8/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	24.0	15.0
3/8/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	26.0	14.0
3/8/2016 7:00	3.2	1.6	BDL	151.7	0.9	4.7	51.0	23.0
3/8/2016 8:00	3.9	2.1	BDL	158.6	1.0	5.0	61.0	25.0
3/8/2016 9:00	4.3	1.5	BDL	142.7	0.9	4.0	60.0	29.0
3/8/2016 10:00	3.8	0.4	BDL	90.5	0.5	2.8	40.0	19.0
3/8/2016 11:00	3.6	0.5	1	80.8	0.5	2.5	38.0	16.0
3/8/2016 12:00	2.6	BDL	BDL	54.3	0.5	2.4	38.0	15.0
3/8/2016 13:00	1.6	BDL	BDL	36.6	0.5	2.2	23.0	14.0
3/8/2016 14:00	1.3	BDL	BDL	16.0	0.3	2.1	21.0	8.0
3/8/2016 15:00	1.4	BDL	BDL	11.4	0.3	2.2	26.0	10.0
3/8/2016 16:00	1.4	BDL	BDL	12.5	0.2	2.4	Analyzer issue	14.0
3/8/2016 17:00	1.8	BDL	BDL	14.2	0.2	2.4	Analyzer issue	9.0
3/8/2016 18:00	1.3	BDL	BDL	15.3	0.3	2.4	24.0	9.0
3/8/2016 19:00	1.2	BDL	BDL	30.4	0.4	2.2	26.0	8.0
3/8/2016 20:00	1.1	BDL	BDL	27.4	0.3	2.2	24.0	10.0
3/8/2016 21:00	0.8	BDL	BDL	18.5	0.4	2.6	21.0	9.0
3/8/2016 22:00	1.2	BDL	1.6	22.1	0.3	3.1	18.0	10.0
3/8/2016 23:00	2.3	BDL	1.2	52.8	0.6	2.2	22.0	16.0
3/9/2016 0:00	1.9	BDL	BDL	31.3	0.5	2.1	18.0	12.0
3/9/2016 1:00	1.0	BDL	BDL	27.7	0.4	2.1	16.0	14.0
3/9/2016 2:00	0.8	BDL	BDL	30.0	0.4	2.3	22.0	13.0
3/9/2016 3:00	0.8	BDL	BDL	30.5	0.3	2.3	18.0	14.0
3/9/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	27.0	19.0
3/9/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	24.0	22.0
3/9/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	43.0	17.0
3/9/2016 7:00	2.2	1.7	1.2	138.6	0.9	2.9	43.0	20.0
3/9/2016 8:00	2.2	1.6	1.4	131.8	0.8	2.7	42.0	21.0
3/9/2016 9:00	3.7	1.1	1.3	102.9	0.5	2.7	45.0	25.0
3/9/2016 10:00	5.7	0.9	1.4	78.1	0.4	2.9	49.0	19.0
3/9/2016 11:00	4.0	BDL	BDL	56.9	0.4	2.7	39.0	15.0
3/9/2016 12:00	2.8	BDL	BDL	48.8	0.4	2.9	33.0	17.0
3/9/2016 13:00	2.0	BDL	1	35.6	0.3	2.8	35.0	13.0
3/9/2016 14:00	1.6	BDL	BDL	20.5	0.3	3.1	33.0	11.0
3/9/2016 15:00	1.3	BDL	BDL	14.2	0.3	3.0	30.0	10.0
3/9/2016 16:00	0.9	BDL	BDL	7.9	0.2	2.7	34.0	13.0
3/9/2016 17:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	28.0	13.0
3/9/2016 18:00	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue
3/9/2016 19:00	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue
3/9/2016 20:00	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue
3/9/2016 21:00	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue
3/9/2016 22:00	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue
3/9/2016 23:00	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue
3/10/2016 0:00	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue
3/10/2016 1:00	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue
3/10/2016 2:00	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue
3/10/2016 3:00	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue
3/10/2016 4:00	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue
3/10/2016 5:00	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue	Data handling system issue
3/10/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	32.0	18.0
3/10/2016 7:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	38.0	20.0
3/10/2016 8:00	2.1	BDL	BDL	53.8	0.5	2.9	46.0	20.0
3/10/2016 9:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	Analyzer issue	19.0
3/10/2016 10:00	2.6	Too few samples	Too few samples	22.7	0.3	2.9	Analyzer issue	14.0
3/10/2016 11:00	Too few samples	Too few samples	Too few samples	Too few samples	0.3	3.3	Analyzer issue	15.0
3/10/2016 12:00	1.6	BDL	BDL	14.6	0.3	3.4	Analyzer issue	16.0
3/10/2016 13:00	1.2	BDL	BDL	11.2	0.3	2.7	Analyzer issue	16.0
3/10/2016 14:00	1.7	BDL	BDL	10.9	0.3	2.2	47.0	16.0
3/10/2016 15:00	1.6	BDL	BDL	8.1	0.3	2.3	Analyzer issue	13.0
3/10/2016 16:00	1.2	BDL	BDL	5.1	0.3	2.3	Analyzer issue	17.0
3/10/2016 17:00	1.4	BDL	BDL	5.6	0.3	2.3	Analyzer issue	15.0
3/10/2016 18:00	1.7	BDL	BDL	10.1	0.3	2.4	37.0	16.0
3/10/2016 19:00	1.9	BDL	BDL	12.9	0.3	2.4	33.0	14.0
3/10/2016 20:00	2.0	BDL	BDL	20.8	0.4	2.4	32.0	23.0
3/10/2016 21:00	2.0	BDL	BDL	13.9	0.3	2.4	36.0	22.0
3/10/2016 22:00	2.3	BDL	BDL	19.9	0.3	2.5	32.0	15.0
3/10/2016 23:00	2.8	BDL	BDL	23.6	0.4	2.9	30.0	16.0
3/11/2016 0:00	2.0	BDL	BDL	45.7	0.5	2.8	32.0	18.0
3/11/2016 1:00	1.4	BDL	BDL	19.6	0.3	2.3	29.0	17.0
3/11/2016 2:00	0.9	BDL	BDL	6.8	0.3	2.3	23.0	15.0
3/11/2016 3:00	0.7	BDL	BDL	12.1	0.4	2.5	22.0	14.0
3/11/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	19.0	11.0
3/11/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	14.0	7.0
3/11/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	11.0	6.0
3/11/2016 7:00	BDL	BDL	BDL	14.8	0.3	1.8	9.0	4.0
3/11/2016 8:00	BDL	BDL	BDL	10.0	0.3	2.1	10.0	3.0
3/11/2016 9:00	0.4	BDL	BDL	6.5	0.3	2.0	12.0	3.0
3/11/2016 10:00	BDL	BDL	BDL	3.4	0.2	2.2	11.0	3.0
3/11/2016 11:00	BDL	BDL	BDL	5.4	0.3	2.2	17.0	5.0
3/11/2016 12:00	BDL	BDL	BDL	4.1	0.2	2.3	13.0	3.0
3/11/2016 13:00	BDL	BDL	BDL	2.0	0.2	2.3	11.0	5.0
3/11/2016 14:00	BDL	BDL	BDL	2.8	0.2	2.3	11.0	5.0
3/11/2016 15:00	BDL	BDL	BDL	2.3	0.2	2.2	8.0	6.0
3/11/2016 16:00	BDL	BDL	BDL	2.2	0.2	2.2	16.0	4.0
3/11/2016 17:00	BDL	BDL	BDL	1.1	0.2	2.5	5.0	3.0
3/11/2016 18:00	BDL	BDL	BDL	2.5	0.2	2.3	Analyzer issue	6.0
3/11/2016 19:00	BDL	BDL	BDL	7.4	0.2	2.1	Analyzer issue	5.0
3/11/2016 20:00	BDL	BDL	BDL	7.7	0.3	2.2	Analyzer issue	4.0
3/11/2016 21:00	BDL	BDL	BDL	5.1	0.3	2.2	7.0	3.0
3/11/2016 22:00	0.5	BDL	BDL	7.6	0.3	2.1	6.0	3.0
3/11/2016 23:00	0.4	BDL	BDL	9.4	0.3	2.2	5.0	3.0
3/12/2016 0:00	BDL	BDL	BDL	8.7	0.3	2.1	7.0	2.0
3/12/2016 1:00	BDL	BDL	BDL	6.6	0.3	2.2	6.0	3.0
3/12/2016 2:00	BDL	BDL	BDL	13.5	0.3	2.6	7.0	5.0
3/12/2016 3:00	BDL	BDL	BDL	13.1	0.3	2.2	7.0	5.0
3/12/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	8.0	5.0
3/12/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	9.0	5.0
3/12/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	10.0	4.0
3/12/2016 7:00	0.4	BDL	BDL	19.8	0.3	2.24	16.0	6.0
3/12/2016 8:00	0.4	BDL	BDL	17.9	0.3	2.2	11.0	5.0
3/12/2016 9:00	0.6	BDL	BDL	16.5	0.3	2.2	17.0	5.0
3/12/2016 10:00	0.6	BDL	BDL	13.3	0.2	2.1	9.0	4.0
3/12/2016 11:00	BDL	BDL	BDL	5.9	0.2	2.0	6.0	2.0
3/12/2016 12:00	0.9	BDL	BDL	4.4	0.2	2.1	8.0	6.0
3/12/2016 13:00	1.1	BDL	BDL	5.4	0.2	2.2	8.0	6.0
3/12/2016 14:00	1.1	BDL	BDL	5.9	0.2	2.2	12.0	9.0
3/12/2016 15:00	0.8	BDL	BDL	3.0	0.2	2.2	7.0	5.0
3/12/2016 16:00	0.4	BDL	BDL	1.5	0.2	2.2	11.0	5.0
3/12/2016 17:00	1.5	BDL	BDL	9.3	0.2	2.2	17.0	3.0
3/12/2016 18:00	1.8	BDL	BDL	7.3	0.2	2.2	7.0	8.0
3/12/2016 19:00	3.1	BDL	BDL	13.6	0.3	2.2	18.0	9.0
3/12/2016 20:00	3.2	BDL	1	28.1	0.3	2.4	19.0	8.0
3/12/2016 21:00	2.0	BDL	BDL	8.9	0.3	2.4	15.0	7.0
3/12/2016 22:00	2.5	BDL	1	13.5	0.3	2.7	18.0	8.0
3/12/2016 23:00	1.6	BDL	1.1	30.8	0.4	2.7	16.0	11.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Site Downwind Weekly: 3/13/2016-3/19/2016 . Daylight Savings Time on 3/13/16. All timestamps are Eastern Standard Time.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
3/13/2016 0:00	1.8	BDL	1.3	42.2	0.4	3.0	21.0	10.0
3/13/2016 1:00	1.2	BDL	1.4	28.0	0.4	2.9	20.0	12.0
3/13/2016 2:00	1.0	BDL	1.3	17.4	0.3	2.5	17.0	13.0
3/13/2016 3:00	1.0	BDL	1	13.2	0.3	2.4	20.0	12.0
3/13/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	22.0	13.0
3/13/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	21.0	13.0
3/13/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	26.0	16.0
3/13/2016 7:00	1.2	BDL	BDL	37.5	0.6	2.93	25.0	17.0
3/13/2016 8:00	1.3	BDL	BDL	50.0	0.6	2.8	28.0	19.0
3/13/2016 9:00	1.6	BDL	1.1	56.9	0.5	2.5	30.0	18.0
3/13/2016 10:00	1.0	BDL	BDL	16.6	0.4	2.1	24.0	9.0
3/13/2016 11:00	0.7	BDL	BDL	15.6	0.3	2.0	23.0	7.0
3/13/2016 12:00	0.5	BDL	BDL	11.5	0.4	2.0	23.0	6.0
3/13/2016 13:00	0.9	BDL	BDL	12.3	0.3	2.0	20.0	8.0
3/13/2016 14:00	0.9	BDL	BDL	9.4	0.3	2.0	20.0	8.0
3/13/2016 15:00	0.6	BDL	BDL	5.8	0.3	1.9	18.0	6.0
3/13/2016 16:00	0.5	BDL	BDL	6.0	0.3	1.9	15.0	7.0
3/13/2016 17:00	0.4	BDL	BDL	7.3	0.3	1.8	17.0	7.0
3/13/2016 18:00	BDL	BDL	BDL	7.3	0.3	1.8	25.0	11.0
3/13/2016 19:00	BDL	BDL	BDL	18.7	0.4	1.8	22.0	11.0
3/13/2016 20:00	BDL	BDL	BDL	16.1	0.4	1.9	11.0	11.0
3/13/2016 21:00	BDL	BDL	BDL	10.8	0.4	1.9	12.0	7.0
3/13/2016 22:00	BDL	BDL	BDL	7.8	0.3	1.9	16.0	6.0
3/13/2016 23:00	BDL	BDL	BDL	3.4	0.2	1.9	13.0	5.0
3/14/2016 0:00	BDL	BDL	BDL	5.1	0.3	2.0	11.0	6.0
3/14/2016 1:00	BDL	BDL	BDL	3.3	0.2	1.9	11.0	6.0
3/14/2016 2:00	BDL	BDL	BDL	2.9	0.2	1.9	10.0	6.0
3/14/2016 3:00	BDL	BDL	BDL	8.8	0.2	1.9	12.0	6.0
3/14/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	11.0	8.0
3/14/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	9.0	9.0
3/14/2016 6:00	10.2	BDL	1.5	19.1	0.8	1.8	7.0	6.0
3/14/2016 7:00	1.3	BDL	BDL	14.9	0.3	1.8	11.0	5.0
3/14/2016 8:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	10.0	3.0
3/14/2016 9:00	22	BDL	BDL	17.3	0.3	1.9	9.0	3.0
3/14/2016 10:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	12.0	6.0
3/14/2016 11:00	4.5	BDL	BDL	14.2	0.3	1.9	8.0	5.0
3/14/2016 12:00	2.0	BDL	BDL	17.5	0.3	1.9	5.0	2.0
3/14/2016 13:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	6.0	2.0
3/14/2016 14:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	6.0	2.0
3/14/2016 15:00	BDL	BDL	BDL	15.7	0.3	2.0	8.0	2.0
3/14/2016 16:00	BDL	BDL	BDL	13.9	0.2	2.0	8.0	3.0
3/14/2016 17:00	BDL	BDL	BDL	12.5	0.2	2.0	6.0	2.0
3/14/2016 18:00	BDL	BDL	BDL	15.5	0.3	2.0	4.0	4.0
3/14/2016 19:00	BDL	BDL	BDL	21.5	0.3	2.1	9.0	5.0
3/14/2016 20:00	BDL	BDL	BDL	20.6	0.3	2.1	8.0	6.0
3/14/2016 21:00	BDL	BDL	BDL	19.2	0.3	2.1	8.0	4.0
3/14/2016 22:00	BDL	BDL	BDL	17.1	0.2	2.1	6.0	6.0
3/14/2016 23:00	BDL	BDL	BDL	15.3	0.2	2.1	9.0	7.0
3/15/2016 0:00	BDL	BDL	BDL	13.0	0.2	2.1	8.0	8.0
3/15/2016 1:00	BDL	BDL	BDL	12.5	0.2	2.1	5.0	7.0
3/15/2016 2:00	BDL	BDL	BDL	9.6	0.2	2.1	6.0	6.0
3/15/2016 3:00	BDL	BDL	BDL	15.4	0.2	2.2	6.0	4.0
3/15/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	4.0	3.0
3/15/2016 5:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	3.0	1.0
3/15/2016 6:00	BDL	BDL	1.7	27.2	0.6	2.1	10.0	BDL
3/15/2016 7:00	BDL	BDL	BDL	24.5	0.2	2.1	7.0	5.0
3/15/2016 8:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	12.0	7.0
3/15/2016 9:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	9.0	6.0
3/15/2016 10:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	6.0	5.0
3/15/2016 11:00	1.0	BDL	BDL	19.2	0.2	2.4	7.0	5.0
3/15/2016 12:00	0.5	BDL	BDL	14.9	0.2	2.3	8.0	4.0
3/15/2016 13:00	0.5	BDL	BDL	15.3	0.2	2.2	6.0	6.0
3/15/2016 14:00	BDL	BDL	BDL	12.5	0.2	2.2	7.0	4.0
3/15/2016 15:00	BDL	BDL	BDL	15.4	0.2	2.3	8.0	2.0
3/15/2016 16:00	BDL	BDL	BDL	16.5	0.2	2.3	7.0	4.0
3/15/2016 17:00	BDL	BDL	BDL	15.4	0.2	2.2	9.0	7.0
3/15/2016 18:00	BDL	BDL	BDL	14.3	0.2	2.2	10.0	10.0
3/15/2016 19:00	BDL	BDL	BDL	19.5	0.3	2.2	13.0	12.0
3/15/2016 20:00	BDL	BDL	BDL	24.8	0.3	2.4	13.0	10.0
3/15/2016 21:00	BDL	BDL	BDL	21.7	0.3	2.4	11.0	12.0
3/15/2016 22:00	BDL	BDL	BDL	19.1	0.3	2.3	17.0	8.0
3/15/2016 23:00	BDL	BDL	BDL	20.5	0.3	2.5	20.0	10.0
3/16/2016 0:00	BDL	BDL	BDL	27.7	0.3	2.6	20.0	12.0
3/16/2016 1:00	0.5	BDL	BDL	65.7	0.6	3.8	26.0	21.0
3/16/2016 2:00	0.7	BDL	BDL	80.9	0.5	4.7	25.0	20.0
3/16/2016 3:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	28.0	20.0
3/16/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	26.0	19.0
3/16/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	34.0	25.0
3/16/2016 6:00	1.8	2.2	1.3	150.4	0.8	5.6	31.0	22.0
3/16/2016 7:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	39.0	27.0
3/16/2016 8:00	Calibration	Audit	Audit	Calibration	Calibration	Too few samples	45.0	27.0
3/16/2016 9:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	49.0	64.0
3/16/2016 10:00	2.2	0.9	1	120.1	0.7	2.6	53.0	25.0
3/16/2016 11:00	1.5	BDL	BDL	78.1	0.6	2.4	35.0	22.0
3/16/2016 12:00	1.0	BDL	BDL	42.4	0.3	2.1	18.0	10.0
3/16/2016 13:00	0.5	BDL	BDL	16.6	0.2	2.1	13.0	6.0
3/16/2016 14:00	0.4	BDL	BDL	9.4	0.2	2.1	8.0	4.0
3/16/2016 15:00	0.4	BDL	BDL	6.2	0.2	2.1	7.0	4.0
3/16/2016 16:00	0.7	BDL	BDL	10.5	0.2	2.3	12.0	4.0
3/16/2016 17:00	0.4	BDL	BDL	9.9	0.2	2.3	11.0	5.0
3/16/2016 18:00	BDL	BDL	BDL	9.2	0.2	2.2	14.0	6.0
3/16/2016 19:00	BDL	BDL	BDL	17.5	0.3	2.0	12.0	6.0
3/16/2016 20:00	BDL	BDL	BDL	26.4	0.4	2.0	9.0	10.0
3/16/2016 21:00	BDL	BDL	BDL	40.8	0.5	2.0	21.0	7.0
3/16/2016 22:00	BDL	BDL	BDL	27.7	0.3	2.0	21.0	14.0
3/16/2016 23:00	BDL	BDL	BDL	25.4	0.4	2.0	27.0	21.0
3/17/2016 0:00	BDL	BDL	BDL	24.0	0.4	2.0	27.0	25.0
3/17/2016 1:00	BDL	BDL	BDL	24.1	0.4	2.1	28.0	23.0
3/17/2016 2:00	BDL	BDL	BDL	32.9	0.3	2.1	35.0	25.0
3/17/2016 3:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	29.0	28.0
3/17/2016 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	29.0	18.0
3/17/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	Calibration	25.0	19.0
3/17/2016 6:00	BDL	BDL	BDL	68.8	0.5	2.2	29.0	15.0
3/17/2016 7:00	BDL	BDL	BDL	71.9	0.6	2.2	38.0	20.0
3/17/2016 8:00	BDL	BDL	BDL	62.3	0.4	2.1	22.0	14.0
3/17/2016 9:00	BDL	BDL	BDL	37.2	0.2	2.2	20.0	13.0
3/17/2016 10:00	1.7	BDL	BDL	44.8	0.3	2.5	26.0	17.0
3/17/2016 11:00	3.4	BDL	BDL	44.8	0.2	2.6	34.0	19.0
3/17/2016 12:00	3.4	BDL	BDL	47.1	0.3	2.4	29.0	15.0
3/17/2016 13:00	1.7	BDL	BDL	20.7	0.2	2.4	27.0	11.0
3/17/2016 14:00	1.3	BDL	BDL	234.3	0.2	Too few samples	12.0	11.0
3/17/2016 15:00	BDL	BDL	BDL	406.4	0.1	Calibration	26.0	7.0
3/17/2016 16:00	6.4	BDL	BDL	Too few samples	0.5	Too few samples	10.0	7.0
3/17/2016 17:00	BDL	Audit	Audit	10.5	0.2	3.3	13.0	5.0
3/17/2016 18:00	BDL	BDL	BDL	12.0	0.2	2.4	14.0	1.0
3/17/2016 19:00	0.6	BDL	BDL	16.2	0.1	2.4	15.0	4.0
3/17/2016 20:00	BDL	BDL	BDL	13.9	0.1	2.3	15.0	6.0
3/17/2016 21:00	BDL	BDL	BDL	13.1	0.1	2.4	5.0	5.0
3/17/2016 22:00	BDL	BDL	BDL	7.9	0.1	2.4	7.0	3.0
3/17/2016 23:00	BDL	BDL	BDL	10.2	0.1	2.4	7.0	3.0
3/18/2016 0:00	BDL	BDL	BDL	8.1	0.1	2.4	9.0	4.0
3/18/2016 1:00	0.4	BDL	BDL	17.4	0.1	2.3	18.0	8.0
3/18/2016 2:00	0.4	BDL	BDL	16.2	0.1	2.3	13.0	6.0
3/18/2016 3:00	BDL	Calibration	Calibration	5.6	0.1	2.4	8.0	3.0
3/18/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	6.0	2.0
3/18/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.1	Calibration	11.0	3.0
3/18/2016 6:00	1.2	BDL	BDL	18.0	0.1	2.6	18.0	8.0
3/18/2016 7:00	2.2	BDL	BDL	21.0	0.2	2.7	21.0	9.0
3/18/2016 8:00	2.0	Too few samples	Too few samples	31.8	0.2	2.4	27.0	10.0
3/18/2016 9:00	NoData	NoData	NoData	Maintenance	Maintenance	Maintenance	Maintenance	Maintenance
3/18/2016 10:00	NoData	NoData	NoData	Maintenance	Maintenance	Maintenance	Maintenance	Maintenance
3/18/2016 11:00	BDL	Too few samples	Audit	9.2	0.1	2.3	Maintenance	Maintenance
3/18/2016 12:00	BDL	Audit	Audit	12.2	0.1	2.3	34.0	3.0
3/18/2016 13:00	BDL	Too few samples	Too few samples	13.0	0.1	17.4	31.0	4.0
3/18/2016 14:00	0.6	Calibration	Calibration	11.7	0.1	2.2	63.0	7.0
3/18/2016 15:00	0.4	BDL	BDL	11.5	0.1	2.2	28.0	5.0
3/18/2016 16:00	BDL	BDL	BDL	3.7	0.1	2.3	17.0	3.0
3/18/2016 17:00	BDL	BDL	BDL	3.0	0.1	2.2	15.0	5.0
3/18/2016 18:00	BDL	BDL	BDL	3.0	0.1	2.2	17.0	4.0
3/18/2016 19:00	BDL	BDL	BDL	5.9	0.1	2.1	12.0	4.0
3/18/2016 20:00	BDL	BDL	BDL	29.7	0.3	2.4	16.0	5.0
3/18/2016 21:00	BDL	1.0	BDL	52.7	0.4	2.9	13.0	10.0
3/18/2016 22:00	BDL	1.3	BDL	42.6	0.4	3.0	24.0	7.0
3/18/2016 23:00	BDL	BDL	BDL	9.6	0.2	2.0	15.0	7.0
3/19/2016 0:00	BDL	BDL	BDL	6.3	0.1	2.0	12.0	4.0
3/19/2016 1:00	BDL	BDL	BDL	5.5	0.1	2.2	10.0	8.0
3/19/2016 2:00	BDL	BDL	BDL	7.5	0.1	2.1	8.0	6.0
3/19/2016 3:00	BDL	Calibration	Calibration	7.0	0.1	2.1	9.0	6.0
3/19/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	11.0	5.0
3/19/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.1	Calibration	12.0	5.0
3/19/2016 6:00	BDL	BDL	BDL	12.2	0.1	2.1	10.0	3.0
3/19/2016 7:00	BDL	BDL	BDL	16.9	0.1	2.1	9.0	2.0
3/19/2016 8:00	BDL	Too few samples	Too few samples	19.8	0.1	1.1	10.0	4.0
3/19/2016 9:00	BDL	Calibration	Calibration	14.0	0.1	0.03	12.0	8.0
3/19/2016 10:00	BDL	Calibration	Calibration	9.9	0.1	BDL	11.0	5.0
3/19/2016 11:00	BDL	Calibration	Calibration	9.6	0.1	BDL	13.0	2.0
3/19/2016 12:00	BDL	Calibration	Calibration	11.5	0.1	BDL	8.0	2.0
3/19/2016 13:00	BDL	Calibration	Calibration	10.2	0.1	BDL	9.0	3.0
3/19/2016 14:00	BDL	Calibration	Calibration	5.3	0.1	BDL	9.0	4.0
3/19/2016 15:00	BDL	BDL	BDL	5.9	0.1	BDL	8.0	3.0
3/19/2016 16:00	BDL	BDL	BDL	8.6	0.1	BDL	11.0	2.0
3/19/2016 17:00	BDL	0.4	BDL	10.2	0.1	BDL	11.0	4.0
3/19/2016 18:00	BDL	0.4	BDL	13.7	0.1	BDL	12.0	5.0
3/19/2016 19:00	0.6	0.4	BDL	25.2	0.1	0.01	10.0	7.0
3/19/2016 20:00	0.9	0.6	BDL	22.6	0.2	0.2	13.0	15.0
3/19/2016 21:00	BDL	0.5	BDL	17.1	0.2	0.2	16.0	14.0
3/19/2016 22:00	BDL	0.4	BDL	12.7	0.2	0.3	15.0	13.0
3/19/2016 23:00	BDL	0.5	BDL	20.6	0.2	0.2	17.0	11.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 3/20/2016-3/26/2016								
3/20/2016 0:00	BDL	0.7	BDL	34.4	0.3	0.4	21.0	18.0
3/20/2016 1:00	0.4	1.1	BDL	46.6	0.3	0.6	21.0	14.0
3/20/2016 2:00	BDL	BDL	BDL	12.3	0.2	BDL	12.0	11.0
3/20/2016 3:00	BDL	Calibration	Calibration	13.9	0.1	0.02	15.0	6.0
3/20/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	10.0	3.0
3/20/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.1	Calibration	9.0	3.0
3/20/2016 6:00	BDL	BDL	BDL	13.7	0.1	BDL	8.0	4.0
3/20/2016 7:00	BDL	BDL	BDL	19.5	0.1	BDL	12.0	3.0
3/20/2016 8:00	BDL	Calibration	Calibration	15.6	0.1	BDL	11.0	3.0
3/20/2016 9:00	BDL	Calibration	Calibration	14.6	0.1	BDL	15.0	4.0
3/20/2016 10:00	BDL	Calibration	Calibration	11.2	0.1	BDL	12.0	3.0
3/20/2016 11:00	BDL	BDL	BDL	10.3	0.1	BDL	11.0	4.0
3/20/2016 12:00	BDL	Calibration	Calibration	10.1	0.1	BDL	11.0	5.0
3/20/2016 13:00	BDL	Too few samples	Too few samples	8.4	0.1	BDL	11.0	3.0
3/20/2016 14:00	BDL	BDL	BDL	8.1	0.1	BDL	16.0	2.0
3/20/2016 15:00	BDL	0.5	BDL	9.1	0.1	BDL	19.0	4.0
3/20/2016 16:00	BDL	0.5	BDL	14.7	0.1	BDL	20.0	8.0
3/20/2016 17:00	BDL	0.5	BDL	9.8	0.2	BDL	20.0	8.0
3/20/2016 18:00	BDL	0.5	BDL	10.5	0.2	BDL	14.0	6.0
3/20/2016 19:00	BDL	0.4	BDL	11.6	0.1	BDL	12.0	6.0
3/20/2016 20:00	BDL	0.4	BDL	12.0	0.2	BDL	14.0	6.0
3/20/2016 21:00	BDL	0.5	BDL	12.8	0.1	BDL	16.0	7.0
3/20/2016 22:00	BDL	0.4	BDL	12.8	0.2	BDL	14.0	8.0
3/20/2016 23:00	BDL	0.5	BDL	14.7	0.2	BDL	19.0	14.0
3/21/2016 0:00	BDL	0.6	BDL	16.6	0.2	BDL	16.0	13.0
3/21/2016 1:00	BDL	0.7	BDL	19.7	0.2	BDL	13.0	13.0
3/21/2016 2:00	BDL	0.6	BDL	20.4	0.2	0.1	19.0	14.0
3/21/2016 3:00	BDL	Calibration	Calibration	8.4	0.1	BDL	17.0	10.0
3/21/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	16.0	7.0
3/21/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.2	Calibration	16.0	9.0
3/21/2016 6:00	BDL	0.5	BDL	23.3	0.2	0.2	18.0	11.0
3/21/2016 7:00	0.5	Too few samples	Too few samples	32.6	0.2	0.3	18.0	14.0
3/21/2016 8:00	1.1	Calibration	Calibration	34.2	0.2	0.2	27.0	19.0
3/21/2016 9:00	0.4	Calibration	Calibration	15.9	0.1	0.1	22.0	14.0
3/21/2016 10:00	0.4	Calibration	Calibration	8.2	0.1	0.1	14.0	8.0
3/21/2016 11:00	0.4	0.4	BDL	6.6	0.1	0.1	13.0	6.0
3/21/2016 12:00	BDL	BDL	BDL	4.1	0.0	0.1	14.0	7.0
3/21/2016 13:00	BDL	0.4	BDL	4.6	BDL	0.04	18.0	4.0
3/21/2016 14:00	BDL	0.4	BDL	4.2	0.0	0.04	15.0	5.0
3/21/2016 15:00	BDL	BDL	BDL	4.6	0.0	0.04	21.0	10.0
3/21/2016 16:00	BDL	BDL	BDL	3.0	0.0	0.1	13.0	8.0
3/21/2016 17:00	BDL	BDL	BDL	3.1	0.0	0.1	18.0	6.0
3/21/2016 18:00	BDL	BDL	BDL	2.4	0.0	0.1	13.0	8.0
3/21/2016 19:00	BDL	BDL	BDL	2.1	BDL	0.0	11.0	5.0
3/21/2016 20:00	BDL	BDL	BDL	2.2	BDL	0.1	12.0	3.0
3/21/2016 21:00	BDL	BDL	BDL	2.6	BDL	0.04	8.0	3.0
3/21/2016 22:00	BDL	BDL	BDL	2.2	BDL	0.03	10.0	5.0
3/21/2016 23:00	BDL	BDL	BDL	4.3	BDL	0.1	9.0	5.0
3/22/2016 0:00	BDL	BDL	BDL	3.1	BDL	BDL	8.0	5.0
3/22/2016 1:00	BDL	BDL	BDL	14.3	0.0	0.1	6.0	4.0
3/22/2016 2:00	BDL	BDL	BDL	9.2	BDL	0.1	4.0	4.0
3/22/2016 3:00	BDL	Calibration	Calibration	11.8	BDL	BDL	8.0	5.0
3/22/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	12.0	5.0
3/22/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	BDL	Calibration	9.0	4.0
3/22/2016 6:00	BDL	BDL	BDL	17.3	0.1	0.04	11.0	6.0
3/22/2016 7:00	0.9	1.5	BDL	27.5	0.1	0.5	21.0	11.0
3/22/2016 8:00	2.5	Calibration	Calibration	45.1	0.2	0.8	30.0	12.0
3/22/2016 9:00	2.8	Too few samples	Too few samples	45.6	0.2	0.5	32.0	16.0
3/22/2016 10:00	2.0	0.8	BDL	27.8	Too few samples	0.2	Invalid	Invalid
3/22/2016 11:00	0.9	0.7	BDL	14.0	NoData	0.1	Invalid	Invalid
3/22/2016 12:00	1.0	0.6	BDL	9.9	NoData	0.1	Invalid	Invalid
3/22/2016 13:00	1.2	0.5	BDL	7.0	NoData	0.1	26.0	8.0
3/22/2016 14:00	1.0	0.6	BDL	6.7	NoData	0.03	24.0	7.0
3/22/2016 15:00	0.5	0.4	BDL	6.2	NoData	BDL	23.0	6.0
3/22/2016 16:00	1.0	BDL	BDL	11.9	NoData	0.1	29.0	9.0
3/22/2016 17:00	0.6	BDL	BDL	5.7	NoData	0.1	15.0	9.0
3/22/2016 18:00	0.4	BDL	BDL	6.0	NoData	0.1	14.0	8.0
3/22/2016 19:00	0.7	0.4	BDL	8.6	NoData	BDL	13.0	9.0
3/22/2016 20:00	BDL	0.6	BDL	17.0	NoData	BDL	17.0	9.0
3/22/2016 21:00	BDL	0.6	BDL	8.4	NoData	BDL	13.0	10.0
3/22/2016 22:00	BDL	0.6	BDL	4.4	NoData	BDL	14.0	7.0
3/22/2016 23:00	BDL	0.4	BDL	4.8	NoData	0.1	13.0	8.0
3/23/2016 0:00	BDL	0.5	BDL	8.3	NoData	0.2	14.0	10.0
3/23/2016 1:00	BDL	0.5	BDL	4.9	NoData	0.2	16.0	10.0
3/23/2016 2:00	BDL	0.8	BDL	8.4	NoData	0.3	15.0	8.0
3/23/2016 3:00	BDL	Calibration	Calibration	6.2	NoData	0.3	18.0	12.0
3/23/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	NoData	Too few samples	19.0	10.0
3/23/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	NoData	Calibration	20.0	12.0
3/23/2016 6:00	1.1	1.4	BDL	23.5	NoData	0.5	28.0	13.0
3/23/2016 7:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	37.0	14.0
3/23/2016 8:00	1.9	Calibration	Calibration	21.5	2.1	0.3	41.0	17.0
3/23/2016 9:00	2.3	Too few samples	Too few samples	14.0	1.9	0.2	38.0	15.0
3/23/2016 10:00	2.7	Calibration	Calibration	14.6	1.9	0.2	37.0	19.0
3/23/2016 11:00	3.4	0.5	BDL	16.7	1.8	0.1	35.0	18.0
3/23/2016 12:00	3.4	0.6	BDL	14.3	1.8	0.2	38.0	17.0
3/23/2016 13:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Audit	Audit
3/23/2016 14:00	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit
3/23/2016 15:00	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit
3/23/2016 16:00	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit
3/23/2016 17:00	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit
3/23/2016 18:00	1.1	BDL	BDL	8.3	1.8	33.1	25.0	12.0
3/23/2016 19:00	1.4	0.5	BDL	17.1	1.9	BDL	24.0	9.0
3/23/2016 20:00	1.3	0.7	BDL	29.6	1.9	BDL	30.0	17.0
3/23/2016 21:00	1.2	0.9	BDL	31.1	2.0	0.01	29.0	19.0
3/23/2016 22:00	0.7	1.1	BDL	22.3	2.0	0.1	26.0	13.0
3/23/2016 23:00	0.6	1.3	BDL	24.6	1.9	BDL	18.0	15.0
3/24/2016 0:00	0.5	1.3	BDL	19.6	1.9	BDL	27.0	13.0
3/24/2016 1:00	0.6	1.5	BDL	38.3	2.0	BDL	28.0	20.0
3/24/2016 2:00	0.6	1.6	BDL	50.2	1.9	0.03	34.0	21.0
3/24/2016 3:00	BDL	Calibration	Calibration	55.9	1.9	0.1	38.0	22.0
3/24/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	37.0	20.0
3/24/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	2.0	Calibration	31.0	16.0
3/24/2016 6:00	0.7	1.4	BDL	40.0	2.0	0.1	35.0	16.0
3/24/2016 7:00	BDL	1.1	BDL	29.2	1.9	1.9	42.0	20.0
3/24/2016 8:00	Audit	0.9	BDL	27.0	1.9	BDL	Audit	Audit
3/24/2016 9:00	Audit	1.0	BDL	Audit	1.8	BDL	46.0	22.0
3/24/2016 10:00	0.4	1.0	BDL	Audit	1.8	BDL	47.0	19.0
3/24/2016 11:00	0.4	1.0	BDL	16.0	1.8	BDL	40.0	17.0
3/24/2016 12:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	37.0	13.0
3/24/2016 13:00	0.6	Calibration	Calibration	7.0	0.3	BDL	37.0	18.0
3/24/2016 14:00	0.5	Calibration	Calibration	10.5	0.4	BDL	41.0	22.0
3/24/2016 15:00	0.4	BDL	BDL	10.3	0.4	BDL	46.0	19.0
3/24/2016 16:00	Too few samples	BDL	BDL	5.5	0.4	BDL	45.0	18.0
3/24/2016 17:00	BDL	Too few samples	Too few samples	7.2	0.4	BDL	Invalid	25.0
3/24/2016 18:00	BDL	BDL	BDL	8.0	0.3	BDL	45.0	21.0
3/24/2016 19:00	BDL	BDL	BDL	8.4	0.3	BDL	41.0	23.0
3/24/2016 20:00	BDL	BDL	BDL	6.7	0.3	BDL	42.0	24.0
3/24/2016 21:00	BDL	BDL	BDL	9.9	0.3	BDL	44.0	21.0
3/24/2016 22:00	BDL	BDL	BDL	19.1	0.4	BDL	54.0	29.0
3/24/2016 23:00	0.4	0.5	BDL	28.6	0.5	BDL	47.0	22.0
3/25/2016 0:00	0.6	0.5	BDL	11.0	0.4	BDL	20.0	7.0
3/25/2016 1:00	0.5	BDL	BDL	BDL	0.2	BDL	17.0	8.0
3/25/2016 2:00	0.4	BDL	BDL	BDL	0.2	BDL	37.0	7.0
3/25/2016 3:00	0.5	Calibration	Calibration	BDL	0.2	BDL	18.0	5.0
3/25/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	15.0	29.0
3/25/2016 5:00	BDL	Too few samples	Too few samples	Too few samples	0.2	Calibration	16.0	4.0
3/25/2016 6:00	0.4	Calibration	Calibration	3.3	0.2	BDL	20.0	6.0
3/25/2016 7:00	0.5	Calibration	Calibration	1.9	0.2	BDL	19.0	6.0
3/25/2016 8:00	0.4	BDL	BDL	BDL	0.2	BDL	27.0	27.0
3/25/2016 9:00	0.5	BDL	BDL	BDL	0.2	BDL	22.0	5.0
3/25/2016 10:00	0.9	BDL	BDL	BDL	0.21	BDL	28.0	7.0
3/25/2016 11:00	1.6	BDL	BDL	5.0	0.3	0.04	31.0	15.0
3/25/2016 12:00	4.3	BDL	BDL	5.8	0.3	2.2	40.0	14.0
3/25/2016 13:00	3.9	BDL	BDL	2.8	0.3	2.2	23.0	8.0
3/25/2016 14:00	2.5	BDL	BDL	0.5	0.3	1.1	21.0	7.0
3/25/2016 15:00	2.8	BDL	BDL	BDL	0.3	1.8	32.0	9.0
3/25/2016 16:00	2.5	BDL	BDL	1.4	0.2	1.6	27.0	10.0
3/25/2016 17:00	2.4	BDL	BDL	BDL	0.2	1.6	35.0	12.0
3/25/2016 18:00	2.2	BDL	BDL	BDL	0.2	1.4	26.0	14.0
3/25/2016 19:00	2.2	BDL	BDL	1.0	0.2	1.6	20.0	12.0
3/25/2016 20:00	2.2	BDL	BDL	2.7	0.2	1.7	9.0	8.0
3/25/2016 21:00	1.7	BDL	BDL	1.5	0.2	1.5	10.0	5.0
3/25/2016 22:00	2.0	BDL	BDL	3.7	0.2	1.8	10.0	6.0
3/25/2016 23:00	1.8	BDL	BDL	4.9	0.2	1.4	17.0	4.0
3/26/2016 0:00	2.0	BDL	BDL	4.7	0.2	1.5	14.0	5.0
3/26/2016 1:00	0.6	BDL	BDL	BDL	0.2	0.1	10.0	6.0
3/26/2016 2:00	0.6	BDL	BDL	BDL	0.2	0.03	9.0	7.0
3/26/2016 3:00	0.4	Calibration	Calibration	BDL	0.2	0.1	12.0	9.0
3/26/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	14.0	8.0
3/26/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.1	Calibration	12.0	8.0
3/26/2016 6:00	BDL	BDL	BDL	0.4	0.1	0.1	15.0	10.0
3/26/2016 7:00	BDL	BDL	BDL	BDL	0.1	0.04	21.0	9.0
3/26/2016 8:00	BDL	BDL	BDL	2.4	0.1	0.1	14.0	7.0
3/26/2016 9:00	BDL	BDL	BDL	2.4	0.2	0.1	17.0	6.0
3/26/2016 10:00	BDL	BDL	BDL	2.5	0.2	BDL	12.0	4.0
3/26/2016 11:00	BDL	BDL	BDL	2.9	0.2	BDL	12.0	2.0
3/26/2016 12:00	BDL	BDL	BDL	3.1	0.2	BDL	27.0	3.0
3/26/2016 13:00	BDL	BDL	BDL	0.8	0.2	BDL	14.0	6.0
3/26/2016 14:00	BDL	BDL	BDL	1.2	0.2	BDL	17.0	10.0
3/26/2016 15:00	BDL	BDL	BDL	BDL	0.2	BDL	15.0	8.0
3/26/2016 16:00	0.4	BDL	BDL	1.8	0.2	0.03	19.0	6.0
3/26/2016 17:00	BDL	BDL	BDL	BDL	0.2	BDL	23.0	6.0
3/26/2016 18:00	0.4	BDL	BDL	1.8	0.3	BDL	30.0	10.0
3/26/2016 19:00	BDL	BDL	BDL	2.7	0.3	BDL	27.0	19.0
3/26/2016 20:00	BDL	BDL	BDL	BDL	0.3	BDL	21.0	9.0
3/26/2016 21:00	BDL	BDL	BDL	BDL	0.2	BDL	14.0	9.0
3/26/2016 22:00	BDL	BDL	BDL	0.7	0.2	BDL	16.0	11.0
3/26/2016 23:00	BDL	BDL	BDL	BDL	0.2	BDL	14.0	8.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 3/27/2016-4/2/2016								
3/27/2016 0:00	BDL	BDL	BDL	BDL	0.2	BDL	13.0	7.0
3/27/2016 1:00	BDL	BDL	BDL	BDL	0.2	BDL	20.0	9.0
3/27/2016 2:00	BDL	BDL	BDL	BDL	0.2	BDL	17.0	9.0
3/27/2016 3:00	BDL	Calibration	Calibration	BDL	0.2	0.1	22.0	8.0
3/27/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	27.0	9.0
3/27/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.2	Calibration	24.0	10.0
3/27/2016 6:00	BDL	BDL	BDL	3.2	0.2	0.1	23.0	9.0
3/27/2016 7:00	BDL	BDL	BDL	2.5	0.2	0.11	24.0	9.0
3/27/2016 8:00	BDL	BDL	BDL	BDL	0.2	0.1	22.0	8.0
3/27/2016 9:00	BDL	BDL	BDL	BDL	0.2	0.04	18.0	7.0
3/27/2016 10:00	BDL	BDL	BDL	BDL	0.2	0.01	22.0	9.0
3/27/2016 11:00	BDL	BDL	BDL	0.9	0.2	BDL	15.0	5.0
3/27/2016 12:00	BDL	BDL	BDL	BDL	0.2	BDL	11.0	3.0
3/27/2016 13:00	BDL	BDL	BDL	BDL	0.2	BDL	16.0	8.0
3/27/2016 14:00	BDL	BDL	BDL	BDL	0.3	BDL	17.0	8.0
3/27/2016 15:00	BDL	BDL	BDL	BDL	0.3	BDL	15.0	7.0
3/27/2016 16:00	BDL	BDL	BDL	BDL	0.2	BDL	15.0	6.0
3/27/2016 17:00	BDL	BDL	BDL	4.9	0.3	BDL	21.0	8.0
3/27/2016 18:00	BDL	BDL	BDL	2.7	0.3	BDL	17.0	5.0
3/27/2016 19:00	BDL	BDL	BDL	BDL	0.3	BDL	20.0	4.0
3/27/2016 20:00	BDL	BDL	BDL	4.8	0.2	BDL	18.0	6.0
3/27/2016 21:00	BDL	BDL	BDL	3.1	0.2	BDL	18.0	6.0
3/27/2016 22:00	BDL	BDL	BDL	BDL	0.2	BDL	14.0	6.0
3/27/2016 23:00	BDL	BDL	BDL	BDL	0.2	BDL	9.0	4.0
3/28/2016 0:00	BDL	BDL	BDL	BDL	0.2	BDL	6.0	3.0
3/28/2016 1:00	BDL	BDL	BDL	3.3	0.2	BDL	11.0	7.0
3/28/2016 2:00	BDL	BDL	BDL	BDL	0.2	BDL	8.0	6.0
3/28/2016 3:00	BDL	Calibration	Calibration	0.6	0.2	BDL	6.0	2.0
3/28/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	4.0	1.0
3/28/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.2	Calibration	6.0	BDL
3/28/2016 6:00	BDL	BDL	BDL	14.1	0.3	BDL	5.0	BDL
3/28/2016 7:00	BDL	BDL	BDL	19.1	0.3	BDL	6.0	3.0
3/28/2016 8:00	0.4	BDL	BDL	20.7	0.3	BDL	6.0	4.0
3/28/2016 9:00	0.4	BDL	BDL	23.7	0.3	BDL	7.0	7.0
3/28/2016 10:00	0.5	BDL	BDL	34.6	0.4	0.1	11.0	10.0
3/28/2016 11:00	0.6	0.6	BDL	34.8	0.4	0.1	14.0	9.0
3/28/2016 12:00	1.9	0.9	BDL	43.7	0.4	0.1	26.0	21.0
3/28/2016 13:00	0.7	BDL	BDL	6.4	0.3	BDL	9.0	9.0
3/28/2016 14:00	0.5	BDL	BDL	1.6	0.2	0.1	17.0	10.0
3/28/2016 15:00	0.6	BDL	BDL	1.9	0.2	0.1	17.0	8.0
3/28/2016 16:00	0.6	BDL	BDL	4.7	0.2	0.1	29.0	13.0
3/28/2016 17:00	0.6	BDL	BDL	5.4	0.2	0.1	25.0	9.0
3/28/2016 18:00	0.8	BDL	BDL	8.7	0.2	0.1	13.0	6.0
3/28/2016 19:00	1.0	BDL	BDL	13.8	0.2	BDL	20.0	7.0
3/28/2016 20:00	0.8	BDL	BDL	10.2	0.2	BDL	11.0	8.0
3/28/2016 21:00	0.7	BDL	BDL	0.9	0.2	0.1	9.0	10.0
3/28/2016 22:00	0.5	BDL	BDL	BDL	0.2	0.1	8.0	8.0
3/28/2016 23:00	BDL	BDL	BDL	BDL	0.2	0.1	7.0	6.0
3/29/2016 0:00	BDL	BDL	BDL	BDL	0.2	0.1	6.0	4.0
3/29/2016 1:00	BDL	BDL	BDL	BDL	0.1	0.1	7.0	6.0
3/29/2016 2:00	BDL	BDL	BDL	BDL	0.1	0.1	6.0	9.0
3/29/2016 3:00	BDL	Calibration	Calibration	BDL	0.1	0.1	6.0	9.0
3/29/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	8.0	7.0
3/29/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.1	Calibration	7.0	5.0
3/29/2016 6:00	BDL	BDL	BDL	BDL	0.1	0.04	9.0	7.0
3/29/2016 7:00	BDL	BDL	BDL	BDL	0.1	0.04	10.0	10.0
3/29/2016 8:00	BDL	Calibration	Calibration	BDL	0.1	0.04	16.0	8.0
3/29/2016 9:00	BDL	Calibration	Calibration	BDL	0.1	0.1	21.0	6.0
3/29/2016 10:00	0.4	BDL	BDL	BDL	0.1	0.1	14.0	7.0
3/29/2016 11:00	0.6	BDL	BDL	BDL	0.1	0.1	14.0	6.0
3/29/2016 12:00	0.4	BDL	BDL	BDL	0.1	0.2	13.0	4.0
3/29/2016 13:00	0.4	BDL	BDL	BDL	0.1	0.1	15.0	3.0
3/29/2016 14:00	BDL	BDL	BDL	BDL	0.1	0.1	14.0	3.0
3/29/2016 15:00	BDL	BDL	BDL	BDL	0.1	0.04	16.0	4.0
3/29/2016 16:00	BDL	BDL	BDL	BDL	0.1	0.1	15.0	4.0
3/29/2016 17:00	BDL	BDL	BDL	BDL	0.1	BDL	13.0	7.0
3/29/2016 18:00	BDL	BDL	BDL	BDL	0.1	0.1	10.0	6.0
3/29/2016 19:00	BDL	BDL	BDL	BDL	0.1	0.01	7.0	5.0
3/29/2016 20:00	BDL	BDL	BDL	BDL	0.2	BDL	11.0	4.0
3/29/2016 21:00	BDL	BDL	BDL	BDL	0.2	0.01	12.0	4.0
3/29/2016 22:00	BDL	BDL	BDL	0.8	0.2	0.04	9.0	7.0
3/29/2016 23:00	BDL	BDL	BDL	0.8	0.1	0.2	6.0	6.0
3/30/2016 0:00	BDL	BDL	BDL	1.9	0.2	0.1	12.0	6.0
3/30/2016 1:00	BDL	BDL	BDL	BDL	0.1	0.1	9.0	5.0
3/30/2016 2:00	BDL	BDL	BDL	3.7	0.1	0.2	9.0	3.0
3/30/2016 3:00	BDL	Calibration	Calibration	9.9	0.1	0.4	9.0	6.0
3/30/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	10.0	5.0
3/30/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.1	Calibration	17.0	6.0
3/30/2016 6:00	0.6	BDL	BDL	31.6	0.2	0.1	14.0	6.0
3/30/2016 7:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	18.0	5.0
3/30/2016 8:00	1.1	Calibration	Calibration	37.0	0.3	0.1	24.0	6.0
3/30/2016 9:00	0.9	Calibration	Calibration	25.9	0.2	BDL	18.0	4.0
3/30/2016 10:00	0.9	Too few samples	Too few samples	14.3	0.2	BDL	11.0	1.0
3/30/2016 11:00	0.5	Calibration	Calibration	2.4	0.2	BDL	10.0	2.0
3/30/2016 12:00	BDL	Too few samples	Too few samples	BDL	0.1	BDL	12.0	1.0
3/30/2016 13:00	BDL	BDL	BDL	0.9	0.2	BDL	12.0	2.0
3/30/2016 14:00	BDL	BDL	BDL	BDL	0.2	BDL	20.0	2.0
3/30/2016 15:00	BDL	BDL	BDL	BDL	0.2	BDL	17.0	3.0
3/30/2016 16:00	BDL	BDL	BDL	BDL	0.2	BDL	9.0	1.0
3/30/2016 17:00	BDL	BDL	BDL	BDL	0.2	BDL	18.0	2.0
3/30/2016 18:00	BDL	BDL	BDL	BDL	0.2	BDL	16.0	6.0
3/30/2016 19:00	BDL	BDL	BDL	BDL	0.2	BDL	20.0	5.0
3/30/2016 20:00	BDL	BDL	BDL	BDL	0.2	BDL	19.0	6.0
3/30/2016 21:00	BDL	BDL	BDL	1.6	0.2	BDL	22.0	8.0
3/30/2016 22:00	BDL	BDL	BDL	BDL	0.2	BDL	16.0	8.0
3/30/2016 23:00	BDL	BDL	BDL	1.3	0.1	0.2	10.0	9.0
3/31/2016 0:00	BDL	BDL	BDL	0.6	0.1	0.1	8.0	5.0
3/31/2016 1:00	BDL	BDL	BDL	BDL	0.1	0.1	13.0	2.0
3/31/2016 2:00	BDL	BDL	BDL	BDL	0.1	0.04	12.0	8.0
3/31/2016 3:00	BDL	Calibration	Calibration	BDL	0.1	0.1	14.0	9.0
3/31/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	13.0	5.0
3/31/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.2	Calibration	15.0	10.0
3/31/2016 6:00	BDL	BDL	BDL	BDL	0.2	BDL	12.0	8.0
3/31/2016 7:00	BDL	BDL	BDL	6.9	0.2	0.1	20.0	6.0
3/31/2016 8:00	calibration	Calibration	Calibration	Calibration	Calibration	Calibration	25.0	5.0
3/31/2016 9:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	25.0	3.0
3/31/2016 10:00	BDL	Calibration	Calibration	2.4	0.2	BDL	66.0	2.0
3/31/2016 11:00	BDL	BDL	BDL	0.5	0.2	BDL	86.0	5.0
3/31/2016 12:00	BDL	BDL	BDL	0.5	0.2	BDL	44.0	5.0
3/31/2016 13:00	BDL	BDL	BDL	1.5	0.3	BDL	56.0	6.0
3/31/2016 14:00	BDL	BDL	BDL	3.0	0.3	BDL	47.0	14.0
3/31/2016 15:00	BDL	BDL	BDL	2.4	0.2	BDL	48.0	10.0
3/31/2016 16:00	BDL	BDL	BDL	0.4	0.2	BDL	41.0	9.0
3/31/2016 17:00	BDL	BDL	BDL	0.4	0.2	BDL	29.0	7.0
3/31/2016 18:00	0.4	BDL	BDL	4.1	0.2	BDL	22.0	7.0
3/31/2016 19:00	BDL	BDL	BDL	6.5	0.2	BDL	22.0	10.0
3/31/2016 20:00	BDL	BDL	BDL	4.2	0.2	BDL	21.0	9.0
3/31/2016 21:00	BDL	BDL	BDL	3.1	0.2	BDL	20.0	9.0
3/31/2016 22:00	BDL	BDL	BDL	2.0	0.2	BDL	16.0	7.0
3/31/2016 23:00	BDL	BDL	BDL	BDL	0.2	BDL	19.0	11.0
4/1/2016 0:00	BDL	BDL	BDL	BDL	0.2	BDL	15.0	8.0
4/1/2016 1:00	BDL	BDL	BDL	BDL	0.2	BDL	14.0	6.0
4/1/2016 2:00	BDL	BDL	BDL	0.9	0.2	BDL	14.0	6.0
4/1/2016 3:00	BDL	Calibration	Calibration	4.1	0.2	BDL	11.0	3.0
4/1/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	10.0	5.0
4/1/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.3	Calibration	11.0	7.0
4/1/2016 6:00	BDL	BDL	BDL	5.4	0.2	BDL	9.0	7.0
4/1/2016 7:00	BDL	BDL	BDL	4.6	0.2	BDL	7.0	9.0
4/1/2016 8:00	BDL	BDL	BDL	2.2	0.2	BDL	10.0	6.0
4/1/2016 9:00	0.5	BDL	BDL	5.3	0.22	BDL	12.0	5.0
4/1/2016 10:00	0.6	BDL	BDL	6.1	0.23	BDL	18.0	6.0
4/1/2016 11:00	0.4	BDL	BDL	6.2	0.2	0.4	BDL	4.0	3.0
4/1/2016 12:00	0.4	BDL	BDL	4.1	0.2	BDL	6.0	2.0
4/1/2016 13:00	0.5	BDL	BDL	1.7	0.2	BDL	22.0	6.0
4/1/2016 14:00	1.7	BDL	BDL	5.1	0.2	BDL	30.0	8.0
4/1/2016 15:00	2.0	BDL	BDL	3.5	0.2	BDL	29.0	20.0
4/1/2016 16:00	1.2	BDL	BDL	4.2	0.2	BDL	10.0	4.0
4/1/2016 17:00	0.8	BDL	BDL	1.6	0.2	BDL	11.0	4.0
4/1/2016 18:00	1.2	BDL	BDL	4.5	0.3	BDL	11.0	5.0
4/1/2016 19:00	0.5	BDL	BDL	3.4	0.3	BDL	9.0	4.0
4/1/2016 20:00	0.5	BDL	BDL	14.0	0.4	BDL	11.0	5.0
4/1/2016 21:00	1.0	BDL	BDL	20.9	0.4	BDL	15.0	8.0
4/1/2016 22:00	0.9	BDL	BDL	11.9	0.3	BDL	9.0	7.0
4/1/2016 23:00	0.5	BDL	BDL	7.6	0.3	BDL	13.0	6.0
4/2/2016 0:00	0.4	BDL	BDL	6.0	0.2	BDL	12.0	8.0
4/2/2016 1:00	0.4	BDL	BDL	4.7	0.2	BDL	8.0	6.0
4/2/2016 2:00	0.4	BDL	BDL	11.2	0.2	0.1	8.0	4.0
4/2/2016 3:00	0.5	Calibration	Calibration	9.4	0.2	0.1	7.0	3.0
4/2/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	9.0	4.0
4/2/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.2	Calibration	11.0	8.0
4/2/2016 6:00	BDL	BDL	BDL	5.3	0.2	BDL	9.0	6.0
4/2/2016 7:00	BDL	BDL	BDL	10.1	0.3	BDL	13.0	7.0
4/2/2016 8:00	BDL	BDL	BDL	8.6	0.2	BDL	10.0	10.0
4/2/2016 9:00	BDL	BDL	BDL	3.4	0.2	BDL	8.0	6.0
4/2/2016 10:00	BDL	BDL	BDL	2.5	0.2	3.0	7.0	6.0
4/2/2016 11:00	0.5	BDL	BDL	3.2	0.1	BDL	9.0	6.0
4/2/2016 12:00	0.9	BDL	BDL	6.7	0.2	BDL	9.0	4.0
4/2/2016 13:00	1.2	BDL	BDL	7.0	0.2	BDL	11.0	7.0
4/2/2016 14:00	1.3	BDL	BDL	6.9	0.2	BDL	8.0	6.0
4/2/2016 15:00	1.3	BDL	BDL	5.1	0.2	BDL	11.0	4.0
4/2/2016 16:00	1.4	BDL	BDL	9.4	0.2	BDL	16.0	8.0
4/2/2016 17:00	0.8	BDL	BDL	3.5	0.2	BDL	8.0	7.0
4/2/2016 18:00	0.8	BDL	BDL	7.2	0.2	0.8	BDL	8.0	8.0
4/2/2016 19:00	0.4	BDL	BDL	1.4	0.2	BDL	10.0	7.0
4/2/2016 20:00	BDL	BDL	BDL	2.1	0.2	BDL	10.0	8.0
4/2/2016 21:00	BDL	BDL	BDL	1.9	0.2	BDL	16.0	9.0
4/2/2016 22:00	0.4	BDL	BDL	0.7	0.1	BDL	9.0	9.0
4/2/2016 23:00	0.5	BDL	BDL	3.1	0.1	0.01	15.0	9.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 4/3/2016-4/9/2016								
4/3/2016 0:00	0.4	BDL	BDL	5.1	0.1	BDL	3.0	5.0
4/3/2016 1:00	0.7	BDL	BDL	10.8	0.1	BDL	5.0	6.0
4/3/2016 2:00	0.9	BDL	BDL	12.4	0.1	BDL	17.0	8.0
4/3/2016 3:00	1.1	Calibration	Calibration	13.1	0.1	0.2	16.0	6.0
4/3/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	5.0	6.0
4/3/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	BDL	Calibration	9.0	6.0
4/3/2016 6:00	0.4	BDL	BDL	BDL	BDL	0.2	16.0	6.0
4/3/2016 7:00	BDL	BDL	BDL	BDL	BDL	0.2	10.0	6.0
4/3/2016 8:00	BDL	BDL	BDL	BDL	BDL	0.3	17.0	5.0
4/3/2016 9:00	0.4	BDL	BDL	BDL	BDL	0.3	12.0	5.0
4/3/2016 10:00	0.4	BDL	BDL	BDL	BDL	0.3	11.0	5.0
4/3/2016 11:00	BDL	BDL	BDL	BDL	BDL	0.3	10.0	2.0
4/3/2016 12:00	BDL	BDL	BDL	BDL	BDL	0.3	7.0	3.0
4/3/2016 13:00	BDL	BDL	BDL	BDL	BDL	0.2	7.0	4.0
4/3/2016 14:00	0.4	BDL	BDL	1.1	BDL	0.2	5.0	5.0
4/3/2016 15:00	0.6	BDL	BDL	3.5	BDL	0.2	10.0	3.0
4/3/2016 16:00	0.5	BDL	BDL	2.1	0.1	0.2	8.0	4.0
4/3/2016 17:00	0.5	BDL	BDL	4.4	0.1	0.2	5.0	6.0
4/3/2016 18:00	0.4	BDL	BDL	2.3	0.1	0.1	5.0	6.0
4/3/2016 19:00	BDL	BDL	BDL	2.6	0.1	0.1	4.0	9.0
4/3/2016 20:00	0.4	BDL	BDL	2.2	0.1	0.2	9.0	8.0
4/3/2016 21:00	0.4	BDL	BDL	4.7	0.1	0.3	10.0	7.0
4/3/2016 22:00	0.7	BDL	BDL	23.6	0.3	0.1	16.0	8.0
4/3/2016 23:00	0.8	BDL	BDL	36.1	0.3	0.1	17.0	15.0
4/4/2016 0:00	0.4	BDL	BDL	21.7	0.2	0.03	16.0	11.0
4/4/2016 1:00	0.4	BDL	BDL	20.8	0.2	BDL	10.0	10.0
4/4/2016 2:00	BDL	BDL	BDL	14.6	0.1	BDL	12.0	8.0
4/4/2016 3:00	0.5	Calibration	Calibration	17.7	0.1	BDL	10.0	5.0
4/4/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	9.0	8.0
4/4/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.2	Calibration	13.0	8.0
4/4/2016 6:00	0.8	2.0	1.9	50.1	0.3	BDL	22.0	10.0
4/4/2016 7:00	1.1	2.6	2.3	64.9	0.4	0.01	28.0	11.0
4/4/2016 8:00	1.3	2.6	2.1	74.5	0.5	0.2	25.0	14.0
4/4/2016 9:00	1.7	2.5	1.9	72.0	0.5	0.1	26.0	13.0
4/4/2016 10:00	2.3	1.6	1.4	38.7	0.2	0.3	23.0	9.0
4/4/2016 11:00	1.9	0.7	BDL	23.7	0.2	0.3	17.0	6.0
4/4/2016 12:00	1.7	0.5	BDL	22.8	0.2	0.2	23.0	6.0
4/4/2016 13:00	2.4	BDL	BDL	12.8	0.2	0.1	26.0	11.0
4/4/2016 14:00	2.4	BDL	BDL	18.8	0.2	BDL	21.0	10.0
4/4/2016 15:00	0.8	BDL	BDL	18.8	0.3	BDL	25.0	8.0
4/4/2016 16:00	0.7	BDL	BDL	15.5	0.3	BDL	20.0	7.0
4/4/2016 17:00	BDL	BDL	BDL	8.8	0.2	BDL	19.0	11.0
4/4/2016 18:00	1.4	BDL	BDL	18.7	0.2	BDL	20.0	13.0
4/4/2016 19:00	0.8	BDL	BDL	14.3	0.3	BDL	12.0	10.0
4/4/2016 20:00	0.4	BDL	BDL	16.5	0.2	BDL	14.0	13.0
4/4/2016 21:00	BDL	BDL	BDL	10.1	0.2	BDL	11.0	10.0
4/4/2016 22:00	BDL	BDL	BDL	8.5	0.2	BDL	12.0	8.0
4/4/2016 23:00	BDL	BDL	BDL	4.8	0.1	BDL	13.0	8.0
4/5/2016 0:00	BDL	BDL	BDL	3.9	0.1	0.1	15.0	4.0
4/5/2016 1:00	BDL	BDL	BDL	1.8	0.1	0.1	9.0	6.0
4/5/2016 2:00	BDL	BDL	BDL	3.8	BDL	0.1	9.0	5.0
4/5/2016 3:00	BDL	Calibration	Calibration	3.1	BDL	0.2	10.0	5.0
4/5/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	8.0	5.0
4/5/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	BDL	Calibration	11.0	4.0
4/5/2016 6:00	0.4	BDL	BDL	11.3	0.1	0.3	16.0	7.0
4/5/2016 7:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	20.0	7.0
4/5/2016 8:00	Calibration	Too few samples	Too few samples	Calibration	Too few samples	Too few samples	9.0	4.0
4/5/2016 9:00	Calibration	BDL	BDL	Calibration	0.3	BDL	13.0	2.0
4/5/2016 10:00	Calibration	BDL	BDL	Calibration	0.3	BDL	12.0	4.0
4/5/2016 11:00	Calibration	BDL	BDL	Calibration	0.3	BDL	10.0	4.0
4/5/2016 12:00	Calibration	BDL	BDL	Calibration	0.3	0.03	17.0	3.0
4/5/2016 13:00	Calibration	BDL	BDL	Calibration	0.3	0.1	12.0	2.0
4/5/2016 14:00	Calibration	BDL	BDL	Calibration	0.3	12.2	12.0	1.0
4/5/2016 15:00	Calibration	BDL	BDL	Calibration	0.3	0.0	10.0	2.0
4/5/2016 16:00	Calibration	BDL	BDL	Calibration	0.3	0.1	10.0	3.0
4/5/2016 17:00	Calibration	BDL	BDL	Calibration	0.3	0.1	12.0	1.0
4/5/2016 18:00	Calibration	BDL	BDL	Calibration	0.3	0.2	7.0	1.0
4/5/2016 19:00	Calibration	BDL	BDL	Calibration	0.3	0.3	5.0	4.0
4/5/2016 20:00	Calibration	BDL	BDL	Calibration	0.3	0.4	5.0	4.0
4/5/2016 21:00	Calibration	BDL	BDL	Calibration	0.3	0.3	8.0	4.0
4/5/2016 22:00	Calibration	BDL	BDL	Calibration	0.4	0.1	6.0	5.0
4/5/2016 23:00	Calibration	BDL	BDL	Calibration	0.3	BDL	6.0	5.0
4/6/2016 0:00	Calibration	BDL	BDL	Calibration	0.4	0.04	7.0	3.0
4/6/2016 1:00	Calibration	BDL	BDL	Calibration	0.4	0.1	8.0	5.0
4/6/2016 2:00	Calibration	BDL	BDL	Calibration	0.3	BDL	10.0	6.0
4/6/2016 3:00	Calibration	Calibration	Calibration	Calibration	0.4	0.02	12.0	4.0
4/6/2016 4:00	Calibration	Calibration	Calibration	Calibration	Too few samples	Too few samples	14.0	6.0
4/6/2016 5:00	Calibration	Too few samples	Too few samples	Calibration	0.5	Calibration	17.0	6.0
4/6/2016 6:00	0.9	BDL	BDL	49.8	0.6	0.04	18.0	9.0
4/6/2016 7:00	0.8	Calibration	Calibration	48.3	0.5	0.07	23.0	10.0
4/6/2016 8:00	0.8	Calibration	Calibration	39.1	0.5	0.02	20.0	9.0
4/6/2016 9:00	0.4	BDL	BDL	41.2	0.4	BDL	15.0	6.0
4/6/2016 10:00	BDL	BDL	BDL	19.1	0.3	0.1	10.0	3.0
4/6/2016 11:00	0.5	BDL	BDL	8.8	0.3	0.3	14.0	4.0
4/6/2016 12:00	BDL	BDL	BDL	6.2	0.3	BDL	17.0	3.0
4/6/2016 13:00	BDL	BDL	BDL	5.3	0.3	0.4	22.0	5.0
4/6/2016 14:00	BDL	BDL	BDL	6.4	0.3	0.2	25.0	4.0
4/6/2016 15:00	BDL	BDL	BDL	5.0	0.3	0.2	25.0	7.0
4/6/2016 16:00	BDL	BDL	BDL	4.8	0.3	BDL	16.0	6.0
4/6/2016 17:00	BDL	BDL	BDL	4.5	0.3	BDL	15.0	5.0
4/6/2016 18:00	1.2	BDL	BDL	6.3	0.3	BDL	13.0	3.0
4/6/2016 19:00	0.6	BDL	BDL	5.2	0.3	BDL	12.0	4.0
4/6/2016 20:00	2.5	BDL	BDL	4.3	0.3	BDL	11.0	8.0
4/6/2016 21:00	1.8	BDL	BDL	4.0	0.3	BDL	15.0	7.0
4/6/2016 22:00	3.6	BDL	BDL	6.7	0.3	BDL	14.0	5.0
4/6/2016 23:00	1.9	BDL	BDL	10.8	0.3	BDL	12.0	4.0
4/7/2016 0:00	BDL	BDL	BDL	2.5	0.3	BDL	11.0	6.0
4/7/2016 1:00	BDL	BDL	BDL	2.5	0.3	BDL	12.0	5.0
4/7/2016 2:00	BDL	BDL	BDL	2.7	0.3	BDL	13.0	5.0
4/7/2016 3:00	BDL	Calibration	Calibration	2.5	0.3	BDL	11.0	7.0
4/7/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	11.0	5.0
4/7/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	13.0	6.0
4/7/2016 6:00	2.0	BDL	BDL	9.1	0.4	BDL	11.0	7.0
4/7/2016 7:00	0.4	BDL	BDL	12.9	0.4	BDL	9.0	5.0
4/7/2016 8:00	1.2	BDL	BDL	9.0	0.38	BDL	16.0	8.0
4/7/2016 9:00	1.3	BDL	BDL	10.4	0.37	BDL	15.0	6.0
4/7/2016 10:00	1.0	BDL	BDL	8.0	0.4	1.9	23.0	4.0
4/7/2016 11:00	0.9	BDL	BDL	7.7	0.4	1.9	7.0	3.0
4/7/2016 12:00	BDL	BDL	BDL	6.8	0.4	1.9	12.0	1.0
4/7/2016 13:00	BDL	BDL	BDL	7.6	0.4	2.6	10.0	6.0
4/7/2016 14:00	1.3	0.4	1.0	18.5	0.4	2.0	10.0	7.0
4/7/2016 15:00	0.8	BDL	BDL	8.9	0.4	2.2	6.0	5.0
4/7/2016 16:00	1.7	BDL	BDL	16.8	0.4	2.3	7.0	5.0
4/7/2016 17:00	1.7	BDL	BDL	17.4	0.4	2.1	9.0	5.0
4/7/2016 18:00	2.6	BDL	BDL	13.5	0.4	2.3	14.0	7.0
4/7/2016 19:00	4.2	BDL	BDL	18.0	0.4	2.6	27.0	21.0
4/7/2016 20:00	0.8	BDL	BDL	12.5	0.4	2.2	8.0	6.0
4/7/2016 21:00	1.6	BDL	BDL	17.8	0.4	2.4	11.0	6.0
4/7/2016 22:00	4.4	BDL	BDL	19.1	0.4	2.6	13.0	11.0
4/7/2016 23:00	1.8	BDL	BDL	17.4	0.3	2.2	9.0	7.0
4/8/2016 0:00	1.3	BDL	BDL	13.1	0.3	2.1	9.0	7.0
4/8/2016 1:00	2.0	0.4	BDL	19.1	0.3	2.1	12.0	7.0
4/8/2016 2:00	1.4	0.7	1	20.0	0.4	2.4	9.0	4.0
4/8/2016 3:00	2.1	Calibration	Calibration	21.8	0.3	2.1	14.0	1.0
4/8/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	9.0	3.0
4/8/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.4	Calibration	7.0	4.0
4/8/2016 6:00	3.9	0.4	BDL	18.6	0.4	2.8	10.0	11.0
4/8/2016 7:00	2.6	0.5	BDL	25.6	0.4	2.4	11.0	9.0
4/8/2016 8:00	1.6	0.6	1.1	23.7	0.3	2.1	15.0	6.0
4/8/2016 9:00	1.6	BDL	BDL	19.9	0.31	2.2	12.0	5.0
4/8/2016 10:00	0.9	BDL	BDL	15.9	0.31	2.2	13.0	8.0
4/8/2016 11:00	BDL	BDL	BDL	9.4	0.3	2.3	13.0	5.0
4/8/2016 12:00	0.5	BDL	BDL	15.0	0.3	2.2	17.0	4.0
4/8/2016 13:00	0.5	BDL	BDL	11.6	0.3	2.3	23.0	5.0
4/8/2016 14:00	0.6	BDL	BDL	12.3	0.3	2.3	18.0	7.0
4/8/2016 15:00	0.6	BDL	BDL	8.3	0.3	2.2	15.0	7.0
4/8/2016 16:00	BDL	BDL	BDL	6.1	0.3	2.2	13.0	6.0
4/8/2016 17:00	BDL	BDL	BDL	4.8	0.3	2.2	11.0	7.0
4/8/2016 18:00	0.4	BDL	BDL	7.6	0.3	2.2	11.0	9.0
4/8/2016 19:00	0.4	BDL	BDL	9.5	0.3	2.1	12.0	9.0
4/8/2016 20:00	0.4	BDL	BDL	12.3	0.3	2.2	11.0	8.0
4/8/2016 21:00	0.5	BDL	BDL	9.6	0.3	2.3	10.0	9.0
4/8/2016 22:00	0.5	BDL	BDL	13.7	0.4	2.5	17.0	6.0
4/8/2016 23:00	0.5	BDL	BDL	26.5	0.4	2.7	14.0	6.0
4/9/2016 0:00	0.8	BDL	BDL	51.9	0.6	3.1	18.0	17.0
4/9/2016 1:00	0.9	0.4	BDL	41.7	0.5	2.5	15.0	11.0
4/9/2016 2:00	1.0	0.6	BDL	46.4	0.6	2.4	15.0	11.0
4/9/2016 3:00	0.9	Calibration	Calibration	62.0	0.8	2.4	31.0	15.0
4/9/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	22.0	17.0
4/9/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.6	Calibration	21.0	16.0
4/9/2016 6:00	0.6	0.4	BDL	37.7	0.5	2.4	15.0	10.0
4/9/2016 7:00	0.5	0.4	BDL	34.2	0.5	2.19	16.0	13.0
4/9/2016 8:00	0.5	0.4	BDL	37.9	0.5	2.2	13.0	9.0
4/9/2016 9:00	0.4	0.4	BDL	26.1	0.5	2.0	16.0	10.0
4/9/2016 10:00	BDL	BDL	BDL	28.4	0.5	2.1	17.0	10.0
4/9/2016 11:00	BDL	BDL	BDL	25.3	0.5	2.1	11.0	11.0
4/9/2016 12:00	BDL	BDL	BDL	23.2	0.5	2.3	8.0	9.0
4/9/2016 13:00	BDL	BDL	BDL	24.5	0.5	2.3	9.0	9.0
4/9/2016 14:00	BDL	BDL	BDL	21.9	0.5	2.4	10.0	7.0
4/9/2016 15:00	BDL	BDL	BDL	20.4	0.4	2.5	12.0	10.0
4/9/2016 16:00	BDL	BDL	BDL	19.0	0.4	2.4	9.0	7.0
4/9/2016 17:00	BDL	BDL	BDL	17.3	0.4	2.4	6.0	6.0
4/9/2016 18:00	BDL	BDL	BDL	12.5	0.4	2.3	11.0	9.0
4/9/2016 19:00	BDL	BDL	BDL	9.9	0.4	2.3	10.0	7.0
4/9/2016 20:00	BDL	BDL	BDL	6.0	0.3	2.3	8.0	6.0
4/9/2016 21:00	BDL	BDL	BDL	4.0	0.3	2.3	8.0	5.0
4/9/2016 22:00	BDL	BDL	BDL	3.6	0.3	2.3	10.0	6.0
4/9/2016 23:00	BDL	BDL	BDL	4.7	0.3	2.4	6.0	4.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 4/10/2016-4/16/2016								
4/10/2016 0:00	BDL	BDL	BDL	4.2	0.3	2.4	4.0	7.0
4/10/2016 1:00	BDL	BDL	BDL	3.5	0.3	2.4	8.0	6.0
4/10/2016 2:00	BDL	BDL	BDL	4.7	0.3	2.4	6.0	5.0
4/10/2016 3:00	BDL	Calibration	Calibration	6.8	0.3	2.5	8.0	4.0
4/10/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	9.0	3.0
4/10/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.3	Calibration	11.0	6.0
4/10/2016 6:00	0.4	BDL	BDL	9.4	0.3	2.5	8.0	5.0
4/10/2016 7:00	0.4	BDL	BDL	8.9	0.3	2.51	11.0	3.0
4/10/2016 8:00	BDL	BDL	BDL	5.4	0.3	2.5	11.0	3.0
4/10/2016 9:00	BDL	BDL	BDL	5.5	0.3	2.5	8.0	5.0
4/10/2016 10:00	BDL	BDL	BDL	5.6	0.3	2.4	6.0	5.0
4/10/2016 11:00	BDL	BDL	BDL	5.1	0.3	2.3	6.0	5.0
4/10/2016 12:00	BDL	BDL	BDL	4.2	0.3	2.4	5.0	5.0
4/10/2016 13:00	1.3	BDL	BDL	11.1	0.3	2.7	6.0	5.0
4/10/2016 14:00	1.0	BDL	BDL	8.8	0.3	2.6	9.0	6.0
4/10/2016 15:00	0.7	BDL	BDL	5.3	0.3	2.9	7.0	8.0
4/10/2016 16:00	0.4	BDL	BDL	3.6	0.3	2.8	9.0	7.0
4/10/2016 17:00	0.4	BDL	BDL	3.9	0.3	2.7	10.0	6.0
4/10/2016 18:00	0.8	BDL	BDL	5.7	0.3	3.0	9.0	8.0
4/10/2016 19:00	0.5	BDL	BDL	4.3	0.3	2.9	6.0	8.0
4/10/2016 20:00	0.2	BDL	BDL	4.0	0.3	2.6	13.0	7.0
4/10/2016 21:00	1.4	BDL	BDL	5.3	0.3	2.2	13.0	6.0
4/10/2016 22:00	1.5	BDL	BDL	7.7	0.4	2.2	8.0	7.0
4/10/2016 23:00	3.4	BDL	BDL	8.3	0.4	2.2	16.0	7.0
4/11/2016 0:00	3.0	BDL	BDL	8.0	0.3	2.2	13.0	6.0
4/11/2016 1:00	BDL	BDL	BDL	8.1	0.3	2.2	10.0	5.0
4/11/2016 2:00	BDL	BDL	BDL	8.9	0.3	2.2	12.0	7.0
4/11/2016 3:00	BDL	Calibration	Calibration	3.5	0.3	2.6	10.0	5.0
4/11/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	11.0	5.0
4/11/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.4	Calibration	15.0	6.0
4/11/2016 6:00	BDL	BDL	BDL	11.7	0.3	2.3	11.0	6.0
4/11/2016 7:00	BDL	BDL	BDL	17.5	0.3	2.3	17.0	9.0
4/11/2016 8:00	BDL	BDL	BDL	13.9	0.3	2.3	14.0	8.0
4/11/2016 9:00	0.4	BDL	BDL	16.3	0.3	2.6	13.0	8.0
4/11/2016 10:00	BDL	BDL	BDL	16.3	0.3	2.7	22.0	9.0
4/11/2016 11:00	0.4	BDL	BDL	11.2	0.3	2.6	20.0	6.0
4/11/2016 12:00	BDL	BDL	BDL	7.0	0.3	2.5	24.0	6.0
4/11/2016 13:00	0.5	BDL	BDL	8.1	0.3	2.9	23.0	6.0
4/11/2016 14:00	0.4	BDL	BDL	6.6	0.3	2.5	26.0	4.0
4/11/2016 15:00	BDL	BDL	BDL	5.7	0.4	2.5	21.0	3.0
4/11/2016 16:00	BDL	BDL	BDL	7.9	0.4	2.3	17.0	7.0
4/11/2016 17:00	BDL	BDL	BDL	5.6	0.4	2.4	16.0	8.0
4/11/2016 18:00	BDL	BDL	BDL	13.3	0.4	2.1	18.0	8.0
4/11/2016 19:00	BDL	BDL	BDL	10.1	0.4	1.9	22.0	11.0
4/11/2016 20:00	BDL	BDL	BDL	5.5	0.4	1.9	19.0	12.0
4/11/2016 21:00	BDL	BDL	BDL	4.2	0.4	1.9	19.0	8.0
4/11/2016 22:00	BDL	BDL	BDL	4.5	0.4	2.0	21.0	8.0
4/11/2016 23:00	BDL	BDL	BDL	4.4	0.4	2.1	20.0	9.0
4/12/2016 0:00	BDL	BDL	BDL	4.5	0.4	2.1	15.0	8.0
4/12/2016 1:00	BDL	BDL	BDL	8.3	0.3	2.4	13.0	8.0
4/12/2016 2:00	BDL	BDL	BDL	4.9	0.3	2.2	15.0	8.0
4/12/2016 3:00	BDL	Calibration	Calibration	5.1	0.4	2.2	20.0	6.0
4/12/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	17.0	6.0
4/12/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	17.0	8.0
4/12/2016 6:00	0.5	BDL	BDL	6.5	0.4	2.6	17.0	6.0
4/12/2016 7:00	0.9	BDL	BDL	14.1	0.4	2.7	13.0	11.0
4/12/2016 8:00	0.7	BDL	BDL	16.5	0.4	2.5	19.0	11.0
4/12/2016 9:00	0.5	BDL	BDL	19.7	0.4	2.3	11.0	8.0
4/12/2016 10:00	0.4	BDL	BDL	15.7	0.4	2.2	9.0	7.0
4/12/2016 11:00	BDL	BDL	BDL	12.1	0.4	1.9	9.0	8.0
4/12/2016 12:00	BDL	BDL	BDL	14.6	0.4	1.9	9.0	8.0
4/12/2016 13:00	BDL	BDL	BDL	9.3	0.3	2.0	11.0	6.0
4/12/2016 14:00	BDL	BDL	BDL	9.1	0.3	1.9	12.0	5.0
4/12/2016 15:00	BDL	BDL	BDL	6.1	0.3	2.0	12.0	5.0
4/12/2016 16:00	BDL	BDL	BDL	4.2	0.3	2.0	9.0	5.0
4/12/2016 17:00	BDL	BDL	BDL	7.3	0.3	2.0	11.0	6.0
4/12/2016 18:00	BDL	BDL	BDL	8.7	0.3	2.0	9.0	5.0
4/12/2016 19:00	BDL	BDL	BDL	11.9	0.3	2.0	9.0	5.0
4/12/2016 20:00	BDL	BDL	BDL	14.3	0.3	2.0	13.0	6.0
4/12/2016 21:00	BDL	BDL	BDL	7.9	0.3	2.1	17.0	8.0
4/12/2016 22:00	BDL	BDL	BDL	7.5	0.3	2.1	10.0	5.0
4/12/2016 23:00	BDL	BDL	BDL	9.6	0.3	2.0	9.0	3.0
4/13/2016 0:00	BDL	BDL	BDL	7.6	0.3	2.0	6.0	2.0
4/13/2016 1:00	BDL	BDL	BDL	12.4	0.3	2.1	5.0	3.0
4/13/2016 2:00	BDL	BDL	BDL	10.9	0.3	2.1	5.0	4.0
4/13/2016 3:00	0.4	Calibration	Calibration	11.4	0.3	2.1	6.0	3.0
4/13/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	7.0	6.0
4/13/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	13.0	5.0
4/13/2016 6:00	BDL	BDL	BDL	27.0	0.4	2.1	16.0	7.0
4/13/2016 7:00	BDL	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	12.0	7.0
4/13/2016 8:00	BDL	Audit	Audit	23.2	0.4	2.1	14.0	6.0
4/13/2016 9:00	BDL	Calibration	Calibration	16.5	0.3	2.0	14.0	5.0
4/13/2016 10:00	BDL	BDL	BDL	17.1	0.3	2.0	18.0	5.0
4/13/2016 11:00	BDL	BDL	BDL	11.3	0.3	2.0	9.0	4.0
4/13/2016 12:00	BDL	BDL	BDL	8.1	0.3	2.0	17.0	3.0
4/13/2016 13:00	BDL	BDL	BDL	11.3	0.3	2.0	23.0	3.0
4/13/2016 14:00	BDL	BDL	BDL	11.3	0.3	1.9	10.0	5.0
4/13/2016 15:00	BDL	BDL	BDL	14.2	0.4	1.9	11.0	4.0
4/13/2016 16:00	BDL	BDL	BDL	11.9	0.4	1.9	15.0	8.0
4/13/2016 17:00	BDL	BDL	BDL	13.6	0.4	1.9	12.0	7.0
4/13/2016 18:00	BDL	BDL	BDL	17.1	0.4	1.9	24.0	6.0
4/13/2016 19:00	BDL	BDL	BDL	28.2	0.5	2.0	18.0	8.0
4/13/2016 20:00	BDL	BDL	BDL	12.9	0.4	1.9	11.0	5.0
4/13/2016 21:00	BDL	BDL	BDL	9.9	0.4	1.9	11.0	5.0
4/13/2016 22:00	BDL	BDL	BDL	8.3	0.3	2.1	9.0	6.0
4/13/2016 23:00	BDL	BDL	BDL	12.8	0.3	2.2	10.0	6.0
4/14/2016 0:00	BDL	BDL	BDL	10.7	0.4	2.4	13.0	7.0
4/14/2016 1:00	BDL	BDL	BDL	16.8	0.4	2.4	12.0	6.0
4/14/2016 2:00	0.8	BDL	BDL	25.0	0.4	2.5	20.0	8.0
4/14/2016 3:00	0.7	Calibration	Calibration	33.2	0.4	3.2	16.0	5.0
4/14/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	13.0	6.0
4/14/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.6	Calibration	18.0	8.0
4/14/2016 6:00	0.5	1.0	BDL	50.0	0.5	2.4	22.0	9.0
4/14/2016 7:00	0.6	1.1	BDL	58.0	0.6	2.3	28.0	12.0
4/14/2016 8:00	0.5	0.5	BDL	41.9	0.5	2.1	32.0	9.0
4/14/2016 9:00	0.5	BDL	BDL	38.2	0.5	2.1	19.0	9.0
4/14/2016 10:00	0.4	BDL	BDL	37.1	0.4	2.1	35.0	12.0
4/14/2016 11:00	BDL	BDL	BDL	27.7	0.4	2.0	32.0	8.0
4/14/2016 12:00	BDL	BDL	BDL	23.0	0.4	2.0	16.0	10.0
4/14/2016 13:00	BDL	BDL	BDL	25.5	0.4	1.9	40.0	11.0
4/14/2016 14:00	BDL	BDL	BDL	20.5	0.4	1.9	25.0	10.0
4/14/2016 15:00	BDL	BDL	BDL	17.0	0.4	1.9	19.0	10.0
4/14/2016 16:00	BDL	BDL	BDL	14.7	0.4	1.9	16.0	7.0
4/14/2016 17:00	BDL	BDL	BDL	14.7	0.4	1.9	18.0	6.0
4/14/2016 18:00	BDL	BDL	BDL	15.5	0.5	1.9	15.0	5.0
4/14/2016 19:00	BDL	BDL	BDL	17.3	0.5	1.9	17.0	5.0
4/14/2016 20:00	BDL	BDL	BDL	4.9	0.3	2.1	14.0	7.0
4/14/2016 21:00	BDL	BDL	BDL	7.0	0.3	2.2	12.0	8.0
4/14/2016 22:00	BDL	BDL	BDL	7.3	0.3	2.2	14.0	6.0
4/14/2016 23:00	BDL	BDL	BDL	15.0	0.4	2.1	19.0	5.0
4/15/2016 0:00	BDL	BDL	BDL	15.5	0.4	1.9	17.0	6.0
4/15/2016 1:00	BDL	BDL	BDL	19.9	0.4	2.0	15.0	6.0
4/15/2016 2:00	BDL	BDL	BDL	35.7	0.5	2.0	15.0	4.0
4/15/2016 3:00	BDL	Calibration	Calibration	42.4	0.4	2.0	19.0	10.0
4/15/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	20.0	8.0
4/15/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	27.0	15.0
4/15/2016 6:00	0.8	1.3	BDL	87.1	0.8	2.3	31.0	10.0
4/15/2016 7:00	0.6	1.2	BDL	75.3	0.7	20.2	31.0	9.0
4/15/2016 8:00	0.4	0.5	BDL	46.9	0.5	2.3	51.0	16.0
4/15/2016 9:00	0.4	BDL	BDL	34.3	0.4	2.2	28.0	11.0
4/15/2016 10:00	BDL	BDL	BDL	32.0	0.4	2.1	41.0	12.0
4/15/2016 11:00	BDL	BDL	BDL	28.0	0.4	2.2	43.0	10.0
4/15/2016 12:00	BDL	BDL	BDL	20.5	0.4	2.1	27.0	7.0
4/15/2016 13:00	BDL	BDL	BDL	22.0	0.4	2.1	49.0	9.0
4/15/2016 14:00	BDL	BDL	BDL	21.9	0.4	2.0	108.0	8.0
4/15/2016 15:00	BDL	BDL	BDL	15.1	0.4	2.0	17.0	7.0
4/15/2016 16:00	BDL	BDL	BDL	11.8	0.4	2.0	31.0	6.0
4/15/2016 17:00	BDL	BDL	BDL	10.2	0.4	2.0	17.0	6.0
4/15/2016 18:00	BDL	BDL	BDL	12.9	0.4	1.9	19.0	6.0
4/15/2016 19:00	BDL	BDL	BDL	15.8	0.4	2.1	20.0	7.0
4/15/2016 20:00	BDL	BDL	BDL	10.2	0.3	2.3	17.0	6.0
4/15/2016 21:00	0.6	BDL	BDL	7.0	0.3	2.4	28.0	17.0
4/15/2016 22:00	1.7	BDL	BDL	11.1	0.3	2.6	22.0	10.0
4/15/2016 23:00	0.5	BDL	BDL	9.8	0.3	2.4	14.0	7.0
4/16/2016 0:00	0.7	BDL	BDL	14.6	0.3	2.5	18.0	8.0
4/16/2016 1:00	0.5	BDL	BDL	25.4	0.4	2.5	19.0	8.0
4/16/2016 2:00	0.4	BDL	BDL	22.1	0.5	2.7	22.0	10.0
4/16/2016 3:00	BDL	Calibration	Calibration	37.6	0.5	2.5	19.0	11.0
4/16/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	24.0	15.0
4/16/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.5	Calibration	27.0	14.0
4/16/2016 6:00	0.8	1.0	BDL	76.0	0.7	2.9	35.0	13.0
4/16/2016 7:00	0.4	1.1	BDL	38.2	0.5	2.4	28.0	11.0
4/16/2016 8:00	0.5	0.4	BDL	21.6	0.4	2.3	23.0	10.0
4/16/2016 9:00	BDL	BDL	BDL	18.4	0.4	2.2	29.0	8.0
4/16/2016 10:00	BDL	BDL	BDL	13.0	0.3	2.1	16.0	7.0
4/16/2016 11:00	BDL	BDL	BDL	7.2	0.3	2.1	16.0	4.0
4/16/2016 12:00	BDL	BDL	BDL	6.8	0.3	2.1	16.0	4.0
4/16/2016 13:00	BDL	BDL	BDL	13.0	0.4	2.1	22.0	5.0
4/16/2016 14:00	BDL	BDL	BDL	12.4	0.4	2.1	17.0	5.0
4/16/2016 15:00	BDL	BDL	BDL	11.9	0.4	2.0	12.0	3.0
4/16/2016 16:00	BDL	BDL	BDL	7.6	0.4	2.0	12.0	3.0
4/16/2016 17:00	BDL	BDL	BDL	6.9	0.4	1.9	17.0	4.0
4/16/2016 18:00	BDL	BDL	BDL	9.1	0.4	1.9	13.0	4.0
4/16/2016 19:00	BDL	BDL	BDL	17.2	0.5	1.9	15.0	5.0
4/16/2016 20:00	BDL	BDL	BDL	23.4	0.6	2.0	21.0	9.0
4/16/2016 21:00	BDL	BDL	BDL	12.3	0.4	2.1	23.0	10.0
4/16/2016 22:00	BDL	BDL	BDL	17.6	0.4	2.1	23.0	16.0
4/16/2016 23:00	BDL	BDL	BDL	8.3	0.4	2.0	19.0	10.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 4/17/2016-4/23/2016								
4/17/2016 0:00	BDL	BDL	BDL	15.0	0.4	2.0	17.0	10.0
4/17/2016 1:00	BDL	BDL	BDL	8.0	0.3	2.1	23.0	10.0
4/17/2016 2:00	BDL	BDL	BDL	9.1	0.4	2.1	19.0	8.0
4/17/2016 3:00	BDL	Calibration	Calibration	9.7	0.4	2.1	14.0	7.0
4/17/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	13.0	5.0
4/17/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.4	Calibration	14.0	6.0
4/17/2016 6:00	BDL	BDL	BDL	31.2	0.5	2.6	37.0	6.0
4/17/2016 7:00	BDL	BDL	BDL	22.5	0.4	2.54	25.0	6.0
4/17/2016 8:00	BDL	BDL	BDL	15.3	0.3	2.3	17.0	9.0
4/17/2016 9:00	BDL	BDL	BDL	12.0	0.3	2.1	12.0	5.0
4/17/2016 10:00	BDL	BDL	BDL	10.7	0.3	2.2	12.0	3.0
4/17/2016 11:00	BDL	BDL	BDL	6.7	0.3	2.2	15.0	6.0
4/17/2016 12:00	BDL	BDL	BDL	5.5	0.3	2.1	14.0	7.0
4/17/2016 13:00	0.4	BDL	BDL	10.9	0.4	2.1	21.0	7.0
4/17/2016 14:00	BDL	BDL	BDL	11.0	0.4	2.0	17.0	7.0
4/17/2016 15:00	BDL	BDL	BDL	9.0	0.4	2.0	18.0	5.0
4/17/2016 16:00	BDL	BDL	BDL	5.4	0.4	1.9	13.0	4.0
4/17/2016 17:00	BDL	BDL	BDL	6.8	0.4	1.9	15.0	5.0
4/17/2016 18:00	BDL	BDL	BDL	9.5	0.5	1.9	20.0	6.0
4/17/2016 19:00	0.4	BDL	BDL	27.2	0.6	2.0	23.0	7.0
4/17/2016 20:00	0.6	BDL	BDL	33.2	0.6	2.3	22.0	7.0
4/17/2016 21:00	BDL	BDL	BDL	10.7	0.4	2.2	25.0	6.0
4/17/2016 22:00	1.2	BDL	BDL	12.0	0.4	2.3	20.0	6.0
4/17/2016 23:00	0.8	BDL	BDL	10.7	0.3	2.5	15.0	8.0
4/18/2016 0:00	3.0	BDL	BDL	11.0	0.3	2.8	19.0	16.0
4/18/2016 1:00	3.4	BDL	BDL	9.2	0.3	2.6	19.0	19.0
4/18/2016 2:00	0.6	BDL	BDL	16.6	0.3	2.9	14.0	13.0
4/18/2016 3:00	1.0	Calibration	Calibration	26.7	0.4	3.3	20.0	8.0
4/18/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	27.0	12.0
4/18/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.6	Calibration	29.0	12.0
4/18/2016 6:00	1.8	2.4	1.4	115.8	0.8	2.8	37.0	17.0
4/18/2016 7:00	1.4	1.9	1.1	83.0	0.7	3.2	49.0	18.0
4/18/2016 8:00	0.7	BDL	BDL	25.5	0.4	2.4	84.0	8.0
4/18/2016 9:00	0.5	BDL	BDL	25.1	0.4	2.1	27.0	7.0
4/18/2016 10:00	BDL	BDL	BDL	23.5	0.4	2.0	86.0	6.0
4/18/2016 11:00	BDL	BDL	BDL	18.4	0.5	1.9	27.0	8.0
4/18/2016 12:00	BDL	BDL	BDL	13.8	0.4	1.9	34.0	9.0
4/18/2016 13:00	BDL	BDL	BDL	8.4	0.4	1.9	20.0	12.0
4/18/2016 14:00	BDL	BDL	BDL	5.4	0.3	2.0	20.0	8.0
4/18/2016 15:00	BDL	BDL	BDL	6.1	0.3	2.0	14.0	8.0
4/18/2016 16:00	BDL	BDL	BDL	6.4	0.3	2.0	21.0	6.0
4/18/2016 17:00	BDL	BDL	BDL	3.3	0.3	2.0	15.0	4.0
4/18/2016 18:00	BDL	BDL	BDL	7.7	0.3	2.2	13.0	4.0
4/18/2016 19:00	0.6	BDL	BDL	11.8	0.4	2.6	20.0	8.0
4/18/2016 20:00	1.2	BDL	BDL	16.1	0.4	2.3	32.0	12.0
4/18/2016 21:00	BDL	BDL	BDL	17.5	0.4	1.8	23.0	7.0
4/18/2016 22:00	BDL	BDL	BDL	17.5	0.4	2.2	19.0	8.0
4/18/2016 23:00	1.5	BDL	BDL	15.5	0.4	2.6	17.0	8.0
4/19/2016 0:00	1.8	0.4	BDL	15.7	0.4	2.3	23.0	11.0
4/19/2016 1:00	1.5	BDL	BDL	17.6	0.4	2.6	21.0	10.0
4/19/2016 2:00	2.5	0.5	BDL	30.8	0.5	3.2	25.0	16.0
4/19/2016 3:00	2.6	Calibration	Calibration	29.0	0.5	3.0	32.0	13.0
4/19/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	31.0	19.0
4/19/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.61	Calibration	35.0	20.0
4/19/2016 6:00	2.5	2.3	1.7	78.3	0.7	4.2	53.0	26.0
4/19/2016 7:00	3.0	2.3	1.7	87.4	0.8	3.8	60.0	26.0
4/19/2016 8:00	2.1	1.8	1.1	74.8	0.7	3.1	82.0	19.0
4/19/2016 9:00	0.7	BDL	BDL	8.0	0.4	2.2	135.0	13.0
4/19/2016 10:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	43.0	10.0
4/19/2016 11:00	BDL	BDL	BDL	5.3	0.4	2.0	83.0	10.0
4/19/2016 12:00	BDL	BDL	BDL	7.3	0.4	2.0	84.0	12.0
4/19/2016 13:00	BDL	BDL	BDL	6.3	0.4	2.0	82.0	8.0
4/19/2016 14:00	BDL	BDL	BDL	4.3	0.3	2.0	36.0	6.0
4/19/2016 15:00	BDL	BDL	BDL	3.7	0.3	2.0	31.0	7.0
4/19/2016 16:00	BDL	BDL	BDL	3.2	0.3	2.0	19.0	7.0
4/19/2016 17:00	BDL	BDL	BDL	2.6	0.3	2.0	18.0	4.0
4/19/2016 18:00	BDL	BDL	BDL	3.2	0.3	2.0	19.0	1.0
4/19/2016 19:00	BDL	BDL	BDL	4.1	0.3	2.0	17.0	3.0
4/19/2016 20:00	BDL	BDL	BDL	5.6	0.3	1.9	18.0	3.0
4/19/2016 21:00	BDL	BDL	BDL	4.8	0.3	1.9	16.0	4.0
4/19/2016 22:00	BDL	BDL	BDL	5.7	0.3	2.0	16.0	5.0
4/19/2016 23:00	BDL	BDL	BDL	4.8	0.3	2.0	11.0	3.0
4/20/2016 0:00	BDL	BDL	BDL	5.7	0.3	2.0	16.0	4.0
4/20/2016 1:00	BDL	BDL	BDL	3.7	0.3	2.0	9.0	3.0
4/20/2016 2:00	BDL	BDL	BDL	4.7	0.3	2.1	9.0	6.0
4/20/2016 3:00	BDL	Calibration	Calibration	7.1	0.3	2.1	9.0	7.0
4/20/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	10.0	5.0
4/20/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.29	Calibration	11.0	4.0
4/20/2016 6:00	0.4	BDL	BDL	41.5	0.4	2.4	28.0	4.0
4/20/2016 7:00	BDL	BDL	BDL	25.8	0.35	2.3	22.0	6.0
4/20/2016 8:00	BDL	BDL	BDL	19.4	0.3	2.2	17.0	4.0
4/20/2016 9:00	BDL	BDL	BDL	14.2	0.3	2.0	17.0	4.0
4/20/2016 10:00	BDL	BDL	BDL	11.5	0.3	2.0	8.0	2.0
4/20/2016 11:00	BDL	BDL	BDL	7.3	0.3	2.0	12.0	1.0
4/20/2016 12:00	BDL	BDL	BDL	6.0	0.3	1.9	8.0	3.0
4/20/2016 13:00	BDL	BDL	BDL	6.4	0.3	1.9	8.0	3.0
4/20/2016 14:00	BDL	BDL	BDL	3.7	0.3	1.9	7.0	2.0
4/20/2016 15:00	BDL	BDL	BDL	5.2	0.3	1.8	11.0	2.0
4/20/2016 16:00	BDL	BDL	BDL	6.7	0.3	1.8	14.0	1.0
4/20/2016 17:00	BDL	BDL	BDL	8.7	0.4	1.8	18.0	BDL
4/20/2016 18:00	BDL	BDL	BDL	10.4	0.4	1.9	31.0	1.0
4/20/2016 19:00	0.5	BDL	BDL	17.6	0.4	1.8	37.0	3.0
4/20/2016 20:00	BDL	BDL	BDL	9.1	0.3	2.0	14.0	2.0
4/20/2016 21:00	BDL	BDL	BDL	7.1	0.3	2.0	13.0	4.0
4/20/2016 22:00	BDL	BDL	BDL	8.4	0.3	2.1	14.0	6.0
4/20/2016 23:00	BDL	BDL	BDL	5.3	0.3	2.1	15.0	7.0
4/21/2016 0:00	BDL	BDL	BDL	6.4	0.3	2.2	9.0	9.0
4/21/2016 1:00	BDL	BDL	BDL	11.5	0.3	2.2	10.0	8.0
4/21/2016 2:00	0.9	BDL	BDL	12.9	0.3	2.4	12.0	7.0
4/21/2016 3:00	1.0	Calibration	Calibration	17.4	0.3	2.4	14.0	11.0
4/21/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	12.0	7.0
4/21/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.3	Calibration	16.0	3.0
4/21/2016 6:00	0.9	1.0	1.5	23.2	0.3	2.3	22.0	8.0
4/21/2016 7:00	1.1	1.7	2.0	24.1	0.3	2.3	29.0	11.0
4/21/2016 8:00	2.2	1.2	1.5	27.3	0.4	2.3	26.0	8.0
4/21/2016 9:00	1.0	BDL	BDL	13.4	0.3	2.2	22.0	5.0
4/21/2016 10:00	0.4	BDL	BDL	8.3	0.3	2.1	31.0	3.0
4/21/2016 11:00	BDL	BDL	BDL	5.4	0.3	2.0	36.0	3.0
4/21/2016 12:00	BDL	BDL	BDL	4.4	0.3	2.0	24.0	2.0
4/21/2016 13:00	BDL	BDL	BDL	4.7	0.3	2.1	44.0	4.0
4/21/2016 14:00	0.4	BDL	BDL	6.9	0.3	2.2	63.0	7.0
4/21/2016 15:00	BDL	BDL	BDL	3.7	0.4	2.0	44.0	10.0
4/21/2016 16:00	BDL	BDL	BDL	3.5	0.4	2.0	42.0	10.0
4/21/2016 17:00	0.7	BDL	BDL	5.2	0.4	2.1	41.0	20.0
4/21/2016 18:00	2.9	BDL	BDL	10.4	0.4	2.2	42.0	19.0
4/21/2016 19:00	3.4	BDL	BDL	11.1	0.4	2.2	46.0	26.0
4/21/2016 20:00	3.0	BDL	BDL	14.0	0.4	2.2	37.0	19.0
4/21/2016 21:00	2.2	BDL	BDL	36.3	0.5	2.2	34.0	14.0
4/21/2016 22:00	0.8	0.6	BDL	32.2	0.5	1.9	40.0	19.0
4/21/2016 23:00	BDL	0.5	BDL	22.5	0.5	1.9	33.0	12.0
4/22/2016 0:00	BDL	0.6	1	22.7	0.5	1.8	28.0	11.0
4/22/2016 1:00	BDL	0.6	1	17.7	0.5	1.8	29.0	9.0
4/22/2016 2:00	1.0	0.4	BDL	13.0	0.5	1.8	46.0	10.0
4/22/2016 3:00	BDL	Calibration	Calibration	8.8	0.5	1.8	26.0	14.0
4/22/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	26.0	13.0
4/22/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.4	Calibration	24.0	15.0
4/22/2016 6:00	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
4/22/2016 7:00	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
4/22/2016 8:00	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
4/22/2016 9:00	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
4/22/2016 10:00	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
4/22/2016 11:00	No Data	No Data	No Data	No Data	No Data	No Data	No Data	No Data
4/22/2016 12:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Zero	38.0	16.0
4/22/2016 13:00	1.4	BDL	BDL	8.6	0.4	2.1	42.0	18.0
4/22/2016 14:00	1.7	BDL	BDL	8.3	0.4	2.2	48.0	17.0
4/22/2016 15:00	1.1	BDL	BDL	7.0	0.4	2.2	36.0	17.0
4/22/2016 16:00	1.6	BDL	BDL	11.3	0.4	2.2	35.0	19.0
4/22/2016 17:00	2.4	BDL	BDL	13.1	0.5	2.2	45.0	18.0
4/22/2016 18:00	1.8	BDL	BDL	13.9	0.5	2.3	48.0	18.0
4/22/2016 19:00	1.9	BDL	BDL	14.7	0.4	2.2	33.0	13.0
4/22/2016 20:00	1.8	BDL	BDL	14.7	0.5	2.2	33.0	14.0
4/22/2016 21:00	1.8	BDL	BDL	16.9	0.5	2.2	30.0	19.0
4/22/2016 22:00	0.5	BDL	BDL	8.6	0.5	1.8	24.0	12.0
4/22/2016 23:00	BDL	0.8	1.4	9.5	0.5	1.9	16.0	12.0
4/23/2016 0:00	BDL	0.5	1.2	9.6	0.4	2.2	10.0	9.0
4/23/2016 1:00	BDL	BDL	BDL	15.9	0.4	1.9	11.0	5.0
4/23/2016 2:00	BDL	BDL	BDL	15.5	0.4	2.1	10.0	4.0
4/23/2016 3:00	BDL	Calibration	Calibration	10.5	0.4	2.3	14.0	7.0
4/23/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	14.0	10.0
4/23/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.4	Calibration	19.0	11.0
4/23/2016 6:00	BDL	BDL	BDL	14.2	0.4	2.8	17.0	10.0
4/23/2016 7:00	BDL	BDL	BDL	10.6	0.5	2.7	20.0	16.0
4/23/2016 8:00	BDL	BDL	BDL	10.4	0.5	2.3	16.0	9.0
4/23/2016 9:00	BDL	BDL	BDL	9.3	0.5	2.1	14.0	8.0
4/23/2016 10:00	BDL	BDL	BDL	9.9	0.5	2.0	14.0	8.0
4/23/2016 11:00	BDL	BDL	BDL	7.1	0.4	2.2	11.0	4.0
4/23/2016 12:00	BDL	BDL	BDL	8.1	0.4	2.2	6.0	4.0
4/23/2016 13:00	BDL	BDL	BDL	5.4	0.4	2.3	6.0	6.0
4/23/2016 14:00	BDL	BDL	BDL	6.2	0.4	2.6	8.0	3.0
4/23/2016 15:00	BDL	BDL	BDL	7.7	0.4	2.2	9.0	1.0
4/23/2016 16:00	BDL	BDL	BDL	5.7	0.3	2.3	11.0	2.0
4/23/2016 17:00	BDL	BDL	BDL	7.3	0.4	2.6	9.0	2.0
4/23/2016 18:00	BDL	BDL	BDL	7.3	0.3	2.3	7.0	2.0
4/23/2016 19:00	BDL	BDL	BDL	9.1	0.3	2.2	7.0	3.0
4/23/2016 20:00	BDL	BDL	BDL	10.4	0.3	2.4	8.0	4.0
4/23/2016 21:00	BDL	BDL	BDL	9.4	0.3	3.1	6.0	1.0
4/23/2016 22:00	BDL	BDL	BDL	9.7	0.3	3.1	10.0	2.0
4/23/2016 23:00	BDL	BDL	BDL	5.1	0.3	3.1	8.0	5.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 4/24/2016-4/30/2016								
4/24/2016 0:00	BDL	BDL	BDL	4.8	0.3	3.2	9.0	4.0
4/24/2016 1:00	BDL	BDL	BDL	5.3	0.3	3.3	5.0	1.0
4/24/2016 2:00	BDL	BDL	BDL	8.1	0.3	3.0	9.0	6.0
4/24/2016 3:00	BDL	Calibration	Calibration	7.9	0.3	3.3	8.0	5.0
4/24/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	12.0	6.0
4/24/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.3	Calibration	11.0	9.0
4/24/2016 6:00	BDL	BDL	BDL	9.6	0.3	3.8	12.0	10.0
4/24/2016 7:00	BDL	BDL	BDL	10.1	0.3	3.6	11.0	9.0
4/24/2016 8:00	BDL	BDL	BDL	7.7	0.3	2.5	11.0	8.0
4/24/2016 9:00	BDL	BDL	BDL	5.6	0.3	2.2	11.0	4.0
4/24/2016 10:00	BDL	BDL	BDL	4.1	0.3	2.1	53.0	5.0
4/24/2016 11:00	BDL	BDL	BDL	3.6	0.3	2.2	6.0	6.0
4/24/2016 12:00	BDL	BDL	BDL	3.1	0.3	2.1	6.0	5.0
4/24/2016 13:00	BDL	BDL	BDL	2.5	0.3	2.1	6.0	3.0
4/24/2016 14:00	BDL	BDL	BDL	2.5	0.3	2.0	6.0	1.0
4/24/2016 15:00	3.4	BDL	BDL	8.8	0.3	2.1	16.0	3.0
4/24/2016 16:00	BDL	BDL	BDL	2.1	0.3	2.1	11.0	4.0
4/24/2016 17:00	BDL	BDL	BDL	4.5	0.3	2.0	9.0	3.0
4/24/2016 18:00	0.9	BDL	BDL	6.0	0.3	2.2	8.0	7.0
4/24/2016 19:00	2.3	BDL	1.2	12.2	0.3	2.2	14.0	7.0
4/24/2016 20:00	2.6	BDL	BDL	11.5	0.3	1.9	22.0	10.0
4/24/2016 21:00	1.9	BDL	BDL	13.0	0.4	2.3	17.0	9.0
4/24/2016 22:00	BDL	BDL	BDL	9.1	0.3	2.2	16.0	6.0
4/24/2016 23:00	BDL	BDL	BDL	6.0	0.3	2.2	14.0	5.0
4/25/2016 0:00	0.7	0.4	1.0	21.6	0.4	2.2	16.0	6.0
4/25/2016 1:00	1.6	0.6	1.1	15.3	0.4	2.2	13.0	9.0
4/25/2016 2:00	BDL	0.9	1.3	21.4	0.3	2.0	17.0	7.0
4/25/2016 3:00	BDL	Calibration	Calibration	17.9	0.4	2.1	12.0	8.0
4/25/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	2.3	16.0	9.0
4/25/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.4	Too few samples	18.0	12.0
4/25/2016 6:00	1.0	0.9	1.1	47.7	0.5	Calibration	21.0	10.0
4/25/2016 7:00	0.8	1.1	1.2	42.1	0.4	2.0	24.0	7.0
4/25/2016 8:00	0.6	1.0	1.2	23.9	0.4	2.1	25.0	11.0
4/25/2016 9:00	1.4	0.8	1.3	11.4	0.3	2.2	21.0	6.0
4/25/2016 10:00	1.3	0.8	1.3	10.9	0.4	2.0	32.0	6.0
4/25/2016 11:00	1.1	BDL	BDL	9.7	0.4	2.0	19.0	6.0
4/25/2016 12:00	1.5	BDL	BDL	10.9	0.4	2.0	23.0	12.0
4/25/2016 13:00	2.0	BDL	BDL	12.8	0.4	2.0	31.0	15.0
4/25/2016 14:00	2.2	BDL	BDL	13.4	0.4	2.0	31.0	16.0
4/25/2016 15:00	1.1	BDL	BDL	9.9	0.4	2.0	29.0	8.0
4/25/2016 16:00	1.3	BDL	BDL	9.9	0.4	2.0	34.0	13.0
4/25/2016 17:00	1.0	BDL	BDL	7.4	0.4	2.2	25.0	10.0
4/25/2016 18:00	1.0	BDL	BDL	8.6	0.4	2.1	21.0	11.0
4/25/2016 19:00	0.9	BDL	BDL	28.6	0.4	2.0	29.0	10.0
4/25/2016 20:00	0.9	BDL	BDL	22.6	0.5	1.9	31.0	15.0
4/25/2016 21:00	0.8	BDL	BDL	20.9	0.6	1.9	26.0	12.0
4/25/2016 22:00	BDL	BDL	BDL	13.6	0.5	1.9	26.0	11.0
4/25/2016 23:00	BDL	0.4	BDL	11.2	0.4	1.9	28.0	11.0
4/26/2016 0:00	BDL	0.6	1.3	11.6	0.4	1.9	20.0	8.0
4/26/2016 1:00	BDL	0.6	1.2	9.9	0.4	1.9	23.0	10.0
4/26/2016 2:00	BDL	0.4	1.0	7.8	0.4	2.1	14.0	9.0
4/26/2016 3:00	BDL	Calibration	Calibration	11.0	0.4	2.9	20.0	9.0
4/26/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	27.0	13.0
4/26/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.6	Calibration	33.0	15.0
4/26/2016 6:00	0.7	1.3	1.2	61.6	0.6	2.0	33.0	17.0
4/26/2016 7:00	0.4	0.9	BDL	41.4	0.6	2.0	30.0	13.0
4/26/2016 8:00	0.4	0.6	BDL	26.3	0.5	2.0	30.0	16.0
4/26/2016 9:00	1.9	0.5	BDL	21.6	0.5	2.3	42.0	21.0
4/26/2016 10:00	4.8	0.4	BDL	20.9	0.5	2.5	55.0	27.0
4/26/2016 11:00	5.4	BDL	BDL	19.3	0.5	2.4	62.0	29.0
4/26/2016 12:00	3.5	BDL	BDL	16.2	0.5	2.3	69.0	20.0
4/26/2016 13:00	2.3	0.8	1.4	21.6	0.4	2.0	79.0	17.0
4/26/2016 14:00	2.2	0.9	1.5	20.5	0.4	2.0	62.0	6.0
4/26/2016 15:00	2.2	1.0	1.5	20.0	0.4	2.0	68.0	11.0
4/26/2016 16:00	BDL	BDL	BDL	8.7	0.4	1.9	21.0	7.0
4/26/2016 17:00	BDL	BDL	BDL	18.8	0.6	1.9	25.0	4.0
4/26/2016 18:00	0.4	0.5	BDL	12.8	0.4	1.8	14.0	9.0
4/26/2016 19:00	BDL	BDL	BDL	21.7	0.6	1.8	23.0	11.0
4/26/2016 20:00	BDL	BDL	BDL	29.7	0.6	1.8	27.0	17.0
4/26/2016 21:00	BDL	BDL	BDL	18.6	0.5	1.7	28.0	19.0
4/26/2016 22:00	BDL	BDL	BDL	14.4	0.4	1.7	23.0	11.0
4/26/2016 23:00	BDL	BDL	BDL	12.3	0.4	1.7	15.0	15.0
4/27/2016 0:00	BDL	BDL	BDL	6.0	0.4	1.7	19.0	13.0
4/27/2016 1:00	BDL	BDL	BDL	5.8	0.3	1.7	21.0	11.0
4/27/2016 2:00	BDL	BDL	BDL	5.6	0.3	1.7	23.0	12.0
4/27/2016 3:00	BDL	Calibration	Calibration	5.4	0.3	1.8	13.0	15.0
4/27/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	14.0	9.0
4/27/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.3	Calibration	12.0	8.0
4/27/2016 6:00	BDL	BDL	BDL	14.8	0.4	1.8	12.0	11.0
4/27/2016 7:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	26.0	9.0
4/27/2016 8:00	BDL	Audit	Audit	23.7	0.4	1.8	16.0	6.0
4/27/2016 9:00	BDL	Calibration	Calibration	25.3	0.4	1.8	31.0	8.0
4/27/2016 10:00	BDL	BDL	BDL	23.3	0.4	1.8	20.0	6.0
4/27/2016 11:00	BDL	BDL	BDL	19.4	0.4	1.8	25.0	8.0
4/27/2016 12:00	BDL	BDL	BDL	18.0	0.4	1.8	19.0	8.0
4/27/2016 13:00	BDL	BDL	BDL	16.6	0.4	1.8	30.0	10.0
4/27/2016 14:00	BDL	BDL	BDL	16.9	0.4	1.8	19.0	8.0
4/27/2016 15:00	BDL	BDL	BDL	20.9	0.4	1.8	18.0	8.0
4/27/2016 16:00	BDL	BDL	BDL	17.2	0.4	1.8	21.0	7.0
4/27/2016 17:00	0.5	BDL	BDL	23.9	0.4	1.9	23.0	11.0
4/27/2016 18:00	0.7	0.5	BDL	23.1	0.4	1.9	22.0	9.0
4/27/2016 19:00	2.2	BDL	BDL	28.1	0.4	2.0	33.0	19.0
4/27/2016 20:00	1.3	BDL	BDL	27.7	0.4	2.1	21.0	17.0
4/27/2016 21:00	0.8	BDL	BDL	20.9	0.4	2.1	15.0	12.0
4/27/2016 22:00	0.9	BDL	BDL	18.2	0.4	2.2	21.0	12.0
4/27/2016 23:00	2.1	BDL	BDL	27.2	0.4	2.1	41.0	20.0
4/28/2016 0:00	0.6	0.6	BDL	32.7	0.5	2.5	28.0	21.0
4/28/2016 1:00	0.5	0.9	1.1	28.1	0.4	2.4	32.0	19.0
4/28/2016 2:00	BDL	0.7	1.0	16.3	0.4	2.3	29.0	21.0
4/28/2016 3:00	0.4	Calibration	Calibration	22.9	0.4	2.4	33.0	26.0
4/28/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	36.0	27.0
4/28/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.5	Calibration	32.0	26.0
4/28/2016 6:00	0.6	0.6	BDL	41.9	0.5	2.1	30.0	19.0
4/28/2016 7:00	0.6	0.4	BDL	36.0	0.5	2.0	39.0	12.0
4/28/2016 8:00	0.6	0.5	BDL	33.2	0.5	2.0	34.0	13.0
4/28/2016 9:00	0.5	0.4	BDL	33.2	0.4	2.0	24.0	8.0
4/28/2016 10:00	BDL	BDL	BDL	26.7	0.4	1.9	25.0	6.0
4/28/2016 11:00	BDL	BDL	BDL	20.0	0.4	1.8	16.0	5.0
4/28/2016 12:00	BDL	BDL	BDL	20.0	0.4	1.8	17.0	4.0
4/28/2016 13:00	BDL	BDL	BDL	34.5	0.4	1.8	23.0	5.0
4/28/2016 14:00	BDL	BDL	BDL	24.3	0.4	1.8	17.0	6.0
4/28/2016 15:00	BDL	BDL	BDL	23.4	0.4	1.8	10.0	9.0
4/28/2016 16:00	BDL	BDL	BDL	16.0	0.4	1.8	14.0	9.0
4/28/2016 17:00	BDL	BDL	BDL	10.4	0.3	1.8	14.0	6.0
4/28/2016 18:00	BDL	BDL	BDL	13.2	0.3	1.9	14.0	10.0
4/28/2016 19:00	BDL	BDL	BDL	11.8	0.3	1.9	15.0	6.0
4/28/2016 20:00	BDL	BDL	BDL	9.4	0.3	1.9	9.0	10.0
4/28/2016 21:00	BDL	BDL	BDL	10.0	0.3	1.9	10.0	7.0
4/28/2016 22:00	BDL	BDL	BDL	13.8	0.3	1.9	9.0	5.0
4/28/2016 23:00	BDL	BDL	BDL	11.6	0.3	1.9	7.0	3.0
4/29/2016 0:00	BDL	BDL	BDL	6.4	0.2	1.9	6.0	5.0
4/29/2016 1:00	BDL	BDL	BDL	8.1	0.2	1.9	8.0	7.0
4/29/2016 2:00	BDL	BDL	BDL	6.1	0.2	1.9	14.0	6.0
4/29/2016 3:00	BDL	Calibration	Calibration	8.5	0.2	2.0	12.0	7.0
4/29/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	13.0	7.0
4/29/2016 5:00	BDL	Too few samples	Too few samples	Too few samples	0.3	Calibration	15.0	9.0
4/29/2016 6:00	BDL	BDL	BDL	17.1	0.3	1.9	13.0	8.0
4/29/2016 7:00	BDL	Audit	Audit	19.2	0.3	1.9	14.0	8.0
4/29/2016 8:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	17.0	7.0
4/29/2016 9:00	BDL	BDL	BDL	22.2	0.4	1.9	16.0	5.0
4/29/2016 10:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	Maintenance	Maintenance
4/29/2016 11:00	BDL	BDL	BDL	22.5	0.3	1.8	20.0	10.0
4/29/2016 12:00	BDL	BDL	BDL	22.0	0.3	1.8	12.0	8.0
4/29/2016 13:00	BDL	BDL	BDL	22.9	0.4	1.8	19.0	7.0
4/29/2016 14:00	BDL	BDL	BDL	20.8	0.4	1.8	15.0	7.0
4/29/2016 15:00	BDL	BDL	BDL	19.7	0.4	1.8	24.0	8.0
4/29/2016 16:00	BDL	BDL	BDL	20.8	0.4	1.8	17.0	8.0
4/29/2016 17:00	BDL	BDL	BDL	15.0	0.4	1.8	24.0	6.0
4/29/2016 18:00	BDL	BDL	BDL	18.1	0.4	1.9	23.0	5.0
4/29/2016 19:00	BDL	BDL	BDL	13.0	0.4	1.8	22.0	7.0
4/29/2016 20:00	BDL	BDL	BDL	10.3	0.3	1.9	18.0	8.0
4/29/2016 21:00	BDL	BDL	BDL	9.6	0.3	1.9	16.0	6.0
4/29/2016 22:00	BDL	BDL	BDL	12.5	0.3	1.9	11.0	9.0
4/29/2016 23:00	BDL	BDL	BDL	17.6	0.3	2.0	17.0	7.0
4/30/2016 0:00	BDL	BDL	BDL	10.4	0.3	1.9	22.0	7.0
4/30/2016 1:00	BDL	BDL	BDL	8.2	0.3	2.0	16.0	5.0
4/30/2016 2:00	BDL	BDL	BDL	7.6	0.3	1.9	15.0	5.0
4/30/2016 3:00	BDL	Calibration	Calibration	8.5	0.3	2.0	22.0	5.0
4/30/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	22.0	11.0
4/30/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.3	Calibration	19.0	10.0
4/30/2016 6:00	BDL	BDL	BDL	16.4	0.4	2.0	17.0	9.0
4/30/2016 7:00	BDL	BDL	BDL	20.4	0.4	2.1	19.0	8.0
4/30/2016 8:00	0.4	BDL	BDL	21.2	0.4	2.0	22.0	9.0
4/30/2016 9:00	0.4	BDL	BDL	17.9	0.4	2.0	22.0	10.0
4/30/2016 10:00	0.4	BDL	BDL	14.4	0.3	2.0	23.0	12.0
4/30/2016 11:00	0.4	BDL	BDL	13.2	0.3	2.0	22.0	12.0
4/30/2016 12:00	BDL	BDL	BDL	9.4	0.3	1.9	12.0	8.0
4/30/2016 13:00	BDL	BDL	BDL	6.9	0.3	1.8	9.0	6.0
4/30/2016 14:00	BDL	BDL	BDL	4.6	0.3	1.8	9.0	4.0
4/30/2016 15:00	BDL	BDL	BDL	3.9	0.3	1.8	9.0	6.0
4/30/2016 16:00	BDL	BDL	BDL	6.9	0.3	1.8	11.0	7.0
4/30/2016 17:00	BDL	BDL	BDL	5.9	0.4	1.7	13.0	9.0
4/30/2016 18:00	BDL	BDL	BDL	6.2	0.4	1.7	12.0	7.0
4/30/2016 19:00	BDL	BDL	BDL	7.8	0.4	1.8	11.0	7.0
4/30/2016 20:00	BDL	BDL	BDL	8.5	0.3	1.8	15.0	6.0
4/30/2016 21:00	BDL	BDL	BDL	6.3	0.3	1.8	14.0	8.0
4/30/2016 22:00	BDL	BDL	BDL	6.4	0.3	1.8	18.0	10.0
4/30/2016 23:00	BDL	BDL	BDL	6.7	0.3	1.9	16.0	8.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 5/1/2016-5/7/2016								
5/1/2016 0:00	BDL	BDL	BDL	7.0	0.3	1.9	14.0	9.0
5/1/2016 1:00	BDL	BDL	BDL	10.7	0.3	1.9	16.0	8.0
5/1/2016 2:00	BDL	BDL	BDL	3.5	0.3	1.8	18.0	6.0
5/1/2016 3:00	BDL	Calibration	Calibration	3.2	0.3	1.9	15.0	8.0
5/1/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	16.0	6.0
5/1/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.3	Calibration	19.0	7.0
5/1/2016 6:00	BDL	BDL	BDL	10.2	0.3	1.8	18.0	8.0
5/1/2016 7:00	BDL	BDL	BDL	12.2	0.3	1.8	10.0	7.0
5/1/2016 8:00	BDL	BDL	BDL	9.5	0.3	1.8	10.0	6.0
5/1/2016 9:00	BDL	BDL	BDL	9.5	0.3	1.8	8.0	3.0
5/1/2016 10:00	BDL	BDL	BDL	20.0	0.3	1.8	6.0	4.0
5/1/2016 11:00	BDL	BDL	BDL	10.8	0.4	1.8	7.0	3.0
5/1/2016 12:00	BDL	BDL	BDL	10.6	0.3	1.8	6.0	2.0
5/1/2016 13:00	BDL	BDL	BDL	8.7	0.3	1.7	5.0	5.0
5/1/2016 14:00	BDL	BDL	BDL	11.0	0.4	1.7	4.0	3.0
5/1/2016 15:00	BDL	BDL	BDL	14.0	0.3	1.7	6.0	1.0
5/1/2016 16:00	BDL	BDL	BDL	10.0	0.4	1.7	3.0	4.0
5/1/2016 17:00	BDL	BDL	BDL	11.1	0.4	1.7	2.0	5.0
5/1/2016 18:00	BDL	BDL	BDL	12.1	0.4	1.8	6.0	3.0
5/1/2016 19:00	BDL	BDL	BDL	9.5	0.4	1.8	6.0	1.0
5/1/2016 20:00	BDL	BDL	BDL	8.7	0.4	1.7	4.0	2.0
5/1/2016 21:00	BDL	BDL	BDL	8.1	0.4	1.7	5.0	5.0
5/1/2016 22:00	BDL	BDL	BDL	7.6	0.4	1.7	7.0	5.0
5/1/2016 23:00	BDL	BDL	BDL	6.5	0.3	1.8	7.0	4.0
5/2/2016 0:00	BDL	BDL	BDL	11.8	0.3	1.8	8.0	6.0
5/2/2016 1:00	BDL	BDL	BDL	6.3	0.3	1.8	6.0	4.0
5/2/2016 2:00	BDL	BDL	BDL	6.8	0.3	1.9	6.0	5.0
5/2/2016 3:00	BDL	Calibration	Calibration	6.1	0.3	1.8	7.0	6.0
5/2/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	6.0	5.0
5/2/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.3	Calibration	7.0	6.0
5/2/2016 6:00	BDL	BDL	BDL	17.5	0.3	1.7	9.0	5.0
5/2/2016 7:00	BDL	BDL	BDL	26.4	0.4	1.7	10.0	4.0
5/2/2016 8:00	BDL	BDL	BDL	24	0.4	1.8	13.0	11.0
5/2/2016 9:00	BDL	BDL	BDL	37.5	0.4	1.8	16.0	10.0
5/2/2016 10:00	BDL	BDL	BDL	27.8	0.4	1.7	13.0	6.0
5/2/2016 11:00	BDL	BDL	BDL	23.2	0.4	1.7	16.0	7.0
5/2/2016 12:00	BDL	BDL	BDL	15.1	0.4	1.6	8.0	7.0
5/2/2016 13:00	BDL	BDL	BDL	16.8	0.4	1.9	15.0	7.0
5/2/2016 14:00	BDL	BDL	BDL	25.3	0.5	1.9	26.0	13.0
5/2/2016 15:00	0.5	0.4	BDL	26.4	0.5	1.9	25.0	14.0
5/2/2016 16:00	0.8	0.5	BDL	20.2	0.4	1.8	17.0	13.0
5/2/2016 17:00	0.7	BDL	BDL	17.6	0.4	1.8	20.0	14.0
5/2/2016 18:00	0.7	BDL	BDL	17.4	0.5	1.7	17.0	12.0
5/2/2016 19:00	0.5	0.4	BDL	31.0	0.6	1.8	27.0	20.0
5/2/2016 20:00	0.4	0.5	BDL	36.6	0.7	1.9	31.0	19.0
5/2/2016 21:00	BDL	0.4	BDL	34.4	0.7	1.9	31.0	20.0
5/2/2016 22:00	BDL	0.5	BDL	40.5	0.7	1.8	33.0	18.0
5/2/2016 23:00	BDL	0.6	BDL	39.3	0.6	2.0	29.0	23.0
5/3/2016 0:00	BDL	BDL	BDL	24.1	0.5	1.8	20.0	17.0
5/3/2016 1:00	BDL	BDL	BDL	13.2	0.4	1.8	22.0	14.0
5/3/2016 2:00	BDL	BDL	BDL	10.6	0.4	1.7	15.0	11.0
5/3/2016 3:00	BDL	Calibration	Calibration	9.5	0.4	1.7	12.0	9.0
5/3/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	7.0	7.0
5/3/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.4	Calibration	5.0	8.0
5/3/2016 6:00	BDL	BDL	BDL	19.6	0.5	1.7	8.0	10.0
5/3/2016 7:00	BDL	BDL	BDL	25.5	0.5	Too few samples	8.0	5.0
5/3/2016 8:00	BDL	BDL	BDL	25.0	0.5	Too few samples	9.0	7.0
5/3/2016 9:00	BDL	BDL	BDL	27.0	0.5	BDL	7.0	7.0
5/3/2016 10:00	BDL	BDL	BDL	20.2	0.4	BDL	6.0	4.0
5/3/2016 11:00	BDL	BDL	BDL	25.0	0.4	BDL	8.0	2.0
5/3/2016 12:00	BDL	BDL	BDL	21.3	0.5	BDL	11.0	5.0
5/3/2016 13:00	BDL	BDL	BDL	19.4	0.4	BDL	14.0	4.0
5/3/2016 14:00	BDL	BDL	BDL	20.1	0.5	BDL	9.0	3.0
5/3/2016 15:00	BDL	BDL	BDL	17.6	0.5	BDL	7.0	3.0
5/3/2016 16:00	BDL	BDL	BDL	15.7	0.5	BDL	10.0	4.0
5/3/2016 17:00	BDL	BDL	BDL	13.7	0.5	BDL	10.0	3.0
5/3/2016 18:00	BDL	BDL	BDL	16.4	0.5	BDL	11.0	3.0
5/3/2016 19:00	BDL	BDL	BDL	15.9	0.5	BDL	9.0	4.0
5/3/2016 20:00	BDL	BDL	BDL	13.7	0.4	BDL	6.0	5.0
5/3/2016 21:00	BDL	BDL	BDL	9.1	0.4	BDL	4.0	5.0
5/3/2016 22:00	BDL	BDL	BDL	11.0	0.4	BDL	4.0	6.0
5/3/2016 23:00	BDL	BDL	BDL	9.0	0.4	BDL	2.0	4.0
5/4/2016 0:00	BDL	BDL	BDL	6.7	0.3	BDL	3.0	BDL
5/4/2016 1:00	BDL	BDL	BDL	6.7	0.3	BDL	4.0	BDL
5/4/2016 2:00	BDL	BDL	BDL	11.3	0.3	BDL	5.0	2.0
5/4/2016 3:00	BDL	Calibration	Calibration	9.2	0.3	BDL	3.0	4.0
5/4/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	5.0	4.0
5/4/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.3	Calibration	3.0	5.0
5/4/2016 6:00	BDL	BDL	BDL	18.6	0.4	BDL	5.0	4.0
5/4/2016 7:00	BDL	BDL	BDL	21.3	0.4	BDL	8.0	3.0
5/4/2016 8:00	BDL	BDL	BDL	18.3	0.4	BDL	5.0	2.0
5/4/2016 9:00	BDL	BDL	BDL	19.6	0.4	BDL	6.0	3.0
5/4/2016 10:00	BDL	BDL	BDL	20.9	0.4	BDL	10.0	2.0
5/4/2016 11:00	BDL	BDL	BDL	19.8	0.4	BDL	7.0	6.0
5/4/2016 12:00	BDL	BDL	BDL	18.5	0.4	BDL	11.0	7.0
5/4/2016 13:00	BDL	BDL	BDL	21.2	0.4	BDL	11.0	5.0
5/4/2016 14:00	BDL	BDL	BDL	14.8	0.4	BDL	8.0	6.0
5/4/2016 15:00	BDL	BDL	BDL	14.2	0.4	BDL	10.0	4.0
5/4/2016 16:00	BDL	BDL	BDL	11.5	0.4	BDL	6.0	1.0
5/4/2016 17:00	BDL	BDL	BDL	12.0	0.4	BDL	3.0	3.0
5/4/2016 18:00	BDL	BDL	BDL	10.3	0.4	BDL	8.0	5.0
5/4/2016 19:00	BDL	BDL	BDL	11.9	0.4	BDL	11.0	3.0
5/4/2016 20:00	BDL	BDL	BDL	13.4	0.4	BDL	9.0	2.0
5/4/2016 21:00	BDL	BDL	BDL	11.0	0.4	BDL	6.0	3.0
5/4/2016 22:00	BDL	BDL	BDL	13.6	0.4	BDL	4.0	7.0
5/4/2016 23:00	BDL	BDL	BDL	20.2	0.4	BDL	15.0	8.0
5/5/2016 0:00	BDL	BDL	BDL	16.7	0.4	BDL	15.0	9.0
5/5/2016 1:00	BDL	BDL	BDL	12.9	0.3	BDL	11.0	7.0
5/5/2016 2:00	BDL	BDL	BDL	8.1	0.3	BDL	11.0	10.0
5/5/2016 3:00	BDL	Calibration	Calibration	10.0	0.3	BDL	6.0	7.0
5/5/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	12.0	12.0
5/5/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.3	Calibration	15.0	13.0
5/5/2016 6:00	BDL	BDL	BDL	16.4	0.4	BDL	11.0	10.0
5/5/2016 7:00	BDL	BDL	BDL	20.3	0.4	BDL	13.0	8.0
5/5/2016 8:00	BDL	BDL	BDL	22.9	0.4	BDL	11.0	5.0
5/5/2016 9:00	BDL	BDL	BDL	21.4	0.4	BDL	11.0	5.0
5/5/2016 10:00	BDL	BDL	BDL	23.4	0.4	BDL	11.0	7.0
5/5/2016 11:00	BDL	BDL	BDL	17.3	0.3	BDL	10.0	4.0
5/5/2016 12:00	BDL	BDL	BDL	18.7	0.4	BDL	11.0	2.0
5/5/2016 13:00	BDL	BDL	BDL	17.2	0.4	BDL	15.0	3.0
5/5/2016 14:00	BDL	BDL	BDL	29.1	0.4	BDL	18.0	4.0
5/5/2016 15:00	BDL	BDL	BDL	21.0	0.5	BDL	17.0	6.0
5/5/2016 16:00	BDL	BDL	BDL	15.1	0.4	BDL	17.0	5.0
5/5/2016 17:00	BDL	BDL	BDL	15.1	0.4	BDL	12.0	2.0
5/5/2016 18:00	BDL	BDL	BDL	13.3	0.4	BDL	12.0	3.0
5/5/2016 19:00	BDL	BDL	BDL	13.5	0.4	BDL	10.0	Invalid
5/5/2016 20:00	BDL	BDL	BDL	12.9	0.4	BDL	10.0	4.0
5/5/2016 21:00	BDL	BDL	BDL	15.0	0.4	BDL	13.0	7.0
5/5/2016 22:00	BDL	BDL	BDL	9.6	0.4	BDL	10.0	5.0
5/5/2016 23:00	BDL	BDL	BDL	7.4	0.3	BDL	6.0	6.0
5/6/2016 0:00	BDL	BDL	BDL	7.7	0.3	BDL	10.0	5.0
5/6/2016 1:00	BDL	BDL	BDL	9.2	0.3	BDL	11.0	2.0
5/6/2016 2:00	BDL	BDL	BDL	10.6	0.3	BDL	14.0	3.0
5/6/2016 3:00	BDL	Calibration	Calibration	12.4	0.3	BDL	10.0	5.0
5/6/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	11.0	4.0
5/6/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.3	Calibration	7.0	5.0
5/6/2016 6:00	BDL	BDL	BDL	18.4	0.3	BDL	7.0	4.0
5/6/2016 7:00	BDL	BDL	BDL	20.6	0.36	BDL	6.0	3.0
5/6/2016 8:00	BDL	BDL	BDL	25.1	0.37	BDL	5.0	2.0
5/6/2016 9:00	BDL	0.5	BDL	40.6	0.4	BDL	6.0	2.0
5/6/2016 10:00	BDL	0.5	BDL	31.7	0.31	BDL	5.0	4.0
5/6/2016 11:00	BDL	0.4	BDL	32.4	0.3	BDL	4.0	1.0
5/6/2016 12:00	BDL	BDL	BDL	29.3	0.3	BDL	7.0	1.0
5/6/2016 13:00	BDL	BDL	BDL	18.2	0.3	BDL	3.0	4.0
5/6/2016 14:00	BDL	BDL	BDL	17.9	0.3	BDL	4.0	2.0
5/6/2016 15:00	BDL	BDL	BDL	17.5	0.4	BDL	5.0	3.0
5/6/2016 16:00	BDL	BDL	BDL	13.1	0.4	BDL	11.0	9.0
5/6/2016 17:00	BDL	BDL	BDL	14.1	0.4	BDL	17.0	9.0
5/6/2016 18:00	BDL	BDL	BDL	27.7	0.3	BDL	7.0	6.0
5/6/2016 19:00	BDL	BDL	BDL	7.5	0.3	BDL	4.0	3.0
5/6/2016 20:00	BDL	BDL	BDL	11.0	0.3	BDL	4.0	2.0
5/6/2016 21:00	BDL	BDL	BDL	9.0	0.3	BDL	6.0	BDL
5/6/2016 22:00	BDL	BDL	BDL	12.6	0.3	BDL	7.0	2.0
5/6/2016 23:00	BDL	BDL	BDL	7.8	0.3	BDL	9.0	2.0
5/7/2016 0:00	BDL	BDL	BDL	10.5	0.3	BDL	7.0	1.0
5/7/2016 1:00	BDL	BDL	BDL	9.7	0.3	BDL	7.0	3.0
5/7/2016 2:00	BDL	BDL	BDL	14.2	0.3	BDL	10.0	5.0
5/7/2016 3:00	BDL	Calibration	Calibration	5.6	0.3	BDL	8.0	2.0
5/7/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	11.0	1.0
5/7/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.3	Calibration	8.0	4.0
5/7/2016 6:00	BDL	BDL	BDL	10.9	0.3	BDL	11.0	5.0
5/7/2016 7:00	BDL	BDL	BDL	12.2	0.3	BDL	9.0	3.0
5/7/2016 8:00	BDL	BDL	BDL	13.3	0.3	BDL	9.0	7.0
5/7/2016 9:00	BDL	BDL	BDL	12.2	0.3	BDL	10.0	5.0
5/7/2016 10:00	BDL	BDL	BDL	11.7	0.3	BDL	8.0	2.0
5/7/2016 11:00	BDL	BDL	BDL	11.2	0.4	BDL	8.0	2.0
5/7/2016 12:00	BDL	BDL	BDL	8.8	0.3	BDL	6.0	6.0
5/7/2016 13:00	BDL	BDL	BDL	7.7	0.3	BDL	9.0	8.0
5/7/2016 14:00	BDL	BDL	BDL	7.7	0.3	BDL	11.0	8.0
5/7/2016 15:00	BDL	BDL	BDL	7.0	0.3	BDL	7.0	5.0
5/7/2016 16:00	BDL	BDL	BDL	8.2	0.4	BDL	10.0	4.0
5/7/2016 17:00	BDL	BDL	BDL	13.7	0.4	BDL	9.0	6.0
5/7/2016 18:00	1.3	BDL	BDL	13.0	0.4	BDL	13.0	7.0
5/7/2016 19:00	1.3	BDL	BDL	17.0	0.4	BDL	9.0	7.0
5/7/2016 20:00	0.4	BDL	BDL	22.4	0.5	BDL	10.0	6.0
5/7/2016 21:00	BDL	BDL	BDL	20.1	0.5	BDL	15.0	4.0
5/7/2016 22:00	BDL	BDL	BDL	8.2	0.4	BDL	7.0	5.0
5/7/2016 23:00	BDL	BDL	BDL	10.7	0.4	BDL	11.0	4.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 5/8/2016-5/14/2016								
5/8/2016 0:00	BDL	BDL	BDL	16.1	0.4	BDL	10.0	4.0
5/8/2016 1:00	BDL	BDL	BDL	10.6	0.3	BDL	13.0	7.0
5/8/2016 2:00	BDL	BDL	BDL	8.3	0.3	BDL	7.0	7.0
5/8/2016 3:00	BDL	Calibration	Calibration	8.7	0.3	BDL	7.0	6.0
5/8/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	8.0	5.0
5/8/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.3	Calibration	9.0	4.0
5/8/2016 6:00	BDL	BDL	BDL	11.4	0.3	BDL	10.0	3.0
5/8/2016 7:00	0.4	0.5	1.0	15.8	0.3	BDL	12.0	6.0
5/8/2016 8:00	1.1	0.7	1.1	22.4	0.4	11.7	13.0	5.0
5/8/2016 9:00	2.4	0.6	1.1	20.7	0.4	2.5	22.0	19.0
5/8/2016 10:00	0.7	BDL	BDL	3.6	0.3	2.3	16.0	12.0
5/8/2016 11:00	BDL	BDL	BDL	2.4	0.3	2.3	24.0	9.0
5/8/2016 12:00	BDL	BDL	BDL	2.1	0.3	2.3	18.0	8.0
5/8/2016 13:00	BDL	BDL	BDL	0.8	0.3	2.2	17.0	5.0
5/8/2016 14:00	BDL	BDL	BDL	0.7	0.3	2.2	15.0	2.0
5/8/2016 15:00	BDL	BDL	BDL	0.7	0.2	2.2	13.0	BDL
5/8/2016 16:00	BDL	BDL	BDL	0.4	0.2	2.2	10.0	BDL
5/8/2016 17:00	BDL	BDL	BDL	0.5	0.2	2.2	7.0	1.0
5/8/2016 18:00	BDL	BDL	BDL	1.5	0.3	2.2	6.0	4.0
5/8/2016 19:00	BDL	BDL	BDL	2.3	0.3	2.2	11.0	6.0
5/8/2016 20:00	BDL	BDL	BDL	5.2	0.3	2.3	17.0	6.0
5/8/2016 21:00	BDL	BDL	BDL	9.9	0.3	2.3	20.0	11.0
5/8/2016 22:00	BDL	BDL	BDL	18.0	0.4	2.8	19.0	16.0
5/8/2016 23:00	BDL	BDL	BDL	21.4	0.4	3.0	21.0	12.0
5/9/2016 0:00	BDL	BDL	BDL	11.4	0.3	2.6	16.0	11.0
5/9/2016 1:00	BDL	BDL	BDL	15.9	0.3	2.6	19.0	12.0
5/9/2016 2:00	BDL	BDL	BDL	20.6	0.4	2.9	17.0	14.0
5/9/2016 3:00	0.5	Calibration	Calibration	32.0	0.4	3.0	28.0	16.0
5/9/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	22.0	12.0
5/9/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	18.0	15.0
5/9/2016 6:00	1.8	0.5	BDL	37.9	0.4	3.1	22.0	12.0
5/9/2016 7:00	3.5	0.5	BDL	32.8	0.3	2.8	27.0	18.0
5/9/2016 8:00	3.3	0.6	BDL	34.8	0.4	2.7	28.0	12.0
5/9/2016 9:00	3.7	0.7	BDL	31.0	0.4	2.7	33.0	12.0
5/9/2016 10:00	2.4	0.4	BDL	20.4	0.4	2.6	26.0	9.0
5/9/2016 11:00	1.1	BDL	BDL	13.8	0.3	2.6	36.0	8.0
5/9/2016 12:00	1.1	BDL	BDL	15.2	0.3	2.6	31.0	7.0
5/9/2016 13:00	1.9	BDL	BDL	14.9	0.3	2.6	33.0	8.0
5/9/2016 14:00	1.4	BDL	BDL	16.3	0.3	2.4	32.0	10.0
5/9/2016 15:00	1.7	BDL	BDL	18.5	0.4	2.5	29.0	12.0
5/9/2016 16:00	1.0	BDL	BDL	15.7	0.4	2.5	29.0	7.0
5/9/2016 17:00	1.2	BDL	BDL	17.6	0.4	2.5	22.0	9.0
5/9/2016 18:00	1.4	BDL	BDL	21.1	0.4	2.4	21.0	11.0
5/9/2016 19:00	2.1	BDL	BDL	18.4	0.4	2.5	26.0	18.0
5/9/2016 20:00	2.0	BDL	BDL	19.5	0.4	2.5	30.0	23.0
5/9/2016 21:00	3.2	BDL	BDL	17.8	0.5	2.5	24.0	22.0
5/9/2016 22:00	2.7	BDL	BDL	19.6	0.4	2.5	23.0	17.0
5/9/2016 23:00	1.0	BDL	BDL	17.9	0.5	2.7	25.0	16.0
5/10/2016 0:00	0.4	BDL	BDL	9.2	0.4	2.6	17.0	16.0
5/10/2016 1:00	BDL	BDL	BDL	22.6	0.5	2.8	23.0	13.0
5/10/2016 2:00	0.4	BDL	BDL	13.1	0.4	2.3	18.0	13.0
5/10/2016 3:00	BDL	Calibration	Calibration	7.8	0.3	2.2	16.0	8.0
5/10/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	10.0	8.0
5/10/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.3	Calibration	11.0	6.0
5/10/2016 6:00	0.5	BDL	BDL	28.8	0.4	2.2	14.0	5.0
5/10/2016 7:00	BDL	BDL	BDL	31.9	0.4	2.3	19.0	6.0
5/10/2016 8:00	BDL	BDL	BDL	28.0	0.4	2.3	17.0	8.0
5/10/2016 9:00	BDL	BDL	BDL	25.2	0.3	2.2	22.0	4.0
5/10/2016 10:00	BDL	BDL	BDL	26.2	0.3	2.2	14.0	3.0
5/10/2016 11:00	BDL	0.4	BDL	39.1	0.3	2.2	17.0	6.0
5/10/2016 12:00	BDL	BDL	BDL	20.8	0.3	2.2	17.0	5.0
5/10/2016 13:00	BDL	BDL	BDL	20.8	0.3	2.2	12.0	9.0
5/10/2016 14:00	0.5	BDL	BDL	16.9	0.3	2.2	19.0	6.0
5/10/2016 15:00	BDL	BDL	BDL	11.4	0.3	2.2	12.0	5.0
5/10/2016 16:00	BDL	BDL	BDL	9.5	0.3	2.1	12.0	5.0
5/10/2016 17:00	BDL	BDL	BDL	14.5	0.4	2.2	15.0	6.0
5/10/2016 18:00	2.0	BDL	BDL	25.1	0.4	2.2	17.0	7.0
5/10/2016 19:00	3.5	BDL	BDL	23.7	0.4	2.3	21.0	8.0
5/10/2016 20:00	3.4	BDL	BDL	24.8	0.4	2.4	23.0	12.0
5/10/2016 21:00	2.0	BDL	BDL	23.6	0.4	2.4	18.0	9.0
5/10/2016 22:00	1.7	0.6	BDL	20.1	0.4	2.4	23.0	9.0
5/10/2016 23:00	0.5	1.5	1.7	21.6	0.4	2.6	19.0	8.0
5/11/2016 0:00	0.4	1.7	2.2	21.7	0.4	2.6	16.0	9.0
5/11/2016 1:00	BDL	1.0	1.5	22.2	0.4	2.5	17.0	14.0
5/11/2016 2:00	0.4	0.9	1.3	22.1	0.4	2.7	20.0	13.0
5/11/2016 3:00	0.4	Calibration	Calibration	38	0.5	2.8	25.0	15.0
5/11/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	23.0	14.0
5/11/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.4	Calibration	21.0	14.0
5/11/2016 6:00	BDL	0.8	1	27.8	0.5	2.9	23.0	15.0
5/11/2016 7:00	0.8	Audit	Audit	52.2	0.6	3.1	53.0	21.0
5/11/2016 8:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	65.0	28.0
5/11/2016 9:00	1.5	1.5	1.1	65.2	0.6	2.9	60.0	27.0
5/11/2016 10:00	2.2	1.5	1.2	65.6	0.6	2.8	69.0	26.0
5/11/2016 11:00	3.2	1.5	1.0	73.1	0.6	2.5	55.0	22.0
5/11/2016 12:00	2.8	1.2	1.0	46.0	0.5	2.2	31.0	15.0
5/11/2016 13:00	0.9	BDL	BDL	19.5	0.3	2.2	28.0	11.0
5/11/2016 14:00	1.8	0.6	BDL	27.1	0.4	2.3	35.0	16.0
5/11/2016 15:00	1.8	BDL	BDL	20.3	0.4	2.4	31.0	13.0
5/11/2016 16:00	2.1	BDL	BDL	18.2	0.4	2.4	23.0	15.0
5/11/2016 17:00	1.0	0.6	1.0	13.9	0.4	2.2	19.0	9.0
5/11/2016 18:00	1.1	1.0	1.3	14.6	0.4	2.1	26.0	9.0
5/11/2016 19:00	2.5	0.6	BDL	25.3	0.5	2.5	30.0	17.0
5/11/2016 20:00	3.4	0.4	BDL	25.4	0.4	2.5	32.0	22.0
5/11/2016 21:00	1.1	0.5	BDL	22.7	0.5	2.3	36.0	17.0
5/11/2016 22:00	0.9	0.7	1.1	22.5	0.4	2.4	24.0	15.0
5/11/2016 23:00	0.9	0.4	1.0	26.3	0.5	2.8	28.0	18.0
5/12/2016 0:00	0.9	0.5	BDL	31.4	0.5	2.7	27.0	17.0
5/12/2016 1:00	0.4	0.6	BDL	35.7	0.5	2.8	30.0	17.0
5/12/2016 2:00	0.5	1.1	1.0	44.2	0.5	3.1	33.0	20.0
5/12/2016 3:00	0.6	Calibration	Calibration	51.2	0.6	3.8	33.0	22.0
5/12/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	27.0	19.0
5/12/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.8	Calibration	44.0	26.0
5/12/2016 6:00	1.0	1.8	1.2	69.1	0.8	3.0	43.0	25.0
5/12/2016 7:00	1.0	1.6	1.3	65.6	0.7	2.7	57.0	36.0
5/12/2016 8:00	0.9	1.0	1.0	51.8	0.7	2.6	91.0	48.0
5/12/2016 9:00	0.9	1.0	1.1	39.5	0.6	2.4	60.0	40.0
5/12/2016 10:00	0.7	0.7	BDL	26.9	0.5	2.2	59.0	35.0
5/12/2016 11:00	0.5	BDL	BDL	14.6	0.5	2.1	40.0	19.0
5/12/2016 12:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	25.0	35.0
5/12/2016 13:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	28.0	13.0
5/12/2016 14:00	0.8	BDL	BDL	10.7	0.4	2.4	36.0	19.0
5/12/2016 15:00	BDL	BDL	BDL	5.6	0.4	2.3	26.0	14.0
5/12/2016 16:00	0.7	BDL	BDL	6.6	0.4	2.4	28.0	13.0
5/12/2016 17:00	1.4	BDL	BDL	7.4	0.4	2.4	25.0	15.0
5/12/2016 18:00	1.3	BDL	BDL	8.3	0.4	2.4	19.0	11.0
5/12/2016 19:00	1.6	BDL	BDL	9.0	0.4	2.4	14.0	12.0
5/12/2016 20:00	1.1	BDL	BDL	8.0	0.4	2.4	13.0	9.0
5/12/2016 21:00	BDL	BDL	BDL	10.3	0.4	2.2	12.0	7.0
5/12/2016 22:00	BDL	BDL	BDL	8.7	0.4	2.1	12.0	6.0
5/12/2016 23:00	BDL	BDL	BDL	7.0	0.3	2.3	10.0	37.0
5/13/2016 0:00	BDL	0.4	1.0	11.4	0.4	2.2	17.0	13.0
5/13/2016 1:00	BDL	0.5	1.2	8.5	0.4	2.2	17.0	14.0
5/13/2016 2:00	BDL	0.8	1.5	7.1	0.4	2.2	18.0	9.0
5/13/2016 3:00	BDL	Calibration	Calibration	9.5	0.3	2.1	18.0	16.0
5/13/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	19.0	15.0
5/13/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.4	Calibration	24.0	12.0
5/13/2016 6:00	BDL	0.9	1.4	20.7	0.5	2.2	27.0	16.0
5/13/2016 7:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	24.0	13.0
5/13/2016 8:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	22.0	11.0
5/13/2016 9:00	BDL	BDL	BDL	18.4	0.4	2.1	27.0	14.0
5/13/2016 10:00	BDL	BDL	BDL	12.5	0.4	2.2	25.0	13.0
5/13/2016 11:00	BDL	0.4	BDL	14.3	0.4	2.3	42.0	17.0
5/13/2016 12:00	BDL	BDL	BDL	12.0	0.4	2.5	32.0	16.0
5/13/2016 13:00	BDL	0.4	1.0	14.5	0.4	2.4	19.0	15.0
5/13/2016 14:00	BDL	BDL	1.0	13.6	0.4	2.5	19.0	10.0
5/13/2016 15:00	0.5	BDL	1.0	13.0	0.4	2.6	17.0	12.0
5/13/2016 16:00	1.4	BDL	BDL	13.7	0.4	2.5	19.0	14.0
5/13/2016 17:00	1.9	BDL	BDL	14.0	0.4	2.3	16.0	14.0
5/13/2016 18:00	0.7	BDL	BDL	7.6	0.4	2.3	9.0	7.0
5/13/2016 19:00	2.0	BDL	BDL	19.5	0.5	2.3	17.0	12.0
5/13/2016 20:00	1.3	0.5	BDL	33.7	0.6	2.3	14.0	8.0
5/13/2016 21:00	1.1	0.8	1.1	36.6	0.5	2.6	17.0	8.0
5/13/2016 22:00	1.2	BDL	BDL	21.5	0.5	2.6	14.0	11.0
5/13/2016 23:00	1.4	BDL	BDL	17.4	0.5	2.5	23.0	14.0
5/14/2016 0:00	0.7	0.4	BDL	18.1	0.5	2.8	17.0	12.0
5/14/2016 1:00	0.5	BDL	BDL	21.9	0.5	2.8	18.0	8.0
5/14/2016 2:00	1.1	0.5	BDL	44.8	0.8	3.0	22.0	9.0
5/14/2016 3:00	0.6	Calibration	Calibration	24.2	0.5	3.0	19.0	9.0
5/14/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	15.0	10.0
5/14/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.9	Calibration	14.0	11.0
5/14/2016 6:00	0.8	0.8	BDL	41.1	0.8	3.5	19.0	12.0
5/14/2016 7:00	1.1	1.3	1.4	41.8	0.6	3.4	26.0	14.0
5/14/2016 8:00	0.9	0.6	BDL	25.5	0.5	2.9	27.0	17.0
5/14/2016 9:00	1.2	0.5	BDL	22.8	0.4	2.3	18.0	14.0
5/14/2016 10:00	0.8	BDL	BDL	9.1	0.4	2.3	20.0	11.0
5/14/2016 11:00	0.5	BDL	BDL	3.6	0.3	2.3	14.0	8.0
5/14/2016 12:00	0.6	BDL	BDL	3.5	0.3	2.4	17.0	6.0
5/14/2016 13:00	0.7	BDL	BDL	4.1	0.3	2.5	17.0	6.0
5/14/2016 14:00	1.2	BDL	BDL	6.2	0.3	2.5	17.0	9.0
5/14/2016 15:00	1.8	BDL	BDL	6.4	0.3	2.5	20.0	13.0
5/14/2016 16:00	1.0	BDL	BDL	5.7	0.3	2.8	45.0	11.0
5/14/2016 17:00	0.9	BDL	BDL	11.3	0.3	2.4	13.0	6.0
5/14/2016 18:00	0.7	BDL	BDL	9.4	0.3	2.3	8.0	4.0
5/14/2016 19:00	0.7	BDL	BDL	12.0	0.3	2.3	8.0	5.0
5/14/2016 20:00	2.0	BDL	BDL	12.9	0.3	2.4	15.0	9.0
5/14/2016 21:00	0.5	BDL	BDL	2.8	0.3	2.5	12.0	11.0
5/14/2016 22:00	0.4	BDL	BDL	5.0	0.3	2.6	11.0	8.0
5/14/2016 23:00	0.6	BDL	BDL	7.1	0.3	2.6	12.0	9.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 5/15/2016-5/21/2016								
5/15/2016 0:00	BDL	BDL	BDL	1.7	0.3	2.4	8.0	6.0
5/15/2016 1:00	BDL	BDL	BDL	1.0	0.3	2.5	5.0	2.0
5/15/2016 2:00	BDL	BDL	BDL	0.8	0.2	2.5	5.0	8.0
5/15/2016 3:00	BDL	Calibration	Calibration	3.5	0.2	2.6	4.0	6.0
5/15/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	13.0	4.0
5/15/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.2	Calibration	13.0	7.0
5/15/2016 6:00	0.4	BDL	BDL	7.7	0.2	3.1	9.0	5.0
5/15/2016 7:00	0.4	BDL	BDL	6.0	0.2	3.1	7.0	3.0
5/15/2016 8:00	BDL	BDL	BDL	3.3	0.2	2.9	6.0	2.0
5/15/2016 9:00	BDL	BDL	BDL	4.1	0.2	2.8	7.0	1.0
5/15/2016 10:00	0.4	BDL	BDL	4.9	0.2	2.7	7.0	1.0
5/15/2016 11:00	BDL	BDL	BDL	5.4	0.2	2.8	9.0	6.0
5/15/2016 12:00	BDL	BDL	BDL	5.2	0.2	2.9	11.0	5.0
5/15/2016 13:00	0.9	BDL	BDL	10.9	0.2	2.8	15.0	7.0
5/15/2016 14:00	1.4	BDL	BDL	9.4	0.2	2.8	22.0	6.0
5/15/2016 15:00	0.4	BDL	BDL	4.9	0.2	2.9	12.0	5.0
5/15/2016 16:00	0.5	BDL	BDL	6.3	0.2	3.0	17.0	5.0
5/15/2016 17:00	BDL	BDL	BDL	3.3	0.2	3.1	11.0	3.0
5/15/2016 18:00	BDL	BDL	BDL	2.9	0.2	2.7	12.0	3.0
5/15/2016 19:00	BDL	BDL	BDL	2.2	0.2	2.4	13.0	3.0
5/15/2016 20:00	BDL	BDL	BDL	1.9	0.2	2.5	11.0	3.0
5/15/2016 21:00	BDL	BDL	BDL	1.3	0.2	2.5	7.0	4.0
5/15/2016 22:00	BDL	BDL	BDL	1.5	0.2	2.6	8.0	4.0
5/15/2016 23:00	BDL	BDL	BDL	4.2	0.2	2.8	5.0	4.0
5/16/2016 0:00	BDL	BDL	BDL	6.0	0.2	2.6	8.0	8.0
5/16/2016 1:00	BDL	BDL	BDL	6.3	0.2	2.9	7.0	6.0
5/16/2016 2:00	0.4	BDL	BDL	7.7	0.2	2.8	4.0	6.0
5/16/2016 3:00	1.8	Calibration	Calibration	12.1	0.2	2.5	18.0	6.0
5/16/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	12.0	10.0
5/16/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.2	Calibration	21.0	8.0
5/16/2016 6:00	0.9	0.8	1.2	19.4	0.2	3.2	7.0	7.0
5/16/2016 7:00	0.9	BDL	BDL	15.9	0.2	3.1	11.0	5.0
5/16/2016 8:00	0.8	BDL	BDL	10.1	0.2	3.0	19.0	4.0
5/16/2016 9:00	0.8	BDL	BDL	11.5	0.2	3.2	23.0	4.0
5/16/2016 10:00	BDL	BDL	BDL	5.6	0.2	3.1	43.0	4.0
5/16/2016 11:00	1.5	BDL	BDL	11.9	0.2	3.0	34.0	3.0
5/16/2016 12:00	0.5	BDL	BDL	5.6	0.2	2.9	37.0	3.0
5/16/2016 13:00	BDL	BDL	BDL	5.8	0.2	2.8	27.0	4.0
5/16/2016 14:00	BDL	BDL	BDL	4.9	0.2	3.0	46.0	6.0
5/16/2016 15:00	0.5	BDL	BDL	7.1	0.2	2.9	33.0	5.0
5/16/2016 16:00	0.4	BDL	BDL	5.1	0.2	3.3	13.0	5.0
5/16/2016 17:00	0.5	BDL	BDL	7.0	0.2	4.7	14.0	6.0
5/16/2016 18:00	0.6	BDL	BDL	7.6	0.2	2.4	10.0	5.0
5/16/2016 19:00	1.1	BDL	BDL	10.7	0.2	2.3	16.0	6.0
5/16/2016 20:00	2.1	BDL	BDL	13.7	0.2	2.4	21.0	9.0
5/16/2016 21:00	2.3	BDL	BDL	18.8	0.3	2.6	19.0	9.0
5/16/2016 22:00	1.2	BDL	BDL	15.1	0.3	2.6	15.0	6.0
5/16/2016 23:00	1	BDL	BDL	12.5	0.3	2.7	14.0	6.0
5/17/2016 0:00	0.8	BDL	BDL	16.1	0.3	2.8	14.0	6.0
5/17/2016 1:00	0.6	BDL	BDL	21.0	0.3	2.4	14.0	6.0
5/17/2016 2:00	0.4	BDL	BDL	19.1	0.3	2.4	16.0	6.0
5/17/2016 3:00	0.7	Calibration	Calibration	20.8	0.3	2.6	15.0	6.0
5/17/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	20.0	11.0
5/17/2016 5:00	NoData	NoData	NoData	NoData	NoData	NoData	18.0	12.0
5/17/2016 6:00	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData
5/17/2016 7:00	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData
5/17/2016 8:00	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData
5/17/2016 9:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Invalid	44.0	19.0
5/17/2016 10:00	3.3	Calibration	Calibration	39.7	0.4	7.9	53.0	16.0
5/17/2016 11:00	1.9	Calibration	Calibration	22.5	0.3	2.7	36.0	11.0
5/17/2016 12:00	0.8	Calibration	Calibration	14.9	0.3	2.4	16.0	6.0
5/17/2016 13:00	1.6	Calibration	Calibration	25.7	0.3	2.4	15.0	5.0
5/17/2016 14:00	1.2	BDL	BDL	30.3	0.4	2.2	14.0	7.0
5/17/2016 15:00	1	0.4	BDL	32.2	0.4	2.2	15.0	17.0
5/17/2016 16:00	0.5	BDL	BDL	13.4	0.3	2.2	9.0	3.0
5/17/2016 17:00	BDL	BDL	BDL	15.5	0.4	2.2	16.0	9.0
5/17/2016 18:00	BDL	BDL	BDL	23.1	0.4	2.2	13.0	7.0
5/17/2016 19:00	0.4	BDL	BDL	39.0	0.4	2.2	16.0	7.0
5/17/2016 20:00	BDL	BDL	BDL	24.5	0.4	2.3	11.0	5.0
5/17/2016 21:00	0.5	BDL	BDL	25.7	0.4	2.5	15.0	8.0
5/17/2016 22:00	0.7	BDL	BDL	25.4	0.4	2.6	15.0	10.0
5/17/2016 23:00	0.5	BDL	BDL	18.5	0.4	2.6	14.0	12.0
5/18/2016 0:00	0.4	BDL	BDL	16.9	0.3	2.7	11.0	7.0
5/18/2016 1:00	0.4	BDL	BDL	21.7	0.3	3.0	12.0	12.0
5/18/2016 2:00	BDL	BDL	BDL	21.6	0.3	2.6	14.0	11.0
5/18/2016 3:00	BDL	Calibration	Calibration	21.8	0.4	2.7	12.0	14.0
5/18/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	21.0	12.0
5/18/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.4	Calibration	25.0	17.0
5/18/2016 6:00	0.4	BDL	BDL	29.5	0.4	2.3	21.0	14.0
5/18/2016 7:00	0.4	BDL	BDL	27.0	0.4	2.3	15.0	12.0
5/18/2016 8:00	0.4	BDL	BDL	24.9	0.4	Too few samples	21.0	7.0
5/18/2016 9:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	15.0	5.0
5/18/2016 10:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	19.0	6.0
5/18/2016 11:00	0.5	0.4	BDL	27.5	0.3	2.3	19.0	7.0
5/18/2016 12:00	0.4	BDL	BDL	22.5	0.3	2.3	16.0	Invalid
5/18/2016 13:00	BDL	BDL	BDL	18.6	0.3	2.2	Invalid	Invalid
5/18/2016 14:00	BDL	BDL	BDL	14.9	0.3	2.2	Invalid	Invalid
5/18/2016 15:00	BDL	BDL	BDL	11.4	0.3	2.2	17.0	5.0
5/18/2016 16:00	BDL	BDL	BDL	9.2	0.3	2.2	12.0	6.0
5/18/2016 17:00	BDL	BDL	BDL	8.9	0.3	2.2	11.0	5.0
5/18/2016 18:00	BDL	BDL	BDL	10.2	0.3	2.2	12.0	4.0
5/18/2016 19:00	BDL	BDL	BDL	8.6	0.3	2.1	12.0	6.0
5/18/2016 20:00	BDL	BDL	BDL	9.7	0.3	2.1	13.0	4.0
5/18/2016 21:00	BDL	BDL	BDL	11.8	0.3	2.1	12.0	7.0
5/18/2016 22:00	BDL	BDL	BDL	12.2	0.4	2.2	13.0	7.0
5/18/2016 23:00	BDL	BDL	BDL	12.5	0.4	2.2	16.0	6.0
5/19/2016 0:00	BDL	BDL	BDL	16.0	0.3	2.2	8.0	3.0
5/19/2016 1:00	BDL	BDL	BDL	25.7	0.3	2.5	19.0	6.0
5/19/2016 2:00	BDL	BDL	BDL	30.4	0.3	2.4	16.0	5.0
5/19/2016 3:00	BDL	Calibration	Calibration	29.8	0.4	2.4	15.0	11.0
5/19/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	16.0	10.0
5/19/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	24.0	12.0
5/19/2016 6:00	0.4	0.4	BDL	40.2	0.4	2.6	17.0	9.0
5/19/2016 7:00	0.8	1.1	BDL	68.7	0.6	2.5	27.0	14.0
5/19/2016 8:00	0.7	0.8	BDL	47.3	0.5	2.6	21.0	11.0
5/19/2016 9:00	0.5	BDL	BDL	25.2	0.4	2.3	19.0	9.0
5/19/2016 10:00	0.8	0.4	BDL	32.3	0.4	2.4	33.0	15.0
5/19/2016 11:00	1.1	BDL	BDL	22.3	0.4	2.3	27.0	11.0
5/19/2016 12:00	1.0	BDL	BDL	13.5	0.3	2.2	17.0	10.0
5/19/2016 13:00	0.9	BDL	BDL	10.9	0.3	2.2	31.0	8.0
5/19/2016 14:00	BDL	BDL	BDL	3.6	0.3	2.3	17.0	6.0
5/19/2016 15:00	BDL	BDL	BDL	4.0	0.2	2.2	13.0	4.0
5/19/2016 16:00	0.7	BDL	BDL	6.9	0.2	2.2	18.0	5.0
5/19/2016 17:00	BDL	BDL	BDL	2.0	0.2	2.2	16.0	4.0
5/19/2016 18:00	BDL	BDL	BDL	2.7	0.2	2.3	13.0	5.0
5/19/2016 19:00	BDL	BDL	BDL	3.1	0.3	2.3	17.0	6.0
5/19/2016 20:00	BDL	BDL	BDL	10.6	0.3	2.5	19.0	5.0
5/19/2016 21:00	BDL	BDL	BDL	16.6	0.4	2.8	17.0	5.0
5/19/2016 22:00	BDL	BDL	BDL	30.4	0.5	2.7	19.0	8.0
5/19/2016 23:00	BDL	BDL	BDL	29.9	0.4	2.2	26.0	14.0
5/20/2016 0:00	BDL	BDL	BDL	24.7	0.4	2.2	19.0	14.0
5/20/2016 1:00	0.6	1.3	1.4	43.9	0.5	4.1	23.0	17.0
5/20/2016 2:00	0.9	1.0	1.0	47.1	0.5	4.1	21.0	12.0
5/20/2016 3:00	1.0	Calibration	Calibration	37.0	0.5	3.9	16.0	8.0
5/20/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	15.0	6.0
5/20/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	19.0	9.0
5/20/2016 6:00	1.0	0.5	BDL	43	0.5	2.9	18.0	7.0
5/20/2016 7:00	1.1	BDL	BDL	26.2	0.4	2.7	19.0	6.0
5/20/2016 8:00	1.1	BDL	BDL	28.3	0.4	2.5	24.0	6.0
5/20/2016 9:00	0.7	BDL	BDL	21.8	0.3	2.3	14.0	6.0
5/20/2016 10:00	0.5	BDL	BDL	14.2	0.3	2.3	14.0	6.0
5/20/2016 11:00	BDL	BDL	BDL	8.0	0.3	2.2	19.0	3.0
5/20/2016 12:00	1.0	BDL	BDL	5.2	0.2	2.2	7.0	4.0
5/20/2016 13:00	NoData	NoData	BDL	6.0	0.2	Computer down	6.0	4.0
5/20/2016 14:00	NoData	NoData	BDL	5.1	0.2	Computer down	15.0	3.0
5/20/2016 15:00	NoData	NoData	BDL	7.0	0.2	Computer down	21.0	4.0
5/20/2016 16:00	NoData	NoData	BDL	6.9	0.2	Computer down	20.0	11.0
5/20/2016 17:00	NoData	NoData	BDL	5.7	0.3	Computer down	17.0	7.0
5/20/2016 18:00	NoData	NoData	BDL	6.1	0.3	Computer down	17.0	6.0
5/20/2016 19:00	NoData	NoData	BDL	6.4	0.3	Computer down	21.0	11.0
5/20/2016 20:00	NoData	NoData	BDL	5.1	0.3	Computer down	19.0	10.0
5/20/2016 21:00	NoData	NoData	BDL	3.9	0.3	Computer down	16.0	7.0
5/20/2016 22:00	NoData	NoData	BDL	7.1	0.3	Computer down	14.0	7.0
5/20/2016 23:00	NoData	NoData	BDL	13.3	0.4	Computer down	15.0	7.0
5/21/2016 0:00	NoData	NoData	BDL	18.9	0.4	Computer down	15.0	11.0
5/21/2016 1:00	NoData	NoData	BDL	19.2	0.3	Computer down	13.0	8.0
5/21/2016 2:00	NoData	NoData	BDL	15.8	0.4	Computer down	18.0	8.0
5/21/2016 3:00	NoData	NoData	BDL	14.8	0.4	Computer down	14.0	7.0
5/21/2016 4:00	NoData	NoData	BDL	20.1	0.4	Computer down	18.0	9.0
5/21/2016 5:00	NoData	NoData	BDL	23.6	0.5	Computer down	22.0	7.0
5/21/2016 6:00	NoData	NoData	BDL	23.1	0.4	Computer down	17.0	14.0
5/21/2016 7:00	Calibration	Calibration	Calibration	Calibration	Calibration	Calibration	18.0	17.0
5/21/2016 8:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	22.0	210.0
5/21/2016 9:00	0.4	Calibration	Calibration	22.1	0.4	2.3	26.0	9.0
5/21/2016 10:00	BDL	Calibration	Calibration	25.0	0.4	2.3	20.0	7.0
5/21/2016 11:00	BDL	Calibration	Calibration	17.9	0.4	2.2	16.0	6.0
5/21/2016 12:00	BDL	BDL	BDL	14.0	0.3	2.1	20.0	7.0
5/21/2016 13:00	BDL	BDL	BDL	11.1	0.3	2.0	9.0	8.0
5/21/2016 14:00	BDL	BDL	BDL	8.3	0.3	2.0	8.0	5.0
5/21/2016 15:00	BDL	BDL	BDL	7.4	0.3	2.0	8.0	5.0
5/21/2016 16:00	BDL	BDL	BDL	7.2	0.3	2.0	10.0	5.0
5/21/2016 17:00	BDL	BDL	BDL	14.7	0.4	2.1	12.0	4.0
5/21/2016 18:00	BDL	BDL	BDL	12.8	0.4	2.2	9.0	5.0
5/21/2016 19:00	BDL	BDL	BDL	9.7	0.4	2.2	7.0	7.0
5/21/2016 20:00	BDL	BDL	BDL	6.6	0.3	2.2	6.0	6.0
5/21/2016 21:00	BDL	BDL	BDL	5.8	0.3	2.2	6.0	4.0
5/21/2016 22:00	BDL	BDL	BDL	7.0	0.3	2.2	10.0	5.0
5/21/2016 23:00	BDL	BDL	BDL	14.5	0.3	2.2	10.0	11.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
ekly: 5/22/2016-5/28/2016								
5/22/2016 0:00	BDL	BDL	BDL	9.5	0.3	2.4	7.0	15.0
5/22/2016 1:00	BDL	BDL	BDL	9.4	0.3	2.3	6.0	9.0
5/22/2016 2:00	BDL	BDL	BDL	9.2	0.3	2.4	9.0	11.0
5/22/2016 3:00	BDL	Calibration	Calibration	4.0	0.3	2.2	9.0	10.0
5/22/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	8.0	6.0
5/22/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.3	Calibration	11.0	4.0
5/22/2016 6:00	BDL	BDL	BDL	9.3	0.3	2.3	12.0	5.0
5/22/2016 7:00	BDL	BDL	BDL	6.6	0.3	2.6	9.0	6.0
5/22/2016 8:00	0.4	BDL	BDL	9.0	0.3	2.4	10.0	7.0
5/22/2016 9:00	0.6	BDL	BDL	10.3	0.3	2.3	7.0	5.0
5/22/2016 10:00	0.4	BDL	BDL	8.3	0.3	2.2	6.0	5.0
5/22/2016 11:00	BDL	BDL	BDL	8.1	0.3	2.1	12.0	5.0
5/22/2016 12:00	BDL	BDL	BDL	6.9	0.3	2.1	11.0	3.0
5/22/2016 13:00	BDL	BDL	BDL	7.1	0.3	2.0	10.0	BDL
5/22/2016 14:00	BDL	BDL	BDL	7.5	0.3	2.1	8.0	5.0
5/22/2016 15:00	BDL	BDL	BDL	9.4	0.3	2.1	13.0	4.0
5/22/2016 16:00	BDL	BDL	BDL	11.1	0.4	2.1	12.0	3.0
5/22/2016 17:00	BDL	BDL	BDL	10.0	0.4	2.1	9.0	5.0
5/22/2016 18:00	BDL	BDL	BDL	14.3	0.4	2.1	8.0	4.0
5/22/2016 19:00	BDL	BDL	BDL	13.2	0.4	2.1	7.0	6.0
5/22/2016 20:00	BDL	BDL	BDL	19.7	0.4	2.1	10.0	7.0
5/22/2016 21:00	0.7	0.6	1.2	25.7	0.6	2.5	18.0	10.0
5/22/2016 22:00	0.5	1.1	1.6	23.5	0.5	2.6	11.0	9.0
5/22/2016 23:00	BDL	BDL	BDL	15.1	0.4	2.5	13.0	13.0
5/23/2016 0:00	BDL	BDL	BDL	24.2	0.5	2.5	13.0	8.0
5/23/2016 1:00	0.4	0.4	BDL	38.8	0.6	2.7	17.0	10.0
5/23/2016 2:00	0.4	BDL	BDL	38.0	0.6	3.5	17.0	14.0
5/23/2016 3:00	0.4	Calibration	Calibration	36.0	0.6	3.3	12.0	14.0
5/23/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	25.0	13.0
5/23/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	22.0	14.0
5/23/2016 6:00	0.6	0.5	BDL	39.4	0.5	2.6	19.0	13.0
5/23/2016 7:00	1.0	0.9	BDL	62.8	0.6	2.6	27.0	19.0
5/23/2016 8:00	0.9	1.1	BDL	62.7	0.7	2.6	30.0	19.0
5/23/2016 9:00	0.6	0.5	BDL	38.2	0.5	2.4	32.0	18.0
5/23/2016 10:00	0.6	BDL	BDL	28.7	0.5	2.2	25.0	16.0
5/23/2016 11:00	0.4	BDL	BDL	23.0	0.4	2.2	29.0	9.0
5/23/2016 12:00	BDL	BDL	BDL	13.3	0.4	2.2	22.0	13.0
5/23/2016 13:00	BDL	BDL	BDL	14.7	0.4	2.1	30.0	13.0
5/23/2016 14:00	BDL	BDL	BDL	12.7	0.4	2.1	31.0	11.0
5/23/2016 15:00	BDL	BDL	BDL	13.8	0.4	2.1	21.0	10.0
5/23/2016 16:00	0.4	BDL	BDL	12.6	0.4	2.1	24.0	13.0
5/23/2016 17:00	0.4	BDL	BDL	12.5	0.4	2.1	22.0	8.0
5/23/2016 18:00	BDL	BDL	BDL	16.9	0.4	2.2	19.0	7.0
5/23/2016 19:00	BDL	BDL	BDL	16.5	0.4	2.2	10.0	9.0
5/23/2016 20:00	0.4	BDL	BDL	20.7	0.5	2.2	12.0	10.0
5/23/2016 21:00	0.5	BDL	BDL	21.9	0.4	2.2	16.0	15.0
5/23/2016 22:00	BDL	BDL	BDL	10.5	0.3	2.4	9.0	5.0
5/23/2016 23:00	0.4	0.5	1.0	8.8	0.3	2.1	8.0	6.0
5/24/2016 0:00	BDL	0.4	1.0	9.3	0.3	2.0	10.0	5.0
5/24/2016 1:00	0.7	0.6	1.3	11.7	0.3	2.4	8.0	6.0
5/24/2016 2:00	0.6	0.5	1.1	14.5	0.3	2.5	7.0	6.0
5/24/2016 3:00	2.3	Calibration	Calibration	17.4	0.4	2.5	21.0	15.0
5/24/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	13.0	10.0
5/24/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.6	Calibration	19.0	9.0
5/24/2016 6:00	1.0	1.2	1.2	60.2	0.6	2.2	19.0	13.0
5/24/2016 7:00	0.8	0.7	BDL	31.5	0.4	2.2	17.0	10.0
5/24/2016 8:00	0.6	0.4	BDL	19.0	0.4	2.3	18.0	14.0
5/24/2016 9:00	0.6	BDL	BDL	18.3	0.4	2.3	18.0	16.0
5/24/2016 10:00	0.5	BDL	BDL	14.7	0.4	2.2	20.0	10.0
5/24/2016 11:00	BDL	0.4	8.8	13.8	0.3	14.4	21.0	13.0
5/24/2016 12:00	BDL	BDL	BDL	9.8	0.3	2.3	21.0	10.0
5/24/2016 13:00	1.3	Calibration	Calibration	8.2	0.3	2.4	35.0	17.0
5/24/2016 14:00	1.5	Too few samples	Too few samples	11.7	0.3	2.6	34.0	13.0
5/24/2016 15:00	0.9	BDL	BDL	14.1	0.4	2.5	27.0	12.0
5/24/2016 16:00	0.4	BDL	BDL	4.6	0.3	2.4	29.0	11.0
5/24/2016 17:00	0.4	BDL	BDL	6.3	0.3	2.4	26.0	7.0
5/24/2016 18:00	0.8	BDL	BDL	10.2	0.3	2.3	30.0	14.0
5/24/2016 19:00	0.6	BDL	BDL	12.3	0.3	2.5	31.0	17.0
5/24/2016 20:00	0.6	BDL	BDL	17.0	0.3	2.5	28.0	16.0
5/24/2016 21:00	0.5	BDL	BDL	18.2	0.4	2.7	33.0	13.0
5/24/2016 22:00	0.6	BDL	BDL	27.2	0.5	2.7	30.0	18.0
5/24/2016 23:00	0.4	BDL	BDL	18.4	0.4	2.4	19.0	16.0
5/25/2016 0:00	0.5	BDL	BDL	23.9	0.5	2.6	25.0	17.0
5/25/2016 1:00	0.5	BDL	BDL	31.1	0.6	3.5	23.0	16.0
5/25/2016 2:00	0.5	0.5	BDL	42.9	0.6	4.8	29.0	26.0
5/25/2016 3:00	0.5	Calibration	Calibration	44.6	0.5	4.0	33.0	19.0
5/25/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	32.0	27.0
5/25/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.5	Calibration	27.0	17.0
5/25/2016 6:00	0.4	BDL	BDL	21.4	0.4	3.4	28.0	20.0
5/25/2016 7:00	0.6	Audit	Audit	31.3	0.4	3.2	36.0	18.0
5/25/2016 8:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	63.0	15.0
5/25/2016 9:00	0.7	BDL	BDL	16.3	0.3	2.6	32.0	12.0
5/25/2016 10:00	0.6	BDL	BDL	8.5	0.3	2.5	45.0	11.0
5/25/2016 11:00	1.2	BDL	BDL	11.6	0.3	2.4	70.0	13.0
5/25/2016 12:00	1.3	BDL	BDL	9.3	0.3	2.4	36.0	14.0
5/25/2016 13:00	1.5	BDL	BDL	7.6	0.3	2.5	39.0	17.0
5/25/2016 14:00	1.3	BDL	BDL	7.2	0.3	2.5	46.0	14.0
5/25/2016 15:00	1.3	BDL	BDL	7.7	0.3	2.4	40.0	15.0
5/25/2016 16:00	1.2	BDL	BDL	9.7	0.3	2.6	49.0	16.0
5/25/2016 17:00	1.4	BDL	BDL	7.3	0.3	2.4	39.0	17.0
5/25/2016 18:00	2.1	BDL	BDL	11.9	0.3	2.5	39.0	14.0
5/25/2016 19:00	3.2	BDL	BDL	22.7	0.4	2.7	31.0	13.0
5/25/2016 20:00	2.7	0.4	BDL	25.4	0.4	2.9	30.0	19.0
5/25/2016 21:00	3.0	BDL	BDL	29.0	0.4	2.8	32.0	22.0
5/25/2016 22:00	3.0	0.5	BDL	25.7	0.5	3.1	38.0	24.0
5/25/2016 23:00	2.2	0.6	BDL	34.7	0.5	3.2	41.0	25.0
5/26/2016 0:00	1.9	0.6	BDL	33.5	0.6	3.3	39.0	22.0
5/26/2016 1:00	2.5	0.6	BDL	26.4	0.5	3.0	34.0	29.0
5/26/2016 2:00	1.3	0.5	BDL	26.5	0.5	3.3	34.0	21.0
5/26/2016 3:00	1.3	Calibration	Calibration	22.5	0.4	3.2	29.0	18.0
5/26/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	30.0	18.0
5/26/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.5	Calibration	30.0	24.0
5/26/2016 6:00	1.5	1.6	2.0	66.3	0.8	3.5	49.0	28.0
5/26/2016 7:00	2.0	1.7	1.5	84.6	0.7	3.2	109.0	40.0
5/26/2016 8:00	4.5	1.6	1.4	81.5	0.6	2.8	73.0	28.0
5/26/2016 9:00	4.9	1.2	1.2	54.6	0.5	2.7	66.0	27.0
5/26/2016 10:00	3.6	Calibration	Calibration	32.8	0.4	2.4	60.0	23.0
5/26/2016 11:00	1.9	Calibration	Calibration	17.6	0.4	2.4	49.0	20.0
5/26/2016 12:00	1.4	BDL	BDL	11.0	0.4	2.4	38.0	15.0
5/26/2016 13:00	1.0	BDL	BDL	7.0	0.3	2.6	62.0	18.0
5/26/2016 14:00	1.6	BDL	BDL	7.6	0.3	2.5	45.0	14.0
5/26/2016 15:00	1.2	BDL	BDL	5.9	0.3	2.8	25.0	17.0
5/26/2016 16:00	0.9	BDL	BDL	5.2	0.3	2.5	25.0	11.0
5/26/2016 17:00	0.7	BDL	BDL	3.6	0.3	2.5	28.0	11.0
5/26/2016 18:00	0.8	BDL	BDL	7.0	0.3	2.4	24.0	18.0
5/26/2016 19:00	0.6	BDL	BDL	11.9	0.4	2.3	31.0	18.0
5/26/2016 20:00	0.6	BDL	BDL	14.2	0.4	2.2	23.0	17.0
5/26/2016 21:00	0.4	BDL	BDL	10.6	0.4	2.2	21.0	15.0
5/26/2016 22:00	0.4	BDL	BDL	14.4	0.4	2.3	25.0	16.0
5/26/2016 23:00	0.5	0.5	1.1	17.7	0.4	2.4	28.0	18.0
5/27/2016 0:00	0.5	0.8	1.3	19.4	0.5	2.3	30.0	21.0
5/27/2016 1:00	0.5	0.9	1.5	16.2	0.4	2.7	30.0	21.0
5/27/2016 2:00	0.4	0.8	1.4	16.6	0.3	2.9	30.0	19.0
5/27/2016 3:00	0.4	Calibration	Calibration	24.3	0.3	2.7	25.0	19.0
5/27/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	27.0	21.0
5/27/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.5	Calibration	27.0	21.0
5/27/2016 6:00	0.5	1.0	1.4	34.1	0.5	2.3	36.0	19.0
5/27/2016 7:00	0.6	1.2	1.6	33.4	0.4	2.4	55.0	19.0
5/27/2016 8:00	1.2	0.7	1.2	18.7	0.4	2.7	35.0	17.0
5/27/2016 9:00	1.4	0.6	1.1	16.4	0.3	2.6	38.0	19.0
5/27/2016 10:00	1.2	0.5	1.2	12.7	0.4	2.4	39.0	17.0
5/27/2016 11:00	1.1	BDL	BDL	11.5	0.4	2.5	48.0	22.0
5/27/2016 12:00	0.9	BDL	BDL	9.5	0.4	2.5	45.0	19.0
5/27/2016 13:00	0.7	BDL	BDL	6.4	0.3	2.6	51.0	20.0
5/27/2016 14:00	0.8	BDL	BDL	5.7	0.3	2.8	38.0	17.0
5/27/2016 15:00	0.9	BDL	BDL	5.1	0.3	2.7	45.0	17.0
5/27/2016 16:00	0.6	BDL	BDL	4.7	0.3	2.6	33.0	15.0
5/27/2016 17:00	0.5	BDL	BDL	3.6	0.3	2.6	33.0	15.0
5/27/2016 18:00	0.5	BDL	BDL	4.1	0.3	2.6	26.0	11.0
5/27/2016 19:00	0.4	BDL	BDL	7.0	0.4	2.3	32.0	18.0
5/27/2016 20:00	BDL	BDL	BDL	7.2	0.4	2.3	37.0	18.0
5/27/2016 21:00	BDL	0.6	1.3	6.8	0.4	2.4	34.0	14.0
5/27/2016 22:00	BDL	0.7	1.4	14.5	0.4	2.3	30.0	16.0
5/27/2016 23:00	BDL	0.5	1.3	7.3	0.3	2.4	22.0	11.0
5/28/2016 0:00	BDL	0.8	1.5	6.4	0.3	2.4	24.0	8.0
5/28/2016 1:00	BDL	0.6	1.4	6.1	0.3	2.4	19.0	13.0
5/28/2016 2:00	0.6	1.0	1.6	10.2	0.3	2.6	19.0	13.0
5/28/2016 3:00	BDL	Calibration	Calibration	6.7	0.3	2.3	17.0	10.0
5/28/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	17.0	11.0
5/28/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.3	Calibration	16.0	10.0
5/28/2016 6:00	BDL	0.5	1.2	13.0	0.3	2.5	19.0	7.0
5/28/2016 7:00	0.5	0.7	1.3	10.7	0.3	2.6	20.0	5.0
5/28/2016 8:00	1.3	0.5	1.0	15.9	0.3	2.7	27.0	9.0
5/28/2016 9:00	1.4	0.4	BDL	11.5	0.3	2.6	23.0	12.0
5/28/2016 10:00	1.7	0.4	BDL	12.7	0.3	2.6	27.0	21.0
5/28/2016 11:00	1.6	BDL	BDL	9.2	0.3	2.6	26.0	13.0
5/28/2016 12:00	1.0	BDL	BDL	5.6	0.3	2.6	32.0	13.0
5/28/2016 13:00	0.8	BDL	BDL	4.4	0.3	2.6	26.0	17.0
5/28/2016 14:00	0.5	BDL	BDL	2.1	0.3	2.9	35.0	16.0
5/28/2016 15:00	0.4	BDL	BDL	2.1	0.3	2.9	34.0	15.0
5/28/2016 16:00	0.6	BDL	BDL	3.8	0.3	2.7	35.0	18.0
5/28/2016 17:00	0.5	BDL	BDL	3.2	0.3	2.6	30.0	12.0
5/28/2016 18:00	BDL	BDL	BDL	3.2	0.3	2.4	33.0	15.0
5/28/2016 19:00	BDL	BDL	BDL	4.0	0.3	2.3	27.0	11.0
5/28/2016 20:00	BDL	BDL	BDL	6.9	0.3	2.3	27.0	12.0
5/28/2016 21:00	BDL	BDL	BDL	6.7	0.3	2.4	22.0	11.0
5/28/2016 22:00	BDL	BDL	BDL	6.0	0.3	2.5	17.0	12.0
5/28/2016 23:00	BDL	0.4	1.2	8.4	0.3	2.5	18.0	10.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 5/29/2016-6/4/2016								
5/29/2016 0:00	0.4	0.8	1.5	10.2	0.3	2.4	17.0	9.0
5/29/2016 1:00	BDL	1.5	2.3	8.3	0.3	2.6	19.0	8.0
5/29/2016 2:00	0.5	2.3	3.2	10.1	0.3	2.9	17.0	11.0
5/29/2016 3:00	0.5	Calibration	Calibration	9.0	0.3	2.5	16.0	7.0
5/29/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	11.0	7.0
5/29/2016 5:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	Calibration	15.0	8.0
5/29/2016 6:00	0.5	1.0	1.8	15.0	0.3	2.5	12.0	9.0
5/29/2016 7:00	0.7	1.1	1.8	16.1	0.3	2.6	16.0	9.0
5/29/2016 8:00	1.4	1.1	1.7	17.0	0.3	2.6	13.0	7.0
5/29/2016 9:00	0.9	Calibration	Calibration	8.4	0.2	2.6	10.0	12.0
5/29/2016 10:00	0.9	Calibration	Calibration	5.8	0.2	2.3	12.0	9.0
5/29/2016 11:00	0.4	0.5	BDL	2.2	0.2	2.3	15.0	6.0
5/29/2016 12:00	BDL	BDL	BDL	1.4	0.2	2.5	14.0	5.0
5/29/2016 13:00	BDL	BDL	BDL	1.3	0.2	2.6	16.0	6.0
5/29/2016 14:00	BDL	BDL	BDL	1.4	0.2	2.7	6.0	3.0
5/29/2016 15:00	BDL	BDL	BDL	2.2	0.2	2.6	6.0	2.0
5/29/2016 16:00	BDL	BDL	BDL	1.9	0.2	2.4	8.0	2.0
5/29/2016 17:00	BDL	BDL	BDL	4.6	0.2	2.4	8.0	6.0
5/29/2016 18:00	BDL	BDL	BDL	3.5	0.2	2.4	10.0	5.0
5/29/2016 19:00	0.4	BDL	BDL	5.7	0.3	2.5	16.0	2.0
5/29/2016 20:00	BDL	BDL	BDL	5.1	0.3	2.3	9.0	BDL
5/29/2016 21:00	BDL	0.6	BDL	12.9	0.3	2.5	6.0	BDL
5/29/2016 22:00	0.4	0.5	BDL	13.4	0.3	2.9	5.0	BDL
5/29/2016 23:00	0.5	0.5	BDL	8.8	0.3	2.8	3.0	3.0
5/30/2016 0:00	0.5	BDL	BDL	8.7	0.3	2.5	3.0	1.0
5/30/2016 1:00	BDL	BDL	BDL	10.5	0.3	2.4	2.0	2.0
5/30/2016 2:00	BDL	BDL	BDL	7.0	0.3	2.4	3.0	BDL
5/30/2016 3:00	BDL	Calibration	Calibration	7.1	0.3	2.8	3.0	BDL
5/30/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	1.0	BDL
5/30/2016 5:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	Calibration	BDL	2.0
5/30/2016 6:00	BDL	BDL	BDL	9.2	0.2	2.5	3.0	1.0
5/30/2016 7:00	BDL	BDL	BDL	8.4	0.3	2.6	4.0	2.0
5/30/2016 8:00	BDL	BDL	BDL	6.2	0.3	2.5	3.0	2.0
5/30/2016 9:00	BDL	BDL	BDL	3.5	0.3	2.4	4.0	1.0
5/30/2016 10:00	BDL	BDL	BDL	4.8	0.3	2.4	5.0	2.0
5/30/2016 11:00	0.4	BDL	BDL	7.4	0.3	2.6	6.0	3.0
5/30/2016 12:00	0.7	0.4	BDL	9.5	0.3	2.4	10.0	7.0
5/30/2016 13:00	1.1	BDL	BDL	7.6	0.3	2.5	10.0	9.0
5/30/2016 14:00	0.8	BDL	BDL	8.5	0.3	2.5	10.0	5.0
5/30/2016 15:00	0.5	0.5	BDL	7.1	0.3	2.5	8.0	4.0
5/30/2016 16:00	0.4	0.5	BDL	6.6	0.3	2.4	10.0	4.0
5/30/2016 17:00	BDL	0.8	BDL	5.4	0.3	2.5	8.0	3.0
5/30/2016 18:00	BDL	0.4	BDL	5.7	0.3	2.3	5.0	2.0
5/30/2016 19:00	BDL	0.4	BDL	3.9	0.3	2.2	3.0	1.0
5/30/2016 20:00	BDL	0.4	BDL	3.6	0.3	2.2	6.0	1.0
5/30/2016 21:00	BDL	0.4	BDL	5.2	0.3	2.2	8.0	1.0
5/30/2016 22:00	BDL	0.4	BDL	4.4	0.3	2.2	8.0	BDL
5/30/2016 23:00	BDL	0.4	BDL	2.6	0.2	2.2	8.0	BDL
5/31/2016 0:00	BDL	1.0	BDL	7.1	0.2	2.6	7.0	1.0
5/31/2016 1:00	BDL	1.3	BDL	3.6	0.2	2.7	9.0	BDL
5/31/2016 2:00	BDL	1.0	BDL	9.0	0.2	2.6	16.0	3.0
5/31/2016 3:00	0.4	Calibration	Calibration	10.6	0.2	2.5	10.0	3.0
5/31/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	15.0	3.0
5/31/2016 5:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	Calibration	10.0	4.0
5/31/2016 6:00	0.4	0.6	BDL	17.6	0.3	2.7	15.0	7.0
5/31/2016 7:00	0.4	0.5	BDL	18.4	0.3	2.4	14.0	4.0
5/31/2016 8:00	0.4	BDL	BDL	15.3	0.3	2.3	16.0	6.0
5/31/2016 9:00	0.5	0.4	BDL	27.0	0.4	2.4	22.0	11.0
5/31/2016 10:00	0.6	0.6	BDL	27.2	0.3	2.3	141.0	15.0
5/31/2016 11:00	0.4	BDL	BDL	17.3	0.3	2.4	158.0	14.0
5/31/2016 12:00	BDL	BDL	BDL	10.2	0.3	2.3	50.0	8.0
5/31/2016 13:00	BDL	BDL	BDL	17.1	0.3	2.5	102.0	10.0
5/31/2016 14:00	BDL	BDL	BDL	8.9	0.3	2.4	92.0	11.0
5/31/2016 15:00	BDL	BDL	BDL	3.8	0.2	2.3	14.0	6.0
5/31/2016 16:00	BDL	BDL	BDL	3.7	0.2	2.3	15.0	6.0
5/31/2016 17:00	BDL	BDL	BDL	4.1	0.2	2.4	17.0	7.0
5/31/2016 18:00	BDL	BDL	BDL	4.3	0.2	2.4	16.0	8.0
5/31/2016 19:00	BDL	BDL	BDL	7.6	0.3	2.4	16.0	8.0
5/31/2016 20:00	BDL	BDL	BDL	15.6	0.4	2.6	19.0	14.0
5/31/2016 21:00	0.4	0.5	BDL	22.3	0.4	2.5	22.0	12.0
5/31/2016 22:00	BDL	BDL	BDL	8.6	0.3	2.3	15.0	16.0
5/31/2016 23:00	BDL	BDL	BDL	12.2	0.3	2.6	17.0	13.0
6/1/2016 0:00	BDL	0.4	BDL	10.8	0.3	2.6	13.0	15.0
6/1/2016 1:00	BDL	0.6	BDL	12.0	0.3	2.6	16.0	8.0
6/1/2016 2:00	BDL	0.8	BDL	20.8	0.4	2.8	20.0	9.0
6/1/2016 3:00	BDL	Calibration	Calibration	23.8	0.3	2.5	28.0	11.0
6/1/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	17.0	9.0
6/1/2016 5:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	Calibration	21.0	12.0
6/1/2016 6:00	0.7	1.6	BDL	51.8	0.5	2.8	36.0	19.0
6/1/2016 7:00	0.6	3.7	BDL	39.0	0.5	2.6	92.0	21.0
6/1/2016 8:00	0.6	0.9	BDL	30.4	0.4	2.6	Invalid	Invalid
6/1/2016 9:00	0.7	0.9	BDL	33.0	0.5	2.5	74.0	23.0
6/1/2016 10:00	0.6	Calibration	Calibration	30.1	0.4	2.4	73.0	21.0
6/1/2016 11:00	0.4	Calibration	Calibration	16.0	0.4	2.3	35.0	15.0
6/1/2016 12:00	0.4	Calibration	Calibration	9.5	0.3	2.3	28.0	18.0
6/1/2016 13:00	BDL	Calibration	Calibration	9.0	0.3	2.3	40.0	12.0
6/1/2016 14:00	BDL	BDL	11.7	5.2	0.3	2.6	34.0	13.0
6/1/2016 15:00	BDL	BDL	BDL	4.5	0.2	2.4	29.0	10.0
6/1/2016 16:00	BDL	BDL	BDL	6.5	0.3	2.3	31.0	12.0
6/1/2016 17:00	BDL	0.5	BDL	10.5	0.3	2.3	21.0	9.0
6/1/2016 18:00	BDL	0.5	BDL	8.9	0.3	2.2	23.0	12.0
6/1/2016 19:00	BDL	0.4	BDL	8.7	0.3	2.2	26.0	11.0
6/1/2016 20:00	BDL	BDL	BDL	8.2	0.3	2.2	16.0	9.0
6/1/2016 21:00	BDL	BDL	BDL	7.2	0.3	2.2	14.0	8.0
6/1/2016 22:00	BDL	BDL	BDL	7.1	0.3	2.2	11.0	11.0
6/1/2016 23:00	BDL	BDL	BDL	11.7	0.3	2.2	19.0	9.0
6/2/2016 0:00	BDL	BDL	BDL	9.0	0.3	2.2	16.0	13.0
6/2/2016 1:00	BDL	BDL	BDL	6.9	0.3	2.3	22.0	12.0
6/2/2016 2:00	BDL	BDL	BDL	9.1	0.3	2.3	27.0	16.0
6/2/2016 3:00	BDL	Calibration	Calibration	9.3	0.2	2.4	18.0	10.0
6/2/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	20.0	14.0
6/2/2016 5:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	Calibration	20.0	13.0
6/2/2016 6:00	BDL	0.4	BDL	21.0	0.3	2.4	22.0	14.0
6/2/2016 7:00	BDL	BDL	BDL	19.6	0.3	2.4	30.0	14.0
6/2/2016 8:00	0.4	0.6	BDL	30.8	0.3	2.4	77.0	15.0
6/2/2016 9:00	BDL	0.5	BDL	20.0	0.3	2.4	40.0	17.0
6/2/2016 10:00	BDL	0.9	BDL	29.1	0.3	2.4	114.0	19.0
6/2/2016 11:00	BDL	0.4	BDL	15.4	0.3	2.3	94.0	14.0
6/2/2016 12:00	BDL	BDL	BDL	9.7	0.3	2.3	27.0	17.0
6/2/2016 13:00	BDL	BDL	BDL	17.3	0.3	2.3	60.0	16.0
6/2/2016 14:00	BDL	BDL	BDL	5.7	0.3	2.3	43.0	10.0
6/2/2016 15:00	BDL	BDL	BDL	4.1	0.3	2.3	19.0	9.0
6/2/2016 16:00	BDL	BDL	BDL	3.3	0.3	2.3	21.0	7.0
6/2/2016 17:00	BDL	BDL	BDL	3.8	0.2	2.2	24.0	7.0
6/2/2016 18:00	BDL	BDL	BDL	4.8	0.2	2.2	21.0	9.0
6/2/2016 19:00	BDL	BDL	BDL	4.9	0.2	2.1	19.0	6.0
6/2/2016 20:00	BDL	BDL	BDL	3.1	0.2	2.1	14.0	5.0
6/2/2016 21:00	BDL	BDL	BDL	4.9	0.2	2.1	10.0	6.0
6/2/2016 22:00	BDL	BDL	BDL	7.7	0.2	2.1	7.0	6.0
6/2/2016 23:00	BDL	BDL	BDL	8.3	0.2	2.1	9.0	5.0
6/3/2016 0:00	BDL	BDL	BDL	5.8	0.2	2.1	6.0	4.0
6/3/2016 1:00	BDL	BDL	BDL	3.7	0.2	2.1	14.0	3.0
6/3/2016 2:00	BDL	BDL	BDL	5.9	0.2	2.2	8.0	3.0
6/3/2016 3:00	BDL	Calibration	Calibration	6.3	0.2	2.2	4.0	1.0
6/3/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	6.0	BDL
6/3/2016 5:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	Calibration	11.0	2.0
6/3/2016 6:00	BDL	0.4	BDL	15.2	0.3	2.2	9.0	6.0
6/3/2016 7:00	BDL	BDL	BDL	22.2	0.3	2.1	17.0	8.0
6/3/2016 8:00	BDL	0.5	BDL	18.8	0.3	2.1	15.0	9.0
6/3/2016 9:00	BDL	0.4	BDL	20.3	0.3	2.1	17.0	6.0
6/3/2016 10:00	BDL	0.5	BDL	19.1	0.3	2.2	13.0	6.0
6/3/2016 11:00	BDL	0.5	BDL	16.4	0.3	2.2	10.0	3.0
6/3/2016 12:00	BDL	0.4	BDL	19.3	0.3	2.2	10.0	8.0
6/3/2016 13:00	BDL	0.4	BDL	20.1	0.3	2.2	10.0	8.0
6/3/2016 14:00	BDL	BDL	BDL	15.6	0.3	2.2	9.0	10.0
6/3/2016 15:00	BDL	BDL	BDL	8.4	0.3	2.2	13.0	7.0
6/3/2016 16:00	BDL	BDL	BDL	7.9	0.3	2.2	11.0	7.0
6/3/2016 17:00	BDL	BDL	BDL	8.2	0.3	2.2	7.0	6.0
6/3/2016 18:00	BDL	BDL	BDL	9.6	0.3	2.2	16.0	9.0
6/3/2016 19:00	BDL	BDL	BDL	8.7	0.3	2.1	8.0	7.0
6/3/2016 20:00	BDL	BDL	BDL	9.2	0.3	2.2	13.0	7.0
6/3/2016 21:00	BDL	BDL	BDL	8.6	0.3	2.1	13.0	7.0
6/3/2016 22:00	BDL	BDL	BDL	9.8	0.4	2.2	15.0	7.0
6/3/2016 23:00	BDL	0.8	BDL	7.5	0.3	2.5	12.0	9.0
6/4/2016 0:00	BDL	1.1	BDL	5.3	0.2	2.6	13.0	8.0
6/4/2016 1:00	0.4	0.5	BDL	4.3	0.2	2.5	12.0	7.0
6/4/2016 2:00	0.4	0.4	BDL	6.1	0.2	2.5	15.0	10.0
6/4/2016 3:00	0.5	Calibration	Calibration	9.0	0.2	2.3	18.0	15.0
6/4/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	17.0	11.0
6/4/2016 5:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	Calibration	16.0	7.0
6/4/2016 6:00	BDL	0.4	BDL	10.8	0.3	2.3	15.0	11.0
6/4/2016 7:00	BDL	0.6	BDL	13.3	0.3	2.3	16.0	10.0
6/4/2016 8:00	0.4	0.8	BDL	14.7	0.3	2.4	15.0	9.0
6/4/2016 9:00	1.0	0.9	BDL	14.6	0.3	2.5	24.0	16.0
6/4/2016 10:00	1.9	1.0	BDL	16.2	0.3	2.4	25.0	21.0
6/4/2016 11:00	2.4	0.8	BDL	18.3	0.3	2.4	20.0	15.0
6/4/2016 12:00	1.6	0.5	BDL	9.0	0.3	2.3	16.0	11.0
6/4/2016 13:00	0.9	0.4	BDL	5.0	0.2	2.4	14.0	11.0
6/4/2016 14:00	0.8	BDL	BDL	5.5	0.3	2.4	14.0	12.0
6/4/2016 15:00	0.7	0.4	BDL	4.6	0.3	2.4	13.0	12.0
6/4/2016 16:00	0.6	0.4	BDL	3.3	0.2	2.4	20.0	7.0
6/4/2016 17:00	0.4	0.4	BDL	3.8	0.2	2.4	13.0	10.0
6/4/2016 18:00	BDL	BDL	BDL	3.8	0.3	2.4	12.0	9.0
6/4/2016 19:00	BDL	BDL	BDL	5.1	0.3	2.5	8.0	8.0
6/4/2016 20:00	BDL	0.7	BDL	5.3	0.3	2.5	8.0	8.0
6/4/2016 21:00	BDL	1.1	BDL	3.2	0.3	2.3	12.0	8.0
6/4/2016 22:00	BDL	0.7	BDL	4.1	0.3	2.4	13.0	6.0
6/4/2016 23:00	BDL	0.4	BDL	5.8	0.2	2.3	13.0	6.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 6/5/2016-6/11/2016								
6/5/2016 0:00	BDL	BDL	BDL	7.5	0.3	2.2	13.0	7.0
6/5/2016 1:00	BDL	BDL	BDL	4.6	0.2	2.2	11.0	6.0
6/5/2016 2:00	BDL	BDL	BDL	3.8	0.2	2.2	10.0	5.0
6/5/2016 3:00	BDL	Calibration	Calibration	4.3	0.2	2.2	7.0	4.0
6/5/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	11.0	5.0
6/5/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.2	Calibration	11.0	5.0
6/5/2016 6:00	BDL	0.4	BDL	2.7	0.2	2.2	12.0	6.0
6/5/2016 7:00	BDL	0.6	BDL	4.6	0.2	2.1	13.0	6.0
6/5/2016 8:00	BDL	0.7	BDL	6.9	0.2	2.2	14.0	8.0
6/5/2016 9:00	BDL	0.9	BDL	4.8	0.2	2.1	12.0	6.0
6/5/2016 10:00	BDL	0.9	BDL	4.0	0.3	2.1	8.0	3.0
6/5/2016 11:00	BDL	0.8	BDL	5.0	0.3	2.2	13.0	5.0
6/5/2016 12:00	BDL	0.6	BDL	3.3	0.2	2.4	10.0	5.0
6/5/2016 13:00	BDL	0.5	BDL	2.2	0.2	2.4	12.0	6.0
6/5/2016 14:00	BDL	0.4	BDL	2.3	0.3	2.4	11.0	6.0
6/5/2016 15:00	BDL	0.5	BDL	2.8	0.3	2.4	11.0	6.0
6/5/2016 16:00	BDL	BDL	BDL	2.1	0.2	2.5	15.0	7.0
6/5/2016 17:00	0.4	BDL	BDL	4.4	0.2	2.5	22.0	10.0
6/5/2016 18:00	0.4	1.0	BDL	5.9	0.2	2.4	11.0	7.0
6/5/2016 19:00	0.7	0.6	BDL	11.2	0.3	2.5	14.0	6.0
6/5/2016 20:00	1.4	0.4	BDL	9.9	0.3	2.6	18.0	7.0
6/5/2016 21:00	1.5	0.6	BDL	13.2	0.3	2.6	17.0	10.0
6/5/2016 22:00	1.1	0.6	BDL	10.2	0.3	2.5	13.0	8.0
6/5/2016 23:00	0.9	0.6	BDL	14.1	0.3	2.6	9.0	5.0
6/6/2016 0:00	0.9	0.6	BDL	13.7	0.3	2.8	16.0	4.0
6/6/2016 1:00	0.8	0.7	BDL	12.8	0.3	2.6	16.0	8.0
6/6/2016 2:00	0.6	0.7	BDL	14.1	0.2	2.5	18.0	9.0
6/6/2016 3:00	0.7	Calibration	Calibration	11.6	0.2	2.6	18.0	11.0
6/6/2016 4:00	BDL	Calibration	Calibration	Too few samples	Too few samples	Too few samples	26.0	17.0
6/6/2016 5:00	BDL	Too few samples	Too few samples	Too few samples	0.2	Calibration	11.0	5.0
6/6/2016 6:00	1.4	0.8	BDL	11.1	0.2	2.3	19.0	10.0
6/6/2016 7:00	1.1	0.7	BDL	14.0	0.3	2.3	17.0	8.0
6/6/2016 8:00	0.9	0.5	BDL	12.2	0.2	2.3	21.0	8.0
6/6/2016 9:00	0.9	0.5	BDL	9.6	0.2	2.3	20.0	12.0
6/6/2016 10:00	0.9	0.9	BDL	14.8	0.2	2.4	24.0	11.0
6/6/2016 11:00	1.1	0.8	BDL	15.4	0.2	2.3	38.0	12.0
6/6/2016 12:00	0.9	0.5	BDL	8.0	0.2	2.3	25.0	14.0
6/6/2016 13:00	0.9	0.4	BDL	6.5	0.2	2.4	28.0	10.0
6/6/2016 14:00	1.1	0.4	BDL	7.6	0.2	2.4	27.0	13.0
6/6/2016 15:00	1.2	0.5	BDL	5.5	0.2	2.5	24.0	13.0
6/6/2016 16:00	1.2	BDL	BDL	6.1	0.2	2.5	23.0	14.0
6/6/2016 17:00	0.8	BDL	BDL	4.5	0.2	2.6	18.0	11.0
6/6/2016 18:00	1.1	0.4	BDL	7.6	0.2	2.6	19.0	18.0
6/6/2016 19:00	1.5	0.4	BDL	10.9	0.2	2.6	17.0	12.0
6/6/2016 20:00	0.6	0.5	BDL	7.2	0.2	2.5	12.0	9.0
6/6/2016 21:00	0.4	1.3	1.0	8.8	0.2	2.8	12.0	8.0
6/6/2016 22:00	BDL	1.1	BDL	7.5	0.2	2.6	16.0	8.0
6/6/2016 23:00	BDL	1.0	BDL	8.0	0.2	2.5	13.0	7.0
6/7/2016 0:00	BDL	1.3	BDL	6.0	0.2	2.6	13.0	11.0
6/7/2016 1:00	0.4	1.0	BDL	8.3	0.2	2.9	14.0	14.0
6/7/2016 2:00	0.5	0.9	BDL	8.0	0.2	2.8	14.0	9.0
6/7/2016 3:00	0.4	Calibration	Calibration	9.0	0.2	2.7	17.0	8.0
6/7/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	26.0	17.0
6/7/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.2	Calibration	23.0	9.0
6/7/2016 6:00	0.6	0.6	BDL	7.8	0.2	2.3	23.0	14.0
6/7/2016 7:00	0.5	0.5	BDL	13.1	0.3	2.2	24.0	11.0
6/7/2016 8:00	0.6	0.6	BDL	16.1	0.3	2.3	29.0	11.0
6/7/2016 9:00	0.7	0.5	BDL	8.9	0.3	2.3	26.0	13.0
6/7/2016 10:00	0.5	0.4	BDL	5.9	0.2	2.2	25.0	10.0
6/7/2016 11:00	1.1	0.6	BDL	14.7	0.2	2.3	57.0	18.0
6/7/2016 12:00	1.1	0.7	BDL	8.9	0.2	2.5	29.0	17.0
6/7/2016 13:00	1.6	0.6	BDL	7.6	0.2	2.6	45.0	19.0
6/7/2016 14:00	1.1	0.6	BDL	15.8	0.2	2.5	48.0	16.0
6/7/2016 15:00	1.0	0.5	BDL	10.6	0.2	2.2	33.0	17.0
6/7/2016 16:00	0.5	0.5	BDL	10.4	0.2	2.2	21.0	7.0
6/7/2016 17:00	1.1	0.6	BDL	21.5	0.3	2.4	18.0	14.0
6/7/2016 18:00	0.6	0.4	BDL	6.3	0.2	2.2	13.0	11.0
6/7/2016 19:00	0.4	0.4	BDL	6.7	0.2	2.2	12.0	9.0
6/7/2016 20:00	BDL	BDL	BDL	8.1	0.2	2.2	14.0	6.0
6/7/2016 21:00	BDL	0.4	BDL	6.5	0.2	2.2	12.0	5.0
6/7/2016 22:00	BDL	0.4	BDL	2.6	0.1	2.3	13.0	7.0
6/7/2016 23:00	BDL	0.4	BDL	4.4	0.1	2.2	11.0	5.0
6/8/2016 0:00	BDL	BDL	BDL	5.1	0.1	2.2	10.0	5.0
6/8/2016 1:00	0.4	BDL	BDL	4.3	0.1	2.2	16.0	8.0
6/8/2016 2:00	BDL	BDL	BDL	1.6	0.1	2.2	9.0	5.0
6/8/2016 3:00	BDL	Calibration	Calibration	Too few samples	0.1	2.2	9.0	3.0
6/8/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	7.0	4.0
6/8/2016 5:00	Too few samples	Too few samples	Too few samples	13.1	Too few samples	Calibration	12.0	10.0
6/8/2016 6:00	2.4	0.5	BDL	21.7	0.1	2.1	21.0	12.0
6/8/2016 7:00	0.8	Audit	Audit	12.1	0.2	2.2	12.0	7.0
6/8/2016 8:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	17.0	4.0
6/8/2016 9:00	1.6	Too few samples	Too few samples	15.9	0.1	2.2	23.0	6.0
6/8/2016 10:00	1.6	Calibration	Calibration	8.5	0.2	2.2	20.0	8.0
6/8/2016 11:00	1.7	0.5	BDL	10.2	0.2	2.4	40.0	15.0
6/8/2016 12:00	BDL	0.4	BDL	3.5	0.2	2.2	6.0	6.0
6/8/2016 13:00	BDL	BDL	BDL	3.4	0.1	2.2	10.0	1.0
6/8/2016 14:00	BDL	BDL	BDL	2.1	0.1	2.2	7.0	3.0
6/8/2016 15:00	BDL	BDL	BDL	2.1	0.1	Too few samples	7.0	3.0
6/8/2016 16:00	BDL	BDL	BDL	1.4	0.1	2.3	8.0	2.0
6/8/2016 17:00	BDL	BDL	BDL	1.3	0.1	2.3	12.0	4.0
6/8/2016 18:00	BDL	BDL	BDL	2.8	0.1	2.2	11.0	4.0
6/8/2016 19:00	BDL	BDL	BDL	1.9	0.1	2.3	10.0	1.0
6/8/2016 20:00	BDL	BDL	BDL	1.8	0.1	2.3	5.0	4.0
6/8/2016 21:00	BDL	BDL	BDL	7.4	0.1	2.3	2.0	3.0
6/8/2016 22:00	BDL	BDL	BDL	2.6	0.1	2.4	6.0	3.0
6/8/2016 23:00	BDL	BDL	BDL	0.5	0.1	2.4	5.0	3.0
6/9/2016 0:00	BDL	BDL	BDL	0.6	0.1	2.4	5.0	2.0
6/9/2016 1:00	BDL	BDL	BDL	BDL	0.1	2.3	8.0	3.0
6/9/2016 2:00	BDL	BDL	BDL	1.8	0.1	2.3	7.0	8.0
6/9/2016 3:00	0.4	Calibration	Calibration	7.2	0.1	2.3	9.0	8.0
6/9/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	12.0	5.0
6/9/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.1	Calibration	13.0	6.0
6/9/2016 6:00	BDL	BDL	BDL	6.4	0.1	2.4	13.0	6.0
6/9/2016 7:00	BDL	BDL	BDL	6.6	0.1	2.3	Audit	Audit
6/9/2016 8:00	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit
6/9/2016 9:00	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit
6/9/2016 10:00	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit
6/9/2016 11:00	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit
6/9/2016 12:00	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit
6/9/2016 13:00	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit
6/9/2016 14:00	Audit	Audit	Audit	Audit	Audit	Audit	Invalid	Invalid
6/9/2016 15:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Invalid	Invalid
6/9/2016 16:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	18.0	1.0
6/9/2016 17:00	BDL	Calibration	Calibration	2.7	0.1	2.2	13.0	4.0
6/9/2016 18:00	BDL	BDL	BDL	3.7	0.1	2.2	10.0	4.0
6/9/2016 19:00	BDL	BDL	BDL	3.6	0.1	2.2	11.0	4.0
6/9/2016 20:00	BDL	BDL	BDL	4.2	0.1	2.2	7.0	4.0
6/9/2016 21:00	BDL	BDL	BDL	26.6	0.2	2.4	10.0	6.0
6/9/2016 22:00	BDL	BDL	BDL	19.7	0.2	2.4	14.0	6.0
6/9/2016 23:00	BDL	BDL	BDL	9.3	0.2	2.2	13.0	5.0
6/10/2016 0:00	BDL	BDL	BDL	16.5	0.1	2.3	12.0	10.0
6/10/2016 1:00	BDL	0.4	BDL	19.6	0.2	2.5	9.0	7.0
6/10/2016 2:00	BDL	0.4	BDL	19.8	0.2	2.4	13.0	11.0
6/10/2016 3:00	BDL	Calibration	Calibration	10.6	0.1	2.4	11.0	6.0
6/10/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	11.0	7.0
6/10/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.1	Calibration	11.0	6.0
6/10/2016 6:00	BDL	BDL	BDL	8.3	0.1	2.4	17.0	6.0
6/10/2016 7:00	0.4	BDL	BDL	5.2	0.1	2.4	12.0	9.0
6/10/2016 8:00	0.5	Calibration	Calibration	4.0	0.1	2.3	13.0	7.0
6/10/2016 9:00	BDL	BDL	BDL	2.8	0.1	2.3	14.0	5.0
6/10/2016 10:00	BDL	BDL	BDL	2.7	0.1	2.3	20.0	2.0
6/10/2016 11:00	BDL	BDL	BDL	3.3	0.1	2.3	16.0	4.0
6/10/2016 12:00	BDL	BDL	BDL	2.1	0.1	2.3	14.0	4.0
6/10/2016 13:00	BDL	BDL	BDL	2.6	0.1	2.4	16.0	5.0
6/10/2016 14:00	BDL	BDL	BDL	1.1	0.1	2.3	14.0	6.0
6/10/2016 15:00	BDL	BDL	BDL	1.7	0.1	2.3	12.0	6.0
6/10/2016 16:00	BDL	BDL	BDL	2.4	0.1	2.3	17.0	3.0
6/10/2016 17:00	BDL	BDL	BDL	1.8	0.1	2.3	8.0	1.0
6/10/2016 18:00	BDL	BDL	BDL	1.2	0.1	2.3	8.0	4.0
6/10/2016 19:00	BDL	BDL	BDL	2.6	0.1	2.3	12.0	3.0
6/10/2016 20:00	BDL	BDL	BDL	5.8	0.1	2.4	9.0	6.0
6/10/2016 21:00	0.8	BDL	BDL	9.8	0.2	2.6	18.0	11.0
6/10/2016 22:00	0.5	BDL	BDL	20.0	0.3	2.6	18.0	11.0
6/10/2016 23:00	1.8	1.1	BDL	35.9	0.5	3.2	21.0	13.0
6/11/2016 0:00	1.7	1.4	BDL	48.7	0.5	2.8	28.0	13.0
6/11/2016 1:00	1.1	1.4	BDL	50.0	0.5	2.9	28.0	15.0
6/11/2016 2:00	1.0	1.5	1.1	39.7	0.5	3.5	25.0	18.0
6/11/2016 3:00	0.7	Calibration	Calibration	38.8	0.6	3.3	21.0	19.0
6/11/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	23.0	16.0
6/11/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.4	Calibration	17.0	12.0
6/11/2016 6:00	0.7	1.9	1.6	27.7	0.3	2.5	19.0	10.0
6/11/2016 7:00	0.7	1.7	1.5	11.9	0.2	2.7	19.0	10.0
6/11/2016 8:00	0.8	1.2	1.2	11.1	0.2	2.6	22.0	9.0
6/11/2016 9:00	1.3	1.5	1.4	15.2	0.2	2.6	20.0	10.0
6/11/2016 10:00	1.5	0.9	BDL	11.0	0.2	2.5	27.0	15.0
6/11/2016 11:00	1.1	0.8	BDL	5.4	0.2	2.4	27.0	14.0
6/11/2016 12:00	1.3	0.7	BDL	5.1	0.2	2.5	30.0	15.0
6/11/2016 13:00	2.2	0.4	BDL	6.7	0.2	2.7	47.0	23.0
6/11/2016 14:00	1.9	0.4	BDL	7.4	0.3	3.0	37.0	20.0
6/11/2016 15:00	1.5	BDL	BDL	8.5	0.3	2.6	38.0	23.0
6/11/2016 16:00	2.0	0.5	BDL	9.5	0.3	2.5	46.0	21.0
6/11/2016 17:00	2.9	0.6	BDL	13.1	0.3	2.4	49.0	25.0
6/11/2016 18:00	2.6	0.4	BDL	12.1	0.3	2.4	42.0	20.0
6/11/2016 19:00	4.6	0.8	BDL	12.3	0.4	2.3	61.0	46.0
6/11/2016 20:00	6.1	0.8	BDL	17.4	0.5	2.7	38.0	16.0
6/11/2016 21:00	3.1	1.0	BDL	21.9	0.3	2.4	30.0	18.0
6/11/2016 22:00	1.8	1.1	1.1	17.8	0.3	2.2	38.0	20.0
6/11/2016 23:00	1.8	1.1	1.0	20.3	0.2	2.2	34.0	19.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 6/12/2016-6/18/2016								
6/12/2016 0:00	2.4	1.0	BDL	23.8	0.23	2.2	33.0	22.0
6/12/2016 1:00	1.9	1.1	1.0	19.1	0.23	2.2	40.0	19.0
6/12/2016 2:00	2.0	1.1	BDL	18.2	0.25	2.4	31.0	20.0
6/12/2016 3:00	2.4	Calibration	Calibration	20.1	0.25	2.4	28.0	17.0
6/12/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	38.0	29.0
6/12/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.3	Calibration	44.0	31.0
6/12/2016 6:00	6.5	0.9	BDL	16.1	0.3	2.6	40.0	30.0
6/12/2016 7:00	4.4	0.8	BDL	16.9	0.3	14.4	45.0	21.0
6/12/2016 8:00	2.2	0.5	BDL	9.4	0.2	2.4	27.0	14.0
6/12/2016 9:00	1.8	0.5	BDL	10.4	0.2	2.3	47.0	18.0
6/12/2016 10:00	0.9	0.4	BDL	3.0	0.2	2.4	60.0	15.0
6/12/2016 11:00	0.4	0.4	BDL	0.7	0.2	2.4	62.0	10.0
6/12/2016 12:00	0.5	BDL	BDL	3.2	0.2	2.3	32.0	8.0
6/12/2016 13:00	BDL	BDL	BDL	0.9	0.1	2.4	24.0	6.0
6/12/2016 14:00	BDL	BDL	BDL	1.8	0.1	2.4	27.0	6.0
6/12/2016 15:00	BDL	BDL	BDL	BDL	0.1	2.4	32.0	4.0
6/12/2016 16:00	BDL	BDL	BDL	1.3	0.1	2.4	13.0	2.0
6/12/2016 17:00	BDL	BDL	BDL	1.8	0.1	2.3	17.0	6.0
6/12/2016 18:00	0.4	BDL	BDL	2.1	0.1	2.3	16.0	6.0
6/12/2016 19:00	BDL	BDL	BDL	2.5	0.1	2.3	23.0	5.0
6/12/2016 20:00	BDL	BDL	BDL	3.0	0.2	2.3	17.0	4.0
6/12/2016 21:00	BDL	BDL	BDL	2.6	0.1	2.3	21.0	5.0
6/12/2016 22:00	BDL	BDL	BDL	2.8	0.1	2.4	16.0	7.0
6/12/2016 23:00	BDL	BDL	BDL	2.7	0.1	2.3	18.0	5.0
6/13/2016 0:00	BDL	BDL	BDL	2.6	0.1	2.3	18.0	5.0
6/13/2016 1:00	BDL	BDL	BDL	3.5	0.1	2.2	17.0	5.0
6/13/2016 2:00	BDL	BDL	BDL	2.8	0.1	2.3	17.0	6.0
6/13/2016 3:00	BDL	Calibration	Calibration	3.9	0.1	2.2	12.0	5.0
6/13/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	11.0	5.0
6/13/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.1	Calibration	11.0	5.0
6/13/2016 6:00	BDL	BDL	BDL	7.2	0.1	2.3	15.0	4.0
6/13/2016 7:00	BDL	BDL	BDL	6.4	0.1	2.3	16.0	4.0
6/13/2016 8:00	BDL	Calibration	Calibration	6.8	0.1	2.3	24.0	4.0
6/13/2016 9:00	BDL	Too few samples	Too few samples	6.6	0.1	2.3	26.0	3.0
6/13/2016 10:00	BDL	BDL	BDL	7.5	0.1	2.2	17.0	1.0
6/13/2016 11:00	BDL	BDL	BDL	5.9	0.1	2.2	17.0	2.0
6/13/2016 12:00	BDL	BDL	BDL	3.6	0.1	2.2	17.0	4.0
6/13/2016 13:00	BDL	BDL	BDL	3.1	0.1	2.3	21.0	5.0
6/13/2016 14:00	BDL	BDL	BDL	2.2	0.1	2.2	12.0	3.0
6/13/2016 15:00	0.6	BDL	BDL	3.7	0.1	2.3	17.0	4.0
6/13/2016 16:00	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData
6/13/2016 17:00	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData
6/13/2016 18:00	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData
6/13/2016 19:00	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData
6/13/2016 20:00	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData
6/13/2016 21:00	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData
6/13/2016 22:00	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData
6/13/2016 23:00	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData
6/14/2016 0:00	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData
6/14/2016 1:00	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData
6/14/2016 2:00	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData
6/14/2016 3:00	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData
6/14/2016 4:00	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData
6/14/2016 5:00	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData
6/14/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	16.0	5.0
6/14/2016 7:00	0.4	BDL	BDL	12.3	0.2	2.2	21.0	7.0
6/14/2016 8:00	0.6	Calibration	Calibration	11.8	0.1	2.3	33.0	5.0
6/14/2016 9:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	15.0	4.0
6/14/2016 10:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	23.0	5.0
6/14/2016 11:00	BDL	BDL	BDL	BDL	0.1	2.2	18.0	4.0
6/14/2016 12:00	BDL	BDL	BDL	BDL	0.1	2.2	13.0	2.0
6/14/2016 13:00	BDL	BDL	BDL	BDL	0.1	2.2	16.0	4.0
6/14/2016 14:00	BDL	BDL	BDL	BDL	0.1	2.1	19.0	6.0
6/14/2016 15:00	BDL	BDL	BDL	BDL	0.1	2.1	17.0	5.0
6/14/2016 16:00	1.5	BDL	BDL	2.0	0.1	2.2	21.0	6.0
6/14/2016 17:00	0.7	BDL	BDL	BDL	0.1	2.1	15.0	5.0
6/14/2016 18:00	1.2	BDL	BDL	0.6	0.1	2.1	17.0	6.0
6/14/2016 19:00	BDL	BDL	BDL	BDL	0.1	2.2	17.0	7.0
6/14/2016 20:00	BDL	BDL	BDL	2.7	0.1	2.2	15.0	6.0
6/14/2016 21:00	0.9	BDL	BDL	2.9	0.1	2.2	23.0	9.0
6/14/2016 22:00	0.7	BDL	BDL	5.0	0.2	2.3	26.0	11.0
6/14/2016 23:00	1.0	BDL	BDL	11.4	0.2	2.4	31.0	12.0
6/15/2016 0:00	0.7	0.8	BDL	14.9	0.2	2.5	31.0	14.0
6/15/2016 1:00	1.3	1.6	1.4	15.4	0.3	2.8	20.0	11.0
6/15/2016 2:00	0.8	0.5	BDL	13.0	0.2	2.5	20.0	14.0
6/15/2016 3:00	1.1	Calibration	Calibration	14.7	0.3	2.9	20.0	14.0
6/15/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	24.0	14.0
6/15/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.4	Calibration	26.0	10.0
6/15/2016 6:00	2.3	1.2	BDL	37.6	0.5	2.6	43.0	15.0
6/15/2016 7:00	2.8	0.8	BDL	19.3	0.2	2.5	43.0	9.0
6/15/2016 8:00	3.8	0.7	BDL	17.2	0.3	2.4	51.0	16.0
6/15/2016 9:00	5.7	0.5	BDL	13.4	0.2	2.2	43.0	16.0
6/15/2016 10:00	5.1	0.6	BDL	15.3	0.2	2.3	47.0	16.0
6/15/2016 11:00	3.7	0.6	BDL	9.1	0.2	2.5	41.0	12.0
6/15/2016 12:00	2.8	0.5	BDL	5.1	0.2	2.3	40.0	23.0
6/15/2016 13:00	1.8	0.4	BDL	3.4	0.2	2.5	48.0	15.0
6/15/2016 14:00	1.8	BDL	BDL	2.9	0.2	2.5	45.0	13.0
6/15/2016 15:00	2.2	0.4	BDL	3.5	0.2	2.4	37.0	14.0
6/15/2016 16:00	2.2	0.4	BDL	6.3	0.2	2.2	29.0	19.0
6/15/2016 17:00	1.3	BDL	BDL	2.2	0.2	2.2	22.0	12.0
6/15/2016 18:00	1.3	0.5	BDL	4.6	0.2	2.2	22.0	10.0
6/15/2016 19:00	1.1	0.6	BDL	7.5	0.3	2.0	22.0	12.0
6/15/2016 20:00	0.7	0.5	BDL	6.9	0.3	2.0	18.0	13.0
6/15/2016 21:00	0.6	0.4	BDL	2.5	0.2	2.1	17.0	13.0
6/15/2016 22:00	0.5	0.4	BDL	4.5	0.2	2.0	16.0	10.0
6/15/2016 23:00	0.4	0.4	BDL	2.2	0.2	2.1	18.0	7.0
6/16/2016 0:00	0.4	0.5	BDL	7.5	0.2	1.9	13.0	8.0
6/16/2016 1:00	BDL	0.6	BDL	9.8	0.2	1.9	19.0	9.0
6/16/2016 2:00	BDL	0.5	BDL	8.5	0.2	1.9	13.0	7.0
6/16/2016 3:00	BDL	Calibration	Calibration	11.0	0.3	1.9	14.0	13.0
6/16/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	14.0	9.0
6/16/2016 5:00	Too few samples	Too few samples	Too few samples	Too few samples	0.3	Calibration	12.0	6.0
6/16/2016 6:00	0.4	1.2	1.1	23.3	0.3	2.2	14.0	9.0
6/16/2016 7:00	0.4	0.8	BDL	27.5	0.3	2.1	25.0	10.0
6/16/2016 8:00	0.4	1.0	BDL	23.4	0.3	2.1	23.0	9.0
6/16/2016 9:00	0.4	0.9	BDL	25.5	0.3	2.0	16.0	10.0
6/16/2016 10:00	BDL	0.9	BDL	25.9	0.3	2.0	20.0	10.0
6/16/2016 11:00	BDL	1.0	BDL	27.0	0.4	2.0	22.0	13.0
6/16/2016 12:00	BDL	1.0	BDL	23.8	0.3	1.9	25.0	12.0
6/16/2016 13:00	BDL	0.9	BDL	19.6	0.3	1.9	22.0	12.0
6/16/2016 14:00	BDL	0.7	BDL	23.9	0.3	1.8	17.0	13.0
6/16/2016 15:00	BDL	0.8	BDL	16.5	0.4	1.9	19.0	12.0
6/16/2016 16:00	0.4	0.6	BDL	11.7	0.3	1.9	17.0	10.0
6/16/2016 17:00	0.4	0.6	BDL	11.6	0.3	1.8	14.0	10.0
6/16/2016 18:00	0.5	0.6	BDL	13.9	0.3	1.8	11.0	14.0
6/16/2016 19:00	0.4	0.5	BDL	11.5	0.3	1.8	10.0	12.0
6/16/2016 20:00	0.4	0.6	BDL	12.8	0.3	1.9	15.0	10.0
6/16/2016 21:00	BDL	0.6	BDL	14.8	0.3	1.9	15.0	9.0
6/16/2016 22:00	0.4	0.6	BDL	22.7	0.5	2.0	18.0	12.0
6/16/2016 23:00	BDL	0.6	BDL	12.6	0.3	2.2	17.0	11.0
6/17/2016 0:00	BDL	0.6	BDL	8.2	0.3	1.9	11.0	10.0
6/17/2016 1:00	BDL	0.5	BDL	12.0	0.3	1.8	14.0	14.0
6/17/2016 2:00	BDL	0.4	BDL	11.0	0.2	1.8	11.0	10.0
6/17/2016 3:00	BDL	Calibration	Calibration	13.5	0.2	1.8	8.0	8.0
6/17/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	11.0	6.0
6/17/2016 5:00	0.4	0.6	BDL	16.5	0.3	Too few samples	13.0	8.0
6/17/2016 6:00	0.5	0.7	BDL	27.6	0.4	2.0	16.0	8.0
6/17/2016 7:00	0.6	0.8	BDL	33.7	0.4	2.0	19.0	14.0
6/17/2016 8:00	0.8	0.8	BDL	28.5	0.4	2.1	24.0	18.0
6/17/2016 9:00	0.6	0.8	BDL	21.7	0.4	2.1	26.0	18.0
6/17/2016 10:00	0.7	0.8	BDL	23.1	0.4	2.2	31.0	22.0
6/17/2016 11:00	0.7	0.7	BDL	16.9	0.3	2.2	25.0	17.0
6/17/2016 12:00	0.6	0.5	BDL	9.7	0.3	2.1	27.0	15.0
6/17/2016 13:00	0.5	0.5	BDL	7.2	0.3	2.0	28.0	12.0
6/17/2016 14:00	0.4	0.5	BDL	4.5	0.2	1.9	27.0	12.0
6/17/2016 15:00	0.4	0.4	BDL	6.0	0.3	1.9	26.0	12.0
6/17/2016 16:00	0.5	BDL	BDL	6.0	0.3	2.0	34.0	19.0
6/17/2016 17:00	0.4	BDL	BDL	4.4	0.3	1.9	20.0	14.0
6/17/2016 18:00	BDL	BDL	BDL	2.1	0.2	1.9	16.0	12.0
6/17/2016 19:00	BDL	BDL	BDL	1.6	0.2	1.9	10.0	9.0
6/17/2016 20:00	BDL	BDL	BDL	0.8	0.1	1.9	10.0	7.0
6/17/2016 21:00	BDL	BDL	BDL	2.1	0.1	1.9	12.0	8.0
6/17/2016 22:00	BDL	BDL	BDL	BDL	0.1	1.9	8.0	7.0
6/17/2016 23:00	BDL	BDL	BDL	2.7	0.2	1.9	7.0	8.0
6/18/2016 0:00	BDL	BDL	BDL	11.2	0.2	1.9	11.0	10.0
6/18/2016 1:00	0.4	0.4	BDL	17.5	0.2	1.9	16.0	8.0
6/18/2016 2:00	BDL	0.4	BDL	16.0	0.3	2.2	12.0	6.0
6/18/2016 3:00	0.5	Calibration	Calibration	28.2	0.3	2.6	17.0	11.0
6/18/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	19.0	12.0
6/18/2016 5:00	0.6	0.9	BDL	36.8	0.3	Too few samples	15.0	12.0
6/18/2016 6:00	0.6	0.9	BDL	33.9	0.4	2.2	17.0	11.0
6/18/2016 7:00	0.6	1.2	BDL	27.7	0.4	2.4	21.0	13.0
6/18/2016 8:00	0.6	0.9	BDL	20.3	0.3	2.5	22.0	8.0
6/18/2016 9:00	1.5	0.6	BDL	19.4	0.3	2.4	20.0	10.0
6/18/2016 10:00	1.8	0.8	BDL	22.4	0.3	2.5	27.0	15.0
6/18/2016 11:00	2.3	0.6	BDL	20.7	0.2	2.2	12.0	9.0
6/18/2016 12:00	2.0	0.4	BDL	12.8	0.2	2.1	24.0	11.0
6/18/2016 13:00	1.0	0.4	BDL	3.3	0.2	2.3	19.0	8.0
6/18/2016 14:00	0.8	BDL	BDL	0.7	0.2	2.3	16.0	9.0
6/18/2016 15:00	0.8	BDL	BDL	BDL	0.2	2.2	17.0	10.0
6/18/2016 16:00	1.1	BDL	BDL	BDL	0.2	2.2	18.0	14.0
6/18/2016 17:00	1.0	BDL	BDL	BDL	0.2	2.3	19.0	13.0
6/18/2016 18:00	1.0	BDL	BDL	BDL	0.2	2.3	18.0	9.0
6/18/2016 19:00	0.6	0.5	BDL	BDL	0.1	2.4	18.0	9.0
6/18/2016 20:00	BDL	0.5	BDL	BDL	0.2	2.2	16.0	9.0
6/18/2016 21:00	BDL	0.4	BDL	3.3	0.2	2.1	13.0	6.0
6/18/2016 22:00	BDL	0.6	BDL	2.7	0.2	2.3	11.0	8.0
6/18/2016 23:00	0.4	0.6	BDL	5.9	0.2	2.2	11.0	6.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 6/19/2016-6/25/2016								
6/19/2016 0:00	0.6	1.1	1.1	10.3	0.2	2.3	16.0	6.0
6/19/2016 1:00	0.7	1.5	1.6	11.4	0.2	2.4	12.0	11.0
6/19/2016 2:00	0.8	0.7	BDL	5.2	0.2	2.6	13.0	10.0
6/19/2016 3:00	0.6	Calibration	Calibration	5.5	0.2	3.0	11.0	12.0
6/19/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	24.0	15.0
6/19/2016 5:00	1.1	1.0	BDL	12.3	0.3	Too few samples	14.0	11.0
6/19/2016 6:00	0.9	1.0	BDL	14.2	0.3	2.3	12.0	10.0
6/19/2016 7:00	1.9	1.5	1.4	19.9	0.3	Too few samples	16.0	14.0
6/19/2016 8:00	2.7	1.0	BDL	19.0	0.3	2.9	24.0	12.0
6/19/2016 9:00	4.5	0.8	BDL	19.9	0.2	2.5	33.0	17.0
6/19/2016 10:00	4.4	0.7	BDL	13.9	0.2	2.4	28.0	19.0
6/19/2016 11:00	2.0	0.5	BDL	9.2	0.2	2.4	22.0	15.0
6/19/2016 12:00	2.2	BDL	BDL	4.1	0.1	2.4	19.0	6.0
6/19/2016 13:00	1.5	BDL	BDL	3.6	0.1	2.3	22.0	15.0
6/19/2016 14:00	0.8	BDL	BDL	BDL	0.1	2.3	14.0	9.0
6/19/2016 15:00	1.0	BDL	BDL	0.9	0.1	2.4	17.0	11.0
6/19/2016 16:00	1.3	BDL	BDL	0.4	0.1	2.3	20.0	10.0
6/19/2016 17:00	1.6	BDL	BDL	4.1	0.1	2.3	19.0	13.0
6/19/2016 18:00	2.0	BDL	BDL	5.4	0.2	2.3	23.0	15.0
6/19/2016 19:00	1.2	BDL	BDL	4.1	0.2	2.4	21.0	12.0
6/19/2016 20:00	3.1	BDL	BDL	8.8	0.2	2.4	25.0	16.0
6/19/2016 21:00	3.5	0.4	BDL	12.2	0.2	2.3	34.0	17.0
6/19/2016 22:00	0.5	BDL	BDL	2.5	0.2	2.3	19.0	10.0
6/19/2016 23:00	0.4	0.6	BDL	12.3	0.3	2.4	22.0	13.0
6/20/2016 0:00	0.4	1.4	1.2	24.8	0.3	2.3	24.0	12.0
6/20/2016 1:00	0.4	1.7	1.9	17.2	0.3	2.3	27.0	17.0
6/20/2016 2:00	0.4	1.1	BDL	23.4	0.3	2.5	26.0	18.0
6/20/2016 3:00	0.4	Calibration	Calibration	18.1	0.3	2.4	23.0	17.0
6/20/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	23.0	16.0
6/20/2016 5:00	0.7	1.1	BDL	34.1	0.5	Too few samples	25.0	13.0
6/20/2016 6:00	0.7	1.1	BDL	34.4	0.5	3.1	33.0	19.0
6/20/2016 7:00	0.7	1.1	BDL	25.9	0.4	2.8	37.0	19.0
6/20/2016 8:00	0.7	0.6	BDL	18.0	0.3	3.1	31.0	18.0
6/20/2016 9:00	0.7	0.6	BDL	19.9	0.3	3.0	33.0	14.0
6/20/2016 10:00	1.1	0.5	BDL	8.4	0.3	2.9	30.0	13.0
6/20/2016 11:00	2.1	BDL	BDL	5.4	0.2	2.8	27.0	14.0
6/20/2016 12:00	1.9	BDL	BDL	1.6	0.2	2.7	24.0	16.0
6/20/2016 13:00	3.2	0.4	BDL	9.7	0.2	3.0	62.0	21.0
6/20/2016 14:00	2.5	0.4	BDL	10.5	0.2	3.2	36.0	19.0
6/20/2016 15:00	1.7	0.4	BDL	4.5	0.2	3.3	28.0	16.0
6/20/2016 16:00	1.6	0.4	BDL	2.2	0.2	3.4	36.0	20.0
6/20/2016 17:00	1.2	BDL	BDL	1.0	0.2	3.1	31.0	15.0
6/20/2016 18:00	2.1	0.5	BDL	5.2	0.2	3.0	32.0	17.0
6/20/2016 19:00	1.9	0.4	BDL	7.4	0.2	3.1	21.0	12.0
6/20/2016 20:00	1.0	0.6	BDL	4.6	0.2	3.2	20.0	17.0
6/20/2016 21:00	1.8	0.7	BDL	12.5	0.2	3.2	23.0	14.0
6/20/2016 22:00	1.5	0.7	BDL	8.2	0.2	3.2	22.0	15.0
6/20/2016 23:00	1.4	0.7	BDL	8.2	0.2	3.1	24.0	15.0
6/21/2016 0:00	0.9	0.6	BDL	4.3	0.2	3.1	19.0	15.0
6/21/2016 1:00	1.1	1.0	BDL	6.3	0.2	3.2	34.0	12.0
6/21/2016 2:00	1.9	0.8	BDL	8.5	0.2	3.2	21.0	14.0
6/21/2016 3:00	3.3	0.6	BDL	10.9	0.2	3.2	35.0	27.0
6/21/2016 4:00	4.6	0.9	BDL	13.4	0.3	3.1	40.0	36.0
6/21/2016 5:00	2.9	0.8	BDL	13.1	0.3	3.0	26.0	22.0
6/21/2016 6:00	3.1	0.8	BDL	21.1	0.3	3.0	36.0	23.0
6/21/2016 7:00	2.9	1.1	BDL	22.7	0.3	3.3	44.0	28.0
6/21/2016 8:00	Calibration	1.0	BDL	Calibration	Calibration	Calibration	42.0	19.0
6/21/2016 9:00	1.1	Too few samples	Too few samples	4.0	0.2	2.4	23.0	14.0
6/21/2016 10:00	0.8	Calibration	Calibration	3.4	0.2	2.4	71.0	15.0
6/21/2016 11:00	0.6	0.4	BDL	BDL	0.2	2.3	22.0	11.0
6/21/2016 12:00	0.9	0.4	BDL	2.0	0.2	2.3	22.0	14.0
6/21/2016 13:00	1.1	0.4	BDL	2.4	0.2	2.9	43.0	17.0
6/21/2016 14:00	2.3	0.6	BDL	15.3	0.2	2.5	48.0	22.0
6/21/2016 15:00	1.8	0.9	1.0	5.7	0.2	2.5	39.0	22.0
6/21/2016 16:00	1.2	1.0	1.1	9.2	0.3	2.7	42.0	20.0
6/21/2016 17:00	1.2	0.9	1.0	4.2	0.2	2.5	38.0	25.0
6/21/2016 18:00	2.3	0.6	BDL	6.6	0.2	2.4	29.0	20.0
6/21/2016 19:00	1.8	0.7	BDL	9.4	0.2	2.4	20.0	11.0
6/21/2016 20:00	1.7	0.5	BDL	9.3	0.2	2.4	16.0	11.0
6/21/2016 21:00	1.3	0.5	BDL	13.9	0.2	2.5	28.0	18.0
6/21/2016 22:00	1.3	0.6	BDL	13.2	0.3	2.6	12.0	13.0
6/21/2016 23:00	1.2	0.7	BDL	9.0	0.2	2.8	12.0	11.0
6/22/2016 0:00	1.5	0.9	BDL	5.0	0.2	2.7	12.0	9.0
6/22/2016 1:00	1.0	0.8	1.0	4.9	0.2	2.5	12.0	8.0
6/22/2016 2:00	0.7	0.9	1.1	4.9	0.2	2.5	9.0	9.0
6/22/2016 3:00	0.7	Calibration	Calibration	5.4	0.2	2.5	20.0	13.0
6/22/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	24.0	27.0
6/22/2016 5:00	0.9	0.6	BDL	3.7	0.2	Too few samples	23.0	19.0
6/22/2016 6:00	0.9	0.5	BDL	6.8	0.3	2.4	25.0	19.0
6/22/2016 7:00	0.8	Calibration	Calibration	9.1	0.2	2.4	31.0	21.0
6/22/2016 8:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	43.0	25.0
6/22/2016 9:00	4.0	Calibration	Calibration	Calibration	0.2	Calibration	47.0	22.0
6/22/2016 10:00	1.1	Calibration	Calibration	1.7	0.2	2.5	36.0	16.0
6/22/2016 11:00	0.7	BDL	BDL	2.3	0.1	2.4	62.0	13.0
6/22/2016 12:00	0.6	BDL	BDL	BDL	0.1	2.4	65.0	13.0
6/22/2016 13:00	0.5	BDL	BDL	0.7	0.1	2.4	55.0	12.0
6/22/2016 14:00	BDL	BDL	BDL	BDL	0.1	2.4	78.0	12.0
6/22/2016 15:00	0.7	BDL	BDL	2.8	0.1	2.4	45.0	14.0
6/22/2016 16:00	0.5	BDL	BDL	BDL	0.1	2.4	42.0	10.0
6/22/2016 17:00	0.8	BDL	BDL	4.0	0.1	2.4	36.0	12.0
6/22/2016 18:00	1.9	BDL	BDL	11.9	0.1	2.4	27.0	17.0
6/22/2016 19:00	2.7	BDL	BDL	11.0	0.2	2.6	44.0	24.0
6/22/2016 20:00	2.8	0.4	BDL	12.7	0.2	2.4	72.0	26.0
6/22/2016 21:00	4.6	BDL	BDL	12.7	0.2	2.8	27.0	18.0
6/22/2016 22:00	2.6	0.5	BDL	20.0	0.2	2.7	30.0	18.0
6/22/2016 23:00	1.9	BDL	BDL	15.9	0.1	2.5	21.0	14.0
6/23/2016 0:00	2.2	0.5	BDL	14.3	0.2	3.3	23.0	15.0
6/23/2016 1:00	1.5	0.3	BDL	15.4	0.2	3.2	27.0	17.0
6/23/2016 2:00	1.7	0.7	BDL	16.5	0.2	3.2	24.0	20.0
6/23/2016 3:00	1.1	Calibration	Calibration	15.1	0.2	3.2	23.0	14.0
6/23/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	28.0	16.0
6/23/2016 5:00	0.9	1.0	BDL	25.5	0.4	Too few samples	26.0	16.0
6/23/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	26.0	16.0
6/23/2016 7:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	42.0	18.0
6/23/2016 8:00	1.4	Calibration	Calibration	26.1	0.3	2.8	40.0	24.0
6/23/2016 9:00	2.7	Too few samples	Too few samples	22.5	0.3	2.6	34.0	25.0
6/23/2016 10:00	4.3	BDL	BDL	18.1	0.2	2.4	50.0	21.0
6/23/2016 11:00	2.4	BDL	BDL	2.7	0.2	2.2	24.0	16.0
6/23/2016 12:00	1.2	BDL	BDL	BDL	0.2	2.1	12.0	10.0
6/23/2016 13:00	2.2	BDL	BDL	6.2	0.2	2.2	31.0	11.0
6/23/2016 14:00	2.0	BDL	BDL	2.8	0.1	2.1	22.0	13.0
6/23/2016 15:00	2.0	BDL	BDL	3.6	0.2	2.2	30.0	11.0
6/23/2016 16:00	1.7	BDL	BDL	3.3	0.2	2.3	25.0	23.0
6/23/2016 17:00	1.6	BDL	BDL	3.7	0.2	2.2	21.0	17.0
6/23/2016 18:00	1.5	BDL	BDL	4.0	0.2	2.3	22.0	14.0
6/23/2016 19:00	1.0	BDL	BDL	5.3	0.2	2.2	21.0	13.0
6/23/2016 20:00	0.8	BDL	BDL	7.7	0.2	2.1	21.0	19.0
6/23/2016 21:00	2.2	BDL	BDL	7.0	0.2	2.2	26.0	15.0
6/23/2016 22:00	0.8	BDL	BDL	6.3	0.3	2.4	7.0	8.0
6/23/2016 23:00	0.6	BDL	BDL	21.2	0.4	2.4	7.0	10.0
6/24/2016 0:00	0.5	BDL	BDL	19.0	0.3	2.6	17.0	11.0
6/24/2016 1:00	0.4	BDL	BDL	17.9	0.3	2.9	18.0	18.0
6/24/2016 2:00	BDL	BDL	BDL	21.8	0.4	2.4	19.0	16.0
6/24/2016 3:00	0.5	Calibration	Calibration	40.0	0.5	2.7	21.0	19.0
6/24/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	24.0	19.0
6/24/2016 5:00	0.4	BDL	BDL	14.8	0.3	Too few samples	29.0	18.0
6/24/2016 6:00	0.7	BDL	BDL	19.5	0.4	2.5	28.0	22.0
6/24/2016 7:00	0.7	BDL	BDL	21.1	0.3	2.5	36.0	27.0
6/24/2016 8:00	0.9	BDL	BDL	27.7	0.4	2.6	48.0	37.0
6/24/2016 9:00	0.9	BDL	BDL	23.1	0.4	2.5	41.0	29.0
6/24/2016 10:00	0.6	BDL	BDL	10.2	0.2	2.2	25.0	19.0
6/24/2016 11:00	0.4	BDL	BDL	10.2	0.2	2.2	20.0	19.0
6/24/2016 12:00	BDL	BDL	BDL	4.6	0.2	2.1	17.0	13.0
6/24/2016 13:00	BDL	BDL	BDL	5.5	0.2	2.1	20.0	18.0
6/24/2016 14:00	BDL	BDL	BDL	4.5	0.2	2.1	22.0	15.0
6/24/2016 15:00	BDL	BDL	BDL	1.9	0.2	2.1	19.0	13.0
6/24/2016 16:00	BDL	BDL	BDL	0.6	0.2	2.1	16.0	14.0
6/24/2016 17:00	BDL	BDL	BDL	BDL	0.2	2.1	15.0	13.0
6/24/2016 18:00	BDL	BDL	BDL	BDL	0.2	2.1	13.0	15.0
6/24/2016 19:00	BDL	BDL	BDL	1.4	0.2	2.1	15.0	11.0
6/24/2016 20:00	BDL	BDL	BDL	2.8	0.2	2.2	13.0	13.0
6/24/2016 21:00	BDL	BDL	BDL	2.2	0.2	2.2	14.0	10.0
6/24/2016 22:00	BDL	BDL	BDL	0.8	0.2	2.2	17.0	12.0
6/24/2016 23:00	BDL	BDL	BDL	5.8	0.2	2.2	14.0	12.0
6/25/2016 0:00	BDL	BDL	BDL	1.3	0.2	2.3	11.0	15.0
6/25/2016 1:00	BDL	BDL	BDL	2.7	0.2	2.3	23.0	21.0
6/25/2016 2:00	BDL	BDL	BDL	BDL	0.2	2.3	18.0	17.0
6/25/2016 3:00	BDL	Calibration	Calibration	2.6	0.2	2.4	25.0	24.0
6/25/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	16.0	21.0
6/25/2016 5:00	BDL	BDL	BDL	2.9	0.2	Too few samples	22.0	23.0
6/25/2016 6:00	BDL	BDL	BDL	1.7	0.2	2.3	27.0	24.0
6/25/2016 7:00	BDL	BDL	BDL	3.4	0.2	2.4	32.0	23.0
6/25/2016 8:00	BDL	BDL	BDL	9.7	0.3	2.5	39.0	31.0
6/25/2016 9:00	BDL	BDL	BDL	7.2	0.3	2.5	35.0	26.0
6/25/2016 10:00	BDL	BDL	BDL	4.5	0.3	2.4	33.0	24.0
6/25/2016 11:00	BDL	BDL	BDL	1.1	0.2	2.3	19.0	21.0
6/25/2016 12:00	BDL	BDL	BDL	BDL	0.2	2.3	13.0	15.0
6/25/2016 13:00	BDL	BDL	BDL	BDL	0.2	2.3	17.0	12.0
6/25/2016 14:00	BDL	BDL	BDL	BDL	0.2	2.2	19.0	15.0
6/25/2016 15:00	BDL	BDL	BDL	BDL	0.1	2.2	17.0	12.0
6/25/2016 16:00	BDL	BDL	BDL	BDL	0.1	2.2	11.0	10.0
6/25/2016 17:00	BDL	BDL	BDL	BDL	0.2	2.2	12.0	8.0
6/25/2016 18:00	BDL	BDL	BDL	BDL	0.2	2.2	13.0	13.0
6/25/2016 19:00	BDL	BDL	BDL	0.9	0.2	2.3	19.0	16.0
6/25/2016 20:00	BDL	BDL	BDL	1.1	0.2	2.3	17.0	7.0
6/25/2016 21:00	BDL	BDL	BDL	1.2	0.2	2.3	15.0	11.0
6/25/2016 22:00	BDL	BDL	BDL	2.0	0.2	2.3	16.0	12.0
6/25/2016 23:00	BDL	BDL	BDL	7.9	0.2	2.4	16.0	14.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 6/26/2016-7/2/2016								
6/26/2016 0:00	BDL	BDL	BDL	8.2	0.3	2.4	15.0	11.0
6/26/2016 1:00	BDL	BDL	BDL	10.4	0.2	2.6	16.0	8.0
6/26/2016 2:00	BDL	BDL	BDL	13.0	0.2	2.4	15.0	14.0
6/26/2016 3:00	0.4	Calibration	Calibration	9.4	0.2	2.4	13.0	14.0
6/26/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	17.0	13.0
6/26/2016 5:00	BDL	BDL	BDL	10.1	0.3	Too few samples	18.0	14.0
6/26/2016 6:00	BDL	BDL	BDL	11.2	0.3	2.5	16.0	14.0
6/26/2016 7:00	0.8	0.5	1.1	24.8	0.3	2.8	19.0	17.0
6/26/2016 8:00	3.1	0.8	1.3	21.7	0.2	2.6	18.0	18.0
6/26/2016 9:00	6.3	0.4	1.1	22.4	0.2	2.8	21.0	20.0
6/26/2016 10:00	3.8	BDL	BDL	18.2	0.2	2.6	20.0	17.0
6/26/2016 11:00	2.5	BDL	BDL	7.7	0.2	2.5	19.0	18.0
6/26/2016 12:00	1.2	BDL	BDL	0.6	0.2	2.3	18.0	17.0
6/26/2016 13:00	0.8	BDL	BDL	BDL	0.2	2.5	24.0	17.0
6/26/2016 14:00	0.7	BDL	BDL	BDL	0.2	2.4	19.0	18.0
6/26/2016 15:00	0.7	BDL	BDL	BDL	0.2	2.3	23.0	17.0
6/26/2016 16:00	0.7	BDL	BDL	BDL	0.2	2.6	19.0	14.0
6/26/2016 17:00	0.5	BDL	BDL	BDL	0.2	2.6	20.0	11.0
6/26/2016 18:00	0.7	BDL	BDL	BDL	0.1	2.5	15.0	14.0
6/26/2016 19:00	0.4	BDL	BDL	BDL	0.1	2.4	16.0	8.0
6/26/2016 20:00	BDL	BDL	BDL	0.5	0.2	2.4	11.0	8.0
6/26/2016 21:00	BDL	BDL	BDL	BDL	0.1	2.5	15.0	12.0
6/26/2016 22:00	0.4	BDL	BDL	BDL	0.1	2.7	11.0	9.0
6/26/2016 23:00	BDL	BDL	BDL	1.9	0.2	2.6	14.0	7.0
6/27/2016 0:00	BDL	BDL	BDL	6.3	0.1	2.7	13.0	10.0
6/27/2016 1:00	0.4	1.3	2.1	7.3	0.1	2.9	12.0	9.0
6/27/2016 2:00	0.5	1.8	2.6	6.8	0.2	2.6	16.0	16.0
6/27/2016 3:00	0.4	Calibration	Calibration	12.3	0.2	2.7	25.0	15.0
6/27/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	22.0	14.0
6/27/2016 5:00	0.5	0.8	1.5	20.7	0.2	Too few samples	23.0	16.0
6/27/2016 6:00	0.7	0.9	1.3	24.5	0.3	2.7	26.0	19.0
6/27/2016 7:00	0.5	BDL	BDL	21.1	0.2	2.5	32.0	17.0
6/27/2016 8:00	0.5	BDL	BDL	10.2	0.2	2.4	31.0	18.0
6/27/2016 9:00	0.5	BDL	BDL	6.0	0.1	2.3	30.0	12.0
6/27/2016 10:00	BDL	BDL	BDL	1.0	0.1	2.2	21.0	15.0
6/27/2016 11:00	0.4	BDL	BDL	2.1	0.1	2.2	19.0	15.0
6/27/2016 12:00	0.4	BDL	BDL	BDL	0.1	2.3	21.0	12.0
6/27/2016 13:00	BDL	BDL	BDL	BDL	0.1	2.4	24.0	11.0
6/27/2016 14:00	BDL	BDL	BDL	BDL	0.1	2.5	29.0	10.0
6/27/2016 15:00	0.4	BDL	BDL	BDL	0.2	2.5	27.0	12.0
6/27/2016 16:00	BDL	BDL	BDL	BDL	0.2	2.3	22.0	14.0
6/27/2016 17:00	BDL	BDL	BDL	BDL	0.2	2.2	21.0	11.0
6/27/2016 18:00	BDL	BDL	BDL	BDL	0.2	2.2	17.0	9.0
6/27/2016 19:00	BDL	BDL	BDL	2.7	0.2	2.2	20.0	10.0
6/27/2016 20:00	BDL	BDL	BDL	5.2	0.2	2.1	17.0	12.0
6/27/2016 21:00	BDL	BDL	BDL	5.0	0.2	2.0	17.0	10.0
6/27/2016 22:00	BDL	BDL	BDL	6.6	0.2	2.0	16.0	12.0
6/27/2016 23:00	BDL	BDL	BDL	3.0	0.2	2.2	9.0	11.0
6/28/2016 0:00	BDL	BDL	BDL	6.6	0.2	2.1	10.0	13.0
6/28/2016 1:00	BDL	BDL	BDL	4.8	0.1	2.1	7.0	7.0
6/28/2016 2:00	BDL	BDL	BDL	4.0	0.1	2.1	7.0	11.0
6/28/2016 3:00	BDL	Calibration	Calibration	3.0	0.1	2.1	8.0	8.0
6/28/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	12.0	11.0
6/28/2016 5:00	BDL	BDL	BDL	8.5	0.2	Too few samples	12.0	7.0
6/28/2016 6:00	BDL	BDL	BDL	10.0	0.2	2.1	11.0	10.0
6/28/2016 7:00	BDL	BDL	BDL	17.7	0.2	2.1	10.0	8.0
6/28/2016 8:00	BDL	BDL	BDL	16.5	0.3	2.1	13.0	5.0
6/28/2016 9:00	BDL	BDL	BDL	14.2	0.2	2.1	12.0	7.0
6/28/2016 10:00	BDL	BDL	BDL	15.4	0.2	2.1	17.0	12.0
6/28/2016 11:00	BDL	BDL	BDL	13.9	0.2	2.1	15.0	17.0
6/28/2016 12:00	BDL	BDL	BDL	3.9	0.2	2.2	19.0	14.0
6/28/2016 13:00	BDL	BDL	BDL	3.5	0.2	2.2	17.0	14.0
6/28/2016 14:00	BDL	BDL	BDL	BDL	0.2	2.3	17.0	12.0
6/28/2016 15:00	BDL	BDL	BDL	3.9	0.2	2.5	19.0	15.0
6/28/2016 16:00	BDL	BDL	BDL	BDL	0.2	2.5	17.0	16.0
6/28/2016 17:00	BDL	BDL	BDL	BDL	0.2	2.4	19.0	16.0
6/28/2016 18:00	BDL	BDL	BDL	BDL	0.2	2.4	15.0	16.0
6/28/2016 19:00	BDL	BDL	BDL	0.5	0.2	2.3	16.0	13.0
6/28/2016 20:00	BDL	BDL	BDL	0.5	0.2	2.2	16.0	11.0
6/28/2016 21:00	BDL	BDL	BDL	BDL	0.2	2.3	14.0	9.0
6/28/2016 22:00	BDL	BDL	BDL	1.0	0.2	2.2	12.0	11.0
6/28/2016 23:00	BDL	BDL	BDL	8.2	0.2	2.4	16.0	11.0
6/29/2016 0:00	BDL	BDL	BDL	6.8	0.2	2.2	11.0	13.0
6/29/2016 1:00	BDL	BDL	BDL	6.9	0.2	2.2	11.0	10.0
6/29/2016 2:00	BDL	BDL	BDL	5.8	0.2	2.3	10.0	8.0
6/29/2016 3:00	BDL	Calibration	Calibration	18.5	0.3	2.5	18.0	15.0
6/29/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	11.0	12.0
6/29/2016 5:00	BDL	BDL	BDL	7.9	0.2	Too few samples	14.0	15.0
6/29/2016 6:00	0.4	BDL	BDL	7.7	0.2	2.6	13.0	13.0
6/29/2016 7:00	BDL	BDL	BDL	9.9	0.2	2.5	16.0	13.0
6/29/2016 8:00	BDL	BDL	BDL	11.1	0.2	2.4	19.0	14.0
6/29/2016 9:00	0.4	BDL	BDL	7.8	0.2	2.3	17.0	12.0
6/29/2016 10:00	0.4	BDL	BDL	6.5	0.2	2.3	13.0	15.0
6/29/2016 11:00	0.4	BDL	BDL	2.0	0.2	2.3	14.0	11.0
6/29/2016 12:00	0.4	BDL	BDL	BDL	0.1	2.3	17.0	10.0
6/29/2016 13:00	0.4	BDL	BDL	BDL	0.1	2.3	17.0	10.0
6/29/2016 14:00	0.4	BDL	BDL	BDL	0.1	2.4	18.0	13.0
6/29/2016 15:00	0.6	BDL	BDL	0.5	0.1	2.3	15.0	15.0
6/29/2016 16:00	0.4	BDL	BDL	0.6	0.1	2.4	16.0	15.0
6/29/2016 17:00	0.5	BDL	BDL	BDL	0.1	2.3	14.0	12.0
6/29/2016 18:00	BDL	BDL	BDL	BDL	0.1	2.4	10.0	12.0
6/29/2016 19:00	BDL	BDL	BDL	BDL	0.1	2.4	12.0	7.0
6/29/2016 20:00	BDL	BDL	BDL	BDL	0.1	2.5	11.0	7.0
6/29/2016 21:00	BDL	BDL	BDL	2.9	0.1	2.9	15.0	8.0
6/29/2016 22:00	BDL	BDL	BDL	4.8	0.1	2.6	13.0	9.0
6/29/2016 23:00	BDL	BDL	BDL	2.2	0.1	2.5	11.0	8.0
6/30/2016 0:00	BDL	BDL	BDL	1.1	0.1	2.6	15.0	7.0
6/30/2016 1:00	BDL	BDL	BDL	4.7	0.1	2.8	12.0	10.0
6/30/2016 2:00	BDL	BDL	BDL	3.0	0.1	2.7	10.0	11.0
6/30/2016 3:00	BDL	Calibration	Calibration	2.9	0.1	2.6	12.0	9.0
6/30/2016 4:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	8.0	9.0
6/30/2016 5:00	BDL	BDL	BDL	14.3	0.2	Too few samples	15.0	13.0
6/30/2016 6:00	0.4	BDL	BDL	11.8	0.2	2.6	20.0	12.0
6/30/2016 7:00	0.5	Too few samples	Too few samples	17.4	0.2	2.6	20.0	16.0
6/30/2016 8:00	0.7	Calibration	Calibration	20.1	0.2	2.4	17.0	14.0
6/30/2016 9:00	0.5	BDL	BDL	9.7	0.1	2.4	20.0	11.0
6/30/2016 10:00	0.4	BDL	BDL	2.0	0.1	2.3	24.0	9.0
6/30/2016 11:00	0.6	BDL	BDL	0.8	0.1	2.3	21.0	10.0
6/30/2016 12:00	0.9	BDL	BDL	4.9	0.1	2.3	21.0	10.0
6/30/2016 13:00	0.6	BDL	BDL	1.2	0.1	2.3	17.0	10.0
6/30/2016 14:00	1.1	BDL	BDL	2.6	0.1	2.3	21.0	12.0
6/30/2016 15:00	1.0	BDL	BDL	2.1	0.1	2.5	16.0	11.0
6/30/2016 16:00	0.9	BDL	BDL	BDL	0.1	2.5	21.0	13.0
6/30/2016 17:00	1.4	BDL	BDL	2.2	0.1	2.6	22.0	11.0
6/30/2016 18:00	1.1	BDL	BDL	1.3	0.1	2.6	18.0	12.0
6/30/2016 19:00	0.9	BDL	BDL	0.6	0.1	2.6	17.0	10.0
6/30/2016 20:00	0.4	BDL	BDL	2.2	0.2	2.4	17.0	12.0
6/30/2016 21:00	BDL	BDL	BDL	4.4	0.2	2.5	19.0	16.0
6/30/2016 22:00	0.4	BDL	BDL	9.0	0.2	2.5	BDL	9.0
6/30/2016 23:00	BDL	BDL	BDL	4.3	0.2	2.7	22.0	13.0
7/1/2016 0:00	BDL	BDL	BDL	BDL	0.1	2.6	12.0	12.0
7/1/2016 1:00	BDL	BDL	BDL	3.5	0.2	2.4	11.0	24.0
7/1/2016 2:00	BDL	BDL	BDL	6.6	0.2	2.2	13.0	11.0
7/1/2016 3:00	BDL	Calibration	Calibration	1.2	0.2	2.2	12.0	9.0
7/1/2016 4:00	BDL	Calibration	Calibration	2.2	0.2	2.2	11.0	14.0
7/1/2016 5:00	Too few samples	0.7	1.5	Too few samples	Too few samples	Calibration	16.0	17.0
7/1/2016 6:00	BDL	0.6	1.3	11.6	0.2	2.2	18.0	7.0
7/1/2016 7:00	BDL	0.5	1.4	10.4	0.2	2.2	17.0	12.0
7/1/2016 8:00	BDL	BDL	BDL	10.5	0.2	2.2	23.0	13.0
7/1/2016 9:00	BDL	BDL	BDL	2.5	0.2	2.1	20.0	12.0
7/1/2016 10:00	BDL	BDL	BDL	2.1	0.2	2.1	24.0	18.0
7/1/2016 11:00	BDL	BDL	BDL	2.8	0.2	2.1	26.0	16.0
7/1/2016 12:00	BDL	BDL	BDL	BDL	0.2	2.2	21.0	14.0
7/1/2016 13:00	BDL	BDL	BDL	1.1	0.2	2.3	22.0	15.0
7/1/2016 14:00	BDL	BDL	BDL	2.7	0.2	2.4	27.0	19.0
7/1/2016 15:00	0.5	BDL	BDL	BDL	0.2	2.3	22.0	13.0
7/1/2016 16:00	BDL	BDL	BDL	0.7	0.2	2.1	25.0	9.0
7/1/2016 17:00	BDL	BDL	BDL	1.8	0.3	2.2	23.0	17.0
7/1/2016 18:00	BDL	BDL	BDL	BDL	0.2	2.1	14.0	12.0
7/1/2016 19:00	BDL	BDL	BDL	1.7	0.2	2.0	15.0	9.0
7/1/2016 20:00	BDL	BDL	BDL	BDL	0.2	2.0	15.0	13.0
7/1/2016 21:00	BDL	BDL	BDL	3.0	0.2	2.2	13.0	14.0
7/1/2016 22:00	BDL	BDL	BDL	6.6	0.2	2.5	10.0	13.0
7/1/2016 23:00	1.4	BDL	BDL	11.5	0.2	2.3	18.0	19.0
7/2/2016 0:00	1.6	BDL	BDL	15.3	0.2	2.2	21.0	14.0
7/2/2016 1:00	1.2	BDL	BDL	4.4	0.1	2.3	13.0	12.0
7/2/2016 2:00	0.6	BDL	BDL	BDL	0.1	2.3	12.0	13.0
7/2/2016 3:00	0.5	BDL	BDL	0.5	0.1	2.4	13.0	11.0
7/2/2016 4:00	0.5	BDL	BDL	BDL	0.1	2.4	12.0	11.0
7/2/2016 5:00	0.4	BDL	BDL	BDL	0.1	2.4	10.0	11.0
7/2/2016 6:00	0.4	BDL	BDL	BDL	0.1	2.3	9.0	9.0
7/2/2016 7:00	0.4	Calibration	Calibration	BDL	0.1	2.3	11.0	8.0
7/2/2016 8:00	0.4	Calibration	Calibration	BDL	0.1	2.3	12.0	5.0
7/2/2016 9:00	Too few samples	BDL	BDL	Too few samples	Too few samples	Calibration	11.0	4.0
7/2/2016 10:00	0.5	BDL	BDL	BDL	BDL	2.3	11.0	4.0
7/2/2016 11:00	0.5	BDL	BDL	BDL	BDL	2.3	10.0	5.0
7/2/2016 12:00	0.4	BDL	BDL	BDL	BDL	2.3	10.0	8.0
7/2/2016 13:00	0.4	BDL	BDL	BDL	BDL	2.3	9.0	6.0
7/2/2016 14:00	0.4	BDL	BDL	BDL	BDL	2.3	7.0	6.0
7/2/2016 15:00	0.4	BDL	BDL	BDL	BDL	2.3	7.0	7.0
7/2/2016 16:00	0.4	BDL	BDL	BDL	BDL	2.3	8.0	9.0
7/2/2016 17:00	BDL	BDL	BDL	BDL	BDL	2.3	12.0	6.0
7/2/2016 18:00	BDL	BDL	BDL	BDL	BDL	2.4	10.0	5.0
7/2/2016 19:00	BDL	BDL	BDL	BDL	BDL	2.4	9.0	8.0
7/2/2016 20:00	BDL	BDL	BDL	BDL	0.1	2.4	9.0	9.0
7/2/2016 21:00	0.9	BDL	BDL	5.6	0.1	2.5	16.0	11.0
7/2/2016 22:00	3.1	BDL	BDL	14.2	0.1	2.7	35.0	22.0
7/2/2016 23:00	1.6	BDL	BDL	9.4	0.1	2.7	14.0	16.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 7/3/2016-7/9/2016								
7/3/2016 0:00	0.6	BDL	BDL	5.2	0.1	2.6	12.0	13.0
7/3/2016 1:00	0.7	BDL	BDL	6.3	0.1	2.7	14.0	14.0
7/3/2016 2:00	0.5	BDL	BDL	3.1	0.1	2.7	12.0	15.0
7/3/2016 3:00	0.6	BDL	BDL	6.4	0.2	2.8	17.0	10.0
7/3/2016 4:00	0.6	BDL	BDL	10.4	0.1	2.9	17.0	11.0
7/3/2016 5:00	0.5	BDL	BDL	4.8	0.1	2.8	14.0	9.0
7/3/2016 6:00	0.4	BDL	BDL	3.5	0.1	2.7	16.0	10.0
7/3/2016 7:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	12.0	10.0
7/3/2016 8:00	0.5	Calibration	Calibration	7.6	0.1	2.4	14.0	8.0
7/3/2016 9:00	0.6	Calibration	Calibration	3.2	0.1	2.3	13.0	6.0
7/3/2016 10:00	0.6	BDL	BDL	13.4	0.1	2.2	13.0	11.0
7/3/2016 11:00	0.4	BDL	BDL	2.8	0.1	2.3	17.0	10.0
7/3/2016 12:00	0.6	BDL	BDL	BDL	0.1	2.3	9.0	10.0
7/3/2016 13:00	0.8	BDL	BDL	BDL	0.1	2.3	14.0	10.0
7/3/2016 14:00	1.1	BDL	BDL	BDL	0.1	2.4	13.0	10.0
7/3/2016 15:00	1.1	BDL	BDL	BDL	0.1	2.3	14.0	10.0
7/3/2016 16:00	1.1	BDL	BDL	BDL	0.1	2.3	13.0	6.0
7/3/2016 17:00	0.9	BDL	BDL	BDL	0.1	2.3	11.0	8.0
7/3/2016 18:00	1.0	BDL	BDL	BDL	0.1	2.4	10.0	9.0
7/3/2016 19:00	0.5	BDL	BDL	BDL	0.1	2.4	19.0	6.0
7/3/2016 20:00	0.4	BDL	BDL	0.9	0.1	2.4	6.0	6.0
7/3/2016 21:00	0.5	0.5	1.4	3.6	0.1	2.3	8.0	11.0
7/3/2016 22:00	0.7	0.5	1.4	5.8	0.2	2.3	12.0	10.0
7/3/2016 23:00	1.4	BDL	BDL	4.8	0.2	2.6	18.0	16.0
7/4/2016 0:00	1.5	BDL	BDL	5.2	0.2	2.5	19.0	12.0
7/4/2016 1:00	1.5	BDL	BDL	5.7	0.2	2.6	18.0	15.0
7/4/2016 2:00	0.8	BDL	BDL	10.6	0.3	2.6	15.0	12.0
7/4/2016 3:00	1.7	BDL	BDL	11.5	0.2	2.4	23.0	18.0
7/4/2016 4:00	2.6	BDL	BDL	9.7	0.2	2.7	12.0	22.0
7/4/2016 5:00	0.9	BDL	BDL	10.8	0.2	2.7	13.0	13.0
7/4/2016 6:00	2.0	BDL	BDL	10.5	0.2	2.5	23.0	19.0
7/4/2016 7:00	1.3	BDL	BDL	1.8	0.2	2.5	17.0	18.0
7/4/2016 8:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	24.0	13.0
7/4/2016 9:00	2.5	Too few samples	Too few samples	12.6	0.2	2.5	17.0	15.0
7/4/2016 10:00	2.6	Calibration	Calibration	9.9	0.1	2.3	15.0	16.0
7/4/2016 11:00	2.3	BDL	BDL	12.8	0.1	2.3	10.0	11.0
7/4/2016 12:00	1.1	BDL	BDL	BDL	0.1	2.2	15.0	10.0
7/4/2016 13:00	0.5	BDL	BDL	BDL	0.1	2.1	7.0	11.0
7/4/2016 14:00	BDL	BDL	BDL	BDL	0.1	2.1	7.0	9.0
7/4/2016 15:00	BDL	BDL	BDL	BDL	0.1	2.2	10.0	11.0
7/4/2016 16:00	BDL	BDL	BDL	BDL	0.1	2.2	8.0	10.0
7/4/2016 17:00	BDL	BDL	BDL	BDL	0.1	2.1	8.0	7.0
7/4/2016 18:00	BDL	BDL	BDL	BDL	0.1	2.1	11.0	6.0
7/4/2016 19:00	BDL	BDL	BDL	BDL	0.1	2.0	8.0	8.0
7/4/2016 20:00	BDL	BDL	BDL	BDL	0.1	2.0	6.0	12.0
7/4/2016 21:00	BDL	BDL	BDL	0.6	0.1	2.0	6.0	8.0
7/4/2016 22:00	BDL	BDL	BDL	BDL	0.1	2.0	10.0	6.0
7/4/2016 23:00	BDL	BDL	BDL	BDL	0.1	2.2	6.0	6.0
7/5/2016 0:00	BDL	BDL	BDL	BDL	0.1	2.5	7.0	8.0
7/5/2016 1:00	BDL	BDL	BDL	BDL	0.1	2.6	9.0	10.0
7/5/2016 2:00	BDL	BDL	BDL	BDL	0.1	2.5	9.0	12.0
7/5/2016 3:00	BDL	BDL	BDL	BDL	0.1	2.5	10.0	10.0
7/5/2016 4:00	BDL	BDL	BDL	1.5	0.2	2.63	12.0	11.0
7/5/2016 5:00	BDL	BDL	BDL	12.3	0.2	2.26	25.0	18.0
7/5/2016 6:00	BDL	BDL	BDL	7.8	0.3	2.5	18.0	20.0
7/5/2016 7:00	BDL	BDL	BDL	18.6	0.2	2.0	32.0	22.0
7/5/2016 8:00	BDL	Calibration	Calibration	4.7	0.2	2.1	19.0	11.0
7/5/2016 9:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	Calibration	15.0	11.0
7/5/2016 10:00	BDL	BDL	BDL	BDL	0.2	Too few samples	15.0	8.0
7/5/2016 11:00	BDL	BDL	BDL	BDL	0.2	2.3	9.0	13.0
7/5/2016 12:00	BDL	BDL	BDL	2.0	0.2	2.4	6.0	7.0
7/5/2016 13:00	BDL	BDL	BDL	BDL	0.2	2.4	12.0	6.0
7/5/2016 14:00	BDL	BDL	BDL	BDL	0.2	2.3	11.0	7.0
7/5/2016 15:00	BDL	BDL	BDL	BDL	0.2	2.4	10.0	6.0
7/5/2016 16:00	BDL	BDL	BDL	BDL	0.2	2.4	9.0	7.0
7/5/2016 17:00	0.4	BDL	BDL	BDL	0.2	2.4	10.0	6.0
7/5/2016 18:00	0.7	BDL	BDL	BDL	0.2	2.4	10.0	5.0
7/5/2016 19:00	0.5	BDL	BDL	BDL	0.2	2.4	10.0	9.0
7/5/2016 20:00	BDL	BDL	BDL	0.8	0.2	2.6	11.0	6.0
7/5/2016 21:00	BDL	BDL	BDL	4.1	0.2	2.8	17.0	9.0
7/5/2016 22:00	BDL	BDL	BDL	7.0	0.2	3.1	26.0	21.0
7/5/2016 23:00	0.4	BDL	BDL	3.5	0.2	2.4	14.0	14.0
7/6/2016 0:00	0.4	BDL	BDL	5.1	0.2	2.8	14.0	11.0
7/6/2016 1:00	BDL	BDL	BDL	7.0	0.2	2.9	13.0	12.0
7/6/2016 2:00	0.4	Calibration	Calibration	8.6	0.2	2.8	16.0	11.0
7/6/2016 3:00	0.5	Calibration	Calibration	7.4	0.2	2.7	11.0	11.0
7/6/2016 4:00	Calibration	0.9	1.8	Calibration	Calibration	Calibration	18.0	14.0
7/6/2016 5:00	0.7	BDL	BDL	9.5	0.2	2.7	16.0	12.0
7/6/2016 6:00	0.5	BDL	BDL	8.3	0.2	2.6	15.0	17.0
7/6/2016 7:00	0.4	Audit	Audit	9.2	0.2	2.6	20.0	14.0
7/6/2016 8:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	16.0	13.0
7/6/2016 9:00	0.9	BDL	BDL	Calibration	0.3	Calibration	23.0	20.0
7/6/2016 10:00	0.6	BDL	BDL	6.0	0.2	2.1	25.0	16.0
7/6/2016 11:00	0.7	BDL	BDL	2.6	0.1	2.0	16.0	11.0
7/6/2016 12:00	1.5	BDL	BDL	4.2	0.1	2.1	15.0	10.0
7/6/2016 13:00	0.9	BDL	BDL	1.2	0.1	2.1	13.0	10.0
7/6/2016 14:00	1.0	BDL	BDL	1.9	0.1	2.3	20.0	11.0
7/6/2016 15:00	1.3	BDL	BDL	3.6	0.1	2.5	20.0	15.0
7/6/2016 16:00	1.3	BDL	BDL	2.5	0.1	2.3	18.0	16.0
7/6/2016 17:00	1.5	BDL	BDL	7.2	0.1	2.2	24.0	17.0
7/6/2016 18:00	0.9	BDL	BDL	BDL	0.1	2.3	15.0	14.0
7/6/2016 19:00	1.5	BDL	BDL	3.9	0.2	2.5	23.0	18.0
7/6/2016 20:00	1.0	BDL	BDL	4.4	0.2	2.6	21.0	18.0
7/6/2016 21:00	0.8	BDL	1.0	7.4	0.2	2.7	22.0	19.0
7/6/2016 22:00	0.5	BDL	BDL	6.4	0.2	3.0	18.0	17.0
7/6/2016 23:00	0.5	BDL	BDL	8.2	0.2	2.4	16.0	14.0
7/7/2016 0:00	BDL	0.4	1.2	13.2	0.2	2.2	18.0	14.0
7/7/2016 1:00	BDL	1.5	2.2	28.2	0.2	2.2	18.0	18.0
7/7/2016 2:00	BDL	Calibration	Calibration	30.6	0.2	2.5	25.0	20.0
7/7/2016 3:00	BDL	Calibration	Calibration	23.7	0.2	2.6	29.0	18.0
7/7/2016 4:00	Calibration	1.9	2.4	Calibration	Calibration	Calibration	25.0	17.0
7/7/2016 5:00	BDL	1.3	2.0	24.4	0.3	2.49	24.0	20.0
7/7/2016 6:00	0.4	2.1	2.4	41.4	0.5	3.0	35.0	24.0
7/7/2016 7:00	0.4	1.2	1.8	45.5	0.5	2.8	47.0	26.0
7/7/2016 8:00	0.4	0.8	1.3	40.5	0.4	2.9	51.0	25.0
7/7/2016 9:00	0.4	0.5	BDL	33.8	0.4	2.8	41.0	24.0
7/7/2016 10:00	BDL	BDL	BDL	17.1	0.3	2.6	33.0	15.0
7/7/2016 11:00	BDL	BDL	BDL	5.5	0.2	2.4	27.0	21.0
7/7/2016 12:00	BDL	BDL	BDL	2.5	0.2	2.3	35.0	21.0
7/7/2016 13:00	BDL	BDL	BDL	6.2	0.2	2.4	34.0	20.0
7/7/2016 14:00	Upgrading software	Upgrading software	Upgrading software	Upgrading software	Upgrading software	Upgrading software	36.0	19.0
7/7/2016 15:00	Upgrading software	Upgrading software	Upgrading software	Upgrading software	Upgrading software	Upgrading software	30.0	12.0
7/7/2016 16:00	Upgrading software	Upgrading software	Upgrading software	Upgrading software	Upgrading software	Upgrading software	22.0	16.0
7/7/2016 17:00	0.5	BDL	BDL	3.5	0.1	2.1	24.0	15.0
7/7/2016 18:00	0.6	BDL	BDL	1.9	0.1	2.1	17.0	10.0
7/7/2016 19:00	0.5	BDL	BDL	0.7	0.1	2.1	16.0	19.0
7/7/2016 20:00	0.4	BDL	BDL	0.8	0.1	2.2	20.0	17.0
7/7/2016 21:00	0.5	BDL	BDL	1.0	0.2	2.2	16.0	14.0
7/7/2016 22:00	0.4	BDL	BDL	3.2	0.2	2.4	20.0	17.0
7/7/2016 23:00	0.5	BDL	BDL	7.9	0.2	2.6	18.0	16.0
7/8/2016 0:00	0.5	BDL	BDL	4.4	0.2	2.4	20.0	17.0
7/8/2016 1:00	1.4	BDL	BDL	11.0	0.2	2.3	30.0	21.0
7/8/2016 2:00	0.9	Calibration	Calibration	2.9	0.1	0.9	23.0	18.0
7/8/2016 3:00	0.8	Calibration	Calibration	4.3	0.2	2.5	20.0	15.0
7/8/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	23.0	20.0
7/8/2016 5:00	0.9	BDL	BDL	11.1	0.2	2.6	27.0	20.0
7/8/2016 6:00	0.8	BDL	BDL	5.9	0.2	2.4	21.0	18.0
7/8/2016 7:00	0.7	BDL	BDL	12.9	0.2	2.4	32.0	17.0
7/8/2016 8:00	0.8	BDL	BDL	10.0	0.2	2.2	33.0	14.0
7/8/2016 9:00	0.8	BDL	BDL	12.7	0.2	2.1	27.0	18.0
7/8/2016 10:00	0.8	BDL	BDL	6.3	0.2	2.0	24.0	17.0
7/8/2016 11:00	0.7	BDL	BDL	2.6	0.2	2.1	29.0	17.0
7/8/2016 12:00	0.7	BDL	BDL	0.8	0.2	2.3	33.0	19.0
7/8/2016 13:00	0.8	Calibration	BDL	5.6	0.2	2.2	41.0	21.0
7/8/2016 14:00	Upgrading software	Upgrading software	Upgrading software	Upgrading software	Upgrading software	Upgrading software	Upgrading software	Upgrading software
7/8/2016 15:00	Upgrading software	Upgrading software	Upgrading software	Upgrading software	Upgrading software	Upgrading software	Upgrading software	Upgrading software
7/8/2016 16:00	Upgrading software	Upgrading software	Upgrading software	Upgrading software	Upgrading software	Upgrading software	Upgrading software	Upgrading software
7/8/2016 17:00	1.1	Calibration	Calibration	4.5	0.2	1.9	20.0	14.0
7/8/2016 18:00	0.5	BDL	BDL	0.7	0.2	1.9	31.0	17.0
7/8/2016 19:00	0.4	BDL	BDL	6.4	0.2	1.8	16.0	14.0
7/8/2016 20:00	BDL	BDL	BDL	1.0	0.2	1.8	8.0	9.0
7/8/2016 21:00	BDL	BDL	BDL	0.4	0.2	1.8	12.0	10.0
7/8/2016 22:00	BDL	BDL	BDL	1.1	0.2	1.8	12.0	14.0
7/8/2016 23:00	BDL	BDL	BDL	BDL	0.2	1.8	9.0	9.0
7/9/2016 0:00	BDL	BDL	BDL	BDL	0.1	1.8	9.0	10.0
7/9/2016 1:00	BDL	BDL	BDL	1.7	0.2	1.8	16.0	16.0
7/9/2016 2:00	BDL	Calibration	BDL	BDL	0.1	1.8	21.0	18.0
7/9/2016 3:00	BDL	Calibration	BDL	BDL	0.1	1.7	17.0	11.0
7/9/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	9.0	11.0
7/9/2016 5:00	BDL	BDL	BDL	BDL	0.1	1.7	8.0	10.0
7/9/2016 6:00	BDL	BDL	BDL	2.2	0.1	1.8	8.0	16.0
7/9/2016 7:00	Upgrading software	Upgrading software	Upgrading software	Upgrading software	Upgrading software	Upgrading software	Upgrading software	Upgrading software
7/9/2016 8:00	BDL	BDL	BDL	3.6	0.2	Too few samples	5.0	5.0
7/9/2016 9:00	BDL	Calibration	Calibration	2.1	0.2	1.8	6.0	6.0
7/9/2016 10:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	7.0	6.0
7/9/2016 11:00	Too few samples	BDL	BDL	Too few samples	Too few samples	Calibration	10.0	7.0
7/9/2016 12:00	BDL	BDL	BDL	BDL	0.1	1.9	12.0	8.0
7/9/2016 13:00	BDL	BDL	BDL	2.6	0.1	1.9	13.0	8.0
7/9/2016 14:00	BDL	BDL	BDL	BDL	0.1	1.9	11.0	10.0
7/9/2016 15:00	BDL	BDL	BDL	BDL	0.1	1.9	13.0	9.0
7/9/2016 16:00	BDL	BDL	BDL	BDL	0.2	1.9	15.0	7.0
7/9/2016 17:00	BDL	BDL	BDL	0.9	0.2	1.9	15.0	7.0
7/9/2016 18:00	BDL	BDL	BDL	BDL	0.2	1.9	12.0	10.0
7/9/2016 19:00	BDL	BDL	BDL	BDL	0.2	1.8	13.0	10.0
7/9/2016 20:00	BDL	BDL	BDL	1.1	0.2	1.9	13.0	14.0
7/9/2016 21:00	BDL	BDL	BDL	BDL	0.2	1.9	10.0	12.0
7/9/2016 22:00	BDL	BDL	BDL	BDL	0.2	1.9	9.0	14.0
7/9/2016 23:00	BDL	BDL	BDL	3.2	0.2	1.9	13.0	13.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 7/10/2016-7/16/2016								
7/10/2016 0:00	BDL	0.4	BDL	2.5	0.2	2.0	9.0	15.0
7/10/2016 1:00	BDL	0.4	BDL	8.9	0.3	2.2	14.0	16.0
7/10/2016 2:00	0.4	Calibration	Calibration	7.2	0.2	3.7	18.0	11.0
7/10/2016 3:00	0.5	Calibration	Calibration	4.6	0.2	4.5	12.0	15.0
7/10/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	9.0	11.0
7/10/2016 5:00	0.6	BDL	BDL	0.5	0.1	5.3	11.0	10.0
7/10/2016 6:00	BDL	BDL	BDL	BDL	0.1	2.4	11.0	10.0
7/10/2016 7:00	---	BDL	BDL	BDL	0.05	2.3	10.9	10.0
7/10/2016 8:00	BDL	BDL	BDL	BDL	0.04	Calibration	6.0	8.0
7/10/2016 9:00	Too few samples	BDL	BDL	Too few samples	Too few samples	Calibration	6.0	8.0
7/10/2016 10:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	9.0	10.0
7/10/2016 11:00	BDL	Calibration	Calibration	BDL	0.1	2.2	7.0	10.0
7/10/2016 12:00	0.4	BDL	BDL	BDL	0.1	2.2	6.0	10.0
7/10/2016 13:00	0.4	BDL	BDL	BDL	0.1	2.2	8.0	11.0
7/10/2016 14:00	0.4	BDL	BDL	BDL	0.1	2.1	8.0	7.0
7/10/2016 15:00	0.5	BDL	BDL	BDL	0.1	2.1	7.0	6.0
7/10/2016 16:00	0.4	BDL	BDL	BDL	0.1	2.2	9.0	10.0
7/10/2016 17:00	BDL	BDL	BDL	BDL	0.1	2.2	7.0	9.0
7/10/2016 18:00	0.5	BDL	BDL	BDL	BDL	2.1	7.0	12.0
7/10/2016 19:00	0.4	BDL	BDL	BDL	0.1	2.1	6.0	7.0
7/10/2016 20:00	BDL	BDL	BDL	BDL	0.1	2.1	5.0	4.0
7/10/2016 21:00	BDL	BDL	BDL	BDL	0.1	2.1	4.0	5.0
7/10/2016 22:00	BDL	BDL	BDL	BDL	0.1	2.1	4.0	7.0
7/10/2016 23:00	BDL	BDL	BDL	BDL	0.1	2.1	5.0	7.0
7/11/2016 0:00	BDL	BDL	BDL	BDL	0.1	2.2	5.0	10.0
7/11/2016 1:00	BDL	BDL	BDL	BDL	BDL	2.2	5.0	6.0
7/11/2016 2:00	0.6	Calibration	Calibration	BDL	BDL	2.3	6.0	7.0
7/11/2016 3:00	0.8	Calibration	Calibration	BDL	BDL	2.5	5.0	8.0
7/11/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	6.0	8.0
7/11/2016 5:00	0.8	BDL	BDL	8.1	0.1	2.3	7.0	5.0
7/11/2016 6:00	0.9	BDL	BDL	11.2	0.1	2.3	8.0	12.0
7/11/2016 7:00	0.6	BDL	BDL	6.7	0.1	2.2	9.0	8.0
7/11/2016 8:00	0.7	BDL	BDL	9.6	0.1	2.4	18.0	8.0
7/11/2016 9:00	0.7	BDL	BDL	4.0	0.1	2.2	6.0	5.0
7/11/2016 10:00	0.7	BDL	BDL	9.7	0.1	2.1	12.0	9.0
7/11/2016 11:00	0.5	BDL	BDL	BDL	0.1	2.2	8.0	5.0
7/11/2016 12:00	0.5	BDL	BDL	BDL	0.0	2.1	13.0	10.0
7/11/2016 13:00	0.5	BDL	BDL	BDL	0.1	2.2	14.0	7.0
7/11/2016 14:00	0.4	BDL	BDL	BDL	0.0	2.1	28.0	7.0
7/11/2016 15:00	BDL	BDL	BDL	BDL	0.1	2.1	13.0	7.0
7/11/2016 16:00	BDL	BDL	BDL	BDL	0.1	2.1	12.0	8.0
7/11/2016 17:00	BDL	BDL	BDL	BDL	BDL	2.1	11.0	7.0
7/11/2016 18:00	BDL	BDL	BDL	BDL	BDL	2.1	10.0	5.0
7/11/2016 19:00	0.4	BDL	BDL	2.8	0.1	2.0	13.0	11.0
7/11/2016 20:00	BDL	BDL	BDL	0.4	0.1	2.0	10.0	7.0
7/11/2016 21:00	BDL	BDL	BDL	BDL	0.1	2.0	8.0	9.0
7/11/2016 22:00	BDL	BDL	BDL	BDL	0.1	2.1	9.0	7.0
7/11/2016 23:00	BDL	BDL	BDL	BDL	0.1	2.0	7.0	5.0
7/12/2016 0:00	BDL	BDL	BDL	1.9	0.1	2.1	11.0	8.0
7/12/2016 1:00	BDL	BDL	BDL	2.3	0.1	2.0	10.0	8.0
7/12/2016 2:00	BDL	Calibration	Calibration	2.6	0.1	2.0	9.0	5.0
7/12/2016 3:00	BDL	Calibration	Calibration	6.7	0.1	2.0	11.0	8.0
7/12/2016 4:00	Calibration	1.6	1.6	Calibration	Calibration	Calibration	9.0	7.0
7/12/2016 5:00	BDL	1.9	1.9	9.2	0.2	2.12	9.0	9.0
7/12/2016 6:00	BDL	2.1	2	12.6	0.2	2.1	12.0	7.0
7/12/2016 7:00	BDL	1.8	1.7	10.4	0.2	2.0	17.0	8.0
7/12/2016 8:00	0.4	1.3	1.1	9.0	0.1	2.0	17.0	7.0
7/12/2016 9:00	0.4	0.7	BDL	0.9	0.1	2.0	7.0	13.0
7/12/2016 10:00	0.5	0.4	BDL	0.6	0.1	1.9	22.0	13.0
7/12/2016 11:00	0.5	BDL	BDL	BDL	0.1	0.5	24.0	12.0
7/12/2016 12:00	0.5	BDL	BDL	BDL	0.1	1.9	24.0	12.0
7/12/2016 13:00	0.5	BDL	BDL	BDL	0.1	2.2	20.0	12.0
7/12/2016 14:00	0.5	BDL	BDL	BDL	0.1	2.1	29.0	12.0
7/12/2016 15:00	0.7	BDL	BDL	BDL	0.1	2.0	26.0	13.0
7/12/2016 16:00	0.9	BDL	BDL	BDL	0.1	2.0	21.0	12.0
7/12/2016 17:00	0.5	BDL	BDL	BDL	0.1	2.0	18.0	10.0
7/12/2016 18:00	BDL	BDL	BDL	BDL	0.1	2.0	13.0	9.0
7/12/2016 19:00	BDL	BDL	BDL	BDL	0.1	1.9	20.0	11.0
7/12/2016 20:00	BDL	BDL	BDL	BDL	0.1	1.9	17.0	9.0
7/12/2016 21:00	BDL	BDL	BDL	BDL	0.1	1.9	16.0	10.0
7/12/2016 22:00	BDL	BDL	BDL	BDL	0.1	1.9	15.0	7.0
7/12/2016 23:00	BDL	BDL	BDL	BDL	0.1	1.8	16.0	10.0
7/13/2016 0:00	BDL	BDL	BDL	2.1	0.1	1.9	13.0	10.0
7/13/2016 1:00	BDL	0.6	BDL	1.1	0.1	2.0	11.0	9.0
7/13/2016 2:00	BDL	Calibration	Calibration	4.3	0.1	1.9	9.0	9.0
7/13/2016 3:00	BDL	Calibration	Calibration	BDL	0.1	1.8	11.0	8.0
7/13/2016 4:00	Calibration	2.6	2.6	Calibration	Calibration	Calibration	13.0	9.0
7/13/2016 5:00	BDL	2.3	2.3	5.5	0.2	1.8	12.0	8.0
7/13/2016 6:00	BDL	2.0	2.0	8.6	0.2	1.8	18.0	12.0
7/13/2016 7:00	BDL	1.9	1.9	9.3	0.2	Calibration	23.0	13.0
7/13/2016 8:00	0.4	2.0	1.9	8.3	0.1	2.1	20.0	11.0
7/13/2016 9:00	BDL	0.8	BDL	2.1	0.1	2.0	13.0	9.0
7/13/2016 10:00	BDL	0.5	BDL	12.5	0.2	2.0	21.0	9.0
7/13/2016 11:00	BDL	0.4	BDL	13.3	0.2	2.0	13.0	8.0
7/13/2016 12:00	BDL	0.8	BDL	26.6	0.3	2.0	16.0	13.0
7/13/2016 13:00	BDL	0.5	BDL	16.4	0.3	2.0	12.0	15.0
7/13/2016 14:00	BDL	0.6	BDL	12.8	0.3	2.0	22.0	15.0
7/13/2016 15:00	BDL	BDL	BDL	BDL	0.1	2.3	17.0	11.0
7/13/2016 16:00	BDL	BDL	BDL	BDL	0.1	1.8	11.0	9.0
7/13/2016 17:00	BDL	BDL	BDL	BDL	0.2	1.8	14.0	10.0
7/13/2016 18:00	BDL	BDL	BDL	1.6	0.2	1.9	13.0	10.0
7/13/2016 19:00	BDL	BDL	BDL	2.4	0.2	2.0	12.0	11.0
7/13/2016 20:00	BDL	BDL	BDL	0.7	0.2	2.1	13.0	7.0
7/13/2016 21:00	BDL	BDL	BDL	3.3	0.2	2.1	12.0	6.0
7/13/2016 22:00	BDL	BDL	BDL	1.6	0.2	2.1	15.0	9.0
7/13/2016 23:00	BDL	BDL	BDL	1.2	0.2	2.1	13.0	9.0
7/14/2016 0:00	BDL	BDL	BDL	BDL	0.1	2.1	10.0	6.0
7/14/2016 1:00	BDL	0.4	BDL	1.4	0.1	2.2	9.0	10.0
7/14/2016 2:00	BDL	Calibration	Calibration	BDL	0.1	2.4	15.0	11.0
7/14/2016 3:00	BDL	Calibration	Calibration	1.6	0.1	2.7	14.0	10.0
7/14/2016 4:00	Calibration	1.1	1.3	Calibration	Calibration	Calibration	18.0	14.0
7/14/2016 5:00	BDL	0.9	BDL	9.6	0.2	2.61	17.0	14.0
7/14/2016 6:00	BDL	0.9	BDL	15.9	0.3	2.7	13.0	16.0
7/14/2016 7:00	BDL	0.9	BDL	14.3	0.2	2.8	17.0	11.0
7/14/2016 8:00	BDL	0.8	BDL	4.9	0.2	Calibration	18.0	11.0
7/14/2016 9:00	BDL	0.8	BDL	1.5	0.1	2.4	24.0	16.0
7/14/2016 10:00	BDL	0.8	BDL	3.6	0.1	2.5	26.0	21.0
7/14/2016 11:00	BDL	0.5	BDL	BDL	0.1	2.3	26.0	21.0
7/14/2016 12:00	BDL	BDL	BDL	BDL	0.1	2.3	32.0	22.0
7/14/2016 13:00	BDL	BDL	BDL	BDL	0.1	2.4	32.0	19.0
7/14/2016 14:00	BDL	BDL	BDL	BDL	0.1	2.6	37.0	20.0
7/14/2016 15:00	BDL	BDL	BDL	0.5	0.1	2.7	45.0	20.0
7/14/2016 16:00	BDL	BDL	BDL	4.6	0.1	2.6	37.0	22.0
7/14/2016 17:00	BDL	BDL	BDL	1.9	0.1	2.3	36.0	17.0
7/14/2016 18:00	BDL	BDL	BDL	5.8	0.1	2.2	36.0	19.0
7/14/2016 19:00	BDL	BDL	BDL	3.6	0.1	2.4	33.0	21.0
7/14/2016 20:00	BDL	BDL	BDL	1.9	0.1	2.5	26.0	17.0
7/14/2016 21:00	BDL	BDL	BDL	2.8	0.1	2.5	28.0	14.0
7/14/2016 22:00	BDL	0.4	BDL	4.0	0.1	2.6	30.0	18.0
7/14/2016 23:00	BDL	0.5	BDL	3.5	0.1	2.8	62.0	21.0
7/15/2016 0:00	BDL	0.5	BDL	5.0	0.1	3.2	22.0	16.0
7/15/2016 1:00	BDL	0.6	BDL	5.7	0.1	3.2	21.0	19.0
7/15/2016 2:00	BDL	Calibration	Calibration	6.3	0.1	2.9	20.0	17.0
7/15/2016 3:00	BDL	Calibration	Calibration	6.4	0.1	3.4	26.0	14.0
7/15/2016 4:00	Calibration	0.7	BDL	Calibration	Calibration	Calibration	26.0	12.0
7/15/2016 5:00	BDL	0.8	BDL	16.1	0.2	3.51	29.0	16.0
7/15/2016 6:00	BDL	0.6	BDL	15.8	0.2	2.6	29.0	21.0
7/15/2016 7:00	0.4	0.5	BDL	8.6	0.1	2.4	19.0	14.0
7/15/2016 8:00	BDL	Calibration	Calibration	3.0	0.1	2.2	23.0	10.0
7/15/2016 9:00	BDL	Too few samples	Too few samples	BDL	0.1	2.2	21.0	12.0
7/15/2016 10:00	Too few samples	BDL	BDL	Too few samples	Too few samples	Too few samples	23.0	15.0
7/15/2016 11:00	BDL	BDL	BDL	0.4	0.1	2.2	20.0	12.0
7/15/2016 12:00	BDL	BDL	BDL	6.9	0.1	2.1	21.0	12.0
7/15/2016 13:00	0.5	BDL	BDL	2.4	0.1	2.2	25.0	13.0
7/15/2016 14:00	0.9	BDL	BDL	BDL	0.1	2.2	16.0	15.0
7/15/2016 15:00	1.2	BDL	BDL	4.5	0.1	2.2	24.0	19.0
7/15/2016 16:00	1.6	BDL	BDL	12.2	0.1	2.2	22.0	12.0
7/15/2016 17:00	1.8	BDL	BDL	10.9	0.1	2.4	21.0	16.0
7/15/2016 18:00	1.8	BDL	BDL	4.8	0.1	2.3	25.0	15.0
7/15/2016 19:00	1.6	BDL	BDL	1.6	0.1	2.4	20.0	18.0
7/15/2016 20:00	1.8	BDL	BDL	8.7	0.1	2.5	23.0	13.0
7/15/2016 21:00	1.7	0.4	BDL	13.5	0.1	2.6	17.0	15.0
7/15/2016 22:00	1.4	0.4	BDL	8.1	0.2	2.7	25.0	15.0
7/15/2016 23:00	1.3	0.5	BDL	11.2	0.2	3.0	17.0	14.0
7/16/2016 0:00	1.3	0.5	BDL	14.8	0.2	2.9	21.0	18.0
7/16/2016 1:00	1.8	0.4	BDL	13.8	0.2	2.9	26.0	16.0
7/16/2016 2:00	2.5	Calibration	Calibration	17.8	0.2	2.4	25.0	17.0
7/16/2016 3:00	2.4	Calibration	Calibration	5.1	0.1	2.3	20.0	22.0
7/16/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	27.0	18.0
7/16/2016 5:00	1.1	BDL	BDL	3.2	0.1	2.6	17.0	10.0
7/16/2016 6:00	0.9	BDL	BDL	6.9	0.1	2.6	19.0	14.0
7/16/2016 7:00	1.3	BDL	BDL	6.3	0.1	2.5	15.0	10.0
7/16/2016 8:00	1.1	BDL	BDL	3.0	0.1	2.3	18.0	12.0
7/16/2016 9:00	1.0	BDL	BDL	2.2	0.1	2.37	17.0	13.0
7/16/2016 10:00	1.0	BDL	BDL	1.3	0.1	2.3	20.0	15.0
7/16/2016 11:00	1.4	BDL	BDL	2.1	0.1	2.3	21.0	17.0
7/16/2016 12:00	1.4	BDL	BDL	BDL	0.1	2.4	15.0	72.0
7/16/2016 13:00	1.3	BDL	BDL	BDL	0.1	2.7	17.0	11.0
7/16/2016 14:00	1.2	BDL	BDL	BDL	0.1	2.6	19.0	13.0
7/16/2016 15:00	1.1	BDL	BDL	2.9	0.1	2.3	29.0	13.0
7/16/2016 16:00	0.6	BDL	BDL	1.3	0.1	2.4	17.0	12.0
7/16/2016 17:00	0.7	BDL	BDL	13.2	0.3	2.5	15.0	9.0
7/16/2016 18:00	0.7	BDL	BDL	6.9	0.3	2.1	11.0	14.0
7/16/2016 19:00	0.5	BDL	BDL	1.7	0.2	2.0	16.0	12.0
7/16/2016 20:00	0.4	BDL	BDL	BDL	0.1	1.9	9.0	11.0
7/16/2016 21:00	BDL	BDL	BDL	BDL	0.1	2.0	13.0	9.0
7/16/2016 22:00	BDL	BDL	BDL	BDL	0.1	2.1	7.0	6.0
7/16/2016 23:00	BDL	BDL	BDL	BDL	0.1	2.2	7.0	6.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 7/17/2016-7/23/2016								
7/17/2016 0:00	0.4	BDL	BDL	BDL	0.1	2.7	11.0	6.0
7/17/2016 1:00	0.6	BDL	BDL	1.5	0.1	2.6	9.0	7.0
7/17/2016 2:00	0.5	Calibration	Calibration	4.6	0.1	2.7	13.0	11.0
7/17/2016 3:00	0.5	Calibration	Calibration	4.5	0.2	2.6	9.0	9.0
7/17/2016 4:00	Calib	0.4	BDL	Calibration	Calibration	Calibration	16.0	11.0
7/17/2016 5:00	0.9	BDL	BDL	5.3	0.2	2.6	8.0	10.0
7/17/2016 6:00	0.6	1.1	BDL	6.8	0.2	3.8	13.0	8.0
7/17/2016 7:00	0.8	2.0	1.9	1.9	0.1	4.0	13.0	9.0
7/17/2016 8:00	0.8	BDL	BDL	BDL	0.1	2.4	12.0	11.0
7/17/2016 9:00	0.7	BDL	BDL	BDL	0.1	2.3	9.0	9.0
7/17/2016 10:00	0.8	BDL	BDL	0.7	0.1	2.3	10.0	10.0
7/17/2016 11:00	0.9	BDL	BDL	BDL	0.1	2.3	10.0	11.0
7/17/2016 12:00	1.0	BDL	BDL	BDL	0.1	2.5	17.0	12.0
7/17/2016 13:00	1.3	BDL	BDL	2.7	0.1	2.3	20.0	15.0
7/17/2016 14:00	2.3	BDL	BDL	10.4	0.1	2.3	24.0	20.0
7/17/2016 15:00	2.4	BDL	BDL	8.8	0.1	2.4	20.0	13.0
7/17/2016 16:00	1.4	BDL	BDL	1.0	0.1	2.4	15.0	15.0
7/17/2016 17:00	0.9	BDL	BDL	BDL	0.04	2.4	14.0	15.0
7/17/2016 18:00	1.2	BDL	BDL	6.5	0.04	2.4	15.0	11.0
7/17/2016 19:00	0.8	BDL	BDL	1.0	0.04	2.4	13.0	14.0
7/17/2016 20:00	1.2	BDL	BDL	1.8	0.1	2.5	Data handling issue	Data handling issue
7/17/2016 21:00	1.7	BDL	BDL	9.9	0.2	2.8	Data handling issue	Data handling issue
7/17/2016 22:00	1.3	BDL	BDL	7.0	0.2	2.9	Data handling issue	Data handling issue
7/17/2016 23:00	1.0	BDL	BDL	4.0	0.2	2.9	Data handling issue	Data handling issue
7/18/2016 0:00	0.8	BDL	BDL	1.0	0.1	2.9	Data handling issue	Data handling issue
7/18/2016 1:00	0.7	0.9	BDL	3.1	0.1	3.0	Data handling issue	Data handling issue
7/18/2016 2:00	0.7	Calibration	Calibration	6.1	0.1	2.9	Data handling issue	Data handling issue
7/18/2016 3:00	1.0	Calibration	Calibration	3.7	0.1	2.9	Data handling issue	Data handling issue
7/18/2016 4:00	Calibration	0.7	BDL	Calibration	Calibration	Calibration	Data handling issue	Data handling issue
7/18/2016 5:00	0.7	1.1	1.0	6.9	0.2	2.8	19.0	Data handling issue
7/18/2016 6:00	0.7	1.5	1.3	16.9	0.3	3.1	Data handling issue	Data handling issue
7/18/2016 7:00	1.1	1.5	1.2	23.7	0.2	3.0	Data handling issue	Data handling issue
7/18/2016 8:00	1.6	1.0	BDL	22.3	0.2	2.8	Data handling issue	Data handling issue
7/18/2016 9:00	1.6	0.6	BDL	14.1	0.2	2.7	Data handling issue	Data handling issue
7/18/2016 10:00	1.6	BDL	BDL	11.2	0.2	2.6	41.0	Data handling issue
7/18/2016 11:00	2.0	BDL	BDL	5.0	0.1	2.4	Data handling issue	Data handling issue
7/18/2016 12:00	2.1	BDL	BDL	6.9	0.1	2.4	Data handling issue	Data handling issue
7/18/2016 13:00	1.2	BDL	BDL	BDL	0.1	2.8	Data handling issue	Data handling issue
7/18/2016 14:00	1.1	BDL	BDL	BDL	0.1	2.7	Data handling issue	Data handling issue
7/18/2016 15:00	0.8	BDL	BDL	BDL	0.1	2.6	Data handling issue	Data handling issue
7/18/2016 16:00	0.6	BDL	BDL	2.0	0.1	2.4	Data handling issue	Data handling issue
7/18/2016 17:00	0.6	0.4	BDL	10.6	0.2	2.4	Data handling issue	Data handling issue
7/18/2016 18:00	1.0	BDL	BDL	7.5	0.1	2.5	Data handling issue	Data handling issue
7/18/2016 19:00	1.2	0.5	BDL	15.6	0.2	2.6	Data handling issue	Data handling issue
7/18/2016 20:00	1.1	BDL	BDL	8.1	0.1	2.7	Data handling issue	Data handling issue
7/18/2016 21:00	0.6	0.6	BDL	3.5	0.1	2.5	Data handling issue	Data handling issue
7/18/2016 22:00	0.5	1.5	1.6	3.4	0.1	2.7	Data handling issue	Data handling issue
7/18/2016 23:00	0.5	1.6	1.6	8.3	0.1	2.7	Data handling issue	Data handling issue
7/19/2016 0:00	0.6	1.3	1.3	12.6	0.1	2.5	Data handling issue	Data handling issue
7/19/2016 1:00	0.8	BDL	BDL	10.0	0.1	2.3	Data handling issue	Data handling issue
7/19/2016 2:00	1.1	Calibration	Calibration	10.9	0.1	2.3	Data handling issue	Data handling issue
7/19/2016 3:00	0.6	Calibration	Calibration	3.8	0.1	2.2	Data handling issue	Data handling issue
7/19/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	Data handling issue	Data handling issue
7/19/2016 5:00	0.5	BDL	BDL	BDL	0.0	2.3	12.0	Data handling issue
7/19/2016 6:00	0.5	BDL	BDL	3.6	0.1	2.3	Data handling issue	Data handling issue
7/19/2016 7:00	0.6	BDL	BDL	8.3	0.1	2.3	Data handling issue	Data handling issue
7/19/2016 8:00	0.8	BDL	BDL	8.2	0.1	2.3	Data handling issue	Data handling issue
7/19/2016 9:00	0.5	BDL	BDL	3.5	0.1	2.2	Data handling issue	Data handling issue
7/19/2016 10:00	0.5	BDL	BDL	BDL	0.1	2.2	Data handling issue	Data handling issue
7/19/2016 11:00	0.6	BDL	BDL	BDL	0.04	2.2	Data handling issue	Data handling issue
7/19/2016 12:00	0.6	BDL	BDL	BDL	0.04	2.2	Data handling issue	Data handling issue
7/19/2016 13:00	0.5	BDL	BDL	BDL	0.04	2.2	Data handling issue	Data handling issue
7/19/2016 14:00	0.4	BDL	BDL	BDL	BDL	2.2	Data handling issue	Data handling issue
7/19/2016 15:00	0.5	BDL	BDL	BDL	BDL	2.2	Data handling issue	Data handling issue
7/19/2016 16:00	0.5	BDL	BDL	BDL	BDL	2.2	Data handling issue	Data handling issue
7/19/2016 17:00	BDL	BDL	BDL	BDL	BDL	2.2	Data handling issue	Data handling issue
7/19/2016 18:00	BDL	BDL	BDL	BDL	BDL	2.1	Data handling issue	Data handling issue
7/19/2016 19:00	BDL	BDL	BDL	BDL	BDL	2.1	Data handling issue	Data handling issue
7/19/2016 20:00	0.4	BDL	BDL	7.5	0.2	2.1	Data handling issue	Data handling issue
7/19/2016 21:00	0.4	BDL	BDL	12.0	0.2	2.2	Data handling issue	Data handling issue
7/19/2016 22:00	BDL	BDL	BDL	11.8	0.2	2.1	Data handling issue	Data handling issue
7/19/2016 23:00	BDL	BDL	BDL	6.1	0.2	2.1	Data handling issue	Data handling issue
7/20/2016 0:00	0.5	BDL	BDL	13.9	0.2	2.1	Data handling issue	Data handling issue
7/20/2016 1:00	0.5	BDL	BDL	21.1	0.2	2.1	Data handling issue	Data handling issue
7/20/2016 2:00	0.5	Calibration	Calibration	20.9	0.2	2.2	Data handling issue	Data handling issue
7/20/2016 3:00	BDL	Calibration	Calibration	4.7	0.1	2.3	Data handling issue	Data handling issue
7/20/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	Data handling issue	Data handling issue
7/20/2016 5:00	BDL	BDL	BDL	10.9	0.1	2.2	14.0	Data handling issue
7/20/2016 6:00	0.4	BDL	BDL	18.5	0.1	2.2	Data handling issue	Data handling issue
7/20/2016 7:00	0.5	Audit	Audit	22.3	0.1	2.2	Data handling issue	Data handling issue
7/20/2016 8:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Data handling issue	Data handling issue
7/20/2016 9:00	0.7	0.4	BDL	Calibration	0.1	Calibration	Data handling issue	Data handling issue
7/20/2016 10:00	0.5	0.4	BDL	9.6	0.1	2.1	Data handling issue	Data handling issue
7/20/2016 11:00	0.4	BDL	BDL	6.1	0.04	2.1	Data handling issue	Data handling issue
7/20/2016 12:00	BDL	BDL	BDL	2.2	0.1	2.1	219.0	Data handling issue
7/20/2016 13:00	0.4	BDL	BDL	1.2	BDL	2.1	Data handling issue	Data handling issue
7/20/2016 14:00	0.5	BDL	BDL	2.3	0.04	2.2	Data handling issue	Data handling issue
7/20/2016 15:00	0.5	BDL	BDL	BDL	BDL	2.1	32.0	13.0
7/20/2016 16:00	0.6	BDL	BDL	0.8	BDL	2.1	23.0	13.0
7/20/2016 17:00	0.8	BDL	BDL	4.6	0.1	2.2	23.0	13.0
7/20/2016 18:00	0.7	BDL	BDL	0.8	0.1	2.2	21.0	14.0
7/20/2016 19:00	0.4	BDL	BDL	BDL	0.1	2.1	15.0	11.0
7/20/2016 20:00	BDL	BDL	BDL	2.7	0.1	2.2	19.0	8.0
7/20/2016 21:00	BDL	BDL	BDL	BDL	0.1	2.3	14.0	7.0
7/20/2016 22:00	BDL	BDL	BDL	2.3	0.1	2.1	13.0	11.0
7/20/2016 23:00	BDL	BDL	BDL	4.4	0.1	2.0	10.0	8.0
7/21/2016 0:00	BDL	BDL	BDL	1.9	0.1	2.4	9.0	6.0
7/21/2016 1:00	BDL	BDL	BDL	7.7	0.1	2.5	11.0	8.0
7/21/2016 2:00	BDL	Calibration	Calibration	17.4	0.1	2.1	13.0	11.0
7/21/2016 3:00	0.4	Calibration	Calibration	14.0	0.1	2.6	14.0	9.0
7/21/2016 4:00	Calibration	1.0	BDL	Calibration	Calibration	Calibration	16.0	10.0
7/21/2016 5:00	0.6	1.0	BDL	12.4	0.3	2.8	19.0	9.0
7/21/2016 6:00	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue
7/21/2016 7:00	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue
7/21/2016 8:00	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue
7/21/2016 9:00	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue
7/21/2016 10:00	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue
7/21/2016 11:00	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue
7/21/2016 12:00	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue
7/21/2016 13:00	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue
7/21/2016 14:00	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue
7/21/2016 15:00	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue
7/21/2016 16:00	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue
7/21/2016 17:00	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue
7/21/2016 18:00	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue
7/21/2016 19:00	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue
7/21/2016 20:00	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue
7/21/2016 21:00	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue
7/21/2016 22:00	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue
7/21/2016 23:00	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue
7/22/2016 0:00	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue
7/22/2016 1:00	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue
7/22/2016 2:00	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	16.0	10.0
7/22/2016 3:00	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue
7/22/2016 4:00	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue
7/22/2016 5:00	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue	Data handling issue
7/22/2016 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	26.0	17.0
7/22/2016 7:00	BDL	1.3	1.2	10.7	0.1	2.7	29.0	13.0
7/22/2016 8:00	BDL	1.2	1.0	14.8	0.1	Failed calibration	39.0	18.0
7/22/2016 9:00	BDL	Calibration	Calibration	8.2	0.1	Invalid	38.0	17.0
7/22/2016 10:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Calibration	38.0	21.0
7/22/2016 11:00	Too few samples	BDL	BDL	Too few samples	Too few samples	Too few samples	53.0	23.0
7/22/2016 12:00	100.8	BDL	BDL	110.2	6.0	Too few samples	48.0	24.0
7/22/2016 13:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	57.0	21.0
7/22/2016 14:00	Too few samples	BDL	BDL	Too few samples	Too few samples	Too few samples	56.0	23.0
7/22/2016 15:00	0.6	BDL	BDL	3.8	0.1	2.8	46.0	26.0
7/22/2016 16:00	0.6	BDL	BDL	5.5	0.1	2.7	46.0	28.0
7/22/2016 17:00	0.5	BDL	BDL	6.2	0.1	2.8	52.0	24.0
7/22/2016 18:00	0.4	BDL	BDL	7.5	0.2	2.8	36.0	25.0
7/22/2016 19:00	0.4	BDL	BDL	10.7	0.2	2.7	30.0	26.0
7/22/2016 20:00	BDL	BDL	BDL	6.9	0.2	2.7	29.0	24.0
7/22/2016 21:00	BDL	BDL	BDL	11.8	0.2	2.7	28.0	25.0
7/22/2016 22:00	BDL	0.4	BDL	11.9	0.1	2.8	32.0	26.0
7/22/2016 23:00	BDL	BDL	BDL	11.9	0.2	2.8	37.0	31.0
7/23/2016 0:00	0.4	0.4	BDL	16.4	0.2	2.7	35.0	31.0
7/23/2016 1:00	0.4	0.4	BDL	19.7	0.2	2.3	35.0	27.0
7/23/2016 2:00	0.5	Calibration	Calibration	18.2	0.2	2.4	27.0	19.0
7/23/2016 3:00	0.4	Calibration	Calibration	17.6	0.1	2.3	26.0	16.0
7/23/2016 4:00	Calibration	0.8	BDL	Calibration	Calibration	Calibration	39.0	20.0
7/23/2016 5:00	BDL	BDL	BDL	10.7	0.1	2.3	20.0	17.0
7/23/2016 6:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	19.0	15.0
7/23/2016 7:00	0.7	BDL	BDL	8.8	0.1	2.4	27.0	14.0
7/23/2016 8:00	0.9	BDL	BDL	11.8	0.1	2.3	20.0	18.0
7/23/2016 9:00	0.8	BDL	BDL	6.3	0.1	2.4	27.0	14.0
7/23/2016 10:00	0.8	BDL	BDL	3.6	0.1	2.3	22.0	16.0
7/23/2016 11:00	0.9	BDL	BDL	8.5	0.1	2.3	30.0	16.0
7/23/2016 12:00	1.2	BDL	BDL	10.6	0.1	2.3	31.0	19.0
7/23/2016 13:00	1.4	BDL	BDL	12.1	0.1	2.4	34.0	19.0
7/23/2016 14:00	1.5	0.4	BDL	14.0	0.1	2.3	34.0	17.0
7/23/2016 15:00	1.4	BDL	BDL	10.5	0.0	2.3	26.0	18.0
7/23/2016 16:00	1.6	BDL	BDL	14.3	BDL	2.2	32.0	20.0
7/23/2016 17:00	1.0	BDL	BDL	5.9	0.1	2.2	40.0	16.0
7/23/2016 18:00	0.5	BDL	BDL	10.1	0.1	2.1	15.0	16.0
7/23/2016 19:00	0.4	BDL	BDL	15.3	0.1	2.3	19.0	16.0
7/23/2016 20:00	0.5	0.4	BDL	12.3	0.1	2.2	18.0	16.0
7/23/2016 21:00	0.9	0.6	BDL	6.8	0.1	2.4	17.0	19.0
7/23/2016 22:00	1.0	0.8	BDL	13.3	0.1	2.6	13.0	15.0
7/23/2016 23:00	1.0	0.5	BDL	7.6	0.1	2.5	22.0	17.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 7/24/2016-7/30/2016								
7/24/2016 0:00	0.9	0.4	BDL	9.9	0.1	2.7	15.0	15.0
7/24/2016 1:00	0.8	0.3	BDL	5.6	0.1	2.8	15.0	9.0
7/24/2016 2:00	0.7	Calibration	Calibration	21.4	0.3	3.0	13.0	15.0
7/24/2016 3:00	0.7	Calibration	Calibration	30.2	0.5	3.5	19.0	13.0
7/24/2016 4:00	Calibration	0.7	BDL	Calibration	Calibration	Calibration	16.0	17.0
7/24/2016 5:00	0.9	0.5	BDL	36.2	0.2	3.4	19.0	14.0
7/24/2016 6:00	0.8	0.5	BDL	37.3	0.2	3.6	17.0	13.0
7/24/2016 7:00	0.8	0.4	BDL	30.5	0.1	2.9	16.0	11.0
7/24/2016 8:00	0.7	BDL	BDL	12.7	0.1	2.4	15.0	15.0
7/24/2016 9:00	0.7	BDL	BDL	6.5	0.1	2.3	16.0	11.0
7/24/2016 10:00	0.7	BDL	BDL	5.6	0.1	2.2	17.0	10.0
7/24/2016 11:00	0.7	BDL	BDL	4.2	0.1	2.3	16.0	10.0
7/24/2016 12:00	0.8	BDL	BDL	3.8	0.1	2.3	17.0	13.0
7/24/2016 13:00	0.7	BDL	BDL	3.2	0.0	2.4	17.0	15.0
7/24/2016 14:00	0.9	BDL	BDL	2.4	0.1	2.3	16.0	18.0
7/24/2016 15:00	1.8	BDL	BDL	11.7	BDL	2.4	22.0	17.0
7/24/2016 16:00	1.6	BDL	BDL	7.5	BDL	2.6	18.0	16.0
7/24/2016 17:00	1.8	BDL	BDL	10.9	0.1	2.6	20.0	16.0
7/24/2016 18:00	2.2	BDL	BDL	10.0	0.1	2.6	27.0	21.0
7/24/2016 19:00	1.9	BDL	BDL	10.7	0.1	2.2	18.0	17.0
7/24/2016 20:00	0.9	0.9	BDL	6.8	0.1	2.1	16.0	11.0
7/24/2016 21:00	0.7	0.8	BDL	2.8	0.1	2.2	16.0	12.0
7/24/2016 22:00	0.6	0.7	BDL	7.5	0.1	2.1	19.0	12.0
7/24/2016 23:00	0.6	0.6	BDL	6.3	0.1	2.3	15.0	10.0
7/25/2016 0:00	0.7	1.6	1.4	6.5	0.0	2.3	12.0	12.0
7/25/2016 1:00	0.8	2.1	2.0	10.4	0.1	2.2	21.0	10.0
7/25/2016 2:00	0.7	Calibration	Calibration	9.7	0.1	2.3	17.0	13.0
7/25/2016 3:00	0.6	Calibration	Calibration	8.5	0.1	2.1	24.0	11.0
7/25/2016 4:00	Calibration	3.4	3.0	Calibration	Calibration	Calibration	20.0	16.0
7/25/2016 5:00	0.6	0.7	BDL	14.5	0.1	2.4	6.0	5.0
7/25/2016 6:00	0.5	0.6	BDL	33.0	0.2	2.0	16.0	11.0
7/25/2016 7:00	BDL	BDL	BDL	25.0	0.2	Calibration	8.0	8.0
7/25/2016 8:00	0.4	0.5	BDL	27.5	0.2	2.5	17.0	17.0
7/25/2016 9:00	BDL	0.5	BDL	12.4	0.1	2.3	14.0	10.0
7/25/2016 10:00	BDL	0.7	BDL	15.7	0.1	2.6	25.0	19.0
7/25/2016 11:00	BDL	0.5	BDL	14.1	0.1	2.7	28.0	22.0
7/25/2016 12:00	BDL	0.5	BDL	11.4	0.1	2.7	31.0	18.0
7/25/2016 13:00	BDL	0.4	BDL	9.2	0.1	2.6	26.0	20.0
7/25/2016 14:00	BDL	0.4	BDL	7.1	0.1	2.8	33.0	23.0
7/25/2016 15:00	BDL	BDL	BDL	6.1	0.2	2.5	36.0	22.0
7/25/2016 16:00	BDL	BDL	BDL	3.1	0.1	2.8	31.0	26.0
7/25/2016 17:00	BDL	BDL	BDL	2.5	0.1	2.7	27.0	23.0
7/25/2016 18:00	BDL	BDL	BDL	4.2	0.1	2.7	26.0	21.0
7/25/2016 19:00	BDL	BDL	BDL	4.7	0.0	2.2	8.0	5.0
7/25/2016 20:00	BDL	BDL	BDL	8.5	0.1	2.1	8.0	3.0
7/25/2016 21:00	BDL	BDL	BDL	7.7	0.1	2.2	7.0	2.0
7/25/2016 22:00	BDL	BDL	BDL	11.3	0.1	2.4	6.0	6.0
7/25/2016 23:00	BDL	0.4	BDL	12.2	0.1	2.5	6.0	7.0
7/26/2016 0:00	BDL	0.4	BDL	15.8	0.1	2.9	8.0	10.0
7/26/2016 1:00	BDL	0.4	BDL	11.2	0.1	2.9	15.0	10.0
7/26/2016 2:00	BDL	Calibration	Calibration	12.6	0.1	3.0	22.0	21.0
7/26/2016 3:00	0.4	Calibration	Calibration	19.1	0.1	2.9	16.0	14.0
7/26/2016 4:00	Calibration	0.7	BDL	Calibration	Calibration	Calibration	9.0	10.0
7/26/2016 5:00	1.3	1.0	BDL	18.7	0.04	2.39	10.0	8.0
7/26/2016 6:00	0.6	0.8	BDL	17.1	0.1	2.3	11.0	8.0
7/26/2016 7:00	0.5	0.6	BDL	22.0	0.1	2.4	12.0	8.0
7/26/2016 8:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	15.0	8.0
7/26/2016 9:00	0.4	BDL	BDL	11.5	0.1	2.4	16.0	9.0
7/26/2016 10:00	BDL	BDL	BDL	9.0	0.1	2.4	14.0	10.0
7/26/2016 11:00	BDL	BDL	BDL	4.8	BDL	2.4	15.0	9.0
7/26/2016 12:00	BDL	BDL	BDL	4.0	BDL	2.4	13.0	10.0
7/26/2016 13:00	0.4	BDL	BDL	4.0	BDL	2.5	17.0	9.0
7/26/2016 14:00	0.5	BDL	BDL	1.5	BDL	2.4	17.0	15.0
7/26/2016 15:00	0.4	BDL	BDL	3.2	BDL	2.4	18.0	16.0
7/26/2016 16:00	0.5	BDL	BDL	2.9	BDL	2.4	16.0	11.0
7/26/2016 17:00	0.4	BDL	BDL	4.1	BDL	2.3	12.0	10.0
7/26/2016 18:00	0.4	BDL	BDL	6.5	BDL	2.3	16.0	17.0
7/26/2016 19:00	0.6	BDL	BDL	10.7	0.0	2.3	37.0	23.0
7/26/2016 20:00	0.7	BDL	BDL	12.6	0.1	2.5	24.0	18.0
7/26/2016 21:00	0.5	BDL	BDL	11.4	0.1	2.8	22.0	18.0
7/26/2016 22:00	0.5	0.4	BDL	23.1	0.3	2.9	28.0	25.0
7/26/2016 23:00	0.4	0.8	BDL	34.1	0.4	2.7	31.0	20.0
7/27/2016 0:00	BDL	0.6	BDL	32.7	0.3	2.4	29.0	25.0
7/27/2016 1:00	BDL	0.5	BDL	24.2	0.2	2.2	21.0	16.0
7/27/2016 2:00	BDL	Calibration	Calibration	16.9	0.2	2.2	23.0	10.0
7/27/2016 3:00	BDL	Calibration	Calibration	13.6	0.1	2.3	19.0	17.0
7/27/2016 4:00	Calibration	0.5	BDL	Calibration	Calibration	Calibration	13.0	16.0
7/27/2016 5:00	0.4	BDL	BDL	20.5	0.1	2.03	15.0	14.0
7/27/2016 6:00	0.5	BDL	BDL	22.7	0.1	2.0	19.0	13.0
7/27/2016 7:00	0.6	BDL	BDL	23.3	0.1	Calibration	12.0	15.0
7/27/2016 8:00	0.7	0.6	BDL	29.7	0.1	2.4	22.0	11.0
7/27/2016 9:00	0.7	0.6	BDL	25	0.1	2.5	23.0	9.0
7/27/2016 10:00	0.6	BDL	BDL	16.5	0.1	2.4	17.0	11.0
7/27/2016 11:00	0.5	BDL	BDL	10.9	0.1	2.4	15.0	8.0
7/27/2016 12:00	0.5	BDL	BDL	8.7	0.1	2.5	18.0	14.0
7/27/2016 13:00	0.6	BDL	BDL	7.6	0.1	2.7	24.0	15.0
7/27/2016 14:00	0.5	BDL	BDL	3.7	0.1	2.5	27.0	21.0
7/27/2016 15:00	0.5	BDL	BDL	4.7	0.1	2.5	24.0	20.0
7/27/2016 16:00	0.5	BDL	BDL	9.8	0.1	2.5	29.0	17.0
7/27/2016 17:00	0.7	BDL	BDL	8.3	0.1	2.5	23.0	22.0
7/27/2016 18:00	0.7	BDL	BDL	7.5	0.04	2.5	19.0	13.0
7/27/2016 19:00	0.5	BDL	BDL	4.4	BDL	2.4	16.0	14.0
7/27/2016 20:00	0.4	BDL	BDL	5.2	0.1	2.4	16.0	11.0
7/27/2016 21:00	0.5	BDL	BDL	27.2	0.1	2.6	14.0	13.0
7/27/2016 22:00	0.4	BDL	BDL	16.5	0.1	2.8	14.0	15.0
7/27/2016 23:00	0.4	0.6	BDL	41.6	0.3	2.9	23.0	17.0
7/28/2016 0:00	0.4	0.5	BDL	20.8	0.2	2.5	23.0	17.0
7/28/2016 1:00	BDL	0.5	BDL	14.4	0.2	2.4	25.0	21.0
7/28/2016 2:00	BDL	Calibration	Calibration	21.6	0.2	2.4	22.0	20.0
7/28/2016 3:00	BDL	Calibration	Calibration	25.3	0.2	2.6	22.0	22.0
7/28/2016 4:00	Calibration	1.7	1.4	Calibration	Calibration	Calibration	27.0	20.0
7/28/2016 5:00	0.5	3.0	2.3	51.1	0.3	3.64	31.0	25.0
7/28/2016 6:00	0.8	2.7	1.5	71.0	0.5	2.9	38.0	25.0
7/28/2016 7:00	0.7	1.9	1.1	69.9	0.5	3.1	38.0	24.0
7/28/2016 8:00	0.6	2.6	2.1	62.5	0.4	3.0	54.0	28.0
7/28/2016 9:00	0.4	2.0	1.2	56.6	0.3	2.7	44.0	25.0
7/28/2016 10:00	BDL	0.6	BDL	18.5	0.2	2.3	26.0	17.0
7/28/2016 11:00	BDL	BDL	BDL	10.2	0.1	2.2	21.0	22.0
7/28/2016 12:00	BDL	BDL	BDL	8.4	0.1	2.2	25.0	13.0
7/28/2016 13:00	BDL	BDL	BDL	9.4	0.1	Calibration	20.0	13.0
7/28/2016 14:00	BDL	BDL	BDL	10.5	0.1	2.4	31.0	17.0
7/28/2016 15:00	BDL	0.4	BDL	10.8	0.1	2.7	22.0	19.0
7/28/2016 16:00	BDL	BDL	BDL	12.4	0.1	2.4	19.0	15.0
7/28/2016 17:00	BDL	BDL	BDL	9.1	0.1	2.2	13.0	13.0
7/28/2016 18:00	BDL	BDL	BDL	12.4	0.1	2.1	16.0	14.0
7/28/2016 19:00	BDL	BDL	BDL	13.7	0.2	2.1	17.0	14.0
7/28/2016 20:00	BDL	BDL	BDL	16.1	0.2	2.1	18.0	17.0
7/28/2016 21:00	BDL	BDL	BDL	21.3	0.2	2.1	19.0	18.0
7/28/2016 22:00	BDL	BDL	BDL	21.5	0.2	2.7	21.0	19.0
7/28/2016 23:00	BDL	0.4	BDL	17.7	0.3	2.3	23.0	20.0
7/29/2016 0:00	BDL	0.5	BDL	17.6	0.2	2.2	17.0	16.0
7/29/2016 1:00	BDL	0.4	BDL	12.6	0.2	2.2	22.0	24.0
7/29/2016 2:00	BDL	Calibration	Calibration	9.5	0.1	2.4	20.0	19.0
7/29/2016 3:00	BDL	Calibration	Calibration	13.8	0.2	2.4	22.0	22.0
7/29/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	20.0	20.0
7/29/2016 5:00	BDL	BDL	BDL	6.8	0.1	2.22	19.0	11.0
7/29/2016 6:00	BDL	BDL	BDL	11.8	0.1	2.2	17.0	15.0
7/29/2016 7:00	BDL	BDL	BDL	10.9	0.1	2.2	15.0	13.0
7/29/2016 8:00	BDL	BDL	BDL	13.7	0.1	2.2	11.0	10.0
7/29/2016 9:00	Too few samples	BDL	BDL	Too few samples	Too few samples	Too few samples	8.0	10.0
7/29/2016 10:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	13.0	12.0
7/29/2016 11:00	0.4	BDL	BDL	4.5	0.1	2.2	11.0	10.0
7/29/2016 12:00	BDL	BDL	BDL	4.4	0.1	2.2	12.0	11.0
7/29/2016 13:00	BDL	BDL	BDL	4.9	0.1	2.2	15.0	12.0
7/29/2016 14:00	BDL	BDL	BDL	3.5	0.1	2.2	15.0	11.0
7/29/2016 15:00	BDL	BDL	BDL	6.7	0.1	2.1	11.0	8.0
7/29/2016 16:00	BDL	BDL	BDL	1.9	BDL	2.2	11.0	14.0
7/29/2016 17:00	BDL	BDL	BDL	2.4	BDL	2.2	11.0	10.0
7/29/2016 18:00	BDL	BDL	BDL	6.7	0.1	2.3	10.0	12.0
7/29/2016 19:00	BDL	BDL	BDL	7.6	0.1	2.2	14.0	12.0
7/29/2016 20:00	BDL	BDL	BDL	6.1	0.1	2.3	15.0	15.0
7/29/2016 21:00	BDL	BDL	BDL	6.6	0.2	2.3	15.0	10.0
7/29/2016 22:00	BDL	BDL	BDL	4.7	0.1	2.7	14.0	17.0
7/29/2016 23:00	BDL	1.0	1.0	6.9	0.1	2.6	18.0	17.0
7/30/2016 0:00	BDL	0.9	BDL	7.5	0.1	3.0	15.0	14.0
7/30/2016 1:00	BDL	1.7	1.7	7.6	0.1	3.0	15.0	15.0
7/30/2016 2:00	BDL	Calibration	Calibration	10.1	0.1	2.7	17.0	17.0
7/30/2016 3:00	BDL	Calibration	Calibration	10.9	0.1	2.4	21.0	14.0
7/30/2016 4:00	Calibration	1.4	1.4	Calibration	Calibration	Calibration	19.0	11.0
7/30/2016 5:00	BDL	1.2	1.2	8.6	0.2	2.4	21.0	15.0
7/30/2016 6:00	BDL	1.2	1.0	14.1	0.2	2.5	23.0	20.0
7/30/2016 7:00	BDL	0.9	BDL	14.0	0.1	2.6	28.0	29.0
7/30/2016 8:00	BDL	Calibration	Calibration	8.5	0.1	2.5	21.0	15.0
7/30/2016 9:00	BDL	Calibration	Calibration	8.8	0.1	2.5	19.0	13.0
7/30/2016 10:00	BDL	0.8	BDL	4.4	0.1	2.5	19.0	15.0
7/30/2016 11:00	BDL	0.5	BDL	2.5	0.04	2.5	22.0	16.0
7/30/2016 12:00	BDL	0.4	BDL	1.4	0.04	2.5	19.0	17.0
7/30/2016 13:00	BDL	BDL	BDL	1.0	BDL	2.7	17.0	9.0
7/30/2016 14:00	BDL	BDL	BDL	0.9	BDL	3.1	19.0	10.0
7/30/2016 15:00	BDL	BDL	BDL	1.7	BDL	2.9	12.0	13.0
7/30/2016 16:00	BDL	BDL	BDL	1.9	0.1	2.5	16.0	14.0
7/30/2016 17:00	BDL	BDL	BDL	4.2	0.1	2.7	22.0	16.0
7/30/2016 18:00	BDL	0.9	BDL	10.9	0.1	2.5	20.0	13.0
7/30/2016 19:00	BDL	BDL	BDL	14.1	0.2	2.6	18.0	14.0
7/30/2016 20:00	BDL	BDL	BDL	13.4	0.2	2.4	17.0	19.0
7/30/2016 21:00	BDL	BDL	BDL	7.1	0.1	2.3	16.0	13.0
7/30/2016 22:00	BDL	BDL	BDL	4.2	0.1	2.3	17.0	15.0
7/30/2016 23:00	BDL	BDL	BDL	5.1	0.1	2.3	17.0	12.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 7/31/2016-8/6/2016								
7/31/2016 0:00	BDL	BDL	BDL	9.0	0.1	2.4	14.0	11.0
7/31/2016 1:00	BDL	BDL	BDL	4.7	0.1	2.5	12.0	16.0
7/31/2016 2:00	BDL	Calibration	Calibration	4.4	BDL	2.4	16.0	13.0
7/31/2016 3:00	BDL	Calibration	Calibration	4.4	BDL	2.3	16.0	11.0
7/31/2016 4:00	Calibration	0.4	BDL	Calibration	Calibration	Calibration	17.0	14.0
7/31/2016 5:00	BDL	BDL	BDL	3.8	0.04	2.2	12.0	16.0
7/31/2016 6:00	BDL	BDL	BDL	8.4	0.1	2.3	15.0	10.0
7/31/2016 7:00	BDL	BDL	BDL	4.6	0.1	2.3	12.0	8.0
7/31/2016 8:00	BDL	0.5	BDL	3.9	0.04	2.3	9.0	10.0
7/31/2016 9:00	BDL	0.7	BDL	10.7	0.1	2.3	13.0	12.0
7/31/2016 10:00	BDL	0.5	BDL	9.4	0.1	2.3	10.0	9.0
7/31/2016 11:00	BDL	BDL	BDL	5.2	0.1	2.3	14.0	10.0
7/31/2016 12:00	BDL	BDL	BDL	4.3	0.04	2.7	12.0	11.0
7/31/2016 13:00	BDL	BDL	BDL	5.6	BDL	4.1	16.0	12.0
7/31/2016 14:00	BDL	BDL	BDL	2.2	BDL	2.8	10.0	8.0
7/31/2016 15:00	BDL	BDL	BDL	4.8	BDL	3.6	15.0	8.0
7/31/2016 16:00	BDL	0.4	BDL	7.9	BDL	3.6	15.0	15.0
7/31/2016 17:00	BDL	1.1	BDL	3.2	BDL	6.1	12.0	12.0
7/31/2016 18:00	BDL	BDL	BDL	4.6	BDL	2.8	18.0	10.0
7/31/2016 19:00	BDL	BDL	BDL	6.0	0.1	2.4	9.0	9.0
7/31/2016 20:00	BDL	BDL	BDL	5.0	0.1	2.2	12.0	10.0
7/31/2016 21:00	BDL	BDL	BDL	4.8	0.1	2.2	8.0	10.0
7/31/2016 22:00	BDL	BDL	BDL	5.1	0.1	2.2	8.0	6.0
7/31/2016 23:00	BDL	BDL	BDL	5.7	0.1	2.2	9.0	6.0
8/1/2016 0:00	BDL	BDL	BDL	6.0	0.1	2.2	11.0	10.0
8/1/2016 1:00	BDL	BDL	BDL	4.2	BDL	2.3	9.0	6.0
8/1/2016 2:00	BDL	Calibration	Calibration	7.2	BDL	2.3	11.0	7.0
8/1/2016 3:00	BDL	Calibration	Calibration	3.5	BDL	2.2	11.0	7.0
8/1/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	17.0	10.0
8/1/2016 5:00	BDL	BDL	BDL	12.4	0.04	2.3	19.0	12.0
8/1/2016 6:00	BDL	BDL	BDL	11.2	0.1	2.3	13.0	9.0
8/1/2016 7:00	BDL	BDL	BDL	9.5	0.1	2.2	14.0	10.0
8/1/2016 8:00	BDL	0.4	BDL	9.7	0.1	2.2	11.0	8.0
8/1/2016 9:00	BDL	0.4	BDL	12.7	0.1	2.2	11.0	6.0
8/1/2016 10:00	BDL	BDL	BDL	13.3	0.1	2.2	12.0	7.0
8/1/2016 11:00	BDL	BDL	BDL	11.2	0.1	2.2	18.0	8.0
8/1/2016 12:00	BDL	BDL	BDL	13.8	0.1	2.2	20.0	8.0
8/1/2016 13:00	BDL	BDL	BDL	13.7	0.1	2.2	14.0	10.0
8/1/2016 14:00	BDL	BDL	BDL	11.9	0.1	2.2	20.0	10.0
8/1/2016 15:00	BDL	BDL	BDL	10.9	0.1	2.2	25.0	10.0
8/1/2016 16:00	BDL	BDL	BDL	8.7	0.1	2.2	20.0	9.0
8/1/2016 17:00	BDL	BDL	BDL	6.8	0.1	2.2	19.0	11.0
8/1/2016 18:00	BDL	BDL	BDL	8.0	0.1	2.1	15.0	10.0
8/1/2016 19:00	BDL	BDL	BDL	9.7	0.1	2.2	18.0	8.0
8/1/2016 20:00	BDL	BDL	BDL	6.4	BDL	2.1	16.0	7.0
8/1/2016 21:00	BDL	BDL	BDL	10.9	0.1	2.1	13.0	8.0
8/1/2016 22:00	BDL	BDL	BDL	5.5	BDL	2.2	14.0	7.0
8/1/2016 23:00	BDL	BDL	BDL	5.7	BDL	2.2	13.0	11.0
8/2/2016 0:00	BDL	BDL	BDL	6.9	BDL	2.2	11.0	7.0
8/2/2016 1:00	BDL	BDL	BDL	6.0	BDL	2.2	13.0	7.0
8/2/2016 2:00	BDL	Calibration	Calibration	5.2	BDL	2.2	13.0	9.0
8/2/2016 3:00	BDL	Calibration	Calibration	7.6	BDL	2.3	11.0	9.0
8/2/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	17.0	8.0
8/2/2016 5:00	BDL	BDL	BDL	12.4	0.1	2.54	12.0	8.0
8/2/2016 6:00	BDL	BDL	BDL	16.8	0.1	2.4	23.0	15.0
8/2/2016 7:00	BDL	BDL	BDL	17.9	0.1	2.3	22.0	9.0
8/2/2016 8:00	BDL	BDL	BDL	22.0	0.1	2.3	24.0	9.0
8/2/2016 9:00	BDL	BDL	BDL	18.4	0.1	2.3	20.0	12.0
8/2/2016 10:00	BDL	0.5	BDL	19.5	0.1	2.4	21.0	14.0
8/2/2016 11:00	BDL	0.7	BDL	23.0	0.1	2.2	26.0	12.0
8/2/2016 12:00	BDL	BDL	BDL	13.0	0.1	2.2	20.0	10.0
8/2/2016 13:00	BDL	BDL	BDL	14.1	0.1	2.2	19.0	14.0
8/2/2016 14:00	BDL	BDL	BDL	7.5	0.04	2.2	22.0	10.0
8/2/2016 15:00	BDL	BDL	BDL	7.3	0.1	2.2	14.0	11.0
8/2/2016 16:00	BDL	BDL	BDL	8.8	BDL	2.1	20.0	11.0
8/2/2016 17:00	BDL	BDL	BDL	5.1	BDL	2.1	18.0	7.0
8/2/2016 18:00	BDL	BDL	BDL	5.2	0.04	2.1	16.0	12.0
8/2/2016 19:00	BDL	BDL	BDL	6.0	BDL	2.1	15.0	11.0
8/2/2016 20:00	BDL	BDL	BDL	6.3	BDL	2.2	12.0	8.0
8/2/2016 21:00	BDL	BDL	BDL	6.9	BDL	2.2	13.0	9.0
8/2/2016 22:00	BDL	BDL	BDL	6.3	BDL	2.2	10.0	9.0
8/2/2016 23:00	BDL	BDL	BDL	6.9	BDL	2.2	11.0	9.0
8/3/2016 0:00	BDL	BDL	BDL	7.5	BDL	2.2	13.0	9.0
8/3/2016 1:00	BDL	BDL	BDL	6.4	BDL	2.3	12.0	9.0
8/3/2016 2:00	BDL	Calibration	Calibration	6.0	BDL	2.2	12.0	7.0
8/3/2016 3:00	BDL	Calibration	Calibration	7.7	BDL	2.2	12.0	6.0
8/3/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	11.0	10.0
8/3/2016 5:00	BDL	BDL	BDL	27.6	0.2	2.7	17.0	11.0
8/3/2016 6:00	BDL	BDL	BDL	25.3	0.2	2.5	17.0	11.0
8/3/2016 7:00	BDL	Audit	Audit	24.1	0.1	2.4	18.0	13.0
8/3/2016 8:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	14.0	11.0
8/3/2016 9:00	BDL	BDL	BDL	Calibration	0.1	Calibration	16.0	13.0
8/3/2016 10:00	BDL	BDL	BDL	12.6	BDL	2.3	17.0	11.0
8/3/2016 11:00	BDL	BDL	BDL	8.3	BDL	2.3	16.0	11.0
8/3/2016 12:00	BDL	BDL	BDL	7.6	BDL	2.3	19.0	13.0
8/3/2016 13:00	BDL	BDL	BDL	6.6	BDL	2.3	14.0	12.0
8/3/2016 14:00	BDL	BDL	BDL	6.0	BDL	2.2	19.0	8.0
8/3/2016 15:00	BDL	BDL	BDL	7.8	BDL	2.2	16.0	12.0
8/3/2016 16:00	BDL	BDL	BDL	4.8	BDL	2.2	9.0	10.0
8/3/2016 17:00	BDL	BDL	BDL	4.8	BDL	2.2	12.0	7.0
8/3/2016 18:00	BDL	BDL	BDL	5.4	BDL	2.1	17.0	9.0
8/3/2016 19:00	BDL	BDL	BDL	6.5	BDL	2.1	12.0	9.0
8/3/2016 20:00	BDL	BDL	BDL	8.9	BDL	2.2	15.0	5.0
8/3/2016 21:00	BDL	BDL	BDL	10.4	BDL	2.2	11.0	8.0
8/3/2016 22:00	BDL	BDL	BDL	9.6	BDL	2.2	15.0	8.0
8/3/2016 23:00	BDL	BDL	BDL	11.9	0.1	2.2	11.0	7.0
8/4/2016 0:00	BDL	BDL	BDL	11.6	BDL	2.2	15.0	9.0
8/4/2016 1:00	BDL	BDL	BDL	13.1	0.1	2.2	14.0	13.0
8/4/2016 2:00	BDL	Calibration	Calibration	22.4	0.1	2.2	10.0	9.0
8/4/2016 3:00	BDL	Calibration	Calibration	20.4	0.1	2.3	14.0	7.0
8/4/2016 4:00	Calibration	0.5	BDL	Calibration	Calibration	Calibration	16.0	9.0
8/4/2016 5:00	BDL	0.6	BDL	34.1	0.2	2.5	18.0	12.0
8/4/2016 6:00	0.4	0.7	BDL	39.8	0.2	2.7	22.0	10.0
8/4/2016 7:00	0.4	0.6	BDL	39.9	0.2	2.7	25.0	11.0
8/4/2016 8:00	BDL	0.4	BDL	25.5	0.1	2.3	29.0	13.0
8/4/2016 9:00	BDL	0.4	BDL	15.9	BDL	2.3	21.0	9.0
8/4/2016 10:00	BDL	BDL	BDL	8.7	BDL	2.2	19.0	11.0
8/4/2016 11:00	BDL	BDL	BDL	5.5	BDL	2.2	21.0	10.0
8/4/2016 12:00	BDL	BDL	BDL	3.5	BDL	2.3	19.0	10.0
8/4/2016 13:00	BDL	BDL	BDL	3.7	BDL	2.4	18.0	7.0
8/4/2016 14:00	BDL	BDL	BDL	4.2	BDL	2.4	15.0	10.0
8/4/2016 15:00	BDL	BDL	BDL	2.8	BDL	2.6	16.0	9.0
8/4/2016 16:00	BDL	BDL	BDL	3.1	BDL	2.8	16.0	11.0
8/4/2016 17:00	BDL	BDL	BDL	3.5	BDL	2.9	16.0	7.0
8/4/2016 18:00	BDL	BDL	BDL	5.1	BDL	2.6	15.0	6.0
8/4/2016 19:00	BDL	BDL	BDL	4.2	BDL	2.6	16.0	11.0
8/4/2016 20:00	BDL	BDL	BDL	7.9	0.04	2.4	17.0	9.0
8/4/2016 21:00	BDL	0.6	BDL	5.5	BDL	2.3	16.0	10.0
8/4/2016 22:00	BDL	0.5	BDL	5.6	BDL	2.3	11.0	12.0
8/4/2016 23:00	BDL	BDL	BDL	9.5	BDL	2.3	16.0	10.0
8/5/2016 0:00	BDL	BDL	BDL	13.3	BDL	2.2	13.0	10.0
8/5/2016 1:00	0.6	BDL	BDL	12.3	BDL	2.4	13.0	15.0
8/5/2016 2:00	0.6	Calibration	Calibration	15.9	BDL	0.6	2.3	16.0	8.0
8/5/2016 3:00	0.5	Calibration	Calibration	11.8	BDL	3.0	13.0	13.0
8/5/2016 4:00	Calibration	0.8	BDL	Calibration	Calibration	Calibration	19.0	14.0
8/5/2016 5:00	0.5	1.4	1.0	36.6	0.2	2.6	21.0	11.0
8/5/2016 6:00	0.6	2.0	1.2	42.3	0.2	2.8	Analyzer malfunction	13.0
8/5/2016 7:00	0.6	1.4	BDL	43.0	0.2	3.1	Analyzer malfunction	15.0
8/5/2016 8:00	0.5	0.8	BDL	34.2	0.1	2.6	Analyzer malfunction	11.0
8/5/2016 9:00	0.5	0.7	BDL	24.3	BDL	2.6	Analyzer malfunction	8.0
8/5/2016 10:00	BDL	0.5	BDL	9.8	BDL	2.6	Analyzer malfunction	8.0
8/5/2016 11:00	BDL	BDL	BDL	7.2	BDL	2.6	Analyzer malfunction	10.0
8/5/2016 12:00	BDL	BDL	BDL	2.9	BDL	2.7	Analyzer malfunction	9.0
8/5/2016 13:00	BDL	BDL	BDL	4.1	BDL	2.8	Analyzer malfunction	9.0
8/5/2016 14:00	BDL	BDL	BDL	4.4	BDL	2.9	Analyzer malfunction	13.0
8/5/2016 15:00	BDL	BDL	BDL	3.5	BDL	3.2	Analyzer malfunction	11.0
8/5/2016 16:00	BDL	BDL	BDL	3.5	BDL	3.3	Analyzer malfunction	8.0
8/5/2016 17:00	BDL	BDL	BDL	2.0	BDL	3.2	Analyzer malfunction	8.0
8/5/2016 18:00	BDL	BDL	BDL	3.7	BDL	2.9	Analyzer malfunction	13.0
8/5/2016 19:00	BDL	0.4	BDL	6.7	BDL	2.9	Analyzer malfunction	7.0
8/5/2016 20:00	BDL	0.6	BDL	6.4	BDL	2.6	Analyzer malfunction	7.0
8/5/2016 21:00	BDL	0.7	BDL	7.6	BDL	2.5	Analyzer malfunction	10.0
8/5/2016 22:00	BDL	0.6	BDL	7.9	BDL	2.8	Analyzer malfunction	7.0
8/5/2016 23:00	BDL	0.7	BDL	5.7	BDL	3.1	Analyzer malfunction	7.0
8/6/2016 0:00	BDL	1.0	BDL	9.5	BDL	2.7	Analyzer malfunction	6.0
8/6/2016 1:00	BDL	1.3	1.2	5.9	BDL	3.2	Analyzer malfunction	6.0
8/6/2016 2:00	BDL	26.4	Calibration	6.8	BDL	3.4	Analyzer malfunction	6.0
8/6/2016 3:00	BDL	27.7	Calibration	3.2	BDL	3.1	Analyzer malfunction	7.0
8/6/2016 4:00	Calibration	1.3	1.3	Calibration	Calibration	Calibration	Analyzer malfunction	9.0
8/6/2016 5:00	BDL	0.9	1.0	3.5	BDL	3.1	Analyzer malfunction	7.0
8/6/2016 6:00	BDL	0.7	BDL	6.0	BDL	2.8	Analyzer malfunction	6.0
8/6/2016 7:00	BDL	1.1	1.0	9.6	BDL	2.9	Analyzer malfunction	11.0
8/6/2016 8:00	BDL	0.9	BDL	16.5	BDL	2.9	Analyzer malfunction	13.0
8/6/2016 9:00	BDL	0.7	BDL	13.6	BDL	2.6	Analyzer malfunction	12.0
8/6/2016 10:00	BDL	0.4	BDL	9.3	BDL	2.9	Analyzer malfunction	17.0
8/6/2016 11:00	BDL	BDL	BDL	10.6	BDL	2.8	Analyzer malfunction	17.0
8/6/2016 12:00	BDL	0.4	BDL	10.5	BDL	2.6	Analyzer malfunction	12.0
8/6/2016 13:00	BDL	BDL	BDL	10.4	BDL	2.7	Analyzer malfunction	18.0
8/6/2016 14:00	BDL	BDL	BDL	9.1	BDL	2.7	Analyzer malfunction	17.0
8/6/2016 15:00	BDL	BDL	BDL	8.1	BDL	2.8	Analyzer malfunction	15.0
8/6/2016 16:00	BDL	BDL	BDL	3.5	BDL	3.2	Analyzer malfunction	16.0
8/6/2016 17:00	BDL	BDL	BDL	7.2	BDL	3.0	Analyzer malfunction	16.0
8/6/2016 18:00	BDL	BDL	BDL	10.5	0.04	2.8	Analyzer malfunction	21.0
8/6/2016 19:00	BDL	BDL	BDL	7.4	BDL	2.6	Analyzer malfunction	15.0
8/6/2016 20:00	0.4	BDL	BDL	2.7	BDL	3.3	Analyzer malfunction	14.0
8/6/2016 21:00	BDL	BDL	BDL	6.5	0.1	2.6	Analyzer malfunction	16.0
8/6/2016 22:00	BDL	BDL	BDL	9.5	0.1	2.4	Analyzer malfunction	16.0
8/6/2016 23:00	BDL	BDL	BDL	9.7	0.1	2.2	Analyzer malfunction	18.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 8/7/2016-8/13/2016								
8/7/2016 0:00	BDL	BDL	BDL	8.2	0.1	2.2	Analyzer malfunction	8.0
8/7/2016 1:00	BDL	BDL	BDL	10.7	0.1	2.2	Analyzer malfunction	15.0
8/7/2016 2:00	BDL	Calibration	Calibration	7.0	0.04	2.2	Analyzer malfunction	9.0
8/7/2016 3:00	BDL	Calibration	Calibration	7.2	BDL	2.3	Analyzer malfunction	11.0
8/7/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	Analyzer malfunction	10.0
8/7/2016 5:00	BDL	BDL	BDL	9.6	0.05	2.5	Analyzer malfunction	14.0
8/7/2016 6:00	BDL	BDL	BDL	5.0	BDL	2.6	Analyzer malfunction	10.0
8/7/2016 7:00	BDL	BDL	BDL	3.7	BDL	2.6	Analyzer malfunction	12.0
8/7/2016 8:00	BDL	BDL	BDL	2.9	BDL	2.3	Analyzer malfunction	12.0
8/7/2016 9:00	BDL	BDL	BDL	2.9	BDL	2.3	Analyzer malfunction	11.0
8/7/2016 10:00	BDL	BDL	BDL	1.9	BDL	2.2	Analyzer malfunction	9.0
8/7/2016 11:00	BDL	BDL	BDL	1.3	BDL	2.2	Analyzer malfunction	6.0
8/7/2016 12:00	BDL	BDL	BDL	1.9	BDL	2.2	Analyzer malfunction	10.0
8/7/2016 13:00	BDL	BDL	BDL	3.2	BDL	2.2	Analyzer malfunction	9.0
8/7/2016 14:00	BDL	BDL	BDL	2.3	BDL	2.2	Analyzer malfunction	8.0
8/7/2016 15:00	BDL	BDL	BDL	2.1	BDL	2.2	Analyzer malfunction	6.0
8/7/2016 16:00	BDL	BDL	BDL	1.7	BDL	2.2	Analyzer malfunction	5.0
8/7/2016 17:00	BDL	BDL	BDL	2.4	BDL	2.2	Analyzer malfunction	7.0
8/7/2016 18:00	BDL	BDL	BDL	3.0	BDL	2.2	Analyzer malfunction	8.0
8/7/2016 19:00	BDL	BDL	BDL	6.6	BDL	2.3	Analyzer malfunction	7.0
8/7/2016 20:00	BDL	BDL	BDL	12.2	BDL	2.4	Analyzer malfunction	10.0
8/7/2016 21:00	BDL	BDL	BDL	23.6	BDL	2.5	Analyzer malfunction	10.0
8/7/2016 22:00	BDL	BDL	BDL	19.4	0.1	2.7	Analyzer malfunction	9.0
8/7/2016 23:00	BDL	BDL	BDL	19.5	0.1	3.0	Analyzer malfunction	10.0
8/8/2016 0:00	BDL	BDL	BDL	14.9	0.1	2.8	Analyzer malfunction	9.0
8/8/2016 1:00	BDL	BDL	BDL	14.0	0.1	2.7	Analyzer malfunction	10.0
8/8/2016 2:00	BDL	Calibration	Calibration	28.2	0.2	2.7	Analyzer malfunction	8.0
8/8/2016 3:00	BDL	Calibration	Calibration	26.2	0.2	3.6	Analyzer malfunction	11.0
8/8/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	Analyzer malfunction	12.0
8/8/2016 5:00	BDL	BDL	BDL	35.5	0.3	2.6	Analyzer malfunction	11.0
8/8/2016 6:00	0.4	BDL	BDL	36.9	0.3	2.8	Analyzer malfunction	11.0
8/8/2016 7:00	BDL	BDL	BDL	31.8	0.2	2.3	Analyzer malfunction	14.0
8/8/2016 8:00	BDL	BDL	BDL	28.0	0.1	2.3	Analyzer malfunction	10.0
8/8/2016 9:00	BDL	BDL	BDL	24.5	0.1	2.2	Analyzer malfunction	8.0
8/8/2016 10:00	BDL	Calibration	Calibration	22.4	0.1	2.4	Analyzer malfunction	11.0
8/8/2016 11:00	BDL	Calibration	Calibration	13.0	0.1	2.2	5.0	10.0
8/8/2016 12:00	BDL	Calibration	Calibration	10.6	BDL	2.2	23.0	7.0
8/8/2016 13:00	BDL	Calibration	Calibration	16.8	0.1	Too few samples	26.0	13.0
8/8/2016 14:00	BDL	BDL	BDL	13.1	0.1	Too few samples	14.0	14.0
8/8/2016 15:00	BDL	BDL	BDL	13.0	0.1	2.4	17.0	12.0
8/8/2016 16:00	BDL	BDL	BDL	11.1	0.1	2.3	31.0	14.0
8/8/2016 17:00	BDL	BDL	BDL	9.8	0.1	2.3	21.0	16.0
8/8/2016 18:00	BDL	BDL	BDL	10.1	0.1	2.3	17.0	17.0
8/8/2016 19:00	BDL	BDL	BDL	6.1	BDL	2.2	16.0	13.0
8/8/2016 20:00	BDL	BDL	BDL	4.2	BDL	2.2	17.0	14.0
8/8/2016 21:00	BDL	BDL	BDL	7.3	0.0	2.2	11.0	10.0
8/8/2016 22:00	BDL	BDL	BDL	8.1	0.1	2.2	15.0	10.0
8/8/2016 23:00	BDL	BDL	BDL	7.7	0.1	2.2	7.0	10.0
8/9/2016 0:00	BDL	BDL	BDL	12.3	0.1	2.2	7.0	9.0
8/9/2016 1:00	BDL	BDL	BDL	11.4	0.1	2.3	5.0	12.0
8/9/2016 2:00	BDL	Calibration	Calibration	20.3	0.1	2.3	4.0	17.0
8/9/2016 3:00	BDL	Calibration	Calibration	22.4	0.1	2.3	Invalid	9.0
8/9/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	Invalid	9.0
8/9/2016 5:00	BDL	0.6	BDL	39.6	0.2	2.4	Invalid	15.0
8/9/2016 6:00	0.5	0.9	BDL	49.9	0.3	2.5	Invalid	15.0
8/9/2016 7:00	0.4	0.9	BDL	39.6	0.3	2.6	Invalid	21.0
8/9/2016 8:00	BDL	0.5	BDL	29.1	0.2	2.5	Invalid	16.0
8/9/2016 9:00	0.4	BDL	BDL	27.4	0.2	2.3	Invalid	15.0
8/9/2016 10:00	Too few samples	BDL	BDL	Too few samples	Too few samples	Calibration	Invalid	16.0
8/9/2016 11:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	Invalid	10.0
8/9/2016 12:00	BDL	BDL	BDL	3.6	Calibration	Calibration	13.0	10.0
8/9/2016 13:00	BDL	BDL	BDL	3.7	Calibration	2.4	14.0	11.0
8/9/2016 14:00	BDL	BDL	BDL	5.4	Calibration	2.3	17.0	12.0
8/9/2016 15:00	BDL	BDL	BDL	4.2	Calibration	2.4	20.0	14.0
8/9/2016 16:00	BDL	BDL	BDL	4.0	Calibration	2.3	19.0	10.0
8/9/2016 17:00	BDL	BDL	BDL	2.8	Calibration	2.3	17.0	12.0
8/9/2016 18:00	BDL	BDL	BDL	2.8	Calibration	2.4	10.0	10.0
8/9/2016 19:00	BDL	BDL	BDL	7.0	Calibration	2.3	10.0	9.0
8/9/2016 20:00	BDL	BDL	BDL	5.5	Calibration	2.3	9.0	11.0
8/9/2016 21:00	BDL	BDL	BDL	4.5	Calibration	2.3	12.0	13.0
8/9/2016 22:00	BDL	BDL	BDL	6.2	Calibration	2.5	11.0	11.0
8/9/2016 23:00	BDL	BDL	BDL	3.3	Calibration	2.5	8.0	9.0
8/10/2016 0:00	BDL	BDL	BDL	5.1	Calibration	2.5	6.0	9.0
8/10/2016 1:00	BDL	BDL	BDL	5.3	Calibration	2.6	8.0	6.0
8/10/2016 2:00	BDL	Calibration	Calibration	3.8	Calibration	2.8	9.0	7.0
8/10/2016 3:00	BDL	Calibration	Calibration	4.7	Calibration	2.9	5.0	9.0
8/10/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	4.0	7.0
8/10/2016 5:00	BDL	0.6	BDL	8.4	Calibration	2.7	8.0	9.0
8/10/2016 6:00	BDL	BDL	BDL	12.8	Too few samples	2.7	11.0	7.0
8/10/2016 7:00	BDL	BDL	BDL	13.5	BDL	2.6	10.0	6.0
8/10/2016 8:00	BDL	Calibration	Calibration	9.8	BDL	2.8	26.0	9.0
8/10/2016 9:00	BDL	Calibration	Calibration	8.3	BDL	2.6	18.0	11.0
8/10/2016 10:00	BDL	BDL	BDL	8.0	BDL	2.6	30.0	12.0
8/10/2016 11:00	BDL	BDL	BDL	6.3	BDL	2.8	28.0	12.0
8/10/2016 12:00	BDL	BDL	BDL	4.1	BDL	2.8	25.0	13.0
8/10/2016 13:00	BDL	BDL	BDL	2.2	BDL	3.0	47.0	12.0
8/10/2016 14:00	BDL	BDL	BDL	2.8	BDL	3.1	36.0	9.0
8/10/2016 15:00	BDL	BDL	BDL	2.5	BDL	3.6	35.0	7.0
8/10/2016 16:00	BDL	BDL	BDL	3.0	BDL	3.6	50.0	14.0
8/10/2016 17:00	BDL	BDL	BDL	3.4	BDL	3.4	35.0	14.0
8/10/2016 18:00	BDL	BDL	BDL	4.5	BDL	3.1	16.0	10.0
8/10/2016 19:00	BDL	BDL	BDL	5.5	BDL	2.9	21.0	11.0
8/10/2016 20:00	BDL	BDL	BDL	8.2	BDL	2.9	16.0	8.0
8/10/2016 21:00	BDL	BDL	BDL	8.0	BDL	2.9	21.0	9.0
8/10/2016 22:00	BDL	BDL	BDL	3.6	BDL	2.9	15.0	11.0
8/10/2016 23:00	BDL	BDL	BDL	6.0	BDL	3.0	21.0	12.0
8/11/2016 0:00	BDL	BDL	BDL	3.7	BDL	3.0	17.0	11.0
8/11/2016 1:00	BDL	BDL	BDL	4.3	BDL	3.0	22.0	16.0
8/11/2016 2:00	BDL	Calibration	Calibration	4.0	BDL	2.9	18.0	14.0
8/11/2016 3:00	BDL	Calibration	Calibration	5.5	BDL	2.9	21.0	10.0
8/11/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	17.0	8.0
8/11/2016 5:00	BDL	BDL	BDL	7.4	BDL	2.7	17.0	11.0
8/11/2016 6:00	BDL	BDL	BDL	19.6	BDL	2.7	31.0	15.0
8/11/2016 7:00	BDL	BDL	BDL	11.9	BDL	2.7	25.0	9.0
8/11/2016 8:00	BDL	Calibration	Calibration	16.4	BDL	2.7	40.0	21.0
8/11/2016 9:00	BDL	Too few samples	Too few samples	19.2	BDL	2.8	27.0	18.0
8/11/2016 10:00	BDL	BDL	BDL	27.0	BDL	2.7	36.0	18.0
8/11/2016 11:00	BDL	BDL	BDL	13.7	BDL	2.7	30.0	19.0
8/11/2016 12:00	BDL	BDL	BDL	9.0	BDL	2.7	49.0	17.0
8/11/2016 13:00	BDL	BDL	BDL	6.3	BDL	2.9	Invalid	Invalid
8/11/2016 14:00	BDL	BDL	BDL	7.3	BDL	3.1	Invalid	Invalid
8/11/2016 15:00	BDL	BDL	BDL	6.2	BDL	3.3	Invalid	Invalid
8/11/2016 16:00	BDL	BDL	BDL	2.7	BDL	3.2	Invalid	Invalid
8/11/2016 17:00	BDL	BDL	BDL	3.8	BDL	3.2	Invalid	Invalid
8/11/2016 18:00	BDL	BDL	BDL	3.5	BDL	2.9	Invalid	Invalid
8/11/2016 19:00	BDL	BDL	BDL	7.4	BDL	2.8	Invalid	Invalid
8/11/2016 20:00	BDL	BDL	BDL	7.9	BDL	2.9	Invalid	Invalid
8/11/2016 21:00	BDL	BDL	BDL	11.0	BDL	2.8	Invalid	Invalid
8/11/2016 22:00	BDL	BDL	BDL	11.2	BDL	3.0	Invalid	Invalid
8/11/2016 23:00	BDL	BDL	BDL	3.2	BDL	2.9	Invalid	Invalid
8/12/2016 0:00	BDL	BDL	BDL	7.0	BDL	2.8	Invalid	Invalid
8/12/2016 1:00	BDL	0.5	BDL	5.6	BDL	3.1	Invalid	Invalid
8/12/2016 2:00	BDL	Calibration	Calibration	5.4	BDL	3.0	Invalid	Invalid
8/12/2016 3:00	BDL	Calibration	Calibration	7.2	BDL	3.1	Invalid	Invalid
8/12/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	Invalid	Invalid
8/12/2016 5:00	BDL	BDL	BDL	8.8	BDL	3.0	11.0	Invalid
8/12/2016 6:00	BDL	BDL	BDL	8.8	BDL	2.8	7.0	Invalid
8/12/2016 7:00	BDL	BDL	BDL	13.2	BDL	2.8	24.0	Invalid
8/12/2016 8:00	BDL	BDL	BDL	13.7	BDL	2.8	32.0	Invalid
8/12/2016 9:00	BDL	BDL	BDL	14.6	BDL	2.9	Invalid	Invalid
8/12/2016 10:00	BDL	BDL	BDL	12.9	BDL	3.3	Invalid	Invalid
8/12/2016 11:00	BDL	BDL	BDL	10.2	BDL	2.9	Invalid	Invalid
8/12/2016 12:00	BDL	BDL	BDL	7.5	BDL	3.1	Invalid	Invalid
8/12/2016 13:00	BDL	BDL	BDL	6.3	BDL	3.2	Invalid	Invalid
8/12/2016 14:00	BDL	BDL	BDL	5.6	BDL	3.4	Invalid	Invalid
8/12/2016 15:00	BDL	BDL	BDL	4.0	BDL	3.5	Invalid	Invalid
8/12/2016 16:00	BDL	BDL	BDL	4.3	BDL	3.3	Invalid	Invalid
8/12/2016 17:00	BDL	BDL	BDL	4.4	BDL	3.0	Invalid	Invalid
8/12/2016 18:00	BDL	BDL	BDL	8.4	BDL	2.6	Invalid	Invalid
8/12/2016 19:00	BDL	BDL	BDL	12.8	0.1	3.0	Invalid	Invalid
8/12/2016 20:00	BDL	BDL	BDL	7.8	BDL	3.0	Invalid	Invalid
8/12/2016 21:00	BDL	BDL	BDL	5.6	BDL	2.7	Invalid	Invalid
8/12/2016 22:00	BDL	BDL	BDL	11.0	BDL	2.8	Invalid	Invalid
8/12/2016 23:00	BDL	BDL	BDL	6.7	BDL	2.8	Invalid	Invalid
8/13/2016 0:00	BDL	BDL	BDL	7.7	BDL	3.0	Invalid	Invalid
8/13/2016 1:00	BDL	0.4	BDL	16.6	BDL	3.1	Invalid	Invalid
8/13/2016 2:00	BDL	Calibration	Calibration	10.1	BDL	3.0	Invalid	Invalid
8/13/2016 3:00	BDL	Calibration	Calibration	7.4	BDL	3.0	Invalid	Invalid
8/13/2016 4:00	Calibration	0.6	BDL	Calibration	Calibration	Calibration	Invalid	Invalid
8/13/2016 5:00	BDL	0.6	BDL	9.7	BDL	3.2	Invalid	Invalid
8/13/2016 6:00	0.4	0.4	BDL	12.8	BDL	4.2	Invalid	Invalid
8/13/2016 7:00	0.4	BDL	BDL	13.2	BDL	4.7	Invalid	Invalid
8/13/2016 8:00	0.4	BDL	BDL	17.0	BDL	3.4	20.0	11.0
8/13/2016 9:00	BDL	BDL	BDL	11.8	BDL	3.2	13.0	14.0
8/13/2016 10:00	BDL	BDL	BDL	9.3	BDL	2.8	15.0	14.0
8/13/2016 11:00	BDL	BDL	BDL	8.1	BDL	2.6	17.0	16.0
8/13/2016 12:00	BDL	BDL	BDL	4.6	BDL	2.6	12.0	17.0
8/13/2016 13:00	BDL	BDL	BDL	2.7	BDL	3.1	17.0	9.0
8/13/2016 14:00	BDL	BDL	BDL	2.1	BDL	3.1	11.0	10.0
8/13/2016 15:00	BDL	BDL	BDL	1.2	BDL	3.2	15.0	10.0
8/13/2016 16:00	BDL	BDL	BDL	1.5	BDL	3.1	11.0	9.0
8/13/2016 17:00	BDL	BDL	BDL	1.7	BDL	3.2	8.0	5.0
8/13/2016 18:00	BDL	BDL	BDL	2.0	BDL	3.4	11.0	7.0
8/13/2016 19:00	BDL	BDL	BDL	7.8	BDL	2.9	16.0	14.0
8/13/2016 20:00	BDL	BDL	BDL	7.3	BDL	2.8	15.0	12.0
8/13/2016 21:00	BDL	BDL	BDL	10.5	BDL	2.6	16.0	11.0
8/13/2016 22:00	BDL	BDL	BDL	5.9	BDL	2.6	17.0	11.0
8/13/2016 23:00	BDL	BDL	BDL	3.7	BDL	2.9	13.0	16.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 8/14/2016-8/20/2016								
8/14/2016 0:00	BDL	BDL	BDL	4.8	BDL	2.8	11.0	15.0
8/14/2016 1:00	BDL	BDL	BDL	4.7	BDL	3.1	14.0	17.0
8/14/2016 2:00	BDL	Calibration	Calibration	6.2	BDL	3.0	18.0	13.0
8/14/2016 3:00	BDL	Calibration	Calibration	4.8	BDL	3.0	14.0	13.0
8/14/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	16.0	18.0
8/14/2016 5:00	BDL	BDL	BDL	8.5	BDL	2.9	15.0	18.0
8/14/2016 6:00	BDL	BDL	BDL	13.8	BDL	2.7	31.0	16.0
8/14/2016 7:00	BDL	BDL	BDL	9.9	BDL	2.5	68.0	15.0
8/14/2016 8:00	0.4	BDL	BDL	3.9	BDL	2.4	7.0	7.0
8/14/2016 9:00	BDL	BDL	BDL	6.3	BDL	2.4	15.0	11.0
8/14/2016 10:00	BDL	BDL	BDL	3.7	BDL	2.4	10.0	10.0
8/14/2016 11:00	BDL	BDL	BDL	9.1	BDL	2.5	14.0	10.0
8/14/2016 12:00	BDL	BDL	BDL	11.3	BDL	2.5	14.0	13.0
8/14/2016 13:00	BDL	BDL	BDL	6.6	BDL	2.5	14.0	9.0
8/14/2016 14:00	BDL	BDL	BDL	12.8	BDL	2.6	17.0	7.0
8/14/2016 15:00	BDL	BDL	BDL	9.0	BDL	2.7	14.0	9.0
8/14/2016 16:00	BDL	BDL	BDL	12.2	BDL	2.8	17.0	12.0
8/14/2016 17:00	BDL	BDL	BDL	12.5	BDL	2.7	14.0	10.0
8/14/2016 18:00	BDL	BDL	BDL	7.8	BDL	2.6	13.0	11.0
8/14/2016 19:00	BDL	BDL	BDL	7.0	BDL	2.4	15.0	13.0
8/14/2016 20:00	BDL	BDL	BDL	15.3	BDL	2.3	22.0	15.0
8/14/2016 21:00	BDL	BDL	BDL	2.5	BDL	2.4	11.0	10.0
8/14/2016 22:00	BDL	BDL	BDL	4.5	BDL	2.5	10.0	6.0
8/14/2016 23:00	BDL	BDL	BDL	2.9	BDL	2.5	8.0	7.0
8/15/2016 0:00	BDL	BDL	BDL	5.7	BDL	2.4	4.0	6.0
8/15/2016 1:00	BDL	BDL	BDL	3.3	BDL	2.4	6.0	6.0
8/15/2016 2:00	BDL	Calibration	Calibration	3.1	BDL	2.5	6.0	7.0
8/15/2016 3:00	BDL	Calibration	Calibration	3.2	BDL	2.5	5.0	10.0
8/15/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	7.0	7.0
8/15/2016 5:00	BDL	BDL	BDL	4.2	BDL	2.6	8.0	5.0
8/15/2016 6:00	BDL	BDL	BDL	4.0	BDL	2.7	12.0	7.0
8/15/2016 7:00	BDL	BDL	BDL	6.1	BDL	2.5	10.0	6.0
8/15/2016 8:00	BDL	BDL	BDL	8.2	BDL	2.6	16.0	10.0
8/15/2016 9:00	BDL	BDL	BDL	12.2	BDL	2.4	14.0	10.0
8/15/2016 10:00	BDL	BDL	BDL	8.5	BDL	2.3	15.0	10.0
8/15/2016 11:00	BDL	BDL	BDL	5.6	BDL	2.3	11.0	9.0
8/15/2016 12:00	BDL	BDL	BDL	3.7	BDL	2.3	16.0	8.0
8/15/2016 13:00	BDL	BDL	BDL	6.8	BDL	2.4	20.0	11.0
8/15/2016 14:00	BDL	BDL	BDL	2.9	BDL	2.4	12.0	9.0
8/15/2016 15:00	BDL	BDL	BDL	2.1	BDL	2.4	11.0	6.0
8/15/2016 16:00	BDL	BDL	BDL	2.9	BDL	2.4	10.0	6.0
8/15/2016 17:00	BDL	BDL	BDL	3.0	BDL	2.3	6.0	12.0
8/15/2016 18:00	BDL	BDL	BDL	2.3	BDL	2.6	10.0	11.0
8/15/2016 19:00	BDL	BDL	BDL	2.2	BDL	2.6	11.0	7.0
8/15/2016 20:00	BDL	BDL	BDL	4.7	BDL	2.5	12.0	16.0
8/15/2016 21:00	BDL	BDL	BDL	5.9	BDL	2.4	10.0	11.0
8/15/2016 22:00	BDL	BDL	BDL	5.3	BDL	2.4	13.0	12.0
8/15/2016 23:00	BDL	BDL	BDL	10.8	BDL	2.7	13.0	13.0
8/16/2016 0:00	BDL	BDL	BDL	13.6	BDL	3.2	15.0	16.0
8/16/2016 1:00	BDL	BDL	BDL	12.4	BDL	2.9	12.0	12.0
8/16/2016 2:00	BDL	Calibration	Calibration	13.3	BDL	2.9	15.0	11.0
8/16/2016 3:00	BDL	Calibration	Calibration	13.7	BDL	2.6	13.0	7.0
8/16/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	7.0	11.0
8/16/2016 5:00	BDL	BDL	BDL	19.1	BDL	2.3	8.0	6.0
8/16/2016 6:00	BDL	BDL	BDL	37.6	0.2	2.7	29.0	10.0
8/16/2016 7:00	BDL	BDL	BDL	35.2	0.1	2.7	19.0	10.0
8/16/2016 8:00	BDL	BDL	Too few samples	30.2	0.1	2.6	24.0	8.0
8/16/2016 9:00	BDL	BDL	Invalid	20.4	BDL	2.5	17.0	6.0
8/16/2016 10:00	Too few samples	3.7	Too few samples	10.4	BDL	3.18	7.0	7.0
8/16/2016 11:00	BDL	BDL	BDL	8.9	BDL	2.6	13.0	6.0
8/16/2016 12:00	BDL	BDL	BDL	7.9	BDL	2.64	17.0	9.0
8/16/2016 13:00	BDL	BDL	BDL	6.3	BDL	2.7	32.0	14.0
8/16/2016 14:00	BDL	BDL	BDL	6.5	BDL	3.4	31.0	13.0
8/16/2016 15:00	BDL	BDL	BDL	4.0	BDL	3.1	24.0	14.0
8/16/2016 16:00	BDL	BDL	BDL	3.1	BDL	3.3	28.0	16.0
8/16/2016 17:00	BDL	BDL	BDL	2.6	BDL	3.3	27.0	10.0
8/16/2016 18:00	BDL	BDL	BDL	3.1	BDL	3.3	20.0	11.0
8/16/2016 19:00	BDL	BDL	BDL	5.5	BDL	3.4	14.0	13.0
8/16/2016 20:00	BDL	BDL	BDL	8.8	BDL	3.1	17.0	14.0
8/16/2016 21:00	BDL	BDL	BDL	4.2	BDL	2.9	11.0	13.0
8/16/2016 22:00	BDL	BDL	BDL	2.7	BDL	3.1	20.0	12.0
8/16/2016 23:00	BDL	BDL	BDL	5.3	BDL	3.2	19.0	11.0
8/17/2016 0:00	BDL	BDL	BDL	3.8	BDL	3.4	15.0	9.0
8/17/2016 1:00	BDL	BDL	BDL	8.1	BDL	2.7	13.0	9.0
8/17/2016 2:00	BDL	Calibration	Calibration	16.1	BDL	2.4	24.0	12.0
8/17/2016 3:00	BDL	Calibration	Calibration	15.7	BDL	3.2	13.0	16.0
8/17/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	11.0	10.0
8/17/2016 5:00	BDL	BDL	BDL	26.4	BDL	2.6	16.0	10.0
8/17/2016 6:00	BDL	BDL	BDL	14.9	BDL	2.3	17.0	12.0
8/17/2016 7:00	BDL	Calibration	Calibration	20.5	BDL	2.5	26.0	10.0
8/17/2016 8:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	2.6	8.0	8.0
8/17/2016 9:00	BDL	Calibration	Calibration	Calibration	BDL	Too few samples	12.0	5.0
8/17/2016 10:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	Calibration	7.0	4.0
8/17/2016 11:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	10.0	4.0
8/17/2016 12:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	7.0	5.0
8/17/2016 13:00	Calibration	BDL	BDL	Too few samples	Too few samples	Calibration	13.0	3.0
8/17/2016 14:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	17.0	2.0
8/17/2016 15:00	BDL	Audit	Audit	1.3	0.2	2.4	7.0	7.0
8/17/2016 16:00	BDL	Too few samples	Too few samples	2.3	0.2	2.3	13.0	5.0
8/17/2016 17:00	BDL	BDL	BDL	1.8	0.2	2.3	10.0	6.0
8/17/2016 18:00	BDL	BDL	BDL	6.2	0.2	2.4	14.0	9.0
8/17/2016 19:00	BDL	BDL	BDL	7.6	0.2	2.6	13.0	10.0
8/17/2016 20:00	BDL	BDL	BDL	10.1	0.3	2.7	19.0	8.0
8/17/2016 21:00	BDL	BDL	BDL	4.5	0.3	2.6	11.0	7.0
8/17/2016 22:00	BDL	BDL	BDL	9.9	0.3	2.3	10.0	6.0
8/17/2016 23:00	BDL	BDL	BDL	15.1	0.4	2.7	21.0	9.0
8/18/2016 0:00	BDL	BDL	BDL	9.9	0.3	2.5	13.0	7.0
8/18/2016 1:00	BDL	BDL	BDL	22.3	0.3	2.5	14.0	11.0
8/18/2016 2:00	BDL	Calibration	Calibration	20.7	0.3	2.3	10.0	10.0
8/18/2016 3:00	BDL	Calibration	Calibration	18.1	0.4	3.1	25.0	9.0
8/18/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	29.0	14.0
8/18/2016 5:00	BDL	BDL	BDL	7.9	0.3	2.7	3.0	11.0
8/18/2016 6:00	BDL	BDL	BDL	9.8	0.3	2.7	9.0	11.0
8/18/2016 7:00	BDL	Too few samples	Too few samples	14.1	0.3	2.5	10.0	11.0
8/18/2016 8:00	BDL	Calibration	Calibration	10.1	0.3	2.4	19.0	9.0
8/18/2016 9:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	10.0	9.0
8/18/2016 10:00	BDL	BDL	BDL	Too few samples	Too few samples	Too few samples	11.0	13.0
8/18/2016 11:00	BDL	BDL	BDL	9.8	0.3	2.3	12.0	10.0
8/18/2016 12:00	BDL	BDL	BDL	5.7	0.3	2.3	8.0	9.0
8/18/2016 13:00	Too few samples	BDL	BDL	Too few samples	Too few samples	Too few samples	13.0	6.0
8/18/2016 14:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	11.0	8.0
8/18/2016 15:00	BDL	BDL	BDL	0.5	0.2	2.3	13.0	7.0
8/18/2016 16:00	BDL	BDL	BDL	0.9	0.2	2.2	11.0	6.0
8/18/2016 17:00	BDL	BDL	BDL	0.7	0.2	2.2	13.0	5.0
8/18/2016 18:00	BDL	BDL	BDL	1.0	0.2	2.3	10.0	7.0
8/18/2016 19:00	BDL	BDL	BDL	1.0	0.2	2.3	15.0	6.0
8/18/2016 20:00	BDL	BDL	BDL	4.6	0.2	2.3	21.0	8.0
8/18/2016 21:00	BDL	BDL	BDL	10.3	0.3	3.0	22.0	16.0
8/18/2016 22:00	BDL	BDL	BDL	17.8	0.4	3.0	19.0	12.0
8/18/2016 23:00	BDL	BDL	BDL	3.2	0.3	2.3	12.0	9.0
8/19/2016 0:00	BDL	BDL	BDL	12.9	0.3	2.6	10.0	10.0
8/19/2016 1:00	BDL	BDL	BDL	8.1	0.3	2.8	14.0	17.0
8/19/2016 2:00	BDL	Calibration	Calibration	10.1	0.3	2.6	13.0	10.0
8/19/2016 3:00	BDL	Calibration	Calibration	8.9	0.3	2.6	15.0	10.0
8/19/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	15.0	11.0
8/19/2016 5:00	Too few samples	BDL	BDL	Too few samples	Too few samples	Too few samples	14.0	13.0
8/19/2016 6:00	Too few samples	BDL	BDL	Too few samples	Too few samples	Too few samples	14.0	11.0
8/19/2016 7:00	BDL	BDL	BDL	15.9	0.3	2.5	17.0	11.0
8/19/2016 8:00	BDL	BDL	BDL	20.2	0.4	2.5	14.0	11.0
8/19/2016 9:00	BDL	BDL	BDL	15.5	0.3	2.4	13.0	8.0
8/19/2016 10:00	BDL	BDL	BDL	11.4	0.3	2.3	12.0	11.0
8/19/2016 11:00	BDL	BDL	BDL	5.9	0.3	2.3	20.0	12.0
8/19/2016 12:00	BDL	BDL	BDL	6.2	0.3	2.2	15.0	9.0
8/19/2016 13:00	BDL	BDL	BDL	7.4	0.3	2.1	12.0	11.0
8/19/2016 14:00	BDL	BDL	BDL	4.7	0.3	2.3	17.0	13.0
8/19/2016 15:00	BDL	BDL	BDL	2.9	0.3	2.2	12.0	8.0
8/19/2016 16:00	BDL	BDL	BDL	0.7	0.3	2.2	12.0	9.0
8/19/2016 17:00	BDL	BDL	BDL	1.0	0.2	2.2	11.0	9.0
8/19/2016 18:00	BDL	BDL	BDL	4.1	0.3	2.2	18.0	7.0
8/19/2016 19:00	BDL	BDL	BDL	4.6	0.3	2.3	11.0	5.0
8/19/2016 20:00	BDL	BDL	BDL	8.5	0.4	2.2	25.0	16.0
8/19/2016 21:00	BDL	BDL	BDL	9.6	0.4	2.2	16.0	14.0
8/19/2016 22:00	BDL	BDL	BDL	8.1	0.4	2.3	21.0	17.0
8/19/2016 23:00	BDL	BDL	BDL	9.6	0.4	2.2	18.0	11.0
8/20/2016 0:00	BDL	BDL	BDL	17.2	0.5	2.2	14.0	16.0
8/20/2016 1:00	BDL	0.4	BDL	19.3	0.5	2.2	16.0	8.0
8/20/2016 2:00	BDL	Calibration	Calibration	18.9	0.5	2.2	21.0	14.0
8/20/2016 3:00	BDL	Calibration	Calibration	21.4	0.6	2.9	20.0	17.0
8/20/2016 4:00	Calibration	0.4	BDL	Calibration	Calibration	Calibration	24.0	16.0
8/20/2016 5:00	BDL	BDL	BDL	34.4	0.7	3.3	21.0	19.0
8/20/2016 6:00	BDL	BDL	BDL	20.8	0.5	3.3	20.0	21.0
8/20/2016 7:00	BDL	Calibration	Calibration	21.8	0.5	3.2	30.0	19.0
8/20/2016 8:00	BDL	Calibration	Calibration	14.2	0.4	2.5	26.0	20.0
8/20/2016 9:00	BDL	BDL	BDL	6.6	0.4	2.2	17.0	15.0
8/20/2016 10:00	BDL	BDL	BDL	4.7	0.3	2.1	18.0	10.0
8/20/2016 11:00	BDL	BDL	BDL	5.1	0.3	2.1	17.0	12.0
8/20/2016 12:00	BDL	BDL	BDL	2.8	0.3	2.0	18.0	10.0
8/20/2016 13:00	BDL	BDL	BDL	1.6	0.3	2.0	14.0	11.0
8/20/2016 14:00	BDL	BDL	BDL	1.9	0.3	2.1	11.0	7.0
8/20/2016 15:00	BDL	BDL	BDL	1.8	0.3	2.1	8.0	11.0
8/20/2016 16:00	BDL	BDL	BDL	1.6	0.3	2.0	19.0	9.0
8/20/2016 17:00	BDL	BDL	BDL	2.1	0.3	2.3	40.0	17.0
8/20/2016 18:00	BDL	BDL	BDL	2.2	0.3	2.1	13.0	9.0
8/20/2016 19:00	BDL	BDL	BDL	2.4	0.3	2.0	12.0	10.0
8/20/2016 20:00	BDL	BDL	BDL	3.3	0.3	2.0	13.0	11.0
8/20/2016 21:00	BDL	BDL	BDL	3.5	0.3	2.0	16.0	14.0
8/20/2016 22:00	BDL	BDL	BDL	3.9	0.3	2.0	14.0	10.0
8/20/2016 23:00	BDL	BDL	BDL	7.3	0.3	2.1	16.0	10.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 8/21/2016-8/27/2016								
8/21/2016 0:00	BDL	BDL	BDL	8.6	0.3	2.0	11.0	7.0
8/21/2016 1:00	BDL	BDL	BDL	7.0	0.3	2.0	8.0	6.0
8/21/2016 2:00	BDL	Calibration	Calibration	5.6	0.3	2.1	11.0	8.0
8/21/2016 3:00	BDL	Calibration	Calibration	4.2	0.3	2.1	7.0	6.0
8/21/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	10.0	5.0
8/21/2016 5:00	BDL	BDL	BDL	9.5	0.28	2.1	13.0	8.0
8/21/2016 6:00	BDL	BDL	BDL	12.6	0.3	2.1	16.0	10.0
8/21/2016 7:00	Calibration	BDL	BDL	Calibration	Calibration	2.1	10.0	10.0
8/21/2016 8:00	BDL	BDL	BDL	2.1	0.2	2.1	11.0	12.0
8/21/2016 9:00	BDL	BDL	1.1	2.2	0.2	2.1	11.0	9.0
8/21/2016 10:00	BDL	BDL	BDL	0.9	0.2	2.2	13.0	5.0
8/21/2016 11:00	BDL	BDL	BDL	BDL	0.2	2.3	16.0	8.0
8/21/2016 12:00	BDL	BDL	BDL	BDL	0.2	2.1	15.0	8.0
8/21/2016 13:00	BDL	BDL	BDL	BDL	0.2	2.2	Invalid	9.0
8/21/2016 14:00	BDL	BDL	BDL	1.4	0.2	2.1	33.0	6.0
8/21/2016 15:00	BDL	BDL	BDL	5.3	0.2	2.4	30.0	4.0
8/21/2016 16:00	BDL	BDL	BDL	13.4	0.3	2.2	26.0	10.0
8/21/2016 17:00	BDL	BDL	BDL	11.3	0.3	2.3	19.0	7.0
8/21/2016 18:00	BDL	BDL	BDL	7.7	0.2	2.1	11.0	5.0
8/21/2016 19:00	BDL	BDL	BDL	9.4	0.3	2.1	16.0	4.0
8/21/2016 20:00	BDL	BDL	BDL	12.4	0.3	2.7	17.0	6.0
8/21/2016 21:00	BDL	BDL	BDL	13.5	0.2	2.3	10.0	8.0
8/21/2016 22:00	BDL	BDL	BDL	7.6	0.2	2.4	8.0	9.0
8/21/2016 23:00	BDL	BDL	BDL	4.2	0.2	2.5	5.0	6.0
8/22/2016 0:00	0.4	BDL	BDL	2.1	0.2	2.4	12.0	7.0
8/22/2016 1:00	BDL	BDL	BDL	2.7	0.2	2.3	13.0	6.0
8/22/2016 2:00	BDL	Calibration	Calibration	1.9	0.2	2.3	18.0	7.0
8/22/2016 3:00	BDL	Calibration	Calibration	1.8	0.2	2.3	10.0	6.0
8/22/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	17.0	6.0
8/22/2016 5:00	1.3	BDL	1.2	5.0	0.1	2.3	18.0	7.0
8/22/2016 6:00	0.6	BDL	1.9	4.2	0.2	2.4	13.0	6.0
8/22/2016 7:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	18.0	4.0
8/22/2016 8:00	BDL	BDL	BDL	5.5	0.2	2.4	19.0	8.0
8/22/2016 9:00	BDL	BDL	BDL	8.2	0.2	2.3	21.0	7.0
8/22/2016 10:00	BDL	BDL	BDL	9.7	0.1	2.3	18.0	6.0
8/22/2016 11:00	BDL	BDL	BDL	2.8	0.1	2.3	10.0	4.0
8/22/2016 12:00	0.4	BDL	BDL	1.3	0.1	2.3	10.0	5.0
8/22/2016 13:00	BDL	BDL	BDL	1.9	0.1	2.2	16.0	5.0
8/22/2016 14:00	BDL	BDL	BDL	0.9	0.1	2.2	17.0	5.0
8/22/2016 15:00	BDL	BDL	BDL	0.6	0.1	2.3	11.0	2.0
8/22/2016 16:00	BDL	BDL	BDL	BDL	0.1	2.3	11.0	4.0
8/22/2016 17:00	BDL	BDL	BDL	1.2	0.1	2.4	10.0	6.0
8/22/2016 18:00	BDL	BDL	BDL	0.8	0.1	2.4	8.0	5.0
8/22/2016 19:00	BDL	BDL	BDL	2.1	0.1	2.5	8.0	4.0
8/22/2016 20:00	BDL	BDL	BDL	5.6	0.1	2.5	8.0	4.0
8/22/2016 21:00	BDL	BDL	BDL	8.4	0.2	2.4	8.0	8.0
8/22/2016 22:00	BDL	BDL	BDL	7.3	0.2	2.5	7.0	6.0
8/22/2016 23:00	BDL	BDL	BDL	7.7	0.1	2.4	12.0	6.0
8/23/2016 0:00	BDL	BDL	BDL	11.1	0.1	2.4	8.0	5.0
8/23/2016 1:00	BDL	BDL	BDL	18.8	0.2	2.5	12.0	10.0
8/23/2016 2:00	BDL	Calibration	Calibration	40.2	0.2	2.6	10.0	6.0
8/23/2016 3:00	BDL	Calibration	Calibration	43.4	0.2	2.6	9.0	4.0
8/23/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	21.0	6.0
8/23/2016 5:00	0.6	BDL	BDL	27.2	0.2	3.6	18.0	6.0
8/23/2016 6:00	0.5	BDL	BDL	24.7	0.2	3.2	21.0	7.0
8/23/2016 7:00	0.5	BDL	BDL	27.1	0.2	3.0	Invalid	8.0
8/23/2016 8:00	0.7	BDL	BDL	22.8	0.2	3.0	Invalid	Invalid
8/23/2016 9:00	BDL	BDL	BDL	22.7	0.2	2.6	30.0	5.0
8/23/2016 10:00	BDL	BDL	BDL	7.4	0.1	2.5	17.0	3.0
8/23/2016 11:00	BDL	BDL	BDL	4.3	0.1	2.5	12.0	5.0
8/23/2016 12:00	BDL	BDL	BDL	5.8	0.1	2.4	27.0	4.0
8/23/2016 13:00	BDL	BDL	BDL	5.6	0.1	2.4	22.0	4.0
8/23/2016 14:00	BDL	BDL	BDL	6.2	0.1	2.3	27.0	5.0
8/23/2016 15:00	BDL	BDL	BDL	3.0	0.1	2.4	13.0	6.0
8/23/2016 16:00	0.7	BDL	BDL	8.4	0.1	2.5	16.0	7.0
8/23/2016 17:00	0.6	BDL	BDL	8.8	0.1	2.4	16.0	7.0
8/23/2016 18:00	BDL	BDL	BDL	3.4	0.1	2.4	8.0	6.0
8/23/2016 19:00	0.9	BDL	BDL	8.2	0.1	2.5	40.0	16.0
8/23/2016 20:00	1.0	BDL	BDL	15.2	0.2	2.5	26.0	6.0
8/23/2016 21:00	BDL	BDL	BDL	23.4	0.3	2.8	17.0	5.0
8/23/2016 22:00	0.4	BDL	BDL	24.1	0.3	3.0	19.0	6.0
8/23/2016 23:00	0.4	BDL	BDL	20.0	0.3	3.1	14.0	8.0
8/24/2016 0:00	0.4	BDL	BDL	20.8	0.3	3.4	23.0	6.0
8/24/2016 1:00	0.4	BDL	BDL	17.8	0.3	3.2	17.0	4.0
8/24/2016 2:00	0.4	Calibration	Calibration	16.6	0.2	3.2	12.0	3.0
8/24/2016 3:00	0.5	Calibration	Calibration	19.3	0.3	3.3	15.0	4.0
8/24/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	16.0	7.0
8/24/2016 5:00	0.7	BDL	BDL	37.4	0.4	3.1	18.0	7.0
8/24/2016 6:00	0.7	BDL	BDL	24.1	0.3	3.0	18.0	10.0
8/24/2016 7:00	0.7	BDL	BDL	21.0	0.2	2.9	27.0	9.0
8/24/2016 8:00	0.5	BDL	BDL	24.3	0.3	3.0	44.0	12.0
8/24/2016 9:00	1.6	BDL	BDL	27.5	0.2	2.5	30.0	11.0
8/24/2016 10:00	2.2	BDL	BDL	19.1	0.2	2.4	44.0	8.0
8/24/2016 11:00	1.6	BDL	BDL	11.3	0.2	2.4	30.0	11.0
8/24/2016 12:00	1.1	BDL	BDL	6.8	0.2	2.6	25.0	9.0
8/24/2016 13:00	0.8	BDL	BDL	5.5	0.2	2.6	26.0	9.0
8/24/2016 14:00	0.7	BDL	BDL	4.6	0.2	2.6	24.0	11.0
8/24/2016 15:00	0.7	BDL	BDL	3.6	0.1	2.6	21.0	10.0
8/24/2016 16:00	0.5	BDL	BDL	2.9	0.1	2.5	20.0	8.0
8/24/2016 17:00	0.5	BDL	BDL	3.1	0.1	2.5	22.0	9.0
8/24/2016 18:00	0.4	BDL	BDL	3.6	0.1	2.5	18.0	9.0
8/24/2016 19:00	BDL	BDL	BDL	5.4	0.2	2.6	19.0	6.0
8/24/2016 20:00	BDL	BDL	BDL	5.1	0.2	2.5	15.0	6.0
8/24/2016 21:00	BDL	BDL	BDL	6.8	0.2	2.5	13.0	5.0
8/24/2016 22:00	BDL	BDL	BDL	5.8	0.2	2.4	14.0	6.0
8/24/2016 23:00	BDL	BDL	1.4	4.5	0.2	2.7	17.0	5.0
8/25/2016 0:00	BDL	1.1	2.4	2.5	0.1	2.7	11.0	5.0
8/25/2016 1:00	BDL	1.1	2.2	6.9	0.1	2.8	13.0	8.0
8/25/2016 2:00	BDL	Calibration	Calibration	7.2	0.1	3.0	18.0	7.0
8/25/2016 3:00	BDL	Calibration	Calibration	8.4	0.1	2.9	16.0	6.0
8/25/2016 4:00	Calibration	0.9	2.3	Calibration	Calibration	Calibration	16.0	5.0
8/25/2016 5:00	BDL	0.7	1.8	12.1	0.2	2.9	14.0	4.0
8/25/2016 6:00	0.4	BDL	1.5	17.5	0.2	2.8	25.0	6.0
8/25/2016 7:00	BDL	0.4	1.5	22.1	0.2	2.7	25.0	9.0
8/25/2016 8:00	BDL	BDL	1.2	14.1	0.2	2.4	23.0	5.0
8/25/2016 9:00	BDL	BDL	1.4	5.9	0.2	2.5	18.0	1.0
8/25/2016 10:00	BDL	BDL	1.2	5.7	0.2	2.4	28.0	4.0
8/25/2016 11:00	BDL	BDL	BDL	4.0	0.2	2.4	27.0	10.0
8/25/2016 12:00	BDL	BDL	BDL	2.8	0.2	2.4	26.0	9.0
8/25/2016 13:00	BDL	BDL	BDL	3.0	0.2	2.4	30.0	9.0
8/25/2016 14:00	BDL	BDL	BDL	2.1	0.2	2.4	20.0	12.0
8/25/2016 15:00	BDL	BDL	BDL	2.8	0.2	2.5	25.0	10.0
8/25/2016 16:00	BDL	BDL	BDL	2.9	0.2	2.5	25.0	9.0
8/25/2016 17:00	BDL	BDL	BDL	4.9	0.2	2.5	25.0	8.0
8/25/2016 18:00	BDL	BDL	BDL	4.7	0.2	2.4	17.0	9.0
8/25/2016 19:00	BDL	BDL	BDL	5.5	0.2	2.6	15.0	10.0
8/25/2016 20:00	BDL	BDL	BDL	5.5	0.2	2.7	19.0	12.0
8/25/2016 21:00	BDL	BDL	1.0	7.5	0.2	2.8	17.0	10.0
8/25/2016 22:00	BDL	BDL	1.4	9.5	0.2	3.0	20.0	8.0
8/25/2016 23:00	BDL	BDL	1.5	4.4	0.2	2.9	20.0	9.0
8/26/2016 0:00	BDL	BDL	1.3	3.6	0.2	3.0	12.0	8.0
8/26/2016 1:00	BDL	0.5	1.8	4.0	0.2	2.9	20.0	9.0
8/26/2016 2:00	BDL	Calibration	Calibration	4.3	0.2	3.1	19.0	8.0
8/26/2016 3:00	BDL	Calibration	Calibration	8.7	0.2	3.1	21.0	8.0
8/26/2016 4:00	Calibration	1.0	2.1	Calibration	Calibration	Calibration	12.0	9.0
8/26/2016 5:00	1.4	0.8	2.0	15.6	0.2	2.8	23.0	13.0
8/26/2016 6:00	0.4	BDL	1.4	14.1	0.2	3.0	20.0	12.0
8/26/2016 7:00	BDL	BDL	1.1	18.5	0.2	3.1	32.0	17.0
8/26/2016 8:00	0.4	BDL	1.1	19.8	0.2	2.4	28.0	12.0
8/26/2016 9:00	BDL	BDL	BDL	4.4	0.2	2.3	19.0	9.0
8/26/2016 10:00	BDL	BDL	BDL	1.5	0.2	2.3	18.0	7.0
8/26/2016 11:00	BDL	BDL	BDL	1.2	0.2	2.3	17.0	10.0
8/26/2016 12:00	BDL	BDL	BDL	0.7	0.2	2.3	15.0	8.0
8/26/2016 13:00	BDL	BDL	BDL	1.4	0.2	2.2	22.0	10.0
8/26/2016 14:00	BDL	BDL	BDL	1.5	0.2	2.2	16.0	8.0
8/26/2016 15:00	BDL	BDL	BDL	BDL	0.2	2.2	17.0	6.0
8/26/2016 16:00	BDL	BDL	BDL	1.3	0.2	2.2	15.0	9.0
8/26/2016 17:00	BDL	BDL	BDL	0.9	0.2	2.2	14.0	9.0
8/26/2016 18:00	BDL	BDL	BDL	0.7	0.2	2.3	11.0	9.0
8/26/2016 19:00	BDL	BDL	BDL	2.0	0.2	2.3	17.0	9.0
8/26/2016 20:00	BDL	BDL	BDL	4.3	0.2	2.3	17.0	8.0
8/26/2016 21:00	BDL	BDL	BDL	7.1	0.2	2.3	17.0	8.0
8/26/2016 22:00	BDL	BDL	BDL	7.9	0.3	2.3	15.0	9.0
8/26/2016 23:00	BDL	BDL	BDL	8.7	0.3	2.5	14.0	9.0
8/27/2016 0:00	BDL	BDL	BDL	11.2	0.3	2.6	25.0	11.0
8/27/2016 1:00	BDL	BDL	BDL	16.3	0.4	2.6	17.0	11.0
8/27/2016 2:00	BDL	Calibration	Calibration	24.9	0.4	3.0	18.0	15.0
8/27/2016 3:00	BDL	Calibration	Calibration	29.4	0.4	3.1	14.0	12.0
8/27/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	15.0	13.0
8/27/2016 5:00	0.6	BDL	BDL	14.1	0.3	2.7	15.0	11.0
8/27/2016 6:00	0.6	BDL	BDL	18.4	0.3	2.5	18.0	12.0
8/27/2016 7:00	0.6	BDL	BDL	17.3	0.2	2.7	17.0	9.0
8/27/2016 8:00	0.4	BDL	BDL	15.4	0.2	2.3	19.0	11.0
8/27/2016 9:00	0.4	BDL	BDL	9.8	0.2	2.2	21.0	8.0
8/27/2016 10:00	BDL	BDL	BDL	7.9	0.2	2.4	17.0	15.0
8/27/2016 11:00	BDL	BDL	BDL	6.1	0.2	2.4	20.0	10.0
8/27/2016 12:00	BDL	BDL	BDL	3.6	0.2	2.3	10.0	8.0
8/27/2016 13:00	BDL	BDL	BDL	4.1	0.2	2.2	16.0	6.0
8/27/2016 14:00	BDL	BDL	BDL	5.0	0.2	2.2	16.0	12.0
8/27/2016 15:00	BDL	BDL	BDL	5.2	0.2	2.1	10.0	12.0
8/27/2016 16:00	BDL	BDL	BDL	1.4	0.2	2.1	11.0	10.0
8/27/2016 17:00	BDL	BDL	BDL	2.9	0.2	2.1	17.0	10.0
8/27/2016 18:00	BDL	BDL	BDL	6.4	0.2	2.1	8.0	9.0
8/27/2016 19:00	BDL	BDL	BDL	10.0	0.2	2.1	13.0	8.0
8/27/2016 20:00	BDL	BDL	BDL	5.2	0.2	2.1	14.0	12.0
8/27/2016 21:00	BDL	BDL	BDL	8.1	0.2	2.2	16.0	9.0
8/27/2016 22:00	BDL	BDL	BDL	5.9	0.2	2.2	23.0	9.0
8/27/2016 23:00	BDL	BDL	BDL	5.9	0.2	2.2	17.0	11.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 8/28/2016-9/3/2016								
8/28/2016 0:00	BDL	BDL	BDL	6.9	0.2	2.2	15.0	8.0
8/28/2016 1:00	BDL	BDL	BDL	10.9	0.2	2.2	15.0	10.0
8/28/2016 2:00	BDL	Calibration	Calibration	8.4	0.2	2.2	11.0	13.0
8/28/2016 3:00	BDL	Calibration	Calibration	6.9	0.2	2.2	12.0	9.0
8/28/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	16.0	6.0
8/28/2016 5:00	BDL	BDL	BDL	9.3	0.3	2.2	18.0	10.0
8/28/2016 6:00	BDL	BDL	BDL	13.7	0.4	2.3	16.0	8.0
8/28/2016 7:00	BDL	BDL	1.0	Calibration	0.3	2.3	12.0	7.0
8/28/2016 8:00	BDL	BDL	BDL	5.2	0.2	2.3	12.0	6.0
8/28/2016 9:00	BDL	BDL	BDL	3.9	0.2	2.2	16.0	6.0
8/28/2016 10:00	BDL	BDL	BDL	6.2	0.2	2.2	17.0	7.0
8/28/2016 11:00	BDL	BDL	BDL	1.8	0.2	2.3	15.0	6.0
8/28/2016 12:00	BDL	BDL	BDL	0.8	0.2	2.3	17.0	5.0
8/28/2016 13:00	BDL	BDL	BDL	1.3	0.2	2.3	12.0	8.0
8/28/2016 14:00	BDL	BDL	BDL	BDL	0.1	2.5	15.0	8.0
8/28/2016 15:00	BDL	BDL	BDL	BDL	0.1	2.4	12.0	9.0
8/28/2016 16:00	BDL	BDL	BDL	3.3	0.2	2.4	12.0	8.0
8/28/2016 17:00	BDL	BDL	BDL	BDL	0.2	2.5	18.0	7.0
8/28/2016 18:00	BDL	BDL	BDL	3.7	0.2	2.6	16.0	8.0
8/28/2016 19:00	BDL	BDL	1.1	4.3	0.2	2.8	21.0	8.0
8/28/2016 20:00	BDL	BDL	1.6	6.8	0.2	2.8	17.0	6.0
8/28/2016 21:00	BDL	BDL	1.1	9.2	0.2	2.6	15.0	9.0
8/28/2016 22:00	BDL	BDL	BDL	3.4	0.2	2.6	15.0	8.0
8/28/2016 23:00	BDL	BDL	BDL	5.8	0.2	2.9	10.0	6.0
8/29/2016 0:00	BDL	BDL	1.0	5.9	0.2	2.5	8.0	6.0
8/29/2016 1:00	BDL	BDL	BDL	3.8	0.1	2.9	7.0	4.0
8/29/2016 2:00	BDL	Calibration	Calibration	9.6	0.2	2.9	13.0	2.0
8/29/2016 3:00	BDL	Calibration	Calibration	7.6	0.2	3.2	8.0	5.0
8/29/2016 4:00	Calibration	0.4	1.6	Calibration	Calibration	Calibration	18.0	6.0
8/29/2016 5:00	BDL	BDL	BDL	15.1	0.2	2.6	16.0	7.0
8/29/2016 6:00	BDL	BDL	BDL	6.2	0.2	2.4	17.0	8.0
8/29/2016 7:00	BDL	BDL	BDL	10.1	0.2	2.2	38.0	7.0
8/29/2016 8:00	BDL	BDL	BDL	9.4	0.2	2.1	25.0	8.0
8/29/2016 9:00	BDL	BDL	BDL	7.9	0.2	2.0	26.0	8.0
8/29/2016 10:00	BDL	BDL	BDL	7.1	0.2	2.0	37.0	22.0
8/29/2016 11:00	BDL	BDL	BDL	7.5	0.2	1.9	23.0	13.0
8/29/2016 12:00	BDL	BDL	BDL	3.1	0.2	2.0	25.0	9.0
8/29/2016 13:00	BDL	BDL	BDL	2.2	0.2	1.9	26.0	13.0
8/29/2016 14:00	BDL	BDL	BDL	1.9	0.2	2.0	26.0	13.0
8/29/2016 15:00	BDL	BDL	BDL	1.1	0.2	1.9	19.0	14.0
8/29/2016 16:00	BDL	BDL	BDL	2.6	0.1	2.0	21.0	9.0
8/29/2016 17:00	BDL	BDL	BDL	1.4	0.1	2.0	21.0	9.0
8/29/2016 18:00	BDL	BDL	BDL	4.8	0.2	2.0	17.0	10.0
8/29/2016 19:00	BDL	BDL	BDL	6.6	0.2	2.1	17.0	7.0
8/29/2016 20:00	BDL	BDL	BDL	8.9	0.2	2.1	14.0	9.0
8/29/2016 21:00	BDL	BDL	BDL	6.1	0.2	1.9	11.0	8.0
8/29/2016 22:00	BDL	BDL	BDL	6.0	0.2	1.9	11.0	5.0
8/29/2016 23:00	BDL	BDL	BDL	9.8	0.2	1.9	11.0	8.0
8/30/2016 0:00	BDL	BDL	BDL	5.3	0.2	1.9	11.0	8.0
8/30/2016 1:00	BDL	BDL	BDL	4.3	0.1	1.9	7.0	8.0
8/30/2016 2:00	BDL	Calibration	Calibration	6.2	0.1	2.0	12.0	7.0
8/30/2016 3:00	BDL	Calibration	Calibration	6.9	0.1	2.0	8.0	5.0
8/30/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	8.0	7.0
8/30/2016 5:00	BDL	BDL	BDL	12.3	0.2	2.0	13.0	8.0
8/30/2016 6:00	BDL	BDL	BDL	19.5	0.2	2.0	11.0	6.0
8/30/2016 7:00	BDL	BDL	BDL	25.8	0.2	2.0	23.0	7.0
8/30/2016 8:00	BDL	BDL	BDL	21.5	0.2	2.1	24.0	9.0
8/30/2016 9:00	0.4	Too few samples	Too few samples	18.0	0.2	2.0	40.0	7.0
8/30/2016 10:00	BDL	Calibration	Calibration	12.0	0.2	1.8	30.0	13.0
8/30/2016 11:00	BDL	BDL	BDL	7.4	0.2	Calibration	23.0	9.0
8/30/2016 12:00	Too few samples	BDL	BDL	Too few samples	Too few samples	Too few samples	27.0	12.0
8/30/2016 13:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	28.0	13.0
8/30/2016 14:00	0.9	BDL	BDL	5.6	0.2	2.2	30.0	13.0
8/30/2016 15:00	0.6	BDL	BDL	4.3	0.2	2.3	25.0	9.0
8/30/2016 16:00	1.1	BDL	BDL	8.7	0.2	2.3	24.0	16.0
8/30/2016 17:00	1.0	BDL	BDL	7.8	0.2	2.2	22.0	15.0
8/30/2016 18:00	BDL	BDL	BDL	1.7	0.2	2.3	19.0	8.0
8/30/2016 19:00	BDL	BDL	BDL	4.7	0.2	2.0	23.0	7.0
8/30/2016 20:00	BDL	BDL	BDL	3.1	0.2	2.1	20.0	14.0
8/30/2016 21:00	BDL	BDL	1.4	2.1	0.2	2.0	20.0	8.0
8/30/2016 22:00	BDL	BDL	1.4	2.8	0.2	2.0	17.0	12.0
8/30/2016 23:00	BDL	BDL	1.0	2.7	0.3	2.1	19.0	10.0
8/31/2016 0:00	BDL	BDL	BDL	6.7	0.3	2.1	8.0	10.0
8/31/2016 1:00	BDL	BDL	BDL	10.9	0.3	2.0	17.0	13.0
8/31/2016 2:00	BDL	Calibration	Calibration	7.6	0.2	2.1	27.0	12.0
8/31/2016 3:00	BDL	Calibration	Calibration	5.8	0.3	2.2	17.0	11.0
8/31/2016 4:00	Calibration	BDL	1.5	Calibration	Calibration	Calibration	19.0	13.0
8/31/2016 5:00	BDL	1.0	2.4	14.6	0.3	4.2	24.0	13.0
8/31/2016 6:00	BDL	BDL	1.8	36.3	0.4	4.2	28.0	14.0
8/31/2016 7:00	BDL	Audit	Audit	26.9	0.3	3.4	37.0	13.0
8/31/2016 8:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	60.0	27.0
8/31/2016 9:00	1.3	0.7	2.0	Calibration	0.4	Calibration	53.0	21.0
8/31/2016 10:00	Too few samples	BDL	1.2	Too few samples	Too few samples	Calibration	51.0	19.0
8/31/2016 11:00	2.2	BDL	BDL	11.7	0.2	2.7	39.0	15.0
8/31/2016 12:00	1.3	BDL	BDL	7.8	0.2	2.7	35.0	14.0
8/31/2016 13:00	1.1	BDL	BDL	4.6	0.2	3.0	38.0	13.0
8/31/2016 14:00	0.9	BDL	BDL	3.0	0.2	2.7	32.0	15.0
8/31/2016 15:00	1.5	BDL	BDL	8.3	0.2	2.6	27.0	16.0
8/31/2016 16:00	1.8	BDL	BDL	10.1	0.2	2.6	37.0	15.0
8/31/2016 17:00	2.4	BDL	BDL	9.1	0.2	2.5	30.0	16.0
8/31/2016 18:00	1.2	BDL	BDL	4.4	0.2	2.7	28.0	17.0
8/31/2016 19:00	1.4	BDL	BDL	7.3	0.2	2.8	34.0	15.0
8/31/2016 20:00	0.9	BDL	1.5	4.3	0.2	2.8	27.0	15.0
8/31/2016 21:00	0.8	BDL	1.6	7.1	0.2	2.6	17.0	15.0
8/31/2016 22:00	0.4	0.7	2.0	6.4	0.2	2.9	12.0	13.0
8/31/2016 23:00	BDL	1.1	2.7	7.0	0.2	3.3	17.0	12.0
9/1/2016 0:00	0.5	BDL	2.1	7.8	0.2	2.9	17.0	14.0
9/1/2016 1:00	0.4	BDL	1.9	6.3	0.2	3.1	19.0	12.0
9/1/2016 2:00	BDL	Calibration	Calibration	8.0	0.2	2.7	17.0	12.0
9/1/2016 3:00	BDL	Calibration	Calibration	4.5	0.2	2.6	14.0	11.0
9/1/2016 4:00	Calibration	BDL	1.1	Calibration	Calibration	Calibration	26.0	13.0
9/1/2016 5:00	BDL	0.5	1.8	34.0	0.4	2.2	29.0	20.0
9/1/2016 6:00	BDL	BDL	1.5	24.4	0.3	2.3	18.0	16.0
9/1/2016 7:00	BDL	BDL	1.0	26.1	0.4	2.5	25.0	17.0
9/1/2016 8:00	BDL	BDL	1.0	28.9	0.4	2.3	26.0	16.0
9/1/2016 9:00	BDL	BDL	1.1	19.8	0.3	2.4	44.0	15.0
9/1/2016 10:00	BDL	BDL	BDL	13.7	0.3	2.4	29.0	9.0
9/1/2016 11:00	BDL	BDL	BDL	11.7	0.3	2.3	22.0	9.0
9/1/2016 12:00	0.5	BDL	BDL	8.7	0.3	2.4	21.0	17.0
9/1/2016 13:00	0.5	BDL	BDL	6.4	0.2	2.3	23.0	17.0
9/1/2016 14:00	0.5	BDL	BDL	6.1	0.2	2.2	20.0	13.0
9/1/2016 15:00	BDL	BDL	BDL	3.8	0.2	2.2	17.0	9.0
9/1/2016 16:00	BDL	BDL	BDL	6.1	0.3	2.3	21.0	10.0
9/1/2016 17:00	BDL	BDL	BDL	5.5	0.2	2.2	18.0	13.0
9/1/2016 18:00	BDL	BDL	BDL	4.4	0.2	2.2	18.0	14.0
9/1/2016 19:00	BDL	BDL	BDL	3.7	0.2	2.3	20.0	12.0
9/1/2016 20:00	BDL	BDL	BDL	6.3	0.2	2.2	12.0	8.0
9/1/2016 21:00	BDL	BDL	BDL	9.7	0.2	2.3	17.0	9.0
9/1/2016 22:00	BDL	BDL	BDL	9.6	0.2	2.4	17.0	7.0
9/1/2016 23:00	BDL	BDL	BDL	7.2	0.2	2.4	12.0	5.0
9/2/2016 0:00	BDL	BDL	BDL	6.4	0.1	2.4	16.0	4.0
9/2/2016 1:00	0.5	BDL	BDL	4.9	0.1	2.3	15.0	5.0
9/2/2016 2:00	0.5	Calibration	Calibration	4.2	0.1	0.5	2.4	10.0	3.0
9/2/2016 3:00	0.5	Calibration	Calibration	4.7	0.1	2.4	12.0	2.0
9/2/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	8.0	4.0
9/2/2016 5:00	0.7	BDL	BDL	8.0	0.1	2.4	10.0	8.0
9/2/2016 6:00	0.7	BDL	BDL	12.1	0.1	2.4	17.0	7.0
9/2/2016 7:00	0.6	BDL	BDL	14.6	0.1	2.4	16.0	7.0
9/2/2016 8:00	0.6	BDL	BDL	16.6	0.2	2.4	20.0	7.0
9/2/2016 9:00	0.4	BDL	BDL	13.7	0.2	2.4	17.0	6.0
9/2/2016 10:00	BDL	BDL	BDL	9.8	0.1	2.3	15.0	7.0
9/2/2016 11:00	BDL	BDL	BDL	7.1	0.1	2.3	19.0	5.0
9/2/2016 12:00	BDL	BDL	BDL	4.0	0.1	2.3	10.0	3.0
9/2/2016 13:00	BDL	BDL	BDL	2.3	0.1	2.3	13.0	5.0
9/2/2016 14:00	BDL	BDL	BDL	2.6	0.1	2.3	12.0	4.0
9/2/2016 15:00	BDL	BDL	BDL	3.8	0.1	2.2	12.0	3.0
9/2/2016 16:00	BDL	BDL	BDL	3.7	0.1	2.2	9.0	6.0
9/2/2016 17:00	BDL	BDL	BDL	5.2	0.2	2.2	8.0	7.0
9/2/2016 18:00	BDL	BDL	BDL	5.9	0.2	2.2	13.0	5.0
9/2/2016 19:00	BDL	BDL	BDL	9.3	0.2	2.2	13.0	4.0
9/2/2016 20:00	BDL	BDL	BDL	8.1	0.2	2.2	14.0	4.0
9/2/2016 21:00	BDL	BDL	BDL	10.7	0.3	2.3	16.0	7.0
9/2/2016 22:00	BDL	BDL	BDL	16.9	0.3	2.4	16.0	8.0
9/2/2016 23:00	BDL	BDL	BDL	16.9	0.4	2.3	21.0	10.0
9/3/2016 0:00	BDL	BDL	BDL	11.5	0.3	2.3	14.0	7.0
9/3/2016 1:00	BDL	BDL	BDL	11.9	0.3	2.3	17.0	9.0
9/3/2016 2:00	BDL	Calibration	Calibration	9.5	0.2	2.3	17.0	7.0
9/3/2016 3:00	BDL	Calibration	Calibration	12.2	0.3	2.6	14.0	10.0
9/3/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	13.0	9.0
9/3/2016 5:00	BDL	BDL	BDL	10.3	0.2	2.4	12.0	6.0
9/3/2016 6:00	BDL	BDL	BDL	11.0	0.2	2.4	19.0	5.0
9/3/2016 7:00	BDL	BDL	BDL	13.4	0.2	2.4	19.0	7.0
9/3/2016 8:00	BDL	BDL	BDL	12.9	0.2	2.4	20.0	7.0
9/3/2016 9:00	BDL	BDL	BDL	12.9	0.2	2.3	16.0	6.0
9/3/2016 10:00	BDL	BDL	BDL	8.7	0.2	2.3	17.0	10.0
9/3/2016 11:00	BDL	BDL	BDL	8.5	0.2	2.2	20.0	8.0
9/3/2016 12:00	BDL	BDL	BDL	3.2	0.2	2.2	24.0	6.0
9/3/2016 13:00	BDL	BDL	BDL	2.1	0.1	2.1	21.0	8.0
9/3/2016 14:00	BDL	BDL	BDL	1.8	0.1	2.1	20.0	6.0
9/3/2016 15:00	BDL	BDL	BDL	7.8	0.1	2.1	15.0	5.0
9/3/2016 16:00	BDL	BDL	BDL	2.4	0.1	2.1	19.0	6.0
9/3/2016 17:00	BDL	BDL	BDL	8.4	0.2	2.1	16.0	6.0
9/3/2016 18:00	BDL	BDL	BDL	4.4	0.2	2.2	18.0	8.0
9/3/2016 19:00	BDL	BDL	BDL	4.6	0.2	2.2	19.0	8.0
9/3/2016 20:00	BDL	BDL	BDL	4.8	0.2	2.2	17.0	8.0
9/3/2016 21:00	BDL	BDL	BDL	5.9	0.2	2.2	13.0	8.0
9/3/2016 22:00	BDL	BDL	BDL	6.7	0.2	2.2	10.0	9.0
9/3/2016 23:00	BDL	BDL	BDL	11.5	0.2	2.4	12.0	8.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 9/4/2016-9/10/2016								
9/4/2016 0:00	BDL	BDL	BDL	9.7	0.2	2.3	17.0	9.0
9/4/2016 1:00	BDL	BDL	BDL	7.8	0.2	2.4	14.0	10.0
9/4/2016 2:00	BDL	Calibration	Calibration	9.5	0.2	2.5	21.0	9.0
9/4/2016 3:00	BDL	Calibration	Calibration	7.4	0.2	2.5	15.0	8.0
9/4/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	11.0	6.0
9/4/2016 5:00	BDL	BDL	BDL	5.7	0.2	2.6	13.0	9.0
9/4/2016 6:00	BDL	BDL	BDL	4.6	0.2	2.4	16.0	10.0
9/4/2016 7:00	BDL	BDL	BDL	5.4	0.2	2.4	20.0	12.0
9/4/2016 8:00	BDL	BDL	BDL	3.4	0.1	2.3	10.0	7.0
9/4/2016 9:00	BDL	BDL	BDL	2.1	0.1	2.3	12.0	5.0
9/4/2016 10:00	BDL	BDL	BDL	2.6	0.1	2.3	18.0	5.0
9/4/2016 11:00	BDL	BDL	BDL	2.6	0.1	2.3	13.0	5.0
9/4/2016 12:00	BDL	BDL	BDL	2.6	0.1	2.2	16.0	9.0
9/4/2016 13:00	BDL	BDL	BDL	2.9	0.1	2.2	11.0	7.0
9/4/2016 14:00	BDL	BDL	BDL	4.9	0.1	2.3	17.0	7.0
9/4/2016 15:00	BDL	BDL	BDL	3.8	0.1	2.2	12.0	7.0
9/4/2016 16:00	BDL	BDL	BDL	3.7	0.2	2.2	15.0	8.0
9/4/2016 17:00	BDL	BDL	BDL	3.2	0.2	2.2	17.0	8.0
9/4/2016 18:00	BDL	BDL	BDL	3.7	0.1	2.2	17.0	6.0
9/4/2016 19:00	BDL	BDL	BDL	5.3	0.2	2.2	17.0	6.0
9/4/2016 20:00	BDL	BDL	BDL	8.8	0.2	2.2	18.0	7.0
9/4/2016 21:00	BDL	BDL	BDL	11.1	0.2	2.3	17.0	8.0
9/4/2016 22:00	0.4	BDL	BDL	21.4	0.4	2.3	19.0	10.0
9/4/2016 23:00	0.5	BDL	BDL	28.1	0.5	2.4	21.0	11.0
9/5/2016 0:00	BDL	BDL	1.3	33.0	0.5	2.6	25.0	14.0
9/5/2016 1:00	0.5	BDL	1.0	40.4	0.7	3.5	31.0	20.0
9/5/2016 2:00	0.4	Calibration	Calibration	33.7	0.7	3.1	31.0	17.0
9/5/2016 3:00	BDL	Calibration	Calibration	19.0	0.4	2.9	20.0	17.0
9/5/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	25.0	11.0
9/5/2016 5:00	BDL	BDL	BDL	5.8	0.1	2.4	9.0	12.0
9/5/2016 6:00	BDL	BDL	BDL	8.2	0.2	2.7	13.0	10.0
9/5/2016 7:00	BDL	BDL	BDL	7.7	0.2	2.6	15.0	7.0
9/5/2016 8:00	BDL	BDL	BDL	8.0	0.2	2.5	19.0	7.0
9/5/2016 9:00	BDL	BDL	BDL	7.2	0.1	2.6	14.0	8.0
9/5/2016 10:00	BDL	BDL	BDL	4.0	0.1	2.3	18.0	6.0
9/5/2016 11:00	BDL	BDL	BDL	3.4	0.1	2.2	10.0	5.0
9/5/2016 12:00	BDL	BDL	BDL	2.9	0.1	2.3	22.0	8.0
9/5/2016 13:00	BDL	BDL	BDL	1.0	0.1	2.3	12.0	7.0
9/5/2016 14:00	BDL	BDL	BDL	1.6	0.1	2.2	11.0	8.0
9/5/2016 15:00	BDL	BDL	BDL	1.4	0.1	2.2	12.0	6.0
9/5/2016 16:00	BDL	BDL	BDL	0.7	0.1	2.3	13.0	9.0
9/5/2016 17:00	BDL	BDL	BDL	BDL	0.1	2.3	12.0	8.0
9/5/2016 18:00	BDL	BDL	BDL	0.8	0.2	2.2	14.0	9.0
9/5/2016 19:00	BDL	BDL	BDL	1.9	0.2	2.5	21.0	9.0
9/5/2016 20:00	BDL	BDL	BDL	6.1	0.2	2.5	16.0	11.0
9/5/2016 21:00	BDL	BDL	BDL	6.3	0.2	2.5	13.0	9.0
9/5/2016 22:00	BDL	BDL	BDL	5.8	0.2	2.4	17.0	7.0
9/5/2016 23:00	BDL	BDL	BDL	3.9	0.2	2.3	17.0	6.0
9/6/2016 0:00	BDL	BDL	BDL	4.5	0.1	2.5	11.0	7.0
9/6/2016 1:00	BDL	BDL	BDL	3.0	0.1	2.5	15.0	7.0
9/6/2016 2:00	BDL	Calibration	Calibration	BDL	0.1	2.4	11.0	7.0
9/6/2016 3:00	BDL	Calibration	Calibration	BDL	0.1	2.3	13.0	7.0
9/6/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	14.0	6.0
9/6/2016 5:00	BDL	BDL	BDL	1.3	0.1	2.4	18.0	7.0
9/6/2016 6:00	0.4	BDL	BDL	2.5	0.1	2.4	15.0	10.0
9/6/2016 7:00	0.6	BDL	BDL	4.6	0.1	2.4	21.0	11.0
9/6/2016 8:00	0.8	BDL	BDL	6.4	0.1	2.4	24.0	9.0
9/6/2016 9:00	0.7	BDL	BDL	7.3	0.2	2.4	30.0	9.0
9/6/2016 10:00	0.5	BDL	BDL	6.0	0.1	2.4	30.0	9.0
9/6/2016 11:00	BDL	BDL	BDL	4.5	0.1	2.3	19.0	7.0
9/6/2016 12:00	BDL	BDL	BDL	3.6	0.1	2.2	21.0	8.0
9/6/2016 13:00	BDL	BDL	BDL	2.8	0.1	2.3	15.0	6.0
9/6/2016 14:00	BDL	BDL	BDL	4.8	0.2	2.2	14.0	4.0
9/6/2016 15:00	BDL	BDL	BDL	4.9	0.2	2.2	18.0	3.0
9/6/2016 16:00	BDL	BDL	BDL	4.6	0.2	2.1	19.0	3.0
9/6/2016 17:00	BDL	BDL	BDL	5.1	0.2	2.2	16.0	2.0
9/6/2016 18:00	BDL	BDL	BDL	4.8	0.2	2.1	12.0	3.0
9/6/2016 19:00	BDL	BDL	BDL	3.3	0.2	2.0	14.0	5.0
9/6/2016 20:00	BDL	BDL	BDL	4.2	0.2	2.1	11.0	4.0
9/6/2016 21:00	BDL	BDL	BDL	4.0	0.2	2.1	15.0	2.0
9/6/2016 22:00	BDL	BDL	BDL	3.9	0.2	2.0	11.0	4.0
9/6/2016 23:00	BDL	BDL	BDL	5.0	0.2	2.2	7.0	5.0
9/7/2016 0:00	BDL	BDL	BDL	3.5	0.2	2.2	6.0	3.0
9/7/2016 1:00	BDL	BDL	BDL	4.7	0.1	2.2	11.0	2.0
9/7/2016 2:00	BDL	Calibration	Calibration	3.0	0.1	2.2	6.0	4.0
9/7/2016 3:00	BDL	Calibration	Calibration	2.4	0.1	2.2	8.0	4.0
9/7/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	10.0	3.0
9/7/2016 5:00	BDL	BDL	BDL	6.9	0.2	2.2	7.0	3.0
9/7/2016 6:00	BDL	BDL	BDL	6.7	0.2	2.2	9.0	4.0
9/7/2016 7:00	BDL	BDL	BDL	13.6	0.2	2.2	43.0	4.0
9/7/2016 8:00	BDL	BDL	BDL	12.2	0.2	2.2	25.0	5.0
9/7/2016 9:00	BDL	BDL	BDL	7.4	0.2	2.1	14.0	6.0
9/7/2016 10:00	BDL	BDL	BDL	7.2	0.2	2.1	28.0	8.0
9/7/2016 11:00	BDL	BDL	BDL	3.0	0.1	2.1	31.0	7.0
9/7/2016 12:00	BDL	BDL	BDL	2.1	0.1	2.2	11.0	6.0
9/7/2016 13:00	BDL	BDL	BDL	2.8	0.1	2.1	24.0	6.0
9/7/2016 14:00	BDL	BDL	BDL	1.4	0.1	2.1	19.0	7.0
9/7/2016 15:00	BDL	BDL	BDL	1.9	0.1	2.1	12.0	8.0
9/7/2016 16:00	BDL	BDL	BDL	1.2	0.1	2.1	21.0	5.0
9/7/2016 17:00	BDL	BDL	BDL	2.7	0.2	2.0	13.0	2.0
9/7/2016 18:00	BDL	BDL	BDL	5.4	0.2	2.0	12.0	7.0
9/7/2016 19:00	BDL	BDL	BDL	12.9	0.2	2.0	14.0	5.0
9/7/2016 20:00	BDL	BDL	BDL	14.9	0.3	2.1	12.0	6.0
9/7/2016 21:00	BDL	BDL	BDL	10.5	0.3	2.1	17.0	8.0
9/7/2016 22:00	BDL	BDL	BDL	10.8	0.3	2.1	13.0	11.0
9/7/2016 23:00	BDL	BDL	BDL	9.0	0.2	2.1	18.0	9.0
9/8/2016 0:00	BDL	BDL	BDL	8.0	0.2	2.1	14.0	7.0
9/8/2016 1:00	BDL	BDL	BDL	8.8	0.2	2.2	19.0	8.0
9/8/2016 2:00	BDL	Calibration	Calibration	8.5	0.2	2.1	17.0	9.0
9/8/2016 3:00	BDL	Calibration	Calibration	6.7	0.2	2.1	18.0	8.0
9/8/2016 4:00	Calibration	BDL	1.0	Calibration	Calibration	Calibration	23.0	8.0
9/8/2016 5:00	BDL	BDL	BDL	13.0	0.2	2.1	19.0	7.0
9/8/2016 6:00	BDL	BDL	BDL	17.6	0.3	2.2	20.0	10.0
9/8/2016 7:00	BDL	2.2	2.1	33.6	0.3	3.6	38.0	14.0
9/8/2016 8:00	0.9	1.4	2.5	23.7	0.3	2.8	40.0	18.0
9/8/2016 9:00	0.9	BDL	1.2	17.2	0.3	2.4	39.0	14.0
9/8/2016 10:00	0.7	BDL	BDL	7.3	0.2	2.4	27.0	11.0
9/8/2016 11:00	Audit	Audit	Audit	Audit	Audit	Audit	46.0	8.0
9/8/2016 12:00	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit
9/8/2016 13:00	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit
9/8/2016 14:00	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit
9/8/2016 15:00	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit
9/8/2016 16:00	Too few samples	Audit	Audit	Too few samples	Too few samples	Audit	Invalid	Invalid
9/8/2016 17:00	BDL	Too few samples	Too few samples	8.0	0.2	Too few samples	24.0	44.0
9/8/2016 18:00	BDL	BDL	BDL	8.8	0.2	2.8	29.0	37.0
9/8/2016 19:00	BDL	BDL	BDL	16.4	0.3	2.8	31.0	37.0
9/8/2016 20:00	BDL	BDL	1.0	21.9	0.3	3.0	21.0	33.0
9/8/2016 21:00	BDL	BDL	BDL	18.3	0.3	3.0	28.0	33.0
9/8/2016 22:00	BDL	BDL	1.0	15.7	0.3	3.1	31.0	35.0
9/8/2016 23:00	BDL	BDL	2.1	17.3	0.3	3.7	25.0	30.0
9/9/2016 0:00	BDL	BDL	1.0	16.2	0.3	3.2	25.0	33.0
9/9/2016 1:00	BDL	BDL	BDL	12.2	0.3	3.1	37.0	40.0
9/9/2016 2:00	BDL	Calibration	Calibration	15.1	0.2	3.2	24.0	27.0
9/9/2016 3:00	BDL	Calibration	Calibration	12.7	0.3	3.0	34.0	33.0
9/9/2016 4:00	Calibration	BDL	1.0	Calibration	Calibration	Calibration	26.0	32.0
9/9/2016 5:00	0.7	BDL	1.3	14.7	0.3	3.1	27.0	33.0
9/9/2016 6:00	BDL	BDL	1.1	14.9	0.3	2.9	22.0	34.0
9/9/2016 7:00	BDL	BDL	1.5	15.6	0.3	2.4	27.0	35.0
9/9/2016 8:00	BDL	Audit	Audit	22.6	0.3	BDL	Audit	Audit
9/9/2016 9:00	BDL	Audit	Audit	15.0	0.2	BDL	Invalid	Invalid
9/9/2016 10:00	BDL	Audit	Audit	9.8	0.2	BDL	45.0	49.0
9/9/2016 11:00	BDL	Audit	Audit	2.4	0.2	BDL	22.0	15.0
9/9/2016 12:00	0.7	Audit	Audit	12.8	0.2	BDL	41.0	35.0
9/9/2016 13:00	1.7	Audit	Audit	8.9	0.2	BDL	123.0	69.0
9/9/2016 14:00	2.0	Audit	Audit	7.1	0.2	BDL	40.0	17.0
9/9/2016 15:00	1.6	Audit	Audit	4.0	0.2	BDL	24.0	15.0
9/9/2016 16:00	1.5	BDL	BDL	4.9	0.2	BDL	31.0	12.0
9/9/2016 17:00	1.7	BDL	BDL	6.6	0.2	BDL	31.0	15.0
9/9/2016 18:00	1.2	8.4	3.4	5.2	0.2	3.4	32.0	11.0
9/9/2016 19:00	1.6	1.2	BDL	17.3	0.2	0.2	25.0	12.0
9/9/2016 20:00	2.1	BDL	BDL	13.7	0.3	0.3	31.0	15.0
9/9/2016 21:00	1.3	5.4	4.5	21.5	0.4	2.9	28.0	13.0
9/9/2016 22:00	0.7	2.5	1.2	22.3	0.4	0.2	23.0	16.0
9/9/2016 23:00	0.6	1.9	2.8	35.9	0.5	0.4	27.0	15.0
9/10/2016 0:00	0.4	1.5	1.3	28.0	0.5	0.4	27.0	17.0
9/10/2016 1:00	BDL	1.3	BDL	18.9	0.4	BDL	27.0	17.0
9/10/2016 2:00	BDL	Calibration	Calibration	13.4	0.3	BDL	25.0	17.0
9/10/2016 3:00	BDL	Calibration	Calibration	9.2	0.3	BDL	28.0	17.0
9/10/2016 4:00	Calibration	2.2	1.9	Calibration	Calibration	Calibration	26.0	15.0
9/10/2016 5:00	BDL	2.4	2.2	17.5	0.3	BDL	23.0	18.0
9/10/2016 6:00	BDL	1.8	1.6	12.4	0.4	BDL	29.0	15.0
9/10/2016 7:00	BDL	2.5	2.0	13.1	0.3	0.2	30.0	18.0
9/10/2016 8:00	BDL	1.8	1.4	16.6	0.3	0.2	37.0	23.0
9/10/2016 9:00	BDL	1.1	BDL	12.9	0.3	0.1	38.0	21.0
9/10/2016 10:00	BDL	0.7	BDL	6.5	0.3	BDL	34.0	22.0
9/10/2016 11:00	BDL	0.5	BDL	7.3	0.3	0.2	34.0	24.0
9/10/2016 12:00	BDL	BDL	BDL	3.7	0.2	0.4	28.0	19.0
9/10/2016 13:00	BDL	BDL	BDL	1.5	0.2	0.2	27.0	13.0
9/10/2016 14:00	BDL	BDL	BDL	1.9	0.2	0.2	31.0	11.0
9/10/2016 15:00	BDL	0.6	BDL	2.4	0.3	BDL	53.0	16.0
9/10/2016 16:00	BDL	0.7	BDL	1.7	0.3	BDL	39.0	11.0
9/10/2016 17:00	BDL	0.6	BDL	2.8	0.2	BDL	25.0	10.0
9/10/2016 18:00	BDL	0.7	BDL	2.5	0.3	BDL	42.0	19.0
9/10/2016 19:00	BDL	0.6	BDL	2.7	0.3	BDL	32.0	12.0
9/10/2016 20:00	BDL	0.6	BDL	1.8	0.3	BDL	36.0	20.0
9/10/2016 21:00	BDL	0.9	BDL	1.5	0.2	BDL	31.0	14.0
9/10/2016 22:00	BDL	1.6	1.4	4.1	0.2	BDL	28.0	17.0
9/10/2016 23:00	BDL	1.9	1.6	1.6	0.2	0.2	26.0	16.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 9/11/2016-9/17/2016								
9/11/2016 0:00	BDL	1.7	1.4	2.6	0.3	BDL	17.0	6.0
9/11/2016 1:00	BDL	1.5	1.3	0.6	0.2	BDL	21.0	13.0
9/11/2016 2:00	BDL	Calibration	Calibration	0.5	0.2	0.1	14.0	10.0
9/11/2016 3:00	BDL	Calibration	Calibration	BDL	0.2	0.1	22.0	9.0
9/11/2016 4:00	Calibration	2.1	2.2	Calibration	Calibration	Calibration	22.0	11.0
9/11/2016 5:00	BDL	1.9	1.5	5.2	0.2	0.2	19.0	10.0
9/11/2016 6:00	BDL	0.9	0.6	4.1	0.2	0.2	24.0	8.0
9/11/2016 7:00	BDL	0.6	BDL	Too few samples	0.2	BDL	34.0	24.0
9/11/2016 8:00	0.5	0.4	BDL	2.4	0.2	BDL	23.0	10.0
9/11/2016 9:00	BDL	BDL	BDL	BDL	0.1	BDL	15.0	6.0
9/11/2016 10:00	BDL	BDL	BDL	BDL	0.1	BDL	24.0	1.0
9/11/2016 11:00	0.5	BDL	BDL	BDL	0.1	BDL	15.0	1.0
9/11/2016 12:00	0.6	BDL	BDL	BDL	0.1	BDL	14.0	3.0
9/11/2016 13:00	0.5	BDL	BDL	BDL	0.1	BDL	11.0	3.0
9/11/2016 14:00	0.6	BDL	BDL	BDL	0.1	BDL	7.0	2.0
9/11/2016 15:00	0.6	BDL	BDL	BDL	0.1	BDL	10.0	3.0
9/11/2016 16:00	0.5	BDL	BDL	BDL	0.1	BDL	7.0	2.0
9/11/2016 17:00	BDL	BDL	BDL	BDL	0.1	BDL	5.0	2.0
9/11/2016 18:00	BDL	BDL	BDL	BDL	0.1	BDL	9.0	2.0
9/11/2016 19:00	BDL	BDL	BDL	0.9	0.1	BDL	7.0	1.0
9/11/2016 20:00	BDL	BDL	BDL	6.5	0.2	BDL	7.0	BDL
9/11/2016 21:00	0.4	BDL	BDL	8.0	0.2	BDL	9.0	2.0
9/11/2016 22:00	BDL	BDL	BDL	3.3	0.1	BDL	11.0	5.0
9/11/2016 23:00	BDL	BDL	BDL	1.8	0.1	BDL	10.0	3.0
9/12/2016 0:00	BDL	BDL	BDL	2.0	0.1	BDL	9.0	BDL
9/12/2016 1:00	BDL	BDL	BDL	2.5	BDL	BDL	6.0	BDL
9/12/2016 2:00	BDL	Calibration	Calibration	1.6	BDL	BDL	5.0	2.0
9/12/2016 3:00	BDL	Calibration	Calibration	7.8	BDL	BDL	9.0	2.0
9/12/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	Invalid	2.0
9/12/2016 5:00	BDL	BDL	BDL	11.9	0.1	BDL	Invalid	2.0
9/12/2016 6:00	BDL	BDL	BDL	17.3	0.1	BDL	Invalid	4.0
9/12/2016 7:00	0.4	BDL	BDL	28.1	0.2	BDL	Invalid	4.0
9/12/2016 8:00	0.5	0.5	BDL	31.8	0.2	BDL	Invalid	4.0
9/12/2016 9:00	0.6	0.5	BDL	25.3	0.2	BDL	Invalid	4.0
9/12/2016 10:00	0.5	BDL	BDL	18.2	0.1	BDL	Invalid	7.0
9/12/2016 11:00	0.4	BDL	BDL	16.4	0.1	BDL	21.0	5.0
9/12/2016 12:00	BDL	BDL	BDL	10.8	0.1	BDL	16.0	1.0
9/12/2016 13:00	BDL	BDL	BDL	3.0	0.1	BDL	10.0	4.0
9/12/2016 14:00	BDL	BDL	BDL	1.4	0.1	BDL	10.0	4.0
9/12/2016 15:00	1.4	BDL	BDL	4.5	0.04	BDL	12.0	2.0
9/12/2016 16:00	0.4	BDL	BDL	4.4	0.1	BDL	24.0	2.0
9/12/2016 17:00	0.4	BDL	BDL	5.7	0.1	BDL	19.0	4.0
9/12/2016 18:00	0.4	BDL	BDL	7.3	0.1	BDL	21.0	4.0
9/12/2016 19:00	BDL	BDL	BDL	3.6	0.1	BDL	17.0	2.0
9/12/2016 20:00	BDL	BDL	BDL	3.0	0.1	BDL	18.0	3.0
9/12/2016 21:00	BDL	BDL	BDL	3.8	0.1	BDL	20.0	1.0
9/12/2016 22:00	BDL	BDL	BDL	6.4	0.1	BDL	17.0	BDL
9/12/2016 23:00	BDL	BDL	BDL	6.5	0.1	BDL	13.0	1.0
9/13/2016 0:00	BDL	BDL	BDL	7.5	0.1	BDL	18.0	4.0
9/13/2016 1:00	BDL	BDL	BDL	8.2	0.1	BDL	15.0	4.0
9/13/2016 2:00	BDL	Calibration	Calibration	7.5	0.1	BDL	17.0	2.0
9/13/2016 3:00	BDL	Calibration	Calibration	6.5	0.1	BDL	9.0	1.0
9/13/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	14.0	1.0
9/13/2016 5:00	BDL	0.6	BDL	19.3	0.2	BDL	16.0	3.0
9/13/2016 6:00	BDL	0.6	BDL	31.3	0.2	BDL	20.0	4.0
9/13/2016 7:00	0.4	1.6	0.9	29.6	0.2	BDL	26.0	3.0
9/13/2016 8:00	0.5	1.9	1.3	25.2	0.2	BDL	26.0	6.0
9/13/2016 9:00	0.4	1.7	1.1	17.2	0.1	BDL	22.0	6.0
9/13/2016 10:00	0.5	1.1	0.6	8.4	0.1	0.1	25.0	6.0
9/13/2016 11:00	0.5	0.7	BDL	2.9	0.1	0.1	36.0	7.0
9/13/2016 12:00	0.5	0.5	BDL	2.1	0.1	BDL	20.0	5.0
9/13/2016 13:00	0.5	BDL	BDL	1.0	0.1	0.2	31.0	1.0
9/13/2016 14:00	0.6	BDL	BDL	1.4	0.1	0.1	42.0	3.0
9/13/2016 15:00	0.9	BDL	BDL	1.2	0.1	0.3	38.0	5.0
9/13/2016 16:00	1.1	BDL	BDL	2.7	0.1	0.2	26.0	12.0
9/13/2016 17:00	0.5	BDL	BDL	BDL	0.1	BDL	21.0	9.0
9/13/2016 18:00	0.7	BDL	BDL	2.3	0.1	BDL	17.0	6.0
9/13/2016 19:00	0.4	0.7	BDL	1.3	0.1	0.1	26.0	5.0
9/13/2016 20:00	BDL	0.5	BDL	1.1	0.1	0.1	19.0	4.0
9/13/2016 21:00	BDL	BDL	BDL	5.0	0.1	BDL	22.0	4.0
9/13/2016 22:00	BDL	BDL	BDL	5.2	0.1	0.0	15.0	3.0
9/13/2016 23:00	BDL	BDL	BDL	3.8	0.1	0.2	18.0	6.0
9/14/2016 0:00	BDL	0.4	BDL	4.5	0.1	0.4	19.0	5.0
9/14/2016 1:00	0.5	0.6	BDL	13.6	0.1	0.4	13.0	5.0
9/14/2016 2:00	0.6	Calibration	Calibration	11.9	0.1	0.4	17.0	6.0
9/14/2016 3:00	0.7	Calibration	Calibration	10.7	0.1	0.7	15.0	6.0
9/14/2016 4:00	Calibration	1.3	0.9	Calibration	Calibration	Calibration	13.0	4.0
9/14/2016 5:00	0.9	1.4	1.2	24.0	0.2	BDL	25.0	8.0
9/14/2016 6:00	1.1	1.4	0.8	32.4	0.2	BDL	23.0	5.0
9/14/2016 7:00	1.3	Audit	Audit	25.1	0.2	BDL	34.0	6.0
9/14/2016 8:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	41.0	11.0
9/14/2016 9:00	2.8	0.9	BDL	Calibration	0.2	Calibration	35.0	11.0
9/14/2016 10:00	1.6	0.6	BDL	7.8	0.2	Calibration	28.0	95.0
9/14/2016 11:00	1.5	BDL	BDL	10.6	0.2	2.4	38.0	41.0
9/14/2016 12:00	1.8	BDL	BDL	9.2	0.2	2.4	35.0	12.0
9/14/2016 13:00	2.6	BDL	BDL	4.2	0.1	2.4	45.0	10.0
9/14/2016 14:00	2.2	BDL	BDL	3.7	0.1	2.4	41.0	11.0
9/14/2016 15:00	2.3	BDL	BDL	7.1	0.1	2.3	29.0	11.0
9/14/2016 16:00	2.1	BDL	BDL	9.2	0.1	2.5	30.0	9.0
9/14/2016 17:00	1.5	BDL	BDL	4.8	0.1	2.5	39.0	15.0
9/14/2016 18:00	2.5	BDL	BDL	16.3	0.1	2.4	37.0	16.0
9/14/2016 19:00	1.5	BDL	BDL	8.3	0.1	2.5	38.0	15.0
9/14/2016 20:00	BDL	BDL	BDL	3.3	0.1	2.4	24.0	11.0
9/14/2016 21:00	BDL	BDL	BDL	5.1	0.2	2.3	16.0	7.0
9/14/2016 22:00	BDL	BDL	BDL	4.5	0.1	2.2	19.0	5.0
9/14/2016 23:00	BDL	BDL	BDL	2.6	0.1	2.2	17.0	8.0
9/15/2016 0:00	BDL	BDL	BDL	3.2	0.1	2.2	9.0	5.0
9/15/2016 1:00	BDL	BDL	BDL	BDL	BDL	2.2	11.0	3.0
9/15/2016 2:00	BDL	Calibration	Calibration	BDL	BDL	2.2	15.0	2.0
9/15/2016 3:00	BDL	Calibration	Calibration	BDL	BDL	2.2	8.0	4.0
9/15/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	10.0	5.0
9/15/2016 5:00	BDL	BDL	BDL	6.1	0.1	2.3	9.0	5.0
9/15/2016 6:00	BDL	BDL	BDL	8.8	0.1	2.3	9.0	4.0
9/15/2016 7:00	BDL	BDL	BDL	11.1	0.1	2.3	20.0	4.0
9/15/2016 8:00	BDL	BDL	BDL	14.2	0.1	2.3	13.0	2.0
9/15/2016 9:00	BDL	BDL	BDL	15.2	0.1	2.3	23.0	3.0
9/15/2016 10:00	BDL	BDL	BDL	11.2	0.1	2.3	20.0	4.0
9/15/2016 11:00	BDL	BDL	BDL	13.3	0.1	2.4	23.0	6.0
9/15/2016 12:00	BDL	BDL	BDL	12.2	0.1	2.4	22.0	5.0
9/15/2016 13:00	BDL	BDL	BDL	12.8	0.1	2.4	19.0	3.0
9/15/2016 14:00	0.4	BDL	BDL	15.0	0.1	2.4	21.0	4.0
9/15/2016 15:00	BDL	BDL	BDL	12.1	0.1	2.3	21.0	4.0
9/15/2016 16:00	BDL	BDL	BDL	12.8	0.1	2.3	23.0	6.0
9/15/2016 17:00	BDL	BDL	BDL	10.7	0.1	2.3	19.0	5.0
9/15/2016 18:00	BDL	BDL	BDL	12.0	0.1	2.3	19.0	4.0
9/15/2016 19:00	BDL	BDL	BDL	5.0	0.1	2.2	15.0	7.0
9/15/2016 20:00	BDL	BDL	BDL	5.4	0.1	2.2	13.0	4.0
9/15/2016 21:00	BDL	BDL	BDL	17.3	0.1	2.2	11.0	3.0
9/15/2016 22:00	BDL	BDL	BDL	7.5	0.1	2.3	13.0	4.0
9/15/2016 23:00	BDL	BDL	BDL	9.3	0.1	2.2	13.0	7.0
9/16/2016 0:00	BDL	BDL	BDL	9.6	0.1	2.3	15.0	6.0
9/16/2016 1:00	BDL	0.5	BDL	12.0	0.1	2.3	23.0	3.0
9/16/2016 2:00	BDL	Calibration	Calibration	10.5	0.1	2.4	14.0	2.0
9/16/2016 3:00	BDL	Calibration	Calibration	11.4	0.1	2.4	13.0	6.0
9/16/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	16.0	6.0
9/16/2016 5:00	BDL	BDL	BDL	27.8	0.2	2.5	16.0	5.0
9/16/2016 6:00	0.5	0.7	BDL	46.1	0.3	2.6	21.0	9.0
9/16/2016 7:00	0.6	0.9	BDL	43.4	0.3	2.6	40.0	10.0
9/16/2016 8:00	0.6	0.7	BDL	30.4	0.2	2.5	23.0	6.0
9/16/2016 9:00	0.4	0.4	BDL	18.7	0.1	2.4	33.0	7.0
9/16/2016 10:00	BDL	BDL	BDL	10.4	0.1	2.3	23.0	6.0
9/16/2016 11:00	BDL	BDL	BDL	7.5	0.1	2.3	16.0	6.0
9/16/2016 12:00	BDL	BDL	BDL	5.1	0.1	2.3	16.0	5.0
9/16/2016 13:00	BDL	BDL	BDL	6.5	0.1	2.2	19.0	4.0
9/16/2016 14:00	BDL	BDL	BDL	2.0	BDL	2.2	35.0	6.0
9/16/2016 15:00	BDL	BDL	BDL	3.0	0.1	2.2	18.0	5.0
9/16/2016 16:00	BDL	BDL	BDL	1.8	0.1	2.1	12.0	6.0
9/16/2016 17:00	BDL	BDL	BDL	3.7	0.1	2.1	12.0	4.0
9/16/2016 18:00	BDL	BDL	BDL	4.2	0.1	2.1	14.0	6.0
9/16/2016 19:00	BDL	BDL	BDL	3.6	0.1	2.2	14.0	7.0
9/16/2016 20:00	BDL	BDL	BDL	3.5	0.1	2.2	16.0	8.0
9/16/2016 21:00	BDL	BDL	BDL	3.8	0.1	2.2	17.0	6.0
9/16/2016 22:00	BDL	BDL	BDL	3.3	0.1	2.2	13.0	3.0
9/16/2016 23:00	BDL	BDL	BDL	9.9	0.1	2.2	12.0	6.0
9/17/2016 0:00	BDL	BDL	BDL	8.5	0.1	2.3	11.0	6.0
9/17/2016 1:00	BDL	BDL	BDL	9.7	0.1	2.2	16.0	4.0
9/17/2016 2:00	BDL	Calibration	Calibration	11.7	0.1	2.3	16.0	4.0
9/17/2016 3:00	BDL	Calibration	Calibration	11.2	0.1	2.2	19.0	4.0
9/17/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	9.0	7.0
9/17/2016 5:00	BDL	0.9	BDL	10.5	0.1	2.4	14.0	6.0
9/17/2016 6:00	BDL	0.8	BDL	16.9	0.2	2.5	18.0	8.0
9/17/2016 7:00	0.4	BDL	BDL	19.4	0.2	2.5	24.0	11.0
9/17/2016 8:00	0.5	0.9	BDL	23.0	0.2	2.4	19.0	8.0
9/17/2016 9:00	0.5	0.6	BDL	19.9	0.2	2.3	21.0	5.0
9/17/2016 10:00	BDL	0.4	BDL	3.5	0.1	2.3	21.0	3.0
9/17/2016 11:00	BDL	BDL	BDL	0.4	0.1	2.2	11.0	5.0
9/17/2016 12:00	BDL	BDL	BDL	BDL	BDL	2.4	17.0	4.0
9/17/2016 13:00	BDL	BDL	BDL	BDL	0.1	2.3	16.0	4.0
9/17/2016 14:00	BDL	BDL	BDL	BDL	0.1	2.3	22.0	4.0
9/17/2016 15:00	BDL	BDL	BDL	BDL	0.1	2.3	22.0	6.0
9/17/2016 16:00	BDL	BDL	BDL	BDL	0.1	2.3	17.0	6.0
9/17/2016 17:00	BDL	BDL	BDL	BDL	0.1	2.4	13.0	7.0
9/17/2016 18:00	BDL	BDL	BDL	0.4	0.1	2.5	26.0	5.0
9/17/2016 19:00	BDL	0.4	BDL	4.3	0.1	2.5	35.0	8.0
9/17/2016 20:00	BDL	0.6	BDL	7.2	0.1	2.5	21.0	6.0
9/17/2016 21:00	BDL	1.2	0.8	5.2	0.2	2.3	17.0	7.0
9/17/2016 22:00	BDL	1.2	0.9	5.7	0.2	2.5	19.0	6.0
9/17/2016 23:00	BDL	1	0.7	5.4	0.1	2.4	18.0	6.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 9/18/2016-9/24/2016								
9/18/2016 0:00	BDL	1.1	0.7	3.9	0.1	2.3	16.0	6.0
9/18/2016 1:00	BDL	BDL	0.6	10.6	0.2	1.4	16.0	7.0
9/18/2016 2:00	BDL	Calibration	Calibration	10.5	0.2	1.8	16.0	6.0
9/18/2016 3:00	BDL	Calibration	Calibration	10.2	0.2	1.6	18.0	8.0
9/18/2016 4:00	Calibration	BDL	0.5	Calibration	Calibration	Calibration	14.0	9.0
9/18/2016 5:00	BDL	1.8	1.5	8.3	0.1	2.1	16.0	6.0
9/18/2016 6:00	BDL	1.0	0.8	8.4	0.1	1.6	18.0	7.0
9/18/2016 7:00	BDL	0.5	0.5	3.5	0.1	1.7	12.0	5.0
9/18/2016 8:00	BDL	0.5	BDL	6.8	0.1	Calibration	16.0	6.0
9/18/2016 9:00	BDL	0.5	BDL	4.0	0.1	2.5	19.0	8.0
9/18/2016 10:00	BDL	0.4	BDL	4.6	0.1	2.4	18.0	6.0
9/18/2016 11:00	BDL	0.4	BDL	7.2	0.2	2.2	28.0	10.0
9/18/2016 12:00	BDL	BDL	BDL	5.0	0.2	2.2	21.0	10.0
9/18/2016 13:00	BDL	BDL	BDL	1.5	0.1	2.1	19.0	8.0
9/18/2016 14:00	BDL	BDL	BDL	1.3	0.2	2.2	18.0	10.0
9/18/2016 15:00	BDL	BDL	BDL	2.5	0.2	2.1	20.0	11.0
9/18/2016 16:00	BDL	BDL	BDL	7.8	0.1	2.1	21.0	12.0
9/18/2016 17:00	BDL	BDL	BDL	8.6	0.2	2.1	19.0	13.0
9/18/2016 18:00	BDL	BDL	BDL	1.8	0.1	2.2	23.0	9.0
9/18/2016 19:00	BDL	0.4	BDL	2.7	0.1	2.0	24.0	7.0
9/18/2016 20:00	BDL	BDL	BDL	5.0	0.1	1.8	15.0	6.0
9/18/2016 21:00	BDL	BDL	BDL	6.0	0.2	1.8	14.0	7.0
9/18/2016 22:00	BDL	1.0	0.7	2.7	0.1	1.9	13.0	5.0
9/18/2016 23:00	BDL	1.1	0.9	1.8	0.1	1.9	14.0	5.0
9/19/2016 0:00	BDL	1.4	1.3	3.0	0.1	2.4	12.0	7.0
9/19/2016 1:00	BDL	1.0	1.0	1.5	0.1	2.1	14.0	5.0
9/19/2016 2:00	BDL	Calib	Calibration	4.8	0.1	2.0	16.0	2.0
9/19/2016 3:00	BDL	Calib	Calibration	5.8	0.1	1.7	21.0	6.0
9/19/2016 4:00	Calibration	0.4	BDL	Calibration	Calibration	Calibration	14.0	5.0
9/19/2016 5:00	BDL	BDL	BDL	9.3	0.2	1.8	13.0	4.0
9/19/2016 6:00	BDL	0.4	BDL	14.0	0.2	1.9	17.0	6.0
9/19/2016 7:00	BDL	BDL	BDL	9.5	0.2	1.9	14.0	6.0
9/19/2016 8:00	BDL	BDL	BDL	13.6	0.2	2.2	Invalid	Invalid
9/19/2016 9:00	BDL	BDL	BDL	27.3	0.3	1.9	8.0	BDL
9/19/2016 10:00	BDL	0.4	BDL	25.3	0.2	1.9	9.0	8.0
9/19/2016 11:00	BDL	0.4	BDL	26.5	0.2	1.7	9.0	6.0
9/19/2016 12:00	BDL	BDL	BDL	11.7	0.2	1.7	9.0	4.0
9/19/2016 13:00	BDL	BDL	BDL	18.5	0.1	1.7	9.0	5.0
9/19/2016 14:00	BDL	BDL	BDL	26.3	0.2	1.7	18.0	4.0
9/19/2016 15:00	BDL	BDL	BDL	15.7	0.2	1.7	12.0	6.0
9/19/2016 16:00	BDL	BDL	BDL	13.4	0.2	1.7	8.0	6.0
9/19/2016 17:00	BDL	BDL	BDL	12.2	0.2	1.7	13.0	4.0
9/19/2016 18:00	BDL	BDL	BDL	16.0	0.2	1.7	9.0	5.0
9/19/2016 19:00	BDL	0.5	BDL	14.0	0.3	1.7	12.0	5.0
9/19/2016 20:00	BDL	0.6	BDL	17.4	0.3	1.7	16.0	4.0
9/19/2016 21:00	BDL	BDL	BDL	25.4	0.4	1.8	15.0	6.0
9/19/2016 22:00	BDL	0.5	BDL	26.7	0.3	1.9	15.0	12.0
9/19/2016 23:00	BDL	BDL	BDL	16.1	0.3	2.1	19.0	9.0
9/20/2016 0:00	BDL	BDL	BDL	13.6	0.2	2.0	11.0	9.0
9/20/2016 1:00	BDL	BDL	BDL	11.2	0.2	1.8	16.0	6.0
9/20/2016 2:00	BDL	Calibration	Calibration	11.0	0.2	1.9	10.0	4.0
9/20/2016 3:00	BDL	Calibration	Calibration	11.7	0.2	1.8	17.0	7.0
9/20/2016 4:00	Calibration	0.4	BDL	Calibration	Calibration	Calibration	17.0	8.0
9/20/2016 5:00	BDL	0.5	BDL	23.4	0.4	2.2	23.0	9.0
9/20/2016 6:00	BDL	0.6	BDL	35.0	0.4	2.1	24.0	16.0
9/20/2016 7:00	BDL	0.6	BDL	38.1	0.4	Too few samples	33.0	17.0
9/20/2016 8:00	BDL	Calibration	Calibration	33.7	0.4	2.6	29.0	17.0
9/20/2016 9:00	BDL	Calibration	Calibration	31.2	0.3	2.4	30.0	15.0
9/20/2016 10:00	BDL	Calibration	Calibration	28.7	0.3	2.2	26.0	15.0
9/20/2016 11:00	BDL	0.8	0.4	25.6	0.3	2.1	26.0	13.0
9/20/2016 12:00	BDL	0.6	BDL	26.9	0.3	2.2	25.0	14.0
9/20/2016 13:00	BDL	0.4	BDL	12.8	0.2	1.9	17.0	13.0
9/20/2016 14:00	BDL	BDL	BDL	14.1	0.2	1.9	21.0	12.0
9/20/2016 15:00	BDL	BDL	BDL	11.9	0.2	1.9	21.0	8.0
9/20/2016 16:00	BDL	BDL	BDL	8.2	0.2	1.8	16.0	6.0
9/20/2016 17:00	BDL	BDL	BDL	8.3	0.2	1.9	13.0	6.0
9/20/2016 18:00	BDL	BDL	BDL	15.7	0.3	2.0	19.0	4.0
9/20/2016 19:00	BDL	BDL	BDL	20.1	0.4	2.0	16.0	8.0
9/20/2016 20:00	BDL	0.4	BDL	27.3	0.5	2.3	23.0	12.0
9/20/2016 21:00	BDL	0.6	BDL	33.2	0.5	2.1	19.0	18.0
9/20/2016 22:00	BDL	0.8	BDL	43.8	0.6	3.3	28.0	12.0
9/20/2016 23:00	BDL	0.6	BDL	45.2	0.6	3.7	22.0	15.0
9/21/2016 0:00	0.5	1.2	BDL	63.3	0.8	3.8	26.0	17.0
9/21/2016 1:00	0.5	1.2	BDL	59.7	0.9	3.0	28.0	19.0
9/21/2016 2:00	BDL	Calibration	Calibration	34.2	0.4	2.3	24.0	15.0
9/21/2016 3:00	BDL	Calibration	Calibration	42.8	0.5	2.2	20.0	16.0
9/21/2016 4:00	Calibration	1.7	0.7	Calibration	Calibration	Calibration	24.0	17.0
9/21/2016 5:00	0.5	1.0	BDL	44.5	0.4	2.6	25.0	16.0
9/21/2016 6:00	0.4	0.6	BDL	36.9	0.4	2.4	23.0	14.0
9/21/2016 7:00	0.4	0.6	BDL	40.8	0.4	2.4	29.0	16.0
9/21/2016 8:00	0.6	0.8	BDL	37.2	0.4	Calibration	30.0	12.0
9/21/2016 9:00	Calibration	0.4	BDL	Calibration	Calibration	Calibration	24.0	11.0
9/21/2016 10:00	0.5	Calibration	Calibration	18.6	0.2	2.2	25.0	15.0
9/21/2016 11:00	0.7	Calibration	Calibration	21.8	0.2	2.1	27.0	11.0
9/21/2016 12:00	0.6	0.4	BDL	8.3	0.2	2.0	25.0	8.0
9/21/2016 13:00	0.5	BDL	BDL	7.2	0.2	2.1	29.0	9.0
9/21/2016 14:00	0.6	BDL	BDL	9.9	0.2	2.1	33.0	10.0
9/21/2016 15:00	0.6	BDL	BDL	11.0	0.2	2.0	30.0	11.0
9/21/2016 16:00	0.5	BDL	BDL	7.6	0.2	2.0	25.0	10.0
9/21/2016 17:00	0.4	BDL	BDL	8.4	0.2	1.9	31.0	10.0
9/21/2016 18:00	0.4	BDL	BDL	7.4	0.2	1.9	43.0	9.0
9/21/2016 19:00	0.4	BDL	BDL	15.2	0.2	1.9	27.0	10.0
9/21/2016 20:00	0.4	BDL	BDL	15.7	0.3	2.0	22.0	10.0
9/21/2016 21:00	0.4	BDL	BDL	14.3	0.3	2.0	17.0	11.0
9/21/2016 22:00	0.4	BDL	BDL	12.3	0.3	2.1	25.0	10.0
9/21/2016 23:00	0.4	BDL	BDL	13.3	0.3	2.3	27.0	15.0
9/22/2016 0:00	0.5	BDL	BDL	24.9	0.3	2.3	23.0	8.0
9/22/2016 1:00	0.5	0.5	BDL	30.7	0.3	2.4	19.0	12.0
9/22/2016 2:00	0.7	Calibration	Calibration	39.3	0.4	3.0	28.0	12.0
9/22/2016 3:00	0.7	Calibration	Calibration	49.3	0.4	3.8	32.0	14.0
9/22/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	22.0	15.0
9/22/2016 5:00	0.9	1.0	BDL	48.0	0.5	2.5	28.0	15.0
9/22/2016 6:00	1.0	1.3	BDL	54.9	0.5	2.5	33.0	13.0
9/22/2016 7:00	1.0	1.0	BDL	46.4	0.4	2.3	23.0	9.0
9/22/2016 8:00	1.3	Calibration	Calibration	50.5	0.4	2.3	31.0	9.0
9/22/2016 9:00	1.7	Too few samples	Too few samples	33.9	0.3	2.2	28.0	12.0
9/22/2016 10:00	0.9	0.8	BDL	24.2	0.2	2.2	24.0	13.0
9/22/2016 11:00	0.7	0.6	BDL	14.4	0.2	2.1	27.0	10.0
9/22/2016 12:00	0.5	0.4	BDL	6.0	0.2	1.9	19.0	8.0
9/22/2016 13:00	0.5	BDL	BDL	5.7	0.2	1.9	Invalid	Invalid
9/22/2016 14:00	0.5	BDL	BDL	3.9	0.2	1.8	17.0	6.0
9/22/2016 15:00	0.4	BDL	BDL	5.9	0.1	1.8	12.0	6.0
9/22/2016 16:00	BDL	BDL	BDL	1.0	0.1	1.8	13.0	5.0
9/22/2016 17:00	0.5	BDL	BDL	2.4	0.2	1.8	13.0	4.0
9/22/2016 18:00	0.4	BDL	BDL	4.4	0.2	1.7	16.0	5.0
9/22/2016 19:00	BDL	BDL	BDL	9.4	0.2	1.8	9.0	3.0
9/22/2016 20:00	BDL	BDL	BDL	14.0	0.2	1.8	17.0	6.0
9/22/2016 21:00	BDL	BDL	BDL	4.5	0.2	1.8	15.0	9.0
9/22/2016 22:00	BDL	BDL	BDL	13.8	0.2	1.8	10.0	7.0
9/22/2016 23:00	0.5	0.7	BDL	18.5	0.2	1.9	15.0	6.0
9/23/2016 0:00	0.4	0.7	BDL	16.2	0.2	2.0	17.0	9.0
9/23/2016 1:00	0.4	0.8	BDL	25.7	0.3	1.9	19.0	12.0
9/23/2016 2:00	BDL	Calibration	Calibration	19.3	0.2	2.5	18.0	7.0
9/23/2016 3:00	0.4	Calibration	Calibration	15.3	0.2	2.7	18.0	9.0
9/23/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	20.0	9.0
9/23/2016 5:00	0.7	0.8	BDL	43.4	0.4	2.7	26.0	10.0
9/23/2016 6:00	0.6	0.8	BDL	39.6	0.3	3.2	31.0	12.0
9/23/2016 7:00	0.9	1.5	BDL	69.8	0.5	3.0	38.0	14.0
9/23/2016 8:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	Calibration	55.0	17.0
9/23/2016 9:00	0.9	Calibration	Calibration	20.4	0.2	2.3	45.0	15.0
9/23/2016 10:00	1.1	Too few samples	Too few samples	13.0	0.2	2.3	38.0	20.0
9/23/2016 11:00	1.6	0.5	BDL	11.3	0.2	2.1	35.0	9.0
9/23/2016 12:00	2.2	0.7	BDL	14.9	0.2	2.1	31.0	12.0
9/23/2016 13:00	1.8	0.3	BDL	2.6	0.2	1.9	33.0	8.0
9/23/2016 14:00	1.3	BDL	BDL	BDL	0.1	1.9	29.0	8.0
9/23/2016 15:00	1.3	BDL	BDL	BDL	0.1	2.0	24.0	9.0
9/23/2016 16:00	1.2	BDL	BDL	BDL	0.1	2.0	26.0	8.0
9/23/2016 17:00	1.4	BDL	BDL	BDL	0.1	2.0	27.0	9.0
9/23/2016 18:00	1.4	BDL	BDL	BDL	0.2	2.1	29.0	10.0
9/23/2016 19:00	1.7	BDL	BDL	7.1	0.2	2.1	39.0	17.0
9/23/2016 20:00	2	0.8	BDL	15.8	0.3	2.6	31.0	12.0
9/23/2016 21:00	1.6	0.6	BDL	18.7	0.4	2.6	37.0	17.0
9/23/2016 22:00	1.6	0.8	0.4	18.7	0.4	2.9	37.0	14.0
9/23/2016 23:00	1.7	1.3	0.7	25.5	0.4	2.4	37.0	19.0
9/24/2016 0:00	1.3	1.1	0.6	23.0	0.5	2.6	31.0	20.0
9/24/2016 1:00	2.1	1.1	0.5	14.6	0.4	2.3	32.0	21.0
9/24/2016 2:00	2.4	Calibration	Calibration	8.0	0.3	1.8	27.0	19.0
9/24/2016 3:00	1.4	Calibration	Calibration	1.4	0.2	1.7	20.0	9.0
9/24/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	22.0	12.0
9/24/2016 5:00	0.7	BDL	BDL	BDL	0.1	1.7	13.0	7.0
9/24/2016 6:00	0.5	BDL	BDL	BDL	0.1	1.7	10.0	6.0
9/24/2016 7:00	0.5	BDL	BDL	0.8	0.1	1.8	10.0	6.0
9/24/2016 8:00	0.5	BDL	BDL	0.9	0.1	1.8	12.0	4.0
9/24/2016 9:00	0.4	BDL	BDL	0.9	0.1	1.8	12.0	3.0
9/24/2016 10:00	0.4	BDL	BDL	3.4	0.1	1.8	11.0	4.0
9/24/2016 11:00	0.5	BDL	BDL	8.7	0.1	1.8	8.0	6.0
9/24/2016 12:00	0.5	BDL	BDL	8.8	0.1	1.7	17.0	4.0
9/24/2016 13:00	0.4	BDL	BDL	1.6	0.1	1.8	14.0	2.0
9/24/2016 14:00	0.4	BDL	BDL	BDL	0.1	1.8	9.0	2.0
9/24/2016 15:00	0.5	BDL	BDL	BDL	0.1	1.9	12.0	5.0
9/24/2016 16:00	0.4	BDL	BDL	BDL	BDL	1.8	9.0	7.0
9/24/2016 17:00	BDL	BDL	BDL	BDL	0.1	1.7	9.0	3.0
9/24/2016 18:00	0.5	BDL	BDL	4.5	0.2	1.8	12.0	2.0
9/24/2016 19:00	0.5	BDL	BDL	8.6	0.2	1.8	15.0	7.0
9/24/2016 20:00	0.7	13.1	16.6	12.3	0.2	14.3	15.0	5.0
9/24/2016 21:00	0.7	8.9	4.7	6.7	0.2	3.8	17.0	2.0
9/24/2016 22:00	0.4	BDL	BDL	3.1	0.1	1.9	13.0	5.0
9/24/2016 23:00	0.4	BDL	BDL	6.2	0.1	1.9	8.0	4.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 9/25/2016-10/1/2016								
9/25/2016 0:00	BDL	BDL	BDL	2.2	0.1	2.0	9.0	4.0
9/25/2016 1:00	BDL	BDL	BDL	2.5	0.1	2.2	10.0	6.0
9/25/2016 2:00	BDL	Calibration	Calibration	0.6	0.1	2.1	10.0	4.0
9/25/2016 3:00	BDL	Calibration	Calibration	BDL	0.1	2.1	10.0	2.0
9/25/2016 4:00	Calib	BDL	BDL	Calib	Calibration	Calibration	9.0	7.0
9/25/2016 5:00	BDL	BDL	BDL	BDL	0.1	2.2	9.0	4.0
9/25/2016 6:00	BDL	BDL	BDL	1.8	0.1	2.3	6.0	6.0
9/25/2016 7:00	0.4	BDL	BDL	2.6	0.1	2.3	8.0	5.0
9/25/2016 8:00	Calib	BDL	BDL	Calib	Calibration	Calibration	7.0	3.0
9/25/2016 9:00	BDL	BDL	BDL	3.0	0.1	2.7	10.0	4.0
9/25/2016 10:00	0.4	BDL	BDL	BDL	BDL	2.7	9.0	5.0
9/25/2016 11:00	0.5	BDL	BDL	BDL	BDL	2.6	11.0	7.0
9/25/2016 12:00	0.4	BDL	BDL	BDL	BDL	2.5	6.0	4.0
9/25/2016 13:00	0.5	BDL	BDL	BDL	BDL	2.5	4.0	1.0
9/25/2016 14:00	0.6	BDL	BDL	BDL	BDL	2.5	5.0	2.0
9/25/2016 15:00	0.6	BDL	BDL	BDL	BDL	2.6	6.0	2.0
9/25/2016 16:00	0.5	BDL	BDL	BDL	BDL	2.6	16.0	1.0
9/25/2016 17:00	0.5	BDL	BDL	BDL	BDL	2.6	7.0	4.0
9/25/2016 18:00	0.6	BDL	BDL	BDL	BDL	2.6	7.0	2.0
9/25/2016 19:00	0.5	BDL	BDL	BDL	0.04	2.8	12.0	4.0
9/25/2016 20:00	0.7	BDL	BDL	3.3	0.1	3.2	16.0	5.0
9/25/2016 21:00	1.2	0.5	BDL	28.4	0.4	2.8	18.0	9.0
9/25/2016 22:00	1.0	0.5	BDL	32.6	0.4	2.7	19.0	9.0
9/25/2016 23:00	0.8	0.4	BDL	21.4	0.3	2.7	18.0	9.0
9/26/2016 0:00	0.7	0.9	BDL	27.8	0.3	3.0	20.0	10.0
9/26/2016 1:00	0.7	0.4	BDL	22.6	0.3	3.7	17.0	10.0
9/26/2016 2:00	0.9	Calibration	Calibration	39.7	0.3	3.3	26.0	12.0
9/26/2016 3:00	0.8	Calibration	Calibration	31.5	0.2	2.9	16.0	9.0
9/26/2016 4:00	Calib	1.6	BDL	Calib	Calibration	Calibration	18.0	10.0
9/26/2016 5:00	1.5	2.1	BDL	64.1	0.4	3.0	24.0	8.0
9/26/2016 6:00	1.8	3.2	1.6	79.1	0.5	3.2	27.0	13.0
9/26/2016 7:00	1.8	Calibration	Calibration	68.7	0.4	3.3	30.0	8.0
9/26/2016 8:00	1.6	Calibration	Calibration	49.6	0.4	Calibration	29.0	12.0
9/26/2016 9:00	1.9	1.5	1.2	58.1	0.3	2.3	38.0	12.0
9/26/2016 10:00	1.3	0.8	1.1	15.5	0.1	2.1	19.0	8.0
9/26/2016 11:00	1.1	BDL	0.6	BDL	BDL	2.0	16.0	5.0
9/26/2016 12:00	1.0	BDL	0.4	BDL	0.04	1.9	17.0	7.0
9/26/2016 13:00	Invalid	BDL	BDL	BDL	0.1	2.0	22.0	5.0
9/26/2016 14:00	Invalid	BDL	0.4	BDL	0.1	2.0	26.0	7.0
9/26/2016 15:00	Invalid	BDL	0.4	1.1	0.1	2.0	18.0	5.0
9/26/2016 16:00	Invalid	BDL	0.4	0.6	0.1	1.9	15.0	5.0
9/26/2016 17:00	Invalid	BDL	0.4	BDL	0.1	1.8	11.0	3.0
9/26/2016 18:00	Invalid	BDL	0.4	BDL	0.1	1.7	11.0	BDL
9/26/2016 19:00	Invalid	BDL	0.5	BDL	0.1	1.8	11.0	4.0
9/26/2016 20:00	Invalid	BDL	0.4	BDL	0.1	1.9	11.0	3.0
9/26/2016 21:00	Invalid	BDL	BDL	BDL	0.1	1.9	12.0	4.0
9/26/2016 22:00	Invalid	BDL	0.4	BDL	0.1	1.9	10.0	7.0
9/26/2016 23:00	Invalid	BDL	BDL	BDL	0.1	2.0	8.0	3.0
9/27/2016 0:00	Invalid	BDL	0.4	BDL	0.1	2.2	9.0	BDL
9/27/2016 1:00	Invalid	BDL	0.9	BDL	0.04	2.3	9.0	3.0
9/27/2016 2:00	Invalid	Calibration	Calibration	BDL	0.1	2.3	13.0	3.0
9/27/2016 3:00	Calibration	Calibration	Calibration	0.7	0.1	2.4	17.0	5.0
9/27/2016 4:00	Calibration	BDL	0.9	Calibration	Calibration	Calibration	22.0	11.0
9/27/2016 5:00	Invalid	0.5	1.2	14.2	0.1	2.1	20.0	14.0
9/27/2016 6:00	Invalid	BDL	0.8	4.2	0.1	2.3	14.0	9.0
9/27/2016 7:00	Invalid	BDL	0.6	2.9	0.1	2.3	21.0	7.0
9/27/2016 8:00	Invalid	BDL	0.5	4.3	0.1	2.2	16.0	7.0
9/27/2016 9:00	Invalid	BDL	0.5	4.5	0.1	2.2	19.0	12.0
9/27/2016 10:00	Invalid	BDL	0.5	5.1	0.1	2.1	16.0	9.0
9/27/2016 11:00	Invalid	BDL	BDL	BDL	0.1	2.1	10.0	6.0
9/27/2016 12:00	Invalid	BDL	BDL	BDL	0.04	2.0	12.0	3.0
9/27/2016 13:00	Invalid	BDL	BDL	2.4	0.1	2.0	11.0	5.0
9/27/2016 14:00	Invalid	BDL	BDL	2.1	0.04	2.1	17.0	9.0
9/27/2016 15:00	Invalid	BDL	0.4	2.5	0.1	2.1	15.0	7.0
9/27/2016 16:00	Invalid	BDL	0.4	1.8	0.1	2.1	18.0	8.0
9/27/2016 17:00	Invalid	BDL	0.5	1.2	0.1	2.2	13.0	8.0
9/27/2016 18:00	Invalid	BDL	0.5	5.0	0.1	2.7	18.0	6.0
9/27/2016 19:00	Invalid	BDL	1.0	12.0	0.2	2.3	17.0	6.0
9/27/2016 20:00	Invalid	0.5	1.2	10.9	0.1	2.2	17.0	9.0
9/27/2016 21:00	Invalid	1.0	1.9	13.2	0.2	2.2	18.0	13.0
9/27/2016 22:00	Invalid	1.2	1.8	15.6	0.3	2.1	15.0	10.0
9/27/2016 23:00	Invalid	1.0	1.6	25.2	0.3	2.6	18.0	7.0
9/28/2016 0:00	Invalid	0.9	1.4	32.7	0.3	2.3	17.0	10.0
9/28/2016 1:00	Invalid	1.3	1.5	54.7	0.4	2.7	20.0	15.0
9/28/2016 2:00	Invalid	Calibration	Calibration	62.7	0.6	2.9	29.0	12.0
9/28/2016 3:00	Calibration	Calibration	Calibration	64.3	0.5	2.9	28.0	18.0
9/28/2016 4:00	Calibration	1.9	1.9	Calibration	Calibration	Too few samples	29.0	15.0
9/28/2016 5:00	Invalid	1.4	1.5	64.9	0.6	2.6	33.0	18.0
9/28/2016 6:00	Too few samples	1.1	1.1	45.2	0.4	2.4	29.0	16.0
9/28/2016 7:00	Too few samples	Too few samples	Too few samples	41.0	0.4	2.4	33.0	15.0
9/28/2016 8:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	2.6	43.0	17.0
9/28/2016 9:00	Too few samples	1.0	1.3	Calibration	0.4	2.6	39.0	19.0
9/28/2016 10:00	Too few samples	Calibration	Calibration	27.9	0.3	2.3	35.0	23.0
9/28/2016 11:00	1.7	Calibration	Calibration	24.3	0.3	2.3	44.0	27.0
9/28/2016 12:00	1.4	BDL	0.5	19.0	0.3	2.1	32.0	14.0
9/28/2016 13:00	1.5	BDL	0.5	Too few samples	0.2	2.1	21.0	10.0
9/28/2016 14:00	Too few samples	BDL	0.6	9.7	0.2	2.0	22.0	7.0
9/28/2016 15:00	Invalid	BDL	0.6	6.7	0.2	2.0	22.0	10.0
9/28/2016 16:00	Too few samples	BDL	0.5	2.0	0.1	2.0	19.0	8.0
9/28/2016 17:00	Invalid	BDL	0.4	BDL	0.1	2.0	8.0	7.0
9/28/2016 18:00	Invalid	BDL	BDL	1.3	0.1	2.1	17.0	6.0
9/28/2016 19:00	Invalid	BDL	BDL	BDL	0.1	2.1	17.0	5.0
9/28/2016 20:00	Invalid	BDL	BDL	0.4	0.1	2.1	17.0	5.0
9/28/2016 21:00	Invalid	BDL	BDL	BDL	0.1	2.1	7.0	3.0
9/28/2016 22:00	Invalid	BDL	BDL	BDL	0.1	2.1	8.0	2.0
9/28/2016 23:00	Invalid	BDL	BDL	BDL	0.1	2.1	9.0	1.0
9/29/2016 0:00	Invalid	BDL	BDL	BDL	BDL	2.1	6.0	1.0
9/29/2016 1:00	Invalid	BDL	BDL	0.7	BDL	2.1	9.0	4.0
9/29/2016 2:00	Invalid	Calibration	Calibration	BDL	BDL	2.1	7.0	3.0
9/29/2016 3:00	Calibration	Calibration	Calibration	BDL	BDL	2.1	7.0	1.0
9/29/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	9.0	4.0
9/29/2016 5:00	Invalid	BDL	BDL	BDL	0.1	2.1	7.0	4.0
9/29/2016 6:00	Invalid	BDL	BDL	0.9	0.1	2.1	6.0	1.0
9/29/2016 7:00	Too few samples	Too few samples	Too few samples	3.3	0.1	2.0	5.0	2.0
9/29/2016 8:00	Too few samples	Calibration	Calibration	20.8	0.1	2.1	7.0	2.0
9/29/2016 9:00	Too few samples	BDL	BDL	4.3	0.1	2.0	8.0	1.0
9/29/2016 10:00	BDL	0.7	1.2	6.9	0.1	2.0	9.0	3.0
9/29/2016 11:00	BDL	0.5	1.0	4.4	0.1	2.0	10.0	3.0
9/29/2016 12:00	BDL	0.5	1.0	3.5	0.1	2.0	11.0	1.0
9/29/2016 13:00	BDL	0.5	1.0	3.2	0.1	2.0	11.0	BDL
9/29/2016 14:00	BDL	0.6	0.9	6.1	0.1	2.0	9.0	1.0
9/29/2016 15:00	BDL	0.5	1.0	2.6	0.1	2.0	11.0	2.0
9/29/2016 16:00	BDL	0.4	0.9	0.4	0.1	2.0	14.0	2.0
9/29/2016 17:00	BDL	0.4	0.9	BDL	0.1	1.9	11.0	4.0
9/29/2016 18:00	BDL	0.4	0.9	3.9	0.1	2.0	14.0	4.0
9/29/2016 19:00	BDL	0.4	0.9	BDL	0.1	2.0	11.0	2.0
9/29/2016 20:00	BDL	BDL	0.8	BDL	0.1	2.0	12.0	4.0
9/29/2016 21:00	BDL	BDL	0.9	BDL	0.1	2.0	8.0	5.0
9/29/2016 22:00	BDL	BDL	0.8	BDL	0.1	2.0	15.0	6.0
9/29/2016 23:00	BDL	BDL	0.9	BDL	0.1	1.9	16.0	7.0
9/30/2016 0:00	BDL	0.4	0.9	BDL	0.1	2.0	7.0	5.0
9/30/2016 1:00	BDL	0.4	0.9	BDL	0.1	2.0	8.0	2.0
9/30/2016 2:00	BDL	Calibration	Calibration	BDL	0.1	1.9	7.0	6.0
9/30/2016 3:00	BDL	Calibration	Calibration	BDL	0.1	1.9	6.0	4.0
9/30/2016 4:00	Calibration	0.4	1.0	Calibration	Calibration	1.9	6.0	4.0
9/30/2016 5:00	BDL	0.5	1.0	1.7	0.1	1.9	8.0	5.0
9/30/2016 6:00	BDL	1.0	1.5	6.7	0.1	1.8	7.0	4.0
9/30/2016 7:00	BDL	BDL	0.5	10.6	0.1	2.0	9.0	3.0
9/30/2016 8:00	BDL	0.7	1.0	14.3	0.2	2.0	11.0	3.0
9/30/2016 9:00	BDL	0.9	1.2	18.0	0.2	2.0	9.0	6.0
9/30/2016 10:00	BDL	0.8	1.0	22.2	0.2	2.0	8.0	7.0
9/30/2016 11:00	BDL	0.9	1.1	22.6	0.2	2.0	10.0	6.0
9/30/2016 12:00	BDL	0.9	1.1	21.6	0.2	2.0	10.0	6.0
9/30/2016 13:00	BDL	0.8	1.0	23.5	0.2	2.0	10.0	4.0
9/30/2016 14:00	BDL	0.8	1.1	15.9	0.2	2.0	8.0	6.0
9/30/2016 15:00	BDL	0.6	0.9	5.9	0.1	1.9	10.0	5.0
9/30/2016 16:00	BDL	0.6	1.0	3.1	0.1	1.9	7.0	2.0
9/30/2016 17:00	BDL	0.4	0.9	2.0	0.1	1.9	9.0	BDL
9/30/2016 18:00	BDL	0.6	1.0	5.5	0.2	1.9	9.0	3.0
9/30/2016 19:00	BDL	0.6	1.0	1.8	0.1	1.9	7.0	6.0
9/30/2016 20:00	BDL	0.4	0.9	BDL	0.1	1.9	6.0	2.0
9/30/2016 21:00	BDL	0.4	0.9	BDL	0.1	1.9	7.0	BDL
9/30/2016 22:00	BDL	0.5	0.8	4.5	0.1	1.9	5.0	BDL
9/30/2016 23:00	BDL	0.4	0.8	BDL	0.1	1.9	4.0	BDL
10/1/2016 0:00	BDL	0.5	0.9	6.3	0.1	2.0	7.0	4.0
10/1/2016 1:00	BDL	0.7	0.9	5.7	0.1	2.0	11.0	4.0
10/1/2016 2:00	BDL	Calibration	Calibration	1.9	0.1	1.9	7.0	2.0
10/1/2016 3:00	BDL	Calibration	Calibration	1.1	0.1	1.9	11.0	4.0
10/1/2016 4:00	Calibration	0.5	1.2	Calibration	Calibration	Too few samples	8.0	5.0
10/1/2016 5:00	BDL	0.4	0.9	BDL	0.1	1.9	11.0	7.0
10/1/2016 6:00	BDL	0.5	1.0	2.4	0.1	1.9	9.0	6.0
10/1/2016 7:00	BDL	0.6	1.0	4.4	0.1	1.9	8.0	5.0
10/1/2016 8:00	BDL	0.5	1.0	6.7	0.1	2.0	7.0	7.0
10/1/2016 9:00	BDL	0.6	1.0	9.3	0.2	2.0	8.0	8.0
10/1/2016 10:00	BDL	0.8	1.1	12.8	0.2	2.0	14.0	6.0
10/1/2016 11:00	BDL	0.8	1.2	14	0.2	2.0	11.0	8.0
10/1/2016 12:00	BDL	0.6	1.0	6.9	0.2	1.9	12.0	10.0
10/1/2016 13:00	BDL	0.6	0.9	5.8	0.2	1.9	13.0	7.0
10/1/2016 14:00	BDL	0.6	1.0	3.8	0.2	1.8	10.0	4.0
10/1/2016 15:00	BDL	0.5	1.0	2.4	0.2	1.8	8.0	3.0
10/1/2016 16:00	BDL	0.5	1.1	6.8	0.2	1.8	10.0	5.0
10/1/2016 17:00	BDL	0.5	1.0	2.7	0.2	1.8	9.0	4.0
10/1/2016 18:00	BDL	0.5	1.0	3.4	0.2	1.8	11.0	4.0
10/1/2016 19:00	BDL	0.5	1.1	3.3	0.2	1.8	8.0	6.0
10/1/2016 20:00	BDL	0.6	1.1	5.1	0.2	1.8	7.0	6.0
10/1/2016 21:00	BDL	0.6	1.0	2.5	0.2	1.8	7.0	5.0
10/1/2016 22:00	BDL	0.6	1.2	4.9	0.2	1.8	8.0	8.0
10/1/2016 23:00	BDL	0.5	1.1	3.2	0.2	1.7	8.0	6.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 10/2/2016-10/8/2016								
10/2/2016 0:00	BDL	0.6	1.1	0.9	0.1	1.8	7.0	6.0
10/2/2016 1:00	BDL	0.5	1.1	1.8	0.2	1.9	6.0	5.0
10/2/2016 2:00	BDL	Calibration	Calibration	2.0	0.2	2.0	3.0	3.0
10/2/2016 3:00	BDL	Calibration	Calibration	0.9	0.1	1.9	5.0	2.0
10/2/2016 4:00	Calibration	0.7	1.3	Calibration	Calibration	Too few samples	5.0	2.0
10/2/2016 5:00	BDL	0.4	0.9	BDL	0.1	1.9	6.0	1.0
10/2/2016 6:00	BDL	0.4	1.0	BDL	0.1	1.9	9.0	3.0
10/2/2016 7:00	BDL	0.4	0.9	1.4	0.1	1.8	10.0	5.0
10/2/2016 8:00	BDL	0.6	1.1	1.8	0.1	1.9	9.0	3.0
10/2/2016 9:00	BDL	0.7	1.1	6.5	0.2	1.9	11.0	4.0
10/2/2016 10:00	BDL	0.7	1.1	4.5	0.2	1.8	9.0	7.0
10/2/2016 11:00	BDL	0.7	1.2	5.0	0.1	1.7	15.0	6.0
10/2/2016 12:00	BDL	0.8	1.2	6.0	0.2	2.0	17.0	7.0
10/2/2016 13:00	BDL	0.9	1.2	8.5	0.2	2.0	14.0	13.0
10/2/2016 14:00	BDL	0.9	1.2	13.9	0.2	1.9	21.0	15.0
10/2/2016 15:00	BDL	0.8	1.2	11.8	0.3	1.9	16.0	13.0
10/2/2016 16:00	BDL	0.8	1.2	12.0	0.3	1.9	19.0	18.0
10/2/2016 17:00	BDL	0.9	1.4	15.2	0.3	1.9	24.0	14.0
10/2/2016 18:00	BDL	1.0	1.3	15.6	0.3	1.9	21.0	13.0
10/2/2016 19:00	BDL	1.1	1.5	17.9	0.3	2.0	21.0	17.0
10/2/2016 20:00	BDL	1.0	1.4	12.7	0.3	2.0	20.0	19.0
10/2/2016 21:00	BDL	0.9	1.5	11.5	0.2	2.0	24.0	18.0
10/2/2016 22:00	BDL	0.8	1.1	7.9	0.3	2.0	22.0	10.0
10/2/2016 23:00	BDL	0.5	0.9	4.4	0.2	1.7	13.0	10.0
10/3/2016 0:00	BDL	0.7	1.1	5.1	0.2	1.6	9.0	6.0
10/3/2016 1:00	BDL	0.6	1.1	1.8	0.1	1.6	10.0	9.0
10/3/2016 2:00	BDL	Calibration	Calibration	2.4	0.1	1.9	14.0	8.0
10/3/2016 3:00	BDL	Calibration	Calibration	3.8	0.2	2.2	16.0	12.0
10/3/2016 4:00	Calibration	0.9	1.3	Calibration	Calibration	Too few samples	24.0	14.0
10/3/2016 5:00	BDL	0.8	1.1	15.1	0.2	2.1	21.0	14.0
10/3/2016 6:00	BDL	0.8	1.1	17.9	0.2	2.7	22.0	19.0
10/3/2016 7:00	BDL	Calibration	Calibration	15.2	0.2	2.6	23.0	15.0
10/3/2016 8:00	BDL	Calibration	Calibration	9.5	0.2	2.0	34.0	13.0
10/3/2016 9:00	BDL	0.5	1.3	4.7	0.2	2.0	28.0	14.0
10/3/2016 10:00	BDL	0.5	0.9	2.5	0.2	1.9	28.0	11.0
10/3/2016 11:00	BDL	0.4	0.8	1.7	0.1	1.8	21.0	10.0
10/3/2016 12:00	BDL	0.4	0.7	BDL	0.1	1.8	17.0	10.0
10/3/2016 13:00	BDL	BDL	0.7	BDL	0.1	1.9	13.0	7.0
10/3/2016 14:00	BDL	BDL	0.7	BDL	0.1	1.9	18.0	9.0
10/3/2016 15:00	BDL	0.4	0.8	BDL	0.1	1.9	12.0	7.0
10/3/2016 16:00	BDL	0.4	0.8	BDL	0.1	1.8	11.0	9.0
10/3/2016 17:00	BDL	BDL	0.7	BDL	0.1	2.1	14.0	9.0
10/3/2016 18:00	BDL	BDL	0.6	0.5	0.1	2.2	21.0	8.0
10/3/2016 19:00	BDL	0.5	0.9	11.0	0.3	2.8	20.0	6.0
10/3/2016 20:00	BDL	0.7	0.9	21.2	0.4	2.8	23.0	11.0
10/3/2016 21:00	BDL	0.7	0.8	21.4	0.4	2.5	23.0	10.0
10/3/2016 22:00	0.5	1.4	1.3	36.2	0.6	1.9	21.0	13.0
10/3/2016 23:00	0.4	1.3	1.4	24.9	0.4	1.8	27.0	17.0
10/4/2016 0:00	0.4	1.4	1.4	36.9	0.4	2.0	22.0	18.0
10/4/2016 1:00	0.9	1.9	1.3	71.1	0.7	3.5	31.0	17.0
10/4/2016 2:00	0.4	Calibration	Calibration	42.8	0.4	2.4	25.0	10.0
10/4/2016 3:00	BDL	Calibration	Calibration	31.7	0.3	2.3	22.0	10.0
10/4/2016 4:00	Calibration	0.8	1.0	Calibration	Calibration	Too few samples	22.0	7.0
10/4/2016 5:00	1.5	0.9	0.9	17.2	0.3	2.0	27.0	19.0
10/4/2016 6:00	1.3	1.3	0.9	41.1	0.4	2.1	29.0	13.0
10/4/2016 7:00	1.5	1.3	1.0	47.8	0.4	2.1	33.0	18.0
10/4/2016 8:00	0.7	1.2	1.0	38.2	0.4	2.0	29.0	13.0
10/4/2016 9:00	0.4	0.7	0.7	13.9	0.2	1.7	24.0	9.0
10/4/2016 10:00	BDL	0.7	0.8	9.2	0.1	1.6	16.0	6.0
10/4/2016 11:00	BDL	0.5	0.7	7.3	0.1	1.6	16.0	3.0
10/4/2016 12:00	BDL	0.5	0.7	10.4	0.1	1.6	18.0	4.0
10/4/2016 13:00	BDL	0.5	0.8	15.3	0.2	1.7	21.0	5.0
10/4/2016 14:00	BDL	0.6	0.8	20.3	0.2	1.7	17.0	5.0
10/4/2016 15:00	BDL	0.8	0.8	19.1	0.2	1.7	23.0	6.0
10/4/2016 16:00	BDL	0.6	0.8	12.4	0.2	1.7	19.0	10.0
10/4/2016 17:00	BDL	0.5	0.7	10.9	0.2	1.7	20.0	7.0
10/4/2016 18:00	BDL	0.5	0.6	9.5	0.2	1.7	16.0	9.0
10/4/2016 19:00	BDL	0.4	0.6	8.2	0.2	1.6	17.0	7.0
10/4/2016 20:00	BDL	0.4	0.6	10.6	0.2	1.6	17.0	6.0
10/4/2016 21:00	BDL	0.5	0.7	13.4	0.2	1.7	23.0	8.0
10/4/2016 22:00	BDL	0.5	0.7	12.1	0.2	1.7	16.0	8.0
10/4/2016 23:00	BDL	0.5	0.7	7.7	0.2	1.7	20.0	12.0
10/5/2016 0:00	BDL	0.5	0.7	11.4	0.1	1.7	26.0	11.0
10/5/2016 1:00	BDL	0.4	0.6	5.7	0.1	1.8	25.0	8.0
10/5/2016 2:00	BDL	Calibration	Calibration	1.9	0.1	1.7	18.0	5.0
10/5/2016 3:00	BDL	Calibration	Calibration	3.1	0.1	1.7	17.0	5.0
10/5/2016 4:00	Calibration	BDL	0.8	Calibration	Calibration	Too few samples	21.0	8.0
10/5/2016 5:00	BDL	0.5	0.7	9.5	0.1	1.7	12.0	7.0
10/5/2016 6:00	BDL	0.6	0.6	17.8	0.2	1.7	17.0	8.0
10/5/2016 7:00	BDL	0.7	0.7	24.9	0.2	1.8	22.0	15.0
10/5/2016 8:00	0.4	Calibration	Calibration	25.7	0.2	1.8	25.0	7.0
10/5/2016 9:00	BDL	Too few samples	Too few samples	19.4	0.2	1.7	Invalid	10.0
10/5/2016 10:00	BDL	0.7	0.8	16.3	0.1	1.8	Invalid	Invalid
10/5/2016 11:00	0.4	0.8	0.9	12.4	0.1	1.8	22.0	6.0
10/5/2016 12:00	0.4	0.7	0.9	15.3	0.1	1.8	20.0	6.0
10/5/2016 13:00	0.4	0.7	0.8	16.0	0.2	1.8	21.0	6.0
10/5/2016 14:00	0.4	0.6	0.8	13.4	0.1	1.6	21.0	5.0
10/5/2016 15:00	BDL	0.6	0.7	9.3	0.1	1.6	17.0	5.0
10/5/2016 16:00	BDL	0.4	0.8	1.6	0.1	1.5	23.0	7.0
10/5/2016 17:00	BDL	0.4	0.6	3.8	0.1	1.6	18.0	11.0
10/5/2016 18:00	BDL	BDL	0.7	6.1	0.2	1.6	19.0	7.0
10/5/2016 19:00	BDL	BDL	0.7	5.9	0.1	1.5	17.0	5.0
10/5/2016 20:00	BDL	0.4	0.7	9.0	0.1	1.6	17.0	5.0
10/5/2016 21:00	BDL	0.7	0.8	19.6	0.2	1.6	16.0	5.0
10/5/2016 22:00	BDL	1.1	1.1	27.7	0.3	1.7	30.0	7.0
10/5/2016 23:00	BDL	0.6	0.7	17.8	0.2	1.7	20.0	7.0
10/6/2016 0:00	BDL	0.8	1.0	16.0	0.2	1.8	17.0	8.0
10/6/2016 1:00	BDL	0.9	1.1	20.5	0.2	1.8	19.0	7.0
10/6/2016 2:00	BDL	Calibration	Calibration	34.0	0.2	1.9	16.0	9.0
10/6/2016 3:00	BDL	Calibration	Calibration	35.7	0.2	2.2	19.0	9.0
10/6/2016 4:00	Calibration	1.1	1.0	Calibration	Calibration	Too few samples	17.0	9.0
10/6/2016 5:00	0.5	1.1	0.8	30.6	0.3	1.8	19.0	8.0
10/6/2016 6:00	0.6	1.0	0.8	34.3	0.3	1.7	23.0	10.0
10/6/2016 7:00	0.6	1.4	1.0	51.2	0.4	Too few samples	30.0	11.0
10/6/2016 8:00	0.6	1.4	1.0	44.5	0.4	2.5	32.0	14.0
10/6/2016 9:00	0.6	1.3	1.0	38.2	0.4	2.4	32.0	14.0
10/6/2016 10:00	0.4	1.0	0.8	24.7	0.2	2.0	27.0	9.0
10/6/2016 11:00	BDL	0.6	0.8	11.4	0.2	1.9	23.0	6.0
10/6/2016 12:00	BDL	0.6	0.7	8.0	0.1	2.0	23.0	7.0
10/6/2016 13:00	0.4	0.5	0.9	7.6	0.1	2.1	20.0	5.0
10/6/2016 14:00	0.5	0.5	0.7	6.5	0.1	1.9	20.0	7.0
10/6/2016 15:00	0.6	0.5	0.8	6.9	0.1	1.9	20.0	12.0
10/6/2016 16:00	0.4	0.5	0.8	6.3	0.2	1.9	26.0	9.0
10/6/2016 17:00	0.4	0.5	0.7	8.3	0.2	2.0	22.0	6.0
10/6/2016 18:00	0.4	0.5	0.7	19.7	0.3	2.0	25.0	6.0
10/6/2016 19:00	BDL	0.8	0.9	18.1	0.3	1.9	22.0	10.0
10/6/2016 20:00	BDL	BDL	0.7	2.6	0.1	1.8	14.0	8.0
10/6/2016 21:00	BDL	0.4	0.6	6.3	0.2	1.8	14.0	7.0
10/6/2016 22:00	BDL	0.4	0.7	11.5	0.2	1.8	15.0	5.0
10/6/2016 23:00	BDL	0.5	0.7	24.1	0.3	1.8	15.0	5.0
10/7/2016 0:00	0.4	1.4	1.1	36.2	0.4	2.0	20.0	8.0
10/7/2016 1:00	BDL	1.2	0.9	33.3	0.2	2.2	16.0	7.0
10/7/2016 2:00	BDL	Calibration	Calibration	44.9	0.2	2.4	21.0	6.0
10/7/2016 3:00	0.4	Calibration	Calibration	42.9	0.3	2.6	20.0	9.0
10/7/2016 4:00	Calibration	1.2	1.0	Calibration	Calibration	2.3	17.0	10.0
10/7/2016 5:00	0.5	1.3	0.9	40.7	0.3	2.3	24.0	11.0
10/7/2016 6:00	0.8	1.6	1.0	64.6	0.5	2.8	29.0	12.0
10/7/2016 7:00	0.8	1.8	1.1	67.5	0.5	2.5	26.0	16.0
10/7/2016 8:00	0.5	1.2	0.9	36.3	0.3	2.1	28.0	10.0
10/7/2016 9:00	0.5	1.1	0.8	34.3	0.3	2.0	30.0	10.0
10/7/2016 10:00	0.4	0.9	0.9	22.2	0.2	1.9	25.0	7.0
10/7/2016 11:00	BDL	0.7	0.9	12.7	0.2	1.9	16.0	7.0
10/7/2016 12:00	0.4	0.6	0.8	7.4	0.1	1.8	15.0	4.0
10/7/2016 13:00	BDL	BDL	0.6	1.8	0.1	1.7	11.0	3.0
10/7/2016 14:00	BDL	BDL	0.6	BDL	0.1	1.7	14.0	5.0
10/7/2016 15:00	BDL	BDL	0.6	BDL	0.1	1.6	10.0	3.0
10/7/2016 16:00	BDL	BDL	0.8	1.2	0.1	1.6	7.0	2.0
10/7/2016 17:00	BDL	BDL	0.8	BDL	0.1	1.6	13.0	4.0
10/7/2016 18:00	BDL	BDL	0.7	1.7	0.1	1.6	11.0	4.0
10/7/2016 19:00	BDL	0.4	0.8	3.7	0.1	1.6	12.0	4.0
10/7/2016 20:00	BDL	0.4	0.8	5.6	0.1	1.6	10.0	3.0
10/7/2016 21:00	BDL	BDL	0.7	3.9	0.1	1.6	7.0	1.0
10/7/2016 22:00	BDL	0.7	1.1	9.9	0.2	1.7	14.0	1.0
10/7/2016 23:00	BDL	0.4	0.8	10.8	0.2	1.7	14.0	3.0
10/8/2016 0:00	BDL	0.6	0.8	11.2	0.2	1.7	10.0	3.0
10/8/2016 1:00	BDL	0.6	0.9	12.8	0.2	1.8	13.0	2.0
10/8/2016 2:00	BDL	Calibration	Calibration	7.3	0.1	1.8	15.0	4.0
10/8/2016 3:00	BDL	Calibration	Calibration	5.2	0.1	1.8	11.0	4.0
10/8/2016 4:00	173.8	0.6	1.0	Calibration	Calibration	1.8	8.0	2.0
10/8/2016 5:00	BDL	0.6	0.9	8.9	0.2	2.0	9.0	3.0
10/8/2016 6:00	BDL	0.6	0.9	7.7	0.2	1.8	14.0	4.0
10/8/2016 7:00	BDL	0.6	0.8	11.1	0.2	1.7	11.0	3.0
10/8/2016 8:00	BDL	0.6	0.8	14.8	0.2	1.8	15.0	7.0
10/8/2016 9:00	0.4	1.0	1.1	26.6	0.3	1.9	17.0	6.0
10/8/2016 10:00	0.5	1.2	1.3	28.0	0.3	2.1	21.0	6.0
10/8/2016 11:00	0.6	1.3	1.3	30.9	0.4	2.2	20.0	10.0
10/8/2016 12:00	0.5	1.2	1.2	29.9	0.4	2.2	25.0	9.0
10/8/2016 13:00	0.4	1.3	1.3	30.2	0.4	2.4	28.0	9.0
10/8/2016 14:00	BDL	1.3	1.3	28.4	0.4	2.4	23.0	11.0
10/8/2016 15:00	BDL	1.2	1.3	22.7	0.4	2.2	16.0	11.0
10/8/2016 16:00	0.4	1.4	1.5	29.2	0.4	2.3	15.0	12.0
10/8/2016 17:00	BDL	1.6	1.7	26.2	0.5	2.3	16.0	12.0
10/8/2016 18:00	BDL	1.2	1.3	34.8	0.6	2.1	13.0	9.0
10/8/2016 19:00	BDL	0.9	1.0	23.4	0.4	1.9	9.0	5.0
10/8/2016 20:00	BDL	0.8	1.0	23.9	0.4	1.9	9.0	4.0
10/8/2016 21:00	BDL	0.7	0.8	22.2	0.5	1.8	17.0	6.0
10/8/2016 22:00	BDL	0.8	1.0	19.0	0.5	1.7	analyzer malfunction	6.0
10/8/2016 23:00	BDL	0.9	1.0	16.6	0.4	1.8	analyzer malfunction	7.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 10/9/2016-10/15/2016								
10/9/2016 0:00	BDL	0.7	0.9	10.6	0.3	1.7	analyzer malfunction	9.0
10/9/2016 1:00	BDL	0.6	0.9	5.7	0.2	1.8	analyzer malfunction	10.0
10/9/2016 2:00	BDL	Calibration	Calibration	BDL	0.2	1.6	analyzer malfunction	7.0
10/9/2016 3:00	BDL	Calibration	Calibration	BDL	0.1	1.6	analyzer malfunction	5.0
10/9/2016 4:00	Calibration	0.6	1.1	Calibration	Calibration	Too few samples	analyzer malfunction	4.0
10/9/2016 5:00	BDL	0.6	1.0	BDL	0.1	1.5	analyzer malfunction	2.0
10/9/2016 6:00	BDL	0.7	1.2	BDL	0.1	1.3	analyzer malfunction	3.0
10/9/2016 7:00	BDL	BDL	0.4	BDL	0.1	1.4	analyzer malfunction	3.0
10/9/2016 8:00	BDL	0.4	0.9	BDL	0.1	1.2	analyzer malfunction	5.0
10/9/2016 9:00	BDL	1.0	1.5	BDL	0.2	1.2	analyzer malfunction	5.0
10/9/2016 10:00	BDL	BDL	0.9	0.4	0.2	1.3	analyzer malfunction	3.0
10/9/2016 11:00	BDL	BDL	0.5	1.5	0.2	1.3	analyzer malfunction	2.0
10/9/2016 12:00	BDL	0.9	1.4	0.4	0.2	1.1	analyzer malfunction	BDL
10/9/2016 13:00	BDL	BDL	BDL	BDL	0.1	1.4	analyzer malfunction	2.0
10/9/2016 14:00	BDL	BDL	BDL	BDL	0.1	1.5	analyzer malfunction	4.0
10/9/2016 15:00	0.4	BDL	0.7	BDL	0.1	1.5	analyzer malfunction	2.0
10/9/2016 16:00	0.5	BDL	0.4	BDL	0.1	1.6	analyzer malfunction	BDL
10/9/2016 17:00	0.5	BDL	BDL	BDL	0.1	1.7	analyzer malfunction	4.0
10/9/2016 18:00	0.5	BDL	0.6	BDL	0.1	1.6	analyzer malfunction	3.0
10/9/2016 19:00	0.5	0.5	0.9	BDL	0.1	1.7	analyzer malfunction	4.0
10/9/2016 20:00	0.4	BDL	0.9	BDL	0.1	1.6	analyzer malfunction	4.0
10/9/2016 21:00	BDL	BDL	0.7	BDL	0.1	1.7	analyzer malfunction	3.0
10/9/2016 22:00	BDL	BDL	0.7	BDL	0.1	1.6	analyzer malfunction	2.0
10/9/2016 23:00	BDL	BDL	0.4	BDL	0.1	1.7	analyzer malfunction	1.0
10/10/2016 0:00	BDL	BDL	BDL	BDL	BDL	1.8	analyzer malfunction	2.0
10/10/2016 1:00	BDL	BDL	0.7	BDL	0.0	1.6	analyzer malfunction	BDL
10/10/2016 2:00	BDL	Calibration	Calibration	BDL	0.1	1.4	analyzer malfunction	BDL
10/10/2016 3:00	BDL	Calibration	Calibration	BDL	BDL	1.7	analyzer malfunction	BDL
10/10/2016 4:00	Calibration	BDL	0.4	Calibration	Calibration	Too few samples	analyzer malfunction	3.0
10/10/2016 5:00	0.4	0.7	1.2	BDL	0.1	1.5	analyzer malfunction	2.0
10/10/2016 6:00	BDL	BDL	BDL	2.3	0.1	1.8	analyzer malfunction	2.0
10/10/2016 7:00	BDL	Too few samples	Too few samples	BDL	BDL	2.0	analyzer malfunction	2.0
10/10/2016 8:00	0.4	Calibration	Calibration	BDL	0.1	1.8	analyzer malfunction	BDL
10/10/2016 9:00	BDL	Too few samples	Too few samples	1.3	0.1	1.7	analyzer malfunction	1.0
10/10/2016 10:00	BDL	0.7	1.2	0.8	0.1	1.6	analyzer malfunction	2.0
10/10/2016 11:00	Too few samples	BDL	BDL	BDL	BDL	1.9	7.0	2.0
10/10/2016 12:00	Invalid	BDL	0.5	BDL	BDL	1.8	12.0	4.0
10/10/2016 13:00	Invalid	BDL	BDL	BDL	BDL	1.9	12.0	3.0
10/10/2016 14:00	Invalid	BDL	0.5	BDL	BDL	1.9	13.0	3.0
10/10/2016 15:00	Invalid	BDL	0.5	BDL	BDL	1.9	10.0	5.0
10/10/2016 16:00	Invalid	BDL	0.6	BDL	BDL	1.9	16.0	3.0
10/10/2016 17:00	Invalid	BDL	0.6	BDL	BDL	1.9	9.0	BDL
10/10/2016 18:00	Invalid	BDL	0.5	2.1	0.04	1.9	12.0	BDL
10/10/2016 19:00	Invalid	BDL	0.7	3.8	0.1	2.0	13.0	1.0
10/10/2016 20:00	Invalid	BDL	0.6	6.5	0.1	2.1	11.0	2.0
10/10/2016 21:00	Invalid	BDL	0.6	7.4	0.1	2.0	8.0	2.0
10/10/2016 22:00	Invalid	0.4	0.6	10.8	0.1	2.0	16.0	2.0
10/10/2016 23:00	Invalid	0.4	0.6	16.0	0.1	2.2	13.0	5.0
10/11/2016 0:00	Invalid	BDL	0.4	14.8	0.1	2.0	10.0	3.0
10/11/2016 1:00	Invalid	1.0	1.2	6.8	0.1	1.7	11.0	3.0
10/11/2016 2:00	Invalid	Calibration	Calibration	9.5	0.1	2.0	11.0	3.0
10/11/2016 3:00	Calibration	Calibration	Calibration	14.5	0.1	2.0	9.0	4.0
10/11/2016 4:00	Calibration	1.2	0.8	Calibration	Calibration	1.98	13.0	3.0
10/11/2016 5:00	Invalid	0.7	0.6	21.2	0.2	1.9	9.0	2.0
10/11/2016 6:00	Invalid	1.1	0.9	29.5	0.2	1.8	15.0	BDL
10/11/2016 7:00	Invalid	0.6	0.4	35.2	0.2	1.9	13.0	BDL
10/11/2016 8:00	Invalid	1.2	0.9	32.4	0.3	1.7	20.0	3.0
10/11/2016 9:00	Invalid	0.5	BDL	30.9	0.2	1.9	24.0	7.0
10/11/2016 10:00	Invalid	0.6	0.4	20.6	0.1	1.9	17.0	6.0
10/11/2016 11:00	Invalid	0.5	0.6	14.7	0.1	1.9	17.0	4.0
10/11/2016 12:00	Invalid	0.4	0.6	10.8	0.1	1.9	13.0	3.0
10/11/2016 13:00	Too few samples	BDL	0.6	10.8	0.1	1.8	11.0	4.0
10/11/2016 14:00	BDL	Too few samples	Too few samples	9.3	0.1	Too few samples	15.0	4.0
10/11/2016 15:00	0.4	Calibration	Calibration	11.9	0.1	4.5	16.0	6.0
10/11/2016 16:00	0.5	Too few samples	Too few samples	9.4	0.1	Too few samples	16.0	5.0
10/11/2016 17:00	0.4	BDL	0.6	10.8	0.1	2.0	17.0	5.0
10/11/2016 18:00	0.4	0.5	0.5	12.7	0.1	1.9	9.0	5.0
10/11/2016 19:00	0.5	1.0	0.8	26.5	0.3	1.9	17.0	3.0
10/11/2016 20:00	BDL	0.7	0.7	9.9	0.1	1.9	12.0	3.0
10/11/2016 21:00	BDL	0.6	0.8	12.6	0.2	1.8	11.0	4.0
10/11/2016 22:00	BDL	0.8	0.8	25.6	0.2	1.9	15.0	2.0
10/11/2016 23:00	BDL	1.3	1.2	24.1	0.2	2.0	18.0	2.0
10/12/2016 0:00	BDL	1.1	0.9	35.4	0.2	2.0	15.0	9.0
10/12/2016 1:00	BDL	1.4	1.0	43.0	0.2	2.0	17.0	8.0
10/12/2016 2:00	0.5	Calibration	Calibration	46.2	0.4	2.5	17.0	8.0
10/12/2016 3:00	0.8	Calibration	Calibration	63.8	0.3	2.3	17.0	13.0
10/12/2016 4:00	Calibration	2.2	1.3	Calibration	Calibration	2.5	18.0	7.0
10/12/2016 5:00	0.9	2.3	1.3	75.6	0.5	2.7	24.0	4.0
10/12/2016 6:00	1.0	2.2	1.4	68.3	0.5	2.6	26.0	13.0
10/12/2016 7:00	1.3	Audit	Audit	84.4	0.6	2.5	29.0	17.0
10/12/2016 8:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	2.7	33.0	11.0
10/12/2016 9:00	1.0	1.9	1.2	Calibration	0.4	2.3	32.0	13.0
10/12/2016 10:00	0.9	1.7	1.1	44.2	0.3	2.2	37.0	13.0
10/12/2016 11:00	0.4	0.8	0.8	14.6	0.1	1.7	19.0	8.0
10/12/2016 12:00	BDL	0.4	0.6	2.5	0.1	1.7	16.0	4.0
10/12/2016 13:00	BDL	0.4	0.7	1.8	0.1	1.7	16.0	4.0
10/12/2016 14:00	BDL	BDL	0.6	BDL	BDL	1.6	19.0	1.0
10/12/2016 15:00	BDL	BDL	0.5	5.6	0.1	1.5	13.0	3.0
10/12/2016 16:00	BDL	BDL	0.6	BDL	0.1	1.6	11.0	3.0
10/12/2016 17:00	0.4	BDL	0.6	1.7	0.1	1.5	10.0	2.0
10/12/2016 18:00	0.5	0.5	0.7	15.5	0.2	1.5	17.0	6.0
10/12/2016 19:00	0.4	0.7	1.0	13.1	0.2	1.4	14.0	5.0
10/12/2016 20:00	Too few samples	0.8	1.1	Too few samples	Too few samples	1.5	12.0	7.0
10/12/2016 21:00	BDL	0.5	0.8	13.5	0.2	1.5	10.0	6.0
10/12/2016 22:00	BDL	0.6	0.9	12.2	0.2	1.4	10.0	4.0
10/12/2016 23:00	BDL	0.5	0.7	7.6	0.2	1.5	11.0	4.0
10/13/2016 0:00	BDL	0.6	0.9	17.9	0.2	1.5	12.0	5.0
10/13/2016 1:00	0.5	1.3	1.2	37.9	0.2	1.8	12.0	5.0
10/13/2016 2:00	0.6	Calibration	Calibration	49.0	0.2	3.4	19.0	6.0
10/13/2016 3:00	1.0	Calibration	Calibration	74.3	0.3	2.6	20.0	6.0
10/13/2016 4:00	Calibration	2.6	1.5	Calibration	Calibration	Too few samples	22.0	6.0
10/13/2016 5:00	0.9	2.3	1.4	69.0	0.3	1.9	16.0	6.0
10/13/2016 6:00	1.1	2.4	1.4	76.7	0.4	3.0	18.0	9.0
10/13/2016 7:00	0.9	2.2	1.2	66.3	0.4	2.0	27.0	14.0
10/13/2016 8:00	0.8	2.3	1.5	64.0	0.3	1.9	23.0	13.0
10/13/2016 9:00	1.2	2.8	2.4	50.7	0.2	2.0	24.0	13.0
10/13/2016 10:00	3.0	2.8	2.6	43.2	0.2	1.8	31.0	12.0
10/13/2016 11:00	2.1	1.3	1.6	15.8	0.1	1.6	26.0	12.0
10/13/2016 12:00	1.7	0.8	1.0	12.0	0.1	1.6	29.0	14.0
10/13/2016 13:00	2.6	0.8	1.0	15.8	0.1	1.5	31.0	11.0
10/13/2016 14:00	2.7	0.8	1.1	19.9	0.1	1.3	29.0	10.0
10/13/2016 15:00	2.4	0.9	1.0	7.8	0.1	1.3	28.0	13.0
10/13/2016 16:00	0.6	0.4	0.9	BDL	0.1	1.4	20.0	11.0
10/13/2016 17:00	0.5	0.5	0.9	BDL	0.1	1.4	17.0	7.0
10/13/2016 18:00	0.4	0.5	0.9	3.1	0.1	1.6	19.0	7.0
10/13/2016 19:00	0.4	0.6	0.8	2.8	0.1	1.6	16.0	9.0
10/13/2016 20:00	0.4	0.6	0.9	9.3	0.2	1.6	15.0	13.0
10/13/2016 21:00	0.4	0.7	0.9	12.1	0.2	1.8	17.0	11.0
10/13/2016 22:00	BDL	0.4	0.7	4.2	0.1	1.5	16.0	7.0
10/13/2016 23:00	BDL	0.5	0.7	3.2	0.1	1.4	10.0	5.0
10/14/2016 0:00	BDL	0.4	0.8	2.6	0.1	1.4	6.0	3.0
10/14/2016 1:00	BDL	BDL	0.8	0.9	0.1	1.4	12.0	3.0
10/14/2016 2:00	0.7	Calibration	Calibration	BDL	0.1	1.3	11.0	2.0
10/14/2016 3:00	BDL	Calibration	Calibration	1.1	0.04	1.5	10.0	4.0
10/14/2016 4:00	Calibration	BDL	0.5	Calibration	Calibration	Too few samples	8.0	3.0
10/14/2016 5:00	0.5	BDL	0.6	6.8	0.1	1.5	16.0	7.0
10/14/2016 6:00	0.5	BDL	0.7	5.9	0.0	1.7	10.0	5.0
10/14/2016 7:00	0.7	0.5	0.7	12.5	0.1	1.6	17.0	6.0
10/14/2016 8:00	0.5	0.4	0.4	12.8	0.1	Too few samples	12.0	5.0
10/14/2016 9:00	0.6	Calibration	Calibration	10.6	0.1	1.4	12.0	1.0
10/14/2016 10:00	0.5	Calibration	Calibration	7.3	0.1	1.2	12.0	1.0
10/14/2016 11:00	BDL	BDL	BDL	6.7	0.1	1.5	14.0	1.0
10/14/2016 12:00	BDL	BDL	BDL	3.4	0.1	1.5	9.0	4.0
10/14/2016 13:00	BDL	BDL	BDL	BDL	BDL	1.5	9.0	4.0
10/14/2016 14:00	BDL	BDL	BDL	0.9	0.0	1.4	8.0	3.0
10/14/2016 15:00	BDL	BDL	BDL	BDL	0.1	1.5	8.0	5.0
10/14/2016 16:00	BDL	BDL	BDL	0.9	0.04	1.5	12.0	6.0
10/14/2016 17:00	BDL	BDL	BDL	1.3	0.04	1.6	8.0	2.0
10/14/2016 18:00	0.4	BDL	BDL	11.3	0.1	1.9	16.0	2.0
10/14/2016 19:00	0.5	BDL	BDL	26.0	0.3	2.5	17.0	4.0
10/14/2016 20:00	1.3	0.5	BDL	57.4	0.6	2.0	26.0	8.0
10/14/2016 21:00	1.3	1.3	BDL	64.2	0.7	2.1	24.0	8.0
10/14/2016 22:00	1.0	0.7	BDL	61.2	0.6	2.9	29.0	14.0
10/14/2016 23:00	1.4	1.7	BDL	86.7	0.8	2.7	32.0	14.0
10/15/2016 0:00	1.1	1.0	BDL	64.6	0.6	2.1	24.0	12.0
10/15/2016 1:00	0.9	0.6	BDL	53.1	0.5	2.0	27.0	14.0
10/15/2016 2:00	0.8	Calibration	Calibration	45.7	0.5	1.9	25.0	18.0
10/15/2016 3:00	1.2	Calibration	Calibration	76.4	0.7	2.2	33.0	11.0
10/15/2016 4:00	Calibration	1.1	BDL	Calibration	Calibration	2.3	25.0	11.0
10/15/2016 5:00	1.2	1.6	BDL	74.4	0.8	2.4	25.0	9.0
10/15/2016 6:00	1.0	1.0	BDL	64.5	0.8	2.6	27.0	14.0
10/15/2016 7:00	1.3	1.7	BDL	84.1	0.8	2.4	32.0	15.0
10/15/2016 8:00	1.3	1.6	BDL	66.8	0.6	2.2	28.0	15.0
10/15/2016 9:00	1.0	0.7	BDL	53.3	0.5	2.0	38.0	17.0
10/15/2016 10:00	1.1	0.5	BDL	39.4	0.4	1.7	27.0	17.0
10/15/2016 11:00	0.9	BDL	BDL	21.0	0.2	1.4	22.0	13.0
10/15/2016 12:00	0.5	BDL	BDL	3.4	0.1	1.2	16.0	8.0
10/15/2016 13:00	0.4	BDL	BDL	2.5	0.1	1.1	16.0	5.0
10/15/2016 14:00	0.4	BDL	BDL	BDL	0.1	1.1	15.0	8.0
10/15/2016 15:00	0.4	BDL	BDL	BDL	0.1	1.1	16.0	7.0
10/15/2016 16:00	0.4	BDL	BDL	BDL	0.1	1.1	15.0	10.0
10/15/2016 17:00	0.5	BDL	BDL	BDL	0.1	1.1	15.0	9.0
10/15/2016 18:00	0.7	BDL	BDL	7.6	0.2	1.3	21.0	8.0
10/15/2016 19:00	0.7	BDL	BDL	9.5	0.2	1.1	22.0	9.0
10/15/2016 20:00	0.4	BDL	BDL	5.5	0.2	1.0	14.0	7.0
10/15/2016 21:00	BDL	BDL	BDL	3.3	0.1	1.1	19.0	9.0
10/15/2016 22:00	0.6	BDL	BDL	11.2	0.2	1.4	15.0	9.0
10/15/2016 23:00	0.5	BDL	BDL	18.7	0.2	1.5	18.0	7.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 10/16/2016-10/22/2016								
10/16/2016 0:00	0.8	0.4	BDL	18.8	0.2	1.5	18.0	8.0
10/16/2016 1:00	0.6	0.9	0.5	29.2	0.3	1.4	21.0	11.0
10/16/2016 2:00	BDL	Calibration	Calibration	14.8	0.2	1.3	16.0	12.0
10/16/2016 3:00	BDL	Calibration	Calibration	14.0	0.2	1.2	14.0	15.0
10/16/2016 4:00	Calibration	BDL	0.4	Calibration	Calibration	Too few samples	20.0	11.0
10/16/2016 5:00	0.6	1.5	1.3	24.8	0.3	2.4	21.0	15.0
10/16/2016 6:00	0.4	1.1	0.9	24.8	0.3	1.8	20.0	11.0
10/16/2016 7:00	0.4	1.2	0.8	28.7	0.3	Calibration	19.0	15.0
10/16/2016 8:00	0.7	1.4	0.8	37.9	0.3	2.1	23.0	19.0
10/16/2016 9:00	1.3	1.1	0.6	26.6	0.2	2.4	19.0	15.0
10/16/2016 10:00	2.1	BDL	BDL	11.7	0.1	Too few samples	18.0	8.0
10/16/2016 11:00	1.5	BDL	BDL	4.5	0.1	2.5	16.0	8.0
10/16/2016 12:00	2.2	BDL	BDL	3.9	0.1	2.6	22.0	6.0
10/16/2016 13:00	1.6	BDL	BDL	BDL	0.1	2.5	14.0	7.0
10/16/2016 14:00	1.6	BDL	BDL	0.7	0.1	2.5	23.0	10.0
10/16/2016 15:00	1.4	BDL	BDL	BDL	0.1	2.4	18.0	11.0
10/16/2016 16:00	1.4	BDL	BDL	BDL	0.1	2.4	22.0	9.0
10/16/2016 17:00	1.1	BDL	BDL	BDL	0.1	2.5	20.0	6.0
10/16/2016 18:00	2.1	BDL	BDL	6.0	0.1	2.7	24.0	11.0
10/16/2016 19:00	3.2	BDL	BDL	25.3	0.2	2.9	21.0	11.0
10/16/2016 20:00	1.0	0.5	0.5	12.8	0.2	2.4	18.0	12.0
10/16/2016 21:00	1.3	1.1	1.1	8.2	0.2	2.8	19.0	12.0
10/16/2016 22:00	3.1	1.0	1.0	17.7	0.2	3.3	24.0	16.0
10/16/2016 23:00	1.8	1.1	0.9	14.8	0.2	3.2	18.0	11.0
10/17/2016 0:00	1.1	0.7	0.5	7.7	0.2	3.1	17.0	19.0
10/17/2016 1:00	1.0	0.5	0.6	11.0	0.2	3.3	24.0	9.0
10/17/2016 2:00	0.6	Calibration	Calibration	7.5	0.1	3.2	18.0	14.0
10/17/2016 3:00	0.5	Calibration	Calibration	5.1	0.1	3.2	18.0	10.0
10/17/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	3.2	22.0	9.0
10/17/2016 5:00	0.7	0.6	BDL	19.5	0.2	3.1	19.0	10.0
10/17/2016 6:00	0.7	BDL	BDL	20.1	0.2	3.2	20.0	11.0
10/17/2016 7:00	1.3	0.5	BDL	38.4	0.3	3.3	19.0	17.0
10/17/2016 8:00	1.5	1.0	0.4	44.1	0.3	3.0	29.0	19.0
10/17/2016 9:00	1.9	1	0.5	42.8	0.3	3.1	38.0	26.0
10/17/2016 10:00	3.3	0.8	BDL	41.2	0.3	2.6	40.0	20.0
10/17/2016 11:00	4.8	1.1	0.4	45.7	0.3	3.8	44.0	20.0
10/17/2016 12:00	5.2	0.8	BDL	31.6	0.3	3.9	30.0	17.0
10/17/2016 13:00	2.7	0.4	BDL	16.1	0.2	3.6	33.0	14.0
10/17/2016 14:00	1.8	BDL	BDL	3.9	0.1	3.5	30.0	11.0
10/17/2016 15:00	1.9	BDL	BDL	0.6	0.1	3.3	36.0	15.0
10/17/2016 16:00	1.6	BDL	BDL	BDL	0.1	3.4	24.0	13.0
10/17/2016 17:00	1.7	BDL	BDL	1.3	0.1	3.5	22.0	14.0
10/17/2016 18:00	2.4	BDL	BDL	7.4	0.2	3.7	26.0	12.0
10/17/2016 19:00	1.9	0.6	0.7	16.6	0.2	3.9	35.0	20.0
10/17/2016 20:00	2.6	0.8	0.8	13.0	0.2	3.7	29.0	13.0
10/17/2016 21:00	3.4	0.8	0.9	23.1	0.3	4.4	23.0	17.0
10/17/2016 22:00	2.2	1.0	0.8	25.4	0.3	3.8	27.0	17.0
10/17/2016 23:00	1.9	1.2	1.0	28.9	0.3	4.2	28.0	12.0
10/18/2016 0:00	1.4	0.6	0.4	16.4	0.2	3.7	22.0	16.0
10/18/2016 1:00	1.1	1.4	1.2	29.2	0.2	3.1	25.0	13.0
10/18/2016 2:00	1.1	Calibration	Calibration	25.5	0.2	3.2	23.0	19.0
10/18/2016 3:00	1.1	Calibration	Calibration	28.5	0.2	3.1	23.0	14.0
10/18/2016 4:00	Calibration	1.3	1.1	Calibration	Calibration	3.0	26.0	17.0
10/18/2016 5:00	0.9	0.8	BDL	36.2	0.3	2.7	22.0	15.0
10/18/2016 6:00	1.1	1.1	0.4	49.1	0.4	2.7	31.0	23.0
10/18/2016 7:00	1.7	2.4	1.7	58.5	0.3	3.7	37.0	20.0
10/18/2016 8:00	3.0	1.7	1.1	51.6	0.3	3.1	41.0	26.0
10/18/2016 9:00	2.7	1.1	0.7	23.3	0.2	3.0	45.0	17.0
10/18/2016 10:00	3.4	0.5	0.4	18.5	0.2	2.7	39.0	18.0
10/18/2016 11:00	3.0	0.4	0.4	12.7	0.2	2.5	42.0	18.0
10/18/2016 12:00	2.1	BDL	BDL	3.2	0.1	2.5	92.0	17.0
10/18/2016 13:00	1.8	BDL	BDL	1.7	0.1	2.5	41.0	10.0
10/18/2016 14:00	2.1	BDL	BDL	2.4	0.1	2.5	37.0	16.0
10/18/2016 15:00	1.5	BDL	BDL	BDL	0.1	2.4	31.0	10.0
10/18/2016 16:00	1.0	BDL	BDL	1.2	0.2	2.3	32.0	14.0
10/18/2016 17:00	0.8	BDL	BDL	12.5	0.2	2.2	29.0	14.0
10/18/2016 18:00	0.8	BDL	BDL	22.6	0.2	2.2	30.0	15.0
10/18/2016 19:00	1.2	BDL	BDL	10.2	0.1	2.6	25.0	13.0
10/18/2016 20:00	1.2	0.4	BDL	9.2	0.2	2.7	24.0	14.0
10/18/2016 21:00	1.0	BDL	BDL	3.3	0.1	2.7	25.0	13.0
10/18/2016 22:00	1.9	0.6	0.9	14.2	0.2	3.0	26.0	13.0
10/18/2016 23:00	1.2	0.7	1.0	3.9	0.1	2.6	21.0	13.0
10/19/2016 0:00	1.1	0.7	0.9	4.4	0.1	2.7	24.0	19.0
10/19/2016 1:00	1.3	0.8	0.7	5.4	0.1	2.7	25.0	14.0
10/19/2016 2:00	1.0	Calibration	Calibration	5.3	0.1	2.7	20.0	15.0
10/19/2016 3:00	1.3	Calibration	Calibration	11.0	0.1	2.8	27.0	13.0
10/19/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.7	18.0	11.0
10/19/2016 5:00	1.4	BDL	BDL	11.4	0.2	2.9	22.0	13.0
10/19/2016 6:00	3.3	BDL	BDL	26.0	0.2	2.8	31.0	17.0
10/19/2016 7:00	2.0	BDL	BDL	28.3	0.2	3.3	34.0	20.0
10/19/2016 8:00	1.8	BDL	BDL	23.0	0.2	2.8	40.0	17.0
10/19/2016 9:00	1.3	BDL	BDL	29.8	0.3	3.2	37.0	14.0
10/19/2016 10:00	1.1	BDL	BDL	7.2	0.2	2.4	40.0	13.0
10/19/2016 11:00	1.0	BDL	BDL	BDL	0.1	2.3	35.0	12.0
10/19/2016 12:00	0.7	BDL	BDL	BDL	0.1	2.2	51.0	11.0
10/19/2016 13:00	1.1	BDL	BDL	BDL	0.1	2.4	49.0	11.0
10/19/2016 14:00	0.6	BDL	BDL	BDL	0.1	2.4	101.0	11.0
10/19/2016 15:00	0.5	BDL	BDL	BDL	0.1	2.5	26.0	13.0
10/19/2016 16:00	0.5	BDL	BDL	BDL	0.1	2.5	24.0	14.0
10/19/2016 17:00	0.4	BDL	BDL	BDL	0.1	2.5	25.0	13.0
10/19/2016 18:00	0.4	BDL	BDL	6.1	0.2	3.4	30.0	13.0
10/19/2016 19:00	0.7	BDL	BDL	31.5	0.6	3.1	36.0	13.0
10/19/2016 20:00	0.5	BDL	BDL	12.3	0.2	2.5	35.0	9.0
10/19/2016 21:00	0.4	BDL	BDL	4.5	0.2	2.4	28.0	7.0
10/19/2016 22:00	0.4	BDL	BDL	3.6	0.1	2.5	21.0	7.0
10/19/2016 23:00	BDL	BDL	BDL	2.4	0.1	2.5	15.0	5.0
10/20/2016 0:00	BDL	BDL	BDL	8.8	0.1	2.4	17.0	6.0
10/20/2016 1:00	0.4	BDL	BDL	5.9	0.1	2.5	18.0	6.0
10/20/2016 2:00	0.4	Calibration	Calibration	6.9	0.1	2.5	17.0	7.0
10/20/2016 3:00	BDL	Calibration	Calibration	6.1	0.1	2.4	17.0	7.0
10/20/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.4	15.0	10.0
10/20/2016 5:00	0.6	BDL	BDL	15.7	0.1	2.6	17.0	8.0
10/20/2016 6:00	0.8	BDL	BDL	16.2	0.2	2.5	22.0	12.0
10/20/2016 7:00	0.6	BDL	BDL	23.6	0.2	2.5	32.0	9.0
10/20/2016 8:00	0.6	BDL	BDL	26.7	0.2	2.4	25.0	11.0
10/20/2016 9:00	0.7	BDL	BDL	19.6	0.2	2.4	29.0	11.0
10/20/2016 10:00	0.7	BDL	BDL	19.0	0.2	2.3	38.0	9.0
10/20/2016 11:00	0.8	BDL	BDL	13.5	0.2	2.3	32.0	9.0
10/20/2016 12:00	1.0	BDL	BDL	9.8	0.2	2.3	46.0	13.0
10/20/2016 13:00	0.8	BDL	BDL	2.4	0.2	2.2	35.0	9.0
10/20/2016 14:00	0.8	BDL	BDL	3.1	0.2	2.1	58.0	10.0
10/20/2016 15:00	0.6	BDL	BDL	1.4	0.2	2.1	24.0	10.0
10/20/2016 16:00	0.6	BDL	BDL	0.7	0.2	2.1	26.0	14.0
10/20/2016 17:00	0.5	BDL	BDL	2.9	0.2	2.1	26.0	10.0
10/20/2016 18:00	0.5	BDL	BDL	5.7	0.2	1.9	33.0	12.0
10/20/2016 19:00	0.4	BDL	BDL	3.7	0.2	1.7	24.0	12.0
10/20/2016 20:00	0.5	BDL	BDL	4.7	0.2	1.6	18.0	11.0
10/20/2016 21:00	0.4	BDL	BDL	4.1	0.1	1.6	20.0	12.0
10/20/2016 22:00	0.4	BDL	BDL	BDL	0.1	1.6	11.0	8.0
10/20/2016 23:00	BDL	BDL	BDL	BDL	0.1	1.6	13.0	6.0
10/21/2016 0:00	BDL	BDL	0.6	0.5	0.1	1.6	8.0	3.0
10/21/2016 1:00	BDL	BDL	BDL	1.4	0.1	1.5	8.0	4.0
10/21/2016 2:00	BDL	Calibration	Calibration	1.4	0.1	1.5	13.0	5.0
10/21/2016 3:00	BDL	Calibration	Calibration	2.5	0.1	1.5	10.0	5.0
10/21/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	11.0	5.0
10/21/2016 5:00	0.5	BDL	BDL	17.5	0.2	1.5	25.0	6.0
10/21/2016 6:00	0.4	BDL	BDL	4.6	0.1	1.4	5.0	6.0
10/21/2016 7:00	BDL	BDL	BDL	2.2	0.1	2.4	44.0	4.0
10/21/2016 8:00	BDL	BDL	BDL	15.8	0.1	2.1	61.0	13.0
10/21/2016 9:00	0.4	BDL	BDL	8.5	0.1	2.0	18.0	9.0
10/21/2016 10:00	0.4	BDL	BDL	3.4	0.1	2.3	61.0	8.0
10/21/2016 11:00	0.5	BDL	BDL	0.6	0.1	2.1	15.0	6.0
10/21/2016 12:00	0.5	BDL	BDL	BDL	0.1	2.3	15.0	5.0
10/21/2016 13:00	0.6	BDL	BDL	BDL	BDL	2.4	30.0	3.0
10/21/2016 14:00	0.6	BDL	BDL	2.5	0.1	2.0	19.0	5.0
10/21/2016 15:00	0.6	BDL	BDL	BDL	0.1	2.1	16.0	4.0
10/21/2016 16:00	0.6	BDL	BDL	BDL	0.1	2.2	12.0	4.0
10/21/2016 17:00	0.5	BDL	BDL	BDL	0.1	2.3	13.0	5.0
10/21/2016 18:00	0.7	BDL	BDL	7.4	0.2	2.2	18.0	4.0
10/21/2016 19:00	0.7	BDL	BDL	BDL	0.1	2.0	29.0	8.0
10/21/2016 20:00	0.6	BDL	BDL	BDL	0.1	2.1	14.0	6.0
10/21/2016 21:00	0.6	BDL	BDL	BDL	0.1	2.1	15.0	4.0
10/21/2016 22:00	0.6	BDL	BDL	BDL	0.1	2.0	7.0	9.0
10/21/2016 23:00	0.6	BDL	BDL	BDL	BDL	2.0	7.0	5.0
10/22/2016 0:00	0.6	BDL	BDL	BDL	BDL	2.0	6.0	9.0
10/22/2016 1:00	0.6	BDL	BDL	BDL	BDL	2.0	7.0	6.0
10/22/2016 2:00	0.7	Calibration	Calibration	BDL	BDL	2.1	5.0	3.0
10/22/2016 3:00	0.6	Calibration	Calibration	BDL	BDL	2.1	5.0	1.0
10/22/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.2	6.0	BDL
10/22/2016 5:00	0.6	BDL	BDL	BDL	BDL	2.2	5.0	4.0
10/22/2016 6:00	0.6	BDL	BDL	BDL	BDL	2.1	8.0	1.0
10/22/2016 7:00	0.6	BDL	BDL	BDL	BDL	Too few samples	7.0	BDL
10/22/2016 8:00	0.6	BDL	BDL	BDL	BDL	2.1	7.0	BDL
10/22/2016 9:00	0.6	BDL	BDL	BDL	BDL	2.1	7.0	1.0
10/22/2016 10:00	0.6	BDL	BDL	BDL	BDL	2.3	6.0	2.0
10/22/2016 11:00	0.5	BDL	BDL	BDL	BDL	2.2	5.0	3.0
10/22/2016 12:00	0.6	BDL	BDL	BDL	BDL	2.3	7.0	6.0
10/22/2016 13:00	0.5	BDL	BDL	BDL	BDL	2.5	12.0	3.0
10/22/2016 14:00	0.5	BDL	BDL	BDL	BDL	2.5	11.0	1.0
10/22/2016 15:00	0.9	BDL	BDL	3.6	BDL	2.3	19.0	2.0
10/22/2016 16:00	0.7	BDL	BDL	0.9	BDL	2.4	13.0	3.0
10/22/2016 17:00	0.7	BDL	BDL	BDL	BDL	2.4	14.0	4.0
10/22/2016 18:00	0.6	BDL	BDL	BDL	BDL	2.4	14.0	6.0
10/22/2016 19:00	0.5	BDL	BDL	BDL	BDL	2.3	9.0	4.0
10/22/2016 20:00	0.7	BDL	BDL	BDL	BDL	2.4	11.0	4.0
10/22/2016 21:00	0.7	BDL	BDL	BDL	BDL	2.5	15.0	3.0
10/22/2016 22:00	0.7	BDL	BDL	BDL	BDL	2.5	15.0	3.0
10/22/2016 23:00	0.7	BDL	BDL	2.6	BDL	2.4	10.0	6.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 10/23/2016-10/29/2016								
10/23/2016 0:00	1.0	BDL	BDL	7.6	BDL	2.4	10.0	7.0
10/23/2016 1:00	1.1	BDL	BDL	7.0	BDL	2.4	12.0	6.0
10/23/2016 2:00	0.9	Calibration	Calibration	7.8	BDL	2.5	6.0	2.0
10/23/2016 3:00	0.7	Calibration	Calibration	2.0	BDL	2.6	4.0	5.0
10/23/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.5	5.0	6.0
10/23/2016 5:00	1.4	BDL	BDL	7.4	BDL	2.4	10.0	6.0
10/23/2016 6:00	2.8	BDL	BDL	7.6	BDL	2.6	14.0	8.0
10/23/2016 7:00	1.9	BDL	BDL	9.2	BDL	2.4	18.0	6.0
10/23/2016 8:00	1.8	BDL	BDL	13.1	BDL	2.5	19.0	8.0
10/23/2016 9:00	Too few samples	BDL	BDL	Too few samples	Too few samples	2.6	15.0	7.0
10/23/2016 10:00	1.6	BDL	BDL	4.9	BDL	2.5	12.0	5.0
10/23/2016 11:00	0.8	BDL	BDL	BDL	BDL	2.6	14.0	4.0
10/23/2016 12:00	0.9	BDL	BDL	2.1	BDL	2.5	17.0	6.0
10/23/2016 13:00	0.8	BDL	BDL	2.5	BDL	2.5	19.0	7.0
10/23/2016 14:00	1.1	BDL	BDL	4.2	BDL	2.5	24.0	7.0
10/23/2016 15:00	1.2	BDL	BDL	8.6	BDL	2.6	23.0	10.0
10/23/2016 16:00	0.7	BDL	BDL	1.8	BDL	2.5	20.0	7.0
10/23/2016 17:00	0.7	BDL	BDL	1.1	BDL	2.5	23.0	8.0
10/23/2016 18:00	1.1	BDL	BDL	4.8	BDL	2.5	27.0	12.0
10/23/2016 19:00	2.0	BDL	BDL	13.4	0.1	3.0	25.0	14.0
10/23/2016 20:00	2.3	0.6	BDL	33.8	0.2	2.6	24.0	14.0
10/23/2016 21:00	1.3	BDL	BDL	8.0	0.1	2.9	24.0	8.0
10/23/2016 22:00	1.4	BDL	BDL	8.8	0.1	3.0	17.0	4.0
10/23/2016 23:00	1.0	BDL	BDL	4.2	0.04	2.8	20.0	7.0
10/24/2016 0:00	1.0	BDL	BDL	2.2	BDL	2.7	17.0	10.0
10/24/2016 1:00	1.1	BDL	BDL	0.4	BDL	2.6	18.0	10.0
10/24/2016 2:00	0.9	Calibration	Calibration	0.6	BDL	2.5	14.0	8.0
10/24/2016 3:00	1.0	Calibration	Calibration	BDL	BDL	2.7	18.0	8.0
10/24/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.7	28.0	17.0
10/24/2016 5:00	1.1	BDL	BDL	BDL	BDL	2.4	16.0	12.0
10/24/2016 6:00	0.9	BDL	BDL	6.4	0.1	2.6	24.0	9.0
10/24/2016 7:00	1.0	BDL	BDL	16.0	0.1	2.8	27.0	6.0
10/24/2016 8:00	1.0	BDL	BDL	18.6	0.1	2.5	34.0	7.0
10/24/2016 9:00	0.7	BDL	BDL	BDL	BDL	2.3	24.0	8.0
10/24/2016 10:00	0.7	BDL	BDL	1.1	BDL	2.3	29.0	7.0
10/24/2016 11:00	0.6	BDL	BDL	BDL	BDL	2.3	27.0	5.0
10/24/2016 12:00	0.4	BDL	BDL	BDL	BDL	2.3	16.0	4.0
10/24/2016 13:00	0.4	BDL	BDL	BDL	BDL	2.4	22.0	2.0
10/24/2016 14:00	0.6	BDL	BDL	1.1	BDL	2.4	27.0	1.0
10/24/2016 15:00	0.6	BDL	BDL	BDL	BDL	2.4	20.0	1.0
10/24/2016 16:00	0.4	BDL	BDL	BDL	BDL	2.4	16.0	5.0
10/24/2016 17:00	0.5	BDL	BDL	BDL	BDL	2.3	14.0	4.0
10/24/2016 18:00	0.5	BDL	BDL	BDL	BDL	2.3	15.0	3.0
10/24/2016 19:00	0.5	BDL	BDL	1.3	BDL	2.4	13.0	3.0
10/24/2016 20:00	0.6	BDL	BDL	BDL	BDL	2.5	13.0	2.0
10/24/2016 21:00	0.6	BDL	BDL	BDL	BDL	2.5	10.0	5.0
10/24/2016 22:00	0.5	BDL	BDL	BDL	BDL	2.6	6.0	4.0
10/24/2016 23:00	0.5	BDL	BDL	BDL	BDL	2.7	10.0	4.0
10/25/2016 0:00	0.5	BDL	BDL	BDL	BDL	2.7	11.0	6.0
10/25/2016 1:00	0.5	BDL	BDL	BDL	BDL	2.6	12.0	6.0
10/25/2016 2:00	0.6	Calibration	Calibration	3.8	BDL	2.6	13.0	5.0
10/25/2016 3:00	1.2	Calibration	Calibration	6.1	BDL	2.7	12.0	5.0
10/25/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	9.0	6.0
10/25/2016 5:00	0.6	BDL	BDL	3.9	BDL	2.6	11.0	1.0
10/25/2016 6:00	0.6	BDL	BDL	4.4	BDL	2.7	13.0	5.0
10/25/2016 7:00	0.9	BDL	BDL	24.7	BDL	2.8	15.0	7.0
10/25/2016 8:00	0.8	BDL	BDL	19.3	BDL	2.8	17.0	4.0
10/25/2016 9:00	0.6	BDL	BDL	2.3	BDL	2.7	14.0	5.0
10/25/2016 10:00	0.6	BDL	BDL	BDL	BDL	2.7	13.0	5.0
10/25/2016 11:00	0.4	BDL	BDL	BDL	BDL	2.5	14.0	3.0
10/25/2016 12:00	0.4	BDL	BDL	BDL	BDL	2.6	13.0	BDL
10/25/2016 13:00	0.4	BDL	BDL	BDL	BDL	2.6	12.0	BDL
10/25/2016 14:00	0.4	BDL	BDL	BDL	BDL	2.5	15.0	4.0
10/25/2016 15:00	0.4	BDL	BDL	BDL	BDL	2.6	15.0	4.0
10/25/2016 16:00	0.5	BDL	BDL	BDL	BDL	2.8	14.0	7.0
10/25/2016 17:00	0.6	BDL	BDL	BDL	BDL	3.3	12.0	5.0
10/25/2016 18:00	0.5	BDL	BDL	BDL	BDL	2.8	8.0	2.0
10/25/2016 19:00	0.6	BDL	BDL	3.3	BDL	2.9	7.0	4.0
10/25/2016 20:00	0.6	BDL	BDL	9.8	0.04	3.1	10.0	6.0
10/25/2016 21:00	0.6	BDL	BDL	13.8	0.1	3.1	17.0	5.0
10/25/2016 22:00	1.2	BDL	BDL	15.6	0.1	3.3	20.0	3.0
10/25/2016 23:00	1.2	BDL	BDL	29.0	0.2	3.5	16.0	7.0
10/26/2016 0:00	0.8	BDL	BDL	24.8	0.2	3.5	14.0	8.0
10/26/2016 1:00	0.8	BDL	BDL	27.0	0.1	3.0	13.0	8.0
10/26/2016 2:00	0.8	Calibration	Calibration	17.0	0.1	2.8	11.0	8.0
10/26/2016 3:00	0.9	Calibration	Calibration	13.4	0.1	2.6	8.0	8.0
10/26/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	11.0	6.0
10/26/2016 5:00	1.0	BDL	BDL	18.8	0.1	5.1	13.0	6.0
10/26/2016 6:00	1.1	BDL	BDL	24.7	0.2	4.6	17.0	5.0
10/26/2016 7:00	1.3	Audit	Audit	38.1	0.2	4.2	19.0	6.0
10/26/2016 8:00	1.2	Too few samples	Too few samples	Too few samples	Too few samples	3.3	23.0	7.0
10/26/2016 9:00	0.8	BDL	BDL	Calibration	0.1	2.8	15.0	4.0
10/26/2016 10:00	0.6	BDL	BDL	4.0	BDL	Too few samples	13.0	5.0
10/26/2016 11:00	0.5	BDL	BDL	0.9	BDL	3.0	9.0	5.0
10/26/2016 12:00	0.5	BDL	BDL	BDL	BDL	2.9	8.0	3.0
10/26/2016 13:00	0.5	BDL	BDL	BDL	BDL	2.8	9.0	BDL
10/26/2016 14:00	0.5	BDL	BDL	BDL	BDL	2.8	9.0	BDL
10/26/2016 15:00	0.5	BDL	BDL	BDL	BDL	2.8	10.0	3.0
10/26/2016 16:00	0.6	BDL	BDL	BDL	BDL	2.8	14.0	4.0
10/26/2016 17:00	0.6	BDL	BDL	BDL	BDL	2.7	18.0	4.0
10/26/2016 18:00	0.5	BDL	BDL	4.3	BDL	2.7	17.0	6.0
10/26/2016 19:00	0.7	BDL	BDL	14.7	0.1	2.7	12.0	5.0
10/26/2016 20:00	0.7	BDL	BDL	9.8	0.1	2.6	18.0	5.0
10/26/2016 21:00	Too few samples	BDL	BDL	Too few samples	Too few samples	2.7	10.0	6.0
10/26/2016 22:00	0.5	BDL	BDL	9.3	0.1	2.6	8.0	4.0
10/26/2016 23:00	0.6	BDL	BDL	9.1	BDL	2.6	8.0	3.0
10/27/2016 0:00	0.4	BDL	BDL	3.2	BDL	2.7	11.0	5.0
10/27/2016 1:00	0.4	BDL	BDL	9.0	BDL	2.6	12.0	7.0
10/27/2016 2:00	0.5	Calibration	Calibration	10.0	BDL	2.8	10.0	7.0
10/27/2016 3:00	0.5	Calibration	Calibration	13.5	BDL	2.7	16.0	4.0
10/27/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	8.0	4.0
10/27/2016 5:00	0.6	BDL	BDL	16.3	0.1	2.5	13.0	6.0
10/27/2016 6:00	0.6	BDL	BDL	22.0	0.1	2.5	16.0	7.0
10/27/2016 7:00	0.6	BDL	BDL	24.6	0.1	2.5	29.0	8.0
10/27/2016 8:00	0.8	BDL	BDL	31.5	0.2	2.5	23.0	6.0
10/27/2016 9:00	0.8	BDL	BDL	32.9	0.2	2.4	25.0	8.0
10/27/2016 10:00	1.0	0.5	BDL	44.2	0.2	2.5	21.0	10.0
10/27/2016 11:00	0.8	BDL	BDL	32.0	0.2	2.4	19.0	11.0
10/27/2016 12:00	0.9	BDL	BDL	32.5	0.2	2.3	22.0	8.0
10/27/2016 13:00	0.7	BDL	BDL	21.1	0.1	2.0	16.0	9.0
10/27/2016 14:00	0.5	BDL	BDL	7.1	0.04	1.9	11.0	6.0
10/27/2016 15:00	0.5	BDL	BDL	4.0	0.04	1.9	14.0	4.0
10/27/2016 16:00	0.5	BDL	BDL	BDL	0.04	1.8	11.0	5.0
10/27/2016 17:00	0.5	BDL	BDL	1.0	0.1	1.7	11.0	6.0
10/27/2016 18:00	0.5	BDL	BDL	2.1	0.1	1.7	12.0	6.0
10/27/2016 19:00	0.6	BDL	BDL	5.1	0.1	1.9	15.0	13.0
10/27/2016 20:00	0.6	BDL	BDL	7.4	0.1	2.2	15.0	9.0
10/27/2016 21:00	0.7	BDL	BDL	5.3	0.1	2.3	15.0	9.0
10/27/2016 22:00	0.7	BDL	BDL	1.5	0.1	2.2	13.0	9.0
10/27/2016 23:00	0.8	BDL	BDL	5.4	0.1	2.1	17.0	10.0
10/28/2016 0:00	0.8	BDL	BDL	BDL	0.1	2.1	11.0	11.0
10/28/2016 1:00	0.6	BDL	BDL	BDL	BDL	2.1	21.0	9.0
10/28/2016 2:00	0.5	Calibration	Calibration	BDL	BDL	2.1	12.0	8.0
10/28/2016 3:00	0.5	Calibration	Calibration	BDL	BDL	2.2	11.0	6.0
10/28/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.3	8.0	5.0
10/28/2016 5:00	0.5	BDL	BDL	0.5	BDL	2.3	12.0	6.0
10/28/2016 6:00	0.5	BDL	BDL	BDL	BDL	2.3	9.0	4.0
10/28/2016 7:00	0.5	BDL	BDL	BDL	BDL	2.3	6.0	4.0
10/28/2016 8:00	0.5	BDL	BDL	BDL	BDL	2.3	11.0	3.0
10/28/2016 9:00	0.5	BDL	BDL	BDL	BDL	2.4	12.0	1.0
10/28/2016 10:00	0.5	BDL	BDL	BDL	BDL	2.3	11.0	BDL
10/28/2016 11:00	0.5	BDL	BDL	BDL	BDL	2.3	11.0	6.0
10/28/2016 12:00	0.4	BDL	BDL	BDL	BDL	2.3	11.0	6.0
10/28/2016 13:00	0.4	BDL	BDL	BDL	BDL	2.3	11.0	5.0
10/28/2016 14:00	0.4	BDL	BDL	BDL	BDL	2.3	12.0	5.0
10/28/2016 15:00	0.5	BDL	BDL	BDL	BDL	2.2	11.0	3.0
10/28/2016 16:00	0.5	BDL	BDL	BDL	BDL	2.2	12.0	3.0
10/28/2016 17:00	0.5	BDL	BDL	BDL	BDL	2.3	8.0	4.0
10/28/2016 18:00	0.6	BDL	BDL	5.9	BDL	2.2	8.0	5.0
10/28/2016 19:00	0.6	BDL	BDL	7.6	0.1	2.3	11.0	5.0
10/28/2016 20:00	0.7	BDL	BDL	16.0	0.2	2.3	14.0	7.0
10/28/2016 21:00	0.8	BDL	BDL	24.4	0.3	2.5	22.0	7.0
10/28/2016 22:00	0.6	BDL	BDL	8.0	0.1	2.5	13.0	7.0
10/28/2016 23:00	0.6	BDL	BDL	9.5	0.1	2.7	9.0	7.0
10/29/2016 0:00	0.8	BDL	BDL	24.8	0.2	3.1	12.0	8.0
10/29/2016 1:00	0.9	BDL	BDL	39.8	0.3	3.8	17.0	14.0
10/29/2016 2:00	1.0	Calibration	Calibration	43.9	0.4	3.2	15.0	12.0
10/29/2016 3:00	1.4	Calibration	Calibration	70.6	0.6	3.3	24.0	12.0
10/29/2016 4:00	Calibration	1.0	BDL	Calibration	Calibration	3.5	17.0	12.0
10/29/2016 5:00	1.5	1.1	BDL	66.2	0.6	3.4	19.0	9.0
10/29/2016 6:00	1.6	1.3	BDL	75.9	0.7	3.2	16.0	11.0
10/29/2016 7:00	1.7	1.6	BDL	78.7	0.5	2.8	22.0	16.0
10/29/2016 8:00	1.5	1.7	BDL	59.0	0.3	3.0	32.0	14.0
10/29/2016 9:00	1.6	1.2	0.6	23.0	0.1	2.4	19.0	14.0
10/29/2016 10:00	1.7	1.3	1.2	7.1	0.04	2.2	17.0	9.0
10/29/2016 11:00	1.6	BDL	BDL	2.7	BDL	2.1	13.0	6.0
10/29/2016 12:00	1.8	BDL	BDL	1.9	BDL	1.9	12.0	6.0
10/29/2016 13:00	2.1	BDL	BDL	1.8	BDL	1.9	20.0	9.0
10/29/2016 14:00	1.5	BDL	BDL	BDL	BDL	1.8	20.0	10.0
10/29/2016 15:00	1.9	BDL	BDL	BDL	BDL	1.7	24.0	10.0
10/29/2016 16:00	2.0	BDL	BDL	4.3	0.04	1.9	20.0	9.0
10/29/2016 17:00	1.5	BDL	BDL	4.0	0.04	2.0	19.0	7.0
10/29/2016 18:00	1.3	BDL	BDL	4.5	0.1	1.9	23.0	10.0
10/29/2016 19:00	1.1	BDL	BDL	2.9	0.1	1.8	25.0	9.0
10/29/2016 20:00	1.2	BDL	BDL	4.6	0.1	2.1	20.0	13.0
10/29/2016 21:00	1.5	BDL	BDL	9.2	0.1	2.1	21.0	10.0
10/29/2016 22:00	1.5	BDL	BDL	9.2	0.1	1.8	25.0	16.0
10/29/2016 23:00	1.5	BDL	BDL	6.3	0.1	1.8	24.0	12.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 10/30/2016-11/5/2016								
10/30/2016 0:00	1.8	BDL	BDL	9.1	0.1	1.7	22.0	11.0
10/30/2016 1:00	2.4	BDL	BDL	9.2	0.1	1.7	33.0	20.0
10/30/2016 2:00	2.2	Calibration	Calibration	13.1	0.1	1.8	29.0	16.0
10/30/2016 3:00	2.2	Calibration	Calibration	10.0	0.1	1.9	26.0	15.0
10/30/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.1	24.0	18.0
10/30/2016 5:00	1.4	BDL	BDL	9.3	0.2	2.3	24.0	15.0
10/30/2016 6:00	1.6	BDL	BDL	14.4	0.2	2.3	25.0	16.0
10/30/2016 7:00	1.9	0.5	BDL	30.8	0.3	1.9	26.0	19.0
10/30/2016 8:00	2.9	0.9	BDL	43.6	0.4	Too few samples	35.0	19.0
10/30/2016 9:00	3.2	0.8	0.6	26.2	0.3	3.1	25.0	13.0
10/30/2016 10:00	3.8	0.4	BDL	18.8	0.2	2.8	27.0	18.0
10/30/2016 11:00	4.3	BDL	BDL	15.6	0.2	2.9	31.0	18.0
10/30/2016 12:00	3.8	BDL	BDL	12.1	0.1	2.8	24.0	17.0
10/30/2016 13:00	2.3	BDL	BDL	1.3	0.1	2.6	27.0	17.0
10/30/2016 14:00	2.4	BDL	BDL	2.0	0.1	2.4	28.0	9.0
10/30/2016 15:00	2.6	BDL	BDL	1.1	0.1	2.4	29.0	13.0
10/30/2016 16:00	3.2	BDL	BDL	7.1	0.1	2.6	30.0	13.0
10/30/2016 17:00	2.3	BDL	BDL	2.6	0.1	2.9	28.0	15.0
10/30/2016 18:00	1.4	BDL	BDL	BDL	0.1	3.0	18.0	12.0
10/30/2016 19:00	0.9	0.4	BDL	18.3	0.1	2.9	16.0	9.0
10/30/2016 20:00	1.0	BDL	BDL	9.3	0.1	3.2	15.0	9.0
10/30/2016 21:00	0.9	BDL	BDL	0.5	0.1	2.7	9.0	6.0
10/30/2016 22:00	0.9	BDL	BDL	BDL	0.1	2.7	15.0	4.0
10/30/2016 23:00	0.8	BDL	BDL	BDL	0.04	2.7	10.0	5.0
10/31/2016 0:00	0.7	BDL	BDL	BDL	BDL	2.8	11.0	3.0
10/31/2016 1:00	0.7	BDL	BDL	BDL	BDL	2.8	6.0	1.0
10/31/2016 2:00	0.6	Calibration	Calibration	BDL	BDL	2.8	4.0	1.0
10/31/2016 3:00	0.6	Calibration	Calibration	BDL	BDL	2.9	6.0	2.0
10/31/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	6.0	1.0
10/31/2016 5:00	0.6	BDL	BDL	BDL	BDL	3.0	5.0	1.0
10/31/2016 6:00	0.6	BDL	BDL	BDL	BDL	3.0	4.0	7.0
10/31/2016 7:00	0.7	BDL	BDL	4.6	0.04	Calibration	12.0	10.0
10/31/2016 8:00	0.7	BDL	BDL	6.0	0.04	2.2	13.0	8.0
10/31/2016 9:00	0.9	BDL	BDL	6.6	BDL	2.2	10.0	5.0
10/31/2016 10:00	0.9	BDL	BDL	1.7	BDL	2.2	11.0	5.0
10/31/2016 11:00	1.0	BDL	BDL	BDL	BDL	2.2	8.0	4.0
10/31/2016 12:00	0.8	BDL	BDL	BDL	BDL	2.2	6.0	BDL
10/31/2016 13:00	0.8	BDL	BDL	BDL	BDL	2.2	6.0	6.0
10/31/2016 14:00	0.8	BDL	BDL	BDL	BDL	2.2	9.0	5.0
10/31/2016 15:00	0.8	BDL	BDL	BDL	BDL	2.1	8.0	5.0
10/31/2016 16:00	0.7	BDL	BDL	BDL	BDL	2.1	11.0	3.0
10/31/2016 17:00	0.7	BDL	BDL	1.1	BDL	2.2	8.0	4.0
10/31/2016 18:00	0.8	BDL	BDL	5.9	0.1	2.3	11.0	5.0
10/31/2016 19:00	0.9	BDL	BDL	22.3	0.2	2.6	12.0	8.0
10/31/2016 20:00	1.1	BDL	BDL	36.0	0.4	2.7	16.0	9.0
10/31/2016 21:00	1.3	BDL	BDL	35.3	0.3	2.4	15.0	7.0
10/31/2016 22:00	1.1	BDL	BDL	16.6	0.1	2.6	16.0	11.0
10/31/2016 23:00	1.0	BDL	BDL	25.1	0.2	2.5	18.0	9.0
11/1/2016 0:00	0.8	BDL	BDL	22.8	0.2	2.4	12.0	10.0
11/1/2016 1:00	0.8	BDL	BDL	23.3	0.1	2.3	12.0	9.0
11/1/2016 2:00	0.8	Calibration	Calibration	19.2	0.1	2.2	10.0	7.0
11/1/2016 3:00	0.9	Calibration	Calibration	30.3	0.1	2.1	11.0	6.0
11/1/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.2	16.0	6.0
11/1/2016 5:00	2.0	1.8	BDL	94.3	0.6	2.7	17.0	9.0
11/1/2016 6:00	2.0	1.7	BDL	87.9	0.6	2.5	17.0	9.0
11/1/2016 7:00	1.9	1.4	BDL	81.0	0.5	2.6	22.0	11.0
11/1/2016 8:00	1.8	1.1	BDL	67.3	0.4	2.4	25.0	11.0
11/1/2016 9:00	2.1	1.4	BDL	75.4	0.4	2.4	33.0	17.0
11/1/2016 10:00	2.4	1.9	BDL	81.4	0.3	2.4	38.0	17.0
11/1/2016 11:00	1.7	0.9	BDL	47.6	0.2	2.2	24.0	12.0
11/1/2016 12:00	1.1	BDL	BDL	13.4	0.1	2.0	18.0	8.0
11/1/2016 13:00	1.0	BDL	BDL	BDL	BDL	1.9	13.0	5.0
11/1/2016 14:00	1.0	BDL	BDL	BDL	BDL	1.8	18.0	7.0
11/1/2016 15:00	1.0	BDL	BDL	BDL	BDL	1.9	13.0	6.0
11/1/2016 16:00	0.9	BDL	BDL	BDL	BDL	1.9	19.0	10.0
11/1/2016 17:00	1.0	BDL	BDL	1.0	0.1	2.1	17.0	8.0
11/1/2016 18:00	0.9	BDL	BDL	3.8	0.1	2.1	16.0	6.0
11/1/2016 19:00	1.0	BDL	BDL	9.7	0.1	1.9	19.0	10.0
11/1/2016 20:00	0.8	BDL	BDL	9.8	0.1	2.0	18.0	11.0
11/1/2016 21:00	0.8	BDL	BDL	3.4	0.1	2.0	14.0	9.0
11/1/2016 22:00	1.1	BDL	BDL	15.2	0.2	1.7	13.0	5.0
11/1/2016 23:00	1.0	BDL	BDL	17.2	0.1	1.6	16.0	6.0
11/2/2016 0:00	0.9	0.7	0.6	20.9	0.1	1.6	13.0	10.0
11/2/2016 1:00	1.1	2.2	1.9	26.5	0.1	1.8	16.0	7.0
11/2/2016 2:00	1.1	Calibration	Calibration	33.9	0.1	1.8	25.0	8.0
11/2/2016 3:00	1.1	Calibration	Calibration	34.5	0.1	1.7	22.0	8.0
11/2/2016 4:00	Calibration	1.6	1.3	Calibration	Calibration	1.7	24.0	11.0
11/2/2016 5:00	1.0	1.7	1.3	18.4	0.1	2.4	18.0	9.0
11/2/2016 6:00	1.5	0.5	BDL	21.3	0.1	2.4	14.0	10.0
11/2/2016 7:00	1.9	1.0	0.5	35.5	0.2	2.4	23.0	9.0
11/2/2016 8:00	2.5	1.4	0.7	46.5	0.2	Too few samples	Invalid	Invalid
11/2/2016 9:00	2.8	0.9	BDL	33.9	0.2	2.6	Invalid	Invalid
11/2/2016 10:00	3.4	0.4	BDL	27.6	0.1	2.5	Invalid	Invalid
11/2/2016 11:00	3.6	BDL	BDL	14.5	0.1	2.1	38.0	16.0
11/2/2016 12:00	2.5	BDL	BDL	6.0	0.1	2.0	27.0	8.0
11/2/2016 13:00	1.9	BDL	BDL	6.6	0.1	1.8	21.0	14.0
11/2/2016 14:00	2.2	BDL	BDL	8.3	0.1	1.8	23.0	12.0
11/2/2016 15:00	2.3	BDL	BDL	8.0	0.1	1.8	28.0	9.0
11/2/2016 16:00	2.5	BDL	BDL	8.5	0.1	1.8	31.0	15.0
11/2/2016 17:00	1.9	BDL	BDL	10.9	0.1	1.7	27.0	15.0
11/2/2016 18:00	1.9	BDL	BDL	13.6	0.2	1.9	33.0	16.0
11/2/2016 19:00	2.6	BDL	BDL	17.7	0.2	2.0	32.0	23.0
11/2/2016 20:00	2.7	BDL	BDL	32.7	0.3	2.1	36.0	23.0
11/2/2016 21:00	2.8	1.4	0.7	52.3	0.5	2.3	37.0	19.0
11/2/2016 22:00	2.8	1.0	0.4	48.0	0.4	2.7	37.0	23.0
11/2/2016 23:00	2.6	2.0	1.4	49.3	0.5	2.9	36.0	24.0
11/3/2016 0:00	2.4	2.4	1.4	45.4	0.4	2.8	32.0	24.0
11/3/2016 1:00	2	1.0	0.6	28.9	0.2	2.7	35.0	23.0
11/3/2016 2:00	2	Calibration	Calibration	35.1	0.3	2.5	34.0	22.0
11/3/2016 3:00	1.6	Calibration	Calibration	36.2	0.3	2.8	30.0	23.0
11/3/2016 4:00	Calibration	0.5	BDL	Calibration	Calibration	Too few samples	30.0	26.0
11/3/2016 5:00	1.5	BDL	BDL	14.3	0.2	2.2	31.0	27.0
11/3/2016 6:00	1.6	BDL	BDL	22.4	0.2	2.0	38.0	28.0
11/3/2016 7:00	1.8	0.6	BDL	31.6	0.2	2.0	34.0	31.0
11/3/2016 8:00	2.2	0.8	BDL	45.2	0.3	2.0	35.0	28.0
11/3/2016 9:00	2.1	0.5	BDL	34.4	0.3	Too few samples	25.0	26.0
11/3/2016 10:00	3.2	BDL	BDL	31.3	0.3	3.4	42.0	37.0
11/3/2016 11:00	4.6	0.4	BDL	32.4	0.2	3.1	36.0	27.0
11/3/2016 12:00	6.6	BDL	BDL	31.5	0.3	3.1	48.0	21.0
11/3/2016 13:00	4.3	BDL	BDL	21.2	0.1	2.3	28.0	15.0
11/3/2016 14:00	3.6	BDL	BDL	15.0	0.1	2.4	29.0	13.0
11/3/2016 15:00	4.1	BDL	BDL	11.1	0.2	2.4	37.0	27.0
11/3/2016 16:00	4.5	BDL	BDL	10.0	0.1	1.9	22.0	17.0
11/3/2016 17:00	2.8	BDL	BDL	5.0	0.1	1.8	19.0	13.0
11/3/2016 18:00	1.7	BDL	BDL	0.5	0.1	1.9	17.0	9.0
11/3/2016 19:00	1.3	BDL	BDL	0.4	0.1	2.0	10.0	4.0
11/3/2016 20:00	1.1	BDL	BDL	BDL	0.1	1.9	9.0	2.0
11/3/2016 21:00	0.9	BDL	BDL	2.3	0.1	2.0	8.0	2.0
11/3/2016 22:00	0.9	BDL	BDL	5.9	0.1	2.0	7.0	1.0
11/3/2016 23:00	1.1	BDL	BDL	6.2	0.1	2.2	7.0	1.0
11/4/2016 0:00	0.9	BDL	BDL	3.8	BDL	2.2	5.0	4.0
11/4/2016 1:00	0.9	BDL	BDL	0.5	BDL	2.1	7.0	5.0
11/4/2016 2:00	0.9	Calibration	Calibration	1.6	0.1	2.5	5.0	3.0
11/4/2016 3:00	0.8	Calibration	Calibration	BDL	BDL	2.4	7.0	4.0
11/4/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	8.0	3.0
11/4/2016 5:00	0.8	BDL	BDL	3.1	BDL	2.6	9.0	4.0
11/4/2016 6:00	0.9	BDL	BDL	7.1	0.1	2.8	12.0	4.0
11/4/2016 7:00	1.1	BDL	BDL	8.6	0.1	3.2	12.0	6.0
11/4/2016 8:00	1.2	BDL	BDL	5.6	0.04	3.3	10.0	5.0
11/4/2016 9:00	1.0	BDL	BDL	1.4	BDL	2.7	9.0	3.0
11/4/2016 10:00	1.0	BDL	BDL	1.3	BDL	2.5	8.0	3.0
11/4/2016 11:00	0.9	BDL	BDL	BDL	BDL	2.4	9.0	3.0
11/4/2016 12:00	0.9	BDL	BDL	BDL	BDL	2.3	12.0	1.0
11/4/2016 13:00	0.8	BDL	BDL	BDL	BDL	2.3	9.0	1.0
11/4/2016 14:00	0.8	BDL	BDL	BDL	BDL	2.3	8.0	BDL
11/4/2016 15:00	0.6	BDL	BDL	BDL	BDL	2.3	7.0	3.0
11/4/2016 16:00	0.7	BDL	BDL	BDL	BDL	2.4	5.0	2.0
11/4/2016 17:00	0.7	BDL	BDL	BDL	BDL	2.4	7.0	2.0
11/4/2016 18:00	0.7	BDL	BDL	4.9	BDL	2.7	9.0	3.0
11/4/2016 19:00	0.7	BDL	BDL	8.8	0.1	2.6	10.0	3.0
11/4/2016 20:00	0.9	BDL	BDL	16.4	0.2	3.2	13.0	6.0
11/4/2016 21:00	0.9	BDL	BDL	13.6	0.1	3.4	12.0	5.0
11/4/2016 22:00	1.0	BDL	BDL	20.9	0.2	3.2	17.0	7.0
11/4/2016 23:00	1.1	BDL	BDL	22.4	0.4	3.0	13.0	7.0
11/5/2016 0:00	1.5	BDL	BDL	28.1	0.4	3.6	10.0	6.0
11/5/2016 1:00	1.4	BDL	BDL	24.0	0.5	3.5	13.0	8.0
11/5/2016 2:00	1.3	Calibration	Calibration	18.2	0.2	3.1	9.0	8.0
11/5/2016 3:00	1.2	Calibration	Calibration	22.4	0.3	3.3	14.0	6.0
11/5/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	3.5	12.0	6.0
11/5/2016 5:00	1.0	BDL	BDL	19.2	0.1	3.3	14.0	5.0
11/5/2016 6:00	1.0	BDL	BDL	14.3	0.1	3.0	10.0	6.0
11/5/2016 7:00	1.0	BDL	BDL	10.0	0.1	2.9	9.0	6.0
11/5/2016 8:00	1.6	1.0	BDL	38.3	0.2	3.3	20.0	11.0
11/5/2016 9:00	1.5	0.4	BDL	19.8	0.1	3.0	21.0	9.0
11/5/2016 10:00	1.2	BDL	BDL	4.1	BDL	2.6	11.0	9.0
11/5/2016 11:00	0.9	BDL	BDL	BDL	BDL	2.6	13.0	5.0
11/5/2016 12:00	7.7	BDL	BDL	BDL	BDL	2.5	11.0	5.0
11/5/2016 13:00	1.8	BDL	BDL	BDL	BDL	2.4	12.0	5.0
11/5/2016 14:00	1.2	BDL	BDL	BDL	0.04	2.4	12.0	8.0
11/5/2016 15:00	1.1	BDL	BDL	BDL	0.04	2.4	13.0	7.0
11/5/2016 16:00	1.0	BDL	BDL	BDL	BDL	2.3	9.0	5.0
11/5/2016 17:00	1.2	BDL	BDL	BDL	BDL	2.3	10.0	5.0
11/5/2016 18:00	1.2	BDL	BDL	BDL	BDL	2.2	14.0	5.0
11/5/2016 19:00	1.1	BDL	BDL	3.9	BDL	2.3	13.0	6.0
11/5/2016 20:00	1.7	BDL	BDL	14.1	BDL	2.3	21.0	8.0
11/5/2016 21:00	2.3	BDL	BDL	15.6	0.1	2.6	21.0	16.0
11/5/2016 22:00	1.9	BDL	BDL	9.1	0.1	2.6	17.0	15.0
11/5/2016 23:00	2.1	BDL	BDL	15.2	0.2	2.9	26.0	19.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 11/6/2016-11/12/2016								
11/6/2016 0:00	1.6	BDL	BDL	12.8	0.1	2.7	13.0	13.0
11/6/2016 1:00	1.9	BDL	BDL	9.6	BDL	2.8	14.0	11.0
11/6/2016 2:00	1.9	Calibration	Calibration	4.3	BDL	2.6	14.0	10.0
11/6/2016 3:00	1.7	Calibration	Calibration	BDL	BDL	2.4	9.0	8.0
11/6/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	18.0	10.0
11/6/2016 5:00	1.5	BDL	BDL	2.8	BDL	2.5	15.0	11.0
11/6/2016 6:00	1.5	BDL	BDL	4.7	BDL	2.5	16.0	12.0
11/6/2016 7:00	1.3	BDL	BDL	0.6	BDL	2.5	20.0	10.0
11/6/2016 8:00	1.2	BDL	BDL	11.3	0.1	Calibration	19.0	11.0
11/6/2016 9:00	1.3	BDL	BDL	BDL	BDL	2.6	17.0	10.0
11/6/2016 10:00	1.2	BDL	BDL	BDL	BDL	2.4	20.0	8.0
11/6/2016 11:00	1.1	BDL	BDL	BDL	BDL	2.4	11.0	8.0
11/6/2016 12:00	0.9	BDL	BDL	BDL	BDL	2.4	10.0	6.0
11/6/2016 13:00	0.8	BDL	BDL	BDL	BDL	2.4	10.0	5.0
11/6/2016 14:00	0.7	BDL	BDL	BDL	BDL	2.3	8.0	3.0
11/6/2016 15:00	0.6	BDL	BDL	BDL	BDL	2.3	9.0	BDL
11/6/2016 16:00	0.6	BDL	BDL	BDL	BDL	2.3	14.0	BDL
11/6/2016 17:00	0.7	BDL	BDL	BDL	BDL	2.4	9.0	1.0
11/6/2016 18:00	0.8	BDL	BDL	2.6	BDL	2.4	7.0	6.0
11/6/2016 19:00	0.7	BDL	BDL	5.0	BDL	2.5	7.0	6.0
11/6/2016 20:00	0.7	BDL	BDL	9.3	0.04	2.6	6.0	3.0
11/6/2016 21:00	0.7	BDL	BDL	3.4	0.04	2.5	12.0	3.0
11/6/2016 22:00	0.6	BDL	BDL	0.8	0.04	2.6	7.0	4.0
11/6/2016 23:00	0.6	BDL	BDL	0.8	BDL	2.6	4.0	3.0
11/7/2016 0:00	0.6	BDL	BDL	5.0	BDL	2.7	5.0	4.0
11/7/2016 1:00	0.6	BDL	BDL	4.5	BDL	2.9	7.0	3.0
11/7/2016 2:00	0.5	Calibration	Calibration	2.7	BDL	2.8	7.0	1.0
11/7/2016 3:00	0.6	Calibration	Calibration	3.0	BDL	2.9	3.0	4.0
11/7/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	5.0	2.0
11/7/2016 5:00	0.6	BDL	BDL	6.8	BDL	3.0	4.0	1.0
11/7/2016 6:00	0.8	BDL	BDL	13.0	0.1	3.0	10.0	BDL
11/7/2016 7:00	0.8	BDL	BDL	19.8	0.1	3.0	8.0	BDL
11/7/2016 8:00	0.9	BDL	BDL	24.8	0.2	3.0	9.0	3.0
11/7/2016 9:00	0.9	BDL	BDL	24.3	0.2	2.9	12.0	5.0
11/7/2016 10:00	0.8	BDL	BDL	12.2	0.1	2.7	16.0	4.0
11/7/2016 11:00	0.8	BDL	BDL	5.8	BDL	2.7	12.0	2.0
11/7/2016 12:00	0.7	BDL	BDL	3.9	BDL	2.6	10.0	1.0
11/7/2016 13:00	0.7	BDL	BDL	3.2	BDL	2.6	12.0	3.0
11/7/2016 14:00	0.7	BDL	BDL	3.7	BDL	2.6	13.0	3.0
11/7/2016 15:00	0.7	BDL	BDL	BDL	BDL	2.6	9.0	2.0
11/7/2016 16:00	0.7	BDL	BDL	BDL	BDL	2.7	11.0	1.0
11/7/2016 17:00	0.7	BDL	BDL	3.3	BDL	2.7	11.0	3.0
11/7/2016 18:00	1.4	BDL	BDL	36.5	0.4	2.9	20.0	6.0
11/7/2016 19:00	2.0	0.4	BDL	56.9	0.5	3.6	20.0	7.0
11/7/2016 20:00	2.2	1.6	BDL	87.7	0.5	4.1	30.0	12.0
11/7/2016 21:00	2.6	1.9	BDL	106.1	0.8	5.0	32.0	15.0
11/7/2016 22:00	3.5	3.0	BDL	130.1	1.0	4.4	27.0	11.0
11/7/2016 23:00	3.4	4.5	1.4	125.7	1.0	4.7	33.0	10.0
11/8/2016 0:00	3.0	3.2	0.6	106.6	0.8	4.1	23.0	11.0
11/8/2016 1:00	2.5	1.9	BDL	88.3	0.6	4.2	24.0	16.0
11/8/2016 2:00	2.1	Calibration	Calibration	74.5	0.4	4.2	18.0	9.0
11/8/2016 3:00	1.9	Calibration	Calibration	54.6	0.3	3.7	20.0	6.0
11/8/2016 4:00	Calibration	1.8	BDL	Calibration	Calibration	Too few samples	21.0	12.0
11/8/2016 5:00	2.2	1.9	BDL	83.9	0.4	4.0	25.0	12.0
11/8/2016 6:00	3.3	3.4	0.6	137.2	0.6	3.9	30.0	14.0
11/8/2016 7:00	3.4	6.2	2.3	140.7	0.8	4.6	35.0	19.0
11/8/2016 8:00	3.0	2.9	BDL	117.1	0.6	3.7	52.0	13.0
11/8/2016 9:00	3.1	1.6	BDL	98.4	0.5	3.5	37.0	10.0
11/8/2016 10:00	3.0	1.9	BDL	74.9	0.5	3.5	48.0	11.0
11/8/2016 11:00	2.8	1.0	BDL	57.0	0.4	2.7	37.0	12.0
11/8/2016 12:00	1.4	BDL	BDL	7.8	0.1	2.0	17.0	7.0
11/8/2016 13:00	1.3	BDL	BDL	2.4	BDL	1.9	12.0	3.0
11/8/2016 14:00	1.1	BDL	BDL	3.8	BDL	1.7	11.0	2.0
11/8/2016 15:00	1.1	BDL	BDL	BDL	BDL	1.7	12.0	3.0
11/8/2016 16:00	1.1	BDL	BDL	BDL	BDL	1.7	17.0	4.0
11/8/2016 17:00	1.2	BDL	BDL	1.1	BDL	1.6	13.0	7.0
11/8/2016 18:00	1.3	BDL	BDL	3.8	0.04	1.9	16.0	9.0
11/8/2016 19:00	4.2	1.3	BDL	46.9	0.3	3.3	31.0	14.0
11/8/2016 20:00	1.7	BDL	BDL	30.2	0.2	2.0	24.0	11.0
11/8/2016 21:00	4.5	2.9	1.2	86.2	0.5	2.2	38.0	12.0
11/8/2016 22:00	5.0	1.6	BDL	70.0	0.4	2.4	31.0	14.0
11/8/2016 23:00	3.2	0.6	BDL	37.8	0.2	2.3	25.0	10.0
11/9/2016 0:00	3.3	1.1	BDL	40.4	0.3	2.3	26.0	10.0
11/9/2016 1:00	2.3	2.1	1.4	42.5	0.3	2.4	27.0	8.0
11/9/2016 2:00	2.0	Calibration	Calibration	37.0	0.2	2.4	25.0	13.0
11/9/2016 3:00	2.0	Calibration	Calibration	33.6	0.2	2.5	25.0	12.0
11/9/2016 4:00	Calibration	1.5	BDL	Calibration	Calibration	1.9	29.0	16.0
11/9/2016 5:00	3.1	1.3	BDL	39.4	0.2	2.3	30.0	12.0
11/9/2016 6:00	2.4	1.5	BDL	51.5	0.3	2.5	29.0	11.0
11/9/2016 7:00	2.3	6.3	7.5	39.6	0.2	1.9	28.0	14.0
11/9/2016 8:00	Too few samples	BDL	BDL	43.7	Too few samples	1.6	38.0	17.0
11/9/2016 9:00	2.0	BDL	BDL	77.4	0.2	1.4	32.0	20.0
11/9/2016 10:00	1.6	0.6	BDL	31.9	0.3	Too few samples	34.0	19.0
11/9/2016 11:00	1.6	BDL	BDL	33.2	0.3	1.4	34.0	19.0
11/9/2016 12:00	1.6	BDL	BDL	23.0	0.3	1.5	35.0	25.0
11/9/2016 13:00	1.5	BDL	BDL	12.5	0.2	1.9	29.0	26.0
11/9/2016 14:00	1.5	BDL	BDL	8.2	0.1	1.8	19.0	25.0
11/9/2016 15:00	1.4	BDL	BDL	11.0	0.2	1.8	27.0	26.0
11/9/2016 16:00	1.3	BDL	BDL	14.9	0.2	1.9	28.0	22.0
11/9/2016 17:00	1.2	BDL	BDL	8.6	0.2	1.7	17.0	19.0
11/9/2016 18:00	1.1	BDL	BDL	3.9	0.1	1.6	11.0	9.0
11/9/2016 19:00	1.1	BDL	BDL	1.2	0.1	1.5	9.0	8.0
11/9/2016 20:00	1.1	BDL	BDL	BDL	BDL	1.5	6.0	5.0
11/9/2016 21:00	1.0	BDL	BDL	BDL	BDL	1.5	5.0	5.0
11/9/2016 22:00	1.0	BDL	BDL	BDL	BDL	1.5	6.0	4.0
11/9/2016 23:00	1.0	BDL	BDL	BDL	BDL	1.6	5.0	3.0
11/10/2016 0:00	1.0	BDL	BDL	BDL	BDL	1.6	6.0	2.0
11/10/2016 1:00	1.0	BDL	BDL	BDL	BDL	1.6	6.0	2.0
11/10/2016 2:00	0.9	Calibration	Calibration	BDL	BDL	1.6	7.0	1.0
11/10/2016 3:00	1.0	Calibration	Calibration	BDL	BDL	1.6	7.0	6.0
11/10/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	1.8	7.0	4.0
11/10/2016 5:00	0.9	BDL	BDL	8.2	BDL	2.0	5.0	5.0
11/10/2016 6:00	1.0	BDL	BDL	7.5	BDL	2.1	8.0	5.0
11/10/2016 7:00	1.1	BDL	BDL	9.5	BDL	2.1	9.0	4.0
11/10/2016 8:00	1.2	BDL	BDL	9.1	BDL	2.1	11.0	3.0
11/10/2016 9:00	1.2	BDL	BDL	3.8	BDL	1.9	12.0	5.0
11/10/2016 10:00	1.2	BDL	BDL	1.4	BDL	1.9	12.0	6.0
11/10/2016 11:00	1.2	BDL	BDL	0.6	BDL	1.8	8.0	3.0
11/10/2016 12:00	1.1	BDL	BDL	BDL	BDL	1.7	9.0	1.0
11/10/2016 13:00	1.3	BDL	BDL	BDL	BDL	1.7	10.0	3.0
11/10/2016 14:00	1.1	BDL	BDL	BDL	BDL	1.7	9.0	3.0
11/10/2016 15:00	1.1	BDL	BDL	BDL	BDL	1.6	9.0	2.0
11/10/2016 16:00	1.4	BDL	BDL	5.1	BDL	1.6	19.0	13.0
11/10/2016 17:00	2.6	BDL	BDL	9.9	BDL	1.6	27.0	11.0
11/10/2016 18:00	4.2	BDL	BDL	10.2	0.04	1.8	19.0	15.0
11/10/2016 19:00	3.6	0.5	BDL	26.6	0.1	2.1	18.0	10.0
11/10/2016 20:00	3.0	BDL	BDL	21.0	0.1	2.0	14.0	7.0
11/10/2016 21:00	3.5	BDL	BDL	18.8	0.1	1.9	20.0	11.0
11/10/2016 22:00	3.9	BDL	BDL	19.0	0.1	1.7	21.0	16.0
11/10/2016 23:00	3.5	BDL	BDL	18.0	0.1	1.7	16.0	14.0
11/11/2016 0:00	4.1	BDL	BDL	21.3	0.1	1.9	18.0	14.0
11/11/2016 1:00	4.7	BDL	BDL	23.6	0.1	1.7	22.0	16.0
11/11/2016 2:00	4.6	Calibration	Calibration	26.4	0.1	1.6	26.0	18.0
11/11/2016 3:00	4.7	Calibration	Calibration	25.1	0.1	1.7	19.0	14.0
11/11/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	26.0	16.0
11/11/2016 5:00	7.1	0.5	BDL	24.1	0.2	1.8	20.0	17.0
11/11/2016 6:00	5.2	0.5	BDL	26.7	0.1	1.8	17.0	10.0
11/11/2016 7:00	5.2	0.7	BDL	32.0	0.1	1.4	24.0	12.0
11/11/2016 8:00	5.8	0.9	0.4	28.3	0.1	1.4	24.0	11.0
11/11/2016 9:00	5.5	0.8	BDL	29.8	0.1	1.2	42.0	10.0
11/11/2016 10:00	2.7	BDL	BDL	10.5	BDL	1.0	23.0	9.0
11/11/2016 11:00	1.8	BDL	BDL	BDL	BDL	1.0	19.0	6.0
11/11/2016 12:00	1.5	BDL	BDL	BDL	BDL	0.9	20.0	6.0
11/11/2016 13:00	1.3	BDL	BDL	BDL	BDL	0.9	12.0	4.0
11/11/2016 14:00	1.3	BDL	BDL	BDL	BDL	0.9	13.0	4.0
11/11/2016 15:00	1.2	BDL	BDL	BDL	BDL	0.9	10.0	4.0
11/11/2016 16:00	1.3	BDL	BDL	BDL	BDL	1.0	14.0	3.0
11/11/2016 17:00	1.1	BDL	BDL	BDL	BDL	1.1	13.0	3.0
11/11/2016 18:00	1.1	BDL	BDL	BDL	BDL	1.2	12.0	8.0
11/11/2016 19:00	1.1	BDL	BDL	BDL	BDL	1.4	18.0	5.0
11/11/2016 20:00	1.0	BDL	BDL	BDL	BDL	1.4	9.0	3.0
11/11/2016 21:00	1.0	BDL	BDL	BDL	BDL	1.6	8.0	2.0
11/11/2016 22:00	1.0	BDL	BDL	BDL	BDL	1.6	8.0	1.0
11/11/2016 23:00	0.9	BDL	BDL	1.4	BDL	1.6	9.0	1.0
11/12/2016 0:00	0.9	BDL	BDL	1.2	BDL	1.7	8.0	BDL
11/12/2016 1:00	1.0	BDL	BDL	0.4	BDL	1.8	5.0	BDL
11/12/2016 2:00	1.0	Calibration	Calibration	BDL	BDL	1.8	8.0	2.0
11/12/2016 3:00	1.1	Calibration	Calibration	1.7	BDL	2.0	9.0	1.0
11/12/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	9.0	1.0
11/12/2016 5:00	1.0	BDL	BDL	4.0	BDL	2.2	9.0	3.0
11/12/2016 6:00	1.1	BDL	BDL	4.2	BDL	2.4	9.0	3.0
11/12/2016 7:00	1.1	BDL	BDL	6.0	BDL	2.2	10.0	2.0
11/12/2016 8:00	1.0	BDL	BDL	7.1	BDL	2.2	6.0	4.0
11/12/2016 9:00	1.1	BDL	BDL	BDL	BDL	2.1	5.0	3.0
11/12/2016 10:00	1.1	BDL	BDL	BDL	BDL	2.2	4.0	BDL
11/12/2016 11:00	1.2	BDL	BDL	BDL	BDL	2.1	8.0	3.0
11/12/2016 12:00	1.1	BDL	BDL	BDL	BDL	2.1	6.0	3.0
11/12/2016 13:00	1.1	BDL	BDL	BDL	BDL	2.0	5.0	1.0
11/12/2016 14:00	1.2	BDL	BDL	BDL	BDL	2.0	8.0	1.0
11/12/2016 15:00	1.2	BDL	BDL	BDL	BDL	1.9	6.0	4.0
11/12/2016 16:00	1.3	BDL	BDL	BDL	BDL	1.9	7.0	3.0
11/12/2016 17:00	1.2	BDL	BDL	BDL	BDL	2.0	9.0	2.0
11/12/2016 18:00	1.5	BDL	BDL	3.5	BDL	1.9	14.0	6.0
11/12/2016 19:00	2.4	BDL	BDL	7.2	BDL	2.0	17.0	8.0
11/12/2016 20:00	3.1	BDL	BDL	13.1	BDL	2.0	34.0	17.0
11/12/2016 21:00	1.8	BDL	BDL	5.8	BDL	1.9	23.0	15.0
11/12/2016 22:00	2.5	BDL	BDL	10.0	BDL	2.1	23.0	12.0
11/12/2016 23:00	2.4	BDL	BDL	14.6	0.1	2.6	22.0	12.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 11/13/2016-11/19/2016								
11/13/2016 0:00	4.4	BDL	BDL	16.5	0.2	2.8	24.0	22.0
11/13/2016 1:00	3.5	1.0	0.5	22.2	0.1	2.0	39.0	15.0
11/13/2016 2:00	3.1	Calibration	Calibration	13.0	0.04	2.1	analyzer issue	19.0
11/13/2016 3:00	2.8	Calibration	Calibration	12.6	0.04	2.3	analyzer issue	15.0
11/13/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	analyzer issue	10.0
11/13/2016 5:00	4.8	BDL	BDL	11.9	0.1	2.4	analyzer issue	15.0
11/13/2016 6:00	3.6	0.4	BDL	13.9	BDL	2.2	analyzer issue	10.0
11/13/2016 7:00	6.1	BDL	BDL	19.6	0.1	2.5	analyzer issue	15.0
11/13/2016 8:00	8.8	BDL	BDL	20.2	0.1	2.6	analyzer issue	21.0
11/13/2016 9:00	7.7	0.4	BDL	22.0	0.1	2.2	analyzer issue	20.0
11/13/2016 10:00	7.9	0.4	BDL	23.2	0.04	2.1	analyzer issue	24.0
11/13/2016 11:00	7.8	BDL	BDL	18.1	0.04	2.4	analyzer issue	16.0
11/13/2016 12:00	6.1	BDL	BDL	8.8	BDL	1.9	analyzer issue	10.0
11/13/2016 13:00	2.7	BDL	BDL	1.3	BDL	2.0	analyzer issue	8.0
11/13/2016 14:00	4.3	BDL	BDL	5.4	BDL	1.6	analyzer issue	10.0
11/13/2016 15:00	4.8	BDL	BDL	7.5	BDL	1.7	analyzer issue	13.0
11/13/2016 16:00	4.7	BDL	BDL	11.9	BDL	1.5	analyzer issue	14.0
11/13/2016 17:00	4.8	BDL	BDL	11.2	BDL	1.4	analyzer issue	14.0
11/13/2016 18:00	3.5	BDL	BDL	3.7	BDL	1.4	analyzer issue	10.0
11/13/2016 19:00	4.7	0.5	BDL	27.9	0.2	2.4	analyzer issue	6.0
11/13/2016 20:00	4.9	0.5	BDL	23.9	0.2	2.7	analyzer issue	11.0
11/13/2016 21:00	4.6	1.1	0.4	31.4	0.2	2.6	analyzer issue	13.0
11/13/2016 22:00	4.5	1.0	0.7	33.0	0.2	2.5	analyzer issue	15.0
11/13/2016 23:00	4.0	1.5	0.5	36.5	0.3	2.4	analyzer issue	14.0
11/14/2016 0:00	3.1	2.3	1.6	41.8	0.3	2.6	analyzer issue	15.0
11/14/2016 1:00	2.9	3.0	2.0	46.3	0.3	2.5	analyzer issue	14.0
11/14/2016 2:00	2.4	Calibration	Calibration	45.0	0.3	2.7	analyzer issue	20.0
11/14/2016 3:00	2.2	Calibration	Calibration	36.7	0.3	2.8	analyzer issue	17.0
11/14/2016 4:00	Calibration	1.5	1.1	Calibration	Calibration	Too few samples	analyzer issue	20.0
11/14/2016 5:00	2.3	1.4	0.6	64.1	0.4	3.0	analyzer issue	17.0
11/14/2016 6:00	2.9	3.4	1.6	95.7	0.5	3.4	analyzer issue	20.0
11/14/2016 7:00	3.8	3.5	1.0	129.9	0.7	3.2	analyzer issue	21.0
11/14/2016 8:00	4.5	5.2	1.1	159.5	0.9	3.5	analyzer issue	25.0
11/14/2016 9:00	6.3	3.9	1.1	112.6	0.6	5.5	analyzer issue	27.0
11/14/2016 10:00	5.2	1.4	BDL	48.6	0.2	2.4	analyzer issue	18.0
11/14/2016 11:00	8.9	1.0	BDL	48.3	0.2	1.9	analyzer issue	18.0
11/14/2016 12:00	7.0	1.0	BDL	45.3	0.2	1.7	analyzer issue	15.0
11/14/2016 13:00	4.7	BDL	BDL	26.0	0.1	1.4	analyzer issue	10.0
11/14/2016 14:00	4.2	BDL	BDL	16.1	0.1	1.5	analyzer issue	12.0
11/14/2016 15:00	4.1	BDL	BDL	17.9	0.1	1.5	analyzer issue	12.0
11/14/2016 16:00	3.0	0.7	BDL	23.6	0.1	1.4	analyzer issue	14.0
11/14/2016 17:00	2.9	0.7	BDL	28.0	0.2	0.9	analyzer issue	10.0
11/14/2016 18:00	2.4	BDL	BDL	20.8	0.2	1.1	analyzer issue	7.0
11/14/2016 19:00	2.2	BDL	BDL	23.5	0.2	1.1	analyzer issue	9.0
11/14/2016 20:00	2.3	0.5	BDL	34.8	0.3	0.9	analyzer issue	9.0
11/14/2016 21:00	2.6	1.1	BDL	57.1	0.4	0.9	analyzer issue	13.0
11/14/2016 22:00	2.5	1.2	BDL	51.8	0.4	1.8	analyzer issue	16.0
11/14/2016 23:00	2.9	2.5	BDL	86.7	0.6	1.9	analyzer issue	16.0
11/15/2016 0:00	2.4	2.0	0.6	57.8	0.5	1.3	analyzer issue	15.0
11/15/2016 1:00	1.9	BDL	BDL	27.7	0.2	1.3	analyzer issue	8.0
11/15/2016 2:00	1.9	Calibration	Calibration	35.1	0.2	1.5	analyzer issue	13.0
11/15/2016 3:00	2.1	Calibration	Calibration	48.4	0.2	1.7	analyzer issue	10.0
11/15/2016 4:00	Calibration	0.5	BDL	Calibration	Calibration	1.4	analyzer issue	17.0
11/15/2016 5:00	2.0	0.6	BDL	36.8	0.2	1.1	analyzer issue	13.0
11/15/2016 6:00	2.3	0.5	BDL	34.5	0.2	1.3	analyzer issue	10.0
11/15/2016 7:00	2.3	0.5	BDL	36.7	0.2	1.0	analyzer issue	9.0
11/15/2016 8:00	2.3	0.9	BDL	41.3	0.3	2.0	analyzer issue	9.0
11/15/2016 9:00	2.3	0.7	BDL	40.7	0.3	0.9	analyzer issue	8.0
11/15/2016 10:00	2.1	0.4	BDL	29.0	0.2	0.7	analyzer issue	6.0
11/15/2016 11:00	2.0	BDL	BDL	21.8	0.1	0.5	analyzer issue	5.0
11/15/2016 12:00	2.1	BDL	BDL	18.9	0.1	0.6	analyzer issue	3.0
11/15/2016 13:00	2.1	BDL	BDL	12.0	0.1	0.4	analyzer issue	4.0
11/15/2016 14:00	2.0	BDL	BDL	8.7	0.04	0.3	analyzer issue	9.0
11/15/2016 15:00	1.9	BDL	BDL	3.6	BDL	0.3	analyzer issue	10.0
11/15/2016 16:00	2.2	BDL	BDL	3.0	BDL	0.3	analyzer issue	7.0
11/15/2016 17:00	2.2	BDL	BDL	12.0	0.1	0.5	analyzer issue	10.0
11/15/2016 18:00	2.1	BDL	BDL	26.5	0.2	0.9	analyzer issue	11.0
11/15/2016 19:00	2.4	0.6	BDL	57.8	0.4	2.2	analyzer issue	16.0
11/15/2016 20:00	4.1	3.2	BDL	135.1	1.0	2.8	analyzer issue	17.0
11/15/2016 21:00	3.9	2.9	BDL	117.8	0.9	2.4	analyzer issue	23.0
11/15/2016 22:00	3.8	2.0	BDL	88.8	0.7	2.1	analyzer issue	22.0
11/15/2016 23:00	3.6	1.6	BDL	76.4	0.6	2.1	analyzer issue	19.0
11/16/2016 0:00	3.5	1.5	BDL	63.3	0.5	1.4	analyzer issue	15.0
11/16/2016 1:00	2.6	BDL	BDL	23.7	0.2	0.9	analyzer issue	9.0
11/16/2016 2:00	2.6	Calibration	Calibration	24.7	0.2	1.0	analyzer issue	9.0
11/16/2016 3:00	3.3	Calibration	Calibration	65.8	0.3	1.6	analyzer issue	21.0
11/16/2016 4:00	Calibration	1.4	1.3	Calibration	Calibration	1.5	analyzer issue	21.0
11/16/2016 5:00	2.9	0.7	BDL	29.5	0.2	1.1	analyzer issue	18.0
11/16/2016 6:00	3.9	2.4	0.9	70.2	0.3	1.7	analyzer issue	19.0
11/16/2016 7:00	4.6	2.5	0.9	75.9	0.5	1.3	analyzer issue	24.0
11/16/2016 8:00	5.8	3.3	1.1	95.9	0.4	1.6	analyzer issue	27.0
11/16/2016 9:00	6.0	1.6	BDL	51.1	0.3	Too few samples	analyzer issue	24.0
11/16/2016 10:00	7.3	1.3	BDL	50.6	0.3	3.1	analyzer issue	27.0
11/16/2016 11:00	19.2	0.6	BDL	29.1	0.1	2.3	analyzer issue	28.0
11/16/2016 12:00	8.4	BDL	BDL	12.6	0.04	2.4	analyzer issue	28.0
11/16/2016 13:00	7.3	0.7	0.4	12.4	0.1	2.4	analyzer issue	27.0
11/16/2016 14:00	6.0	BDL	BDL	13.2	BDL	2.2	analyzer issue	22.0
11/16/2016 15:00	6.1	BDL	BDL	12.2	BDL	2.1	analyzer issue	22.0
11/16/2016 16:00	5.0	BDL	BDL	6.2	BDL	2.1	analyzer issue	19.0
11/16/2016 17:00	3.8	BDL	BDL	14.9	0.1	2.3	analyzer issue	20.0
11/16/2016 18:00	3.4	BDL	BDL	16.2	0.1	2.5	analyzer issue	23.0
11/16/2016 19:00	3.2	BDL	BDL	9.3	0.1	2.2	analyzer issue	23.0
11/16/2016 20:00	3.2	BDL	BDL	8.9	0.1	2.3	analyzer issue	25.0
11/16/2016 21:00	3.0	BDL	BDL	10.1	0.1	2.4	analyzer issue	26.0
11/16/2016 22:00	2.6	BDL	BDL	1.2	0.1	2.2	analyzer issue	24.0
11/16/2016 23:00	2.4	BDL	BDL	BDL	0.04	2.1	analyzer issue	17.0
11/17/2016 0:00	2.5	BDL	BDL	1.4	0.1	2.2	analyzer issue	19.0
11/17/2016 1:00	2.4	BDL	BDL	BDL	0.1	2.4	analyzer issue	25.0
11/17/2016 2:00	2.4	Calibration	Calibration	1.1	BDL	2.3	analyzer issue	22.0
11/17/2016 3:00	2.4	Calibration	Calibration	0.4	BDL	2.3	analyzer issue	19.0
11/17/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	analyzer issue	14.0
11/17/2016 5:00	2.1	BDL	BDL	4.3	BDL	2.3	analyzer issue	9.0
11/17/2016 6:00	2.1	BDL	BDL	3.0	BDL	2.3	analyzer issue	9.0
11/17/2016 7:00	2.1	BDL	BDL	10.5	0.04	2.3	analyzer issue	12.0
11/17/2016 8:00	2.4	BDL	BDL	25.9	0.1	Too few samples	analyzer issue	9.0
11/17/2016 9:00	2.5	BDL	BDL	10.0	BDL	2.6	analyzer issue	7.0
11/17/2016 10:00	2.3	BDL	BDL	5.9	BDL	2.5	analyzer issue	8.0
11/17/2016 11:00	2.3	BDL	BDL	3.4	BDL	2.4	analyzer issue	8.0
11/17/2016 12:00	2.3	BDL	BDL	2.5	BDL	2.3	analyzer issue	6.0
11/17/2016 13:00	2.3	BDL	BDL	BDL	BDL	2.3	analyzer issue	6.0
11/17/2016 14:00	2.4	BDL	BDL	1.9	BDL	2.3	analyzer issue	7.0
11/17/2016 15:00	2.3	BDL	BDL	BDL	BDL	2.3	analyzer issue	10.0
11/17/2016 16:00	2.2	BDL	BDL	BDL	BDL	2.4	analyzer issue	8.0
11/17/2016 17:00	2.2	BDL	BDL	2.3	BDL	2.5	analyzer issue	6.0
11/17/2016 18:00	2.1	BDL	BDL	8.8	0.1	2.6	analyzer issue	9.0
11/17/2016 19:00	2.1	BDL	BDL	11.3	0.1	2.6	analyzer issue	11.0
11/17/2016 20:00	2.1	BDL	BDL	6.1	0.1	2.5	analyzer issue	9.0
11/17/2016 21:00	2.1	BDL	BDL	7.0	0.1	2.6	analyzer issue	11.0
11/17/2016 22:00	2.1	BDL	BDL	8.4	0.1	3.0	analyzer issue	9.0
11/17/2016 23:00	2.0	BDL	BDL	10.4	0.1	2.8	analyzer issue	11.0
11/18/2016 0:00	2.1	BDL	BDL	7.1	0.0	2.9	analyzer issue	10.0
11/18/2016 1:00	2.1	BDL	BDL	18.6	0.1	3.0	analyzer issue	10.0
11/18/2016 2:00	2.0	Calibration	Calibration	11.5	0.1	2.9	analyzer issue	7.0
11/18/2016 3:00	2.8	Calibration	Calibration	56.2	0.2	3.6	analyzer issue	10.0
11/18/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	4.0	analyzer issue	13.0
11/18/2016 5:00	2.5	BDL	BDL	27.8	0.1	3.5	analyzer issue	11.0
11/18/2016 6:00	3.0	BDL	BDL	44.7	0.3	3.3	analyzer issue	11.0
11/18/2016 7:00	5.1	3.3	0.4	152.9	0.8	4.7	analyzer issue	12.0
11/18/2016 8:00	4.2	2.5	BDL	92.6	0.4	5.2	analyzer issue	9.0
11/18/2016 9:00	3.4	0.6	BDL	48.6	0.3	3.3	analyzer issue	12.0
11/18/2016 10:00	3.5	0.7	BDL	46.4	0.3	2.9	analyzer issue	12.0
11/18/2016 11:00	2.8	BDL	BDL	16.2	0.1	2.6	analyzer issue	6.0
11/18/2016 12:00	2.7	BDL	BDL	9.3	0.1	2.5	analyzer issue	6.0
11/18/2016 13:00	3.4	BDL	BDL	10.9	0.04	2.6	analyzer issue	8.0
11/18/2016 14:00	3.0	BDL	BDL	4.2	BDL	analyzer issue	analyzer issue	9.0
11/18/2016 15:00	3.1	BDL	BDL	4.7	BDL	analyzer issue	analyzer issue	8.0
11/18/2016 16:00	4.2	0.4	BDL	42.0	0.3	analyzer issue	analyzer issue	11.0
11/18/2016 17:00	5.3	1.6	BDL	84.1	0.6	analyzer issue	analyzer issue	16.0
11/18/2016 18:00	5.7	2.3	0.8	114.1	0.9	analyzer issue	analyzer issue	16.0
11/18/2016 19:00	5.9	3.3	1.0	107.3	0.7	analyzer issue	analyzer issue	16.0
11/18/2016 20:00	7.2	4.6	2.0	124.6	0.7	analyzer issue	analyzer issue	21.0
11/18/2016 21:00	6.8	5.0	1.8	156.6	1.2	analyzer issue	analyzer issue	28.0
11/18/2016 22:00	6.4	5.2	2.7	131.3	1.1	analyzer issue	analyzer issue	27.0
11/18/2016 23:00	6.0	3.6	1.5	103.7	1.0	analyzer issue	analyzer issue	37.0
11/19/2016 0:00	5.2	4.0	1.8	108.1	0.8	analyzer issue	analyzer issue	31.0
11/19/2016 1:00	5.0	3.0	0.7	109.2	1.0	analyzer issue	analyzer issue	38.0
11/19/2016 2:00	5.2	Calibration	Calibration	126.8	1.1	analyzer issue	analyzer issue	38.0
11/19/2016 3:00	5.3	Calibration	Calibration	151.0	1.2	analyzer issue	analyzer issue	41.0
11/19/2016 4:00	Calibration	6.6	3.0	Calibration	Calibration	Calibration	analyzer issue	38.0
11/19/2016 5:00	5.9	6.9	2.8	180.4	1.4	analyzer issue	analyzer issue	35.0
11/19/2016 6:00	6.1	6.9	3.3	178.5	1.4	analyzer issue	analyzer issue	36.0
11/19/2016 7:00	6.8	Calibration	Calibration	195.9	1.5	analyzer issue	analyzer issue	34.0
11/19/2016 8:00	6.8	Calibration	Calibration	140.3	1.0	analyzer issue	analyzer issue	36.0
11/19/2016 9:00	5.9	2.9	1.6	93.6	0.8	analyzer issue	analyzer issue	42.0
11/19/2016 10:00	5.5	1.7	0.5	66.9	0.5	Too few samples	67.0	41.0
11/19/2016 11:00	5.3	0.7	BDL	28.0	0.3	2.5	52.0	40.0
11/19/2016 12:00	4.8	BDL	BDL	7.8	0.1	2.0	28.0	13.0
11/19/2016 13:00	4.5	BDL	BDL	BDL	0.1	1.8	24.0	10.0
11/19/2016 14:00	4.9	0.4	BDL	6.5	0.2	1.8	31.0	14.0
11/19/2016 15:00	5.1	BDL	BDL	10.0	0.2	1.7	38.0	23.0
11/19/2016 16:00	4.3	BDL	BDL	7.2	0.2	1.6	27.0	18.0
11/19/2016 17:00	4.3	BDL	BDL	8.0	0.1	1.7	35.0	18.0
11/19/2016 18:00	3.4	BDL	BDL	BDL	BDL	2.3	149.0	3.0
11/19/2016 19:00	3.4	BDL	BDL	BDL	BDL	2.3	28.0	4.0
11/19/2016 20:00	3.3	BDL	BDL	BDL	BDL	2.2	21.0	BDL
11/19/2016 21:00	3.3	BDL	BDL	BDL	BDL	2.1	11.0	BDL
11/19/2016 22:00	3.4	BDL	BDL	BDL	BDL	2.0	8.0	2.0
11/19/2016 23:00	3.3	BDL	BDL	BDL	BDL	1.9	5.0	2.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 11/20/2016-11/26/2016								
11/20/2016 0:00	3.7	BDL	BDL	6.2	BDL	1.9	9.0	4.0
11/20/2016 1:00	3.9	BDL	BDL	5.7	BDL	1.9	9.0	5.0
11/20/2016 2:00	3.8	Calibration	Calibration	3.0	BDL	1.9	8.0	6.0
11/20/2016 3:00	3.8	Calibration	Calibration	0.6	BDL	1.9	6.0	5.0
11/20/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	7.0	3.0
11/20/2016 5:00	3.8	BDL	BDL	3.4	BDL	1.9	6.0	3.0
11/20/2016 6:00	4.2	BDL	BDL	6.3	BDL	2.0	5.0	5.0
11/20/2016 7:00	Too few samples	BDL	BDL	Too few samples	Too few samples	2.1	Invalid	Invalid
11/20/2016 8:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	2.1	9.0	1.0
11/20/2016 9:00	4.3	Calibration	Calibration	5.5	BDL	2.0	14.0	4.0
11/20/2016 10:00	4.2	BDL	BDL	5.0	BDL	2.0	10.0	7.0
11/20/2016 11:00	4.2	BDL	BDL	4.0	BDL	2.0	16.0	5.0
11/20/2016 12:00	4.5	BDL	BDL	6.2	BDL	2.0	14.0	3.0
11/20/2016 13:00	3.8	BDL	BDL	1.2	BDL	1.9	17.0	2.0
11/20/2016 14:00	3.5	BDL	BDL	BDL	BDL	2.0	11.0	3.0
11/20/2016 15:00	4.0	BDL	BDL	3.2	BDL	1.9	9.0	8.0
11/20/2016 16:00	3.7	BDL	BDL	BDL	BDL	1.9	10.0	6.0
11/20/2016 17:00	3.4	BDL	BDL	BDL	BDL	1.9	16.0	3.0
11/20/2016 18:00	3.5	BDL	BDL	0.4	BDL	1.9	7.0	1.0
11/20/2016 19:00	3.6	BDL	BDL	1.8	BDL	1.9	9.0	3.0
11/20/2016 20:00	3.6	BDL	BDL	1.0	BDL	2.0	15.0	3.0
11/20/2016 21:00	3.6	BDL	BDL	1.7	BDL	1.9	7.0	1.0
11/20/2016 22:00	3.7	BDL	BDL	2.0	BDL	1.9	7.0	1.0
11/20/2016 23:00	3.5	BDL	BDL	BDL	BDL	2.0	6.0	2.0
11/21/2016 0:00	3.4	BDL	BDL	BDL	BDL	2.0	7.0	2.0
11/21/2016 1:00	3.4	BDL	BDL	BDL	BDL	2.1	7.0	2.0
11/21/2016 2:00	3.3	Calibration	Calibration	BDL	BDL	2.1	8.0	1.0
11/21/2016 3:00	3.5	Calibration	Calibration	0.4	BDL	2.0	10.0	3.0
11/21/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.1	8.0	3.0
11/21/2016 5:00	3.4	BDL	BDL	1.4	BDL	2.0	12.0	3.0
11/21/2016 6:00	3.6	BDL	BDL	3.6	BDL	2.0	10.0	4.0
11/21/2016 7:00	3.6	BDL	BDL	7.4	BDL	2.1	17.0	6.0
11/21/2016 8:00	3.8	BDL	BDL	7.6	BDL	2.1	21.0	7.0
11/21/2016 9:00	3.4	BDL	BDL	0.8	BDL	2.2	25.0	4.0
11/21/2016 10:00	3.4	BDL	BDL	0.6	BDL	2.2	28.0	2.0
11/21/2016 11:00	3.4	BDL	BDL	0.8	BDL	2.2	46.0	4.0
11/21/2016 12:00	3.8	BDL	BDL	3.9	BDL	2.2	48.0	6.0
11/21/2016 13:00	3.9	BDL	BDL	4.1	BDL	2.3	52.0	6.0
11/21/2016 14:00	3.4	BDL	BDL	BDL	BDL	2.3	55.0	7.0
11/21/2016 15:00	3.4	BDL	BDL	BDL	BDL	2.3	31.0	6.0
11/21/2016 16:00	3.6	BDL	BDL	1.8	BDL	2.3	23.0	5.0
11/21/2016 17:00	3.7	BDL	BDL	4.4	BDL	2.4	17.0	4.0
11/21/2016 18:00	3.8	BDL	BDL	8.2	BDL	2.4	9.0	4.0
11/21/2016 19:00	3.6	BDL	BDL	3.7	BDL	2.4	10.0	2.0
11/21/2016 20:00	3.7	BDL	BDL	3.4	BDL	2.4	7.0	BDL
11/21/2016 21:00	3.5	BDL	BDL	2.7	BDL	2.4	9.0	2.0
11/21/2016 22:00	3.5	BDL	BDL	BDL	BDL	2.4	7.0	3.0
11/21/2016 23:00	3.3	BDL	BDL	BDL	BDL	2.4	8.0	2.0
11/22/2016 0:00	3.2	BDL	BDL	BDL	BDL	2.4	7.0	1.0
11/22/2016 1:00	3.1	BDL	BDL	BDL	BDL	2.5	6.0	4.0
11/22/2016 2:00	3.1	Calibration	Calibration	BDL	BDL	2.5	5.0	3.0
11/22/2016 3:00	3.1	Calibration	Calibration	BDL	BDL	2.6	6.0	1.0
11/22/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	6.0	2.0
11/22/2016 5:00	3.0	BDL	BDL	BDL	BDL	2.5	4.0	4.0
11/22/2016 6:00	3.2	BDL	BDL	BDL	BDL	2.5	5.0	3.0
11/22/2016 7:00	3.4	BDL	BDL	7.3	BDL	2.6	10.0	4.0
11/22/2016 8:00	3.3	BDL	BDL	3.2	BDL	2.7	16.0	2.0
11/22/2016 9:00	3.1	BDL	BDL	BDL	BDL	2.7	10.0	1.0
11/22/2016 10:00	3.2	BDL	BDL	BDL	BDL	2.9	7.0	3.0
11/22/2016 11:00	3.2	BDL	BDL	BDL	BDL	3.0	16.0	1.0
11/22/2016 12:00	3.1	BDL	BDL	BDL	BDL	3.0	14.0	2.0
11/22/2016 13:00	2.7	BDL	BDL	BDL	BDL	2.8	17.0	2.0
11/22/2016 14:00	2.9	BDL	BDL	BDL	BDL	2.8	10.0	8.0
11/22/2016 15:00	2.8	BDL	BDL	BDL	BDL	2.8	16.0	5.0
11/22/2016 16:00	2.8	BDL	BDL	BDL	BDL	2.9	8.0	BDL
11/22/2016 17:00	2.9	BDL	BDL	4.6	BDL	3.0	9.0	6.0
11/22/2016 18:00	3.0	BDL	BDL	6.5	BDL	3.1	7.0	7.0
11/22/2016 19:00	3.2	BDL	BDL	6.6	BDL	3.0	5.0	5.0
11/22/2016 20:00	3.2	BDL	BDL	9.9	BDL	3.2	11.0	4.0
11/22/2016 21:00	3.4	BDL	BDL	14.6	BDL	3.6	11.0	6.0
11/22/2016 22:00	3.5	BDL	BDL	16.3	0.1	3.4	14.0	6.0
11/22/2016 23:00	3.3	BDL	BDL	11.1	BDL	3.4	15.0	6.0
11/23/2016 0:00	3.2	BDL	BDL	9.9	BDL	3.4	9.0	9.0
11/23/2016 1:00	3.3	BDL	BDL	6.5	BDL	3.3	8.0	6.0
11/23/2016 2:00	3.3	Calibration	Calibration	5.2	BDL	3.3	6.0	7.0
11/23/2016 3:00	3.3	Calibration	Calibration	1.7	BDL	3.3	8.0	6.0
11/23/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	10.0	6.0
11/23/2016 5:00	3.1	BDL	BDL	1.5	BDL	3.3	7.0	5.0
11/23/2016 6:00	3.3	BDL	BDL	7.2	BDL	3.3	12.0	5.0
11/23/2016 7:00	3.5	Audit	Audit	14.7	BDL	3.6	16.0	7.0
11/23/2016 8:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	3.6	16.0	11.0
11/23/2016 9:00	3.5	BDL	BDL	Calibration	BDL	3.9	11.0	8.0
11/23/2016 10:00	3.4	BDL	BDL	3.3	BDL	3.3	15.0	6.0
11/23/2016 11:00	3.4	BDL	BDL	5.5	BDL	3.2	19.0	3.0
11/23/2016 12:00	3.3	BDL	BDL	3.2	BDL	3.1	18.0	9.0
11/23/2016 13:00	3.4	BDL	BDL	2.0	BDL	3.1	17.0	9.0
11/23/2016 14:00	3.4	BDL	BDL	BDL	BDL	3.0	18.0	7.0
11/23/2016 15:00	3.4	BDL	BDL	3.2	BDL	3.0	16.0	6.0
11/23/2016 16:00	3.7	BDL	BDL	21.5	0.1	3.1	28.0	12.0
11/23/2016 17:00	3.7	BDL	BDL	25.4	0.2	3.1	25.0	14.0
11/23/2016 18:00	4.0	0.4	BDL	41.7	0.3	3.4	30.0	15.0
11/23/2016 19:00	4.4	0.6	BDL	55.2	0.4	3.6	31.0	16.0
11/23/2016 20:00	4.6	1.3	BDL	64.1	0.4	3.2	33.0	18.0
11/23/2016 21:00	4.5	1.2	BDL	62.7	0.5	3.2	29.0	17.0
11/23/2016 22:00	5.1	1.7	BDL	85.6	0.5	3.2	34.0	21.0
11/23/2016 23:00	4.7	1.7	BDL	81.2	0.5	3.2	32.0	25.0
11/24/2016 0:00	4.5	1.1	BDL	63.9	0.5	3.3	36.0	23.0
11/24/2016 1:00	4.5	1.6	BDL	67.7	0.5	3.4	38.0	26.0
11/24/2016 2:00	4.1	Calibration	Calibration	44.6	0.4	3.3	35.0	21.0
11/24/2016 3:00	3.8	Calibration	Calibration	35.6	0.3	3.0	26.0	19.0
11/24/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	3.0	29.0	19.0
11/24/2016 5:00	3.6	BDL	BDL	29.4	0.2	3.0	30.0	19.0
11/24/2016 6:00	3.6	BDL	BDL	27.0	0.2	2.8	16.0	14.0
11/24/2016 7:00	3.8	0.5	BDL	28.7	0.2	Too few samples	21.0	9.0
11/24/2016 8:00	3.9	BDL	BDL	26.5	0.2	3.0	21.0	13.0
11/24/2016 9:00	4.0	BDL	BDL	26.0	0.2	2.9	22.0	13.0
11/24/2016 10:00	4.0	0.6	BDL	27.5	0.2	2.9	25.0	17.0
11/24/2016 11:00	3.9	0.5	BDL	21.1	0.2	2.8	30.0	17.0
11/24/2016 12:00	3.9	BDL	BDL	18.4	0.2	2.7	23.0	16.0
11/24/2016 13:00	3.8	BDL	BDL	4.8	0.1	2.6	22.0	12.0
11/24/2016 14:00	3.8	BDL	BDL	BDL	BDL	2.7	20.0	9.0
11/24/2016 15:00	3.7	BDL	BDL	BDL	BDL	2.7	17.0	13.0
11/24/2016 16:00	4.8	BDL	BDL	6.1	0.1	3.1	20.0	13.0
11/24/2016 17:00	4.5	BDL	BDL	17.1	0.2	3.1	25.0	21.0
11/24/2016 18:00	4.0	BDL	BDL	17.9	0.2	3.3	29.0	23.0
11/24/2016 19:00	3.8	BDL	BDL	17.1	0.2	3.1	27.0	19.0
11/24/2016 20:00	3.8	BDL	BDL	25.6	0.3	3.2	27.0	16.0
11/24/2016 21:00	3.9	BDL	BDL	31.8	0.3	3.2	23.0	16.0
11/24/2016 22:00	4.1	0.4	BDL	37.8	0.4	3.2	28.0	22.0
11/24/2016 23:00	4.0	0.4	BDL	38.1	0.3	3.5	26.0	18.0
11/25/2016 0:00	4.1	0.4	BDL	35.1	0.3	3.6	25.0	16.0
11/25/2016 1:00	4.2	0.7	BDL	49.4	0.5	3.8	28.0	18.0
11/25/2016 2:00	4.4	Calibration	Calibration	59.1	0.5	4.0	28.0	26.0
11/25/2016 3:00	4.4	Calibration	Calibration	48.3	0.4	3.7	26.0	17.0
11/25/2016 4:00	Calibration	1.4	0.6	Calibration	Calibration	3.6	37.0	23.0
11/25/2016 5:00	5.2	2.9	1.3	89.0	0.5	3.9	40.0	24.0
11/25/2016 6:00	5.6	2.6	0.6	112.2	0.6	3.8	36.0	25.0
11/25/2016 7:00	5.5	2.5	BDL	101.9	0.6	3.4	38.0	26.0
11/25/2016 8:00	5.6	3.2	0.6	103.5	0.6	3.9	43.0	24.0
11/25/2016 9:00	5.6	2.8	1.5	79.6	0.4	3.5	47.0	26.0
11/25/2016 10:00	4.7	0.8	BDL	41.6	0.3	3.0	44.0	28.0
11/25/2016 11:00	5.2	0.7	BDL	37.8	0.3	3.1	56.0	36.0
11/25/2016 12:00	5.9	0.9	BDL	38.7	0.3	2.9	43.0	30.0
11/25/2016 13:00	5.8	0.6	BDL	27.5	0.2	2.9	43.0	32.0
11/25/2016 14:00	7.1	0.4	BDL	29.9	0.3	2.9	44.0	30.0
11/25/2016 15:00	7.1	0.5	BDL	35.3	0.3	3.0	45.0	31.0
11/25/2016 16:00	5.8	0.6	BDL	34.9	0.3	3.1	45.0	31.0
11/25/2016 17:00	6.3	1.3	BDL	62.2	0.5	2.5	50.0	38.0
11/25/2016 18:00	7.1	2.1	0.7	85.1	0.6	2.7	59.0	38.0
11/25/2016 19:00	6.0	1.9	0.4	75.9	0.7	2.7	58.0	40.0
11/25/2016 20:00	5.6	1.8	0.4	74.0	0.7	2.8	52.0	41.0
11/25/2016 21:00	5.6	1.6	BDL	72.7	0.7	3.0	54.0	40.0
11/25/2016 22:00	5.5	1.1	BDL	49.6	0.6	2.7	49.0	40.0
11/25/2016 23:00	5.4	0.9	BDL	47.6	0.6	3.3	58.0	45.0
11/26/2016 0:00	5.8	1.1	BDL	53.9	0.6	3.6	53.0	43.0
11/26/2016 1:00	5.8	0.8	BDL	41.5	0.4	3.3	47.0	43.0
11/26/2016 2:00	5.5	Calibration	Calibration	21.8	0.2	2.7	36.0	30.0
11/26/2016 3:00	5.4	Calibration	Calibration	9.4	0.1	2.6	21.0	18.0
11/26/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.3	17.0	17.0
11/26/2016 5:00	5.1	BDL	BDL	3.7	BDL	2.5	17.0	14.0
11/26/2016 6:00	5.1	BDL	BDL	2.6	BDL	2.2	14.0	10.0
11/26/2016 7:00	5.1	BDL	BDL	5.9	BDL	2.2	16.0	11.0
11/26/2016 8:00	5.1	Calibration	Calibration	4.0	BDL	2.1	12.0	11.0
11/26/2016 9:00	4.9	Too few samples	Too few samples	BDL	BDL	2.0	10.0	7.0
11/26/2016 10:00	4.9	BDL	BDL	BDL	BDL	Too few samples	13.0	6.0
11/26/2016 11:00	4.7	BDL	BDL	BDL	BDL	2.2	12.0	8.0
11/26/2016 12:00	4.7	BDL	BDL	BDL	BDL	2.0	12.0	7.0
11/26/2016 13:00	4.6	BDL	BDL	BDL	BDL	2.1	12.0	6.0
11/26/2016 14:00	4.5	BDL	BDL	BDL	BDL	1.9	13.0	5.0
11/26/2016 15:00	4.4	BDL	BDL	BDL	BDL	2.0	9.0	4.0
11/26/2016 16:00	4.5	BDL	BDL	BDL	BDL	2.0	11.0	7.0
11/26/2016 17:00	4.4	BDL	BDL	BDL	BDL	2.0	13.0	5.0
11/26/2016 18:00	4.3	BDL	BDL	BDL	BDL	2.0	11.0	7.0
11/26/2016 19:00	4.4	BDL	BDL	3.7	BDL	2.1	12.0	11.0
11/26/2016 20:00	4.4	BDL	BDL	3.5	0.0	2.1	14.0	11.0
11/26/2016 21:00	4.6	BDL	BDL	3.9	0.0	2.2	16.0	9.0
11/26/2016 22:00	4.5	BDL	BDL	3.8	0.0	2.2	16.0	11.0
11/26/2016 23:00	4.5	BDL	BDL	4.6	0.1	2.2	13.0	10.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 11/27/2016-12/3/2016								
11/27/2016 0:00	4.5	BDL	BDL	4.4	0.0	2.2	13.0	15.0
11/27/2016 1:00	4.4	BDL	BDL	1.7	BDL	2.0	9.0	8.0
11/27/2016 2:00	4.3	Calibration	Calibration	2.7	BDL	2.0	10.0	6.0
11/27/2016 3:00	4.5	Calibration	Calibration	0.7	BDL	2.1	9.0	7.0
11/27/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.0	7.0	7.0
11/27/2016 5:00	4.7	BDL	BDL	5.1	BDL	2.2	8.0	9.0
11/27/2016 6:00	5.9	BDL	BDL	7.6	BDL	2.0	13.0	8.0
11/27/2016 7:00	7.3	BDL	BDL	10.1	BDL	1.8	20.0	12.0
11/27/2016 8:00	6.3	BDL	BDL	8.1	BDL	2.0	11.0	10.0
11/27/2016 9:00	4.6	BDL	BDL	BDL	BDL	2.1	8.0	10.0
11/27/2016 10:00	4.5	BDL	BDL	BDL	BDL	2.1	7.0	9.0
11/27/2016 11:00	4.7	BDL	BDL	BDL	BDL	2.1	10.0	8.0
11/27/2016 12:00	4.5	BDL	BDL	BDL	BDL	2.0	10.0	9.0
11/27/2016 13:00	4.7	BDL	BDL	BDL	BDL	1.9	8.0	6.0
11/27/2016 14:00	4.5	BDL	BDL	BDL	BDL	1.9	8.0	7.0
11/27/2016 15:00	4.4	BDL	BDL	BDL	BDL	1.9	8.0	6.0
11/27/2016 16:00	4.4	BDL	BDL	BDL	BDL	2.0	9.0	7.0
11/27/2016 17:00	4.5	BDL	BDL	5.6	BDL	2.2	9.0	7.0
11/27/2016 18:00	4.7	BDL	BDL	12.8	0.1	2.5	14.0	8.0
11/27/2016 19:00	4.5	BDL	BDL	9.2	0.1	2.2	12.0	9.0
11/27/2016 20:00	4.8	BDL	BDL	11.6	BDL	2.3	14.0	16.0
11/27/2016 21:00	4.7	BDL	BDL	11.3	0.1	2.2	16.0	16.0
11/27/2016 22:00	4.8	BDL	BDL	11.8	0.1	2.6	23.0	13.0
11/27/2016 23:00	4.8	BDL	BDL	10.0	0.1	2.5	18.0	15.0
11/28/2016 0:00	4.9	BDL	BDL	13.0	0.1	2.7	21.0	16.0
11/28/2016 1:00	5.0	BDL	BDL	11.6	0.1	2.5	18.0	17.0
11/28/2016 2:00	5.2	Calibration	Calibration	16.2	0.1	2.7	15.0	15.0
11/28/2016 3:00	5.1	Calibration	Calibration	28.0	0.1	2.7	16.0	17.0
11/28/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	20.0	16.0
11/28/2016 5:00	5.9	1.6	0.6	61.6	0.3	3.1	24.0	19.0
11/28/2016 6:00	6.6	3.0	1.8	83.2	0.4	2.9	31.0	26.0
11/28/2016 7:00	7.5	4.1	2.2	132.6	0.6	2.5	42.0	21.0
11/28/2016 8:00	10.4	4.0	1.8	126.3	0.4	3.0	56.0	28.0
11/28/2016 9:00	11.6	3.1	1.0	106.0	0.4	2.6	46.0	27.0
11/28/2016 10:00	8.5	1.6	0.4	46.4	0.1	2.3	42.0	25.0
11/28/2016 11:00	5.6	BDL	BDL	9.6	BDL	1.7	21.0	8.0
11/28/2016 12:00	5.1	BDL	BDL	BDL	BDL	1.6	17.0	7.0
11/28/2016 13:00	5.1	BDL	BDL	BDL	BDL	1.6	16.0	7.0
11/28/2016 14:00	5.0	BDL	BDL	5.6	BDL	1.5	18.0	11.0
11/28/2016 15:00	5.0	BDL	BDL	7.4	BDL	1.5	18.0	9.0
11/28/2016 16:00	5.1	BDL	BDL	9.1	0.1	1.3	15.0	8.0
11/28/2016 17:00	4.9	BDL	BDL	5.6	0.1	1.3	18.0	10.0
11/28/2016 18:00	4.8	BDL	BDL	5.7	0.1	1.4	17.0	11.0
11/28/2016 19:00	4.9	BDL	BDL	8.7	0.1	1.5	20.0	14.0
11/28/2016 20:00	4.9	BDL	BDL	9.1	0.1	1.5	14.0	11.0
11/28/2016 21:00	5.0	BDL	BDL	11.0	0.1	1.7	15.0	12.0
11/28/2016 22:00	5.0	BDL	BDL	17.1	0.1	1.5	20.0	16.0
11/28/2016 23:00	5.0	BDL	BDL	17.4	0.2	1.5	21.0	11.0
11/29/2016 0:00	5.1	BDL	BDL	12.4	0.1	1.5	19.0	13.0
11/29/2016 1:00	5.1	BDL	BDL	28.6	0.1	1.4	18.0	13.0
11/29/2016 2:00	5.0	Calibration	Calibration	26.4	0.1	1.3	24.0	11.0
11/29/2016 3:00	5.0	Calibration	Calibration	27.3	0.1	1.4	19.0	11.0
11/29/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	1.4	20.0	13.0
11/29/2016 5:00	5.2	1.1	0.4	45.6	0.3	1.5	24.0	13.0
11/29/2016 6:00	6.0	2.3	0.9	87.2	0.5	1.5	32.0	15.0
11/29/2016 7:00	6.0	1.6	0.6	63.8	0.4	1.0	27.0	10.0
11/29/2016 8:00	5.2	BDL	BDL	11.8	0.0	0.8	16.0	9.0
11/29/2016 9:00	5.1	BDL	BDL	5.9	BDL	0.7	9.0	9.0
11/29/2016 10:00	5.1	BDL	BDL	8.5	BDL	0.7	17.0	8.0
11/29/2016 11:00	5.5	BDL	BDL	10.0	0.1	0.6	19.0	8.0
11/29/2016 12:00	5.7	BDL	BDL	7.4	0.0	0.7	13.0	7.0
11/29/2016 13:00	Too few samples	BDL	BDL	5.5	0.0	0.6	15.0	11.0
11/29/2016 14:00	Too few samples	BDL	BDL	7.3	0.05	0.5	15.0	8.0
11/29/2016 15:00	analyzer issue	BDL	BDL	2.7	0.0	0.6	18.0	7.0
11/29/2016 16:00	analyzer issue	BDL	0.4	16.2	0.1	0.3	21.0	9.0
11/29/2016 17:00	analyzer issue	0.5	BDL	16.7	0.1	0.7	13.0	12.0
11/29/2016 18:00	analyzer issue	BDL	BDL	13.4	0.1	0.8	29.0	18.0
11/29/2016 19:00	analyzer issue	BDL	BDL	21.5	0.2	0.8	26.0	16.0
11/29/2016 20:00	analyzer issue	BDL	BDL	14.3	0.2	0.8	24.0	15.0
11/29/2016 21:00	analyzer issue	BDL	BDL	14.5	0.2	0.8	30.0	26.0
11/29/2016 22:00	analyzer issue	BDL	BDL	11.0	0.1	0.6	25.0	17.0
11/29/2016 23:00	analyzer issue	BDL	BDL	2.9	0.1	0.5	17.0	10.0
11/30/2016 0:00	analyzer issue	BDL	BDL	BDL	BDL	0.5	8.0	9.0
11/30/2016 1:00	analyzer issue	BDL	BDL	BDL	0.1	0.7	10.0	14.0
11/30/2016 2:00	analyzer issue	Calibration	Calibration	8.4	0.1	0.7	15.0	12.0
11/30/2016 3:00	Calibration	Calibration	Calibration	12.7	0.1	0.5	20.0	13.0
11/30/2016 4:00	Calibration	0.6	BDL	Calibration	Calibration	0.6	32.0	16.0
11/30/2016 5:00	analyzer issue	0.4	BDL	31.6	0.2	0.4	19.0	17.0
11/30/2016 6:00	analyzer issue	BDL	BDL	21.7	0.2	0.4	22.0	19.0
11/30/2016 7:00	Too few samples	BDL	BDL	32.6	0.3	0.4	Invalid	31.0
11/30/2016 8:00	Too few samples	0.8	BDL	57.7	0.5	2.4	35.0	21.0
11/30/2016 9:00	2.8	1.1	BDL	63.7	0.5	2.5	41.0	20.0
11/30/2016 10:00	Calibration	1.4	0.5	Calibration	Calibration	2.5	31.0	22.0
11/30/2016 11:00	3.5	1.4	0.7	Calibration	0.6	2.3	22.0	20.0
11/30/2016 12:00	2.8	0.8	BDL	Calibration	0.4	1.8	15.0	11.0
11/30/2016 13:00	2.6	1.0	0.5	Calibration	0.4	1.6	9.0	7.0
11/30/2016 14:00	2.8	1.1	0.7	Calibration	0.6	1.7	14.0	10.0
11/30/2016 15:00	2.8	1.0	0.5	49.6	0.6	1.7	18.0	12.0
11/30/2016 16:00	2.9	1.0	0.6	49.5	0.6	1.8	16.0	17.0
11/30/2016 17:00	2.8	0.9	0.4	43.4	0.6	1.7	27.0	14.0
11/30/2016 18:00	2.5	0.4	BDL	31.3	0.5	1.5	18.0	14.0
11/30/2016 19:00	2.7	0.5	BDL	36.8	0.5	1.8	23.0	13.0
11/30/2016 20:00	2.5	0.5	BDL	35.4	0.5	1.4	23.0	11.0
11/30/2016 21:00	2.5	BDL	BDL	23.4	0.4	1.5	10.0	8.0
11/30/2016 22:00	2.6	0.5	BDL	31.2	0.4	1.3	59.0	23.0
11/30/2016 23:00	2.6	0.4	BDL	27.5	0.4	1.4	7.0	1.0
12/1/2016 0:00	2.4	0.6	BDL	26.5	0.4	2.6	6.0	2.0
12/1/2016 1:00	2.7	0.8	0.4	20.6	0.3	3.5	17.0	76.0
12/1/2016 2:00	3.2	Calibration	Calibration	15.0	0.2	1.7	25.0	14.0
12/1/2016 3:00	3.3	Calibration	Calibration	6.9	0.2	1.1	13.0	11.0
12/1/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	1.1	7.0	7.0
12/1/2016 5:00	2.7	BDL	BDL	BDL	0.1	1.1	8.0	8.0
12/1/2016 6:00	2.6	BDL	BDL	3.6	0.1	1.2	12.0	9.0
12/1/2016 7:00	Calibration	BDL	BDL	Calibration	Calibration	1.3	10.0	7.0
12/1/2016 8:00	BDL	BDL	BDL	9.4	0.2	Too few samples	16.0	8.0
12/1/2016 9:00	0.4	BDL	BDL	7.7	0.1	Too few samples	17.0	11.0
12/1/2016 10:00	0.5	BDL	BDL	9.5	0.1	Too few samples	19.0	8.0
12/1/2016 11:00	BDL	BDL	BDL	6.2	0.1	Invalid	16.0	10.0
12/1/2016 12:00	0.7	BDL	BDL	11.3	0.1	Invalid	24.0	8.0
12/1/2016 13:00	BDL	BDL	BDL	3.5	0.1	Invalid	17.0	6.0
12/1/2016 14:00	BDL	BDL	BDL	4.3	0.1	Invalid	16.0	8.0
12/1/2016 15:00	BDL	BDL	BDL	8.4	0.1	Too few samples	16.0	8.0
12/1/2016 16:00	BDL	BDL	BDL	9.1	0.1	Too few samples	17.0	11.0
12/1/2016 17:00	BDL	BDL	BDL	7.1	0.1	2.3	13.0	9.0
12/1/2016 18:00	BDL	BDL	BDL	3.8	0.1	2.2	9.0	6.0
12/1/2016 19:00	BDL	BDL	BDL	6.3	0.1	2.2	12.0	8.0
12/1/2016 20:00	BDL	BDL	BDL	BDL	0.1	2.3	8.0	5.0
12/1/2016 21:00	BDL	BDL	BDL	0.6	0.1	2.3	6.0	5.0
12/1/2016 22:00	0.4	BDL	BDL	9.1	0.1	2.4	7.0	5.0
12/1/2016 23:00	1.3	BDL	BDL	14.7	0.1	2.4	12.0	9.0
12/2/2016 0:00	1.9	BDL	BDL	15.4	0.1	2.5	23.0	8.0
12/2/2016 1:00	1.9	BDL	BDL	14.9	0.1	2.3	22.0	13.0
12/2/2016 2:00	2.6	Calibration	Calibration	12.1	0.2	2.7	16.0	11.0
12/2/2016 3:00	3.2	Calibration	Calibration	10.8	0.2	2.6	18.0	11.0
12/2/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.6	23.0	12.0
12/2/2016 5:00	5.9	BDL	BDL	11.8	0.2	2.9	13.0	10.0
12/2/2016 6:00	5.8	BDL	BDL	13.0	0.2	2.9	16.0	9.0
12/2/2016 7:00	Calibration	BDL	BDL	Calibration	Calibration	2.7	20.0	17.0
12/2/2016 8:00	3.0	Calibration	Calibration	24.0	0.2	2.7	Invalid	Invalid
12/2/2016 9:00	1.7	Calibration	Calibration	8.4	0.1	2.8	Invalid	Invalid
12/2/2016 10:00	1.2	BDL	BDL	5.5	0.1	2.7	Invalid	2.0
12/2/2016 11:00	1.1	BDL	BDL	6.6	0.1	2.6	14.0	5.0
12/2/2016 12:00	0.6	BDL	BDL	4.5	0.1	2.5	15.0	5.0
12/2/2016 13:00	1.0	BDL	BDL	10.1	0.1	2.5	16.0	4.0
12/2/2016 14:00	1.0	BDL	BDL	10.2	0.1	2.5	15.0	7.0
12/2/2016 15:00	1.0	BDL	BDL	15.2	0.1	2.8	18.0	9.0
12/2/2016 16:00	0.9	BDL	BDL	12.7	0.1	2.6	17.0	8.0
12/2/2016 17:00	1.3	BDL	BDL	16.9	0.1	2.6	19.0	11.0
12/2/2016 18:00	1.5	BDL	BDL	17.9	0.1	2.7	15.0	9.0
12/2/2016 19:00	2.3	BDL	BDL	17.0	0.1	2.8	18.0	12.0
12/2/2016 20:00	2.4	BDL	BDL	15.6	0.1	2.6	19.0	11.0
12/2/2016 21:00	2.0	BDL	BDL	13.2	0.1	2.6	13.0	10.0
12/2/2016 22:00	2.3	BDL	BDL	17.6	0.1	2.6	18.0	8.0
12/2/2016 23:00	2.8	0.4	BDL	16.2	0.1	2.6	16.0	13.0
12/3/2016 0:00	2.6	BDL	BDL	12.9	0.1	2.6	20.0	9.0
12/3/2016 1:00	2.6	BDL	BDL	14.3	0.2	2.9	18.0	15.0
12/3/2016 2:00	4.2	Calibration	Calibration	15.9	0.2	3.3	17.0	12.0
12/3/2016 3:00	4.3	Calibration	Calibration	17.2	0.1	2.5	24.0	13.0
12/3/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.6	9.0	10.0
12/3/2016 5:00	0.8	BDL	BDL	1.2	0.1	2.8	6.0	6.0
12/3/2016 6:00	0.7	BDL	BDL	BDL	0.1	2.7	6.0	3.0
12/3/2016 7:00	0.6	Calibration	Calibration	0.9	0.1	2.7	5.0	3.0
12/3/2016 8:00	0.5	Calibration	Calibration	BDL	0.1	2.8	6.0	4.0
12/3/2016 9:00	0.5	BDL	BDL	BDL	0.1	2.8	5.0	3.0
12/3/2016 10:00	BDL	BDL	BDL	BDL	0.1	2.9	11.0	3.0
12/3/2016 11:00	BDL	BDL	BDL	BDL	0.1	2.8	10.0	3.0
12/3/2016 12:00	BDL	BDL	BDL	BDL	0.1	2.8	7.0	1.0
12/3/2016 13:00	BDL	BDL	BDL	BDL	0.1	2.8	5.0	4.0
12/3/2016 14:00	BDL	BDL	BDL	BDL	0.1	2.8	5.0	5.0
12/3/2016 15:00	BDL	BDL	BDL	BDL	0.1	2.9	5.0	6.0
12/3/2016 16:00	BDL	BDL	BDL	BDL	0.1	2.9	6.0	5.0
12/3/2016 17:00	BDL	BDL	BDL	BDL	0.1	2.9	5.0	4.0
12/3/2016 18:00	BDL	BDL	BDL	1.8	0.1	3.0	6.0	5.0
12/3/2016 19:00	BDL	BDL	BDL	1.1	0.1	3.0	7.0	5.0
12/3/2016 20:00	BDL	BDL	BDL	BDL	0.1	3.0	8.0	4.0
12/3/2016 21:00	BDL	BDL	BDL	BDL	0.1	3.0	6.0	5.0
12/3/2016 22:00	BDL	BDL	BDL	0.4	0.1	3.1	6.0	6.0
12/3/2016 23:00	BDL	BDL	BDL	BDL	0.1	3.1	5.0	3.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 12/4/2016-12/10/2016								
12/4/2016 0:00	BDL	BDL	BDL	BDL	0.1	3.3	7.0	3.0
12/4/2016 1:00	BDL	BDL	BDL	BDL	0.1	3.1	8.0	3.0
12/4/2016 2:00	BDL	Calibration	Calibration	BDL	0.1	3.3	7.0	3.0
12/4/2016 3:00	BDL	Calibration	Calibration	BDL	0.1	3.3	7.0	48.0
12/4/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	7.0	2.0
12/4/2016 5:00	BDL	BDL	BDL	1.1	0.1	3.1	6.0	1.0
12/4/2016 6:00	BDL	BDL	BDL	2.9	0.1	3.2	6.0	7.0
12/4/2016 7:00	BDL	BDL	BDL	4.8	0.1	3.2	6.0	6.0
12/4/2016 8:00	BDL	BDL	BDL	5.0	0.2	3.3	10.0	5.0
12/4/2016 9:00	BDL	BDL	BDL	0.9	0.1	3.3	8.0	6.0
12/4/2016 10:00	BDL	BDL	BDL	BDL	0.1	3.3	9.0	5.0
12/4/2016 11:00	BDL	BDL	BDL	BDL	0.1	3.2	7.0	6.0
12/4/2016 12:00	BDL	BDL	BDL	BDL	0.1	3.2	4.0	6.0
12/4/2016 13:00	BDL	BDL	BDL	BDL	0.1	3.1	5.0	3.0
12/4/2016 14:00	BDL	BDL	BDL	BDL	0.1	3.0	8.0	3.0
12/4/2016 15:00	BDL	BDL	BDL	BDL	0.1	3.1	7.0	6.0
12/4/2016 16:00	BDL	BDL	BDL	1.9	0.1	3.1	9.0	9.0
12/4/2016 17:00	BDL	BDL	BDL	9.2	0.2	3.3	7.0	7.0
12/4/2016 18:00	BDL	BDL	BDL	17.8	0.3	3.2	11.0	5.0
12/4/2016 19:00	0.5	0.8	0.5	20.8	0.3	3.0	15.0	8.0
12/4/2016 20:00	0.8	1.2	0.7	25.6	0.3	3.1	17.0	11.0
12/4/2016 21:00	BDL	1.0	0.6	23.6	0.3	2.9	18.0	9.0
12/4/2016 22:00	BDL	0.6	BDL	21.4	0.3	2.9	16.0	17.0
12/4/2016 23:00	BDL	0.6	BDL	8.8	0.2	2.6	13.0	10.0
12/5/2016 0:00	BDL	0.4	0.4	3.6	0.2	2.5	11.0	11.0
12/5/2016 1:00	BDL	0.6	0.6	4.7	0.1	2.5	12.0	8.0
12/5/2016 2:00	BDL	Calibration	Calibration	0.9	0.1	2.3	16.0	9.0
12/5/2016 3:00	BDL	Calibration	Calibration	4.0	0.1	2.2	16.0	14.0
12/5/2016 4:00	Calibration	0.5	0.6	Calibration	Calibration	2.2	11.0	12.0
12/5/2016 5:00	BDL	0.7	0.7	7.1	0.1	2.5	8.0	9.0
12/5/2016 6:00	BDL	0.6	0.4	6.8	0.1	2.5	8.0	10.0
12/5/2016 7:00	BDL	0.5	0.4	8.3	0.2	2.6	8.0	9.0
12/5/2016 8:00	0.4	0.6	0.5	10.7	0.2	2.6	12.0	10.0
12/5/2016 9:00	1.1	0.7	0.6	18.8	0.2	2.5	24.0	13.0
12/5/2016 10:00	0.7	0.5	0.5	6.9	0.2	2.5	11.0	9.0
12/5/2016 11:00	0.7	0.5	0.4	4.0	0.2	2.5	10.0	9.0
12/5/2016 12:00	0.7	BDL	BDL	3.7	0.2	2.5	9.0	7.0
12/5/2016 13:00	0.6	BDL	BDL	1.8	0.2	2.5	9.0	6.0
12/5/2016 14:00	0.6	BDL	BDL	2.2	0.1	2.5	12.0	5.0
12/5/2016 15:00	0.6	BDL	BDL	4.2	0.2	2.6	11.0	5.0
12/5/2016 16:00	0.5	BDL	BDL	8.8	0.2	2.7	11.0	6.0
12/5/2016 17:00	0.5	BDL	BDL	14.2	0.2	2.8	16.0	5.0
12/5/2016 18:00	0.6	0.4	BDL	16.9	0.3	2.8	11.0	7.0
12/5/2016 19:00	0.7	0.6	BDL	24.0	0.4	2.9	16.0	11.0
12/5/2016 20:00	1.1	0.7	BDL	27.1	0.4	3.5	13.0	10.0
12/5/2016 21:00	0.9	0.7	BDL	20.5	0.3	3.6	13.0	8.0
12/5/2016 22:00	1.1	0.6	BDL	18.2	0.2	3.4	12.0	8.0
12/5/2016 23:00	1.1	0.6	BDL	23.3	0.3	3.6	17.0	9.0
12/6/2016 0:00	1.0	0.6	BDL	20.6	0.2	3.2	17.0	12.0
12/6/2016 1:00	0.8	0.6	BDL	16.8	0.2	3.0	13.0	9.0
12/6/2016 2:00	1.1	Calibration	Calibration	17.2	0.2	3.3	14.0	9.0
12/6/2016 3:00	0.9	Calibration	Calibration	20.5	0.2	3.0	13.0	11.0
12/6/2016 4:00	Calibration	0.6	BDL	Calibration	Calibration	3.0	11.0	11.0
12/6/2016 5:00	1.0	1.0	BDL	41.2	0.3	2.8	15.0	11.0
12/6/2016 6:00	1.7	1.7	0.6	67.6	0.4	2.9	21.0	12.0
12/6/2016 7:00	2.1	Too few samples	Too few samples	68.4	0.5	2.7	18.0	11.0
12/6/2016 8:00	1.4	Calibration	Calibration	44.2	0.4	2.6	20.0	11.0
12/6/2016 9:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	2.5	21.0	10.0
12/6/2016 10:00	1.3	1.1	BDL	41.4	0.3	Too few samples	24.0	7.0
12/6/2016 11:00	Calibration	1.3	0.4	Calibration	Calibration	2.4	23.0	13.0
12/6/2016 12:00	0.9	1.1	BDL	34.2	0.3	2.1	17.0	14.0
12/6/2016 13:00	1.1	0.9	0.5	26.4	0.3	2.0	18.0	8.0
12/6/2016 14:00	1.0	1.1	0.5	36.6	0.3	2.0	75.0	26.0
12/6/2016 15:00	0.9	1.1	0.4	31.8	0.4	1.8	18.0	11.0
12/6/2016 16:00	1.0	0.9	BDL	30.9	0.4	1.7	16.0	8.0
12/6/2016 17:00	1.1	1.1	0.5	32.4	0.4	1.7	12.0	10.0
12/6/2016 18:00	0.9	0.9	0.4	23.3	0.3	1.6	12.0	11.0
12/6/2016 19:00	0.9	0.7	BDL	16.1	0.3	1.5	9.0	7.0
12/6/2016 20:00	0.7	0.5	BDL	9.3	0.2	1.3	13.0	6.0
12/6/2016 21:00	0.8	0.4	BDL	6.3	0.2	1.2	8.0	5.0
12/6/2016 22:00	0.7	0.4	BDL	8.1	0.2	1.3	6.0	5.0
12/6/2016 23:00	0.7	0.4	BDL	7.9	0.2	1.1	7.0	4.0
12/7/2016 0:00	0.6	0.7	BDL	16.4	0.2	1.3	12.0	7.0
12/7/2016 1:00	0.7	0.5	BDL	13.5	0.2	1.3	11.0	7.0
12/7/2016 2:00	0.7	Calibration	Calibration	19.4	0.2	1.5	10.0	8.0
12/7/2016 3:00	0.8	Calibration	Calibration	12.4	0.2	1.6	8.0	7.0
12/7/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	8.0	8.0
12/7/2016 5:00	0.9	0.6	BDL	16.5	0.2	1.7	7.0	7.0
12/7/2016 6:00	1.0	0.6	BDL	17.8	0.2	1.8	11.0	10.0
12/7/2016 7:00	1.2	Audit	Audit	18.0	0.2	2.0	14.0	12.0
12/7/2016 8:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	2.1	Audit	Audit
12/7/2016 9:00	1.4	0.8	BDL	Calibration	0.3	1.7	Audit	Audit
12/7/2016 10:00	Audit	Audit	Audit	Audit	Audit	Calibration	Audit	Audit
12/7/2016 11:00	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit
12/7/2016 12:00	Audit	Audit	Audit	Audit	Audit	Audit	12.0	9.0
12/7/2016 13:00	Audit	Audit	Audit	Audit	Audit	Audit	9.0	8.0
12/7/2016 14:00	Audit	Audit	Audit	Audit	Audit	Audit	12.0	10.0
12/7/2016 15:00	BDL	BDL	BDL	7.6	0.2	2.2	15.0	8.0
12/7/2016 16:00	0.6	0.4	BDL	13.9	0.3	2.3	17.0	11.0
12/7/2016 17:00	3.3	0.7	0.4	23.4	0.2	2.1	32.0	21.0
12/7/2016 18:00	1.2	0.8	0.4	25.0	0.3	2.6	23.0	16.0
12/7/2016 19:00	0.9	0.9	BDL	28.6	0.4	2.6	20.0	17.0
12/7/2016 20:00	1.0	1.0	BDL	34.9	0.4	2.7	24.0	19.0
12/7/2016 21:00	1.0	1.0	BDL	39.4	0.4	2.9	27.0	21.0
12/7/2016 22:00	2.1	2.1	0.9	83.8	0.7	2.8	33.0	27.0
12/7/2016 23:00	2.4	2.8	1.2	90.8	0.7	3.4	31.0	22.0
12/8/2016 0:00	2.6	2.9	0.9	89.9	0.7	2.8	39.0	26.0
12/8/2016 1:00	1.9	1.7	1.0	40.0	0.4	2.7	33.0	22.0
12/8/2016 2:00	1.8	Calibration	Calibration	36.6	0.4	2.5	26.0	17.0
12/8/2016 3:00	1.8	Calibration	Calibration	30.1	0.3	2.6	25.0	18.0
12/8/2016 4:00	Calibration	1.4	0.7	Calibration	Calibration	Too few samples	29.0	21.0
12/8/2016 5:00	2.3	1.0	0.9	22.7	0.2	2.8	28.0	24.0
12/8/2016 6:00	2.9	1.9	0.7	51.4	0.4	2.4	27.0	19.0
12/8/2016 7:00	2.5	2.5	1.0	73.5	0.5	2.4	33.0	23.0
12/8/2016 8:00	Calibration	1.2	BDL	Calibration	Calibration	2.1	24.0	16.0
12/8/2016 9:00	33.1	1.8	1.1	32.9	0.3	2.0	29.0	17.0
12/8/2016 10:00	3.0	1.6	0.9	42.1	0.3	1.9	30.0	22.0
12/8/2016 11:00	3.9	2.0	1.1	45.0	0.3	1.7	34.0	22.0
12/8/2016 12:00	3.2	1.9	1.2	28.8	0.2	1.3	27.0	14.0
12/8/2016 13:00	0.9	0.8	0.5	15.5	0.2	1.4	15.0	9.0
12/8/2016 14:00	BDL	BDL	BDL	11.5	0.1	1.3	16.0	5.0
12/8/2016 15:00	BDL	BDL	BDL	6.1	0.1	1.2	15.0	3.0
12/8/2016 16:00	BDL	BDL	BDL	5.3	0.1	1.2	10.0	6.0
12/8/2016 17:00	BDL	BDL	BDL	10.6	0.2	1.3	11.0	8.0
12/8/2016 18:00	BDL	BDL	BDL	5.4	0.1	1.5	17.0	10.0
12/8/2016 19:00	BDL	BDL	BDL	2.2	0.1	1.4	11.0	8.0
12/8/2016 20:00	BDL	BDL	BDL	BDL	0.1	1.5	11.0	8.0
12/8/2016 21:00	BDL	BDL	BDL	0.9	0.1	1.6	11.0	8.0
12/8/2016 22:00	Too few samples	BDL	BDL	4.7	0.1	1.7	13.0	7.0
12/8/2016 23:00	BDL	BDL	BDL	4.7	0.1	1.9	13.0	6.0
12/9/2016 0:00	BDL	BDL	BDL	10.9	0.1	1.8	10.0	10.0
12/9/2016 1:00	BDL	BDL	BDL	16.0	0.1	1.9	26.0	14.0
12/9/2016 2:00	0.4	Calibration	Calibration	15.0	0.1	1.9	15.0	11.0
12/9/2016 3:00	Calibration	Calibration	Calibration	7.5	0.1	2.1	12.0	10.0
12/9/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	8.0	11.0
12/9/2016 5:00	BDL	BDL	BDL	9.9	0.1	2.1	12.0	11.0
12/9/2016 6:00	BDL	BDL	BDL	13.1	0.1	2.2	13.0	9.0
12/9/2016 7:00	Too few samples	0.4	BDL	17.0	0.1	Too few samples	18.0	8.0
12/9/2016 8:00	BDL	Calibration	Calibration	12.1	0.1	1.8	19.0	8.0
12/9/2016 9:00	BDL	Too few samples	Too few samples	9.5	0.1	1.5	Invalid	12.0
12/9/2016 10:00	BDL	0.5	0.5	4.2	0.1	1.2	Invalid	11.0
12/9/2016 11:00	BDL	0.4	0.4	2.1	0.1	0.8	Invalid	Invalid
12/9/2016 12:00	Too few samples	BDL	BDL	3.2	0.2	0.8	Invalid	Invalid
12/9/2016 13:00	BDL	BDL	BDL	3.0	0.1	1.1	21.0	5.0
12/9/2016 14:00	BDL	BDL	BDL	2.4	0.1	0.9	14.0	6.0
12/9/2016 15:00	BDL	BDL	BDL	3.4	0.2	0.8	15.0	5.0
12/9/2016 16:00	BDL	BDL	BDL	6.0	0.2	Too few samples	15.0	6.0
12/9/2016 17:00	BDL	BDL	BDL	7.3	0.2	1.0	15.0	7.0
12/9/2016 18:00	BDL	BDL	BDL	10.0	0.2	1.0	14.0	9.0
12/9/2016 19:00	BDL	BDL	0.4	8.4	0.2	1.0	9.0	6.0
12/9/2016 20:00	BDL	BDL	0.4	12.5	0.2	1.0	17.0	12.0
12/9/2016 21:00	BDL	BDL	BDL	12.9	0.2	1.0	14.0	14.0
12/9/2016 22:00	BDL	BDL	0.4	8.0	0.2	1.0	15.0	15.0
12/9/2016 23:00	BDL	BDL	0.4	8.4	0.2	1.0	17.0	10.0
12/10/2016 0:00	0.8	BDL	BDL	19.6	0.2	1.0	27.0	15.0
12/10/2016 1:00	0.9	BDL	BDL	16.7	0.2	1.0	25.0	18.0
12/10/2016 2:00	0.5	Calibration	Calibration	14.5	0.2	1.0	18.0	15.0
12/10/2016 3:00	0.5	Calibration	Calibration	13.8	0.2	1.0	20.0	16.0
12/10/2016 4:00	Calibration	BDL	0.4	Calibration	Calibration	Calibration	15.0	10.0
12/10/2016 5:00	1.2	0.5	0.5	17.8	0.2	1.0	18.0	12.0
12/10/2016 6:00	2.0	BDL	BDL	21.9	0.2	1.0	22.0	18.0
12/10/2016 7:00	1.5	0.5	0.5	19.4	0.2	Calibration	21.0	16.0
12/10/2016 8:00	1.4	0.5	0.5	13.0	0.2	Too few samples	18.0	13.0
12/10/2016 9:00	BDL	BDL	BDL	4.2	0.1	Too few samples	17.0	10.0
12/10/2016 10:00	BDL	BDL	BDL	2.2	0.1	2.6	16.0	12.0
12/10/2016 11:00	0.5	BDL	0.4	2.5	0.1	2.4	10.0	12.0
12/10/2016 12:00	BDL	BDL	BDL	4.9	0.2	2.1	16.0	13.0
12/10/2016 13:00	BDL	BDL	BDL	5.8	0.1	2.1	18.0	13.0
12/10/2016 14:00	BDL	BDL	BDL	2.1	0.2	2.0	15.0	12.0
12/10/2016 15:00	BDL	BDL	BDL	5.6	0.2	2.1	16.0	13.0
12/10/2016 16:00	BDL	BDL	BDL	3.9	0.2	2.1	11.0	9.0
12/10/2016 17:00	BDL	BDL	BDL	6.1	0.2	2.1	14.0	11.0
12/10/2016 18:00	BDL	BDL	BDL	5.1	0.2	2.2	17.0	12.0
12/10/2016 19:00	BDL	BDL	BDL	6.3	0.2	2.1	17.0	14.0
12/10/2016 20:00	13.7	BDL	BDL	6.4	0.2	2.3	18.0	11.0
12/10/2016 21:00	BDL	BDL	0.4	8.2	0.2	2.2	20.0	11.0
12/10/2016 22:00	1.1	BDL	0.4	8.5	0.2	2.3	18.0	12.0
12/10/2016 23:00	0.9	BDL	0.5	11.4	0.2	2.3	19.0	16.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 12/11/2016-12/17/2016 Type: AVG								
12/11/2016 0:00	BDL	BDL	BDL	9.3	0.2	2.4	23.0	19.0
12/11/2016 1:00	0.4	BDL	0.4	6.4	0.2	2.3	16.0	13.0
12/11/2016 2:00	0.4	Calibration	Calibration	8.2	0.2	2.3	19.0	11.0
12/11/2016 3:00	Calibration	Calibration	Calibration	9.9	0.2	2.4	16.0	12.0
12/11/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	15.0	13.0
12/11/2016 5:00	0.8	BDL	BDL	8.5	0.2	2.4	17.0	13.0
12/11/2016 6:00	0.9	BDL	BDL	9.0	0.2	2.1	15.0	14.0
12/11/2016 7:00	0.7	BDL	BDL	13.5	0.2	Too few samples	20.0	17.0
12/11/2016 8:00	Too few samples	BDL	BDL	14.6	0.2	Too few samples	20.0	16.0
12/11/2016 9:00	BDL	BDL	BDL	11.1	0.2	2.3	20.0	17.0
12/11/2016 10:00	BDL	0.4	BDL	17.6	0.2	2.1	24.0	20.0
12/11/2016 11:00	BDL	BDL	BDL	10.9	0.2	1.8	22.0	11.0
12/11/2016 12:00	BDL	BDL	BDL	5.6	0.2	1.9	16.0	10.0
12/11/2016 13:00	BDL	BDL	BDL	5.6	0.2	2.0	20.0	10.0
12/11/2016 14:00	BDL	BDL	BDL	4.0	0.1	2.0	15.0	12.0
12/11/2016 15:00	BDL	BDL	BDL	4.5	0.2	1.9	17.0	13.0
12/11/2016 16:00	BDL	0.7	0.8	8.0	0.2	1.6	17.0	10.0
12/11/2016 17:00	BDL	0.6	0.6	12.5	0.3	1.6	24.0	12.0
12/11/2016 18:00	BDL	0.8	0.6	19.5	0.3	1.6	22.0	13.0
12/11/2016 19:00	BDL	0.8	0.6	19.2	0.3	1.6	18.0	14.0
12/11/2016 20:00	BDL	0.7	0.7	25.4	0.3	1.5	21.0	11.0
12/11/2016 21:00	BDL	1.3	1.0	29.3	0.3	1.5	17.0	12.0
12/11/2016 22:00	BDL	1.6	1.2	40.7	0.4	1.6	22.0	15.0
12/11/2016 23:00	BDL	1.7	1.3	32.6	0.4	1.6	18.0	11.0
12/12/2016 0:00	BDL	1.7	1.1	41.0	0.4	1.7	22.0	17.0
12/12/2016 1:00	BDL	2.1	1.1	49.1	0.4	1.4	24.0	16.0
12/12/2016 2:00	BDL	Calibration	Calibration	50.4	0.3	1.4	21.0	13.0
12/12/2016 3:00	0.5	Calibration	Calibration	58.4	0.5	1.8	17.0	19.0
12/12/2016 4:00	Calibration	1.2	1.5	Calibration	Calibration	1.9	15.0	16.0
12/12/2016 5:00	BDL	1.4	1.1	10.7	0.2	1.1	15.0	12.0
12/12/2016 6:00	BDL	0.9	0.7	11.0	0.2	1.1	14.0	10.0
12/12/2016 7:00	BDL	0.8	0.5	12.8	0.2	1.2	18.0	13.0
12/12/2016 8:00	BDL	0.9	0.8	12.7	0.2	1.0	15.0	10.0
12/12/2016 9:00	0.8	1.1	1.1	13.1	0.2	0.9	17.0	16.0
12/12/2016 10:00	1.3	0.8	0.6	16.7	0.3	1.2	30.0	27.0
12/12/2016 11:00	1.2	1.0	0.8	12.9	0.2	1.3	22.0	14.0
12/12/2016 12:00	1.7	1.2	1.1	16.9	0.2	1.0	25.0	20.0
12/12/2016 13:00	1.7	1.5	1.3	16.9	0.2	0.9	23.0	18.0
12/12/2016 14:00	1.2	1.3	0.9	18.2	0.3	1.0	21.0	19.0
12/12/2016 15:00	1.0	0.6	BDL	7.2	0.2	0.7	16.0	10.0
12/12/2016 16:00	0.4	0.5	BDL	6.7	0.2	0.7	14.0	11.0
12/12/2016 17:00	0.7	0.6	0.5	8.1	0.2	0.7	17.0	12.0
12/12/2016 18:00	0.9	0.5	0.6	9.2	0.3	0.7	16.0	14.0
12/12/2016 19:00	0.8	0.4	BDL	8.3	0.2	0.8	16.0	11.0
12/12/2016 20:00	Too few samples	0.6	0.6	7.8	0.2	0.8	15.0	9.0
12/12/2016 21:00	0.6	BDL	BDL	7.6	0.2	0.9	17.0	7.0
12/12/2016 22:00	0.7	BDL	0.4	4.3	0.2	1.0	11.0	6.0
12/12/2016 23:00	0.4	BDL	BDL	2.4	0.2	1.0	12.0	6.0
12/13/2016 0:00	0.6	BDL	BDL	3.3	0.2	1.0	14.0	11.0
12/13/2016 1:00	0.7	BDL	0.4	1.8	0.2	1.0	13.0	13.0
12/13/2016 2:00	BDL	Calibration	Calibration	0.9	0.2	1.0	15.0	15.0
12/13/2016 3:00	Calibration	Calibration	Calibration	5.3	0.2	1.1	17.0	15.0
12/13/2016 4:00	Calibration	BDL	0.6	Calibration	Calibration	1.3	29.0	20.0
12/13/2016 5:00	4.3	0.4	0.5	13.9	0.2	1.3	22.0	17.0
12/13/2016 6:00	BDL	0.9	0.9	23.2	0.3	1.2	22.0	17.0
12/13/2016 7:00	Too few samples	1.1	0.9	30.4	0.3	1.3	Invalid	Invalid
12/13/2016 8:00	Too few samples	0.6	BDL	31.7	0.3	1.4	25.0	17.0
12/13/2016 9:00	0.9	1.0	0.6	31.3	0.3	1.3	24.0	16.0
12/13/2016 10:00	0.7	1.0	0.4	24.6	0.3	0.9	26.0	21.0
12/13/2016 11:00	0.9	1.1	0.6	32.5	0.4	0.9	30.0	19.0
12/13/2016 12:00	0.4	0.4	BDL	27.4	0.3	1.1	29.0	16.0
12/13/2016 13:00	0.7	0.8	BDL	25.0	0.3	1.2	32.0	21.0
12/13/2016 14:00	1.8	0.8	0.4	24.6	0.2	1.3	25.0	21.0
12/13/2016 15:00	1.4	0.8	0.4	21.4	0.2	1.2	24.0	17.0
12/13/2016 16:00	1.7	0.9	0.5	28.5	0.3	1.2	28.0	20.0
12/13/2016 17:00	0.9	0.9	0.5	16.5	0.2	1.1	21.0	16.0
12/13/2016 18:00	0.7	1.3	0.8	27.3	0.3	0.8	20.0	19.0
12/13/2016 19:00	0.7	1.3	0.8	32.1	0.3	0.7	25.0	15.0
12/13/2016 20:00	0.8	1.4	0.9	33.9	0.4	0.8	28.0	19.0
12/13/2016 21:00	0.9	1.7	1.0	43.1	0.4	0.9	27.0	17.0
12/13/2016 22:00	Too few samples	1.8	1.2	40.4	0.3	1.2	29.0	18.0
12/13/2016 23:00	7.5	1.5	0.8	35.4	0.3	1.4	26.0	17.0
12/14/2016 0:00	2.4	1.3	0.8	22.5	0.3	0.9	21.0	19.0
12/14/2016 1:00	1.5	1.4	0.9	34.2	0.3	1.0	30.0	21.0
12/14/2016 2:00	BDL	Calibration	Calibration	38.3	0.4	1.0	31.0	22.0
12/14/2016 3:00	Calibration	Calibration	Calibration	59.9	0.4	1.6	33.0	24.0
12/14/2016 4:00	Calibration	1.4	0.6	Calibration	Calibration	1.6	28.0	26.0
12/14/2016 5:00	1.3	1.2	0.5	36.8	0.3	1.1	29.0	27.0
12/14/2016 6:00	1.3	0.8	0.4	17.9	0.2	1.1	27.0	26.0
12/14/2016 7:00	3.2	1.0	0.5	25.1	0.3	2.1	31.0	25.0
12/14/2016 8:00	0.6	0.4	BDL	27.3	0.3	3.3	31.0	27.0
12/14/2016 9:00	0.9	BDL	BDL	12.1	0.1	3.8	28.0	20.0
12/14/2016 10:00	0.8	BDL	BDL	5.6	0.1	3.5	23.0	17.0
12/14/2016 11:00	0.8	BDL	BDL	4.4	0.1	3.4	26.0	16.0
12/14/2016 12:00	0.8	BDL	BDL	4.0	0.1	3.4	25.0	15.0
12/14/2016 13:00	0.8	BDL	BDL	3.4	0.1	3.3	20.0	13.0
12/14/2016 14:00	0.8	BDL	BDL	1.6	0.1	3.3	15.0	11.0
12/14/2016 15:00	0.9	BDL	BDL	7.2	0.1	3.3	22.0	12.0
12/14/2016 16:00	1.0	BDL	BDL	8.3	0.1	3.3	16.0	11.0
12/14/2016 17:00	2.1	0.5	BDL	13.5	0.1	3.2	27.0	15.0
12/14/2016 18:00	3.1	0.5	BDL	15.7	0.2	3.1	26.0	17.0
12/14/2016 19:00	3.7	0.8	0.6	17.4	0.2	3.2	23.0	16.0
12/14/2016 20:00	2.7	0.6	0.4	15.1	0.1	3.3	23.0	12.0
12/14/2016 21:00	2.5	0.9	0.6	15.6	0.1	3.3	23.0	17.0
12/14/2016 22:00	1.8	0.8	0.7	16.1	0.2	3.3	20.0	15.0
12/14/2016 23:00	1.2	0.4	BDL	13.6	0.2	3.1	19.0	14.0
12/15/2016 0:00	0.9	0.8	0.6	7.6	0.1	3.2	17.0	12.0
12/15/2016 1:00	1.9	0.9	0.6	14.4	0.1	3.1	16.0	20.0
12/15/2016 2:00	1.4	Calibration	Calibration	11.3	0.1	2.9	14.0	8.0
12/15/2016 3:00	1.6	Calibration	Calibration	9.3	0.1	2.9	17.0	8.0
12/15/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	12.0	12.0
12/15/2016 5:00	1.1	BDL	BDL	4.6	0.1	3.0	17.0	9.0
12/15/2016 6:00	1.0	BDL	BDL	4.1	0.1	3.0	21.0	6.0
12/15/2016 7:00	1.0	BDL	BDL	7.7	0.1	3.1	25.0	12.0
12/15/2016 8:00	1.0	BDL	0.4	5.1	0.1	3.1	38.0	11.0
12/15/2016 9:00	1.1	BDL	BDL	6.4	0.1	3.3	38.0	15.0
12/15/2016 10:00	0.8	BDL	BDL	4.6	0.1	3.3	35.0	9.0
12/15/2016 11:00	Too few samples	BDL	BDL	1.9	0.1	3.1	20.0	6.0
12/15/2016 12:00	7.8	0.1	0.2	0.9	0.1	3.1	17.0	6.0
12/15/2016 13:00	1.9	BDL	BDL	1.2	0.1	3.2	21.0	5.0
12/15/2016 14:00	0.7	BDL	BDL	1.7	0.1	3.3	29.0	5.0
12/15/2016 15:00	0.4	BDL	BDL	0.6	0.1	3.3	15.0	4.0
12/15/2016 16:00	BDL	BDL	BDL	2.5	0.1	3.3	17.0	6.0
12/15/2016 17:00	BDL	BDL	BDL	5.7	0.1	3.5	14.0	6.0
12/15/2016 18:00	BDL	BDL	BDL	5.5	0.1	3.5	11.0	5.0
12/15/2016 19:00	0.5	BDL	BDL	9.0	0.1	3.6	13.0	5.0
12/15/2016 20:00	0.9	BDL	BDL	10.3	0.1	4.1	13.0	5.0
12/15/2016 21:00	1.7	0.4	BDL	10.0	0.1	4.4	18.0	8.0
12/15/2016 22:00	8.6	BDL	BDL	12.9	0.1	3.9	17.0	12.0
12/15/2016 23:00	4.1	BDL	BDL	13.0	0.1	4.3	21.0	11.0
12/16/2016 0:00	BDL	0.4	BDL	16.9	0.1	4.0	18.0	11.0
12/16/2016 1:00	8.8	0.5	BDL	14.3	0.1	3.9	18.0	11.0
12/16/2016 2:00	3.8	Calibration	Calibration	10.9	0.1	4.2	18.0	10.0
12/16/2016 3:00	Calibration	Calibration	Calibration	16.2	0.1	4.1	15.0	12.0
12/16/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	4.2	15.0	9.0
12/16/2016 5:00	1.5	BDL	BDL	10.8	0.1	3.8	17.0	10.0
12/16/2016 6:00	Too few samples	BDL	BDL	10.7	0.1	3.9	15.0	12.0
12/16/2016 7:00	Calibration	BDL	BDL	Too few samples	Too few samples	3.9	22.0	13.0
12/16/2016 8:00	Too few samples	Calibration	Calibration	11.7	0.1	3.9	28.0	10.0
12/16/2016 9:00	1.9	Calibration	Calibration	15.5	0.1	4.0	22.0	15.0
12/16/2016 10:00	Calibration	5.4	3.2	Calibration	Calibration	4.1	24.0	13.0
12/16/2016 11:00	1.2	3.4	2.2	15.3	0.1	4.1	27.0	12.0
12/16/2016 12:00	1.2	BDL	BDL	16.6	0.1	4.0	28.0	15.0
12/16/2016 13:00	2.4	BDL	BDL	20.7	0.2	4.1	25.0	13.0
12/16/2016 14:00	2.9	BDL	BDL	23.4	0.2	4.1	21.0	14.0
12/16/2016 15:00	1.9	BDL	BDL	18.4	0.1	4.1	27.0	11.0
12/16/2016 16:00	1.0	BDL	BDL	15.4	0.1	4.1	21.0	12.0
12/16/2016 17:00	0.5	BDL	BDL	12.1	0.1	4.1	28.0	14.0
12/16/2016 18:00	BDL	BDL	BDL	14.4	0.1	3.9	31.0	11.0
12/16/2016 19:00	BDL	BDL	BDL	12.7	0.1	3.9	20.0	9.0
12/16/2016 20:00	BDL	BDL	BDL	11.1	0.1	3.8	16.0	12.0
12/16/2016 21:00	BDL	BDL	BDL	13.3	0.2	3.7	18.0	8.0
12/16/2016 22:00	0.4	BDL	BDL	11.9	0.2	3.5	15.0	8.0
12/16/2016 23:00	0.5	BDL	BDL	13.0	0.2	3.6	17.0	13.0
12/17/2016 0:00	0.4	0.4	BDL	19.4	0.2	3.5	19.0	10.0
12/17/2016 1:00	BDL	BDL	BDL	14.7	0.1	3.5	16.0	11.0
12/17/2016 2:00	BDL	Calibration	Calibration	15.4	0.1	3.4	37.0	9.0
12/17/2016 3:00	BDL	Calibration	Calibration	21.6	0.2	3.4	36.0	12.0
12/17/2016 4:00	Calibration	0.5	BDL	Calibration	Calibration	3.3	22.0	11.0
12/17/2016 5:00	1.0	1.0	BDL	29.4	0.2	3.2	21.0	11.0
12/17/2016 6:00	Too few samples	0.9	BDL	30.5	Too few samples	3.1	17.0	11.0
12/17/2016 7:00	Calibration	0.9	BDL	Calibration	Calibration	3.0	19.0	13.0
12/17/2016 8:00	BDL	1.2	BDL	39.2	0.3	3.0	12.0	10.0
12/17/2016 9:00	BDL	1.2	BDL	39.5	0.3	3.0	9.0	9.0
12/17/2016 10:00	0.4	1.5	BDL	41.9	0.3	2.8	13.0	8.0
12/17/2016 11:00	BDL	1.1	BDL	27.8	0.2	2.9	12.0	7.0
12/17/2016 12:00	0.5	0.7	BDL	19.0	0.2	3.2	12.0	6.0
12/17/2016 13:00	0.5	0.4	BDL	12.7	0.1	3.1	10.0	5.0
12/17/2016 14:00	0.5	BDL	BDL	11.1	0.1	3.2	11.0	7.0
12/17/2016 15:00	0.5	BDL	BDL	13.4	0.2	2.9	14.0	10.0
12/17/2016 16:00	0.4	BDL	BDL	14.5	0.2	2.5	16.0	11.0
12/17/2016 17:00	BDL	0.6	BDL	22.5	0.2	2.6	22.0	14.0
12/17/2016 18:00	BDL	BDL	BDL	18.7	0.2	2.5	19.0	21.0
12/17/2016 19:00	BDL	BDL	BDL	21.1	0.3	2.5	22.0	19.0
12/17/2016 20:00	BDL	0.6	BDL	29.6	0.4	2.5	27.0	19.0
12/17/2016 21:00	BDL	0.7	BDL	38.2	0.5	2.5	30.0	20.0
12/17/2016 22:00	0.6	1.4	BDL	54.6	0.7	2.8	31.0	21.0
12/17/2016 23:00	0.7	1.5	BDL	59.8	0.7	2.8	39.0	26.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 12/18/2016-12/24/2016								
12/18/2016 0:00	1.1	2.2	BDL	80.0	0.8	3.0	38.0	25.0
12/18/2016 1:00	1.2	2.3	BDL	84.5	0.8	2.9	45.0	32.0
12/18/2016 2:00	1.3	Calibration	Calibration	90.3	0.9	3.2	48.0	33.0
12/18/2016 3:00	1.0	Calibration	Calibration	68.9	0.6	3.2	36.0	24.0
12/18/2016 4:00	Calibration	0.6	BDL	Calibration	Calibration	Too few samples	14.0	15.0
12/18/2016 5:00	0.4	0.8	BDL	2.0	0.1	2.4	27.0	13.0
12/18/2016 6:00	0.5	0.6	BDL	1.7	0.1	2.3	22.0	16.0
12/18/2016 7:00	Too few samples	0.6	BDL	Too few samples	Too few samples	Too few samples	27.0	24.0
12/18/2016 8:00	Calibration	0.5	BDL	Calibration	Calibration	2.6	27.0	22.0
12/18/2016 9:00	1.2	Calibration	Calibration	4.5	0.2	2.5	24.0	19.0
12/18/2016 10:00	1.5	Calibration	Calibration	8.7	0.2	2.7	23.0	14.0
12/18/2016 11:00	3.1	BDL	0.6	6.7	0.2	3.0	33.0	31.0
12/18/2016 12:00	4.6	BDL	0.7	14.9	0.3	3.0	34.0	27.0
12/18/2016 13:00	4.3	BDL	0.4	11.4	0.3	3.0	27.0	27.0
12/18/2016 14:00	2.0	BDL	0.8	5.7	0.2	2.8	18.0	11.0
12/18/2016 15:00	0.6	BDL	BDL	BDL	0.2	2.6	9.0	8.0
12/18/2016 16:00	0.4	BDL	BDL	BDL	0.1	2.7	8.0	6.0
12/18/2016 17:00	0.4	BDL	BDL	BDL	0.1	2.9	9.0	6.0
12/18/2016 18:00	0.4	BDL	BDL	1.3	0.1	3.1	7.0	6.0
12/18/2016 19:00	BDL	BDL	BDL	0.4	0.1	3.2	10.0	5.0
12/18/2016 20:00	BDL	BDL	BDL	BDL	0.1	3.4	10.0	9.0
12/18/2016 21:00	BDL	BDL	BDL	BDL	0.1	3.6	10.0	7.0
12/18/2016 22:00	BDL	BDL	BDL	BDL	0.1	3.7	12.0	7.0
12/18/2016 23:00	BDL	BDL	BDL	BDL	0.1	3.8	9.0	7.0
12/19/2016 0:00	BDL	BDL	BDL	BDL	0.1	3.8	9.0	5.0
12/19/2016 1:00	BDL	BDL	BDL	0.6	0.1	3.8	9.0	8.0
12/19/2016 2:00	BDL	Calibration	Calibration	BDL	0.1	4.0	12.0	5.0
12/19/2016 3:00	BDL	Calibration	Calibration	BDL	0.1	4.1	8.0	7.0
12/19/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	7.0	8.0
12/19/2016 5:00	BDL	BDL	BDL	3.7	0.1	4.2	9.0	4.0
12/19/2016 6:00	BDL	BDL	BDL	5.1	0.1	4.2	8.0	2.0
12/19/2016 7:00	BDL	BDL	BDL	5.6	0.1	4.3	11.0	5.0
12/19/2016 8:00	BDL	BDL	BDL	12.9	0.1	4.6	13.0	4.0
12/19/2016 9:00	BDL	BDL	BDL	10.1	0.1	4.4	13.0	5.0
12/19/2016 10:00	0.5	BDL	BDL	12.4	0.2	4.3	10.0	7.0
12/19/2016 11:00	0.4	BDL	BDL	9.0	0.1	4.2	Invalid	6.0
12/19/2016 12:00	BDL	BDL	BDL	6.3	0.1	4.1	Invalid	4.0
12/19/2016 13:00	BDL	BDL	BDL	3.5	0.1	4.2	Invalid	5.0
12/19/2016 14:00	BDL	BDL	BDL	8.0	0.1	4.1	Invalid	4.0
12/19/2016 15:00	BDL	BDL	BDL	14.9	0.2	4.1	Invalid	6.0
12/19/2016 16:00	Too few samples	BDL	BDL	12.1	0.2	4.2	Invalid	6.0
12/19/2016 17:00	6.7	BDL	BDL	11.9	0.2	4.1	Invalid	6.0
12/19/2016 18:00	1.5	BDL	BDL	17.1	0.2	4.0	Invalid	5.0
12/19/2016 19:00	BDL	BDL	BDL	19.1	0.2	4.0	Invalid	7.0
12/19/2016 20:00	0.4	BDL	BDL	16.6	0.2	4.0	Invalid	5.0
12/19/2016 21:00	BDL	BDL	BDL	18.5	0.2	4.1	Invalid	4.0
12/19/2016 22:00	0.4	BDL	BDL	15.5	0.2	4.1	Invalid	4.0
12/19/2016 23:00	0.5	BDL	BDL	18.0	0.2	4.1	Invalid	4.0
12/20/2016 0:00	BDL	BDL	BDL	21.9	0.2	4.2	Invalid	7.0
12/20/2016 1:00	0.6	BDL	BDL	31.8	0.2	4.0	Invalid	9.0
12/20/2016 2:00	1.3	Calibration	Calibration	33.1	0.2	4.0	Invalid	10.0
12/20/2016 3:00	Calibration	Calibration	Calibration	24.0	0.2	4.0	Invalid	7.0
12/20/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	Invalid	10.0
12/20/2016 5:00	0.9	0.4	BDL	52.2	0.4	4.0	Invalid	8.0
12/20/2016 6:00	1.2	0.8	BDL	55.3	0.4	4.0	Invalid	6.0
12/20/2016 7:00	5.2	24.3	15.7	73.4	0.5	3.9	Invalid	14.0
12/20/2016 8:00	Too few samples	Calibration	Calibration	92.0	0.6	4.4	Invalid	12.0
12/20/2016 9:00	BDL	Calibration	Calibration	64.1	0.4	4.0	Invalid	11.0
12/20/2016 10:00	0.9	BDL	BDL	44.1	0.3	3.7	Invalid	9.0
12/20/2016 11:00	1.1	0.4	BDL	43.2	0.3	3.6	Invalid	14.0
12/20/2016 12:00	1.2	0.4	BDL	38.6	0.3	3.6	Invalid	11.0
12/20/2016 13:00	1.9	0.7	0.4	44.2	0.3	3.5	Invalid	15.0
12/20/2016 14:00	2.5	0.7	0.5	42.3	0.3	3.4	Invalid	14.0
12/20/2016 15:00	1.7	0.5	0.5	34.9	0.2	3.2	Invalid	17.0
12/20/2016 16:00	1.1	BDL	BDL	30.3	0.3	3.3	Invalid	13.0
12/20/2016 17:00	0.5	0.4	0.4	24.4	0.2	3.3	Invalid	14.0
12/20/2016 18:00	1.2	0.4	0.5	31.6	0.3	3.5	Invalid	13.0
12/20/2016 19:00	1.0	0.7	0.8	38.5	0.2	3.3	Invalid	11.0
12/20/2016 20:00	1.9	2.2	1.4	43.4	0.3	4.3	Invalid	15.0
12/20/2016 21:00	1.6	1.5	1.4	34.1	0.2	4.1	Invalid	16.0
12/20/2016 22:00	1.7	3.1	2.5	32.7	0.2	3.9	Invalid	15.0
12/20/2016 23:00	2.0	1.4	0.9	51.7	0.4	3.7	Invalid	20.0
12/21/2016 0:00	2.4	1.6	1.4	59.1	0.4	3.7	Invalid	19.0
12/21/2016 1:00	2.8	1.2	0.9	33.3	0.3	3.4	Invalid	17.0
12/21/2016 2:00	2.4	Calibration	Calibration	21.3	0.2	3.3	Invalid	21.0
12/21/2016 3:00	3.2	Calibration	Calibration	24.3	0.2	3.3	Invalid	26.0
12/21/2016 4:00	Calibration	0.6	1.5	Calibration	Calibration	Too few samples	Invalid	24.0
12/21/2016 5:00	2.2	0.9	1.6	26.1	0.2	3.2	Invalid	25.0
12/21/2016 6:00	1.8	1.8	2.3	28.5	0.2	3.3	Invalid	25.0
12/21/2016 7:00	3.2	1.7	1.2	67.9	0.4	Too few samples	Invalid	27.0
12/21/2016 8:00	Too few samples	1.7	1.4	75.3	Too few samples	3.3	Invalid	31.0
12/21/2016 9:00	6.5	1.8	1.4	66.1	0.4	3.1	49.0	33.0
12/21/2016 10:00	4.6	1.5	1.2	65.1	0.4	3.0	51.0	30.0
12/21/2016 11:00	6.1	1.6	1.3	57.3	0.4	2.97	48.0	36.0
12/21/2016 12:00	4.4	1.6	1.3	57.0	0.4	2.5	40.0	21.0
12/21/2016 13:00	3.7	1.1	1	40.7	0.3	2.3	35.0	24.0
12/21/2016 14:00	3.5	1.1	1.1	52.9	0.3	2.0	37.0	23.0
12/21/2016 15:00	Too few samples	BDL	0.4	19.4	0.2	2.0	24.0	13.0
12/21/2016 16:00	11.8	BDL	0.6	16.9	0.2	1.9	22.0	13.0
12/21/2016 17:00	4.4	0.5	0.8	18.6	0.2	2.1	25.0	17.0
12/21/2016 18:00	2.2	BDL	0.6	19.7	0.2	2.2	19.0	19.0
12/21/2016 19:00	1.5	0.5	BDL	45.3	0.4	3.0	25.0	18.0
12/21/2016 20:00	1.7	1.5	0.8	76.3	0.5	3.2	23.0	18.0
12/21/2016 21:00	1.7	1.9	0.9	81.1	0.6	2.8	27.0	23.0
12/21/2016 22:00	2.6	2.9	1.9	104.9	0.7	2.4	31.0	23.0
12/21/2016 23:00	1.4	1.8	1.2	70.0	0.6	2.7	32.0	24.0
12/22/2016 0:00	BDL	3.2	2.0	110.5	0.7	2.8	37.0	21.0
12/22/2016 1:00	7.6	2.2	1.4	84.4	0.5	2.0	30.0	22.0
12/22/2016 2:00	2.3	Calibration	Calibration	84.5	0.5	1.8	26.0	23.0
12/22/2016 3:00	Calibration	Calibration	Calibration	76.5	0.4	1.9	27.0	19.0
12/22/2016 4:00	Calibration	2.1	1.7	Calibration	Calibration	2.1	29.0	18.0
12/22/2016 5:00	BDL	2.6	1.6	78.2	0.5	1.7	24.0	19.0
12/22/2016 6:00	1.5	2.8	2.3	93.8	0.6	1.4	28.0	16.0
12/22/2016 7:00	1.4	2.6	2.1	78.7	0.5	1.0	27.0	14.0
12/22/2016 8:00	1.0	1.3	1.4	31.0	0.2	Too few samples	24.0	11.0
12/22/2016 9:00	1.5	1.3	1.6	15.0	0.2	1.3	18.0	8.0
12/22/2016 10:00	5.9	0.8	1.0	20.5	0.2	1.3	34.0	26.0
12/22/2016 11:00	Too few samples	1.3	1.2	34.4	0.3	1.5	33.0	18.0
12/22/2016 12:00	9.4	1.0	1.0	30.7	0.3	1.2	33.0	21.0
12/22/2016 13:00	BDL	BDL	0.4	8.7	0.1	0.7	32.0	13.0
12/22/2016 14:00	1.3	BDL	BDL	7.6	0.2	0.8	28.0	15.0
12/22/2016 15:00	1.7	BDL	0.4	5.7	0.2	0.9	24.0	19.0
12/22/2016 16:00	1.1	BDL	0.4	4.3	0.2	0.7	25.0	17.0
12/22/2016 17:00	0.9	BDL	BDL	5.0	0.2	0.8	23.0	19.0
12/22/2016 18:00	0.6	BDL	BDL	2.1	0.2	0.8	19.0	19.0
12/22/2016 19:00	Too few samples	BDL	BDL	1.4	0.1	0.8	21.0	13.0
12/22/2016 20:00	2.1	BDL	BDL	BDL	0.1	0.9	13.0	11.0
12/22/2016 21:00	BDL	BDL	BDL	BDL	0.1	1.0	17.0	10.0
12/22/2016 22:00	BDL	BDL	BDL	BDL	0.1	1.1	15.0	18.0
12/22/2016 23:00	BDL	BDL	BDL	BDL	0.1	1.2	15.0	14.0
12/23/2016 0:00	BDL	BDL	BDL	BDL	0.1	1.3	16.0	16.0
12/23/2016 1:00	BDL	BDL	BDL	3.6	0.1	1.4	17.0	16.0
12/23/2016 2:00	0.9	Calibration	Calibration	19.7	0.2	2.3	20.0	17.0
12/23/2016 3:00	Calibration	Calibration	Calibration	21.3	0.2	2.4	27.0	16.0
12/23/2016 4:00	Calibration	0.8	1.5	Calibration	Calibration	2.2	24.0	16.0
12/23/2016 5:00	0.4	BDL	1.3	19.8	0.2	2.1	22.0	19.0
12/23/2016 6:00	0.4	BDL	0.4	27.3	0.3	2.0	21.0	16.0
12/23/2016 7:00	0.6	BDL	BDL	35.4	0.3	2.1	24.0	17.0
12/23/2016 8:00	1.1	1.1	0.9	30.5	0.2	Too few samples	21.0	21.0
12/23/2016 9:00	1.0	0.7	0.7	26.8	0.2	2.5	23.0	17.0
12/23/2016 10:00	0.7	BDL	BDL	4.1	0.1	2.0	16.0	15.0
12/23/2016 11:00	1.2	BDL	BDL	6.2	0.1	1.9	18.0	15.0
12/23/2016 12:00	1.7	BDL	0.4	10.7	0.1	1.8	20.0	14.0
12/23/2016 13:00	1.9	BDL	0.4	9.3	0.2	1.7	17.0	12.0
12/23/2016 14:00	3.0	BDL	0.4	11.9	0.2	1.8	26.0	18.0
12/23/2016 15:00	3.2	BDL	0.7	15.1	0.2	2.0	29.0	24.0
12/23/2016 16:00	2.5	BDL	0.4	15.0	0.2	1.9	28.0	26.0
12/23/2016 17:00	2.5	0.5	0.8	23.7	0.3	1.9	29.0	25.0
12/23/2016 18:00	2.3	BDL	0.4	27.3	0.3	1.9	23.0	23.0
12/23/2016 19:00	3.1	0.4	0.4	35.8	0.3	1.9	22.0	20.0
12/23/2016 20:00	3.8	BDL	BDL	31.7	0.3	2.1	30.0	26.0
12/23/2016 21:00	2.5	53.1	40.5	33.1	0.3	1.6	25.0	20.0
12/23/2016 22:00	Too few samples	112.4	94.7	24.4	0.3	1.5	26.0	18.0
12/23/2016 23:00	BDL	3.0	1.6	18.5	0.2	1.8	24.0	17.0
12/24/2016 0:00	2.5	BDL	0.5	11.9	0.2	1.4	18.0	18.0
12/24/2016 1:00	BDL	0.4	0.7	9.5	Analyzer malfunction	1.4	21.0	18.0
12/24/2016 2:00	BDL	Calibration	Calibration	13.2	Analyzer malfunction	1.2	17.0	15.0
12/24/2016 3:00	Calibration	Calibration	Calibration	4.8	Calibration	1.2	17.0	15.0
12/24/2016 4:00	Calibration	0.5	1.2	Calibration	Calibration	Too few samples	17.0	16.0
12/24/2016 5:00	0.6	BDL	1.1	8.6	Analyzer malfunction	1.3	21.0	20.0
12/24/2016 6:00	BDL	0.5	1.0	9.2	Analyzer malfunction	1.0	20.0	21.0
12/24/2016 7:00	Too few samples	0.4	0.8	10.7	Analyzer malfunction	1.0	22.0	20.0
12/24/2016 8:00	0.5	BDL	0.6	12.7	Analyzer malfunction	0.9	21.0	24.0
12/24/2016 9:00	1.8	BDL	0.6	14.0	Too few samples	Too few samples	21.0	29.0
12/24/2016 10:00	1.6	0.4	0.8	17.4	BDL	Invalid	13.0	18.0
12/24/2016 11:00	1.3	BDL	0.7	13.3	0.2	Invalid	15.0	15.0
12/24/2016 12:00	3.2	BDL	0.6	15.1	0.3	Invalid	21.0	29.0
12/24/2016 13:00	2.2	0.9	1.9	10.2	0.2	Invalid	19.0	18.0
12/24/2016 14:00	2.2	1.4	2.3	9.8	0.2	Invalid	15.0	17.0
12/24/2016 15:00	2.1	1.3	1.8	9.0	0.3	Invalid	15.0	14.0
12/24/2016 16:00	2.0	1.0	1.5	9.3	0.3	Invalid	22.0	18.0
12/24/2016 17:00	2.0	1.3	1.8	8.3	0.3	Invalid	21.0	21.0
12/24/2016 18:00	0.9	0.4	0.8	13.4	0.3	Invalid	20.0	21.0
12/24/2016 19:00	0.8	BDL	0.4	13.9	0.4	Invalid	15.0	17.0
12/24/2016 20:00	0.7	BDL	0.5	14.1	0.3	Invalid	22.0	20.0
12/24/2016 21:00	0.7	BDL	0.5	12.6	0.3	Invalid	18.0	21.0
12/24/2016 22:00	Too few samples	BDL	BDL	7.1	0.3	Invalid	13.0	14.0
12/24/2016 23:00	BDL	BDL	BDL	6.7	0.3	Invalid	12.0	10.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 12/25/2016-12/31/2016								
12/25/2016 0:00	BDL	BDL	BDL	14.6	0.4	Invalid	13.0	13.0
12/25/2016 1:00	0.4	BDL	BDL	13.8	0.3	Invalid	12.0	8.0
12/25/2016 2:00	0.5	Calibration	Calibration	12.4	0.3	Invalid	11.0	8.0
12/25/2016 3:00	Calibration	Calibration	Calibration	11.3	0.2	Invalid	12.0	8.0
12/25/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	10.0	10.0
12/25/2016 5:00	1.2	BDL	BDL	13.3	0.2	Invalid	9.0	12.0
12/25/2016 6:00	BDL	BDL	BDL	19.2	0.2	Invalid	12.0	10.0
12/25/2016 7:00	0.5	BDL	BDL	19.9	0.3	Invalid	9.0	9.0
12/25/2016 8:00	Too few samples	BDL	BDL	23.1	0.3	Calibration	11.0	10.0
12/25/2016 9:00	Too few samples	Calibration	Calibration	7.7	0.2	Too few samples	14.0	12.0
12/25/2016 10:00	Too few samples	Calibration	Calibration	BDL	0.2	Invalid	9.0	8.0
12/25/2016 11:00	1.2	BDL	BDL	BDL	0.2	Invalid	11.0	12.0
12/25/2016 12:00	0.7	BDL	BDL	BDL	0.2	Invalid	11.0	8.0
12/25/2016 13:00	Too few samples	BDL	BDL	BDL	0.2	Invalid	9.0	6.0
12/25/2016 14:00	BDL	BDL	BDL	BDL	0.2	Invalid	10.0	5.0
12/25/2016 15:00	0.5	BDL	BDL	2.1	0.2	Invalid	7.0	8.0
12/25/2016 16:00	0.6	BDL	BDL	15.6	0.5	Invalid	15.0	6.0
12/25/2016 17:00	0.5	BDL	0.6	40.0	0.8	Invalid	18.0	15.0
12/25/2016 18:00	BDL	1.5	1.1	67.6	1.0	Invalid	25.0	16.0
12/25/2016 19:00	BDL	1.0	0.7	55.8	0.9	Invalid	19.0	10.0
12/25/2016 20:00	0.8	1.3	0.9	85.4	1.1	Invalid	27.0	17.0
12/25/2016 21:00	0.8	1.6	1.2	82.5	1.0	Invalid	23.0	17.0
12/25/2016 22:00	0.7	1.0	0.8	68.0	0.9	Invalid	23.0	23.0
12/25/2016 23:00	0.4	0.9	0.8	46.3	0.7	Invalid	20.0	20.0
12/26/2016 0:00	BDL	BDL	BDL	18.7	0.3	Invalid	15.0	13.0
12/26/2016 1:00	BDL	BDL	BDL	16.8	0.3	Invalid	17.0	9.0
12/26/2016 2:00	BDL	Calibration	Calibration	15.4	0.3	Invalid	13.0	12.0
12/26/2016 3:00	Calibration	Calibration	Calibration	13.0	0.2	Invalid	11.0	8.0
12/26/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	9.0	5.0
12/26/2016 5:00	0.4	BDL	BDL	12.5	0.2	Invalid	12.0	6.0
12/26/2016 6:00	0.4	BDL	BDL	14.0	0.2	Invalid	13.0	6.0
12/26/2016 7:00	Too few samples	BDL	BDL	17.1	0.2	Too few samples	12.0	8.0
12/26/2016 8:00	0.5	Calibration	Calibration	19.6	0.2	Too few samples	11.0	7.0
12/26/2016 9:00	0.6	Calibration	Calibration	23.8	0.3	4.5	13.0	5.0
12/26/2016 10:00	0.6	BDL	BDL	33.1	0.3	Too few samples	15.0	9.0
12/26/2016 11:00	0.6	BDL	0.4	31.3	0.4	4.3	15.0	11.0
12/26/2016 12:00	0.7	0.5	0.5	35.7	0.4	4.3	20.0	12.0
12/26/2016 13:00	0.9	0.9	0.6	46.4	0.5	4.2	25.0	12.0
12/26/2016 14:00	0.7	0.6	0.6	34.8	0.5	4.1	23.0	11.0
12/26/2016 15:00	0.9	0.8	0.6	39.9	0.5	4.0	22.0	12.0
12/26/2016 16:00	1.4	1.5	1.0	69.8	0.7	4.1	27.0	13.0
12/26/2016 17:00	1.4	1.9	1.3	79.1	0.8	4.0	29.0	13.0
12/26/2016 18:00	1.2	1.8	1.3	65.0	0.7	3.8	28.0	14.0
12/26/2016 19:00	0.6	0.9	0.9	26.8	0.5	3.5	30.0	14.0
12/26/2016 20:00	0.5	0.5	0.7	14.7	0.4	3.5	38.0	14.0
12/26/2016 21:00	Too few samples	0.5	0.9	15.8	0.3	3.7	31.0	12.0
12/26/2016 22:00	BDL	0.4	0.8	6.3	0.2	3.7	31.0	11.0
12/26/2016 23:00	BDL	BDL	0.6	BDL	0.2	3.4	21.0	8.0
12/27/2016 0:00	0.5	BDL	0.7	3.4	0.2	3.6	22.0	8.0
12/27/2016 1:00	0.5	BDL	0.7	1.9	0.2	3.3	15.0	9.0
12/27/2016 2:00	0.8	Calibration	Calibration	2.7	0.2	3.5	12.0	7.0
12/27/2016 3:00	Calibration	Calibration	Calibration	4.8	0.2	3.6	10.0	11.0
12/27/2016 4:00	Calibration	BDL	0.5	Calibration	Calibration	Too few samples	10.0	11.0
12/27/2016 5:00	0.9	BDL	0.5	4.1	0.2	3.4	13.0	12.0
12/27/2016 6:00	1.0	BDL	0.5	4.7	0.2	3.3	9.0	11.0
12/27/2016 7:00	1.0	BDL	0.6	6.9	0.2	3.2	12.0	12.0
12/27/2016 8:00	Too few samples	BDL	0.6	15.6	0.3	3.2	12.0	15.0
12/27/2016 9:00	1.6	BDL	0.6	11.0	0.2	3.1	13.0	9.0
12/27/2016 10:00	2.3	BDL	0.6	8.8	0.3	3.3	14.0	15.0
12/27/2016 11:00	2.6	0.6	1.2	17.0	0.3	3.7	20.0	16.0
12/27/2016 12:00	2.3	0.9	1.2	10.9	0.3	3.3	20.0	13.0
12/27/2016 13:00	2.2	0.6	1.3	11.1	0.2	3.6	15.0	9.0
12/27/2016 14:00	1.3	0.5	0.8	6.7	0.2	3.2	17.0	6.0
12/27/2016 15:00	0.6	BDL	BDL	0.4	0.1	2.7	16.0	6.0
12/27/2016 16:00	0.7	BDL	0.4	9.0	0.2	2.8	15.0	6.0
12/27/2016 17:00	0.7	BDL	0.4	10.2	0.2	2.8	10.0	5.0
12/27/2016 18:00	0.6	BDL	0.5	64.0	0.3	3.2	18.0	6.0
12/27/2016 19:00	0.7	BDL	0.6	14.4	0.3	3.0	11.0	7.0
12/27/2016 20:00	0.8	BDL	0.4	11.3	0.2	2.9	12.0	8.0
12/27/2016 21:00	0.9	BDL	0.4	12.8	0.2	3.0	8.0	6.0
12/27/2016 22:00	1.1	BDL	0.4	8.1	0.2	2.8	7.0	5.0
12/27/2016 23:00	1.2	BDL	0.4	1.6	0.2	2.8	6.0	7.0
12/28/2016 0:00	1.1	BDL	BDL	1.3	0.2	2.8	8.0	5.0
12/28/2016 1:00	1.0	BDL	BDL	BDL	0.2	2.8	10.0	7.0
12/28/2016 2:00	0.6	Calibration	Calibration	BDL	0.2	2.9	10.0	9.0
12/28/2016 3:00	0.6	Calibration	Calibration	BDL	0.2	2.8	8.0	9.0
12/28/2016 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	8.0	11.0
12/28/2016 5:00	0.5	BDL	BDL	10.1	0.2	3.0	12.0	9.0
12/28/2016 6:00	0.5	0.5	0.7	18.2	0.2	3.7	17.0	14.0
12/28/2016 7:00	0.5	BDL	BDL	19.0	0.2	3.2	23.0	13.0
12/28/2016 8:00	0.5	BDL	BDL	7.7	0.2	Too few samples	13.0	10.0
12/28/2016 9:00	0.4	BDL	BDL	2.1	0.1	3.4	15.0	8.0
12/28/2016 10:00	BDL	BDL	BDL	1.7	0.1	3.5	13.0	11.0
12/28/2016 11:00	0.4	BDL	BDL	BDL	0.1	3.49	15.0	9.0
12/28/2016 12:00	0.4	BDL	BDL	1.3	0.1	3.4	13.0	12.0
12/28/2016 13:00	0.4	BDL	BDL	1.4	0.1	3.5	17.0	11.0
12/28/2016 14:00	0.4	BDL	BDL	0.9	0.1	3.4	14.0	11.0
12/28/2016 15:00	BDL	BDL	BDL	BDL	0.1	3.4	15.0	8.0
12/28/2016 16:00	BDL	BDL	BDL	1.7	0.2	3.5	21.0	8.0
12/28/2016 17:00	BDL	BDL	BDL	8.9	0.2	3.6	18.0	13.0
12/28/2016 18:00	BDL	BDL	BDL	14.3	0.2	3.7	19.0	18.0
12/28/2016 19:00	0.5	BDL	0.4	28.9	0.3	3.5	19.0	13.0
12/28/2016 20:00	0.5	BDL	0.4	24.6	0.3	3.4	15.0	12.0
12/28/2016 21:00	1.1	0.8	0.7	51.4	0.4	3.6	25.0	16.0
12/28/2016 22:00	1.3	1.4	1.1	61.4	0.5	3.6	26.0	13.0
12/28/2016 23:00	1.0	1.0	0.8	51.5	0.4	3.4	19.0	19.0
12/29/2016 0:00	0.8	0.8	0.7	46.7	0.4	3.3	25.0	17.0
12/29/2016 1:00	0.8	0.9	0.7	49.0	0.3	3.3	17.0	15.0
12/29/2016 2:00	0.9	Calibration	Calibration	54.4	0.3	3.4	16.0	15.0
12/29/2016 3:00	1.1	Calibration	Calibration	58.8	0.3	3.4	21.0	14.0
12/29/2016 4:00	Calibration	0.9	1.0	Calibration	Calibration	Too few samples	16.0	13.0
12/29/2016 5:00	1.0	1.7	1.4	47.7	0.4	3.2	18.0	13.0
12/29/2016 6:00	1.4	2.3	1.7	64.9	0.5	3.2	23.0	15.0
12/29/2016 7:00	1.1	2.4	1.9	57.3	0.4	3.0	34.0	13.0
12/29/2016 8:00	0.7	1.5	1.5	27.9	0.3	2.7	18.0	12.0
12/29/2016 9:00	0.5	1.1	1.3	16.4	0.2	2.6	17.0	9.0
12/29/2016 10:00	0.6	0.8	1.1	14.7	0.2	2.6	16.0	7.0
12/29/2016 11:00	0.7	0.6	0.9	12.5	0.2	2.3	8.0	11.0
12/29/2016 12:00	0.6	BDL	0.8	11.8	0.2	2.4	7.0	9.0
12/29/2016 13:00	1.0	0.9	1.1	18.3	0.2	2.6	13.0	12.0
12/29/2016 14:00	0.8	0.6	0.9	10.0	0.2	2.3	9.0	9.0
12/29/2016 15:00	0.8	BDL	0.6	2.5	0.2	2.3	9.0	7.0
12/29/2016 16:00	0.8	BDL	0.5	6.5	0.2	2.4	11.0	9.0
12/29/2016 17:00	0.9	BDL	0.5	16.8	0.2	2.5	13.0	11.0
12/29/2016 18:00	0.7	BDL	0.5	9.4	0.2	2.5	17.0	17.0
12/29/2016 19:00	0.8	BDL	0.5	3.7	0.1	2.5	12.0	11.0
12/29/2016 20:00	1.0	BDL	0.4	7.9	0.1	2.7	12.0	9.0
12/29/2016 21:00	1.3	BDL	0.7	12.6	0.1	2.9	15.0	12.0
12/29/2016 22:00	1.3	BDL	0.7	13.0	0.1	2.8	10.0	8.0
12/29/2016 23:00	1.2	BDL	0.7	12.4	0.1	2.6	13.0	7.0
12/30/2016 0:00	1.6	BDL	0.6	9.6	0.2	2.7	14.0	10.0
12/30/2016 1:00	1.9	0.4	0.8	12.4	0.1	2.6	13.0	12.0
12/30/2016 2:00	2.1	Calibration	Calibration	12.8	0.1	2.6	12.0	11.0
12/30/2016 3:00	2.1	Calibration	Calibration	12.9	0.1	2.6	14.0	10.0
12/30/2016 4:00	Calibration	0.6	1.1	Calibration	Calibration	2.6	14.0	9.0
12/30/2016 5:00	2.0	0.5	0.8	11.9	0.1	2.6	12.0	11.0
12/30/2016 6:00	1.8	0.6	1.0	12.1	0.1	2.4	17.0	8.0
12/30/2016 7:00	Too few samples	0.5	1.0	11.8	0.1	2.5	13.0	12.0
12/30/2016 8:00	1.5	1.1	1.3	14.8	0.2	2.6	19.0	10.0
12/30/2016 9:00	1.8	0.6	1.0	13.3	0.1	2.7	17.0	8.0
12/30/2016 10:00	1.3	BDL	0.6	7.9	0.1	3.0	14.0	8.0
12/30/2016 11:00	1.0	BDL	0.4	3.9	0.1	2.8	19.0	5.0
12/30/2016 12:00	1.2	BDL	0.7	7.4	0.1	4.1	26.0	6.0
12/30/2016 13:00	0.8	BDL	0.8	2.6	0.1	3.3	20.0	5.0
12/30/2016 14:00	0.6	BDL	0.7	0.7	0.1	2.7	12.0	3.0
12/30/2016 15:00	0.7	BDL	0.6	2.9	0.1	2.8	12.0	4.0
12/30/2016 16:00	0.8	BDL	0.6	6.2	0.1	2.8	11.0	6.0
12/30/2016 17:00	0.9	BDL	0.7	11.7	0.1	2.9	18.0	8.0
12/30/2016 18:00	0.9	BDL	0.7	6.3	0.1	2.9	14.0	8.0
12/30/2016 19:00	0.7	BDL	0.4	2.3	0.1	2.9	9.0	5.0
12/30/2016 20:00	0.9	BDL	0.5	12.4	0.1	3.0	14.0	7.0
12/30/2016 21:00	1.1	BDL	0.7	16.4	0.1	3.2	13.0	7.0
12/30/2016 22:00	0.9	BDL	0.6	7.3	0.1	3.1	13.0	7.0
12/30/2016 23:00	1.5	BDL	0.6	8.3	0.1	3.3	12.0	13.0
12/31/2016 0:00	1.7	BDL	0.8	8.7	0.1	3.6	15.0	7.0
12/31/2016 1:00	2.2	0.7	0.9	13.1	0.1	3.8	10.0	10.0
12/31/2016 2:00	2.6	Calibration	Calibration	14.5	0.1	3.4	15.0	10.0
12/31/2016 3:00	2.7	Calibration	Calibration	17.1	0.1	3.2	14.0	8.0
12/31/2016 4:00	Calibration	BDL	0.4	Calibration	Calibration	3.4	8.0	6.0
12/31/2016 5:00	1.0	BDL	0.4	17.3	0.1	3.5	10.0	6.0
12/31/2016 6:00	0.8	0.4	0.6	24.9	0.2	3.0	13.0	8.0
12/31/2016 7:00	0.8	Calibration	Calibration	27.3	0.2	3.0	10.0	9.0
12/31/2016 8:00	1.2	Calibration	Calibration	17.2	0.2	3.2	11.0	8.0
12/31/2016 9:00	Too few samples	Calibration	Calibration	6.4	0.1	3.1	10.0	6.0
12/31/2016 10:00	Too few samples	BDL	0.7	0.7	0.1	3.1	9.0	5.0
12/31/2016 11:00	Calibration	BDL	0.8	Calibration	Calibration	3.1	9.0	5.0
12/31/2016 12:00	0.9	BDL	0.7	BDL	0.1	2.8	8.0	4.0
12/31/2016 13:00	0.7	BDL	0.4	BDL	0.1	2.8	14.0	5.0
12/31/2016 14:00	0.7	BDL	0.4	BDL	0.2	2.6	10.0	4.0
12/31/2016 15:00	0.7	BDL	0.5	BDL	0.1	2.7	8.0	4.0
12/31/2016 16:00	0.7	BDL	0.5	BDL	0.1	2.7	8.0	5.0
12/31/2016 17:00	0.6	BDL	0.4	BDL	0.1	2.6	6.0	5.0
12/31/2016 18:00	0.5	BDL	0.6	BDL	0.1	2.7	10.0	4.0
12/31/2016 19:00	0.5	BDL	0.6	BDL	0.1	2.8	10.0	3.0
12/31/2016 20:00	0.6	BDL	0.7	BDL	0.1	2.7	9.0	5.0
12/31/2016 21:00	1.1	BDL	0.5	2.3	0.1	2.7	11.0	6.0
12/31/2016 22:00	1.1	BDL	0.5	0.6	0.1	2.7	8.0	6.0
12/31/2016 23:00	0.9	BDL	0.5	2.0	0.2	2.7	11.0	8.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 1/1/2017-1/7/2017								
1/1/2017 0:00	1.1	BDL	0.5	5.2	0.2	2.7	10.0	6.0
1/1/2017 1:00	2.2	BDL	0.5	8.4	0.2	2.7	14.0	9.0
1/1/2017 2:00	2.2	Calibration	Calibration	10.3	0.2	2.7	9.0	9.0
1/1/2017 3:00	2.2	Calibration	Calibration	10.2	0.2	2.7	12.0	8.0
1/1/2017 4:00	Calibration	BDL	0.5	Calibration	Calibration	Too few samples	16.0	13.0
1/1/2017 5:00	3.6	0.4	0.8	16.8	0.2	2.9	15.0	15.0
1/1/2017 6:00	4.0	BDL	0.7	16.6	0.2	3.0	14.0	13.0
1/1/2017 7:00	3.6	BDL	0.6	17.8	0.2	3.2	15.0	14.0
1/1/2017 8:00	2.9	BDL	0.6	20.9	0.3	3.3	17.0	11.0
1/1/2017 9:00	3.3	0.5	0.9	16.6	0.2	3.3	13.0	10.0
1/1/2017 10:00	1.5	BDL	0.6	5.3	0.2	2.9	9.0	9.0
1/1/2017 11:00	1.0	BDL	BDL	BDL	0.1	2.9	8.0	7.0
1/1/2017 12:00	0.7	BDL	BDL	BDL	0.1	2.9	8.0	9.0
1/1/2017 13:00	0.7	BDL	BDL	BDL	0.1	2.9	8.0	10.0
1/1/2017 14:00	0.7	BDL	BDL	BDL	0.1	2.9	11.0	8.0
1/1/2017 15:00	0.5	BDL	BDL	BDL	0.1	2.9	13.0	9.0
1/1/2017 16:00	0.4	BDL	BDL	BDL	0.1	3.1	11.0	11.0
1/1/2017 17:00	0.7	BDL	BDL	15.9	0.3	3.9	17.0	9.0
1/1/2017 18:00	0.8	0.5	0.5	42.8	0.5	3.4	20.0	17.0
1/1/2017 19:00	0.8	0.5	0.6	35.8	0.6	3.3	17.0	15.0
1/1/2017 20:00	0.9	0.7	0.6	50.5	0.7	3.4	24.0	20.0
1/1/2017 21:00	1.7	2.3	1.5	97.2	1.0	3.8	32.0	26.0
1/1/2017 22:00	1.8	2.7	1.7	106.5	1.1	3.8	37.0	32.0
1/1/2017 23:00	1.4	2.0	1.6	74.0	1.0	3.7	28.0	21.0
1/2/2017 0:00	1.2	1.6	1.2	57.2	0.7	3.5	24.0	23.0
1/2/2017 1:00	1.0	0.8	0.6	44.0	0.5	3.4	23.0	15.0
1/2/2017 2:00	0.8	Calibration	Calibration	27.0	0.4	3.4	17.0	15.0
1/2/2017 3:00	0.9	Calibration	Calibration	28.2	0.3	3.2	20.0	17.0
1/2/2017 4:00	Calibration	BDL	0.6	Calibration	Calibration	Too few samples	19.0	15.0
1/2/2017 5:00	0.4	0.6	0.6	32.9	0.4	3.5	19.0	21.0
1/2/2017 6:00	0.5	0.6	0.5	37.7	0.4	3.4	15.0	14.0
1/2/2017 7:00	0.6	0.7	0.6	43.7	0.4	3.4	16.0	12.0
1/2/2017 8:00	0.6	0.8	0.5	40.2	0.4	Too few samples	12.0	11.0
1/2/2017 9:00	0.6	0.8	0.7	42.4	0.4	3.9	16.0	11.0
1/2/2017 10:00	0.6	0.8	0.7	43.4	0.4	3.8	15.0	12.0
1/2/2017 11:00	0.9	1.5	0.8	56.7	0.4	3.8	16.0	14.0
1/2/2017 12:00	0.7	1.2	0.8	41.8	0.4	3.5	10.0	11.0
1/2/2017 13:00	0.5	0.4	0.6	23.5	0.4	3.3	9.0	10.0
1/2/2017 14:00	0.6	0.4	0.6	26.6	0.4	3.2	8.0	8.0
1/2/2017 15:00	0.5	0.4	0.5	23.6	0.4	3.2	10.0	11.0
1/2/2017 16:00	0.5	BDL	0.5	18.7	0.3	3.1	10.0	9.0
1/2/2017 17:00	0.6	BDL	BDL	11.8	0.2	3.0	12.0	5.0
1/2/2017 18:00	0.7	BDL	BDL	13.8	0.2	3.0	9.0	3.0
1/2/2017 19:00	BDL	BDL	BDL	12.4	0.3	2.9	8.0	10.0
1/2/2017 20:00	0.8	BDL	0.4	12.7	0.2	2.9	9.0	8.0
1/2/2017 21:00	0.9	BDL	0.4	12.0	0.1	2.9	16.0	16.0
1/2/2017 22:00	0.6	BDL	0.4	14.3	0.2	2.9	12.0	12.0
1/2/2017 23:00	0.6	BDL	0.6	14.2	0.2	2.8	8.0	11.0
1/3/2017 0:00	0.7	BDL	0.4	10.5	0.1	2.7	5.0	11.0
1/3/2017 1:00	0.7	BDL	0.5	9.7	0.1	2.7	9.0	8.0
1/3/2017 2:00	1.1	Calibration	Calibration	10.9	0.1	2.7	10.0	10.0
1/3/2017 3:00	1.4	Calibration	Calibration	12.0	0.1	2.6	9.0	9.0
1/3/2017 4:00	Calibration	BDL	0.6	Calibration	Calibration	2.5	6.0	9.0
1/3/2017 5:00	0.8	BDL	0.5	17.1	0.2	2.4	7.0	6.0
1/3/2017 6:00	1.7	BDL	0.5	21.9	0.2	2.4	9.0	9.0
1/3/2017 7:00	2.2	0.4	0.6	29.6	0.2	2.4	8.0	12.0
1/3/2017 8:00	2.3	0.6	0.7	30.8	0.2	2.4	9.0	10.0
1/3/2017 9:00	2.2	0.5	0.7	29.5	0.2	2.4	8.0	7.0
1/3/2017 10:00	1.9	0.6	0.7	27.4	0.2	2.2	7.0	8.0
1/3/2017 11:00	1.8	0.6	0.7	30.0	0.2	2.3	6.0	8.0
1/3/2017 12:00	1.6	0.6	0.7	29.2	0.2	2.1	4.0	6.0
1/3/2017 13:00	1.1	0.6	0.8	23.0	0.2	1.8	5.0	4.0
1/3/2017 14:00	1.2	0.6	0.8	27.9	0.3	1.9	7.0	4.0
1/3/2017 15:00	1.0	0.7	0.8	27.3	0.3	1.8	6.0	7.0
1/3/2017 16:00	0.9	0.7	0.7	27.8	0.3	1.9	5.0	6.0
1/3/2017 17:00	0.8	0.5	0.7	25.8	0.3	1.7	6.0	8.0
1/3/2017 18:00	0.7	0.5	0.8	28.1	0.3	1.7	7.0	10.0
1/3/2017 19:00	0.8	0.7	0.8	28.3	0.3	1.7	11.0	9.0
1/3/2017 20:00	0.8	0.6	0.8	25.6	0.3	1.9	12.0	10.0
1/3/2017 21:00	0.7	0.5	0.8	18.9	0.2	1.7	10.0	15.0
1/3/2017 22:00	1.7	0.8	0.9	20.3	0.2	1.6	13.0	17.0
1/3/2017 23:00	2.7	0.7	0.9	19.7	0.2	1.6	15.0	19.0
1/4/2017 0:00	2.1	1.3	1.4	23.6	0.2	1.9	19.0	17.0
1/4/2017 1:00	2.5	1.1	1.4	20.4	0.2	1.9	18.0	22.0
1/4/2017 2:00	2.3	Calibration	Calibration	20.8	0.2	1.9	20.0	21.0
1/4/2017 3:00	2.6	Calibration	Calibration	21.3	0.2	2.1	15.0	18.0
1/4/2017 4:00	Calibration	0.8	1.2	Calibration	Calibration	1.8	19.0	23.0
1/4/2017 5:00	3.3	0.9	1.1	25.1	0.2	1.7	20.0	21.0
1/4/2017 6:00	3.3	0.9	1.2	23.2	0.2	1.6	18.0	18.0
1/4/2017 7:00	3.4	Audit	Audit	19.1	0.2	1.6	17.0	22.0
1/4/2017 8:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	1.7	17.0	18.0
1/4/2017 9:00	3.4	1.2	1.4	Calibration	0.3	1.5	16.0	17.0
1/4/2017 10:00	2.7	1.3	1.5	32.7	0.2	1.7	18.0	20.0
1/4/2017 11:00	3.7	1.1	1.2	30.4	0.2	1.6	17.0	21.0
1/4/2017 12:00	4.4	1.0	1.2	21.6	0.2	2.2	13.0	5.0
1/4/2017 13:00	2.2	0.4	0.8	11.4	0.2	1.4	8.0	6.0
1/4/2017 14:00	2.1	BDL	0.7	10.1	0.1	1.6	20.0	5.0
1/4/2017 15:00	1.8	BDL	0.8	8.3	0.1	1.7	17.0	5.0
1/4/2017 16:00	1.8	0.4	1.2	9.4	0.1	2.2	17.0	7.0
1/4/2017 17:00	1.8	1.6	2.4	11.2	0.1	1.9	15.0	7.0
1/4/2017 18:00	1.2	0.6	1.1	5.7	0.1	1.9	16.0	6.0
1/4/2017 19:00	0.7	BDL	0.4	1.8	BDL	2.1	12.0	4.0
1/4/2017 20:00	1.0	BDL	0.5	3.8	BDL	2.6	11.0	6.0
1/4/2017 21:00	1.7	BDL	0.7	10.4	BDL	3.7	18.0	9.0
1/4/2017 22:00	1.9	BDL	0.7	13.2	BDL	3.9	16.0	10.0
1/4/2017 23:00	2.3	0.5	0.8	14.2	BDL	3.5	24.0	11.0
1/5/2017 0:00	1.4	BDL	0.7	11.7	BDL	2.3	16.0	11.0
1/5/2017 1:00	1.3	BDL	0.6	11.6	BDL	2.3	21.0	14.0
1/5/2017 2:00	1.4	Calibration	Calibration	11.9	BDL	2.4	22.0	15.0
1/5/2017 3:00	1.1	Calibration	Calibration	5.2	BDL	2.2	12.0	8.0
1/5/2017 4:00	Calibration	BDL	0.4	Calibration	Calibration	2.2	12.0	7.0
1/5/2017 5:00	1.2	BDL	BDL	1.7	BDL	2.2	10.0	6.0
1/5/2017 6:00	1.1	BDL	BDL	3.9	BDL	2.2	10.0	7.0
1/5/2017 7:00	1.0	BDL	0.4	6.4	0.04	2.2	15.0	9.0
1/5/2017 8:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	2.4	23.0	10.0
1/5/2017 9:00	1.3	Calibration	Calibration	7.3	BDL	2.5	25.0	8.0
1/5/2017 10:00	2.1	Calibration	Calibration	7.8	BDL	2.8	20.0	12.0
1/5/2017 11:00	3.8	Too few samples	Too few samples	11.0	BDL	Too few samples	24.0	13.0
1/5/2017 12:00	3.2	Calibration	Calibration	8.8	BDL	3.0	19.0	11.0
1/5/2017 13:00	4.0	Too few samples	Too few samples	9.0	BDL	2.9	23.0	11.0
1/5/2017 14:00	3.2	BDL	0.7	9.5	BDL	2.5	24.0	12.0
1/5/2017 15:00	1.8	BDL	0.5	8.0	BDL	2.6	15.0	9.0
1/5/2017 16:00	2.3	BDL	0.7	7.3	BDL	2.8	18.0	9.0
1/5/2017 17:00	2.0	BDL	0.5	10.3	BDL	2.9	18.0	11.0
1/5/2017 18:00	1.4	BDL	0.5	7.9	0.1	2.6	19.0	7.0
1/5/2017 19:00	1.3	BDL	0.5	12.7	0.04	2.6	17.0	13.0
1/5/2017 20:00	1.2	BDL	0.4	10.1	0.1	2.5	17.0	9.0
1/5/2017 21:00	1.1	0.4	0.6	27.2	0.1	2.4	17.0	13.0
1/5/2017 22:00	1.3	0.4	0.6	23.0	0.1	2.7	19.0	12.0
1/5/2017 23:00	1.4	0.8	0.7	32.7	0.2	2.4	19.0	18.0
1/6/2017 0:00	1.4	0.7	0.8	39.1	0.1	2.5	22.0	21.0
1/6/2017 1:00	1.3	0.5	0.6	22.3	0.1	2.9	12.0	14.0
1/6/2017 2:00	1.1	Calibration	Calibration	12.6	0.1	2.6	16.0	15.0
1/6/2017 3:00	1.0	Calibration	Calibration	16.3	0.1	2.4	9.0	12.0
1/6/2017 4:00	Calibration	BDL	0.5	Calibration	Calibration	2.5	17.0	13.0
1/6/2017 5:00	1.1	BDL	0.5	10.4	0.1	2.3	17.0	15.0
1/6/2017 6:00	1.5	BDL	0.6	13.6	0.1	2.4	16.0	14.0
1/6/2017 7:00	1.6	BDL	0.5	12.3	0.1	2.4	12.0	12.0
1/6/2017 8:00	1.6	BDL	0.5	18.0	0.1	2.7	13.0	13.0
1/6/2017 9:00	1.8	BDL	0.5	13.1	0.1	2.7	12.0	11.0
1/6/2017 10:00	1.6	BDL	BDL	7.8	BDL	2.7	16.0	13.0
1/6/2017 11:00	1.4	BDL	0.4	5.3	BDL	3.0	15.0	9.0
1/6/2017 12:00	1.2	BDL	BDL	2.0	BDL	3.1	11.0	10.0
1/6/2017 13:00	1.2	BDL	0.4	1.6	BDL	2.7	12.0	9.0
1/6/2017 14:00	1.2	BDL	0.5	1.8	BDL	3.3	9.0	10.0
1/6/2017 15:00	0.9	BDL	BDL	4.2	BDL	3.1	14.0	8.0
1/6/2017 16:00	0.8	BDL	BDL	3.9	BDL	3.2	12.0	7.0
1/6/2017 17:00	1.0	BDL	BDL	3.8	BDL	2.7	10.0	7.0
1/6/2017 18:00	0.8	BDL	BDL	7.7	BDL	2.9	15.0	12.0
1/6/2017 19:00	0.6	BDL	BDL	1.1	BDL	2.9	13.0	10.0
1/6/2017 20:00	0.7	BDL	BDL	BDL	BDL	3.0	11.0	13.0
1/6/2017 21:00	0.7	BDL	BDL	4.3	BDL	3.0	10.0	13.0
1/6/2017 22:00	0.7	BDL	BDL	6.5	0.04	3.1	13.0	11.0
1/6/2017 23:00	0.8	BDL	BDL	7.9	0.1	3.2	17.0	11.0
1/7/2017 0:00	0.8	BDL	BDL	8.4	0.1	3.0	13.0	6.0
1/7/2017 1:00	0.9	BDL	BDL	3.5	0.1	2.9	10.0	9.0
1/7/2017 2:00	0.8	Calibration	Calibration	5.0	0.04	2.9	17.0	10.0
1/7/2017 3:00	0.8	Calibration	Calibration	8.6	0.1	2.9	18.0	8.0
1/7/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	16.0	8.0
1/7/2017 5:00	0.6	BDL	BDL	7.2	0.04	2.8	14.0	9.0
1/7/2017 6:00	0.6	BDL	BDL	4.3	0.04	2.8	15.0	8.0
1/7/2017 7:00	0.7	BDL	BDL	7.2	0.1	2.8	17.0	8.0
1/7/2017 8:00	0.7	BDL	BDL	7.7	0.1	2.8	27.0	13.0
1/7/2017 9:00	0.5	BDL	BDL	10.8	0.1	2.8	15.0	9.0
1/7/2017 10:00	0.5	BDL	0.4	12.7	0.1	2.9	19.0	14.0
1/7/2017 11:00	0.6	BDL	BDL	12.2	0.1	2.7	10.0	10.0
1/7/2017 12:00	0.6	BDL	BDL	6.7	0.1	2.7	14.0	9.0
1/7/2017 13:00	0.6	BDL	BDL	7.5	0.1	2.7	17.0	12.0
1/7/2017 14:00	0.6	BDL	BDL	10.8	0.1	2.6	14.0	9.0
1/7/2017 15:00	0.6	BDL	BDL	5.9	0.1	2.6	11.0	11.0
1/7/2017 16:00	0.6	BDL	BDL	5.6	0.1	2.6	15.0	10.0
1/7/2017 17:00	0.8	BDL	BDL	8.1	0.1	2.8	20.0	10.0
1/7/2017 18:00	1.0	BDL	BDL	13.0	0.1	3.0	21.0	13.0
1/7/2017 19:00	0.9	BDL	BDL	6.0	0.1	2.9	19.0	12.0
1/7/2017 20:00	0.9	BDL	0.4	3.3	BDL	2.8	20.0	12.0
1/7/2017 21:00	0.9	BDL	BDL	4.9	0.04	2.8	19.0	11.0
1/7/2017 22:00	0.8	BDL	BDL	2.8	0.04	2.7	13.0	14.0
1/7/2017 23:00	1.0	BDL	BDL	2.0	BDL	2.7	13.0	11.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 1/8/2017-1/14/2017								
1/8/2017 0:00	1.0	BDL	BDL	2.0	BDL	2.8	15.0	10.0
1/8/2017 1:00	0.7	BDL	BDL	3.4	BDL	2.8	13.0	11.0
1/8/2017 2:00	0.7	Calibration	Calibration	2.8	BDL	2.7	10.0	12.0
1/8/2017 3:00	0.7	Calibration	Calibration	BDL	BDL	2.8	13.0	8.0
1/8/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	14.0	15.0
1/8/2017 5:00	0.8	BDL	BDL	1.6	BDL	2.9	15.0	14.0
1/8/2017 6:00	0.7	BDL	BDL	2.3	BDL	3.0	16.0	12.0
1/8/2017 7:00	Too few samples	BDL	BDL	Too few samples	Too few samples	3.1	20.0	12.0
1/8/2017 8:00	Too few samples	BDL	BDL	Too few samples	Too few samples	Too few samples	22.0	12.0
1/8/2017 9:00	1.4	BDL	BDL	5.4	BDL	3.2	21.0	15.0
1/8/2017 10:00	1.5	BDL	BDL	4.2	BDL	3.3	27.0	14.0
1/8/2017 11:00	1.3	BDL	BDL	2.2	BDL	3.3	25.0	13.0
1/8/2017 12:00	0.9	BDL	BDL	BDL	BDL	3.2	22.0	11.0
1/8/2017 13:00	0.8	BDL	BDL	1.0	BDL	3.2	16.0	6.0
1/8/2017 14:00	0.7	BDL	BDL	0.7	BDL	3.2	14.0	6.0
1/8/2017 15:00	0.5	BDL	BDL	BDL	BDL	3.2	11.0	4.0
1/8/2017 16:00	0.5	BDL	BDL	BDL	BDL	3.3	17.0	6.0
1/8/2017 17:00	0.5	BDL	BDL	2.1	BDL	3.5	14.0	4.0
1/8/2017 18:00	0.6	BDL	BDL	0.6	BDL	3.5	12.0	5.0
1/8/2017 19:00	0.5	BDL	BDL	BDL	BDL	3.4	12.0	7.0
1/8/2017 20:00	0.4	BDL	BDL	2.0	BDL	3.5	10.0	3.0
1/8/2017 21:00	0.5	BDL	BDL	2.9	BDL	3.6	11.0	4.0
1/8/2017 22:00	BDL	BDL	BDL	1.9	BDL	3.7	11.0	5.0
1/8/2017 23:00	0.5	BDL	BDL	BDL	BDL	3.7	10.0	3.0
1/9/2017 0:00	0.6	BDL	BDL	0.9	BDL	3.8	9.0	3.0
1/9/2017 1:00	0.7	BDL	BDL	5.5	BDL	3.9	8.0	4.0
1/9/2017 2:00	0.5	Calibration	Calibration	6.8	BDL	3.8	11.0	7.0
1/9/2017 3:00	0.4	Calibration	Calibration	14.5	0.1	4.0	13.0	6.0
1/9/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	9.0	7.0
1/9/2017 5:00	0.6	BDL	BDL	16.3	0.1	4.1	12.0	9.0
1/9/2017 6:00	0.8	BDL	0.4	43.1	0.3	4.1	22.0	9.0
1/9/2017 7:00	1.1	0.8	0.6	63.8	1.1	4.3	25.0	8.0
1/9/2017 8:00	Calibration	1.0	0.8	Calibration	Calibration	4.4	40.0	15.0
1/9/2017 9:00	1.1	BDL	BDL	26.1	0.1	4.0	18.0	7.0
1/9/2017 10:00	1.2	BDL	BDL	20.6	0.1	4.0	21.0	10.0
1/9/2017 11:00	3.5	BDL	BDL	21.9	0.1	3.9	37.0	12.0
1/9/2017 12:00	3.2	BDL	BDL	21.8	0.1	3.9	30.0	10.0
1/9/2017 13:00	2.2	BDL	BDL	17.8	0.04	3.7	26.0	10.0
1/9/2017 14:00	2.9	BDL	BDL	14.0	BDL	3.6	22.0	8.0
1/9/2017 15:00	1.2	BDL	BDL	14.2	0.1	3.6	24.0	6.0
1/9/2017 16:00	0.9	BDL	BDL	7.1	BDL	3.6	13.0	7.0
1/9/2017 17:00	0.7	BDL	BDL	11.9	0.1	3.4	26.0	10.0
1/9/2017 18:00	0.8	BDL	BDL	17.1	0.1	3.5	29.0	10.0
1/9/2017 19:00	0.8	BDL	0.4	22.6	0.1	3.4	26.0	8.0
1/9/2017 20:00	0.7	BDL	0.5	26.5	0.1	3.6	26.0	8.0
1/9/2017 21:00	0.8	BDL	0.5	19.1	0.1	3.8	20.0	6.0
1/9/2017 22:00	0.7	BDL	0.4	23.7	0.1	3.5	26.0	13.0
1/9/2017 23:00	0.5	BDL	0.4	25.3	0.1	3.6	23.0	10.0
1/10/2017 0:00	0.9	0.5	0.8	39.2	0.1	3.5	20.0	8.0
1/10/2017 1:00	0.7	0.4	0.6	30.4	0.1	3.4	17.0	10.0
1/10/2017 2:00	0.8	Calibration	Calibration	47.6	0.1	3.5	27.0	10.0
1/10/2017 3:00	1.0	Calibration	Calibration	54.4	0.1	3.5	22.0	15.0
1/10/2017 4:00	Calibration	1.9	1.3	Calibration	Calibration	Too few samples	38.0	14.0
1/10/2017 5:00	2.0	2.7	1.7	111.6	0.4	3.6	32.0	16.0
1/10/2017 6:00	1.8	2.8	1.8	101.1	0.4	3.6	29.0	17.0
1/10/2017 7:00	Too few samples	2.6	1.9	Too few samples	Too few samples	3.5	35.0	17.0
1/10/2017 8:00	Too few samples	2.9	2.3	Too few samples	Too few samples	3.4	47.0	14.0
1/10/2017 9:00	3.7	1.6	1.4	49.1	0.2	3.3	44.0	16.0
1/10/2017 10:00	3.2	0.8	0.8	30.9	0.1	3.2	52.0	13.0
1/10/2017 11:00	1.5	0.6	0.8	21.3	0.1	3.3	23.0	11.0
1/10/2017 12:00	1.7	0.7	0.9	23.9	0.1	3.1	27.0	7.0
1/10/2017 13:00	3.5	BDL	0.6	23.6	0.1	2.9	27.0	5.0
1/10/2017 14:00	3.2	BDL	0.4	19.2	0.1	2.9	28.0	7.0
1/10/2017 15:00	1.3	BDL	0.4	16.7	0.1	3.0	17.0	8.0
1/10/2017 16:00	1.5	BDL	0.4	27.4	0.2	2.8	38.0	9.0
1/10/2017 17:00	1.8	BDL	0.4	24.4	0.1	2.6	30.0	7.0
1/10/2017 18:00	3.3	BDL	0.4	17.8	0.1	2.5	26.0	8.0
1/10/2017 19:00	1.2	BDL	0.4	17.1	0.1	2.5	19.0	6.0
1/10/2017 20:00	1.0	BDL	0.5	13.4	0.04	2.4	15.0	8.0
1/10/2017 21:00	1.1	BDL	0.4	9.3	BDL	2.3	16.0	5.0
1/10/2017 22:00	1.0	BDL	BDL	6.0	BDL	2.5	9.0	4.0
1/10/2017 23:00	0.9	BDL	BDL	6.1	BDL	2.6	6.0	4.0
1/11/2017 0:00	0.8	BDL	0.4	4.8	BDL	2.4	9.0	6.0
1/11/2017 1:00	0.7	BDL	0.6	10.2	BDL	2.5	8.0	6.0
1/11/2017 2:00	0.6	Calibration	Calibration	5.1	BDL	2.3	11.0	8.0
1/11/2017 3:00	2.4	Calibration	Calibration	8.2	0.04	2.3	10.0	10.0
1/11/2017 4:00	Calibration	BDL	0.8	Calibration	Calibration	Too few samples	9.0	11.0
1/11/2017 5:00	1.4	BDL	0.7	14.4	0.1	2.4	18.0	13.0
1/11/2017 6:00	1.6	BDL	0.5	20.0	0.1	2.6	16.0	14.0
1/11/2017 7:00	1.5	BDL	0.7	34.3	0.1	2.6	16.0	15.0
1/11/2017 8:00	1.7	0.4	0.6	26.9	0.1	Too few samples	16.0	12.0
1/11/2017 9:00	2.7	0.4	0.6	29.6	0.2	2.9	13.0	16.0
1/11/2017 10:00	3.0	BDL	0.6	22.8	0.1	2.7	13.0	16.0
1/11/2017 11:00	3.6	BDL	0.6	23.9	0.1	2.6	18.0	17.0
1/11/2017 12:00	2.8	BDL	0.4	25.7	0.2	2.5	18.0	14.0
1/11/2017 13:00	2.7	BDL	0.5	30.3	0.2	2.2	19.0	17.0
1/11/2017 14:00	4.9	0.4	0.6	29.7	0.2	2.0	20.0	15.0
1/11/2017 15:00	2.5	0.6	0.6	40.6	0.3	2.4	33.0	17.0
1/11/2017 16:00	1.8	0.5	0.6	33.1	0.2	2.8	20.0	8.0
1/11/2017 17:00	1.8	0.8	0.9	36.9	0.3	2.3	22.0	12.0
1/11/2017 18:00	5.5	0.9	1.2	30.3	0.3	2.0	13.0	13.0
1/11/2017 19:00	5.0	1.1	1.2	39.1	0.4	2.1	18.0	21.0
1/11/2017 20:00	1.8	1.0	1.3	27.5	0.2	2.4	21.0	9.0
1/11/2017 21:00	1.1	1.3	1.4	21.9	0.2	2.0	18.0	10.0
1/11/2017 22:00	0.9	0.9	1.4	9.4	0.1	1.9	18.0	17.0
1/11/2017 23:00	0.8	0.7	1.2	8.6	0.1	2.0	15.0	15.0
1/12/2017 0:00	0.8	0.7	1.1	8.3	0.1	2.0	13.0	12.0
1/12/2017 1:00	0.8	0.4	0.9	4.2	0.1	1.9	12.0	10.0
1/12/2017 2:00	0.9	Calibration	Calibration	7.8	0.1	1.8	11.0	11.0
1/12/2017 3:00	0.9	Calibration	Calibration	9.7	0.1	1.8	11.0	11.0
1/12/2017 4:00	Calibration	0.5	1.0	Calibration	Calibration	1.8	12.0	14.0
1/12/2017 5:00	1.1	0.5	1.0	13.0	0.1	1.8	15.0	14.0
1/12/2017 6:00	1.3	0.4	0.9	12.6	0.1	1.9	11.0	12.0
1/12/2017 7:00	1.5	BDL	0.7	11.2	0.1	1.9	10.0	8.0
1/12/2017 8:00	1.7	BDL	0.6	15.3	0.1	2.0	2.0	Audit
1/12/2017 9:00	2.4	BDL	0.7	13.5	0.2	1.9	13.0	7.0
1/12/2017 10:00	7.6	BDL	0.5	13.0	0.2	1.9	13.0	13.0
1/12/2017 11:00	6.1	BDL	0.5	13.5	0.2	2.1	10.0	9.0
1/12/2017 12:00	2.9	BDL	0.6	9.2	0.1	2.0	13.0	9.0
1/12/2017 13:00	2.4	BDL	0.6	11.2	0.2	1.9	11.0	8.0
1/12/2017 14:00	2.0	BDL	0.6	11.2	0.1	1.7	13.0	7.0
1/12/2017 15:00	2.1	BDL	0.5	11.2	0.2	1.7	14.0	9.0
1/12/2017 16:00	2.4	BDL	0.7	11.1	0.2	1.6	16.0	9.0
1/12/2017 17:00	2.2	BDL	0.4	11.7	0.2	1.7	17.0	9.0
1/12/2017 18:00	1.4	BDL	0.5	4.5	0.1	1.5	10.0	6.0
1/12/2017 19:00	1.6	BDL	0.6	8.2	0.1	1.6	14.0	8.0
1/12/2017 20:00	2.7	BDL	0.6	21.0	0.2	1.8	17.0	8.0
1/12/2017 21:00	3.0	BDL	0.6	19.0	0.2	1.8	16.0	12.0
1/12/2017 22:00	4.9	BDL	0.6	16.4	0.2	1.8	22.0	15.0
1/12/2017 23:00	4.1	BDL	0.8	26.1	0.2	2.0	18.0	8.0
1/13/2017 0:00	2.2	BDL	0.4	17.7	0.2	1.9	13.0	6.0
1/13/2017 1:00	3.8	0.9	1.1	24.5	0.2	2.0	21.0	14.0
1/13/2017 2:00	5.6	Calibration	Calibration	28.4	0.2	2.0	20.0	14.0
1/13/2017 3:00	2.5	Calibration	Calibration	22.0	0.1	2.1	23.0	18.0
1/13/2017 4:00	Calibration	BDL	0.7	Calibration	Calibration	2.0	14.0	12.0
1/13/2017 5:00	1.3	BDL	0.5	8.2	0.1	2.1	17.0	9.0
1/13/2017 6:00	1.0	BDL	BDL	4.4	0.1	2.0	11.0	7.0
1/13/2017 7:00	0.8	BDL	BDL	7.1	0.1	2.0	8.0	6.0
1/13/2017 8:00	0.7	BDL	BDL	7.8	0.1	Too few samples	14.0	4.0
1/13/2017 9:00	0.7	BDL	BDL	6.9	0.04	2.6	11.0	3.0
1/13/2017 10:00	0.8	BDL	BDL	8.2	BDL	2.7	16.0	4.0
1/13/2017 11:00	0.9	BDL	BDL	7.5	BDL	2.7	13.0	7.0
1/13/2017 12:00	0.9	BDL	BDL	5.2	BDL	2.7	11.0	5.0
1/13/2017 13:00	1.0	BDL	BDL	5.7	BDL	2.6	10.0	5.0
1/13/2017 14:00	0.9	BDL	BDL	5.8	BDL	2.7	14.0	6.0
1/13/2017 15:00	0.8	BDL	BDL	5.8	BDL	2.8	10.0	5.0
1/13/2017 16:00	0.8	BDL	BDL	7.0	BDL	2.9	14.0	8.0
1/13/2017 17:00	0.7	BDL	BDL	7.2	0.04	2.9	13.0	7.0
1/13/2017 18:00	0.7	BDL	BDL	7.8	0.1	3.0	17.0	5.0
1/13/2017 19:00	0.7	BDL	BDL	9.9	0.1	3.0	14.0	6.0
1/13/2017 20:00	0.6	BDL	BDL	10.3	0.1	3.0	11.0	5.0
1/13/2017 21:00	0.7	BDL	BDL	8.4	0.04	3.0	12.0	3.0
1/13/2017 22:00	0.6	BDL	BDL	10.9	0.1	3.1	14.0	2.0
1/13/2017 23:00	0.5	BDL	BDL	9.3	0.1	3.1	11.0	4.0
1/14/2017 0:00	0.5	BDL	BDL	9.5	0.1	3.1	12.0	5.0
1/14/2017 1:00	0.5	BDL	BDL	8.1	BDL	3.1	11.0	5.0
1/14/2017 2:00	0.5	Calibration	Calibration	10.0	0.1	3.1	12.0	7.0
1/14/2017 3:00	0.6	Calibration	Calibration	6.4	BDL	3.2	10.0	5.0
1/14/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	11.0	4.0
1/14/2017 5:00	0.6	BDL	BDL	12.9	0.1	3.1	11.0	6.0
1/14/2017 6:00	0.6	BDL	BDL	17.1	0.1	3.3	13.0	8.0
1/14/2017 7:00	0.7	BDL	BDL	24.9	0.1	3.0	18.0	6.0
1/14/2017 8:00	0.7	BDL	BDL	31.1	0.1	3.0	13.0	6.0
1/14/2017 9:00	0.8	BDL	BDL	33.4	0.1	2.9	15.0	5.0
1/14/2017 10:00	0.9	BDL	0.4	28.9	0.1	2.9	12.0	9.0
1/14/2017 11:00	0.8	BDL	BDL	18.0	0.1	2.8	16.0	6.0
1/14/2017 12:00	0.7	BDL	BDL	14.1	0.1	2.6	14.0	4.0
1/14/2017 13:00	0.7	BDL	BDL	11.8	0.1	2.5	16.0	4.0
1/14/2017 14:00	0.6	BDL	BDL	11.6	0.1	2.4	23.0	5.0
1/14/2017 15:00	0.6	BDL	BDL	10.5	0.1	2.3	20.0	3.0
1/14/2017 16:00	0.5	BDL	BDL	9.6	0.1	2.3	16.0	3.0
1/14/2017 17:00	0.6	BDL	BDL	11.3	0.1	2.2	15.0	4.0
1/14/2017 18:00	0.6	BDL	BDL	13.3	0.1	2.1	15.0	6.0
1/14/2017 19:00	0.6	BDL	BDL	10.7	0.1	2.1	21.0	4.0
1/14/2017 20:00	0.5	BDL	BDL	18.6	0.2	2.1	23.0	9.0
1/14/2017 21:00	0.6	BDL	0.4	19.8	0.2	2.2	23.0	12.0
1/14/2017 22:00	0.7	BDL	0.4	25.1	0.3	2.2	25.0	14.0
1/14/2017 23:00	0.6	BDL	0.4	32.8	0.3	2.5	25.0	18.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 1/15/2017-1/21/2017								
1/15/2017 0:00	0.8	BDL	0.4	28.7	0.2	2.5	29.0	21.0
1/15/2017 1:00	0.9	BDL	0.4	24.8	0.2	2.5	25.0	22.0
1/15/2017 2:00	0.8	Calibration	Calibration	16.7	0.1	2.1	18.0	20.0
1/15/2017 3:00	0.7	Calibration	Calibration	11.0	0.1	1.9	24.0	13.0
1/15/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	20.0	20.0
1/15/2017 5:00	0.8	BDL	BDL	16.4	0.1	2.1	26.0	23.0
1/15/2017 6:00	1.0	BDL	BDL	17.6	0.1	2.2	25.0	27.0
1/15/2017 7:00	1.0	BDL	BDL	19.4	0.1	Too few samples	24.0	27.0
1/15/2017 8:00	0.9	BDL	BDL	14.3	0.1	2.5	22.0	20.0
1/15/2017 9:00	1.0	BDL	BDL	8.9	0.1	2.3	14.0	16.0
1/15/2017 10:00	1.1	BDL	BDL	7.5	0.1	2.4	19.0	15.0
1/15/2017 11:00	1.1	BDL	BDL	7.6	0.1	2.3	18.0	12.0
1/15/2017 12:00	1.1	BDL	BDL	6.5	0.0	2.2	19.0	11.0
1/15/2017 13:00	1.2	BDL	BDL	6.4	0.1	2.1	17.0	12.0
1/15/2017 14:00	1.2	BDL	BDL	5.9	0.0	2.1	22.0	15.0
1/15/2017 15:00	1.1	BDL	BDL	7.2	0.1	2.0	23.0	11.0
1/15/2017 16:00	1.0	BDL	BDL	6.9	0.1	2.1	20.0	14.0
1/15/2017 17:00	0.9	BDL	BDL	7.9	0.1	2.1	15.0	11.0
1/15/2017 18:00	0.9	BDL	BDL	10.5	0.1	2.1	18.0	8.0
1/15/2017 19:00	0.9	BDL	BDL	11.7	0.1	2.2	20.0	8.0
1/15/2017 20:00	0.9	BDL	BDL	11.7	0.1	2.2	17.0	11.0
1/15/2017 21:00	0.9	BDL	BDL	14.7	0.1	2.2	17.0	13.0
1/15/2017 22:00	0.9	BDL	BDL	15.3	0.1	2.2	20.0	9.0
1/15/2017 23:00	0.9	BDL	BDL	18.0	0.2	2.3	25.0	16.0
1/16/2017 0:00	0.8	BDL	BDL	17.6	0.1	2.2	23.0	12.0
1/16/2017 1:00	0.9	BDL	BDL	27.4	0.2	2.9	19.0	18.0
1/16/2017 2:00	0.9	Calibration	Calibration	27.5	0.2	2.6	24.0	16.0
1/16/2017 3:00	0.9	Calibration	Calibration	24.8	0.2	2.8	25.0	17.0
1/16/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	22.0	14.0
1/16/2017 5:00	1.1	0.4	0.4	53.3	0.3	2.5	32.0	15.0
1/16/2017 6:00	1.3	0.9	0.4	57.6	0.3	3.3	24.0	16.0
1/16/2017 7:00	1.3	1.1	0.5	68.2	0.4	2.8	31.0	18.0
1/16/2017 8:00	2.0	1.9	1.0	104.8	0.5	2.8	39.0	20.0
1/16/2017 9:00	1.7	1.5	0.8	83.4	0.4	2.5	37.0	22.0
1/16/2017 10:00	2.3	1.9	0.9	101.0	0.4	3.7	64.0	33.0
1/16/2017 11:00	3.2	2.0	1.0	96.6	0.4	3.0	56.0	38.0
1/16/2017 12:00	4.5	1.1	0.6	60.2	0.3	2.4	38.0	33.0
1/16/2017 13:00	4.6	BDL	0.4	35.5	0.11	2.1	28.0	17.0
1/16/2017 14:00	3.0	BDL	0.4	28.7	0.1	1.9	31.0	18.0
1/16/2017 15:00	3.6	BDL	BDL	27.8	0.1	2.0	26.0	14.0
1/16/2017 16:00	3.7	BDL	0.4	36.4	0.2	2.2	26.0	19.0
1/16/2017 17:00	3.0	0.4	0.5	32.8	0.2	2.2	29.0	17.0
1/16/2017 18:00	2.4	BDL	BDL	31.2	0.2	1.8	27.0	15.0
1/16/2017 19:00	2.6	BDL	0.4	32.2	0.1	1.9	24.0	14.0
1/16/2017 20:00	2.4	0.4	0.5	35.3	0.2	2.5	26.0	22.0
1/16/2017 21:00	1.7	0.5	0.7	34.2	0.2	1.6	26.0	19.0
1/16/2017 22:00	1.8	0.7	1.1	27.3	0.1	1.6	27.0	18.0
1/16/2017 23:00	1.8	0.9	1.3	31.1	0.2	1.4	30.0	19.0
1/17/2017 0:00	1.7	1.5	1.6	39.5	0.2	1.0	34.0	19.0
1/17/2017 1:00	1.4	1.8	2.0	35.1	0.1	0.8	33.0	20.0
1/17/2017 2:00	1.4	Calibration	Calibration	36.1	0.1	0.8	30.0	21.0
1/17/2017 3:00	1.3	Calibration	Calibration	32.1	0.2	0.6	26.0	22.0
1/17/2017 4:00	Calibration	1.8	2.2	Calibration	Calibration	Too few samples	27.0	16.0
1/17/2017 5:00	1.3	2.4	2.6	39.9	0.2	0.6	29.0	18.0
1/17/2017 6:00	1.3	2.6	2.6	36.1	0.2	0.5	31.0	16.0
1/17/2017 7:00	1.3	2.3	2.4	37.3	0.2	0.4	30.0	19.0
1/17/2017 8:00	1.4	2.1	2.1	41.2	0.3	0.4	32.0	20.0
1/17/2017 9:00	1.2	1.5	1.7	33.2	0.2	0.3	31.0	17.0
1/17/2017 10:00	1.4	1.3	1.3	38.3	0.2	Too few samples	26.0	18.0
1/17/2017 11:00	1.3	1.2	1.1	37.0	0.2	0.2	27.0	20.0
1/17/2017 12:00	1.4	1.1	1.3	36.7	0.2	BDL	29.0	22.0
1/17/2017 13:00	1.4	0.9	1.1	29.2	0.2	BDL	32.0	24.0
1/17/2017 14:00	1.3	0.7	0.9	27.9	0.2	BDL	23.0	21.0
1/17/2017 15:00	1.3	0.8	0.9	34.6	0.3	BDL	25.0	18.0
1/17/2017 16:00	1.1	1.5	1.9	25.3	0.2	BDL	18.0	11.0
1/17/2017 17:00	1.1	BDL	0.6	29.0	0.2	BDL	28.0	15.0
1/17/2017 18:00	1.1	0.4	0.6	28.3	0.2	BDL	24.0	16.0
1/17/2017 19:00	1.1	0.6	0.8	34.8	0.2	BDL	23.0	17.0
1/17/2017 20:00	1.4	1.1	0.9	56.9	0.3	BDL	21.0	13.0
1/17/2017 21:00	1.3	0.6	0.5	46.2	0.3	BDL	22.0	20.0
1/17/2017 22:00	1.2	0.7	0.6	39.8	0.2	BDL	15.0	13.0
1/17/2017 23:00	1.1	0.5	0.6	35.8	0.3	BDL	17.0	17.0
1/18/2017 0:00	1.2	0.8	0.8	39.4	0.3	BDL	15.0	15.0
1/18/2017 1:00	1.2	0.8	0.8	42.4	0.3	BDL	11.0	10.0
1/18/2017 2:00	1.1	Calibration	Calibration	23.9	0.2	BDL	13.0	6.0
1/18/2017 3:00	1.2	Calibration	Calibration	27.2	0.2	BDL	13.0	5.0
1/18/2017 4:00	Calibration	0.8	1.0	Calibration	Calibration	Too few samples	9.0	10.0
1/18/2017 5:00	1.5	1.4	1.1	60.4	0.4	BDL	11.0	11.0
1/18/2017 6:00	1.6	1.2	0.9	52.7	0.4	BDL	13.0	12.0
1/18/2017 7:00	1.5	Audit	Audit	48.8	0.4	BDL	17.0	11.0
1/18/2017 8:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	BDL	11.0	14.0
1/18/2017 9:00	Too few samples	0.8	0.7	Calibration	0.3	BDL	17.0	13.0
1/18/2017 10:00	BDL	0.7	0.8	40.2	0.3	Too few samples	17.0	16.0
1/18/2017 11:00	1.5	0.8	0.8	42.2	0.3	BDL	18.0	19.0
1/18/2017 12:00	1.7	0.7	0.8	34.4	0.3	BDL	19.0	17.0
1/18/2017 13:00	1.6	0.5	0.7	28.5	0.2	BDL	19.0	9.0
1/18/2017 14:00	1.7	0.6	0.8	32.1	0.3	BDL	21.0	16.0
1/18/2017 15:00	1.7	0.6	0.7	32.6	0.3	BDL	18.0	8.0
1/18/2017 16:00	1.5	0.4	0.6	29.2	0.3	BDL	11.0	8.0
1/18/2017 17:00	1.4	0.4	0.6	27.1	0.3	BDL	11.0	8.0
1/18/2017 18:00	1.4	BDL	0.7	27.4	0.3	BDL	18.0	12.0
1/18/2017 19:00	1.3	BDL	0.5	24.6	0.3	BDL	12.0	9.0
1/18/2017 20:00	1.3	BDL	0.5	20.8	0.3	BDL	14.0	8.0
1/18/2017 21:00	1.3	BDL	0.5	21.2	0.3	BDL	9.0	6.0
1/18/2017 22:00	0.9	0.4	0.5	29.2	0.3	BDL	12.0	8.0
1/18/2017 23:00	1.4	BDL	0.6	27.4	0.3	BDL	12.0	8.0
1/19/2017 0:00	1.5	0.4	0.5	29.9	0.3	BDL	12.0	8.0
1/19/2017 1:00	1.5	BDL	0.5	29.1	0.3	BDL	13.0	6.0
1/19/2017 2:00	1.6	Calibration	Calibration	29.2	0.3	BDL	9.0	8.0
1/19/2017 3:00	1.6	Calibration	Calibration	22.7	0.2	BDL	10.0	7.0
1/19/2017 4:00	Calibration	BDL	0.6	Calibration	Calibration	Too few samples	6.0	5.0
1/19/2017 5:00	1.3	BDL	0.4	12.2	0.2	BDL	6.0	6.0
1/19/2017 6:00	1.2	BDL	0.4	12.0	0.2	BDL	9.0	7.0
1/19/2017 7:00	1.3	BDL	0.4	16.2	0.2	BDL	12.0	4.0
1/19/2017 8:00	1.5	BDL	0.5	25.0	0.2	BDL	11.0	6.0
1/19/2017 9:00	1.6	BDL	0.5	14.8	0.2	BDL	11.0	6.0
1/19/2017 10:00	1.5	BDL	0.5	13.4	0.1	BDL	10.0	3.0
1/19/2017 11:00	1.7	BDL	0.4	10.8	0.1	BDL	10.0	3.0
1/19/2017 12:00	1.5	BDL	0.4	8.2	0.1	BDL	10.0	6.0
1/19/2017 13:00	1.6	BDL	0.4	7.8	0.1	BDL	13.0	7.0
1/19/2017 14:00	1.4	BDL	0.4	7.1	0.1	BDL	12.0	6.0
1/19/2017 15:00	1.3	BDL	0.4	8.1	0.1	BDL	12.0	6.0
1/19/2017 16:00	1.3	BDL	BDL	11.4	0.1	BDL	14.0	5.0
1/19/2017 17:00	1.4	BDL	0.4	20.0	0.2	BDL	16.0	9.0
1/19/2017 18:00	1.4	BDL	0.4	34.8	0.3	BDL	14.0	8.0
1/19/2017 19:00	1.6	0.7	0.6	47.2	0.4	BDL	20.0	11.0
1/19/2017 20:00	2.0	1.4	0.9	74.6	0.6	BDL	25.0	11.0
1/19/2017 21:00	2.2	1.6	1.2	81.6	0.7	BDL	29.0	13.0
1/19/2017 22:00	2.4	1.8	1.2	87.0	0.6	BDL	24.0	12.0
1/19/2017 23:00	2.8	2.4	1.4	108.5	0.8	BDL	28.0	17.0
1/20/2017 0:00	2.9	2.5	1.5	106.2	0.8	BDL	26.0	13.0
1/20/2017 1:00	3.2	2.8	1.5	128.6	0.8	BDL	28.0	11.0
1/20/2017 2:00	4.2	Calibration	Calibration	196.8	0.9	BDL	32.0	20.0
1/20/2017 3:00	5.0	Calibration	Calibration	248.9	0.9	BDL	43.0	21.0
1/20/2017 4:00	Calibration	6.6	3.0	Calibration	Calibration	BDL	46.0	25.0
1/20/2017 5:00	5.7	7.6	3.8	290.3	1.4	BDL	47.0	27.0
1/20/2017 6:00	5.5	6.3	2.5	273.3	1.4	BDL	41.0	22.0
1/20/2017 7:00	5.0	6.0	3.3	234.1	1.3	BDL	41.0	26.0
1/20/2017 8:00	3.7	4.1	2.3	149.7	0.9	BDL	64.0	25.0
1/20/2017 9:00	3.3	3.5	1.7	119.4	0.7	Too few samples	40.0	15.0
1/20/2017 10:00	2.8	Calibration	Calibration	90.3	0.6	3.0	pm	pm
1/20/2017 11:00	2.9	Calibration	Calibration	95.8	0.5	2.5	27.0	14.0
1/20/2017 12:00	2.9	Calibration	Calibration	104.3	0.6	2.3	31.0	17.0
1/20/2017 13:00	2.5	Calibration	Calibration	82.2	0.5	1.9	30.0	15.0
1/20/2017 14:00	2.3	Too few samples	Too few samples	73.5	0.4	1.8	28.0	15.0
1/20/2017 15:00	2.4	2.1	1.2	73.2	0.5	1.7	30.0	10.0
1/20/2017 16:00	1.8	1.3	0.8	37.8	0.3	1.6	15.0	8.0
1/20/2017 17:00	1.9	1.3	1.1	40.0	0.4	1.4	15.0	12.0
1/20/2017 18:00	2.1	2.2	1.7	52.3	0.4	1.4	20.0	17.0
1/20/2017 19:00	1.8	2.3	2.1	35.5	0.3	1.5	12.0	11.0
1/20/2017 20:00	1.9	2.5	2.4	35.6	0.4	1.3	15.0	12.0
1/20/2017 21:00	1.8	2.1	1.9	33.0	0.4	1.3	12.0	11.0
1/20/2017 22:00	1.8	1.6	1.4	31.4	0.3	1.4	17.0	10.0
1/20/2017 23:00	1.9	1.6	1.3	32.6	0.3	1.4	19.0	13.0
1/21/2017 0:00	1.8	1.3	1.1	29.5	0.3	1.5	19.0	16.0
1/21/2017 1:00	1.9	1.2	1.0	30.7	0.3	1.4	21.0	14.0
1/21/2017 2:00	2.0	Calibration	Calibration	39.4	0.3	1.4	25.0	17.0
1/21/2017 3:00	2.1	Calibration	Calibration	34.7	0.3	1.8	19.0	19.0
1/21/2017 4:00	Calibration	1.7	1.6	Calibration	Calibration	Too few samples	22.0	15.0
1/21/2017 5:00	2.3	2.1	1.7	44.6	0.3	2.2	23.0	23.0
1/21/2017 6:00	2.3	2.0	1.7	44.4	0.3	2.0	26.0	22.0
1/21/2017 7:00	2.4	Too few samples	Too few samples	42.6	0.3	1.9	27.0	21.0
1/21/2017 8:00	2.5	Calibration	Calibration	31.2	0.2	1.5	26.0	18.0
1/21/2017 9:00	2.7	Too few samples	Too few samples	35.7	0.2	2.4	19.0	16.0
1/21/2017 10:00	3.0	1.5	1.4	31.1	0.3	1.3	23.0	22.0
1/21/2017 11:00	2.4	1.0	0.9	19.5	0.2	1.2	17.0	11.0
1/21/2017 12:00	2.3	1.0	0.8	22.1	0.3	1.0	13.0	16.0
1/21/2017 13:00	2.6	1.0	0.8	26.7	0.3	0.7	21.0	19.0
1/21/2017 14:00	2.2	0.7	0.8	18.5	0.2	0.5	19.0	16.0
1/21/2017 15:00	3.0	0.8	0.8	17.9	0.2	0.6	21.0	20.0
1/21/2017 16:00	3.0	0.7	0.6	21.1	0.3	0.5	20.0	17.0
1/21/2017 17:00	2.5	0.7	0.6	21.7	0.2	0.3	15.0	17.0
1/21/2017 18:00	2.0	0.6	0.6	18.3	0.2	0.2	10.0	12.0
1/21/2017 19:00	1.8	0.7	0.6	21.8	0.2	0.1	15.0	9.0
1/21/2017 20:00	1.8	0.8	0.7	26.0	0.3	0.02	17.0	9.0
1/21/2017 21:00	1.9	0.8	0.8	24.9	0.3	BDL	17.0	8.0
1/21/2017 22:00	1.8	0.7	0.8	24.3	0.3	0.02	12.0	6.0
1/21/2017 23:00	1.8	0.9	0.8	22.4	0.3	0.02	14.0	10.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 1/22/2017-1/28/2017								
1/22/2017 0:00	1.7	0.9	0.7	23.5	0.3	0.1	11.0	9.0
1/22/2017 1:00	1.9	0.8	0.7	31.4	0.3	BDL	13.0	9.0
1/22/2017 2:00	2.0	Calibration	Calibration	45.2	0.4	BDL	16.0	11.0
1/22/2017 3:00	1.9	Calibration	Calibration	29.9	0.3	BDL	16.0	15.0
1/22/2017 4:00	Calibration	0.9	0.9	Calibration	Calibration	Too few sample	18.0	13.0
1/22/2017 5:00	1.8	1.1	1.1	24.3	0.4	BDL	16.0	10.0
1/22/2017 6:00	1.7	0.8	0.8	22.4	0.3	BDL	11.0	12.0
1/22/2017 7:00	1.7	0.8	0.8	21.6	0.3	BDL	12.0	8.0
1/22/2017 8:00	1.9	0.9	0.7	30.2	0.3	BDL	12.0	8.0
1/22/2017 9:00	1.9	0.9	0.7	31.6	0.4	BDL	10.0	10.0
1/22/2017 10:00	2.0	1.0	0.7	33.9	0.4	BDL	14.0	10.0
1/22/2017 11:00	2.0	1.0	0.8	30.9	0.4	BDL	11.0	7.0
1/22/2017 12:00	2.0	1.0	0.8	30.3	0.4	BDL	11.0	10.0
1/22/2017 13:00	2.0	1.0	0.8	26.5	0.4	BDL	11.0	11.0
1/22/2017 14:00	2.0	1.0	0.7	32.5	0.5	BDL	14.0	10.0
1/22/2017 15:00	2.0	0.9	0.7	33.2	0.5	BDL	17.0	12.0
1/22/2017 16:00	2.0	1.0	0.8	39.2	0.5	BDL	17.0	8.0
1/22/2017 17:00	2.2	1.5	1.0	60.0	0.7	BDL	13.0	14.0
1/22/2017 18:00	2.2	1.7	1.1	65.8	0.7	BDL	17.0	18.0
1/22/2017 19:00	2.3	2.1	1.1	76.8	0.5	BDL	19.0	14.0
1/22/2017 20:00	1.7	0.9	0.7	27.1	0.4	BDL	11.0	11.0
1/22/2017 21:00	1.8	0.6	0.5	29.8	0.2	BDL	13.0	10.0
1/22/2017 22:00	1.7	0.4	0.4	17.8	0.2	BDL	15.0	8.0
1/22/2017 23:00	1.6	BDL	BDL	6.4	0.2	BDL	20.0	10.0
1/23/2017 0:00	1.6	BDL	BDL	8.0	0.1	BDL	7.0	8.0
1/23/2017 1:00	1.5	BDL	BDL	5.0	0.1	BDL	10.0	7.0
1/23/2017 2:00	1.6	Calibration	Calibration	4.2	0.1	BDL	10.0	6.0
1/23/2017 3:00	1.6	Calibration	Calibration	5.3	0.1	BDL	12.0	5.0
1/23/2017 4:00	Calibration	BDL	0.4	Calibration	Calibration	Too few sample	8.0	2.0
1/23/2017 5:00	1.6	BDL	BDL	10.4	0.1	BDL	5.0	BDL
1/23/2017 6:00	1.6	BDL	BDL	13.3	0.1	BDL	9.0	5.0
1/23/2017 7:00	1.7	BDL	BDL	11.2	0.1	Too few sample	13.0	7.0
1/23/2017 8:00	1.7	BDL	0.4	11.9	0.1	BDL	9.0	5.0
1/23/2017 9:00	1.7	BDL	0.4	12.5	0.1	BDL	10.0	5.0
1/23/2017 10:00	1.7	0.4	0.4	14.2	0.1	BDL	6.0	5.0
1/23/2017 11:00	1.7	BDL	0.4	12.5	0.1	BDL	9.0	6.0
1/23/2017 12:00	1.7	BDL	BDL	11.2	0.1	BDL	12.0	5.0
1/23/2017 13:00	1.7	BDL	0.4	11.2	0.1	BDL	11.0	3.0
1/23/2017 14:00	1.7	BDL	0.4	12.0	0.1	BDL	10.0	3.0
1/23/2017 15:00	1.7	0.4	0.4	11.8	0.1	BDL	6.0	4.0
1/23/2017 16:00	1.7	BDL	0.5	12.3	0.1	BDL	8.0	5.0
1/23/2017 17:00	1.6	0.4	0.4	15.3	0.1	BDL	5.0	6.0
1/23/2017 18:00	1.6	0.4	0.4	15.4	0.1	BDL	3.0	6.0
1/23/2017 19:00	1.8	0.4	0.5	16.1	0.1	BDL	3.0	1.0
1/23/2017 20:00	1.7	0.4	0.4	10.5	0.1	BDL	9.0	1.0
1/23/2017 21:00	1.7	BDL	0.5	10.1	0.1	BDL	6.0	3.0
1/23/2017 22:00	1.7	BDL	0.4	9.3	0.1	BDL	3.0	1.0
1/23/2017 23:00	1.7	BDL	0.4	9.4	0.1	BDL	5.0	3.0
1/24/2017 0:00	1.6	BDL	0.4	8.2	0.1	BDL	3.0	3.0
1/24/2017 1:00	1.7	BDL	0.4	6.9	0.1	BDL	1.0	2.0
1/24/2017 2:00	1.7	Calibration	Calibration	7.5	0.04	BDL	2.0	2.0
1/24/2017 3:00	1.8	Calibration	Calibration	6.1	0.1	BDL	1.0	1.0
1/24/2017 4:00	Calibration	BDL	0.5	Calibration	Calibration	BDL	1.0	1.0
1/24/2017 5:00	1.8	BDL	0.4	9.1	0.1	BDL	8.0	2.0
1/24/2017 6:00	1.8	BDL	0.4	10.4	0.1	BDL	5.0	3.0
1/24/2017 7:00	1.7	Calibration	Calibration	11.3	0.1	BDL	4.0	1.0
1/24/2017 8:00	Too few samples	Calibration	Calibration	10.1	0.1	BDL	6.0	BDL
1/24/2017 9:00	15.1	BDL	0.5	12.6	0.1	BDL	4.0	1.0
1/24/2017 10:00	5.3	0.4	0.4	10.1	0.1	BDL	2.0	3.0
1/24/2017 11:00	BDL	0.4	0.5	9.8	0.1	BDL	2.0	1.0
1/24/2017 12:00	BDL	0.4	0.5	7.9	0.1	BDL	6.0	BDL
1/24/2017 13:00	1.0	BDL	0.5	7.4	0.04	BDL	6.0	3.0
1/24/2017 14:00	1.6	BDL	0.4	7.9	BDL	BDL	8.0	3.0
1/24/2017 15:00	1.7	BDL	0.4	6.1	0.04	BDL	7.0	5.0
1/24/2017 16:00	1.7	BDL	0.5	7.9	0.1	BDL	6.0	4.0
1/24/2017 17:00	1.8	BDL	0.5	5.8	0.1	BDL	8.0	1.0
1/24/2017 18:00	1.8	BDL	0.4	6.0	0.1	BDL	8.0	2.0
1/24/2017 19:00	1.7	BDL	0.4	6.7	0.04	BDL	5.0	3.0
1/24/2017 20:00	1.7	BDL	0.4	4.9	0.04	BDL	2.0	4.0
1/24/2017 21:00	1.8	BDL	BDL	3.6	0.04	BDL	5.0	6.0
1/24/2017 22:00	1.7	BDL	0.4	1.9	BDL	BDL	7.0	6.0
1/24/2017 23:00	1.8	BDL	0.4	2.1	BDL	BDL	5.0	2.0
1/25/2017 0:00	1.7	BDL	0.4	1.8	BDL	BDL	4.0	BDL
1/25/2017 1:00	1.7	BDL	0.4	1.8	BDL	BDL	6.0	5.0
1/25/2017 2:00	1.7	Calibration	Calibration	2.0	BDL	BDL	6.0	5.0
1/25/2017 3:00	Calibration	Calibration	Calibration	2.4	BDL	BDL	8.0	7.0
1/25/2017 4:00	Calibration	BDL	0.4	Calibration	Calibration	Too few sample	8.0	5.0
1/25/2017 5:00	Too few samples	BDL	0.4	4.2	0.04	BDL	6.0	2.0
1/25/2017 6:00	1.7	BDL	0.4	6.0	0.1	BDL	2.0	1.0
1/25/2017 7:00	1.6	BDL	0.4	7.1	0.1	BDL	8.0	1.0
1/25/2017 8:00	1.7	BDL	0.5	8.7	0.1	BDL	10.0	2.0
1/25/2017 9:00	1.8	BDL	0.5	9.3	0.1	BDL	13.0	3.0
1/25/2017 10:00	1.9	0.4	0.4	9.2	0.1	BDL	16.0	1.0
1/25/2017 11:00	2.4	0.5	0.6	10.2	0.1	BDL	11.0	3.0
1/25/2017 12:00	2.7	0.5	0.7	11.0	0.1	BDL	15.0	4.0
1/25/2017 13:00	3.0	0.6	0.8	10.4	0.1	BDL	29.0	5.0
1/25/2017 14:00	2.8	0.5	1.1	12.1	0.1	BDL	24.0	6.0
1/25/2017 15:00	3.5	0.6	0.7	14.8	0.1	BDL	20.0	8.0
1/25/2017 16:00	2.9	0.5	0.5	17.8	0.1	BDL	16.0	8.0
1/25/2017 17:00	2.6	0.8	0.6	30.7	0.3	BDL	17.0	5.0
1/25/2017 18:00	2.3	0.9	0.7	38.5	0.3	BDL	19.0	11.0
1/25/2017 19:00	2.1	1.0	0.5	37.8	0.3	BDL	19.0	8.0
1/25/2017 20:00	2.2	1.1	0.8	44.3	0.3	BDL	20.0	12.0
1/25/2017 21:00	2.2	1.3	0.9	41.8	0.3	BDL	18.0	10.0
1/25/2017 22:00	2.0	1.1	0.8	24.7	0.2	BDL	17.0	8.0
1/25/2017 23:00	2.2	1.2	0.8	36.2	0.4	BDL	14.0	9.0
1/26/2017 0:00	2.1	1.3	0.8	37.2	0.2	BDL	11.0	7.0
1/26/2017 1:00	2.4	1.7	1.0	57.1	0.2	BDL	18.0	8.0
1/26/2017 2:00	2.9	Calibration	Calibration	69.3	0.3	BDL	23.0	8.0
1/26/2017 3:00	3.0	Calibration	Calibration	50.4	0.3	BDL	19.0	11.0
1/26/2017 4:00	Calibration	2.3	1.7	Calibration	Calibration	Too few sample	20.0	8.0
1/26/2017 5:00	3.3	3.0	2.0	82.5	0.5	BDL	27.0	12.0
1/26/2017 6:00	3.1	3.3	2.4	80.3	0.3	BDL	23.0	9.0
1/26/2017 7:00	3.3	3.0	2.2	74.3	0.3	BDL	20.0	11.0
1/26/2017 8:00	3.1	2.8	2.2	83.2	0.4	BDL	22.0	13.0
1/26/2017 9:00	3.8	3.9	2.1	129.3	0.7	BDL	37.0	20.0
1/26/2017 10:00	3.7	3.5	2.0	102.8	0.4	BDL	32.0	21.0
1/26/2017 11:00	3.3	3.0	2.0	68.4	0.3	BDL	20.0	12.0
1/26/2017 12:00	4.5	1.5	1.3	34.9	0.2	BDL	20.0	10.0
1/26/2017 13:00	3.4	0.7	0.8	11.5	0.1	BDL	19.0	6.0
1/26/2017 14:00	2.4	0.6	0.7	6.6	0.1	BDL	25.0	4.0
1/26/2017 15:00	2.2	0.4	0.5	7.5	0.1	BDL	22.0	3.0
1/26/2017 16:00	2.0	BDL	0.5	9.3	0.1	BDL	10.0	2.0
1/26/2017 17:00	2.4	BDL	0.4	15.2	0.1	BDL	11.0	5.0
1/26/2017 18:00	2.7	0.7	0.9	17.0	0.1	BDL	15.0	6.0
1/26/2017 19:00	2.9	0.6	0.8	15.0	0.1	BDL	16.0	7.0
1/26/2017 20:00	2.7	0.6	0.6	14.3	0.1	BDL	17.0	5.0
1/26/2017 21:00	2.3	0.4	0.6	10.7	0.04	BDL	9.0	3.0
1/26/2017 22:00	2.2	0.4	0.5	11.3	0.1	BDL	8.0	4.0
1/26/2017 23:00	2.6	0.5	0.6	18.2	0.1	BDL	12.0	5.0
1/27/2017 0:00	2.8	0.7	0.8	16.9	0.1	BDL	11.0	6.0
1/27/2017 1:00	2.6	0.4	0.5	17.9	BDL	BDL	11.0	6.0
1/27/2017 2:00	3.1	Calibration	Calibration	15.1	0.04	BDL	11.0	6.0
1/27/2017 3:00	2.9	Calibration	Calibration	15.2	BDL	BDL	12.0	7.0
1/27/2017 4:00	Calibration	0.4	0.4	Calibration	Calibration	BDL	11.0	5.0
1/27/2017 5:00	2.5	BDL	0.4	16.9	BDL	BDL	13.0	4.0
1/27/2017 6:00	2.4	0.4	0.5	13.2	BDL	BDL	17.0	4.0
1/27/2017 7:00	2.6	0.5	1.0	21.8	0.04	BDL	22.0	5.0
1/27/2017 8:00	3.0	0.6	0.7	17.9	BDL	Too few sample	50.0	6.0
1/27/2017 9:00	2.6	0.4	BDL	15.1	BDL	2.9	28.0	6.0
1/27/2017 10:00	2.4	0.4	0.4	12.4	BDL	3.3	32.0	3.0
1/27/2017 11:00	2.5	0.4	0.4	14.0	BDL	2.7	29.0	5.0
1/27/2017 12:00	2.6	0.4	0.4	15.2	BDL	Too few sample	31.0	5.0
1/27/2017 13:00	2.6	1.3	0.6	17.1	0.04	Calibration	27.0	3.0
1/27/2017 14:00	2.5	0.5	0.4	17.6	BDL	analyzer malfunction	36.0	4.0
1/27/2017 15:00	2.7	0.5	0.4	17.0	BDL	analyzer malfunction	32.0	7.0
1/27/2017 16:00	2.6	0.8	1.0	18.5	0.1	analyzer malfunction	26.0	6.0
1/27/2017 17:00	2.8	0.7	0.6	22.5	0.04	analyzer malfunction	30.0	6.0
1/27/2017 18:00	2.9	0.7	0.7	19.6	0.04	analyzer malfunction	25.0	5.0
1/27/2017 19:00	3.0	0.9	0.5	18.5	0.04	analyzer malfunction	28.0	10.0
1/27/2017 20:00	2.9	0.8	0.6	20.8	0.04	analyzer malfunction	22.0	9.0
1/27/2017 21:00	2.9	4.2	1.1	16.5	0.04	analyzer malfunction	20.0	7.0
1/27/2017 22:00	2.8	0.7	0.7	14.0	0.04	analyzer malfunction	15.0	4.0
1/27/2017 23:00	2.9	0.9	1.3	15.2	0.04	analyzer malfunction	14.0	2.0
1/28/2017 0:00	2.9	0.7	0.7	17.4	BDL	analyzer malfunction	16.0	7.0
1/28/2017 1:00	2.8	0.7	0.6	12.8	BDL	analyzer malfunction	19.0	6.0
1/28/2017 2:00	3.4	Calibration	Calibration	16.3	0.1	analyzer malfunction	16.0	5.0
1/28/2017 3:00	2.9	Calibration	Calibration	13.1	BDL	analyzer malfunction	16.0	7.0
1/28/2017 4:00	Calibration	0.7	0.9	Calibration	Calibration	Calibration	11.0	7.0
1/28/2017 5:00	3.1	0.8	0.8	14.5	BDL	analyzer malfunction	15.0	6.0
1/28/2017 6:00	3.8	0.7	0.8	15.2	0.1	analyzer malfunction	16.0	7.0
1/28/2017 7:00	3.8	Too few samples	Too few samples	14.0	0.1	analyzer malfunction	19.0	8.0
1/28/2017 8:00	3.7	Calibration	Calibration	13.3	0.1	Too few sample	21.0	10.0
1/28/2017 9:00	3.7	Too few samples	Too few samples	14.6	0.1	Too few sample	20.0	10.0
1/28/2017 10:00	3.2	0.6	0.9	11.4	BDL	analyzer malfunction	26.0	7.0
1/28/2017 11:00	2.8	0.8	0.9	10.8	BDL	analyzer malfunction	21.0	7.0
1/28/2017 12:00	3.5	0.7	0.7	13.3	0.1	analyzer malfunction	25.0	6.0
1/28/2017 13:00	3.3	0.7	0.9	13.7	0.1	analyzer malfunction	21.0	11.0
1/28/2017 14:00	3.1	0.7	0.7	18.1	BDL	analyzer malfunction	21.0	8.0
1/28/2017 15:00	3.1	0.6	0.6	17.1	BDL	analyzer malfunction	15.0	5.0
1/28/2017 16:00	3.1	0.6	0.7	14.4	BDL	analyzer malfunction	16.0	9.0
1/28/2017 17:00	4.3	0.6	0.4	23.9	BDL	analyzer malfunction	28.0	14.0
1/28/2017 18:00	3.0	0.5	0.4	16.5	0.1	analyzer malfunction	9.0	10.0
1/28/2017 19:00	2.8	1.0	0.8	36.9	0.3	analyzer malfunction	21.0	6.0
1/28/2017 20:00	2.6	1.3	0.8	41.0	0.4	analyzer malfunction	17.0	9.0
1/28/2017 21:00	2.6	1.3	0.8	44.3	0.4	analyzer malfunction	25.0	12.0
1/28/2017 22:00	4.3	1.1	0.8	32.3	0.2	analyzer malfunction	18.0	19.0
1/28/2017 23:00	3.4	1.3	1.1	25.4	0.1	analyzer malfunction	24.0	19.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3

Site Downwind Weekly: 1/29/2017-2/4/2017

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
1/29/2017 0:00	3.1	1.1	1.1	24.4	0.2	analyzer malfunction	23.0	16.0
1/29/2017 1:00	2.5	1.0	0.7	31.9	0.2	analyzer malfunction	17.0	14.0
1/29/2017 2:00	2.5	Calibration	Calibration	31.1	0.4	analyzer malfunction	20.0	10.0
1/29/2017 3:00	2.5	Calibration	Calibration	28.9	0.2	analyzer malfunction	16.0	10.0
1/29/2017 4:00	Calibration	0.6	0.7	Calibration	Calibration	Too few samples	18.0	11.0
1/29/2017 5:00	2.7	0.8	0.8	22.0	0.1	analyzer malfunction	24.0	12.0
1/29/2017 6:00	3.8	1.3	0.8	33.4	0.2	analyzer malfunction	21.0	16.0
1/29/2017 7:00	3.3	1.6	1.4	41.4	0.2	Too few samples	26.0	13.0
1/29/2017 8:00	3.1	1.4	1.0	34.8	0.1	Calibration	25.0	16.0
1/29/2017 9:00	2.7	0.8	0.8	18.2	0.1	analyzer malfunction	22.0	11.0
1/29/2017 10:00	2.5	BDL	0.4	6.1	BDL	analyzer malfunction	8.0	9.0
1/29/2017 11:00	2.4	BDL	BDL	4.5	BDL	analyzer malfunction	11.0	5.0
1/29/2017 12:00	2.2	BDL	BDL	3.4	BDL	analyzer malfunction	9.0	6.0
1/29/2017 13:00	2.6	BDL	0.4	5.5	BDL	analyzer malfunction	12.0	6.0
1/29/2017 14:00	2.3	BDL	BDL	7.5	BDL	analyzer malfunction	17.0	12.0
1/29/2017 15:00	2.3	BDL	BDL	6.2	BDL	analyzer malfunction	12.0	8.0
1/29/2017 16:00	2.1	BDL	BDL	3.3	BDL	analyzer malfunction	8.0	7.0
1/29/2017 17:00	2.3	BDL	0.4	8.1	0.04	analyzer malfunction	14.0	7.0
1/29/2017 18:00	2.5	BDL	BDL	6.6	BDL	analyzer malfunction	14.0	6.0
1/29/2017 19:00	2.4	0.5	0.5	26.6	0.2	analyzer malfunction	17.0	14.0
1/29/2017 20:00	2.4	0.5	0.4	24.5	0.2	analyzer malfunction	16.0	16.0
1/29/2017 21:00	2.4	0.6	0.4	28.5	0.2	analyzer malfunction	19.0	16.0
1/29/2017 22:00	2.4	0.6	0.5	19.6	0.1	analyzer malfunction	15.0	12.0
1/29/2017 23:00	2.6	0.4	0.4	11.9	0.1	analyzer malfunction	15.0	8.0
1/30/2017 0:00	3.2	0.5	0.5	13.6	0.04	analyzer malfunction	14.0	11.0
1/30/2017 1:00	2.5	BDL	BDL	5.5	0.04	analyzer malfunction	14.0	8.0
1/30/2017 2:00	2.5	Calibration	Calibration	10.3	0.1	analyzer malfunction	19.0	11.0
1/30/2017 3:00	Too few samples	Calibration	Calibration	11.7	0.1	analyzer malfunction	11.0	12.0
1/30/2017 4:00	Calibration	BDL	0.4	Calibration	Calibration	Calibration	13.0	9.0
1/30/2017 5:00	5.0	0.4	BDL	18.0	0.1	analyzer malfunction	15.0	10.0
1/30/2017 6:00	3.1	0.4	0.5	18.4	0.1	analyzer malfunction	13.0	7.0
1/30/2017 7:00	Too few samples	0.5	0.4	28.1	0.2	Too few samples	14.0	8.0
1/30/2017 8:00	Too few samples	Too few samples	Too few samples	22.0	0.1	Too few samples	15.0	10.0
1/30/2017 9:00	Too few samples	Calibration	Calibration	23.4	0.1	2.3	17.0	5.0
1/30/2017 10:00	Too few samples	BDL	BDL	18.7	0.1	2.3	24.0	6.0
1/30/2017 11:00	Calibration	BDL	0.4	Calibration	Calibration	2.3	12.0	6.0
1/30/2017 12:00	BDL	BDL	BDL	8.1	0.2	2.3	18.0	4.0
1/30/2017 13:00	Too few samples	BDL	BDL	9.8	0.2	2.4	32.0	6.0
1/30/2017 14:00	7.8	BDL	0.4	9.3	0.2	2.3	27.0	9.0
1/30/2017 15:00	5.2	BDL	0.5	12.2	0.2	2.4	35.0	10.0
1/30/2017 16:00	0.8	BDL	BDL	8.8	0.2	2.3	12.0	8.0
1/30/2017 17:00	BDL	0.4	0.5	20.3	0.3	2.4	13.0	15.0
1/30/2017 18:00	BDL	0.6	0.6	19.2	0.3	2.4	24.0	15.0
1/30/2017 19:00	0.4	0.4	0.4	16.4	0.2	2.3	19.0	12.0
1/30/2017 20:00	BDL	0.4	0.4	20.6	0.2	2.5	13.0	8.0
1/30/2017 21:00	BDL	BDL	BDL	8.2	0.2	2.4	11.0	8.0
1/30/2017 22:00	BDL	BDL	BDL	9.2	0.2	2.4	12.0	7.0
1/30/2017 23:00	BDL	BDL	BDL	13.6	0.2	2.4	9.0	5.0
1/31/2017 0:00	BDL	BDL	BDL	11.2	0.2	2.5	7.0	4.0
1/31/2017 1:00	BDL	BDL	BDL	13.3	0.2	2.4	15.0	6.0
1/31/2017 2:00	BDL	Calibration	Calibration	32.6	0.3	2.6	13.0	7.0
1/31/2017 3:00	Calibration	Calibration	Calibration	22.7	0.2	2.5	11.0	8.0
1/31/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	23.0	6.0
1/31/2017 5:00	BDL	1.1	0.6	52.6	0.4	2.4	29.0	7.0
1/31/2017 6:00	0.5	1.3	0.7	56.3	0.4	2.4	32.0	11.0
1/31/2017 7:00	0.4	1.3	0.6	54.0	0.4	2.3	30.0	11.0
1/31/2017 8:00	BDL	Calibration	Calibration	56.2	0.4	2.2	33.0	9.0
1/31/2017 9:00	0.8	Calibration	Calibration	44.8	0.3	2.2	26.0	8.0
1/31/2017 10:00	0.6	1.2	0.8	50.0	0.3	2.2	25.0	7.0
1/31/2017 11:00	0.6	1.4	1.0	50.6	0.3	2.2	27.0	6.0
1/31/2017 12:00	0.6	1.3	0.9	32.2	0.3	2.2	21.0	5.0
1/31/2017 13:00	0.7	2.0	1.5	42.7	0.4	2.3	34.0	10.0
1/31/2017 14:00	1.0	1.8	1.3	40.1	0.4	2.4	31.0	11.0
1/31/2017 15:00	1.7	2.0	1.3	54.1	0.5	2.5	31.0	13.0
1/31/2017 16:00	2.0	2.5	1.3	75.1	0.6	2.4	44.0	13.0
1/31/2017 17:00	1.3	2.2	1.3	65.7	0.5	2.3	46.0	17.0
1/31/2017 18:00	1.1	1.8	1.2	56.0	0.5	2.3	37.0	16.0
1/31/2017 19:00	1.4	2.3	1.3	83.6	0.6	2.4	48.0	13.0
1/31/2017 20:00	2.2	3.6	2.0	135.4	1.0	2.7	50.0	19.0
1/31/2017 21:00	2.9	4.7	2.4	169.9	1.3	3.3	65.0	23.0
1/31/2017 22:00	3.3	5.3	2.5	192.0	1.4	3.6	62.0	21.0
1/31/2017 23:00	4.1	3.5	1.7	111.4	0.8	3.3	34.0	26.0
2/1/2017 0:00	4.7	1.2	0.8	24.6	0.3	2.8	21.0	10.0
2/1/2017 1:00	2.3	1.0	1.0	14.0	0.2	2.7	20.0	12.0
2/1/2017 2:00	2.1	Calibration	Calibration	17.8	0.2	3.2	13.0	9.0
2/1/2017 3:00	3.1	Calibration	Calibration	20.5	0.3	2.9	12.0	8.0
2/1/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.5	9.0	7.0
2/1/2017 5:00	3.4	0.5	BDL	29.3	0.23	2.5	23.0	14.0
2/1/2017 6:00	16.9	0.7	0.4	29.4	0.3	2.7	16.0	13.0
2/1/2017 7:00	BDL	Audit	Audit	27.8	0.3	2.6	21.0	9.0
2/1/2017 8:00	Calibration	Too few samples	Too few samples	Too few samples	Too few samples	2.5	26.0	8.0
2/1/2017 9:00	2.3	0.9	0.8	Calibration	0.2	2.3	28.0	8.0
2/1/2017 10:00	2.2	0.8	0.8	14.8	0.2	2.5	47.0	10.0
2/1/2017 11:00	1.9	0.5	0.5	13.7	0.2	2.4	38.0	8.0
2/1/2017 12:00	1.5	0.5	0.4	15.1	0.2	2.4	31.0	7.0
2/1/2017 13:00	1.5	0.5	0.4	13.7	0.2	2.4	22.0	8.0
2/1/2017 14:00	1.6	0.5	0.5	13.0	0.2	2.4	27.0	7.0
2/1/2017 15:00	1.3	0.4	0.4	16.9	0.2	2.5	19.0	5.0
2/1/2017 16:00	1.2	BDL	BDL	19.2	0.2	2.4	16.0	4.0
2/1/2017 17:00	4.0	BDL	0.4	19.3	0.2	2.4	17.0	7.0
2/1/2017 18:00	18.0	BDL	BDL	22.2	0.2	2.4	11.0	5.0
2/1/2017 19:00	4.0	BDL	BDL	11.5	0.2	2.4	10.0	5.0
2/1/2017 20:00	BDL	BDL	BDL	8.1	0.2	2.4	7.0	7.0
2/1/2017 21:00	BDL	BDL	BDL	6.3	0.2	2.3	9.0	4.0
2/1/2017 22:00	BDL	BDL	BDL	8.0	0.2	2.5	12.0	3.0
2/1/2017 23:00	BDL	BDL	BDL	10.0	0.2	2.6	11.0	4.0
2/2/2017 0:00	BDL	BDL	BDL	13.0	0.2	2.9	7.0	5.0
2/2/2017 1:00	0.4	BDL	BDL	19.6	0.2	2.8	6.0	6.0
2/2/2017 2:00	0.4	Calibration	Calibration	13.9	0.2	2.5	9.0	7.0
2/2/2017 3:00	Calibration	Calibration	Calibration	21.6	0.2	2.6	13.0	5.0
2/2/2017 4:00	Calibration	0.7	0.4	Calibration	Calibration	Too few samples	15.0	8.0
2/2/2017 5:00	0.8	1.1	0.4	46.6	0.3	2.7	21.0	10.0
2/2/2017 6:00	2.0	1.5	0.8	50.5	0.4	3.0	26.0	12.0
2/2/2017 7:00	Too few samples	1.6	1.2	43.6	0.3	2.8	30.0	12.0
2/2/2017 8:00	1.1	1.1	0.7	38.4	0.3	2.6	22.0	10.0
2/2/2017 9:00	BDL	0.6	0.5	17.5	0.2	2.4	18.0	11.0
2/2/2017 10:00	0.9	BDL	BDL	12.1	0.2	2.4	16.0	9.0
2/2/2017 11:00	0.8	BDL	BDL	9.8	0.2	2.4	15.0	12.0
2/2/2017 12:00	1.0	BDL	BDL	9.8	0.2	2.4	29.0	9.0
2/2/2017 13:00	Too few samples	BDL	0.4	15.4	0.2	2.5	62.0	9.0
2/2/2017 14:00	2.9	BDL	BDL	9.7	0.2	2.6	42.0	8.0
2/2/2017 15:00	BDL	BDL	BDL	8.1	0.2	2.4	18.0	11.0
2/2/2017 16:00	Calibration	BDL	BDL	Calibration	Calibration	2.4	29.0	8.0
2/2/2017 17:00	14.3	BDL	BDL	6.8	0.2	2.4	17.0	12.0
2/2/2017 18:00	1.9	BDL	BDL	8.0	0.2	2.4	11.0	8.0
2/2/2017 19:00	0.5	BDL	BDL	6.3	0.2	2.4	13.0	8.0
2/2/2017 20:00	BDL	BDL	BDL	3.9	0.2	2.4	12.0	6.0
2/2/2017 21:00	BDL	BDL	BDL	5.1	0.2	2.4	10.0	3.0
2/2/2017 22:00	BDL	BDL	BDL	3.9	0.2	2.4	12.0	7.0
2/2/2017 23:00	BDL	BDL	BDL	3.1	0.2	2.4	9.0	5.0
2/3/2017 0:00	BDL	BDL	BDL	4.9	0.1	2.5	10.0	3.0
2/3/2017 1:00	BDL	BDL	BDL	7.9	0.2	2.5	8.0	5.0
2/3/2017 2:00	BDL	Calibration	Calibration	10.6	0.2	2.6	10.0	4.0
2/3/2017 3:00	Calibration	Calibration	Calibration	7.9	0.2	2.4	10.0	3.0
2/3/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	8.0	4.0
2/3/2017 5:00	Too few samples	BDL	BDL	7.4	0.2	2.4	10.0	8.0
2/3/2017 6:00	BDL	BDL	BDL	6.7	0.2	2.4	16.0	9.0
2/3/2017 7:00	BDL	BDL	BDL	6.7	0.2	2.3	20.0	8.0
2/3/2017 8:00	BDL	BDL	BDL	10.1	0.2	2.4	17.0	11.0
2/3/2017 9:00	maintenance	BDL	BDL	7.4	0.2	2.4	19.0	6.0
2/3/2017 10:00	maintenance	BDL	BDL	7.6	0.2	2.4	30.0	11.0
2/3/2017 11:00	maintenance	BDL	BDL	6.7	0.2	2.4	25.0	10.0
2/3/2017 12:00	Too few samples	BDL	BDL	8.5	0.2	2.4	23.0	9.0
2/3/2017 13:00	Too few samples	BDL	BDL	10.1	0.2	2.4	29.0	9.0
2/3/2017 14:00	Too few samples	BDL	BDL	9.4	0.2	2.4	26.0	11.0
2/3/2017 15:00	Too few samples	BDL	BDL	10.7	0.2	2.4	27.0	11.0
2/3/2017 16:00	maintenance	BDL	BDL	9.3	0.2	2.4	22.0	15.0
2/3/2017 17:00	maintenance	BDL	BDL	8.3	0.2	2.4	22.0	12.0
2/3/2017 18:00	maintenance	BDL	BDL	8.7	0.2	2.4	19.0	12.0
2/3/2017 19:00	maintenance	BDL	BDL	8.2	0.2	2.5	12.0	13.0
2/3/2017 20:00	maintenance	BDL	BDL	6.4	0.2	2.4	16.0	10.0
2/3/2017 21:00	maintenance	BDL	BDL	3.8	0.2	2.4	25.0	7.0
2/3/2017 22:00	maintenance	BDL	BDL	3.5	0.2	2.4	17.0	10.0
2/3/2017 23:00	maintenance	BDL	BDL	3.6	0.2	2.4	17.0	9.0
2/4/2017 0:00	maintenance	BDL	BDL	3.4	0.2	2.4	15.0	7.0
2/4/2017 1:00	maintenance	BDL	BDL	4.1	0.2	2.4	13.0	8.0
2/4/2017 2:00	maintenance	Calibration	Calibration	5.1	0.2	2.4	17.0	7.0
2/4/2017 3:00	maintenance	Calibration	Calibration	3.9	0.2	2.4	12.0	5.0
2/4/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	9.0	7.0
2/4/2017 5:00	maintenance	BDL	BDL	4.3	0.2	2.3	8.0	5.0
2/4/2017 6:00	maintenance	BDL	BDL	6.8	0.2	2.4	9.0	7.0
2/4/2017 7:00	maintenance	BDL	BDL	8.0	0.2	2.4	10.0	9.0
2/4/2017 8:00	Too few samples	BDL	BDL	Too few samples	Too few sample	2.4	15.0	10.0
2/4/2017 9:00	maintenance	BDL	BDL	Too few samples	Too few sample	2.4	11.0	8.0
2/4/2017 10:00	0.4	BDL	BDL	5.8	0.2	2.4	9.0	9.0
2/4/2017 11:00	0.8	BDL	BDL	8.0	0.2	2.4	17.0	11.0
2/4/2017 12:00	0.9	BDL	BDL	11.7	0.2	2.4	21.0	9.0
2/4/2017 13:00	0.4	BDL	BDL	11.2	0.2	2.5	18.0	14.0
2/4/2017 14:00	0.6	BDL	BDL	11.7	0.2	2.5	27.0	11.0
2/4/2017 15:00	0.4	BDL	BDL	11.4	0.2	2.5	21.0	8.0
2/4/2017 16:00	0.5	BDL	BDL	8.7	0.2	2.4	12.0	11.0
2/4/2017 17:00	1.9	BDL	BDL	14.7	0.2	2.4	18.0	14.0
2/4/2017 18:00	2.3	BDL	BDL	12.8	0.2	2.3	26.0	18.0
2/4/2017 19:00	0.8	BDL	BDL	12.9	0.3	2.5	22.0	14.0
2/4/2017 20:00	0.8	BDL	BDL	18.6	0.3	2.8	21.0	16.0
2/4/2017 21:00	1.7	BDL	BDL	20.1	0.3	2.7	18.0	17.0
2/4/2017 22:00	0.4	BDL	BDL	17.8	0.2	2.7	16.0	18.0
2/4/2017 23:00	BDL	BDL	BDL	17.2	0.2	2.6	17.0	11.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 2/5/2017-2/11/2017								
2/5/2017 0:00	BDL	BDL	BDL	12.7	0.2	2.6	16.0	16.0
2/5/2017 1:00	BDL	0.4	0.5	13.3	0.2	2.7	17.0	6.0
2/5/2017 2:00	BDL	Calibration	Calibration	12.4	0.2	2.4	20.0	8.0
2/5/2017 3:00	BDL	Calibration	Calibration	11.0	0.2	2.3	18.0	12.0
2/5/2017 4:00	Calibration	BDL	0.5	Calibration	Calibration	2.2	17.0	13.0
2/5/2017 5:00	BDL	0.5	0.5	17.3	0.3	2.3	18.0	8.0
2/5/2017 6:00	BDL	0.4	0.5	12.7	0.2	2.7	19.0	9.0
2/5/2017 7:00	BDL	0.4	0.4	10.4	0.2	2.6	17.0	11.0
2/5/2017 8:00	BDL	BDL	0.4	7.6	0.2	2.5	17.0	10.0
2/5/2017 9:00	BDL	BDL	0.4	8.4	0.2	2.5	21.0	10.0
2/5/2017 10:00	BDL	BDL	BDL	8.4	0.2	2.8	15.0	11.0
2/5/2017 11:00	0.6	BDL	BDL	10.6	0.2	2.5	21.0	12.0
2/5/2017 12:00	0.7	BDL	BDL	10.2	0.2	2.4	20.0	10.0
2/5/2017 13:00	1.6	BDL	BDL	14.9	0.2	2.5	26.0	20.0
2/5/2017 14:00	2.4	BDL	BDL	15.5	0.3	2.6	27.0	20.0
2/5/2017 15:00	2.5	BDL	BDL	18.5	0.3	2.5	25.0	15.0
2/5/2017 16:00	2.7	0.5	0.5	23.0	0.3	2.5	26.0	21.0
2/5/2017 17:00	3.3	0.6	0.4	22.5	0.3	2.5	29.0	20.0
2/5/2017 18:00	1.5	0.7	0.5	29.8	0.3	2.6	26.0	17.0
2/5/2017 19:00	3.2	0.7	0.4	26.6	0.3	2.5	28.0	25.0
2/5/2017 20:00	2.5	0.7	0.5	30.4	0.3	2.7	33.0	25.0
2/5/2017 21:00	3.9	0.5	BDL	26.3	0.3	2.6	35.0	25.0
2/5/2017 22:00	8.2	0.5	BDL	26.7	0.4	2.7	38.0	25.0
2/5/2017 23:00	6.0	0.7	0.4	29.9	0.4	2.8	32.0	21.0
2/6/2017 0:00	0.9	1.8	1.6	41.4	0.4	3.0	38.0	23.0
2/6/2017 1:00	BDL	2.5	2.4	27.1	0.3	2.9	34.0	22.0
2/6/2017 2:00	BDL	Calibration	Calibration	23.0	0.3	2.7	30.0	21.0
2/6/2017 3:00	BDL	Calibration	Calibration	7.8	0.2	2.5	25.0	17.0
2/6/2017 4:00	Calibration	BDL	BDL	206.9	Calibration	Too few samples	24.0	12.0
2/6/2017 5:00	BDL	BDL	BDL	Calibration	0.2	2.6	27.0	17.0
2/6/2017 6:00	BDL	BDL	BDL	12.6	0.2	2.4	27.0	17.0
2/6/2017 7:00	1.1	BDL	BDL	13.5	0.2	2.5	28.0	17.0
2/6/2017 8:00	Calibration	BDL	BDL	Calibration	Calibration	2.5	28.0	19.0
2/6/2017 9:00	1.2	BDL	BDL	3.3	0.2	2.4	25.0	16.0
2/6/2017 10:00	1.1	BDL	BDL	2.6	0.2	2.3	31.0	17.0
2/6/2017 11:00	1.5	BDL	BDL	4.4	0.2	2.3	32.0	17.0
2/6/2017 12:00	1.7	BDL	BDL	4.7	0.2	2.3	27.0	13.0
2/6/2017 13:00	1.9	BDL	0.4	7.6	0.2	2.3	53.0	15.0
2/6/2017 14:00	2.4	0.5	0.4	9.9	0.2	2.3	37.0	16.0
2/6/2017 15:00	2.7	0.4	0.5	7.4	0.3	2.3	35.0	17.0
2/6/2017 16:00	1.9	BDL	0.5	9.1	0.3	2.3	31.0	15.0
2/6/2017 17:00	1.6	BDL	BDL	9.5	0.3	2.5	33.0	17.0
2/6/2017 18:00	1.3	0.5	0.5	9.7	0.3	2.4	33.0	18.0
2/6/2017 19:00	1.2	0.5	0.4	11.0	0.3	2.4	36.0	21.0
2/6/2017 20:00	1.3	0.5	0.4	27.9	0.4	2.3	32.0	25.0
2/6/2017 21:00	1.4	0.8	0.5	30.4	0.5	2.5	35.0	23.0
2/6/2017 22:00	1.7	1.2	0.9	51.6	0.6	2.3	41.0	21.0
2/6/2017 23:00	1.6	1.2	0.6	38.3	0.5	2.5	35.0	18.0
2/7/2017 0:00	1.6	0.9	0.7	20.9	0.3	2.8	27.0	20.0
2/7/2017 1:00	1.6	1.1	0.8	29.3	0.3	2.5	28.0	17.0
2/7/2017 2:00	1.6	Calibration	Calibration	27.6	0.3	2.5	27.0	16.0
2/7/2017 3:00	1.8	Calibration	Calibration	45.3	0.4	2.4	29.0	16.0
2/7/2017 4:00	Calibration	1.7	1.1	Calibration	Calibration	2.6	32.0	13.0
2/7/2017 5:00	3.5	3.5	1.7	122.2	0.8	3.9	49.0	22.0
2/7/2017 6:00	3.4	3.4	1.6	109.5	0.8	3.2	40.0	21.0
2/7/2017 7:00	Too few samples	3.4	1.8	Too few samples	Too few samples	3.1	48.0	24.0
2/7/2017 8:00	Too few samples	3.7	2.0	Too few samples	Too few samples	3.1	47.0	19.0
2/7/2017 9:00	3.8	3.6	1.9	110.4	0.9	3.3	54.0	23.0
2/7/2017 10:00	3.8	4.2	1.9	144.3	1.1	3.7	63.0	29.0
2/7/2017 11:00	3.8	4.0	2.0	130.1	1.0	3.4	55.0	34.0
2/7/2017 12:00	3.2	2.9	1.6	88.9	0.7	3.0	38.0	27.0
2/7/2017 13:00	3.1	2.6	1.5	72.3	0.7	3.1	39.0	26.0
2/7/2017 14:00	3.3	2.7	1.5	72.4	0.7	3.2	36.0	26.0
2/7/2017 15:00	3.3	2.7	1.7	67.4	0.7	2.8	39.0	21.0
2/7/2017 16:00	2.8	1.8	1.3	37.1	0.6	2.4	31.0	13.0
2/7/2017 17:00	2.6	1.9	1.3	45.4	0.7	2.5	28.0	16.0
2/7/2017 18:00	0.8	1.7	1.2	36.8	0.7	2.5	30.0	21.0
2/7/2017 19:00	0.7	1.5	1.1	35.8	0.6	2.5	32.0	21.0
2/7/2017 20:00	0.7	1.5	1.0	41.0	0.6	2.6	35.0	20.0
2/7/2017 21:00	0.8	1.4	1.0	41.5	0.6	2.6	46.0	27.0
2/7/2017 22:00	0.8	1.3	1.0	38.7	0.5	2.6	33.0	22.0
2/7/2017 23:00	1.4	2.2	1.3	69.3	0.7	3.5	31.0	23.0
2/8/2017 0:00	1.5	1.7	1.2	12.9	0.4	3.0	19.0	13.0
2/8/2017 1:00	1.4	1.0	1.2	BDL	0.3	2.5	21.0	11.0
2/8/2017 2:00	1.2	Calibration	Calibration	1.6	0.3	2.4	26.0	11.0
2/8/2017 3:00	1.3	Calibration	Calibration	5.7	0.3	2.4	25.0	17.0
2/8/2017 4:00	Calibration	0.8	0.9	Calibration	Calibration	Too few samples	25.0	16.0
2/8/2017 5:00	1.9	0.7	0.7	10.2	0.32	2.2	30.0	25.0
2/8/2017 6:00	3.3	0.6	0.7	9.6	0.3	2.2	26.0	24.0
2/8/2017 7:00	3.1	0.8	0.7	10.8	0.3	2.2	30.0	24.0
2/8/2017 8:00	3.8	0.6	0.6	10.8	0.4	2.2	36.0	28.0
2/8/2017 9:00	6.5	0.9	0.8	22.2	0.4	2.5	37.0	31.0
2/8/2017 10:00	2.4	0.9	0.9	12.4	0.3	2.3	22.0	10.0
2/8/2017 11:00	1.2	0.4	0.5	0.5	0.3	2.3	14.0	10.0
2/8/2017 12:00	1.0	BDL	0.5	BDL	0.3	2.3	17.0	7.0
2/8/2017 13:00	0.7	BDL	BDL	BDL	0.3	2.3	17.0	10.0
2/8/2017 14:00	0.6	BDL	0.4	BDL	0.3	2.2	18.0	8.0
2/8/2017 15:00	0.6	BDL	0.4	BDL	0.3	2.3	23.0	9.0
2/8/2017 16:00	0.6	BDL	BDL	BDL	0.3	2.5	10.0	8.0
2/8/2017 17:00	0.6	BDL	0.5	1.2	0.3	2.3	14.0	8.0
2/8/2017 18:00	0.7	0.4	0.5	3.4	0.3	2.5	11.0	6.0
2/8/2017 19:00	0.6	0.4	0.5	4.0	0.4	2.3	18.0	7.0
2/8/2017 20:00	0.5	BDL	0.5	4.2	0.4	2.3	6.0	4.0
2/8/2017 21:00	0.4	BDL	0.5	7.6	0.4	2.2	10.0	2.0
2/8/2017 22:00	0.4	0.4	0.4	9.5	0.4	2.2	15.0	10.0
2/8/2017 23:00	0.4	0.4	0.4	8.6	0.4	2.3	14.0	8.0
2/9/2017 0:00	0.5	0.6	0.5	20.9	0.3	2.3	9.0	5.0
2/9/2017 1:00	0.6	0.7	0.5	19.3	0.3	2.3	15.0	5.0
2/9/2017 2:00	0.5	Calibration	Calibration	10.0	0.3	2.3	12.0	8.0
2/9/2017 3:00	0.4	Calibration	Calibration	9.7	0.3	2.2	10.0	7.0
2/9/2017 4:00	Calibration	0.4	0.5	Calibration	Calibration	2.3	10.0	4.0
2/9/2017 5:00	0.4	BDL	BDL	6.5	0.3	2.2	11.0	1.0
2/9/2017 6:00	0.4	BDL	BDL	3.8	0.2	2.1	6.0	2.0
2/9/2017 7:00	0.4	BDL	0.4	1.1	0.2	2.1	4.0	4.0
2/9/2017 8:00	0.4	BDL	0.4	BDL	0.2	2.1	5.0	4.0
2/9/2017 9:00	0.4	BDL	0.4	BDL	0.2	2.3	7.0	3.0
2/9/2017 10:00	0.4	BDL	0.5	BDL	0.2	2.6	8.0	BDL
2/9/2017 11:00	0.4	BDL	BDL	BDL	0.2	2.2	8.0	2.0
2/9/2017 12:00	0.4	BDL	BDL	BDL	0.2	2.3	7.0	3.0
2/9/2017 13:00	0.5	BDL	BDL	BDL	0.2	2.2	12.0	6.0
2/9/2017 14:00	0.4	BDL	BDL	BDL	0.2	2.3	12.0	6.0
2/9/2017 15:00	0.4	BDL	BDL	BDL	0.2	2.3	10.0	6.0
2/9/2017 16:00	0.4	BDL	BDL	BDL	0.2	2.3	12.0	4.0
2/9/2017 17:00	BDL	BDL	BDL	BDL	0.2	2.3	11.0	4.0
2/9/2017 18:00	0.4	BDL	BDL	BDL	0.2	2.3	17.0	3.0
2/9/2017 19:00	BDL	BDL	BDL	BDL	0.2	2.3	20.0	3.0
2/9/2017 20:00	BDL	BDL	BDL	BDL	0.2	2.3	17.0	6.0
2/9/2017 21:00	BDL	BDL	BDL	BDL	0.2	2.3	5.0	5.0
2/9/2017 22:00	BDL	BDL	BDL	BDL	0.2	2.3	6.0	7.0
2/9/2017 23:00	BDL	BDL	BDL	BDL	0.2	2.3	10.0	5.0
2/10/2017 0:00	0.6	BDL	BDL	5.0	0.2	2.3	11.0	9.0
2/10/2017 1:00	BDL	BDL	BDL	2.1	0.2	2.4	14.0	6.0
2/10/2017 2:00	BDL	Calibration	Calibration	BDL	0.2	2.4	10.0	4.0
2/10/2017 3:00	BDL	Calibration	Calibration	2.5	0.2	2.4	15.0	7.0
2/10/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	12.0	7.0
2/10/2017 5:00	0.7	BDL	0.6	7.4	0.2	2.5	19.0	9.0
2/10/2017 6:00	1.3	BDL	BDL	10.8	0.2	2.7	20.0	10.0
2/10/2017 7:00	1.6	0.4	0.4	11.7	0.3	2.6	23.0	9.0
2/10/2017 8:00	1.5	0.7	0.7	16.1	0.3	2.6	31.0	13.0
2/10/2017 9:00	1.1	BDL	BDL	9.5	0.2	2.4	28.0	8.0
2/10/2017 10:00	0.8	BDL	BDL	4.3	0.2	2.5	23.0	9.0
2/10/2017 11:00	0.9	BDL	BDL	5.0	0.2	2.6	22.0	11.0
2/10/2017 12:00	1.0	BDL	BDL	4.5	0.2	2.4	17.0	8.0
2/10/2017 13:00	1.5	BDL	BDL	3.6	0.2	2.4	26.0	13.0
2/10/2017 14:00	1.5	BDL	BDL	0.5	0.2	2.3	25.0	11.0
2/10/2017 15:00	1.0	BDL	BDL	4.0	0.2	2.3	20.0	9.0
2/10/2017 16:00	0.9	BDL	BDL	5.3	0.2	2.4	19.0	11.0
2/10/2017 17:00	1.0	BDL	BDL	4.2	0.2	2.4	20.0	13.0
2/10/2017 18:00	0.9	BDL	BDL	6.0	0.3	2.4	21.0	11.0
2/10/2017 19:00	0.9	0.5	BDL	20.0	0.4	2.3	34.0	10.0
2/10/2017 20:00	0.8	BDL	BDL	9.8	0.3	2.2	21.0	10.0
2/10/2017 21:00	0.7	0.6	0.4	9.6	0.3	2.2	19.0	10.0
2/10/2017 22:00	0.6	0.4	0.5	6.7	0.3	2.1	16.0	10.0
2/10/2017 23:00	0.6	0.5	0.5	7.6	0.3	2.2	18.0	8.0
2/11/2017 0:00	0.6	0.5	0.5	7.2	0.3	2.2	22.0	8.0
2/11/2017 1:00	0.6	0.5	0.5	11.9	0.3	2.2	14.0	8.0
2/11/2017 2:00	0.6	Calibration	Calibration	17.8	0.4	2.2	25.0	8.0
2/11/2017 3:00	1.1	Calibration	Calibration	60.6	0.5	2.5	29.0	9.0
2/11/2017 4:00	Calibration	2.0	1.2	Calibration	Calibration	Too few samples	30.0	11.0
2/11/2017 5:00	1.4	2.6	1.4	77.9	0.7	2.8	29.0	15.0
2/11/2017 6:00	1.8	3.0	1.9	97.7	0.7	2.6	63.0	13.0
2/11/2017 7:00	1.8	3.3	1.6	91.0	0.7	2.6	54.0	12.0
2/11/2017 8:00	1.9	3.2	1.7	92.7	0.8	2.6	48.0	16.0
2/11/2017 9:00	2.1	2.3	1.4	51.7	0.5	3.0	34.0	18.0
2/11/2017 10:00	2.9	1.8	1.3	37.9	0.4	3.1	32.0	15.0
2/11/2017 11:00	4.8	1.5	0.9	33.2	0.4	2.8	40.0	25.0
2/11/2017 12:00	5.4	0.9	0.6	20.1	0.4	2.7	36.0	22.0
2/11/2017 13:00	5.3	1.0	0.7	20.5	0.3	2.8	31.0	16.0
2/11/2017 14:00	3.6	1.0	0.6	17.9	0.4	2.7	32.0	17.0
2/11/2017 15:00	3.6	1.0	0.7	26.5	0.5	2.6	33.0	18.0
2/11/2017 16:00	1.7	1.0	0.7	31.7	0.6	2.4	41.0	15.0
2/11/2017 17:00	1.8	1.8	1.0	49.3	0.8	2.5	54.0	23.0
2/11/2017 18:00	2.0	1.9	1.2	59.0	0.8	2.5	59.0	27.0
2/11/2017 19:00	1.9	1.8	1.3	55.2	0.8	2.5	50.0	21.0
2/11/2017 20:00	1.9	2.3	1.4	59.7	0.8	2.7	53.0	26.0
2/11/2017 21:00	2.2	2.1	1.2	68.1	0.9	2.8	59.0	29.0
2/11/2017 22:00	2.1	1.8	1.0	56.1	0.8	2.8	54.0	29.0
2/11/2017 23:00	1.9	1.5	0.8	45.1	0.7	2.7	51.0	28.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 2/12/2017-2/18/2017								
2/12/2017 0:00	1.9	1.3	0.8	45.5	0.6	2.9	38.0	31.0
2/12/2017 1:00	1.8	1.5	0.9	43.3	0.7	3.0	43.0	24.0
2/12/2017 2:00	1.4	Calibration	Calibration	25.6	0.5	2.5	33.0	17.0
2/12/2017 3:00	1.6	Calibration	Calibration	23.7	0.4	2.3	38.0	17.0
2/12/2017 4:00	Calibration	BDL	0.4	Calibration	Calibration	Too few samples	27.0	19.0
2/12/2017 5:00	0.9	0.5	0.4	10.7	0.4	2.3	27.0	16.0
2/12/2017 6:00	1.0	0.5	0.4	7.6	0.4	2.2	30.0	16.0
2/12/2017 7:00	1.2	0.5	0.4	4.4	0.4	2.2	30.0	16.0
2/12/2017 8:00	1.5	0.4	0.5	5.8	0.3	2.2	27.0	15.0
2/12/2017 9:00	1.4	0.6	0.4	15.4	0.3	2.2	30.0	13.0
2/12/2017 10:00	1.2	0.7	0.6	20.5	0.3	2.2	33.0	13.0
2/12/2017 11:00	1.0	0.6	0.4	9.0	0.4	2.2	23.0	12.0
2/12/2017 12:00	1.1	0.4	0.4	8.4	0.4	2.3	16.0	8.0
2/12/2017 13:00	1.1	0.5	0.4	9.8	0.4	2.2	12.0	6.0
2/12/2017 14:00	1.1	0.5	0.4	12.5	0.4	2.2	15.0	6.0
2/12/2017 15:00	1.1	0.6	0.5	17.1	0.4	2.3	8.0	7.0
2/12/2017 16:00	1.2	0.7	0.5	15.8	0.4	2.4	7.0	8.0
2/12/2017 17:00	1.2	0.6	0.5	8.7	0.3	2.3	9.0	8.0
2/12/2017 18:00	1.2	0.4	0.4	7.1	0.3	2.3	9.0	8.0
2/12/2017 19:00	1.1	0.4	0.5	9.7	0.3	2.4	16.0	9.0
2/12/2017 20:00	1.2	0.4	BDL	7.0	0.3	2.3	15.0	8.0
2/12/2017 21:00	1.2	0.6	0.5	9.5	0.3	2.4	13.0	12.0
2/12/2017 22:00	1.4	0.9	0.9	13.4	0.3	2.5	17.0	18.0
2/12/2017 23:00	1.3	0.6	0.5	9.7	0.3	2.4	15.0	15.0
2/13/2017 0:00	1.5	BDL	0.4	BDL	0.2	2.3	9.0	6.0
2/13/2017 1:00	1.4	BDL	BDL	BDL	0.2	2.3	8.0	6.0
2/13/2017 2:00	1.4	Calibration	Calibration	BDL	0.2	2.3	6.0	4.0
2/13/2017 3:00	1.3	Calibration	Calibration	BDL	0.2	2.4	5.0	2.0
2/13/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.3	8.0	3.0
2/13/2017 5:00	1.1	BDL	BDL	BDL	0.2	2.4	9.0	2.0
2/13/2017 6:00	1.2	BDL	BDL	BDL	0.2	2.4	9.0	4.0
2/13/2017 7:00	1.1	BDL	BDL	BDL	0.2	2.3	14.0	6.0
2/13/2017 8:00	1.1	BDL	BDL	BDL	0.2	2.4	17.0	6.0
2/13/2017 9:00	1.1	BDL	BDL	BDL	0.2	2.5	12.0	5.0
2/13/2017 10:00	1.1	BDL	BDL	BDL	0.2	2.5	11.0	5.0
2/13/2017 11:00	1.2	BDL	BDL	BDL	0.2	2.4	13.0	6.0
2/13/2017 12:00	1.1	BDL	BDL	BDL	0.2	2.4	13.0	5.0
2/13/2017 13:00	1.1	BDL	BDL	BDL	0.2	2.4	13.0	3.0
2/13/2017 14:00	1.1	BDL	BDL	BDL	0.2	2.3	16.0	3.0
2/13/2017 15:00	1.2	BDL	BDL	BDL	0.2	2.3	11.0	5.0
2/13/2017 16:00	1.2	BDL	BDL	BDL	0.2	2.3	9.0	5.0
2/13/2017 17:00	1.2	BDL	BDL	BDL	0.2	2.2	8.0	6.0
2/13/2017 18:00	1.1	BDL	BDL	BDL	0.2	2.3	7.0	6.0
2/13/2017 19:00	1.1	BDL	BDL	BDL	0.2	2.3	9.0	4.0
2/13/2017 20:00	1.1	BDL	BDL	BDL	0.2	2.3	8.0	5.0
2/13/2017 21:00	1.1	BDL	BDL	BDL	0.2	2.3	9.0	4.0
2/13/2017 22:00	1.2	BDL	BDL	BDL	0.2	2.3	7.0	4.0
2/13/2017 23:00	1.2	BDL	BDL	BDL	0.2	2.3	5.0	3.0
2/14/2017 0:00	1.2	BDL	BDL	3.3	0.2	2.5	7.0	3.0
2/14/2017 1:00	1.1	BDL	BDL	7.3	0.2	2.4	12.0	6.0
2/14/2017 2:00	1.1	Calibration	Calibration	1.6	0.2	2.4	8.0	7.0
2/14/2017 3:00	1.6	Calibration	Calibration	2.2	0.2	2.4	12.0	5.0
2/14/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	10.0	3.0
2/14/2017 5:00	1.2	BDL	BDL	8.0	0.2	2.4	9.0	5.0
2/14/2017 6:00	1.6	0.7	0.4	39.5	0.4	2.6	19.0	8.0
2/14/2017 7:00	1.5	1.0	0.5	36.2	0.4	2.5	22.0	10.0
2/14/2017 8:00	1.7	1.0	0.5	33.8	0.4	2.4	35.0	11.0
2/14/2017 9:00	1.7	0.5	BDL	13.7	0.3	2.3	13.0	10.0
2/14/2017 10:00	2.3	0.4	BDL	11.0	0.2	2.3	14.0	8.0
2/14/2017 11:00	2.9	0.5	BDL	12.7	0.3	2.4	25.0	9.0
2/14/2017 12:00	2.8	0.4	0.4	10.7	0.2	2.5	19.0	9.0
2/14/2017 13:00	2.7	BDL	BDL	6.6	0.2	2.4	15.0	11.0
2/14/2017 14:00	2.7	0.5	BDL	3.5	0.2	2.4	18.0	9.0
2/14/2017 15:00	5.0	0.4	0.5	0.7	0.2	2.4	17.0	9.0
2/14/2017 16:00	3.8	0.4	0.5	4.1	0.2	2.3	14.0	9.0
2/14/2017 17:00	2.4	BDL	0.4	1.5	0.2	2.3	16.0	7.0
2/14/2017 18:00	1.9	BDL	BDL	10.0	0.2	2.4	11.0	6.0
2/14/2017 19:00	1.8	0.6	0.5	11.3	0.2	2.3	12.0	8.0
2/14/2017 20:00	1.7	0.7	0.6	10.6	0.3	2.3	18.0	10.0
2/14/2017 21:00	1.8	0.9	0.8	15.6	0.4	2.1	20.0	10.0
2/14/2017 22:00	1.8	1.2	1.0	22.4	0.3	2.1	23.0	15.0
2/14/2017 23:00	1.6	1.2	1.0	22.4	0.3	2.2	23.0	13.0
2/15/2017 0:00	1.8	1.4	0.9	29.7	0.3	2.2	19.0	19.0
2/15/2017 1:00	1.7	1.1	0.9	20.6	0.3	2.2	22.0	15.0
2/15/2017 2:00	1.7	Calibration	Calibration	17.5	0.3	2.3	20.0	10.0
2/15/2017 3:00	1.9	Calibration	Calibration	29.3	0.3	2.4	16.0	15.0
2/15/2017 4:00	Calibration	1.2	0.9	Calibration	Calibration	Too few samples	16.0	9.0
2/15/2017 5:00	2.0	1.9	1.3	36.7	0.4	2.8	23.0	15.0
2/15/2017 6:00	2.6	2.3	1.4	65.3	0.5	2.9	28.0	17.0
2/15/2017 7:00	3.2	Audit	Audit	83.2	0.7	3.6	32.0	15.0
2/15/2017 8:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	3.4	38.0	24.0
2/15/2017 9:00	3.8	2.1	1.3	Calibration	0.4	3.0	30.0	17.0
2/15/2017 10:00	5.3	2.1	1.2	50.9	0.4	2.9	33.0	21.0
2/15/2017 11:00	7.2	2.3	1.2	56.6	0.5	2.9	39.0	22.0
2/15/2017 12:00	9.7	1.8	1.1	42.8	0.4	2.8	37.0	19.0
2/15/2017 13:00	5.7	1.3	0.8	23.0	0.3	2.5	35.0	14.0
2/15/2017 14:00	3	0.6	0.7	1.0	0.2	2.3	38.0	15.0
2/15/2017 15:00	2.3	BDL	BDL	BDL	0.2	2.3	23.0	10.0
2/15/2017 16:00	2.4	BDL	BDL	BDL	0.2	2.1	13.0	6.0
2/15/2017 17:00	2.2	BDL	BDL	BDL	0.2	2.2	15.0	5.0
2/15/2017 18:00	2.0	BDL	BDL	BDL	0.2	2.1	7.0	4.0
2/15/2017 19:00	2.1	BDL	BDL	BDL	0.2	2.1	8.0	3.0
2/15/2017 20:00	2.1	BDL	BDL	BDL	0.2	2.1	8.0	2.0
2/15/2017 21:00	2.1	BDL	0.4	BDL	0.2	2.1	6.0	3.0
2/15/2017 22:00	2.2	BDL	0.4	4.1	0.2	2.2	10.0	4.0
2/15/2017 23:00	2.0	BDL	BDL	BDL	0.2	2.3	11.0	4.0
2/16/2017 0:00	1.9	BDL	0.4	BDL	0.2	2.2	6.0	5.0
2/16/2017 1:00	1.8	BDL	BDL	BDL	0.2	2.2	8.0	4.0
2/16/2017 2:00	1.9	Calibration	Calibration	BDL	0.2	2.2	7.0	3.0
2/16/2017 3:00	2.0	Calibration	Calibration	BDL	0.2	2.2	9.0	5.0
2/16/2017 4:00	Calibration	BDL	0.4	Calibration	Calibration	2.2	7.0	241.0
2/16/2017 5:00	1.6	BDL	BDL	BDL	0.2	2.2	7.0	5.0
2/16/2017 6:00	1.9	BDL	BDL	BDL	0.2	2.1	9.0	4.0
2/16/2017 7:00	1.9	BDL	BDL	BDL	0.2	2.2	8.0	3.0
2/16/2017 8:00	2.0	BDL	BDL	BDL	0.2	2.2	14.0	4.0
2/16/2017 9:00	1.8	BDL	BDL	BDL	0.2	2.2	12.0	3.0
2/16/2017 10:00	1.7	BDL	BDL	BDL	0.2	2.2	17.0	3.0
2/16/2017 11:00	1.7	BDL	BDL	BDL	0.2	2.2	23.0	5.0
2/16/2017 12:00	1.7	BDL	BDL	BDL	0.2	2.3	23.0	4.0
2/16/2017 13:00	1.9	BDL	0.4	BDL	0.2	2.2	24.0	7.0
2/16/2017 14:00	1.9	BDL	BDL	BDL	0.2	2.2	14.0	5.0
2/16/2017 15:00	1.8	BDL	BDL	BDL	0.2	2.2	11.0	4.0
2/16/2017 16:00	1.8	BDL	BDL	BDL	0.2	2.2	10.0	8.0
2/16/2017 17:00	1.7	BDL	BDL	BDL	0.2	2.2	14.0	7.0
2/16/2017 18:00	1.1	BDL	BDL	BDL	0.2	2.2	11.0	4.0
2/16/2017 19:00	1.7	BDL	BDL	BDL	0.2	2.2	7.0	3.0
2/16/2017 20:00	1.8	BDL	BDL	BDL	0.2	2.2	5.0	6.0
2/16/2017 21:00	1.7	BDL	BDL	BDL	0.2	2.2	5.0	5.0
2/16/2017 22:00	1.8	BDL	BDL	BDL	0.2	2.2	5.0	7.0
2/16/2017 23:00	1.8	BDL	BDL	BDL	0.2	2.2	5.0	7.0
2/17/2017 0:00	1.7	BDL	BDL	BDL	0.2	2.2	4.0	6.0
2/17/2017 1:00	1.7	BDL	BDL	BDL	0.2	2.2	7.0	6.0
2/17/2017 2:00	1.8	Calibration	Calibration	BDL	0.2	2.3	7.0	8.0
2/17/2017 3:00	1.8	Calibration	Calibration	BDL	0.2	2.3	7.0	7.0
2/17/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.2	7.0	6.0
2/17/2017 5:00	1.7	BDL	BDL	BDL	0.2	2.2	8.0	5.0
2/17/2017 6:00	1.8	BDL	BDL	4.9	0.2	2.2	16.0	7.0
2/17/2017 7:00	1.7	BDL	BDL	4.0	0.2	2.2	13.0	7.0
2/17/2017 8:00	1.9	BDL	BDL	2.4	0.2	2.2	21.0	7.0
2/17/2017 9:00	2.0	BDL	BDL	BDL	0.2	2.2	12.0	5.0
2/17/2017 10:00	2.0	BDL	BDL	BDL	0.2	2.2	17.0	7.0
2/17/2017 11:00	2.0	BDL	BDL	BDL	0.2	2.2	13.0	7.0
2/17/2017 12:00	2.0	BDL	BDL	BDL	0.2	2.2	17.0	8.0
2/17/2017 13:00	2.2	BDL	BDL	BDL	0.2	2.2	16.0	9.0
2/17/2017 14:00	2.0	BDL	BDL	BDL	0.2	2.2	24.0	8.0
2/17/2017 15:00	2.3	BDL	BDL	BDL	0.2	2.2	17.0	10.0
2/17/2017 16:00	2.7	BDL	0.4	2.0	0.2	2.2	25.0	10.0
2/17/2017 17:00	2.1	BDL	BDL	BDL	0.2	2.2	18.0	9.0
2/17/2017 18:00	2.3	BDL	BDL	6.2	0.2	2.3	25.0	10.0
2/17/2017 19:00	2.2	BDL	BDL	9.9	0.3	2.3	22.0	14.0
2/17/2017 20:00	2.3	0.4	BDL	15.5	0.3	2.4	24.0	15.0
2/17/2017 21:00	2.2	0.6	0.4	20.6	0.4	2.8	22.0	12.0
2/17/2017 22:00	3.2	1.1	0.5	46.5	0.5	2.8	27.0	16.0
2/17/2017 23:00	3.2	2.2	1.4	62.3	0.6	3.0	31.0	20.0
2/18/2017 0:00	3.5	2.4	1.3	69.4	0.6	3.2	25.0	23.0
2/18/2017 1:00	2.9	2.3	1.3	61.0	0.6	3.2	34.0	20.0
2/18/2017 2:00	2.9	Calibration	Calibration	48.5	0.6	3.1	23.0	20.0
2/18/2017 3:00	3.4	Calibration	Calibration	77.9	0.7	3.3	31.0	17.0
2/18/2017 4:00	Calibration	2.3	1.4	Calibration	Calibration	Too few samples	36.0	24.0
2/18/2017 5:00	3.7	3.4	1.7	108.2	0.8	3.1	28.0	22.0
2/18/2017 6:00	5.0	4.9	2.1	167.4	1.0	3.3	38.0	25.0
2/18/2017 7:00	4.2	4.0	1.6	102.4	0.7	3.2	34.0	22.0
2/18/2017 8:00	6.6	3.8	1.9	99.6	0.7	3.4	40.0	33.0
2/18/2017 9:00	5.8	2.6	1.6	47.4	0.4	2.7	26.0	21.0
2/18/2017 10:00	5.7	1.7	1.3	31.1	0.4	2.5	26.0	21.0
2/18/2017 11:00	5.9	1.8	1.5	24.3	0.4	2.5	25.0	23.0
2/18/2017 12:00	6.3	1.7	1.4	23.0	0.4	2.6	30.0	18.0
2/18/2017 13:00	4.2	0.6	0.5	9.1	0.3	2.6	24.0	10.0
2/18/2017 14:00	4.4	0.4	BDL	7.2	0.3	2.5	24.0	12.0
2/18/2017 15:00	5.7	0.5	0.6	7.5	0.3	2.4	23.0	15.0
2/18/2017 16:00	4.8	0.4	0.5	10.4	0.3	2.5	19.0	10.0
2/18/2017 17:00	5.1	0.6	0.5	10.4	0.3	2.7	17.0	9.0
2/18/2017 18:00	5.9	0.5	0.5	17.0	0.4	2.6	17.0	14.0
2/18/2017 19:00	5.2	0.8	0.5	24.1	0.4	2.6	17.0	12.0
2/18/2017 20:00	5.2	0.8	0.6	20.8	0.4	2.6	18.0	9.0
2/18/2017 21:00	6.8	0.5	0.5	4.8	0.3	2.4	37.0	25.0
2/18/2017 22:00	7.9	0.6	0.5	11.9	0.4	2.6	32.0	19.0
2/18/2017 23:00	6.0	0.7	0.6	16.1	0.4	2.6	25.0	17.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 2/19/2017-2/25/2017								
2/19/2017 0:00	6.6	0.7	0.6	13.3	0.4	2.8	32.0	19.0
2/19/2017 1:00	4.1	1.0	0.8	30.2	0.5	2.8	24.0	17.0
2/19/2017 2:00	3.9	Calibration	Calibration	32.2	0.6	3.0	25.0	15.0
2/19/2017 3:00	3.7	Calibration	Calibration	15.6	0.5	2.9	21.0	13.0
2/19/2017 4:00	Calibration	0.7	0.7	Calibration	Calibration	Too few samples	19.0	17.0
2/19/2017 5:00	3.4	1.2	1.2	2.7	0.3	2.4	28.0	18.0
2/19/2017 6:00	3.5	0.4	0.4	0.7	0.3	2.5	18.0	13.0
2/19/2017 7:00	3.7	BDL	BDL	BDL	0.3	2.3	19.0	12.0
2/19/2017 8:00	3.9	BDL	0.4	BDL	0.3	2.3	23.0	14.0
2/19/2017 9:00	3.7	BDL	BDL	BDL	0.3	2.3	20.0	13.0
2/19/2017 10:00	3.8	BDL	BDL	BDL	0.3	2.3	23.0	13.0
2/19/2017 11:00	3.8	BDL	BDL	BDL	0.3	2.2	21.0	11.0
2/19/2017 12:00	3.7	BDL	BDL	BDL	0.3	2.3	12.0	9.0
2/19/2017 13:00	3.4	BDL	BDL	BDL	0.2	2.3	12.0	8.0
2/19/2017 14:00	3.6	BDL	BDL	BDL	0.2	2.2	16.0	6.0
2/19/2017 15:00	3.6	BDL	BDL	BDL	0.2	2.2	25.0	8.0
2/19/2017 16:00	3.4	BDL	BDL	BDL	0.2	2.3	14.0	8.0
2/19/2017 17:00	3.1	BDL	BDL	BDL	0.2	2.2	11.0	7.0
2/19/2017 18:00	3.0	BDL	BDL	BDL	0.3	2.3	14.0	7.0
2/19/2017 19:00	3.0	BDL	BDL	1.1	0.3	2.4	17.0	6.0
2/19/2017 20:00	3.0	BDL	0.5	0.8	0.3	2.4	21.0	13.0
2/19/2017 21:00	2.9	BDL	BDL	7.9	0.3	2.4	27.0	16.0
2/19/2017 22:00	3.2	BDL	0.4	8.1	0.4	2.9	20.0	9.0
2/19/2017 23:00	3.0	0.4	BDL	11.8	0.4	3.0	26.0	19.0	11.0
2/20/2017 0:00	2.9	BDL	BDL	2.1	0.3	2.4	15.0	9.0
2/20/2017 1:00	2.9	BDL	BDL	BDL	0.3	2.2	13.0	8.0
2/20/2017 2:00	2.7	Calibration	Calibration	BDL	0.3	2.2	10.0	5.0
2/20/2017 3:00	2.7	Calibration	Calibration	BDL	0.2	2.2	11.0	6.0
2/20/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	11.0	6.0
2/20/2017 5:00	2.6	BDL	BDL	10.0	0.3	2.3	17.0	9.0
2/20/2017 6:00	3.0	BDL	BDL	13.3	0.3	2.3	14.0	10.0
2/20/2017 7:00	2.9	BDL	BDL	14.0	0.3	2.3	20.0	7.0
2/20/2017 8:00	2.9	BDL	BDL	2.8	0.2	2.3	14.0	6.0
2/20/2017 9:00	2.7	BDL	0.1	BDL	0.2	2.2	11.0	6.0
2/20/2017 10:00	2.9	BDL	BDL	BDL	0.2	2.3	15.0	4.0
2/20/2017 11:00	2.9	BDL	BDL	BDL	0.2	2.3	13.0	5.0
2/20/2017 12:00	2.6	BDL	BDL	BDL	0.2	2.2	9.0	4.0
2/20/2017 13:00	2.5	BDL	BDL	BDL	0.2	2.3	16.0	2.0
2/20/2017 14:00	2.4	BDL	BDL	BDL	0.2	2.2	9.0	2.0
2/20/2017 15:00	2.3	BDL	BDL	BDL	0.2	2.3	11.0	2.0
2/20/2017 16:00	2.6	BDL	BDL	BDL	0.2	2.2	11.0	1.0
2/20/2017 17:00	2.3	BDL	BDL	BDL	0.2	2.2	8.0	BDL
2/20/2017 18:00	2.5	BDL	BDL	4.0	0.3	2.2	10.0	1.0
2/20/2017 19:00	2.5	BDL	BDL	10.9	0.3	2.2	14.0	4.0
2/20/2017 20:00	2.3	BDL	BDL	7.7	0.3	2.3	13.0	4.0
2/20/2017 21:00	2.2	BDL	BDL	3.6	0.3	2.2	17.0	7.0
2/20/2017 22:00	2.2	BDL	BDL	6.1	0.2	2.2	10.0	7.0
2/20/2017 23:00	2.3	BDL	BDL	14.7	0.3	2.2	9.0	10.0
2/21/2017 0:00	2.4	BDL	BDL	23.0	0.3	2.3	15.0	8.0
2/21/2017 1:00	2.4	BDL	BDL	16.3	0.3	2.3	13.0	7.0
2/21/2017 2:00	2.6	Calibration	Calibration	15.1	0.2	2.4	13.0	11.0
2/21/2017 3:00	2.6	Calibration	Calibration	21.9	0.3	2.4	16.0	9.0
2/21/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	11.0	7.0
2/21/2017 5:00	2.8	0.4	BDL	23.7	0.3	2.4	17.0	5.0
2/21/2017 6:00	2.8	0.7	BDL	30.7	0.4	2.4	18.0	9.0
2/21/2017 7:00	3.0	0.9	BDL	39.0	0.4	2.4	23.0	11.0
2/21/2017 8:00	3.1	1.2	0.4	45.1	0.4	2.4	39.0	14.0
2/21/2017 9:00	3.0	1.1	0.6	37.6	0.4	2.3	31.0	11.0
2/21/2017 10:00	2.9	0.5	BDL	10.8	0.2	2.2	pm	pm
2/21/2017 11:00	2.7	BDL	BDL	1.0	0.2	2.2	28.0	6.0
2/21/2017 12:00	2.8	BDL	BDL	BDL	0.2	Too few samples	21.0	5.0
2/21/2017 13:00	2.8	BDL	BDL	0.4	0.2	Too few samples	22.0	8.0
2/21/2017 14:00	2.7	BDL	BDL	BDL	0.2	1.7	35.0	7.0
2/21/2017 15:00	2.6	BDL	BDL	BDL	0.2	1.7	23.0	4.0
2/21/2017 16:00	2.5	BDL	BDL	BDL	0.2	1.6	22.0	5.0
2/21/2017 17:00	2.7	BDL	BDL	5.4	0.3	1.5	24.0	5.0
2/21/2017 18:00	2.6	BDL	BDL	2.3	0.3	1.6	23.0	5.0
2/21/2017 19:00	2.4	BDL	BDL	1.9	0.2	1.6	17.0	8.0
2/21/2017 20:00	2.4	BDL	BDL	0.9	0.2	1.6	18.0	5.0
2/21/2017 21:00	2.5	BDL	BDL	6.4	0.3	1.5	20.0	4.0
2/21/2017 22:00	2.7	BDL	BDL	4.0	0.2	1.5	18.0	6.0
2/21/2017 23:00	2.6	BDL	BDL	2.0	0.2	1.7	17.0	7.0
2/22/2017 0:00	2.7	BDL	BDL	0.4	0.2	1.8	17.0	5.0
2/22/2017 1:00	2.7	BDL	BDL	6.6	0.2	1.8	14.0	8.0
2/22/2017 2:00	2.8	Calibration	Calibration	8.7	0.2	1.9	13.0	5.0
2/22/2017 3:00	2.4	Calibration	Calibration	12.6	0.2	1.7	19.0	5.0
2/22/2017 4:00	Calibration	0.9	0.7	Calibration	Calibration	1.7	22.0	9.0
2/22/2017 5:00	3.3	1.5	1.0	37.5	0.3	1.7	25.0	14.0
2/22/2017 6:00	3.4	1.7	1.3	48.5	0.4	1.7	22.0	9.0
2/22/2017 7:00	3.2	1.6	1.2	34.3	0.3	1.7	27.0	11.0
2/22/2017 8:00	3.2	1.5	1.2	34.5	0.3	Too few samples	27.0	8.0
2/22/2017 9:00	3.6	1.8	1.2	36.0	0.3	1.9	31.0	11.0
2/22/2017 10:00	4.3	0.9	0.7	17.1	0.3	2.0	29.0	11.0
2/22/2017 11:00	5.5	1.0	0.8	22.2	0.3	1.8	32.0	16.0
2/22/2017 12:00	5.7	1.1	0.9	12.6	0.3	1.9	36.0	12.0
2/22/2017 13:00	5.2	0.9	0.8	10.9	0.3	1.8	32.0	12.0
2/22/2017 14:00	4.1	0.4	0.4	4.0	0.3	1.7	28.0	12.0
2/22/2017 15:00	4.1	0.6	0.6	5.1	0.3	1.7	25.0	10.0
2/22/2017 16:00	5.0	0.7	0.7	10.1	0.3	1.8	29.0	12.0
2/22/2017 17:00	4.7	0.7	0.6	12.3	0.3	2.1	32.0	14.0
2/22/2017 18:00	4.4	0.8	0.7	26.7	0.4	1.8	32.0	13.0
2/22/2017 19:00	4.1	1.4	1.0	35.8	0.5	1.6	35.0	14.0
2/22/2017 20:00	4.2	1.5	1.3	35.2	0.5	2.1	36.0	17.0
2/22/2017 21:00	4.9	1.9	1.5	46.6	0.5	2.4	35.0	17.0
2/22/2017 22:00	4.9	2.8	1.9	67.1	0.6	2.5	37.0	16.0
2/22/2017 23:00	4.6	2.4	1.8	53.4	0.6	2.6	33.0	21.0
2/23/2017 0:00	4.6	2.3	1.8	43.8	0.5	2.4	37.0	20.0
2/23/2017 1:00	4.7	2.0	1.5	30.5	0.4	2.6	34.0	20.0
2/23/2017 2:00	5.8	Calibration	Calibration	18.0	0.3	2.2	33.0	21.0
2/23/2017 3:00	4.9	Calibration	Calibration	10.9	0.3	2.1	13.0	12.0
2/23/2017 4:00	Calibration	0.9	0.9	Calibration	Calibration	Too few samples	18.0	11.0
2/23/2017 5:00	4.2	1.1	1.1	16.5	0.3	1.7	18.0	9.0
2/23/2017 6:00	4.4	1.2	1.0	27.6	0.4	1.7	16.0	10.0
2/23/2017 7:00	4.4	1.8	1.3	46.8	0.5	1.7	26.0	15.0
2/23/2017 8:00	3.7	1.9	1.4	43.4	0.4	1.6	21.0	12.0
2/23/2017 9:00	3.0	1.7	1.3	31.3	0.4	1.8	22.0	12.0
2/23/2017 10:00	3.6	1.2	1.1	19.3	0.4	1.9	23.0	23.0
2/23/2017 11:00	4.1	1.4	1.2	22.5	0.4	1.9	25.0	21.0
2/23/2017 12:00	4.3	0.8	0.7	15.1	0.4	1.9	20.0	18.0
2/23/2017 13:00	4.4	0.9	0.8	12.1	0.4	1.8	29.0	10.0
2/23/2017 14:00	3.9	0.5	0.6	2.9	0.3	1.8	33.0	11.0
2/23/2017 15:00	3.2	BDL	0.5	BDL	0.3	1.8	22.0	8.0
2/23/2017 16:00	3.0	0.4	0.5	BDL	0.3	1.7	18.0	9.0
2/23/2017 17:00	2.6	0.4	0.6	1.2	0.3	1.6	20.0	10.0
2/23/2017 18:00	2.6	0.8	0.9	9.5	0.3	1.7	24.0	11.0
2/23/2017 19:00	2.6	1.1	1.1	11.1	0.3	1.8	22.0	12.0
2/23/2017 20:00	2.6	1.0	1.1	7.4	0.3	1.7	18.0	13.0
2/23/2017 21:00	2.5	0.9	1.0	5.9	0.3	1.7	16.0	12.0
2/23/2017 22:00	2.4	0.8	0.9	6.3	0.3	1.6	16.0	9.0
2/23/2017 23:00	2.3	0.8	0.7	21.7	0.4	1.6	20.0	6.0
2/24/2017 0:00	2.3	0.5	0.7	8.5	0.3	1.8	17.0	3.0
2/24/2017 1:00	2.2	0.7	0.7	12.7	0.3	1.5	18.0	8.0
2/24/2017 2:00	2.2	Calibration	Calibration	7.4	0.3	1.7	15.0	6.0
2/24/2017 3:00	2.3	Calibration	Calibration	12.3	0.3	1.9	14.0	6.0
2/24/2017 4:00	Calibration	1.4	1.2	Calibration	Calibration	Too few samples	14.0	10.0
2/24/2017 5:00	2.4	1.5	1.2	26.8	0.4	1.5	13.0	7.0
2/24/2017 6:00	2.7	1.7	1.3	45.9	0.5	1.6	14.0	6.0
2/24/2017 7:00	2.6	1.6	1.2	33.6	0.4	1.6	18.0	7.0
2/24/2017 8:00	2.7	1.2	1.1	13.3	0.3	1.8	17.0	7.0
2/24/2017 9:00	3.8	1.1	1.0	18.5	0.3	1.8	22.0	8.0
2/24/2017 10:00	3.4	0.5	0.6	1.1	0.3	1.7	25.0	9.0
2/24/2017 11:00	3.1	BDL	0.5	BDL	0.2	1.6	24.0	7.0
2/24/2017 12:00	2.8	BDL	0.4	BDL	0.2	1.6	31.0	10.0
2/24/2017 13:00	2.7	BDL	BDL	BDL	0.3	1.5	32.0	7.0
2/24/2017 14:00	2.5	BDL	0.5	BDL	0.3	1.4	31.0	5.0
2/24/2017 15:00	2.5	BDL	0.4	4.3	0.3	1.4	27.0	10.0
2/24/2017 16:00	2.5	0.4	0.5	5.7	0.3	1.5	18.0	7.0
2/24/2017 17:00	2.4	BDL	0.4	1.0	0.3	1.4	20.0	5.0
2/24/2017 18:00	2.4	BDL	0.5	BDL	0.3	1.3	20.0	4.0
2/24/2017 19:00	2.3	BDL	0.5	BDL	0.3	1.3	15.0	6.0
2/24/2017 20:00	2.5	BDL	0.4	BDL	0.3	1.3	13.0	6.0
2/24/2017 21:00	2.5	BDL	0.4	BDL	0.3	1.3	18.0	8.0
2/24/2017 22:00	2.3	BDL	0.5	2.5	0.3	1.4	15.0	5.0
2/24/2017 23:00	2.3	BDL	0.5	BDL	0.3	1.5	12.0	3.0
2/25/2017 0:00	2.4	BDL	0.4	3.4	0.3	1.5	15.0	4.0
2/25/2017 1:00	2.4	BDL	0.6	6.3	0.3	1.4	13.0	4.0
2/25/2017 2:00	2.6	Calibration	Calibration	5.6	0.3	1.7	17.0	5.0
2/25/2017 3:00	2.6	Calibration	Calibration	14.5	0.3	1.4	19.0	7.0
2/25/2017 4:00	Calibration	0.5	0.6	Calibration	Calibration	Too few samples	19.0	7.0
2/25/2017 5:00	2.5	0.7	0.7	20.3	0.4	1.4	21.0	5.0
2/25/2017 6:00	2.8	0.8	0.8	15.8	0.4	1.4	19.0	4.0
2/25/2017 7:00	2.8	0.7	0.8	18.6	0.4	1.5	17.0	6.0
2/25/2017 8:00	2.8	0.6	0.7	1.3	0.3	1.3	16.0	4.0
2/25/2017 9:00	2.7	BDL	0.5	BDL	0.3	1.5	22.0	6.0
2/25/2017 10:00	2.8	BDL	BDL	BDL	0.2	1.5	39.0	5.0
2/25/2017 11:00	2.9	BDL	0.4	BDL	0.2	1.5	19.0	4.0
2/25/2017 12:00	3.1	BDL	0.4	BDL	0.2	1.5	17.0	3.0
2/25/2017 13:00	3.3	BDL	0.4	BDL	0.2	1.5	19.0	6.0
2/25/2017 14:00	3.3	BDL	0.5	BDL	0.2	1.4	20.0	9.0
2/25/2017 15:00	3.3	BDL	0.5	BDL	0.2	1.3	27.0	6.0
2/25/2017 16:00	3.0	BDL	0.5	BDL	0.2	1.3	16.0	5.0
2/25/2017 17:00	3.3	BDL	0.6	BDL	0.2	1.6	23.0	8.0
2/25/2017 18:00	3.2	BDL	0.6	BDL	0.2	1.7	7.0	5.0
2/25/2017 19:00	3.2	BDL	0.4	BDL	0.3	1.8	6.0	7.0
2/25/2017 20:00	3.2	BDL	0.4	BDL	0.2	1.7	10.0	8.0
2/25/2017 21:00	3.2	BDL	0.4	BDL	0.2	1.7	10.0	6.0
2/25/2017 22:00	3.1	BDL	BDL	BDL	0.2	1.8	6.0	4.0
2/25/2017 23:00	2.9	BDL	BDL	BDL	0.2	1.8	5.0	3.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 2/26/2017-3/4/2017								
2/26/2017 0:00	2.8	BDL	BDL	BDL	0.2	1.8	5.0	2.0
2/26/2017 1:00	2.8	BDL	BDL	BDL	0.2	1.8	6.0	3.0
2/26/2017 2:00	2.6	Calibration	Calibration	BDL	0.2	1.9	8.0	8.0
2/26/2017 3:00	2.8	Calibration	Calibration	BDL	0.2	1.9	7.0	6.0
2/26/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	1.8	7.0	4.0
2/26/2017 5:00	2.7	BDL	BDL	BDL	0.2	1.9	8.0	3.0
2/26/2017 6:00	2.8	BDL	BDL	BDL	0.2	1.9	6.0	3.0
2/26/2017 7:00	3.0	BDL	BDL	BDL	0.2	1.9	6.0	10.0
2/26/2017 8:00	2.9	BDL	BDL	BDL	0.2	2.0	9.0	8.0
2/26/2017 9:00	2.9	BDL	BDL	BDL	0.2	2.0	8.0	5.0
2/26/2017 10:00	3.0	BDL	BDL	BDL	0.2	2.0	11.0	8.0
2/26/2017 11:00	2.9	BDL	BDL	BDL	0.2	1.9	6.0	9.0
2/26/2017 12:00	2.8	BDL	BDL	BDL	0.2	1.9	6.0	6.0
2/26/2017 13:00	2.8	BDL	BDL	BDL	0.2	1.9	7.0	6.0
2/26/2017 14:00	2.9	BDL	BDL	BDL	0.2	1.9	21.0	8.0
2/26/2017 15:00	2.9	BDL	BDL	BDL	0.2	2.0	16.0	6.0
2/26/2017 16:00	2.9	BDL	BDL	BDL	0.2	2.0	12.0	6.0
2/26/2017 17:00	2.9	BDL	BDL	0.9	0.2	2.0	13.0	7.0
2/26/2017 18:00	2.8	BDL	BDL	BDL	0.2	2.0	15.0	8.0
2/26/2017 19:00	2.9	BDL	BDL	BDL	0.2	2.0	13.0	10.0
2/26/2017 20:00	2.9	BDL	BDL	BDL	0.2	2.0	17.0	9.0
2/26/2017 21:00	2.9	BDL	BDL	1.9	0.2	2.1	14.0	14.0
2/26/2017 22:00	3.2	BDL	BDL	8.1	0.2	2.2	18.0	13.0
2/26/2017 23:00	3.2	BDL	BDL	7.8	0.3	2.3	17.0	14.0
2/27/2017 0:00	3.3	0.5	BDL	24.3	0.3	2.3	23.0	14.0
2/27/2017 1:00	3.3	0.6	0.6	29.3	0.3	2.2	21.0	14.0
2/27/2017 2:00	3.1	Calibration	Calibration	19.7	0.3	2.5	21.0	18.0
2/27/2017 3:00	3.2	Calibration	Calibration	19.9	0.3	2.6	21.0	14.0
2/27/2017 4:00	Calibration	0.6	0.5	Calibration	Calibration	2.5	22.0	12.0
2/27/2017 5:00	3.3	1.2	0.9	29.7	0.3	2.2	23.0	13.0
2/27/2017 6:00	3.8	1.7	1.2	42.1	0.4	2.0	23.0	14.0
2/27/2017 7:00	4.1	2.3	1.7	46.8	0.4	2.3	28.0	13.0
2/27/2017 8:00	4.5	2.9	2.2	40.4	0.3	2.3	29.0	14.0
2/27/2017 9:00	4.3	1.9	1.5	14.3	0.2	2.3	23.0	10.0
2/27/2017 10:00	3.8	0.8	0.8	0.9	0.2	2.2	18.0	13.0
2/27/2017 11:00	3.6	BDL	0.4	BDL	0.2	2.1	14.0	8.0
2/27/2017 12:00	3.6	BDL	BDL	BDL	0.2	1.9	11.0	7.0
2/27/2017 13:00	3.9	BDL	BDL	BDL	0.2	2.0	17.0	8.0
2/27/2017 14:00	4.5	BDL	BDL	BDL	0.2	2.1	14.0	7.0
2/27/2017 15:00	3.8	BDL	BDL	BDL	0.2	2.1	16.0	5.0
2/27/2017 16:00	5.0	BDL	BDL	3.7	0.2	2.0	27.0	14.0
2/27/2017 17:00	4.4	BDL	BDL	7.2	0.2	2.2	15.0	9.0
2/27/2017 18:00	4.0	BDL	BDL	7.5	0.2	2.2	17.0	8.0
2/27/2017 19:00	3.6	BDL	BDL	6.8	0.2	2.2	13.0	7.0
2/27/2017 20:00	4.0	1.1	0.7	35.2	0.3	2.0	23.0	8.0
2/27/2017 21:00	3.8	1.0	0.7	30.4	0.4	1.9	18.0	7.0
2/27/2017 22:00	3.8	1.0	0.6	25.8	0.4	1.9	19.0	11.0
2/27/2017 23:00	3.9	1.3	1.0	26.1	0.4	1.9	15.0	7.0
2/28/2017 0:00	3.8	1.5	1.2	25.2	0.3	2.0	13.0	12.0
2/28/2017 1:00	3.8	1.3	0.8	26.6	0.3	1.9	16.0	9.0
2/28/2017 2:00	3.7	Calibration	Calibration	22.1	0.3	1.9	12.0	9.0
2/28/2017 3:00	3.9	Calibration	Calibration	30.6	0.3	1.9	19.0	10.0
2/28/2017 4:00	Calibration	1.2	0.5	Calibration	Calibration	Too few samples	19.0	9.0
2/28/2017 5:00	4.9	2.6	1.3	90.9	0.7	2.7	31.0	12.0
2/28/2017 6:00	6.2	3.7	1.7	137.8	0.9	2.9	35.0	16.0
2/28/2017 7:00	6.2	3.5	1.8	117.6	1.0	2.5	33.0	17.0
2/28/2017 8:00	6.2	3.1	1.6	96.1	0.7	2.4	36.0	15.0
2/28/2017 9:00	6.2	3.0	1.9	71.9	0.6	2.2	39.0	12.0
2/28/2017 10:00	5.6	1.7	1.2	39.7	0.4	1.9	29.0	13.0
2/28/2017 11:00	5.2	1.1	0.8	18.6	0.3	1.8	23.0	11.0
2/28/2017 12:00	4.6	0.5	0.5	5.2	0.3	1.9	22.0	11.0
2/28/2017 13:00	4.7	0.4	0.5	BDL	0.2	1.9	30.0	10.0
2/28/2017 14:00	4.6	BDL	BDL	BDL	0.2	1.9	24.0	7.0
2/28/2017 15:00	4.6	BDL	0.4	0.4	0.3	1.9	19.0	10.0
2/28/2017 16:00	4.4	BDL	BDL	1.4	0.3	1.8	23.0	9.0
2/28/2017 17:00	4.4	BDL	0.4	3.7	0.3	2.1	21.0	10.0
2/28/2017 18:00	4.3	BDL	0.4	BDL	0.3	1.8	14.0	7.0
2/28/2017 19:00	4.3	BDL	0.4	0.5	0.3	1.6	16.0	8.0
2/28/2017 20:00	Too few samples	0.4	0.6	3.8	0.3	2.2	16.0	8.0
2/28/2017 21:00	analyzer malfunction	0.6	0.7	3.9	0.3	1.7	12.0	7.0
2/28/2017 22:00	analyzer malfunction	0.7	0.9	6.1	0.3	1.9	17.0	8.0
2/28/2017 23:00	analyzer malfunction	0.9	1.0	3.4	0.3	2.0	16.0	6.0
3/1/2017 0:00	analyzer malfunction	0.9	1.1	3.3	0.2	2.0	11.0	9.0
3/1/2017 1:00	analyzer malfunction	1.0	1.2	3.2	0.2	1.8	7.0	6.0
3/1/2017 2:00	analyzer malfunction	Calibration	Calibration	0.5	0.2	2.0	7.0	4.0
3/1/2017 3:00	analyzer malfunction	Calibration	Calibration	0.9	0.2	2.1	6.0	2.0
3/1/2017 4:00	analyzer malfunction	0.5	0.8	Calibration	Calibration	Too few samples	11.0	3.0
3/1/2017 5:00	analyzer malfunction	0.6	0.9	2.8	0.3	1.9	14.0	5.0
3/1/2017 6:00	analyzer malfunction	0.7	1.0	2.1	0.3	1.9	16.0	13.0
3/1/2017 7:00	analyzer malfunction	Audit	Audit	4.4	0.3	1.9	18.0	17.0
3/1/2017 8:00	analyzer malfunction	Too few samples	Too few samples	5.9	0.3	1.8	17.0	12.0
3/1/2017 9:00	analyzer malfunction	1.1	1.2	Calibration	0.3	1.8	20.0	9.0
3/1/2017 10:00	Calibration	1.3	1.3	Too few samples	Too few samples	2.0	30.0	18.0
3/1/2017 11:00	Too few samples	0.9	0.9	Too few samples	Too few samples	2.0	25.0	18.0
3/1/2017 12:00	BDL	0.6	0.8	6.1	0.3	2.0	25.0	14.0
3/1/2017 13:00	BDL	0.6	0.7	3.7	0.3	2.0	21.0	15.0
3/1/2017 14:00	BDL	0.5	0.8	2.9	0.3	2.0	29.0	14.0
3/1/2017 15:00	BDL	0.6	0.8	6.7	0.3	1.9	25.0	17.0
3/1/2017 16:00	BDL	0.6	0.7	11.6	0.3	1.8	24.0	12.0
3/1/2017 17:00	BDL	0.5	0.6	14.0	0.4	1.8	24.0	13.0
3/1/2017 18:00	BDL	0.6	0.7	14.4	0.3	1.8	25.0	11.0
3/1/2017 19:00	BDL	0.5	0.6	12.4	0.3	1.8	13.0	7.0
3/1/2017 20:00	BDL	0.5	0.5	11.8	0.3	1.8	23.0	6.0
3/1/2017 21:00	BDL	0.5	0.6	9.7	0.3	1.7	13.0	9.0
3/1/2017 22:00	BDL	0.5	0.6	9.4	0.3	1.7	14.0	5.0
3/1/2017 23:00	BDL	0.4	0.6	9.5	0.3	1.7	9.0	1.0
3/2/2017 0:00	0.6	0.4	0.6	8.3	0.2	1.5	22.0	18.0
3/2/2017 1:00	1.6	0.6	0.7	12.3	0.2	1.7	26.0	15.0
3/2/2017 2:00	BDL	Calibration	Calibration	10.7	0.2	1.8	29.0	5.0
3/2/2017 3:00	BDL	Calibration	Calibration	6.1	0.2	1.9	21.0	4.0
3/2/2017 4:00	Calibration	BDL	0.5	Calibration	Calibration	1.8	14.0	4.0
3/2/2017 5:00	BDL	0.5	0.6	9.9	0.2	1.8	14.0	5.0
3/2/2017 6:00	BDL	BDL	0.4	10.3	0.2	1.9	15.0	5.0
3/2/2017 7:00	BDL	BDL	0.4	4.9	0.2	2.1	26.0	5.0
3/2/2017 8:00	BDL	BDL	BDL	4.4	0.2	2.1	17.0	4.0
3/2/2017 9:00	BDL	BDL	BDL	3.6	0.2	2.1	18.0	3.0
3/2/2017 10:00	BDL	BDL	BDL	3.3	0.1	2.1	19.0	4.0
3/2/2017 11:00	BDL	BDL	BDL	1.8	0.2	2.1	19.0	5.0
3/2/2017 12:00	BDL	BDL	BDL	3.4	0.2	2.1	24.0	5.0
3/2/2017 13:00	BDL	BDL	BDL	4.4	0.2	2.1	27.0	5.0
3/2/2017 14:00	BDL	BDL	BDL	3.6	0.2	2.1	23.0	3.0
3/2/2017 15:00	BDL	BDL	BDL	1.2	0.2	2.1	23.0	1.0
3/2/2017 16:00	BDL	BDL	BDL	BDL	0.2	2.0	6.0	3.0
3/2/2017 17:00	BDL	BDL	BDL	1.2	0.2	2.0	10.0	6.0
3/2/2017 18:00	BDL	BDL	BDL	2.5	0.2	2.0	11.0	6.0
3/2/2017 19:00	BDL	BDL	BDL	0.9	0.2	2.0	11.0	5.0
3/2/2017 20:00	BDL	BDL	BDL	2.2	0.2	2.0	13.0	5.0
3/2/2017 21:00	BDL	BDL	BDL	BDL	0.2	2.0	8.0	5.0
3/2/2017 22:00	BDL	BDL	BDL	0.8	0.2	2.0	6.0	5.0
3/2/2017 23:00	BDL	BDL	BDL	BDL	0.1	2.0	10.0	6.0
3/3/2017 0:00	BDL	BDL	BDL	BDL	0.2	2.0	8.0	5.0
3/3/2017 1:00	BDL	BDL	BDL	0.6	0.2	2.0	6.0	5.0
3/3/2017 2:00	BDL	Calibration	Calibration	0.4	0.2	2.0	6.0	6.0
3/3/2017 3:00	BDL	Calibration	Calibration	BDL	0.2	2.0	7.0	6.0
3/3/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	8.0	8.0
3/3/2017 5:00	BDL	BDL	BDL	1.5	0.2	2.0	7.0	6.0
3/3/2017 6:00	BDL	BDL	BDL	3.6	0.2	2.0	11.0	4.0
3/3/2017 7:00	BDL	BDL	BDL	11.6	0.2	2.1	22.0	5.0
3/3/2017 8:00	BDL	BDL	BDL	4.3	0.2	2.1	18.0	4.0
3/3/2017 9:00	BDL	BDL	BDL	2.2	0.1	2.0	7.0	4.0
3/3/2017 10:00	BDL	BDL	BDL	5.8	0.1	2.0	20.0	8.0
3/3/2017 11:00	BDL	BDL	BDL	5.4	0.1	2.1	16.0	6.0
3/3/2017 12:00	BDL	BDL	BDL	8.5	0.2	2.0	24.0	6.0
3/3/2017 13:00	BDL	BDL	BDL	4.2	0.1	2.1	29.0	5.0
3/3/2017 14:00	BDL	BDL	BDL	8.4	0.2	2.0	31.0	11.0
3/3/2017 15:00	BDL	BDL	BDL	10.0	0.2	2.1	48.0	9.0
3/3/2017 16:00	BDL	BDL	BDL	4.6	0.2	2.1	19.0	6.0
3/3/2017 17:00	BDL	BDL	BDL	4.7	0.2	2.1	22.0	9.0
3/3/2017 18:00	BDL	BDL	BDL	4.0	0.2	2.1	8.0	6.0
3/3/2017 19:00	BDL	BDL	BDL	3.1	0.2	2.1	13.0	5.0
3/3/2017 20:00	BDL	BDL	BDL	BDL	0.1	2.1	12.0	6.0
3/3/2017 21:00	BDL	BDL	BDL	BDL	0.1	2.2	12.0	6.0
3/3/2017 22:00	BDL	BDL	BDL	BDL	0.1	2.2	8.0	4.0
3/3/2017 23:00	BDL	BDL	BDL	BDL	0.1	2.2	4.0	3.0
3/4/2017 0:00	BDL	BDL	BDL	BDL	0.1	2.2	4.0	3.0
3/4/2017 1:00	BDL	BDL	BDL	BDL	0.1	2.2	3.0	3.0
3/4/2017 2:00	BDL	Calibration	Calibration	BDL	0.1	2.2	5.0	4.0
3/4/2017 3:00	BDL	Calibration	Calibration	BDL	0.1	2.3	10.0	2.0
3/4/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	8.0	2.0
3/4/2017 5:00	BDL	BDL	BDL	2.7	0.1	2.2	6.0	3.0
3/4/2017 6:00	BDL	BDL	BDL	5.0	0.1	2.2	7.0	5.0
3/4/2017 7:00	BDL	BDL	BDL	11.9	0.2	2.2	10.0	6.0
3/4/2017 8:00	BDL	BDL	BDL	4.5	0.1	2.2	14.0	6.0
3/4/2017 9:00	BDL	BDL	BDL	0.9	0.1	2.2	12.0	5.0
3/4/2017 10:00	BDL	BDL	BDL	BDL	0.1	2.3	8.0	7.0
3/4/2017 11:00	BDL	BDL	BDL	BDL	0.1	2.2	11.0	6.0
3/4/2017 12:00	BDL	BDL	BDL	BDL	0.1	2.3	9.0	5.0
3/4/2017 13:00	BDL	BDL	BDL	BDL	0.1	2.2	9.0	5.0
3/4/2017 14:00	BDL	BDL	BDL	BDL	0.1	2.2	8.0	5.0
3/4/2017 15:00	BDL	BDL	BDL	BDL	0.1	2.2	10.0	3.0
3/4/2017 16:00	BDL	BDL	BDL	BDL	0.1	2.2	7.0	3.0
3/4/2017 17:00	BDL	BDL	BDL	BDL	0.1	2.2	6.0	6.0
3/4/2017 18:00	BDL	BDL	BDL	1.8	0.2	2.1	6.0	5.0
3/4/2017 19:00	BDL	BDL	BDL	2.8	0.2	2.1	6.0	6.0
3/4/2017 20:00	BDL	BDL	BDL	5.2	0.2	2.1	13.0	6.0
3/4/2017 21:00	BDL	BDL	BDL	4.1	0.2	2.1	8.0	5.0
3/4/2017 22:00	BDL	BDL	BDL	2.5	0.2	2.1	10.0	3.0
3/4/2017 23:00	BDL	BDL	BDL	1.1	0.2	2.1	9.0	5.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 3/5/2017-3/11/2017								
3/5/2017 0:00	BDL	BDL	BDL	BDL	0.2	2.1	8.0	5.0
3/5/2017 1:00	BDL	BDL	BDL	1.0	0.1	2.2	8.0	5.0
3/5/2017 2:00	BDL	Calibration	Calibration	1.1	0.1	2.2	7.0	5.0
3/5/2017 3:00	BDL	Calibration	Calibration	2.2	0.1	2.4	5.0	5.0
3/5/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	6.0	5.0
3/5/2017 5:00	BDL	BDL	BDL	2.9	0.1	2.3	7.0	4.0
3/5/2017 6:00	BDL	BDL	BDL	3.6	0.1	2.2	8.0	5.0
3/5/2017 7:00	BDL	BDL	BDL	3.3	0.2	2.2	11.0	4.0
3/5/2017 8:00	BDL	Calibration	Calibration	2.5	0.2	2.6	7.0	4.0
3/5/2017 9:00	BDL	Calibration	Calibration	1.6	0.1	2.3	8.0	3.0
3/5/2017 10:00	BDL	BDL	BDL	2.0	0.2	2.2	11.0	3.0
3/5/2017 11:00	BDL	BDL	BDL	2.5	0.2	2.2	8.0	2.0
3/5/2017 12:00	BDL	BDL	BDL	BDL	0.2	2.2	8.0	4.0
3/5/2017 13:00	BDL	BDL	BDL	BDL	0.1	2.3	5.0	6.0
3/5/2017 14:00	BDL	BDL	BDL	BDL	0.1	2.2	6.0	5.0
3/5/2017 15:00	BDL	BDL	BDL	BDL	0.1	2.1	7.0	6.0
3/5/2017 16:00	BDL	BDL	BDL	BDL	0.1	2.2	6.0	4.0
3/5/2017 17:00	BDL	BDL	BDL	BDL	0.1	2.1	8.0	3.0
3/5/2017 18:00	BDL	BDL	BDL	2.0	0.2	2.3	9.0	5.0
3/5/2017 19:00	BDL	BDL	BDL	12.4	0.2	2.3	13.0	8.0
3/5/2017 20:00	BDL	BDL	BDL	14.4	0.3	2.4	13.0	9.0
3/5/2017 21:00	BDL	BDL	BDL	18.3	0.3	2.6	14.0	13.0
3/5/2017 22:00	BDL	BDL	BDL	24.6	0.3	2.7	16.0	15.0
3/5/2017 23:00	BDL	1.1	BDL	56.3	0.5	3.5	17.0	23.0
3/6/2017 0:00	BDL	1.6	0.8	65.4	0.8	2.7	19.0	13.0
3/6/2017 1:00	BDL	1.4	0.6	58.3	0.6	3.1	21.0	14.0
3/6/2017 2:00	BDL	Calibration	Calibration	71.4	0.5	2.9	19.0	16.0
3/6/2017 3:00	BDL	Calibration	Calibration	104.3	0.7	3.0	22.0	21.0
3/6/2017 4:00	Calibration	3.7	1.9	Calibration	Calibration	3.2	29.0	20.0
3/6/2017 5:00	BDL	4.6	2.0	152.0	0.7	2.9	32.0	21.0
3/6/2017 6:00	0.4	5.3	2.3	184.6	1.0	3.2	44.0	22.0
3/6/2017 7:00	BDL	4.3	1.9	134.5	0.7	2.6	40.0	20.0
3/6/2017 8:00	BDL	1.6	0.7	58.5	0.4	2.3	27.0	15.0
3/6/2017 9:00	BDL	0.6	BDL	24.5	0.3	2.1	24.0	10.0
3/6/2017 10:00	BDL	BDL	BDL	10.5	0.2	2.0	16.0	11.0
3/6/2017 11:00	BDL	BDL	BDL	6.6	0.2	2.0	13.0	9.0
3/6/2017 12:00	BDL	BDL	BDL	5.5	0.2	2.0	17.0	8.0
3/6/2017 13:00	BDL	BDL	0.4	8.0	0.2	2.0	17.0	10.0
3/6/2017 14:00	BDL	0.5	0.7	2.7	0.2	2.0	23.0	11.0
3/6/2017 15:00	BDL	BDL	0.4	2.9	0.2	2.1	22.0	6.0
3/6/2017 16:00	BDL	BDL	0.4	4.9	0.2	2.0	21.0	7.0
3/6/2017 17:00	BDL	BDL	BDL	10.3	0.3	1.9	21.0	10.0
3/6/2017 18:00	BDL	BDL	BDL	9.8	0.2	2.1	26.0	11.0
3/6/2017 19:00	BDL	BDL	BDL	6.9	0.2	2.0	23.0	11.0
3/6/2017 20:00	BDL	BDL	BDL	9.3	0.2	1.9	14.0	10.0
3/6/2017 21:00	BDL	BDL	BDL	5.8	0.2	2.0	18.0	9.0
3/6/2017 22:00	BDL	BDL	BDL	8.6	0.2	1.9	13.0	14.0
3/6/2017 23:00	BDL	BDL	BDL	12.1	0.2	1.9	18.0	10.0
3/7/2017 0:00	BDL	0.4	BDL	15.6	0.2	1.9	14.0	11.0
3/7/2017 1:00	BDL	0.6	0.6	22.8	0.3	2.0	17.0	10.0
3/7/2017 2:00	BDL	Calibration	Calibration	27.0	0.3	2.0	19.0	10.0
3/7/2017 3:00	BDL	Calibration	Calibration	31.8	0.3	2.0	17.0	10.0
3/7/2017 4:00	Calibration	1.0	0.8	Calibration	Calibration	Too few samples	15.0	9.0
3/7/2017 5:00	BDL	1.7	1.3	40.9	0.4	1.9	23.0	11.0
3/7/2017 6:00	BDL	1.7	0.9	44.8	0.4	1.9	25.0	16.0
3/7/2017 7:00	BDL	1.5	1.0	48.0	0.4	2.0	25.0	15.0
3/7/2017 8:00	BDL	1.8	0.9	58.1	0.6	2.0	32.0	17.0
3/7/2017 9:00	BDL	2.9	1.6	110.9	0.7	2.3	42.0	23.0
3/7/2017 10:00	BDL	3.7	1.9	113.8	0.8	2.4	47.0	24.0
3/7/2017 11:00	BDL	2.1	1.3	44.2	0.4	2.4	maintenance	18.0
3/7/2017 12:00	BDL	1.0	0.9	14.6	0.3	2.4	18.0	15.0
3/7/2017 13:00	BDL	0.4	0.7	4.7	0.2	2.3	18.0	5.0
3/7/2017 14:00	BDL	BDL	BDL	2.2	0.3	2.4	27.0	10.0
3/7/2017 15:00	BDL	BDL	0.4	5.8	0.2	2.2	22.0	9.0
3/7/2017 16:00	BDL	BDL	0.4	2.9	0.2	2.3	17.0	11.0
3/7/2017 17:00	BDL	BDL	BDL	2.7	0.2	2.2	22.0	14.0
3/7/2017 18:00	BDL	BDL	0.4	7.7	0.2	2.1	20.0	9.0
3/7/2017 19:00	BDL	0.4	0.5	8.0	0.2	2.2	19.0	12.0
3/7/2017 20:00	BDL	BDL	0.4	3.2	0.2	2.2	17.0	8.0
3/7/2017 21:00	BDL	0.5	0.6	7.0	0.2	2.2	15.0	10.0
3/7/2017 22:00	BDL	0.5	0.7	5.7	0.2	2.1	15.0	7.0
3/7/2017 23:00	BDL	0.7	0.9	8.9	0.2	1.9	17.0	8.0
3/8/2017 0:00	BDL	0.6	0.6	10.3	0.2	1.8	20.0	6.0
3/8/2017 1:00	BDL	0.6	0.7	3.4	0.2	2.0	17.0	9.0
3/8/2017 2:00	BDL	Calibration	Calibration	4.7	0.2	2.1	17.0	8.0
3/8/2017 3:00	BDL	Calibration	Calibration	2.7	0.2	2.1	13.0	7.0
3/8/2017 4:00	Calibration	0.4	0.7	Calibration	Calibration	Too few samples	14.0	12.0
3/8/2017 5:00	BDL	BDL	0.6	0.8	0.2	2.0	9.0	7.0
3/8/2017 6:00	BDL	BDL	BDL	1.7	0.2	1.9	5.0	3.0
3/8/2017 7:00	BDL	BDL	BDL	6.1	0.2	2.0	5.0	1.0
3/8/2017 8:00	BDL	BDL	BDL	5.6	0.2	2.0	6.0	1.0
3/8/2017 9:00	BDL	BDL	0.5	6.3	0.2	2.1	10.0	7.0
3/8/2017 10:00	BDL	BDL	0.4	5.9	0.2	2.1	15.0	5.0
3/8/2017 11:00	BDL	BDL	0.4	7.2	0.2	2.2	12.0	2.0
3/8/2017 12:00	BDL	BDL	0.4	8.5	0.2	2.1	11.0	3.0
3/8/2017 13:00	BDL	BDL	0.5	10.7	0.2	2.2	21.0	4.0
3/8/2017 14:00	BDL	0.4	0.6	11.6	0.2	2.1	45.0	6.0
3/8/2017 15:00	0.4	0.5	0.7	12.7	0.2	2.1	41.0	6.0
3/8/2017 16:00	1.2	0.7	0.5	17.1	0.2	2.3	38.0	5.0
3/8/2017 17:00	2.3	BDL	BDL	11.3	0.2	2.5	24.0	14.0
3/8/2017 18:00	BDL	BDL	BDL	16.9	0.2	2.4	16.0	8.0
3/8/2017 19:00	BDL	BDL	0.4	13.3	0.2	2.3	11.0	4.0
3/8/2017 20:00	BDL	BDL	BDL	16.0	0.3	2.2	15.0	7.0
3/8/2017 21:00	0.8	0.5	0.4	24.8	0.4	2.3	15.0	11.0
3/8/2017 22:00	0.6	0.9	0.8	19.8	0.2	2.3	20.0	6.0
3/8/2017 23:00	1.2	0.7	0.7	19.5	0.2	2.5	17.0	7.0
3/9/2017 0:00	0.6	1.1	1.4	23.8	0.2	2.4	12.0	7.0
3/9/2017 1:00	BDL	0.8	0.9	15.1	0.2	2.2	13.0	4.0
3/9/2017 2:00	BDL	Calibration	Calibration	10.7	0.2	2.0	13.0	7.0
3/9/2017 3:00	BDL	Calibration	Calibration	11.5	0.2	2.0	17.0	6.0
3/9/2017 4:00	Calibration	BDL	0.5	Calibration	Calibration	2.0	8.0	3.0
3/9/2017 5:00	7.9	0.6	0.6	18.2	0.3	2.5	20.0	14.0
3/9/2017 6:00	6.2	0.4	0.5	20.3	0.3	2.4	36.0	16.0
3/9/2017 7:00	3.9	0.8	0.6	25.6	0.3	2.3	51.0	20.0
3/9/2017 8:00	3.4	0.6	0.6	20.8	0.2	2.3	49.0	17.0
3/9/2017 9:00	BDL	0.6	0.5	15.3	0.2	2.2	63.0	6.0
3/9/2017 10:00	BDL	0.5	0.4	13.0	0.2	2.3	90.0	7.0
3/9/2017 11:00	BDL	0.4	0.4	12.0	0.2	2.2	50.0	6.0
3/9/2017 12:00	0.9	0.4	0.4	11.8	0.2	2.2	56.0	5.0
3/9/2017 13:00	BDL	BDL	0.4	10.0	0.2	2.3	74.0	6.0
3/9/2017 14:00	0.5	0.4	0.5	14.5	0.2	2.3	67.0	11.0
3/9/2017 15:00	BDL	0.4	0.4	11.6	0.2	2.3	59.0	12.0
3/9/2017 16:00	BDL	BDL	BDL	10.2	0.2	2.3	36.0	10.0
3/9/2017 17:00	BDL	BDL	BDL	8.5	0.2	2.2	28.0	11.0
3/9/2017 18:00	BDL	BDL	BDL	8.3	0.2	2.3	26.0	9.0
3/9/2017 19:00	BDL	BDL	BDL	17.0	0.3	2.6	28.0	10.0
3/9/2017 20:00	BDL	BDL	0.4	11.4	0.3	2.3	25.0	11.0
3/9/2017 21:00	BDL	BDL	BDL	9.1	0.2	2.0	21.0	6.0
3/9/2017 22:00	BDL	BDL	BDL	4.9	0.2	1.9	5.0	2.0
3/9/2017 23:00	BDL	BDL	BDL	2.7	0.2	1.9	8.0	1.0
3/10/2017 0:00	BDL	BDL	BDL	6.5	0.2	1.9	6.0	3.0
3/10/2017 1:00	BDL	BDL	BDL	4.4	0.2	1.9	8.0	3.0
3/10/2017 2:00	BDL	Calibration	Calibration	3.8	0.2	1.9	7.0	2.0
3/10/2017 3:00	BDL	Calibration	Calibration	5.7	0.2	1.9	5.0	2.0
3/10/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	9.0	5.0
3/10/2017 5:00	BDL	BDL	BDL	8.2	0.2	1.9	11.0	4.0
3/10/2017 6:00	BDL	BDL	BDL	12.7	0.3	1.9	12.0	3.0
3/10/2017 7:00	BDL	BDL	BDL	15.6	0.3	1.9	10.0	3.0
3/10/2017 8:00	BDL	0.5	BDL	23.5	0.3	1.9	9.0	8.0
3/10/2017 9:00	BDL	0.7	0.4	24.4	0.3	2.0	8.0	8.0
3/10/2017 10:00	BDL	0.5	0.4	15.9	0.2	2.0	8.0	5.0
3/10/2017 11:00	BDL	BDL	BDL	10.8	0.2	2.0	6.0	3.0
3/10/2017 12:00	BDL	BDL	BDL	10.8	0.2	2.0	5.0	6.0
3/10/2017 13:00	BDL	BDL	BDL	5.9	0.2	2.0	7.0	5.0
3/10/2017 14:00	BDL	BDL	BDL	1.6	0.2	2.1	7.0	6.0
3/10/2017 15:00	BDL	BDL	BDL	0.5	0.2	2.1	9.0	6.0
3/10/2017 16:00	BDL	BDL	BDL	2.8	0.2	2.1	13.0	5.0
3/10/2017 17:00	BDL	BDL	BDL	0.7	0.2	2.1	10.0	4.0
3/10/2017 18:00	BDL	BDL	BDL	2.4	0.2	2.2	10.0	4.0
3/10/2017 19:00	BDL	BDL	BDL	3.1	0.2	2.3	9.0	5.0
3/10/2017 20:00	BDL	BDL	BDL	BDL	0.2	2.2	10.0	7.0
3/10/2017 21:00	BDL	BDL	BDL	BDL	0.1	2.2	7.0	6.0
3/10/2017 22:00	BDL	BDL	BDL	BDL	0.1	2.2	8.0	4.0
3/10/2017 23:00	BDL	BDL	BDL	BDL	0.1	2.3	8.0	3.0
3/11/2017 0:00	BDL	BDL	BDL	BDL	0.1	2.3	5.0	2.0
3/11/2017 1:00	BDL	BDL	BDL	BDL	0.1	2.3	6.0	1.0
3/11/2017 2:00	BDL	Calibration	Calibration	BDL	0.1	2.3	6.0	1.0
3/11/2017 3:00	BDL	Calibration	Calibration	BDL	0.1	2.3	7.0	2.0
3/11/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.3	5.0	7.0
3/11/2017 5:00	BDL	BDL	BDL	BDL	0.1	2.2	4.0	7.0
3/11/2017 6:00	BDL	BDL	BDL	0.9	0.1	2.2	6.0	3.0
3/11/2017 7:00	BDL	BDL	BDL	3.7	0.1	2.2	7.0	1.0
3/11/2017 8:00	BDL	BDL	BDL	0.8	0.1	2.3	13.0	5.0
3/11/2017 9:00	BDL	BDL	BDL	BDL	0.1	2.3	10.0	3.0
3/11/2017 10:00	BDL	BDL	BDL	BDL	0.1	2.3	6.0	3.0
3/11/2017 11:00	BDL	BDL	BDL	2.3	0.1	2.3	5.0	4.0
3/11/2017 12:00	BDL	BDL	BDL	2.3	0.1	2.3	15.0	3.0
3/11/2017 13:00	BDL	BDL	BDL	2.7	0.1	2.3	8.0	5.0
3/11/2017 14:00	BDL	BDL	BDL	3.2	0.1	2.3	14.0	9.0
3/11/2017 15:00	BDL	BDL	BDL	1.0	0.1	2.3	10.0	7.0
3/11/2017 16:00	BDL	BDL	BDL	0.4	0.1	2.3	10.0	6.0
3/11/2017 17:00	BDL	BDL	BDL	BDL	0.1	2.3	7.0	6.0
3/11/2017 18:00	BDL	BDL	BDL	1.4	0.1	2.2	15.0	5.0
3/11/2017 19:00	BDL	BDL	BDL	BDL	0.1	2.2	14.0	8.0
3/11/2017 20:00	BDL	BDL	BDL	BDL	0.2	2.2	10.0	7.0
3/11/2017 21:00	BDL	BDL	BDL	BDL	0.1	2.3	7.0	5.0
3/11/2017 22:00	BDL	BDL	BDL	BDL	0.1	2.3	6.0	8.0
3/11/2017 23:00	BDL	BDL	BDL	BDL	0.1	2.3	5.0	5.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 3/12/2017-3/18/2017								
3/12/2017 0:00	BDL	BDL	BDL	BDL	0.1	2.3	4.0	3.0
3/12/2017 1:00	BDL	BDL	BDL	BDL	0.1	2.4	5.0	3.0
3/12/2017 2:00	BDL	Calibration	Calibration	BDL	0.1	2.4	6.0	3.0
3/12/2017 3:00	BDL	Calibration	Calibration	0.6	0.1	2.3	3.0	2.0
3/12/2017 4:00	Calibration	BDL	BDL	BDL	Calibration	Too few samples	3.0	5.0
3/12/2017 5:00	BDL	BDL	BDL	Calibration	0.1	2.4	6.0	6.0
3/12/2017 6:00	BDL	BDL	BDL	0.6	0.1	2.3	4.0	5.0
3/12/2017 7:00	BDL	BDL	BDL	1.7	0.1	2.3	4.0	3.0
3/12/2017 8:00	BDL	BDL	BDL	1.3	0.1	2.3	5.0	1.0
3/12/2017 9:00	BDL	BDL	BDL	BDL	0.1	2.3	7.0	6.0
3/12/2017 10:00	BDL	BDL	BDL	BDL	0.1	2.3	7.0	6.0
3/12/2017 11:00	BDL	BDL	BDL	BDL	0.1	2.3	7.0	5.0
3/12/2017 12:00	BDL	BDL	BDL	BDL	0.1	2.3	6.0	2.0
3/12/2017 13:00	BDL	BDL	BDL	BDL	0.1	2.3	12.0	1.0
3/12/2017 14:00	BDL	BDL	BDL	BDL	0.1	2.3	9.0	6.0
3/12/2017 15:00	BDL	BDL	BDL	BDL	0.1	2.3	8.0	10.0
3/12/2017 16:00	BDL	BDL	BDL	BDL	0.1	2.3	7.0	6.0
3/12/2017 17:00	BDL	BDL	BDL	BDL	0.1	2.3	7.0	7.0
3/12/2017 18:00	BDL	BDL	BDL	BDL	0.2	2.4	9.0	6.0
3/12/2017 19:00	BDL	BDL	BDL	1.0	0.2	2.3	8.0	8.0
3/12/2017 20:00	BDL	BDL	BDL	1.0	0.2	2.3	10.0	7.0
3/12/2017 21:00	BDL	BDL	BDL	1.1	0.2	2.4	9.0	5.0
3/12/2017 22:00	BDL	BDL	BDL	5.4	0.2	2.8	17.0	9.0
3/12/2017 23:00	BDL	BDL	BDL	13.7	0.2	2.3	10.0	7.0
3/13/2017 0:00	BDL	BDL	BDL	10.1	0.2	2.2	8.0	6.0
3/13/2017 1:00	BDL	BDL	BDL	6.5	0.2	2.2	10.0	6.0
3/13/2017 2:00	BDL	Calibration	Calibration	8.7	0.2	2.2	12.0	4.0
3/13/2017 3:00	BDL	Calibration	Calibration	7.7	0.2	2.2	10.0	4.0
3/13/2017 4:00	Calibration	BDL	BDL	15.4	Calibration	2.2	14.0	5.0
3/13/2017 5:00	BDL	BDL	BDL	Calibration	0.2	2.2	12.0	6.0
3/13/2017 6:00	BDL	BDL	BDL	16.0	0.3	2.2	21.0	9.0
3/13/2017 7:00	BDL	0.5	BDL	32.5	0.3	2.2	19.0	8.0
3/13/2017 8:00	BDL	BDL	BDL	24.7	0.3	2.2	19.0	8.0
3/13/2017 9:00	BDL	BDL	BDL	20.8	0.3	2.4	24.0	9.0
3/13/2017 10:00	BDL	0.5	BDL	23.4	0.3	2.3	26.0	10.0
3/13/2017 11:00	BDL	0.5	BDL	31.6	0.3	2.2	29.0	10.0
3/13/2017 12:00	BDL	BDL	BDL	28.1	0.2	2.2	21.0	9.0
3/13/2017 13:00	BDL	BDL	BDL	19.4	0.2	2.1	21.0	7.0
3/13/2017 14:00	BDL	BDL	BDL	16.3	0.2	2.1	15.0	9.0
3/13/2017 15:00	BDL	BDL	BDL	8.9	0.2	2.1	14.0	6.0
3/13/2017 16:00	BDL	BDL	BDL	9.3	0.2	2.1	15.0	6.0
3/13/2017 17:00	BDL	BDL	BDL	4.8	0.2	2.0	16.0	7.0
3/13/2017 18:00	BDL	BDL	BDL	7.2	0.2	2.0	15.0	7.0
3/13/2017 19:00	BDL	BDL	BDL	12.5	0.2	2.1	13.0	4.0
3/13/2017 20:00	BDL	0.6	0.5	12.7	0.3	2.1	12.0	4.0
3/13/2017 21:00	BDL	BDL	BDL	13.1	0.2	2.1	20.0	7.0
3/13/2017 22:00	BDL	BDL	BDL	11.4	0.2	2.1	17.0	4.0
3/13/2017 23:00	BDL	0.6	BDL	10.5	0.2	2.1	15.0	9.0
3/14/2017 0:00	BDL	0.4	BDL	20.2	0.2	2.1	8.0	9.0
3/14/2017 1:00	BDL	BDL	BDL	15.3	0.2	2.1	6.0	7.0
3/14/2017 2:00	BDL	Calibration	Calibration	10.2	0.2	2.0	7.0	6.0
3/14/2017 3:00	BDL	Calibration	Calibration	13.3	0.2	2.0	5.0	3.0
3/14/2017 4:00	Calibration	BDL	0.4	13.4	Calibration	Too few samples	8.0	1.0
3/14/2017 5:00	BDL	BDL	0.4	Calibration	0.2	2.0	5.0	6.0
3/14/2017 6:00	BDL	0.4	0.4	13.3	0.2	1.9	6.0	4.0
3/14/2017 7:00	BDL	0.5	0.6	10.6	0.2	1.9	4.0	1.0
3/14/2017 8:00	BDL	0.6	0.5	8.2	0.2	1.9	4.0	3.0
3/14/2017 9:00	BDL	0.5	0.5	9.4	0.2	1.8	6.0	4.0
3/14/2017 10:00	BDL	0.5	0.6	10.0	0.2	1.8	5.0	3.0
3/14/2017 11:00	BDL	0.4	0.5	4.0	0.2	1.8	6.0	5.0
3/14/2017 12:00	BDL	BDL	0.5	2.8	0.2	1.8	7.0	6.0
3/14/2017 13:00	BDL	BDL	0.5	2.3	0.2	1.8	6.0	6.0
3/14/2017 14:00	BDL	0.4	0.5	4.5	0.2	1.8	5.0	6.0
3/14/2017 15:00	BDL	BDL	0.5	4.3	0.2	1.8	8.0	4.0
3/14/2017 16:00	BDL	BDL	0.4	3.0	0.2	1.9	8.0	6.0
3/14/2017 17:00	BDL	BDL	0.5	2.2	0.2	1.9	10.0	4.0
3/14/2017 18:00	BDL	BDL	BDL	2.1	0.2	2.0	9.0	5.0
3/14/2017 19:00	BDL	BDL	0.4	0.8	0.2	1.9	12.0	6.0
3/14/2017 20:00	BDL	BDL	0.4	0.8	0.2	2.0	8.0	6.0
3/14/2017 21:00	BDL	BDL	0.4	1.4	0.2	2.0	13.0	8.0
3/14/2017 22:00	BDL	BDL	0.4	1.3	0.2	2.0	9.0	6.0
3/14/2017 23:00	BDL	BDL	0.4	0.6	0.2	2.0	7.0	5.0
3/15/2017 0:00	BDL	BDL	BDL	BDL	0.1	1.9	9.0	3.0
3/15/2017 1:00	BDL	BDL	BDL	BDL	0.1	1.9	8.0	2.0
3/15/2017 2:00	BDL	Calibration	Calibration	BDL	0.2	2.0	11.0	5.0
3/15/2017 3:00	BDL	Calibration	Calibration	7.8	0.2	2.0	9.0	6.0
3/15/2017 4:00	Calibration	BDL	0.5	8.7	Calibration	2.0	11.0	5.0
3/15/2017 5:00	BDL	BDL	0.4	Calibration	0.2	2.1	13.0	4.0
3/15/2017 6:00	BDL	BDL	0.4	13.5	0.2	2.0	17.0	6.0
3/15/2017 7:00	BDL	Audit	Audit	16.1	0.2	2.2	17.0	9.0
3/15/2017 8:00	Too few samples	Too few samples	Too few samples	15.2	Too few samples	2.1	15.0	8.0
3/15/2017 9:00	BDL	BDL	0.4	Too few samples	0.2	2.1	13.0	6.0
3/15/2017 10:00	BDL	BDL	BDL	5.2	0.2	2.1	12.0	5.0
3/15/2017 11:00	BDL	BDL	0.4	8.2	0.2	2.1	18.0	7.0
3/15/2017 12:00	BDL	0.4	0.4	9.3	0.2	2.1	25.0	6.0
3/15/2017 13:00	BDL	BDL	BDL	11.1	0.2	2.1	19.0	6.0
3/15/2017 14:00	BDL	0.8	0.4	10.6	0.2	2.1	18.0	8.0
3/15/2017 15:00	BDL	0.6	0.5	13.5	0.2	2.1	11.0	11.0
3/15/2017 16:00	BDL	0.5	0.5	11.6	0.2	2.1	10.0	8.0
3/15/2017 17:00	BDL	BDL	0.4	7.2	0.2	2.0	12.0	5.0
3/15/2017 18:00	BDL	BDL	0.4	1.9	0.2	2.1	16.0	6.0
3/15/2017 19:00	BDL	BDL	0.4	6.6	0.2	2.1	15.0	5.0
3/15/2017 20:00	BDL	BDL	0.4	6.1	0.2	2.2	15.0	3.0
3/15/2017 21:00	BDL	BDL	BDL	4.0	0.1	2.2	12.0	3.0
3/15/2017 22:00	BDL	BDL	BDL	2.5	0.2	2.2	9.0	6.0
3/15/2017 23:00	BDL	BDL	0.4	1.4	0.2	2.2	12.0	7.0
3/16/2017 0:00	BDL	BDL	BDL	3.5	0.2	2.1	10.0	6.0
3/16/2017 1:00	BDL	0.5	0.5	3.3	0.2	2.2	11.0	5.0
3/16/2017 2:00	BDL	Calibration	Calibration	8.0	0.2	2.2	10.0	5.0
3/16/2017 3:00	BDL	Calibration	Calibration	8.0	0.2	2.3	9.0	11.0
3/16/2017 4:00	Calibration	3.1	1.8	8.5	Calibration	2.4	17.0	8.0
3/16/2017 5:00	BDL	3.0	1.7	Calibration	0.2	Too few samples	15.0	7.0
3/16/2017 6:00	BDL	0.4	BDL	14.8	0.2	2.1	23.0	8.0
3/16/2017 7:00	BDL	0.7	0.7	18.3	0.2	2.2	22.0	8.0
3/16/2017 8:00	BDL	0.8	0.6	22.9	0.2	2.2	17.0	7.0
3/16/2017 9:00	BDL	BDL	BDL	17.2	0.2	2.2	18.0	6.0
3/16/2017 10:00	BDL	BDL	BDL	9.3	0.2	2.2	16.0	4.0
3/16/2017 11:00	BDL	BDL	0.4	4.3	0.2	2.2	14.0	3.0
3/16/2017 12:00	BDL	BDL	BDL	4.3	0.2	2.3	11.0	9.0
3/16/2017 13:00	BDL	BDL	0.4	6.9	0.2	2.3	15.0	7.0
3/16/2017 14:00	BDL	BDL	BDL	5.5	0.2	2.2	16.0	4.0
3/16/2017 15:00	BDL	BDL	BDL	6.5	0.2	2.3	15.0	10.0
3/16/2017 16:00	BDL	BDL	BDL	8.0	0.2	2.3	12.0	6.0
3/16/2017 17:00	BDL	BDL	BDL	7.6	0.2	2.2	16.0	9.0
3/16/2017 18:00	BDL	BDL	BDL	7.1	0.2	2.3	18.0	8.0
3/16/2017 19:00	BDL	BDL	0.4	13.6	0.2	2.2	16.0	14.0
3/16/2017 20:00	0.8	0.9	0.4	12.4	0.2	2.1	23.0	9.0
3/16/2017 21:00	1.6	BDL	0.4	11.8	0.2	2.1	21.0	13.0
3/16/2017 22:00	1.8	BDL	0.4	13.7	0.2	2.2	21.0	10.0
3/16/2017 23:00	BDL	BDL	BDL	14.6	0.2	2.3	22.0	8.0
3/17/2017 0:00	BDL	BDL	BDL	11.2	0.2	2.2	18.0	9.0
3/17/2017 1:00	BDL	BDL	BDL	9.7	0.2	2.2	10.0	6.0
3/17/2017 2:00	BDL	Calibration	Calibration	4.1	0.2	2.2	10.0	5.0
3/17/2017 3:00	BDL	Calibration	Calibration	9.9	0.2	2.2	16.0	6.0
3/17/2017 4:00	Calibration	BDL	BDL	10.2	Calibration	2.3	14.0	6.0
3/17/2017 5:00	BDL	1.0	0.6	Calibration	0.2	2.4	23.0	12.0
3/17/2017 6:00	BDL	0.6	0.9	11.1	0.3	2.3	22.0	9.0
3/17/2017 7:00	BDL	0.7	BDL	23.0	0.3	2.4	27.0	9.0
3/17/2017 8:00	BDL	BDL	BDL	32.8	0.2	2.3	15.0	10.0
3/17/2017 9:00	BDL	BDL	BDL	11.7	0.2	2.3	17.0	7.0
3/17/2017 10:00	BDL	BDL	BDL	9.0	0.2	2.2	16.0	9.0
3/17/2017 11:00	BDL	BDL	BDL	6.9	0.2	2.3	15.0	7.0
3/17/2017 12:00	BDL	BDL	BDL	5.4	0.2	2.2	19.0	9.0
3/17/2017 13:00	BDL	BDL	BDL	5.5	0.2	2.2	17.0	10.0
3/17/2017 14:00	BDL	BDL	BDL	6.4	0.2	2.2	24.0	11.0
3/17/2017 15:00	0.8	BDL	BDL	9.5	0.2	2.2	21.0	15.0
3/17/2017 16:00	BDL	BDL	BDL	8.5	0.2	2.3	17.0	12.0
3/17/2017 17:00	BDL	BDL	BDL	10.3	0.2	2.3	20.0	12.0
3/17/2017 18:00	3.2	BDL	BDL	8.5	0.2	2.1	27.0	20.0
3/17/2017 19:00	1.9	BDL	BDL	9.7	0.2	2.1	27.0	16.0
3/17/2017 20:00	BDL	0.8	0.5	7.7	0.6	2.4	47.0	21.0
3/17/2017 21:00	BDL	1.6	0.8	52.0	0.6	2.4	53.0	23.0
3/17/2017 22:00	BDL	1.6	0.6	73.7	0.5	2.3	40.0	23.0
3/17/2017 23:00	BDL	1.0	0.5	56.7	0.4	2.3	38.0	19.0
3/18/2017 0:00	BDL	2.1	1.2	33.4	0.5	2.2	33.0	17.0
3/18/2017 1:00	BDL	2.1	1.4	56.9	0.5	2.3	39.0	25.0
3/18/2017 2:00	BDL	Calibration	Calibration	58.1	0.4	2.3	34.0	16.0
3/18/2017 3:00	BDL	Calibration	Calibration	37.4	0.3	2.1	18.0	16.0
3/18/2017 4:00	Calibration	0.7	0.7	17.0	Calibration	2.1	22.0	12.0
3/18/2017 5:00	BDL	1.7	1.0	Calibration	0.6	2.4	28.0	16.0
3/18/2017 6:00	BDL	1.8	1.1	62.9	0.5	2.3	27.0	19.0
3/18/2017 7:00	BDL	Calibration	Calibration	53.3	0.6	2.4	28.0	18.0
3/18/2017 8:00	BDL	Calibration	Calibration	61.0	0.6	2.3	28.0	17.0
3/18/2017 9:00	BDL	1.1	0.8	55.4	0.5	2.3	32.0	17.0
3/18/2017 10:00	BDL	1.5	0.9	45.3	0.5	2.3	28.0	16.0
3/18/2017 11:00	BDL	1.3	1.0	43.2	0.4	2.1	26.0	12.0
3/18/2017 12:00	BDL	1.3	1.0	27.8	0.5	2.4	27.0	15.0
3/18/2017 13:00	BDL	1.2	0.8	32.8	0.5	2.5	26.0	20.0
3/18/2017 14:00	BDL	0.8	0.6	31.9	0.5	2.2	21.0	16.0
3/18/2017 15:00	BDL	0.6	0.4	31.3	0.5	2.1	25.0	15.0
3/18/2017 16:00	BDL	0.5	0.4	27.1	0.5	2.1	23.0	13.0
3/18/2017 17:00	BDL	0.4	BDL	25.7	0.4	2.0	18.0	17.0
3/18/2017 18:00	BDL	0.4	BDL	20.6	0.3	2.1	22.0	16.0
3/18/2017 19:00	BDL	BDL	BDL	14.9	0.3	2.0	25.0	14.0
3/18/2017 20:00	BDL	BDL	BDL	12.2	0.3	2.0	18.0	12.0
3/18/2017 21:00	BDL	BDL	BDL	12.5	0.3	2.0	19.0	13.0
3/18/2017 22:00	BDL	0.4	BDL	15.5	0.3	2.0	29.0	18.0
3/18/2017 23:00	BDL	BDL	BDL	17.7	0.3	2.0	27.0	11.0
				19.2				

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 3/19/2017-3/25/2017								
3/19/2017 0:00	BDL	0.4	BDL	26.1	0.3	2.1	26.0	10.0
3/19/2017 1:00	BDL	BDL	BDL	12.6	0.3	2.0	20.0	8.0
3/19/2017 2:00	BDL	Calibration	Calibration	17.3	0.3	2.0	20.0	9.0
3/19/2017 3:00	BDL	Calibration	Calibration	13.1	0.2	2.0	14.0	10.0
3/19/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	15.0	6.0
3/19/2017 5:00	BDL	BDL	BDL	7.4	0.2	2.0	18.0	7.0
3/19/2017 6:00	BDL	BDL	BDL	7.9	0.2	2.0	12.0	8.0
3/19/2017 7:00	BDL	BDL	BDL	7.6	0.2	2.0	12.0	9.0
3/19/2017 8:00	BDL	BDL	BDL	7.4	0.2	2.0	13.0	5.0
3/19/2017 9:00	BDL	BDL	BDL	5.6	0.2	2.0	14.0	6.0
3/19/2017 10:00	BDL	BDL	BDL	5.0	0.2	2.0	9.0	8.0
3/19/2017 11:00	BDL	BDL	BDL	3.0	0.2	2.0	13.0	6.0
3/19/2017 12:00	BDL	BDL	BDL	2.5	0.2	2.1	12.0	8.0
3/19/2017 13:00	BDL	BDL	BDL	BDL	0.2	2.0	13.0	8.0
3/19/2017 14:00	BDL	BDL	BDL	BDL	0.2	2.1	9.0	8.0
3/19/2017 15:00	BDL	BDL	BDL	BDL	0.2	2.1	8.0	6.0
3/19/2017 16:00	BDL	BDL	BDL	1.3	0.2	2.3	16.0	3.0
3/19/2017 17:00	BDL	BDL	BDL	2.1	0.2	2.4	11.0	2.0
3/19/2017 18:00	BDL	BDL	BDL	5.3	0.2	2.3	18.0	4.0
3/19/2017 19:00	BDL	BDL	BDL	9.4	0.3	2.4	15.0	6.0
3/19/2017 20:00	BDL	BDL	BDL	10.8	0.3	2.5	17.0	9.0
3/19/2017 21:00	BDL	BDL	BDL	11.1	0.3	2.7	18.0	8.0
3/19/2017 22:00	BDL	BDL	BDL	10.6	0.2	2.5	12.0	10.0
3/19/2017 23:00	BDL	BDL	BDL	10.0	0.2	2.5	15.0	9.0
3/20/2017 0:00	BDL	BDL	BDL	11.8	0.2	2.5	15.0	10.0
3/20/2017 1:00	BDL	BDL	BDL	7.0	0.2	2.5	13.0	8.0
3/20/2017 2:00	BDL	Calibration	Calibration	6.1	0.2	2.3	16.0	6.0
3/20/2017 3:00	BDL	Calibration	Calibration	10.7	0.2	2.5	16.0	7.0
3/20/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.6	17.0	9.0
3/20/2017 5:00	BDL	BDL	BDL	14.7	0.2	2.4	22.0	6.0
3/20/2017 6:00	BDL	BDL	BDL	17.0	0.3	2.4	22.0	7.0
3/20/2017 7:00	BDL	BDL	BDL	15.6	0.3	2.2	24.0	6.0
3/20/2017 8:00	BDL	BDL	BDL	10.6	0.2	2.2	23.0	7.0
3/20/2017 9:00	BDL	BDL	BDL	7.7	0.2	2.2	17.0	10.0
3/20/2017 10:00	BDL	BDL	BDL	6.9	0.2	2.1	17.0	11.0
3/20/2017 11:00	BDL	BDL	BDL	5.4	0.2	2.1	16.0	10.0
3/20/2017 12:00	BDL	BDL	BDL	5.2	0.2	2.2	14.0	9.0
3/20/2017 13:00	BDL	BDL	BDL	2.8	0.2	2.2	13.0	7.0
3/20/2017 14:00	BDL	BDL	BDL	0.7	0.2	2.2	14.0	6.0
3/20/2017 15:00	BDL	BDL	BDL	2.6	0.2	2.2	17.0	8.0
3/20/2017 16:00	BDL	BDL	BDL	2.9	0.2	2.3	16.0	6.0
3/20/2017 17:00	BDL	BDL	BDL	5.2	0.2	2.3	16.0	10.0
3/20/2017 18:00	BDL	BDL	BDL	7.8	0.2	2.5	14.0	11.0
3/20/2017 19:00	BDL	BDL	BDL	6.3	0.2	2.2	23.0	11.0
3/20/2017 20:00	BDL	BDL	BDL	3.5	0.2	2.2	16.0	9.0
3/20/2017 21:00	BDL	BDL	BDL	2.9	0.2	2.2	20.0	7.0
3/20/2017 22:00	BDL	BDL	BDL	3.8	0.2	2.3	15.0	8.0
3/20/2017 23:00	BDL	BDL	BDL	14.0	0.2	2.4	14.0	12.0
3/21/2017 0:00	BDL	BDL	BDL	9.1	0.2	2.4	18.0	11.0
3/21/2017 1:00	BDL	BDL	BDL	6.1	0.2	2.3	19.0	9.0
3/21/2017 2:00	BDL	Calibration	Calibration	4.3	0.2	2.4	14.0	10.0
3/21/2017 3:00	BDL	Calibration	Calibration	7.6	0.2	2.3	18.0	12.0
3/21/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	25.0	18.0
3/21/2017 5:00	BDL	BDL	BDL	16.2	0.3	2.5	20.0	16.0
3/21/2017 6:00	BDL	0.7	0.5	28.4	0.3	2.5	32.0	12.0
3/21/2017 7:00	BDL	0.8	0.5	35.4	0.4	2.4	Audit	Audit
3/21/2017 8:00	BDL	0.9	0.5	31.6	0.4	2.6	Audit	19.0
3/21/2017 9:00	BDL	0.6	0.4	21.8	0.3	2.4	24.0	13.0
3/21/2017 10:00	BDL	BDL	0.4	8.9	0.3	2.4	24.0	13.0
3/21/2017 11:00	BDL	BDL	0.5	4.5	0.2	2.3	15.0	12.0
3/21/2017 12:00	BDL	0.4	0.5	4.9	0.3	2.3	Audit	10.0
3/21/2017 13:00	BDL	0.4	0.6	4.4	0.2	2.3	Audit	Audit
3/21/2017 14:00	BDL	BDL	0.5	2.5	0.2	2.4	18.0	8.0
3/21/2017 15:00	BDL	BDL	0.4	3.7	0.2	2.4	20.0	10.0
3/21/2017 16:00	BDL	BDL	BDL	4.6	0.2	2.3	28.0	12.0
3/21/2017 17:00	BDL	0.4	0.4	6.9	0.3	2.4	21.0	12.0
3/21/2017 18:00	BDL	BDL	0.4	9.8	0.3	2.4	19.0	12.0
3/21/2017 19:00	BDL	BDL	0.5	7.6	0.3	2.3	27.0	15.0
3/21/2017 20:00	BDL	0.6	0.7	11.6	0.3	2.6	26.0	14.0
3/21/2017 21:00	BDL	1.2	1.3	22.7	0.3	2.9	26.0	13.0
3/21/2017 22:00	0.8	1.1	1.0	20.0	0.3	2.7	30.0	19.0
3/21/2017 23:00	BDL	1.0	1.0	12.0	0.3	2.5	21.0	16.0
3/22/2017 0:00	BDL	0.5	0.7	4.2	0.3	2.5	18.0	10.0
3/22/2017 1:00	BDL	BDL	BDL	8.8	0.2	2.9	17.0	8.0
3/22/2017 2:00	BDL	Calibration	Calibration	12.9	0.3	3.2	14.0	6.0
3/22/2017 3:00	BDL	Calibration	Calibration	5.6	0.2	2.9	10.0	6.0
3/22/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.4	18.0	6.0
3/22/2017 5:00	BDL	BDL	BDL	3.1	0.2	2.5	14.0	8.0
3/22/2017 6:00	BDL	BDL	BDL	3.1	0.2	Too few samples	17.0	5.0
3/22/2017 7:00	BDL	BDL	BDL	BDL	0.2	2.2	15.0	1.0
3/22/2017 8:00	BDL	BDL	BDL	BDL	0.2	2.1	17.0	2.0
3/22/2017 9:00	BDL	BDL	BDL	BDL	0.1	2.2	14.0	3.0
3/22/2017 10:00	BDL	BDL	BDL	BDL	0.1	2.2	13.0	2.0
3/22/2017 11:00	Audit	Audit	Audit	Audit	Audit	Audit	14.0	3.0
3/22/2017 12:00	Audit	Audit	Audit	Audit	Audit	Audit	29.0	4.0
3/22/2017 13:00	Audit	Audit	Audit	Audit	Audit	Audit	24.0	5.0
3/22/2017 14:00	Audit	Audit	Audit	Audit	Audit	Audit	19.0	4.0
3/22/2017 15:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	15.0	6.0
3/22/2017 16:00	BDL	BDL	BDL	BDL	0.2	2.1	13.0	5.0
3/22/2017 17:00	BDL	BDL	BDL	0.8	0.2	2.2	8.0	4.0
3/22/2017 18:00	BDL	BDL	BDL	1.9	0.2	2.2	12.0	4.0
3/22/2017 19:00	BDL	BDL	BDL	BDL	0.2	2.2	10.0	2.0
3/22/2017 20:00	BDL	BDL	BDL	BDL	0.2	2.2	7.0	2.0
3/22/2017 21:00	BDL	BDL	BDL	BDL	0.2	2.2	12.0	3.0
3/22/2017 22:00	BDL	BDL	BDL	1.5	0.2	2.3	7.0	1.0
3/22/2017 23:00	BDL	BDL	BDL	2.4	0.2	2.3	6.0	6.0
3/23/2017 0:00	BDL	BDL	BDL	2.6	0.2	2.3	13.0	7.0
3/23/2017 1:00	BDL	BDL	BDL	1.9	0.2	2.3	12.0	5.0
3/23/2017 2:00	BDL	Calibration	Calibration	0.9	0.2	2.3	10.0	6.0
3/23/2017 3:00	BDL	Calibration	Calibration	4.7	0.2	2.5	13.0	4.0
3/23/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.5	11.0	3.0
3/23/2017 5:00	BDL	BDL	BDL	11.3	0.2	2.7	9.0	6.0
3/23/2017 6:00	BDL	Calibration	Calibration	14.5	0.2	2.7	16.0	4.0
3/23/2017 7:00	BDL	Calibration	Calibration	11.7	0.2	2.5	13.0	8.0
3/23/2017 8:00	BDL	BDL	BDL	9.9	0.2	2.4	12.0	6.0
3/23/2017 9:00	BDL	BDL	BDL	6.3	0.2	2.5	13.0	5.0
3/23/2017 10:00	BDL	BDL	BDL	5.7	0.2	2.4	12.0	5.0
3/23/2017 11:00	BDL	BDL	BDL	5.2	0.2	2.4	10.0	4.0
3/23/2017 12:00	BDL	BDL	BDL	5.2	0.2	2.4	15.0	4.0
3/23/2017 13:00	BDL	BDL	BDL	5.8	0.2	2.3	14.0	3.0
3/23/2017 14:00	BDL	BDL	BDL	8.3	0.2	2.3	23.0	4.0
3/23/2017 15:00	BDL	BDL	BDL	7.9	0.2	2.3	20.0	7.0
3/23/2017 16:00	BDL	BDL	BDL	3.6	0.2	2.3	16.0	6.0
3/23/2017 17:00	BDL	BDL	BDL	4.6	0.2	2.4	26.0	11.0
3/23/2017 18:00	BDL	BDL	BDL	8.0	0.2	2.4	28.0	15.0
3/23/2017 19:00	BDL	BDL	BDL	7.5	0.2	2.8	11.0	10.0
3/23/2017 20:00	BDL	BDL	BDL	25.0	0.3	2.4	18.0	14.0
3/23/2017 21:00	BDL	0.5	BDL	27.0	0.3	2.5	10.0	13.0
3/23/2017 22:00	BDL	0.6	BDL	33.0	0.3	2.5	16.0	11.0
3/23/2017 23:00	BDL	0.7	0.4	27.8	0.2	2.5	14.0	12.0
3/24/2017 0:00	BDL	0.7	0.4	25.4	0.2	2.6	11.0	9.0
3/24/2017 1:00	BDL	0.9	0.6	17.2	0.2	2.6	9.0	11.0
3/24/2017 2:00	BDL	Calibration	Calibration	21.7	0.2	2.4	12.0	8.0
3/24/2017 3:00	BDL	Calibration	Calibration	6.6	0.2	2.6	9.0	9.0
3/24/2017 4:00	Calibration	0.9	1.0	Calibration	Calibration	Too few samples	8.0	7.0
3/24/2017 5:00	BDL	1.7	1.5	30.9	0.3	2.3	10.0	10.0
3/24/2017 6:00	BDL	1.7	1.4	34.1	0.3	2.4	12.0	12.0
3/24/2017 7:00	BDL	1.2	1.1	29.0	0.2	Too few samples	9.0	12.0
3/24/2017 8:00	BDL	BDL	0.4	10.7	0.2	2.4	7.0	9.0
3/24/2017 9:00	BDL	BDL	BDL	1.4	0.2	2.3	6.0	7.0
3/24/2017 10:00	BDL	BDL	BDL	2.3	0.2	2.2	4.0	5.0
3/24/2017 11:00	BDL	BDL	BDL	1.2	0.1	2.3	6.0	7.0
3/24/2017 12:00	BDL	BDL	BDL	1.7	0.2	2.3	7.0	8.0
3/24/2017 13:00	BDL	BDL	0.4	2.1	0.2	2.4	16.0	7.0
3/24/2017 14:00	BDL	BDL	0.4	5.6	0.2	2.4	14.0	10.0
3/24/2017 15:00	BDL	BDL	BDL	0.8	0.2	2.5	8.0	7.0
3/24/2017 16:00	BDL	BDL	BDL	4.1	0.2	2.5	9.0	8.0
3/24/2017 17:00	BDL	BDL	BDL	11.3	0.3	2.5	13.0	10.0
3/24/2017 18:00	BDL	BDL	BDL	11.8	0.3	2.5	13.0	11.0
3/24/2017 19:00	BDL	BDL	BDL	8.5	0.2	2.5	10.0	12.0
3/24/2017 20:00	BDL	0.5	0.4	22.1	0.3	2.8	12.0	9.0
3/24/2017 21:00	BDL	1.0	0.6	37.0	0.5	2.8	15.0	18.0
3/24/2017 22:00	BDL	1.3	1.0	46.6	0.6	2.6	16.0	19.0
3/24/2017 23:00	BDL	1.3	0.8	49.2	0.5	2.4	16.0	16.0
3/25/2017 0:00	BDL	1.5	1.0	49.9	0.4	2.4	14.0	16.0
3/25/2017 1:00	BDL	1.0	0.9	19.0	0.2	2.7	14.0	16.0
3/25/2017 2:00	0.6	Calibration	Calibration	18.7	0.3	2.6	18.0	22.0
3/25/2017 3:00	BDL	Calibration	Calibration	21.1	0.3	2.6	14.0	17.0
3/25/2017 4:00	Calibration	0.5	0.6	Calibration	Calibration	2.4	20.0	17.0
3/25/2017 5:00	BDL	0.8	0.6	24.9	0.3	2.6	14.0	13.0
3/25/2017 6:00	BDL	0.7	0.4	18.6	0.3	2.7	12.0	13.0
3/25/2017 7:00	BDL	0.8	0.6	22.6	0.3	2.4	10.0	15.0
3/25/2017 8:00	BDL	0.9	0.7	20.2	0.3	2.5	17.0	16.0
3/25/2017 9:00	1.6	0.6	0.6	17.0	0.3	2.3	22.0	19.0
3/25/2017 10:00	3.2	0.5	0.4	16.0	0.3	2.4	22.0	27.0
3/25/2017 11:00	3.4	0.5	0.5	17.3	0.3	2.3	18.0	20.0
3/25/2017 12:00	4.1	0.6	0.5	18.6	0.4	2.4	17.0	15.0
3/25/2017 13:00	BDL	0.4	0.5	7.3	0.4	2.2	16.0	15.0
3/25/2017 14:00	BDL	0.4	0.5	14.2	0.5	2.3	17.0	18.0
3/25/2017 15:00	BDL	1.0	0.6	43.8	0.8	2.5	87.0	23.0
3/25/2017 16:00	BDL	1.4	1.1	54.2	0.9	2.8	93.0	28.0
3/25/2017 17:00	BDL	0.9	0.8	27.0	0.5	2.5	39.0	20.0
3/25/2017 18:00	BDL	0.8	0.7	29.5	0.5	2.5	41.0	28.0
3/25/2017 19:00	BDL	0.4	0.4	13.7	0.4	2.3	38.0	20.0
3/25/2017 20:00	BDL	BDL	BDL	13.9	0.4	2.2	31.0	20.0
3/25/2017 21:00	BDL	BDL	BDL	7.5	0.3	2.2	26.0	14.0
3/25/2017 22:00	BDL	BDL	BDL	10.1	0.3	2.2	26.0	15.0
3/25/2017 23:00	BDL	BDL	BDL	5.8	0.3	2.1	26.0	14.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 3/19/2017-3/25/2017								
3/26/2017 0:00	BDL	BDL	BDL	4.2	0.3	2.1	23.0	13.0
3/26/2017 1:00	BDL	BDL	BDL	6.6	0.3	2.1	21.0	8.0
3/26/2017 2:00	BDL	Calibration	Calibration	3.9	0.3	2.1	12.0	7.0
3/26/2017 3:00	BDL	Calibration	Calibration	7.9	0.3	2.1	20.0	9.0
3/26/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.1	17.0	11.0
3/26/2017 5:00	BDL	BDL	BDL	6.4	0.3	2.1	20.0	12.0
3/26/2017 6:00	BDL	BDL	BDL	8.5	0.3	2.1	22.0	16.0
3/26/2017 7:00	BDL	BDL	BDL	11.9	0.3	Too few samples	12.0	10.0
3/26/2017 8:00	BDL	BDL	BDL	4.9	0.3	2.0	12.0	9.0
3/26/2017 9:00	BDL	BDL	BDL	6.3	0.3	2.0	18.0	8.0
3/26/2017 10:00	BDL	BDL	BDL	9.6	0.3	2.0	23.0	10.0
3/26/2017 11:00	BDL	BDL	BDL	7.8	0.3	2.0	24.0	9.0
3/26/2017 12:00	BDL	BDL	BDL	8.3	0.3	2.0	20.0	10.0
3/26/2017 13:00	BDL	BDL	BDL	8.3	0.3	2.0	21.0	9.0
3/26/2017 14:00	BDL	BDL	BDL	6.6	0.3	1.9	15.0	7.0
3/26/2017 15:00	BDL	BDL	BDL	5.8	0.3	1.9	14.0	9.0
3/26/2017 16:00	BDL	BDL	BDL	7.0	0.3	1.9	17.0	6.0
3/26/2017 17:00	BDL	BDL	BDL	7.8	0.3	1.9	9.0	3.0
3/26/2017 18:00	BDL	BDL	BDL	6.7	0.3	1.9	7.0	4.0
3/26/2017 19:00	BDL	BDL	BDL	6.8	0.3	1.9	13.0	7.0
3/26/2017 20:00	BDL	BDL	BDL	6.0	0.2	1.9	11.0	4.0
3/26/2017 21:00	BDL	BDL	BDL	7.5	0.3	2.0	6.0	6.0
3/26/2017 22:00	BDL	BDL	BDL	6.9	0.3	1.9	9.0	5.0
3/26/2017 23:00	BDL	BDL	BDL	11.9	0.3	1.9	7.0	4.0
3/27/2017 0:00	BDL	BDL	BDL	7.4	0.2	2.0	7.0	4.0
3/27/2017 1:00	BDL	BDL	BDL	11.4	0.2	2.0	8.0	4.0
3/27/2017 2:00	BDL	Calibration	Calibration	9.6	0.2	1.9	7.0	3.0
3/27/2017 3:00	BDL	Calibration	Calibration	12.1	0.3	2.0	6.0	2.0
3/27/2017 4:00	Calibration	BDL	0.4	Calibration	Calibration	1.9	6.0	3.0
3/27/2017 5:00	BDL	0.7	0.5	28.8	0.4	2.0	15.0	8.0
3/27/2017 6:00	BDL	1.0	0.5	38.7	0.4	2.0	13.0	9.0
3/27/2017 7:00	BDL	Calibration	Calibration	54.8	0.5	2.0	20.0	14.0
3/27/2017 8:00	BDL	Calibration	Calibration	71.8	0.5	2.0	20.0	14.0
3/27/2017 9:00	BDL	Calibration	Calibration	78.8	0.7	2.4	24.0	16.0
3/27/2017 10:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	2.3	29.0	19.0
3/27/2017 11:00	Calibration	2.5	1.7	Calibration	Calibration	2.2	27.0	24.0
3/27/2017 12:00	Calibration	1.5	1.3	Calibration	Calibration	Too few samples	25.0	15.0
3/27/2017 13:00	BDL	1.1	1.0	20.7	0.3	2.2	28.0	18.0
3/27/2017 14:00	BDL	1.0	0.9	19.2	0.3	Too few samples	25.0	14.0
3/27/2017 15:00	BDL	0.8	0.8	13.9	0.3	analyzer malfunction	24.0	15.0
3/27/2017 16:00	BDL	0.6	0.6	12.9	0.3	analyzer malfunction	17.0	14.0
3/27/2017 17:00	BDL	0.6	0.6	19.6	0.4	analyzer malfunction	22.0	21.0
3/27/2017 18:00	BDL	1.5	1.2	65.6	0.9	analyzer malfunction	40.0	26.0
3/27/2017 19:00	BDL	2.5	1.6	88.5	1.1	analyzer malfunction	48.0	34.0
3/27/2017 20:00	BDL	1.8	1.1	57.8	0.8	analyzer malfunction	36.0	29.0
3/27/2017 21:00	BDL	1.5	1.0	49.0	0.6	analyzer malfunction	40.0	30.0
3/27/2017 22:00	BDL	1.5	1.1	48.8	0.6	analyzer malfunction	37.0	29.0
3/27/2017 23:00	BDL	1.6	1.2	49.4	0.5	2.6	42.0	31.0
3/28/2017 0:00	BDL	1.2	1.0	33.3	0.4	2.6	44.0	30.0
3/28/2017 1:00	BDL	1.1	0.9	31.5	0.4	2.5	37.0	30.0
3/28/2017 2:00	BDL	Calibration	Calibration	31.3	0.4	2.4	33.0	26.0
3/28/2017 3:00	BDL	Calibration	Calibration	17.2	0.3	2.2	22.0	17.0
3/28/2017 4:00	Calibration	0.8	0.7	Calibration	Calibration	Too few samples	24.0	19.0
3/28/2017 5:00	BDL	1.0	0.9	27.6	0.4	2.2	26.0	24.0
3/28/2017 6:00	BDL	1.1	0.9	28.7	0.4	2.3	23.0	23.0
3/28/2017 7:00	BDL	1.2	0.9	40.5	0.4	2.4	19.0	11.0
3/28/2017 8:00	BDL	1.4	0.9	47.5	0.5	2.2	13.0	8.0
3/28/2017 9:00	BDL	1.2	0.8	33.5	0.4	2.0	18.0	6.0
3/28/2017 10:00	BDL	1.1	0.8	44.3	0.5	2.2	20.0	9.0
3/28/2017 11:00	BDL	1.6	1.0	60.9	0.5	2.2	17.0	8.0
3/28/2017 12:00	BDL	1.6	1.1	51.5	0.5	2.3	maintenance	maintenance
3/28/2017 13:00	BDL	1.5	1.2	36.3	0.5	Too few samples	12.0	10.0
3/28/2017 14:00	BDL	1.4	1.0	43.8	0.5	analyzer malfunction	19.0	8.0
3/28/2017 15:00	BDL	1.6	1.4	56.5	0.6	analyzer malfunction	22.0	17.0
3/28/2017 16:00	BDL	1.2	1.0	39.9	0.6	analyzer malfunction	17.0	12.0
3/28/2017 17:00	BDL	0.8	0.7	25.0	0.5	analyzer malfunction	14.0	6.0
3/28/2017 18:00	BDL	0.6	0.6	19.2	0.4	analyzer malfunction	10.0	4.0
3/28/2017 19:00	BDL	0.9	0.8	36.1	0.5	analyzer malfunction	9.0	6.0
3/28/2017 20:00	BDL	1.5	1.0	53.4	0.6	analyzer malfunction	9.0	4.0
3/28/2017 21:00	BDL	1.5	1.0	54.7	0.6	analyzer malfunction	8.0	6.0
3/28/2017 22:00	BDL	1.4	0.9	52.2	0.6	analyzer malfunction	6.0	6.0
3/28/2017 23:00	BDL	1.4	0.8	49.7	0.6	analyzer malfunction	5.0	5.0
3/29/2017 0:00	BDL	1.4	0.8	49.4	0.6	analyzer malfunction	6.0	3.0
3/29/2017 1:00	BDL	1.6	1.0	57.3	0.6	analyzer malfunction	7.0	6.0
3/29/2017 2:00	BDL	Calibration	Calibration	15.5	0.3	analyzer malfunction	6.0	5.0
3/29/2017 3:00	BDL	Calibration	Calibration	6.6	0.3	analyzer malfunction	8.0	3.0
3/29/2017 4:00	Calibration	BDL	0.4	Calibration	Calibration	Calibration	5.0	1.0
3/29/2017 5:00	BDL	BDL	BDL	12.9	0.3	analyzer malfunction	5.0	3.0
3/29/2017 6:00	BDL	BDL	BDL	7.7	0.2	Too few samples	7.0	7.0
3/29/2017 7:00	BDL	Audit	Audit	9.2	0.2	2.1	7.0	5.0
3/29/2017 8:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	7.0	4.0
3/29/2017 9:00	BDL	BDL	0.4	Calibration	0.2	2.2	10.0	3.0
3/29/2017 10:00	BDL	BDL	BDL	4.9	0.2	Too few samples	8.0	1.0
3/29/2017 11:00	BDL	BDL	BDL	3.7	0.2	2.2	maintenance	maintenance
3/29/2017 12:00	BDL	BDL	BDL	2.8	0.2	2.1	maintenance	maintenance
3/29/2017 13:00	BDL	BDL	BDL	1.8	0.2	2.2	8.0	3.0
3/29/2017 14:00	BDL	BDL	BDL	0.7	0.2	2.2	9.0	4.0
3/29/2017 15:00	BDL	BDL	BDL	BDL	0.2	2.3	8.0	1.0
3/29/2017 16:00	BDL	BDL	BDL	1.4	0.2	2.3	8.0	BDL
3/29/2017 17:00	BDL	BDL	BDL	1.7	0.2	2.3	6.0	8.0
3/29/2017 18:00	BDL	BDL	BDL	3.5	0.2	2.1	5.0	5.0
3/29/2017 19:00	BDL	BDL	BDL	4.4	0.2	2.2	9.0	3.0
3/29/2017 20:00	BDL	BDL	BDL	4.1	0.2	2.2	7.0	3.0
3/29/2017 21:00	BDL	BDL	BDL	4.4	0.2	2.2	8.0	6.0
3/29/2017 22:00	BDL	BDL	BDL	4.1	0.2	2.2	11.0	9.0
3/29/2017 23:00	BDL	BDL	BDL	4.7	0.2	2.0	9.0	6.0
3/30/2017 0:00	BDL	BDL	BDL	3.9	0.2	2.0	5.0	4.0
3/30/2017 1:00	BDL	BDL	BDL	7.3	0.1	2.0	4.0	5.0
3/30/2017 2:00	BDL	Calibration	Calibration	5.3	0.2	2.0	8.0	5.0
3/30/2017 3:00	BDL	Calibration	Calibration	11.3	0.2	2.0	8.0	4.0
3/30/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.0	6.0	2.0
3/30/2017 5:00	BDL	0.5	BDL	26.6	0.3	3.1	9.0	2.0
3/30/2017 6:00	BDL	0.6	BDL	31.8	0.3	2.2	14.0	6.0
3/30/2017 7:00	BDL	0.8	0.4	35.7	0.3	Too few samples	20.0	7.0
3/30/2017 8:00	BDL	0.6	BDL	23.0	0.3	1.9	13.0	4.0
3/30/2017 9:00	BDL	BDL	BDL	16.3	0.2	1.9	14.0	8.0
3/30/2017 10:00	BDL	BDL	BDL	15.4	0.2	1.9	11.0	6.0
3/30/2017 11:00	BDL	BDL	BDL	11.4	0.2	1.9	11.0	6.0
3/30/2017 12:00	BDL	BDL	BDL	6.9	0.2	1.9	10.0	5.0
3/30/2017 13:00	BDL	BDL	BDL	8.0	0.2	1.9	10.0	8.0
3/30/2017 14:00	BDL	BDL	BDL	8.4	0.2	2.0	13.0	5.0
3/30/2017 15:00	BDL	BDL	BDL	8.8	0.2	2.0	11.0	6.0
3/30/2017 16:00	BDL	BDL	BDL	9.4	0.2	2.3	16.0	8.0
3/30/2017 17:00	BDL	BDL	BDL	3.6	0.2	2.0	16.0	5.0
3/30/2017 18:00	BDL	BDL	BDL	5.9	0.2	1.8	12.0	2.0
3/30/2017 19:00	BDL	BDL	BDL	9.0	0.2	1.8	15.0	6.0
3/30/2017 20:00	BDL	BDL	0.4	9.0	0.2	1.8	10.0	7.0
3/30/2017 21:00	BDL	0.4	0.6	5.8	0.2	1.8	13.0	6.0
3/30/2017 22:00	BDL	0.8	1.0	5.5	0.2	1.8	15.0	8.0
3/30/2017 23:00	BDL	0.4	0.5	14.1	0.2	1.8	12.0	8.0
3/31/2017 0:00	BDL	0.4	0.5	16.7	0.2	1.8	10.0	8.0
3/31/2017 1:00	BDL	0.5	0.6	12.0	0.2	1.9	10.0	7.0
3/31/2017 2:00	BDL	Calibration	Calibration	11.2	0.2	1.9	7.0	5.0
3/31/2017 3:00	BDL	Calibration	Calibration	16.1	0.2	1.9	7.0	6.0
3/31/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	6.0	6.0
3/31/2017 5:00	BDL	0.4	0.4	18.2	0.3	2.0	8.0	5.0
3/31/2017 6:00	BDL	0.6	0.5	22.6	0.3	1.9	10.0	7.0
3/31/2017 7:00	BDL	0.8	0.4	29.9	0.3	1.9	13.0	8.0
3/31/2017 8:00	BDL	0.8	0.5	31.4	0.3	2.0	13.0	10.0
3/31/2017 9:00	BDL	0.7	0.5	24.7	0.3	2.0	11.0	7.0
3/31/2017 10:00	BDL	0.7	0.6	30.2	0.3	1.9	8.0	4.0
3/31/2017 11:00	BDL	0.7	0.5	26.8	0.3	2.0	15.0	7.0
3/31/2017 12:00	BDL	0.7	0.4	27.9	0.3	2.0	8.0	8.0
3/31/2017 13:00	BDL	0.7	0.5	22.3	0.3	2.0	6.0	5.0
3/31/2017 14:00	BDL	0.6	0.5	23.4	0.3	2.0	6.0	6.0
3/31/2017 15:00	BDL	0.6	0.6	17.2	0.4	1.9	7.0	6.0
3/31/2017 16:00	BDL	0.7	0.6	17.7	0.3	2.0	6.0	6.0
3/31/2017 17:00	BDL	0.7	0.6	18.8	0.4	2.0	6.0	5.0
3/31/2017 18:00	BDL	0.5	0.5	19.0	0.4	1.9	9.0	6.0
3/31/2017 19:00	BDL	0.5	0.6	12.0	0.3	1.8	6.0	7.0
3/31/2017 20:00	BDL	0.5	0.5	11.1	0.3	1.8	8.0	7.0
3/31/2017 21:00	BDL	0.4	0.5	9.3	0.3	1.8	9.0	4.0
3/31/2017 22:00	BDL	0.4	0.5	5.4	0.2	1.7	6.0	4.0
3/31/2017 23:00	BDL	0.4	0.5	8.9	0.2	1.8	5.0	7.0
4/1/2017 0:00	BDL	0.4	0.5	8.7	0.3	1.9	3.0	8.0
4/1/2017 1:00	BDL	0.4	0.4	6.6	0.2	1.8	7.0	5.0
4/1/2017 2:00	BDL	Calibration	Calibration	4.3	0.2	1.8	7.0	3.0
4/1/2017 3:00	BDL	Calibration	Calibration	3.4	0.2	1.8	4.0	4.0
4/1/2017 4:00	Calibration	BDL	0.4	Calibration	Calibration	Too few samples	4.0	6.0
4/1/2017 5:00	BDL	BDL	0.5	4.3	0.2	2.2	4.0	4.0
4/1/2017 6:00	BDL	BDL	0.4	4.8	0.2	2.0	5.0	4.0
4/1/2017 7:00	BDL	BDL	0.4	5.6	0.2	2.1	5.0	7.0
4/1/2017 8:00	BDL	BDL	BDL	4.4	0.2	1.9	6.0	5.0
4/1/2017 9:00	BDL	BDL	0.4	2.6	0.2	2.1	4.0	3.0
4/1/2017 10:00	BDL	BDL	BDL	2.6	0.2	1.9	7.0	2.0
4/1/2017 11:00	BDL	BDL	0.4	1.9	0.2	2.0	6.0	2.0
4/1/2017 12:00	BDL	BDL	0.5	0.5	0.2	2.1	4.0	2.0
4/1/2017 13:00	BDL	BDL	0.4	0.5	0.2	2.2	5.0	2.0
4/1/2017 14:00	BDL	BDL	0.5	0.4	0.2	2.2	9.0	1.0
4/1/2017 15:00	BDL	BDL	0.4	0.5	0.2	2.1	7.0	3.0
4/1/2017 16:00	BDL	BDL	BDL	1.4	0.2	2.1	5.0	5.0
4/1/2017 17:00	BDL	BDL	BDL	1.5	0.2	2.2	5.0	5.0
4/1/2017 18:00	BDL	BDL	BDL	2.1	0.2	2.1	8.0	6.0
4/1/2017 19:00	BDL	BDL	BDL	2.1	0.2	2.1	6.0	6.0
4/1/2017 20:00	BDL	BDL	BDL	3.0	0.2	2.1	5.0	6.0
4/1/2017 21:00	BDL	BDL	BDL	4.0	0.2	2.1	7.0	7.0
4/1/2017 22:00	BDL	BDL	BDL	1.6	0.2	2.0	9.0	5.0
4/1/2017 23:00	BDL	BDL	BDL	3.0	0.2	2.1	5.0	5.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 ug/m3
Site Downwind Weekly: 4/2/2017-4/8/2017 Type: AVG								
4/2/2017 0:00	BDL	BDL	0.4	8.4	0.2	2.5	6.0	6.0
4/2/2017 1:00	BDL	BDL	BDL	5.1	0.2	2.5	8.0	9.0
4/2/2017 2:00	BDL	Calibration	Calibration	6.2	0.2	2.8	9.0	6.0
4/2/2017 3:00	BDL	Calibration	Calibration	1.2	0.2	2.3	7.0	6.0
4/2/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.3	6.0	5.0
4/2/2017 5:00	BDL	BDL	BDL	3.0	0.2	2.6	10.0	7.0
4/2/2017 6:00	BDL	BDL	BDL	5.6	0.2	2.5	7.0	8.0
4/2/2017 7:00	BDL	BDL	BDL	2.7	0.2	2.4	5.0	7.0
4/2/2017 8:00	BDL	BDL	BDL	1.1	0.2	2.2	9.0	6.0
4/2/2017 9:00	BDL	BDL	BDL	0.5	0.2	2.3	8.0	4.0
4/2/2017 10:00	BDL	BDL	BDL	BDL	0.2	2.3	7.0	6.0
4/2/2017 11:00	BDL	BDL	0.4	BDL	0.2	Invalid	6.0	6.0
4/2/2017 12:00	BDL	BDL	BDL	BDL	0.2	Too few samples	5.0	6.0
4/2/2017 13:00	BDL	BDL	BDL	BDL	0.2	2.2	6.0	7.0
4/2/2017 14:00	BDL	BDL	BDL	BDL	0.2	2.2	7.0	6.0
4/2/2017 15:00	BDL	BDL	BDL	BDL	0.2	2.3	7.0	7.0
4/2/2017 16:00	BDL	BDL	BDL	BDL	0.2	2.3	8.0	6.0
4/2/2017 17:00	BDL	BDL	BDL	4.2	0.2	2.1	13.0	5.0
4/2/2017 18:00	BDL	BDL	BDL	3.9	0.2	2.1	14.0	7.0
4/2/2017 19:00	0.4	BDL	0.6	7.3	0.2	Too few samples	16.0	9.0
4/2/2017 20:00	0.6	0.5	0.6	14.1	0.3	Too few samples	17.0	11.0
4/2/2017 21:00	0.6	0.8	0.9	19.9	0.3	Too few samples	15.0	12.0
4/2/2017 22:00	BDL	0.6	0.7	12.3	0.3	Invalid	14.0	9.0
4/2/2017 23:00	BDL	BDL	BDL	6.0	0.2	Invalid	22.0	13.0
4/3/2017 0:00	BDL	BDL	0.4	10.3	0.3	Invalid	15.0	10.0
4/3/2017 1:00	BDL	0.4	0.5	16.3	0.3	Invalid	18.0	14.0
4/3/2017 2:00	BDL	Calibration	Calibration	31.7	0.4	Invalid	16.0	14.0
4/3/2017 3:00	BDL	Calibration	Calibration	76.8	0.5	Invalid	28.0	19.0
4/3/2017 4:00	Calibration	2.6	1.8	Calibration	Calibration	Calibration	28.0	20.0
4/3/2017 5:00	BDL	3.0	1.7	103.0	0.7	2.9	37.0	20.0
4/3/2017 6:00	BDL	2.9	1.7	103.2	0.6	Too few samples	39.0	23.0
4/3/2017 7:00	0.8	2.6	1.7	85.3	0.5	2.3	35.0	26.0
4/3/2017 8:00	BDL	1.9	1.5	47.7	0.3	Too few samples	22.0	17.0
4/3/2017 9:00	BDL	1.1	0.8	20.1	0.3	Invalid	24.0	14.0
4/3/2017 10:00	BDL	0.5	0.6	13.0	0.3	Invalid	19.0	13.0
4/3/2017 11:00	BDL	0.4	0.5	7.4	0.3	Too few samples	18.0	11.0
4/3/2017 12:00	BDL	BDL	0.4	1.2	0.2	Invalid	11.0	10.0
4/3/2017 13:00	BDL	BDL	0.4	2.4	0.2	Invalid	15.0	7.0
4/3/2017 14:00	BDL	BDL	0.4	4.0	0.2	Invalid	12.0	5.0
4/3/2017 15:00	BDL	BDL	BDL	4.0	0.2	Invalid	13.0	5.0
4/3/2017 16:00	BDL	BDL	BDL	4.6	0.2	Invalid	13.0	6.0
4/3/2017 17:00	BDL	BDL	BDL	1.8	0.2	Invalid	13.0	4.0
4/3/2017 18:00	BDL	BDL	0.5	1.7	0.2	Invalid	11.0	4.0
4/3/2017 19:00	BDL	BDL	BDL	3.2	0.2	Invalid	11.0	4.0
4/3/2017 20:00	BDL	BDL	0.4	3.2	0.2	Invalid	9.0	6.0
4/3/2017 21:00	BDL	0.4	0.5	6.8	0.3	Invalid	17.0	5.0
4/3/2017 22:00	BDL	0.7	0.8	3.6	0.2	Too few samples	13.0	3.0
4/3/2017 23:00	BDL	0.5	0.7	4.5	0.2	1.8	10.0	11.0
4/4/2017 0:00	BDL	0.6	0.9	3.2	0.2	Too few samples	7.0	6.0
4/4/2017 1:00	BDL	0.5	0.7	BDL	0.2	Invalid	11.0	5.0
4/4/2017 2:00	BDL	Calibration	Calibration	BDL	0.2	Invalid	13.0	7.0
4/4/2017 3:00	BDL	Calibration	Calibration	1.9	0.2	Invalid	17.0	7.0
4/4/2017 4:00	Calibration	0.4	0.6	Calibration	Calibration	Calibration	20.0	11.0
4/4/2017 5:00	BDL	0.7	0.8	23.7	0.3	Too few samples	24.0	13.0
4/4/2017 6:00	BDL	0.8	0.7	18.9	0.3	Too few samples	19.0	9.0
4/4/2017 7:00	BDL	0.9	1.0	19.8	0.3	1.8	14.0	9.0
4/4/2017 8:00	BDL	0.7	0.9	11.9	0.3	2.0	16.0	15.0
4/4/2017 9:00	BDL	0.7	0.7	12.1	0.3	1.9	27.0	22.0
4/4/2017 10:00	BDL	0.7	0.8	11.2	0.3	1.9	22.0	20.0
4/4/2017 11:00	BDL	0.7	0.9	10.7	0.3	1.9	20.0	14.0
4/4/2017 12:00	BDL	0.9	1.1	9.6	0.3	Too few samples	17.0	13.0
4/4/2017 13:00	BDL	0.8	1.0	10.3	0.3	1.8	27.0	15.0
4/4/2017 14:00	BDL	0.6	0.8	7.2	0.2	1.8	14.0	12.0
4/4/2017 15:00	1.2	0.8	1.0	8.1	0.3	1.8	16.0	13.0
4/4/2017 16:00	1.2	0.9	1.1	10.7	0.2	1.8	15.0	9.0
4/4/2017 17:00	BDL	1.0	1.2	11.4	0.2	1.8	16.0	6.0
4/4/2017 18:00	BDL	0.7	0.8	8.8	0.3	1.7	15.0	9.0
4/4/2017 19:00	BDL	0.4	0.6	2.2	0.2	1.8	15.0	8.0
4/4/2017 20:00	BDL	BDL	0.5	0.5	0.2	1.9	12.0	6.0
4/4/2017 21:00	BDL	BDL	0.5	BDL	0.2	1.9	10.0	6.0
4/4/2017 22:00	BDL	BDL	0.5	3.9	0.2	1.9	13.0	4.0
4/4/2017 23:00	BDL	0.4	0.6	11.6	0.2	2.0	9.0	6.0
4/5/2017 0:00	BDL	0.5	0.5	11.1	0.2	1.9	6.0	9.0
4/5/2017 1:00	BDL	0.5	0.6	12.1	0.2	1.9	10.0	7.0
4/5/2017 2:00	BDL	Calibration	Calibration	7.0	0.2	1.8	15.0	9.0
4/5/2017 3:00	BDL	Calibration	Calibration	8.5	0.2	2.0	12.0	7.0
4/5/2017 4:00	Calibration	BDL	0.5	Calibration	Calibration	Too few samples	13.0	8.0
4/5/2017 5:00	BDL	BDL	0.4	1.1	0.2	Too few samples	12.0	6.0
4/5/2017 6:00	BDL	BDL	BDL	4.5	0.2	Invalid	15.0	7.0
4/5/2017 7:00	BDL	BDL	0.4	3.2	0.2	Invalid	11.0	11.0
4/5/2017 8:00	BDL	BDL	0.4	2.2	0.2	Invalid	13.0	7.0
4/5/2017 9:00	BDL	BDL	0.4	1.6	0.2	Invalid	14.0	5.0
4/5/2017 10:00	BDL	BDL	0.4	2.1	0.2	Too few samples	8.0	4.0
4/5/2017 11:00	BDL	BDL	BDL	1.8	0.2	Invalid	10.0	7.0
4/5/2017 12:00	BDL	BDL	BDL	2.3	0.2	Invalid	12.0	7.0
4/5/2017 13:00	BDL	BDL	0.4	5.5	0.3	Too few samples	13.0	6.0
4/5/2017 14:00	BDL	BDL	BDL	9.2	0.3	Too few samples	17.0	13.0
4/5/2017 15:00	BDL	BDL	BDL	10.6	0.3	Too few samples	15.0	11.0
4/5/2017 16:00	BDL	BDL	0.4	4.1	0.2	Invalid	12.0	10.0
4/5/2017 17:00	BDL	BDL	0.4	6.9	0.3	Invalid	13.0	8.0
4/5/2017 18:00	BDL	0.4	0.4	12.3	0.3	Invalid	14.0	10.0
4/5/2017 19:00	BDL	BDL	0.5	8.7	0.3	Invalid	12.0	13.0
4/5/2017 20:00	BDL	BDL	BDL	9.0	0.3	Invalid	16.0	10.0
4/5/2017 21:00	BDL	BDL	BDL	7.9	0.3	1.7	14.0	7.0
4/5/2017 22:00	BDL	BDL	BDL	5.3	0.3	1.7	10.0	6.0
4/5/2017 23:00	BDL	BDL	BDL	9.2	0.2	1.7	12.0	6.0
4/6/2017 0:00	BDL	BDL	0.4	8.2	0.2	1.7	13.0	9.0
4/6/2017 1:00	BDL	BDL	0.4	4.3	0.2	1.7	8.0	5.0
4/6/2017 2:00	BDL	Calibration	Calibration	3.7	0.2	1.7	14.0	8.0
4/6/2017 3:00	BDL	Calibration	Calibration	4.5	0.2	1.7	11.0	6.0
4/6/2017 4:00	Calibration	BDL	0.4	Calibration	Calibration	1.7	9.0	9.0
4/6/2017 5:00	BDL	0.4	0.5	13.2	0.3	1.6	10.0	6.0
4/6/2017 6:00	BDL	0.6	0.6	19.1	0.3	Too few samples	7.0	7.0
4/6/2017 7:00	BDL	0.6	0.6	14.8	0.3	2.3	12.0	10.0
4/6/2017 8:00	BDL	0.5	0.5	14.7	0.3	2.2	10.0	9.0
4/6/2017 9:00	BDL	0.6	0.6	20.3	0.3	2.1	14.0	6.0
4/6/2017 10:00	BDL	0.6	0.6	17.6	0.3	2.2	8.0	6.0
4/6/2017 11:00	BDL	0.7	0.6	17.7	0.3	2.2	10.0	6.0
4/6/2017 12:00	BDL	0.8	0.8	19.1	0.3	2.2	14.0	10.0
4/6/2017 13:00	BDL	1.2	1.0	40.3	0.4	2.6	11.0	11.0
4/6/2017 14:00	BDL	1.5	1.2	36.2	0.4	2.9	16.0	9.0
4/6/2017 15:00	BDL	1.2	1.1	16.5	0.3	Too few samples	7.0	6.0
4/6/2017 16:00	BDL	0.9	1.0	16.4	0.3	2.5	10.0	7.0
4/6/2017 17:00	BDL	1.3	1.4	18.2	0.2	Too few samples	8.0	7.0
4/6/2017 18:00	BDL	1.6	1.4	12.6	0.3	Invalid	15.0	7.0
4/6/2017 19:00	BDL	0.7	0.8	18.5	0.3	Invalid	10.0	6.0
4/6/2017 20:00	BDL	0.8	0.8	14.0	0.3	Invalid	9.0	9.0
4/6/2017 21:00	BDL	0.8	0.8	18.4	0.3	Invalid	12.0	10.0
4/6/2017 22:00	BDL	0.9	1.1	16.0	0.3	Invalid	14.0	11.0
4/6/2017 23:00	BDL	1.1	1.1	13.0	0.2	Invalid	19.0	9.0
4/7/2017 0:00	BDL	1.1	1.2	18.9	0.2	Too few samples	11.0	8.0
4/7/2017 1:00	BDL	1.2	1.1	17.6	0.2	2.3	13.0	12.0
4/7/2017 2:00	BDL	Calibration	Calibration	17.0	0.2	2.3	15.0	9.0
4/7/2017 3:00	0.7	Calibration	Calibration	17.1	0.2	2.4	11.0	8.0
4/7/2017 4:00	Calibration	0.5	0.7	Calibration	Calibration	2.4	10.0	8.0
4/7/2017 5:00	0.8	1.0	0.9	21.2	0.2	Too few samples	15.0	9.0
4/7/2017 6:00	BDL	0.9	1.0	16.1	0.2	2.2	13.0	6.0
4/7/2017 7:00	BDL	1.5	1.3	16.8	0.2	2.2	11.0	4.0
4/7/2017 8:00	BDL	1.0	1.1	14.3	0.2	2.2	16.0	4.0
4/7/2017 9:00	BDL	1.4	1.4	14.8	0.2	2.2	16.0	9.0
4/7/2017 10:00	BDL	0.7	0.7	8.7	0.2	2.3	11.0	6.0
4/7/2017 11:00	BDL	0.5	0.6	6.0	0.2	2.2	16.0	3.0
4/7/2017 12:00	BDL	0.7	0.7	12.3	0.2	2.2	15.0	3.0
4/7/2017 13:00	BDL	0.6	0.7	8.8	0.2	2.3	18.0	2.0
4/7/2017 14:00	BDL	0.5	0.6	6.9	0.2	2.3	10.0	5.0
4/7/2017 15:00	BDL	BDL	0.6	3.4	0.2	2.4	9.0	6.0
4/7/2017 16:00	BDL	BDL	0.5	2.6	0.2	2.4	8.0	4.0
4/7/2017 17:00	BDL	BDL	0.4	1.1	0.2	2.3	6.0	2.0
4/7/2017 18:00	BDL	BDL	BDL	BDL	0.2	2.3	6.0	4.0
4/7/2017 19:00	BDL	BDL	0.4	BDL	0.1	2.4	6.0	6.0
4/7/2017 20:00	BDL	BDL	0.4	BDL	0.1	2.4	3.0	4.0
4/7/2017 21:00	BDL	BDL	0.4	BDL	0.1	2.4	5.0	4.0
4/7/2017 22:00	BDL	BDL	0.4	BDL	0.1	2.4	7.0	6.0
4/7/2017 23:00	BDL	BDL	0.4	BDL	0.1	2.4	12.0	5.0
4/8/2017 0:00	BDL	BDL	0.4	BDL	0.1	2.4	11.0	4.0
4/8/2017 1:00	BDL	BDL	0.4	BDL	0.1	2.3	10.0	6.0
4/8/2017 2:00	BDL	Calibration	Calibration	2.2	0.1	2.4	9.0	6.0
4/8/2017 3:00	BDL	Calibration	Calibration	5.4	0.1	2.3	10.0	8.0
4/8/2017 4:00	Calibration	BDL	0.4	Calibration	Calibration	2.4	11.0	10.0
4/8/2017 5:00	BDL	0.4	0.5	8.4	0.1	2.3	14.0	6.0
4/8/2017 6:00	BDL	0.5	0.6	10.5	0.1	2.3	16.0	7.0
4/8/2017 7:00	BDL	0.4	0.4	10.2	0.1	2.4	9.0	6.0
4/8/2017 8:00	BDL	BDL	0.4	1.4	0.1	2.5	9.0	2.0
4/8/2017 9:00	BDL	BDL	BDL	0.6	0.1	2.5	8.0	3.0
4/8/2017 10:00	BDL	BDL	BDL	BDL	0.1	2.5	9.0	3.0
4/8/2017 11:00	BDL	BDL	0.5	BDL	0.1	2.5	7.0	BDL
4/8/2017 12:00	BDL	BDL	0.5	BDL	0.2	Too few samples	6.0	4.0
4/8/2017 13:00	BDL	BDL	0.5	0.6	0.2	Invalid	8.0	3.0
4/8/2017 14:00	BDL	BDL	0.4	BDL	0.2	Invalid	9.0	BDL
4/8/2017 15:00	BDL	BDL	BDL	BDL	0.2	Invalid	6.0	1.0
4/8/2017 16:00	BDL	BDL	0.4	BDL	0.2	Invalid	10.0	7.0
4/8/2017 17:00	BDL	BDL	BDL	BDL	0.2	Invalid	9.0	5.0
4/8/2017 18:00	BDL	BDL	BDL	BDL	0.2	Invalid	4.0	5.0
4/8/2017 19:00	BDL	BDL	0.5	2.5	0.2	Invalid	6.0	4.0
4/8/2017 20:00	BDL	BDL	0.4	8.2	0.2	Invalid	11.0	4.0
4/8/2017 21:00	BDL	0.5	0.4	29.8	0.4	Invalid	15.0	6.0
4/8/2017 22:00	BDL	1.0	0.5	58.8	0.7	Invalid	18.0	9.0
4/8/2017 23:00	BDL	1.4	0.7	59.9	1.0	Invalid	18.0	8.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 4/9/2017-4/15/2017								
4/9/2017 0:00	BDL	1.9	0.9	88.0	1.2	Invalid	29.0	8.0
4/9/2017 1:00	BDL	3.1	1.0	102.7	1.3	4.2	27.0	14.0
4/9/2017 2:00	BDL	Calibration	Calibration	136.8	1.3	5.7	33.0	18.0
4/9/2017 3:00	BDL	Calibration	Calibration	157.9	1.3	5.8	27.0	15.0
4/9/2017 4:00	Calibration	3.0	1.5	Calibration	Calibration	Too few samples	23.0	14.0
4/9/2017 5:00	BDL	3.1	1.3	107.4	1.0	Too few samples	28.0	17.0
4/9/2017 6:00	BDL	3.9	1.7	115.0	1.0	Too few samples	29.0	25.0
4/9/2017 7:00	1.1	2.8	1.2	79.1	0.7	4.2	25.0	19.0
4/9/2017 8:00	BDL	1.2	0.9	26.9	0.3	3.2	14.0	14.0
4/9/2017 9:00	BDL	0.7	0.7	11.4	0.2	2.7	10.0	7.0
4/9/2017 10:00	BDL	BDL	BDL	2.5	0.2	2.6	9.0	5.0
4/9/2017 11:00	BDL	BDL	BDL	2.1	0.2	2.5	7.0	8.0
4/9/2017 12:00	BDL	BDL	BDL	1.0	0.2	2.5	8.0	7.0
4/9/2017 13:00	BDL	BDL	BDL	1.5	0.2	2.5	10.0	7.0
4/9/2017 14:00	BDL	BDL	BDL	BDL	0.2	2.5	12.0	6.0
4/9/2017 15:00	BDL	BDL	0.4	1.0	0.2	2.4	13.0	4.0
4/9/2017 16:00	BDL	BDL	0.4	0.6	0.2	2.4	12.0	6.0
4/9/2017 17:00	BDL	BDL	BDL	2.4	0.2	2.5	17.0	8.0
4/9/2017 18:00	BDL	BDL	0.4	BDL	0.2	2.4	14.0	6.0
4/9/2017 19:00	BDL	BDL	0.4	1.5	0.2	2.5	13.0	5.0
4/9/2017 20:00	BDL	BDL	0.5	4.6	0.2	2.6	9.0	7.0
4/9/2017 21:00	BDL	0.4	0.5	12.0	0.3	Too few samples	10.0	8.0
4/9/2017 22:00	BDL	0.6	0.5	19.5	0.3	Too few samples	13.0	8.0
4/9/2017 23:00	BDL	0.8	0.5	40.7	0.3	2.5	17.0	9.0
4/10/2017 0:00	BDL	1.0	0.6	33.8	0.3	2.4	23.0	11.0
4/10/2017 1:00	BDL	0.8	0.6	23.7	0.2	2.4	17.0	12.0
4/10/2017 2:00	BDL	Calibration	Calibration	12.1	0.3	2.4	16.0	11.0
4/10/2017 3:00	BDL	Calibration	Calibration	17.3	0.2	2.4	13.0	8.0
4/10/2017 4:00	Calibration	0.8	0.5	Calibration	Calibration	Too few samples	17.0	11.0
4/10/2017 5:00	BDL	1.4	0.7	51.1	0.4	2.4	20.0	13.0
4/10/2017 6:00	BDL	1.3	0.7	43.9	0.4	2.5	28.0	12.0
4/10/2017 7:00	BDL	1.4	1.0	36.3	0.3	2.7	26.0	15.0
4/10/2017 8:00	1.0	1.3	1.1	20.9	0.3	Too few samples	25.0	12.0
4/10/2017 9:00	BDL	1.1	1.0	13.9	0.3	Invalid	25.0	9.0
4/10/2017 10:00	BDL	0.7	0.7	13.4	0.3	Too few samples	26.0	11.0
4/10/2017 11:00	BDL	BDL	0.4	4.1	0.2	Too few samples	26.0	11.0
4/10/2017 12:00	BDL	BDL	BDL	0.7	0.2	2.7	24.0	10.0
4/10/2017 13:00	BDL	BDL	BDL	1.0	0.2	2.7	20.0	8.0
4/10/2017 14:00	BDL	BDL	BDL	BDL	0.2	2.7	24.0	17.0
4/10/2017 15:00	BDL	BDL	0.4	4.2	0.2	2.6	23.0	17.0
4/10/2017 16:00	BDL	BDL	BDL	4.2	0.2	2.6	30.0	10.0
4/10/2017 17:00	BDL	BDL	BDL	2.8	0.2	2.6	19.0	13.0
4/10/2017 18:00	BDL	BDL	0.5	6.8	0.2	2.6	38.0	11.0
4/10/2017 19:00	BDL	BDL	0.5	5.3	0.3	Too few samples	22.0	14.0
4/10/2017 20:00	BDL	0.6	0.8	9.0	0.3	Too few samples	15.0	14.0
4/10/2017 21:00	BDL	0.6	0.8	8.6	0.3	Invalid	19.0	14.0
4/10/2017 22:00	BDL	0.7	0.9	11.3	0.3	Too few samples	25.0	13.0
4/10/2017 23:00	BDL	0.9	0.9	20.9	0.2	Too few samples	21.0	12.0
4/11/2017 0:00	BDL	1.0	0.8	31.9	0.3	Invalid	19.0	12.0
4/11/2017 1:00	BDL	0.8	0.6	20.7	0.3	Invalid	16.0	11.0
4/11/2017 2:00	BDL	Calibration	Calibration	16.8	0.2	Too few samples	20.0	9.0
4/11/2017 3:00	BDL	Calibration	Calibration	11.2	0.2	Invalid	22.0	12.0
4/11/2017 4:00	Calibration	0.9	1.0	Calibration	Calibration	Calibration	23.0	10.0
4/11/2017 5:00	BDL	1.3	1.2	25.9	0.3	Invalid	27.0	14.0
4/11/2017 6:00	BDL	1.5	1.4	31.9	0.3	Invalid	26.0	14.0
4/11/2017 7:00	BDL	1.8	1.8	30.3	0.3	Too few samples	44.0	15.0
4/11/2017 8:00	BDL	1.0	1.1	16.0	0.3	2.7	29.0	13.0
4/11/2017 9:00	BDL	0.9	0.9	11.9	0.3	2.4	33.0	14.0
4/11/2017 10:00	BDL	0.6	0.7	12.0	0.3	2.3	26.0	18.0
4/11/2017 11:00	BDL	0.4	0.6	9.4	0.3	2.3	33.0	15.0
4/11/2017 12:00	BDL	0.5	0.8	9.1	0.3	2.2	37.0	13.0
4/11/2017 13:00	BDL	0.4	0.5	4.7	0.2	2.3	31.0	16.0
4/11/2017 14:00	BDL	BDL	0.4	4.5	0.3	2.3	34.0	17.0
4/11/2017 15:00	BDL	BDL	0.4	7.1	0.3	2.3	40.0	15.0
4/11/2017 16:00	BDL	0.4	0.5	11.5	0.3	2.2	30.0	17.0
4/11/2017 17:00	BDL	0.4	0.5	13.3	0.3	2.3	33.0	17.0
4/11/2017 18:00	BDL	0.8	0.7	32.3	0.4	2.3	38.0	19.0
4/11/2017 19:00	BDL	0.8	0.8	21.7	0.4	2.2	34.0	16.0
4/11/2017 20:00	BDL	0.9	1.0	8.3	0.3	2.3	31.0	17.0
4/11/2017 21:00	BDL	1.3	1.5	9.9	0.2	2.5	31.0	13.0
4/11/2017 22:00	BDL	1.1	1.4	4.7	0.2	2.4	23.0	20.0
4/11/2017 23:00	BDL	1.3	1.4	15.9	0.3	2.6	26.0	16.0
4/12/2017 0:00	BDL	1.6	1.7	17.8	0.3	2.5	27.0	16.0
4/12/2017 1:00	BDL	1.5	1.5	25.1	0.3	2.4	28.0	17.0
4/12/2017 2:00	BDL	Calibration	Calibration	23.9	0.3	2.3	32.0	18.0
4/12/2017 3:00	BDL	Calibration	Calibration	27.3	0.3	2.7	31.0	21.0
4/12/2017 4:00	Calibration	1.7	1.5	Calibration	Calibration	Too few samples	35.0	17.0
4/12/2017 5:00	BDL	2.1	1.6	49.9	0.5	3.2	41.0	23.0
4/12/2017 6:00	BDL	1.9	1.5	43.6	0.5	3.7	46.0	19.0
4/12/2017 7:00	BDL	Audit	Audit	39.1	0.4	3.3	35.0	14.0
4/12/2017 8:00	BDL	Too few samples	Too few samples	9.9	0.2	2.5	20.0	13.0
4/12/2017 9:00	BDL	0.4	0.4	Calibration	0.2	2.3	21.0	9.0
4/12/2017 10:00	BDL	BDL	0.5	4.6	0.2	2.3	18.0	8.0
4/12/2017 11:00	BDL	BDL	0.4	BDL	0.2	2.2	15.0	8.0
4/12/2017 12:00	BDL	BDL	0.4	BDL	0.2	2.3	17.0	6.0
4/12/2017 13:00	BDL	BDL	0.6	2.2	0.2	2.3	25.0	7.0
4/12/2017 14:00	BDL	BDL	0.4	1.4	0.2	2.4	24.0	6.0
4/12/2017 15:00	BDL	BDL	0.4	BDL	0.2	2.4	18.0	6.0
4/12/2017 16:00	BDL	BDL	0.4	3.6	0.2	2.4	21.0	8.0
4/12/2017 17:00	BDL	BDL	0.4	5.0	0.2	2.4	18.0	10.0
4/12/2017 18:00	BDL	BDL	0.4	2.4	0.2	2.5	16.0	8.0
4/12/2017 19:00	BDL	BDL	BDL	3.2	0.2	2.5	20.0	9.0
4/12/2017 20:00	BDL	BDL	BDL	8.7	0.2	2.9	17.0	10.0
4/12/2017 21:00	BDL	BDL	0.5	13.0	0.2	2.9	22.0	13.0
4/12/2017 22:00	BDL	BDL	BDL	2.9	0.2	2.5	17.0	8.0
4/12/2017 23:00	BDL	BDL	BDL	0.8	0.2	2.5	12.0	6.0
4/13/2017 0:00	BDL	BDL	BDL	1.5	0.2	2.5	14.0	10.0
4/13/2017 1:00	BDL	BDL	BDL	1.9	0.2	2.3	16.0	8.0
4/13/2017 2:00	BDL	Calibration	Calibration	2.8	0.2	2.3	17.0	7.0
4/13/2017 3:00	BDL	Calibration	Calibration	3.8	0.2	2.3	19.0	9.0
4/13/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.2	14.0	11.0
4/13/2017 5:00	Too few samples	BDL	BDL	Too few samples	Too few samples	2.3	15.0	8.0
4/13/2017 6:00	BDL	BDL	BDL	6.7	0.2	2.4	16.0	7.0
4/13/2017 7:00	BDL	BDL	BDL	5.6	0.2	2.4	16.0	6.0
4/13/2017 8:00	Too few samples	BDL	BDL	88.8	5.3	2.3	14.0	5.0
4/13/2017 9:00	Too few samples	0.5	0.6	Too few samples	Too few samples	2.3	19.0	7.0
4/13/2017 10:00	BDL	BDL	0.4	3.2	0.2	2.3	12.0	6.0
4/13/2017 11:00	BDL	BDL	BDL	2.9	0.2	2.3	12.0	8.0
4/13/2017 12:00	BDL	BDL	BDL	BDL	0.2	2.3	16.0	7.0
4/13/2017 13:00	BDL	BDL	BDL	1.2	0.2	2.3	14.0	6.0
4/13/2017 14:00	BDL	BDL	BDL	BDL	0.2	2.3	16.0	7.0
4/13/2017 15:00	BDL	BDL	0.4	BDL	0.2	2.3	11.0	8.0
4/13/2017 16:00	BDL	BDL	BDL	BDL	0.2	2.2	11.0	5.0
4/13/2017 17:00	BDL	BDL	BDL	1.2	0.2	2.3	12.0	4.0
4/13/2017 18:00	BDL	BDL	BDL	3.2	0.2	2.2	14.0	6.0
4/13/2017 19:00	BDL	BDL	BDL	5.8	0.2	2.3	13.0	7.0
4/13/2017 20:00	BDL	BDL	BDL	7.7	0.2	2.4	14.0	6.0
4/13/2017 21:00	BDL	BDL	0.4	8.3	0.2	2.3	14.0	6.0
4/13/2017 22:00	BDL	BDL	BDL	12.6	0.3	2.3	14.0	6.0
4/13/2017 23:00	BDL	BDL	BDL	10.3	0.2	2.4	16.0	7.0
4/14/2017 0:00	BDL	BDL	BDL	8.1	0.2	2.3	14.0	12.0
4/14/2017 1:00	BDL	BDL	BDL	8.5	0.2	2.4	16.0	7.0
4/14/2017 2:00	BDL	Calibration	Calibration	7.1	0.2	2.4	21.0	9.0
4/14/2017 3:00	BDL	Calibration	Calibration	10.4	0.2	2.4	15.0	9.0
4/14/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	16.0	7.0
4/14/2017 5:00	BDL	BDL	BDL	24.5	0.3	2.5	19.0	7.0
4/14/2017 6:00	BDL	0.6	BDL	31.3	0.3	2.3	15.0	8.0
4/14/2017 7:00	BDL	0.6	0.4	30.7	0.4	2.3	21.0	8.0
4/14/2017 8:00	BDL	0.5	BDL	27.7	0.3	2.2	22.0	6.0
4/14/2017 9:00	BDL	BDL	BDL	19.7	0.2	2.2	17.0	10.0
4/14/2017 10:00	BDL	0.4	BDL	19.4	0.2	2.3	18.0	9.0
4/14/2017 11:00	BDL	0.4	BDL	15.2	0.2	2.3	20.0	6.0
4/14/2017 12:00	BDL	BDL	BDL	13.8	0.2	2.3	22.0	7.0
4/14/2017 13:00	BDL	BDL	BDL	12.7	0.2	2.4	24.0	9.0
4/14/2017 14:00	BDL	0.4	BDL	12.7	0.2	2.2	22.0	10.0
4/14/2017 15:00	BDL	BDL	BDL	9.1	0.2	2.2	24.0	8.0
4/14/2017 16:00	BDL	BDL	BDL	8.2	0.2	2.2	30.0	12.0
4/14/2017 17:00	BDL	BDL	BDL	9.9	0.3	2.2	22.0	12.0
4/14/2017 18:00	BDL	BDL	BDL	13.1	0.3	2.1	21.0	11.0
4/14/2017 19:00	BDL	BDL	0.4	6.0	0.2	2.1	20.0	8.0
4/14/2017 20:00	BDL	BDL	0.4	3.2	0.2	2.2	17.0	10.0
4/14/2017 21:00	BDL	0.7	0.9	2.2	0.2	2.1	18.0	12.0
4/14/2017 22:00	BDL	0.6	0.8	6.7	0.3	2.6	17.0	13.0
4/14/2017 23:00	BDL	0.4	0.5	18.2	0.3	2.7	21.0	9.0
4/15/2017 0:00	BDL	0.4	0.4	11.1	0.3	2.6	17.0	16.0
4/15/2017 1:00	BDL	BDL	0.4	11.6	0.3	2.3	16.0	11.0
4/15/2017 2:00	BDL	Calibration	Calibration	31.7	0.3	2.4	22.0	12.0
4/15/2017 3:00	BDL	Calibration	Calibration	29.4	0.3	2.4	22.0	13.0
4/15/2017 4:00	Calibration	BDL	0.4	Calibration	Calibration	Too few samples	20.0	12.0
4/15/2017 5:00	BDL	0.9	0.7	26.6	0.3	2.3	19.0	14.0
4/15/2017 6:00	BDL	0.9	0.8	22.0	0.3	2.7	17.0	12.0
4/15/2017 7:00	BDL	0.6	0.6	11.9	0.3	2.4	17.0	11.0
4/15/2017 8:00	BDL	0.5	0.6	10.1	0.3	2.3	13.0	9.0
4/15/2017 9:00	BDL	0.7	0.8	9.5	0.3	2.3	20.0	9.0
4/15/2017 10:00	BDL	0.6	0.8	1.9	0.2	2.3	16.0	8.0
4/15/2017 11:00	BDL	BDL	0.4	3.9	0.2	2.2	21.0	8.0
4/15/2017 12:00	BDL	BDL	BDL	4.9	0.2	2.2	20.0	5.0
4/15/2017 13:00	BDL	BDL	BDL	1.7	0.2	2.2	22.0	7.0
4/15/2017 14:00	BDL	BDL	BDL	1.0	0.2	2.1	17.0	8.0
4/15/2017 15:00	BDL	BDL	BDL	5.1	0.2	2.1	23.0	7.0
4/15/2017 16:00	BDL	BDL	BDL	1.7	0.2	2.1	18.0	8.0
4/15/2017 17:00	BDL	BDL	0.4	2.8	0.3	2.1	24.0	12.0
4/15/2017 18:00	BDL	BDL	0.4	9.2	0.4	2.1	25.0	10.0
4/15/2017 19:00	BDL	BDL	0.5	11.4	0.5	2.1	26.0	12.0
4/15/2017 20:00	BDL	0.4	0.6	11.6	0.4	2.1	23.0	14.0
4/15/2017 21:00	BDL	0.5	0.6	15.5	0.4	2.1	23.0	10.0
4/15/2017 22:00	BDL	0.6	0.7	10.1	0.4	2.2	30.0	16.0
4/15/2017 23:00	BDL	0.7	0.8	11.4	0.4	2.3	23.0	14.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 4/16/2017- 4/22/2017								
4/16/2017 0:00	BDL	1.2	1.5	10.1	0.3	2.8	18.0	11.0
4/16/2017 1:00	BDL	1.7	1.8	13.3	0.3	2.8	28.0	17.0
4/16/2017 2:00	BDL	Calibration	Calibration	10.5	0.3	3.0	31.0	16.0
4/16/2017 3:00	BDL	Calibration	Calibration	13.2	0.3	3.2	29.0	23.0
4/16/2017 4:00	Calibration	1.4	1.6	Calibration	Calibration	Too few samples	24.0	17.0
4/16/2017 5:00	BDL	1.1	1.2	11.7	0.3	2.6	30.0	18.0
4/16/2017 6:00	BDL	0.8	1.0	14.3	0.3	2.7	30.0	21.0
4/16/2017 7:00	0.6	0.8	0.9	15.3	0.3	2.5	42.0	37.0
4/16/2017 8:00	0.6	0.9	1.0	15.4	0.3	2.5	32.0	27.0
4/16/2017 9:00	2.0	1.1	1.4	16.0	0.3	2.4	39.0	24.0
4/16/2017 10:00	0.6	1.3	1.3	7.9	0.3	2.3	37.0	16.0
4/16/2017 11:00	0.6	1.3	1.0	10.2	0.3	2.4	42.0	15.0
4/16/2017 12:00	0.6	0.8	1.6	9.0	0.3	2.4	50.0	22.0
4/16/2017 13:00	BDL	0.4	0.6	4.6	0.3	2.5	42.0	19.0
4/16/2017 14:00	BDL	0.4	0.5	6.0	0.3	2.6	70.0	17.0
4/16/2017 15:00	2.4	0.4	0.6	7.7	0.3	2.5	49.0	30.0
4/16/2017 16:00	0.5	BDL	0.4	9.4	0.3	2.5	30.0	13.0
4/16/2017 17:00	1.6	BDL	0.5	9.5	0.3	2.4	32.0	19.0
4/16/2017 18:00	3.3	0.5	0.6	14.0	0.3	2.3	31.0	21.0
4/16/2017 19:00	4.9	0.5	0.6	10.5	0.3	2.4	34.0	29.0
4/16/2017 20:00	3.1	0.9	1.2	18.0	0.3	2.4	34.0	9.0
4/16/2017 21:00	BDL	BDL	0.6	4.1	0.2	2.4	15.0	5.0
4/16/2017 22:00	BDL	BDL	0.6	BDL	0.2	2.2	11.0	4.0
4/16/2017 23:00	BDL	BDL	0.5	1.8	0.2	2.2	9.0	6.0
4/17/2017 0:00	BDL	0.5	0.6	9.0	0.2	2.4	8.0	9.0
4/17/2017 1:00	BDL	0.5	0.7	6.3	0.2	2.4	11.0	9.0
4/17/2017 2:00	BDL	Calibration	Calibration	9.3	0.2	2.5	18.0	8.0
4/17/2017 3:00	BDL	Calibration	Calibration	10.5	0.2	2.5	18.0	10.0
4/17/2017 4:00	Calibration	0.7	0.9	Calibration	Calibration	Too few samples	20.0	11.0
4/17/2017 5:00	BDL	1.6	1.6	33.6	0.4	2.7	23.0	15.0
4/17/2017 6:00	BDL	1.2	1.3	21.1	0.3	2.5	24.0	11.0
4/17/2017 7:00	BDL	0.9	0.9	16.9	0.3	2.5	29.0	11.0
4/17/2017 8:00	BDL	0.5	0.7	8.2	0.3	2.2	16.0	7.0
4/17/2017 9:00	BDL	0.5	0.6	7.3	0.3	2.2	18.0	6.0
4/17/2017 10:00	BDL	BDL	0.5	11.6	0.3	2.1	20.0	9.0
4/17/2017 11:00	BDL	0.4	0.5	10.7	0.3	2.2	14.0	8.0
4/17/2017 12:00	BDL	BDL	0.5	4.5	0.2	2.2	16.0	8.0
4/17/2017 13:00	BDL	BDL	0.5	0.6	0.2	2.2	10.0	7.0
4/17/2017 14:00	BDL	BDL	BDL	BDL	0.2	2.3	9.0	6.0
4/17/2017 15:00	BDL	BDL	0.4	BDL	0.2	2.2	9.0	5.0
4/17/2017 16:00	BDL	BDL	BDL	BDL	0.2	2.3	8.0	5.0
4/17/2017 17:00	BDL	BDL	BDL	BDL	0.2	2.2	10.0	7.0
4/17/2017 18:00	BDL	BDL	0.4	4.4	0.2	2.4	8.0	6.0
4/17/2017 19:00	BDL	BDL	0.4	23.0	0.4	2.8	10.0	8.0
4/17/2017 20:00	BDL	0.5	0.4	15.0	0.3	2.2	14.0	10.0
4/17/2017 21:00	BDL	BDL	0.4	8.8	0.2	2.2	11.0	8.0
4/17/2017 22:00	BDL	BDL	BDL	9.8	0.2	2.2	9.0	7.0
4/17/2017 23:00	BDL	BDL	BDL	4.8	0.2	2.2	9.0	4.0
4/18/2017 0:00	BDL	BDL	BDL	2.4	0.2	2.1	11.0	7.0
4/18/2017 1:00	BDL	BDL	BDL	1.1	0.2	2.1	13.0	5.0
4/18/2017 2:00	BDL	Calibration	Calibration	3.0	0.2	2.1	11.0	5.0
4/18/2017 3:00	BDL	Calibration	Calibration	2.8	0.2	2.1	12.0	5.0
4/18/2017 4:00	Calibration	BDL	0.4	Calibration	Calibration	2.2	10.0	4.0
4/18/2017 5:00	BDL	BDL	0.4	13.9	0.3	2.2	11.0	5.0
4/18/2017 6:00	BDL	BDL	BDL	11.1	0.2	2.2	11.0	6.0
4/18/2017 7:00	BDL	BDL	BDL	10.9	0.2	2.2	14.0	8.0
4/18/2017 8:00	BDL	BDL	BDL	8.8	0.2	2.2	17.0	6.0
4/18/2017 9:00	BDL	BDL	BDL	8.5	0.2	2.2	16.0	5.0
4/18/2017 10:00	BDL	BDL	BDL	7.5	0.2	2.2	15.0	6.0
4/18/2017 11:00	BDL	BDL	BDL	7.0	0.2	2.2	11.0	4.0
4/18/2017 12:00	BDL	BDL	BDL	4.8	0.2	2.2	14.0	6.0
4/18/2017 13:00	BDL	BDL	BDL	2.4	0.2	2.2	12.0	5.0
4/18/2017 14:00	BDL	BDL	BDL	2.2	0.2	2.2	10.0	7.0
4/18/2017 15:00	BDL	BDL	BDL	6.1	0.2	2.1	14.0	7.0
4/18/2017 16:00	BDL	BDL	BDL	2.3	0.2	2.1	20.0	8.0
4/18/2017 17:00	BDL	BDL	BDL	1.9	0.2	2.1	13.0	5.0
4/18/2017 18:00	BDL	BDL	BDL	3.0	0.2	2.1	7.0	4.0
4/18/2017 19:00	BDL	BDL	0.4	9.8	0.2	2.1	12.0	6.0
4/18/2017 20:00	BDL	BDL	BDL	5.0	0.2	2.1	8.0	6.0
4/18/2017 21:00	BDL	BDL	BDL	3.4	0.2	2.1	11.0	5.0
4/18/2017 22:00	BDL	BDL	BDL	4.0	0.2	2.1	12.0	5.0
4/18/2017 23:00	BDL	BDL	0.4	9.2	0.2	2.1	16.0	7.0
4/19/2017 0:00	BDL	BDL	0.4	9.4	0.2	2.1	15.0	8.0
4/19/2017 1:00	BDL	0.8	1.0	8.2	0.2	2.2	16.0	5.0
4/19/2017 2:00	BDL	Calibration	Calibration	7.3	0.2	2.1	13.0	8.0
4/19/2017 3:00	BDL	Calibration	Calibration	9.2	0.2	2.1	16.0	10.0
4/19/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	17.0	12.0
4/19/2017 5:00	BDL	BDL	BDL	22.9	0.3	2.1	24.0	9.0
4/19/2017 6:00	BDL	0.4	BDL	21.3	0.3	2.1	25.0	13.0
4/19/2017 7:00	BDL	BDL	BDL	12.8	0.2	2.1	21.0	10.0
4/19/2017 8:00	BDL	BDL	BDL	8.4	0.2	2.1	Audit	Audit
4/19/2017 9:00	BDL	BDL	BDL	6.4	0.2	2.1	Audit	Audit
4/19/2017 10:00	BDL	BDL	BDL	4.2	0.2	2.1	18.0	6.0
4/19/2017 11:00	BDL	BDL	BDL	2.2	0.2	2.1	19.0	3.0
4/19/2017 12:00	BDL	BDL	BDL	1.9	0.2	2.1	26.0	5.0
4/19/2017 13:00	BDL	BDL	BDL	4.6	0.2	2.1	30.0	5.0
4/19/2017 14:00	BDL	BDL	0.4	4.8	0.2	2.2	24.0	4.0
4/19/2017 15:00	BDL	BDL	0.5	3.9	0.2	2.2	17.0	7.0
4/19/2017 16:00	BDL	BDL	BDL	2.7	0.2	2.0	18.0	6.0
4/19/2017 17:00	BDL	BDL	BDL	5.3	0.2	2.1	17.0	6.0
4/19/2017 18:00	BDL	BDL	0.4	4.9	0.2	2.1	21.0	5.0
4/19/2017 19:00	BDL	BDL	0.4	1.8	0.2	2.0	17.0	4.0
4/19/2017 20:00	BDL	BDL	BDL	2.2	0.2	2.0	12.0	2.0
4/19/2017 21:00	BDL	BDL	0.4	1.2	0.2	2.0	17.0	3.0
4/19/2017 22:00	BDL	BDL	0.5	5.2	0.2	2.0	16.0	5.0
4/19/2017 23:00	BDL	BDL	0.5	5.1	0.2	2.0	14.0	6.0
4/20/2017 0:00	BDL	0.4	0.6	6.2	0.2	2.1	12.0	6.0
4/20/2017 1:00	BDL	0.5	0.6	6.2	0.2	2.1	17.0	8.0
4/20/2017 2:00	BDL	Calibration	Calibration	7.6	0.2	2.1	18.0	6.0
4/20/2017 3:00	BDL	Calibration	Calibration	8.4	0.2	2.1	14.0	5.0
4/20/2017 4:00	Calibration	0.6	0.7	Calibration	Calibration	Too few samples	19.0	6.0
4/20/2017 5:00	BDL	1.0	1.1	15.7	0.3	2.7	24.0	8.0
4/20/2017 6:00	BDL	1.5	1.4	36.7	0.4	2.5	37.0	15.0
4/20/2017 7:00	BDL	1.7	1.3	33.3	0.4	2.5	38.0	14.0
4/20/2017 8:00	BDL	1.3	1.2	19.5	0.3	2.5	33.0	12.0
4/20/2017 9:00	BDL	1.0	1.1	13.1	0.3	2.2	28.0	13.0
4/20/2017 10:00	BDL	0.7	0.8	10.7	0.3	2.2	33.0	13.0
4/20/2017 11:00	BDL	0.7	0.8	17.2	0.3	2.2	39.0	17.0
4/20/2017 12:00	BDL	0.6	0.6	16.7	0.3	2.2	36.0	15.0
4/20/2017 13:00	BDL	0.7	0.7	17.3	0.4	2.2	34.0	16.0
4/20/2017 14:00	BDL	0.6	0.7	15.3	0.4	2.2	40.0	12.0
4/20/2017 15:00	BDL	0.5	0.6	14.7	0.4	2.1	37.0	15.0
4/20/2017 16:00	BDL	0.5	0.6	11.7	0.4	2.1	31.0	10.0
4/20/2017 17:00	BDL	0.6	0.7	8.3	0.3	2.0	31.0	9.0
4/20/2017 18:00	BDL	0.5	0.6	8.2	0.3	2.0	27.0	9.0
4/20/2017 19:00	BDL	0.4	0.5	8.1	0.3	2.0	25.0	10.0
4/20/2017 20:00	BDL	0.5	0.6	9.2	0.3	2.0	18.0	9.0
4/20/2017 21:00	BDL	BDL	0.5	7.2	0.3	2.0	16.0	9.0
4/20/2017 22:00	BDL	BDL	0.4	7.4	0.2	2.0	18.0	11.0
4/20/2017 23:00	BDL	0.5	0.7	6.8	0.2	2.0	22.0	10.0
4/21/2017 0:00	BDL	1.0	1.0	10.2	0.2	2.1	12.0	8.0
4/21/2017 1:00	BDL	0.8	0.8	10.2	0.2	2.0	18.0	8.0
4/21/2017 2:00	BDL	Calibration	Calibration	5.0	0.2	2.0	12.0	9.0
4/21/2017 3:00	BDL	Calibration	Calibration	6.9	0.2	2.0	24.0	9.0
4/21/2017 4:00	Calibration	0.7	0.9	Calibration	Calibration	Too few samples	19.0	13.0
4/21/2017 5:00	BDL	0.6	0.7	17.7	0.3	2.0	24.0	12.0
4/21/2017 6:00	BDL	0.6	0.6	16.4	0.3	2.0	17.0	9.0
4/21/2017 7:00	BDL	0.6	0.6	18.3	0.3	2.0	9.0	6.0
4/21/2017 8:00	BDL	0.7	0.7	18.1	0.3	2.0	8.0	5.0
4/21/2017 9:00	BDL	0.6	0.6	20.0	0.3	2.0	9.0	6.0
4/21/2017 10:00	BDL	0.7	0.6	24.8	0.3	2.0	13.0	8.0
4/21/2017 11:00	BDL	0.8	0.7	20.0	0.3	2.1	16.0	10.0
4/21/2017 12:00	BDL	0.6	0.7	18.1	0.3	2.1	21.0	10.0
4/21/2017 13:00	BDL	0.7	0.7	21.5	0.3	2.1	26.0	16.0
4/21/2017 14:00	BDL	0.7	0.6	23.5	0.4	2.1	25.0	19.0
4/21/2017 15:00	BDL	0.8	0.9	22.5	0.4	2.0	23.0	13.0
4/21/2017 16:00	BDL	0.8	0.8	18.4	0.3	2.0	17.0	13.0
4/21/2017 17:00	BDL	0.6	0.7	12.9	0.3	2.0	19.0	11.0
4/21/2017 18:00	BDL	0.5	0.5	11.1	0.3	2.0	24.0	14.0
4/21/2017 19:00	BDL	0.5	0.6	12.4	0.3	2.0	18.0	12.0
4/21/2017 20:00	BDL	0.6	0.7	13.3	0.3	2.0	22.0	14.0
4/21/2017 21:00	BDL	0.6	0.6	11.8	0.3	2.0	27.0	12.0
4/21/2017 22:00	BDL	0.7	0.8	15.1	0.3	2.0	20.0	15.0
4/21/2017 23:00	BDL	0.6	0.6	12.0	0.3	2.0	15.0	8.0
4/22/2017 0:00	BDL	0.5	0.7	9.8	0.3	2.1	21.0	16.0
4/22/2017 1:00	BDL	0.6	0.7	10.1	0.3	2.2	29.0	27.0
4/22/2017 2:00	BDL	Calibration	Calibration	12.0	0.4	2.2	42.0	35.0
4/22/2017 3:00	BDL	Calibration	Calibration	18.0	0.4	2.2	43.0	38.0
4/22/2017 4:00	Calibration	0.6	0.8	Calibration	Calibration	Too few samples	49.0	38.0
4/22/2017 5:00	BDL	0.6	0.6	11.7	0.4	2.2	40.0	23.0
4/22/2017 6:00	BDL	0.4	0.5	10.5	0.3	2.0	19.0	13.0
4/22/2017 7:00	BDL	0.4	0.6	15.0	0.4	2.1	20.0	13.0
4/22/2017 8:00	BDL	0.5	0.6	11.9	0.3	2.1	10.0	10.0
4/22/2017 9:00	BDL	0.5	0.6	11.6	0.3	2.1	17.0	6.0
4/22/2017 10:00	BDL	0.4	0.5	8.1	0.3	2.1	10.0	5.0
4/22/2017 11:00	BDL	0.4	0.6	5.7	0.3	2.1	11.0	4.0
4/22/2017 12:00	BDL	0.4	0.5	7.1	0.3	2.2	13.0	4.0
4/22/2017 13:00	BDL	0.4	0.4	4.3	0.2	2.3	9.0	3.0
4/22/2017 14:00	BDL	BDL	0.5	3.8	0.2	2.2	10.0	6.0
4/22/2017 15:00	BDL	BDL	0.4	6.0	0.3	2.1	11.0	8.0
4/22/2017 16:00	BDL	BDL	0.4	5.1	0.3	2.2	9.0	11.0
4/22/2017 17:00	BDL	BDL	0.4	7.5	0.3	2.4	11.0	10.0
4/22/2017 18:00	BDL	BDL	0.4	5.8	0.3	2.2	8.0	7.0
4/22/2017 19:00	BDL	BDL	0.5	11.2	0.3	2.5	16.0	13.0
4/22/2017 20:00	BDL	0.4	0.5	11.1	0.3	2.6	14.0	14.0
4/22/2017 21:00	BDL	BDL	0.4	6.1	0.2	2.2	14.0	8.0
4/22/2017 22:00	BDL	BDL	0.4	4.5	0.2	2.2	12.0	4.0
4/22/2017 23:00	BDL	BDL	BDL	6.0	0.2	2.3	8.0	6.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 4/23/2017-4/29/2017								
4/23/2017 0:00	BDL	BDL	0.4	4.4	0.2	2.4	6.0	4.0
4/23/2017 1:00	BDL	BDL	BDL	3.1	0.2	2.6	5.0	1.0
4/23/2017 2:00	BDL	Calibration	Calibration	3.0	0.2	2.3	6.0	4.0
4/23/2017 3:00	BDL	Calibration	Calibration	1.1	0.1	2.2	7.0	3.0
4/23/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	Too few samples	9.0	2.0
4/23/2017 5:00	BDL	BDL	0.4	6.9	0.2	2.2	6.0	2.0
4/23/2017 6:00	BDL	BDL	0.4	7.7	0.2	2.2	3.0	3.0
4/23/2017 7:00	BDL	BDL	BDL	3.8	0.2	2.1	6.0	1.0
4/23/2017 8:00	BDL	0.4	0.5	3.7	0.2	2.1	7.0	BDL
4/23/2017 9:00	BDL	0.4	0.4	4.2	0.2	2.0	6.0	3.0
4/23/2017 10:00	BDL	BDL	0.5	1.4	0.2	1.9	4.0	5.0
4/23/2017 11:00	BDL	BDL	0.4	1.6	0.2	1.9	3.0	2.0
4/23/2017 12:00	BDL	BDL	BDL	2.5	0.2	2.0	5.0	2.0
4/23/2017 13:00	BDL	BDL	0.4	1.4	0.2	2.0	8.0	3.0
4/23/2017 14:00	BDL	BDL	0.4	1.8	0.2	2.1	12.0	4.0
4/23/2017 15:00	BDL	BDL	0.4	2.4	0.2	2.1	12.0	5.0
4/23/2017 16:00	BDL	BDL	0.4	1.7	0.2	2.1	7.0	3.0
4/23/2017 17:00	BDL	0.4	0.7	4.4	0.2	2.2	13.0	4.0
4/23/2017 18:00	BDL	0.7	0.8	5.5	0.2	2.1	13.0	6.0
4/23/2017 19:00	BDL	0.9	0.9	8.3	0.2	2.1	16.0	5.0
4/23/2017 20:00	BDL	0.6	0.8	4.2	0.2	2.2	8.0	4.0
4/23/2017 21:00	BDL	0.4	0.6	1.4	0.2	2.2	8.0	4.0
4/23/2017 22:00	BDL	BDL	0.5	3.7	0.3	2.0	7.0	5.0
4/23/2017 23:00	BDL	BDL	BDL	3.9	0.2	2.1	9.0	7.0
4/24/2017 0:00	BDL	BDL	0.4	8.2	0.2	2.1	13.0	9.0
4/24/2017 1:00	BDL	0.4	0.5	14.5	0.2	2.1	15.0	10.0
4/24/2017 2:00	BDL	Calibration	Calibration	25.6	0.3	2.2	16.0	12.0
4/24/2017 3:00	BDL	Calibration	Calibration	15.6	0.3	2.1	8.0	7.0
4/24/2017 4:00	Calibration	0.7	0.7	Calibration	Calibration	Too few samples	18.0	8.0
4/24/2017 5:00	BDL	0.9	0.7	25.5	0.3	2.1	14.0	10.0
4/24/2017 6:00	BDL	0.7	0.5	24.6	0.3	2.1	22.0	11.0
4/24/2017 7:00	BDL	0.7	0.5	22.0	0.3	2.1	13.0	11.0
4/24/2017 8:00	BDL	0.8	0.5	24.8	0.3	2.1	16.0	7.0
4/24/2017 9:00	BDL	0.8	0.6	25.1	0.3	2.2	16.0	4.0
4/24/2017 10:00	BDL	0.9	0.6	30.4	0.3	2.2	16.0	5.0
4/24/2017 11:00	BDL	0.8	0.6	21.4	0.3	2.1	13.0	5.0
4/24/2017 12:00	BDL	0.8	0.7	17.0	0.3	2.1	11.0	5.0
4/24/2017 13:00	BDL	0.6	0.6	18.8	0.3	2.0	12.0	5.0
4/24/2017 14:00	BDL	0.4	0.4	15.1	0.3	2.0	17.0	5.0
4/24/2017 15:00	BDL	0.5	0.5	13.0	0.3	2.0	13.0	6.0
4/24/2017 16:00	BDL	0.5	0.5	10.6	0.3	2.0	13.0	5.0
4/24/2017 17:00	BDL	BDL	0.4	8.8	0.3	2.0	11.0	4.0
4/24/2017 18:00	BDL	BDL	0.4	8.2	0.2	2.0	10.0	6.0
4/24/2017 19:00	BDL	BDL	0.4	7.9	0.2	2.1	14.0	4.0
4/24/2017 20:00	BDL	0.5	0.5	16.1	0.2	2.0	11.0	5.0
4/24/2017 21:00	BDL	0.6	0.4	15.9	0.2	2.0	14.0	3.0
4/24/2017 22:00	BDL	0.4	0.4	10.4	0.2	2.0	8.0	2.0
4/24/2017 23:00	BDL	BDL	BDL	2.2	0.2	2.0	7.0	3.0
4/25/2017 0:00	BDL	BDL	BDL	2.9	0.2	2.0	6.0	5.0
4/25/2017 1:00	BDL	BDL	BDL	1.3	0.2	2.0	6.0	7.0
4/25/2017 2:00	BDL	Calibration	Calibration	2.2	0.2	2.0	13.0	6.0
4/25/2017 3:00	BDL	Calibration	Calibration	2.6	0.2	2.0	13.0	6.0
4/25/2017 4:00	Calibration	BDL	0.5	Calibration	Calibration	2.0	7.0	4.0
4/25/2017 5:00	BDL	BDL	0.4	8.5	0.2	2.0	3.0	1.0
4/25/2017 6:00	BDL	0.4	0.5	10.5	0.2	2.0	5.0	1.0
4/25/2017 7:00	BDL	0.7	0.7	11.6	0.3	2.0	3.0	4.0
4/25/2017 8:00	BDL	0.5	0.6	12.4	0.2	2.0	7.0	5.0
4/25/2017 9:00	BDL	0.6	0.5	18.6	0.3	2.0	6.0	4.0
4/25/2017 10:00	BDL	0.5	0.5	11.2	0.3	2.0	6.0	6.0
4/25/2017 11:00	BDL	0.4	0.6	12.3	0.2	2.0	8.0	4.0
4/25/2017 12:00	BDL	0.4	0.5	10.0	0.2	2.0	6.0	5.0
4/25/2017 13:00	BDL	0.5	0.6	12.9	0.2	2.0	4.0	5.0
4/25/2017 14:00	BDL	0.5	0.6	9.6	0.3	2.0	4.0	3.0
4/25/2017 15:00	BDL	0.5	0.6	7.0	0.2	1.9	7.0	1.0
4/25/2017 16:00	BDL	0.4	0.5	6.6	0.2	2.0	4.0	1.0
4/25/2017 17:00	BDL	0.4	0.6	6.6	0.3	2.0	4.0	BDL
4/25/2017 18:00	BDL	0.4	0.6	7.8	0.3	2.0	3.0	1.0
4/25/2017 19:00	BDL	0.4	0.6	15.7	0.3	2.1	3.0	4.0
4/25/2017 20:00	BDL	BDL	BDL	6.9	0.2	2.0	5.0	3.0
4/25/2017 21:00	BDL	0.5	0.6	9.6	0.2	2.0	4.0	5.0
4/25/2017 22:00	BDL	0.5	0.7	6.6	0.2	2.0	6.0	4.0
4/25/2017 23:00	BDL	0.5	0.6	8.9	0.2	2.0	7.0	1.0
4/26/2017 0:00	BDL	0.4	0.6	5.6	0.2	2.0	6.0	1.0
4/26/2017 1:00	BDL	0.5	0.7	7.5	0.2	2.0	7.0	5.0
4/26/2017 2:00	BDL	Calibration	Calibration	7.1	0.2	2.0	7.0	6.0
4/26/2017 3:00	BDL	Calibration	Calibration	7.0	0.2	2.1	7.0	7.0
4/26/2017 4:00	Calibration	0.4	0.6	Calibration	Calibration	Too few samples	11.0	5.0
4/26/2017 5:00	BDL	0.6	0.7	16.1	0.3	2.0	6.0	5.0
4/26/2017 6:00	BDL	0.8	0.8	22.8	0.3	2.0	8.0	6.0
4/26/2017 7:00	BDL	Audit	Audit	27.1	0.4	2.1	8.0	4.0
4/26/2017 8:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	2.0	12.0	6.0
4/26/2017 9:00	BDL	0.9	0.8	Calibration	0.4	2.0	11.0	6.0
4/26/2017 10:00	Too few samples	1.0	0.9	Too few samples	Too few samples	2.1	14.0	9.0
4/26/2017 11:00	BDL	0.7	0.7	16.0	0.3	2.0	10.0	9.0
4/26/2017 12:00	BDL	0.7	0.8	16.3	0.3	2.0	17.0	10.0
4/26/2017 13:00	BDL	0.8	0.7	17.3	0.4	2.0	18.0	9.0
4/26/2017 14:00	BDL	0.8	0.9	19.7	0.4	2.0	21.0	11.0
4/26/2017 15:00	BDL	0.6	0.7	8.1	0.3	2.0	13.0	10.0
4/26/2017 16:00	BDL	0.4	0.5	5.3	0.3	2.0	8.0	7.0
4/26/2017 17:00	BDL	0.5	0.6	7.5	0.3	2.0	9.0	6.0
4/26/2017 18:00	BDL	0.7	0.8	21.6	0.4	2.0	18.0	7.0
4/26/2017 19:00	BDL	0.9	0.9	24.6	0.4	2.0	23.0	12.0
4/26/2017 20:00	BDL	0.8	0.8	21.7	0.4	2.0	25.0	11.0
4/26/2017 21:00	BDL	0.9	0.8	23.1	0.4	2.0	26.0	16.0
4/26/2017 22:00	BDL	0.8	0.7	19.9	0.4	2.0	24.0	15.0
4/26/2017 23:00	BDL	0.6	0.7	11.5	0.3	2.0	20.0	11.0
4/27/2017 0:00	BDL	0.7	0.7	22.0	0.3	2.1	18.0	10.0
4/27/2017 1:00	BDL	0.9	0.8	25.8	0.3	2.0	24.0	14.0
4/27/2017 2:00	BDL	Calibration	Calibration	32.4	0.4	2.1	21.0	17.0
4/27/2017 3:00	BDL	Calibration	Calibration	29.7	0.4	2.1	23.0	11.0
4/27/2017 4:00	Calibration	1.8	1.4	Calibration	Calibration	Too few samples	30.0	13.0
4/27/2017 5:00	BDL	1.8	1.7	36.4	0.5	2.2	33.0	14.0
4/27/2017 6:00	BDL	1.3	1.2	29.9	0.4	2.1	31.0	15.0
4/27/2017 7:00	BDL	0.9	0.9	19.7	0.3	2.0	25.0	17.0
4/27/2017 8:00	BDL	0.8	0.8	16.8	0.3	1.9	24.0	8.0
4/27/2017 9:00	BDL	0.7	0.7	11.5	0.3	1.9	14.0	11.0
4/27/2017 10:00	BDL	0.6	0.7	6.5	0.3	1.9	14.0	7.0
4/27/2017 11:00	BDL	0.5	0.7	2.5	0.3	2.0	16.0	6.0
4/27/2017 12:00	BDL	0.6	0.7	2.8	0.3	2.0	20.0	8.0
4/27/2017 13:00	BDL	0.5	0.7	3.7	0.3	2.0	24.0	7.0
4/27/2017 14:00	BDL	0.5	0.8	4.2	0.3	1.9	19.0	11.0
4/27/2017 15:00	BDL	0.5	0.7	2.7	0.3	1.9	18.0	6.0
4/27/2017 16:00	BDL	0.4	0.7	2.5	0.3	1.9	18.0	8.0
4/27/2017 17:00	BDL	0.5	0.7	6.7	0.3	1.9	17.0	11.0
4/27/2017 18:00	BDL	0.7	0.9	9.0	0.4	1.9	23.0	14.0
4/27/2017 19:00	BDL	0.9	1.1	11.3	0.4	2.0	26.0	18.0
4/27/2017 20:00	BDL	1.1	1.3	17.6	0.4	2.0	24.0	13.0
4/27/2017 21:00	BDL	1.1	1.2	17.1	0.4	2.0	29.0	15.0
4/27/2017 22:00	BDL	1.1	1.2	19.2	0.4	2.0	24.0	18.0
4/27/2017 23:00	BDL	0.7	0.9	10.4	0.3	1.9	27.0	12.0
4/28/2017 0:00	BDL	0.7	0.8	9.6	0.3	2.1	27.0	10.0
4/28/2017 1:00	BDL	0.9	1.0	6.4	0.2	2.2	21.0	8.0
4/28/2017 2:00	BDL	Calibration	Calibration	9.1	0.3	2.2	23.0	17.0
4/28/2017 3:00	BDL	Calibration	Calibration	8.3	0.3	2.6	25.0	14.0
4/28/2017 4:00	Calibration	0.9	1.0	Calibration	Calibration	Too few samples	26.0	17.0
4/28/2017 5:00	BDL	0.9	1.1	16.1	0.3	2.7	29.0	24.0
4/28/2017 6:00	BDL	1.3	1.3	21.3	0.3	2.4	35.0	24.0
4/28/2017 7:00	BDL	1.4	1.3	33.6	0.4	2.4	40.0	24.0
4/28/2017 8:00	BDL	1.1	1.2	21.8	0.4	2.3	32.0	19.0
4/28/2017 9:00	BDL	0.8	0.9	14.9	0.3	2.3	35.0	18.0
4/28/2017 10:00	BDL	0.4	0.6	4.3	0.2	2.2	22.0	11.0
4/28/2017 11:00	BDL	0.5	0.6	9.3	0.2	2.2	27.0	15.0
4/28/2017 12:00	BDL	0.4	0.6	6.3	0.2	2.2	22.0	11.0
4/28/2017 13:00	BDL	0.4	0.6	6.6	0.2	2.3	27.0	14.0
4/28/2017 14:00	BDL	0.5	0.6	3.0	0.2	2.3	20.0	10.0
4/28/2017 15:00	BDL	0.6	0.8	8.1	0.2	2.4	20.0	9.0
4/28/2017 16:00	BDL	0.4	0.6	2.1	0.2	2.2	20.0	8.0
4/28/2017 17:00	BDL	0.4	0.6	6.1	0.3	2.2	28.0	11.0
4/28/2017 18:00	BDL	0.5	0.7	6.4	0.3	2.4	26.0	14.0
4/28/2017 19:00	BDL	0.7	0.7	28.0	0.3	2.3	24.0	13.0
4/28/2017 20:00	BDL	0.9	1.0	12.0	0.3	2.2	23.0	13.0
4/28/2017 21:00	BDL	0.6	0.7	7.0	0.3	2.4	37.0	12.0
4/28/2017 22:00	BDL	0.8	0.9	13.9	0.3	2.7	25.0	15.0
4/28/2017 23:00	BDL	1.0	1.2	17.9	0.4	2.2	38.0	17.0
4/29/2017 0:00	BDL	1.3	1.4	15.5	0.4	2.0	38.0	15.0
4/29/2017 1:00	BDL	1.3	1.5	14.3	0.3	2.3	30.0	23.0
4/29/2017 2:00	BDL	Calibration	Calibration	29.0	0.4	2.2	40.0	21.0
4/29/2017 3:00	BDL	Calibration	Calibration	18.9	0.3	2.3	31.0	17.0
4/29/2017 4:00	Calibration	1.1	1.3	Calibration	Calibration	2.4	30.0	17.0
4/29/2017 5:00	BDL	1.1	1.3	15.5	0.4	2.3	37.0	23.0
4/29/2017 6:00	BDL	1.2	1.5	19.0	0.4	2.7	39.0	24.0
4/29/2017 7:00	BDL	1.5	1.6	24.3	0.3	2.7	48.0	33.0
4/29/2017 8:00	BDL	1.2	1.4	17.3	0.4	2.8	50.0	33.0
4/29/2017 9:00	BDL	0.8	1.1	12.0	0.3	2.3	27.0	22.0
4/29/2017 10:00	BDL	0.8	1.1	13.1	0.3	2.5	29.0	16.0
4/29/2017 11:00	BDL	0.6	0.8	5.5	0.2	2.3	23.0	10.0
4/29/2017 12:00	BDL	0.4	0.7	5.4	0.3	2.3	28.0	19.0
4/29/2017 13:00	BDL	0.6	1.0	7.2	0.2	2.3	26.0	17.0
4/29/2017 14:00	BDL	0.4	0.7	3.0	0.2	2.3	10.0	13.0
4/29/2017 15:00	BDL	0.4	0.6	0.7	0.2	2.3	13.0	9.0
4/29/2017 16:00	BDL	BDL	0.6	2.0	0.2	2.2	10.0	7.0
4/29/2017 17:00	BDL	0.4	0.6	5.9	0.2	2.0	19.0	10.0
4/29/2017 18:00	BDL	0.4	0.5	1.9	0.2	2.1	14.0	9.0
4/29/2017 19:00	BDL	0.4	0.6	3.8	0.2	2.3	12.0	8.0
4/29/2017 20:00	BDL	BDL	0.6	6.0	0.3	2.5	26.0	9.0
4/29/2017 21:00	BDL	0.9	1.0	31.7	0.7	2.8	27.0	16.0
4/29/2017 22:00	BDL	0.9	1.0	30.6	0.7	3.0	31.0	13.0
4/29/2017 23:00	BDL	0.5	0.6	4.2	0.3	2.1	19.0	10.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 4/30/2017-5/6/2017								
4/30/2017 0:00	BDL	0.4	0.6	1.7	0.3	2.2	16.0	6.0
4/30/2017 1:00	BDL	BDL	0.5	1.1	0.2	2.1	15.0	7.0
4/30/2017 2:00	BDL	Calibration	Calibration	BDL	0.2	2.0	9.0	8.0
4/30/2017 3:00	BDL	Calibration	Calibration	1.1	0.2	2.1	13.0	6.0
4/30/2017 4:00	Calibration	BDL	0.5	Calibration	Calibration	Too few samples	12.0	10.0
4/30/2017 5:00	BDL	BDL	0.5	3.7	0.2	2.2	12.0	11.0
4/30/2017 6:00	BDL	BDL	0.5	4.2	0.2	2.2	17.0	7.0
4/30/2017 7:00	BDL	BDL	0.5	5.9	0.2	2.2	15.0	5.0
4/30/2017 8:00	BDL	0.4	0.5	4.7	0.2	2.1	17.0	6.0
4/30/2017 9:00	BDL	0.4	0.5	7.0	0.2	2.0	17.0	8.0
4/30/2017 10:00	BDL	BDL	0.5	2.5	0.2	2.0	16.0	7.0
4/30/2017 11:00	BDL	BDL	0.4	4.9	0.2	2.0	18.0	7.0
4/30/2017 12:00	BDL	BDL	0.5	1.8	0.2	2.0	15.0	6.0
4/30/2017 13:00	BDL	BDL	0.6	6.1	0.2	2.0	14.0	6.0
4/30/2017 14:00	BDL	BDL	0.5	3.2	0.2	2.0	17.0	5.0
4/30/2017 15:00	BDL	BDL	0.5	2.8	0.2	2.0	13.0	6.0
4/30/2017 16:00	BDL	BDL	0.5	2.6	0.2	2.0	22.0	13.0
4/30/2017 17:00	BDL	BDL	0.5	2.0	0.2	2.0	33.0	12.0
4/30/2017 18:00	BDL	BDL	0.5	2.2	0.2	2.0	35.0	12.0
4/30/2017 19:00	BDL	BDL	0.5	0.6	0.2	2.0	30.0	10.0
4/30/2017 20:00	BDL	BDL	0.4	1.7	0.2	2.0	23.0	11.0
4/30/2017 21:00	BDL	BDL	0.5	1.2	0.2	1.9	16.0	9.0
4/30/2017 22:00	BDL	BDL	0.4	0.8	0.2	2.0	16.0	9.0
4/30/2017 23:00	BDL	BDL	0.4	6.3	0.2	2.0	17.0	12.0
5/1/2017 0:00	BDL	BDL	0.4	1.5	0.2	2.0	11.0	8.0
5/1/2017 1:00	BDL	BDL	0.6	1.7	0.2	2.0	10.0	9.0
5/1/2017 2:00	BDL	Calibration	Calibration	2.8	0.2	2.0	12.0	11.0
5/1/2017 3:00	BDL	Calibration	Calibration	6.0	0.2	2.0	12.0	9.0
5/1/2017 4:00	Calibration	0.4	0.5	Calibration	Calibration	Too few samples	16.0	15.0
5/1/2017 5:00	BDL	0.6	0.7	17.7	0.3	2.1	21.0	11.0
5/1/2017 6:00	BDL	Too few samples	Too few samples	23.7	0.3	2.0	28.0	16.0
5/1/2017 7:00	BDL	Calibration	Calibration	Too few samples	0.4	2.0	28.0	17.0
5/1/2017 8:00	BDL	Calibration	Calibration	47.4	0.3	2.0	37.0	13.0
5/1/2017 9:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	2.0	35.0	15.0
5/1/2017 10:00	Too few samples	0.4	1.2	Too few samples	Too few samples	2.3	44.0	14.0
5/1/2017 11:00	Too few samples	BDL	0.9	Too few samples	Too few samples	2.4	45.0	17.0
5/1/2017 12:00	Calibration	BDL	0.5	Calibration	Calibration	2.4	48.0	10.0
5/1/2017 13:00	BDL	BDL	BDL	2.5	0.2	Too few samples	34.0	7.0
5/1/2017 14:00	BDL	BDL	BDL	BDL	0.2	2.4	40.0	10.0
5/1/2017 15:00	BDL	BDL	0.4	BDL	0.2	2.4	30.0	12.0
5/1/2017 16:00	BDL	BDL	0.4	BDL	0.2	2.2	32.0	9.0
5/1/2017 17:00	BDL	BDL	0.4	4.5	0.3	2.2	33.0	11.0
5/1/2017 18:00	BDL	BDL	0.5	4.5	0.3	2.0	35.0	10.0
5/1/2017 19:00	BDL	BDL	0.5	2.6	0.3	2.0	30.0	9.0
5/1/2017 20:00	BDL	BDL	0.6	BDL	0.2	2.0	30.0	9.0
5/1/2017 21:00	BDL	BDL	0.5	BDL	0.2	2.0	29.0	8.0
5/1/2017 22:00	BDL	BDL	0.8	BDL	0.2	2.1	37.0	12.0
5/1/2017 23:00	BDL	BDL	0.7	1.7	0.2	2.1	32.0	12.0
5/2/2017 0:00	BDL	BDL	0.9	4.5	0.2	2.1	28.0	12.0
5/2/2017 1:00	BDL	BDL	0.8	BDL	0.2	2.2	34.0	14.0
5/2/2017 2:00	BDL	Calibration	Calibration	BDL	0.2	2.2	25.0	11.0
5/2/2017 3:00	BDL	Calibration	Calibration	BDL	0.2	2.2	14.0	8.0
5/2/2017 4:00	Calibration	BDL	0.9	Calibration	Calibration	Too few samples	17.0	8.0
5/2/2017 5:00	BDL	BDL	0.6	0.4	0.2	2.2	20.0	10.0
5/2/2017 6:00	BDL	BDL	0.5	6.0	0.2	Calibration	30.0	16.0
5/2/2017 7:00	BDL	Calibration	Calibration	4.1	0.3	4.2	16.0	7.0
5/2/2017 8:00	BDL	Calibration	Calibration	1.0	0.2	2.2	29.0	9.0
5/2/2017 9:00	BDL	Calibration	Calibration	4.3	0.2	2.2	26.0	11.0
5/2/2017 10:00	BDL	Calibration	Calibration	10.5	0.2	2.4	41.0	12.0
5/2/2017 11:00	BDL	Too few samples	Too few samples	8.5	0.2	2.4	56.0	12.0
5/2/2017 12:00	1.1	Calibration	Calibration	16.9	0.2	2.5	62.0	12.0
5/2/2017 13:00	1.4	Calibration	Calibration	14.6	0.2	2.5	69.0	15.0
5/2/2017 14:00	0.5	0.5	BDL	15.9	0.2	2.5	81.0	12.0
5/2/2017 15:00	0.7	0.5	BDL	15.1	0.2	2.4	44.0	11.0
5/2/2017 16:00	0.8	0.6	BDL	13.3	0.2	2.4	28.0	8.0
5/2/2017 17:00	0.4	0.4	BDL	10.9	0.2	2.5	33.0	5.0
5/2/2017 18:00	BDL	BDL	BDL	8.1	0.2	2.5	23.0	5.0
5/2/2017 19:00	BDL	BDL	BDL	8.4	0.2	2.4	22.0	8.0
5/2/2017 20:00	BDL	BDL	BDL	4.0	0.2	2.3	13.0	6.0
5/2/2017 21:00	0.8	0.4	BDL	14.5	0.2	2.3	33.0	11.0
5/2/2017 22:00	0.6	BDL	BDL	13.9	0.2	2.4	30.0	11.0
5/2/2017 23:00	BDL	BDL	BDL	5.1	0.2	2.4	16.0	7.0
5/3/2017 0:00	BDL	BDL	BDL	0.8	0.2	2.5	16.0	6.0
5/3/2017 1:00	BDL	BDL	BDL	BDL	0.2	3.6	15.0	8.0
5/3/2017 2:00	BDL	Calibration	Calibration	0.9	0.2	3.5	17.0	8.0
5/3/2017 3:00	BDL	Calibration	Calibration	1.0	0.2	5.1	18.0	9.0
5/3/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	3.2	14.0	8.0
5/3/2017 5:00	BDL	BDL	BDL	5.3	0.2	2.4	15.0	9.0
5/3/2017 6:00	BDL	Calibration	Calibration	3.7	0.2	2.5	26.0	9.0
5/3/2017 7:00	BDL	Calibration	Calibration	4.7	0.2	2.6	45.0	9.0
5/3/2017 8:00	BDL	1.5	Too few samples	3.1	0.2	Too few samples	32.0	7.0
5/3/2017 9:00	BDL	1.2	0.4	5.9	0.2	2.3	39.0	8.0
5/3/2017 10:00	BDL	0.4	1.1	3.2	0.2	2.3	21.0	5.0
5/3/2017 11:00	BDL	1.1	BDL	3.9	0.2	2.4	37.0	7.0
5/3/2017 12:00	BDL	Calibration	Calibration	4.2	0.2	2.4	21.0	6.0
5/3/2017 13:00	BDL	Calibration	Calibration	3.5	0.2	2.4	25.0	5.0
5/3/2017 14:00	BDL	0.7	1.3	1.2	0.2	2.4	17.0	6.0
5/3/2017 15:00	BDL	BDL	0.8	BDL	0.2	2.4	15.0	4.0
5/3/2017 16:00	BDL	BDL	0.7	BDL	0.2	2.3	16.0	5.0
5/3/2017 17:00	BDL	BDL	0.7	BDL	0.2	2.2	10.0	5.0
5/3/2017 18:00	BDL	BDL	0.6	BDL	0.2	2.2	13.0	5.0
5/3/2017 19:00	BDL	BDL	0.5	5.6	0.2	2.1	16.0	9.0
5/3/2017 20:00	BDL	BDL	0.6	6.5	0.2	2.2	18.0	7.0
5/3/2017 21:00	BDL	BDL	0.6	7.6	0.2	2.2	15.0	7.0
5/3/2017 22:00	BDL	BDL	0.6	8.3	0.2	2.2	18.0	9.0
5/3/2017 23:00	BDL	BDL	0.7	3.0	0.2	2.1	13.0	6.0
5/4/2017 0:00	BDL	BDL	0.6	2.5	0.2	2.1	15.0	6.0
5/4/2017 1:00	BDL	BDL	0.5	4.5	0.2	2.1	14.0	10.0
5/4/2017 2:00	BDL	Calibration	Calibration	8.8	0.2	2.2	17.0	8.0
5/4/2017 3:00	BDL	Calibration	Calibration	10.1	0.2	2.2	15.0	6.0
5/4/2017 4:00	Calibration	BDL	0.6	Calibration	Calibration	Too few samples	12.0	9.0
5/4/2017 5:00	BDL	0.5	0.7	27.9	0.3	2.3	18.0	11.0
5/4/2017 6:00	BDL	Too few samples	Too few samples	30.6	0.3	2.4	30.0	10.0
5/4/2017 7:00	BDL	Calibration	Calibration	22.8	0.3	2.2	40.0	8.0
5/4/2017 8:00	BDL	Calibration	Calibration	11.2	0.2	2.1	25.0	8.0
5/4/2017 9:00	BDL	Calibration	Calibration	7.0	0.2	2.1	27.0	6.0
5/4/2017 10:00	BDL	BDL	BDL	4.3	0.2	2.0	19.0	4.0
5/4/2017 11:00	BDL	BDL	BDL	2.7	0.2	2.0	20.0	5.0
5/4/2017 12:00	BDL	BDL	BDL	2.0	0.2	2.0	35.0	4.0
5/4/2017 13:00	BDL	BDL	BDL	2.1	0.2	2.0	16.0	2.0
5/4/2017 14:00	BDL	BDL	BDL	7.1	0.2	2.0	17.0	4.0
5/4/2017 15:00	BDL	BDL	BDL	6.1	0.2	2.0	22.0	8.0
5/4/2017 16:00	BDL	BDL	BDL	2.8	0.2	2.0	18.0	80.0
5/4/2017 17:00	BDL	BDL	BDL	3.8	0.2	2.0	17.0	6.0
5/4/2017 18:00	BDL	BDL	0.4	5.1	0.2	2.0	22.0	13.0
5/4/2017 19:00	BDL	BDL	0.4	8.1	0.2	2.0	18.0	7.0
5/4/2017 20:00	BDL	BDL	0.4	3.6	0.2	2.0	15.0	5.0
5/4/2017 21:00	BDL	BDL	0.4	9.6	0.2	2.0	17.0	5.0
5/4/2017 22:00	BDL	BDL	0.4	2.9	0.2	2.0	15.0	9.0
5/4/2017 23:00	BDL	BDL	0.4	7.4	0.2	2.0	20.0	8.0
5/5/2017 0:00	BDL	BDL	0.4	1.7	0.2	2.1	14.0	4.0
5/5/2017 1:00	BDL	BDL	0.5	5.3	0.2	2.1	17.0	5.0
5/5/2017 2:00	BDL	Calibration	Calibration	1.7	0.2	2.0	15.0	8.0
5/5/2017 3:00	BDL	Calibration	Calibration	2.4	0.2	2.1	18.0	7.0
5/5/2017 4:00	Calibration	BDL	0.5	Calibration	Calibration	Too few samples	19.0	7.0
5/5/2017 5:00	BDL	BDL	0.7	14.7	0.3	2.1	20.0	7.0
5/5/2017 6:00	BDL	Too few samples	Too few samples	11.7	0.3	2.1	19.0	5.0
5/5/2017 7:00	BDL	Maintenance	Maintenance	10.2	0.3	2.1	14.0	3.0
5/5/2017 8:00	BDL	Calibration	Calibration	14.2	0.3	2.0	10.0	6.0
5/5/2017 9:00	BDL	Calibration	Calibration	17.8	0.3	2.1	13.0	6.0
5/5/2017 10:00	BDL	Calibration	Calibration	24.4	0.3	2.2	8.0	4.0
5/5/2017 11:00	BDL	Calibration	Calibration	23.9	0.3	2.2	10.0	5.0
5/5/2017 12:00	BDL	Too few samples	Too few samples	13.9	0.3	2.3	7.0	5.0
5/5/2017 13:00	BDL	BDL	1.8	13.2	0.3	1.9	6.0	6.0
5/5/2017 14:00	BDL	BDL	1.6	4.8	0.3	1.8	13.0	6.0
5/5/2017 15:00	BDL	BDL	1.6	5.2	0.3	1.9	18.0	5.0
5/5/2017 16:00	BDL	BDL	1.6	0.9	0.2	1.8	16.0	8.0
5/5/2017 17:00	BDL	BDL	1.5	1.4	0.2	1.8	15.0	8.0
5/5/2017 18:00	BDL	BDL	1.5	2.6	0.2	1.8	12.0	7.0
5/5/2017 19:00	BDL	BDL	1.5	BDL	0.2	1.7	8.0	6.0
5/5/2017 20:00	BDL	BDL	1.4	BDL	0.2	1.7	11.0	6.0
5/5/2017 21:00	BDL	BDL	1.5	1.3	0.2	1.7	15.0	10.0
5/5/2017 22:00	BDL	BDL	1.6	2.3	0.2	1.7	16.0	9.0
5/5/2017 23:00	BDL	BDL	1.6	BDL	0.2	1.7	20.0	13.0
5/6/2017 0:00	BDL	BDL	1.5	BDL	0.2	1.7	17.0	9.0
5/6/2017 1:00	BDL	BDL	1.6	BDL	0.2	1.8	15.0	10.0
5/6/2017 2:00	BDL	Calibration	Calibration	BDL	0.2	1.7	21.0	15.0
5/6/2017 3:00	BDL	Calibration	Calibration	1.0	0.2	1.8	27.0	13.0
5/6/2017 4:00	Calibration	BDL	2.0	Calibration	Calibration	Too few samples	27.0	13.0
5/6/2017 5:00	BDL	BDL	1.7	2.6	0.2	1.8	19.0	13.0
5/6/2017 6:00	BDL	BDL	1.4	0.7	0.2	1.9	19.0	9.0
5/6/2017 7:00	BDL	BDL	1.6	BDL	0.2	2.0	14.0	11.0
5/6/2017 8:00	BDL	BDL	1.5	0.5	0.2	2.0	12.0	10.0
5/6/2017 9:00	BDL	BDL	1.5	0.7	0.2	2.0	13.0	9.0
5/6/2017 10:00	BDL	BDL	1.6	0.9	0.2	2.0	10.0	6.0
5/6/2017 11:00	BDL	BDL	1.5	BDL	0.2	2.1	11.0	5.0
5/6/2017 12:00	BDL	BDL	1.4	BDL	0.2	2.1	15.0	8.0
5/6/2017 13:00	BDL	BDL	1.5	1.1	0.2	2.2	14.0	9.0
5/6/2017 14:00	BDL	BDL	1.5	1.5	0.2	2.2	10.0	10.0
5/6/2017 15:00	0.7	BDL	1.6	5.8	0.2	2.2	24.0	9.0
5/6/2017 16:00	0.6	BDL	1.7	11.4	0.2	2.1	11.0	8.0
5/6/2017 17:00	BDL	BDL	1.6	6.8	0.2	2.2	9.0	6.0
5/6/2017 18:00	BDL	BDL	1.6	9.0	0.2	2.1	15.0	6.0
5/6/2017 19:00	0.7	BDL	1.6	9.7	0.2	2.0	21.0	8.0
5/6/2017 20:00	1.2	BDL	1.6	10.0	0.2	2.0	17.0	8.0
5/6/2017 21:00	1.7	BDL	1.7	10.4	0.2	2.4	20.0	12.0
5/6/2017 22:00	2.2	BDL	1.5	8.4	0.3	2.4	19.0	13.0
5/6/2017 23:00	2.5	BDL	1.6	13.0	0.3	2.5	16.0	17.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 5/7/2017-5/13/2017								
5/7/2017 0:00	2.9	BDL	1.4	8.4	0.3	2.5	16.0	17.0
5/7/2017 1:00	2.4	BDL	1.4	12.1	0.2	2.4	17.0	10.0
5/7/2017 2:00	2.8	Calibration	Calibration	8.7	0.2	2.4	16.0	12.0
5/7/2017 3:00	2.8	Calibration	Calibration	11.9	0.2	2.4	10.0	10.0
5/7/2017 4:00	Calibration	BDL	1.6	Calibration	Calibration	2.2	11.0	7.0
5/7/2017 5:00	2.8	BDL	1.5	10.7	0.2	2.4	22.0	12.0
5/7/2017 6:00	Calibration	BDL	1.6	Calibration	Calibration	2.3	13.0	10.0
5/7/2017 7:00	1.8	Calibration	Calibration	9.4	0.2	2.3	17.0	11.0
5/7/2017 8:00	1.1	Calibration	Calibration	6.6	0.2	2.1	10.0	9.0
5/7/2017 9:00	1.0	BDL	1.4	7.4	0.2	2.2	10.0	8.0
5/7/2017 10:00	0.7	BDL	1.5	4.9	0.2	2.3	10.0	6.0
5/7/2017 11:00	BDL	BDL	1.5	3.7	0.2	2.3	12.0	6.0
5/7/2017 12:00	BDL	BDL	1.7	3.8	0.2	2.2	11.0	6.0
5/7/2017 13:00	BDL	BDL	1.2	BDL	0.2	2.1	9.0	3.0
5/7/2017 14:00	BDL	BDL	1.1	BDL	0.2	2.1	10.0	2.0
5/7/2017 15:00	BDL	BDL	1.2	BDL	0.2	2.1	10.0	7.0
5/7/2017 16:00	BDL	BDL	1.1	BDL	0.2	2.1	14.0	6.0
5/7/2017 17:00	BDL	BDL	1.3	BDL	0.2	2.2	8.0	6.0
5/7/2017 18:00	BDL	BDL	1.2	0.9	0.2	2.4	20.0	6.0
5/7/2017 19:00	BDL	BDL	1.2	1.4	0.2	2.2	7.0	6.0
5/7/2017 20:00	BDL	BDL	1.1	0.7	0.2	2.2	10.0	8.0
5/7/2017 21:00	BDL	BDL	1.2	6.0	0.3	2.3	11.0	11.0
5/7/2017 22:00	BDL	BDL	1.2	11.0	0.3	2.2	13.0	10.0
5/7/2017 23:00	BDL	BDL	1.2	13.9	0.4	2.3	15.0	9.0
5/8/2017 0:00	BDL	BDL	1.3	12.7	0.3	2.5	11.0	8.0
5/8/2017 1:00	BDL	BDL	1.1	9.3	0.2	2.4	12.0	9.0
5/8/2017 2:00	BDL	Calibration	Calibration	8.0	0.2	2.4	12.0	6.0
5/8/2017 3:00	BDL	Calibration	Calibration	4.3	0.2	2.4	9.0	9.0
5/8/2017 4:00	Calibration	BDL	1.6	Calibration	Calibration	Too few samples	10.0	10.0
5/8/2017 5:00	BDL	BDL	1.0	7.3	0.2	2.5	9.0	8.0
5/8/2017 6:00	BDL	BDL	1.1	12.7	0.2	2.4	11.0	6.0
5/8/2017 7:00	BDL	BDL	1.2	7.3	0.2	2.3	18.0	8.0
5/8/2017 8:00	BDL	BDL	1.1	1.6	0.1	2.3	10.0	6.0
5/8/2017 9:00	BDL	BDL	1.2	0.9	0.1	2.2	11.0	4.0
5/8/2017 10:00	BDL	BDL	1.0	0.5	0.1	2.2	11.0	3.0
5/8/2017 11:00	BDL	BDL	1.1	3.0	0.1	2.2	15.0	6.0
5/8/2017 12:00	BDL	BDL	1.2	3.4	0.1	2.2	11.0	5.0
5/8/2017 13:00	BDL	BDL	1.0	1.2	0.1	2.1	21.0	6.0
5/8/2017 14:00	BDL	BDL	1.1	4.0	0.1	2.1	16.0	10.0
5/8/2017 15:00	0.4	BDL	1.2	5.2	0.1	2.2	8.0	9.0
5/8/2017 16:00	BDL	BDL	1.5	5.8	0.1	2.2	17.0	5.0
5/8/2017 17:00	BDL	BDL	1.4	4.1	0.1	2.2	23.0	5.0
5/8/2017 18:00	1.3	BDL	1.0	8.1	0.1	2.1	13.0	6.0
5/8/2017 19:00	2.0	BDL	1.2	6.0	0.1	2.4	21.0	6.0
5/8/2017 20:00	1.0	BDL	1.2	9.5	0.2	2.3	23.0	10.0
5/8/2017 21:00	BDL	BDL	1.2	8.4	0.2	2.3	13.0	8.0
5/8/2017 22:00	BDL	BDL	1.0	3.4	0.2	2.3	11.0	8.0
5/8/2017 23:00	BDL	BDL	1.0	6.8	0.2	2.3	12.0	7.0
5/9/2017 0:00	BDL	BDL	1.2	9.8	0.2	2.5	13.0	10.0
5/9/2017 1:00	BDL	BDL	1.0	2.9	0.1	2.4	15.0	7.0
5/9/2017 2:00	BDL	Calibration	Calibration	6.6	0.1	2.4	19.0	6.0
5/9/2017 3:00	BDL	Calibration	Calibration	10.9	0.2	2.7	12.0	12.0
5/9/2017 4:00	Calibration	BDL	0.9	Calibration	Calibration	2.7	20.0	10.0
5/9/2017 5:00	BDL	BDL	1.1	21.7	0.2	2.7	20.0	7.0
5/9/2017 6:00	0.6	BDL	1.1	18.1	0.2	2.7	17.0	7.0
5/9/2017 7:00	BDL	BDL	1.3	10.5	0.2	2.3	16.0	7.0
5/9/2017 8:00	BDL	BDL	1.4	2.8	0.1	2.3	11.0	6.0
5/9/2017 9:00	BDL	BDL	1.0	1.4	0.1	2.4	17.0	7.0
5/9/2017 10:00	BDL	BDL	1.0	BDL	0.1	2.2	15.0	6.0
5/9/2017 11:00	BDL	BDL	1.0	BDL	0.1	2.3	13.0	6.0
5/9/2017 12:00	BDL	BDL	0.9	0.9	0.1	2.2	16.0	6.0
5/9/2017 13:00	BDL	BDL	1.0	0.9	0.1	2.2	17.0	7.0
5/9/2017 14:00	BDL	BDL	1.1	0.4	0.1	2.1	13.0	6.0
5/9/2017 15:00	BDL	BDL	1.1	BDL	0.1	2.1	14.0	5.0
5/9/2017 16:00	BDL	BDL	0.9	0.7	0.1	2.1	13.0	8.0
5/9/2017 17:00	BDL	BDL	0.9	BDL	0.1	2.1	12.0	8.0
5/9/2017 18:00	BDL	BDL	1.0	BDL	0.1	2.1	13.0	6.0
5/9/2017 19:00	BDL	BDL	1.0	BDL	0.1	2.2	12.0	8.0
5/9/2017 20:00	BDL	BDL	1.0	11.7	0.3	2.2	14.0	9.0
5/9/2017 21:00	BDL	BDL	1.3	23.5	0.3	2.1	23.0	10.0
5/9/2017 22:00	BDL	BDL	1.3	22.4	0.3	2.1	19.0	13.0
5/9/2017 23:00	BDL	BDL	1.2	15.3	0.3	2.1	18.0	13.0
5/10/2017 0:00	BDL	BDL	1.2	16.6	0.2	2.1	19.0	11.0
5/10/2017 1:00	BDL	BDL	1.3	11.3	0.2	2.1	19.0	10.0
5/10/2017 2:00	BDL	Calibration	Calibration	10.5	0.2	2.1	17.0	8.0
5/10/2017 3:00	BDL	Calibration	Calibration	10.5	0.2	2.1	25.0	14.0
5/10/2017 4:00	Calibration	BDL	1.1	Calibration	Calibration	Too few samples	22.0	12.0
5/10/2017 5:00	BDL	BDL	1.3	27.4	0.4	2.2	27.0	17.0
5/10/2017 6:00	BDL	BDL	1.7	33.2	0.4	2.2	35.0	17.0
5/10/2017 7:00	BDL	Audit	Audit	32.3	0.4	2.3	37.0	18.0
5/10/2017 8:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	2.2	28.0	14.0
5/10/2017 9:00	BDL	BDL	1.1	Calibration	0.3	2.2	21.0	14.0
5/10/2017 10:00	BDL	BDL	1.1	7.6	0.2	2.2	19.0	9.0
5/10/2017 11:00	BDL	BDL	1.0	6.7	0.2	2.1	22.0	9.0
5/10/2017 12:00	Calibration	BDL	1.0	Calibration	Calibration	2.2	24.0	8.0
5/10/2017 13:00	BDL	BDL	1.0	2.4	0.2	2.1	21.0	5.0
5/10/2017 14:00	BDL	BDL	1.0	0.7	0.2	2.1	17.0	5.0
5/10/2017 15:00	BDL	BDL	1.0	BDL	0.1	2.1	14.0	9.0
5/10/2017 16:00	BDL	BDL	0.9	BDL	0.1	2.1	15.0	6.0
5/10/2017 17:00	BDL	BDL	0.9	BDL	0.2	2.1	14.0	9.0
5/10/2017 18:00	BDL	BDL	1.0	8.1	0.2	2.0	35.0	10.0
5/10/2017 19:00	BDL	BDL	1.0	5.2	0.2	2.0	26.0	10.0
5/10/2017 20:00	BDL	BDL	1.2	2.9	0.2	1.9	17.0	8.0
5/10/2017 21:00	BDL	BDL	1.2	12.9	0.2	2.0	19.0	13.0
5/10/2017 22:00	BDL	BDL	1.2	10.5	0.2	2.0	20.0	10.0
5/10/2017 23:00	BDL	BDL	1.3	11.2	0.2	2.0	20.0	10.0
5/11/2017 0:00	BDL	BDL	1.3	8.8	0.2	2.0	18.0	11.0
5/11/2017 1:00	BDL	BDL	1.2	12.1	0.2	2.0	19.0	10.0
5/11/2017 2:00	BDL	Calibration	Calibration	7.9	0.2	2.1	20.0	9.0
5/11/2017 3:00	BDL	Calibration	Calibration	12.2	0.2	2.3	25.0	13.0
5/11/2017 4:00	Calibration	BDL	1.1	Calibration	Calibration	Too few samples	21.0	13.0
5/11/2017 5:00	BDL	BDL	1.1	22.7	0.3	2.2	28.0	14.0
5/11/2017 6:00	BDL	BDL	1.2	32.0	0.3	2.2	36.0	19.0
5/11/2017 7:00	0.4	BDL	1.6	47.0	0.4	2.3	58.0	15.0
5/11/2017 8:00	BDL	BDL	1.4	36.4	0.3	2.2	29.0	12.0
5/11/2017 9:00	BDL	BDL	1.3	40.4	0.3	2.1	Audit	Audit
5/11/2017 10:00	BDL	BDL	1.2	25.3	0.3	2.1	35.0	4.0
5/11/2017 11:00	BDL	BDL	1.2	21.7	0.3	2.1	22.0	7.0
5/11/2017 12:00	BDL	BDL	1.1	15.3	0.3	2.0	19.0	6.0
5/11/2017 13:00	BDL	BDL	1.1	9.9	0.2	2.0	26.0	7.0
5/11/2017 14:00	BDL	BDL	1.1	9.3	0.3	2.0	18.0	4.0
5/11/2017 15:00	BDL	BDL	1.1	8.1	0.3	2.0	21.0	6.0
5/11/2017 16:00	BDL	BDL	1.1	8.5	0.2	1.9	10.0	9.0
5/11/2017 17:00	BDL	BDL	1.0	7.3	0.2	2.0	16.0	6.0
5/11/2017 18:00	BDL	BDL	1.0	7.4	0.2	1.9	15.0	6.0
5/11/2017 19:00	BDL	BDL	1.0	6.1	0.2	1.9	12.0	6.0
5/11/2017 20:00	BDL	BDL	1.0	6.2	0.2	1.9	12.0	4.0
5/11/2017 21:00	BDL	BDL	0.9	7.3	0.2	2.0	8.0	5.0
5/11/2017 22:00	BDL	BDL	1.1	9.5	0.2	2.0	9.0	6.0
5/11/2017 23:00	BDL	BDL	1.2	9.9	0.2	2.0	15.0	6.0
5/12/2017 0:00	BDL	BDL	1.2	14.6	0.2	2.0	11.0	6.0
5/12/2017 1:00	BDL	BDL	1.2	8.9	0.2	2.0	21.0	6.0
5/12/2017 2:00	BDL	Calibration	Calibration	8.9	0.2	2.1	16.0	7.0
5/12/2017 3:00	BDL	Calibration	Calibration	10.4	0.2	2.0	15.0	12.0
5/12/2017 4:00	Calibration	BDL	1.1	Calibration	Calibration	Too few samples	18.0	8.0
5/12/2017 5:00	BDL	BDL	1.2	30.5	0.3	2.1	20.0	10.0
5/12/2017 6:00	BDL	BDL	1.2	22.0	0.3	2.1	17.0	8.0
5/12/2017 7:00	BDL	BDL	1.0	13.5	0.2	2.0	15.0	7.0
5/12/2017 8:00	BDL	BDL	1.1	14.1	0.2	Too few samples	14.0	4.0
5/12/2017 9:00	BDL	BDL	1.1	13.5	0.2	Too few samples	14.0	5.0
5/12/2017 10:00	BDL	BDL	1.1	13.9	0.2	2.0	27.0	4.0
5/12/2017 11:00	BDL	BDL	1.0	11.5	0.2	2.0	9.0	3.0
5/12/2017 12:00	BDL	BDL	1.0	10.8	0.2	2.0	15.0	5.0
5/12/2017 13:00	BDL	BDL	1.0	8.0	0.2	1.9	17.0	7.0
5/12/2017 14:00	BDL	BDL	1.0	4.9	0.2	1.9	12.0	4.0
5/12/2017 15:00	BDL	BDL	1.0	9.4	0.2	1.9	11.0	1.0
5/12/2017 16:00	BDL	BDL	1.0	4.1	0.2	1.9	9.0	4.0
5/12/2017 17:00	BDL	BDL	1.0	5.9	0.2	1.9	10.0	4.0
5/12/2017 18:00	BDL	BDL	1.1	4.5	0.2	1.9	13.0	5.0
5/12/2017 19:00	BDL	BDL	1.1	3.5	0.2	1.9	14.0	5.0
5/12/2017 20:00	BDL	BDL	1.1	3.4	0.2	1.9	13.0	5.0
5/12/2017 21:00	BDL	BDL	1.1	2.4	0.2	1.9	6.0	4.0
5/12/2017 22:00	BDL	BDL	1.1	8.4	0.2	2.0	7.0	4.0
5/12/2017 23:00	BDL	BDL	1.2	9.7	0.2	2.0	7.0	3.0
5/13/2017 0:00	BDL	BDL	1.2	4.8	0.2	2.0	7.0	2.0
5/13/2017 1:00	BDL	BDL	1.0	8.2	0.2	2.0	8.0	5.0
5/13/2017 2:00	BDL	Calibration	Calibration	2.4	0.2	2.0	8.0	6.0
5/13/2017 3:00	BDL	Calibration	Calibration	1.4	0.2	2.0	7.0	3.0
5/13/2017 4:00	Calibration	BDL	1.2	Calibration	Calibration	Too few samples	5.0	2.0
5/13/2017 5:00	BDL	BDL	1.0	2.7	0.2	2.0	2.0	3.0
5/13/2017 6:00	BDL	BDL	1.0	3.6	0.2	2.0	BDL	1.0
5/13/2017 7:00	BDL	BDL	1.1	5.3	0.2	2.0	6.0	2.0
5/13/2017 8:00	BDL	BDL	1.1	8.4	0.2	2.1	8.0	4.0
5/13/2017 9:00	BDL	BDL	1.2	10.9	0.3	2.1	5.0	2.0
5/13/2017 10:00	BDL	BDL	1.1	8.1	0.3	2.1	1.0	BDL
5/13/2017 11:00	BDL	BDL	1.2	8.3	0.3	2.0	4.0	3.0
5/13/2017 12:00	BDL	BDL	1.3	6.3	0.3	2.0	6.0	3.0
5/13/2017 13:00	BDL	BDL	1.2	5.1	0.3	2.0	5.0	1.0
5/13/2017 14:00	BDL	BDL	1.1	3.3	0.2	1.9	5.0	2.0
5/13/2017 15:00	BDL	BDL	1.1	3.7	0.2	1.9	4.0	5.0
5/13/2017 16:00	BDL	BDL	1.2	4.5	0.2	1.9	7.0	3.0
5/13/2017 17:00	BDL	BDL	1.1	6.3	0.2	2.0	2.0	6.0
5/13/2017 18:00	BDL	BDL	1.0	6.6	0.2	2.0	BDL	5.0
5/13/2017 19:00	BDL	BDL	1.1	4.7	0.2	2.0	5.0	3.0
5/13/2017 20:00	BDL	BDL	1.1	3.4	0.2	1.9	3.0	3.0
5/13/2017 21:00	BDL	BDL	1.0	4.4	0.2	2.0	3.0	4.0
5/13/2017 22:00	BDL	BDL	1.0	4.4	0.2	2.0	6.0	3.0
5/13/2017 23:00	BDL	BDL	1.0	2.5	0.2	2.0	3.0	6.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3

Site Downwind Weekly: 5/14/2017-5/20/2017

Date & Time	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
5/14/2017 0:00	BDL	BDL	1.1	2.5	0.2	2.2	1.0	5.0
5/14/2017 1:00	BDL	BDL	1.1	BDL	0.2	2.1	4.0	2.0
5/14/2017 2:00	BDL	Calibration	Calibration	0.8	0.2	2.2	4.0	4.0
5/14/2017 3:00	BDL	Calibration	Calibration	6.5	0.2	2.7	8.0	3.0
5/14/2017 4:00	Calibration	BDL	1.2	Calibration	Calibration	Too few samples	8.0	3.0
5/14/2017 5:00	BDL	BDL	1.1	5.4	0.2	2.3	11.0	4.0
5/14/2017 6:00	BDL	BDL	1.1	3.4	0.2	2.3	8.0	7.0
5/14/2017 7:00	BDL	BDL	1.1	BDL	0.2	2.2	6.0	6.0
5/14/2017 8:00	1.5	BDL	1.1	9.7	0.2	2.2	18.0	13.0
5/14/2017 9:00	2.0	BDL	1.3	7.6	0.2	2.2	11.0	10.0
5/14/2017 10:00	0.6	BDL	1.1	1.3	0.2	2.2	11.0	7.0
5/14/2017 11:00	0.7	BDL	1.2	0.7	0.2	2.2	12.0	9.0
5/14/2017 12:00	2.2	BDL	1.2	6.9	0.2	2.3	20.0	6.0
5/14/2017 13:00	BDL	BDL	1.2	2.4	0.2	2.4	12.0	12.0
5/14/2017 14:00	0.4	BDL	1.2	4.8	0.2	2.3	18.0	13.0
5/14/2017 15:00	BDL	BDL	1.2	BDL	0.2	2.3	14.0	8.0
5/14/2017 16:00	BDL	BDL	1.2	1.8	0.2	2.3	27.0	11.0
5/14/2017 17:00	BDL	BDL	1.3	BDL	0.2	2.2	18.0	9.0
5/14/2017 18:00	BDL	BDL	1.3	1.9	0.2	2.4	16.0	9.0
5/14/2017 19:00	BDL	BDL	1.2	1.2	0.2	2.4	23.0	7.0
5/14/2017 20:00	BDL	BDL	1.1	BDL	0.1	2.3	18.0	7.0
5/14/2017 21:00	BDL	BDL	1.2	0.5	0.2	2.0	14.0	8.0
5/14/2017 22:00	BDL	BDL	1.2	BDL	0.2	2.1	10.0	6.0
5/14/2017 23:00	BDL	BDL	1.1	BDL	0.1	2.2	14.0	7.0
5/15/2017 0:00	BDL	BDL	1.0	BDL	0.1	2.2	13.0	7.0
5/15/2017 1:00	BDL	BDL	1.2	BDL	0.1	2.3	8.0	6.0
5/15/2017 2:00	BDL	Calibration	Calibration	3.9	0.1	2.4	14.0	6.0
5/15/2017 3:00	BDL	Calibration	Calibration	0.9	0.1	2.4	11.0	4.0
5/15/2017 4:00	Calibration	BDL	1.2	Calibration	Calibration	Too few samples	13.0	4.0
5/15/2017 5:00	BDL	BDL	1.3	10.1	0.2	2.5	16.0	3.0
5/15/2017 6:00	BDL	BDL	1.2	5.9	0.2	2.4	15.0	6.0
5/15/2017 7:00	BDL	BDL	1.0	0.7	0.2	2.3	10.0	4.0
5/15/2017 8:00	BDL	BDL	1.1	BDL	0.1	2.2	13.0	1.0
5/15/2017 9:00	BDL	BDL	1.0	BDL	0.1	2.2	7.0	3.0
5/15/2017 10:00	BDL	BDL	1.1	BDL	0.1	2.2	11.0	4.0
5/15/2017 11:00	BDL	BDL	1.0	BDL	0.1	2.2	10.0	4.0
5/15/2017 12:00	BDL	BDL	1.1	BDL	0.1	2.2	9.0	3.0
5/15/2017 13:00	BDL	BDL	1.0	BDL	0.1	2.2	10.0	2.0
5/15/2017 14:00	BDL	BDL	1.0	BDL	0.1	2.3	15.0	1.0
5/15/2017 15:00	BDL	BDL	1.0	BDL	0.1	2.2	8.0	BDL
5/15/2017 16:00	BDL	BDL	1.1	BDL	0.1	2.1	9.0	2.0
5/15/2017 17:00	BDL	BDL	1.0	BDL	0.1	2.1	12.0	2.0
5/15/2017 18:00	BDL	BDL	1.0	BDL	0.2	2.1	8.0	3.0
5/15/2017 19:00	BDL	BDL	1.0	3.1	0.2	2.1	9.0	3.0
5/15/2017 20:00	BDL	BDL	1.0	4.7	0.2	2.1	7.0	4.0
5/15/2017 21:00	BDL	BDL	1.1	4.6	0.2	2.1	7.0	3.0
5/15/2017 22:00	BDL	BDL	1.0	5.4	0.2	2.2	11.0	4.0
5/15/2017 23:00	BDL	BDL	1.0	5.6	0.2	2.3	7.0	3.0
5/16/2017 0:00	BDL	BDL	1.0	6.4	0.2	2.3	5.0	3.0
5/16/2017 1:00	BDL	BDL	1.0	6.6	0.2	2.7	8.0	5.0
5/16/2017 2:00	BDL	Calibration	Calibration	8.5	0.2	2.7	13.0	5.0
5/16/2017 3:00	BDL	Calibration	Calibration	14.2	0.3	2.9	11.0	7.0
5/16/2017 4:00	Calibration	BDL	1.1	Calibration	Calibration	2.6	13.0	7.0
5/16/2017 5:00	BDL	BDL	1.1	18.5	0.3	Too few samples	17.0	7.0
5/16/2017 6:00	BDL	BDL	1.0	18.9	0.2	2.6	18.0	7.0
5/16/2017 7:00	BDL	BDL	1.1	9.4	0.2	2.3	21.0	5.0
5/16/2017 8:00	BDL	BDL	0.9	3.7	0.2	2.2	25.0	3.0
5/16/2017 9:00	BDL	BDL	0.9	1.6	0.2	2.2	10.0	3.0
5/16/2017 10:00	BDL	BDL	0.9	5.4	0.2	2.2	19.0	5.0
5/16/2017 11:00	1.3	BDL	1.1	7.8	0.2	2.2	19.0	5.0
5/16/2017 12:00	0.7	BDL	1.2	6.5	0.2	2.2	18.0	6.0
5/16/2017 13:00	0.9	BDL	1.1	4.7	0.2	2.4	24.0	7.0
5/16/2017 14:00	BDL	BDL	1.1	3.7	0.2	2.4	18.0	11.0
5/16/2017 15:00	0.7	BDL	1.1	4.8	0.2	2.4	17.0	7.0
5/16/2017 16:00	0.7	BDL	1.1	7.3	0.2	2.4	19.0	8.0
5/16/2017 17:00	1.5	BDL	1.2	10.5	0.2	2.3	21.0	6.0
5/16/2017 18:00	4.1	BDL	1.1	12.8	0.2	2.3	24.0	13.0
5/16/2017 19:00	3.1	BDL	1.1	13.5	0.3	2.4	26.0	13.0
5/16/2017 20:00	1.8	BDL	1.3	23.0	0.3	2.3	32.0	13.0
5/16/2017 21:00	0.5	BDL	1.7	17.7	0.3	2.2	16.0	11.0
5/16/2017 22:00	BDL	BDL	1.7	19.3	0.3	2.2	15.0	12.0
5/16/2017 23:00	BDL	BDL	1.6	14.5	0.3	2.1	17.0	11.0
5/17/2017 0:00	BDL	BDL	1.8	10.4	0.3	2.1	14.0	10.0
5/17/2017 1:00	BDL	BDL	2.0	17.3	0.3	2.1	13.0	9.0
5/17/2017 2:00	BDL	Calibration	Calibration	25.4	0.3	2.1	15.0	15.0
5/17/2017 3:00	BDL	Calibration	Calibration	20.6	0.3	2.1	27.0	15.0
5/17/2017 4:00	Calibration	BDL	2.2	Calibration	Calibration	2.1	15.0	12.0
5/17/2017 5:00	BDL	BDL	2.3	42.5	0.4	Too few samples	27.0	14.0
5/17/2017 6:00	BDL	BDL	2.0	34.6	0.4	2.2	45.0	16.0
5/17/2017 7:00	0.9	BDL	2.1	35.1	0.3	2.4	32.0	19.0
5/17/2017 8:00	2.8	BDL	1.8	32.9	0.4	2.5	37.0	18.0
5/17/2017 9:00	2.1	BDL	1.4	15.8	0.3	2.4	38.0	16.0
5/17/2017 10:00	2.1	BDL	1.3	14.0	0.3	2.3	30.0	16.0
5/17/2017 11:00	1.8	BDL	1.3	12.7	0.3	2.4	33.0	17.0
5/17/2017 12:00	1.7	BDL	1.3	9.2	0.3	2.4	36.0	16.0
5/17/2017 13:00	1.6	BDL	1.2	5.8	0.3	2.4	36.0	17.0
5/17/2017 14:00	1.4	BDL	1.3	3.6	0.3	2.4	35.0	16.0
5/17/2017 15:00	1.2	BDL	1.2	3.4	0.3	2.4	22.0	17.0
5/17/2017 16:00	1.0	BDL	1.3	2.6	0.3	2.3	24.0	12.0
5/17/2017 17:00	1.4	BDL	1.3	8.3	0.3	2.3	29.0	15.0
5/17/2017 18:00	1.9	BDL	1.6	21.1	0.4	2.3	30.0	17.0
5/17/2017 19:00	0.6	BDL	1.8	13.0	0.5	2.3	32.0	15.0
5/17/2017 20:00	BDL	BDL	1.5	10.2	0.4	2.2	29.0	15.0
5/17/2017 21:00	BDL	BDL	1.6	17.3	0.5	2.3	31.0	22.0
5/17/2017 22:00	BDL	BDL	2.2	14.0	0.3	2.7	31.0	20.0
5/17/2017 23:00	BDL	BDL	2.2	11.9	0.3	2.8	27.0	24.0
5/18/2017 0:00	BDL	BDL	2.1	10.7	0.3	2.9	19.0	25.0
5/18/2017 1:00	BDL	BDL	2.0	10.9	0.3	2.7	27.0	19.0
5/18/2017 2:00	0.6	Calibration	Calibration	11.6	0.3	2.6	29.0	20.0
5/18/2017 3:00	2.3	Calibration	Calibration	11.6	0.3	2.5	25.0	21.0
5/18/2017 4:00	Calibration	BDL	1.5	Calibration	Calibration	2.6	27.0	16.0
5/18/2017 5:00	1.9	BDL	1.5	21.3	0.4	2.6	35.0	24.0
5/18/2017 6:00	2.9	BDL	1.6	34.8	0.4	2.7	45.0	26.0
5/18/2017 7:00	3.3	Calibration	Calibration	25.9	0.4	2.5	33.0	22.0
5/18/2017 8:00	3.7	Calibration	Calibration	24.6	0.4	2.4	57.0	23.0
5/18/2017 9:00	2.5	BDL	1.3	15.5	0.3	2.4	41.0	14.0
5/18/2017 10:00	1.8	BDL	1.4	10.8	0.3	2.3	41.0	18.0
5/18/2017 11:00	1.4	BDL	1.4	7.8	0.3	2.2	45.0	20.0
5/18/2017 12:00	1.3	BDL	1.4	4.5	0.3	2.3	44.0	24.0
5/18/2017 13:00	0.9	BDL	1.3	2.5	0.3	2.3	41.0	17.0
5/18/2017 14:00	1.1	BDL	1.4	2.4	0.3	2.3	37.0	18.0
5/18/2017 15:00	1.3	BDL	1.3	3.3	0.3	2.3	43.0	22.0
5/18/2017 16:00	0.9	BDL	1.4	3.2	0.3	2.4	32.0	12.0
5/18/2017 17:00	0.8	BDL	1.4	3.5	0.3	2.4	43.0	14.0
5/18/2017 18:00	2.0	BDL	1.4	12.2	0.3	2.4	36.0	17.0
5/18/2017 19:00	1.7	BDL	1.6	11.8	0.3	2.4	40.0	19.0
5/18/2017 20:00	3.0	BDL	1.7	15.8	0.3	2.4	33.0	17.0
5/18/2017 21:00	1.5	BDL	1.8	9.3	0.3	2.4	31.0	19.0
5/18/2017 22:00	0.9	BDL	2.5	8.8	0.3	2.5	29.0	14.0
5/18/2017 23:00	0.9	BDL	2.0	8.3	0.3	2.4	29.0	18.0
5/19/2017 0:00	0.5	BDL	1.9	6.2	0.3	2.4	20.0	12.0
5/19/2017 1:00	0.4	BDL	1.7	7.6	0.2	2.4	26.0	14.0
5/19/2017 2:00	1.2	Calibration	Calibration	11.7	0.2	2.4	23.0	15.0
5/19/2017 3:00	1.6	Calibration	Calibration	9.1	0.2	2.4	15.0	13.0
5/19/2017 4:00	Calibration	BDL	1.7	Calibration	Calibration	2.5	19.0	16.0
5/19/2017 5:00	1.3	BDL	1.6	17.9	0.3	2.6	23.0	15.0
5/19/2017 6:00	1.8	BDL	1.7	20.8	0.3	2.5	27.0	16.0
5/19/2017 7:00	1.8	BDL	1.7	21.8	0.3	2.3	33.0	13.0
5/19/2017 8:00	2.2	BDL	1.7	20.3	0.3	2.4	43.0	24.0
5/19/2017 9:00	3.0	BDL	2.1	17.1	0.3	2.4	51.0	29.0
5/19/2017 10:00	1.7	BDL	1.8	7.4	0.2	2.4	33.0	15.0
5/19/2017 11:00	1.4	BDL	1.4	10.3	0.2	2.5	40.0	13.0
5/19/2017 12:00	1.0	BDL	1.5	10.8	0.2	2.5	53.0	15.0
5/19/2017 13:00	BDL	BDL	1.5	1.8	0.2	2.5	38.0	14.0
5/19/2017 14:00	BDL	BDL	1.6	3.3	0.2	2.5	29.0	15.0
5/19/2017 15:00	BDL	BDL	1.5	5.7	0.2	2.4	22.0	9.0
5/19/2017 16:00	BDL	BDL	1.6	7.4	0.2	2.4	30.0	12.0
5/19/2017 17:00	0.4	BDL	1.6	9.3	0.2	2.2	30.0	19.0
5/19/2017 18:00	1.6	BDL	1.9	19.3	0.3	2.5	23.0	12.0
5/19/2017 19:00	2.5	BDL	1.9	20.7	0.3	2.6	28.0	14.0
5/19/2017 20:00	2.1	BDL	1.7	22.8	0.3	2.7	27.0	17.0
5/19/2017 21:00	2.5	BDL	1.7	26.5	0.4	2.5	24.0	19.0
5/19/2017 22:00	1.0	BDL	2.5	4.2	0.3	2.5	18.0	15.0
5/19/2017 23:00	BDL	BDL	1.4	3.4	0.2	2.1	24.0	13.0
5/20/2017 0:00	BDL	BDL	1.2	1.8	0.2	2.1	18.0	39.0
5/20/2017 1:00	BDL	BDL	1.1	BDL	0.2	2.1	11.0	9.0
5/20/2017 2:00	BDL	Calibration	Calibration	BDL	0.2	2.1	14.0	5.0
5/20/2017 3:00	BDL	Calibration	Calibration	2.5	0.2	2.1	17.0	4.0
5/20/2017 4:00	Calibration	BDL	1.1	Calibration	Calibration	2.1	13.0	5.0
5/20/2017 5:00	BDL	BDL	1.1	3.0	0.2	2.1	12.0	6.0
5/20/2017 6:00	BDL	BDL	1.1	3.8	0.2	2.1	17.0	9.0
5/20/2017 7:00	BDL	BDL	1.1	3.5	0.2	2.1	22.0	9.0
5/20/2017 8:00	BDL	BDL	1.2	8.8	0.2	2.1	21.0	11.0
5/20/2017 9:00	BDL	BDL	1.3	8.1	0.2	2.1	19.0	8.0
5/20/2017 10:00	BDL	BDL	1.1	3.9	0.2	2.1	22.0	14.0
5/20/2017 11:00	BDL	BDL	1.0	4.0	0.2	2.1	20.0	13.0
5/20/2017 12:00	BDL	BDL	1.1	3.8	0.2	2.1	25.0	12.0
5/20/2017 13:00	BDL	BDL	1.1	2.3	0.2	2.1	18.0	12.0
5/20/2017 14:00	BDL	BDL	1.0	3.5	0.2	2.1	16.0	8.0
5/20/2017 15:00	BDL	BDL	1.0	3.2	0.2	2.1	15.0	6.0
5/20/2017 16:00	BDL	BDL	1.1	5.0	0.2	2.1	11.0	10.0
5/20/2017 17:00	BDL	BDL	1.0	3.6	0.2	2.1	20.0	9.0
5/20/2017 18:00	BDL	BDL	1.1	2.5	0.2	2.1	14.0	7.0
5/20/2017 19:00	BDL	BDL	1.0	BDL	0.2	2.1	16.0	6.0
5/20/2017 20:00	BDL	BDL	1.0	1.9	0.2	2.1	17.0	9.0
5/20/2017 21:00	BDL	BDL	1.0	6.4	0.2	2.1	15.0	6.0
5/20/2017 22:00	BDL	BDL	1.1	7.9	0.2	2.1	15.0	7.0
5/20/2017 23:00	BDL	BDL	1.0	9.6	0.2	2.2	22.0	9.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 5/21/2017-5/27/2017								
5/21/2017 0:00	BDL	BDL	1.1	10.3	0.3	2.2	16.0	13.0
5/21/2017 1:00	BDL	BDL	1.1	13.1	0.3	2.2	19.0	12.0
5/21/2017 2:00	BDL	Calibration	Calibration	18.3	0.3	2.3	24.0	13.0
5/21/2017 3:00	BDL	Calibration	Calibration	10.5	0.3	2.5	23.0	14.0
5/21/2017 4:00	Calibration	BDL	1.1	Calibration	Calibration	2.5	27.0	11.0
5/21/2017 5:00	BDL	BDL	1.1	9.2	0.3	2.4	16.0	9.0
5/21/2017 6:00	BDL	BDL	1.0	4.8	0.2	2.3	14.0	12.0
5/21/2017 7:00	BDL	BDL	1.0	3.5	0.2	2.5	19.0	10.0
5/21/2017 8:00	BDL	BDL	0.9	5.8	0.2	2.2	12.0	8.0
5/21/2017 9:00	BDL	BDL	0.9	1.2	0.1	2.1	17.0	6.0
5/21/2017 10:00	BDL	BDL	0.9	BDL	0.1	2.1	14.0	8.0
5/21/2017 11:00	BDL	BDL	0.9	BDL	0.1	2.1	14.0	5.0
5/21/2017 12:00	BDL	BDL	0.9	BDL	0.1	2.1	12.0	8.0
5/21/2017 13:00	BDL	BDL	0.9	BDL	0.1	2.1	16.0	7.0
5/21/2017 14:00	BDL	BDL	1.0	BDL	0.1	2.1	12.0	6.0
5/21/2017 15:00	BDL	BDL	0.9	BDL	0.1	2.1	15.0	9.0
5/21/2017 16:00	BDL	BDL	0.9	1.4	0.1	2.1	16.0	10.0
5/21/2017 17:00	BDL	BDL	1.0	BDL	0.1	2.1	17.0	8.0
5/21/2017 18:00	BDL	BDL	0.9	BDL	0.1	2.1	16.0	6.0
5/21/2017 19:00	BDL	BDL	1.0	BDL	0.1	2.1	16.0	9.0
5/21/2017 20:00	BDL	BDL	0.9	BDL	0.1	2.1	18.0	9.0
5/21/2017 21:00	BDL	BDL	1.0	BDL	0.1	2.1	17.0	8.0
5/21/2017 22:00	BDL	BDL	1.1	1.2	0.1	2.0	16.0	6.0
5/21/2017 23:00	BDL	BDL	0.9	BDL	0.1	2.1	17.0	7.0
5/22/2017 0:00	BDL	BDL	0.9	0.7	0.1	2.1	18.0	6.0
5/22/2017 1:00	BDL	BDL	1.2	2.5	0.1	2.1	16.0	10.0
5/22/2017 2:00	BDL	Calibration	Calibration	10.8	0.2	2.1	15.0	8.0
5/22/2017 3:00	BDL	Calibration	Calibration	6.3	0.1	2.1	22.0	9.0
5/22/2017 4:00	Calibration	BDL	1.4	Calibration	Calibration	2.2	16.0	8.0
5/22/2017 5:00	BDL	BDL	1.4	12.4	0.2	Too few samples	16.0	4.0
5/22/2017 6:00	BDL	BDL	1.4	17.6	0.3	2.1	11.0	6.0
5/22/2017 7:00	BDL	BDL	1.5	18.5	0.3	2.1	9.0	10.0
5/22/2017 8:00	BDL	BDL	1.4	14.5	0.2	2.1	10.0	7.0
5/22/2017 9:00	BDL	BDL	1.3	17.3	0.2	2.1	8.0	6.0
5/22/2017 10:00	BDL	BDL	1.8	27.5	0.3	2.1	6.0	6.0
5/22/2017 11:00	BDL	BDL	1.6	24.2	0.3	2.1	6.0	6.0
5/22/2017 12:00	BDL	BDL	1.7	24.1	0.3	2.2	8.0	7.0
5/22/2017 13:00	BDL	BDL	1.7	20.4	0.3	2.2	7.0	7.0
5/22/2017 14:00	BDL	BDL	1.7	19.2	0.3	2.2	5.0	9.0
5/22/2017 15:00	BDL	BDL	1.8	17.7	0.3	2.2	14.0	9.0
5/22/2017 16:00	BDL	BDL	1.8	23.2	0.4	2.2	18.0	11.0
5/22/2017 17:00	BDL	BDL	1.9	28.1	0.4	2.4	21.0	16.0
5/22/2017 18:00	BDL	BDL	1.7	27.1	0.5	2.6	28.0	24.0
5/22/2017 19:00	BDL	BDL	1.8	21.7	0.4	2.5	28.0	18.0
5/22/2017 20:00	BDL	BDL	1.6	10.8	0.3	2.4	20.0	16.0
5/22/2017 21:00	BDL	BDL	1.8	5.3	0.2	2.3	18.0	13.0
5/22/2017 22:00	BDL	BDL	1.6	2.6	0.2	2.3	14.0	17.0
5/22/2017 23:00	BDL	BDL	1.6	1.6	0.2	2.4	22.0	17.0
5/23/2017 0:00	BDL	BDL	1.4	2.7	0.2	2.5	23.0	12.0
5/23/2017 1:00	BDL	BDL	1.5	5.2	0.2	2.4	23.0	16.0
5/23/2017 2:00	BDL	Calibration	Calibration	6.2	0.2	2.3	24.0	20.0
5/23/2017 3:00	BDL	Calibration	Calibration	16.8	0.2	2.5	27.0	20.0
5/23/2017 4:00	Calibration	BDL	1.4	Calibration	Calibration	2.3	31.0	21.0
5/23/2017 5:00	BDL	BDL	1.5	16.8	0.3	Too few samples	30.0	24.0
5/23/2017 6:00	BDL	BDL	1.3	14.5	0.3	2.2	23.0	19.0
5/23/2017 7:00	BDL	BDL	1.3	15.9	0.3	2.2	24.0	18.0
5/23/2017 8:00	BDL	BDL	1.5	20.0	0.3	2.1	27.0	15.0
5/23/2017 9:00	BDL	BDL	1.3	17.5	0.3	2.1	24.0	14.0
5/23/2017 10:00	BDL	BDL	1.4	17.9	0.3	2.2	21.0	11.0
5/23/2017 11:00	BDL	BDL	1.4	16.0	0.3	2.2	23.0	14.0
5/23/2017 12:00	BDL	BDL	1.4	17.5	0.2	2.1	21.0	10.0
5/23/2017 13:00	BDL	BDL	1.4	15.6	0.3	2.1	19.0	11.0
5/23/2017 14:00	BDL	BDL	1.3	17.4	0.3	2.1	20.0	11.0
5/23/2017 15:00	BDL	BDL	1.4	10.8	0.3	2.1	19.0	12.0
5/23/2017 16:00	BDL	BDL	1.4	12.0	0.3	2.2	20.0	8.0
5/23/2017 17:00	BDL	BDL	1.4	14.1	0.3	2.2	26.0	9.0
5/23/2017 18:00	BDL	BDL	1.6	16.6	0.3	2.2	26.0	11.0
5/23/2017 19:00	BDL	BDL	1.4	14.9	0.3	2.2	19.0	11.0
5/23/2017 20:00	BDL	BDL	1.5	13.3	0.3	2.1	27.0	13.0
5/23/2017 21:00	BDL	BDL	1.6	9.9	0.3	2.1	17.0	13.0
5/23/2017 22:00	BDL	BDL	1.7	15.4	0.2	2.2	14.0	8.0
5/23/2017 23:00	BDL	BDL	1.4	9.8	0.2	2.3	18.0	14.0
5/24/2017 0:00	BDL	BDL	1.3	7.8	0.2	2.2	13.0	11.0
5/24/2017 1:00	BDL	BDL	1.5	11.1	0.2	2.2	12.0	10.0
5/24/2017 2:00	BDL	Calibration	Calibration	7.6	0.2	2.1	23.0	12.0
5/24/2017 3:00	BDL	Calibration	Calibration	9.6	0.2	2.2	18.0	9.0
5/24/2017 4:00	Calibration	BDL	1.4	Calibration	Calibration	2.2	16.0	11.0
5/24/2017 5:00	BDL	BDL	1.4	19.5	0.3	Too few samples	17.0	11.0
5/24/2017 6:00	BDL	BDL	1.4	20.8	0.3	2.3	17.0	13.0
5/24/2017 7:00	BDL	Audit	Audit	17.5	0.3	2.1	14.0	12.0
5/24/2017 8:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	2.1	17.0	12.0
5/24/2017 9:00	BDL	BDL	1.4	Calibration	0.2	Too few samples	25.0	11.0
5/24/2017 10:00	BDL	BDL	1.4	21.4	0.2	2.0	21.0	13.0
5/24/2017 11:00	Too few samples	BDL	1.4	Too few samples	Too few samples	2.1	20.0	11.0
5/24/2017 12:00	Calibration	BDL	1.4	Calibration	Calibration	2.0	21.0	7.0
5/24/2017 13:00	BDL	BDL	1.4	8.3	0.2	1.9	22.0	12.0
5/24/2017 14:00	BDL	BDL	1.4	6.3	0.2	1.9	19.0	10.0
5/24/2017 15:00	BDL	BDL	1.3	5.5	0.2	1.9	14.0	7.0
5/24/2017 16:00	BDL	BDL	1.3	3.4	0.2	2.0	14.0	6.0
5/24/2017 17:00	BDL	BDL	1.4	4.1	0.2	2.0	8.0	5.0
5/24/2017 18:00	BDL	BDL	1.3	5.8	0.2	2.0	23.0	5.0
5/24/2017 19:00	BDL	BDL	1.3	3.0	0.2	1.9	21.0	7.0
5/24/2017 20:00	BDL	BDL	1.4	3.3	0.2	1.9	14.0	8.0
5/24/2017 21:00	BDL	BDL	1.4	2.8	0.2	1.9	12.0	9.0
5/24/2017 22:00	BDL	BDL	1.3	7.2	0.2	1.9	8.0	7.0
5/24/2017 23:00	BDL	BDL	1.3	2.8	0.1	2.0	5.0	7.0
5/25/2017 0:00	BDL	BDL	1.4	0.9	0.1	1.9	6.0	7.0
5/25/2017 1:00	BDL	BDL	1.4	1.9	0.1	1.9	8.0	5.0
5/25/2017 2:00	BDL	Calibration	Calibration	1.2	0.1	2.0	11.0	7.0
5/25/2017 3:00	BDL	Calibration	Calibration	1.0	0.1	2.0	7.0	6.0
5/25/2017 4:00	Calibration	BDL	1.3	Calibration	Calibration	2.0	12.0	5.0
5/25/2017 5:00	BDL	BDL	1.4	9.5	0.2	Too few samples	9.0	3.0
5/25/2017 6:00	BDL	BDL	1.4	9.6	0.2	2.0	13.0	6.0
5/25/2017 7:00	BDL	Calibration	Calibration	9.4	0.2	2.1	13.0	6.0
5/25/2017 8:00	BDL	Too few samples	Too few samples	12.5	0.2	2.1	10.0	4.0
5/25/2017 9:00	BDL	Calibration	Calibration	17.4	0.2	2.0	16.0	4.0
5/25/2017 10:00	BDL	Calibration	Calibration	14.4	0.2	2.0	12.0	9.0
5/25/2017 11:00	BDL	Too few samples	Too few samples	13.3	0.3	2.0	16.0	8.0
5/25/2017 12:00	BDL	Calibration	Calibration	13.2	0.3	2.0	11.0	8.0
5/25/2017 13:00	BDL	BDL	0.7	12.5	0.3	2.0	13.0	6.0
5/25/2017 14:00	BDL	0.4	0.7	11.5	0.3	2.0	21.0	6.0
5/25/2017 15:00	BDL	0.5	0.7	16.6	0.3	2.0	21.0	14.0
5/25/2017 16:00	BDL	BDL	0.6	14.7	0.3	2.2	28.0	13.0
5/25/2017 17:00	BDL	BDL	0.7	16.5	0.4	2.3	16.0	12.0
5/25/2017 18:00	BDL	0.4	0.7	17.2	0.4	2.1	9.0	6.0
5/25/2017 19:00	BDL	0.4	0.7	12.9	0.3	2.2	7.0	3.0
5/25/2017 20:00	BDL	1.2	2.2	14.4	0.3	2.4	13.0	7.0
5/25/2017 21:00	BDL	BDL	0.4	6.6	0.2	2.4	7.0	4.0
5/25/2017 22:00	BDL	0.5	1.8	10.6	0.2	2.3	8.0	4.0
5/25/2017 23:00	BDL	0.4	0.7	15.8	0.3	2.0	7.0	10.0
5/26/2017 0:00	BDL	0.5	0.8	16.8	0.2	2.3	15.0	9.0
5/26/2017 1:00	0.4	0.5	0.9	8.9	0.2	2.2	15.0	10.0
5/26/2017 2:00	0.7	Calibration	Calibration	13.0	0.2	2.1	18.0	15.0
5/26/2017 3:00	0.4	Calibration	Calibration	7.9	0.2	2.2	24.0	17.0
5/26/2017 4:00	Calibration	0.9	1.2	Calibration	Calibration	2.2	19.0	14.0
5/26/2017 5:00	1.0	0.5	0.7	12.8	0.2	Too few samples	35.0	12.0
5/26/2017 6:00	2.0	Calibration	Calibration	16.9	0.2	2.1	26.0	16.0
5/26/2017 7:00	2.0	Calibration	Calibration	13.2	0.2	2.2	19.0	12.0
5/26/2017 8:00	0.8	BDL	0.4	6.0	0.2	2.3	20.0	9.0
5/26/2017 9:00	BDL	BDL	0.4	2.9	0.2	2.2	9.0	10.0
5/26/2017 10:00	BDL	BDL	0.4	5.0	0.2	2.2	22.0	11.0
5/26/2017 11:00	BDL	BDL	0.4	4.8	0.2	2.3	16.0	11.0
5/26/2017 12:00	BDL	BDL	0.4	4.4	0.2	2.3	23.0	9.0
5/26/2017 13:00	BDL	BDL	0.4	3.3	0.2	2.2	17.0	6.0
5/26/2017 14:00	BDL	BDL	0.4	4.0	0.2	2.2	13.0	3.0
5/26/2017 15:00	BDL	BDL	BDL	1.8	0.2	2.2	24.0	3.0
5/26/2017 16:00	BDL	BDL	BDL	BDL	0.2	2.2	25.0	7.0
5/26/2017 17:00	BDL	BDL	0.4	0.4	0.2	2.3	10.0	8.0
5/26/2017 18:00	BDL	BDL	BDL	0.6	0.2	2.2	17.0	6.0
5/26/2017 19:00	BDL	BDL	BDL	0.5	0.2	2.3	14.0	5.0
5/26/2017 20:00	BDL	BDL	BDL	BDL	0.2	2.4	13.0	6.0
5/26/2017 21:00	BDL	BDL	BDL	BDL	0.2	2.2	15.0	9.0
5/26/2017 22:00	BDL	BDL	BDL	0.5	0.2	2.4	10.0	10.0
5/26/2017 23:00	BDL	BDL	BDL	2.7	0.2	2.4	9.0	7.0
5/27/2017 0:00	BDL	BDL	BDL	2.9	0.2	2.3	8.0	9.0
5/27/2017 1:00	BDL	BDL	BDL	3.9	0.2	2.3	9.0	6.0
5/27/2017 2:00	BDL	Calibration	Calibration	4.6	0.2	2.4	12.0	8.0
5/27/2017 3:00	BDL	Calibration	Calibration	BDL	0.2	2.3	11.0	4.0
5/27/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.3	8.0	6.0
5/27/2017 5:00	BDL	BDL	BDL	0.8	0.2	Too few samples	13.0	7.0
5/27/2017 6:00	BDL	BDL	BDL	1.0	0.2	2.3	12.0	8.0
5/27/2017 7:00	BDL	BDL	BDL	BDL	0.2	2.2	9.0	6.0
5/27/2017 8:00	BDL	BDL	BDL	BDL	0.1	2.1	7.0	6.0
5/27/2017 9:00	BDL	BDL	BDL	BDL	0.2	2.1	12.0	4.0
5/27/2017 10:00	BDL	BDL	BDL	2.6	0.2	2.2	24.0	6.0
5/27/2017 11:00	0.7	BDL	BDL	1.9	0.2	2.1	10.0	7.0
5/27/2017 12:00	0.7	BDL	BDL	2.1	0.2	2.1	17.0	5.0
5/27/2017 13:00	1.4	BDL	BDL	6.4	0.2	2.1	13.0	10.0
5/27/2017 14:00	1.4	BDL	BDL	3.8	0.2	2.1	20.0	13.0
5/27/2017 15:00	2.0	BDL	BDL	5.8	0.2	2.2	19.0	11.0
5/27/2017 16:00	1.6	0.6	1.0	6.2	0.2	2.2	22.0	15.0
5/27/2017 17:00	1.7	0.4	0.7	5.6	0.2	2.3	19.0	11.0
5/27/2017 18:00	1.1	BDL	0.5	13.0	0.3	2.3	26.0	8.0
5/27/2017 19:00	0.5	BDL	0.4	12.3	0.3	2.3	31.0	13.0
5/27/2017 20:00	1.3	BDL	0.5	20.7	0.5	2.4	18.0	12.0
5/27/2017 21:00	0.9	BDL	0.5	17.5	0.3	2.2	23.0	13.0
5/27/2017 22:00	BDL	BDL	0.6	8.5	0.3	2.4	19.0	12.0
5/27/2017 23:00	1.0	BDL	0.5	6.9	0.3	2.6	17.0	17.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 5/28/2017-6/3/2017								
5/28/2017 0:00	0.7	BDL	0.4	13.7	0.3	2.5	14.0	16.0
5/28/2017 1:00	BDL	0.4	0.7	15.7	0.4	2.3	23.0	13.0
5/28/2017 2:00	BDL	Calibration	Calibration	18.7	0.5	2.3	22.0	13.0
5/28/2017 3:00	BDL	Calibration	Calibration	10.1	0.3	2.6	13.0	12.0
5/28/2017 4:00	Calibration	2.0	2.3	Calibration	Calibration	2.5	24.0	12.0
5/28/2017 5:00	BDL	1.7	2.2	14.4	0.4	Too few samples	21.0	17.0
5/28/2017 6:00	BDL	1.3	1.7	16.9	0.4	2.5	25.0	19.0
5/28/2017 7:00	0.4	1.1	1.4	14.6	0.3	2.3	34.0	22.0
5/28/2017 8:00	0.6	0.5	0.9	7.7	0.3	2.1	27.0	18.0
5/28/2017 9:00	0.5	BDL	0.6	1.5	0.2	2.0	21.0	12.0
5/28/2017 10:00	BDL	BDL	0.4	BDL	0.2	2.0	14.0	9.0
5/28/2017 11:00	BDL	BDL	0.4	BDL	0.2	2.0	13.0	8.0
5/28/2017 12:00	BDL	BDL	0.4	BDL	0.2	2.0	15.0	6.0
5/28/2017 13:00	BDL	BDL	BDL	BDL	0.2	2.0	16.0	11.0
5/28/2017 14:00	BDL	BDL	0.4	BDL	0.2	2.0	17.0	9.0
5/28/2017 15:00	BDL	BDL	BDL	BDL	0.2	2.0	7.0	10.0
5/28/2017 16:00	BDL	BDL	BDL	7.1	0.2	2.0	9.0	9.0
5/28/2017 17:00	BDL	BDL	BDL	2.6	0.2	2.0	13.0	8.0
5/28/2017 18:00	BDL	BDL	BDL	2.9	0.2	2.0	14.0	7.0
5/28/2017 19:00	BDL	BDL	BDL	2.3	0.2	2.1	13.0	12.0
5/28/2017 20:00	BDL	BDL	BDL	0.7	0.2	2.0	17.0	8.0
5/28/2017 21:00	BDL	BDL	BDL	1.4	0.2	2.0	14.0	9.0
5/28/2017 22:00	BDL	BDL	BDL	0.6	0.2	2.0	15.0	9.0
5/28/2017 23:00	BDL	BDL	BDL	2.9	0.2	2.0	15.0	6.0
5/29/2017 0:00	BDL	BDL	BDL	1.7	0.2	2.0	7.0	7.0
5/29/2017 1:00	BDL	BDL	0.4	BDL	0.2	2.0	9.0	10.0
5/29/2017 2:00	BDL	Calibration	Calibration	BDL	0.2	2.0	13.0	6.0
5/29/2017 3:00	BDL	Calibration	Calibration	BDL	0.1	2.0	11.0	6.0
5/29/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.0	9.0	4.0
5/29/2017 5:00	BDL	BDL	BDL	0.5	0.2	Too few samples	6.0	4.0
5/29/2017 6:00	BDL	BDL	BDL	0.7	0.2	1.9	4.0	11.0
5/29/2017 7:00	BDL	BDL	BDL	1.1	0.2	1.9	5.0	6.0
5/29/2017 8:00	BDL	BDL	BDL	1.0	0.2	1.9	8.0	4.0
5/29/2017 9:00	BDL	BDL	BDL	3.6	0.2	1.9	16.0	6.0
5/29/2017 10:00	BDL	BDL	BDL	7.5	0.2	2.0	10.0	7.0
5/29/2017 11:00	BDL	BDL	BDL	5.7	0.2	2.0	9.0	6.0
5/29/2017 12:00	BDL	BDL	BDL	3.1	0.2	2.0	13.0	7.0
5/29/2017 13:00	BDL	BDL	BDL	13.0	0.2	1.9	9.0	6.0
5/29/2017 14:00	BDL	BDL	BDL	3.0	0.2	1.9	9.0	8.0
5/29/2017 15:00	BDL	BDL	BDL	5.3	0.2	2.0	11.0	9.0
5/29/2017 16:00	BDL	BDL	BDL	6.3	0.2	2.0	15.0	8.0
5/29/2017 17:00	BDL	BDL	BDL	2.3	0.2	2.0	13.0	12.0
5/29/2017 18:00	BDL	BDL	BDL	7.7	0.2	2.0	19.0	13.0
5/29/2017 19:00	BDL	BDL	BDL	4.0	0.2	2.0	12.0	11.0
5/29/2017 20:00	BDL	BDL	BDL	3.1	0.2	2.0	19.0	11.0
5/29/2017 21:00	BDL	BDL	BDL	2.4	0.2	2.0	12.0	7.0
5/29/2017 22:00	BDL	BDL	BDL	4.3	0.2	2.0	15.0	6.0
5/29/2017 23:00	BDL	BDL	BDL	3.3	0.1	2.0	10.0	4.0
5/30/2017 0:00	BDL	BDL	BDL	1.0	0.1	2.0	6.0	5.0
5/30/2017 1:00	BDL	BDL	BDL	11.6	0.1	2.0	17.0	4.0
5/30/2017 2:00	BDL	Calibration	Calibration	1.0	0.1	2.0	12.0	3.0
5/30/2017 3:00	BDL	Calibration	Calibration	4.1	0.1	2.0	18.0	10.0
5/30/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.0	16.0	8.0
5/30/2017 5:00	BDL	BDL	BDL	10.3	0.2	Too few samples	17.0	11.0
5/30/2017 6:00	BDL	BDL	BDL	15.4	0.2	2.0	11.0	13.0
5/30/2017 7:00	BDL	BDL	BDL	13.4	0.2	2.0	14.0	45.0
5/30/2017 8:00	BDL	BDL	BDL	14.8	0.2	2.0	18.0	5.0
5/30/2017 9:00	BDL	BDL	BDL	13.3	0.2	2.0	18.0	6.0
5/30/2017 10:00	BDL	BDL	0.4	17.8	0.2	2.0	17.0	15.0
5/30/2017 11:00	BDL	BDL	0.4	14.2	0.2	2.0	17.0	10.0
5/30/2017 12:00	BDL	BDL	0.4	13.6	0.2	2.0	13.0	7.0
5/30/2017 13:00	BDL	BDL	BDL	11.8	0.2	2.0	9.0	7.0
5/30/2017 14:00	BDL	BDL	BDL	15.1	0.2	2.0	12.0	9.0
5/30/2017 15:00	BDL	BDL	BDL	6.9	0.2	2.0	12.0	9.0
5/30/2017 16:00	BDL	BDL	BDL	12.3	0.2	2.0	16.0	6.0
5/30/2017 17:00	BDL	BDL	BDL	7.5	0.2	2.0	13.0	65.0
5/30/2017 18:00	BDL	BDL	BDL	8.0	0.3	2.0	17.0	9.0
5/30/2017 19:00	BDL	BDL	BDL	8.3	0.2	2.0	15.0	6.0
5/30/2017 20:00	BDL	BDL	0.4	8.8	0.2	2.0	15.0	5.0
5/30/2017 21:00	BDL	BDL	0.4	10.1	0.3	2.1	20.0	13.0
5/30/2017 22:00	BDL	BDL	0.4	12.2	0.3	2.1	28.0	13.0
5/30/2017 23:00	BDL	BDL	0.4	8.9	0.2	2.1	analyzer malfunction	12.0
5/31/2017 0:00	BDL	BDL	0.5	8.2	0.2	2.2	analyzer malfunction	11.0
5/31/2017 1:00	BDL	0.5	1.0	8.4	0.2	2.1	analyzer malfunction	12.0
5/31/2017 2:00	BDL	Calibration	Calibration	11.8	0.2	2.2	analyzer malfunction	11.0
5/31/2017 3:00	BDL	Calibration	Calibration	18.4	0.3	2.1	analyzer malfunction	11.0
5/31/2017 4:00	Calibration	BDL	0.4	Calibration	Calibration	2.3	analyzer malfunction	15.0
5/31/2017 5:00	BDL	BDL	0.5	23.6	0.3	Too few samples	analyzer malfunction	20.0
5/31/2017 6:00	BDL	BDL	0.5	19.0	0.3	2.3	analyzer malfunction	analyzer malfunction
5/31/2017 7:00	BDL	BDL	0.4	19.2	0.3	2.2	5.0	6.0
5/31/2017 8:00	BDL	BDL	0.4	21.0	0.3	2.1	10.0	11.0
5/31/2017 9:00	BDL	BDL	0.5	18.4	0.3	2.1	15.0	9.0
5/31/2017 10:00	BDL	BDL	0.7	21.2	0.3	2.1	20.0	9.0
5/31/2017 11:00	BDL	BDL	0.6	20.5	0.3	2.2	26.0	12.0
5/31/2017 12:00	1.5	0.5	0.8	16.0	0.3	2.2	26.0	10.0
5/31/2017 13:00	0.7	BDL	0.5	10.1	0.2	2.2	22.0	8.0
5/31/2017 14:00	0.7	BDL	0.5	5	0.2	2.2	20.0	6.0
5/31/2017 15:00	0.8	BDL	0.6	6.2	0.2	2.2	25.0	7.0
5/31/2017 16:00	BDL	BDL	0.6	2.4	0.2	2.2	18.0	4.0
5/31/2017 17:00	BDL	BDL	0.4	2.2	0.2	2.2	19.0	4.0
5/31/2017 18:00	BDL	BDL	0.4	4.4	0.2	2.2	16.0	5.0
5/31/2017 19:00	BDL	BDL	0.4	1.8	0.2	2.1	22.0	3.0
5/31/2017 20:00	BDL	BDL	0.7	2.6	0.2	2.3	16.0	4.0
5/31/2017 21:00	0.4	BDL	0.8	10.9	0.2	2.3	32.0	21.0
5/31/2017 22:00	1.7	0.6	0.8	20.4	0.3	2.4	27.0	18.0
5/31/2017 23:00	2.7	0.4	0.8	16.4	0.3	2.4	27.0	12.0
6/1/2017 0:00	2.8	BDL	0.7	11.4	0.2	2.2	20.0	14.0
6/1/2017 1:00	0.6	0.8	1.0	16.1	0.3	2.7	26.0	14.0
6/1/2017 2:00	0.4	Calibration	Calibration	20.7	0.3	2.7	30.0	15.0
6/1/2017 3:00	BDL	Calibration	Calibration	25.9	0.4	2.7	32.0	16.0
6/1/2017 4:00	Calibration	1.1	1.2	Calibration	Calibration	2.8	31.0	14.0
6/1/2017 5:00	BDL	0.8	0.8	30.6	0.4	Too few samples	19.0	11.0
6/1/2017 6:00	BDL	0.5	0.6	22.2	0.3	2.7	28.0	14.0
6/1/2017 7:00	1.5	Too few samples	Too few samples	29.1	0.3	2.4	37.0	15.0
6/1/2017 8:00	2.3	Calibration	Calibration	12.8	0.2	2.3	35.0	9.0
6/1/2017 9:00	1.7	BDL	0.5	14.2	0.2	2.4	30.0	11.0
6/1/2017 10:00	1.1	BDL	0.5	9.3	0.1	2.4	48.0	9.0
6/1/2017 11:00	BDL	BDL	BDL	2.9	0.1	2.4	29.0	8.0
6/1/2017 12:00	1.2	BDL	BDL	4.9	0.1	2.3	27.0	7.0
6/1/2017 13:00	0.7	BDL	BDL	5.2	0.1	2.4	34.0	5.0
6/1/2017 14:00	BDL	BDL	0.4	2.6	0.1	2.4	28.0	5.0
6/1/2017 15:00	BDL	BDL	BDL	0.8	0.1	2.4	27.0	9.0
6/1/2017 16:00	BDL	BDL	BDL	3.3	0.1	2.3	20.0	9.0
6/1/2017 17:00	BDL	BDL	BDL	2.6	0.1	2.3	15.0	5.0
6/1/2017 18:00	BDL	BDL	BDL	0.4	0.1	2.3	14.0	4.0
6/1/2017 19:00	BDL	BDL	BDL	BDL	0.1	2.3	12.0	7.0
6/1/2017 20:00	BDL	BDL	BDL	10.0	0.2	2.3	17.0	5.0
6/1/2017 21:00	BDL	BDL	BDL	15.1	0.2	2.4	10.0	7.0
6/1/2017 22:00	BDL	BDL	BDL	15.9	0.2	2.4	13.0	12.0
6/1/2017 23:00	1.7	BDL	BDL	12.5	0.2	2.4	20.0	13.0
6/2/2017 0:00	0.4	BDL	BDL	9.6	0.1	2.4	19.0	12.0
6/2/2017 1:00	BDL	BDL	BDL	5.3	0.2	2.5	16.0	15.0
6/2/2017 2:00	BDL	Calibration	Calibration	10.9	0.2	2.3	18.0	9.0
6/2/2017 3:00	0.4	Calibration	Calibration	33.3	0.3	2.4	20.0	8.0
6/2/2017 4:00	Calibration	1.4	0.8	Calibration	Calibration	3.0	25.0	14.0
6/2/2017 5:00	1.0	1.9	1.1	86.1	0.7	Too few samples	38.0	19.0
6/2/2017 6:00	0.7	1.1	0.8	44.1	0.3	2.4	31.0	14.0
6/2/2017 7:00	0.4	0.4	0.4	24.8	0.2	2.1	19.0	9.0
6/2/2017 8:00	BDL	BDL	BDL	15.7	0.2	2.2	22.0	6.0
6/2/2017 9:00	2.7	0.4	0.4	19.3	0.2	2.3	33.0	6.0
6/2/2017 10:00	3.2	BDL	0.5	13.3	0.2	2.4	27.0	10.0
6/2/2017 11:00	0.6	BDL	0.4	5.1	0.1	2.3	38.0	6.0
6/2/2017 12:00	1.4	BDL	BDL	9.9	0.1	2.4	46.0	6.0
6/2/2017 13:00	BDL	BDL	BDL	2.0	0.1	2.3	27.0	5.0
6/2/2017 14:00	BDL	BDL	BDL	BDL	0.1	2.4	28.0	5.0
6/2/2017 15:00	BDL	BDL	BDL	2.1	0.1	2.4	47.0	6.0
6/2/2017 16:00	BDL	BDL	BDL	BDL	0.1	2.3	16.0	4.0
6/2/2017 17:00	BDL	BDL	BDL	BDL	0.1	2.3	14.0	6.0
6/2/2017 18:00	BDL	BDL	BDL	BDL	0.1	2.2	22.0	6.0
6/2/2017 19:00	BDL	BDL	BDL	0.7	0.1	2.3	17.0	4.0
6/2/2017 20:00	BDL	BDL	BDL	3.0	0.2	2.3	14.0	8.0
6/2/2017 21:00	BDL	BDL	BDL	7.3	0.2	2.3	23.0	9.0
6/2/2017 22:00	BDL	BDL	BDL	11.3	0.3	2.4	28.0	7.0
6/2/2017 23:00	BDL	BDL	BDL	20.0	0.2	2.4	20.0	6.0
6/3/2017 0:00	BDL	0.4	0.4	29.0	0.3	3.1	23.0	5.0
6/3/2017 1:00	BDL	BDL	0.4	22.0	0.3	3.0	18.0	4.0
6/3/2017 2:00	0.5	Calibration	Calibration	54.3	0.4	3.1	27.0	7.0
6/3/2017 3:00	0.6	Calibration	Calibration	55.8	0.4	4.0	30.0	14.0
6/3/2017 4:00	Calibration	0.8	0.5	Calibration	Calibration	3.4	26.0	8.0
6/3/2017 5:00	0.4	0.7	0.5	37.5	0.3	Too few samples	20.0	15.0
6/3/2017 6:00	BDL	BDL	BDL	21.9	0.2	2.4	22.0	6.0
6/3/2017 7:00	BDL	BDL	BDL	23.0	0.3	2.3	20.0	8.0
6/3/2017 8:00	BDL	BDL	BDL	18.9	0.3	2.2	20.0	6.0
6/3/2017 9:00	BDL	BDL	BDL	8.0	0.2	2.2	16.0	6.0
6/3/2017 10:00	BDL	BDL	BDL	2.4	0.1	2.2	16.0	3.0
6/3/2017 11:00	BDL	BDL	BDL	BDL	0.1	2.2	4.0	4.0
6/3/2017 12:00	BDL	BDL	BDL	BDL	0.1	2.3	13.0	3.0
6/3/2017 13:00	BDL	BDL	BDL	BDL	0.1	2.3	12.0	3.0
6/3/2017 14:00	BDL	BDL	BDL	BDL	0.1	2.2	17.0	5.0
6/3/2017 15:00	BDL	BDL	BDL	BDL	0.1	2.3	7.0	6.0
6/3/2017 16:00	BDL	BDL	BDL	BDL	0.1	2.3	11.0	3.0
6/3/2017 17:00	BDL	BDL	BDL	BDL	0.1	2.3	13.0	4.0
6/3/2017 18:00	BDL	BDL	BDL	BDL	0.1	2.2	9.0	4.0
6/3/2017 19:00	BDL	BDL	BDL	1.1	0.1	2.2	14.0	4.0
6/3/2017 20:00	BDL	BDL	BDL	12.9	0.3	2.5	17.0	3.0
6/3/2017 21:00	1.2	0.6	0.8	41.1	0.5	2.8	21.0	8.0
6/3/2017 22:00	0.7	1.5	1.2	42.1	0.5	2.8	28.0	11.0
6/3/2017 23:00	BDL	0.8	0.6	41.4	0.7	2.9	29.0	14.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2 PPB	H2S PPB	TRS PPB	NOx PPB	CO PPM	VOC PPM	PM10 µg/m3	PM2.5 ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 6/4/2017-6/10/2017								
6/4/2017 0:00	BDL	0.7	0.6	34.1	0.6	3.0	14.0	15.0
6/4/2017 1:00	BDL	0.8	0.5	38.0	0.7	3.7	25.0	17.0
6/4/2017 2:00	BDL	Calibration	Calibration	51.2	0.9	4.2	25.0	13.0
6/4/2017 3:00	BDL	Calibration	Calibration	49.7	0.8	Too few samples	26.0	12.0
6/4/2017 4:00	Calibration	1.7	1.6	Calibration	Calibration	Calibration	22.0	12.0
6/4/2017 5:00	0.4	2.5	1.8	63.2	0.9	Calibration	34.0	22.0
6/4/2017 6:00	1.2	1.7	1.6	40.4	0.6	Calibration	35.0	16.0
6/4/2017 7:00	0.5	0.6	0.8	19.7	0.3	Too few samples	19.0	10.0
6/4/2017 8:00	BDL	BDL	BDL	8.4	0.2	Too few samples	13.0	77*
6/4/2017 9:00	BDL	BDL	BDL	1.5	0.2	Too few samples	19.0	BDL
6/4/2017 10:00	BDL	BDL	0.4	BDL	0.1	2.1	15.0	6.0
6/4/2017 11:00	BDL	BDL	0.4	BDL	0.2	2.2	19.0	7.0
6/4/2017 12:00	0.4	BDL	0.5	0.4	0.2	2.2	35.0	9.0
6/4/2017 13:00	BDL	BDL	0.5	0.4	0.2	2.1	19.0	12.0
6/4/2017 14:00	BDL	BDL	0.5	1.8	0.2	2.2	26.0	8.0
6/4/2017 15:00	BDL	BDL	0.6	3.9	0.3	2.1	25.0	9.0
6/4/2017 16:00	0.8	BDL	0.6	11.5	0.4	2.3	22.0	13.0
6/4/2017 17:00	1.3	BDL	0.6	14.0	0.4	2.5	27.0	13.0
6/4/2017 18:00	1.1	BDL	0.5	11.5	0.4	2.4	23.0	9.0
6/4/2017 19:00	1.0	0.4	0.6	18.8	0.5	2.5	25.0	8.0
6/4/2017 20:00	1.7	0.4	0.7	20.3	0.5	2.6	26.0	16.0
6/4/2017 21:00	0.7	1.0	1.0	33.0	0.5	2.5	29.0	13.0
6/4/2017 22:00	BDL	0.8	1.0	18.5	0.4	2.3	24.0	11.0
6/4/2017 23:00	BDL	0.6	1.0	15.8	0.3	2.2	22.0	13.0
6/5/2017 0:00	BDL	BDL	0.8	13.6	0.3	2.4	25.0	10.0
6/5/2017 1:00	BDL	0.4	0.7	17.1	0.4	2.6	21.0	8.0
6/5/2017 2:00	BDL	Calibration	Calibration	11.0	0.3	2.4	16.0	10.0
6/5/2017 3:00	BDL	Calibration	Calibration	17.0	0.3	2.4	20.0	11.0
6/5/2017 4:00	Calibration	0.6	0.7	Calibration	Calibration	2.5	26.0	15.0
6/5/2017 5:00	2.1	0.9	0.9	36.9	0.5	2.6	30.0	16.0
6/5/2017 6:00	2.5	1.0	0.9	39.8	0.5	2.7	41.0	18.0
6/5/2017 7:00	1.8	1.6	1.4	58.7	0.5	2.8	48.0	25.0
6/5/2017 8:00	2.4	2.0	1.6	59.9	0.5	3.1	47.0	27.0
6/5/2017 9:00	1.9	1.4	1.3	47.4	0.5	2.8	46.0	27.0
6/5/2017 10:00	2.2	1.4	1.4	40.5	0.4	2.9	47.0	28.0
6/5/2017 11:00	2.5	1.3	1.5	33.1	0.4	2.7	60.0	31.0
6/5/2017 12:00	1.7	1.1	1.1	20.1	0.4	2.5	38.0	27.0
6/5/2017 13:00	0.9	0.4	0.8	11.2	0.3	2.3	39.0	24.0
6/5/2017 14:00	1.0	0.5	0.9	10.7	0.3	2.4	30.0	23.0
6/5/2017 15:00	0.6	0.8	1.1	11.8	0.3	2.5	29.0	28.0
6/5/2017 16:00	0.5	0.5	0.8	12.9	0.3	2.2	32.0	24.0
6/5/2017 17:00	BDL	BDL	0.6	6.9	0.3	2.1	19.0	21.0
6/5/2017 18:00	BDL	BDL	0.6	7.1	0.3	2.0	16.0	11.0
6/5/2017 19:00	BDL	BDL	0.7	11.9	0.3	2.0	12.0	12.0
6/5/2017 20:00	BDL	0.4	0.6	15.6	0.3	2.0	18.0	12.0
6/5/2017 21:00	BDL	0.4	0.8	14.5	0.3	2.0	24.0	14.0
6/5/2017 22:00	BDL	0.5	0.9	15.4	0.3	2.0	21.0	17.0
6/5/2017 23:00	BDL	0.5	1.0	11.8	0.2	2.0	18.0	13.0
6/6/2017 0:00	BDL	0.5	0.9	11.2	0.2	2.0	18.0	11.0
6/6/2017 1:00	BDL	0.5	0.8	8.3	0.2	2.1	34.0	25.0
6/6/2017 2:00	BDL	Calibration	Calibration	3.6	0.2	2.1	22.0	21.0
6/6/2017 3:00	BDL	Calibration	Calibration	5.6	0.2	2.1	22.0	8.0
6/6/2017 4:00	Calibration	BDL	0.6	Calibration	Calibration	2.0	18.0	11.0
6/6/2017 5:00	BDL	BDL	0.6	10.3	0.2	Too few samples	13.0	6.0
6/6/2017 6:00	BDL	BDL	0.8	15.8	0.2	2.1	15.0	3.0
6/6/2017 7:00	BDL	0.5	0.6	16.5	0.3	2.0	13.0	5.0
6/6/2017 8:00	BDL	BDL	0.6	16.0	0.3	2.0	13.0	5.0
6/6/2017 9:00	BDL	BDL	BDL	18.4	0.3	2.1	16.0	8.0
6/6/2017 10:00	BDL	0.6	0.8	24.0	0.3	2.1	14.0	8.0
6/6/2017 11:00	BDL	0.7	0.9	24.3	0.3	2.1	23.0	10.0
6/6/2017 12:00	BDL	BDL	0.7	15.7	0.3	2.0	19.0	11.0
6/6/2017 13:00	BDL	BDL	0.6	15.4	0.3	2.0	17.0	9.0
6/6/2017 14:00	BDL	BDL	0.6	14.1	0.3	2.1	18.0	10.0
6/6/2017 15:00	BDL	BDL	0.6	9.7	0.3	2.0	16.0	7.0
6/6/2017 16:00	BDL	BDL	0.5	7.8	0.2	2.0	7.0	6.0
6/6/2017 17:00	BDL	BDL	0.4	6.9	0.2	2.0	9.0	7.0
6/6/2017 18:00	BDL	BDL	BDL	8.2	0.2	2.0	9.0	7.0
6/6/2017 19:00	BDL	BDL	BDL	6.4	0.2	2.0	11.0	6.0
6/6/2017 20:00	BDL	BDL	BDL	9.6	0.2	2.0	11.0	6.0
6/6/2017 21:00	BDL	BDL	0.4	4.3	0.2	2.0	7.0	8.0
6/6/2017 22:00	BDL	BDL	BDL	4.2	0.1	2.0	6.0	6.0
6/6/2017 23:00	BDL	BDL	0.4	5.7	0.1	2.0	9.0	4.0
6/7/2017 0:00	BDL	BDL	BDL	5.0	0.1	2.0	7.0	3.0
6/7/2017 1:00	BDL	BDL	BDL	2.2	0.1	2.0	8.0	2.0
6/7/2017 2:00	BDL	Calibration	Calibration	3.6	0.1	2.0	8.0	5.0
6/7/2017 3:00	BDL	Calibration	Calibration	13.9	0.2	2.1	15.0	7.0
6/7/2017 4:00	Calibration	BDL	0.4	Calibration	Calibration	2.1	14.0	8.0
6/7/2017 5:00	BDL	BDL	BDL	13.8	0.2	Too few samples	14.0	6.0
6/7/2017 6:00	BDL	BDL	BDL	15.6	0.2	2.1	9.0	7.0
6/7/2017 7:00	BDL	Audit	Audit	13.4	0.2	2.1	12.0	5.0
6/7/2017 8:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	2.1	8.0	6.0
6/7/2017 9:00	BDL	BDL	0.4	Calibration	0.2	Too few samples	14.0	6.0
6/7/2017 10:00	Too few samples	BDL	BDL	Too few samples	Too few samples	2.1	9.0	5.0
6/7/2017 11:00	BDL	BDL	BDL	11.4	0.2	2.0	11.0	2.0
6/7/2017 12:00	BDL	Calibration	Calibration	11.0	0.2	2.1	8.0	5.0
6/7/2017 13:00	BDL	Too few samples	Too few samples	5	0.1	2.1	9.0	4.0
6/7/2017 14:00	BDL	BDL	BDL	8.4	0.2	2.0	13.0	3.0
6/7/2017 15:00	BDL	BDL	BDL	9.3	0.2	2.0	12.0	2.0
6/7/2017 16:00	BDL	BDL	BDL	8.1	0.2	2.0	10.0	1.0
6/7/2017 17:00	BDL	BDL	BDL	9.8	0.2	2.1	6.0	3.0
6/7/2017 18:00	BDL	BDL	BDL	10.0	0.3	2.1	13.0	4.0
6/7/2017 19:00	BDL	BDL	0.4	16.8	0.3	2.1	17.0	5.0
6/7/2017 20:00	0.8	BDL	0.5	23.9	0.4	2.1	14.0	7.0
6/7/2017 21:00	7.0	BDL	0.5	18.8	0.3	2.1	18.0	7.0
6/7/2017 22:00	1.1	0.4	0.5	25.1	0.3	2.2	17.0	6.0
6/7/2017 23:00	0.5	0.9	0.9	32.2	0.5	2.9	12.0	10.0
6/8/2017 0:00	BDL	0.9	0.6	38.9	0.5	2.8	18.0	12.0
6/8/2017 1:00	0.4	1.2	0.6	51.0	0.6	4.1	22.0	9.0
6/8/2017 2:00	BDL	Calibration	Calibration	42.4	0.5	3.9	21.0	12.0
6/8/2017 3:00	BDL	Calibration	Calibration	49.0	0.4	4.5	15.0	12.0
6/8/2017 4:00	Calibration	1.3	0.7	Calibration	Calibration	4.2	20.0	9.0
6/8/2017 5:00	0.5	1.6	0.6	59.3	0.5	Too few samples	24.0	11.0
6/8/2017 6:00	0.6	0.9	0.5	37.8	0.3	2.4	20.0	7.0
6/8/2017 7:00	0.8	0.8	0.6	39.9	0.4	2.4	23.0	14.0
6/8/2017 8:00	0.7	0.7	0.6	35.8	0.4	2.3	20.0	9.0
6/8/2017 9:00	BDL	0.4	0.5	25.2	0.3	2.2	25.0	9.0
6/8/2017 10:00	BDL	0.4	0.4	22.6	0.3	2.2	23.0	8.0
6/8/2017 11:00	BDL	BDL	0.4	17.5	0.3	2.2	20.0	7.0
6/8/2017 12:00	BDL	BDL	0.4	10.0	0.2	2.0	15.0	8.0
6/8/2017 13:00	BDL	BDL	BDL	9.0	0.2	2.0	16.0	7.0
6/8/2017 14:00	BDL	BDL	0.4	6.4	0.2	2.0	11.0	4.0
6/8/2017 15:00	BDL	BDL	BDL	8.9	0.2	2.0	10.0	5.0
6/8/2017 16:00	BDL	BDL	BDL	7.0	0.2	2.1	14.0	3.0
6/8/2017 17:00	BDL	BDL	BDL	5.8	0.2	2.1	12.0	5.0
6/8/2017 18:00	BDL	BDL	BDL	8.0	0.2	2.1	9.0	8.0
6/8/2017 19:00	BDL	BDL	BDL	7.9	0.2	2.2	11.0	6.0
6/8/2017 20:00	BDL	BDL	BDL	16.0	0.2	2.2	12.0	5.0
6/8/2017 21:00	BDL	BDL	BDL	16.0	0.3	2.2	17.0	5.0
6/8/2017 22:00	BDL	BDL	BDL	16.1	0.2	2.2	10.0	6.0
6/8/2017 23:00	BDL	BDL	BDL	22.3	0.2	2.3	11.0	7.0
6/9/2017 0:00	BDL	0.5	0.5	30.1	0.3	2.5	10.0	7.0
6/9/2017 1:00	BDL	0.6	0.6	28.2	0.4	3.1	22.0	12.0
6/9/2017 2:00	BDL	Calibration	Calibration	26.4	0.4	3.1	19.0	10.0
6/9/2017 3:00	BDL	Calibration	Calibration	25.6	0.3	3.0	15.0	9.0
6/9/2017 4:00	Calibration	1.0	1.0	Calibration	Calibration	3.0	20.0	12.0
6/9/2017 5:00	0.5	1.4	1.3	24.1	0.3	Too few samples	24.0	10.0
6/9/2017 6:00	1.3	1.9	1.7	44.4	0.4	3.0	32.0	15.0
6/9/2017 7:00	3.4	2.0	1.8	48.5	0.4	2.8	42.0	23.0
6/9/2017 8:00	4.9	1.2	1.1	21.6	0.2	2.4	29.0	15.0
6/9/2017 9:00	0.8	BDL	0.6	3.5	0.2	2.3	15.0	9.0
6/9/2017 10:00	BDL	BDL	0.4	1.4	0.1	2.3	20.0	5.0
6/9/2017 11:00	BDL	BDL	BDL	1.2	0.1	2.3	21.0	10.0
6/9/2017 12:00	BDL	BDL	BDL	BDL	0.1	2.3	18.0	8.0
6/9/2017 13:00	BDL	BDL	BDL	BDL	0.1	2.3	20.0	6.0
6/9/2017 14:00	0.4	BDL	0.5	2.4	0.1	2.3	20.0	11.0
6/9/2017 15:00	BDL	BDL	0.4	1.6	0.1	2.3	27.0	6.0
6/9/2017 16:00	BDL	BDL	0.5	1.3	0.1	2.3	19.0	8.0
6/9/2017 17:00	BDL	BDL	0.4	0.4	0.1	2.3	20.0	6.0
6/9/2017 18:00	0.7	BDL	0.4	5.1	0.1	2.2	22.0	13.0
6/9/2017 19:00	1.9	BDL	BDL	11.5	0.1	2.3	29.0	12.0
6/9/2017 20:00	5.8	BDL	0.5	13.5	0.2	2.8	25.0	11.0
6/9/2017 21:00	2.8	0.5	0.5	22.4	0.2	2.7	19.0	10.0
6/9/2017 22:00	0.5	0.4	0.4	20.0	0.3	2.8	23.0	11.0
6/9/2017 23:00	0.7	0.6	0.7	19.4	0.3	2.8	29.0	12.0
6/10/2017 0:00	3.0	0.5	0.9	19.1	0.3	2.8	32.0	22.0
6/10/2017 1:00	1.1	0.4	0.8	14.8	0.2	2.8	27.0	14.0
6/10/2017 2:00	0.6	Calibration	Calibration	13.9	0.2	2.8	20.0	13.0
6/10/2017 3:00	BDL	Calibration	Calibration	11.6	0.2	2.6	19.0	10.0
6/10/2017 4:00	Calibration	BDL	0.6	Calibration	Calibration	2.7	21.0	15.0
6/10/2017 5:00	1.6	0.5	0.7	25.0	0.3	Too few samples	36.0	17.0
6/10/2017 6:00	2.2	1.1	1.2	20.1	0.3	2.7	24.0	13.0
6/10/2017 7:00	1.6	1.1	1.4	18.8	0.3	2.6	31.0	15.0
6/10/2017 8:00	1.7	1.0	1.3	18.1	0.3	2.5	32.0	16.0
6/10/2017 9:00	2.7	0.6	0.7	14.3	0.2	2.9	31.0	15.0
6/10/2017 10:00	1.3	BDL	0.8	5.4	0.2	2.3	27.0	14.0
6/10/2017 11:00	1.3	BDL	0.6	3.0	0.2	2.4	32.0	14.0
6/10/2017 12:00	1.5	BDL	BDL	4.3	0.2	2.4	31.0	21.0
6/10/2017 13:00	0.8	BDL	BDL	1.3	0.1	2.3	28.0	10.0
6/10/2017 14:00	1.3	BDL	BDL	3.2	0.1	2.3	24.0	11.0
6/10/2017 15:00	1.1	BDL	BDL	2.3	0.2	2.4	21.0	9.0
6/10/2017 16:00	0.8	BDL	BDL	2.9	0.2	2.4	25.0	11.0
6/10/2017 17:00	0.9	BDL	BDL	3.4	0.2	2.4	24.0	9.0
6/10/2017 18:00	BDL	BDL	BDL	1.7	0.2	2.4	19.0	11.0
6/10/2017 19:00	BDL	BDL	0.4	6.1	0.2	2.5	23.0	10.0
6/10/2017 20:00	BDL	BDL	0.6	9.1	0.2	2.7	27.0	11.0
6/10/2017 21:00	BDL	BDL	0.7	8.2	0.2	2.7	19.0	14.0
6/10/2017 22:00	BDL	BDL	0.5	3.9	0.2	2.6	19.0	9.0
6/10/2017 23:00	BDL	BDL	0.8	7.3	0.2	2.6	23.0	14.0

* PM2.5 data on June 4, 2017, 8 am hour - PM2.5 concentrations are higher than PM10 concentration. Data is suspect.

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 6/11/2017-6/17/2017								
6/11/2017 0:00	BDL	0.4	0.8	5.6	0.2	2.6	21.0	14.0
6/11/2017 1:00	BDL	0.5	0.9	7.7	0.2	2.6	21.0	13.0
6/11/2017 2:00	BDL	Calibration	Calibration	13.8	0.3	2.4	26.0	13.0
6/11/2017 3:00	BDL	Calibration	Calibration	18.1	0.2	2.4	26.0	12.0
6/11/2017 4:00	Calibration	0.6	1.0	Calibration	Calibration	2.6	26.0	15.0
6/11/2017 5:00	BDL	0.9	1.3	22.2	0.4	Too few samples	28.0	17.0
6/11/2017 6:00	1.2	0.9	1.5	15.0	0.3	3.4	36.0	18.0
6/11/2017 7:00	3.5	1.3	1.5	20.0	0.3	2.9	53.0	25.0
6/11/2017 8:00	3.6	0.9	1.1	19.8	0.3	2.5	38.0	19.0
6/11/2017 9:00	0.6	BDL	BDL	BDL	0.2	2.5	17.0	14.0
6/11/2017 10:00	BDL	BDL	BDL	BDL	0.2	2.3	24.0	15.0
6/11/2017 11:00	0.4	BDL	BDL	1.6	0.2	2.3	19.0	10.0
6/11/2017 12:00	0.7	BDL	BDL	4.7	0.2	2.3	26.0	16.0
6/11/2017 13:00	1.0	BDL	BDL	7.6	0.2	2.3	19.0	18.0
6/11/2017 14:00	0.6	BDL	BDL	0.9	0.2	2.3	24.0	13.0
6/11/2017 15:00	1.2	BDL	BDL	3.1	0.2	2.3	30.0	14.0
6/11/2017 16:00	0.9	BDL	BDL	3.9	0.2	2.4	28.0	11.0
6/11/2017 17:00	1.7	BDL	0.4	6.4	0.2	2.3	27.0	17.0
6/11/2017 18:00	0.8	BDL	0.6	5.1	0.2	2.3	24.0	10.0
6/11/2017 19:00	BDL	BDL	0.8	3.8	0.2	2.5	27.0	15.0
6/11/2017 20:00	0.8	0.6	1.0	18.3	0.4	2.7	29.0	16.0
6/11/2017 21:00	1.2	0.6	0.9	18.1	0.3	3.0	27.0	16.0
6/11/2017 22:00	1.7	0.8	0.9	13.9	0.3	2.8	26.0	20.0
6/11/2017 23:00	1.3	0.4	1.0	14.4	0.3	2.9	28.0	21.0
6/12/2017 0:00	2.5	0.6	1.0	15.1	0.3	2.8	37.0	23.0
6/12/2017 1:00	4.0	0.6	1.0	16.8	0.3	2.9	30.0	19.0
6/12/2017 2:00	1.5	Calibration	Calibration	21.7	0.3	3.0	27.0	17.0
6/12/2017 3:00	0.8	Calibration	Calibration	25.6	0.4	3.3	33.0	24.0
6/12/2017 4:00	Calibration	0.5	0.8	Calibration	Calibration	2.6	21.0	13.0
6/12/2017 5:00	BDL	0.4	0.8	10.3	0.3	Too few samples	29.0	13.0
6/12/2017 6:00	0.4	0.7	0.9	29.2	0.4	2.8	47.0	20.0
6/12/2017 7:00	0.8	0.7	0.9	26.0	0.3	2.6	50.0	22.0
6/12/2017 8:00	1.2	BDL	0.4	4.3	0.2	2.4	45.0	17.0
6/12/2017 9:00	1.2	BDL	0.5	2.9	0.2	2.6	34.0	17.0
6/12/2017 10:00	0.4	BDL	0.4	BDL	0.2	2.7	34.0	18.0
6/12/2017 11:00	0.9	BDL	0.4	7.5	0.2	2.8	32.0	18.0
6/12/2017 12:00	1.0	BDL	0.4	6.2	0.2	2.7	31.0	19.0
6/12/2017 13:00	1.1	BDL	0.4	5.5	0.2	2.7	44.0	19.0
6/12/2017 14:00	1.4	BDL	0.4	10.6	0.2	2.3	37.0	18.0
6/12/2017 15:00	0.8	BDL	BDL	7.9	0.2	2.3	38.0	18.0
6/12/2017 16:00	1.5	BDL	0.4	5.9	0.2	2.3	31.0	13.0
6/12/2017 17:00	3.3	BDL	0.7	9.4	0.3	2.4	40.0	24.0
6/12/2017 18:00	4.7	BDL	0.7	8.2	0.3	2.5	51.0	32.0
6/12/2017 19:00	4.9	BDL	0.6	9.6	0.3	2.5	43.0	25.0
6/12/2017 20:00	4.9	BDL	0.6	13.1	0.3	2.7	43.0	29.0
6/12/2017 21:00	4.1	BDL	0.8	15.8	0.3	2.8	42.0	27.0
6/12/2017 22:00	2.1	0.5	0.9	18.6	0.3	3.0	33.0	26.0
6/12/2017 23:00	3.1	0.4	0.8	15.9	0.3	2.9	39.0	29.0
6/13/2017 0:00	1.6	0.7	1.0	17.5	0.3	3.0	39.0	30.0
6/13/2017 1:00	1.9	0.6	1.0	16.6	0.3	2.9	39.0	22.0
6/13/2017 2:00	2.4	Calibration	Calibration	20.6	0.3	2.9	37.0	21.0
6/13/2017 3:00	1.1	Calibration	Calibration	30.7	0.4	2.7	35.0	23.0
6/13/2017 4:00	Calibration	0.9	1.0	Calibration	Calibration	2.6	42.0	27.0
6/13/2017 5:00	1.1	1.5	1.6	46.1	0.5	Too few samples	50.0	25.0
6/13/2017 6:00	1.7	Calibration	Calibration	38.1	0.4	3.1	57.0	31.0
6/13/2017 7:00	1.2	Calibration	Calibration	18.1	0.4	2.7	55.0	22.0
6/13/2017 8:00	0.9	BDL	0.6	7.2	0.3	2.4	48.0	25.0
6/13/2017 9:00	0.9	BDL	BDL	3.9	0.2	2.3	44.0	17.0
6/13/2017 10:00	0.8	BDL	BDL	0.5	0.2	2.2	21.0	15.0
6/13/2017 11:00	0.6	BDL	0.5	1.6	0.2	2.2	28.0	16.0
6/13/2017 12:00	BDL	BDL	0.4	0.5	0.2	2.3	27.0	15.0
6/13/2017 13:00	1.0	BDL	0.5	4.6	0.2	2.2	30.0	16.0
6/13/2017 14:00	1.1	BDL	0.6	5.2	0.2	2.2	36.0	18.0
6/13/2017 15:00	1.6	BDL	0.6	10.0	0.2	2.3	47.0	17.0
6/13/2017 16:00	2.1	BDL	0.5	9.6	0.2	2.2	37.0	21.0
6/13/2017 17:00	2.2	BDL	0.7	6.8	0.2	2.4	32.0	21.0
6/13/2017 18:00	2.3	BDL	0.8	7.8	0.2	2.5	46.0	24.0
6/13/2017 19:00	2.1	BDL	0.9	13.5	0.3	2.6	36.0	18.0
6/13/2017 20:00	1.9	0.9	1.4	20.2	0.3	2.9	34.0	19.0
6/13/2017 21:00	2.9	0.9	1.5	18.1	0.3	2.6	51.0	33.0
6/13/2017 22:00	3.0	0.8	1.2	16.0	0.3	2.7	56.0	36.0
6/13/2017 23:00	1.8	0.7	1.2	15.1	0.3	2.9	38.0	22.0
6/14/2017 0:00	0.9	0.8	1.3	12.9	0.3	3.0	38.0	26.0
6/14/2017 1:00	0.7	0.6	1.1	13.1	0.3	2.7	34.0	21.0
6/14/2017 2:00	0.4	Calibration	Calibration	6.6	0.3	2.8	34.0	22.0
6/14/2017 3:00	BDL	Calibration	Calibration	6.8	0.3	2.4	34.0	20.0
6/14/2017 4:00	Calibration	BDL	0.6	Calibration	Calibration	2.2	24.0	17.0
6/14/2017 5:00	BDL	BDL	0.7	12.9	0.3	2.2	38.0	18.0
6/14/2017 6:00	BDL	Too few samples	Too few samples	13.0	0.3	2.1	25.0	14.0
6/14/2017 7:00	BDL	Calibration	Calibration	17.3	0.3	2.2	28.0	16.0
6/14/2017 8:00	BDL	BDL	0.6	16.9	0.3	2.2	28.0	13.0
6/14/2017 9:00	BDL	BDL	0.7	12.0	0.3	2.1	26.0	16.0
6/14/2017 10:00	BDL	BDL	0.7	6.8	0.2	2.0	29.0	17.0
6/14/2017 11:00	BDL	BDL	0.6	6.1	0.2	2.0	31.0	17.0
6/14/2017 12:00	BDL	BDL	0.6	7.1	0.3	2.0	23.0	15.0
6/14/2017 13:00	BDL	BDL	0.6	9.2	0.3	2.1	38.0	18.0
6/14/2017 14:00	BDL	BDL	0.5	6.5	0.3	2.0	34.0	16.0
6/14/2017 15:00	BDL	BDL	0.5	5.8	0.3	2.0	29.0	16.0
6/14/2017 16:00	BDL	BDL	0.4	6.4	0.3	2.0	37.0	18.0
6/14/2017 17:00	BDL	BDL	0.6	6.0	0.3	2.0	22.0	16.0
6/14/2017 18:00	BDL	BDL	0.4	4.6	0.2	2.0	18.0	5.0
6/14/2017 19:00	BDL	BDL	BDL	4.6	0.2	1.9	15.0	5.0
6/14/2017 20:00	BDL	BDL	BDL	4.1	0.2	2.1	17.0	12.0
6/14/2017 21:00	BDL	BDL	0.5	4.5	0.1	2.1	17.0	8.0
6/14/2017 22:00	BDL	BDL	0.6	10.0	0.2	2.1	17.0	5.0
6/14/2017 23:00	BDL	BDL	0.7	10.0	0.2	2.1	18.0	10.0
6/15/2017 0:00	BDL	BDL	0.7	15.2	0.2	2.1	10.0	8.0
6/15/2017 1:00	BDL	0.5	0.7	15.6	0.2	2.1	8.0	6.0
6/15/2017 2:00	BDL	Calibration	Calibration	13.0	0.2	2.1	15.0	8.0
6/15/2017 3:00	BDL	Calibration	Calibration	24.5	0.3	2.1	11.0	8.0
6/15/2017 4:00	Calibration	1.7	1.8	Calibration	Calibration	2.3	22.0	8.0
6/15/2017 5:00	BDL	1.1	1.3	23.3	0.3	Too few samples	30.0	11.0
6/15/2017 6:00	BDL	0.9	1.1	23.8	0.3	2.1	26.0	12.0
6/15/2017 7:00	BDL	0.6	0.7	21.8	0.2	2.1	68.0	8.0
6/15/2017 8:00	BDL	0.6	0.7	17.1	0.2	2.1	27.0	4.0
6/15/2017 9:00	BDL	0.4	0.6	9.9	0.2	2.0	22.0	8.0
6/15/2017 10:00	BDL	BDL	0.6	5.9	0.1	2.0	23.0	8.0
6/15/2017 11:00	BDL	BDL	0.6	3.5	0.1	2.0	17.0	6.0
6/15/2017 12:00	BDL	BDL	0.5	3.9	0.1	2.0	18.0	7.0
6/15/2017 13:00	BDL	BDL	0.4	2.4	0.1	2.0	24.0	6.0
6/15/2017 14:00	BDL	BDL	0.4	1.4	0.1	2.0	29.0	11.0
6/15/2017 15:00	BDL	BDL	BDL	1.8	0.1	2.0	26.0	8.0
6/15/2017 16:00	BDL	BDL	BDL	1.0	0.1	2.0	13.0	6.0
6/15/2017 17:00	BDL	BDL	BDL	1.8	0.1	2.0	17.0	6.0
6/15/2017 18:00	BDL	BDL	BDL	2.7	0.1	2.0	18.0	5.0
6/15/2017 19:00	BDL	BDL	BDL	2.2	0.1	2.0	17.0	5.0
6/15/2017 20:00	BDL	BDL	0.4	2.5	0.1	2.0	18.0	4.0
6/15/2017 21:00	BDL	BDL	BDL	2.6	0.1	2.0	17.0	5.0
6/15/2017 22:00	BDL	BDL	0.4	5.0	0.1	2.0	14.0	6.0
6/15/2017 23:00	BDL	BDL	0.4	5.7	0.1	2.0	11.0	5.0
6/16/2017 0:00	BDL	BDL	0.6	3.6	0.1	2.0	22.0	6.0
6/16/2017 1:00	BDL	BDL	0.5	5.5	0.1	2.0	16.0	5.0
6/16/2017 2:00	BDL	Calibration	Calibration	3.9	0.1	2.0	18.0	3.0
6/16/2017 3:00	BDL	Calibration	Calibration	4.5	0.1	2.0	22.0	6.0
6/16/2017 4:00	Calibration	BDL	0.7	Calibration	Calibration	2.0	20.0	7.0
6/16/2017 5:00	BDL	0.5	1.0	11.8	0.2	Too few samples	27.0	9.0
6/16/2017 6:00	BDL	BDL	0.6	12.2	0.2	2.0	32.0	7.0
6/16/2017 7:00	BDL	BDL	0.8	12.5	0.2	2.0	36.0	11.0
6/16/2017 8:00	BDL	0.4	0.7	12.8	0.2	1.9	Audit	Audit
6/16/2017 9:00	BDL	0.4	0.9	11.8	0.2	1.9	Audit	Audit
6/16/2017 10:00	BDL	BDL	0.8	10.2	0.2	2.0	38.0	11.0
6/16/2017 11:00	BDL	BDL	0.8	10.0	0.2	2.0	34.0	11.0
6/16/2017 12:00	BDL	BDL	0.9	8.9	0.2	2.0	27.0	13.0
6/16/2017 13:00	BDL	BDL	0.8	8.9	0.3	2.0	39.0	14.0
6/16/2017 14:00	BDL	BDL	0.7	7.4	0.3	2.0	36.0	18.0
6/16/2017 15:00	BDL	BDL	0.7	5.1	0.2	2.0	27.0	14.0
6/16/2017 16:00	BDL	BDL	0.7	5.2	0.3	2.0	29.0	13.0
6/16/2017 17:00	BDL	BDL	0.7	6.0	0.3	2.0	32.0	14.0
6/16/2017 18:00	BDL	BDL	0.6	9.3	0.3	2.1	36.0	15.0
6/16/2017 19:00	BDL	BDL	0.7	10.6	0.3	2.1	46.0	17.0
6/16/2017 20:00	BDL	BDL	0.7	9.3	0.3	2.0	49.0	21.0
6/16/2017 21:00	BDL	BDL	0.6	13.5	0.3	2.2	43.0	22.0
6/16/2017 22:00	BDL	BDL	0.6	7.6	0.3	2.1	44.0	18.0
6/16/2017 23:00	BDL	BDL	0.6	5.2	0.2	2.1	38.0	17.0
6/17/2017 0:00	BDL	BDL	0.7	5.1	0.2	2.0	27.0	11.0
6/17/2017 1:00	BDL	BDL	0.9	3.2	0.2	2.0	23.0	15.0
6/17/2017 2:00	BDL	Calibration	Calibration	3.1	0.2	2.0	31.0	17.0
6/17/2017 3:00	BDL	Calibration	Calibration	3.2	0.2	2.0	21.0	11.0
6/17/2017 4:00	Calibration	BDL	0.7	Calibration	Calibration	2.1	29.0	14.0
6/17/2017 5:00	BDL	BDL	0.9	5.7	0.2	Too few samples	13.0	10.0
6/17/2017 6:00	BDL	BDL	0.8	8.3	0.2	1.9	10.0	6.0
6/17/2017 7:00	BDL	BDL	0.8	4.5	0.2	1.9	12.0	4.0
6/17/2017 8:00	BDL	BDL	0.9	7.3	0.2	1.9	9.0	4.0
6/17/2017 9:00	BDL	BDL	0.9	4.1	0.2	2.0	14.0	6.0
6/17/2017 10:00	BDL	BDL	1.0	3.5	0.2	2.0	12.0	9.0
6/17/2017 11:00	BDL	BDL	0.9	2.3	0.2	2.0	16.0	10.0
6/17/2017 12:00	BDL	BDL	1.1	7.2	0.3	2.0	26.0	13.0
6/17/2017 13:00	BDL	0.4	1.0	5.5	0.3	2.0	29.0	12.0
6/17/2017 14:00	BDL	0.4	1.1	3.2	0.3	2.1	37.0	16.0
6/17/2017 15:00	BDL	0.4	1.1	6.0	0.3	2.0	20.0	12.0
6/17/2017 16:00	BDL	0.4	1.2	6.3	0.3	2.0	18.0	11.0
6/17/2017 17:00	BDL	0.4	1.1	6.5	0.4	2.1	31.0	18.0
6/17/2017 18:00	BDL	0.5	1.4	5.4	0.3	2.0	20.0	8.0
6/17/2017 19:00	BDL	0.4	1.3	7.7	0.3	1.9	9.0	6.0
6/17/2017 20:00	BDL	BDL	1.1	12.2	0.4	1.9	11.0	7.0
6/17/2017 21:00	BDL	0.4	1.2	13.1	0.3	1.9	17.0	6.0
6/17/2017 22:00	BDL	0.5	1.3	9.8	0.3	1.9	14.0	5.0
6/17/2017 23:00	BDL	0.6	1.5	4.4	0.2	1.8	23.0	6.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 6/18/2017-6/24/2017								
6/18/2017 0:00	BDL	0.8	1.6	5.0	0.2	1.8	9.0	4.0
6/18/2017 1:00	BDL	1.0	1.7	6.2	0.2	1.9	12.0	6.0
6/18/2017 2:00	BDL	Calibration	Calibration	1.2	0.2	1.9	10.0	5.0
6/18/2017 3:00	BDL	Calibration	Calibration	1.3	0.2	2.1	10.0	6.0
6/18/2017 4:00	Calibration	1.2	2.1	Calibration	Calibration	2.2	8.0	5.0
6/18/2017 5:00	BDL	0.8	1.7	1.1	0.1	Too few samples	14.0	7.0
6/18/2017 6:00	BDL	0.5	1.4	8.6	0.2	2.3	13.0	6.0
6/18/2017 7:00	BDL	0.6	1.3	4.6	0.2	Too few samples	14.0	6.0
6/18/2017 8:00	BDL	0.6	1.4	3.5	0.2	Too few samples	17.0	10.0
6/18/2017 9:00	BDL	0.4	1.1	BDL	0.2	2.1	16.0	9.0
6/18/2017 10:00	BDL	BDL	1.1	BDL	0.2	2.1	21.0	10.0
6/18/2017 11:00	BDL	BDL	1.1	BDL	0.2	2.0	16.0	9.0
6/18/2017 12:00	BDL	BDL	1.1	BDL	0.2	2.1	18.0	9.0
6/18/2017 13:00	BDL	BDL	1.0	BDL	0.2	2.2	23.0	10.0
6/18/2017 14:00	BDL	BDL	1.0	BDL	0.2	2.4	23.0	13.0
6/18/2017 15:00	BDL	0.4	1.1	BDL	0.2	2.1	26.0	11.0
6/18/2017 16:00	BDL	BDL	1.1	BDL	0.2	2.1	21.0	12.0
6/18/2017 17:00	BDL	BDL	1.0	BDL	0.2	2.2	23.0	12.0
6/18/2017 18:00	BDL	BDL	0.9	0.6	0.2	2.2	22.0	14.0
6/18/2017 19:00	BDL	BDL	1.0	1.8	0.2	2.1	24.0	13.0
6/18/2017 20:00	BDL	BDL	0.9	BDL	0.2	2.1	22.0	14.0
6/18/2017 21:00	BDL	BDL	1.1	BDL	0.2	2.1	19.0	10.0
6/18/2017 22:00	BDL	0.4	1.3	0.8	0.2	2.3	38.0	10.0
6/18/2017 23:00	BDL	0.9	1.8	1.4	0.3	2.0	17.0	13.0
6/19/2017 0:00	BDL	1.1	1.8	1.2	0.2	2.2	16.0	8.0
6/19/2017 1:00	BDL	0.7	1.6	0.6	0.2	2.3	18.0	14.0
6/19/2017 2:00	BDL	Calibration	Calibration	0.4	0.2	2.5	11.0	13.0
6/19/2017 3:00	BDL	Calibration	Calibration	0.6	0.2	4.4	11.0	8.0
6/19/2017 4:00	Calibration	0.6	1.5	Calibration	Calibration	3.0	19.0	12.0
6/19/2017 5:00	BDL	0.7	1.5	4.2	0.2	Too few samples	21.0	7.0
6/19/2017 6:00	BDL	0.5	1.3	2.9	0.2	2.3	19.0	11.0
6/19/2017 7:00	BDL	BDL	1.1	1.7	0.2	2.3	23.0	10.0
6/19/2017 8:00	BDL	BDL	1.0	0.8	0.2	2.3	22.0	9.0
6/19/2017 9:00	BDL	BDL	1.0	BDL	0.2	2.2	21.0	8.0
6/19/2017 10:00	BDL	BDL	0.9	2.7	0.2	2.2	22.0	8.0
6/19/2017 11:00	BDL	BDL	1.0	0.8	0.2	2.2	25.0	6.0
6/19/2017 12:00	BDL	BDL	1.0	0.9	0.2	2.2	47.0	15.0
6/19/2017 13:00	BDL	BDL	1.0	BDL	0.1	2.4	64.0	12.0
6/19/2017 14:00	BDL	BDL	1.0	BDL	0.2	2.4	38.0	12.0
6/19/2017 15:00	BDL	0.4	1.1	1.1	0.2	2.3	22.0	11.0
6/19/2017 16:00	BDL	BDL	0.9	6.7	0.2	2.3	10.0	6.0
6/19/2017 17:00	BDL	0.7	1.5	11.2	0.2	2.1	10.0	4.0
6/19/2017 18:00	BDL	0.4	1.0	9.1	0.2	2.0	15.0	5.0
6/19/2017 19:00	BDL	BDL	0.9	5.0	0.2	2.0	10.0	4.0
6/19/2017 20:00	BDL	BDL	0.9	3.2	0.2	2.0	11.0	3.0
6/19/2017 21:00	BDL	BDL	1.1	4.3	0.2	2.1	10.0	3.0
6/19/2017 22:00	BDL	0.6	1.4	2.6	0.2	2.2	6.0	4.0
6/19/2017 23:00	BDL	1.0	1.8	2.5	0.2	2.3	4.0	3.0
6/20/2017 0:00	BDL	0.9	1.7	3.4	0.2	2.4	4.0	2.0
6/20/2017 1:00	BDL	1.0	1.8	3.0	0.2	2.7	7.0	2.0
6/20/2017 2:00	BDL	Calibration	Calibration	6.2	0.2	2.4	16.0	9.0
6/20/2017 3:00	BDL	Calibration	Calibration	10.9	0.2	2.6	22.0	17.0
6/20/2017 4:00	Calibration	0.7	1.3	Calibration	Calibration	2.6	19.0	12.0
6/20/2017 5:00	1.4	1.1	1.7	15.7	0.2	Too few samples	31.0	10.0
6/20/2017 6:00	1.6	0.6	1.0	18.0	0.2	2.1	28.0	13.0
6/20/2017 7:00	1.2	0.4	0.9	14.8	0.1	2.2	26.0	13.0
6/20/2017 8:00	1.2	0.4	0.8	14.6	0.1	2.2	18.0	12.0
6/20/2017 9:00	1.1	BDL	0.6	9.9	0.1	2.2	30.0	8.0
6/20/2017 10:00	0.4	BDL	0.4	5.5	0.1	2.3	17.0	6.0
6/20/2017 11:00	0.4	BDL	0.4	4.4	0.1	2.3	26.0	8.0
6/20/2017 12:00	1.1	BDL	0.5	13.4	0.1	2.3	21.0	7.0
6/20/2017 13:00	0.9	0.4	0.7	10.5	0.1	2.3	23.0	6.0
6/20/2017 14:00	0.7	0.4	0.7	13.3	0.1	2.3	20.0	6.0
6/20/2017 15:00	1.1	BDL	0.6	8.5	0.1	2.4	14.0	5.0
6/20/2017 16:00	1.6	BDL	0.7	11.2	0.1	2.5	22.0	9.0
6/20/2017 17:00	1.5	BDL	0.6	11.3	0.1	2.4	18.0	11.0
6/20/2017 18:00	2.4	BDL	0.6	10.3	0.2	2.5	24.0	12.0
6/20/2017 19:00	0.7	BDL	0.9	6.7	0.2	2.6	24.0	10.0
6/20/2017 20:00	BDL	BDL	0.6	6.2	0.2	2.5	30.0	11.0
6/20/2017 21:00	BDL	BDL	0.8	7.1	0.2	2.4	20.0	11.0
6/20/2017 22:00	BDL	0.4	1.2	7.9	0.2	2.5	22.0	9.0
6/20/2017 23:00	BDL	BDL	0.9	4.0	0.2	2.7	45.0	13.0
6/21/2017 0:00	BDL	BDL	1.1	5.4	0.2	2.6	25.0	11.0
6/21/2017 1:00	BDL	BDL	1.0	4.9	0.2	2.8	18.0	9.0
6/21/2017 2:00	BDL	Calibration	Calibration	8.9	0.2	2.8	23.0	17.0
6/21/2017 3:00	0.4	Calibration	Calibration	11.8	0.2	2.5	28.0	16.0
6/21/2017 4:00	Calibration	0.6	0.9	Calibration	Calibration	2.6	23.0	18.0
6/21/2017 5:00	BDL	1.0	1.3	29.2	0.4	Too few samples	29.0	17.0
6/21/2017 6:00	0.6	0.8	1.1	24.5	0.3	2.8	29.0	19.0
6/21/2017 7:00	1.8	Audit	Audit	23.4	0.2	2.6	33.0	19.0
6/21/2017 8:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	2.5	30.0	15.0
6/21/2017 9:00	2.6	0.6	2.6	0.9	Calibration	0.2	Too few samples	45.0	16.0
6/21/2017 10:00	Too few samples	0.6	0.9	Too few samples	Too few samples	2.3	34.0	11.0
6/21/2017 11:00	0.5	BDL	0.5	Too few samples	0.1	2.3	30.0	10.0
6/21/2017 12:00	0.4	Calibration	Calibration	Too few samples	0.1	2.4	26.0	10.0
6/21/2017 13:00	0.9	Calibration	Calibration	11.4	0.2	2.3	26.0	11.0
6/21/2017 14:00	0.8	BDL	0.6	4.0	0.2	2.4	29.0	9.0
6/21/2017 15:00	0.7	BDL	0.5	2.6	0.2	2.5	35.0	13.0
6/21/2017 16:00	BDL	BDL	0.4	6.6	0.2	2.1	12.0	13.0
6/21/2017 17:00	BDL	BDL	0.5	7.3	0.2	2.4	18.0	8.0
6/21/2017 18:00	BDL	0.4	0.7	8.9	0.2	2.5	18.0	11.0
6/21/2017 19:00	BDL	0.4	1.0	13.2	0.3	2.3	32.0	12.0
6/21/2017 20:00	BDL	0.7	1.0	12.4	0.3	2.2	15.0	12.0
6/21/2017 21:00	BDL	0.6	1.1	15.9	0.3	2.5	19.0	11.0
6/21/2017 22:00	BDL	0.7	1.3	15.2	0.3	2.5	20.0	14.0
6/21/2017 23:00	BDL	1.0	1.4	16.9	0.3	2.7	23.0	16.0
6/22/2017 0:00	BDL	1.0	1.4	15.4	0.3	2.9	21.0	11.0
6/22/2017 1:00	BDL	1.4	1.8	14.5	0.2	2.8	20.0	18.0
6/22/2017 2:00	BDL	Calibration	Calibration	14.4	0.2	3.1	24.0	18.0
6/22/2017 3:00	BDL	Calibration	Calibration	12.2	0.2	2.7	34.0	20.0
6/22/2017 4:00	Calibration	1.2	1.7	Calibration	Calibration	2.7	23.0	15.0
6/22/2017 5:00	BDL	1.7	2.0	19.9	0.3	Too few samples	25.0	14.0
6/22/2017 6:00	BDL	1.6	1.7	30.0	0.4	2.7	29.0	20.0
6/22/2017 7:00	BDL	1.0	1.2	29.9	0.4	2.4	34.0	11.0
6/22/2017 8:00	BDL	0.9	1.1	29.5	0.4	2.4	30.0	15.0
6/22/2017 9:00	BDL	0.7	0.9	20.2	0.2	2.2	25.0	13.0
6/22/2017 10:00	BDL	BDL	0.6	6.6	0.2	2.2	22.0	10.0
6/22/2017 11:00	BDL	BDL	0.7	3.9	0.2	2.3	25.0	9.0
6/22/2017 12:00	0.7	BDL	0.5	9.7	0.2	2.3	27.0	13.0
6/22/2017 13:00	0.8	BDL	0.8	4.9	0.2	2.3	28.0	14.0
6/22/2017 14:00	0.7	BDL	0.7	3.8	0.2	2.3	31.0	13.0
6/22/2017 15:00	0.5	BDL	0.7	2.8	0.2	2.4	29.0	17.0
6/22/2017 16:00	0.8	BDL	0.5	3.3	0.2	2.4	34.0	14.0
6/22/2017 17:00	0.8	BDL	0.7	7.0	0.2	2.4	37.0	23.0
6/22/2017 18:00	1.4	BDL	0.7	9.9	0.2	2.4	36.0	22.0
6/22/2017 19:00	1.5	0.4	1.0	15.1	0.2	2.4	37.0	16.0
6/22/2017 20:00	1.3	BDL	0.8	13.2	0.3	2.6	91.0	20.0
6/22/2017 21:00	1.0	0.8	1.2	18.6	0.3	2.7	37.0	19.0
6/22/2017 22:00	BDL	1.1	1.5	14.4	0.3	2.6	60.0	21.0
6/22/2017 23:00	BDL	0.7	1.4	10.0	0.3	2.8	31.0	23.0
6/23/2017 0:00	BDL	0.6	1.2	8.5	0.3	2.9	31.0	19.0
6/23/2017 1:00	BDL	0.6	1.2	9.0	0.3	3.0	54.0	18.0
6/23/2017 2:00	BDL	Calibration	Calibration	13.1	0.3	2.7	34.0	22.0
6/23/2017 3:00	BDL	Calibration	Calibration	12.0	0.3	2.6	65.0	19.0
6/23/2017 4:00	Calibration	1.2	1.7	Calibration	Calibration	2.7	30.0	20.0
6/23/2017 5:00	BDL	1.8	2.2	17.9	0.3	Too few samples	31.0	16.0
6/23/2017 6:00	BDL	1.2	1.8	13.9	0.3	2.6	37.0	20.0
6/23/2017 7:00	BDL	0.8	1.6	7.9	0.2	2.5	28.0	15.0
6/23/2017 8:00	BDL	Too few samples	Too few samples	9.3	0.2	2.4	22.0	11.0
6/23/2017 9:00	BDL	Calibration	Calibration	2.9	0.1	2.3	23.0	6.0
6/23/2017 10:00	BDL	0.9	1.1	4.3	0.1	2.2	12.0	5.0
6/23/2017 11:00	BDL	BDL	1.0	2.0	0.1	2.3	17.0	6.0
6/23/2017 12:00	BDL	BDL	1.1	3.1	0.2	2.3	26.0	9.0
6/23/2017 13:00	BDL	BDL	1.0	3.6	0.2	2.3	25.0	8.0
6/23/2017 14:00	BDL	BDL	1.0	2.8	0.2	2.3	29.0	15.0
6/23/2017 15:00	0.5	BDL	1.0	0.9	0.2	2.3	57.0	12.0
6/23/2017 16:00	BDL	BDL	1.1	BDL	0.1	2.4	27.0	8.0
6/23/2017 17:00	BDL	0.4	1.1	BDL	0.1	2.4	32.0	10.0
6/23/2017 18:00	BDL	0.4	1.1	2.4	0.2	2.4	19.0	10.0
6/23/2017 19:00	BDL	0.4	1.1	2.3	0.2	2.3	20.0	9.0
6/23/2017 20:00	BDL	0.4	1.2	5.0	0.2	2.2	22.0	11.0
6/23/2017 21:00	BDL	BDL	1.2	3.2	0.2	2.2	24.0	13.0
6/23/2017 22:00	BDL	0.4	1.3	2.4	0.2	2.3	25.0	15.0
6/23/2017 23:00	BDL	0.6	1.4	3.8	0.2	2.3	37.0	19.0
6/24/2017 0:00	BDL	0.8	1.5	5.2	0.2	2.3	45.0	24.0
6/24/2017 1:00	BDL	0.7	1.3	3.5	0.2	2.3	46.0	23.0
6/24/2017 2:00	BDL	Calibration	Calibration	4.1	0.2	2.4	57.0	22.0
6/24/2017 3:00	BDL	Calibration	Calibration	4.3	0.2	2.4	43.0	20.0
6/24/2017 4:00	Calibration	1.0	1.5	Calibration	Calibration	2.3	35.0	27.0
6/24/2017 5:00	BDL	0.5	1.3	BDL	0.1	Too few samples	17.0	6.0
6/24/2017 6:00	BDL	BDL	0.8	BDL	0.1	2.2	11.0	2.0
6/24/2017 7:00	BDL	BDL	0.9	2.7	0.1	Too few samples	10.0	1.0
6/24/2017 8:00	BDL	BDL	0.9	0.6	0.1	2.2	22.0	4.0
6/24/2017 9:00	BDL	BDL	0.9	1.2	0.1	2.2	11.0	7.0
6/24/2017 10:00	BDL	BDL	0.9	0.9	0.1	2.2	16.0	8.0
6/24/2017 11:00	BDL	BDL	0.6	BDL	0.1	2.4	17.0	10.0
6/24/2017 12:00	BDL	BDL	0.7	BDL	0.1	2.2	14.0	6.0
6/24/2017 13:00	BDL	BDL	0.7	3.5	0.1	2.3	12.0	4.0
6/24/2017 14:00	BDL	BDL	0.6	0.6	0.1	2.3	13.0	6.0
6/24/2017 15:00	BDL	BDL	0.6	1.7	0.1	2.3	21.0	8.0
6/24/2017 16:00	BDL	BDL	0.6	3.3	0.1	2.3	13.0	10.0
6/24/2017 17:00	0.4	BDL	0.7	7.4	0.1	2.2	27.0	9.0
6/24/2017 18:00	0.9	BDL	0.7	11.0	0.1	2.2	31.0	10.0
6/24/2017 19:00	1.9	0.5	0.9	10.5	0.2	3.1	20.0	13.0
6/24/2017 20:00	3.7	BDL	0.7	12.1	0.3	3.4	22.0	16.0
6/24/2017 21:00	1.6	BDL	0.9	14.9	0.2	2.7	27.0	16.0
6/24/2017 22:00	1.0	BDL	0.7	13.4	0.1	2.3	24.0	14.0
6/24/2017 23:00	1.3	0.4	0.7	12.8	0.2	2.3	27.0	14.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 6/25/2017-7/1/2017								
6/25/2017 0:00	0.7	1.4	1.8	7.2	0.1	2.4	21.0	10.0
6/25/2017 1:00	BDL	BDL	0.7	2.0	0.2	2.6	17.0	8.0
6/25/2017 2:00	BDL	Calibration	Calibration	2.1	0.2	2.5	17.0	6.0
6/25/2017 3:00	BDL	Calibration	Calibration	5.9	0.2	2.5	19.0	8.0
6/25/2017 4:00	Calibration	BDL	0.6	Calibration	Calibration	2.5	22.0	13.0
6/25/2017 5:00	BDL	BDL	0.6	12.4	0.3	2.7	17.0	9.0
6/25/2017 6:00	BDL	BDL	0.7	12.1	0.3	2.4	18.0	8.0
6/25/2017 7:00	BDL	Calibration	Calibration	7.8	0.2	2.3	17.0	9.0
6/25/2017 8:00	0.6	Calibration	Calibration	8.6	0.2	2.2	18.0	7.0
6/25/2017 9:00	0.8	BDL	0.6	9.6	0.2	2.4	17.0	8.0
6/25/2017 10:00	0.9	BDL	0.6	6.8	0.1	2.4	14.0	12.0
6/25/2017 11:00	0.7	BDL	0.6	1.2	0.1	2.5	14.0	9.0
6/25/2017 12:00	1.4	BDL	0.6	7.0	0.1	2.4	21.0	15.0
6/25/2017 13:00	0.8	BDL	0.7	2.8	0.1	2.4	23.0	10.0
6/25/2017 14:00	1.3	BDL	0.7	7.7	0.1	2.3	22.0	12.0
6/25/2017 15:00	0.9	0.4	0.7	10.5	0.1	2.3	26.0	11.0
6/25/2017 16:00	0.7	BDL	0.8	10.2	0.1	2.2	30.0	13.0
6/25/2017 17:00	BDL	BDL	0.6	5.4	0.1	2.4	14.0	8.0
6/25/2017 18:00	BDL	BDL	0.6	10.1	0.1	2.4	22.0	11.0
6/25/2017 19:00	0.6	BDL	0.5	12.6	0.1	2.4	35.0	13.0
6/25/2017 20:00	BDL	BDL	0.4	12.2	0.1	2.4	18.0	11.0
6/25/2017 21:00	BDL	BDL	0.4	7.5	0.1	2.6	13.0	10.0
6/25/2017 22:00	BDL	BDL	BDL	BDL	0.1	2.4	15.0	6.0
6/25/2017 23:00	BDL	BDL	0.4	BDL	0.1	2.4	10.0	8.0
6/26/2017 0:00	BDL	BDL	BDL	BDL	0.1	2.4	12.0	6.0
6/26/2017 1:00	BDL	BDL	0.4	0.4	0.1	2.4	13.0	6.0
6/26/2017 2:00	BDL	Calibration	Calibration	1.6	0.1	2.5	16.0	28.0
6/26/2017 3:00	BDL	Calibration	Calibration	6.8	0.1	2.7	18.0	9.0
6/26/2017 4:00	Calibration	BDL	0.4	Calibration	Calibration	3.1	15.0	7.0
6/26/2017 5:00	BDL	0.4	0.6	20.4	0.3	Too few samples	17.0	5.0
6/26/2017 6:00	BDL	BDL	0.5	10.3	0.1	2.6	17.0	4.0
6/26/2017 7:00	0.4	BDL	0.4	2.1	0.1	2.6	8.0	2.0
6/26/2017 8:00	BDL	BDL	BDL	BDL	0.04	2.5	11.0	3.0
6/26/2017 9:00	BDL	BDL	0.4	BDL	0.04	2.4	12.0	6.0
6/26/2017 10:00	BDL	BDL	0.4	1.6	BDL	2.4	17.0	5.0
6/26/2017 11:00	0.5	BDL	BDL	3.8	BDL	2.3	18.0	7.0
6/26/2017 12:00	1.7	BDL	0.4	7.4	BDL	2.3	25.0	12.0
6/26/2017 13:00	0.4	BDL	0.4	3.7	0.04	2.3	24.0	9.0
6/26/2017 14:00	0.4	BDL	0.4	5.1	BDL	2.3	14.0	5.0
6/26/2017 15:00	1.8	BDL	0.5	8.4	0.1	2.3	21.0	13.0
6/26/2017 16:00	0.6	BDL	0.5	9.8	BDL	2.3	14.0	8.0
6/26/2017 17:00	0.8	BDL	BDL	8.2	BDL	2.3	21.0	11.0
6/26/2017 18:00	BDL	BDL	0.5	4.3	0.1	2.4	9.0	7.0
6/26/2017 19:00	BDL	BDL	0.5	4.4	0.1	2.5	15.0	6.0
6/26/2017 20:00	BDL	BDL	0.6	16.8	0.2	2.2	19.0	8.0
6/26/2017 21:00	BDL	0.4	0.4	21.2	0.2	2.3	14.0	9.0
6/26/2017 22:00	BDL	BDL	0.5	14.0	0.2	2.4	19.0	8.0
6/26/2017 23:00	BDL	0.5	0.9	8.3	0.1	2.2	16.0	8.0
6/27/2017 0:00	BDL	0.7	1.0	10.4	0.1	2.5	14.0	10.0
6/27/2017 1:00	BDL	BDL	0.6	3.3	0.1	2.4	15.0	7.0
6/27/2017 2:00	BDL	Calibration	Calibration	10.1	0.1	2.3	11.0	9.0
6/27/2017 3:00	BDL	Calibration	Calibration	14.7	0.1	2.3	17.0	10.0
6/27/2017 4:00	Calibration	0.7	0.8	Calibration	Calibration	2.2	21.0	9.0
6/27/2017 5:00	BDL	1.2	1.7	20.9	0.3	Too few samples	14.0	8.0
6/27/2017 6:00	BDL	0.8	1.0	17.6	0.2	2.4	20.0	12.0
6/27/2017 7:00	BDL	0.7	0.9	25.5	0.3	2.6	23.0	18.0
6/27/2017 8:00	BDL	Calibration	Calibration	41.4	0.3	2.4	27.0	14.0
6/27/2017 9:00	0.9	Calibration	Calibration	24.9	0.2	2.4	25.0	12.0
6/27/2017 10:00	1.6	0.4	0.8	18.9	0.2	Too few samples	21.0	10.0
6/27/2017 11:00	1.7	BDL	0.6	10.3	0.1	Too few samples	13.0	10.0
6/27/2017 12:00	1.4	BDL	0.6	7.3	0.1	2.4	22.0	11.0
6/27/2017 13:00	0.9	BDL	BDL	7.7	0.1	2.3	23.0	19.0
6/27/2017 14:00	1.1	BDL	0.6	8.6	0.1	2.2	24.0	10.0
6/27/2017 15:00	0.6	BDL	0.5	7.4	0.04	2.2	17.0	9.0
6/27/2017 16:00	BDL	BDL	0.5	3.3	0.04	2.2	18.0	7.0
6/27/2017 17:00	0.6	BDL	0.5	4.6	0.04	2.2	26.0	8.0
6/27/2017 18:00	0.5	BDL	0.4	5.7	0.1	2.2	24.0	9.0
6/27/2017 19:00	BDL	BDL	0.4	1.6	0.1	2.3	11.0	9.0
6/27/2017 20:00	BDL	BDL	0.4	0.8	0.1	2.3	12.0	9.0
6/27/2017 21:00	BDL	BDL	BDL	BDL	0.1	2.3	15.0	7.0
6/27/2017 22:00	BDL	BDL	BDL	BDL	0.04	2.3	11.0	5.0
6/27/2017 23:00	BDL	BDL	BDL	BDL	0.04	2.3	8.0	2.0
6/28/2017 0:00	BDL	BDL	BDL	BDL	0.04	2.3	10.0	1.0
6/28/2017 1:00	BDL	BDL	BDL	BDL	0.1	2.4	15.0	2.0
6/28/2017 2:00	BDL	Calibration	Calibration	BDL	0.04	2.4	12.0	5.0
6/28/2017 3:00	BDL	Calibration	Calibration	BDL	0.1	2.5	9.0	4.0
6/28/2017 4:00	Calibration	BDL	0.4	Calibration	Calibration	2.5	13.0	3.0
6/28/2017 5:00	BDL	BDL	0.4	5.9	0.1	Too few samples	10.0	6.0
6/28/2017 6:00	BDL	BDL	BDL	6.2	0.1	2.6	8.0	5.0
6/28/2017 7:00	BDL	BDL	BDL	3.2	0.1	2.3	15.0	5.0
6/28/2017 8:00	BDL	BDL	BDL	1.5	0.1	2.3	9.0	6.0
6/28/2017 9:00	BDL	BDL	0.4	0.5	0.04	2.2	11.0	5.0
6/28/2017 10:00	BDL	BDL	BDL	BDL	BDL	2.3	20.0	4.0
6/28/2017 11:00	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit
6/28/2017 12:00	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit
6/28/2017 13:00	Audit	Too few samples	Too few samples	Audit	Audit	Audit	Audit	Audit
6/28/2017 14:00	Audit	Maintenance	Maintenance	Audit	Audit	Audit	Audit	Audit
6/28/2017 15:00	Audit	Too few samples	Too few samples	Audit	Audit	Audit	Audit	Audit
6/28/2017 16:00	0.5	BDL	BDL	3.8	0.1	2.3	21.0	7.0
6/28/2017 17:00	0.8	BDL	BDL	2.4	0.1	2.2	19.0	6.0
6/28/2017 18:00	1.9	BDL	BDL	8.4	0.1	2.4	23.0	13.0
6/28/2017 19:00	0.9	BDL	0.4	9.0	0.1	2.6	18.0	9.0
6/28/2017 20:00	BDL	BDL	0.4	10.5	0.1	2.7	18.0	7.0
6/28/2017 21:00	BDL	0.7	0.9	2.8	0.1	2.6	17.0	10.0
6/28/2017 22:00	BDL	1.2	1.7	2.1	0.1	2.7	18.0	6.0
6/28/2017 23:00	BDL	1.9	2.3	10.0	0.1	2.7	26.0	7.0
6/29/2017 0:00	BDL	1.5	1.9	9.3	0.1	2.7	15.0	12.0
6/29/2017 1:00	BDL	1.4	1.7	7.4	0.1	2.6	12.0	8.0
6/29/2017 2:00	BDL	Calibration	Calibration	7.6	0.1	2.6	15.0	5.0
6/29/2017 3:00	BDL	Calibration	Calibration	11.3	0.1	2.6	13.0	7.0
6/29/2017 4:00	Calibration	1.2	1.4	Calibration	Calibration	2.3	15.0	11.0
6/29/2017 5:00	BDL	1.2	1.5	15.2	0.2	Too few samples	16.0	8.0
6/29/2017 6:00	BDL	1.5	1.7	11.0	0.1	2.4	18.0	8.0
6/29/2017 7:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Audit	Audit
6/29/2017 8:00	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit
6/29/2017 9:00	Audit	Audit	Audit	Audit	Audit	Audit	Audit	Audit
6/29/2017 10:00	Audit	Audit	Audit	Audit	Audit	Audit	31.0	15.0
6/29/2017 11:00	BDL	Too few samples	Too few samples	0.9	0.1	2.4	32.0	10.0
6/29/2017 12:00	BDL	Calibration	Calibration	0.6	0.1	2.6	30.0	10.0
6/29/2017 13:00	BDL	Too few samples	Too few samples	2.2	0.1	2.9	29.0	7.0
6/29/2017 14:00	BDL	BDL	0.6	1.2	0.1	2.4	31.0	8.0
6/29/2017 15:00	BDL	BDL	0.5	BDL	0.1	2.4	29.0	8.0
6/29/2017 16:00	BDL	BDL	0.5	BDL	0.1	2.5	18.0	11.0
6/29/2017 17:00	BDL	BDL	0.6	0.5	0.1	2.5	31.0	8.0
6/29/2017 18:00	BDL	BDL	0.7	0.6	0.1	2.4	28.0	10.0
6/29/2017 19:00	BDL	0.4	0.8	BDL	0.1	2.4	29.0	9.0
6/29/2017 20:00	BDL	0.4	0.9	0.9	0.1	2.4	24.0	10.0
6/29/2017 21:00	BDL	0.8	1.2	4.0	0.1	2.3	22.0	10.0
6/29/2017 22:00	BDL	0.9	1.3	3.6	0.1	2.4	19.0	8.0
6/29/2017 23:00	BDL	0.9	1.4	4.1	0.1	2.4	16.0	8.0
6/30/2017 0:00	BDL	1.2	1.7	2.7	0.1	2.4	52.0	8.0
6/30/2017 1:00	BDL	0.8	1.3	2.1	0.1	2.5	23.0	6.0
6/30/2017 2:00	BDL	Calibration	Calibration	4.3	0.1	2.5	15.0	8.0
6/30/2017 3:00	BDL	Calibration	Calibration	5.5	0.1	2.5	17.0	10.0
6/30/2017 4:00	Calibration	0.7	1.1	Calibration	Calibration	2.6	23.0	8.0
6/30/2017 5:00	BDL	0.6	1.1	6.3	0.1	Too few samples	15.0	10.0
6/30/2017 6:00	BDL	Calibration	Calibration	6.6	0.1	2.4	25.0	14.0
6/30/2017 7:00	BDL	Calibration	Calibration	5.2	0.1	2.4	38.0	13.0
6/30/2017 8:00	1.0	0.4	0.5	7.1	0.2	2.3	33.0	18.0
6/30/2017 9:00	0.8	0.5	0.4	5.4	0.2	2.3	35.0	17.0
6/30/2017 10:00	0.5	0.4	0.4	4.9	0.2	2.5	35.0	14.0
6/30/2017 11:00	BDL	BDL	0.4	2.7	0.2	2.5	33.0	17.0
6/30/2017 12:00	BDL	BDL	0.6	1.3	0.2	2.9	30.0	18.0
6/30/2017 13:00	BDL	0.4	0.7	BDL	0.2	2.9	33.0	13.0
6/30/2017 14:00	BDL	BDL	0.5	BDL	0.2	2.8	29.0	13.0
6/30/2017 15:00	BDL	BDL	0.4	BDL	0.2	2.8	33.0	11.0
6/30/2017 16:00	BDL	BDL	0.4	BDL	0.1	2.5	48.0	14.0
6/30/2017 17:00	BDL	0.4	0.6	1.8	0.1	2.5	36.0	14.0
6/30/2017 18:00	BDL	BDL	0.6	BDL	0.2	2.3	33.0	13.0
6/30/2017 19:00	BDL	0.5	0.6	BDL	0.1	2.3	29.0	13.0
6/30/2017 20:00	BDL	0.6	0.8	1.4	0.1	2.3	23.0	15.0
6/30/2017 21:00	BDL	0.7	1.0	5.1	0.2	2.2	25.0	14.0
6/30/2017 22:00	BDL	0.9	1.0	9.0	0.2	2.2	24.0	10.0
6/30/2017 23:00	BDL	1.2	1.5	6.0	0.2	2.4	20.0	11.0
7/1/2017 0:00	BDL	1.6	1.8	3.7	0.1	2.4	18.0	9.0
7/1/2017 1:00	BDL	1.5	1.7	2.3	0.2	2.1	15.0	7.0
7/1/2017 2:00	BDL	Calibration	Calibration	1.2	0.2	2.2	23.0	7.0
7/1/2017 3:00	BDL	Calibration	Calibration	1.2	0.1	2.1	21.0	9.0
7/1/2017 4:00	Calibration	1.4	1.4	Calibration	Calibration	2.1	18.0	7.0
7/1/2017 5:00	BDL	1.1	1.5	3.3	0.2	Too few samples	15.0	3.0
7/1/2017 6:00	BDL	1.1	1.6	4.1	0.1	Too few samples	16.0	6.0
7/1/2017 7:00	BDL	1.2	1.6	2.3	0.1	Too few samples	36.0	5.0
7/1/2017 8:00	BDL	1.1	1.4	1.2	0.1	Too few samples	15.0	2.0
7/1/2017 9:00	BDL	0.8	1.1	1.2	0.1	2.0	17.0	4.0
7/1/2017 10:00	BDL	0.7	1.0	BDL	0.1	2.0	14.0	3.0
7/1/2017 11:00	BDL	0.6	1.0	BDL	0.1	2.1	17.0	3.0
7/1/2017 12:00	BDL	0.6	1.0	0.8	0.2	2.1	13.0	7.0
7/1/2017 13:00	BDL	0.6	0.8	BDL	0.2	2.0	15.0	6.0
7/1/2017 14:00	BDL	0.4	0.7	BDL	0.1	2.1	16.0	9.0
7/1/2017 15:00	BDL	0.4	0.9	BDL	0.1	2.0	20.0	5.0
7/1/2017 16:00	BDL	0.4	0.8	BDL	0.1	2.1	22.0	2.0
7/1/2017 17:00	BDL	BDL	0.4	4.1	0.2	2.1	8.0	1.0
7/1/2017 18:00	BDL	0.5	0.7	6.1	0.2	2.1	11.0	1.0
7/1/2017 19:00	BDL	BDL	0.5	4.6	0.2	1.9	14.0	BDL
7/1/2017 20:00	BDL	0.4	0.7	8.3	0.3	2.1	9.0	1.0
7/1/2017 21:00	BDL	0.7	0.8	12.1	0.2	2.6	14.0	3.0
7/1/2017 22:00	BDL	0.7	0.9	17.2	0.2	2.8	15.0	4.0
7/1/2017 23:00	BDL	1.0	1.4	18.1	0.2	2.7	17.0	5.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 7/2/2017-7/8/2017								
7/2/2017 0:00	BDL	0.8	0.8	13.3	0.2	2.4	23.0	9.0
7/2/2017 1:00	BDL	1.3	1.3	8.0	0.2	2.7	23.0	10.0
7/2/2017 2:00	BDL	Calibration	Calibration	11.6	0.3	2.5	19.0	6.0
7/2/2017 3:00	BDL	Calibration	Calibration	9.9	0.2	2.2	20.0	7.0
7/2/2017 4:00	Calibration	1.6	1.7	Calibration	Calibration	2.5	21.0	9.0
7/2/2017 5:00	BDL	1.4	1.5	12.8	0.3	Too few samples	25.0	9.0
7/2/2017 6:00	0.4	0.9	1.1	7.7	0.2	2.4	21.0	10.0
7/2/2017 7:00	0.4	0.7	0.8	0.4	0.2	2.1	16.0	7.0
7/2/2017 8:00	BDL	BDL	0.4	BDL	0.1	2.1	15.0	6.0
7/2/2017 9:00	BDL	BDL	0.4	BDL	0.1	2.0	14.0	11.0
7/2/2017 10:00	BDL	BDL	BDL	1.5	0.2	2.1	17.0	12.0
7/2/2017 11:00	0.7	BDL	BDL	4.3	0.2	2.1	23.0	11.0
7/2/2017 12:00	0.9	BDL	BDL	3.8	0.2	2.1	19.0	9.0
7/2/2017 13:00	1.0	BDL	0.4	4.3	0.1	2.2	22.0	12.0
7/2/2017 14:00	0.9	0.5	0.6	4.2	0.1	2.2	15.0	10.0
7/2/2017 15:00	0.9	BDL	0.4	4.8	0.1	2.2	22.0	10.0
7/2/2017 16:00	0.7	BDL	BDL	2.4	0.1	2.2	22.0	10.0
7/2/2017 17:00	1.1	BDL	0.4	3.9	0.2	2.2	23.0	14.0
7/2/2017 18:00	1.4	BDL	0.4	5.7	0.2	2.3	15.0	10.0
7/2/2017 19:00	1.0	0.5	0.5	9.2	0.2	2.7	19.0	16.0
7/2/2017 20:00	0.8	0.6	0.6	10.0	0.2	3.6	22.0	9.0
7/2/2017 21:00	BDL	1.2	1.0	19.2	0.2	2.4	20.0	10.0
7/2/2017 22:00	BDL	0.8	0.8	16.0	0.3	2.5	30.0	12.0
7/2/2017 23:00	BDL	0.8	0.8	9.0	0.2	2.2	35.0	16.0
7/3/2017 0:00	BDL	2.2	2.3	3.0	0.2	2.4	23.0	12.0
7/3/2017 1:00	BDL	1.0	1.1	1.2	0.2	2.4	59.0	16.0
7/3/2017 2:00	BDL	Calibration	Calibration	10.9	0.4	2.5	22.0	9.0
7/3/2017 3:00	BDL	Calibration	Calibration	16.7	0.3	2.7	23.0	14.0
7/3/2017 4:00	Calibration	2.0	1.7	Calibration	Calibration	2.7	27.0	18.0
7/3/2017 5:00	BDL	Calibration	Calibration	24.5	0.4	Too few samples	28.0	16.0
7/3/2017 6:00	BDL	Calibration	Calibration	8.4	0.2	2.5	26.0	11.0
7/3/2017 7:00	0.5	BDL	BDL	4.1	0.2	2.3	20.0	10.0
7/3/2017 8:00	0.8	BDL	BDL	2.0	0.1	2.2	21.0	9.0
7/3/2017 9:00	0.6	BDL	BDL	BDL	0.1	2.2	17.0	10.0
7/3/2017 10:00	BDL	BDL	BDL	BDL	0.1	2.1	23.0	8.0
7/3/2017 11:00	BDL	BDL	BDL	BDL	0.1	2.1	19.0	6.0
7/3/2017 12:00	BDL	BDL	BDL	BDL	0.1	2.1	20.0	7.0
7/3/2017 13:00	0.4	BDL	BDL	2.7	0.1	2.1	23.0	8.0
7/3/2017 14:00	BDL	BDL	BDL	1.5	0.1	2.2	24.0	6.0
7/3/2017 15:00	0.7	BDL	BDL	5.3	0.1	2.2	26.0	10.0
7/3/2017 16:00	1.2	BDL	BDL	9.2	0.1	2.1	25.0	12.0
7/3/2017 17:00	0.8	BDL	BDL	3.2	0.1	2.2	21.0	12.0
7/3/2017 18:00	0.6	BDL	BDL	7.9	0.1	2.2	23.0	8.0
7/3/2017 19:00	1.7	BDL	BDL	14.8	0.1	2.0	37.0	15.0
7/3/2017 20:00	1.3	BDL	BDL	9.1	0.2	2.7	28.0	12.0
7/3/2017 21:00	0.4	0.7	0.8	14.1	0.3	2.5	23.0	9.0
7/3/2017 22:00	0.4	0.7	0.7	16.5	0.3	2.9	29.0	11.0
7/3/2017 23:00	BDL	BDL	BDL	10.2	0.3	2.5	27.0	17.0
7/4/2017 0:00	BDL	0.5	0.5	16.6	0.3	analyzer malfunction	31.0	18.0
7/4/2017 1:00	BDL	1.0	1.0	6.2	0.3	analyzer malfunction	25.0	13.0
7/4/2017 2:00	BDL	Calibration	Calibration	4.9	0.2	analyzer malfunction	29.0	14.0
7/4/2017 3:00	BDL	Calibration	Calibration	6.2	0.2	analyzer malfunction	16.0	15.0
7/4/2017 4:00	Calibration	0.4	0.4	Calibration	Calibration	Calibration	18.0	11.0
7/4/2017 5:00	BDL	BDL	BDL	5.1	0.2	Calibration	18.0	11.0
7/4/2017 6:00	BDL	Too few samples	Too few samples	7.5	0.2	Too few samples	21.0	13.0
7/4/2017 7:00	BDL	Calibration	Calibration	6.9	0.2	2.4	23.0	13.0
7/4/2017 8:00	BDL	Too few samples	Too few samples	7.8	0.2	Too few samples	17.0	13.0
7/4/2017 9:00	BDL	0.5	0.4	2.8	0.2	2.2	17.0	11.0
7/4/2017 10:00	BDL	BDL	0.4	3.4	0.2	2.2	18.0	9.0
7/4/2017 11:00	BDL	BDL	BDL	0.8	0.2	2.2	17.0	7.0
7/4/2017 12:00	BDL	BDL	BDL	BDL	0.2	2.2	23.0	8.0
7/4/2017 13:00	BDL	BDL	BDL	2.1	0.2	2.2	17.0	9.0
7/4/2017 14:00	BDL	BDL	BDL	BDL	0.2	2.3	18.0	8.0
7/4/2017 15:00	BDL	BDL	BDL	0.9	0.2	2.2	18.0	11.0
7/4/2017 16:00	BDL	BDL	BDL	1.7	0.2	2.2	22.0	13.0
7/4/2017 17:00	BDL	BDL	BDL	2.3	0.2	2.1	21.0	13.0
7/4/2017 18:00	BDL	BDL	BDL	2.7	0.2	2.2	19.0	9.0
7/4/2017 19:00	BDL	0.5	0.6	2.7	0.2	2.3	26.0	11.0
7/4/2017 20:00	BDL	0.4	0.7	5.7	0.2	2.1	18.0	7.0
7/4/2017 21:00	BDL	0.5	0.7	18.8	0.3	2.2	18.0	12.0
7/4/2017 22:00	BDL	0.7	0.7	20.0	0.4	2.4	31.0	22.0
7/4/2017 23:00	BDL	1.2	1.1	17.0	0.4	2.3	27.0	14.0
7/5/2017 0:00	BDL	1.2	1.4	11.6	0.3	2.3	20.0	13.0
7/5/2017 1:00	BDL	0.5	BDL	9.1	0.2	2.2	23.0	10.0
7/5/2017 2:00	BDL	Calibration	Calibration	9.3	0.2	2.2	19.0	9.0
7/5/2017 3:00	BDL	Calibration	Calibration	18.2	0.2	2.3	16.0	8.0
7/5/2017 4:00	Calibration	0.4	BDL	Calibration	Calibration	2.3	16.0	10.0
7/5/2017 5:00	BDL	0.5	BDL	19.4	0.3	Too few samples	19.0	14.0
7/5/2017 6:00	BDL	0.5	BDL	24.9	0.2	2.6	22.0	13.0
7/5/2017 7:00	BDL	Audit	Audit	31.4	0.2	2.4	24.0	12.0
7/5/2017 8:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	2.4	25.0	12.0
7/5/2017 9:00	BDL	0.5	BDL	Calibration	0.2	Too few samples	20.0	9.0
7/5/2017 10:00	Calibration	0.5	BDL	Calibration	Calibration	2.3	23.0	11.0
7/5/2017 11:00	BDL	0.4	BDL	9.3	0.1	Too few samples	23.0	8.0
7/5/2017 12:00	BDL	BDL	BDL	7.1	0.1	Too few samples	17.0	9.0
7/5/2017 13:00	BDL	BDL	BDL	9.9	0.1	2.0	17.0	9.0
7/5/2017 14:00	BDL	BDL	BDL	6.9	0.1	2.1	18.0	6.0
7/5/2017 15:00	BDL	BDL	BDL	4.5	0.1	2.1	14.0	10.0
7/5/2017 16:00	BDL	BDL	BDL	3.6	0.1	2.1	14.0	9.0
7/5/2017 17:00	BDL	BDL	BDL	3.0	0.1	2.0	18.0	7.0
7/5/2017 18:00	BDL	BDL	BDL	4.3	0.1	2.0	14.0	7.0
7/5/2017 19:00	BDL	BDL	BDL	3.3	0.1	2.0	13.0	9.0
7/5/2017 20:00	BDL	BDL	BDL	0.9	0.1	2.0	13.0	6.0
7/5/2017 21:00	BDL	BDL	BDL	2.2	0.1	2.0	15.0	4.0
7/5/2017 22:00	BDL	BDL	BDL	7.8	0.1	2.0	18.0	4.0
7/5/2017 23:00	BDL	BDL	BDL	4.0	0.1	2.0	17.0	7.0
7/6/2017 0:00	BDL	BDL	BDL	1.8	0.1	2.0	17.0	6.0
7/6/2017 1:00	BDL	BDL	BDL	12.2	0.1	1.9	18.0	7.0
7/6/2017 2:00	BDL	Calibration	Calibration	3.8	0.1	1.9	19.0	6.0
7/6/2017 3:00	BDL	Calibration	Calibration	11.9	0.1	1.9	18.0	7.0
7/6/2017 4:00	Calibration	0.9	0.9	Calibration	Calibration	2.0	22.0	6.0
7/6/2017 5:00	BDL	1.1	1.1	11.5	0.2	Too few samples	23.0	6.0
7/6/2017 6:00	BDL	1.0	1.0	13.4	0.2	2.0	23.0	4.0
7/6/2017 7:00	BDL	0.9	0.9	Calibration	0.2	2.0	30.0	9.0
7/6/2017 8:00	BDL	0.8	0.8	Too few samples	0.2	2.0	24.0	7.0
7/6/2017 9:00	BDL	0.5	0.6	13.2	0.2	1.9	22.0	4.0
7/6/2017 10:00	BDL	0.6	0.7	Calibration	0.2	1.9	23.0	5.0
7/6/2017 11:00	BDL	0.6	0.6	15.2	0.2	1.9	23.0	4.0
7/6/2017 12:00	BDL	0.6	0.7	Calibration	0.2	2.0	22.0	13.0
7/6/2017 13:00	BDL	0.4	0.5	Calibration	0.2	2.0	25.0	14.0
7/6/2017 14:00	BDL	0.4	0.5	12.2	0.2	2.0	18.0	9.0
7/6/2017 15:00	BDL	0.4	0.5	14.1	0.2	2.0	20.0	8.0
7/6/2017 16:00	BDL	0.4	0.6	12.1	0.2	2.0	18.0	10.0
7/6/2017 17:00	BDL	0.7	0.9	8.5	0.2	2.0	19.0	7.0
7/6/2017 18:00	BDL	0.6	0.7	9.1	0.2	2.0	13.0	6.0
7/6/2017 19:00	BDL	0.5	0.7	6.9	0.2	2.0	13.0	4.0
7/6/2017 20:00	BDL	BDL	0.5	5.0	0.1	2.0	14.0	7.0
7/6/2017 21:00	BDL	BDL	0.7	4.4	0.1	2.0	17.0	5.0
7/6/2017 22:00	BDL	BDL	0.6	3.8	0.1	2.0	15.0	2.0
7/6/2017 23:00	BDL	BDL	0.5	7.4	0.1	2.0	18.0	2.0
7/7/2017 0:00	BDL	BDL	0.6	6.1	0.1	2.0	12.0	2.0
7/7/2017 1:00	BDL	0.4	0.6	7.1	0.1	2.1	12.0	3.0
7/7/2017 2:00	BDL	Calibration	Calibration	5.2	0.1	2.1	9.0	5.0
7/7/2017 3:00	BDL	Calibration	Calibration	6.0	0.1	2.1	11.0	5.0
7/7/2017 4:00	Calibration	0.7	0.8	Calibration	Calibration	2.1	21.0	7.0
7/7/2017 5:00	BDL	0.8	0.8	16.2	0.2	Too few samples	21.0	6.0
7/7/2017 6:00	BDL	1.0	1.2	20.7	0.2	2.0	13.0	8.0
7/7/2017 7:00	BDL	0.8	0.9	20.0	0.2	1.9	12.0	8.0
7/7/2017 8:00	BDL	0.8	0.9	14.3	0.2	2.1	17.0	7.0
7/7/2017 9:00	BDL	Calibration	Calibration	9.5	0.1	2.1	7.0	3.0
7/7/2017 10:00	BDL	Too few samples	Too few samples	10.2	0.2	2.1	7.0	BDL
7/7/2017 11:00	BDL	BDL	BDL	6.3	0.1	2.1	8.0	BDL
7/7/2017 12:00	BDL	BDL	0.4	5.3	0.1	2.0	9.0	4.0
7/7/2017 13:00	BDL	BDL	0.5	1.9	0.1	2.0	13.0	4.0
7/7/2017 14:00	BDL	BDL	0.5	1.7	0.1	2.0	8.0	4.0
7/7/2017 15:00	BDL	BDL	0.4	4.7	0.1	2.0	13.0	4.0
7/7/2017 16:00	0.7	BDL	0.5	7.2	0.1	2.1	26.0	8.0
7/7/2017 17:00	1.0	0.5	0.5	7.1	0.1	2.6	20.0	8.0
7/7/2017 18:00	0.9	0.6	0.7	10.3	0.1	2.6	13.0	6.0
7/7/2017 19:00	BDL	BDL	BDL	7.2	0.1	2.4	12.0	5.0
7/7/2017 20:00	BDL	BDL	BDL	11.4	0.1	2.5	25.0	11.0
7/7/2017 21:00	BDL	0.9	0.9	28.7	0.3	2.6	21.0	12.0
7/7/2017 22:00	BDL	1.6	1.6	58.1	0.4	2.6	25.0	12.0
7/7/2017 23:00	BDL	1.1	1.2	38.5	0.3	2.4	21.0	13.0
7/8/2017 0:00	BDL	1.5	1.1	39.9	0.3	2.9	24.0	11.0
7/8/2017 1:00	BDL	1.5	1.6	30.8	0.2	2.7	20.0	9.0
7/8/2017 2:00	BDL	Calibration	Calibration	27.0	0.3	2.9	32.0	11.0
7/8/2017 3:00	BDL	Calibration	Calibration	29.6	0.3	2.9	33.0	14.0
7/8/2017 4:00	Calibration	0.8	0.8	Calibration	Calibration	2.5	21.0	11.0
7/8/2017 5:00	0.5	1.5	1.3	11.0	0.1	Too few samples	18.0	9.0
7/8/2017 6:00	BDL	1.3	1.3	7.6	0.1	2.4	21.0	9.0
7/8/2017 7:00	0.4	1.0	0.9	13.4	0.1	2.4	15.0	9.0
7/8/2017 8:00	1.9	1.0	0.7	16.9	0.1	2.2	25.0	13.0
7/8/2017 9:00	1.0	0.4	0.5	4.8	0.1	2.1	15.0	7.0
7/8/2017 10:00	1.3	0.4	0.4	9.8	0.1	2.1	20.0	9.0
7/8/2017 11:00	1.0	BDL	0.6	6.1	0.1	2.1	6.0	8.0
7/8/2017 12:00	0.9	0.6	0.6	6.3	0.1	2.2	23.0	9.0
7/8/2017 13:00	BDL	BDL	0.4	2.1	0.1	2.2	15.0	7.0
7/8/2017 14:00	0.4	BDL	0.4	6.8	0.1	2.1	18.0	10.0
7/8/2017 15:00	1.0	0.5	0.4	12.8	0.1	2.1	29.0	14.0
7/8/2017 16:00	1.1	0.7	0.7	12.4	0.1	2.1	24.0	11.0
7/8/2017 17:00	1.1	0.4	0.5	10.4	0.1	2.1	27.0	10.0
7/8/2017 18:00	0.7	0.4	0.4	9.4	0.1	2.1	25.0	12.0
7/8/2017 19:00	0.4	BDL	0.6	6.8	0.1	2.2	24.0	11.0
7/8/2017 20:00	BDL	BDL	BDL	5.8	0.1	2.4	16.0	9.0
7/8/2017 21:00	BDL	BDL	0.4	4.1	0.1	2.2	19.0	11.0
7/8/2017 22:00	BDL	BDL	BDL	1.3	0.1	2.2	14.0	9.0
7/8/2017 23:00	BDL	BDL	BDL	1.4	0.1	2.2	13.0	10.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 7/9/2017-7/15/2017								
7/9/2017 0:00	BDL	BDL	BDL	1.5	0.1	2.3	15.0	12.0
7/9/2017 1:00	BDL	BDL	BDL	2.5	0.1	2.3	15.0	12.0
7/9/2017 2:00	BDL	Calibration	Calibration	1.9	0.1	2.2	20.0	14.0
7/9/2017 3:00	BDL	Calibration	Calibration	4.0	0.1	2.3	19.0	10.0
7/9/2017 4:00	Calibration	BDL	0.4	Calibration	Calibration	2.4	18.0	11.0
7/9/2017 5:00	BDL	BDL	BDL	5.2	0.1	Too few samples	19.0	10.0
7/9/2017 6:00	BDL	BDL	BDL	3.3	0.1	2.4	17.0	10.0
7/9/2017 7:00	BDL	BDL	BDL	0.5	0.1	2.3	20.0	12.0
7/9/2017 8:00	BDL	BDL	BDL	0.5	BDL	2.2	14.0	11.0
7/9/2017 9:00	BDL	BDL	BDL	BDL	BDL	2.2	11.0	8.0
7/9/2017 10:00	1.3	BDL	BDL	4.6	BDL	Too few samples	16.0	9.0
7/9/2017 11:00	0.6	BDL	BDL	3.3	BDL	Too few samples	16.0	8.0
7/9/2017 12:00	0.6	BDL	BDL	2.7	BDL	2.2	13.0	7.0
7/9/2017 13:00	1.1	BDL	BDL	5.2	BDL	2.2	15.0	9.0
7/9/2017 14:00	1.8	BDL	BDL	3.8	0.0	2.2	15.0	10.0
7/9/2017 15:00	2.9	0.7	0.4	10.6	BDL	2.2	17.0	10.0
7/9/2017 16:00	3.3	0.5	0.7	5.3	BDL	Too few samples	17.0	8.0
7/9/2017 17:00	1.7	0.4	BDL	5.4	BDL	Sampling system issue	9.0	5.0
7/9/2017 18:00	0.8	BDL	BDL	4.1	BDL	Sampling system issue	12.0	4.0
7/9/2017 19:00	BDL	BDL	BDL	1.4	BDL	Too few samples	14.0	6.0
7/9/2017 20:00	BDL	BDL	BDL	3.4	0.1	2.5	10.0	9.0
7/9/2017 21:00	BDL	BDL	0.4	18.3	0.3	2.6	18.0	10.0
7/9/2017 22:00	BDL	0.8	0.5	35.6	0.2	3.0	17.0	10.0
7/9/2017 23:00	BDL	1.7	1.2	36.7	0.1	3.3	17.0	13.0
7/10/2017 0:00	BDL	1.5	1.0	37.3	0.3	3.2	9.0	9.0
7/10/2017 1:00	BDL	1.7	1.2	28.1	0.3	3.1	19.0	13.0
7/10/2017 2:00	BDL	Calibration	Calibration	30.5	0.3	Too few samples	22.0	13.0
7/10/2017 3:00	BDL	Calibration	Calibration	44.9	0.2	2.7	22.0	8.0
7/10/2017 4:00	Calibration	1.7	0.7	Calibration	Calibration	0.3	19.0	23.0
7/10/2017 5:00	BDL	1.7	1.0	49.7	0.3	Too few samples	18.0	12.0
7/10/2017 6:00	BDL	1.4	1.1	25.3	0.2	Too few samples	32.0	13.0
7/10/2017 7:00	BDL	2.4	2.1	29.5	0.2	Too few samples	30.0	15.0
7/10/2017 8:00	0.7	2.0	1.8	17.9	0.1	2.6	29.0	13.0
7/10/2017 9:00	0.4	0.9	0.9	5.6	0.1	Too few samples	18.0	13.0
7/10/2017 10:00	BDL	0.7	0.8	5.1	0.1	Sampling system issue	21.0	11.0
7/10/2017 11:00	0.7	0.4	0.5	3.1	0.1	Sampling system issue	20.0	9.0
7/10/2017 12:00	BDL	0.6	0.7	4.5	0.1	Sampling system issue	28.0	16.0
7/10/2017 13:00	BDL	0.4	0.5	4.0	0.1	Sampling system issue	30.0	14.0
7/10/2017 14:00	BDL	BDL	BDL	1.7	0.1	Sampling system issue	24.0	12.0
7/10/2017 15:00	BDL	BDL	0.4	2.0	0.1	Sampling system issue	25.0	13.0
7/10/2017 16:00	BDL	BDL	0.4	3.2	0.1	Sampling system issue	23.0	10.0
7/10/2017 17:00	BDL	0.4	0.5	2.8	0.1	Sampling system issue	26.0	12.0
7/10/2017 18:00	BDL	0.5	0.7	4.4	0.2	Sampling system issue	22.0	8.0
7/10/2017 19:00	BDL	0.6	0.8	4.2	0.1	Sampling system issue	21.0	13.0
7/10/2017 20:00	BDL	0.9	1.1	5.2	0.1	Sampling system issue	21.0	11.0
7/10/2017 21:00	BDL	1.1	1.3	6.8	0.2	Too few samples	19.0	10.0
7/10/2017 22:00	BDL	1.6	1.8	8.2	0.2	Too few samples	19.0	10.0
7/10/2017 23:00	BDL	1.6	1.8	6.9	0.2	Too few samples	16.0	12.0
7/11/2017 0:00	BDL	1.3	1.5	11.9	0.1	Too few samples	20.0	12.0
7/11/2017 1:00	BDL	1.0	1.2	13.5	0.1	Too few samples	21.0	11.0
7/11/2017 2:00	BDL	Calibration	Calibration	14.1	0.1	Too few samples	17.0	8.0
7/11/2017 3:00	BDL	Calibration	Calibration	6.3	0.1	Too few samples	22.0	10.0
7/11/2017 4:00	Calibration	1.8	1.9	Calibration	Calibration	Calibration	21.0	13.0
7/11/2017 5:00	BDL	1.6	1.7	16.6	0.2	Too few samples	26.0	14.0
7/11/2017 6:00	0.5	1.1	1.2	18.9	0.2	Too few samples	33.0	19.0
7/11/2017 7:00	1.0	1.1	1.1	19.4	0.2	Too few samples	43.0	16.0
7/11/2017 8:00	1.9	0.9	0.7	24.3	0.2	2.5	31.0	12.0
7/11/2017 9:00	1.6	0.6	0.5	15.5	0.2	2.3	32.0	14.0
7/11/2017 10:00	0.9	0.5	0.5	8.2	0.1	2.2	31.0	13.0
7/11/2017 11:00	0.6	BDL	BDL	5.8	0.1	2.4	34.0	15.0
7/11/2017 12:00	0.7	0.4	0.5	6.7	0.2	2.4	37.0	17.0
7/11/2017 13:00	1.4	BDL	0.4	8.6	0.2	2.5	45.0	17.0
7/11/2017 14:00	1.6	0.5	0.5	12.0	0.2	2.5	42.0	17.0
7/11/2017 15:00	1.6	0.5	0.5	13.7	0.2	2.4	35.0	18.0
7/11/2017 16:00	1.8	0.4	0.4	15.0	0.1	Too few samples	38.0	16.0
7/11/2017 17:00	1.7	0.4	0.4	8.5	0.2	Sampling system issue	34.0	17.0
7/11/2017 18:00	1.8	0.5	0.5	11.3	0.2	Sampling system issue	26.0	19.0
7/11/2017 19:00	1.2	0.4	0.5	12.1	0.2	Too few samples	36.0	15.0
7/11/2017 20:00	0.9	0.6	0.6	19.8	0.3	Sampling system issue	26.0	18.0
7/11/2017 21:00	0.6	0.9	0.9	19.6	0.3	Sampling system issue	32.0	17.0
7/11/2017 22:00	0.4	1.0	1.2	16.1	0.2	Sampling system issue	25.0	19.0
7/11/2017 23:00	BDL	0.9	1.1	13.6	0.2	Too few samples	33.0	17.0
7/12/2017 0:00	0.4	0.9	1.3	17.6	0.2	Sampling system issue	37.0	25.0
7/12/2017 1:00	1.2	1.5	1.4	17.1	0.2	Sampling system issue	41.0	20.0
7/12/2017 2:00	1.7	Calibration	Calibration	20.1	0.1	Sampling system issue	43.0	20.0
7/12/2017 3:00	1.5	Calibration	Calibration	13.4	0.1	Sampling system issue	33.0	18.0
7/12/2017 4:00	Calibration	1.5	1.2	Calibration	Calibration	Calibration	27.0	17.0
7/12/2017 5:00	1.4	1.4	1.4	19.7	0.2	Calibration	27.0	11.0
7/12/2017 6:00	2.7	1.8	1.8	26.6	0.2	Calibration	45.0	21.0
7/12/2017 7:00	3.4	1.2	1.2	21.0	0.1	Too few samples	35.0	19.0
7/12/2017 8:00	2.0	0.6	0.5	13.3	0.1	Sampling system issue	36.0	15.0
7/12/2017 9:00	1.5	0.5	0.5	12.3	0.1	Sampling system issue	52.0	16.0
7/12/2017 10:00	1.6	0.5	0.4	13.5	0.1	Sampling system issue	27.0	12.0
7/12/2017 11:00	1.9	0.6	0.7	13.8	0.1	Sampling system issue	31.0	14.0
7/12/2017 12:00	1.3	1.0	0.6	13.7	0.1	Sampling system issue	39.0	17.0
7/12/2017 13:00	1.4	0.6	0.6	13.9	0.1	Sampling system issue	34.0	12.0
7/12/2017 14:00	1.5	0.6	0.9	11.3	0.1	Too few samples	42.0	18.0
7/12/2017 15:00	1.4	0.6	0.6	11	0.2	2.4	31.0	18.0
7/12/2017 16:00	1.7	0.7	1.1	13.3	0.2	2.7	47.0	15.0
7/12/2017 17:00	1.5	0.6	0.6	10.4	0.1	2.1	77.0	33.0
7/12/2017 18:00	1.2	0.7	0.8	15.3	0.2	2.3	57.0	28.0
7/12/2017 19:00	1.7	1.0	0.9	16.2	0.2	2.4	61.0	28.0
7/12/2017 20:00	2.2	1.1	1.1	11.0	0.2	2.4	39.0	23.0
7/12/2017 21:00	1.6	0.8	0.9	18.9	0.3	3.0	31.0	21.0
7/12/2017 22:00	1.0	1.1	1.0	20.0	0.3	3.3	32.0	17.0
7/12/2017 23:00	0.7	0.9	1.1	20.5	0.3	3.1	30.0	23.0
7/13/2017 0:00	1.0	0.8	0.8	14.7	0.2	3.4	34.0	22.0
7/13/2017 1:00	1.1	1.1	1.2	17.6	0.2	Too few samples	32.0	23.0
7/13/2017 2:00	0.7	Calibration	Calibration	21.3	0.2	Sampling system issue	34.0	21.0
7/13/2017 3:00	0.4	Calibration	Calibration	20.6	0.2	Sampling system issue	30.0	22.0
7/13/2017 4:00	Calibration	1.6	1.5	Calibration	Calibration	Calibration	34.0	20.0
7/13/2017 5:00	0.5	1.7	1.6	45.0	0.5	Calibration	46.0	25.0
7/13/2017 6:00	0.6	1.7	1.7	27.8	0.3	Sampling system issue	44.0	23.0
7/13/2017 7:00	2.0	1.2	1.3	28.6	0.3	Sampling system issue	Maintenance	Maintenance
7/13/2017 8:00	1.8	1.4	1.3	19.2	0.3	Too few samples	46.0	22.0
7/13/2017 9:00	3.1	1.1	1.2	14.8	0.2	Too few samples	56.0	22.0
7/13/2017 10:00	2.8	0.9	0.9	9.3	0.2	Sampling system issue	41.0	18.0
7/13/2017 11:00	1.9	0.8	0.7	8.7	0.2	Too few samples	41.0	17.0
7/13/2017 12:00	2.1	1.0	1.1	10.2	0.2	Too few samples	44.0	13.0
7/13/2017 13:00	1.6	1.3	1.1	9.5	0.2	Too few samples	43.0	20.0
7/13/2017 14:00	1.4	0.5	0.7	8.8	0.2	Sampling system issue	43.0	14.0
7/13/2017 15:00	1.5	0.4	0.5	8.6	0.2	Sampling system issue	35.0	17.0
7/13/2017 16:00	1.9	0.5	0.7	11.3	0.2	Too few samples	35.0	21.0
7/13/2017 17:00	0.9	0.4	0.5	5.5	0.2	Too few samples	17.0	8.0
7/13/2017 18:00	BDL	BDL	0.5	5.6	0.2	Too few samples	15.0	7.0
7/13/2017 19:00	BDL	0.4	0.4	6.6	0.2	Too few samples	13.0	5.0
7/13/2017 20:00	BDL	BDL	0.5	5.8	0.2	Too few samples	11.0	2.0
7/13/2017 21:00	BDL	BDL	0.5	12.5	0.2	Too few samples	9.0	3.0
7/13/2017 22:00	BDL	0.5	0.6	12.9	0.3	Too few samples	8.0	7.0
7/13/2017 23:00	BDL	0.4	0.5	9.8	0.2	Too few samples	13.0	6.0
7/14/2017 0:00	BDL	0.8	0.7	14.3	0.2	2.5	9.0	6.0
7/14/2017 1:00	BDL	0.5	0.5	9.5	0.2	2.2	10.0	8.0
7/14/2017 2:00	BDL	Calibration	Calibration	16.8	0.3	2.3	11.0	11.0
7/14/2017 3:00	BDL	Calibration	Calibration	18.0	0.2	Too few samples	16.0	11.0
7/14/2017 4:00	Calibration	0.7	0.6	Calibration	Calibration	Calibration	17.0	6.0
7/14/2017 5:00	BDL	0.9	0.8	32.6	0.3	Too few samples	20.0	8.0
7/14/2017 6:00	BDL	0.8	1.0	28.2	0.3	Too few samples	19.0	11.0
7/14/2017 7:00	BDL	0.9	1.1	24.3	0.3	Too few samples	20.0	11.0
7/14/2017 8:00	BDL	1.3	1.0	23.2	0.3	2.2	20.0	11.0
7/14/2017 9:00	BDL	1.1	0.9	23.2	0.2	2.2	19.0	17.0
7/14/2017 10:00	BDL	1.0	1.2	16.5	0.2	2.1	8.0	6.0
7/14/2017 11:00	BDL	0.9	1.1	14.1	0.2	2.2	17.0	6.0
7/14/2017 12:00	BDL	0.6	0.8	14.5	0.2	2.2	17.0	11.0
7/14/2017 13:00	BDL	0.6	0.7	9.8	0.2	2.1	14.0	8.0
7/14/2017 14:00	BDL	0.7	0.6	16.8	0.2	2.1	19.0	10.0
7/14/2017 15:00	BDL	BDL	0.5	10.6	0.2	2.2	15.0	9.0
7/14/2017 16:00	BDL	0.4	0.6	11.0	0.2	2.1	13.0	7.0
7/14/2017 17:00	BDL	0.6	0.8	10.7	0.2	2.0	19.0	7.0
7/14/2017 18:00	BDL	0.5	0.7	7.5	0.2	2.0	10.0	11.0
7/14/2017 19:00	BDL	0.4	0.5	11.6	0.2	2.0	11.0	7.0
7/14/2017 20:00	BDL	0.6	0.6	20.4	0.3	2.1	15.0	6.0
7/14/2017 21:00	BDL	0.7	0.8	19.2	0.3	2.2	20.0	8.0
7/14/2017 22:00	BDL	1.0	1.0	20.7	0.4	2.4	17.0	12.0
7/14/2017 23:00	BDL	0.9	1.0	23.6	0.4	2.4	17.0	7.0
7/15/2017 0:00	BDL	1.2	1.3	14.1	0.2	2.7	17.0	12.0
7/15/2017 1:00	BDL	1.4	1.4	13.2	0.2	2.4	24.0	11.0
7/15/2017 2:00	BDL	Calibration	Calibration	13.6	0.3	2.6	21.0	12.0
7/15/2017 3:00	BDL	Calibration	Calibration	11.9	0.2	2.4	19.0	10.0
7/15/2017 4:00	Calibration	2.0	1.8	Calibration	Calibration	2.6	27.0	11.0
7/15/2017 5:00	BDL	2.1	2.2	23.0	0.3	Too few samples	22.0	11.0
7/15/2017 6:00	BDL	1.7	1.9	9.5	0.1	2.5	19.0	10.0
7/15/2017 7:00	BDL	1.2	1.2	7.9	0.2	2.5	16.0	7.0
7/15/2017 8:00	BDL	0.6	0.8	4.7	0.2	2.4	17.0	7.0
7/15/2017 9:00	BDL	0.4	0.5	2.7	0.2	2.3	18.0	11.0
7/15/2017 10:00	BDL	BDL	0.4	2.3	0.2	2.3	15.0	8.0
7/15/2017 11:00	BDL	BDL	0.4	0.9	0.1	2.3	10.0	6.0
7/15/2017 12:00	BDL	BDL	BDL	BDL	0.1	2.4	10.0	6.0
7/15/2017 13:00	BDL	BDL	BDL	0.6	0.1	2.4	17.0	8.0
7/15/2017 14:00	BDL	BDL	BDL	BDL	0.1	2.4	14.0	8.0
7/15/2017 15:00	BDL	BDL	BDL	BDL	0.0	2.4	17.0	5.0
7/15/2017 16:00	BDL	BDL	BDL	BDL	0.1	2.4	15.0	5.0
7/15/2017 17:00	BDL	BDL	BDL	BDL	0.0	2.4	13.0	6.0
7/15/2017 18:00	BDL	BDL	BDL	BDL	0.0	2.4	8.0	4.0
7/15/2017 19:00	BDL	BDL	BDL	BDL	0.1	2.4	8.0	4.0
7/15/2017 20:00	BDL	BDL	BDL	3.3	0.1	2.4	8.0	3.0
7/15/2017 21:00	BDL	BDL	BDL	3.9	0.1	2.5	9.0	4.0
7/15/2017 22:00	BDL	BDL	BDL	6.2	0.1	2.7	15.0	4.0
7/15/2017 23:00	BDL	BDL	BDL	10.1	0.1	2.5	14.0	4.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 7/16/2017-7/22/2017								
7/16/2017 0:00	BDL	BDL	BDL	7.0	0.1	2.7	15.0	7.0
7/16/2017 1:00	BDL	BDL	BDL	3.8	0.1	2.4	10.0	4.0
7/16/2017 2:00	BDL	Calibration	Calibration	3.9	0.1	2.4	7.0	2.0
7/16/2017 3:00	BDL	Calibration	Calibration	5.3	0.1	2.5	6.0	6.0
7/16/2017 4:00	Calibration	0.4	BDL	Calibration	Calibration	2.4	12.0	7.0
7/16/2017 5:00	BDL	BDL	BDL	6.4	0.1	Too few samples	12.0	7.0
7/16/2017 6:00	BDL	BDL	BDL	4.2	0.1	2.5	9.0	6.0
7/16/2017 7:00	BDL	BDL	BDL	3.2	0.1	2.5	7.0	4.0
7/16/2017 8:00	BDL	BDL	BDL	0.9	0.1	2.4	10.0	4.0
7/16/2017 9:00	BDL	BDL	BDL	1.0	0.1	2.3	10.0	5.0
7/16/2017 10:00	BDL	BDL	BDL	0.4	0.1	2.3	11.0	5.0
7/16/2017 11:00	BDL	BDL	BDL	BDL	0.0	2.4	9.0	6.0
7/16/2017 12:00	0.8	BDL	BDL	7.5	0.1	2.3	17.0	14.0
7/16/2017 13:00	1.0	BDL	BDL	6.0	0.1	2.3	19.0	9.0
7/16/2017 14:00	1.0	BDL	BDL	8.3	0.1	2.3	18.0	9.0
7/16/2017 15:00	1.2	BDL	BDL	5.4	0.1	2.4	15.0	8.0
7/16/2017 16:00	0.9	BDL	BDL	4.6	0.1	2.4	13.0	6.0
7/16/2017 17:00	1.6	0.4	0.4	9.6	0.1	2.4	22.0	11.0
7/16/2017 18:00	1.1	0.6	0.6	9.9	0.1	2.6	16.0	10.0
7/16/2017 19:00	0.4	0.4	0.4	9.4	0.2	2.6	15.0	9.0
7/16/2017 20:00	BDL	BDL	BDL	14.1	0.2	2.6	16.0	8.0
7/16/2017 21:00	BDL	1.2	1.2	14.2	0.1	2.8	23.0	7.0
7/16/2017 22:00	BDL	1.1	1.1	7.3	0.1	2.9	12.0	5.0
7/16/2017 23:00	BDL	1.6	1.7	3.9	0.1	2.7	16.0	6.0
7/17/2017 0:00	BDL	2.6	3.0	10.9	0.1	2.8	12.0	5.0
7/17/2017 1:00	BDL	3.4	3.5	11.4	0.1	2.9	14.0	7.0
7/17/2017 2:00	BDL	Calibration	Calibration	11.9	0.1	2.5	17.0	6.0
7/17/2017 3:00	BDL	Calibration	Calibration	26.0	0.2	2.3	16.0	3.0
7/17/2017 4:00	Calibration	3.2	3.0	Calibration	Calibration	2.4	13.0	6.0
7/17/2017 5:00	BDL	3.3	3.3	25.7	0.3	Too few samples	22.0	8.0
7/17/2017 6:00	BDL	3.0	2.9	26.4	0.3	2.4	26.0	15.0
7/17/2017 7:00	BDL	2.5	2.3	18.1	0.2	Too few samples	28.0	13.0
7/17/2017 8:00	BDL	1.4	1.6	12.0	0.2	2.2	24.0	10.0
7/17/2017 9:00	BDL	1.0	1.0	6.3	0.1	2.2	27.0	10.0
7/17/2017 10:00	BDL	0.6	0.6	5.4	0.1	2.2	21.0	10.0
7/17/2017 11:00	BDL	0.5	0.5	6.8	0.1	2.2	24.0	11.0
7/17/2017 12:00	BDL	0.4	0.4	3.2	0.1	2.2	22.0	12.0
7/17/2017 13:00	BDL	BDL	0.4	3.4	0.1	2.9	24.0	10.0
7/17/2017 14:00	BDL	BDL	0.4	2.3	0.1	2.7	18.0	14.0
7/17/2017 15:00	BDL	0.5	0.7	3.1	0.1	2.4	30.0	11.0
7/17/2017 16:00	BDL	0.4	0.4	4.7	0.1	2.4	25.0	8.0
7/17/2017 17:00	BDL	0.4	0.6	7.3	0.1	2.6	16.0	10.0
7/17/2017 18:00	BDL	0.5	0.7	7.4	0.1	2.3	21.0	7.0
7/17/2017 19:00	BDL	0.4	0.7	5.9	0.1	2.4	21.0	8.0
7/17/2017 20:00	BDL	0.5	0.7	5.3	0.1	2.5	8.0	5.0
7/17/2017 21:00	BDL	BDL	0.4	3.8	0.1	2.9	10.0	6.0
7/17/2017 22:00	BDL	BDL	0.5	10.4	0.1	2.1	13.0	5.0
7/17/2017 23:00	BDL	0.7	0.8	3.4	0.1	2.1	10.0	3.0
7/18/2017 0:00	BDL	0.5	0.7	5.3	0.1	2.0	11.0	2.0
7/18/2017 1:00	BDL	1.0	1.3	7.8	BDL	2.0	13.0	2.0
7/18/2017 2:00	BDL	Calibration	Calibration	8.6	0.1	2.1	12.0	3.0
7/18/2017 3:00	BDL	Calibration	Calibration	10.5	0.1	2.2	11.0	4.0
7/18/2017 4:00	Calibration	1.7	1.9	Calibration	Calibration	2.1	15.0	3.0
7/18/2017 5:00	BDL	1.7	1.8	21.2	0.2	Too few samples	16.0	4.0
7/18/2017 6:00	BDL	1.7	1.8	21.5	0.2	2.6	21.0	6.0
7/18/2017 7:00	BDL	1.2	1.3	10.3	0.1	2.3	18.0	12.0
7/18/2017 8:00	BDL	0.9	1.1	9.4	0.1	2.3	23.0	18.0
7/18/2017 9:00	Too few samples	0.9	1.1	12.4	0.1	2.4	30.0	11.0
7/18/2017 10:00	9.4	0.7	0.7	12.0	0.1	2.2	33.0	22.0
7/18/2017 11:00	BDL	0.6	0.7	7.2	0.1	2.3	27.0	14.0
7/18/2017 12:00	Calibration	0.4	0.5	Calibration	Calibration	2.5	29.0	11.0
7/18/2017 13:00	0.7	0.4	0.5	BDL	0.1	Too few samples	20.0	10.0
7/18/2017 14:00	1.1	0.4	0.4	BDL	0.1	2.1	20.0	10.0
7/18/2017 15:00	1.1	BDL	0.4	BDL	0.1	2.1	15.0	9.0
7/18/2017 16:00	1.3	0.5	0.6	BDL	0.1	2.2	20.0	12.0
7/18/2017 17:00	1.4	0.9	1.0	BDL	0.1	2.2	20.0	11.0
7/18/2017 18:00	1.4	0.8	0.9	0.5	0.1	2.2	22.0	8.0
7/18/2017 19:00	1.4	0.4	0.6	BDL	0.1	2.3	17.0	3.0
7/18/2017 20:00	1.3	BDL	0.5	BDL	0.1	2.2	16.0	2.0
7/18/2017 21:00	1.2	BDL	0.5	BDL	0.1	2.1	20.0	3.0
7/18/2017 22:00	1.2	BDL	0.6	BDL	0.1	2.2	14.0	6.0
7/18/2017 23:00	1.3	0.7	1.1	BDL	0.1	2.2	16.0	6.0
7/19/2017 0:00	1.3	1.7	2.1	2.8	0.1	2.4	7.0	7.0
7/19/2017 1:00	1.4	1.8	2.3	3.1	0.1	2.4	19.0	5.0
7/19/2017 2:00	1.4	Calibration	Calibration	8.1	0.1	2.2	17.0	8.0
7/19/2017 3:00	1.5	Calibration	Calibration	13.3	0.1	2.4	20.0	10.0
7/19/2017 4:00	Calibration	2.1	2.4	Calibration	Calibration	2.5	19.0	12.0
7/19/2017 5:00	1.7	2.3	2.5	25.0	0.3	Too few samples	26.0	15.0
7/19/2017 6:00	2.2	2.4	2.5	27.3	0.2	2.9	47.0	18.0
7/19/2017 7:00	2.1	Audit	Audit	14.6	0.1	2.7	38.0	13.0
7/19/2017 8:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	2.2	38.0	17.0
7/19/2017 9:00	2.9	0.7	0.6	Calibration	0.1	Too few samples	37.0	19.0
7/19/2017 10:00	2.2	0.5	0.5	BDL	0.1	2.4	32.0	14.0
7/19/2017 11:00	2	Too few samples	Too few samples	1.9	0.2	2.2	30.0	19.0
7/19/2017 12:00	2	Calibration	Calibration	2.8	0.2	2.2	32.0	11.0
7/19/2017 13:00	2.8	Too few samples	Too few samples	2.2	0.1	2.4	32.0	16.0
7/19/2017 14:00	3.1	0.5	0.5	4.5	0.1	2.6	31.0	17.0
7/19/2017 15:00	3.2	0.6	0.4	2.4	0.1	2.5	35.0	14.0
7/19/2017 16:00	2.8	0.7	0.7	0.9	0.1	2.4	32.0	16.0
7/19/2017 17:00	2.7	0.7	0.8	3.7	0.1	2.4	29.0	17.0
7/19/2017 18:00	2.3	0.9	1.1	6.2	0.2	2.4	24.0	16.0
7/19/2017 19:00	2.4	1.1	1.2	5.5	0.2	2.6	24.0	11.0
7/19/2017 20:00	1.9	1.4	1.5	4.4	0.2	2.6	24.0	14.0
7/19/2017 21:00	1.6	1.2	1.5	2.2	0.2	2.4	17.0	11.0
7/19/2017 22:00	1.5	1.6	1.6	6.6	0.2	2.8	24.0	14.0
7/19/2017 23:00	1.6	1.2	1.4	9.3	0.2	2.5	26.0	13.0
7/20/2017 0:00	1.6	1.4	1.6	10.3	0.2	2.6	24.0	14.0
7/20/2017 1:00	1.6	1.3	1.7	9.7	0.2	2.8	29.0	13.0
7/20/2017 2:00	1.7	Calibration	Calibration	12.1	0.2	3.1	23.0	14.0
7/20/2017 3:00	1.6	Calibration	Calibration	24.2	0.2	2.7	37.0	18.0
7/20/2017 4:00	Calibration	1.7	1.8	Calibration	Calibration	2.8	30.0	23.0
7/20/2017 5:00	1.7	2.1	1.8	31.2	0.4	Too few samples	34.0	22.0
7/20/2017 6:00	Calibration	1.3	1.3	Calibration	Calibration	2.7	34.0	21.0
7/20/2017 7:00	2.1	1.3	1.2	10.4	0.2	2.5	43.0	22.0
7/20/2017 8:00	2.3	1.4	1.4	7.8	0.2	2.5	44.0	20.0
7/20/2017 9:00	2.4	0.9	0.9	1.1	0.2	2.3	45.0	17.0
7/20/2017 10:00	Too few samples	0.9	1	Too few samples	Too few samples	2.3	33.0	20.0
7/20/2017 11:00	1.9	Audit	Audit	BDL	0.1	2.3	34.0	14.0
7/20/2017 12:00	2.0	Too few samples	Too few samples	Calibration	0.1	2.4	33.0	18.0
7/20/2017 13:00	2.6	0.5	0.7	2.4	0.1	2.4	48.0	24.0
7/20/2017 14:00	2.3	0.5	0.6	3.1	0.1	2.4	37.0	19.0
7/20/2017 15:00	2.4	0.7	0.7	3.0	0.1	2.4	37.0	20.0
7/20/2017 16:00	2.5	0.8	1.1	2.5	0.1	2.5	29.0	16.0
7/20/2017 17:00	2.7	0.8	0.7	6.6	0.2	2.5	40.0	24.0
7/20/2017 18:00	2.6	1.1	0.6	4.5	0.1	2.5	38.0	23.0
7/20/2017 19:00	3.1	0.6	0.7	7.5	0.2	2.3	34.0	24.0
7/20/2017 20:00	2.6	0.5	0.6	3.1	0.2	2.2	33.0	17.0
7/20/2017 21:00	1.6	BDL	BDL	2.0	0.2	2.1	21.0	5.0
7/20/2017 22:00	1.5	0.5	0.5	5.0	0.2	2.1	14.0	5.0
7/20/2017 23:00	1.6	1.1	1.1	17.0	0.2	2.2	13.0	6.0
7/21/2017 0:00	1.6	0.9	0.7	11.6	0.2	2.6	16.0	8.0
7/21/2017 1:00	1.8	1.1	1.2	21.5	0.2	3.0	20.0	10.0
7/21/2017 2:00	2.2	Calibration	Calibration	19.7	0.3	3.2	27.0	13.0
7/21/2017 3:00	2.1	Audit	Calibration	3.8	0.2	2.6	27.0	18.0
7/21/2017 4:00	Calibration	0.7	0.7	Calibration	Calibration	2.5	28.0	14.0
7/21/2017 5:00	1.6	0.6	0.6	8.1	0.2	Too few samples	26.0	12.0
7/21/2017 6:00	1.8	0.6	0.7	6.1	0.2	2.3	27.0	12.0
7/21/2017 7:00	2.1	0.5	0.6	4.8	0.2	2.2	28.0	9.0
7/21/2017 8:00	2.2	Audit	Audit	3.6	0.2	2.2	25.0	12.0
7/21/2017 9:00	1.9	Calibration	Calibration	1.9	0.2	2.1	22.0	8.0
7/21/2017 10:00	1.8	Calibration	Calibration	BDL	0.1	2.1	25.0	8.0
7/21/2017 11:00	1.7	Calibration	Calibration	BDL	0.1	2.2	20.0	11.0
7/21/2017 12:00	1.7	Calibration	Calibration	BDL	0.1	2.1	19.0	9.0
7/21/2017 13:00	1.9	1.0	0.9	BDL	0.1	2.1	24.0	7.0
7/21/2017 14:00	2.1	1.1	1.1	BDL	0.1	2.2	19.0	11.0
7/21/2017 15:00	2.6	1.1	1.1	2.9	0.1	2.1	25.0	10.0
7/21/2017 16:00	2.5	1.1	1.1	BDL	0.1	2.2	21.0	10.0
7/21/2017 17:00	2.2	0.9	1.2	BDL	0.1	2.2	21.0	10.0
7/21/2017 18:00	2.8	1.2	1.3	3.3	0.1	2.1	32.0	11.0
7/21/2017 19:00	2.7	1.4	1.3	6.9	0.2	2.6	25.0	11.0
7/21/2017 20:00	3.7	1.2	1.3	5.5	0.2	2.7	31.0	13.0
7/21/2017 21:00	2.8	1.9	2.2	8.7	0.2	2.9	24.0	13.0
7/21/2017 22:00	2.0	2.2	2.6	9.6	0.2	3.0	22.0	17.0
7/21/2017 23:00	1.9	2.2	2.2	12.3	0.2	2.3	27.0	16.0
7/22/2017 0:00	1.7	2.7	2.7	17.2	0.2	2.2	31.0	16.0
7/22/2017 1:00	1.7	3.2	3.2	22.2	0.4	2.8	38.0	27.0
7/22/2017 2:00	1.8	Calibration	Calibration	12.9	0.3	2.8	33.0	17.0
7/22/2017 3:00	1.7	Calibration	Calibration	3.9	0.2	2.7	23.0	15.0
7/22/2017 4:00	Calibration	1.9	1.8	Calibration	Calibration	2.5	24.0	12.0
7/22/2017 5:00	1.7	1.6	1.5	7.8	0.2	Too few samples	29.0	13.0
7/22/2017 6:00	1.7	1.2	1.2	2.7	0.2	2.1	22.0	13.0
7/22/2017 7:00	1.5	1.1	1.2	1.2	0.2	2.1	25.0	18.0
7/22/2017 8:00	1.6	1.2	1.2	0.7	0.2	2.2	27.0	14.0
7/22/2017 9:00	1.8	1.1	1.2	BDL	0.2	2.3	35.0	15.0
7/22/2017 10:00	1.7	1.2	1.1	BDL	0.2	2.3	34.0	13.0
7/22/2017 11:00	1.7	1.0	1.2	BDL	0.2	2.3	28.0	13.0
7/22/2017 12:00	1.9	1.0	1.1	BDL	0.1	2.4	26.0	16.0
7/22/2017 13:00	2.1	1.1	1.0	BDL	0.1	2.4	27.0	20.0
7/22/2017 14:00	3.0	1.1	1.2	2.6	0.2	2.5	36.0	18.0
7/22/2017 15:00	3.0	1.2	1.1	1.1	0.2	2.7	35.0	18.0
7/22/2017 16:00	1.9	1.3	1.3	0.4	0.2	2.4	27.0	14.0
7/22/2017 17:00	1.5	1.1	1.3	BDL	0.2	2.3	61.0	15.0
7/22/2017 18:00	1.3	1.8	1.9	5.7	0.3	2.2	19.0	8.0
7/22/2017 19:00	1.3	1.8	2.1	6.7	0.3	2.2	18.0	8.0
7/22/2017 20:00	1.4	1.5	1.6	7.6	0.2	2.2	20.0	10.0
7/22/2017 21:00	2.3	1.1	1.3	5.3	0.2	2.4	16.0	9.0
7/22/2017 22:00	2.9	1.4	1.5	2.4	0.1	2.2	20.0	8.0
7/22/2017 23:00	2.6	1.6	1.7	3.9	0.1	2.1	27.0	10.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 7/23/2017-7/29/2017								
7/23/2017 0:00	3.0	1.7	1.7	2.0	0.2	2.6	16.0	7.0
7/23/2017 1:00	3.1	1.4	1.5	10.9	0.1	2.0	28.0	10.0
7/23/2017 2:00	3.4	Calibration	Calibration	10.7	0.1	2.0	37.0	11.0
7/23/2017 3:00	3.2	Calibration	Calibration	9.2	0.1	2.0	34.0	14.0
7/23/2017 4:00	Calibration	2.0	1.9	Calibration	Calibration	2.2	24.0	10.0
7/23/2017 5:00	2.1	1.8	2.0	BDL	0.1	Too few samples	18.0	8.0
7/23/2017 6:00	1.7	1.4	1.5	BDL	0.1	2.1	13.0	8.0
7/23/2017 7:00	1.5	1.2	1.4	BDL	0.1	2.1	17.0	6.0
7/23/2017 8:00	1.4	1.1	1.5	BDL	0.2	2.1	17.0	6.0
7/23/2017 9:00	1.3	1.3	1.4	2.1	0.2	2.0	19.0	18.0
7/23/2017 10:00	1.3	1.2	1.4	BDL	0.2	2.0	13.0	7.0
7/23/2017 11:00	1.2	1.2	1.3	BDL	0.2	2.0	18.0	7.0
7/23/2017 12:00	1.3	1.1	1.3	BDL	0.2	2.0	17.0	18.0
7/23/2017 13:00	1.3	1.0	1.2	BDL	0.2	1.9	22.0	14.0
7/23/2017 14:00	1.3	1.2	1.3	1.2	0.2	1.9	10.0	20.0
7/23/2017 15:00	1.3	1.0	1.2	BDL	0.2	1.9	19.0	15.0
7/23/2017 16:00	1.2	1.1	1.1	BDL	0.2	1.8	13.0	17.0
7/23/2017 17:00	1.2	0.9	1.1	BDL	0.3	1.8	26.0	21.0
7/23/2017 18:00	1.2	1.1	1.2	2.9	0.2	1.8	20.0	9.0
7/23/2017 19:00	1.1	1.2	1.3	BDL	0.2	1.9	21.0	15.0
7/23/2017 20:00	1.2	1.4	1.3	BDL	0.1	1.9	22.0	11.0
7/23/2017 21:00	1.2	1.0	1.2	BDL	0.1	1.8	18.0	11.0
7/23/2017 22:00	1.2	0.9	1.0	BDL	0.1	1.8	19.0	11.0
7/23/2017 23:00	1.1	1.2	1.4	BDL	0.1	1.9	19.0	11.0
7/24/2017 0:00	1.1	1.1	1.2	BDL	0.1	1.9	13.0	7.0
7/24/2017 1:00	1.0	1.1	1.3	0.4	0.1	1.9	13.0	4.0
7/24/2017 2:00	1.2	Calibration	Calibration	1.4	0.1	2.2	10.0	5.0
7/24/2017 3:00	1.2	Calibration	Calibration	3.8	0.1	2.0	10.0	5.0
7/24/2017 4:00	Calibration	1.8	1.6	Calibration	Calibration	2.1	12.0	2.0
7/24/2017 5:00	1.1	1.5	1.5	10.5	0.2	Too few samples	14.0	1.0
7/24/2017 6:00	1.2	1.3	1.4	8.4	0.2	1.9	13.0	4.0
7/24/2017 7:00	1.2	1.4	1.6	7.5	0.2	2.3	10.0	2.0
7/24/2017 8:00	1.7	2.0	2.1	8.2	0.1	2.5	18.0	3.0
7/24/2017 9:00	2.5	1.8	1.8	3.1	0.1	2.1	17.0	3.0
7/24/2017 10:00	1.9	1.3	1.5	BDL	0.1	Too few samples	8.0	2.0
7/24/2017 11:00	1.5	1.0	1.1	BDL	0.1	Too few samples	8.0	2.0
7/24/2017 12:00	1.4	1.0	1.1	BDL	0.1	Too few samples	9.0	BDL
7/24/2017 13:00	1.4	0.9	1.0	BDL	0.1	2.0	7.0	BDL
7/24/2017 14:00	1.3	0.9	1.1	BDL	0.1	2.0	10.0	BDL
7/24/2017 15:00	1.4	1.1	1.2	BDL	0.1	2.0	10.0	3.0
7/24/2017 16:00	2.2	1.1	1.2	BDL	0.1	2.2	14.0	9.0
7/24/2017 17:00	2.1	1.2	1.4	BDL	0.1	2.3	19.0	8.0
7/24/2017 18:00	1.6	1.0	1.2	6.6	0.2	2.0	15.0	10.0
7/24/2017 19:00	1.4	1.1	1.0	3.5	0.1	2.0	21.0	6.0
7/24/2017 20:00	1.1	1.0	1.1	2.5	0.1	2.0	13.0	4.0
7/24/2017 21:00	1.1	1.0	1.0	1.0	0.1	1.9	10.0	BDL
7/24/2017 22:00	1.1	1.0	1.0	6.1	0.1	1.9	10.0	1.0
7/24/2017 23:00	1.1	1.1	1.2	3.3	0.1	1.9	9.0	4.0
7/25/2017 0:00	1.1	1.1	1.2	0.8	0.1	1.9	14.0	6.0
7/25/2017 1:00	1.0	1.1	1.0	2.5	0.1	1.9	14.0	6.0
7/25/2017 2:00	1.1	Calibration	Calibration	BDL	0.1	2.0	14.0	4.0
7/25/2017 3:00	1.1	Calibration	Calibration	3.2	0.1	2.0	9.0	2.0
7/25/2017 4:00	Calibration	1.2	1.1	Calibration	Calibration	2.0	16.0	BDL
7/25/2017 5:00	1.0	1.3	1.0	8.4	0.1	2.0	16.0	BDL
7/25/2017 6:00	1.1	1.1	1.0	10.9	0.2	Too few samples	18.0	4.0
7/25/2017 7:00	1.2	Calibration	Calibration	16.5	0.1	2.0	18.0	4.0
7/25/2017 8:00	1.3	Too few samples	Too few samples	11.7	0.2	2.0	21.0	7.0
7/25/2017 9:00	1.2	1.1	0.8	6.3	0.1	2.1	19.0	6.0
7/25/2017 10:00	1.2	1.0	0.8	7.1	0.1	2.0	17.0	10.0
7/25/2017 11:00	1.3	1.0	0.9	5.7	0.1	2.0	18.0	9.0
7/25/2017 12:00	1.3	0.9	0.8	2.5	0.1	2.0	23.0	7.0
7/25/2017 13:00	1.2	1.0	0.9	2.7	0.1	2.1	15.0	9.0
7/25/2017 14:00	1.2	0.9	0.8	5.9	0.2	2.1	21.0	9.0
7/25/2017 15:00	1.1	0.8	0.8	BDL	0.1	2.1	12.0	6.0
7/25/2017 16:00	1.3	0.8	0.7	0.8	0.1	2.1	16.0	9.0
7/25/2017 17:00	1.2	0.9	0.7	0.8	0.1	2.1	12.0	8.0
7/25/2017 18:00	1.2	0.7	0.7	BDL	0.1	2.1	14.0	7.0
7/25/2017 19:00	1.1	0.7	0.6	1.1	0.1	2.1	11.0	7.0
7/25/2017 20:00	1.1	1.0	0.8	3.3	0.2	2.1	19.0	9.0
7/25/2017 21:00	1.1	0.8	0.9	2.0	0.1	2.0	21.0	7.0
7/25/2017 22:00	1.1	0.9	0.8	3.5	0.1	2.0	20.0	9.0
7/25/2017 23:00	1.0	1.1	1.1	2.6	0.1	2.0	20.0	10.0
7/26/2017 0:00	1.0	1.1	1.1	0.7	0.1	2.0	16.0	7.0
7/26/2017 1:00	1.1	0.9	0.9	3.5	0.1	2.0	12.0	8.0
7/26/2017 2:00	1.0	Calibration	Calibration	1.4	0.1	2.0	11.0	8.0
7/26/2017 3:00	1.1	Calibration	Calibration	3.6	0.1	2.0	14.0	7.0
7/26/2017 4:00	Calibration	1.0	0.7	Calibration	Calibration	2.1	17.0	8.0
7/26/2017 5:00	1.1	1.0	0.8	12.1	0.1	Too few samples	14.0	6.0
7/26/2017 6:00	1.2	1.1	0.8	9.7	0.1	2.1	19.0	10.0
7/26/2017 7:00	1.2	1.1	0.8	8.8	0.1	2.1	22.0	6.0
7/26/2017 8:00	1.2	0.9	0.8	9.9	0.1	2.1	22.0	15.0
7/26/2017 9:00	1.1	1.0	0.9	6.9	0.1	Too few samples	17.0	9.0
7/26/2017 10:00	1.2	1.0	0.8	5.6	0.1	1.9	16.0	9.0
7/26/2017 11:00	1.2	0.9	0.8	5.2	0.1	Too few samples	12.0	7.0
7/26/2017 12:00	1.3	0.9	0.8	3.6	0.1	Too few samples	14.0	8.0
7/26/2017 13:00	1.3	0.8	0.7	3.1	0.1	1.9	9.0	6.0
7/26/2017 14:00	1.2	0.9	0.7	1.1	0.1	Too few samples	10.0	6.0
7/26/2017 15:00	1.2	0.8	0.7	0.6	0.1	1.9	17.0	8.0
7/26/2017 16:00	1.2	1.1	0.8	7.0	0.1	Too few samples	15.0	5.0
7/26/2017 17:00	1.1	0.8	0.6	BDL	0.1	Too few samples	16.0	4.0
7/26/2017 18:00	1.1	0.7	0.6	BDL	0.1	Too few samples	12.0	3.0
7/26/2017 19:00	1.1	0.6	0.7	BDL	0.1	Too few samples	11.0	6.0
7/26/2017 20:00	1.0	0.8	0.8	BDL	BDL	Too few samples	13.0	7.0
7/26/2017 21:00	1.1	1.1	1.1	BDL	0.0	Too few samples	13.0	5.0
7/26/2017 22:00	1.1	1.1	1.2	BDL	0.0	Too few samples	16.0	1.0
7/26/2017 23:00	1.2	1.1	1.1	BDL	0.1	Too few samples	13.0	1.0
7/27/2017 0:00	1.1	0.9	1.0	BDL	BDL	1.9	11.0	4.0
7/27/2017 1:00	1.1	1.3	1.2	1.7	BDL	2.0	12.0	5.0
7/27/2017 2:00	1.1	Calibration	Calibration	1.5	0.1	Too few samples	10.0	4.0
7/27/2017 3:00	1.2	Calibration	Calibration	6.1	0.1	sampling system issue	18.0	5.0
7/27/2017 4:00	Calibration	1.3	1.2	Calibration	Calibration	Too few samples	19.0	6.0
7/27/2017 5:00	1.1	1.5	1.3	19.6	0.2	Too few samples	20.0	6.0
7/27/2017 6:00	Too few samples	1.9	1.5	Too few samples	Too few samples	Too few samples	28.0	12.0
7/27/2017 7:00	Calibration	1.9	1.7	Calibration	Calibration	Calibration	27.0	9.0
7/27/2017 8:00	1.5	1.9	1.6	13.1	0.3	Too few samples	43.0	10.0
7/27/2017 9:00	1.4	1.7	1.7	4	Too few samples	Calibration	22.0	8.0
7/27/2017 10:00	1.5	1.4	1.4	3.7	Calibration	BDL	27.0	8.0
7/27/2017 11:00	1.3	1.5	1.4	6.0	0.3	BDL	24.0	7.0
7/27/2017 12:00	1.4	1.4	1.4	9.6	0.4	BDL	18.0	10.0
7/27/2017 13:00	1.4	1.5	1.4	9.2	0.3	BDL	25.0	7.0
7/27/2017 14:00	1.3	1.3	1.4	4.0	0.3	BDL	26.0	7.0
7/27/2017 15:00	1.3	1.3	1.3	1.9	0.3	BDL	16.0	132.0
7/27/2017 16:00	1.2	1.1	1.2	2.9	0.4	BDL	20.0	9.0
7/27/2017 17:00	1.3	0.7	0.9	4.4	0.4	BDL	20.0	9.0
7/27/2017 18:00	1.2	1.0	1.2	2.6	0.4	BDL	19.0	10.0
7/27/2017 19:00	1.2	1.1	1.3	5.3	0.4	BDL	21.0	11.0
7/27/2017 20:00	1.3	1.3	1.4	3.7	0.4	BDL	18.0	7.0
7/27/2017 21:00	1.3	1.5	1.6	5.7	0.4	BDL	16.0	4.0
7/27/2017 22:00	1.3	1.8	1.9	7.7	0.4	BDL	20.0	6.0
7/27/2017 23:00	1.2	2.1	2.1	9.5	0.4	BDL	17.0	5.0
7/28/2017 0:00	1.3	2.3	2.2	17.8	0.4	BDL	21.0	7.0
7/28/2017 1:00	1.3	2.3	2.3	18.3	0.4	BDL	16.0	6.0
7/28/2017 2:00	1.3	Calibration	Calibration	23.9	0.5	BDL	20.0	9.0
7/28/2017 3:00	1.3	Calibration	Calibration	24.9	0.5	BDL	23.0	13.0
7/28/2017 4:00	Calibration	2.2	2.1	Calibration	Calibration	BDL	31.0	15.0
7/28/2017 5:00	1.1	1.9	1.8	14.7	0.5	Too few samples	38.0	18.0
7/28/2017 6:00	Calibration	2.0	1.9	Calibration	12.5	BDL	34.0	20.0
7/28/2017 7:00	1.4	1.9	1.8	18.3	0.5	BDL	36.0	19.0
7/28/2017 8:00	1.3	1.6	1.5	17.3	0.4	BDL	34.0	18.0
7/28/2017 9:00	1.3	1.3	1.2	11.8	0.4	Too few samples	31.0	20.0
7/28/2017 10:00	1.3	1.3	1.2	9.9	0.4	Too few samples	36.0	18.0
7/28/2017 11:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	Too few samples	24.0	17.0
7/28/2017 12:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	Too few samples	24.0	15.0
7/28/2017 13:00	1.5	Calibration	Calibration	4.7	0.3	1.9	20.0	12.0
7/28/2017 14:00	1.6	0.5	BDL	6.5	0.4	2.0	25.0	12.0
7/28/2017 15:00	1.5	BDL	BDL	3.6	0.4	1.9	21.0	14.0
7/28/2017 16:00	1.4	BDL	BDL	3.1	0.4	1.9	21.0	14.0
7/28/2017 17:00	1.4	BDL	BDL	4.1	0.4	1.9	19.0	10.0
7/28/2017 18:00	1.4	BDL	BDL	5.3	0.4	1.9	26.0	13.0
7/28/2017 19:00	1.4	BDL	BDL	4.4	0.4	1.9	24.0	13.0
7/28/2017 20:00	1.3	BDL	BDL	5.4	0.4	1.9	23.0	15.0
7/28/2017 21:00	1.3	BDL	BDL	2.8	0.4	1.9	19.0	9.0
7/28/2017 22:00	1.4	BDL	BDL	4.2	0.4	1.9	16.0	8.0
7/28/2017 23:00	1.3	BDL	BDL	2.8	0.3	2.0	19.0	5.0
7/29/2017 0:00	1.3	0.4	BDL	3.9	0.3	2.0	17.0	16.0
7/29/2017 1:00	1.4	BDL	BDL	1.8	0.3	2.0	18.0	7.0
7/29/2017 2:00	1.3	Calibration	Calibration	3.7	0.3	2.0	20.0	8.0
7/29/2017 3:00	1.4	Calibration	Calibration	7.0	0.3	2.1	17.0	6.0
7/29/2017 4:00	Calibration	0.5	BDL	Calibration	Calibration	2.1	10.0	6.0
7/29/2017 5:00	1.3	BDL	BDL	4.5	0.3	2.0	12.0	7.0
7/29/2017 6:00	Too few samples	BDL	BDL	Too few samples	Too few samples	2.0	17.0	7.0
7/29/2017 7:00	Too few samples	BDL	BDL	Too few samples	Too few samples	2.0	14.0	7.0
7/29/2017 8:00	BDL	BDL	BDL	2.6	0.2	Too few samples	9.0	6.0
7/29/2017 9:00	BDL	BDL	BDL	2.9	0.3	1.8	18.0	9.0
7/29/2017 10:00	BDL	BDL	BDL	2.5	0.3	1.8	17.0	7.0
7/29/2017 11:00	BDL	BDL	BDL	2.1	0.3	1.7	15.0	6.0
7/29/2017 12:00	BDL	BDL	BDL	0.4	0.3	1.7	19.0	7.0
7/29/2017 13:00	BDL	BDL	BDL	1.0	0.3	1.7	19.0	7.0
7/29/2017 14:00	BDL	BDL	BDL	1.1	0.3	1.7	13.0	8.0
7/29/2017 15:00	BDL	BDL	BDL	6.0	0.3	1.7	13.0	10.0
7/29/2017 16:00	BDL	BDL	BDL	1.5	0.3	1.7	11.0	9.0
7/29/2017 17:00	BDL	BDL	BDL	0.6	0.3	1.8	17.0	8.0
7/29/2017 18:00	BDL	BDL	BDL	1.1	0.2	1.8	18.0	5.0
7/29/2017 19:00	BDL	BDL	BDL	0.7	0.2	1.8	14.0	4.0
7/29/2017 20:00	BDL	BDL	BDL	BDL	0.2	1.8	11.0	8.0
7/29/2017 21:00	BDL	BDL	BDL	2.9	0.3	1.8	15.0	7.0
7/29/2017 22:00	BDL	BDL	BDL	2.0	0.2	1.8	29.0	4.0
7/29/2017 23:00	BDL	BDL	BDL	4.6	0.3	1.9	14.0	5.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 7/30/2017-8/5/2017								
7/30/2017 0:00	BDL	BDL	BDL	2.1	0.3	1.9	13.0	6.0
7/30/2017 1:00	BDL	BDL	BDL	1.3	0.2	1.9	11.0	7.0
7/30/2017 2:00	BDL	Calibration	Calibration	1.2	0.3	1.9	8.0	5.0
7/30/2017 3:00	BDL	Calibration	Calibration	2.6	0.2	1.9	10.0	5.0
7/30/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	1.9	15.0	7.0
7/30/2017 5:00	BDL	BDL	BDL	3.0	0.2	Too few samples	12.0	7.0
7/30/2017 6:00	BDL	BDL	BDL	4.0	0.3	1.9	50.0	7.0
7/30/2017 7:00	BDL	BDL	BDL	1.9	0.2	1.9	15.0	6.0
7/30/2017 8:00	BDL	BDL	BDL	1.2	0.2	1.9	16.0	6.0
7/30/2017 9:00	BDL	BDL	BDL	BDL	0.2	1.9	14.0	5.0
7/30/2017 10:00	BDL	BDL	BDL	BDL	0.2	1.8	54.0	6.0
7/30/2017 11:00	BDL	BDL	BDL	BDL	0.2	1.8	20.0	6.0
7/30/2017 12:00	BDL	BDL	BDL	BDL	0.2	1.8	12.0	4.0
7/30/2017 13:00	BDL	BDL	BDL	BDL	0.2	1.8	11.0	5.0
7/30/2017 14:00	BDL	BDL	BDL	BDL	0.2	1.8	30.0	3.0
7/30/2017 15:00	BDL	BDL	BDL	BDL	0.2	1.8	12.0	4.0
7/30/2017 16:00	BDL	BDL	BDL	BDL	0.2	1.8	9.0	3.0
7/30/2017 17:00	BDL	BDL	BDL	BDL	0.2	1.8	7.0	4.0
7/30/2017 18:00	BDL	BDL	BDL	1.9	0.3	1.8	9.0	6.0
7/30/2017 19:00	BDL	BDL	BDL	6.9	0.4	1.8	10.0	6.0
7/30/2017 20:00	BDL	BDL	BDL	4.4	0.3	1.9	13.0	5.0
7/30/2017 21:00	BDL	BDL	BDL	9.3	0.3	2.1	11.0	7.0
7/30/2017 22:00	BDL	BDL	BDL	0.6	0.2	2.3	13.0	6.0
7/30/2017 23:00	BDL	BDL	BDL	0.8	0.2	2.1	14.0	6.0
7/31/2017 0:00	BDL	0.4	BDL	7.1	0.2	2.1	10.0	5.0
7/31/2017 1:00	BDL	1.1	BDL	11.7	0.3	2.4	14.0	4.0
7/31/2017 2:00	0.4	Calibration	Calibration	5.5	0.2	2.3	18.0	8.0
7/31/2017 3:00	0.9	Calibration	Calibration	6.4	0.2	2.3	9.0	10.0
7/31/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.2	10.0	7.0
7/31/2017 5:00	1.4	1.2	BDL	12.2	0.3	Too few samples	17.0	5.0
7/31/2017 6:00	0.6	0.9	BDL	12.1	0.3	2.3	27.0	6.0
7/31/2017 7:00	0.6	1.0	BDL	14.6	0.3	2.2	23.0	9.0
7/31/2017 8:00	1.3	0.9	BDL	22.5	0.4	2.1	25.0	10.0
7/31/2017 9:00	0.6	0.6	BDL	14.8	0.3	2.0	17.0	7.0
7/31/2017 10:00	0.4	BDL	BDL	2.4	0.2	1.9	12.0	6.0
7/31/2017 11:00	BDL	BDL	BDL	BDL	0.2	1.9	17.0	8.0
7/31/2017 12:00	BDL	BDL	BDL	BDL	0.3	Too few samples	Maintenance	Maintenance
7/31/2017 13:00	BDL	BDL	BDL	BDL	0.3	Too few samples	57.0	11.0
7/31/2017 14:00	BDL	BDL	BDL	BDL	0.3	Sampling system malfunction	28.0	13.0
7/31/2017 15:00	BDL	BDL	BDL	BDL	0.2	Sampling system malfunction	16.0	11.0
7/31/2017 16:00	BDL	BDL	BDL	BDL	0.3	Sampling system malfunction	15.0	8.0
7/31/2017 17:00	BDL	BDL	BDL	BDL	0.3	Sampling system malfunction	17.0	9.0
7/31/2017 18:00	BDL	BDL	BDL	BDL	0.3	Sampling system malfunction	19.0	9.0
7/31/2017 19:00	BDL	BDL	BDL	5.6	0.3	Sampling system malfunction	28.0	18.0
7/31/2017 20:00	BDL	BDL	BDL	19.2	0.3	Sampling system malfunction	29.0	16.0
7/31/2017 21:00	BDL	BDL	BDL	7.8	0.4	Sampling system malfunction	26.0	17.0
7/31/2017 22:00	BDL	BDL	BDL	6.9	0.4	Sampling system malfunction	21.0	12.0
7/31/2017 23:00	BDL	BDL	BDL	7.7	0.4	Sampling system malfunction	27.0	17.0
8/1/2017 0:00	BDL	BDL	BDL	5.0	0.3	Sampling system malfunction	21.0	14.0
8/1/2017 1:00	BDL	1.6	BDL	11.3	0.4	Sampling system malfunction	21.0	10.0
8/1/2017 2:00	BDL	Calibration	Calibration	15.3	0.5	Sampling system malfunction	22.0	15.0
8/1/2017 3:00	0.5	Calibration	Calibration	16.2	0.5	Sampling system malfunction	25.0	16.0
8/1/2017 4:00	Calibration	1.0	BDL	Calibration	Calibration	Calibration	21.0	16.0
8/1/2017 5:00	BDL	0.5	BDL	13.4	0.4	Calibration	31.0	19.0
8/1/2017 6:00	0.4	0.6	BDL	24.5	0.4	Sampling system malfunction	43.0	20.0
8/1/2017 7:00	0.5	0.9	BDL	27.1	0.4	Sampling system malfunction	29.0	15.0
8/1/2017 8:00	0.5	0.8	BDL	22.8	0.4	Too few samples	27.0	16.0
8/1/2017 9:00	0.4	BDL	BDL	8.1	0.3	Sampling system malfunction	18.0	13.0
8/1/2017 10:00	0.4	0.5	BDL	13.4	0.3	Sampling system malfunction	41.0	14.0
8/1/2017 11:00	0.8	BDL	BDL	6.7	0.3	Sampling system malfunction	30.0	12.0
8/1/2017 12:00	0.9	BDL	BDL	7.3	0.3	Sampling system malfunction	34.0	15.0
8/1/2017 13:00	1.6	BDL	BDL	5.6	0.3	Sampling system malfunction	31.0	17.0
8/1/2017 14:00	1.6	BDL	BDL	2.3	0.3	Sampling system malfunction	26.0	16.0
8/1/2017 15:00	1.4	BDL	BDL	2.2	0.3	Sampling system malfunction	27.0	14.0
8/1/2017 16:00	1.0	BDL	BDL	1.9	0.3	Sampling system malfunction	27.0	13.0
8/1/2017 17:00	1.0	BDL	BDL	1.3	0.3	Sampling system malfunction	21.0	13.0
8/1/2017 18:00	1.0	BDL	BDL	3.9	0.3	Sampling system malfunction	26.0	16.0
8/1/2017 19:00	1.2	BDL	BDL	9.5	0.3	Sampling system malfunction	25.0	16.0
8/1/2017 20:00	BDL	BDL	BDL	3.6	0.3	Sampling system malfunction	23.0	16.0
8/1/2017 21:00	BDL	BDL	BDL	2.9	0.3	Sampling system malfunction	27.0	16.0
8/1/2017 22:00	BDL	1.1	BDL	10.9	0.3	Sampling system malfunction	21.0	16.0
8/1/2017 23:00	BDL	1.2	BDL	6.8	0.4	Sampling system malfunction	31.0	18.0
8/2/2017 0:00	BDL	1.5	BDL	14.3	0.4	Sampling system malfunction	25.0	19.0
8/2/2017 1:00	BDL	2.0	0.7	6.6	0.4	Sampling system malfunction	29.0	14.0
8/2/2017 2:00	BDL	Calibration	Calibration	14.0	0.4	Sampling system malfunction	26.0	20.0
8/2/2017 3:00	BDL	Calibration	Calibration	20.6	0.4	Sampling system malfunction	29.0	20.0
8/2/2017 4:00	Calibration	2.8	1.1	Calibration	Calibration	Calibration	37.0	28.0
8/2/2017 5:00	0.6	3.4	1.6	36.7	0.6	Calibration	49.0	22.0
8/2/2017 6:00	0.8	2.9	1.3	30.5	0.5	Sampling system malfunction	42.0	24.0
8/2/2017 7:00	1.3	Audit	Audit	37.4	0.5	Sampling system malfunction	44.0	24.0
8/2/2017 8:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	Sampling system malfunction	47.0	24.0
8/2/2017 9:00	3.8	1.6	BDL	Calibration	0.4	Calibration	38.0	20.0
8/2/2017 10:00	Calibration	1.1	BDL	Calibration	Calibration	Sampling system malfunction	45.0	22.0
8/2/2017 11:00	1.2	Calibration	Calibration	1.7	0.3	Sampling system malfunction	22.0	17.0
8/2/2017 12:00	0.4	Calibration	Calibration	6.4	0.3	Too few samples	29.0	20.0
8/2/2017 13:00	BDL	BDL	BDL	12.4	0.4	Calibration	15.0	5.0
8/2/2017 14:00	BDL	0.8	BDL	15.8	0.4	2.3	16.0	10.0
8/2/2017 15:00	BDL	BDL	BDL	8	0.3	2.3	15.0	12.0
8/2/2017 16:00	BDL	0.4	BDL	15.2	0.4	2.2	20.0	10.0
8/2/2017 17:00	BDL	0.5	BDL	11.1	0.4	2.1	14.0	11.0
8/2/2017 18:00	BDL	0.4	BDL	9.8	0.4	2.1	16.0	11.0
8/2/2017 19:00	BDL	0.4	BDL	11.9	0.4	2.1	18.0	9.0
8/2/2017 20:00	BDL	0.5	BDL	13.8	0.4	2.0	15.0	16.0
8/2/2017 21:00	BDL	0.4	BDL	10.3	0.4	2.2	20.0	14.0
8/2/2017 22:00	BDL	BDL	BDL	11.8	0.4	2.1	16.0	9.0
8/2/2017 23:00	BDL	0.6	BDL	23.1	0.5	2.2	19.0	10.0
8/3/2017 0:00	BDL	0.6	BDL	15.9	0.4	2.2	20.0	13.0
8/3/2017 1:00	BDL	0.5	BDL	10.8	0.4	2.2	20.0	13.0
8/3/2017 2:00	BDL	Calibration	Calibration	16.2	0.5	2.3	24.0	12.0
8/3/2017 3:00	BDL	Calibration	Calibration	27.1	0.4	2.3	20.0	18.0
8/3/2017 4:00	Calibration	1.9	BDL	Calibration	Calibration	2.3	25.0	16.0
8/3/2017 5:00	BDL	2.4	BDL	54.2	0.7	Too few samples	22.0	13.0
8/3/2017 6:00	BDL	2.7	0.7	36.6	0.6	2.6	23.0	11.0
8/3/2017 7:00	BDL	2.3	0.6	27.0	0.5	2.3	27.0	17.0
8/3/2017 8:00	0.4	1.6	BDL	24.7	0.4	2.1	24.0	12.0
8/3/2017 9:00	0.4	0.7	BDL	9.6	0.3	2.1	19.0	11.0
8/3/2017 10:00	BDL	0.5	BDL	3.0	0.3	2.1	19.0	14.0
8/3/2017 11:00	BDL	BDL	BDL	1.4	0.3	Too few samples	16.0	13.0
8/3/2017 12:00	BDL	BDL	BDL	Too few samples	0.3	2.1	22.0	12.0
8/3/2017 13:00	BDL	BDL	BDL	BDL	0.3	2.2	26.0	17.0
8/3/2017 14:00	BDL	BDL	BDL	BDL	0.3	2.2	25.0	18.0
8/3/2017 15:00	BDL	0.4	BDL	BDL	0.3	2.2	25.0	17.0
8/3/2017 16:00	BDL	0.4	BDL	BDL	0.3	2.5	34.0	16.0
8/3/2017 17:00	BDL	0.5	BDL	0.5	0.3	2.3	23.0	10.0
8/3/2017 18:00	BDL	BDL	BDL	1.9	0.3	2.0	21.0	11.0
8/3/2017 19:00	BDL	0.6	BDL	8.9	0.3	2.2	17.0	11.0
8/3/2017 20:00	BDL	0.6	BDL	3.6	0.3	2.4	21.0	9.0
8/3/2017 21:00	BDL	0.7	BDL	6.1	0.4	2.1	20.0	13.0
8/3/2017 22:00	BDL	0.6	BDL	7.5	0.4	2.1	26.0	13.0
8/3/2017 23:00	BDL	0.4	BDL	5.9	0.3	2.1	20.0	14.0
8/4/2017 0:00	BDL	0.4	BDL	5.4	0.3	2.1	22.0	14.0
8/4/2017 1:00	BDL	0.6	BDL	6.5	0.3	2.1	21.0	12.0
8/4/2017 2:00	BDL	Calibration	Calibration	4.0	0.3	2.1	20.0	10.0
8/4/2017 3:00	BDL	Calibration	Calibration	10.3	0.4	2.2	26.0	9.0
8/4/2017 4:00	Calibration	1.1	BDL	Calibration	Calibration	2.1	17.0	10.0
8/4/2017 5:00	BDL	1.9	0.4	11.3	0.4	Too few samples	19.0	14.0
8/4/2017 6:00	BDL	2.0	0.6	9.6	0.3	2.1	24.0	12.0
8/4/2017 7:00	BDL	1.8	BDL	6.9	0.3	2.2	23.0	11.0
8/4/2017 8:00	BDL	1.5	BDL	3.7	0.3	2.2	23.0	15.0
8/4/2017 9:00	BDL	1.3	BDL	2.2	0.3	2.2	26.0	14.0
8/4/2017 10:00	BDL	0.9	BDL	Calibration	0.3	2.2	24.0	17.0
8/4/2017 11:00	BDL	0.4	BDL	0.9	0.3	2.2	27.0	14.0
8/4/2017 12:00	BDL	BDL	BDL	BDL	0.3	2.2	22.0	13.0
8/4/2017 13:00	BDL	BDL	BDL	BDL	0.3	2.1	21.0	12.0
8/4/2017 14:00	BDL	BDL	BDL	BDL	0.3	2.1	24.0	15.0
8/4/2017 15:00	BDL	BDL	BDL	3.2	0.3	2.0	20.0	10.0
8/4/2017 16:00	BDL	0.5	BDL	1.1	0.3	2.1	25.0	12.0
8/4/2017 17:00	BDL	0.7	BDL	BDL	0.3	2.1	20.0	10.0
8/4/2017 18:00	BDL	0.5	BDL	BDL	0.3	2.0	17.0	9.0
8/4/2017 19:00	BDL	BDL	BDL	BDL	0.2	2.0	15.0	8.0
8/4/2017 20:00	BDL	BDL	BDL	BDL	0.3	2.0	12.0	9.0
8/4/2017 21:00	BDL	BDL	BDL	BDL	0.3	1.9	10.0	6.0
8/4/2017 22:00	BDL	BDL	BDL	0.4	0.3	1.9	11.0	10.0
8/4/2017 23:00	BDL	BDL	BDL	BDL	0.2	1.9	11.0	8.0
8/5/2017 0:00	BDL	0.4	BDL	6.4	0.2	2.0	13.0	5.0
8/5/2017 1:00	BDL	0.5	BDL	BDL	0.2	2.2	12.0	3.0
8/5/2017 2:00	BDL	Calibration	Calibration	BDL	0.2	2.2	11.0	4.0
8/5/2017 3:00	BDL	Calibration	Calibration	BDL	0.2	2.3	9.0	5.0
8/5/2017 4:00	Calibration	0.4	BDL	Calibration	Calibration	2.2	13.0	5.0
8/5/2017 5:00	BDL	0.6	BDL	16.4	0.3	Too few samples	14.0	11.0
8/5/2017 6:00	BDL	0.4	BDL	10.2	0.4	2.4	13.0	10.0
8/5/2017 7:00	BDL	BDL	BDL	BDL	0.3	2.4	13.0	6.0
8/5/2017 8:00	BDL	BDL	BDL	BDL	0.3	2.3	11.0	9.0
8/5/2017 9:00	BDL	BDL	BDL	BDL	0.2	2.3	17.0	10.0
8/5/2017 10:00	BDL	BDL	BDL	BDL	0.2	2.3	16.0	12.0
8/5/2017 11:00	BDL	BDL	BDL	BDL	0.2	2.4	16.0	10.0
8/5/2017 12:00	BDL	BDL	BDL	BDL	0.2	2.4	18.0	10.0
8/5/2017 13:00	BDL	BDL	BDL	BDL	0.2	2.3	11.0	7.0
8/5/2017 14:00	BDL	BDL	BDL	BDL	0.2	2.3	9.0	7.0
8/5/2017 15:00	BDL	BDL	BDL	BDL	0.2	2.4	10.0	7.0
8/5/2017 16:00	BDL	BDL	BDL	BDL	0.2	2.4	12.0	9.0
8/5/2017 17:00	BDL	BDL	BDL	BDL	0.2	2.6	11.0	6.0
8/5/2017 18:00	BDL	BDL	BDL	BDL	0.2	2.5	11.0	4.0
8/5/2017 19:00	BDL	BDL	BDL	1.6	0.2	2.4	10.0	10.0
8/5/2017 20:00	0.6	BDL	BDL	5.6	0.2	2.2	16.0	10.0
8/5/2017 21:00	0.4	BDL	BDL	8.5	0.2	2.4	18.0	11.0
8/5/2017 22:00	BDL	BDL	BDL	2.4	0.2	2.4	11.0	9.0
8/5/2017 23:00	BDL	BDL	BDL	BDL	0.2	2.4	9.0	12.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 8/6/2017-8/12/2017								
8/6/2017 0:00	BDL	BDL	BDL	0.6	0.2	2.5	19.0	13.0
8/6/2017 1:00	BDL	BDL	BDL	2.4	0.2	2.6	12.0	8.0
8/6/2017 2:00	BDL	Calibration	Calibration	BDL	0.2	2.7	10.0	7.0
8/6/2017 3:00	BDL	Calibration	Calibration	BDL	0.2	2.8	9.0	6.0
8/6/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.7	11.0	7.0
8/6/2017 5:00	BDL	BDL	BDL	2.0	0.2	3.2	10.0	7.0
8/6/2017 6:00	BDL	BDL	BDL	2.2	0.2	2.9	Maintenance	21.0
8/6/2017 7:00	BDL	BDL	BDL	BDL	0.2	2.4	12.0	7.0
8/6/2017 8:00	0.4	BDL	BDL	BDL	0.2	2.3	9.0	6.0
8/6/2017 9:00	BDL	BDL	BDL	BDL	0.2	2.3	8.0	3.0
8/6/2017 10:00	BDL	BDL	BDL	BDL	0.1	2.2	5.0	6.0
8/6/2017 11:00	BDL	BDL	BDL	BDL	0.1	2.2	5.0	6.0
8/6/2017 12:00	BDL	BDL	BDL	BDL	0.2	2.2	6.0	6.0
8/6/2017 13:00	1.1	BDL	BDL	0.8	0.2	2.2	13.0	19.0
8/6/2017 14:00	1.2	BDL	BDL	0.7	0.2	2.2	14.0	6.0
8/6/2017 15:00	0.5	BDL	BDL	BDL	0.2	2.2	8.0	6.0
8/6/2017 16:00	1.8	BDL	BDL	5.3	0.2	2.2	17.0	11.0
8/6/2017 17:00	2.0	BDL	BDL	6.0	0.2	2.2	28.0	20.0
8/6/2017 18:00	0.9	BDL	BDL	2.2	0.2	3.0	16.0	13.0
8/6/2017 19:00	0.5	0.6	BDL	BDL	0.2	2.9	17.0	16.0
8/6/2017 20:00	BDL	1.0	BDL	2.7	0.3	2.8	17.0	12.0
8/6/2017 21:00	BDL	1.2	BDL	13.6	0.4	2.8	16.0	11.0
8/6/2017 22:00	BDL	0.5	BDL	10.9	0.4	2.7	12.0	15.0
8/6/2017 23:00	BDL	0.4	BDL	6.6	0.4	2.3	12.0	13.0
8/7/2017 0:00	BDL	BDL	BDL	4.5	0.3	2.1	17.0	10.0
8/7/2017 1:00	BDL	0.4	BDL	3.3	0.2	2.2	13.0	9.0
8/7/2017 2:00	BDL	Calibration	Calibration	5.3	0.3	2.3	17.0	7.0
8/7/2017 3:00	BDL	Calibration	Calibration	3.3	0.2	2.3	15.0	10.0
8/7/2017 4:00	Calibration	0.8	BDL	Calibration	Calibration	2.6	14.0	10.0
8/7/2017 5:00	0.4	0.8	BDL	4.5	0.2	Too few samples	15.0	9.0
8/7/2017 6:00	0.4	0.9	BDL	24.0	0.4	2.3	21.0	8.0
8/7/2017 7:00	BDL	1.1	BDL	24.2	0.4	2.3	16.0	9.0
8/7/2017 8:00	BDL	1.0	BDL	21.9	0.4	2.3	16.0	12.0
8/7/2017 9:00	BDL	1.2	BDL	23.1	0.4	2.3	14.0	12.0
8/7/2017 10:00	BDL	1.4	BDL	25.3	0.4	2.2	14.0	14.0
8/7/2017 11:00	BDL	1.5	BDL	17.7	0.4	2.2	14.0	15.0
8/7/2017 12:00	BDL	1.3	BDL	16.7	0.3	2.2	13.0	8.0
8/7/2017 13:00	BDL	1.0	BDL	20.5	0.3	2.1	11.0	7.0
8/7/2017 14:00	BDL	0.7	BDL	8.1	0.3	2.1	12.0	3.0
8/7/2017 15:00	BDL	0.8	BDL	8.9	0.3	2.1	10.0	4.0
8/7/2017 16:00	BDL	1.4	BDL	8.2	0.3	2.1	8.0	6.0
8/7/2017 17:00	BDL	0.7	BDL	5.8	0.3	2.1	14.0	7.0
8/7/2017 18:00	BDL	0.5	BDL	4.9	0.3	2.1	12.0	6.0
8/7/2017 19:00	BDL	0.4	BDL	2.9	0.3	2.1	11.0	9.0
8/7/2017 20:00	BDL	BDL	BDL	1.4	0.3	2.1	17.0	11.0
8/7/2017 21:00	BDL	0.4	BDL	4.7	0.3	2.1	16.0	9.0
8/7/2017 22:00	BDL	BDL	BDL	1.1	0.3	2.2	14.0	7.0
8/7/2017 23:00	BDL	BDL	BDL	BDL	0.2	2.1	17.0	7.0
8/8/2017 0:00	BDL	BDL	BDL	BDL	0.2	2.2	19.0	8.0
8/8/2017 1:00	BDL	BDL	BDL	1.7	0.2	2.1	15.0	8.0
8/8/2017 2:00	BDL	Calibration	Calibration	1.0	0.2	2.4	16.0	9.0
8/8/2017 3:00	BDL	Calibration	Calibration	0.4	0.2	2.5	14.0	11.0
8/8/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.3	17.0	8.0
8/8/2017 5:00	BDL	BDL	BDL	3.8	0.3	Too few samples	12.0	10.0
8/8/2017 6:00	BDL	0.4	BDL	7.7	0.3	2.3	10.0	10.0
8/8/2017 7:00	BDL	BDL	BDL	6.3	0.3	2.2	10.0	8.0
8/8/2017 8:00	BDL	BDL	BDL	2.9	0.2	2.3	11.0	4.0
8/8/2017 9:00	BDL	BDL	BDL	6.4	0.3	2.2	17.0	8.0
8/8/2017 10:00	BDL	BDL	BDL	3.8	0.3	2.2	16.0	16.0
8/8/2017 11:00	BDL	BDL	BDL	2.7	0.2	2.2	14.0	8.0
8/8/2017 12:00	BDL	BDL	BDL	1.0	0.2	2.3	10.0	7.0
8/8/2017 13:00	0.4	BDL	BDL	0.5	0.2	2.3	16.0	9.0
8/8/2017 14:00	BDL	BDL	BDL	BDL	0.2	2.2	21.0	11.0
8/8/2017 15:00	BDL	BDL	BDL	BDL	0.2	2.3	13.0	9.0
8/8/2017 16:00	BDL	BDL	BDL	BDL	0.2	2.2	13.0	8.0
8/8/2017 17:00	BDL	BDL	BDL	BDL	0.2	2.2	12.0	7.0
8/8/2017 18:00	BDL	BDL	BDL	BDL	0.2	2.3	10.0	6.0
8/8/2017 19:00	BDL	BDL	BDL	BDL	0.2	2.3	15.0	9.0
8/8/2017 20:00	BDL	BDL	BDL	BDL	0.2	2.2	16.0	9.0
8/8/2017 21:00	BDL	BDL	BDL	4.3	0.3	2.4	20.0	14.0
8/8/2017 22:00	BDL	BDL	BDL	4.4	0.3	2.5	18.0	12.0
8/8/2017 23:00	0.4	1.6	BDL	8.7	0.3	2.7	20.0	13.0
8/9/2017 0:00	BDL	2.6	1.1	11.7	0.3	2.8	20.0	13.0
8/9/2017 1:00	BDL	1.4	BDL	6.3	0.4	2.9	15.0	12.0
8/9/2017 2:00	BDL	Calibration	Calibration	6.6	0.3	3.1	20.0	9.0
8/9/2017 3:00	BDL	Calibration	Calibration	14.7+	0.3	3.2	19.0	11.0
8/9/2017 4:00	Calibration	0.5	BDL	Calibration	Calibration	2.9	14.0	12.0
8/9/2017 5:00	0.8	2.2	BDL	69.9	0.8	Too few samples	25.0	13.0
8/9/2017 6:00	0.8	2.0	BDL	57.4	0.6	2.6	26.0	12.0
8/9/2017 7:00	0.6	1.1	BDL	27.4	0.4	2.3	27.0	11.0
8/9/2017 8:00	BDL	0.5	BDL	13.4	0.3	2.2	13.0	10.0
8/9/2017 9:00	BDL	0.5	BDL	9.0	0.3	2.2	15.0	15.0
8/9/2017 10:00	BDL	BDL	BDL	4.6	0.2	2.2	14.0	11.0
8/9/2017 11:00	BDL	BDL	BDL	1.2	0.2	2.2	13.0	9.0
8/9/2017 12:00	BDL	BDL	BDL	0.6	0.2	2.2	11.0	8.0
8/9/2017 13:00	BDL	BDL	BDL	11.5	0.3	2.2	23.0	13.0
8/9/2017 14:00	BDL	BDL	BDL	4.2	0.2	2.3	22.0	15.0
8/9/2017 15:00	BDL	BDL	BDL	1.6	0.2	2.2	24.0	12.0
8/9/2017 16:00	BDL	BDL	BDL	1.3	0.2	2.3	24.0	16.0
8/9/2017 17:00	BDL	BDL	BDL	6.1	0.3	2.3	33.0	16.0
8/9/2017 18:00	BDL	BDL	BDL	9.2	0.3	2.3	22.0	14.0
8/9/2017 19:00	BDL	0.6	BDL	7.2	0.3	2.4	18.0	12.0
8/9/2017 20:00	BDL	1.0	BDL	5.4	0.3	2.3	18.0	14.0
8/9/2017 21:00	BDL	1.2	BDL	11.9	0.5	2.6	19.0	12.0
8/9/2017 22:00	BDL	1.6	BDL	10.8	0.3	3.3	17.0	16.0
8/9/2017 23:00	BDL	2.3	0.7	16.1	0.3	2.7	16.0	16.0
8/10/2017 0:00	BDL	2.5	1.0	12.4	0.3	2.9	22.0	19.0
8/10/2017 1:00	BDL	2.7	1.1	15.7	0.3	3.0	24.0	15.0
8/10/2017 2:00	BDL	Calibration	Calibration	17.5	0.4	2.9	23.0	12.0
8/10/2017 3:00	0.6	Calibration	Calibration	27.1	0.4	3.0	27.0	17.0
8/10/2017 4:00	Calibration	1.0	BDL	Calibration	Calibration	2.8	23.0	8.0
8/10/2017 5:00	0.6	2.1	BDL	51.9	0.6	Too few samples	32.0	18.0
8/10/2017 6:00	0.5	2.6	BDL	54.6	0.5	3.0	37.0	18.0
8/10/2017 7:00	0.6	2.6	BDL	41.8	0.5	2.7	32.0	22.0
8/10/2017 8:00	0.7	2.9	BDL	53.1	0.5	2.8	47.0	19.0
8/10/2017 9:00	0.7	2.1	BDL	32.3	0.4	2.5	38.0	21.0
8/10/2017 10:00	0.6	0.8	BDL	14.8	0.3	2.3	31.0	16.0
8/10/2017 11:00	BDL	BDL	BDL	5.3	0.3	2.3	23.0	15.0
8/10/2017 12:00	BDL	BDL	BDL	2.4	0.3	2.2	23.0	13.0
8/10/2017 13:00	BDL	BDL	BDL	1.3	0.3	2.2	18.0	15.0
8/10/2017 14:00	BDL	BDL	BDL	1.4	0.3	2.2	68.0	11.0
8/10/2017 15:00	BDL	BDL	BDL	BDL	0.2	2.2	16.0	10.0
8/10/2017 16:00	BDL	BDL	BDL	0.4	0.3	2.1	22.0	10.0
8/10/2017 17:00	BDL	BDL	BDL	5.1	0.3	2.1	18.0	10.0
8/10/2017 18:00	BDL	0.5	BDL	2.5	0.3	2.1	17.0	13.0
8/10/2017 19:00	BDL	0.4	BDL	2.3	0.3	2.2	13.0	10.0
8/10/2017 20:00	BDL	0.5	BDL	BDL	0.2	2.5	17.0	12.0
8/10/2017 21:00	BDL	1.3	BDL	2.9	0.2	2.6	14.0	7.0
8/10/2017 22:00	0.5	1.6	BDL	13.5	0.3	2.8	15.0	7.0
8/10/2017 23:00	BDL	1.8	BDL	7.9	0.3	2.3	13.0	13.0
8/11/2017 0:00	BDL	2.0	0.7	4.2	0.3	2.2	13.0	10.0
8/11/2017 1:00	BDL	3.4	2.1	7.3	0.3	2.2	17.0	11.0
8/11/2017 2:00	BDL	Calibration	Calibration	6.5	0.3	2.2	12.0	8.0
8/11/2017 3:00	BDL	Calibration	Calibration	8.7	0.3	2.2	15.0	7.0
8/11/2017 4:00	Calibration	2.2	0.5	Calibration	Calibration	2.2	17.0	8.0
8/11/2017 5:00	BDL	2.1	0.6	19.1	0.4	Too few samples	14.0	8.0
8/11/2017 6:00	BDL	2.3	0.5	19.8	0.3	2.5	24.0	12.0
8/11/2017 7:00	0.6	2.6	1.0	20.4	0.3	2.4	25.0	12.0
8/11/2017 8:00	1.0	2.4	0.8	12.2	0.3	2.4	27.0	11.0
8/11/2017 9:00	1.2	2.0	0.6	10.2	0.3	2.2	26.0	9.0
8/11/2017 10:00	0.6	0.7	BDL	BDL	0.2	2.2	15.0	10.0
8/11/2017 11:00	BDL	0.6	BDL	BDL	0.2	2.2	51.0	8.0
8/11/2017 12:00	BDL	0.6	BDL	BDL	0.2	2.3	23.0	13.0
8/11/2017 13:00	BDL	0.5	BDL	1.6	0.2	2.3	27.0	13.0
8/11/2017 14:00	BDL	0.4	BDL	BDL	0.2	2.3	17.0	11.0
8/11/2017 15:00	BDL	BDL	BDL	BDL	0.2	2.3	16.0	8.0
8/11/2017 16:00	BDL	BDL	BDL	1.2	0.3	2.2	16.0	10.0
8/11/2017 17:00	BDL	BDL	BDL	0.7	0.3	2.1	15.0	12.0
8/11/2017 18:00	BDL	BDL	BDL	2.8	0.3	2.1	19.0	10.0
8/11/2017 19:00	BDL	BDL	BDL	BDL	0.3	2.1	12.0	10.0
8/11/2017 20:00	BDL	0.6	BDL	BDL	0.2	2.1	9.0	10.0
8/11/2017 21:00	BDL	0.7	BDL	BDL	0.2	2.0	12.0	7.0
8/11/2017 22:00	BDL	0.7	BDL	BDL	0.2	2.2	12.0	6.0
8/11/2017 23:00	BDL	1.3	BDL	2.0	0.3	2.4	18.0	6.0
8/12/2017 0:00	BDL	1.7	0.5	7.8	0.3	2.3	14.0	5.0
8/12/2017 1:00	BDL	2.0	0.7	4.0	0.3	2.2	9.0	4.0
8/12/2017 2:00	BDL	Calibration	Calibration	5.9	0.4	2.3	16.0	9.0
8/12/2017 3:00	BDL	Calibration	Calibration	11.2	0.3	2.3	16.0	9.0
8/12/2017 4:00	Calibration	2.7	1.3	Calibration	Calibration	2.3	12.0	7.0
8/12/2017 5:00	BDL	1.8	BDL	13.8	0.4	Too few samples	16.0	6.0
8/12/2017 6:00	BDL	1.7	BDL	13.6	0.4	2.3	30.0	14.0
8/12/2017 7:00	BDL	1.2	BDL	14.7	0.4	2.2	17.0	13.0
8/12/2017 8:00	BDL	1.6	BDL	15.5	0.4	2.4	28.0	11.0
8/12/2017 9:00	BDL	1.3	BDL	15.3	0.4	2.4	26.0	17.0
8/12/2017 10:00	BDL	1.5	BDL	16.1	0.4	2.4	24.0	20.0
8/12/2017 11:00	BDL	1.2	BDL	12.1	0.3	2.3	20.0	14.0
8/12/2017 12:00	0.4	0.8	BDL	6.1	0.3	2.3	23.0	12.0
8/12/2017 13:00	0.4	0.6	BDL	2.7	0.3	2.1	22.0	16.0
8/12/2017 14:00	BDL	0.5	BDL	BDL	0.3	2.1	17.0	8.0
8/12/2017 15:00	BDL	0.6	BDL	BDL	0.3	2.1	17.0	9.0
8/12/2017 16:00	BDL	0.6	BDL	BDL	0.3	2.0	14.0	15.0
8/12/2017 17:00	BDL	0.4	BDL	BDL	0.3	2.0	11.0	9.0
8/12/2017 18:00	BDL	BDL	BDL	BDL	0.3	2.2	10.0	5.0
8/12/2017 19:00	BDL	0.5	BDL	1.0	0.2	2.3	7.0	3.0
8/12/2017 20:00	BDL	0.5	BDL	BDL	0.2	2.3	6.0	5.0
8/12/2017 21:00	BDL	0.8	BDL	BDL	0.2	2.3	7.0	5.0
8/12/2017 22:00	BDL	1.5	0.4	1.8	0.3	2.3	12.0	5.0
8/12/2017 23:00	BDL	2.1	1.0	3.3	0.2	2.5	16.0	7.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Site Downwind Weekly: 8/13/2017-8/19/2017

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
8/13/2017 0:00	0.4	2.3	1.7	BDL	0.2	2.3	14.0	9.0
8/13/2017 1:00	BDL	1.0	BDL	BDL	0.2	2.2	15.0	10.0
8/13/2017 2:00	BDL	Calibration	Calibration	BDL	0.3	2.3	19.0	9.0
8/13/2017 3:00	BDL	Calibration	Calibration	BDL	0.3	2.4	15.0	13.0
8/13/2017 4:00	Calibration	0.5	BDL	Calibration	Calibration	2.3	16.0	10.0
8/13/2017 5:00	BDL	BDL	BDL	BDL	0.3	Too few samples	17.0	15.0
8/13/2017 6:00	BDL	BDL	BDL	BDL	0.3	2.5	19.0	11.0
8/13/2017 7:00	BDL	BDL	BDL	BDL	0.3	2.3	20.0	13.0
8/13/2017 8:00	BDL	BDL	BDL	BDL	0.3	2.3	13.0	9.0
8/13/2017 9:00	BDL	BDL	BDL	BDL	0.3	2.2	15.0	11.0
8/13/2017 10:00	BDL	BDL	BDL	BDL	0.2	2.4	14.0	10.0
8/13/2017 11:00	BDL	BDL	BDL	BDL	0.2	2.5	14.0	8.0
8/13/2017 12:00	BDL	BDL	BDL	BDL	0.2	2.4	16.0	9.0
8/13/2017 13:00	BDL	BDL	BDL	BDL	0.2	2.2	15.0	8.0
8/13/2017 14:00	BDL	BDL	BDL	BDL	0.2	2.2	14.0	10.0
8/13/2017 15:00	BDL	BDL	BDL	BDL	0.2	2.2	12.0	9.0
8/13/2017 16:00	BDL	BDL	BDL	BDL	0.2	2.2	129.0	8.0
8/13/2017 17:00	BDL	BDL	BDL	BDL	0.2	2.2	13.0	13.0
8/13/2017 18:00	BDL	BDL	BDL	BDL	0.2	2.2	17.0	10.0
8/13/2017 19:00	BDL	BDL	BDL	1.2	0.2	2.6	13.0	10.0
8/13/2017 20:00	BDL	BDL	BDL	3.0	0.3	2.7	17.0	8.0
8/13/2017 21:00	BDL	BDL	BDL	6.0	0.3	2.9	17.0	6.0
8/13/2017 22:00	BDL	BDL	BDL	7.0	0.3	2.9	18.0	16.0
8/13/2017 23:00	BDL	BDL	BDL	9.2	0.4	2.8	16.0	17.0
8/14/2017 0:00	BDL	0.4	BDL	13.3	0.4	2.5	16.0	13.0
8/14/2017 1:00	BDL	0.5	BDL	17.6	0.3	2.3	15.0	11.0
8/14/2017 2:00	BDL	Calibration	Calibration	26.6	0.5	2.7	23.0	13.0
8/14/2017 3:00	BDL	Calibration	Calibration	33.8	0.6	3.3	18.0	12.0
8/14/2017 4:00	Calibration	2.1	BDL	Calibration	Calibration	3.1	31.0	18.0
8/14/2017 5:00	0.4	1.5	BDL	39.1	0.5	Too few samples	30.0	15.0
8/14/2017 6:00	0.5	1.8	BDL	41.2	0.5	2.7	35.0	16.0
8/14/2017 7:00	0.9	2.6	BDL	59.7	0.6	2.9	38.0	16.0
8/14/2017 8:00	1.1	2.4	BDL	52.9	0.5	2.8	41.0	20.0
8/14/2017 9:00	0.8	1.2	BDL	22.6	0.3	2.2	26.0	13.0
8/14/2017 10:00	BDL	0.6	BDL	11.0	0.3	2.2	20.0	12.0
8/14/2017 11:00	BDL	BDL	BDL	2.1	0.3	2.3	20.0	13.0
8/14/2017 12:00	BDL	BDL	BDL	0.6	0.3	2.2	20.0	10.0
8/14/2017 13:00	BDL	BDL	BDL	2.1	0.3	2.2	28.0	11.0
8/14/2017 14:00	BDL	BDL	BDL	3.3	0.3	2.3	32.0	15.0
8/14/2017 15:00	BDL	BDL	BDL	8.8	0.4	2.2	27.0	14.0
8/14/2017 16:00	BDL	0.8	BDL	8.2	0.4	2.2	24.0	16.0
8/14/2017 17:00	0.4	BDL	BDL	3.8	0.3	2.2	19.0	11.0
8/14/2017 18:00	0.4	0.5	BDL	12.3	0.4	2.2	22.0	13.0
8/14/2017 19:00	0.7	0.9	BDL	22.7	0.4	2.2	18.0	14.0
8/14/2017 20:00	BDL	0.8	BDL	8.7	0.4	2.3	24.0	16.0
8/14/2017 21:00	BDL	0.6	BDL	6.1	0.3	2.1	18.0	14.0
8/14/2017 22:00	BDL	0.6	BDL	6.4	0.3	2.3	17.0	13.0
8/14/2017 23:00	BDL	0.6	BDL	9.1	0.3	2.3	18.0	8.0
8/15/2017 0:00	BDL	0.7	BDL	12.8	0.3	2.2	17.0	11.0
8/15/2017 1:00	BDL	0.5	BDL	3.1	0.3	2.1	17.0	13.0
8/15/2017 2:00	BDL	Calibration	Calibration	9.1	0.3	2.4	23.0	17.0
8/15/2017 3:00	BDL	Calibration	Calibration	12.0	0.4	2.4	24.0	12.0
8/15/2017 4:00	Calibration	0.9	BDL	Calibration	Calibration	2.3	21.0	12.0
8/15/2017 5:00	BDL	1.0	BDL	20.7	0.4	Too few samples	27.0	17.0
8/15/2017 6:00	BDL	1.3	BDL	23.8	0.4	2.6	30.0	19.0
8/15/2017 7:00	BDL	1.4	BDL	23.3	0.4	2.3	28.0	14.0
8/15/2017 8:00	BDL	1.5	BDL	26.4	0.4	2.2	25.0	16.0
8/15/2017 9:00	BDL	1.2	BDL	15.2	0.4	2.1	26.0	16.0
8/15/2017 10:00	BDL	1.0	BDL	15.1	0.4	2.1	25.0	14.0
8/15/2017 11:00	BDL	0.9	BDL	12.2	0.4	2.1	20.0	15.0
8/15/2017 12:00	BDL	0.9	BDL	16.4	0.4	2.1	24.0	14.0
8/15/2017 13:00	BDL	1.1	BDL	15.5	0.4	2.1	17.0	10.0
8/15/2017 14:00	BDL	0.8	BDL	7.0	0.3	2.5	13.0	10.0
8/15/2017 15:00	BDL	1.0	BDL	8.0	0.4	2.2	17.0	6.0
8/15/2017 16:00	BDL	0.8	BDL	10.2	0.4	2.0	16.0	10.0
8/15/2017 17:00	BDL	1.1	BDL	16.2	0.5	2.3	21.0	16.0
8/15/2017 18:00	BDL	1.0	BDL	18.9	0.6	2.1	20.0	15.0
8/15/2017 19:00	BDL	1.5	BDL	24.7	0.5	2.2	19.0	15.0
8/15/2017 20:00	BDL	1.5	BDL	20.1	0.5	2.2	20.0	12.0
8/15/2017 21:00	BDL	1.5	BDL	21.1	0.6	3.0	26.0	13.0
8/15/2017 22:00	BDL	1.1	BDL	22.3	0.6	2.9	21.0	18.0
8/15/2017 23:00	BDL	0.9	BDL	9.8	0.5	2.7	22.0	11.0
8/16/2017 0:00	BDL	0.9	BDL	13.2	0.4	2.7	26.0	18.0
8/16/2017 1:00	BDL	1.0	BDL	15.8	0.4	3.3	27.0	22.0
8/16/2017 2:00	BDL	Calibration	Calibration	24.7	0.4	3.0	28.0	19.0
8/16/2017 3:00	BDL	Calibration	Calibration	30.9	0.5	3.8	25.0	23.0
8/16/2017 4:00	Calibration	1.1	BDL	Calibration	Calibration	3.8	27.0	16.0
8/16/2017 5:00	BDL	1.0	BDL	15.0	0.5	Too few samples	31.0	19.0
8/16/2017 6:00	BDL	1.2	BDL	19.1	0.4	3.2	31.0	20.0
8/16/2017 7:00	BDL	Audit	Audit	14.4	0.4	2.7	32.0	21.0
8/16/2017 8:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	2.5	31.0	19.0
8/16/2017 9:00	1.1	0.5	BDL	Calibration	0.3	Too few samples	27.0	14.0
8/16/2017 10:00	BDL	0.5	BDL	7.0	0.4	2.3	24.0	18.0
8/16/2017 11:00	BDL	Calibration	Calibration	1.5	0.3	2.2	25.0	15.0
8/16/2017 12:00	BDL	Calibration	Calibration	4	0.4	2.3	34.0	18.0
8/16/2017 13:00	BDL	0.8	BDL	3.8	0.3	Too few samples	24.0	15.0
8/16/2017 14:00	BDL	BDL	BDL	BDL	0.3	2.4	20.0	11.0
8/16/2017 15:00	BDL	BDL	BDL	BDL	0.2	2.3	22.0	9.0
8/16/2017 16:00	BDL	BDL	BDL	BDL	0.2	2.3	21.0	17.0
8/16/2017 17:00	BDL	BDL	BDL	6.6	0.3	2.2	20.0	9.0
8/16/2017 18:00	BDL	BDL	BDL	1.0	0.3	2.3	16.0	11.0
8/16/2017 19:00	BDL	BDL	BDL	10.1	0.4	2.2	24.0	11.0
8/16/2017 20:00	BDL	0.5	BDL	14.4	0.5	2.2	23.0	15.0
8/16/2017 21:00	BDL	0.6	BDL	18.7	0.5	2.3	23.0	16.0
8/16/2017 22:00	BDL	0.6	BDL	22.4	0.6	2.2	19.0	12.0
8/16/2017 23:00	BDL	1.5	BDL	55.2	0.7	2.3	32.0	15.0
8/17/2017 0:00	BDL	2.1	BDL	57.1	0.9	3.0	30.0	20.0
8/17/2017 1:00	BDL	1.1	BDL	27.6	0.5	2.6	29.0	18.0
8/17/2017 2:00	BDL	Calibration	Calibration	26.0	0.5	2.5	19.0	14.0
8/17/2017 3:00	BDL	Calibration	Calibration	24.3	0.4	2.3	20.0	11.0
8/17/2017 4:00	Calibration	1.0	BDL	Calibration	Calibration	3.2	21.0	13.0
8/17/2017 5:00	BDL	0.8	BDL	20.9	0.4	Too few samples	17.0	11.0
8/17/2017 6:00	BDL	0.9	BDL	19.7	0.4	2.3	19.0	13.0
8/17/2017 7:00	0.4	0.8	BDL	19.6	0.3	2.4	27.0	12.0
8/17/2017 8:00	BDL	0.8	BDL	18.7	0.3	2.4	27.0	14.0
8/17/2017 9:00	BDL	0.8	BDL	16.5	0.3	2.4	33.0	10.0
8/17/2017 10:00	BDL	0.7	BDL	11.8	0.3	2.3	25.0	10.0
8/17/2017 11:00	BDL	BDL	BDL	4.3	0.3	2.5	28.0	12.0
8/17/2017 12:00	BDL	BDL	BDL	BDL	0.3	2.8	26.0	11.0
8/17/2017 13:00	BDL	BDL	BDL	BDL	0.3	3.2	21.0	12.0
8/17/2017 14:00	BDL	BDL	BDL	BDL	0.3	3.1	26.0	10.0
8/17/2017 15:00	BDL	BDL	BDL	BDL	0.3	3.4	22.0	13.0
8/17/2017 16:00	BDL	0.4	BDL	BDL	0.3	3.4	28.0	12.0
8/17/2017 17:00	BDL	BDL	BDL	BDL	0.3	3.1	24.0	16.0
8/17/2017 18:00	BDL	BDL	BDL	1.3	0.3	3.0	22.0	12.0
8/17/2017 19:00	BDL	0.4	BDL	0.8	0.3	2.7	29.0	20.0
8/17/2017 20:00	BDL	0.5	BDL	BDL	0.3	2.5	24.0	13.0
8/17/2017 21:00	BDL	0.4	BDL	2.2	0.3	2.4	19.0	18.0
8/17/2017 22:00	BDL	0.5	BDL	3.3	0.3	2.8	20.0	13.0
8/17/2017 23:00	BDL	0.5	BDL	1.0	0.3	3.0	21.0	12.0
8/18/2017 0:00	BDL	0.7	BDL	7.1	0.3	3.2	20.0	12.0
8/18/2017 1:00	BDL	0.6	BDL	BDL	0.2	3.3	17.0	10.0
8/18/2017 2:00	BDL	Calibration	Calibration	1.2	0.3	2.9	10.0	12.0
8/18/2017 3:00	BDL	Calibration	Calibration	BDL	0.3	3.0	16.0	10.0
8/18/2017 4:00	Calibration	1.8	0.9	Calibration	Calibration	2.7	16.0	13.0
8/18/2017 5:00	BDL	2.5	1.4	8.1	0.3	Too few samples	26.0	11.0
8/18/2017 6:00	BDL	2.4	1.5	8.5	0.3	Too few samples	22.0	8.0
8/18/2017 7:00	BDL	1.9	0.9	6.9	0.3	2.7	25.0	11.0
8/18/2017 8:00	BDL	1.6	0.6	9.1	0.3	2.6	27.0	9.0
8/18/2017 9:00	BDL	1.3	BDL	8.6	0.3	2.6	25.0	12.0
8/18/2017 10:00	BDL	1.1	BDL	8.7	0.3	2.3	33.0	21.0
8/18/2017 11:00	BDL	1.1	BDL	5.8	0.3	2.4	31.0	17.0
8/18/2017 12:00	BDL	0.8	BDL	6.3	0.3	2.4	31.0	20.0
8/18/2017 13:00	1.1	0.6	BDL	2.6	0.3	2.4	33.0	19.0
8/18/2017 14:00	0.7	0.9	BDL	BDL	0.3	2.2	28.0	14.0
8/18/2017 15:00	BDL	0.7	BDL	BDL	0.3	2.3	20.0	16.0
8/18/2017 16:00	BDL	1.0	BDL	3.7	0.4	2.6	36.0	14.0
8/18/2017 17:00	BDL	0.8	BDL	3.4	0.3	2.4	23.0	10.0
8/18/2017 18:00	BDL	0.6	BDL	10.0	0.3	2.0	15.0	6.0
8/18/2017 19:00	BDL	0.8	BDL	9.0	0.3	2.0	12.0	4.0
8/18/2017 20:00	BDL	0.4	BDL	2.6	0.2	2.3	16.0	4.0
8/18/2017 21:00	0.5	0.6	BDL	5.4	0.2	2.3	11.0	7.0
8/18/2017 22:00	1.4	0.8	BDL	4.7	0.2	2.3	20.0	7.0
8/18/2017 23:00	1.5	1.0	BDL	6.3	0.3	2.6	18.0	9.0
8/19/2017 0:00	2.5	0.7	BDL	9.3	0.3	2.2	21.0	14.0
8/19/2017 1:00	2.3	1.0	BDL	8.9	0.3	2.3	22.0	11.0
8/19/2017 2:00	2.3	Calibration	Calibration	2.1	0.3	2.3	22.0	9.0
8/19/2017 3:00	2.9	Calibration	Calibration	4.3	0.3	2.3	26.0	14.0
8/19/2017 4:00	Calibration	1.2	BDL	Calibration	Calibration	2.2	33.0	16.0
8/19/2017 5:00	1.3	0.7	BDL	0.9	0.2	Too few samples	26.0	12.0
8/19/2017 6:00	0.8	0.5	BDL	2.0	0.2	2.4	22.0	14.0
8/19/2017 7:00	0.6	0.5	BDL	1.8	0.3	2.3	22.0	11.0
8/19/2017 8:00	0.5	0.4	BDL	BDL	0.2	2.2	19.0	7.0
8/19/2017 9:00	0.4	BDL	BDL	BDL	0.2	2.4	17.0	7.0
8/19/2017 10:00	BDL	BDL	BDL	BDL	0.2	2.3	14.0	7.0
8/19/2017 11:00	0.4	BDL	BDL	BDL	0.2	2.3	13.0	9.0
8/19/2017 12:00	BDL	BDL	BDL	BDL	0.2	2.3	15.0	7.0
8/19/2017 13:00	0.5	BDL	BDL	BDL	0.2	2.5	16.0	7.0
8/19/2017 14:00	1.7	BDL	BDL	5.3	0.2	2.3	19.0	11.0
8/19/2017 15:00	1.3	0.4	BDL	3.1	0.2	2.3	13.0	8.0
8/19/2017 16:00	1.4	0.4	BDL	1.9	0.2	2.3	17.0	8.0
8/19/2017 17:00	1.0	0.4	BDL	2.5	0.3	2.3	22.0	15.0
8/19/2017 18:00	1.7	0.5	BDL	6.0	0.2	2.2	27.0	13.0
8/19/2017 19:00	2.1	0.7	BDL	5.3	0.3	2.4	37.0	19.0
8/19/2017 20:00	2.7	0.6	BDL	8.1	0.3	2.8	25.0	15.0
8/19/2017 21:00	1.3	0.7	BDL	4.3	0.3	2.6	16.0	11.0
8/19/2017 22:00	0.4	0.4	BDL	1.0	0.2	2.5	14.0	8.0
8/19/2017 23:00	BDL	BDL	BDL	BDL	0.2	2.5	9.0	7.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Site Downwind Weekly: 8/20/2017-8/26/2017

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
8/20/2017 0:00	BDL	BDL	BDL	BDL	0.2	2.6	6.0	6.0
8/20/2017 1:00	BDL	BDL	BDL	BDL	0.2	2.8	17.0	8.0
8/20/2017 2:00	1.3	Calibration	Calibration	6.4	0.2	2.5	17.0	7.0
8/20/2017 3:00	1.3	Calibration	Calibration	3.7	0.2	2.8	16.0	10.0
8/20/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.6	15.0	10.0
8/20/2017 5:00	BDL	BDL	BDL	BDL	0.2	Too few samples	18.0	11.0
8/20/2017 6:00	BDL	Too few samples	Too few samples	BDL	0.2	2.6	11.0	11.0
8/20/2017 7:00	0.4	Calibration	Calibration	BDL	0.2	2.4	15.0	8.0
8/20/2017 8:00	BDL	Too few samples	Too few samples	BDL	0.2	2.3	14.0	5.0
8/20/2017 9:00	BDL	BDL	BDL	BDL	0.2	2.3	14.0	9.0
8/20/2017 10:00	BDL	BDL	BDL	BDL	0.2	2.6	10.0	7.0
8/20/2017 11:00	BDL	BDL	BDL	BDL	0.2	2.7	8.0	6.0
8/20/2017 12:00	BDL	BDL	BDL	BDL	0.2	2.6	9.0	9.0
8/20/2017 13:00	0.4	BDL	BDL	BDL	0.2	2.3	12.0	8.0
8/20/2017 14:00	BDL	BDL	BDL	BDL	0.2	2.3	12.0	7.0
8/20/2017 15:00	BDL	BDL	BDL	BDL	0.2	2.4	16.0	11.0
8/20/2017 16:00	BDL	BDL	BDL	BDL	0.2	2.7	16.0	10.0
8/20/2017 17:00	BDL	BDL	BDL	BDL	0.2	2.7	17.0	11.0
8/20/2017 18:00	BDL	BDL	BDL	BDL	0.2	2.7	13.0	11.0
8/20/2017 19:00	BDL	BDL	BDL	BDL	0.2	3.0	19.0	16.0
8/20/2017 20:00	BDL	BDL	BDL	2.3	0.3	2.8	19.0	10.0
8/20/2017 21:00	BDL	BDL	BDL	6.7	0.4	2.9	21.0	16.0
8/20/2017 22:00	BDL	BDL	BDL	11.3	0.4	2.8	20.0	14.0
8/20/2017 23:00	BDL	1.5	2.0	26.5	0.7	3.2	25.0	19.0
8/21/2017 0:00	0.5	0.9	1.2	12.5	0.4	3.3	19.0	18.0
8/21/2017 1:00	BDL	2.3	3.2	24.9	0.4	3.4	22.0	15.0
8/21/2017 2:00	0.4	Calibration	Calibration	14.1	0.4	3.1	22.0	16.0
8/21/2017 3:00	BDL	Calibration	Calibration	12.4	0.4	2.9	22.0	18.0
8/21/2017 4:00	Calibration	1.9	1.7	Calibration	Calibration	3.1	23.0	19.0
8/21/2017 5:00	0.8	3.2	4.2	51.6	0.7	Too few samples	37.0	16.0
8/21/2017 6:00	0.9	Too few samples	Too few samples	61.3	0.6	3.0	39.0	20.0
8/21/2017 7:00	2.5	Calibration	Calibration	61.0	0.5	3.4	50.0	27.0
8/21/2017 8:00	Calibration	BDL	1.3	Calibration	Calibration	3.2	44.0	17.0
8/21/2017 9:00	Too few samples	BDL	0.7	Calibration	Too few samples	2.6	24.0	12.0
8/21/2017 10:00	0.9	Calibration	Calibration	2.4	0.3	2.3	32.0	12.0
8/21/2017 11:00	0.6	Calibration	Calibration	3.5	0.3	2.3	28.0	15.0
8/21/2017 12:00	0.5	Calibration	Calibration	BDL	0.3	2.4	26.0	14.0
8/21/2017 13:00	0.5	BDL	1.4	2.1	0.3	2.4	33.0	14.0
8/21/2017 14:00	BDL	BDL	0.6	0.5	0.3	2.5	21.0	12.0
8/21/2017 15:00	BDL	BDL	0.8	BDL	0.3	2.3	23.0	17.0
8/21/2017 16:00	0.4	BDL	0.7	BDL	0.3	2.3	24.0	17.0
8/21/2017 17:00	BDL	BDL	0.9	1.5	0.4	2.3	26.0	18.0
8/21/2017 18:00	BDL	BDL	0.9	3.2	0.4	2.1	20.0	17.0
8/21/2017 19:00	BDL	BDL	1.0	1.4	0.3	2.2	20.0	9.0
8/21/2017 20:00	BDL	BDL	1.7	3.5	0.3	2.2	23.0	13.0
8/21/2017 21:00	BDL	BDL	2.2	7.4	0.4	2.5	20.0	17.0
8/21/2017 22:00	BDL	BDL	2.4	6.7	0.3	2.9	23.0	12.0
8/21/2017 23:00	0.6	BDL	1.2	4.6	0.3	3.0	18.0	9.0
8/22/2017 0:00	0.6	BDL	1.5	10.1	0.3	3.1	21.0	17.0
8/22/2017 1:00	0.6	BDL	1.6	12.5	0.3	3.2	24.0	13.0
8/22/2017 2:00	0.5	Calibration	Calibration	13.6	0.3	3.1	23.0	16.0
8/22/2017 3:00	0.5	Calibration	Calibration	10.0	0.3	2.9	28.0	13.0
8/22/2017 4:00	Calibration	BDL	1.9	Calibration	Calibration	2.4	29.0	17.0
8/22/2017 5:00	0.4	Too few samples	Too few samples	13.7	0.3	Too few samples	29.0	17.0
8/22/2017 6:00	0.4	Calibration	Calibration	10.2	0.3	2.9	34.0	21.0
8/22/2017 7:00	0.5	Calibration	Calibration	11.9	0.3	2.9	36.0	20.0
8/22/2017 8:00	BDL	Calibration	Calibration	7.1	0.3	2.7	33.0	20.0
8/22/2017 9:00	BDL	Calibration	Calibration	6.4	0.3	2.6	41.0	23.0
8/22/2017 10:00	BDL	Calibration	Calibration	2.1	0.3	2.4	38.0	19.0
8/22/2017 11:00	BDL	Calibration	Calibration	BDL	0.3	2.7	38.0	17.0
8/22/2017 12:00	BDL	Calibration	Calibration	BDL	0.3	2.5	41.0	18.0
8/22/2017 13:00	BDL	Calibration	Calibration	BDL	0.3	2.5	46.0	18.0
8/22/2017 14:00	BDL	Calibration	Calibration	BDL	0.3	2.6	37.0	21.0
8/22/2017 15:00	BDL	Calibration	Calibration	BDL	0.3	2.5	42.0	17.0
8/22/2017 16:00	BDL	Calibration	Calibration	BDL	0.3	2.7	34.0	18.0
8/22/2017 17:00	BDL	Calibration	Calibration	BDL	0.3	2.6	33.0	17.0
8/22/2017 18:00	BDL	Calibration	Calibration	BDL	0.3	2.6	27.0	15.0
8/22/2017 19:00	BDL	Calibration	Calibration	BDL	0.3	2.6	25.0	13.0
8/22/2017 20:00	BDL	Calibration	Calibration	BDL	0.2	2.7	23.0	14.0
8/22/2017 21:00	BDL	Calibration	Calibration	BDL	0.2	2.5	24.0	13.0
8/22/2017 22:00	BDL	Calibration	Calibration	6.2	0.3	2.5	38.0	11.0
8/22/2017 23:00	BDL	Calibration	Calibration	3.9	0.3	3.2	19.0	13.0
8/23/2017 0:00	0.6	Calibration	Calibration	4.9	0.3	2.8	21.0	14.0
8/23/2017 1:00	0.7	Calibration	Calibration	9.2	0.3	2.9	23.0	17.0
8/23/2017 2:00	0.7	Calibration	Calibration	11.5	0.3	2.7	20.0	15.0
8/23/2017 3:00	0.7	Calibration	Calibration	3.3	0.3	2.2	27.0	9.0
8/23/2017 4:00	Calibration	Calibration	Calibration	Calibration	Calibration	2.1	33.0	12.0
8/23/2017 5:00	1.3	Calibration	Calibration	7.5	0.3	Too few samples	20.0	9.0
8/23/2017 6:00	0.8	Calibration	Calibration	7.1	0.3	2.4	22.0	8.0
8/23/2017 7:00	0.7	Too few samples	Too few samples	4.4	0.3	2.3	16.0	8.0
8/23/2017 8:00	0.5	0.7	BDL	3.7	0.3	2.2	15.0	15.0
8/23/2017 9:00	BDL	BDL	BDL	4.2	0.2	2.6	Audit	Audit
8/23/2017 10:00	BDL	0.4	BDL	4.5	0.2	2.2	13.0	5.0
8/23/2017 11:00	BDL	BDL	BDL	BDL	0.2	2.2	15.0	5.0
8/23/2017 12:00	BDL	BDL	BDL	BDL	0.2	2.3	14.0	8.0
8/23/2017 13:00	BDL	BDL	BDL	BDL	0.2	2.3	17.0	7.0
8/23/2017 14:00	BDL	BDL	BDL	BDL	0.2	2.3	14.0	6.0
8/23/2017 15:00	BDL	BDL	BDL	BDL	0.2	2.3	15.0	6.0
8/23/2017 16:00	BDL	BDL	BDL	BDL	0.2	2.3	10.0	5.0
8/23/2017 17:00	BDL	BDL	BDL	BDL	0.2	2.3	15.0	4.0
8/23/2017 18:00	BDL	BDL	BDL	BDL	0.2	2.3	16.0	5.0
8/23/2017 19:00	BDL	BDL	BDL	BDL	0.2	2.3	11.0	3.0
8/23/2017 20:00	BDL	BDL	BDL	7.0	0.3	2.8	18.0	3.0
8/23/2017 21:00	BDL	0.4	BDL	6.4	0.3	3.4	11.0	6.0
8/23/2017 22:00	BDL	0.5	BDL	7.2	0.3	3.1	17.0	7.0
8/23/2017 23:00	BDL	0.6	BDL	18.8	0.3	3.5	13.0	5.0
8/24/2017 0:00	BDL	0.9	BDL	22.3	0.3	3.2	14.0	1.0
8/24/2017 1:00	BDL	1.1	BDL	24.8	0.3	3.4	14.0	8.0
8/24/2017 2:00	BDL	Calibration	Calibration	12.0	0.3	2.8	11.0	8.0
8/24/2017 3:00	BDL	Calibration	Calibration	5.6	0.2	2.4	9.0	7.0
8/24/2017 4:00	Calibration	0.7	BDL	Calibration	Calibration	2.4	12.0	10.0
8/24/2017 5:00	0.6	1.0	BDL	16.8	0.3	Too few samples	16.0	6.0
8/24/2017 6:00	0.5	1.0	BDL	20.7	0.3	2.4	22.0	6.0
8/24/2017 7:00	0.5	0.8	BDL	16.3	0.3	2.3	21.0	6.0
8/24/2017 8:00	0.4	0.6	BDL	11.5	0.3	Too few samples	19.0	8.0
8/24/2017 9:00	0.4	Too few samples	Too few samples	7.4	0.2	2.2	17.0	6.0
8/24/2017 10:00	BDL	Calibration	Calibration	0.4	0.2	2.4	11.0	3.0
8/24/2017 11:00	BDL	Calibration	Calibration	BDL	0.2	2.4	12.0	6.0
8/24/2017 12:00	0.4	Calibration	Calibration	BDL	0.2	2.5	16.0	6.0
8/24/2017 13:00	BDL	0.6	BDL	BDL	0.2	2.4	13.0	8.0
8/24/2017 14:00	BDL	BDL	BDL	BDL	0.2	2.3	10.0	5.0
8/24/2017 15:00	BDL	BDL	BDL	BDL	0.2	2.4	9.0	5.0
8/24/2017 16:00	BDL	BDL	BDL	BDL	0.2	2.3	13.0	7.0
8/24/2017 17:00	BDL	BDL	BDL	BDL	0.2	2.4	15.0	5.0
8/24/2017 18:00	BDL	BDL	BDL	BDL	0.2	2.5	12.0	5.0
8/24/2017 19:00	BDL	BDL	BDL	3.3	0.2	2.7	15.0	7.0
8/24/2017 20:00	BDL	BDL	BDL	8.2	0.3	2.7	19.0	9.0
8/24/2017 21:00	BDL	0.4	BDL	7.0	0.3	2.5	18.0	14.0
8/24/2017 22:00	0.5	0.4	BDL	12.0	0.3	2.5	17.0	10.0
8/24/2017 23:00	0.5	0.5	BDL	13.6	0.4	2.5	21.0	11.0
8/25/2017 0:00	0.5	0.5	BDL	8.5	0.3	2.5	17.0	9.0
8/25/2017 1:00	BDL	0.4	BDL	6.0	0.3	2.5	13.0	8.0
8/25/2017 2:00	BDL	Calibration	Calibration	6.8	0.3	2.4	20.0	8.0
8/25/2017 3:00	BDL	Calibration	Calibration	8.5	0.2	2.4	14.0	7.0
8/25/2017 4:00	Calibration	0.5	BDL	Calibration	Calibration	2.3	14.0	5.0
8/25/2017 5:00	BDL	0.5	BDL	11.0	0.2	Too few samples	15.0	4.0
8/25/2017 6:00	BDL	0.6	BDL	10.0	0.2	2.6	14.0	8.0
8/25/2017 7:00	BDL	0.6	BDL	14.8	0.3	2.4	18.0	9.0
8/25/2017 8:00	0.5	0.5	BDL	11.8	0.2	2.4	13.0	8.0
8/25/2017 9:00	0.4	0.5	BDL	8.3	0.2	2.3	13.0	6.0
8/25/2017 10:00	BDL	BDL	BDL	1.3	0.2	2.3	12.0	6.0
8/25/2017 11:00	Too few samples	BDL	BDL	Too few samples	Too few samples	2.4	12.0	5.0
8/25/2017 12:00	Calibration	BDL	BDL	Calibration	Calibration	2.3	13.0	4.0
8/25/2017 13:00	BDL	BDL	BDL	BDL	0.2	2.3	8.0	7.0
8/25/2017 14:00	BDL	BDL	BDL	BDL	0.2	2.3	11.0	8.0
8/25/2017 15:00	BDL	BDL	BDL	BDL	0.2	2.3	11.0	6.0
8/25/2017 16:00	BDL	BDL	BDL	BDL	0.2	2.2	11.0	3.0
8/25/2017 17:00	BDL	BDL	BDL	BDL	0.2	2.3	11.0	2.0
8/25/2017 18:00	BDL	BDL	BDL	BDL	0.2	2.3	12.0	3.0
8/25/2017 19:00	BDL	BDL	BDL	0.8	0.2	2.3	10.0	6.0
8/25/2017 20:00	BDL	BDL	BDL	1.3	0.2	2.3	11.0	4.0
8/25/2017 21:00	BDL	BDL	BDL	3.6	0.2	2.3	13.0	4.0
8/25/2017 22:00	BDL	BDL	BDL	5.2	0.3	2.3	8.0	7.0
8/25/2017 23:00	BDL	BDL	BDL	7.0	0.3	2.3	14.0	7.0
8/26/2017 0:00	BDL	BDL	BDL	BDL	0.2	2.3	13.0	6.0
8/26/2017 1:00	BDL	BDL	BDL	BDL	0.2	2.3	8.0	5.0
8/26/2017 2:00	BDL	Calibration	Calibration	2.7	0.2	2.3	11.0	4.0
8/26/2017 3:00	BDL	Calibration	Calibration	2.4	0.2	2.3	16.0	4.0
8/26/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.2	9.0	3.0
8/26/2017 5:00	BDL	BDL	BDL	4.7	0.2	Too few samples	10.0	2.0
8/26/2017 6:00	BDL	Calibration	Calibration	4.6	0.2	2.3	9.0	3.0
8/26/2017 7:00	BDL	Calibration	Calibration	3.5	0.2	2.2	10.0	3.0
8/26/2017 8:00	BDL	BDL	BDL	4.5	0.2	2.2	13.0	5.0
8/26/2017 9:00	BDL	BDL	BDL	4.1	0.2	2.2	13.0	3.0
8/26/2017 10:00	BDL	BDL	BDL	1.7	0.2	2.2	13.0	4.0
8/26/2017 11:00	BDL	BDL	BDL	BDL	0.2	2.2	12.0	5.0
8/26/2017 12:00	BDL	BDL	BDL	BDL	0.2	2.2	14.0	4.0
8/26/2017 13:00	BDL	BDL	BDL	BDL	0.2	2.3	9.0	2.0
8/26/2017 14:00	BDL	BDL	BDL	BDL	0.2	2.3	11.0	3.0
8/26/2017 15:00	BDL	BDL	BDL	BDL	0.2	2.2	11.0	10.0
8/26/2017 16:00	BDL	BDL	BDL	BDL	0.2	2.2	9.0	6.0
8/26/2017 17:00	BDL	BDL	BDL	BDL	0.2	2.3	11.0	5.0
8/26/2017 18:00	BDL	BDL	BDL	2.3	0.2	2.2	14.0	8.0
8/26/2017 19:00	0.4	BDL	BDL	3.8	0.3	2.2	11.0	9.0
8/26/2017 20:00	0.7	BDL	BDL	8.3	0.3	2.3	15.0	9.0
8/26/2017 21:00	BDL	BDL	BDL	7.7	0.3	2.2	17.0	11.0
8/26/2017 22:00	0.4	BDL	BDL	8.3	0.3	2.2	14.0	12.0
8/26/2017 23:00	BDL	0.8	BDL	17.1	0.4	2.3	19.0	14.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 8/27/2017-9/2/2017								
8/27/2017 0:00	BDL	1.3	0.6	19.3	0.5	2.4	20.0	12.0
8/27/2017 1:00	0.4	1.0	BDL	19.0	0.6	2.6	19.0	8.0
8/27/2017 2:00	0.6	Calibration	Calibration	19.5	0.5	2.5	21.0	9.0
8/27/2017 3:00	0.9	Calibration	Calibration	28.0	0.6	2.9	25.0	10.0
8/27/2017 4:00	Calibration	0.5	BDL	Calibration	Calibration	2.7	17.0	9.0
8/27/2017 5:00	BDL	0.7	BDL	18.3	0.4	Too few samples	18.0	10.0
8/27/2017 6:00	BDL	0.6	BDL	11.8	0.3	2.5	20.0	7.0
8/27/2017 7:00	BDL	0.4	BDL	9.1	0.3	2.4	14.0	7.0
8/27/2017 8:00	BDL	0.4	BDL	8.5	0.3	2.3	16.0	9.0
8/27/2017 9:00	0.7	0.4	BDL	7.7	0.2	2.3	14.0	8.0
8/27/2017 10:00	BDL	BDL	BDL	0.7	0.2	2.3	11.0	6.0
8/27/2017 11:00	BDL	BDL	BDL	BDL	0.2	2.2	11.0	7.0
8/27/2017 12:00	BDL	BDL	BDL	BDL	0.2	2.2	14.0	7.0
8/27/2017 13:00	BDL	BDL	BDL	BDL	0.2	2.2	13.0	5.0
8/27/2017 14:00	BDL	BDL	BDL	BDL	0.2	2.2	14.0	5.0
8/27/2017 15:00	BDL	BDL	BDL	BDL	0.2	2.2	14.0	13.0
8/27/2017 16:00	BDL	BDL	BDL	BDL	0.2	2.2	17.0	13.0
8/27/2017 17:00	BDL	BDL	BDL	BDL	0.2	2.2	14.0	9.0
8/27/2017 18:00	BDL	BDL	BDL	3.2	0.2	2.1	17.0	10.0
8/27/2017 19:00	BDL	BDL	BDL	8.1	0.2	2.1	16.0	7.0
8/27/2017 20:00	BDL	0.4	BDL	19.7	0.2	2.1	15.0	8.0
8/27/2017 21:00	BDL	0.5	BDL	14.0	0.2	2.2	16.0	6.0
8/27/2017 22:00	BDL	BDL	BDL	2.9	0.3	2.2	14.0	5.0
8/27/2017 23:00	BDL	0.5	BDL	11.3	0.3	2.3	16.0	6.0
8/28/2017 0:00	BDL	0.4	BDL	6.7	0.2	2.3	17.0	10.0
8/28/2017 1:00	BDL	BDL	BDL	6.6	0.2	2.4	12.0	9.0
8/28/2017 2:00	0.4	Calibration	Calibration	11.5	0.2	2.6	14.0	7.0
8/28/2017 3:00	BDL	Calibration	Calibration	14.1	0.3	2.6	15.0	9.0
8/28/2017 4:00	Calibration	0.6	BDL	Calibration	Calibration	2.6	17.0	7.0
8/28/2017 5:00	BDL	0.8	BDL	22.6	0.3	Too few samples	20.0	9.0
8/28/2017 6:00	BDL	Calibration	Calibration	24.8	0.3	2.4	26.0	10.0
8/28/2017 7:00	BDL	Calibration	Calibration	23.3	0.3	2.3	36.0	8.0
8/28/2017 8:00	0.4	Calibration	Calibration	15.1	0.2	2.2	20.0	5.0
8/28/2017 9:00	BDL	Calibration	Calibration	7.6	0.2	2.2	20.0	4.0
8/28/2017 10:00	BDL	Calibration	Calibration	7.7	0.2	2.2	18.0	5.0
8/28/2017 11:00	BDL	Calibration	Calibration	3.9	0.2	2.1	16.0	4.0
8/28/2017 12:00	BDL	Calibration	Calibration	3.5	0.2	2.1	18.0	11.0
8/28/2017 13:00	BDL	Calibration	Calibration	2.9	0.2	2.1	17.0	7.0
8/28/2017 14:00	BDL	BDL	BDL	1.8	0.2	2.1	20.0	10.0
8/28/2017 15:00	BDL	BDL	BDL	1.5	0.2	2.1	18.0	9.0
8/28/2017 16:00	BDL	BDL	BDL	1.6	0.2	2.1	17.0	7.0
8/28/2017 17:00	BDL	BDL	BDL	4.9	0.2	2.1	16.0	8.0
8/28/2017 18:00	BDL	BDL	BDL	0.8	0.2	2.1	13.0	7.0
8/28/2017 19:00	BDL	BDL	BDL	1.4	0.2	2.1	14.0	8.0
8/28/2017 20:00	BDL	BDL	BDL	2.5	0.2	2.2	20.0	8.0
8/28/2017 21:00	BDL	BDL	BDL	3.1	0.2	2.2	14.0	8.0
8/28/2017 22:00	BDL	BDL	BDL	4.1	0.2	2.3	16.0	7.0
8/28/2017 23:00	BDL	BDL	BDL	9.7	0.2	2.2	14.0	6.0
8/29/2017 0:00	BDL	BDL	BDL	4.2	0.2	2.2	13.0	7.0
8/29/2017 1:00	BDL	BDL	BDL	4.6	0.2	2.2	14.0	4.0
8/29/2017 2:00	BDL	Calibration	Calibration	0.6	0.2	2.2	11.0	3.0
8/29/2017 3:00	BDL	Calibration	Calibration	2.1	0.2	2.2	18.0	3.0
8/29/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.2	20.0	3.0
8/29/2017 5:00	BDL	BDL	BDL	7.9	0.2	Too few samples	19.0	6.0
8/29/2017 6:00	BDL	Too few samples	Too few samples	9.4	0.2	2.2	15.0	5.0
8/29/2017 7:00	BDL	Calibration	Calibration	16.9	0.3	2.3	20.0	2.0
8/29/2017 8:00	0.4	Too few samples	Too few samples	26.6	0.3	2.3	18.0	3.0
8/29/2017 9:00	BDL	BDL	BDL	30.7	0.3	2.3	23.0	5.0
8/29/2017 10:00	BDL	BDL	BDL	18.7	0.3	2.3	22.0	8.0
8/29/2017 11:00	BDL	BDL	BDL	22.3	0.4	2.3	15.0	6.0
8/29/2017 12:00	BDL	BDL	BDL	18.0	0.3	2.2	15.0	7.0
8/29/2017 13:00	BDL	BDL	BDL	12.0	0.3	2.3	13.0	5.0
8/29/2017 14:00	BDL	BDL	BDL	11.9	0.3	2.2	11.0	2.0
8/29/2017 15:00	BDL	BDL	BDL	5.9	0.3	2.2	10.0	3.0
8/29/2017 16:00	BDL	BDL	BDL	12.1	0.3	2.3	8.0	2.0
8/29/2017 17:00	BDL	BDL	BDL	14.8	0.3	2.3	10.0	4.0
8/29/2017 18:00	BDL	BDL	BDL	9.2	0.3	2.2	10.0	5.0
8/29/2017 19:00	BDL	BDL	BDL	8.2	0.3	2.2	9.0	5.0
8/29/2017 20:00	BDL	BDL	BDL	5.3	0.2	2.2	6.0	4.0
8/29/2017 21:00	BDL	BDL	BDL	3.9	0.2	2.2	11.0	8.0
8/29/2017 22:00	BDL	BDL	BDL	3.6	0.2	2.3	10.0	6.0
8/29/2017 23:00	BDL	BDL	BDL	4.1	0.2	2.2	10.0	7.0
8/30/2017 0:00	BDL	BDL	BDL	3.1	0.2	2.3	9.0	6.0
8/30/2017 1:00	BDL	BDL	BDL	1.9	0.2	2.3	10.0	5.0
8/30/2017 2:00	BDL	Calibration	Calibration	2.9	0.2	2.3	12.0	7.0
8/30/2017 3:00	BDL	Calibration	Calibration	3.5	0.2	2.3	12.0	6.0
8/30/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.2	10.0	6.0
8/30/2017 5:00	BDL	BDL	BDL	10.8	0.2	Too few samples	16.0	9.0
8/30/2017 6:00	BDL	BDL	BDL	13.6	0.3	2.4	14.0	10.0
8/30/2017 7:00	BDL	Audit	Audit	14.4	0.3	2.2	18.0	8.0
8/30/2017 8:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	2.2	16.0	8.0
8/30/2017 9:00	BDL	BDL	BDL	Calibration	0.2	Too few samples	11.0	7.0
8/30/2017 10:00	BDL	BDL	BDL	3.7	0.2	2.2	15.0	6.0
8/30/2017 11:00	Calibration	BDL	BDL	Calibration	Calibration	2.2	14.0	6.0
8/30/2017 12:00	BDL	BDL	BDL	1.6	0.3	2.3	17.0	8.0
8/30/2017 13:00	BDL	BDL	BDL	0.5	0.2	2.3	13.0	5.0
8/30/2017 14:00	1.0	BDL	BDL	2.4	0.2	2.3	14.0	3.0
8/30/2017 15:00	0.4	BDL	BDL	1.9	0.2	2.3	15.0	8.0
8/30/2017 16:00	0.9	BDL	BDL	2.8	0.2	2.3	17.0	9.0
8/30/2017 17:00	BDL	BDL	BDL	2.1	0.2	2.3	17.0	7.0
8/30/2017 18:00	2.4	BDL	BDL	8.6	0.3	2.2	29.0	11.0
8/30/2017 19:00	2.1	BDL	BDL	9.4	0.3	2.2	25.0	13.0
8/30/2017 20:00	1.4	BDL	BDL	10.7	0.3	2.5	22.0	16.0
8/30/2017 21:00	1.5	BDL	BDL	16.1	0.4	2.8	26.0	12.0
8/30/2017 22:00	1.6	BDL	BDL	17.9	0.4	2.9	23.0	10.0
8/30/2017 23:00	2.3	BDL	BDL	11.5	0.4	2.8	17.0	13.0
8/31/2017 0:00	1.6	BDL	BDL	11.1	0.4	3.2	18.0	11.0
8/31/2017 1:00	1.2	BDL	BDL	13.7	0.4	3.3	19.0	12.0
8/31/2017 2:00	1.8	Calibration	Calibration	12.7	0.4	3.1	17.0	11.0
8/31/2017 3:00	3.3	Calibration	Calibration	10.9	0.4	2.8	29.0	13.0
8/31/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.9	17.0	14.0
8/31/2017 5:00	1.7	BDL	BDL	49.8	0.6	Too few samples	44.0	15.0
8/31/2017 6:00	2.3	BDL	BDL	35.0	0.5	3.2	30.0	11.0
8/31/2017 7:00	3.0	BDL	BDL	21.2	0.4	2.5	32.0	10.0
8/31/2017 8:00	2.9	BDL	BDL	13.8	0.3	2.4	24.0	12.0
8/31/2017 9:00	1.5	BDL	BDL	4.5	0.3	2.3	19.0	10.0
8/31/2017 10:00	1.0	BDL	BDL	1.9	0.3	2.4	19.0	14.0
8/31/2017 11:00	0.8	BDL	BDL	3.5	0.3	2.5	21.0	14.0
8/31/2017 12:00	0.6	BDL	BDL	2.5	0.3	2.4	25.0	11.0
8/31/2017 13:00	0.6	BDL	BDL	3.0	0.3	2.5	30.0	11.0
8/31/2017 14:00	0.6	BDL	BDL	2.8	0.3	2.6	22.0	14.0
8/31/2017 15:00	BDL	BDL	BDL	1.2	0.3	2.4	19.0	9.0
8/31/2017 16:00	BDL	BDL	BDL	1.5	0.3	2.3	12.0	11.0
8/31/2017 17:00	BDL	BDL	BDL	1.0	0.3	2.4	16.0	12.0
8/31/2017 18:00	BDL	BDL	BDL	6.3	0.4	2.2	11.0	6.0
8/31/2017 19:00	BDL	BDL	BDL	3.9	0.3	2.2	11.0	5.0
8/31/2017 20:00	BDL	BDL	BDL	3.2	0.3	2.2	16.0	7.0
8/31/2017 21:00	0.4	BDL	BDL	4.4	0.3	2.3	23.0	14.0
8/31/2017 22:00	BDL	BDL	BDL	2.7	0.3	2.3	20.0	19.0
8/31/2017 23:00	0.5	BDL	BDL	3.0	0.3	2.3	17.0	15.0
9/1/2017 0:00	0.4	BDL	BDL	2.4	0.3	2.2	16.0	10.0
9/1/2017 1:00	BDL	BDL	BDL	0.8	0.2	2.2	14.0	8.0
9/1/2017 2:00	0.4	Calibration	Calibration	1.9	0.2	2.3	13.0	10.0
9/1/2017 3:00	0.5	Calibration	Calibration	4.8	0.2	2.3	15.0	7.0
9/1/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.3	10.0	7.0
9/1/2017 5:00	BDL	BDL	BDL	7.8	0.3	Too few samples	10.0	6.0
9/1/2017 6:00	Calibration	BDL	BDL	Calibration	Calibration	2.3	14.0	6.0
9/1/2017 7:00	Calibration	BDL	BDL	Calibration	Calibration	2.2	21.0	5.0
9/1/2017 8:00	Calibration	BDL	BDL	Calibration	Calibration	2.2	21.0	3.0
9/1/2017 9:00	Calibration	Calibration	Calibration	Calibration	Too few samples	2.2	11.0	5.0
9/1/2017 10:00	Calibration	Calibration	Calibration	Calibration	BDL	2.2	8.0	6.0
9/1/2017 11:00	Calibration	Calibration	Calibration	Calibration	BDL	Too few samples	8.0	4.0
9/1/2017 12:00	Calibration	Calibration	Calibration	Calibration	BDL	2.2	7.0	3.0
9/1/2017 13:00	Calibration	BDL	BDL	Calibration	BDL	2.3	10.0	3.0
9/1/2017 14:00	Calibration	BDL	BDL	Calibration	BDL	2.3	11.0	5.0
9/1/2017 15:00	Calibration	BDL	BDL	Calibration	BDL	2.3	10.0	6.0
9/1/2017 16:00	Calibration	BDL	BDL	Calibration	BDL	2.3	11.0	5.0
9/1/2017 17:00	Calibration	BDL	BDL	Calibration	BDL	2.3	11.0	5.0
9/1/2017 18:00	Calibration	BDL	BDL	Calibration	BDL	2.3	8.0	4.0
9/1/2017 19:00	Calibration	BDL	BDL	Calibration	BDL	2.3	13.0	8.0
9/1/2017 20:00	Calibration	BDL	BDL	Calibration	0.1	2.7	13.0	6.0
9/1/2017 21:00	Calibration	BDL	BDL	Calibration	0.2	3.0	14.0	6.0
9/1/2017 22:00	Calibration	BDL	BDL	Calibration	0.2	2.9	15.0	14.0
9/1/2017 23:00	Calibration	BDL	BDL	Calibration	0.4	2.9	16.0	12.0
9/2/2017 0:00	Calibration	BDL	BDL	Calibration	0.4	2.8	22.0	8.0
9/2/2017 1:00	Calibration	BDL	BDL	Calibration	0.2	2.4	16.0	8.0
9/2/2017 2:00	Calibration	Calibration	Calibration	Calibration	BDL	2.2	9.0	6.0
9/2/2017 3:00	Calibration	Calibration	Calibration	Calibration	BDL	2.3	10.0	5.0
9/2/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.3	8.0	5.0
9/2/2017 5:00	Calibration	BDL	BDL	Calibration	0.04	Too few samples	11.0	5.0
9/2/2017 6:00	Calibration	Calibration	Calibration	Calibration	BDL	2.4	13.0	5.0
9/2/2017 7:00	Calibration	Too few samples	Too few samples	Calibration	0.04	Calibration	14.0	6.0
9/2/2017 8:00	Calibration	Calibration	Calibration	Calibration	0.1	Too few samples	13.0	5.0
9/2/2017 9:00	Calibration	Calibration	Calibration	Calibration	0.1	2.4	15.0	5.0
9/2/2017 10:00	Calibration	BDL	BDL	Calibration	0.1	2.4	17.0	6.0
9/2/2017 11:00	Calibration	BDL	BDL	Calibration	0.1	2.3	12.0	8.0
9/2/2017 12:00	Calibration	BDL	BDL	Calibration	0.1	2.2	15.0	5.0
9/2/2017 13:00	Calibration	BDL	BDL	Calibration	0.1	2.1	11.0	BDL
9/2/2017 14:00	Calibration	BDL	BDL	Calibration	0.1	2.2	8.0	1.0
9/2/2017 15:00	Calibration	BDL	BDL	Calibration	0.1	2.2	9.0	4.0
9/2/2017 16:00	Calibration	BDL	BDL	Calibration	0.1	2.2	8.0	2.0
9/2/2017 17:00	Calibration	BDL	BDL	Calibration	0.1	2.2	8.0	3.0
9/2/2017 18:00	Calibration	BDL	BDL	Calibration	0.1	2.1	8.0	5.0
9/2/2017 19:00	Calibration	BDL	BDL	Calibration	0.04	2.1	6.0	5.0
9/2/2017 20:00	Calibration	BDL	BDL	Calibration	BDL	2.1	8.0	4.0
9/2/2017 21:00	Calibration	BDL	BDL	Calibration	BDL	2.2	7.0	2.0
9/2/2017 22:00	Calibration	BDL	BDL	Calibration	BDL	2.2	5.0	BDL
9/2/2017 23:00	Calibration	BDL	BDL	Calibration	BDL	2.2	6.0	3.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 9/3/2017-9/9/2017								
9/3/2017 0:00	Calibration	BDL	BDL	Calibration	BDL	2.2	3.0	2.0
9/3/2017 1:00	Calibration	BDL	BDL	Calibration	BDL	2.2	2.0	BDL
9/3/2017 2:00	Calibration	Calibration	Calibration	Calibration	BDL	2.2	4.0	BDL
9/3/2017 3:00	Calibration	Calibration	Calibration	Calibration	BDL	2.2	5.0	BDL
9/3/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.2	13.0	3.0
9/3/2017 5:00	Calibration	Too few samples	Too few samples	Calibration	0.1	Too few samples	17.0	6.0
9/3/2017 6:00	Calibration	Calibration	Calibration	Calibration	0.1	2.6	20.0	10.0
9/3/2017 7:00	Calibration	BDL	BDL	Calibration	BDL	Too few samples	6.0	6.0
9/3/2017 8:00	Calibration	BDL	BDL	Calibration	BDL	2.4	3.0	1.0
9/3/2017 9:00	Calibration	BDL	BDL	Calibration	BDL	2.3	1.0	1.0
9/3/2017 10:00	Calibration	BDL	BDL	Calibration	BDL	2.3	10.0	5.0
9/3/2017 11:00	Calibration	BDL	BDL	Calibration	BDL	2.4	8.0	3.0
9/3/2017 12:00	Calibration	BDL	BDL	Calibration	BDL	2.3	7.0	3.0
9/3/2017 13:00	Calibration	BDL	BDL	Calibration	BDL	2.5	6.0	3.0
9/3/2017 14:00	Calibration	BDL	BDL	Calibration	BDL	2.4	6.0	5.0
9/3/2017 15:00	Calibration	BDL	BDL	Calibration	BDL	2.4	6.0	7.0
9/3/2017 16:00	Calibration	BDL	BDL	Calibration	BDL	2.5	9.0	5.0
9/3/2017 17:00	Calibration	BDL	BDL	Calibration	BDL	2.4	15.0	11.0
9/3/2017 18:00	Calibration	BDL	BDL	Calibration	0.1	2.4	13.0	7.0
9/3/2017 19:00	Calibration	BDL	BDL	Calibration	0.1	2.5	22.0	13.0
9/3/2017 20:00	Calibration	BDL	BDL	Calibration	0.1	2.5	23.0	11.0
9/3/2017 21:00	Calibration	BDL	BDL	Calibration	0.1	2.5	19.0	13.0
9/3/2017 22:00	Calibration	BDL	BDL	Calibration	0.1	2.9	26.0	15.0
9/3/2017 23:00	Calibration	BDL	BDL	Calibration	0.1	2.8	20.0	7.0
9/4/2017 0:00	Calibration	BDL	BDL	Calibration	0.1	2.8	18.0	11.0
9/4/2017 1:00	Calibration	BDL	BDL	Calibration	0.1	2.9	27.0	16.0
9/4/2017 2:00	Calibration	Calibration	Calibration	Calibration	0.1	2.8	27.0	18.0
9/4/2017 3:00	Calibration	Calibration	Calibration	Calibration	0.1	2.5	40.0	19.0
9/4/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.7	20.0	10.0
9/4/2017 5:00	Calibration	BDL	BDL	Calibration	BDL	2.9	17.0	13.0
9/4/2017 6:00	Calibration	BDL	BDL	Calibration	0.04	2.9	15.0	11.0
9/4/2017 7:00	Calibration	BDL	BDL	Calibration	0.04	2.5	32.0	15.0
9/4/2017 8:00	Calibration	BDL	BDL	Calibration	0.1	2.3	26.0	21.0
9/4/2017 9:00	Calibration	BDL	BDL	Calibration	0.1	2.5	19.0	14.0
9/4/2017 10:00	Calibration	BDL	BDL	Calibration	0.1	2.5	21.0	14.0
9/4/2017 11:00	Calibration	BDL	BDL	Calibration	0.1	2.4	20.0	13.0
9/4/2017 12:00	Calibration	BDL	BDL	Calibration	0.1	2.4	23.0	11.0
9/4/2017 13:00	Calibration	BDL	BDL	Calibration	0.04	2.4	20.0	9.0
9/4/2017 14:00	Calibration	BDL	BDL	Calibration	0.04	2.5	18.0	7.0
9/4/2017 15:00	Calibration	BDL	BDL	Calibration	BDL	2.5	16.0	9.0
9/4/2017 16:00	Calibration	BDL	BDL	Calibration	BDL	2.5	17.0	12.0
9/4/2017 17:00	Calibration	BDL	BDL	Calibration	0.04	2.6	20.0	10.0
9/4/2017 18:00	Calibration	BDL	BDL	Calibration	0.1	2.9	20.0	11.0
9/4/2017 19:00	Calibration	BDL	BDL	Calibration	0.1	2.8	18.0	14.0
9/4/2017 20:00	Calibration	BDL	BDL	Calibration	0.1	2.8	19.0	10.0
9/4/2017 21:00	Calibration	BDL	BDL	Calibration	0.1	2.8	21.0	11.0
9/4/2017 22:00	Calibration	BDL	BDL	Calibration	0.2	2.6	19.0	9.0
9/4/2017 23:00	Calibration	BDL	BDL	Calibration	0.1	2.9	24.0	12.0
9/5/2017 0:00	Calibration	BDL	BDL	Calibration	0.1	2.8	22.0	12.0
9/5/2017 1:00	Calibration	BDL	BDL	Calibration	0.1	3.2	21.0	13.0
9/5/2017 2:00	Calibration	Calibration	Calibration	Calibration	0.1	3.0	31.0	14.0
9/5/2017 3:00	Calibration	Calibration	Calibration	Calibration	0.1	2.9	26.0	19.0
9/5/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.8	28.0	17.0
9/5/2017 5:00	Calibration	BDL	BDL	Calibration	0.1	Too few samples	27.0	20.0
9/5/2017 6:00	0.5	BDL	BDL	21.1	0.2	2.8	31.0	16.0
9/5/2017 7:00	0.7	Calibration	Calibration	16.9	0.2	2.7	32.0	18.0
9/5/2017 8:00	1.1	Calibration	Calibration	11.8	0.1	2.5	33.0	16.0
9/5/2017 9:00	Calibration	BDL	BDL	Calibration	Calibration	2.5	32.0	19.0
9/5/2017 10:00	1.0	BDL	BDL	7.6	0.1	2.4	37.0	18.0
9/5/2017 11:00	0.7	BDL	BDL	Calibration	0.2	2.3	34.0	16.0
9/5/2017 12:00	0.4	BDL	BDL	7.3	0.1	2.3	26.0	17.0
9/5/2017 13:00	BDL	BDL	BDL	6.7	0.1	2.3	36.0	14.0
9/5/2017 14:00	BDL	BDL	BDL	4.5	0.1	2.3	35.0	17.0
9/5/2017 15:00	BDL	BDL	BDL	6.0	0.1	2.3	35.0	13.0
9/5/2017 16:00	BDL	BDL	BDL	5.5	0.1	2.4	35.0	13.0
9/5/2017 17:00	0.7	BDL	BDL	10.0	0.1	2.6	28.0	21.0
9/5/2017 18:00	BDL	BDL	BDL	5.5	0.1	2.4	37.0	22.0
9/5/2017 19:00	BDL	BDL	BDL	8.5	0.2	2.6	40.0	30.0
9/5/2017 20:00	0.5	BDL	BDL	10.6	0.2	2.4	42.0	32.0
9/5/2017 21:00	BDL	BDL	BDL	23.9	0.3	2.2	45.0	34.0
9/5/2017 22:00	BDL	BDL	BDL	21.6	0.3	2.4	42.0	33.0
9/5/2017 23:00	BDL	BDL	BDL	23.0	0.3	2.4	44.0	32.0
9/6/2017 0:00	BDL	BDL	BDL	29.8	0.3	2.6	40.0	29.0
9/6/2017 1:00	BDL	BDL	BDL	26.1	0.3	2.8	39.0	29.0
9/6/2017 2:00	BDL	Calibration	Calibration	15.8	0.2	3.0	30.0	22.0
9/6/2017 3:00	BDL	Calibration	Calibration	18.3	0.2	2.5	38.0	26.0
9/6/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.4	43.0	32.0
9/6/2017 5:00	BDL	BDL	BDL	32.9	0.3	Too few samples	38.0	26.0
9/6/2017 6:00	BDL	BDL	BDL	36.1	0.4	2.4	38.0	29.0
9/6/2017 7:00	BDL	BDL	BDL	26.4	0.3	2.5	34.0	28.0
9/6/2017 8:00	BDL	Too few samples	Too few samples	13.8	0.2	2.6	35.0	20.0
9/6/2017 9:00	BDL	Calibration	Calibration	14.2	0.2	2.3	36.0	18.0
9/6/2017 10:00	BDL	BDL	BDL	20.0	0.2	2.2	33.0	16.0
9/6/2017 11:00	BDL	BDL	BDL	19.3	0.2	2.2	28.0	15.0
9/6/2017 12:00	BDL	BDL	BDL	17.9	0.2	2.2	25.0	16.0
9/6/2017 13:00	BDL	BDL	BDL	16	0.2	2.5	26.0	15.0
9/6/2017 14:00	BDL	BDL	BDL	13.4	0.1	2.3	16.0	17.0
9/6/2017 15:00	BDL	BDL	BDL	12.9	0.2	2.2	17.0	12.0
9/6/2017 16:00	BDL	BDL	BDL	11.1	0.2	2.3	15.0	11.0
9/6/2017 17:00	BDL	BDL	BDL	17.0	0.2	2.2	13.0	11.0
9/6/2017 18:00	BDL	BDL	BDL	16.9	0.2	2.3	19.0	11.0
9/6/2017 19:00	BDL	BDL	BDL	12.5	0.2	2.3	18.0	10.0
9/6/2017 20:00	BDL	BDL	BDL	12.7	0.2	2.4	18.0	11.0
9/6/2017 21:00	BDL	BDL	BDL	12.0	0.2	2.2	15.0	14.0
9/6/2017 22:00	BDL	BDL	BDL	12.7	0.2	2.3	18.0	10.0
9/6/2017 23:00	BDL	BDL	BDL	15.1	0.1	2.3	22.0	12.0
9/7/2017 0:00	BDL	BDL	BDL	6.4	0.1	2.6	15.0	11.0
9/7/2017 1:00	BDL	BDL	BDL	4.2	0.1	2.5	14.0	14.0
9/7/2017 2:00	BDL	Calibration	Calibration	5.2	0.1	2.4	17.0	14.0
9/7/2017 3:00	BDL	Calibration	Calibration	8.4	0.1	2.4	19.0	10.0
9/7/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.5	16.0	12.0
9/7/2017 5:00	0.4	BDL	BDL	10.6	0.04	Too few samples	29.0	18.0
9/7/2017 6:00	1.7	BDL	BDL	24.3	0.1	2.2	39.0	28.0
9/7/2017 7:00	1.2	Calibration	Calibration	18.0	0.1	2.5	27.0	19.0
9/7/2017 8:00	0.6	Too few samples	Too few samples	10.9	0.1	2.5	27.0	19.0
9/7/2017 9:00	0.8	BDL	BDL	18.1	0.1	2.4	27.0	24.0
9/7/2017 10:00	1.7	BDL	BDL	16.4	0.1	2.3	30.0	17.0
9/7/2017 11:00	1.2	BDL	BDL	12.1	0.04	2.3	17.0	14.0
9/7/2017 12:00	0.7	BDL	BDL	11.0	BDL	2.4	21.0	10.0
9/7/2017 13:00	0.6	BDL	BDL	12.3	BDL	2.5	19.0	10.0
9/7/2017 14:00	0.5	BDL	BDL	11.5	BDL	2.4	17.0	9.0
9/7/2017 15:00	0.7	BDL	BDL	12.9	BDL	2.3	17.0	10.0
9/7/2017 16:00	0.6	BDL	BDL	10.5	BDL	2.2	20.0	12.0
9/7/2017 17:00	0.6	BDL	BDL	14.0	BDL	2.4	16.0	9.0
9/7/2017 18:00	0.7	BDL	BDL	14.8	BDL	2.3	14.0	8.0
9/7/2017 19:00	1.7	0.6	BDL	19.5	0.1	2.5	26.0	13.0
9/7/2017 20:00	0.7	0.6	BDL	15.2	0.1	2.5	19.0	9.0
9/7/2017 21:00	0.8	0.5	BDL	15.8	0.04	2.3	56.0	18.0
9/7/2017 22:00	1.1	1.1	1.1	16.3	0.04	2.5	16.0	8.0
9/7/2017 23:00	BDL	0.8	0.7	13.5	BDL	2.7	13.0	8.0
9/8/2017 0:00	BDL	BDL	BDL	12.4	BDL	2.7	11.0	6.0
9/8/2017 1:00	BDL	BDL	BDL	8.2	BDL	2.9	14.0	7.0
9/8/2017 2:00	0.5	Calibration	Calibration	11.6	BDL	2.7	13.0	10.0
9/8/2017 3:00	1.8	Calibration	Calibration	12.6	BDL	2.6	15.0	6.0
9/8/2017 4:00	Calibration	0.5	0.6	Calibration	Calibration	2.7	17.0	7.0
9/8/2017 5:00	1.6	0.8	0.4	19.1	0.04	Too few samples	21.0	14.0
9/8/2017 6:00	0.8	1.0	0.8	26.4	0.1	3.0	20.0	12.0
9/8/2017 7:00	0.9	BDL	BDL	20.9	0.1	3.2	Maintenance	Maintenance
9/8/2017 8:00	1.5	BDL	BDL	14.7	BDL	2.5	Maintenance	10.0
9/8/2017 9:00	0.6	BDL	BDL	11.1	BDL	2.6	Maintenance	Maintenance
9/8/2017 10:00	BDL	BDL	BDL	6.3	BDL	2.6	17.0	3.0
9/8/2017 11:00	0.4	BDL	BDL	7.8	BDL	2.5	13.0	5.0
9/8/2017 12:00	BDL	BDL	BDL	5.0	BDL	2.5	14.0	4.0
9/8/2017 13:00	BDL	BDL	BDL	3.9	BDL	2.5	15.0	4.0
9/8/2017 14:00	BDL	BDL	BDL	4.7	BDL	2.4	14.0	4.0
9/8/2017 15:00	BDL	BDL	BDL	5.5	BDL	2.4	10.0	5.0
9/8/2017 16:00	BDL	BDL	BDL	5.2	BDL	2.5	8.0	4.0
9/8/2017 17:00	BDL	BDL	BDL	5.2	BDL	2.5	10.0	2.0
9/8/2017 18:00	BDL	BDL	BDL	7.7	BDL	2.6	11.0	3.0
9/8/2017 19:00	BDL	BDL	BDL	11.7	BDL	2.9	13.0	4.0
9/8/2017 20:00	BDL	BDL	BDL	9.4	0.04	2.7	9.0	3.0
9/8/2017 21:00	BDL	BDL	BDL	20.0	0.1	3.1	11.0	4.0
9/8/2017 22:00	BDL	BDL	BDL	18.7	0.1	3.4	11.0	5.0
9/8/2017 23:00	BDL	BDL	BDL	10.1	0.04	2.8	10.0	4.0
9/9/2017 0:00	BDL	BDL	BDL	10.2	BDL	2.5	6.0	2.0
9/9/2017 1:00	BDL	BDL	BDL	9.8	0.04	2.5	7.0	2.0
9/9/2017 2:00	BDL	Calibration	Calibration	7.3	BDL	2.6	7.0	2.0
9/9/2017 3:00	BDL	Calibration	Calibration	8.4	BDL	2.6	7.0	2.0
9/9/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.6	8.0	2.0
9/9/2017 5:00	BDL	BDL	BDL	9.4	BDL	Too few samples	7.0	1.0
9/9/2017 6:00	BDL	BDL	BDL	10.9	BDL	2.7	7.0	4.0
9/9/2017 7:00	BDL	BDL	BDL	12.9	0.1	2.5	10.0	6.0
9/9/2017 8:00	BDL	BDL	BDL	10.1	0.1	2.5	9.0	4.0
9/9/2017 9:00	BDL	BDL	BDL	8.0	BDL	2.4	8.0	3.0
9/9/2017 10:00	BDL	BDL	BDL	5.2	BDL	2.4	7.0	3.0
9/9/2017 11:00	BDL	BDL	BDL	3.9	BDL	2.4	6.0	BDL
9/9/2017 12:00	BDL	BDL	BDL	3.1	BDL	2.4	10.0	BDL
9/9/2017 13:00	BDL	BDL	BDL	3.0	BDL	2.5	7.0	2.0
9/9/2017 14:00	BDL	BDL	BDL	2.5	BDL	2.6	4.0	BDL
9/9/2017 15:00	BDL	BDL	BDL	1.8	BDL	2.6	7.0	2.0
9/9/2017 16:00	BDL	BDL	BDL	2.6	BDL	2.6	11.0	2.0
9/9/2017 17:00	BDL	BDL	BDL	4.1	BDL	2.5	11.0	2.0
9/9/2017 18:00	BDL	BDL	BDL	6.1	BDL	2.5	9.0	3.0
9/9/2017 19:00	BDL	BDL	BDL	8.6	0.1	2.5	8.0	2.0
9/9/2017 20:00	BDL	BDL	BDL	8.5	0.1	2.8	6.0	2.0
9/9/2017 21:00	BDL	BDL	BDL	6.0	0.04	2.6	10.0	4.0
9/9/2017 22:00	BDL	BDL	BDL	4.6	BDL	2.5	6.0	5.0
9/9/2017 23:00	BDL	BDL	BDL	4.6	BDL	2.5	6.0	3.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Site Downwind Weekly: 9/10/2017-9/16/2017

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
9/10/2017 0:00	BDL	BDL	BDL	5.9	BDL	2.5	8.0	5.0
9/10/2017 1:00	BDL	BDL	BDL	5.0	BDL	2.5	6.0	5.0
9/10/2017 2:00	BDL	Calibration	Calibration	4.8	BDL	2.6	8.0	3.0
9/10/2017 3:00	BDL	Calibration	Calibration	4.3	BDL	2.6	8.0	1.0
9/10/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.5	6.0	5.0
9/10/2017 5:00	BDL	BDL	BDL	7.4	0.1	Too few samples	9.0	5.0
9/10/2017 6:00	BDL	BDL	BDL	8.3	0.1	2.6	10.0	2.0
9/10/2017 7:00	BDL	BDL	BDL	8.9	0.1	2.5	8.0	3.0
9/10/2017 8:00	BDL	BDL	BDL	5.6	BDL	2.4	11.0	3.0
9/10/2017 9:00	BDL	BDL	BDL	4.1	BDL	2.3	7.0	2.0
9/10/2017 10:00	BDL	BDL	BDL	4.7	BDL	2.3	7.0	5.0
9/10/2017 11:00	BDL	BDL	BDL	3.4	BDL	2.4	7.0	6.0
9/10/2017 12:00	BDL	BDL	BDL	3.4	BDL	2.3	7.0	5.0
9/10/2017 13:00	BDL	BDL	BDL	2.5	BDL	2.3	6.0	4.0
9/10/2017 14:00	BDL	BDL	BDL	2.7	BDL	2.3	10.0	2.0
9/10/2017 15:00	BDL	BDL	BDL	2.4	BDL	2.4	6.0	1.0
9/10/2017 16:00	BDL	BDL	BDL	4.0	BDL	2.4	10.0	3.0
9/10/2017 17:00	BDL	BDL	BDL	5.8	BDL	2.4	10.0	3.0
9/10/2017 18:00	BDL	BDL	BDL	8.8	0.1	2.4	6.0	3.0
9/10/2017 19:00	BDL	BDL	BDL	19.9	0.2	2.4	8.0	3.0
9/10/2017 20:00	BDL	BDL	BDL	26.6	0.4	2.7	12.0	4.0
9/10/2017 21:00	BDL	BDL	BDL	22.8	0.2	3.1	16.0	5.0
9/10/2017 22:00	BDL	BDL	BDL	17.1	0.2	2.9	11.0	5.0
9/10/2017 23:00	BDL	BDL	BDL	11.1	0.1	2.6	11.0	6.0
9/11/2017 0:00	BDL	BDL	BDL	9.1	BDL	2.5	9.0	5.0
9/11/2017 1:00	BDL	BDL	BDL	7.4	BDL	2.5	9.0	4.0
9/11/2017 2:00	BDL	Calibration	Calibration	11.1	BDL	2.6	7.0	1.0
9/11/2017 3:00	BDL	Calibration	Calibration	14.9	BDL	2.7	8.0	2.0
9/11/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.7	12.0	6.0
9/11/2017 5:00	BDL	0.4	BDL	39.1	0.1	Too few samples	15.0	6.0
9/11/2017 6:00	BDL	0.8	BDL	51.1	0.2	3.0	18.0	6.0
9/11/2017 7:00	BDL	0.4	BDL	36.5	0.2	2.6	22.0	7.0
9/11/2017 8:00	BDL	0.4	BDL	36.0	0.2	2.5	26.0	6.0
9/11/2017 9:00	BDL	BDL	BDL	18.8	0.1	2.4	24.0	5.0
9/11/2017 10:00	BDL	BDL	BDL	12.7	BDL	2.4	10.0	4.0
9/11/2017 11:00	BDL	BDL	BDL	10.6	BDL	2.4	9.0	3.0
9/11/2017 12:00	BDL	BDL	BDL	10.1	BDL	2.4	14.0	3.0
9/11/2017 13:00	BDL	BDL	BDL	6.5	BDL	2.4	14.0	2.0
9/11/2017 14:00	BDL	BDL	BDL	12.1	BDL	2.5	19.0	5.0
9/11/2017 15:00	BDL	BDL	BDL	15.4	BDL	2.4	23.0	4.0
9/11/2017 16:00	0.4	BDL	BDL	17.0	0.1	2.5	25.0	6.0
9/11/2017 17:00	BDL	BDL	BDL	22.6	0.2	2.4	20.0	10.0
9/11/2017 18:00	BDL	BDL	BDL	27.6	0.2	2.4	24.0	9.0
9/11/2017 19:00	BDL	BDL	BDL	25.9	0.2	2.5	17.0	8.0
9/11/2017 20:00	BDL	BDL	BDL	35.3	0.3	3.2	18.0	6.0
9/11/2017 21:00	BDL	BDL	BDL	28.5	0.3	3.1	18.0	10.0
9/11/2017 22:00	BDL	BDL	BDL	31.6	0.3	3.6	22.0	10.0
9/11/2017 23:00	BDL	0.4	BDL	36.3	0.2	3.0	15.0	8.0
9/12/2017 0:00	BDL	0.7	BDL	40.0	0.2	3.3	15.0	10.0
9/12/2017 1:00	BDL	0.5	BDL	31.7	0.2	3.6	18.0	6.0
9/12/2017 2:00	BDL	Calibration	Calibration	43.7	0.3	4.5	14.0	9.0
9/12/2017 3:00	0.5	Calibration	Calibration	39.3	0.3	4.9	20.0	8.0
9/12/2017 4:00	Calibration	2.2	BDL	Calibration	Calibration	3.7	27.0	12.0
9/12/2017 5:00	0.5	1.7	BDL	62.8	0.3	Too few samples	21.0	13.0
9/12/2017 6:00	0.5	1.1	BDL	48.7	0.2	3.3	32.0	12.0
9/12/2017 7:00	0.7	1.7	BDL	62.7	0.3	3.3	43.0	13.0
9/12/2017 8:00	0.7	1.2	BDL	54.9	0.3	2.9	35.0	10.0
9/12/2017 9:00	1.3	1.5	BDL	60.9	0.3	2.8	39.0	17.0
9/12/2017 10:00	2.2	1.0	BDL	46.8	0.2	2.6	37.0	12.0
9/12/2017 11:00	3.0	1.2	BDL	50.2	0.3	3.0	56.0	21.0
9/12/2017 12:00	2.9	0.5	BDL	30.6	0.1	2.6	37.0	13.0
9/12/2017 13:00	2.1	BDL	BDL	15.8	0.0	2.5	28.0	8.0
9/12/2017 14:00	1.4	BDL	BDL	20.3	0.1	2.5	23.0	6.0
9/12/2017 15:00	0.8	BDL	BDL	13.6	0.1	2.4	18.0	9.0
9/12/2017 16:00	0.5	0.4	BDL	13.9	0.1	2.4	21.0	7.0
9/12/2017 17:00	1.3	BDL	BDL	14.0	0.1	2.9	24.0	9.0
9/12/2017 18:00	2.6	BDL	BDL	22.1	0.1	3.1	22.0	9.0
9/12/2017 19:00	1.8	0.4	BDL	16.2	0.1	3.6	19.0	11.0
9/12/2017 20:00	1.6	1.0	BDL	29.8	0.2	3.0	17.0	11.0
9/12/2017 21:00	0.6	0.5	BDL	23.8	0.1	2.8	17.0	8.0
9/12/2017 22:00	0.6	0.6	BDL	28.8	0.1	3.4	23.0	12.0
9/12/2017 23:00	0.7	1.0	0.5	29.2	0.2	3.3	25.0	9.0
9/13/2017 0:00	0.6	1.9	1.1	40.2	0.2	3.4	27.0	11.0
9/13/2017 1:00	0.6	2.1	1.4	41.7	0.2	3.3	29.0	14.0
9/13/2017 2:00	0.6	Calibration	Calibration	33.8	0.2	3.8	29.0	19.0
9/13/2017 3:00	0.8	Calibration	Calibration	46.0	0.2	3.3	30.0	14.0
9/13/2017 4:00	Calibration	2.9	1.9	Calibration	Calibration	3.6	33.0	18.0
9/13/2017 5:00	0.5	1.7	1.0	39.5	0.3	Too few samples	37.0	19.0
9/13/2017 6:00	0.7	1.7	0.8	48.3	0.3	2.9	35.0	16.0
9/13/2017 7:00	1.0	Audit	Audit	74.7	0.5	3.1	40.0	24.0
9/13/2017 8:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	3.0	52.0	17.0
9/13/2017 9:00	2.2	2.3	1.0	Calibration	0.3	Too few samples	50.0	19.0
9/13/2017 10:00	1.4	1.3	0.6	32.6	0.2	2.9	41.0	21.0
9/13/2017 11:00	0.6	0.6	BDL	19.4	0.1	2.7	21.0	16.0
9/13/2017 12:00	0.5	Calibration	Calibration	23.9	0.2	2.4	18.0	12.0
9/13/2017 13:00	0.4	Calibration	Calibration	31.5	0.2	2.3	28.0	12.0
9/13/2017 14:00	BDL	0.7	0.4	23.1	0.2	2.2	26.0	7.0
9/13/2017 15:00	BDL	0.4	BDL	12.5	0.2	2.1	20.0	9.0
9/13/2017 16:00	BDL	BDL	BDL	10.2	0.1	2.1	19.0	7.0
9/13/2017 17:00	BDL	0.4	0.5	12.3	0.1	2.1	16.0	9.0
9/13/2017 18:00	BDL	BDL	BDL	12.9	0.2	2.1	20.0	9.0
9/13/2017 19:00	BDL	BDL	BDL	13.3	0.2	2.1	23.0	6.0
9/13/2017 20:00	BDL	BDL	BDL	14.0	0.2	2.1	18.0	6.0
9/13/2017 21:00	BDL	BDL	BDL	21.9	0.3	2.2	16.0	6.0
9/13/2017 22:00	BDL	BDL	BDL	20.0	0.2	2.2	17.0	5.0
9/13/2017 23:00	BDL	BDL	BDL	23.0	0.1	2.2	15.0	11.0
9/14/2017 0:00	BDL	BDL	BDL	10.8	0.1	2.1	8.0	11.0
9/14/2017 1:00	BDL	0.5	0.5	13.1	0.1	2.2	16.0	9.0
9/14/2017 2:00	BDL	Calibration	Calibration	16.7	0.1	2.5	18.0	7.0
9/14/2017 3:00	BDL	Calibration	Calibration	25.2	0.1	2.6	26.0	7.0
9/14/2017 4:00	Calibration	2.1	2.4	Calibration	Calibration	2.4	24.0	13.0
9/14/2017 5:00	BDL	1.6	1.5	33.2	0.2	Too few samples	27.0	20.0
9/14/2017 6:00	BDL	1.7	1.7	30.7	0.2	2.3	26.0	9.0
9/14/2017 7:00	BDL	1.5	1.3	29.1	0.2	2.7	22.0	16.0
9/14/2017 8:00	0.4	1.0	0.9	27.6	0.1	2.6	28.0	16.0
9/14/2017 9:00	0.6	0.5	0.4	11.0	0.1	2.6	24.0	14.0
9/14/2017 10:00	0.8	BDL	BDL	10.8	0.1	2.5	35.0	18.0
9/14/2017 11:00	1.0	BDL	BDL	7.8	0.1	2.5	29.0	11.0
9/14/2017 12:00	1.0	BDL	BDL	6.3	0.1	2.6	36.0	13.0
9/14/2017 13:00	0.9	BDL	BDL	5.8	BDL	2.7	34.0	17.0
9/14/2017 14:00	1.0	BDL	BDL	7.4	0.0	2.7	28.0	9.0
9/14/2017 15:00	0.8	BDL	BDL	6.4	0.0	2.5	28.0	16.0
9/14/2017 16:00	0.9	BDL	BDL	7.5	0.1	2.6	25.0	12.0
9/14/2017 17:00	1.5	BDL	BDL	13.6	0.1	2.6	27.0	15.0
9/14/2017 18:00	1.7	BDL	BDL	13.1	0.1	2.7	31.0	17.0
9/14/2017 19:00	2.1	BDL	BDL	15.0	0.1	2.4	27.0	21.0
9/14/2017 20:00	2.6	BDL	BDL	16.6	0.1	2.2	37.0	24.0
9/14/2017 21:00	2.0	BDL	BDL	15.7	0.1	2.4	27.0	12.0
9/14/2017 22:00	1.0	BDL	BDL	8.4	0.1	2.7	21.0	12.0
9/14/2017 23:00	0.5	1.0	0.8	27.2	0.3	2.8	25.0	17.0
9/15/2017 0:00	0.4	1.3	0.8	29.9	0.2	3.0	23.0	13.0
9/15/2017 1:00	0.4	0.4	BDL	11.7	0.1	3.0	19.0	14.0
9/15/2017 2:00	BDL	Calibration	Calibration	16.2	0.2	3.6	15.0	11.0
9/15/2017 3:00	BDL	Calibration	Calibration	14.6	0.1	3.5	12.0	8.0
9/15/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.9	12.0	8.0
9/15/2017 5:00	BDL	BDL	BDL	22.4	0.1	Too few samples	14.0	7.0
9/15/2017 6:00	BDL	BDL	BDL	19.9	0.1	2.7	17.0	10.0
9/15/2017 7:00	BDL	BDL	BDL	22.9	0.1	2.7	17.0	8.0
9/15/2017 8:00	BDL	BDL	BDL	18.7	0.1	2.4	21.0	9.0
9/15/2017 9:00	BDL	BDL	BDL	10.8	0.1	2.5	37.0	8.0
9/15/2017 10:00	0.6	BDL	BDL	17.2	0.1	2.5	31.0	12.0
9/15/2017 11:00	0.8	BDL	BDL	11.7	0.1	2.3	17.0	11.0
9/15/2017 12:00	0.6	BDL	BDL	8.7	0.1	2.4	21.0	8.0
9/15/2017 13:00	1.0	BDL	BDL	7.2	BDL	2.4	22.0	8.0
9/15/2017 14:00	1.5	BDL	BDL	8.1	0.0	2.4	34.0	8.0
9/15/2017 15:00	1.4	BDL	BDL	9.4	0.1	2.5	18.0	11.0
9/15/2017 16:00	1.7	BDL	BDL	9.2	0.1	2.6	19.0	15.0
9/15/2017 17:00	1.0	BDL	BDL	8.8	0.1	2.8	17.0	8.0
9/15/2017 18:00	0.7	0.5	0.6	13.8	0.1	2.8	17.0	9.0
9/15/2017 19:00	1.2	BDL	BDL	8.6	0.1	3.2	15.0	8.0
9/15/2017 20:00	1.4	BDL	BDL	18.8	0.1	3.3	22.0	10.0
9/15/2017 21:00	1.1	0.8	0.5	27.1	0.2	3.4	18.0	12.0
9/15/2017 22:00	0.6	0.6	BDL	27.6	0.2	3.0	21.0	15.0
9/15/2017 23:00	0.4	1.1	0.7	36.1	0.3	2.9	23.0	16.0
9/16/2017 0:00	BDL	1.2	1.0	31.3	0.2	2.9	18.0	15.0
9/16/2017 1:00	BDL	1.0	0.5	33.4	0.5	3.2	24.0	18.0
9/16/2017 2:00	0.4	Calibration	Calibration	34.1	0.6	3.7	29.0	15.0
9/16/2017 3:00	BDL	Calibration	Calibration	31.3	0.4	3.6	20.0	13.0
9/16/2017 4:00	Calibration	0.5	BDL	Calibration	Calibration	3.4	21.0	18.0
9/16/2017 5:00	BDL	0.5	BDL	30.1	0.3	Too few samples	24.0	15.0
9/16/2017 6:00	1.0	0.5	BDL	34.0	0.3	2.7	29.0	13.0
9/16/2017 7:00	1.7	0.5	BDL	32.9	0.3	2.7	24.0	17.0
9/16/2017 8:00	1.2	BDL	BDL	26.8	0.3	2.7	27.0	13.0
9/16/2017 9:00	0.8	BDL	BDL	16.2	0.2	2.4	25.0	17.0
9/16/2017 10:00	0.6	BDL	BDL	9.2	0.1	2.3	22.0	12.0
9/16/2017 11:00	BDL	BDL	BDL	5.4	0.1	2.3	14.0	8.0
9/16/2017 12:00	BDL	BDL	BDL	4.8	0.1	2.3	16.0	11.0
9/16/2017 13:00	BDL	BDL	BDL	3.3	0.1	2.4	16.0	9.0
9/16/2017 14:00	BDL	BDL	BDL	3.3	0.1	2.7	17.0	10.0
9/16/2017 15:00	BDL	BDL	BDL	3.1	0.1	2.4	19.0	7.0
9/16/2017 16:00	BDL	BDL	BDL	5.2	0.1	2.4	17.0	10.0
9/16/2017 17:00	BDL	BDL	BDL	6.6	0.1	2.2	32.0	9.0
9/16/2017 18:00	BDL	BDL	BDL	4.1	0.1	2.2	17.0	13.0
9/16/2017 19:00	BDL	BDL	BDL	7.5	0.1	2.3	17.0	11.0
9/16/2017 20:00	BDL	BDL	BDL	12.8	0.2	2.4	24.0	9.0
9/16/2017 21:00	BDL	BDL	BDL	16.0	0.3	2.3	23.0	15.0
9/16/2017 22:00	BDL	BDL	BDL	13.7	0.3	2.2	21.0	15.0
9/16/2017 23:00	BDL	BDL	BDL	18.1	0.3	2.2	20.0	15.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 9/17/2017-9/23/2017								
9/17/2017 0:00	BDL	BDL	BDL	16.5	0.3	2.3	20.0	14.0
9/17/2017 1:00	BDL	BDL	BDL	17.4	0.3	2.3	26.0	15.0
9/17/2017 2:00	BDL	Calibration	Calibration	9.0	0.1	2.2	26.0	12.0
9/17/2017 3:00	BDL	Calibration	Calibration	9.6	0.1	2.2	15.0	9.0
9/17/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.1	11.0	8.0
9/17/2017 5:00	BDL	BDL	BDL	5.5	0.1	2.2	13.0	10.0
9/17/2017 6:00	BDL	BDL	BDL	5.5	0.1	2.2	19.0	16.0
9/17/2017 7:00	BDL	BDL	BDL	8.6	0.1	2.2	15.0	12.0
9/17/2017 8:00	BDL	BDL	BDL	5.1	0.1	2.2	18.0	10.0
9/17/2017 9:00	BDL	BDL	BDL	8.7	0.1	2.2	12.0	11.0
9/17/2017 10:00	BDL	BDL	BDL	5.9	0.1	2.2	20.0	12.0
9/17/2017 11:00	BDL	BDL	BDL	9.9	0.1	2.3	20.0	17.0
9/17/2017 12:00	BDL	BDL	BDL	7.7	0.2	2.4	20.0	16.0
9/17/2017 13:00	BDL	BDL	BDL	5.9	0.1	2.4	23.0	17.0
9/17/2017 14:00	BDL	BDL	BDL	5.1	0.2	2.3	22.0	13.0
9/17/2017 15:00	BDL	BDL	BDL	5.1	0.1	2.3	17.0	11.0
9/17/2017 16:00	BDL	BDL	BDL	6.7	0.2	2.3	16.0	12.0
9/17/2017 17:00	BDL	BDL	BDL	8.3	0.1	2.3	20.0	13.0
9/17/2017 18:00	BDL	BDL	BDL	4.9	0.1	2.2	21.0	10.0
9/17/2017 19:00	BDL	BDL	BDL	7.4	0.1	2.2	15.0	14.0
9/17/2017 20:00	BDL	BDL	BDL	11.8	0.2	2.2	18.0	11.0
9/17/2017 21:00	BDL	BDL	BDL	7.0	0.1	2.2	16.0	11.0
9/17/2017 22:00	BDL	BDL	BDL	9.5	0.1	2.2	12.0	9.0
9/17/2017 23:00	BDL	BDL	BDL	4.1	0.04	2.1	11.0	7.0
9/18/2017 0:00	BDL	BDL	BDL	3.7	BDL	2.1	13.0	5.0
9/18/2017 1:00	BDL	BDL	BDL	4.1	BDL	2.2	12.0	7.0
9/18/2017 2:00	BDL	Calibration	Calibration	3.1	BDL	2.2	11.0	8.0
9/18/2017 3:00	BDL	Calibration	Calibration	5.4	BDL	2.1	10.0	7.0
9/18/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.2	10.0	7.0
9/18/2017 5:00	BDL	BDL	BDL	11.9	0.1	Too few samples	13.0	6.0
9/18/2017 6:00	BDL	BDL	BDL	14.2	0.1	2.2	16.0	8.0
9/18/2017 7:00	BDL	Calibration	Calibration	16.8	0.1	2.2	22.0	12.0
9/18/2017 8:00	BDL	Too few samples	Too few samples	19.0	0.1	2.6	Maintenance	Maintenance
9/18/2017 9:00	BDL	BDL	BDL	16.5	0.1	2.3	Maintenance	Maintenance
9/18/2017 10:00	BDL	BDL	BDL	16.1	0.1	2.3	Maintenance	Maintenance
9/18/2017 11:00	BDL	BDL	BDL	14.5	0.1	2.2	18.0	5.0
9/18/2017 12:00	BDL	BDL	BDL	11.7	0.1	2.2	18.0	3.0
9/18/2017 13:00	BDL	BDL	BDL	13.2	0.1	2.1	18.0	4.0
9/18/2017 14:00	BDL	BDL	BDL	14.7	0.1	2.1	17.0	8.0
9/18/2017 15:00	BDL	BDL	BDL	11.3	0.1	2.1	23.0	8.0
9/18/2017 16:00	BDL	BDL	BDL	9.0	0.1	2.1	19.0	5.0
9/18/2017 17:00	BDL	BDL	BDL	8.4	0.1	2.1	22.0	9.0
9/18/2017 18:00	BDL	BDL	BDL	8.6	0.1	2.1	23.0	11.0
9/18/2017 19:00	BDL	BDL	BDL	7.6	0.1	2.1	20.0	9.0
9/18/2017 20:00	BDL	BDL	BDL	10.3	0.1	2.2	19.0	6.0
9/18/2017 21:00	BDL	BDL	BDL	15.2	0.1	2.3	22.0	7.0
9/18/2017 22:00	BDL	BDL	BDL	18.5	0.1	2.2	22.0	8.0
9/18/2017 23:00	BDL	BDL	BDL	12.8	0.1	2.2	26.0	9.0
9/19/2017 0:00	BDL	BDL	BDL	11.5	BDL	2.2	22.0	10.0
9/19/2017 1:00	BDL	BDL	BDL	11.3	BDL	2.3	30.0	7.0
9/19/2017 2:00	BDL	Calibration	Calibration	8.0	BDL	2.3	25.0	6.0
9/19/2017 3:00	BDL	Calibration	Calibration	11.6	BDL	2.3	35.0	7.0
9/19/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.2	26.0	7.0
9/19/2017 5:00	BDL	BDL	BDL	12.8	0.1	Too few samples	32.0	7.0
9/19/2017 6:00	BDL	BDL	BDL	12.3	0.1	2.2	28.0	8.0
9/19/2017 7:00	BDL	BDL	BDL	13.5	0.1	2.2	28.0	12.0
9/19/2017 8:00	BDL	BDL	BDL	13.3	0.1	2.2	32.0	14.0
9/19/2017 9:00	BDL	BDL	BDL	12.1	0.1	2.2	37.0	13.0
9/19/2017 10:00	BDL	BDL	BDL	12.2	0.04	2.1	47.0	14.0
9/19/2017 11:00	BDL	BDL	BDL	13.7	0.1	2.2	42.0	19.0
9/19/2017 12:00	BDL	BDL	BDL	15.5	0.1	2.2	53.0	20.0
9/19/2017 13:00	BDL	BDL	BDL	15.5	0.1	2.2	50.0	17.0
9/19/2017 14:00	BDL	BDL	BDL	16.1	0.1	2.2	45.0	16.0
9/19/2017 15:00	BDL	BDL	BDL	8.7	0.04	2.2	39.0	13.0
9/19/2017 16:00	BDL	BDL	BDL	14.0	0.1	2.1	35.0	14.0
9/19/2017 17:00	BDL	BDL	BDL	19.9	0.2	2.1	26.0	12.0
9/19/2017 18:00	BDL	BDL	BDL	11.8	0.1	2.4	27.0	11.0
9/19/2017 19:00	BDL	BDL	BDL	5.9	0.04	2.2	25.0	8.0
9/19/2017 20:00	BDL	BDL	BDL	3.9	BDL	2.1	17.0	5.0
9/19/2017 21:00	BDL	BDL	BDL	6.9	BDL	2.2	10.0	5.0
9/19/2017 22:00	BDL	BDL	BDL	5.5	BDL	2.2	8.0	8.0
9/19/2017 23:00	BDL	BDL	BDL	6.1	BDL	Too few samples	13.0	8.0
9/20/2017 0:00	BDL	BDL	BDL	5.9	BDL	Invalid	12.0	6.0
9/20/2017 1:00	BDL	BDL	BDL	4.7	BDL	Invalid	15.0	6.0
9/20/2017 2:00	BDL	Calibration	Calibration	5.2	BDL	Invalid	12.0	10.0
9/20/2017 3:00	BDL	Calibration	Calibration	5.0	BDL	Invalid	11.0	6.0
9/20/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	11.0	3.0
9/20/2017 5:00	BDL	BDL	BDL	11.6	BDL	Calibration	16.0	4.0
9/20/2017 6:00	BDL	BDL	BDL	13.8	BDL	Too few samples	11.0	5.0
9/20/2017 7:00	BDL	BDL	BDL	18.6	0.1	Too few samples	13.0	4.0
9/20/2017 8:00	BDL	BDL	BDL	20.0	0.1	BDL	19.0	5.0
9/20/2017 9:00	BDL	BDL	BDL	11.4	BDL	Analyzer malfunction	14.0	4.0
9/20/2017 10:00	BDL	BDL	BDL	7.5	BDL	Analyzer malfunction	8.0	3.0
9/20/2017 11:00	BDL	BDL	BDL	7.5	BDL	Analyzer malfunction	10.0	3.0
9/20/2017 12:00	BDL	BDL	BDL	6.6	BDL	Analyzer malfunction	16.0	3.0
9/20/2017 13:00	BDL	BDL	BDL	5.3	BDL	Analyzer malfunction	15.0	2.0
9/20/2017 14:00	BDL	BDL	BDL	5.8	BDL	Analyzer malfunction	12.0	2.0
9/20/2017 15:00	BDL	BDL	BDL	4.5	BDL	Analyzer malfunction	13.0	4.0
9/20/2017 16:00	BDL	BDL	BDL	5.2	BDL	Analyzer malfunction	8.0	2.0
9/20/2017 17:00	BDL	BDL	BDL	14.2	0.1	Analyzer malfunction	7.0	3.0
9/20/2017 18:00	BDL	BDL	BDL	8.1	0.1	Analyzer malfunction	12.0	2.0
9/20/2017 19:00	BDL	BDL	BDL	11.4	0.1	Analyzer malfunction	10.0	2.0
9/20/2017 20:00	BDL	BDL	BDL	29.7	0.2	Analyzer malfunction	18.0	6.0
9/20/2017 21:00	BDL	BDL	BDL	30.6	0.3	Analyzer malfunction	15.0	5.0
9/20/2017 22:00	BDL	BDL	BDL	26.2	0.3	Analyzer malfunction	13.0	8.0
9/20/2017 23:00	BDL	BDL	BDL	24.0	0.2	Analyzer malfunction	10.0	7.0
9/21/2017 0:00	BDL	BDL	BDL	20.6	0.1	Analyzer malfunction	14.0	5.0
9/21/2017 1:00	BDL	BDL	BDL	17.6	0.1	Analyzer malfunction	14.0	7.0
9/21/2017 2:00	BDL	Calibration	Calibration	12.6	BDL	Analyzer malfunction	10.0	4.0
9/21/2017 3:00	BDL	Calibration	Calibration	14.1	BDL	Analyzer malfunction	7.0	2.0
9/21/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	Calibration	13.0	7.0
9/21/2017 5:00	BDL	BDL	BDL	23.8	0.1	Calibration	13.0	7.0
9/21/2017 6:00	BDL	BDL	BDL	22.1	0.1	Calibration	19.0	6.0
9/21/2017 7:00	0.6	0.5	BDL	42.4	0.1	BDL	35.0	7.0
9/21/2017 8:00	0.6	0.6	BDL	35.7	0.1	BDL	38.0	9.0
9/21/2017 9:00	0.5	0.8	BDL	32.8	0.1	BDL	93.0	9.0
9/21/2017 10:00	BDL	BDL	BDL	13.1	BDL	BDL	29.0	5.0
9/21/2017 11:00	BDL	BDL	BDL	7.5	BDL	BDL	13.0	6.0
9/21/2017 12:00	BDL	BDL	BDL	6.7	BDL	BDL	20.0	5.0
9/21/2017 13:00	BDL	BDL	BDL	14.5	BDL	BDL	118.0	11.0
9/21/2017 14:00	BDL	BDL	BDL	17.4	BDL	BDL	82.0	11.0
9/21/2017 15:00	BDL	BDL	BDL	4.0	BDL	BDL	12.0	9.0
9/21/2017 16:00	BDL	BDL	BDL	6.2	0.04	BDL	11.0	7.0
9/21/2017 17:00	BDL	BDL	BDL	10.5	0.1	BDL	15.0	7.0
9/21/2017 18:00	BDL	BDL	BDL	19.7	0.2	BDL	19.0	11.0
9/21/2017 19:00	BDL	BDL	BDL	34.1	0.3	BDL	20.0	16.0
9/21/2017 20:00	BDL	BDL	BDL	21.3	0.2	BDL	18.0	10.0
9/21/2017 21:00	BDL	BDL	BDL	17.7	0.2	BDL	18.0	9.0
9/21/2017 22:00	BDL	BDL	BDL	13.1	0.1	BDL	19.0	11.0
9/21/2017 23:00	BDL	BDL	BDL	10.6	0.1	0.01	17.0	10.0
9/22/2017 0:00	BDL	BDL	BDL	12.8	0.1	0.1	17.0	7.0
9/22/2017 1:00	BDL	BDL	BDL	10.9	0.1	0.1	17.0	6.0
9/22/2017 2:00	BDL	Calibration	Calibration	9.8	0.04	0.01	14.0	17.0
9/22/2017 3:00	BDL	Calibration	Calibration	7.5	BDL	BDL	16.0	11.0
9/22/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	BDL	19.0	8.0
9/22/2017 5:00	BDL	BDL	BDL	16.5	0.1	Too few samples	14.0	6.0
9/22/2017 6:00	BDL	Too few samples	Too few samples	23.6	0.1	0.03	28.0	7.0
9/22/2017 7:00	BDL	Calibration	Calibration	23.7	0.1	BDL	25.0	7.0
9/22/2017 8:00	BDL	Too few samples	Too few samples	19.6	0.1	BDL	23.0	9.0
9/22/2017 9:00	BDL	BDL	BDL	15.0	0.1	Too few samples	29.0	11.0
9/22/2017 10:00	BDL	BDL	BDL	14.2	BDL	2.4	31.0	10.0
9/22/2017 11:00	BDL	BDL	BDL	8.5	BDL	2.5	23.0	9.0
9/22/2017 12:00	BDL	BDL	BDL	9.3	BDL	2.4	20.0	10.0
9/22/2017 13:00	0.4	BDL	BDL	6.1	BDL	2.5	20.0	9.0
9/22/2017 14:00	0.5	BDL	BDL	7.6	BDL	2.5	26.0	7.0
9/22/2017 15:00	BDL	BDL	BDL	8.9	0.1	2.5	13.0	6.0
9/22/2017 16:00	BDL	BDL	BDL	10.8	0.1	2.4	13.0	7.0
9/22/2017 17:00	BDL	BDL	BDL	11.9	0.1	2.5	20.0	5.0
9/22/2017 18:00	BDL	BDL	BDL	17.4	0.1	2.7	16.0	6.0
9/22/2017 19:00	BDL	BDL	BDL	20.6	0.2	3.2	19.0	7.0
9/22/2017 20:00	BDL	BDL	BDL	19.2	0.2	3.0	19.0	7.0
9/22/2017 21:00	0.4	BDL	BDL	16.5	0.2	2.5	27.0	9.0
9/22/2017 22:00	BDL	BDL	BDL	23.1	0.2	2.5	21.0	10.0
9/22/2017 23:00	BDL	BDL	BDL	14.4	0.1	2.6	14.0	9.0
9/23/2017 0:00	BDL	BDL	BDL	12.7	0.1	2.5	17.0	9.0
9/23/2017 1:00	BDL	BDL	BDL	11.2	0.1	2.5	13.0	6.0
9/23/2017 2:00	BDL	Calibration	Calibration	10.6	BDL	2.5	13.0	7.0
9/23/2017 3:00	BDL	Calibration	Calibration	9.9	BDL	2.7	17.0	11.0
9/23/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.8	19.0	9.0
9/23/2017 5:00	0.4	BDL	BDL	17.4	BDL	Too few samples	12.0	8.0
9/23/2017 6:00	0.4	BDL	BDL	13.9	BDL	2.8	22.0	9.0
9/23/2017 7:00	BDL	BDL	BDL	19.0	0.1	2.5	16.0	8.0
9/23/2017 8:00	BDL	BDL	BDL	13.2	0.04	2.4	15.0	7.0
9/23/2017 9:00	BDL	BDL	BDL	10.2	0.04	2.3	13.0	4.0
9/23/2017 10:00	BDL	BDL	BDL	7.4	BDL	2.3	12.0	3.0
9/23/2017 11:00	BDL	BDL	BDL	4.4	BDL	2.3	12.0	11.0
9/23/2017 12:00	BDL	BDL	BDL	4.2	BDL	2.2	13.0	5.0
9/23/2017 13:00	BDL	BDL	BDL	3.9	BDL	2.2	8.0	1.0
9/23/2017 14:00	BDL	BDL	BDL	3.5	BDL	2.3	12.0	3.0
9/23/2017 15:00	0.4	BDL	BDL	3.6	BDL	2.3	10.0	3.0
9/23/2017 16:00	BDL	BDL	BDL	6.7	BDL	2.4	9.0	3.0
9/23/2017 17:00	BDL	BDL	BDL	10.1	0.1	2.2	11.0	4.0
9/23/2017 18:00	BDL	BDL	BDL	20.0	0.3	2.3	12.0	7.0
9/23/2017 19:00	BDL	BDL	BDL	32.1	0.5	3.5	22.0	12.0
9/23/2017 20:00	BDL	0.4	BDL	32.1	0.4	5.2	21.0	13.0
9/23/2017 21:00	0.4	0.5	BDL	35.7	0.5	5.2	26.0	12.0
9/23/2017 22:00	0.5	0.6	BDL	39.0	0.5	6.2	23.0	11.0
9/23/2017 23:00	0.4	0.5	BDL	30.0	0.5	4.5	22.0	12.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Site Downwind Weekly: 9/24/2017-9/30/2017

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
9/24/2017 0:00	BDL	BDL	BDL	20.4	0.3	2.9	16.0	11.0
9/24/2017 1:00	BDL	BDL	BDL	22.6	0.4	2.7	22.0	10.0
9/24/2017 2:00	BDL	Calibration	Calibration	21.2	0.3	2.6	26.0	11.0
9/24/2017 3:00	0.4	Calibration	Calibration	12.7	0.1	3.2	19.0	9.0
9/24/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.8	17.0	8.0
9/24/2017 5:00	BDL	BDL	BDL	14.8	0.1	2.8	21.0	15.0
9/24/2017 6:00	BDL	BDL	BDL	18.5	0.2	2.8	22.0	10.0
9/24/2017 7:00	BDL	BDL	BDL	12.9	0.2	2.6	18.0	14.0
9/24/2017 8:00	Calibration	BDL	BDL	Calibration	Calibration	2.5	20.0	11.0
9/24/2017 9:00	Calibration	BDL	BDL	Calibration	Calibration	2.5	24.0	10.0
9/24/2017 10:00	0.6	BDL	BDL	4.5	0.4	2.3	20.0	13.0
9/24/2017 11:00	0.5	BDL	BDL	3.6	0.4	2.3	21.0	12.0
9/24/2017 12:00	0.5	BDL	BDL	1.5	0.3	2.2	24.0	11.0
9/24/2017 13:00	0.4	BDL	BDL	6.8	0.3	2.1	15.0	10.0
9/24/2017 14:00	BDL	BDL	BDL	1.0	0.3	2.1	18.0	13.0
9/24/2017 15:00	0.4	BDL	BDL	0.4	0.3	2.1	21.0	10.0
9/24/2017 16:00	0.4	BDL	BDL	2.0	0.3	2.2	16.0	9.0
9/24/2017 17:00	BDL	BDL	BDL	5.6	0.4	2.2	23.0	11.0
9/24/2017 18:00	BDL	BDL	BDL	7.7	0.5	2.2	20.0	9.0
9/24/2017 19:00	BDL	0.5	0.5	7.3	0.4	2.9	19.0	11.0
9/24/2017 20:00	0.9	1.2	1.2	12.4	0.5	3.0	27.0	13.0
9/24/2017 21:00	1.4	3.2	3.1	20.1	0.6	2.8	26.0	17.0
9/24/2017 22:00	1.2	1.8	1.8	16.5	0.5	3.3	24.0	17.0
9/24/2017 23:00	1.0	1.4	1.3	15.0	0.5	3.2	25.0	13.0
9/25/2017 0:00	0.9	1.3	0.9	24.1	0.6	3.6	27.0	17.0
9/25/2017 1:00	0.6	3.9	3.4	34.5	0.6	4.0	29.0	17.0
9/25/2017 2:00	0.9	Calibration	Calibration	56.7	0.6	4.2	42.0	25.0
9/25/2017 3:00	0.7	Calibration	Calibration	44.8	0.6	3.7	23.0	22.0
9/25/2017 4:00	Calibration	4.3	2.6	Calibration	Calibration	3.9	35.0	21.0
9/25/2017 5:00	1.2	6.2	4.4	79.2	0.8	3.5	37.0	23.0
9/25/2017 6:00	1.5	4.6	2.8	103.9	1.0	3.5	56.0	21.0
9/25/2017 7:00	1.5	Calibration	Calibration	90.4	0.9	3.5	180.0	56.0
9/25/2017 8:00	1.3	Too few samples	Too few samples	55.5	0.7	2.9	69.0	23.0
9/25/2017 9:00	1.7	1.9	1.0	35.2	0.6	2.6	74.0	24.0
9/25/2017 10:00	2.1	1.1	0.6	31.3	0.5	2.6	44.0	21.0
9/25/2017 11:00	2.0	0.7	BDL	25.2	0.5	2.3	64.0	20.0
9/25/2017 12:00	1.4	0.4	BDL	17.3	0.5	2.3	65.0	19.0
9/25/2017 13:00	1.1	BDL	BDL	7.2	0.4	2.4	37.0	25.0
9/25/2017 14:00	0.9	BDL	BDL	8.3	0.4	2.3	36.0	20.0
9/25/2017 15:00	0.7	BDL	BDL	6.0	0.4	2.2	30.0	12.0
9/25/2017 16:00	0.5	BDL	BDL	6.2	0.4	2.1	27.0	15.0
9/25/2017 17:00	0.4	BDL	BDL	7.7	0.3	2.0	27.0	11.0
9/25/2017 18:00	BDL	BDL	BDL	3.7	0.3	2.0	14.0	10.0
9/25/2017 19:00	BDL	BDL	BDL	11.3	0.3	2.0	17.0	9.0
9/25/2017 20:00	0.5	BDL	BDL	8.4	0.3	2.1	18.0	7.0
9/25/2017 21:00	0.4	BDL	BDL	11.2	0.3	2.1	17.0	8.0
9/25/2017 22:00	0.5	BDL	BDL	8.4	0.3	2.1	15.0	13.0
9/25/2017 23:00	BDL	BDL	BDL	9.8	0.3	2.0	18.0	8.0
9/26/2017 0:00	BDL	BDL	BDL	11.0	0.3	2.1	3.0	8.0
9/26/2017 1:00	BDL	BDL	BDL	15.9	0.3	2.1	12.0	6.0
9/26/2017 2:00	BDL	Calibration	Calibration	10.7	0.3	2.2	10.0	4.0
9/26/2017 3:00	BDL	Calibration	Calibration	7.3	0.3	2.2	15.0	3.0
9/26/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.2	11.0	7.0
9/26/2017 5:00	BDL	BDL	BDL	17.3	0.3	Too few samples	18.0	8.0
9/26/2017 6:00	BDL	BDL	BDL	24.3	0.3	2.1	43.0	6.0
9/26/2017 7:00	0.4	0.5	BDL	24.2	0.4	2.2	54.0	9.0
9/26/2017 8:00	Calibration	BDL	BDL	Calibration	Calibration	2.3	24.0	12.0
9/26/2017 9:00	BDL	Calibration	Calibration	27.2	0.3	2.3	67.0	12.0
9/26/2017 10:00	BDL	Calibration	Calibration	17.6	0.3	2.3	109.0	10.0
9/26/2017 11:00	BDL	0.4	BDL	11.6	0.3	Too few samples	50.0	7.0
9/26/2017 12:00	BDL	BDL	BDL	12.4	0.3	3.3	Audit	Audit
9/26/2017 13:00	BDL	BDL	BDL	9.9	0.3	2.4	30.0	BDL
9/26/2017 14:00	BDL	BDL	BDL	BDL	0.3	2.2	18.0	3.0
9/26/2017 15:00	BDL	BDL	BDL	1.2	0.3	2.2	19.0	4.0
9/26/2017 16:00	BDL	BDL	BDL	1.7	0.4	2.3	13.0	2.0
9/26/2017 17:00	BDL	BDL	BDL	0.4	0.4	2.2	28.0	3.0
9/26/2017 18:00	BDL	BDL	BDL	BDL	0.4	2.2	9.0	4.0
9/26/2017 19:00	BDL	BDL	BDL	2.7	0.4	2.2	10.0	3.0
9/26/2017 20:00	BDL	BDL	BDL	1.8	0.4	2.2	10.0	4.0
9/26/2017 21:00	BDL	BDL	BDL	BDL	0.3	2.2	7.0	2.0
9/26/2017 22:00	BDL	BDL	BDL	2.7	0.3	2.3	3.0	1.0
9/26/2017 23:00	BDL	BDL	BDL	8.5	0.3	2.4	2.0	3.0
9/27/2017 0:00	BDL	BDL	BDL	2.5	0.3	2.4	2.0	3.0
9/27/2017 1:00	BDL	BDL	BDL	1.9	0.3	2.4	12.0	BDL
9/27/2017 2:00	BDL	Calibration	Calibration	BDL	0.3	2.3	10.0	BDL
9/27/2017 3:00	BDL	Calibration	Calibration	2.8	0.3	2.2	10.0	BDL
9/27/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.2	16.0	BDL
9/27/2017 5:00	BDL	0.5	0.4	19.8	0.4	2.4	15.0	BDL
9/27/2017 6:00	BDL	0.9	0.5	25.5	0.5	2.4	24.0	6.0
9/27/2017 7:00	BDL	Audit	Audit	23.3	0.5	2.3	20.0	6.0
9/27/2017 8:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	2.3	34.0	6.0
9/27/2017 9:00	BDL	0.5	BDL	Calibration	0.4	Too few samples	29.0	4.0
9/27/2017 10:00	BDL	BDL	BDL	9.9	0.4	2.1	48.0	4.0
9/27/2017 11:00	BDL	BDL	BDL	7.0	0.4	2.2	27.0	6.0
9/27/2017 12:00	BDL	BDL	BDL	3.1	0.3	2.2	37.0	9.0
9/27/2017 13:00	BDL	BDL	BDL	1.7	0.3	2.1	53.0	9.0
9/27/2017 14:00	BDL	BDL	BDL	1.7	0.3	2.1	27.0	5.0
9/27/2017 15:00	BDL	BDL	BDL	3.9	0.4	2.1	30.0	5.0
9/27/2017 16:00	BDL	BDL	BDL	6.0	0.4	2.1	27.0	7.0
9/27/2017 17:00	BDL	BDL	BDL	3.7	0.4	2.1	21.0	7.0
9/27/2017 18:00	BDL	BDL	BDL	3.9	0.4	2.1	21.0	6.0
9/27/2017 19:00	BDL	BDL	BDL	2.0	0.4	2.1	16.0	4.0
9/27/2017 20:00	BDL	BDL	BDL	0.5	0.3	2.1	19.0	4.0
9/27/2017 21:00	BDL	BDL	BDL	6.4	0.3	2.1	20.0	3.0
9/27/2017 22:00	BDL	BDL	BDL	1.3	0.3	2.2	12.0	1.0
9/27/2017 23:00	BDL	BDL	BDL	5.8	0.3	2.8	15.0	1.0
9/28/2017 0:00	BDL	BDL	BDL	6.1	0.3	2.6	13.0	3.0
9/28/2017 1:00	BDL	BDL	BDL	3.0	0.3	2.4	13.0	5.0
9/28/2017 2:00	BDL	Calibration	Calibration	0.4	0.3	2.4	19.0	7.0
9/28/2017 3:00	BDL	Calibration	Calibration	3.2	0.3	2.4	20.0	10.0
9/28/2017 4:00	Calibration	0.5	0.4	Calibration	Calibration	2.5	28.0	11.0
9/28/2017 5:00	BDL	BDL	BDL	5.3	0.4	Too few samples	23.0	13.0
9/28/2017 6:00	BDL	Calibration	Calibration	3.6	0.3	2.4	25.0	10.0
9/28/2017 7:00	BDL	Calibration	Calibration	2.9	0.3	2.4	38.0	6.0
9/28/2017 8:00	BDL	Calibration	Calibration	0.5	Too few samples	2.5	Audit	Audit
9/28/2017 9:00	Audit	BDL	BDL	BDL	0.2	2.4	Audit	Audit
9/28/2017 10:00	Audit	BDL	BDL	BDL	0.2	2.5	51.0	6.0
9/28/2017 11:00	BDL	BDL	BDL	Audit	0.2	2.4	64.0	6.0
9/28/2017 12:00	BDL	Audit	Audit	Too few samples	0.2	2.4	51.0	4.0
9/28/2017 13:00	BDL	Audit	Audit	BDL	0.2	2.4	50.0	5.0
9/28/2017 14:00	BDL	Too few samples	Too few samples	BDL	0.2	Too few samples	50.0	4.0
9/28/2017 15:00	BDL	BDL	BDL	BDL	0.2	2.4	29.0	BDL
9/28/2017 16:00	BDL	BDL	BDL	BDL	0.2	2.4	28.0	BDL
9/28/2017 17:00	BDL	BDL	BDL	BDL	0.2	2.4	30.0	4.0
9/28/2017 18:00	BDL	BDL	BDL	BDL	0.2	2.4	28.0	5.0
9/28/2017 19:00	BDL	BDL	BDL	0.4	0.2	2.4	16.0	6.0
9/28/2017 20:00	BDL	BDL	BDL	BDL	0.2	2.4	17.0	4.0
9/28/2017 21:00	BDL	BDL	BDL	BDL	0.2	2.4	11.0	5.0
9/28/2017 22:00	BDL	BDL	BDL	BDL	0.2	2.4	12.0	6.0
9/28/2017 23:00	BDL	BDL	BDL	BDL	0.2	2.4	15.0	5.0
9/29/2017 0:00	BDL	BDL	BDL	BDL	0.2	2.4	12.0	6.0
9/29/2017 1:00	BDL	BDL	BDL	BDL	0.2	2.6	10.0	6.0
9/29/2017 2:00	BDL	Calibration	Calibration	BDL	0.2	2.5	8.0	3.0
9/29/2017 3:00	BDL	Calibration	Calibration	1.1	0.2	2.5	12.0	2.0
9/29/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.7	11.0	5.0
9/29/2017 5:00	BDL	BDL	BDL	1.1	0.2	Too few samples	24.0	4.0
9/29/2017 6:00	BDL	BDL	BDL	7.0	0.2	3.1	20.0	5.0
9/29/2017 7:00	BDL	Too few samples	Too few samples	6.4	0.3	2.9	24.0	7.0
9/29/2017 8:00	BDL	Calibration	Calibration	1.4	0.2	2.6	22.0	5.0
9/29/2017 9:00	BDL	Too few samples	Too few samples	2.5	0.2	2.3	25.0	3.0
9/29/2017 10:00	BDL	BDL	BDL	BDL	0.2	2.4	18.0	2.0
9/29/2017 11:00	BDL	BDL	BDL	BDL	0.2	2.4	14.0	2.0
9/29/2017 12:00	BDL	BDL	BDL	BDL	0.2	2.4	17.0	3.0
9/29/2017 13:00	BDL	BDL	BDL	BDL	0.2	2.5	32.0	6.0
9/29/2017 14:00	0.5	BDL	BDL	BDL	0.2	2.4	20.0	4.0
9/29/2017 15:00	1.5	BDL	BDL	BDL	0.2	2.4	20.0	9.0
9/29/2017 16:00	BDL	BDL	BDL	BDL	0.2	2.4	19.0	6.0
9/29/2017 17:00	BDL	BDL	BDL	BDL	0.2	2.5	16.0	4.0
9/29/2017 18:00	BDL	BDL	BDL	BDL	0.2	2.6	17.0	6.0
9/29/2017 19:00	0.8	BDL	BDL	1.9	0.3	2.8	18.0	14.0
9/29/2017 20:00	0.5	1.3	0.8	36.7	0.4	2.7	24.0	10.0
9/29/2017 21:00	0.4	0.7	BDL	10.3	0.4	2.7	18.0	6.0
9/29/2017 22:00	0.5	0.5	BDL	10.2	0.3	2.9	17.0	7.0
9/29/2017 23:00	1.6	BDL	BDL	5.6	0.3	2.6	17.0	12.0
9/30/2017 0:00	1.9	0.5	BDL	1.6	0.3	2.6	18.0	10.0
9/30/2017 1:00	1.8	BDL	BDL	BDL	0.2	2.4	16.0	10.0
9/30/2017 2:00	0.6	Calibration	Calibration	4.1	0.2	2.6	13.0	12.0
9/30/2017 3:00	BDL	Calibration	Calibration	3.3	0.2	2.8	13.0	10.0
9/30/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.7	12.0	6.0
9/30/2017 5:00	BDL	BDL	BDL	BDL	0.2	2.6	11.0	5.0
9/30/2017 6:00	BDL	BDL	BDL	BDL	0.2	2.6	11.0	3.0
9/30/2017 7:00	BDL	BDL	BDL	BDL	0.2	2.5	9.0	2.0
9/30/2017 8:00	BDL	BDL	BDL	BDL	0.2	2.6	13.0	1.0
9/30/2017 9:00	BDL	BDL	BDL	BDL	0.2	2.5	22.0	3.0
9/30/2017 10:00	BDL	BDL	BDL	BDL	0.2	2.5	9.0	4.0
9/30/2017 11:00	BDL	BDL	BDL	BDL	0.2	2.5	11.0	2.0
9/30/2017 12:00	BDL	BDL	BDL	BDL	0.2	2.5	20.0	6.0
9/30/2017 13:00	BDL	BDL	BDL	BDL	0.2	2.5	16.0	3.0
9/30/2017 14:00	BDL	BDL	BDL	BDL	0.2	2.4	24.0	4.0
9/30/2017 15:00	BDL	BDL	BDL	BDL	0.2	2.4	44.0	4.0
9/30/2017 16:00	BDL	BDL	BDL	BDL	0.2	2.4	19.0	5.0
9/30/2017 17:00	BDL	BDL	BDL	BDL	0.2	2.4	10.0	4.0
9/30/2017 18:00	BDL	BDL	BDL	BDL	0.2	2.4	7.0	7.0
9/30/2017 19:00	BDL	BDL	BDL	BDL	0.2	2.4	5.0	6.0
9/30/2017 20:00	BDL	BDL	BDL	BDL	0.2	2.4	5.0	5.0
9/30/2017 21:00	BDL	BDL	BDL	BDL	0.2	2.5	5.0	3.0
9/30/2017 22:00	BDL	BDL	BDL	BDL	0.2	2.5	5.0	3.0
9/30/2017 23:00	BDL	BDL	BDL	BDL	0.3	2.5	6.0	4.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 10/1/2017-10/7/2017								
10/1/2017 0:00	BDL	BDL	BDL	BDL	0.2	2.4	7.0	2.0
10/1/2017 1:00	BDL	BDL	BDL	3.2	0.2	2.4	5.0	3.0
10/1/2017 2:00	BDL	Calibration	Calibration	BDL	0.2	2.4	5.0	3.0
10/1/2017 3:00	BDL	Calibration	Calibration	BDL	0.2	2.5	5.0	5.0
10/1/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.5	6.0	3.0
10/1/2017 5:00	BDL	BDL	BDL	BDL	0.2	Too few samples	9.0	5.0
10/1/2017 6:00	BDL	BDL	BDL	BDL	0.2	2.6	6.0	5.0
10/1/2017 7:00	BDL	BDL	BDL	BDL	0.2	2.4	Maintenance	Maintenance
10/1/2017 8:00	BDL	BDL	BDL	BDL	Analyzer malfunction	2.5	11.0	5.0
10/1/2017 9:00	BDL	BDL	BDL	BDL	Analyzer malfunction	2.4	10.0	2.0
10/1/2017 10:00	BDL	BDL	BDL	BDL	Analyzer malfunction	2.3	8.0	2.0
10/1/2017 11:00	BDL	BDL	BDL	BDL	Analyzer malfunction	2.3	6.0	2.0
10/1/2017 12:00	BDL	BDL	BDL	BDL	Analyzer malfunction	2.3	4.0	BDL
10/1/2017 13:00	BDL	BDL	BDL	BDL	Analyzer malfunction	2.4	5.0	BDL
10/1/2017 14:00	BDL	BDL	BDL	BDL	Analyzer malfunction	2.4	11.0	BDL
10/1/2017 15:00	BDL	BDL	BDL	BDL	Analyzer malfunction	2.4	6.0	2.0
10/1/2017 16:00	BDL	BDL	BDL	BDL	Analyzer malfunction	2.3	6.0	3.0
10/1/2017 17:00	BDL	BDL	BDL	4.0	Analyzer malfunction	2.3	10.0	2.0
10/1/2017 18:00	BDL	BDL	BDL	BDL	Analyzer malfunction	2.8	8.0	3.0
10/1/2017 19:00	BDL	BDL	BDL	2.3	Analyzer malfunction	2.7	14.0	5.0
10/1/2017 20:00	BDL	BDL	BDL	11.2	Analyzer malfunction	3.6	17.0	5.0
10/1/2017 21:00	BDL	BDL	BDL	10.0	Analyzer malfunction	3.5	12.0	6.0
10/1/2017 22:00	BDL	BDL	BDL	9.3	Analyzer malfunction	3.9	9.0	8.0
10/1/2017 23:00	BDL	BDL	BDL	4.6	Analyzer malfunction	3.4	9.0	8.0
10/2/2017 0:00	BDL	BDL	BDL	2.8	Analyzer malfunction	3.7	10.0	6.0
10/2/2017 1:00	BDL	BDL	BDL	9.1	Analyzer malfunction	3.9	10.0	6.0
10/2/2017 2:00	BDL	Calibration	Calibration	12.5	Analyzer malfunction	3.8	12.0	6.0
10/2/2017 3:00	BDL	Calibration	Calibration	10.9	Calibration	3.3	8.0	6.0
10/2/2017 4:00	Calibration	1.4	BDL	Calibration	Calibration	3.6	16.0	8.0
10/2/2017 5:00	BDL	1.0	BDL	35.1	Analyzer malfunction	Too few samples	18.0	9.0
10/2/2017 6:00	BDL	0.8	BDL	27.7	Analyzer malfunction	3.9	25.0	8.0
10/2/2017 7:00	BDL	1.6	BDL	51.1	Analyzer malfunction	2.8	28.0	8.0
10/2/2017 8:00	Too few samples	0.8	BDL	Too few samples	Calibration	2.7	34.0	8.0
10/2/2017 9:00	Too few samples	0.4	BDL	Too few samples	Calibration	2.5	24.0	4.0
10/2/2017 10:00	BDL	BDL	BDL	14.2	Calibration	2.4	14.0	2.0
10/2/2017 11:00	BDL	BDL	BDL	13.6	Calibration	2.4	14.0	2.0
10/2/2017 12:00	BDL	Calibration	Calibration	10.6	Calibration	2.4	14.0	BDL
10/2/2017 13:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	2.4	21.0	7.0
10/2/2017 14:00	Too few samples	BDL	BDL	Too few samples	Too few samples	2.3	19.0	8.0
10/2/2017 15:00	BDL	0.4	BDL	6.5	0.3	2.4	22.0	7.0
10/2/2017 16:00	BDL	BDL	BDL	5.5	0.3	2.3	19.0	7.0
10/2/2017 17:00	BDL	0.4	BDL	12.1	0.4	2.4	17.0	8.0
10/2/2017 18:00	BDL	0.8	BDL	19.1	0.4	2.3	18.0	10.0
10/2/2017 19:00	BDL	1.1	BDL	10.6	0.3	2.3	16.0	7.0
10/2/2017 20:00	BDL	0.7	BDL	8.3	0.3	2.3	12.0	8.0
10/2/2017 21:00	BDL	1.0	BDL	19.7	0.4	2.3	11.0	7.0
10/2/2017 22:00	BDL	1.2	BDL	30.2	0.6	2.3	16.0	8.0
10/2/2017 23:00	BDL	2.0	0.4	41.3	0.5	2.4	16.0	8.0
10/3/2017 0:00	BDL	1.9	0.6	35.2	0.5	2.4	14.0	8.0
10/3/2017 1:00	BDL	1.9	0.8	32.2	0.6	2.8	19.0	8.0
10/3/2017 2:00	0.5	Calibration	Calibration	58.7	0.6	2.9	21.0	10.0
10/3/2017 3:00	0.6	Calibration	Calibration	62.6	0.7	2.8	20.0	9.0
10/3/2017 4:00	Calibration	2.5	0.6	Calibration	Calibration	3.0	19.0	7.0
10/3/2017 5:00	0.4	2.4	0.5	60.0	0.8	Too few samples	27.0	10.0
10/3/2017 6:00	Too few samples	2.1	BDL	Too few samples	Too few samples	2.8	34.0	11.0
10/3/2017 7:00	Calibration	1.8	BDL	Calibration	Calibration	2.7	38.0	9.0
10/3/2017 8:00	0.9	1.9	BDL	42.5	Calibration	2.6	40.0	11.0
10/3/2017 9:00	0.6	0.9	BDL	16.7	Calibration	2.4	36.0	9.0
10/3/2017 10:00	0.4	BDL	BDL	4.6	Calibration	2.3	21.0	8.0
10/3/2017 11:00	BDL	BDL	BDL	1.2	Calibration	2.3	31.0	6.0
10/3/2017 12:00	BDL	BDL	BDL	BDL	Calibration	2.1	18.0	2.0
10/3/2017 13:00	BDL	BDL	BDL	0.8	Calibration	2.1	18.0	4.0
10/3/2017 14:00	BDL	BDL	BDL	BDL	Calibration	2.1	15.0	4.0
10/3/2017 15:00	BDL	BDL	BDL	BDL	Calibration	2.1	14.0	3.0
10/3/2017 16:00	BDL	BDL	BDL	BDL	Calibration	2.1	15.0	4.0
10/3/2017 17:00	BDL	BDL	BDL	0.7	Calibration	2.1	17.0	4.0
10/3/2017 18:00	BDL	0.5	BDL	0.9	Calibration	2.1	16.0	3.0
10/3/2017 19:00	BDL	0.4	BDL	2.8	Calibration	2.1	16.0	6.0
10/3/2017 20:00	BDL	0.4	BDL	3.6	Calibration	2.1	17.0	4.0
10/3/2017 21:00	BDL	BDL	BDL	3.9	Calibration	2.1	11.0	2.0
10/3/2017 22:00	BDL	0.6	BDL	11.9	Calibration	2.1	10.0	3.0
10/3/2017 23:00	BDL	BDL	BDL	6.5	Calibration	2.4	11.0	BDL
10/4/2017 0:00	BDL	0.5	BDL	18.0	Calibration	2.9	12.0	1.0
10/4/2017 1:00	BDL	0.9	BDL	15.1	Calibration	2.6	13.0	4.0
10/4/2017 2:00	BDL	Calibration	Calibration	16.5	Calibration	2.7	14.0	4.0
10/4/2017 3:00	0.5	Calibration	Calibration	28.7	Calibration	3.3	21.0	3.0
10/4/2017 4:00	Calibration	1.7	BDL	Calibration	Calibration	3.6	20.0	4.0
10/4/2017 5:00	0.6	1.9	0.5	51.9	Calibration	Too few samples	30.0	6.0
10/4/2017 6:00	0.6	1.6	BDL	43.4	0.5	3.4	43.0	8.0
10/4/2017 7:00	Calibration	2.6	0.7	Calibration	Calibration	3.7	48.0	18.0
10/4/2017 8:00	2.8	1.8	0.4	27.5	0.3	3.1	26.0	10.0
10/4/2017 9:00	1.8	1.1	BDL	12.9	0.2	2.7	21.0	8.0
10/4/2017 10:00	1.8	0.8	BDL	8.2	0.2	2.5	23.0	7.0
10/4/2017 11:00	1.9	0.7	BDL	5.9	0.1	2.4	25.0	7.0
10/4/2017 12:00	1.7	0.6	BDL	4	0.2	2.4	25.0	8.0
10/4/2017 13:00	1.6	0.4	BDL	1.8	0.1	2.3	42.0	6.0
10/4/2017 14:00	1.2	BDL	BDL	BDL	0.1	2.4	30.0	7.0
10/4/2017 15:00	1.1	BDL	BDL	BDL	0.1	2.4	27.0	6.0
10/4/2017 16:00	1.1	0.5	BDL	BDL	0.1	2.4	29.0	8.0
10/4/2017 17:00	1.2	0.6	BDL	4.7	0.2	2.5	27.0	8.0
10/4/2017 18:00	0.9	1.0	0.7	10.6	0.2	2.6	22.0	9.0
10/4/2017 19:00	0.4	2.0	1.5	15.0	0.2	2.6	16.0	6.0
10/4/2017 20:00	0.5	2.3	1.6	16.8	0.2	2.7	19.0	4.0
10/4/2017 21:00	0.7	1.4	0.8	8.8	0.1	2.6	15.0	4.0
10/4/2017 22:00	0.7	1.1	0.5	6.3	0.1	2.6	15.0	3.0
10/4/2017 23:00	1.4	0.9	BDL	7.2	0.2	2.5	24.0	10.0
10/5/2017 0:00	1.1	1.0	0.4	4.5	0.1	2.9	14.0	8.0
10/5/2017 1:00	0.5	0.7	0.4	2.5	0.1	2.7	16.0	6.0
10/5/2017 2:00	0.6	Calibration	Calibration	5.9	0.2	2.8	16.0	4.0
10/5/2017 3:00	0.6	Calibration	Calibration	10.4	0.2	2.9	16.0	5.0
10/5/2017 4:00	Calibration	1.1	0.6	Calibration	Calibration	2.8	19.0	8.0
10/5/2017 5:00	0.6	1.3	0.7	11.5	0.2	Too few samples	20.0	7.0
10/5/2017 6:00	0.7	1.3	0.6	18.9	0.3	3.0	20.0	8.0
10/5/2017 7:00	1.7	1.5	0.7	20.3	0.3	3.5	22.0	11.0
10/5/2017 8:00	3.2	1.3	0.5	18.5	0.2	2.9	24.0	9.0
10/5/2017 9:00	3	1.0	BDL	16.3	0.2	2.7	38.0	13.0
10/5/2017 10:00	3.5	0.9	BDL	13.8	0.2	2.6	53.0	16.0
10/5/2017 11:00	3.1	0.8	BDL	11.8	0.2	2.6	37.0	11.0
10/5/2017 12:00	3.2	0.7	BDL	8.3	0.2	2.6	37.0	10.0
10/5/2017 13:00	3.3	0.7	BDL	5.0	0.2	2.5	45.0	11.0
10/5/2017 14:00	3.1	0.6	BDL	6.5	0.2	2.5	48.0	8.0
10/5/2017 15:00	3.0	0.6	BDL	7.6	0.2	2.6	38.0	8.0
10/5/2017 16:00	2.7	0.9	BDL	15.7	0.3	2.8	44.0	10.0
10/5/2017 17:00	4.2	1.1	BDL	16.1	0.5	2.9	43.0	13.0
10/5/2017 18:00	4.0	1.1	BDL	17.6	0.4	2.9	38.0	14.0
10/5/2017 19:00	4.2	0.8	BDL	9.8	0.4	3.1	40.0	15.0
10/5/2017 20:00	2.6	0.9	BDL	9.1	0.3	3.0	33.0	14.0
10/5/2017 21:00	1.8	1.0	0.4	5.1	0.3	2.6	22.0	10.0
10/5/2017 22:00	1.6	1.3	0.8	6.6	0.3	2.3	27.0	15.0
10/5/2017 23:00	2.1	0.9	0.6	5.3	0.2	2.4	22.0	11.0
10/6/2017 0:00	1.1	0.8	0.5	1.2	0.2	2.6	15.0	11.0
10/6/2017 1:00	0.6	0.9	0.5	10.1	0.3	2.5	14.0	8.0
10/6/2017 2:00	0.7	Calibration	Calibration	22.6	0.3	3.1	18.0	11.0
10/6/2017 3:00	0.9	Calibration	Calibration	31.5	0.4	3.1	21.0	13.0
10/6/2017 4:00	Calibration	1.8	1.0	Calibration	Calibration	2.7	27.0	12.0
10/6/2017 5:00	0.8	2.5	1.5	41.3	0.5	Too few samples	29.0	17.0
10/6/2017 6:00	1.1	2.3	0.8	43.6	0.5	3.0	35.0	12.0
10/6/2017 7:00	1.5	Calibration	Calibration	36.2	0.4	3.1	41.0	15.0
10/6/2017 8:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	3.5	48.0	17.0
10/6/2017 9:00	Calibration	1.7	0.7	Calibration	Calibration	2.8	33.0	16.0
10/6/2017 10:00	3.1	1.3	0.5	19.6	0.2	2.4	36.0	10.0
10/6/2017 11:00	2.6	1.1	BDL	15.1	0.2	2.3	27.0	11.0
10/6/2017 12:00	2.4	1.0	0.4	7.3	0.2	2.3	34.0	13.0
10/6/2017 13:00	1.9	0.8	BDL	3.0	0.2	2.4	31.0	14.0
10/6/2017 14:00	1.4	0.7	BDL	0.7	0.2	2.5	25.0	11.0
10/6/2017 15:00	1.5	0.8	BDL	4.2	0.2	2.5	34.0	14.0
10/6/2017 16:00	1.9	0.8	0.4	7.0	0.2	2.5	34.0	11.0
10/6/2017 17:00	1.5	1.8	1.3	10.8	0.3	2.4	36.0	11.0
10/6/2017 18:00	1.2	2.6	2.9	20.2	0.4	2.4	34.0	19.0
10/6/2017 19:00	1.0	1.8	1.2	24.3	0.4	2.4	28.0	11.0
10/6/2017 20:00	0.7	3.2	2.2	14.7	0.3	2.5	34.0	12.0
10/6/2017 21:00	0.5	2.9	2.4	17.2	0.4	2.5	31.0	13.0
10/6/2017 22:00	0.5	2.3	1.6	22.6	0.4	2.5	31.0	15.0
10/6/2017 23:00	BDL	2.0	1.2	25.3	0.3	2.4	30.0	8.0
10/7/2017 0:00	BDL	1.8	1.1	10.0	0.2	2.5	25.0	6.0
10/7/2017 1:00	BDL	2.2	1.7	4.9	0.2	2.1	22.0	8.0
10/7/2017 2:00	BDL	Calibration	Calibration	8.1	0.2	2.1	23.0	9.0
10/7/2017 3:00	BDL	Calibration	Calibration	5.6	0.2	2.1	17.0	6.0
10/7/2017 4:00	Calibration	1.3	1.0	Calibration	Calibration	2.0	18.0	6.0
10/7/2017 5:00	BDL	1.3	1.1	3.5	0.2	Too few samples	14.0	5.0
10/7/2017 6:00	BDL	1.4	1.1	5.3	0.2	2.2	15.0	6.0
10/7/2017 7:00	BDL	Calibration	Calibration	2.0	0.1	2.4	16.0	9.0
10/7/2017 8:00	BDL	Calibration	Calibration	3.3	0.1	4.9	20.0	11.0
10/7/2017 9:00	BDL	1.6	1.1	4.3	0.1	3.6	23.0	6.0
10/7/2017 10:00	0.5	1.2	0.9	BDL	0.1	2.1	24.0	4.0
10/7/2017 11:00	0.6	0.9	0.6	BDL	0.1	2.2	26.0	7.0
10/7/2017 12:00	0.5	0.7	BDL	BDL	0.1	2.2	21.0	4.0
10/7/2017 13:00	BDL	0.4	BDL	BDL	BDL	2.1	27.0	4.0
10/7/2017 14:00	BDL	0.4	BDL	BDL	0.1	2.1	27.0	6.0
10/7/2017 15:00	BDL	0.5	0.4	BDL	0.1	2.1	17.0	4.0
10/7/2017 16:00	BDL	0.5	BDL	BDL	0.1	1.9	20.0	3.0
10/7/2017 17:00	BDL	0.5	BDL	BDL	0.1	1.9	17.0	3.0
10/7/2017 18:00	BDL	0.5	BDL	BDL	0.1	1.9	14.0	BDL
10/7/2017 19:00	BDL	0.8	0.6	BDL	0.1	1.9	10.0	BDL
10/7/2017 20:00	BDL	0.8	0.6	BDL	0.1	2.0	9.0	BDL
10/7/2017 21:00	BDL	1.2	1.0	BDL	0.1	2.0	13.0	2.0
10/7/2017 22:00	BDL	0.9	0.8	BDL	0.1	2.0	10.0	3.0
10/7/2017 23:00	BDL	0.7	0.6	BDL	0.1	2.1	12.0	1.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 10/8/2017-10/14/2017								
10/8/2017 0:00	BDL	0.7	0.5	BDL	0.1	2.1	10.0	1.0
10/8/2017 1:00	BDL	0.7	0.5	BDL	0.1	2.1	13.0	1.0
10/8/2017 2:00	BDL	Calibration	Calibration	BDL	0.1	2.1	12.0	1.0
10/8/2017 3:00	BDL	Calibration	Calibration	1.0	0.1	2.0	10.0	2.0
10/8/2017 4:00	Calibration	1.0	0.8	Calibration	Calibration	2.0	10.0	12.0
10/8/2017 5:00	BDL	0.9	0.8	0.4	0.1	Too few samples	11.0	7.0
10/8/2017 6:00	BDL	1.0	0.9	BDL	0.1	2.1	12.0	3.0
10/8/2017 7:00	BDL	1.1	0.9	BDL	0.1	2.1	9.0	1.0
10/8/2017 8:00	BDL	Too few samples	Too few samples	BDL	0.1	2.2	6.0	BDL
10/8/2017 9:00	BDL	Calibration	Calibration	BDL	0.1	2.2	5.0	BDL
10/8/2017 10:00	BDL	1.2	0.6	BDL	0.1	Too few samples	6.0	1.0
10/8/2017 11:00	BDL	1.1	0.7	1.6	0.1	2.5	11.0	1.0
10/8/2017 12:00	0.4	1.1	0.8	1.8	0.1	2.4	10.0	2.0
10/8/2017 13:00	1.1	0.7	0.6	1.4	0.1	2.4	10.0	5.0
10/8/2017 14:00	1.2	1.1	0.7	2.9	0.1	2.5	7.0	3.0
10/8/2017 15:00	1.4	0.8	0.5	2.4	0.1	2.5	9.0	5.0
10/8/2017 16:00	2.0	0.7	0.5	1.0	0.2	2.6	11.0	4.0
10/8/2017 17:00	1.4	1.0	1.1	7.4	0.2	3.0	12.0	3.0
10/8/2017 18:00	0.6	1.3	0.9	12.2	0.2	2.6	13.0	4.0
10/8/2017 19:00	BDL	1.2	0.8	11.4	0.3	2.1	10.0	6.0
10/8/2017 20:00	BDL	0.9	0.7	1.2	0.2	2.0	15.0	6.0
10/8/2017 21:00	BDL	1.2	1.0	2.8	0.2	2.2	12.0	5.0
10/8/2017 22:00	BDL	1.5	1.4	BDL	0.1	2.4	10.0	3.0
10/8/2017 23:00	BDL	1.9	2.0	BDL	0.1	2.1	11.0	2.0
10/9/2017 0:00	BDL	1.6	1.6	BDL	0.1	2.1	10.0	1.0
10/9/2017 1:00	BDL	1.3	1.3	BDL	0.1	2.1	8.0	1.0
10/9/2017 2:00	BDL	Calibration	Calibration	BDL	0.04	2.1	8.0	BDL
10/9/2017 3:00	BDL	Calibration	Calibration	BDL	BDL	2.0	8.0	1.0
10/9/2017 4:00	Calibration	1.3	0.9	Calibration	Calibration	2.0	12.0	4.0
10/9/2017 5:00	BDL	1.0	0.7	3.1	0.1	Too few samples	14.0	2.0
10/9/2017 6:00	BDL	1.0	0.8	1.0	0.1	2.0	15.0	3.0
10/9/2017 7:00	BDL	1.0	0.9	1.3	0.1	1.9	12.0	4.0
10/9/2017 8:00	BDL	1.1	0.9	BDL	0.1	1.9	9.0	4.0
10/9/2017 9:00	BDL	1.1	1.1	BDL	0.1	2.0	8.0	2.0
10/9/2017 10:00	BDL	1.4	1.8	BDL	0.1	2.0	6.0	2.0
10/9/2017 11:00	BDL	1.0	0.9	BDL	0.1	2.0	4.0	BDL
10/9/2017 12:00	BDL	1.1	1.0	BDL	0.1	2.2	8.0	3.0
10/9/2017 13:00	BDL	1.1	1.1	BDL	0.1	2.2	14.0	2.0
10/9/2017 14:00	BDL	1.4	1.1	BDL	0.1	2.3	16.0	3.0
10/9/2017 15:00	BDL	0.8	0.8	BDL	0.1	2.3	19.0	7.0
10/9/2017 16:00	BDL	0.9	0.8	BDL	0.1	2.3	16.0	7.0
10/9/2017 17:00	BDL	1.2	1.3	BDL	0.1	2.4	15.0	9.0
10/9/2017 18:00	BDL	1.0	0.9	2.4	0.1	2.4	18.0	6.0
10/9/2017 19:00	BDL	1.0	0.9	BDL	0.1	2.5	20.0	5.0
10/9/2017 20:00	BDL	1.1	0.9	1.7	0.1	2.4	20.0	7.0
10/9/2017 21:00	0.6	1.2	1.0	10.4	0.2	2.7	20.0	9.0
10/9/2017 22:00	1.3	1.1	1.0	0.9	0.1	2.8	18.0	7.0
10/9/2017 23:00	0.9	0.7	0.4	BDL	0.1	3.0	7.0	4.0
10/10/2017 0:00	0.4	0.6	0.4	BDL	0.1	2.7	6.0	3.0
10/10/2017 1:00	BDL	0.6	0.4	BDL	0.1	2.5	8.0	3.0
10/10/2017 2:00	BDL	Calibration	Calibration	BDL	0.1	2.4	13.0	1.0
10/10/2017 3:00	BDL	Calibration	Calibration	4.4	0.2	2.2	9.0	BDL
10/10/2017 4:00	Calibration	1.1	0.6	Calibration	Calibration	2.9	11.0	3.0
10/10/2017 5:00	BDL	1.0	0.5	24.1	0.4	Too few samples	11.0	4.0
10/10/2017 6:00	BDL	1.1	BDL	22.7	0.2	2.8	15.0	4.0
10/10/2017 7:00	BDL	1.1	BDL	19.1	0.2	2.5	15.0	3.0
10/10/2017 8:00	0.4	0.9	BDL	6.6	0.1	2.3	11.0	1.0
10/10/2017 9:00	BDL	0.8	BDL	5.5	0.1	2.2	6.0	1.0
10/10/2017 10:00	BDL	0.7	BDL	BDL	0.1	2.4	5.0	2.0
10/10/2017 11:00	BDL	0.5	BDL	BDL	0.0	2.5	6.0	1.0
10/10/2017 12:00	BDL	0.5	BDL	BDL	BDL	2.5	5.0	BDL
10/10/2017 13:00	BDL	0.4	BDL	BDL	BDL	2.6	8.0	3.0
10/10/2017 14:00	BDL	0.4	BDL	BDL	BDL	2.6	7.0	3.0
10/10/2017 15:00	BDL	0.4	BDL	BDL	0.04	2.6	8.0	1.0
10/10/2017 16:00	BDL	0.4	BDL	BDL	0.1	2.9	6.0	7.0
10/10/2017 17:00	BDL	0.4	BDL	BDL	0.1	3.4	7.0	5.0
10/10/2017 18:00	BDL	0.6	BDL	4.0	0.2	4.9	10.0	10.0
10/10/2017 19:00	BDL	0.7	BDL	9.4	0.3	4.8	10.0	9.0
10/10/2017 20:00	BDL	1.1	0.4	23.4	0.6	3.6	18.0	8.0
10/10/2017 21:00	BDL	1.2	0.4	29.2	0.7	2.4	17.0	6.0
10/10/2017 22:00	BDL	1.9	0.7	40.2	0.8	3.2	18.0	8.0
10/10/2017 23:00	0.4	2.3	1.0	54.7	0.8	2.7	19.0	12.0
10/11/2017 0:00	BDL	3.2	1.9	43.2	0.7	3.0	19.0	8.0
10/11/2017 1:00	BDL	1.0	BDL	8.5	0.2	2.3	11.0	4.0
10/11/2017 2:00	BDL	Calibration	Calibration	2.1	0.1	2.3	16.0	5.0
10/11/2017 3:00	BDL	Calibration	Calibration	3.9	0.1	2.3	14.0	6.0
10/11/2017 4:00	Calibration	0.9	BDL	Calibration	Calibration	2.3	14.0	6.0
10/11/2017 5:00	BDL	1.1	BDL	15.6	0.2	Too few samples	14.0	9.0
10/11/2017 6:00	BDL	1.1	BDL	18.2	0.3	2.4	13.0	8.0
10/11/2017 7:00	BDL	Audit	Audit	21.1	0.3	2.4	22.0	6.0
10/11/2017 8:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	2.4	23.0	6.0
10/11/2017 9:00	BDL	1.4	0.5	12.1	0.2	Too few samples	24.0	7.0
10/11/2017 10:00	BDL	1.1	0.4	16.2	0.2	2.1	19.0	11.0
10/11/2017 11:00	BDL	0.6	BDL	3.2	0.1	Too few samples	17.0	8.0
10/11/2017 12:00	BDL	1.0	0.5	1.5	0.1	2.1	26.0	8.0
10/11/2017 13:00	BDL	0.8	BDL	4.7	0.1	2.1	17.0	3.0
10/11/2017 14:00	BDL	0.7	BDL	BDL	0.1	2.1	16.0	4.0
10/11/2017 15:00	BDL	0.6	BDL	0.7	0.1	2.1	15.0	6.0
10/11/2017 16:00	BDL	0.5	0.4	6.1	0.1	2.1	12.0	7.0
10/11/2017 17:00	BDL	0.7	BDL	BDL	0.1	2.2	17.0	8.0
10/11/2017 18:00	BDL	0.6	BDL	2.4	0.2	2.2	15.0	10.0
10/11/2017 19:00	BDL	0.6	BDL	4.3	0.1	2.2	15.0	7.0
10/11/2017 20:00	BDL	0.7	BDL	BDL	0.1	2.1	15.0	6.0
10/11/2017 21:00	BDL	0.6	0.4	BDL	0.1	2.2	17.0	6.0
10/11/2017 22:00	BDL	0.7	BDL	BDL	0.1	2.2	17.0	4.0
10/11/2017 23:00	BDL	0.8	0.4	3.6	0.1	2.1	12.0	7.0
10/12/2017 0:00	BDL	0.6	BDL	BDL	BDL	2.1	14.0	8.0
10/12/2017 1:00	BDL	0.4	BDL	BDL	BDL	2.2	17.0	5.0
10/12/2017 2:00	BDL	Calibration	Calibration	BDL	BDL	2.2	19.0	5.0
10/12/2017 3:00	BDL	Calibration	Calibration	BDL	BDL	2.2	15.0	6.0
10/12/2017 4:00	Calibration	0.4	BDL	Calibration	Calibration	2.2	10.0	6.0
10/12/2017 5:00	BDL	0.4	BDL	1.4	BDL	Too few samples	11.0	7.0
10/12/2017 6:00	BDL	BDL	BDL	2.6	0.1	Too few samples	10.0	7.0
10/12/2017 7:00	BDL	0.4	BDL	4.7	0.1	Too few samples	13.0	4.0
10/12/2017 8:00	BDL	0.5	BDL	5.9	0.1	2.1	15.0	4.0
10/12/2017 9:00	BDL	0.5	BDL	4.9	0.1	2.1	20.0	5.0
10/12/2017 10:00	BDL	0.5	BDL	4.2	0.1	2.1	19.0	5.0
10/12/2017 11:00	BDL	0.6	BDL	9.0	0.1	2.1	17.0	4.0
10/12/2017 12:00	BDL	0.6	BDL	3.8	0.1	2.1	17.0	3.0
10/12/2017 13:00	BDL	0.5	BDL	6.8	0.1	2.1	20.0	3.0
10/12/2017 14:00	BDL	0.4	BDL	2.8	0.1	2.1	21.0	6.0
10/12/2017 15:00	BDL	0.4	BDL	0.6	0.1	2.1	22.0	7.0
10/12/2017 16:00	BDL	0.4	BDL	1.9	0.1	2.1	23.0	9.0
10/12/2017 17:00	BDL	0.4	BDL	BDL	0.1	2.1	22.0	5.0
10/12/2017 18:00	BDL	0.4	BDL	BDL	0.1	2.1	18.0	3.0
10/12/2017 19:00	BDL	BDL	BDL	BDL	0.1	2.1	13.0	6.0
10/12/2017 20:00	BDL	BDL	BDL	BDL	BDL	2.1	12.0	6.0
10/12/2017 21:00	BDL	BDL	BDL	BDL	BDL	2.1	16.0	5.0
10/12/2017 22:00	BDL	BDL	BDL	BDL	BDL	2.2	18.0	5.0
10/12/2017 23:00	BDL	BDL	BDL	BDL	BDL	2.1	17.0	6.0
10/13/2017 0:00	BDL	BDL	BDL	BDL	BDL	2.1	17.0	6.0
10/13/2017 1:00	BDL	BDL	BDL	BDL	BDL	2.1	20.0	3.0
10/13/2017 2:00	BDL	Calibration	Calibration	0.6	BDL	2.2	17.0	2.0
10/13/2017 3:00	BDL	Calibration	Calibration	1.2	BDL	2.2	18.0	3.0
10/13/2017 4:00	Calibration	0.4	BDL	Calibration	Calibration	2.2	16.0	3.0
10/13/2017 5:00	BDL	0.7	BDL	16.9	0.1	Too few samples	18.0	4.0
10/13/2017 6:00	Calibration	0.7	BDL	Calibration	Calibration	2.2	18.0	51.0
10/13/2017 7:00	BDL	Calibration	Calibration	18.2	0.2	2.3	26.0	1.0
10/13/2017 8:00	BDL	Calibration	Calibration	13.9	0.1	2.2	24.0	2.0
10/13/2017 9:00	BDL	0.7	BDL	11.3	0.1	2.2	15.0	5.0
10/13/2017 10:00	BDL	0.9	BDL	13.0	0.1	2.2	30.0	4.0
10/13/2017 11:00	BDL	0.8	BDL	9.6	0.1	2.1	36.0	6.0
10/13/2017 12:00	BDL	0.6	BDL	6.3	0.1	2.1	27.0	6.0
10/13/2017 13:00	BDL	0.6	BDL	5.7	0.1	2.1	33.0	6.0
10/13/2017 14:00	BDL	0.5	BDL	5.5	0.1	2.1	36.0	6.0
10/13/2017 15:00	BDL	0.6	BDL	6.6	0.2	2.1	31.0	6.0
10/13/2017 16:00	BDL	0.6	BDL	4.4	0.1	2.1	25.0	8.0
10/13/2017 17:00	BDL	0.5	BDL	3.2	0.1	2.0	23.0	5.0
10/13/2017 18:00	BDL	0.6	BDL	2.0	0.1	2.1	25.0	2.0
10/13/2017 19:00	BDL	0.4	BDL	1.8	0.1	2.1	26.0	BDL
10/13/2017 20:00	BDL	0.4	BDL	0.4	0.1	2.1	23.0	6.0
10/13/2017 21:00	BDL	0.4	BDL	0.4	0.1	2.1	22.0	6.0
10/13/2017 22:00	BDL	0.5	BDL	4.0	0.1	2.2	27.0	4.0
10/13/2017 23:00	BDL	BDL	BDL	4.8	0.1	2.2	12.0	4.0
10/14/2017 0:00	BDL	0.5	BDL	1.6	0.1	2.2	13.0	3.0
10/14/2017 1:00	BDL	BDL	BDL	BDL	0.1	2.1	15.0	7.0
10/14/2017 2:00	BDL	Calibration	Calibration	BDL	0.1	2.2	13.0	6.0
10/14/2017 3:00	BDL	Calibration	Calibration	BDL	0.1	2.2	11.0	3.0
10/14/2017 4:00	Calibration	0.7	0.4	Calibration	Calibration	2.2	11.0	BDL
10/14/2017 5:00	BDL	0.7	BDL	3.9	0.1	2.2	11.0	3.0
10/14/2017 6:00	BDL	0.7	BDL	6.5	0.2	2.3	15.0	6.0
10/14/2017 7:00	BDL	0.8	BDL	9.9	0.2	2.2	14.0	8.0
10/14/2017 8:00	BDL	0.8	BDL	8.5	0.2	2.2	11.0	5.0
10/14/2017 9:00	BDL	0.8	BDL	7.9	0.2	2.2	12.0	3.0
10/14/2017 10:00	BDL	0.7	BDL	4.9	0.1	2.3	11.0	2.0
10/14/2017 11:00	BDL	0.5	BDL	0.5	0.1	2.3	7.0	4.0
10/14/2017 12:00	BDL	0.5	BDL	1.2	0.1	2.3	8.0	3.0
10/14/2017 13:00	BDL	0.6	BDL	2.0	0.1	2.1	10.0	5.0
10/14/2017 14:00	BDL	0.6	BDL	3.6	0.2	2.2	15.0	5.0
10/14/2017 15:00	BDL	0.6	BDL	7.8	0.2	2.2	12.0	5.0
10/14/2017 16:00	BDL	0.9	BDL	9.0	0.2	2.1	10.0	5.0
10/14/2017 17:00	BDL	0.8	BDL	8.2	0.3	2.1	12.0	3.0
10/14/2017 18:00	BDL	0.8	BDL	6.4	0.3	2.1	10.0	3.0
10/14/2017 19:00	BDL	0.7	BDL	6.8	0.3	2.2	12.0	7.0
10/14/2017 20:00	BDL	0.9	BDL	12.0	0.3	2.1	16.0	8.0
10/14/2017 21:00	BDL	0.7	BDL	7.9	0.4	2.1	17.0	6.0
10/14/2017 22:00	BDL	0.9	BDL	14.7	0.4	2.2	17.0	9.0
10/14/2017 23:00	BDL	0.9	BDL	9.0	0.3	2.4	9.0	6.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 10/15/2017-10/21/2017								
10/15/2017 0:00	BDL	0.9	BDL	13.7	0.3	2.4	10.0	9.0
10/15/2017 1:00	BDL	1.1	0.4	17.2	0.4	2.4	11.0	7.0
10/15/2017 2:00	BDL	Calibration	Calibration	6.9	0.2	2.4	15.0	10.0
10/15/2017 3:00	BDL	Calibration	Calibration	BDL	0.1	2.2	12.0	6.0
10/15/2017 4:00	Calibration	0.9	0.4	Calibration	Calibration	2.3	10.0	3.0
10/15/2017 5:00	BDL	0.8	BDL	BDL	0.1	Too few samples	5.0	5.0
10/15/2017 6:00	BDL	0.9	0.4	5.1	0.1	2.5	7.0	4.0
10/15/2017 7:00	BDL	0.9	0.6	0.4	0.1	2.4	7.0	3.0
10/15/2017 8:00	BDL	0.8	0.5	BDL	0.04	2.4	4.0	1.0
10/15/2017 9:00	BDL	0.7	0.4	BDL	BDL	2.4	3.0	2.0
10/15/2017 10:00	BDL	0.7	0.4	0.7	BDL	2.4	7.0	2.0
10/15/2017 11:00	BDL	0.7	BDL	BDL	BDL	2.4	14.0	6.0
10/15/2017 12:00	BDL	0.7	BDL	0.4	0.04	2.4	15.0	7.0
10/15/2017 13:00	0.5	0.7	0.4	BDL	0.1	2.4	13.0	7.0
10/15/2017 14:00	BDL	0.5	BDL	BDL	BDL	2.4	14.0	6.0
10/15/2017 15:00	BDL	0.6	BDL	BDL	0.04	2.4	12.0	8.0
10/15/2017 16:00	BDL	0.7	0.4	BDL	0.1	2.4	15.0	11.0
10/15/2017 17:00	BDL	0.8	0.5	BDL	0.1	2.2	15.0	11.0
10/15/2017 18:00	BDL	0.9	0.6	4.8	0.2	2.1	13.0	9.0
10/15/2017 19:00	BDL	1.2	0.8	2.9	0.1	2.2	21.0	6.0
10/15/2017 20:00	BDL	1.0	0.6	BDL	0.04	2.3	17.0	7.0
10/15/2017 21:00	BDL	1.0	0.7	BDL	BDL	2.3	16.0	8.0
10/15/2017 22:00	BDL	1.0	0.8	BDL	0.04	2.5	16.0	11.0
10/15/2017 23:00	BDL	1.5	1.3	1.4	0.1	2.6	23.0	13.0
10/16/2017 0:00	0.5	1.3	0.8	1.2	0.1	2.5	19.0	10.0
10/16/2017 1:00	BDL	0.6	0.4	BDL	BDL	2.2	10.0	6.0
10/16/2017 2:00	BDL	Calibration	Calibration	BDL	BDL	2.2	9.0	5.0
10/16/2017 3:00	BDL	Calibration	Calibration	BDL	BDL	2.2	9.0	3.0
10/16/2017 4:00	Calibration	0.9	0.5	Calibration	Calibration	2.3	11.0	2.0
10/16/2017 5:00	BDL	0.9	0.4	3.5	BDL	Too few samples	8.0	4.0
10/16/2017 6:00	BDL	0.8	BDL	3.7	BDL	2.5	10.0	3.0
10/16/2017 7:00	BDL	0.6	BDL	2.8	BDL	2.4	10.0	4.0
10/16/2017 8:00	BDL	0.5	BDL	1.1	BDL	2.3	11.0	3.0
10/16/2017 9:00	BDL	0.5	BDL	BDL	BDL	2.2	10.0	5.0
10/16/2017 10:00	BDL	0.5	BDL	1.4	BDL	2.2	13.0	5.0
10/16/2017 11:00	BDL	0.4	BDL	BDL	BDL	2.2	9.0	1.0
10/16/2017 12:00	BDL	0.5	BDL	0.4	BDL	2.2	11.0	BDL
10/16/2017 13:00	BDL	0.4	BDL	BDL	BDL	2.2	11.0	2.0
10/16/2017 14:00	BDL	BDL	BDL	BDL	BDL	2.2	8.0	2.0
10/16/2017 15:00	BDL	0.4	BDL	BDL	BDL	2.1	6.0	2.0
10/16/2017 16:00	BDL	BDL	BDL	BDL	BDL	2.2	7.0	2.0
10/16/2017 17:00	BDL	0.4	BDL	BDL	BDL	2.2	6.0	3.0
10/16/2017 18:00	BDL	0.4	BDL	4.6	0.1	2.2	8.0	5.0
10/16/2017 19:00	BDL	0.5	BDL	6.9	0.1	2.2	10.0	4.0
10/16/2017 20:00	BDL	0.6	BDL	6.1	0.1	2.4	7.0	4.0
10/16/2017 21:00	BDL	0.5	BDL	2.0	BDL	2.3	6.0	3.0
10/16/2017 22:00	BDL	0.4	BDL	BDL	BDL	2.3	6.0	3.0
10/16/2017 23:00	BDL	0.4	BDL	BDL	BDL	2.3	5.0	6.0
10/17/2017 0:00	BDL	0.4	BDL	BDL	BDL	2.3	6.0	6.0
10/17/2017 1:00	BDL	BDL	BDL	BDL	BDL	2.3	5.0	5.0
10/17/2017 2:00	BDL	Calibration	Calibration	BDL	BDL	2.4	6.0	5.0
10/17/2017 3:00	BDL	Calibration	Calibration	1.8	BDL	2.5	6.0	8.0
10/17/2017 4:00	Calibration	0.4	BDL	Calibration	Calibration	2.3	7.0	6.0
10/17/2017 5:00	BDL	0.5	BDL	8.3	BDL	Too few samples	10.0	3.0
10/17/2017 6:00	BDL	Calibration	Calibration	17.3	0.1	2.5	14.0	5.0
10/17/2017 7:00	0.6	Calibration	Calibration	17.0	0.1	2.8	19.0	6.0
10/17/2017 8:00	Calibration	0.5	BDL	Calibration	Calibration	2.3	14.0	7.0
10/17/2017 9:00	0.9	0.6	BDL	14.3	0.2	2.3	12.0	6.0
10/17/2017 10:00	0.7	0.5	BDL	9.6	0.2	2.2	11.0	5.0
10/17/2017 11:00	0.7	0.4	BDL	7.5	0.2	2.2	12.0	5.0
10/17/2017 12:00	0.6	0.4	BDL	4.8	0.2	2.2	10.0	3.0
10/17/2017 13:00	0.7	0.4	BDL	7.0	0.2	2.2	10.0	2.0
10/17/2017 14:00	0.6	BDL	BDL	4.8	0.2	2.2	10.0	3.0
10/17/2017 15:00	0.9	0.4	BDL	8.7	0.2	2.2	13.0	5.0
10/17/2017 16:00	1.1	BDL	BDL	9.3	0.2	2.3	14.0	3.0
10/17/2017 17:00	1.0	0.7	BDL	17.3	0.3	2.4	13.0	2.0
10/17/2017 18:00	0.7	1.3	0.5	19.4	0.3	2.7	12.0	2.0
10/17/2017 19:00	0.7	0.7	BDL	13.3	0.3	2.7	12.0	4.0
10/17/2017 20:00	1.1	1.2	BDL	27.2	0.3	3.0	16.0	6.0
10/17/2017 21:00	0.9	1.3	BDL	26.8	0.3	2.8	10.0	9.0
10/17/2017 22:00	0.8	1.6	0.7	17.0	0.2	3.0	12.0	7.0
10/17/2017 23:00	0.9	1.9	0.9	25.7	0.4	3.2	16.0	7.0
10/18/2017 0:00	0.8	1.6	0.5	23.4	0.3	3.1	17.0	11.0
10/18/2017 1:00	0.8	0.8	BDL	13.1	0.2	3.0	9.0	6.0
10/18/2017 2:00	1.1	Calibration	Calibration	11.9	0.2	2.9	16.0	6.0
10/18/2017 3:00	1.2	Calibration	Calibration	17.2	0.2	2.9	15.0	8.0
10/18/2017 4:00	Calibration	2.0	0.7	Calibration	Calibration	2.9	16.0	11.0
10/18/2017 5:00	1.5	3.7	1.2	65.4	0.7	Too few samples	28.0	15.0
10/18/2017 6:00	1.2	3.2	1.9	36.1	0.4	3.1	21.0	11.0
10/18/2017 7:00	1.9	3.5	2.1	37.8	0.4	3.1	30.0	8.0
10/18/2017 8:00	1.5	1.7	0.6	30.3	0.4	2.7	27.0	8.0
10/18/2017 9:00	2.5	1.9	0.6	35.3	0.4	2.7	28.0	8.0
10/18/2017 10:00	2.0	1.0	BDL	14.0	0.2	2.5	21.0	5.0
10/18/2017 11:00	1.3	0.5	BDL	7.7	0.2	2.3	17.0	2.0
10/18/2017 12:00	1.5	0.7	BDL	16.8	0.3	2.3	25.0	8.0
10/18/2017 13:00	1.9	0.8	BDL	13.3	0.2	2.5	24.0	7.0
10/18/2017 14:00	1.7	0.6	BDL	9.9	0.2	2.4	22.0	6.0
10/18/2017 15:00	1.6	0.6	BDL	7.2	0.2	2.5	25.0	7.0
10/18/2017 16:00	1.3	0.6	BDL	8.7	0.2	2.6	23.0	8.0
10/18/2017 17:00	1.7	0.6	BDL	15.0	0.3	2.7	19.0	9.0
10/18/2017 18:00	3.5	1.1	BDL	26.3	0.3	2.7	26.0	10.0
10/18/2017 19:00	2.2	1.2	BDL	21.9	0.4	2.9	24.0	9.0
10/18/2017 20:00	1.1	2.5	1.5	32.5	0.4	2.5	23.0	8.0
10/18/2017 21:00	1.0	2.7	1.4	36.3	0.5	2.5	18.0	6.0
10/18/2017 22:00	0.9	2.2	1.0	31.5	0.4	2.5	23.0	9.0
10/18/2017 23:00	1.2	2.0	0.9	30.7	0.4	2.9	22.0	10.0
10/19/2017 0:00	1.3	1.9	0.6	29.9	0.3	3.3	19.0	9.0
10/19/2017 1:00	1.0	1.6	0.5	23.8	0.3	3.1	20.0	12.0
10/19/2017 2:00	0.9	Calibration	Calibration	26.2	0.4	3.1	22.0	11.0
10/19/2017 3:00	1.1	Calibration	Calibration	47.3	0.5	3.2	26.0	11.0
10/19/2017 4:00	Calibration	3.4	1.1	Calibration	Calibration	3.3	22.0	8.0
10/19/2017 5:00	1.2	2.7	1.1	42.2	0.4	Too few samples	30.0	8.0
10/19/2017 6:00	1.4	3.1	1.5	53.6	0.5	3.4	27.0	10.0
10/19/2017 7:00	2.0	3.5	1.2	59.9	0.5	3.2	35.0	16.0
10/19/2017 8:00	4.8	3.5	1.3	70.3	0.6	3.2	38.0	15.0
10/19/2017 9:00	3.8	1.8	0.6	25.4	0.3	2.7	20.0	9.0
10/19/2017 10:00	3.1	1.1	BDL	16.1	0.2	2.4	30.0	6.0
10/19/2017 11:00	3.4	0.9	BDL	12.6	0.2	2.5	33.0	13.0
10/19/2017 12:00	2.3	0.6	BDL	7.2	0.2	2.4	32.0	8.0
10/19/2017 13:00	1.7	0.5	BDL	5.8	0.2	2.4	41.0	4.0
10/19/2017 14:00	2.1	0.6	BDL	5.7	0.2	2.4	21.0	6.0
10/19/2017 15:00	2.5	0.6	BDL	5.9	0.2	2.4	21.0	6.0
10/19/2017 16:00	1.1	0.5	BDL	3.8	0.2	2.4	17.0	8.0
10/19/2017 17:00	2.6	0.9	BDL	17.2	0.2	2.6	20.0	10.0
10/19/2017 18:00	3.7	1.3	0.4	26.3	0.3	2.7	20.0	8.0
10/19/2017 19:00	3.1	1.4	0.6	27.2	0.3	2.6	18.0	8.0
10/19/2017 20:00	2.7	1.2	BDL	20.6	0.2	2.6	27.0	11.0
10/19/2017 21:00	3.5	1.4	0.6	18.0	0.3	2.9	28.0	15.0
10/19/2017 22:00	4.1	1.2	0.4	19.9	0.3	2.9	25.0	17.0
10/19/2017 23:00	2.5	1.5	0.6	18.3	0.3	2.7	17.0	7.0
10/20/2017 0:00	2.2	1.6	1.1	17.2	0.3	2.8	16.0	14.0
10/20/2017 1:00	3.1	1.3	0.7	12.8	0.3	2.7	23.0	13.0
10/20/2017 2:00	1.5	Calibration	Calibration	17.2	0.2	3.0	17.0	9.0
10/20/2017 3:00	1.3	Calibration	Calibration	9.6	0.3	3.1	14.0	8.0
10/20/2017 4:00	Calibration	0.9	BDL	Calibration	Calibration	2.8	15.0	7.0
10/20/2017 5:00	1.3	1.0	BDL	20.7	0.3	Too few samples	23.0	10.0
10/20/2017 6:00	1.2	1.3	BDL	34.0	0.4	3.1	38.0	9.0
10/20/2017 7:00	1.2	1.5	BDL	32.4	0.4	3.2	30.0	16.0
10/20/2017 8:00	1.5	1.0	BDL	16.0	0.3	2.7	33.0	9.0
10/20/2017 9:00	1.3	0.6	BDL	9.6	0.2	2.5	19.0	5.0
10/20/2017 10:00	0.9	0.6	BDL	7.9	0.2	2.4	23.0	4.0
10/20/2017 11:00	0.9	0.4	BDL	6.0	0.1	2.4	19.0	2.0
10/20/2017 12:00	0.8	0.4	BDL	2.1	0.1	2.4	22.0	5.0
10/20/2017 13:00	0.8	0.4	BDL	2.5	0.1	2.3	18.0	7.0
10/20/2017 14:00	0.7	0.4	BDL	2.1	0.1	2.4	18.0	6.0
10/20/2017 15:00	0.7	0.4	BDL	1.9	0.1	2.4	25.0	3.0
10/20/2017 16:00	0.7	BDL	BDL	2.1	0.1	2.4	13.0	2.0
10/20/2017 17:00	0.6	0.4	BDL	7.1	0.2	2.5	17.0	5.0
10/20/2017 18:00	0.7	0.6	BDL	12.9	0.3	2.6	24.0	4.0
10/20/2017 19:00	0.7	0.6	BDL	15.0	0.3	2.7	23.0	7.0
10/20/2017 20:00	0.7	0.7	BDL	22.3	0.4	2.9	21.0	9.0
10/20/2017 21:00	1.0	1.4	BDL	37.1	0.6	3.3	26.0	9.0
10/20/2017 22:00	1.4	2.2	0.4	57.5	1.1	3.4	23.0	12.0
10/20/2017 23:00	1.0	2.4	BDL	40.3	0.7	4.2	26.0	12.0
10/21/2017 0:00	1.0	1.7	BDL	29.3	0.6	3.9	19.0	9.0
10/21/2017 1:00	0.9	2.7	1.3	42.9	0.8	3.2	31.0	10.0
10/21/2017 2:00	1.2	Calibration	Calibration	63.6	1.0	3.5	24.0	14.0
10/21/2017 3:00	1.3	Calibration	Calibration	70.3	0.8	4.7	25.0	9.0
10/21/2017 4:00	Calibration	3.7	1.2	Calibration	Calibration	3.5	29.0	14.0
10/21/2017 5:00	1.9	Too few samples	Too few samples	115.8	1.1	3.8	34.0	17.0
10/21/2017 6:00	1.8	Calibration	Calibration	90.6	1.0	4.7	32.0	9.0
10/21/2017 7:00	1.6	Calibration	Calibration	72.1	0.8	3.5	28.0	11.0
10/21/2017 8:00	1.5	Calibration	Calibration	49.0	0.6	2.8	28.0	10.0
10/21/2017 9:00	1.7	2.4	1.0	59.3	0.7	3.1	28.0	15.0
10/21/2017 10:00	1.1	1.9	0.5	37.4	0.5	2.7	23.0	9.0
10/21/2017 11:00	1.4	1.2	BDL	29.5	0.4	2.5	31.0	8.0
10/21/2017 12:00	0.9	0.9	BDL	17.5	0.3	2.3	17.0	7.0
10/21/2017 13:00	0.8	0.8	BDL	15.2	0.3	2.3	20.0	8.0
10/21/2017 14:00	0.7	0.5	BDL	8.7	0.2	2.2	17.0	5.0
10/21/2017 15:00	0.7	0.4	BDL	8.3	0.3	2.1	18.0	3.0
10/21/2017 16:00	0.9	0.5	BDL	17.0	0.5	2.1	18.0	6.0
10/21/2017 17:00	2.5	2.2	1.1	37.9	0.6	2.8	28.0	8.0
10/21/2017 18:00	2.8	2.2	1.2	44.4	0.5	2.5	25.0	9.0
10/21/2017 19:00	1.3	1.5	0.7	26.5	0.6	2.5	27.0	7.0
10/21/2017 20:00	1.0	1.5	0.6	22.5	0.4	3.0	15.0	7.0
10/21/2017 21:00	1.3	1.4	0.5	28.3	0.6	2.5	19.0	7.0
10/21/2017 22:00	1.2	1.8	0.8	34.4	0.6	2.4	23.0	12.0
10/21/2017 23:00	1.1	2.3	1.2	47.1	0.7	2.5	22.0	16.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 10/22/2017-10/28/2017								
10/22/2017 0:00	1.2	3.3	1.7	61.4	0.9	3.0	25.0	14.0
10/22/2017 1:00	1.1	3.4	1.9	60.0	0.9	2.6	29.0	15.0
10/22/2017 2:00	1.3	Calibration	Calibration	73.0	1.2	5.1	29.0	17.0
10/22/2017 3:00	1.3	Calibration	Calibration	81.4	1.2	3.9	36.0	23.0
10/22/2017 4:00	Calibration	3.4	2.0	Calibration	Calibration	3.2	33.0	17.0
10/22/2017 5:00	1.4	5.6	2.1	100.6	1.4	4.5	37.0	22.0
10/22/2017 6:00	1.1	3.4	1.6	65.2	1.0	3.1	36.0	22.0
10/22/2017 7:00	1.1	3.0	1.3	60.3	1.0	3.6	34.0	20.0
10/22/2017 8:00	1.2	3.2	1.6	59.3	1.0	3.3	45.0	28.0
10/22/2017 9:00	1.2	3.2	1.8	51.4	0.8	3.1	42.0	28.0
10/22/2017 10:00	2.8	2.7	1.5	39.4	0.6	2.7	39.0	29.0
10/22/2017 11:00	3.1	1.0	0.6	11.9	0.3	2.3	19.0	8.0
10/22/2017 12:00	1.3	0.5	BDL	3.1	0.2	2.2	16.0	8.0
10/22/2017 13:00	0.8	BDL	BDL	0.8	0.2	2.1	15.0	8.0
10/22/2017 14:00	0.8	BDL	BDL	0.8	0.2	2.2	12.0	7.0
10/22/2017 15:00	0.6	BDL	BDL	2.5	0.2	2.1	13.0	6.0
10/22/2017 16:00	0.8	0.6	BDL	6.0	0.2	2.1	9.0	6.0
10/22/2017 17:00	0.5	BDL	BDL	4.2	0.2	2.2	18.0	6.0
10/22/2017 18:00	0.6	0.4	BDL	12.7	0.3	2.1	14.0	5.0
10/22/2017 19:00	0.5	0.6	BDL	9.4	0.3	2.1	18.0	7.0
10/22/2017 20:00	0.5	0.5	BDL	7.8	0.3	2.1	15.0	6.0
10/22/2017 21:00	BDL	0.6	BDL	8.8	0.3	2.1	15.0	5.0
10/22/2017 22:00	0.4	1.0	0.6	21.8	0.5	2.2	17.0	6.0
10/22/2017 23:00	0.4	1.4	0.8	18.5	0.4	2.2	12.0	6.0
10/23/2017 0:00	0.4	1.3	1.1	14.3	0.3	2.3	16.0	6.0
10/23/2017 1:00	BDL	1.6	1.4	8.6	0.3	2.2	22.0	10.0
10/23/2017 2:00	BDL	Calibration	Calibration	10.6	0.2	2.2	24.0	13.0
10/23/2017 3:00	BDL	Calibration	Calibration	12.8	0.3	2.2	36.0	8.0
10/23/2017 4:00	Calibration	1.4	0.9	Calibration	Calibration	2.3	32.0	9.0
10/23/2017 5:00	0.5	1.6	1.1	24.6	0.4	Too few samples	31.0	11.0
10/23/2017 6:00	0.5	1.8	1.2	31.7	0.5	2.3	29.0	7.0
10/23/2017 7:00	0.5	2.1	1.3	34.3	0.5	2.2	47.0	8.0
10/23/2017 8:00	0.5	2.1	1.3	27.2	0.4	2.2	33.0	9.0
10/23/2017 9:00	0.4	0.8	BDL	7.2	0.2	2.0	21.0	5.0
10/23/2017 10:00	0.5	0.7	BDL	5.9	0.2	2.0	18.0	3.0
10/23/2017 11:00	0.5	0.5	BDL	4.6	0.2	2.0	19.0	3.0
10/23/2017 12:00	0.5	0.5	BDL	4.3	0.3	2.0	18.0	5.0
10/23/2017 13:00	0.5	0.4	BDL	3.3	0.2	2.0	24.0	3.0
10/23/2017 14:00	0.5	0.5	BDL	4.9	0.2	2.0	18.0	4.0
10/23/2017 15:00	0.4	0.4	BDL	3.8	0.2	2.0	14.0	7.0
10/23/2017 16:00	0.5	0.4	0.4	4.6	0.2	2.0	15.0	5.0
10/23/2017 17:00	0.4	0.6	0.5	3.3	0.3	2.0	15.0	2.0
10/23/2017 18:00	0.5	0.7	0.6	4.5	0.3	2.0	19.0	3.0
10/23/2017 19:00	0.4	0.7	0.5	3.3	0.2	2.1	34.0	23.0
10/23/2017 20:00	0.4	0.5	0.4	1.5	0.2	2.0	16.0	4.0
10/23/2017 21:00	BDL	0.8	0.7	3.3	0.2	2.1	19.0	5.0
10/23/2017 22:00	0.4	0.7	0.7	1.3	0.2	1.9	17.0	3.0
10/23/2017 23:00	0.4	0.7	0.5	1.7	0.2	1.9	18.0	2.0
10/24/2017 0:00	0.4	0.5	0.4	1.4	0.2	1.9	12.0	5.0
10/24/2017 1:00	0.5	0.6	0.5	BDL	0.2	1.9	24.0	6.0
10/24/2017 2:00	0.4	Calibration	Calibration	BDL	0.2	1.9	27.0	4.0
10/24/2017 3:00	0.4	Calibration	Calibration	BDL	0.2	2.0	33.0	4.0
10/24/2017 4:00	Calibration	0.7	0.6	Calibration	Calibration	2.2	33.0	8.0
10/24/2017 5:00	0.4	0.6	0.5	2.5	0.2	Too few samples	24.0	6.0
10/24/2017 6:00	0.4	0.6	0.5	1.9	0.2	1.8	11.0	3.0
10/24/2017 7:00	0.4	0.9	0.9	1.6	0.2	1.8	16.0	2.0
10/24/2017 8:00	0.5	0.8	0.7	3.9	0.2	1.9	16.0	2.0
10/24/2017 9:00	0.4	1.0	1.0	6.0	0.2	2.2	Maintenance	Maintenance
10/24/2017 10:00	0.5	0.9	0.8	6.5	0.2	2.0	Maintenance	Maintenance
10/24/2017 11:00	0.5	0.9	0.9	5.9	0.2	1.9	16.0	2.0
10/24/2017 12:00	0.4	0.6	0.5	2.6	0.2	2.0	Maintenance	Maintenance
10/24/2017 13:00	0.4	0.7	0.5	5.0	0.2	2.0	Maintenance	Maintenance
10/24/2017 14:00	0.6	0.6	0.5	5.4	0.2	1.9	7.0	3.0
10/24/2017 15:00	0.6	0.6	0.5	3.9	0.2	1.9	13.0	3.0
10/24/2017 16:00	0.6	0.8	0.6	12.3	0.2	2.0	14.0	6.0
10/24/2017 17:00	0.6	0.9	0.6	13.2	0.2	2.2	16.0	6.0
10/24/2017 18:00	0.6	1.2	0.7	22.1	0.3	1.9	12.0	6.0
10/24/2017 19:00	0.5	1.2	0.7	17.5	0.3	1.9	17.0	8.0
10/24/2017 20:00	0.6	1.4	0.8	17.2	0.3	1.9	18.0	9.0
10/24/2017 21:00	0.6	1.4	1.0	21.5	0.4	2.0	17.0	7.0
10/24/2017 22:00	0.5	1.5	1.1	20.4	0.4	2.2	21.0	6.0
10/24/2017 23:00	0.8	1.9	1.3	25.8	0.4	4.6	18.0	8.0
10/25/2017 0:00	0.8	1.7	1.2	21.0	0.3	3.3	17.0	8.0
10/25/2017 1:00	0.9	1.4	0.9	13.4	0.3	3.2	23.0	10.0
10/25/2017 2:00	1.0	Calibration	Calibration	6.5	0.1	2.7	8.0	8.0
10/25/2017 3:00	1.0	Calibration	Calibration	5.0	0.1	3.0	9.0	5.0
10/25/2017 4:00	Calibration	0.6	0.5	Calibration	Calibration	2.6	7.0	3.0
10/25/2017 5:00	1.1	0.7	0.4	4.9	0.1	Too few samples	6.0	3.0
10/25/2017 6:00	1.0	0.9	BDL	19.4	0.2	2.6	13.0	2.0
10/25/2017 7:00	0.8	Audit	Audit	11.0	0.2	2.5	15.0	5.0
10/25/2017 8:00	Calibration	Too few samples	Too few samples	44.8	2.8	2.4	17.0	5.0
10/25/2017 9:00	1.0	0.6	0.4	61.2	0.1	Too few samples	15.0	6.0
10/25/2017 10:00	0.9	0.7	BDL	7.4	0.1	2.3	13.0	5.0
10/25/2017 11:00	0.9	0.6	BDL	4.4	0.1	2.4	14.0	5.0
10/25/2017 12:00	0.9	0.6	0.4	5.7	0.1	2.2	14.0	5.0
10/25/2017 13:00	0.8	0.6	0.4	3.5	0.1	2.2	12.0	4.0
10/25/2017 14:00	0.8	0.5	0.4	3.5	0.1	2.4	14.0	5.0
10/25/2017 15:00	0.7	0.6	BDL	2.5	0.1	2.1	13.0	3.0
10/25/2017 16:00	0.9	0.6	0.4	3.2	0.1	2.2	16.0	3.0
10/25/2017 17:00	0.7	0.5	0.4	5.0	0.1	2.2	15.0	3.0
10/25/2017 18:00	0.6	0.7	0.4	6.1	0.1	2.3	17.0	5.0
10/25/2017 19:00	0.6	0.7	0.4	6.1	0.2	2.3	19.0	4.0
10/25/2017 20:00	0.8	0.8	0.4	7.2	0.2	2.5	13.0	4.0
10/25/2017 21:00	0.9	0.7	0.4	5.8	0.1	2.4	13.0	4.0
10/25/2017 22:00	1.0	0.6	0.4	3.3	0.1	2.5	11.0	4.0
10/25/2017 23:00	0.8	0.6	BDL	3.5	0.1	2.4	9.0	4.0
10/26/2017 0:00	0.8	0.7	0.4	3.7	0.1	2.5	8.0	BDL
10/26/2017 1:00	0.9	0.6	BDL	0.8	0.1	2.4	6.0	BDL
10/26/2017 2:00	0.9	Calibration	Calibration	2.1	0.1	2.5	7.0	1.0
10/26/2017 3:00	0.9	Calibration	Calibration	1.6	0.1	2.5	6.0	3.0
10/26/2017 4:00	Calibration	0.6	0.5	Calibration	Calibration	2.3	7.0	6.0
10/26/2017 5:00	0.8	Too few samples	Too few samples	4.6	0.1	Too few samples	9.0	5.0
10/26/2017 6:00	0.6	Calibration	Calibration	7.7	0.1	2.3	14.0	Invalid
10/26/2017 7:00	0.7	0.8	0.6	7.5	0.1	2.3	17.0	6.0
10/26/2017 8:00	0.7	0.8	0.4	5.7	0.1	2.4	18.0	5.0
10/26/2017 9:00	0.8	0.8	0.4	5.9	0.1	2.4	14.0	4.0
10/26/2017 10:00	0.8	0.6	0.4	3.7	0.1	2.3	14.0	4.0
10/26/2017 11:00	0.7	0.6	BDL	3.6	0.1	2.3	15.0	7.0
10/26/2017 12:00	0.6	0.5	BDL	3.9	0.1	2.3	18.0	7.0
10/26/2017 13:00	0.7	0.6	0.4	3.1	0.1	2.2	15.0	5.0
10/26/2017 14:00	0.7	0.7	0.4	3.3	0.1	2.2	12.0	1.0
10/26/2017 15:00	0.7	0.4	BDL	1.1	0.1	2.2	8.0	1.0
10/26/2017 16:00	0.6	0.5	BDL	0.7	0.1	2.2	Invalid	3.0
10/26/2017 17:00	0.6	0.5	0.4	2.5	0.1	2.2	7.0	3.0
10/26/2017 18:00	0.6	0.7	0.5	10.7	0.2	2.3	10.0	3.0
10/26/2017 19:00	1.3	0.7	0.4	8.6	0.1	2.1	32.0	12.0
10/26/2017 20:00	0.9	0.7	BDL	7.1	0.1	2.1	BDL	8.0
10/26/2017 21:00	1.1	0.9	0.6	14.5	0.2	2.3	22.0	10.0
10/26/2017 22:00	0.7	0.8	0.6	6.7	0.1	2.4	12.0	6.0
10/26/2017 23:00	0.5	0.6	BDL	4.9	0.1	2.4	12.0	5.0
10/27/2017 0:00	0.5	0.5	BDL	4.0	0.1	2.4	12.0	6.0
10/27/2017 1:00	0.9	0.7	0.5	8.0	0.1	2.4	15.0	6.0
10/27/2017 2:00	0.7	Calibration	Calibration	6.0	0.1	2.5	11.0	7.0
10/27/2017 3:00	0.7	Calibration	Calibration	15.8	0.2	2.6	16.0	7.0
10/27/2017 4:00	Calibration	1.0	0.7	Calibration	Calibration	2.6	17.0	8.0
10/27/2017 5:00	1.0	1.3	0.5	28.9	0.3	Too few samples	64.0	8.0
10/27/2017 6:00	1.7	3.1	0.8	73.2	0.6	2.5	27.0	16.0
10/27/2017 7:00	2.0	3.8	1.1	79.7	0.6	3.2	38.0	15.0
10/27/2017 8:00	2.5	3.2	1.5	59.3	0.4	2.7	36.0	16.0
10/27/2017 9:00	3.6	2.5	0.8	49.7	0.3	2.4	26.0	15.0
10/27/2017 10:00	2.6	1.0	BDL	15.4	0.1	2.2	15.0	6.0
10/27/2017 11:00	1.8	0.6	BDL	7.4	0.1	2.2	33.0	3.0
10/27/2017 12:00	1.2	0.5	BDL	4.4	0.1	2.2	22.0	2.0
10/27/2017 13:00	1.0	0.4	BDL	3.9	0.1	2.1	30.0	5.0
10/27/2017 14:00	1.0	0.8	0.5	5.0	0.1	2.1	12.0	11.0
10/27/2017 15:00	0.9	0.8	0.4	7.9	0.1	2.2	19.0	7.0
10/27/2017 16:00	0.9	0.7	0.4	8.0	0.2	2.1	17.0	6.0
10/27/2017 17:00	1.0	0.8	0.4	13.1	0.3	2.1	17.0	7.0
10/27/2017 18:00	0.8	0.8	0.4	13.6	0.3	2.1	22.0	6.0
10/27/2017 19:00	0.7	0.9	BDL	11.9	0.3	2.1	19.0	7.0
10/27/2017 20:00	0.7	0.8	0.4	8.9	0.3	2.1	19.0	7.0
10/27/2017 21:00	0.6	1.2	0.8	11.2	0.3	2.1	22.0	11.0
10/27/2017 22:00	0.5	1.5	0.9	18.8	0.4	2.2	17.0	12.0
10/27/2017 23:00	0.5	1.5	1.0	12.0	0.3	2.5	17.0	10.0
10/28/2017 0:00	0.5	1.8	1.3	18.1	0.4	2.4	20.0	16.0
10/28/2017 1:00	0.6	1.8	1.3	22.1	0.4	2.1	16.0	8.0
10/28/2017 2:00	0.5	Calibration	Calibration	9.8	0.3	2.1	13.0	8.0
10/28/2017 3:00	0.4	Calibration	Calibration	20.2	0.3	2.1	18.0	11.0
10/28/2017 4:00	Calibration	2.0	1.2	Calibration	Calibration	2.1	18.0	11.0
10/28/2017 5:00	0.5	2.1	1.1	20.3	0.3	Too few samples	18.0	9.0
10/28/2017 6:00	BDL	1.7	1.1	18.1	0.4	2.1	14.0	6.0
10/28/2017 7:00	0.5	1.6	1.1	16.7	0.3	2.1	14.0	8.0
10/28/2017 8:00	0.6	1.3	0.9	10.2	0.2	2.2	17.0	7.0
10/28/2017 9:00	0.9	1.1	0.7	5.0	0.2	2.2	17.0	4.0
10/28/2017 10:00	0.9	1.1	0.8	4.4	0.1	2.2	21.0	6.0
10/28/2017 11:00	0.9	0.7	0.5	2.0	0.1	2.1	18.0	6.0
10/28/2017 12:00	0.9	0.6	0.5	2.2	0.1	2.0	23.0	4.0
10/28/2017 13:00	0.7	0.5	0.4	BDL	0.1	2.1	20.0	4.0
10/28/2017 14:00	0.7	0.6	0.4	1.2	0.1	2.1	19.0	4.0
10/28/2017 15:00	0.5	0.5	0.4	1.2	0.2	2.0	12.0	4.0
10/28/2017 16:00	0.4	0.6	0.4	2.9	0.2	2.0	15.0	4.0
10/28/2017 17:00	0.5	0.7	0.4	2.6	0.2	1.9	18.0	3.0
10/28/2017 18:00	0.5	0.5	0.4	1.5	0.2	1.9	Invalid	4.0
10/28/2017 19:00	0.5	0.5	BDL	7.9	0.2	1.9	13.0	8.0
10/28/2017 20:00	0.5	0.7	0.4	3.1	0.2	2.0	12.0	6.0
10/28/2017 21:00	0.4	0.7	0.5	5.4	0.2	2.0	13.0	5.0
10/28/2017 22:00	0.4	0.8	0.5	6.9	0.3	2.0	15.0	5.0
10/28/2017 23:00	BDL	1.0	0.9	8.0	0.2	2.0	14.0	4.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 10/29/2017-11/4/2017								
10/29/2017 0:00	0.4	1.4	1.2	10.4	0.3	2.1	11.0	5.0
10/29/2017 1:00	0.4	1.7	1.5	5.2	0.2	2.0	14.0	5.0
10/29/2017 2:00	0.4	Calibration	Calibration	3.5	0.2	1.9	11.0	3.0
10/29/2017 3:00	0.5	Calibration	Calibration	1.5	0.2	2.0	65.0	5.0
10/29/2017 4:00	Calibration	0.8	0.7	Calibration	Calibration	2.0	7.0	5.0
10/29/2017 5:00	0.5	0.9	0.7	3.0	0.2	Too few samples	7.0	3.0
10/29/2017 6:00	0.4	0.7	0.6	3.1	0.1	2.0	10.0	4.0
10/29/2017 7:00	0.4	0.7	0.5	3.6	0.2	1.9	11.0	4.0
10/29/2017 8:00	0.4	0.8	0.6	5.0	0.2	2.0	7.0	3.0
10/29/2017 9:00	0.4	0.9	0.6	5.9	0.2	2.0	8.0	3.0
10/29/2017 10:00	0.4	1.1	0.9	6.0	0.2	2.0	5.0	2.0
10/29/2017 11:00	0.5	1.3	1.0	6.1	0.3	2.2	1.0	BDL
10/29/2017 12:00	0.4	1.1	0.9	5.1	0.2	2.0	3.0	BDL
10/29/2017 13:00	0.5	1.3	1.2	6.6	0.3	2.0	11.0	5.0
10/29/2017 14:00	0.5	1.1	1.0	3.8	0.2	1.9	8.0	4.0
10/29/2017 15:00	0.5	1.3	1.0	12.3	0.3	1.9	6.0	3.0
10/29/2017 16:00	0.5	1.1	1.0	5.1	0.2	1.9	7.0	2.0
10/29/2017 17:00	0.5	1.1	0.7	8.1	0.3	2.9	7.0	1.0
10/29/2017 18:00	0.6	1.2	1.0	10.9	0.4	3.0	5.0	3.0
10/29/2017 19:00	0.8	1.3	0.9	7.9	0.2	2.8	7.0	1.0
10/29/2017 20:00	0.7	1.1	0.9	3.4	0.1	2.6	4.0	BDL
10/29/2017 21:00	0.6	1.2	1.0	4.6	0.1	2.7	2.0	BDL
10/29/2017 22:00	0.7	1.2	1.0	0.9	0.1	2.4	2.0	BDL
10/29/2017 23:00	0.7	1.2	1.0	2.0	0.1	2.5	5.0	4.0
10/30/2017 0:00	0.8	1.2	1.0	1.1	0.1	2.3	3.0	6.0
10/30/2017 1:00	0.8	1.0	0.9	2.9	0.1	2.2	2.0	2.0
10/30/2017 2:00	0.8	Calibration	Calibration	5.6	0.1	2.4	3.0	1.0
10/30/2017 3:00	0.9	Calibration	Calibration	8.2	0.1	2.2	5.0	1.0
10/30/2017 4:00	Calibration	1.1	0.9	Calibration	Calibration	2.2	8.0	4.0
10/30/2017 5:00	1.4	1.3	1.1	10.1	0.1	2.4	6.0	4.0
10/30/2017 6:00	1.6	1.2	1.0	14.3	0.1	2.2	12.0	6.0
10/30/2017 7:00	2.5	1.2	0.7	13.7	0.1	2.2	13.0	7.0
10/30/2017 8:00	3.4	1.2	0.6	12.4	0.1	2.2	13.0	4.0
10/30/2017 9:00	2.7	1.0	0.5	10.6	0.1	2.3	17.0	5.0
10/30/2017 10:00	1.7	0.8	0.5	7.0	0.1	2.4	17.0	6.0
10/30/2017 11:00	1.3	0.8	0.4	6.0	0.1	2.3	13.0	3.0
10/30/2017 12:00	1.4	0.8	0.4	9.6	0.1	2.3	10.0	7.0
10/30/2017 13:00	2.1	0.8	0.4	11.0	0.1	2.2	16.0	10.0
10/30/2017 14:00	1.9	0.8	0.5	12.5	0.1	2.3	13.0	11.0
10/30/2017 15:00	2.3	1.0	0.6	10.4	0.1	2.3	11.0	7.0
10/30/2017 16:00	2.7	1.1	0.7	10.4	0.1	2.4	12.0	6.0
10/30/2017 17:00	3.4	0.8	BDL	8.2	0.1	2.4	20.0	12.0
10/30/2017 18:00	3.6	0.8	0.4	12.7	0.1	2.3	20.0	13.0
10/30/2017 19:00	2.2	0.9	0.4	14.7	0.2	2.3	11.0	7.0
10/30/2017 20:00	0.9	1.0	0.6	9.4	0.1	2.4	9.0	4.0
10/30/2017 21:00	0.8	0.8	0.4	6.7	0.1	2.3	10.0	8.0
10/30/2017 22:00	1.0	0.8	0.4	11.5	0.1	2.3	10.0	6.0
10/30/2017 23:00	1.1	0.8	0.4	9.8	0.1	2.3	11.0	5.0
10/31/2017 0:00	0.7	0.9	0.5	6.7	0.1	2.4	8.0	5.0
10/31/2017 1:00	0.5	0.9	0.6	5.2	0.1	2.4	7.0	7.0
10/31/2017 2:00	1.0	Calibration	Calibration	12.5	0.1	2.4	14.0	7.0
10/31/2017 3:00	1.1	Calibration	Calibration	17.2	0.1	2.7	14.0	6.0
10/31/2017 4:00	Calibration	0.9	0.5	Calibration	Calibration	2.7	12.0	9.0
10/31/2017 5:00	2.6	1.1	0.6	16.9	0.2	2.3	26.0	12.0
10/31/2017 6:00	1.8	Calibration	Calibration	16.3	0.2	2.4	11.0	11.0
10/31/2017 7:00	2.3	Calibration	Calibration	18.5	0.2	2.5	11.0	7.0
10/31/2017 8:00	7.6	0.7	0.5	19.7	0.2	2.3	Audit	Audit
10/31/2017 9:00	2.3	0.7	BDL	10.2	0.1	2.4	18.0	3.0
10/31/2017 10:00	2.7	0.6	BDL	11.3	0.1	2.4	18.0	4.0
10/31/2017 11:00	3.3	0.6	BDL	10.0	0.1	2.4	28.0	5.0
10/31/2017 12:00	2.4	0.6	BDL	10.9	0.1	2.4	27.0	9.0
10/31/2017 13:00	2.5	0.6	BDL	8.8	0.1	2.4	23.0	7.0
10/31/2017 14:00	1.3	0.5	BDL	5.5	0.1	2.4	21.0	6.0
10/31/2017 15:00	1.9	0.5	BDL	6.3	0.1	2.3	29.0	8.0
10/31/2017 16:00	0.8	0.5	BDL	2.1	0.1	2.5	12.0	7.0
10/31/2017 17:00	0.6	0.4	BDL	5.4	0.1	2.5	13.0	4.0
10/31/2017 18:00	0.8	0.6	BDL	16.6	0.2	2.7	20.0	5.0
10/31/2017 19:00	0.7	0.8	BDL	16.1	0.2	2.5	15.0	5.0
10/31/2017 20:00	0.6	0.8	BDL	14.5	0.2	2.4	17.0	4.0
10/31/2017 21:00	0.6	0.6	BDL	13.2	0.2	2.3	10.0	3.0
10/31/2017 22:00	0.6	0.6	BDL	11.2	0.2	2.2	16.0	6.0
10/31/2017 23:00	0.4	0.7	BDL	10.3	0.2	2.2	10.0	7.0
11/1/2017 0:00	0.9	0.9	BDL	20.0	0.3	2.3	14.0	8.0
11/1/2017 1:00	1.6	0.8	BDL	19.4	0.2	2.2	12.0	9.0
11/1/2017 2:00	1.3	Calibration	Calibration	32.3	0.3	2.5	21.0	7.0
11/1/2017 3:00	1.2	Calibration	Calibration	33.0	0.3	2.5	19.0	11.0
11/1/2017 4:00	Calibration	1.1	0.4	Calibration	Calibration	2.5	15.0	12.0
11/1/2017 5:00	1.2	1.4	BDL	34.5	0.3	2.3	18.0	7.0
11/1/2017 6:00	1.0	1.5	BDL	32.7	0.3	2.3	17.0	4.0
11/1/2017 7:00	1.2	2.1	0.4	50.4	0.5	2.5	28.0	7.0
11/1/2017 8:00	Calibration	2.0	0.6	Calibration	Calibration	2.5	27.0	8.0
11/1/2017 9:00	Too few samples	2.1	0.6	Too few samples	Too few samples	2.5	32.0	6.0
11/1/2017 10:00	1.2	1.9	0.4	38.2	0.3	2.4	23.0	6.0
11/1/2017 11:00	1.0	1.5	BDL	25.5	0.3	2.2	16.0	5.0
11/1/2017 12:00	1.0	1.4	0.4	26.5	0.3	2.2	20.0	8.0
11/1/2017 13:00	1.0	1.0	0.4	24.1	0.2	2.1	27.0	10.0
11/1/2017 14:00	0.8	0.8	BDL	13.8	0.2	2.1	21.0	7.0
11/1/2017 15:00	0.6	0.6	BDL	7.8	0.2	2.1	20.0	7.0
11/1/2017 16:00	0.4	0.8	BDL	12.6	0.2	2.1	21.0	6.0
11/1/2017 17:00	0.5	1.0	0.5	18.9	0.3	2.1	27.0	6.0
11/1/2017 18:00	0.5	1.5	0.8	25.6	0.3	2.1	25.0	7.0
11/1/2017 19:00	0.4	1.3	0.6	19.1	0.3	2.1	23.0	7.0
11/1/2017 20:00	0.4	1.2	0.7	14.5	0.3	2.1	26.0	6.0
11/1/2017 21:00	0.5	1.0	0.6	21.0	0.4	2.1	23.0	9.0
11/1/2017 22:00	0.4	0.7	0.5	7.2	0.2	2.1	22.0	5.0
11/1/2017 23:00	0.4	0.6	BDL	5.5	0.2	2.1	23.0	5.0
11/2/2017 0:00	0.4	0.7	BDL	5.4	0.2	2.1	20.0	6.0
11/2/2017 1:00	0.4	0.6	BDL	7.3	0.2	2.1	18.0	5.0
11/2/2017 2:00	BDL	Calibration	Calibration	17.9	0.2	2.1	18.0	9.0
11/2/2017 3:00	0.4	Calibration	Calibration	26.0	0.3	2.3	14.0	9.0
11/2/2017 4:00	Calibration	2.7	0.7	Calibration	Calibration	2.7	17.0	10.0
11/2/2017 5:00	1.1	3.3	1.3	85.0	0.9	2.7	26.0	10.0
11/2/2017 6:00	1.2	3.6	1.6	93.6	0.9	2.8	27.0	9.0
11/2/2017 7:00	0.9	Calibration	Calibration	68.7	0.7	2.4	23.0	10.0
11/2/2017 8:00	0.8	Calibration	Calibration	47.3	0.4	2.3	24.0	11.0
11/2/2017 9:00	0.6	1.2	BDL	24.0	0.3	2.4	18.0	8.0
11/2/2017 10:00	0.9	0.9	BDL	13.5	0.2	2.3	13.0	6.0
11/2/2017 11:00	1.1	0.4	BDL	5.1	0.1	2.3	23.0	6.0
11/2/2017 12:00	1.2	0.4	BDL	8.2	0.1	2.3	20.0	5.0
11/2/2017 13:00	1.0	BDL	BDL	4.2	0.1	2.2	29.0	7.0
11/2/2017 14:00	0.7	BDL	BDL	9.8	0.2	2.0	21.0	5.0
11/2/2017 15:00	0.7	0.4	BDL	11.0	0.2	2.0	17.0	5.0
11/2/2017 16:00	0.6	BDL	BDL	11.0	0.2	2.0	14.0	5.0
11/2/2017 17:00	0.5	BDL	BDL	8.0	0.2	2.0	11.0	6.0
11/2/2017 18:00	0.6	BDL	BDL	8.5	0.2	2.0	10.0	5.0
11/2/2017 19:00	0.5	BDL	BDL	5.5	0.2	2.0	8.0	3.0
11/2/2017 20:00	0.5	0.4	BDL	5.0	0.2	2.0	11.0	3.0
11/2/2017 21:00	0.4	0.4	BDL	7.4	0.2	2.2	9.0	5.0
11/2/2017 22:00	0.5	0.7	BDL	13.7	0.3	2.4	11.0	5.0
11/2/2017 23:00	0.5	0.7	BDL	21.6	0.2	2.1	14.0	3.0
11/3/2017 0:00	0.5	0.7	BDL	21.1	0.2	2.0	12.0	6.0
11/3/2017 1:00	0.4	0.5	BDL	11.8	0.2	2.1	12.0	5.0
11/3/2017 2:00	0.4	Calibration	Calibration	20.0	0.2	2.1	9.0	5.0
11/3/2017 3:00	0.5	Calibration	Calibration	24.7	0.2	2.1	8.0	4.0
11/3/2017 4:00	Calibration	0.9	BDL	Calibration	Calibration	2.1	10.0	6.0
11/3/2017 5:00	0.7	1.6	BDL	37.9	0.4	Too few samples	14.0	6.0
11/3/2017 6:00	0.8	Calibration	Calibration	Calibration	0.4	2.2	19.0	7.0
11/3/2017 7:00	Calibration	Too few samples	Too few samples	Too few samples	Calibration	2.2	18.0	8.0
11/3/2017 8:00	Too few samples	1.7	BDL	29.4	Too few samples	2.4	21.0	8.0
11/3/2017 9:00	1.2	1.0	BDL	16.7	0.2	2.4	18.0	9.0
11/3/2017 10:00	1.4	1.0	BDL	16.5	0.2	2.6	22.0	7.0
11/3/2017 11:00	2.0	0.7	BDL	17.2	0.3	2.6	28.0	12.0
11/3/2017 12:00	2.9	0.8	BDL	20.1	0.3	2.5	39.0	17.0
11/3/2017 13:00	5.1	0.9	BDL	18.7	0.3	2.3	26.0	12.0
11/3/2017 14:00	3.5	0.9	BDL	17.2	0.3	2.4	25.0	12.0
11/3/2017 15:00	2.3	0.6	BDL	9.3	0.2	2.5	23.0	7.0
11/3/2017 16:00	1.2	0.4	BDL	5.3	0.2	2.4	24.0	6.0
11/3/2017 17:00	0.8	0.4	BDL	6.4	0.3	2.3	17.0	10.0
11/3/2017 18:00	0.7	BDL	BDL	8.4	0.3	2.7	21.0	8.0
11/3/2017 19:00	0.6	BDL	BDL	2.7	0.2	2.6	6.0	9.0
11/3/2017 20:00	0.6	BDL	BDL	4.0	0.2	2.3	11.0	8.0
11/3/2017 21:00	0.7	BDL	BDL	4.9	0.2	2.2	9.0	4.0
11/3/2017 22:00	0.7	BDL	BDL	5.4	0.2	2.2	6.0	3.0
11/3/2017 23:00	0.5	BDL	BDL	3.5	0.1	2.1	8.0	9.0
11/4/2017 0:00	0.4	BDL	BDL	3.7	0.1	2.2	7.0	6.0
11/4/2017 1:00	0.5	BDL	BDL	8.2	0.1	2.3	9.0	6.0
11/4/2017 2:00	0.4	Calibration	Calibration	1.8	0.1	2.2	9.0	8.0
11/4/2017 3:00	BDL	Calibration	Calibration	3.3	0.1	2.2	6.0	4.0
11/4/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.2	3.0	BDL
11/4/2017 5:00	BDL	BDL	BDL	8.4	0.1	Too few samples	8.0	1.0
11/4/2017 6:00	0.4	Calibration	Calibration	10.3	0.2	2.3	10.0	3.0
11/4/2017 7:00	0.4	Too few samples	Too few samples	10.6	0.2	2.2	9.0	2.0
11/4/2017 8:00	0.4	BDL	BDL	10.5	0.2	2.2	9.0	BDL
11/4/2017 9:00	0.5	BDL	BDL	12.0	0.2	2.2	9.0	4.0
11/4/2017 10:00	0.5	BDL	BDL	11.7	0.2	2.2	13.0	4.0
11/4/2017 11:00	0.5	BDL	BDL	9.1	0.2	2.1	10.0	6.0
11/4/2017 12:00	0.5	BDL	BDL	6.5	0.2	2.1	9.0	4.0
11/4/2017 13:00	0.5	0.4	BDL	9.7	0.2	2.1	9.0	3.0
11/4/2017 14:00	0.5	BDL	BDL	5.7	0.2	2.1	12.0	4.0
11/4/2017 15:00	0.5	BDL	BDL	8.1	0.2	2.1	17.0	6.0
11/4/2017 16:00	0.4	BDL	BDL	7.8	0.2	2.1	12.0	6.0
11/4/2017 17:00	0.5	BDL	BDL	6.7	0.2	2.1	11.0	4.0
11/4/2017 18:00	BDL	BDL	BDL	7.5	0.2	2.1	13.0	4.0
11/4/2017 19:00	BDL	BDL	BDL	7.1	0.2	2.1	19.0	6.0
11/4/2017 20:00	BDL	BDL	BDL	8.8	0.2	2.2	11.0	8.0
11/4/2017 21:00	0.4	BDL	BDL	13.4	0.2	2.2	15.0	7.0
11/4/2017 22:00	0.4	0.4	BDL	14.4	0.2	2.3	12.0	7.0
11/4/2017 23:00	0.4	BDL	BDL	15.4	0.2	2.3	15.0	6.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 11/5/2017-11/11/2017								
11/5/2017 0:00	BDL	BDL	BDL	8.1	0.2	2.3	14.0	9.0
11/5/2017 1:00	BDL	BDL	BDL	6.9	0.2	2.3	12.0	7.0
11/5/2017 2:00	BDL	Calibration	Calibration	11.2	0.3	2.4	12.0	4.0
11/5/2017 3:00	BDL	Calibration	Calibration	12.0	0.2	2.4	11.0	5.0
11/5/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.4	9.0	7.0
11/5/2017 5:00	0.4	BDL	BDL	9.1	0.2	2.3	10.0	6.0
11/5/2017 6:00	0.4	BDL	BDL	12.7	0.2	2.4	12.0	7.0
11/5/2017 7:00	Too few samples	0.5	BDL	Calibration	Too few samples	2.4	16.0	8.0
11/5/2017 8:00	Too few samples	0.6	BDL	Too few samples	Too few samples	Too few samples	15.0	7.0
11/5/2017 9:00	BDL	Calibration	Calibration	9.5	0.3	2.2	20.0	6.0
11/5/2017 10:00	0.4	Calibration	Calibration	8.5	0.2	2.1	19.0	3.0
11/5/2017 11:00	0.5	BDL	BDL	0.7	0.2	2.0	28.0	8.0
11/5/2017 12:00	0.4	BDL	BDL	BDL	0.2	2.0	22.0	7.0
11/5/2017 13:00	0.5	BDL	BDL	BDL	0.2	2.0	20.0	5.0
11/5/2017 14:00	0.4	BDL	BDL	BDL	0.2	2.0	14.0	3.0
11/5/2017 15:00	0.4	BDL	BDL	BDL	0.2	2.2	14.0	2.0
11/5/2017 16:00	0.5	BDL	BDL	2.0	0.2	2.5	17.0	8.0
11/5/2017 17:00	0.8	0.6	BDL	13.7	0.5	2.3	23.0	6.0
11/5/2017 18:00	0.8	0.9	BDL	19.8	0.5	2.3	20.0	6.0
11/5/2017 19:00	0.6	0.6	BDL	10.2	0.3	2.2	19.0	6.0
11/5/2017 20:00	0.5	BDL	BDL	1.4	0.3	2.2	17.0	5.0
11/5/2017 21:00	0.5	0.5	BDL	4.4	0.2	2.1	18.0	4.0
11/5/2017 22:00	0.5	0.9	BDL	9.8	0.2	2.1	15.0	9.0
11/5/2017 23:00	0.5	1.1	BDL	7.4	0.2	2.2	15.0	8.0
11/6/2017 0:00	0.4	1.1	BDL	4.5	0.2	2.3	15.0	6.0
11/6/2017 1:00	0.5	0.5	BDL	BDL	0.1	2.4	17.0	7.0
11/6/2017 2:00	0.4	Calibration	Calibration	BDL	0.1	2.4	19.0	9.0
11/6/2017 3:00	0.4	Calibration	Calibration	BDL	0.1	2.3	23.0	7.0
11/6/2017 4:00	Calibration	0.5	BDL	Calibration	Calibration	2.3	27.0	7.0
11/6/2017 5:00	BDL	0.5	BDL	BDL	0.2	Too few samples	27.0	12.0
11/6/2017 6:00	0.5	0.4	BDL	1.0	0.2	2.4	19.0	13.0
11/6/2017 7:00	0.6	0.5	BDL	2.7	0.2	2.4	20.0	9.0
11/6/2017 8:00	0.8	0.6	BDL	7.2	0.2	2.3	20.0	15.0
11/6/2017 9:00	1.3	0.6	BDL	6.7	0.2	2.3	22.0	17.0
11/6/2017 10:00	1.5	0.8	BDL	3.5	0.2	2.4	17.0	6.0
11/6/2017 11:00	1.3	0.8	BDL	2.3	0.2	2.2	17.0	8.0
11/6/2017 12:00	1.1	0.5	BDL	2.3	0.2	2.2	18.0	15.0
11/6/2017 13:00	1.8	0.6	BDL	8.1	0.2	2.3	27.0	15.0
11/6/2017 14:00	3.1	0.8	BDL	8.6	0.3	2.2	18.0	13.0
11/6/2017 15:00	2.3	0.6	BDL	2.9	0.2	2.3	14.0	8.0
11/6/2017 16:00	1.4	0.6	BDL	5.7	0.2	2.3	12.0	5.0
11/6/2017 17:00	1.0	BDL	BDL	BDL	0.2	2.2	8.0	3.0
11/6/2017 18:00	0.8	0.4	BDL	BDL	0.2	2.3	12.0	3.0
11/6/2017 19:00	0.4	BDL	BDL	BDL	0.1	2.3	9.0	4.0
11/6/2017 20:00	0.4	BDL	BDL	BDL	0.1	2.3	5.0	4.0
11/6/2017 21:00	0.5	BDL	BDL	BDL	0.1	2.3	7.0	2.0
11/6/2017 22:00	0.6	BDL	BDL	BDL	0.1	2.3	7.0	4.0
11/6/2017 23:00	0.4	BDL	BDL	BDL	0.1	2.2	8.0	4.0
11/7/2017 0:00	0.4	BDL	BDL	BDL	0.1	2.2	5.0	2.0
11/7/2017 1:00	0.5	BDL	BDL	BDL	0.1	2.4	5.0	3.0
11/7/2017 2:00	0.5	Calibration	Calibration	BDL	0.1	2.2	4.0	3.0
11/7/2017 3:00	0.4	Calibration	Calibration	BDL	0.1	2.2	4.0	6.0
11/7/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.2	10.0	7.0
11/7/2017 5:00	BDL	BDL	BDL	4.9	0.1	Too few samples	10.0	6.0
11/7/2017 6:00	0.4	BDL	BDL	9.4	0.2	2.2	10.0	4.0
11/7/2017 7:00	0.4	Too few samples	Too few samples	9.9	0.2	2.2	19.0	4.0
11/7/2017 8:00	0.5	Calibration	Calibration	9.3	0.2	2.2	14.0	7.0
11/7/2017 9:00	0.6	BDL	BDL	10.9	0.2	2.1	12.0	5.0
11/7/2017 10:00	0.7	0.6	BDL	16.0	0.2	2.1	17.0	3.0
11/7/2017 11:00	0.5	0.5	BDL	13.0	0.2	2.2	17.0	5.0
11/7/2017 12:00	0.6	0.6	BDL	12.2	0.2	2.2	18.0	6.0
11/7/2017 13:00	0.4	0.6	BDL	12.4	0.2	2.3	18.0	7.0
11/7/2017 14:00	0.5	0.8	BDL	17.9	0.3	2.2	17.0	6.0
11/7/2017 15:00	0.5	0.6	BDL	15.2	0.3	2.2	9.0	5.0
11/7/2017 16:00	0.4	0.8	BDL	10.2	0.2	2.2	11.0	6.0
11/7/2017 17:00	BDL	BDL	BDL	7.4	0.2	2.2	7.0	7.0
11/7/2017 18:00	0.4	0.5	BDL	9.4	0.2	2.2	7.0	7.0
11/7/2017 19:00	0.4	0.4	BDL	2.9	0.2	2.1	9.0	6.0
11/7/2017 20:00	BDL	BDL	BDL	2.4	0.2	2.1	9.0	6.0
11/7/2017 21:00	0.5	BDL	BDL	1.3	0.2	2.1	11.0	5.0
11/7/2017 22:00	BDL	BDL	BDL	0.9	0.2	2.1	8.0	4.0
11/7/2017 23:00	BDL	BDL	BDL	0.9	0.1	2.1	6.0	6.0
11/8/2017 0:00	BDL	BDL	BDL	BDL	0.1	2.1	5.0	6.0
11/8/2017 1:00	0.4	BDL	BDL	BDL	0.1	2.1	2.0	5.0
11/8/2017 2:00	BDL	Calibration	Calibration	BDL	0.1	2.1	3.0	4.0
11/8/2017 3:00	BDL	Calibration	Calibration	BDL	0.1	2.1	4.0	3.0
11/8/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.1	4.0	3.0
11/8/2017 5:00	BDL	BDL	BDL	3.5	0.1	2.1	8.0	5.0
11/8/2017 6:00	BDL	0.4	BDL	10.4	0.2	2.3	9.0	6.0
11/8/2017 7:00	BDL	Audit	Audit	12.0	0.2	2.2	7.0	5.0
11/8/2017 8:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	2.2	10.0	5.0
11/8/2017 9:00	0.5	0.6	BDL	Calibration	0.2	Too few samples	12.0	4.0
11/8/2017 10:00	0.5	0.6	BDL	14.3	0.2	2.1	10.0	5.0
11/8/2017 11:00	0.5	0.7	BDL	16.9	0.2	2.1	9.0	4.0
11/8/2017 12:00	0.5	0.7	BDL	13.3	0.2	2.1	11.0	6.0
11/8/2017 13:00	0.5	0.5	BDL	12.5	0.2	2.1	17.0	6.0
11/8/2017 14:00	0.4	0.5	BDL	15.2	0.2	2.1	15.0	8.0
11/8/2017 15:00	0.5	0.7	BDL	20.3	0.3	2.1	14.0	6.0
11/8/2017 16:00	0.7	0.9	BDL	27.3	0.3	2.2	17.0	8.0
11/8/2017 17:00	0.5	1.1	BDL	27.5	0.4	2.2	15.0	9.0
11/8/2017 18:00	0.6	1.6	BDL	38.4	0.5	2.3	25.0	12.0
11/8/2017 19:00	0.6	1.4	BDL	37.0	0.4	2.2	23.0	11.0
11/8/2017 20:00	0.5	1.2	BDL	28.9	0.4	2.2	16.0	11.0
11/8/2017 21:00	0.7	1.2	BDL	28.5	0.4	2.3	14.0	12.0
11/8/2017 22:00	0.7	1.5	BDL	32.9	0.3	2.3	12.0	9.0
11/8/2017 23:00	0.4	1.0	BDL	20.1	0.3	2.4	16.0	6.0
11/9/2017 0:00	0.6	1.2	BDL	27.6	0.3	2.4	17.0	8.0
11/9/2017 1:00	0.7	1.7	BDL	37.0	0.4	2.5	15.0	11.0
11/9/2017 2:00	0.6	Calibration	Calibration	28.3	0.3	2.4	10.0	10.0
11/9/2017 3:00	0.6	Calibration	Calibration	24.7	0.3	2.3	8.0	7.0
11/9/2017 4:00	Calibration	0.7	BDL	Calibration	Calibration	2.3	9.0	15.0
11/9/2017 5:00	0.7	1.7	BDL	38.5	0.4	Too few samples	17.0	9.0
11/9/2017 6:00	0.9	1.7	BDL	40.7	0.5	2.4	16.0	8.0
11/9/2017 7:00	0.9	Calibration	Calibration	45.8	0.5	2.3	17.0	8.0
11/9/2017 8:00	0.8	Calibration	Calibration	39.4	0.4	2.6	Audit	Audit
11/9/2017 9:00	1.3	1.4	BDL	45.4	0.4	2.4	24.0	10.0
11/9/2017 10:00	1.0	1.4	BDL	28.0	0.3	2.2	23.0	8.0
11/9/2017 11:00	0.8	0.8	BDL	9.3	0.2	2.1	17.0	5.0
11/9/2017 12:00	0.7	BDL	BDL	1.6	0.1	2.0	10.0	3.0
11/9/2017 13:00	0.6	BDL	BDL	2.4	0.1	2.0	12.0	4.0
11/9/2017 14:00	0.8	0.5	BDL	8.8	0.2	2.0	10.0	6.0
11/9/2017 15:00	0.7	0.6	BDL	3.7	0.2	2.1	9.0	5.0
11/9/2017 16:00	0.6	0.4	BDL	2.9	0.2	2.1	15.0	4.0
11/9/2017 17:00	0.4	0.4	BDL	3.1	0.2	2.0	10.0	4.0
11/9/2017 18:00	0.4	BDL	BDL	5.0	0.2	2.0	16.0	5.0
11/9/2017 19:00	0.5	0.4	BDL	6.3	0.2	2.3	10.0	5.0
11/9/2017 20:00	0.6	0.4	BDL	5.5	0.3	2.1	13.0	4.0
11/9/2017 21:00	0.6	0.4	BDL	1.1	0.2	2.4	10.0	4.0
11/9/2017 22:00	0.9	0.5	BDL	5.6	0.2	2.3	15.0	5.0
11/9/2017 23:00	0.9	0.5	BDL	5.8	0.2	2.2	10.0	3.0
11/10/2017 0:00	0.7	0.6	BDL	8.2	0.2	2.5	10.0	10.0
11/10/2017 1:00	1.1	0.6	BDL	6.8	0.2	2.5	17.0	11.0
11/10/2017 2:00	1.7	Calibration	Calibration	3.2	0.2	2.7	15.0	13.0
11/10/2017 3:00	1.9	Calibration	Calibration	5.8	0.2	2.3	14.0	9.0
11/10/2017 4:00	Calibration	0.4	BDL	Calibration	Calibration	2.6	12.0	9.0
11/10/2017 5:00	1.0	BDL	BDL	BDL	0.1	Too few samples	15.0	10.0
11/10/2017 6:00	0.9	BDL	BDL	BDL	0.1	2.6	11.0	11.0
11/10/2017 7:00	0.7	13.8	Calibration	1.2	0.1	2.4	18.0	8.0
11/10/2017 8:00	0.5	38.9	Calibration	BDL	0.1	2.4	11.0	5.0
11/10/2017 9:00	0.4	BDL	BDL	BDL	0.1	2.5	8.0	3.0
11/10/2017 10:00	0.4	BDL	BDL	BDL	0.1	2.5	12.0	3.0
11/10/2017 11:00	0.5	BDL	BDL	BDL	0.1	2.5	9.0	4.0
11/10/2017 12:00	0.4	BDL	BDL	BDL	0.1	2.4	9.0	5.0
11/10/2017 13:00	0.4	BDL	BDL	BDL	BDL	2.5	12.0	3.0
11/10/2017 14:00	BDL	BDL	BDL	BDL	BDL	2.6	11.0	2.0
11/10/2017 15:00	BDL	BDL	BDL	BDL	0.1	2.5	15.0	4.0
11/10/2017 16:00	BDL	BDL	BDL	BDL	0.04	2.7	8.0	4.0
11/10/2017 17:00	BDL	BDL	BDL	0.6	0.1	2.4	9.0	5.0
11/10/2017 18:00	BDL	BDL	BDL	BDL	0.1	2.3	9.0	4.0
11/10/2017 19:00	BDL	BDL	BDL	0.9	0.04	2.3	10.0	5.0
11/10/2017 20:00	BDL	BDL	BDL	BDL	BDL	2.4	8.0	4.0
11/10/2017 21:00	BDL	BDL	BDL	BDL	BDL	2.5	14.0	2.0
11/10/2017 22:00	BDL	BDL	BDL	BDL	BDL	2.6	8.0	2.0
11/10/2017 23:00	BDL	BDL	BDL	BDL	BDL	2.8	9.0	2.0
11/11/2017 0:00	BDL	BDL	BDL	BDL	BDL	2.7	12.0	2.0
11/11/2017 1:00	BDL	BDL	BDL	BDL	BDL	2.7	7.0	4.0
11/11/2017 2:00	BDL	Calibration	Calibration	BDL	BDL	2.8	6.0	2.0
11/11/2017 3:00	0.5	Calibration	Calibration	BDL	BDL	2.6	11.0	1.0
11/11/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.9	10.0	1.0
11/11/2017 5:00	BDL	BDL	BDL	1.3	BDL	2.5	9.0	5.0
11/11/2017 6:00	Calibration	BDL	BDL	Calibration	Calibration	2.6	10.0	5.0
11/11/2017 7:00	Too few samples	BDL	BDL	Too few samples	BDL	2.6	9.0	3.0
11/11/2017 8:00	0.7	BDL	BDL	10.8	BDL	2.6	12.0	3.0
11/11/2017 9:00	1.8	0.4	BDL	10.0	BDL	2.5	9.0	2.0
11/11/2017 10:00	1.3	0.5	BDL	11.9	0.1	2.4	9.0	BDL
11/11/2017 11:00	0.5	BDL	BDL	10.1	0.1	2.4	6.0	BDL
11/11/2017 12:00	0.5	BDL	BDL	10.0	0.1	2.2	4.0	1.0
11/11/2017 13:00	0.6	BDL	BDL	11.3	0.1	2.3	7.0	5.0
11/11/2017 14:00	0.7	BDL	BDL	12.4	0.1	2.3	9.0	6.0
11/11/2017 15:00	0.8	BDL	BDL	20.9	0.2	2.2	11.0	10.0
11/11/2017 16:00	0.8	0.4	BDL	27.1	0.3	2.3	12.0	8.0
11/11/2017 17:00	0.8	0.4	BDL	28.0	0.4	2.3	16.0	11.0
11/11/2017 18:00	0.9	0.4	BDL	30.0	0.3	2.3	21.0	9.0
11/11/2017 19:00	0.9	0.6	BDL	33.7	0.4	2.3	20.0	13.0
11/11/2017 20:00	0.6	0.8	BDL	39.5	0.5	2.4	24.0	18.0
11/11/2017 21:00	0.6	1.0	BDL	43.6	0.6	2.7	28.0	19.0
11/11/2017 22:00	0.8	1.5	BDL	53.9	0.5	2.6	34.0	25.0
11/11/2017 23:00	0.5	1.0	BDL	37.9	0.4	2.4	26.0	25.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 11/12/2017-11/18/2017								
11/12/2017 0:00	0.8	1.4	BDL	43.8	0.5	2.4	30.0	22.0
11/12/2017 1:00	0.6	1.4	BDL	45.6	0.6	2.8	29.0	24.0
11/12/2017 2:00	0.7	Calibration	Calibration	54.0	0.5	3.3	27.0	21.0
11/12/2017 3:00	0.8	Calibration	Calibration	51.8	0.5	3.5	29.0	21.0
11/12/2017 4:00	Calibration	1.4	BDL	Calibration	Calibration	3.0	32.0	21.0
11/12/2017 5:00	0.9	2.5	BDL	69.5	0.8	Too few samples	33.0	22.0
11/12/2017 6:00	0.9	2.1	BDL	58.7	0.6	2.9	29.0	22.0
11/12/2017 7:00	Calibration	3.5	BDL	Calibration	Calibration	3.5	35.0	24.0
11/12/2017 8:00	1.3	2.9	BDL	64.0	0.5	2.9	25.0	21.0
11/12/2017 9:00	1.7	1.8	BDL	49.7	0.4	2.8	26.0	21.0
11/12/2017 10:00	2.1	2.0	BDL	53.2	0.4	2.7	29.0	24.0
11/12/2017 11:00	2.5	1.5	BDL	36.5	0.3	2.7	20.0	19.0
11/12/2017 12:00	3.4	1.3	BDL	31.9	0.3	2.7	24.0	18.0
11/12/2017 13:00	3.2	0.8	BDL	18.8	0.2	2.4	16.0	9.0
11/12/2017 14:00	3.0	0.6	BDL	15.0	0.2	2.4	17.0	11.0
11/12/2017 15:00	2.5	0.5	BDL	15.9	0.2	2.4	17.0	14.0
11/12/2017 16:00	1.9	0.6	BDL	22.7	0.4	2.3	20.0	13.0
11/12/2017 17:00	1.4	0.6	BDL	27.9	0.4	2.4	17.0	11.0
11/12/2017 18:00	1.5	0.9	BDL	35.8	0.5	2.5	22.0	17.0
11/12/2017 19:00	2.0	2.4	BDL	77.2	0.9	2.8	35.0	23.0
11/12/2017 20:00	2.0	2.8	BDL	80.4	0.8	2.9	33.0	21.0
11/12/2017 21:00	1.1	2.0	BDL	48.9	0.6	2.8	37.0	25.0
11/12/2017 22:00	0.9	1.6	BDL	45.3	0.7	2.7	37.0	30.0
11/12/2017 23:00	0.9	1.7	BDL	45.2	0.6	2.7	36.0	25.0
11/13/2017 0:00	1.3	2.0	BDL	54.1	0.7	3.2	35.0	26.0
11/13/2017 1:00	1.7	2.4	BDL	62.8	0.6	3.2	31.0	26.0
11/13/2017 2:00	1.7	Calibration	Calibration	53.0	0.5	2.9	30.0	27.0
11/13/2017 3:00	1.2	Calibration	Calibration	43.1	0.4	2.7	31.0	20.0
11/13/2017 4:00	Calibration	1.3	BDL	Calibration	Calibration	2.6	30.0	19.0
11/13/2017 5:00	0.4	1.8	BDL	43.5	0.4	3.1	27.0	23.0
11/13/2017 6:00	0.4	1.8	BDL	50.7	0.6	2.8	25.0	22.0
11/13/2017 7:00	0.5	2.1	BDL	55.3	0.6	2.9	26.0	24.0
11/13/2017 8:00	0.5	Calibration	Calibration	49.4	0.5	2.8	24.0	22.0
11/13/2017 9:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	2.6	18.0	18.0
11/13/2017 10:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	2.7	26.0	21.0
11/13/2017 11:00	0.7	Calibration	Calibration	42.8	0.5	2.6	21.0	18.0
11/13/2017 12:00	0.7	0.9	BDL	34.7	0.5	2.5	25.0	19.0
11/13/2017 13:00	0.5	1.2	BDL	31.7	0.5	2.5	19.0	16.0
11/13/2017 14:00	0.5	1.2	BDL	28.0	0.4	2.5	21.0	18.0
11/13/2017 15:00	0.5	1.1	BDL	24.9	0.4	2.4	20.0	17.0
11/13/2017 16:00	0.5	0.9	BDL	24.5	0.4	2.8	22.0	18.0
11/13/2017 17:00	0.5	1.0	BDL	25.6	0.4	2.7	26.0	20.0
11/13/2017 18:00	0.5	1.0	BDL	26.8	0.4	2.7	30.0	21.0
11/13/2017 19:00	0.5	1.0	BDL	25.7	0.4	2.5	27.0	19.0
11/13/2017 20:00	0.6	0.8	BDL	21.6	0.4	2.6	32.0	21.0
11/13/2017 21:00	0.7	1.1	BDL	31.2	0.5	2.8	31.0	23.0
11/13/2017 22:00	0.8	1.3	BDL	37.7	0.5	2.9	34.0	30.0
11/13/2017 23:00	0.6	1.0	BDL	27.4	0.5	2.6	29.0	25.0
11/14/2017 0:00	0.6	1.3	BDL	34.1	0.5	2.9	30.0	27.0
11/14/2017 1:00	BDL	0.8	BDL	23.1	0.4	2.7	25.0	23.0
11/14/2017 2:00	BDL	Calibration	Calibration	18.6	0.4	2.6	26.0	20.0
11/14/2017 3:00	0.5	Calibration	Calibration	20.0	0.3	2.7	27.0	20.0
11/14/2017 4:00	Calibration	0.7	BDL	Calibration	Calibration	2.7	26.0	20.0
11/14/2017 5:00	0.6	1.0	BDL	29.2	0.4	2.7	27.0	19.0
11/14/2017 6:00	0.9	1.4	BDL	40.1	0.4	2.7	27.0	22.0
11/14/2017 7:00	1.3	1.7	BDL	55.9	0.5	2.9	37.0	22.0
11/14/2017 8:00	1.3	1.4	BDL	38.3	0.4	2.6	31.0	22.0
11/14/2017 9:00	1.4	1.1	BDL	32.5	0.4	2.5	27.0	19.0
11/14/2017 10:00	1.2	0.9	BDL	17.7	0.3	2.5	24.0	15.0
11/14/2017 11:00	1.3	0.6	BDL	14.3	0.3	2.5	27.0	10.0
11/14/2017 12:00	1.1	0.5	BDL	8.7	0.2	2.4	17.0	11.0
11/14/2017 13:00	1.0	0.4	BDL	4.1	0.2	2.5	13.0	7.0
11/14/2017 14:00	1.2	BDL	BDL	1.9	0.2	2.5	13.0	6.0
11/14/2017 15:00	0.8	BDL	BDL	4.2	0.2	2.4	11.0	5.0
11/14/2017 16:00	0.6	0.4	BDL	10.3	0.3	2.5	17.0	8.0
11/14/2017 17:00	0.5	BDL	BDL	7.2	0.3	2.5	18.0	7.0
11/14/2017 18:00	0.4	0.4	BDL	17.9	0.4	2.4	21.0	13.0
11/14/2017 19:00	0.4	0.4	BDL	10.8	0.3	2.3	15.0	10.0
11/14/2017 20:00	0.4	0.4	BDL	12.0	0.4	2.3	17.0	8.0
11/14/2017 21:00	0.4	0.6	BDL	15.1	0.4	2.4	21.0	16.0
11/14/2017 22:00	BDL	0.5	BDL	14.9	0.4	2.4	20.0	13.0
11/14/2017 23:00	0.4	0.6	BDL	17.8	0.4	2.4	19.0	15.0
11/15/2017 0:00	BDL	0.6	BDL	19.4	0.4	2.4	17.0	17.0
11/15/2017 1:00	0.4	0.7	BDL	18.6	0.3	2.4	16.0	14.0
11/15/2017 2:00	BDL	Calibration	Calibration	11.4	0.3	2.4	20.0	15.0
11/15/2017 3:00	0.4	Calibration	Calibration	14.1	0.3	2.4	18.0	18.0
11/15/2017 4:00	Calibration	0.4	BDL	Calibration	Calibration	2.4	18.0	13.0
11/15/2017 5:00	0.5	0.7	BDL	26.7	0.3	Too few samples	17.0	10.0
11/15/2017 6:00	0.4	0.8	BDL	26.2	0.4	2.4	24.0	12.0
11/15/2017 7:00	0.6	0.9	BDL	31.2	0.4	2.4	19.0	13.0
11/15/2017 8:00	0.8	Calibration	Calibration	29.4	0.4	2.4	22.0	11.0
11/15/2017 9:00	0.9	Calibration	Calibration	21.8	0.3	2.3	14.0	12.0
11/15/2017 10:00	1.0	0.8	BDL	20.2	0.3	2.3	23.0	10.0
11/15/2017 11:00	1.0	0.9	BDL	14.1	0.2	2.3	16.0	6.0
11/15/2017 12:00	1.0	0.8	BDL	9.7	0.2	2.2	9.0	4.0
11/15/2017 13:00	1.0	0.7	BDL	7.1	0.2	2.2	14.0	7.0
11/15/2017 14:00	0.9	0.7	BDL	9.3	0.3	2.2	18.0	6.0
11/15/2017 15:00	0.8	1.0	BDL	20.4	0.4	2.3	18.0	8.0
11/15/2017 16:00	0.7	0.8	BDL	21.6	0.4	2.2	21.0	7.0
11/15/2017 17:00	0.4	0.6	BDL	9.7	0.3	2.1	16.0	6.0
11/15/2017 18:00	BDL	0.6	BDL	11.6	0.3	2.2	13.0	7.0
11/15/2017 19:00	0.4	0.8	BDL	19.4	0.3	2.2	17.0	7.0
11/15/2017 20:00	BDL	0.6	BDL	12.0	0.4	2.2	13.0	8.0
11/15/2017 21:00	0.4	0.7	BDL	16.9	0.3	2.3	20.0	6.0
11/15/2017 22:00	BDL	0.6	BDL	7.6	0.3	2.3	14.0	9.0
11/15/2017 23:00	0.4	0.6	BDL	8.8	0.3	2.3	14.0	8.0
11/16/2017 0:00	0.4	0.6	BDL	7.0	0.3	2.4	13.0	8.0
11/16/2017 1:00	0.5	0.8	BDL	15.6	0.3	2.5	15.0	6.0
11/16/2017 2:00	0.5	Calibration	Calibration	4.5	0.3	2.9	15.0	5.0
11/16/2017 3:00	0.9	Calibration	Calibration	4.2	0.3	2.9	17.0	6.0
11/16/2017 4:00	Calibration	1.0	BDL	Calibration	Calibration	2.7	15.0	6.0
11/16/2017 5:00	0.6	1.2	BDL	13.6	0.3	2.8	17.0	9.0
11/16/2017 6:00	0.9	1.4	BDL	26.1	0.4	3.1	17.0	13.0
11/16/2017 7:00	1.2	Too few samples	Too few samples	32.3	0.4	2.9	23.0	13.0
11/16/2017 8:00	1.8	Calibration	Calibration	20.0	0.4	2.9	23.0	18.0
11/16/2017 9:00	Too few samples	0.9	0.5	Too few samples	Too few samples	2.6	25.0	13.0
11/16/2017 10:00	Calibration	1.5	0.7	Calibration	Calibration	2.6	21.0	15.0
11/16/2017 11:00	2.3	0.9	BDL	Calibration	0.2	2.5	18.0	7.0
11/16/2017 12:00	0.9	0.6	BDL	Calibration	0.2	2.4	16.0	6.0
11/16/2017 13:00	2.3	0.6	BDL	Calibration	0.2	2.3	36.0	7.0
11/16/2017 14:00	1.0	0.6	BDL	Calibration	0.3	2.4	17.0	6.0
11/16/2017 15:00	0.5	0.5	BDL	Calibration	0.3	2.5	31.0	5.0
11/16/2017 16:00	BDL	BDL	BDL	Calibration	0.3	2.5	17.0	5.0
11/16/2017 17:00	BDL	BDL	BDL	Calibration	0.2	2.5	25.0	4.0
11/16/2017 18:00	BDL	BDL	BDL	Calibration	0.2	2.5	11.0	6.0
11/16/2017 19:00	BDL	BDL	BDL	Calibration	0.2	2.5	9.0	4.0
11/16/2017 20:00	BDL	BDL	BDL	Calibration	0.2	2.5	12.0	4.0
11/16/2017 21:00	BDL	BDL	BDL	Calibration	0.2	2.4	7.0	4.0
11/16/2017 22:00	BDL	BDL	BDL	Calibration	0.1	2.4	9.0	6.0
11/16/2017 23:00	BDL	BDL	BDL	Calibration	0.1	2.4	6.0	8.0
11/17/2017 0:00	0.6	BDL	BDL	Calibration	0.1	2.4	6.0	6.0
11/17/2017 1:00	1.3	BDL	BDL	Calibration	0.1	2.3	17.0	5.0
11/17/2017 2:00	0.7	Calibration	Calibration	Calibration	0.1	2.4	6.0	4.0
11/17/2017 3:00	BDL	Calibration	Calibration	Calibration	0.1	2.4	6.0	BDL
11/17/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.5	3.0	BDL
11/17/2017 5:00	BDL	BDL	BDL	Calibration	0.1	Too few samples	4.0	2.0
11/17/2017 6:00	BDL	BDL	BDL	Calibration	0.1	2.6	5.0	3.0
11/17/2017 7:00	BDL	BDL	BDL	1.1	0.2	2.7	29.0	11.0
11/17/2017 8:00	BDL	BDL	BDL	BDL	0.1	2.9	22.0	7.0
11/17/2017 9:00	BDL	BDL	BDL	BDL	0.1	2.7	21.0	2.0
11/17/2017 10:00	BDL	BDL	BDL	BDL	0.1	2.7	8.0	2.0
11/17/2017 11:00	BDL	BDL	BDL	BDL	0.1	2.6	13.0	3.0
11/17/2017 12:00	0.4	BDL	BDL	BDL	0.1	2.7	22.0	6.0
11/17/2017 13:00	BDL	BDL	BDL	BDL	0.1	2.7	18.0	4.0
11/17/2017 14:00	BDL	BDL	BDL	BDL	0.1	2.7	16.0	5.0
11/17/2017 15:00	BDL	BDL	BDL	BDL	0.2	2.4	20.0	4.0
11/17/2017 16:00	BDL	BDL	BDL	BDL	0.2	2.5	11.0	4.0
11/17/2017 17:00	BDL	BDL	BDL	1.0	0.2	2.5	10.0	3.0
11/17/2017 18:00	BDL	BDL	BDL	9.6	0.3	2.6	14.0	5.0
11/17/2017 19:00	BDL	0.4	BDL	13.4	0.3	2.7	18.0	6.0
11/17/2017 20:00	BDL	0.7	BDL	18.2	0.4	2.9	20.0	6.0
11/17/2017 21:00	BDL	0.5	BDL	11.8	0.3	3.0	18.0	12.0
11/17/2017 22:00	BDL	0.9	BDL	27.2	0.6	2.7	24.0	10.0
11/17/2017 23:00	BDL	1.4	BDL	34.0	0.6	3.2	25.0	17.0
11/18/2017 0:00	0.4	1.4	BDL	33.1	0.6	3.4	26.0	17.0
11/18/2017 1:00	0.5	1.9	BDL	42.1	0.6	3.6	25.0	12.0
11/18/2017 2:00	0.6	Calibration	Calibration	52.1	0.7	4.3	27.0	16.0
11/18/2017 3:00	0.9	Calibration	Calibration	64.2	0.6	3.9	24.0	17.0
11/18/2017 4:00	Calibration	2.0	0.4	Calibration	Calibration	3.7	22.0	13.0
11/18/2017 5:00	1.3	2.1	0.4	39.2	0.4	Too few samples	27.0	12.0
11/18/2017 6:00	3.4	1.9	0.8	17.6	0.3	2.7	17.0	9.0
11/18/2017 7:00	4.3	2.3	1.3	20.1	0.3	2.6	19.0	8.0
11/18/2017 8:00	1.6	2.1	1.5	4.3	0.2	2.3	14.0	6.0
11/18/2017 9:00	1.4	1.6	1.0	2.9	0.2	2.4	15.0	10.0
11/18/2017 10:00	1.6	1.2	0.6	2.0	0.2	2.5	14.0	13.0
11/18/2017 11:00	1.3	0.8	BDL	BDL	0.2	2.4	15.0	9.0
11/18/2017 12:00	0.8	0.9	0.4	BDL	0.2	2.3	15.0	6.0
11/18/2017 13:00	1.1	0.9	BDL	4.9	0.3	2.5	17.0	6.0
11/18/2017 14:00	0.8	1.0	0.4	7.4	0.4	2.4	18.0	7.0
11/18/2017 15:00	0.7	1.2	0.4	13.2	0.4	2.3	17.0	6.0
11/18/2017 16:00	0.6	1.1	0.4	2.5	0.4	2.2	15.0	12.0
11/18/2017 17:00	BDL	1.0	0.5	1.2	0.4	2.1	19.0	7.0
11/18/2017 18:00	BDL	0.9	0.4	1.3	0.4	2.3	13.0	4.0
11/18/2017 19:00	BDL	0.9	0.5	BDL	0.4	2.2	12.0	5.0
11/18/2017 20:00	BDL	1.0	0.6	BDL	0.3	2.4	12.0	7.0
11/18/2017 21:00	0.4	1.0	0.6	BDL	0.3	2.2	13.0	8.0
11/18/2017 22:00	0.4	1.1	0.6	BDL	0.3	2.3	14.0	8.0
11/18/2017 23:00	0.5	0.8	0.4	BDL	0.3	2.4	17.0	6.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 11/19/2017-11/25/2017								
11/19/2017 0:00	0.5	0.8	0.5	BDL	0.3	2.3	15.0	7.0
11/19/2017 1:00	0.4	0.8	0.5	BDL	0.3	2.4	14.0	6.0
11/19/2017 2:00	BDL	Calibration	Calibration	BDL	0.3	2.2	11.0	5.0
11/19/2017 3:00	BDL	Calibration	Calibration	BDL	0.3	2.1	11.0	6.0
11/19/2017 4:00	Calibration	0.9	0.8	Calibration	Calibration	2.2	12.0	6.0
11/19/2017 5:00	0.4	0.9	0.7	BDL	0.4	Too few samples	15.0	8.0
11/19/2017 6:00	1.2	1.0	0.4	4.4	0.4	2.2	22.0	7.0
11/19/2017 7:00	1.0	Calibration	Calibration	1.7	0.3	2.3	7.0	4.0
11/19/2017 8:00	Too few samples	Calibration	Calibration	Too few samples	Too few samples	2.3	6.0	1.0
11/19/2017 9:00	Calibration	0.5	BDL	Calibration	Calibration	Too few samples	8.0	BDL
11/19/2017 10:00	BDL	BDL	BDL	BDL	0.2	2.5	5.0	BDL
11/19/2017 11:00	BDL	BDL	BDL	BDL	0.2	2.5	7.0	BDL
11/19/2017 12:00	BDL	BDL	BDL	BDL	0.2	2.5	9.0	BDL
11/19/2017 13:00	BDL	BDL	BDL	BDL	0.2	2.5	5.0	BDL
11/19/2017 14:00	BDL	BDL	BDL	BDL	0.2	2.4	5.0	BDL
11/19/2017 15:00	BDL	BDL	BDL	BDL	0.2	2.5	8.0	BDL
11/19/2017 16:00	BDL	BDL	BDL	BDL	0.2	2.4	6.0	1.0
11/19/2017 17:00	BDL	BDL	BDL	BDL	0.2	2.4	5.0	3.0
11/19/2017 18:00	BDL	BDL	BDL	BDL	0.2	2.5	8.0	4.0
11/19/2017 19:00	BDL	BDL	BDL	BDL	0.1	2.5	5.0	2.0
11/19/2017 20:00	BDL	BDL	BDL	BDL	0.1	2.5	11.0	1.0
11/19/2017 21:00	BDL	BDL	BDL	0.5	0.1	2.4	6.0	2.0
11/19/2017 22:00	0.5	BDL	BDL	3.2	0.1	2.3	9.0	6.0
11/19/2017 23:00	1.3	0.4	BDL	4.6	0.1	2.3	10.0	6.0
11/20/2017 0:00	2.0	0.5	BDL	2.6	0.1	2.3	10.0	11.0
11/20/2017 1:00	0.7	0.4	BDL	4.0	0.1	2.4	11.0	7.0
11/20/2017 2:00	0.4	Calibration	Calibration	1.2	0.1	2.4	8.0	4.0
11/20/2017 3:00	BDL	Calibration	Calibration	BDL	0.1	2.4	6.0	5.0
11/20/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.5	6.0	3.0
11/20/2017 5:00	BDL	BDL	BDL	BDL	0.1	Too few samples	8.0	7.0
11/20/2017 6:00	0.5	0.4	BDL	7.3	0.1	2.4	12.0	9.0
11/20/2017 7:00	1.9	0.5	BDL	6.8	0.1	2.5	16.0	10.0
11/20/2017 8:00	1.9	Calibration	Calibration	7.2	0.1	2.5	15.0	9.0
11/20/2017 9:00	0.9	Calibration	Calibration	1.2	0.1	2.5	17.0	8.0
11/20/2017 10:00	0.4	BDL	BDL	BDL	0.1	2.4	16.0	7.0
11/20/2017 11:00	0.7	BDL	BDL	0.7	0.1	2.4	13.0	6.0
11/20/2017 12:00	1.0	BDL	BDL	0.5	0.1	2.4	19.0	6.0
11/20/2017 13:00	1.3	0.5	BDL	3.7	0.1	2.4	26.0	8.0
11/20/2017 14:00	1.8	0.7	BDL	6.4	0.1	2.5	22.0	11.0
11/20/2017 15:00	1.5	0.7	BDL	6.4	0.1	2.5	16.0	9.0
11/20/2017 16:00	1.3	0.5	BDL	2.5	0.2	2.4	13.0	11.0
11/20/2017 17:00	2.2	BDL	BDL	4.4	0.2	2.5	18.0	6.0
11/20/2017 18:00	2.7	0.4	BDL	6.4	0.2	2.4	16.0	14.0
11/20/2017 19:00	2.5	0.5	BDL	10.3	0.2	2.6	19.0	12.0
11/20/2017 20:00	1.1	0.9	BDL	15.9	0.2	2.7	15.0	11.0
11/20/2017 21:00	0.4	0.8	BDL	16.5	0.3	2.5	22.0	10.0
11/20/2017 22:00	BDL	0.8	BDL	8.8	0.2	2.9	17.0	9.0
11/20/2017 23:00	0.5	1.1	BDL	12.2	0.2	2.8	16.0	9.0
11/21/2017 0:00	0.4	0.9	BDL	11.3	0.1	3.0	12.0	11.0
11/21/2017 1:00	0.4	0.9	BDL	11.7	0.1	3.1	12.0	11.0
11/21/2017 2:00	BDL	Calibration	Calibration	3.7	0.1	2.8	11.0	10.0
11/21/2017 3:00	BDL	Calibration	Calibration	8.3	0.1	2.5	14.0	10.0
11/21/2017 4:00	Calibration	1.0	0.5	Calibration	Calibration	2.6	12.0	7.0
11/21/2017 5:00	BDL	1.4	0.6	8.5	0.1	Too few samples	15.0	8.0
11/21/2017 6:00	BDL	2.5	1.1	32.8	0.3	2.4	21.0	10.0
11/21/2017 7:00	BDL	2.9	1.5	22.0	0.2	2.6	18.0	10.0
11/21/2017 8:00	BDL	2.1	1.3	3.6	0.1	2.7	16.0	8.0
11/21/2017 9:00	1.0	1.3	0.7	4.6	0.1	2.5	22.0	8.0
11/21/2017 10:00	1.4	0.9	BDL	BDL	0.1	2.5	18.0	7.0
11/21/2017 11:00	1.4	0.8	BDL	0.8	0.1	2.5	36.0	6.0
11/21/2017 12:00	0.6	0.5	BDL	BDL	0.1	2.5	19.0	7.0
11/21/2017 13:00	BDL	0.5	BDL	BDL	0.2	2.3	19.0	6.0
11/21/2017 14:00	0.5	0.5	BDL	BDL	0.2	2.4	16.0	3.0
11/21/2017 15:00	0.4	0.6	BDL	BDL	0.2	2.4	18.0	7.0
11/21/2017 16:00	BDL	0.5	BDL	BDL	0.2	2.3	16.0	7.0
11/21/2017 17:00	BDL	0.6	BDL	BDL	0.3	2.2	12.0	5.0
11/21/2017 18:00	BDL	0.7	BDL	BDL	0.2	2.3	12.0	7.0
11/21/2017 19:00	BDL	0.6	BDL	BDL	0.3	2.4	13.0	6.0
11/21/2017 20:00	BDL	0.5	BDL	BDL	0.2	2.5	12.0	4.0
11/21/2017 21:00	0.6	0.7	BDL	6.1	0.2	2.5	13.0	5.0
11/21/2017 22:00	2.6	0.9	0.4	1.8	0.2	2.4	18.0	3.0
11/21/2017 23:00	0.5	1.1	0.7	4.0	0.3	2.6	12.0	3.0
11/22/2017 0:00	BDL	1.1	0.5	BDL	0.2	2.4	9.0	3.0
11/22/2017 1:00	BDL	1.1	0.5	4.4	0.3	2.4	10.0	4.0
11/22/2017 2:00	BDL	Calibration	Calibration	9.4	0.3	2.9	14.0	6.0
11/22/2017 3:00	BDL	Calibration	Calibration	9.1	0.3	2.9	13.0	7.0
11/22/2017 4:00	Calibration	1.3	0.7	Calibration	Calibration	2.6	11.0	4.0
11/22/2017 5:00	BDL	2.0	0.7	24.7	Analyzer malfunction	Too few samples	15.0	7.0
11/22/2017 6:00	BDL	1.5	0.6	11.8	Analyzer malfunction	2.6	12.0	10.0
11/22/2017 7:00	0.4	Audit	Audit	40.4	Analyzer malfunction	2.7	17.0	11.0
11/22/2017 8:00	Calibration	Too few samples	Too few samples	Calibration	Analyzer malfunction	2.8	17.0	9.0
11/22/2017 9:00	BDL	2.1	0.6	Calibration	Analyzer malfunction	Too few samples	17.0	11.0
11/22/2017 10:00	BDL	1.0	BDL	6.3	Analyzer malfunction	2.5	18.0	7.0
11/22/2017 11:00	0.8	0.6	BDL	1.2	Analyzer malfunction	2.6	18.0	8.0
11/22/2017 12:00	0.6	0.5	BDL	BDL	Analyzer malfunction	2.7	16.0	13.0
11/22/2017 13:00	BDL	0.4	BDL	BDL	Analyzer malfunction	2.6	17.0	9.0
11/22/2017 14:00	BDL	BDL	BDL	BDL	Analyzer malfunction	2.3	6.0	5.0
11/22/2017 15:00	BDL	BDL	BDL	BDL	Analyzer malfunction	2.3	7.0	3.0
11/22/2017 16:00	BDL	BDL	BDL	BDL	Analyzer malfunction	2.3	6.0	BDL
11/22/2017 17:00	BDL	BDL	BDL	BDL	Analyzer malfunction	2.5	8.0	BDL
11/22/2017 18:00	BDL	BDL	BDL	BDL	Analyzer malfunction	2.6	6.0	2.0
11/22/2017 19:00	BDL	BDL	BDL	BDL	Analyzer malfunction	2.6	6.0	BDL
11/22/2017 20:00	BDL	BDL	BDL	BDL	Analyzer malfunction	2.4	4.0	2.0
11/22/2017 21:00	BDL	BDL	BDL	BDL	Analyzer malfunction	2.5	7.0	5.0
11/22/2017 22:00	BDL	BDL	BDL	BDL	Analyzer malfunction	2.6	5.0	3.0
11/22/2017 23:00	BDL	BDL	BDL	BDL	Analyzer malfunction	2.4	5.0	3.0
11/23/2017 0:00	BDL	BDL	BDL	1.1	Analyzer malfunction	2.4	7.0	3.0
11/23/2017 1:00	BDL	BDL	BDL	1.2	Analyzer malfunction	2.5	9.0	8.0
11/23/2017 2:00	BDL	Calibration	Calibration	BDL	Analyzer malfunction	2.7	7.0	5.0
11/23/2017 3:00	BDL	Calibration	Calibration	BDL	Analyzer malfunction	2.5	6.0	5.0
11/23/2017 4:00	Calibration	BDL	BDL	Calibration	Analyzer malfunction	2.6	6.0	3.0
11/23/2017 5:00	BDL	BDL	BDL	BDL	Analyzer malfunction	Too few samples	6.0	5.0
11/23/2017 6:00	Calibration	BDL	BDL	Calibration	Calibration	2.8	7.0	5.0
11/23/2017 7:00	BDL	BDL	BDL	13.1	Analyzer malfunction	2.6	6.0	10.0
11/23/2017 8:00	Calibration	BDL	BDL	Calibration	Calibration	2.5	7.0	7.0
11/23/2017 9:00	BDL	BDL	BDL	3.4	0.1	2.4	7.0	6.0
11/23/2017 10:00	BDL	BDL	BDL	4.0	0.1	2.4	10.0	6.0
11/23/2017 11:00	BDL	BDL	BDL	3.5	0.1	2.4	7.0	5.0
11/23/2017 12:00	BDL	BDL	BDL	3.0	0.04	2.3	6.0	6.0
11/23/2017 13:00	BDL	BDL	BDL	2.7	BDL	2.3	9.0	5.0
11/23/2017 14:00	BDL	BDL	BDL	3.0	BDL	2.3	8.0	8.0
11/23/2017 15:00	BDL	BDL	BDL	2.6	BDL	2.3	5.0	5.0
11/23/2017 16:00	BDL	BDL	BDL	4.2	0.1	2.5	8.0	2.0
11/23/2017 17:00	BDL	BDL	BDL	13.1	0.1	2.7	10.0	7.0
11/23/2017 18:00	BDL	BDL	BDL	18.2	0.2	2.6	16.0	10.0
11/23/2017 19:00	BDL	BDL	BDL	13.7	0.2	2.6	11.0	9.0
11/23/2017 20:00	BDL	0.4	BDL	21.2	0.3	2.8	17.0	17.0
11/23/2017 21:00	BDL	0.6	BDL	21.4	0.2	2.9	18.0	14.0
11/23/2017 22:00	BDL	0.9	BDL	30.0	0.4	2.9	14.0	11.0
11/23/2017 23:00	BDL	1.1	BDL	33.8	0.3	3.0	26.0	22.0
11/24/2017 0:00	BDL	1.5	BDL	42.7	0.5	3.1	24.0	19.0
11/24/2017 1:00	BDL	1.6	BDL	33.6	0.4	3.2	23.0	21.0
11/24/2017 2:00	BDL	Calibration	Calibration	38.0	0.3	3.7	26.0	17.0
11/24/2017 3:00	BDL	Calibration	Calibration	36.9	0.3	3.5	22.0	19.0
11/24/2017 4:00	Calibration	2.4	1.4	Calibration	Calibration	3.6	30.0	18.0
11/24/2017 5:00	0.5	3.5	1.5	57.2	0.3	4.1	23.0	18.0
11/24/2017 6:00	0.9	3.5	1.0	82.3	0.4	3.8	30.0	22.0
11/24/2017 7:00	1.4	5.6	1.6	111.0	0.7	3.8	38.0	21.0
11/24/2017 8:00	1.5	4.2	1.4	88.8	0.5	3.9	38.0	22.0
11/24/2017 9:00	1.7	3.5	1.0	62.3	0.3	3.3	30.0	23.0
11/24/2017 10:00	2.9	2.5	0.7	46.0	0.2	2.9	25.0	22.0
11/24/2017 11:00	3.7	1.8	0.4	34.0	0.2	2.7	23.0	17.0
11/24/2017 12:00	2.8	1.2	BDL	17.4	0.1	2.5	12.0	9.0
11/24/2017 13:00	2.1	0.9	BDL	15.4	0.1	2.5	14.0	8.0
11/24/2017 14:00	1.7	0.8	BDL	14.0	0.1	2.4	16.0	10.0
11/24/2017 15:00	1.2	0.7	BDL	10.4	0.1	2.4	12.0	10.0
11/24/2017 16:00	0.7	0.6	BDL	14.3	0.2	2.4	14.0	7.0
11/24/2017 17:00	0.6	1.2	BDL	32.7	0.4	2.2	27.0	12.0
11/24/2017 18:00	0.5	1.0	BDL	27.9	0.3	2.2	19.0	9.0
11/24/2017 19:00	BDL	1.2	BDL	22.0	0.3	2.4	22.0	16.0
11/24/2017 20:00	BDL	0.6	BDL	12.4	0.2	2.4	14.0	10.0
11/24/2017 21:00	BDL	0.5	BDL	12.4	0.1	2.5	15.0	11.0
11/24/2017 22:00	BDL	0.9	BDL	13.1	0.2	2.5	13.0	11.0
11/24/2017 23:00	BDL	1.6	1.0	15.6	0.1	2.9	16.0	9.0
11/25/2017 0:00	0.5	2.1	1.4	15.8	0.1	2.9	16.0	12.0
11/25/2017 1:00	BDL	2.4	1.5	24.9	0.2	2.7	18.0	14.0
11/25/2017 2:00	BDL	Calibration	Calibration	26.3	0.1	3.0	20.0	17.0
11/25/2017 3:00	BDL	Calibration	Calibration	30.4	0.2	3.1	20.0	14.0
11/25/2017 4:00	Calibration	1.8	1.1	Calibration	Calibration	2.5	15.0	14.0
11/25/2017 5:00	BDL	2.9	1.5	51.5	0.4	3.3	23.0	14.0
11/25/2017 6:00	0.5	3.8	1.5	63.5	0.3	3.3	28.0	17.0
11/25/2017 7:00	BDL	2.7	1.0	43.7	0.2	2.8	17.0	15.0
11/25/2017 8:00	0.5	1.8	0.8	28.1	0.2	2.9	19.0	17.0
11/25/2017 9:00	1.4	1.9	0.8	26.3	0.2	2.5	20.0	15.0
11/25/2017 10:00	2.0	1.4	0.8	15.0	0.1	2.4	18.0	8.0
11/25/2017 11:00	2.3	1.1	0.6	10.1	0.1	2.4	18.0	12.0
11/25/2017 12:00	2.5	1.1	0.6	9.9	0.1	2.5	18.0	10.0
11/25/2017 13:00	3.5	1.0	0.8	11.8	0.2	2.4	20.0	17.0
11/25/2017 14:00	3.1	1.2	0.7	15.6	0.2	2.4	22.0	18.0
11/25/2017 15:00	1.5	1.2	0.5	12.6	0.2	2.5	17.0	13.0
11/25/2017 16:00	2.3	0.9	0.4	16.4	0.2	2.4	19.0	10.0
11/25/2017 17:00	3.1	1.0	BDL	17.5	0.3	2.7	20.0	11.0
11/25/2017 18:00	2.4	1.3	0.4	29.4	0.3	2.7	25.0	19.0
11/25/2017 19:00	4.4	1.2	0.4	26.3	0.3	2.7	29.0	16.0
11/25/2017 20:00	2.6	1.5	0.5	27.0	0.3	2.7	29.0	23.0
11/25/2017 21:00	1.1	2.1	1.1	38.8	0.5	3.9	36.0	20.0
11/25/2017 22:00	1.1	2.2	1.3	33.8	0.4	4.8	32.0	22.0
11/25/2017 23:00	1.0	1.6	0.7	25.0	0.4	3.5	32.0	23.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Site Downwind Weekly: 11/26/2017-12/2/2017

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
11/26/2017 0:00	0.8	0.8	BDL	11.0	0.2	2.6	24.0	17.0
11/26/2017 1:00	0.5	0.6	BDL	7.1	0.1	2.5	19.0	13.0
11/26/2017 2:00	BDL	Calibration	Calibration	4.1	0.1	2.4	10.0	8.0
11/26/2017 3:00	BDL	Calibration	Calibration	8.4	0.1	2.6	7.0	5.0
11/26/2017 4:00	Calibration	0.6	BDL	Calibration	Calibration	2.7	5.0	3.0
11/26/2017 5:00	BDL	0.9	0.4	15.4	0.1	Too few samples	10.0	5.0
11/26/2017 6:00	BDL	0.6	BDL	9.3	BDL	2.6	6.0	6.0
11/26/2017 7:00	Calibration	BDL	BDL	Calibration	Calibration	2.3	4.0	4.0
11/26/2017 8:00	BDL	BDL	BDL	BDL	BDL	2.3	5.0	4.0
11/26/2017 9:00	BDL	BDL	BDL	BDL	BDL	2.4	7.0	4.0
11/26/2017 10:00	BDL	BDL	BDL	BDL	BDL	2.5	5.0	2.0
11/26/2017 11:00	BDL	BDL	BDL	BDL	BDL	2.4	2.0	2.0
11/26/2017 12:00	BDL	BDL	BDL	BDL	BDL	2.4	5.0	2.0
11/26/2017 13:00	BDL	BDL	BDL	BDL	BDL	2.7	3.0	3.0
11/26/2017 14:00	BDL	BDL	BDL	BDL	BDL	2.5	4.0	3.0
11/26/2017 15:00	BDL	BDL	BDL	BDL	BDL	2.6	4.0	3.0
11/26/2017 16:00	BDL	BDL	BDL	BDL	BDL	2.4	4.0	5.0
11/26/2017 17:00	BDL	0.5	BDL	8.9	BDL	2.5	9.0	3.0
11/26/2017 18:00	0.4	0.7	BDL	12.0	BDL	2.5	8.0	5.0
11/26/2017 19:00	0.4	1.0	BDL	13.1	BDL	2.5	8.0	5.0
11/26/2017 20:00	BDL	0.5	BDL	5.6	0.1	2.5	10.0	9.0
11/26/2017 21:00	BDL	0.6	BDL	10.6	0.1	2.7	13.0	7.0
11/26/2017 22:00	BDL	0.7	BDL	13.1	0.1	2.7	13.0	7.0
11/26/2017 23:00	0.9	1.0	BDL	9.2	0.1	2.8	15.0	14.0
11/27/2017 0:00	0.9	1.5	0.5	20.5	0.1	3.0	17.0	13.0
11/27/2017 1:00	2.2	2.2	1.4	18.6	0.1	3.1	18.0	12.0
11/27/2017 2:00	2.2	Calibration	Calibration	10.7	0.1	3.1	16.0	10.0
11/27/2017 3:00	1.5	Calibration	Calibration	16.3	BDL	2.7	14.0	11.0
11/27/2017 4:00	Calibration	0.9	0.5	Calibration	Calibration	2.5	17.0	14.0
11/27/2017 5:00	1.6	1.3	0.5	15.8	0.1	Too few samples	16.0	15.0
11/27/2017 6:00	3.4	1.5	0.8	10.7	0.1	2.9	23.0	12.0
11/27/2017 7:00	3.9	1.2	0.4	14.5	0.1	2.8	33.0	12.0
11/27/2017 8:00	3.5	1.3	BDL	17.7	0.1	2.9	Maintenance	Maintenance
11/27/2017 9:00	2.4	1.2	0.4	16.2	0.04	2.6	27.0	12.0
11/27/2017 10:00	1.8	0.9	BDL	9.8	BDL	2.6	27.0	15.0
11/27/2017 11:00	1.1	BDL	BDL	4.3	BDL	2.5	28.0	11.0
11/27/2017 12:00	0.9	BDL	BDL	3.2	BDL	2.5	23.0	13.0
11/27/2017 13:00	1.2	0.6	BDL	6.7	BDL	2.5	27.0	13.0
11/27/2017 14:00	0.9	0.6	BDL	6.9	BDL	2.5	22.0	13.0
11/27/2017 15:00	0.6	0.5	BDL	3.4	BDL	2.5	21.0	10.0
11/27/2017 16:00	0.4	BDL	BDL	2.7	BDL	2.5	23.0	11.0
11/27/2017 17:00	0.6	0.7	BDL	12.2	BDL	2.5	25.0	11.0
11/27/2017 18:00	0.4	0.6	BDL	10.8	0.1	2.6	31.0	9.0
11/27/2017 19:00	0.4	0.9	BDL	19.0	0.2	2.8	27.0	11.0
11/27/2017 20:00	0.5	1.1	BDL	21.2	0.2	3.1	27.0	13.0
11/27/2017 21:00	0.6	1.5	BDL	34.2	0.3	3.3	28.0	12.0
11/27/2017 22:00	1.0	2.4	BDL	61.9	0.4	4.1	27.0	17.0
11/27/2017 23:00	0.7	1.8	BDL	39.3	0.3	3.1	25.0	16.0
11/28/2017 0:00	0.9	2.5	BDL	56.7	0.4	2.7	29.0	18.0
11/28/2017 1:00	0.7	2.0	BDL	33.3	0.2	2.5	25.0	16.0
11/28/2017 2:00	0.4	Calibration	Calibration	38.8	0.3	2.6	21.0	11.0
11/28/2017 3:00	0.5	Calibration	Calibration	56.8	0.4	2.7	24.0	16.0
11/28/2017 4:00	Calibration	1.4	BDL	Calibration	Calibration	2.7	18.0	14.0
11/28/2017 5:00	0.4	2.2	0.4	46.7	0.3	Too few samples	17.0	11.0
11/28/2017 6:00	1.4	2.3	0.6	52.1	0.3	2.5	19.0	9.0
11/28/2017 7:00	0.7	Calibration	Calibration	56.0	0.4	2.5	20.0	10.0
11/28/2017 8:00	1.0	Calibration	Calibration	56.7	0.4	2.7	34.0	16.0
11/28/2017 9:00	1.3	2.3	0.8	58.4	0.3	2.6	33.0	16.0
11/28/2017 10:00	1.0	2.0	0.5	38.3	0.2	2.4	34.0	12.0
11/28/2017 11:00	0.6	0.8	BDL	8.5	0.1	2.2	21.0	7.0
11/28/2017 12:00	0.6	0.7	BDL	4.9	BDL	2.3	18.0	11.0
11/28/2017 13:00	0.6	0.8	0.4	1.2	BDL	2.4	25.0	7.0
11/28/2017 14:00	BDL	0.5	BDL	BDL	BDL	2.5	28.0	6.0
11/28/2017 15:00	0.4	0.6	BDL	5.6	BDL	2.3	24.0	11.0
11/28/2017 16:00	BDL	0.7	BDL	9.9	0.1	2.2	22.0	7.0
11/28/2017 17:00	BDL	0.8	BDL	17.4	0.1	2.2	20.0	10.0
11/28/2017 18:00	BDL	0.7	BDL	10.8	0.1	2.2	18.0	7.0
11/28/2017 19:00	BDL	0.7	BDL	10.3	0.1	2.2	18.0	6.0
11/28/2017 20:00	BDL	0.6	BDL	4.0	BDL	2.4	17.0	8.0
11/28/2017 21:00	BDL	0.5	BDL	3.8	0.04	2.5	20.0	8.0
11/28/2017 22:00	BDL	0.7	BDL	5.5	BDL	2.6	21.0	7.0
11/28/2017 23:00	0.6	0.8	0.5	13.3	0.1	2.9	21.0	12.0
11/29/2017 0:00	0.4	0.9	BDL	11.6	0.1	2.7	19.0	7.0
11/29/2017 1:00	0.6	1.1	0.7	9.0	0.04	2.6	27.0	13.0
11/29/2017 2:00	0.4	Calibration	Calibration	8.2	BDL	2.7	21.0	13.0
11/29/2017 3:00	0.4	Calibration	Calibration	11.7	0.04	2.6	18.0	12.0
11/29/2017 4:00	Calibration	1.1	0.5	Calibration	Calibration	2.6	20.0	10.0
11/29/2017 5:00	0.4	1.4	0.6	19.1	0.1	Too few samples	21.0	14.0
11/29/2017 6:00	0.5	1.4	0.5	26.6	0.2	2.7	22.0	11.0
11/29/2017 7:00	1.4	1.6	0.5	31.5	0.2	2.8	28.0	18.0
11/29/2017 8:00	1.8	1.7	0.4	35.1	0.2	2.9	20.0	18.0
11/29/2017 9:00	Too few samples	1.7	0.6	31.1	Audit	2.9	36.0	12.0
11/29/2017 10:00	3.9	1.7	0.8	Audit	0.3	2.7	Audit	Audit
11/29/2017 11:00	2.8	Audit	Audit	Too few samples	0.2	3.7	Maintenance	Maintenance
11/29/2017 12:00	0.9	Audit	Audit	1.6	0.1	2.8	38.0	10.0
11/29/2017 13:00	0.6	Audit	Audit	2.6	0.1	Audit	35.0	10.0
11/29/2017 14:00	0.4	Audit	Audit	0.5	BDL	2.6	27.0	10.0
11/29/2017 15:00	0.5	Audit	Audit	BDL	BDL	2.5	23.0	8.0
11/29/2017 16:00	0.6	4.9	6.0	3.0	BDL	2.6	23.0	6.0
11/29/2017 17:00	BDL	5.3	5.9	14.6	0.04	2.6	18.0	4.0
11/29/2017 18:00	BDL	5.4	5.7	14.1	0.1	2.5	17.0	7.0
11/29/2017 19:00	0.5	5.2	5.8	8.6	0.04	2.4	17.0	8.0
11/29/2017 20:00	0.7	5.2	5.7	10.2	0.1	2.4	15.0	8.0
11/29/2017 21:00	0.5	5.2	5.7	7.8	0.04	2.3	16.0	7.0
11/29/2017 22:00	BDL	5.0	5.7	4.4	BDL	2.3	18.0	5.0
11/29/2017 23:00	BDL	5.1	5.7	5.4	BDL	2.4	14.0	3.0
11/30/2017 0:00	BDL	5.0	5.6	7.3	BDL	2.3	16.0	4.0
11/30/2017 1:00	BDL	5.1	5.8	11.4	BDL	2.3	9.0	6.0
11/30/2017 2:00	BDL	Calibration	Calibration	7.3	BDL	2.3	10.0	6.0
11/30/2017 3:00	BDL	Calibration	Calibration	5.7	BDL	2.3	11.0	5.0
11/30/2017 4:00	Calibration	5.1	5.8	Calibration	Calibration	2.3	13.0	10.0
11/30/2017 5:00	BDL	6.3	6.0	31.6	0.2	2.4	14.0	8.0
11/30/2017 6:00	BDL	6.5	6.2	35.7	0.2	2.4	18.0	8.0
11/30/2017 7:00	BDL	Calibration	Calibration	35.5	0.2	2.4	20.0	6.0
11/30/2017 8:00	0.5	Calibration	Calibration	41.8	0.3	2.4	27.0	6.0
11/30/2017 9:00	0.7	7.5	7.1	55.5	0.3	2.5	30.0	8.0
11/30/2017 10:00	0.5	7.6	7.2	40.1	0.2	2.4	32.0	8.0
11/30/2017 11:00	0.8	7.8	7.3	39.7	0.2	2.5	34.0	8.0
11/30/2017 12:00	0.8	7.5	7.2	33.4	0.2	2.4	32.0	11.0
11/30/2017 13:00	0.4	6.5	6.8	12.2	0.1	2.3	22.0	8.0
11/30/2017 14:00	0.4	6.0	6.8	6.2	BDL	2.2	20.0	3.0
11/30/2017 15:00	BDL	6.0	6.8	7.6	BDL	2.3	33.0	5.0
11/30/2017 16:00	0.4	7.0	7.2	23.4	0.2	2.4	28.0	8.0
11/30/2017 17:00	0.5	7.3	7.7	33.5	0.4	2.8	33.0	8.0
11/30/2017 18:00	BDL	7.0	7.1	22.1	0.2	2.8	22.0	14.0
11/30/2017 19:00	BDL	6.6	7.2	12.7	0.1	2.5	21.0	8.0
11/30/2017 20:00	BDL	6.6	7.1	11.5	0.1	2.6	25.0	6.0
11/30/2017 21:00	BDL	6.3	7.1	9.1	0.1	2.5	21.0	8.0
11/30/2017 22:00	BDL	7.0	7.4	16.9	0.1	2.7	26.0	11.0
11/30/2017 23:00	BDL	7.3	7.4	24.8	0.1	3.0	23.0	14.0
12/1/2017 0:00	BDL	7.4	7.7	17.9	0.1	2.4	18.0	9.0
12/1/2017 1:00	BDL	6.7	7.4	12.1	0.1	2.7	19.0	9.0
12/1/2017 2:00	BDL	Calibration	Calibration	12.7	0.1	2.6	22.0	12.0
12/1/2017 3:00	BDL	Calibration	Calibration	6.9	0.1	2.6	21.0	12.0
12/1/2017 4:00	Calibration	6.1	7.2	Calibration	Calibration	2.6	21.0	15.0
12/1/2017 5:00	BDL	6.2	7.0	8.8	0.1	Too few samples	21.0	19.0
12/1/2017 6:00	BDL	Too few samples	Too few samples	29.9	0.2	2.8	29.0	15.0
12/1/2017 7:00	0.7	Calibration	Calibration	54.7	0.2	3.2	28.0	20.0
12/1/2017 8:00	0.6	BDL	BDL	27.8	0.2	2.8	25.0	18.0
12/1/2017 9:00	0.7	BDL	BDL	12.6	0.1	2.5	19.0	8.0
12/1/2017 10:00	0.5	BDL	BDL	7.2	BDL	2.4	13.0	5.0
12/1/2017 11:00	0.4	BDL	BDL	4.7	BDL	2.4	16.0	3.0
12/1/2017 12:00	BDL	BDL	BDL	3.1	BDL	2.4	20.0	5.0
12/1/2017 13:00	BDL	BDL	BDL	2.8	BDL	2.4	13.0	7.0
12/1/2017 14:00	BDL	BDL	BDL	1.7	BDL	2.4	18.0	8.0
12/1/2017 15:00	BDL	BDL	BDL	1.3	BDL	2.5	22.0	7.0
12/1/2017 16:00	BDL	BDL	BDL	10.2	BDL	2.6	15.0	6.0
12/1/2017 17:00	BDL	BDL	BDL	16.7	0.1	2.7	12.0	7.0
12/1/2017 18:00	BDL	BDL	BDL	31.5	0.3	3.1	18.0	7.0
12/1/2017 19:00	0.4	BDL	BDL	33.0	0.3	2.9	19.0	10.0
12/1/2017 20:00	BDL	BDL	BDL	18.3	0.2	2.3	16.0	10.0
12/1/2017 21:00	BDL	BDL	BDL	15.8	0.2	2.3	15.0	8.0
12/1/2017 22:00	BDL	BDL	BDL	20.7	0.2	2.3	15.0	6.0
12/1/2017 23:00	BDL	BDL	BDL	22.7	0.4	2.4	10.0	5.0
12/2/2017 0:00	BDL	0.4	BDL	36.0	0.6	2.4	15.0	6.0
12/2/2017 1:00	BDL	0.7	BDL	37.8	0.4	2.4	14.0	10.0
12/2/2017 2:00	0.7	Calibration	Calibration	60.0	0.8	2.8	20.0	9.0
12/2/2017 3:00	0.7	Calibration	Calibration	74.0	0.7	2.8	19.0	11.0
12/2/2017 4:00	Calibration	0.9	BDL	Calibration	Calibration	2.8	16.0	8.0
12/2/2017 5:00	0.6	2.1	0.5	62.6	0.5	2.7	16.0	6.0
12/2/2017 6:00	0.5	Calibration	Calibration	62.4	0.6	2.8	18.0	10.0
12/2/2017 7:00	0.4	Calibration	Calibration	52.2	0.5	2.6	15.0	7.0
12/2/2017 8:00	0.5	BDL	BDL	43.7	0.3	2.5	19.0	6.0
12/2/2017 9:00	0.7	0.7	BDL	38.6	0.3	2.5	25.0	12.0
12/2/2017 10:00	0.7	0.6	0.4	32.4	0.2	2.5	23.0	8.0
12/2/2017 11:00	0.6	BDL	BDL	23.2	0.2	2.4	18.0	8.0
12/2/2017 12:00	0.5	BDL	BDL	15.9	0.1	2.3	15.0	8.0
12/2/2017 13:00	0.4	BDL	BDL	7.5	0.0	2.3	10.0	10.0
12/2/2017 14:00	BDL	BDL	BDL	4.8	BDL	2.2	14.0	9.0
12/2/2017 15:00	BDL	BDL	BDL	8.2	0.1	2.2	18.0	11.0
12/2/2017 16:00	BDL	BDL	BDL	6.7	0.1	2.6	15.0	9.0
12/2/2017 17:00	0.4	BDL	BDL	20.3	0.3	2.5	20.0	14.0
12/2/2017 18:00	0.6	0.7	BDL	45.2	0.6	2.7	27.0	13.0
12/2/2017 19:00	BDL	0.5	0.4	33.9	0.5	2.3	25.0	11.0
12/2/2017 20:00	BDL	0.5	0.5	22.2	0.3	2.2	19.0	9.0
12/2/2017 21:00	BDL	0.6	0.7	29.4	0.5	2.4	27.0	17.0
12/2/2017 22:00	0.4	1.0	0.8	42.5	0.7	2.3	19.0	13.0
12/2/2017 23:00	BDL	1.4	0.6	49.0	0.8	2.8	22.0	14.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Site Downwind Weekly: 12/3/2017-12/9/2017

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
12/3/2017 0:00	0.4	1.4	0.8	44.0	0.6	2.6	23.0	11.0
12/3/2017 1:00	0.4	1.1	0.7	41.8	0.6	2.7	26.0	17.0
12/3/2017 2:00	BDL	Calibration	Calibration	39.6	0.6	2.8	21.0	13.0
12/3/2017 3:00	0.4	Calibration	Calibration	46.8	0.7	2.8	23.0	14.0
12/3/2017 4:00	Calibration	1.7	0.7	Calibration	Calibration	3.2	27.0	13.0
12/3/2017 5:00	0.5	2.1	0.6	60.8	0.6	Too few samples	16.0	18.0
12/3/2017 6:00	0.5	1.4	0.8	48.2	0.6	3.0	19.0	15.0
12/3/2017 7:00	BDL	Calibration	Calibration	50.0	0.4	2.9	20.0	14.0
12/3/2017 8:00	0.4	Calibration	Calibration	44.7	0.4	2.8	33.0	22.0
12/3/2017 9:00	BDL	0.5	0.6	36.6	0.3	2.7	24.0	15.0
12/3/2017 10:00	BDL	0.7	0.7	30.0	0.3	2.7	18.0	15.0
12/3/2017 11:00	BDL	0.9	0.9	39.9	0.3	2.9	24.0	17.0
12/3/2017 12:00	0.4	0.5	0.8	30.3	0.3	2.7	28.0	14.0
12/3/2017 13:00	0.6	BDL	0.6	16.0	0.1	2.5	27.0	16.0
12/3/2017 14:00	0.7	BDL	0.5	19.0	0.1	2.6	34.0	28.0
12/3/2017 15:00	0.7	BDL	BDL	9.1	0.1	2.6	31.0	20.0
12/3/2017 16:00	0.4	BDL	BDL	9.3	0.2	2.6	30.0	19.0
12/3/2017 17:00	BDL	BDL	BDL	19.8	0.2	2.7	30.0	17.0
12/3/2017 18:00	BDL	BDL	BDL	30.9	0.4	2.6	37.0	21.0
12/3/2017 19:00	0.6	1.2	0.6	54.4	0.5	3.0	39.0	27.0
12/3/2017 20:00	0.5	1.3	0.6	52.2	0.6	3.5	43.0	39.0
12/3/2017 21:00	1.0	2.4	1.4	72.7	1.1	3.1	47.0	32.0
12/3/2017 22:00	1.1	2.6	1.1	84.5	0.9	4.1	50.0	38.0
12/3/2017 23:00	1.4	3.5	2.0	100.0	1.1	3.8	49.0	39.0
12/4/2017 0:00	1.4	4.1	2.2	107.9	1.2	4.3	49.0	37.0
12/4/2017 1:00	1.5	3.9	2.2	103.9	1.0	5.0	50.0	41.0
12/4/2017 2:00	2.2	Calibration	Calibration	145.9	1.3	5.9	57.0	40.0
12/4/2017 3:00	2.4	Calibration	Calibration	161.5	1.3	6.3	50.0	35.0
12/4/2017 4:00	Calibration	7.7	3.4	Calibration	Calibration	5.2	58.0	42.0
12/4/2017 5:00	2.7	8.1	4.3	198.6	1.5	Too few samples	63.0	41.0
12/4/2017 6:00	4.3	12.6	6.8	304.5	1.9	5.5	82.0	49.0
12/4/2017 7:00	5.0	14.8	7.5	348.3	2.4	6.0	97.0	54.0
12/4/2017 8:00	4.7	14.5	8.5	325.3	2.4	4.8	101.0	58.0
12/4/2017 9:00	2.6	8.9	5.2	198.3	1.5	3.9	80.0	54.0
12/4/2017 10:00	0.6	2.1	1.5	56.9	0.5	2.7	52.0	39.0
12/4/2017 11:00	0.6	1.4	1.0	49.8	0.5	2.7	61.0	39.0
12/4/2017 12:00	0.6	1.1	1.0	43.1	0.4	2.5	44.0	34.0
12/4/2017 13:00	0.7	1.0	1.0	41.2	0.4	2.5	46.0	27.0
12/4/2017 14:00	0.5	0.7	0.8	31.4	0.3	2.4	34.0	24.0
12/4/2017 15:00	0.4	0.5	0.7	29.2	0.3	2.4	34.0	22.0
12/4/2017 16:00	0.4	0.4	0.8	33.6	0.4	2.4	30.0	16.0
12/4/2017 17:00	BDL	0.5	0.9	30.6	0.3	2.4	21.0	10.0
12/4/2017 18:00	BDL	0.6	0.9	30.4	0.4	3.1	27.0	11.0
12/4/2017 19:00	BDL	0.7	1.1	36.8	0.4	2.4	25.0	13.0
12/4/2017 20:00	BDL	0.9	1.0	33.1	0.4	2.3	19.0	11.0
12/4/2017 21:00	BDL	0.5	1.2	23.2	0.3	2.3	21.0	10.0
12/4/2017 22:00	BDL	BDL	1.0	13.7	0.2	2.3	20.0	13.0
12/4/2017 23:00	BDL	BDL	1.0	12.9	0.1	2.3	17.0	10.0
12/5/2017 0:00	BDL	BDL	0.9	11.8	0.1	2.3	14.0	10.0
12/5/2017 1:00	BDL	BDL	0.8	13.6	BDL	2.3	18.0	10.0
12/5/2017 2:00	BDL	Calibration	Calibration	4.6	0.0	2.2	15.0	9.0
12/5/2017 3:00	BDL	Calibration	Calibration	8.6	BDL	2.3	19.0	11.0
12/5/2017 4:00	Calibration	BDL	0.8	Calibration	Calibration	2.4	19.0	7.0
12/5/2017 5:00	BDL	BDL	0.9	11.6	0.1	2.2	22.0	7.0
12/5/2017 6:00	BDL	BDL	0.5	20.0	0.1	2.3	21.0	6.0
12/5/2017 7:00	BDL	0.4	0.9	22.1	0.2	2.3	22.0	6.0
12/5/2017 8:00	BDL	0.8	1.3	20.0	0.2	2.3	24.0	3.0
12/5/2017 9:00	BDL	0.6	1.4	10.7	0.1	2.3	19.0	5.0
12/5/2017 10:00	Too few samples	Too few samples	Too few samples	3.2	BDL	2.3	22.0	6.0
12/5/2017 11:00	BDL	BDL	BDL	1.0	BDL	2.4	26.0	5.0
12/5/2017 12:00	BDL	BDL	BDL	1.5	BDL	2.4	21.0	4.0
12/5/2017 13:00	BDL	BDL	BDL	1.3	BDL	2.4	25.0	4.0
12/5/2017 14:00	Too few samples	BDL	BDL	10.2	0.7	2.6	31.0	2.0
12/5/2017 15:00	0.9	BDL	BDL	14.1	0.1	2.8	25.0	9.0
12/5/2017 16:00	1.7	BDL	BDL	15.3	0.1	2.7	26.0	13.0
12/5/2017 17:00	2.1	BDL	0.6	21.9	0.2	3.0	27.0	8.0
12/5/2017 18:00	1.8	0.5	0.6	22.3	0.2	2.9	27.0	13.0
12/5/2017 19:00	1.4	0.6	0.8	25.9	0.2	2.7	23.0	14.0
12/5/2017 20:00	1.5	BDL	0.6	20.4	0.2	2.7	21.0	19.0
12/5/2017 21:00	1.4	BDL	BDL	8.0	0.04	2.5	12.0	6.0
12/5/2017 22:00	0.9	BDL	BDL	1.2	BDL	2.5	12.0	10.0
12/5/2017 23:00	0.7	BDL	BDL	0.5	BDL	2.5	8.0	9.0
12/6/2017 0:00	0.9	BDL	BDL	4.0	BDL	2.3	21.0	13.0
12/6/2017 1:00	0.9	BDL	BDL	5.2	BDL	2.4	12.0	8.0
12/6/2017 2:00	1.2	Calibration	Calibration	2.2	BDL	2.6	17.0	7.0
12/6/2017 3:00	0.9	Calibration	Calibration	BDL	BDL	2.6	12.0	6.0
12/6/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.7	14.0	3.0
12/6/2017 5:00	0.4	BDL	BDL	BDL	BDL	Too few samples	11.0	5.0
12/6/2017 6:00	0.5	BDL	BDL	BDL	BDL	2.5	9.0	3.0
12/6/2017 7:00	BDL	Audit	Audit	BDL	BDL	2.8	11.0	4.0
12/6/2017 8:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	2.7	13.0	4.0
12/6/2017 9:00	BDL	BDL	BDL	Calibration	BDL	Too few samples	10.0	3.0
12/6/2017 10:00	0.5	BDL	BDL	1.5	BDL	2.6	11.0	3.0
12/6/2017 11:00	1.3	BDL	BDL	4.4	BDL	2.5	20.0	4.0
12/6/2017 12:00	1.0	Calibration	Calibration	3	BDL	2.5	13.0	5.0
12/6/2017 13:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	2.53	13.0	6.0
12/6/2017 14:00	Calibration	BDL	BDL	Calibration	Calibration	2.6	12.0	6.0
12/6/2017 15:00	1.4	BDL	BDL	6.2	BDL	2.6	16.0	4.0
12/6/2017 16:00	1.7	BDL	BDL	11.3	BDL	2.7	13.0	9.0
12/6/2017 17:00	1.9	BDL	BDL	11.9	BDL	2.6	16.0	7.0
12/6/2017 18:00	1.4	BDL	0.4	6.0	BDL	2.5	19.0	6.0
12/6/2017 19:00	1.6	BDL	BDL	11.7	BDL	2.5	15.0	7.0
12/6/2017 20:00	1.2	BDL	BDL	19.5	0.1	2.5	18.0	4.0
12/6/2017 21:00	1.1	BDL	BDL	17.4	0.05	2.7	22.0	5.0
12/6/2017 22:00	0.9	BDL	BDL	12.0	BDL	2.7	19.0	7.0
12/6/2017 23:00	1.2	BDL	BDL	18.0	BDL	2.6	13.0	6.0
12/7/2017 0:00	1.3	BDL	BDL	15.7	0.0	2.9	19.0	13.0
12/7/2017 1:00	1.4	0.6	BDL	22.7	0.1	2.6	16.0	11.0
12/7/2017 2:00	1.8	Calibration	Calibration	22.0	0.0	2.9	17.0	9.0
12/7/2017 3:00	1.2	Calibration	Calibration	14.0	BDL	2.6	13.0	8.0
12/7/2017 4:00	Calibration	BDL	1.2	Calibration	Calibration	2.5	10.0	9.0
12/7/2017 5:00	1.4	2.1	3.3	17.0	BDL	Too few samples	16.0	7.0
12/7/2017 6:00	1.3	Calibration	Calibration	22.2	BDL	2.6	9.0	6.0
12/7/2017 7:00	1.3	Calibration	Calibration	19.5	BDL	2.6	21.0	6.0
12/7/2017 8:00	1.7	BDL	BDL	31.4	0.1	3.1	23.0	7.0
12/7/2017 9:00	2.4	BDL	BDL	16.8	BDL	2.7	25.0	11.0
12/7/2017 10:00	0.9	BDL	BDL	3.9	BDL	2.6	23.0	7.0
12/7/2017 11:00	0.7	BDL	BDL	Too few samples	BDL	2.6	21.0	10.0
12/7/2017 12:00	Maintenance	Too few samples	Too few samples	Maintenance	12.6	2.5	32.0	9.0
12/7/2017 13:00	0.4	Too few samples	Too few samples	6.4	BDL	2.7	20.0	6.0
12/7/2017 14:00	0.4	BDL	BDL	7.6	BDL	2.6	18.0	5.0
12/7/2017 15:00	1.3	BDL	BDL	14.3	BDL	2.7	15.0	7.0
12/7/2017 16:00	2.1	BDL	BDL	13.7	BDL	2.4	27.0	8.0
12/7/2017 17:00	2.1	BDL	BDL	12.7	BDL	2.4	24.0	9.0
12/7/2017 18:00	2.1	BDL	BDL	19.8	BDL	2.6	14.0	9.0
12/7/2017 19:00	1.9	BDL	BDL	38.6	0.1	2.6	53.0	8.0
12/7/2017 20:00	0.7	BDL	BDL	16.5	BDL	2.5	27.0	6.0
12/7/2017 21:00	1.3	BDL	BDL	22.4	BDL	2.6	16.0	6.0
12/7/2017 22:00	2.2	BDL	BDL	23.3	0.0	2.5	27.0	13.0
12/7/2017 23:00	1.3	BDL	BDL	20.0	BDL	2.7	16.0	10.0
12/8/2017 0:00	0.5	BDL	BDL	14.9	BDL	3.0	17.0	12.0
12/8/2017 1:00	0.5	BDL	BDL	21.5	BDL	2.9	13.0	9.0
12/8/2017 2:00	0.6	19.3	14.5	20.2	BDL	2.9	16.0	8.0
12/8/2017 3:00	0.5	19.1	19.8	19.9	BDL	2.9	18.0	10.0
12/8/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.8	14.0	10.0
12/8/2017 5:00	0.4	BDL	BDL	10.0	BDL	Too few samples	15.0	10.0
12/8/2017 6:00	BDL	BDL	BDL	14.7	BDL	2.6	13.0	12.0
12/8/2017 7:00	0.4	BDL	BDL	18.5	BDL	2.5	18.0	12.0
12/8/2017 8:00	0.4	BDL	BDL	16.8	BDL	2.9	16.0	13.0
12/8/2017 9:00	0.5	BDL	BDL	15.5	BDL	3.3	15.0	8.0
12/8/2017 10:00	0.6	BDL	BDL	14.3	BDL	2.7	18.0	10.0
12/8/2017 11:00	0.7	BDL	BDL	13.1	BDL	2.6	23.0	9.0
12/8/2017 12:00	0.9	BDL	BDL	13.2	BDL	2.5	17.0	11.0
12/8/2017 13:00	1.5	BDL	BDL	17.4	BDL	2.5	28.0	9.0
12/8/2017 14:00	1.3	BDL	BDL	19.8	BDL	2.4	28.0	17.0
12/8/2017 15:00	0.7	BDL	BDL	18.7	BDL	2.5	18.0	13.0
12/8/2017 16:00	0.7	BDL	BDL	18.0	BDL	2.7	25.0	12.0
12/8/2017 17:00	0.5	BDL	BDL	16.8	BDL	2.6	21.0	14.0
12/8/2017 18:00	0.5	BDL	BDL	17.0	BDL	2.5	24.0	12.0
12/8/2017 19:00	0.4	BDL	BDL	16.1	BDL	2.5	21.0	13.0
12/8/2017 20:00	0.4	BDL	BDL	13.7	BDL	2.5	24.0	15.0
12/8/2017 21:00	0.4	BDL	BDL	15.1	BDL	2.5	20.0	12.0
12/8/2017 22:00	0.4	BDL	BDL	17.8	BDL	2.5	21.0	16.0
12/8/2017 23:00	0.4	BDL	BDL	14.0	BDL	2.5	23.0	12.0
12/9/2017 0:00	0.4	BDL	BDL	14.7	BDL	2.6	21.0	14.0
12/9/2017 1:00	0.5	BDL	BDL	17.7	BDL	2.5	24.0	14.0
12/9/2017 2:00	0.5	Calibration	Calibration	18.6	BDL	2.5	22.0	16.0
12/9/2017 3:00	0.7	Calibration	Calibration	26.7	0.1	2.5	22.0	14.0
12/9/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.3	20.0	16.0
12/9/2017 5:00	0.6	BDL	BDL	18.1	BDL	Too few samples	17.0	9.0
12/9/2017 6:00	0.8	Calibration	Calibration	17.0	BDL	2.4	17.0	9.0
12/9/2017 7:00	0.9	Calibration	Calibration	17.3	BDL	2.3	16.0	11.0
12/9/2017 8:00	1.0	BDL	BDL	22.5	BDL	2.3	23.0	12.0
12/9/2017 9:00	0.8	BDL	BDL	18.3	BDL	2.2	24.0	12.0
12/9/2017 10:00	BDL	BDL	BDL	21.4	0.04	2.3	17.0	9.0
12/9/2017 11:00	BDL	0.6	BDL	23.8	0.1	2.3	13.0	13.0
12/9/2017 12:00	BDL	0.6	BDL	25.3	0.1	2.4	21.0	9.0
12/9/2017 13:00	BDL	0.6	BDL	23.9	0.1	2.3	15.0	14.0
12/9/2017 14:00	BDL	0.5	BDL	23.9	0.1	2.4	19.0	13.0
12/9/2017 15:00	BDL	0.4	BDL	18.1	BDL	2.3	16.0	11.0
12/9/2017 16:00	BDL	BDL	BDL	17.5	BDL	2.3	13.0	10.0
12/9/2017 17:00	BDL	0.4	BDL	18.4	BDL	2.3	15.0	9.0
12/9/2017 18:00	BDL	0.4	BDL	20.4	BDL	2.4	19.0	13.0
12/9/2017 19:00	BDL	0.5	BDL	21.7	BDL	2.4	18.0	10.0
12/9/2017 20:00	BDL	0.7	BDL	24.7	BDL	2.6	18.0	16.0
12/9/2017 21:00	BDL	0.4	BDL	17.8	BDL	2.4	18.0	16.0
12/9/2017 22:00	BDL	BDL	BDL	16.6	BDL	2.3	23.0	17.0
12/9/2017 23:00	BDL	BDL	BDL	16.1	BDL	2.4	23.0	18.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Site Downwind Weekly: 12/10/2017-12/16/2017

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
12/10/2017 0:00	0.4	BDL	BDL	14.2	BDL	2.5	17.0	13.0
12/10/2017 1:00	0.7	BDL	BDL	22.3	BDL	2.6	31.0	24.0
12/10/2017 2:00	0.7	Calibration	Calibration	22.3	BDL	2.7	31.0	22.0
12/10/2017 3:00	0.8	Calibration	Calibration	18.5	BDL	2.6	28.0	26.0
12/10/2017 4:00	Calibration	0.5	0.4	Calibration	Calibration	2.7	32.0	26.0
12/10/2017 5:00	1.4	0.8	BDL	30.4	BDL	Too few samples	27.0	22.0
12/10/2017 6:00	4.7	0.6	BDL	22.4	BDL	2.4	54.0	34.0
12/10/2017 7:00	3.4	0.6	BDL	24.1	BDL	2.4	39.0	21.0
12/10/2017 8:00	2.9	0.7	BDL	26.2	BDL	2.5	36.0	24.0
12/10/2017 9:00	3.9	0.9	BDL	32.6	BDL	2.7	21.0	18.0
12/10/2017 10:00	4.0	0.7	BDL	24.7	BDL	2.6	23.0	20.0
12/10/2017 11:00	3.3	0.5	BDL	20.4	BDL	2.6	27.0	15.0
12/10/2017 12:00	2.2	BDL	BDL	15.0	BDL	2.6	17.0	11.0
12/10/2017 13:00	2.2	BDL	BDL	18.0	BDL	2.7	18.0	11.0
12/10/2017 14:00	1.9	BDL	BDL	17.4	BDL	2.4	17.0	10.0
12/10/2017 15:00	2.1	BDL	BDL	18.1	BDL	2.3	22.0	16.0
12/10/2017 16:00	2.3	BDL	BDL	17.7	BDL	2.3	26.0	19.0
12/10/2017 17:00	2.2	BDL	BDL	17.6	BDL	2.3	24.0	15.0
12/10/2017 18:00	2.5	BDL	BDL	16.0	BDL	2.5	21.0	12.0
12/10/2017 19:00	2.0	BDL	BDL	22.3	BDL	2.5	17.0	12.0
12/10/2017 20:00	1.4	BDL	BDL	19.4	BDL	2.5	21.0	15.0
12/10/2017 21:00	0.8	BDL	BDL	16.7	BDL	2.5	17.0	13.0
12/10/2017 22:00	0.9	BDL	BDL	16.7	BDL	2.5	21.0	11.0
12/10/2017 23:00	0.7	0.4	0.4	15.9	BDL	2.4	20.0	13.0
12/11/2017 0:00	0.6	0.6	0.7	16.5	BDL	2.6	20.0	11.0
12/11/2017 1:00	0.7	0.8	0.8	17.9	BDL	2.7	19.0	12.0
12/11/2017 2:00	1.2	Calibration	Calibration	18.4	BDL	2.9	18.0	20.0
12/11/2017 3:00	1.1	Calibration	Calibration	13.9	BDL	2.5	14.0	6.0
12/11/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.3	16.0	12.0
12/11/2017 5:00	0.6	BDL	BDL	21.9	BDL	Too few samples	12.0	14.0
12/11/2017 6:00	0.8	Too few samples	Too few samples	31.6	BDL	2.5	11.0	10.0
12/11/2017 7:00	1.3	Calibration	Calibration	29.1	BDL	2.5	11.0	9.0
12/11/2017 8:00	2.4	0.8	0.5	38.7	0.1	2.7	19.0	10.0
12/11/2017 9:00	1.7	0.8	0.5	25.8	0.1	2.4	26.0	8.0
12/11/2017 10:00	1.7	0.4	BDL	17.0	BDL	2.4	18.0	11.0
12/11/2017 11:00	1.4	BDL	BDL	15.5	BDL	2.6	21.0	13.0
12/11/2017 12:00	1.0	BDL	BDL	12.1	BDL	2.6	23.0	9.0
12/11/2017 13:00	0.9	BDL	BDL	11.5	BDL	2.3	23.0	9.0
12/11/2017 14:00	0.8	BDL	BDL	14.6	BDL	2.5	26.0	9.0
12/11/2017 15:00	0.7	BDL	BDL	13.1	BDL	2.5	17.0	10.0
12/11/2017 16:00	0.6	BDL	BDL	13.3	BDL	2.5	26.0	14.0
12/11/2017 17:00	0.8	BDL	BDL	27.4	0.1	2.4	41.0	17.0
12/11/2017 18:00	1.1	1.1	0.5	56.6	0.3	2.4	52.0	17.0
12/11/2017 19:00	1.3	1.8	0.7	64.8	0.5	2.2	45.0	15.0
12/11/2017 20:00	1.3	2.1	0.7	68.7	0.6	2.3	44.0	17.0
12/11/2017 21:00	0.9	1.3	0.5	45.6	0.3	2.2	32.0	16.0
12/11/2017 22:00	0.8	0.7	BDL	32.0	0.1	2.2	32.0	12.0
12/11/2017 23:00	0.8	0.8	0.4	35.3	0.3	2.3	29.0	10.0
12/12/2017 0:00	0.7	1.2	0.5	39.7	0.3	2.4	25.0	10.0
12/12/2017 1:00	0.7	1.5	0.8	41.1	0.3	2.5	29.0	14.0
12/12/2017 2:00	0.8	Calibration	Calibration	47.7	0.2	2.7	26.0	15.0
12/12/2017 3:00	0.7	Calibration	Calibration	28.9	0.1	2.3	16.0	5.0
12/12/2017 4:00	Calibration	0.8	1.0	Calibration	Calibration	2.1	12.0	9.0
12/12/2017 5:00	0.7	0.8	0.9	13.8	0.1	Too few samples	17.0	9.0
12/12/2017 6:00	0.6	Calibration	Calibration	20.7	0.1	2.1	17.0	7.0
12/12/2017 7:00	0.8	Calibration	Calibration	29.4	0.2	2.2	22.0	11.0
12/12/2017 8:00	Calibration	0.5	0.6	Calibration	Calibration	2.2	37.0	13.0
12/12/2017 9:00	0.8	0.8	0.8	8.6	0.2	Too few samples	19.0	11.0
12/12/2017 10:00	0.8	Calibration	Calibration	10.1	0.2	2.4	21.0	10.0
12/12/2017 11:00	2.0	Calibration	Calibration	14.4	0.3	2.7	24.0	13.0
12/12/2017 12:00	2.4	Audit	Audit	22.7	0.3	2.6	32.0	14.0
12/12/2017 13:00	3.4	Audit	Audit	21.2	0.3	Too few samples	31.0	16.0
12/12/2017 14:00	1.4	0.4	0.8	9.9	0.3	2.5	30.0	11.0
12/12/2017 15:00	0.8	0.6	0.6	10.4	0.3	2.4	27.0	13.0
12/12/2017 16:00	0.7	0.4	0.5	9.1	0.3	2.4	18.0	10.0
12/12/2017 17:00	0.6	0.4	0.5	7.2	0.3	2.4	22.0	6.0
12/12/2017 18:00	BDL	BDL	BDL	1.8	0.1	2.4	9.0	2.0
12/12/2017 19:00	BDL	BDL	BDL	2.1	0.1	2.4	10.0	BDL
12/12/2017 20:00	BDL	BDL	BDL	1.4	0.1	2.4	10.0	4.0
12/12/2017 21:00	BDL	BDL	BDL	1.1	0.1	2.5	19.0	2.0
12/12/2017 22:00	BDL	BDL	BDL	BDL	0.1	2.4	10.0	BDL
12/12/2017 23:00	BDL	BDL	BDL	BDL	0.1	2.4	13.0	BDL
12/13/2017 0:00	BDL	BDL	BDL	BDL	0.1	2.4	9.0	BDL
12/13/2017 1:00	BDL	BDL	BDL	BDL	0.1	2.4	9.0	1.0
12/13/2017 2:00	BDL	Calibration	Calibration	1.4	0.1	2.4	8.0	2.0
12/13/2017 3:00	BDL	Calibration	Calibration	3.1	0.1	2.6	6.0	2.0
12/13/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.7	9.0	2.0
12/13/2017 5:00	0.5	BDL	BDL	11.4	0.1	2.6	8.0	5.0
12/13/2017 6:00	0.6	Calibration	Calibration	12.4	0.1	2.6	13.0	8.0
12/13/2017 7:00	0.8	Calibration	Calibration	13.1	0.1	2.6	24.0	6.0
12/13/2017 8:00	Calibration	BDL	BDL	Calibration	Calibration	2.6	21.0	4.0
12/13/2017 9:00	Too few samples	BDL	BDL	Too few samples	Too few samples	2.6	99.0	5.0
12/13/2017 10:00	1.1	BDL	BDL	6.3	0.04	2.5	54.0	5.0
12/13/2017 11:00	1.2	BDL	BDL	5.2	0.1	2.5	51.0	4.0
12/13/2017 12:00	1.5	BDL	BDL	6.4	0.1	2.5	24.0	6.0
12/13/2017 13:00	1.9	BDL	BDL	8.3	0.1	2.5	21.0	5.0
12/13/2017 14:00	2.2	BDL	BDL	10.1	0.1	2.3	26.0	4.0
12/13/2017 15:00	1.9	BDL	BDL	10.9	0.1	2.5	20.0	2.0
12/13/2017 16:00	2.5	BDL	BDL	12.0	0.1	2.4	14.0	4.0
12/13/2017 17:00	3.3	BDL	BDL	12.7	0.2	2.3	17.0	5.0
12/13/2017 18:00	3.6	BDL	BDL	11.8	0.2	2.2	27.0	11.0
12/13/2017 19:00	5.9	0.4	BDL	17.3	0.2	2.3	31.0	17.0
12/13/2017 20:00	6.6	BDL	BDL	13.3	0.2	2.3	25.0	16.0
12/13/2017 21:00	3.1	BDL	BDL	11.5	0.2	2.4	25.0	9.0
12/13/2017 22:00	1.0	BDL	0.4	9.0	0.2	2.3	11.0	7.0
12/13/2017 23:00	0.9	BDL	BDL	10.7	0.2	2.2	17.0	9.0
12/14/2017 0:00	0.8	BDL	BDL	6.0	0.2	2.2	8.0	6.0
12/14/2017 1:00	0.8	0.5	0.6	9.1	0.2	2.1	7.0	4.0
12/14/2017 2:00	0.9	Calibration	Calibration	22.3	0.2	2.3	15.0	6.0
12/14/2017 3:00	1.2	Calibration	Calibration	48.5	0.4	2.7	17.0	6.0
12/14/2017 4:00	Calibration	1.9	1.3	Calibration	Calibration	2.9	26.0	8.0
12/14/2017 5:00	1.8	4.0	2.0	73.8	0.6	Too few samples	29.0	11.0
12/14/2017 6:00	1.5	2.9	1.8	39.2	0.4	2.7	17.0	13.0
12/14/2017 7:00	2.2	2.4	1.5	42.7	0.3	2.6	21.0	14.0
12/14/2017 8:00	3.0	1.9	0.9	25.1	0.8	2.3	28.0	18.0
12/14/2017 9:00	1.6	0.9	0.6	15.1	0.2	2.5	16.0	12.0
12/14/2017 10:00	1.6	BDL	0.4	9.5	0.2	2.5	25.0	14.0
12/14/2017 11:00	1.9	BDL	BDL	11.2	0.2	2.5	18.0	13.0
12/14/2017 12:00	2.0	BDL	BDL	6.5	0.2	2.4	16.0	13.0
12/14/2017 13:00	2.0	BDL	BDL	5.4	0.2	2.4	15.0	9.0
12/14/2017 14:00	2.1	BDL	BDL	4.5	0.2	2.3	15.0	7.0
12/14/2017 15:00	1.1	BDL	BDL	5.2	0.2	2.5	15.0	5.0
12/14/2017 16:00	0.8	BDL	BDL	6.6	0.2	2.4	14.0	5.0
12/14/2017 17:00	0.7	BDL	BDL	10.0	0.2	2.5	17.0	5.0
12/14/2017 18:00	0.6	BDL	BDL	12.9	0.2	2.5	17.0	4.0
12/14/2017 19:00	0.6	BDL	BDL	14.7	0.2	2.6	15.0	7.0
12/14/2017 20:00	0.6	BDL	BDL	16.4	0.3	2.6	14.0	6.0
12/14/2017 21:00	0.6	BDL	BDL	22.8	0.3	2.6	17.0	8.0
12/14/2017 22:00	1.0	BDL	BDL	19.6	0.3	2.7	16.0	9.0
12/14/2017 23:00	1.4	BDL	BDL	14.4	0.2	2.5	11.0	8.0
12/15/2017 0:00	0.8	BDL	BDL	10.1	0.2	2.4	13.0	4.0
12/15/2017 1:00	0.8	BDL	BDL	9.2	0.2	2.3	13.0	2.0
12/15/2017 2:00	1.1	Calibration	Calibration	9.8	0.2	2.4	11.0	2.0
12/15/2017 3:00	1.5	Calibration	Calibration	12.0	0.2	2.4	10.0	2.0
12/15/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.5	8.0	2.0
12/15/2017 5:00	Power outage	0.4	BDL	37.2	0.3	Too few samples	21.0	3.0
12/15/2017 6:00	1.2	0.7	BDL	33.1	0.3	2.3	18.0	4.0
12/15/2017 7:00	1.0	Too few samples	Too few samples	33.6	0.3	2.2	17.0	6.0
12/15/2017 8:00	1.3	Calibration	Calibration	38.5	0.3	2.2	18.0	7.0
12/15/2017 9:00	1.8	Too few samples	Too few samples	51.2	0.3	2.2	31.0	8.0
12/15/2017 10:00	1.6	1.1	BDL	42.3	0.3	2.2	33.0	8.0
12/15/2017 11:00	1.1	0.9	BDL	36.2	0.3	2.2	23.0	7.0
12/15/2017 12:00	1.0	1.1	0.4	35.8	0.3	2.2	22.0	6.0
12/15/2017 13:00	0.7	1.0	BDL	35.3	0.3	2.4	25.0	8.0
12/15/2017 14:00	0.6	1.4	0.5	41.8	0.3	2.6	20.0	9.0
12/15/2017 15:00	0.5	1.2	BDL	40.2	0.3	2.9	14.0	10.0
12/15/2017 16:00	0.7	1.6	0.5	48.0	0.4	2.4	17.0	14.0
12/15/2017 17:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	17.0	14.0
12/15/2017 18:00	Power outage	Power outage	Power outage	Power outage	Power outage	Power outage	Power outage	Power outage
12/15/2017 19:00	Power outage	11.6	Too few samples	Too few samples	BDL	Too few samples	Power outage	Power outage
12/15/2017 20:00	Power outage	7.0	8.4	31.8	0.3	2.7	21.0	15.0
12/15/2017 21:00	Power outage	BDL	BDL	25.6	0.3	2.4	53.0	41.0
12/15/2017 22:00	Power outage	BDL	BDL	24.4	0.3	2.4	54.0	43.0
12/15/2017 23:00	Power outage	BDL	BDL	22.7	0.4	2.5	54.0	41.0
12/16/2017 0:00	Power outage	BDL	BDL	24.1	0.2	2.6	43.0	33.0
12/16/2017 1:00	Power outage	0.5	BDL	23.8	0.2	2.7	40.0	30.0
12/16/2017 2:00	Power outage	Calibration	Calibration	29.5	0.2	2.8	68.0	34.0
12/16/2017 3:00	Power outage	Calibration	Calibration	20.6	0.2	2.7	35.0	31.0
12/16/2017 4:00	Power outage	0.5	0.5	Calibration	Calibration	2.7	32.0	27.0
12/16/2017 5:00	Power outage	1.0	0.5	31.8	0.2	Too few samples	28.0	25.0
12/16/2017 6:00	Power outage	Too few samples	Too few samples	37.3	0.3	3.2	29.0	24.0
12/16/2017 7:00	Power outage	Calibration	Calibration	36.8	0.3	2.9	33.0	25.0
12/16/2017 8:00	Power outage	0.8	0.7	39.8	0.3	2.8	29.0	24.0
12/16/2017 9:00	Too few samples	0.9	BDL	Calibration	Calibration	2.8	32.0	24.0
12/16/2017 10:00	Calibration	0.9	0.4	Calibration	Calibration	2.7	25.0	23.0
12/16/2017 11:00	6.7	0.5	BDL	Calibration	0.2	2.5	28.0	26.0
12/16/2017 12:00	5.3	BDL	BDL	Calibration	0.2	2.5	30.0	18.0
12/16/2017 13:00	6.1	BDL	0.4	Calibration	0.2	2.5	27.0	15.0
12/16/2017 14:00	6.0	BDL	BDL	Calibration	0.1	2.4	23.0	16.0
12/16/2017 15:00	5.6	BDL	BDL	Calibration	0.1	2.4	22.0	14.0
12/16/2017 16:00	5.3	BDL	BDL	Calibration	0.2	2.5	26.0	16.0
12/16/2017 17:00	4.5	BDL	BDL	Calibration	0.1	2.3	19.0	10.0
12/16/2017 18:00	5.8	BDL	BDL	Calibration	0.1	2.4	21.0	17.0
12/16/2017 19:00	5.5	BDL	BDL	Calibration	0.2	2.5	28.0	17.0
12/16/2017 20:00	3.9	BDL	BDL	Calibration	0.2	2.5	24.0	19.0
12/16/2017 21:00	4.3	BDL	BDL	Calibration	0.2	2.3	27.0	18.0
12/16/2017 22:00	3.1	0.6	0.4	Calibration	0.3	2.5	36.0	14.0
12/16/2017 23:00	2.0	1.3	0.7	Calibration	0.4	2.7	30.0	14.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Site Downwind Weekly: 12/17/2017-12/23/2017

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
12/17/2017 0:00	2.5	1.6	0.6	Calibration	0.4	3.1	31.0	17.0
12/17/2017 1:00	2.0	1.3	0.5	Calibration	0.3	2.8	30.0	18.0
12/17/2017 2:00	2.1	Calibration	Calibration	Calibration	0.7	3.1	41.0	13.0
12/17/2017 3:00	2.2	Calibration	Calibration	Calibration	0.7	2.9	32.0	23.0
12/17/2017 4:00	Calibration	0.6	0.4	Calibration	Calibration	2.6	27.0	19.0
12/17/2017 5:00	1.7	1.1	0.5	Calibration	0.5	2.7	35.0	22.0
12/17/2017 6:00	1.6	Calibration	Calibration	Calibration	0.6	2.7	38.0	15.0
12/17/2017 7:00	1.4	Calibration	Calibration	Calibration	0.4	2.6	31.0	18.0
12/17/2017 8:00	1.4	BDL	BDL	Calibration	0.3	2.5	32.0	19.0
12/17/2017 9:00	1.4	0.6	BDL	Calibration	0.3	2.5	34.0	10.0
12/17/2017 10:00	1.8	0.8	0.4	Calibration	0.4	2.5	37.0	20.0
12/17/2017 11:00	1.9	0.8	0.4	Calibration	0.4	2.5	38.0	20.0
12/17/2017 12:00	2.1	0.7	0.4	Calibration	0.4	2.4	38.0	21.0
12/17/2017 13:00	2.1	0.6	BDL	Calibration	0.3	2.4	41.0	23.0
12/17/2017 14:00	2.2	0.6	0.4	Calibration	0.4	2.4	38.0	20.0
12/17/2017 15:00	1.9	0.8	0.4	Calibration	0.5	2.6	44.0	27.0
12/17/2017 16:00	1.6	0.9	0.4	Calibration	0.5	2.6	51.0	26.0
12/17/2017 17:00	1.4	1.0	0.4	Calibration	0.5	2.5	39.0	19.0
12/17/2017 18:00	1.3	0.9	0.4	Calibration	0.5	2.6	45.0	17.0
12/17/2017 19:00	1.4	1.1	0.5	Calibration	0.5	2.7	40.0	16.0
12/17/2017 20:00	1.1	1.0	0.4	Calibration	0.5	2.7	35.0	18.0
12/17/2017 21:00	1.1	1.1	0.4	Calibration	0.5	2.7	34.0	21.0
12/17/2017 22:00	1.1	1.1	0.4	Calibration	0.5	2.8	33.0	19.0
12/17/2017 23:00	1.0	0.8	BDL	Calibration	0.4	2.6	28.0	25.0
12/18/2017 0:00	0.9	0.8	BDL	Calibration	0.4	2.7	28.0	20.0
12/18/2017 1:00	1.0	1.0	BDL	Calibration	0.4	2.7	24.0	16.0
12/18/2017 2:00	0.8	Calibration	Calibration	Calibration	0.3	2.6	23.0	16.0
12/18/2017 3:00	0.9	Calibration	Calibration	Calibration	0.4	2.6	21.0	17.0
12/18/2017 4:00	Calibration	0.8	0.4	Calibration	Calibration	2.6	21.0	18.0
12/18/2017 5:00	1.7	1.9	0.7	Calibration	0.6	Too few samples	18.0	23.0
12/18/2017 6:00	1.7	Calibration	Calibration	Too few samples	0.6	2.7	29.0	15.0
12/18/2017 7:00	1.8	Calibration	Calibration	82.7	0.6	3.3	28.0	19.0
12/18/2017 8:00	1.6	1.1	0.5	62.1	0.5	2.8	32.0	25.0
12/18/2017 9:00	2.0	2.2	0.8	71.8	0.6	3.0	38.0	24.0
12/18/2017 10:00	2.4	2.1	0.8	60.8	0.5	2.7	43.0	25.0
12/18/2017 11:00	4.9	1.4	0.8	39.4	0.4	2.6	42.0	28.0
12/18/2017 12:00	4.2	0.8	0.6	22.7	0.3	2.5	41.0	23.0
12/18/2017 13:00	4.5	0.7	0.5	22.1	0.3	2.5	38.0	25.0
12/18/2017 14:00	4.6	0.5	0.4	17.3	0.2	2.4	37.0	19.0
12/18/2017 15:00	3.9	0.4	BDL	14.2	0.2	2.3	32.0	23.0
12/18/2017 16:00	5.9	0.4	BDL	15.9	0.3	2.3	41.0	23.0
12/18/2017 17:00	4.7	0.4	0.4	15.5	0.3	2.5	40.0	22.0
12/18/2017 18:00	4.0	0.7	0.7	18.8	0.3	2.5	48.0	29.0
12/18/2017 19:00	2.8	1.2	0.8	38.5	0.4	2.6	43.0	20.0
12/18/2017 20:00	3.0	1.2	0.8	34.7	0.4	3.1	42.0	24.0
12/18/2017 21:00	3.5	1.7	0.9	48.2	0.4	3.2	45.0	24.0
12/18/2017 22:00	4.4	1.0	0.6	27.7	0.3	3.5	43.0	24.0
12/18/2017 23:00	4.6	1.2	0.8	28.7	0.3	3.5	36.0	17.0
12/19/2017 0:00	6.0	1.2	1.1	21.6	0.3	3.2	32.0	22.0
12/19/2017 1:00	5.0	1.5	1.3	28.9	0.3	2.8	32.0	21.0
12/19/2017 2:00	5.0	Calibration	Calibration	26.4	0.3	3.0	35.0	24.0
12/19/2017 3:00	4.9	Calibration	Calibration	42.4	0.4	3.3	35.0	26.0
12/19/2017 4:00	Calibration	2.7	1.8	Calibration	Calibration	3.4	48.0	23.0
12/19/2017 5:00	4.9	3.9	2.2	86.1	0.5	Too few samples	44.0	24.0
12/19/2017 6:00	4.9	3.4	2.2	81.1	0.6	3.9	55.0	22.0
12/19/2017 7:00	4.8	Too few samples	Too few samples	75.1	0.5	3.3	48.0	23.0
12/19/2017 8:00	5.7	Calibration	Calibration	69.7	0.5	3.5	42.0	26.0
12/19/2017 9:00	Calibration	1.8	0.8	Calibration	Calibration	3.3	39.0	23.0
12/19/2017 10:00	6.5	2.6	1.6	48.8	0.4	3.1	43.0	20.0
12/19/2017 11:00	5.6	1.5	0.8	32.0	0.4	2.8	42.0	19.0
12/19/2017 12:00	4.6	1.1	1.1	16.2	0.2	2.5	28.0	11.0
12/19/2017 13:00	3.6	0.8	0.8	11.0	0.2	2.4	26.0	8.0
12/19/2017 14:00	2.2	0.4	0.6	12.9	0.3	2.4	23.0	7.0
12/19/2017 15:00	1.6	0.5	0.4	14.6	0.3	2.4	19.0	10.0
12/19/2017 16:00	2.0	0.6	0.5	21.0	0.3	2.5	21.0	7.0
12/19/2017 17:00	1.4	0.6	0.4	21.1	0.3	2.4	20.0	13.0
12/19/2017 18:00	1.7	0.7	0.4	26.5	0.3	2.4	25.0	10.0
12/19/2017 19:00	1.8	1.0	0.4	28.5	0.3	2.5	23.0	12.0
12/19/2017 20:00	1.3	0.7	0.4	20.4	0.3	2.4	19.0	10.0
12/19/2017 21:00	1.4	1.0	0.6	32.3	0.3	2.6	17.0	10.0
12/19/2017 22:00	4.3	0.8	0.4	21.9	0.3	2.6	26.0	18.0
12/19/2017 23:00	5.1	0.9	0.5	26.9	0.3	2.7	26.0	19.0
12/20/2017 0:00	6.9	1.0	0.7	27.6	0.3	2.9	26.0	18.0
12/20/2017 1:00	2.3	1.5	1.1	29.5	0.3	3.1	33.0	12.0
12/20/2017 2:00	1.2	Calibration	Calibration	27.8	0.2	2.6	38.0	16.0
12/20/2017 3:00	0.8	Calibration	Calibration	17.3	0.2	2.4	24.0	10.0
12/20/2017 4:00	Calibration	BDL	0.4	Calibration	Calibration	2.3	21.0	11.0
12/20/2017 5:00	BDL	BDL	BDL	2.8	0.2	Too few samples	17.0	8.0
12/20/2017 6:00	BDL	BDL	BDL	7.6	0.2	2.4	27.0	16.0
12/20/2017 7:00	BDL	Audit	Audit	14.8	0.2	2.5	28.0	13.0
12/20/2017 8:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	2.3	23.0	9.0
12/20/2017 9:00	BDL	BDL	BDL	Calibration	0.2	Too few samples	18.0	8.0
12/20/2017 10:00	BDL	BDL	BDL	5.8	0.1	2.5	15.0	5.0
12/20/2017 11:00	BDL	BDL	BDL	5.0	0.1	2.4	19.0	6.0
12/20/2017 12:00	BDL	Calibration	Calibration	4.2	0.1	Too few samples	16.0	8.0
12/20/2017 13:00	BDL	Calibration	Calibration	2.8	0.1	2.4	17.0	6.0
12/20/2017 14:00	BDL	BDL	BDL	0.7	0.1	2.3	16.0	4.0
12/20/2017 15:00	BDL	BDL	BDL	2.8	0.1	2.3	17.0	3.0
12/20/2017 16:00	BDL	BDL	BDL	6.9	0.2	2.3	20.0	8.0
12/20/2017 17:00	BDL	BDL	BDL	14.6	0.2	2.5	22.0	10.0
12/20/2017 18:00	BDL	0.5	BDL	24.1	0.3	2.6	28.0	7.0
12/20/2017 19:00	BDL	0.9	BDL	33.9	0.4	2.6	27.0	12.0
12/20/2017 20:00	BDL	1.8	0.5	56.8	0.5	3.2	27.0	10.0
12/20/2017 21:00	BDL	0.8	BDL	22.7	0.3	2.4	20.0	6.0
12/20/2017 22:00	BDL	0.5	BDL	18.6	0.2	2.9	18.0	9.0
12/20/2017 23:00	BDL	BDL	BDL	10.2	0.2	2.3	18.0	7.0
12/21/2017 0:00	BDL	BDL	BDL	9.1	0.2	2.4	10.0	10.0
12/21/2017 1:00	BDL	BDL	BDL	8.9	0.2	2.4	16.0	6.0
12/21/2017 2:00	BDL	Calibration	Calibration	6.0	0.1	2.3	12.0	7.0
12/21/2017 3:00	BDL	Calibration	Calibration	8.8	0.1	2.4	12.0	7.0
12/21/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.9	9.0	8.0
12/21/2017 5:00	BDL	0.4	BDL	22.0	0.2	Too few samples	20.0	6.0
12/21/2017 6:00	BDL	Calibration	Calibration	26.9	0.2	2.5	21.0	8.0
12/21/2017 7:00	BDL	Calibration	Calibration	24.4	0.2	2.5	22.0	5.0
12/21/2017 8:00	BDL	Calibration	Calibration	23.1	0.2	2.6	61.0	11.0
12/21/2017 9:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	2.5	34.0	9.0
12/21/2017 10:00	Too few samples	BDL	BDL	Too few samples	Too few samples	2.5	43.0	11.0
12/21/2017 11:00	BDL	BDL	BDL	11.0	0.2	2.2	44.0	10.0
12/21/2017 12:00	BDL	BDL	BDL	7.3	0.1	2.2	14.0	9.0
12/21/2017 13:00	BDL	BDL	BDL	6.5	0.1	2.3	17.0	5.0
12/21/2017 14:00	BDL	BDL	BDL	4.9	0.1	2.3	23.0	6.0
12/21/2017 15:00	BDL	BDL	BDL	4.9	0.1	2.3	13.0	8.0
12/21/2017 16:00	BDL	BDL	BDL	8.1	0.2	2.5	20.0	6.0
12/21/2017 17:00	BDL	0.4	BDL	24.0	0.3	2.5	36.0	15.0
12/21/2017 18:00	BDL	BDL	BDL	21.3	0.3	2.3	23.0	14.0
12/21/2017 19:00	BDL	0.8	BDL	38.3	0.5	2.5	32.0	12.0
12/21/2017 20:00	BDL	2.4	0.8	78.6	0.8	3.1	48.0	17.0
12/21/2017 21:00	BDL	3.5	0.9	93.8	0.9	3.7	43.0	15.0
12/21/2017 22:00	BDL	3.3	1.2	99.3	0.9	3.0	48.0	16.0
12/21/2017 23:00	BDL	3.1	1.1	88.0	0.8	2.7	48.0	17.0
12/22/2017 0:00	BDL	2.0	0.7	61.7	0.6	2.5	36.0	17.0
12/22/2017 1:00	BDL	2.6	1.1	80.6	0.7	2.5	35.0	15.0
12/22/2017 2:00	BDL	Calibration	Calibration	71.4	0.6	2.5	30.0	16.0
12/22/2017 3:00	BDL	Calibration	Calibration	62.6	0.5	2.6	31.0	16.0
12/22/2017 4:00	Calibration	1.8	0.9	Calibration	Calibration	2.6	26.0	17.0
12/22/2017 5:00	BDL	Too few samples	Too few samples	60.8	0.5	Too few samples	36.0	17.0
12/22/2017 6:00	BDL	Calibration	Calibration	62.2	0.5	2.4	33.0	17.0
12/22/2017 7:00	BDL	1.8	0.8	67.4	0.5	2.4	36.0	13.0
12/22/2017 8:00	BDL	2.2	1.0	63.0	0.5	2.4	36.0	10.0
12/22/2017 9:00	BDL	2.1	0.9	58.7	0.5	2.4	65.0	12.0
12/22/2017 10:00	BDL	1.9	0.7	57.5	0.4	2.3	39.0	8.0
12/22/2017 11:00	BDL	1.6	0.7	49.1	0.3	2.3	49.0	13.0
12/22/2017 12:00	BDL	1.7	0.7	54.0	0.4	2.3	40.0	15.0
12/22/2017 13:00	BDL	1.3	0.5	35.7	0.3	2.3	31.0	9.0
12/22/2017 14:00	BDL	0.9	0.5	24.8	0.3	2.2	27.0	7.0
12/22/2017 15:00	BDL	0.5	0.5	8.7	0.2	2.4	13.0	6.0
12/22/2017 16:00	BDL	0.7	0.6	14.1	0.3	2.4	16.0	7.0
12/22/2017 17:00	BDL	1.1	0.7	30.8	0.4	2.6	33.0	14.0
12/22/2017 18:00	BDL	1.6	1.0	43.1	0.5	2.5	26.0	10.0
12/22/2017 19:00	BDL	2.1	1.2	61.0	0.8	2.6	44.0	16.0
12/22/2017 20:00	BDL	2.8	1.1	77.1	0.9	4.4	44.0	8.0
12/22/2017 21:00	BDL	2.7	1.0	79.1	0.6	2.9	49.0	9.0
12/22/2017 22:00	0.4	3.6	1.6	114.5	1.1	2.8	66.0	20.0
12/22/2017 23:00	BDL	3.8	1.8	94.4	1.0	2.8	52.0	23.0
12/23/2017 0:00	BDL	3.1	1.6	87.3	1.0	2.8	45.0	24.0
12/23/2017 1:00	BDL	2.4	1.3	66.4	0.8	2.7	37.0	14.0
12/23/2017 2:00	BDL	Calibration	Calibration	52.7	0.7	2.7	42.0	23.0
12/23/2017 3:00	BDL	Calibration	Calibration	50.9	0.6	2.7	41.0	21.0
12/23/2017 4:00	Calibration	1.7	0.8	Calibration	Calibration	2.6	35.0	17.0
12/23/2017 5:00	BDL	1.9	1.0	37.8	0.4	Too few samples	23.0	10.0
12/23/2017 6:00	BDL	Calibration	Calibration	40.9	0.4	2.8	28.0	17.0
12/23/2017 7:00	BDL	Calibration	Calibration	35.6	0.5	2.6	23.0	7.0
12/23/2017 8:00	BDL	1.6	1.2	39.4	0.5	2.4	21.0	8.0
12/23/2017 9:00	BDL	2.5	1.9	39.6	0.6	2.4	28.0	10.0
12/23/2017 10:00	BDL	2.2	2.0	21.5	0.4	2.4	21.0	14.0
12/23/2017 11:00	BDL	1.1	1.1	9.9	0.3	2.3	25.0	11.0
12/23/2017 12:00	BDL	0.6	0.7	5.1	0.2	2.2	18.0	11.0
12/23/2017 13:00	BDL	0.6	0.7	3.9	0.2	2.4	19.0	11.0
12/23/2017 14:00	BDL	0.5	0.7	5.2	0.2	2.5	18.0	9.0
12/23/2017 15:00	BDL	0.5	0.7	9.3	0.3	2.3	19.0	10.0
12/23/2017 16:00	BDL	0.6	0.6	14.4	0.3	2.3	16.0	9.0
12/23/2017 17:00	BDL	0.5	0.7	8.2	0.3	2.2	18.0	10.0
12/23/2017 18:00	BDL	0.4	0.4	12.3	0.3	2.2	15.0	14.0
12/23/2017 19:00	BDL	BDL	0.4	6.6	0.3	2.5	10.0	8.0
12/23/2017 20:00	BDL	BDL	0.4	8.4	0.3	2.3	6.0	4.0
12/23/2017 21:00	BDL	BDL	BDL	3.4	0.2	2.5	3.0	2.0
12/23/2017 22:00	BDL	BDL	BDL	2.7	0.2	2.4	6.0	2.0
12/23/2017 23:00	BDL	BDL	BDL	4.7	0.2	2.3	5.0	6.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 12/24/2017-12/30/2017								
12/24/2017 0:00	BDL	BDL	BDL	2.7	0.2	2.4	7.0	6.0
12/24/2017 1:00	BDL	BDL	BDL	1.0	0.1	2.4	6.0	7.0
12/24/2017 2:00	BDL	Calibration	Calibration	1.0	0.1	2.3	8.0	5.0
12/24/2017 3:00	BDL	Calibration	Calibration	BDL	0.1	2.3	7.0	2.0
12/24/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.3	7.0	5.0
12/24/2017 5:00	BDL	BDL	BDL	2.6	0.1	Too few samples	10.0	3.0
12/24/2017 6:00	BDL	BDL	BDL	6.9	0.1	2.3	10.0	5.0
12/24/2017 7:00	BDL	BDL	BDL	8.4	0.2	2.3	10.0	4.0
12/24/2017 8:00	Too few samples	BDL	BDL	Too few samples	Too few samples	2.2	13.0	4.0
12/24/2017 9:00	Too few samples	Calibration	Calibration	Too few samples	0.2	2.2	12.0	10.0
12/24/2017 10:00	BDL	Calibration	Calibration	11.6	0.2	2.2	14.0	9.0
12/24/2017 11:00	BDL	BDL	BDL	4.9	0.2	2.2	11.0	8.0
12/24/2017 12:00	BDL	BDL	BDL	6.0	0.2	2.1	9.0	5.0
12/24/2017 13:00	BDL	BDL	BDL	5.1	0.2	2.1	10.0	4.0
12/24/2017 14:00	BDL	BDL	BDL	9.2	0.3	2.2	13.0	4.0
12/24/2017 15:00	BDL	0.6	BDL	17.0	0.3	2.2	16.0	11.0
12/24/2017 16:00	BDL	BDL	BDL	7.0	0.2	2.1	10.0	8.0
12/24/2017 17:00	BDL	BDL	BDL	5.6	0.2	2.2	15.0	4.0
12/24/2017 18:00	BDL	BDL	BDL	6.0	0.2	2.1	9.0	4.0
12/24/2017 19:00	BDL	BDL	BDL	7.0	0.2	2.2	12.0	5.0
12/24/2017 20:00	BDL	BDL	BDL	16.0	0.2	2.2	10.0	3.0
12/24/2017 21:00	BDL	BDL	BDL	9.9	0.2	2.2	15.0	6.0
12/24/2017 22:00	BDL	BDL	BDL	6.8	0.2	2.3	12.0	6.0
12/24/2017 23:00	BDL	0.4	BDL	12.5	0.3	2.4	27.0	7.0
12/25/2017 0:00	BDL	0.4	BDL	10.5	0.2	2.5	10.0	6.0
12/25/2017 1:00	BDL	0.5	0.4	13.5	0.2	2.6	9.0	7.0
12/25/2017 2:00	BDL	Calibration	Calibration	12.4	0.2	2.5	9.0	7.0
12/25/2017 3:00	BDL	Calibration	Calibration	5.6	0.2	2.3	9.0	7.0
12/25/2017 4:00	Calibration	BDL	0.4	Calibration	Calibration	2.3	7.0	6.0
12/25/2017 5:00	BDL	BDL	0.5	9.4	0.2	Too few samples	23.0	14.0
12/25/2017 6:00	BDL	0.4	0.4	9.7	0.1	2.2	26.0	13.0
12/25/2017 7:00	BDL	BDL	BDL	11.3	0.1	2.3	18.0	11.0
12/25/2017 8:00	BDL	BDL	BDL	8.0	0.1	2.4	13.0	12.0
12/25/2017 9:00	BDL	BDL	BDL	1.5	0.1	2.5	10.0	7.0
12/25/2017 10:00	BDL	BDL	BDL	4.6	0.1	2.5	15.0	7.0
12/25/2017 11:00	BDL	BDL	BDL	1.7	0.1	2.5	16.0	6.0
12/25/2017 12:00	BDL	BDL	BDL	0.5	0.1	2.5	5.0	6.0
12/25/2017 13:00	BDL	BDL	BDL	1.5	0.1	2.4	7.0	6.0
12/25/2017 14:00	BDL	BDL	BDL	8.4	0.1	2.3	18.0	7.0
12/25/2017 15:00	BDL	BDL	BDL	4.8	0.1	2.4	13.0	8.0
12/25/2017 16:00	BDL	BDL	BDL	7.0	0.1	2.3	19.0	9.0
12/25/2017 17:00	BDL	BDL	BDL	9.9	0.1	2.3	19.0	11.0
12/25/2017 18:00	BDL	BDL	BDL	10.9	0.1	2.3	19.0	10.0
12/25/2017 19:00	BDL	BDL	BDL	7.8	0.1	2.4	15.0	8.0
12/25/2017 20:00	BDL	BDL	BDL	10.8	0.1	2.3	17.0	8.0
12/25/2017 21:00	BDL	BDL	BDL	7.3	0.1	2.2	21.0	10.0
12/25/2017 22:00	BDL	BDL	BDL	10.9	0.1	2.3	13.0	8.0
12/25/2017 23:00	BDL	BDL	BDL	7.8	0.1	2.4	11.0	6.0
12/26/2017 0:00	BDL	BDL	BDL	2.1	0.1	2.4	10.0	4.0
12/26/2017 1:00	BDL	BDL	BDL	2.5	0.1	2.4	9.0	7.0
12/26/2017 2:00	BDL	Calibration	Calibration	3.4	0.1	2.4	8.0	5.0
12/26/2017 3:00	BDL	Calibration	Calibration	5.2	0.1	2.4	10.0	2.0
12/26/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.4	9.0	2.0
12/26/2017 5:00	BDL	BDL	BDL	8.3	0.1	Too few samples	14.0	4.0
12/26/2017 6:00	BDL	BDL	BDL	11.0	0.1	2.4	19.0	6.0
12/26/2017 7:00	BDL	Calibration	Calibration	12.0	0.1	2.4	11.0	8.0
12/26/2017 8:00	BDL	Calibration	Calibration	7.5	0.1	2.4	12.0	6.0
12/26/2017 9:00	BDL	Too few samples	Too few samples	9.1	0.1	2.4	16.0	6.0
12/26/2017 10:00	BDL	Calibration	Calibration	8.1	0.1	2.4	16.0	6.0
12/26/2017 11:00	BDL	Too few samples	Too few samples	3.4	0.1	2.4	12.0	5.0
12/26/2017 12:00	NoData	NoData	NoData	NoData	NoData	NoData	14.0	5.0
12/26/2017 13:00	NoData	NoData	NoData	NoData	NoData	NoData	16.0	6.0
12/26/2017 14:00	NoData	NoData	NoData	NoData	NoData	NoData	17.0	6.0
12/26/2017 15:00	NoData	NoData	NoData	NoData	NoData	NoData	11.0	8.0
12/26/2017 16:00	NoData	NoData	NoData	NoData	NoData	NoData	14.0	6.0
12/26/2017 17:00	NoData	NoData	NoData	NoData	NoData	NoData	13.0	8.0
12/26/2017 18:00	NoData	NoData	NoData	NoData	NoData	NoData	37.0	28.0
12/26/2017 19:00	NoData	NoData	NoData	NoData	NoData	NoData	23.0	13.0
12/26/2017 20:00	NoData	NoData	NoData	NoData	NoData	NoData	22.0	12.0
12/26/2017 21:00	NoData	NoData	NoData	NoData	NoData	NoData	19.0	11.0
12/26/2017 22:00	NoData	NoData	NoData	NoData	NoData	NoData	26.0	11.0
12/26/2017 23:00	NoData	NoData	NoData	NoData	NoData	NoData	13.0	7.0
12/27/2017 0:00	NoData	NoData	NoData	NoData	NoData	NoData	16.0	8.0
12/27/2017 1:00	NoData	NoData	NoData	NoData	NoData	NoData	9.0	8.0
12/27/2017 2:00	NoData	NoData	NoData	NoData	NoData	NoData	8.0	6.0
12/27/2017 3:00	NoData	NoData	NoData	NoData	NoData	NoData	16.0	5.0
12/27/2017 4:00	NoData	NoData	NoData	NoData	NoData	NoData	10.0	6.0
12/27/2017 5:00	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData
12/27/2017 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	10.0	6.0
12/27/2017 7:00	BDL	BDL	BDL	8.4	0.1	2.5	14.0	8.0
12/27/2017 8:00	BDL	Calibration	Calibration	12.1	0.1	2.4	15.0	7.0
12/27/2017 9:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	2.4	20.0	6.0
12/27/2017 10:00	BDL	BDL	BDL	10.0	0.1	Too few samples	23.0	12.0
12/27/2017 11:00	BDL	BDL	BDL	8.4	0.1	2.4	20.0	9.0
12/27/2017 12:00	BDL	BDL	BDL	5.0	0.1	2.5	13.0	6.0
12/27/2017 13:00	BDL	BDL	BDL	3.9	0.1	2.4	17.0	7.0
12/27/2017 14:00	BDL	BDL	BDL	3.9	0.1	2.5	18.0	9.0
12/27/2017 15:00	BDL	BDL	BDL	2.7	0.1	2.5	14.0	6.0
12/27/2017 16:00	BDL	BDL	BDL	3.3	0.1	2.5	11.0	9.0
12/27/2017 17:00	BDL	BDL	BDL	4.7	0.1	2.5	16.0	10.0
12/27/2017 18:00	BDL	BDL	BDL	7.3	0.1	2.6	15.0	11.0
12/27/2017 19:00	BDL	BDL	BDL	6.9	0.1	2.6	10.0	8.0
12/27/2017 20:00	BDL	BDL	BDL	7.8	0.1	2.5	14.0	4.0
12/27/2017 21:00	BDL	BDL	BDL	5.4	0.1	2.5	13.0	7.0
12/27/2017 22:00	BDL	BDL	BDL	7.4	0.2	2.6	10.0	5.0
12/27/2017 23:00	BDL	BDL	BDL	6.9	0.1	2.7	11.0	8.0
12/28/2017 0:00	BDL	BDL	BDL	1.8	0.1	2.5	10.0	8.0
12/28/2017 1:00	BDL	BDL	BDL	1.3	0.1	2.5	12.0	6.0
12/28/2017 2:00	BDL	Calibration	Calibration	1.3	0.1	2.5	11.0	5.0
12/28/2017 3:00	BDL	Calibration	Calibration	2.7	0.1	2.6	10.0	7.0
12/28/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.6	7.0	8.0
12/28/2017 5:00	BDL	BDL	BDL	4.6	0.1	2.6	7.0	6.0
12/28/2017 6:00	BDL	BDL	BDL	5.4	0.1	2.7	10.0	8.0
12/28/2017 7:00	BDL	BDL	BDL	6.8	0.1	2.7	17.0	6.0
12/28/2017 8:00	BDL	BDL	BDL	7.2	0.1	2.7	9.0	5.0
12/28/2017 9:00	BDL	BDL	BDL	4.8	0.2	2.7	17.0	3.0
12/28/2017 10:00	BDL	BDL	BDL	4.3	0.2	2.6	25.0	4.0
12/28/2017 11:00	BDL	BDL	BDL	4.5	0.1	2.5	64.0	5.0
12/28/2017 12:00	BDL	BDL	BDL	1.6	0.1	2.6	17.0	6.0
12/28/2017 13:00	BDL	BDL	BDL	1.8	0.1	2.6	18.0	5.0
12/28/2017 14:00	BDL	BDL	BDL	0.7	0.1	2.5	16.0	5.0
12/28/2017 15:00	BDL	BDL	BDL	1.1	0.1	2.6	15.0	4.0
12/28/2017 16:00	BDL	BDL	BDL	1.4	0.1	2.6	13.0	3.0
12/28/2017 17:00	BDL	BDL	BDL	4.3	0.1	2.5	12.0	3.0
12/28/2017 18:00	BDL	BDL	BDL	5.0	0.1	2.4	16.0	4.0
12/28/2017 19:00	BDL	BDL	BDL	10.0	0.1	2.6	17.0	6.0
12/28/2017 20:00	BDL	BDL	BDL	11.0	0.1	2.7	14.0	6.0
12/28/2017 21:00	BDL	BDL	BDL	13.5	0.3	2.9	15.0	5.0
12/28/2017 22:00	BDL	BDL	BDL	13.7	0.4	3.0	11.0	8.0
12/28/2017 23:00	BDL	BDL	BDL	8.4	0.2	2.7	11.0	8.0
12/29/2017 0:00	BDL	BDL	BDL	11.2	0.2	2.8	12.0	6.0
12/29/2017 1:00	BDL	BDL	BDL	7.5	0.2	2.6	9.0	3.0
12/29/2017 2:00	BDL	Calibration	Calibration	8.0	0.2	2.5	7.0	2.0
12/29/2017 3:00	BDL	Calibration	Calibration	5.8	0.1	2.5	8.0	5.0
12/29/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.6	8.0	6.0
12/29/2017 5:00	BDL	BDL	BDL	9.5	0.2	Too few samples	14.0	7.0
12/29/2017 6:00	BDL	BDL	BDL	12.8	0.1	2.4	13.0	6.0
12/29/2017 7:00	BDL	BDL	BDL	10.9	0.1	2.5	17.0	6.0
12/29/2017 8:00	BDL	BDL	BDL	11.8	0.1	Too few samples	16.0	6.0
12/29/2017 9:00	BDL	BDL	BDL	15.9	0.2	2.4	19.0	6.0
12/29/2017 10:00	BDL	BDL	BDL	11.1	0.1	2.4	25.0	5.0
12/29/2017 11:00	BDL	BDL	BDL	11.8	0.1	2.4	38.0	20.0
12/29/2017 12:00	BDL	BDL	BDL	10.8	0.1	4.6	Invalid	Invalid
12/29/2017 13:00	BDL	BDL	BDL	5.3	0.1	2.6	Invalid	Invalid
12/29/2017 14:00	BDL	BDL	BDL	5.7	0.1	2.4	30.0	8.0
12/29/2017 15:00	BDL	BDL	BDL	5.9	0.1	2.4	19.0	11.0
12/29/2017 16:00	BDL	BDL	BDL	6.2	0.1	2.4	23.0	11.0
12/29/2017 17:00	BDL	BDL	BDL	6.7	0.1	2.4	19.0	12.0
12/29/2017 18:00	BDL	BDL	BDL	5.8	0.1	2.4	19.0	15.0
12/29/2017 19:00	BDL	BDL	BDL	10.2	0.2	2.6	21.0	12.0
12/29/2017 20:00	BDL	BDL	BDL	11.5	0.2	2.7	16.0	13.0
12/29/2017 21:00	BDL	BDL	BDL	13.6	0.2	2.7	19.0	13.0
12/29/2017 22:00	BDL	BDL	BDL	18.7	0.2	2.8	17.0	13.0
12/29/2017 23:00	BDL	BDL	BDL	20.6	0.2	2.8	18.0	12.0
12/30/2017 0:00	BDL	0.6	BDL	33.4	0.7	3.8	22.0	16.0
12/30/2017 1:00	BDL	0.8	BDL	31.5	0.3	3.1	23.0	15.0
12/30/2017 2:00	BDL	Calibration	Calibration	22.7	0.3	2.8	20.0	17.0
12/30/2017 3:00	BDL	Calibration	Calibration	47.0	0.4	2.7	31.0	15.0
12/30/2017 4:00	Calibration	0.6	BDL	Calibration	Calibration	2.9	25.0	17.0
12/30/2017 5:00	BDL	0.7	BDL	27.8	0.2	2.5	20.0	13.0
12/30/2017 6:00	BDL	Too few samples	Too few samples	14.2	0.2	2.4	31.0	17.0
12/30/2017 7:00	BDL	Calibration	Calibration	11.8	0.1	2.4	24.0	17.0
12/30/2017 8:00	BDL	BDL	BDL	8.3	0.1	2.4	19.0	11.0
12/30/2017 9:00	BDL	BDL	BDL	9.8	0.1	2.5	20.0	12.0
12/30/2017 10:00	BDL	BDL	BDL	11.2	0.1	2.4	19.0	9.0
12/30/2017 11:00	BDL	0.4	BDL	17.5	0.2	2.6	19.0	11.0
12/30/2017 12:00	BDL	0.9	BDL	25.4	0.2	2.5	23.0	15.0
12/30/2017 13:00	BDL	0.7	BDL	22.5	0.2	2.9	23.0	20.0
12/30/2017 14:00	BDL	0.5	BDL	17.9	0.2	2.8	31.0	21.0
12/30/2017 15:00	BDL	0.4	BDL	12.9	0.2	2.5	36.0	23.0
12/30/2017 16:00	BDL	BDL	BDL	6.1	0.1	2.5	21.0	24.0
12/30/2017 17:00	BDL	BDL	BDL	6.6	0.2	2.5	25.0	16.0
12/30/2017 18:00	BDL	BDL	BDL	9.1	0.2	2.5	31.0	21.0
12/30/2017 19:00	BDL	BDL	BDL	12.6	0.2	2.6	32.0	24.0
12/30/2017 20:00	BDL	BDL	BDL	9.6	0.2	2.5	24.0	16.0
12/30/2017 21:00	BDL	BDL	BDL	14.2	0.2	2.5	21.0	14.0
12/30/2017 22:00	BDL	BDL	BDL	11.0	0.1	2.5	27.0	19.0
12/30/2017 23:00	BDL	BDL	BDL	11.2	0.1	2.5	22.0	14.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 12/31/2017-1/6/2018								
12/31/2017 0:00	BDL	BDL	BDL	8.3	0.1	2.5	25	14
12/31/2017 1:00	BDL	BDL	BDL	4.6	0.1	2.4	22	12
12/31/2017 2:00	BDL	Calibration	Calibration	6.6	0.1	2.4	21	14
12/31/2017 3:00	BDL	Calibration	Calibration	3.7	0.1	2.4	16	9
12/31/2017 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.4	12	9
12/31/2017 5:00	BDL	BDL	BDL	3.4	0.1	Too few samples	16	6
12/31/2017 6:00	BDL	Calibration	Calibration	5.9	0.2	2.6	17	4
12/31/2017 7:00	BDL	Calibration	Calibration	7.4	0.1	2.6	15	4
12/31/2017 8:00	BDL	BDL	BDL	5.7	0.1	2.5	19	8
12/31/2017 9:00	BDL	BDL	BDL	2.3	0.2	2.5	25	8
12/31/2017 10:00	BDL	BDL	BDL	1.1	0.2	2.5	20	6
12/31/2017 11:00	BDL	BDL	BDL	0.7	0.1	2.5	28	4
12/31/2017 12:00	BDL	BDL	BDL	BDL	0.1	2.4	16	4
12/31/2017 13:00	BDL	BDL	BDL	BDL	0.1	2.4	15	7
12/31/2017 14:00	BDL	BDL	BDL	0.5	0.1	2.5	15	6
12/31/2017 15:00	BDL	BDL	BDL	BDL	0.1	2.4	15	5
12/31/2017 16:00	BDL	BDL	BDL	1.6	0.1	2.4	18	5
12/31/2017 17:00	BDL	BDL	BDL	3.7	0.1	2.4	19	6
12/31/2017 18:00	BDL	BDL	BDL	5.5	0.1	2.4	18	6
12/31/2017 19:00	BDL	BDL	BDL	7.7	0.1	2.5	21	6
12/31/2017 20:00	BDL	BDL	BDL	9.3	0.1	2.6	21	6
12/31/2017 21:00	BDL	BDL	BDL	9.7	0.2	2.6	17	8
12/31/2017 22:00	BDL	BDL	BDL	9.0	0.2	2.7	16	8
12/31/2017 23:00	BDL	BDL	BDL	6.6	0.2	2.7	15	5
1/1/2018 0:00	BDL	BDL	BDL	6.4	0.2	2.7	10	7
1/1/2018 1:00	BDL	BDL	BDL	6.5	0.2	2.7	12	8
1/1/2018 2:00	BDL	Calibration	Calibration	7.5	0.1	2.6	11	7
1/1/2018 3:00	BDL	Calibration	Calibration	10.0	0.1	2.5	14	6
1/1/2018 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.5	11	5
1/1/2018 5:00	BDL	BDL	BDL	6.2	0.1	Too few samples	11	7
1/1/2018 6:00	BDL	BDL	BDL	7.3	0.1	2.5	13	6
1/1/2018 7:00	BDL	BDL	BDL	7.8	0.1	2.5	11	8
1/1/2018 8:00	BDL	BDL	BDL	17.6	0.1	2.5	17	9
1/1/2018 9:00	BDL	BDL	BDL	5.5	0.1	2.5	14	6
1/1/2018 10:00	BDL	BDL	BDL	1.4	0.1	2.5	13	6
1/1/2018 11:00	BDL	BDL	BDL	0.9	0.1	2.5	12	5
1/1/2018 12:00	BDL	BDL	BDL	1.2	0.1	2.5	12	6
1/1/2018 13:00	BDL	BDL	BDL	BDL	0.1	2.5	13	4
1/1/2018 14:00	BDL	BDL	BDL	BDL	0.1	2.5	12	3
1/1/2018 15:00	BDL	BDL	BDL	3.3	0.1	2.4	12	4
1/1/2018 16:00	BDL	BDL	BDL	6	0.1	2.4	10	6
1/1/2018 17:00	BDL	BDL	BDL	8.9	0.1	2.3	20	11
1/1/2018 18:00	1.2	BDL	BDL	10.1	0.1	2.2	39	19
1/1/2018 19:00	0.9	BDL	BDL	11.5	0.1	2.3	30	22
1/1/2018 20:00	BDL	BDL	BDL	17.3	0.2	2.4	34	23
1/1/2018 21:00	BDL	0.4	BDL	15.9	0.2	2.6	20	15
1/1/2018 22:00	BDL	0.4	BDL	14.1	0.2	2.6	19	14
1/1/2018 23:00	BDL	BDL	BDL	10.9	0.1	2.6	17	13
1/2/2018 0:00	BDL	BDL	BDL	4.2	0.1	2.5	20	9
1/2/2018 1:00	BDL	BDL	BDL	7.1	0.1	2.5	13	7
1/2/2018 2:00	BDL	Calibration	Calibration	5.4	0.1	2.5	17	7
1/2/2018 3:00	BDL	Calibration	Calibration	7.1	0.1	2.5	17	11
1/2/2018 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.5	21	13
1/2/2018 5:00	BDL	BDL	BDL	15.7	0.1	Too few samples	18	11
1/2/2018 6:00	BDL	BDL	BDL	11.2	0.1	2.5	20	11
1/2/2018 7:00	BDL	BDL	BDL	13.3	0.2	2.5	27	11
1/2/2018 8:00	BDL	0.4	BDL	17.2	0.1	2.5	28	11
1/2/2018 9:00	BDL	BDL	BDL	12.8	0.1	2.4	27	8
1/2/2018 10:00	BDL	BDL	BDL	6.7	0.1	2.4	28	6
1/2/2018 11:00	BDL	BDL	BDL	10.5	0.1	2.5	31	10
1/2/2018 12:00	BDL	BDL	BDL	10.5	0.1	3.2	22	10
1/2/2018 13:00	BDL	BDL	BDL	7.8	0.3	2.5	33	12
1/2/2018 14:00	BDL	BDL	BDL	11.1	0.1	2.4	27	13
1/2/2018 15:00	BDL	BDL	BDL	10.4	0.1	2.4	25	10
1/2/2018 16:00	BDL	BDL	BDL	11.2	0.1	2.3	25	15
1/2/2018 17:00	BDL	BDL	BDL	11.7	0.1	2.4	27	14
1/2/2018 18:00	BDL	0.5	BDL	15.1	0.2	2.4	36	19
1/2/2018 19:00	BDL	0.5	BDL	16.3	0.2	2.5	35	19
1/2/2018 20:00	BDL	0.5	0.4	14.6	0.2	2.9	21	13
1/2/2018 21:00	0.7	0.5	BDL	15.8	0.2	2.8	31	15
1/2/2018 22:00	0.6	0.6	BDL	20.6	0.2	2.7	31	13
1/2/2018 23:00	BDL	0.8	BDL	25.2	0.2	2.8	29	12
1/3/2018 0:00	BDL	0.7	BDL	26.8	0.2	2.8	32	16
1/3/2018 1:00	BDL	1.1	0.4	30.9	0.2	2.7	31	17
1/3/2018 2:00	BDL	Calibration	Calibration	25.2	0.3	2.8	27	13
1/3/2018 3:00	BDL	Calibration	Calibration	20.0	0.2	2.7	17	14
1/3/2018 4:00	Calibration	0.4	BDL	Calibration	Calibration	2.9	23	11
1/3/2018 5:00	BDL	0.8	BDL	28.3	0.2	Too few samples	27	12
1/3/2018 6:00	BDL	1.2	BDL	37.5	0.3	3.3	29	10
1/3/2018 7:00	BDL	Audit	Audit	81.9	0.7	3.6	51	14
1/3/2018 8:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	2.9	50	11
1/3/2018 9:00	BDL	1.5	0.5	Calibration	0.3	Too few samples	34	8
1/3/2018 10:00	BDL	1.4	0.6	41.0	0.3	2.4	37	9
1/3/2018 11:00	1.0	1.9	0.7	54.5	0.4	2.5	56	15
1/3/2018 12:00	1.0	2.3	0.9	61.3	0.4	2.4	71	18
1/3/2018 13:00	Calibration	2.1	0.9	Calibration	Calibration	2.4	58	14
1/3/2018 14:00	BDL	1.7	0.8	45.2	0.3	2.4	50	15
1/3/2018 15:00	BDL	1.4	0.6	35.8	0.3	2.3	47	16
1/3/2018 16:00	BDL	1.7	0.6	45.2	0.4	3.0	51	10
1/3/2018 17:00	BDL	3.3	1.2	84.7	0.8	2.8	87	15
1/3/2018 18:00	BDL	2.6	1.1	66.7	0.6	2.7	67	17
1/3/2018 19:00	BDL	2.0	0.8	49.9	0.4	2.8	48	13
1/3/2018 20:00	BDL	1.7	0.8	37.7	0.4	2.5	35	11
1/3/2018 21:00	BDL	1.4	0.6	31.5	0.4	2.5	25	9
1/3/2018 22:00	BDL	1.3	0.5	31.5	0.3	2.7	24	8
1/3/2018 23:00	BDL	1.5	0.6	37.2	0.3	2.8	25	6
1/4/2018 0:00	BDL	1.7	0.6	35.5	0.3	2.8	29	7
1/4/2018 1:00	BDL	1.2	0.6	21.4	0.2	2.6	30	13
1/4/2018 2:00	BDL	Calibration	Calibration	12.7	0.2	2.4	18	12
1/4/2018 3:00	BDL	Calibration	Calibration	9.6	0.1	2.4	17	6
1/4/2018 4:00	Calibration	0.5	0.6	Calibration	Calibration	2.3	14	7
1/4/2018 5:00	BDL	0.8	0.6	10.3	0.1	Too few samples	25	7
1/4/2018 6:00	BDL	0.9	0.6	10.3	0.2	2.3	21	9
1/4/2018 7:00	BDL	0.8	0.7	9.4	0.2	2.3	13	7
1/4/2018 8:00	BDL	Calibration	Calibration	11.5	0.2	2.3	16	8
1/4/2018 9:00	BDL	Calibration	Calibration	7.8	0.2	2.5	18	14
1/4/2018 10:00	BDL	0.5	0.6	8.4	0.2	Calibration	39	9
1/4/2018 11:00	BDL	0.6	0.6	7.0	0.3	2.6	19	11
1/4/2018 12:00	BDL	0.6	0.6	5.8	0.2	2.6	17	9
1/4/2018 13:00	BDL	0.6	0.6	5.4	0.1	2.5	20	8
1/4/2018 14:00	BDL	0.6	0.6	5.1	0.1	2.4	20	11
1/4/2018 15:00	BDL	0.5	0.6	4.2	0.1	2.4	17	10
1/4/2018 16:00	BDL	0.4	0.6	3.8	0.1	2.3	16	11
1/4/2018 17:00	BDL	0.4	0.5	1.9	0.1	2.3	21	8
1/4/2018 18:00	BDL	BDL	0.5	2.3	0.1	2.3	13	6
1/4/2018 19:00	BDL	BDL	0.5	BDL	0.1	2.4	14	4
1/4/2018 20:00	BDL	BDL	0.4	BDL	0.1	2.3	15	2
1/4/2018 21:00	BDL	BDL	0.4	BDL	0.1	2.3	14	6
1/4/2018 22:00	BDL	BDL	BDL	BDL	0.1	2.4	19	3
1/4/2018 23:00	BDL	BDL	0.4	BDL	0.1	2.4	10	5
1/5/2018 0:00	BDL	BDL	0.4	BDL	0.1	2.4	10	6
1/5/2018 1:00	BDL	BDL	BDL	BDL	0.1	2.4	8	4
1/5/2018 2:00	BDL	Calibration	Calibration	BDL	0.1	2.4	18	4
1/5/2018 3:00	BDL	Calibration	Calibration	BDL	0.1	2.4	11	2
1/5/2018 4:00	Calibration	BDL	0.4	Calibration	Calibration	2.4	8	BDL
1/5/2018 5:00	BDL	BDL	BDL	2.1	0.1	2.4	8	BDL
1/5/2018 6:00	BDL	BDL	0.4	2.6	0.1	2.4	13	5
1/5/2018 7:00	BDL	Calibration	Calibration	2.5	0.1	2.4	21	5
1/5/2018 8:00	BDL	Calibration	Calibration	5.9	0.1	2.4	16	2
1/5/2018 9:00	BDL	BDL	0.4	3.3	0.1	2.4	24	3
1/5/2018 10:00	BDL	BDL	0.4	2.9	0.1	2.5	24	3
1/5/2018 11:00	BDL	BDL	0.4	1.4	0.1	2.5	21	5
1/5/2018 12:00	BDL	BDL	BDL	4.0	0.1	2.4	21	5
1/5/2018 13:00	BDL	BDL	BDL	4.0	0.1	2.6	24	4
1/5/2018 14:00	BDL	BDL	0.4	4.4	0.1	2.5	30	5
1/5/2018 15:00	BDL	BDL	BDL	2.9	0.1	2.5	23	5
1/5/2018 16:00	BDL	BDL	BDL	10.2	0.1	2.6	26	7
1/5/2018 17:00	BDL	BDL	BDL	9.5	0.1	2.6	31	8
1/5/2018 18:00	BDL	BDL	BDL	9.5	0.1	2.6	17	8
1/5/2018 19:00	BDL	BDL	BDL	10.8	0.1	2.6	19	9
1/5/2018 20:00	BDL	BDL	BDL	10.8	0.1	2.6	14	9
1/5/2018 21:00	BDL	BDL	BDL	8.4	0.1	2.5	9	5
1/5/2018 22:00	BDL	BDL	BDL	7.4	0.1	2.5	13	5
1/5/2018 23:00	BDL	BDL	BDL	8.2	0.1	2.6	14	4
1/6/2018 0:00	BDL	BDL	BDL	7.9	0.1	2.6	16	5
1/6/2018 1:00	BDL	BDL	BDL	7.5	0.1	2.5	12	5
1/6/2018 2:00	BDL	Calibration	Calibration	7.6	0.1	2.5	16	7
1/6/2018 3:00	BDL	Calibration	Calibration	10.3	0.1	2.7	19	8
1/6/2018 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.6	16	6
1/6/2018 5:00	BDL	BDL	BDL	12.6	0.1	Too few samples	26	5
1/6/2018 6:00	BDL	BDL	BDL	14.7	0.1	2.7	17	6
1/6/2018 7:00	BDL	BDL	BDL	13.7	0.1	2.6	17	10
1/6/2018 8:00	0.8	BDL	BDL	11.4	0.1	2.6	21	8
1/6/2018 9:00	1	BDL	BDL	7.0	0.1	2.6	13	7
1/6/2018 10:00	0.6	BDL	BDL	3.8	0.1	2.6	14	5
1/6/2018 11:00	0.4	BDL	BDL	1.3	0.1	2.6	18	3
1/6/2018 12:00	0.4	BDL	BDL	1.3	0.1	2.5	8	3
1/6/2018 13:00	BDL	BDL	BDL	1.7	0.1	2.5	16	5
1/6/2018 14:00	BDL	BDL	BDL	BDL	0.1	2.5	17	3
1/6/2018 15:00	BDL	BDL	BDL	0.9	0.1	2.5	18	2
1/6/2018 16:00	BDL	BDL	BDL	2.0	0.1	2.5	21	6
1/6/2018 17:00	BDL	BDL	BDL	4.0	0.1	2.5	17	7
1/6/2018 18:00	BDL	BDL	BDL	3.5	0.1	2.6	15	5
1/6/2018 19:00	BDL	BDL	BDL	6.0	0.1	2.6	14	4
1/6/2018 20:00	BDL	BDL	BDL	7.5	0.1	2.6	19	6
1/6/2018 21:00	BDL	BDL	BDL	6.5	0.1	2.6	13	4
1/6/2018 22:00	BDL	BDL	BDL	6.4	0.1	2.6	14	2
1/6/2018 23:00	BDL	BDL	BDL	3.8	0.1	2.7	10	1

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 1/7/2018-1/13/2018								
1/7/2018 0:00	BDL	BDL	BDL	2.2	0.1	2.7	10.0	3.0
1/7/2018 1:00	BDL	BDL	BDL	4.6	0.1	2.6	9.0	4.0
1/7/2018 2:00	BDL	Calibration	Calibration	4.5	0.1	2.6	10.0	4.0
1/7/2018 3:00	BDL	Calibration	Calibration	4.8	0.1	2.6	8.0	5.0
1/7/2018 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.7	8.0	6.0
1/7/2018 5:00	BDL	BDL	BDL	6.8	0.1	Too few samples	11.0	9.0
1/7/2018 6:00	BDL	BDL	BDL	9.0	0.1	2.6	13.0	5.0
1/7/2018 7:00	BDL	BDL	BDL	17.9	0.2	2.7	20.0	6.0
1/7/2018 8:00	BDL	BDL	BDL	15.2	0.1	2.7	19.0	7.0
1/7/2018 9:00	BDL	BDL	BDL	7.7	0.1	2.7	18.0	7.0
1/7/2018 10:00	BDL	BDL	BDL	6.4	0.1	2.5	21.0	7.0
1/7/2018 11:00	BDL	BDL	BDL	8.6	0.1	2.5	24.0	7.0
1/7/2018 12:00	BDL	BDL	BDL	9.6	0.1	2.6	18.0	10.0
1/7/2018 13:00	0.9	BDL	BDL	9.1	0.1	2.5	28.0	13.0
1/7/2018 14:00	0.5	BDL	BDL	10.1	0.1	2.7	24.0	9.0
1/7/2018 15:00	3.3	BDL	BDL	9.5	0.1	2.9	24.0	9.0
1/7/2018 16:00	0.5	BDL	BDL	7.5	0.1	2.7	31.0	13.0
1/7/2018 17:00	BDL	BDL	BDL	4.6	0.1	2.7	24.0	7.0
1/7/2018 18:00	BDL	BDL	BDL	4.5	0.1	2.7	33.0	3.0
1/7/2018 19:00	BDL	BDL	BDL	5.1	0.1	2.9	16.0	8.0
1/7/2018 20:00	BDL	BDL	BDL	5.4	0.1	2.8	18.0	11.0
1/7/2018 21:00	BDL	BDL	BDL	8.6	0.1	2.9	19.0	8.0
1/7/2018 22:00	BDL	BDL	BDL	5.5	0.1	2.9	18.0	8.0
1/7/2018 23:00	BDL	BDL	BDL	6.8	0.1	3.0	16.0	8.0
1/8/2018 0:00	BDL	BDL	BDL	4.3	0.1	3.0	13.0	7.0
1/8/2018 1:00	BDL	BDL	0.4	2.2	0.1	2.9	17.0	7.0
1/8/2018 2:00	BDL	Calibration	Calibration	3.6	0.1	2.9	19.0	10.0
1/8/2018 3:00	BDL	Calibration	Calibration	7.9	0.1	3.3	14.0	12.0
1/8/2018 4:00	Calibration	BDL	0.4	Calibration	Calibration	3.4	21.0	8.0
1/8/2018 5:00	BDL	BDL	0.4	7.6	0.1	Too few samples	25.0	6.0
1/8/2018 6:00	BDL	0.5	0.4	17.1	0.2	2.8	33.0	11.0
1/8/2018 7:00	BDL	0.6	0.4	20.1	0.2	2.6	50.0	12.0
1/8/2018 8:00	BDL	0.8	0.4	17.3	0.2	2.8	36.0	9.0
1/8/2018 9:00	BDL	0.4	BDL	12.3	0.1	2.6	31.0	13.0
1/8/2018 10:00	BDL	BDL	BDL	9.9	0.1	2.7	29.0	9.0
1/8/2018 11:00	BDL	0.4	BDL	12.6	0.2	2.7	35.0	14.0
1/8/2018 12:00	BDL	0.4	BDL	10.3	0.1	2.7	35.0	12.0
1/8/2018 13:00	BDL	BDL	BDL	9.2	0.1	2.7	29.0	11.0
1/8/2018 14:00	BDL	BDL	BDL	8.2	0.1	3.0	32.0	10.0
1/8/2018 15:00	BDL	BDL	BDL	8.7	0.1	2.8	25.0	11.0
1/8/2018 16:00	BDL	0.6	0.4	15.5	0.2	2.7	28.0	19.0
1/8/2018 17:00	BDL	0.6	BDL	16.3	0.2	2.7	34.0	23.0
1/8/2018 18:00	BDL	0.7	BDL	19.5	0.2	2.8	31.0	21.0
1/8/2018 19:00	BDL	1.0	0.4	26.9	0.3	2.8	26.0	18.0
1/8/2018 20:00	BDL	1.1	0.4	28.8	0.3	2.9	26.0	16.0
1/8/2018 21:00	BDL	0.8	0.4	20.0	0.2	2.8	27.0	19.0
1/8/2018 22:00	BDL	1.2	0.7	26.9	0.2	3.0	32.0	28.0
1/8/2018 23:00	0.6	1.1	0.8	21.8	0.2	2.9	26.0	20.0
1/9/2018 0:00	BDL	1.0	0.6	25.6	0.3	2.9	31.0	25.0
1/9/2018 1:00	BDL	1.4	1.0	27.0	0.3	2.7	50.0	38.0
1/9/2018 2:00	BDL	Calibration	Calibration	32.2	0.3	3.1	34.0	25.0
1/9/2018 3:00	BDL	Calibration	Calibration	41.6	0.3	4.0	33.0	24.0
1/9/2018 4:00	Calibration	1.5	0.9	Calibration	Calibration	4.0	39.0	27.0
1/9/2018 5:00	BDL	3.0	1.1	79.8	0.5	Too few samples	41.0	32.0
1/9/2018 6:00	1.0	4.4	1.5	116.6	0.7	3.8	43.0	32.0
1/9/2018 7:00	BDL	Calibration	Calibration	82.3	0.6	3.9	37.0	27.0
1/9/2018 8:00	1.5	Calibration	Calibration	139.8	0.8	3.7	52.0	42.0
1/9/2018 9:00	1.0	2.8	1.1	70.5	0.5	3.5	40.0	29.0
1/9/2018 10:00	0.9	1.6	0.8	41.8	0.4	3.2	32.0	23.0
1/9/2018 11:00	1.5	1.2	0.6	24.4	0.2	3.0	26.0	19.0
1/9/2018 12:00	0.6	0.4	BDL	4.1	0.1	2.6	17.0	10.0
1/9/2018 13:00	BDL	BDL	BDL	4.8	0.1	2.6	22.0	16.0
1/9/2018 14:00	BDL	BDL	BDL	5.0	0.1	2.6	24.0	18.0
1/9/2018 15:00	BDL	BDL	BDL	5.1	0.1	2.6	29.0	13.0
1/9/2018 16:00	BDL	BDL	BDL	6.3	0.1	2.7	21.0	16.0
1/9/2018 17:00	BDL	BDL	BDL	20.0	0.2	2.7	30.0	16.0
1/9/2018 18:00	BDL	0.8	BDL	39.8	0.4	3.1	43.0	19.0
1/9/2018 19:00	BDL	1.6	0.6	71.4	0.6	3.7	46.0	18.0
1/9/2018 20:00	BDL	1.7	0.7	63.4	0.7	3.4	56.0	17.0
1/9/2018 21:00	BDL	2.8	0.5	102.7	0.7	5.8	50.0	23.0
1/9/2018 22:00	BDL	1.9	0.4	50.4	0.4	3.0	35.0	19.0
1/9/2018 23:00	BDL	0.9	BDL	36.3	0.4	2.8	26.0	15.0
1/10/2018 0:00	BDL	1.2	0.4	49.6	0.4	4.3	34.0	14.0
1/10/2018 1:00	BDL	1.4	BDL	45.9	0.3	3.0	26.0	14.0
1/10/2018 2:00	BDL	Calibration	Calibration	42.6	0.5	3.0	32.0	16.0
1/10/2018 3:00	BDL	Calibration	Calibration	96.8	0.6	3.6	37.0	16.0
1/10/2018 4:00	Calibration	1.5	0.5	Calibration	Calibration	3.0	56.0	16.0
1/10/2018 5:00	BDL	Calibration	Calibration	95.5	0.8	Too few samples	62.0	13.0
1/10/2018 6:00	BDL	Calibration	Calibration	100.1	0.8	3.0	77.0	18.0
1/10/2018 7:00	BDL	1.7	0.6	74.0	0.6	2.8	58.0	16.0
1/10/2018 8:00	BDL	2.7	1.0	92.4	0.7	4.1	Audit	Audit
1/10/2018 9:00	BDL	2.6	0.9	69.9	0.5	2.8	63.0	22.0
1/10/2018 10:00	BDL	2.1	0.8	64.9	0.4	2.7	50.0	23.0
1/10/2018 11:00	BDL	1.6	0.6	53.2	0.3	2.6	46.0	13.0
1/10/2018 12:00	BDL	0.8	BDL	21.1	0.2	2.5	31.0	15.0
1/10/2018 13:00	BDL	0.4	BDL	14.8	0.2	2.4	26.0	16.0
1/10/2018 14:00	BDL	BDL	BDL	10.1	0.2	2.6	21.0	14.0
1/10/2018 15:00	BDL	0.4	BDL	19.7	0.2	2.6	26.0	15.0
1/10/2018 16:00	BDL	1.1	0.4	38.8	0.3	2.9	48.0	17.0
1/10/2018 17:00	BDL	1.4	0.6	44.5	0.5	2.9	74.0	18.0
1/10/2018 18:00	BDL	1.4	0.5	41.5	0.6	2.6	64.0	18.0
1/10/2018 19:00	BDL	2.0	0.8	60.5	0.7	2.7	111.0	18.0
1/10/2018 20:00	BDL	1.7	0.8	53.0	0.6	2.6	57.0	17.0
1/10/2018 21:00	BDL	1.1	0.6	30.3	0.4	2.5	33.0	10.0
1/10/2018 22:00	BDL	0.8	BDL	22.4	0.3	2.4	34.0	11.0
1/10/2018 23:00	BDL	0.5	BDL	15.9	0.3	2.8	21.0	10.0
1/11/2018 0:00	BDL	1.2	0.5	39.0	0.5	3.3	23.0	16.0
1/11/2018 1:00	BDL	0.7	BDL	21.9	0.3	3.1	19.0	10.0
1/11/2018 2:00	BDL	Calibration	Calibration	30.7	0.3	3.4	21.0	13.0
1/11/2018 3:00	BDL	Calibration	Calibration	70.6	0.5	2.9	22.0	14.0
1/11/2018 4:00	Calibration	2.1	0.6	Calibration	Calibration	5.2	22.0	17.0
1/11/2018 5:00	BDL	3.3	0.9	105.4	0.8	Too few samples	27.0	14.0
1/11/2018 6:00	BDL	3.9	1.2	117.2	0.8	4.0	28.0	17.0
1/11/2018 7:00	0.8	4.2	1.4	142.5	0.9	4.8	39.0	19.0
1/11/2018 8:00	Calibration	4.0	1.3	Calibration	Calibration	3.4	49.0	21.0
1/11/2018 9:00	1.5	2.6	1.1	70.3	0.4	3.0	37.0	16.0
1/11/2018 10:00	1.2	2.1	1.0	50.5	0.3	2.9	40.0	21.0
1/11/2018 11:00	1.8	2.2	1.0	63.0	0.4	2.9	58.0	18.0
1/11/2018 12:00	1.3	1.5	0.9	29.0	0.2	2.6	37.0	13.0
1/11/2018 13:00	1.3	1.2	0.8	15.0	0.2	2.6	32.0	10.0
1/11/2018 14:00	1.4	0.9	0.6	10.6	0.2	2.6	26.0	10.0
1/11/2018 15:00	1.5	1.0	0.8	20.3	0.4	2.6	38.0	12.0
1/11/2018 16:00	2.0	2.3	1.3	63.6	1.0	2.6	49.0	12.0
1/11/2018 17:00	1.4	2.3	1.2	55.6	0.8	2.6	28.0	13.0
1/11/2018 18:00	0.7	0.9	0.6	17.2	0.4	2.4	21.0	10.0
1/11/2018 19:00	0.6	0.6	0.4	11.1	0.3	2.4	14.0	8.0
1/11/2018 20:00	0.4	0.6	0.4	10.6	0.3	2.4	21.0	8.0
1/11/2018 21:00	0.5	0.5	BDL	7.6	0.2	2.3	16.0	6.0
1/11/2018 22:00	0.6	BDL	0.4	BDL	0.2	2.1	16.0	7.0
1/11/2018 23:00	0.6	0.4	0.4	BDL	0.2	2.3	12.0	6.0
1/12/2018 0:00	0.4	0.4	0.5	BDL	0.2	2.4	15.0	4.0
1/12/2018 1:00	0.4	0.5	0.5	3.5	0.2	2.3	20.0	5.0
1/12/2018 2:00	0.5	Calibration	Calibration	0.9	0.2	2.6	19.0	3.0
1/12/2018 3:00	0.4	Calibration	Calibration	BDL	0.2	2.4	21.0	2.0
1/12/2018 4:00	Calibration	BDL	0.5	Calibration	Calibration	2.1	21.0	4.0
1/12/2018 5:00	0.5	BDL	0.4	BDL	0.2	Too few samples	25.0	5.0
1/12/2018 6:00	0.5	Too few samples	Too few samples	BDL	0.2	2.0	20.0	4.0
1/12/2018 7:00	BDL	Too few samples	Too few samples	BDL	0.2	2.0	18.0	2.0
1/12/2018 8:00	BDL	Calibration	Calibration	BDL	0.2	2.0	17.0	6.0
1/12/2018 9:00	Too few samples	0.7	0.6	Too few samples	Too few samples	1.9	16.0	5.0
1/12/2018 10:00	Calibration	0.9	0.8	Calibration	Calibration	2.1	16.0	3.0
1/12/2018 11:00	BDL	0.5	0.6	BDL	0.2	2.2	9.0	2.0
1/12/2018 12:00	0.4	0.9	1.0	0.4	0.2	2.5	7.0	1.0
1/12/2018 13:00	0.6	1.2	1.0	6.8	0.3	2.2	8.0	1.0
1/12/2018 14:00	BDL	0.9	0.9	BDL	0.2	2.1	10.0	3.0
1/12/2018 15:00	BDL	0.9	0.9	BDL	0.2	2.2	9.0	4.0
1/12/2018 16:00	BDL	0.9	1.1	BDL	0.2	2.1	8.0	6.0
1/12/2018 17:00	BDL	0.9	1.2	BDL	0.3	2.2	8.0	4.0
1/12/2018 18:00	BDL	0.9	1.1	BDL	0.2	2.1	8.0	4.0
1/12/2018 19:00	BDL	0.9	0.9	BDL	0.2	2.2	11.0	4.0
1/12/2018 20:00	BDL	0.8	1.0	BDL	0.2	2.3	12.0	3.0
1/12/2018 21:00	BDL	0.9	1.0	BDL	0.2	2.1	7.0	1.0
1/12/2018 22:00	BDL	0.6	0.8	BDL	Maintenance	2.0	6.0	3.0
1/12/2018 23:00	0.4	1.1	1.1	BDL	Maintenance	2.0	6.0	2.0
1/13/2018 0:00	BDL	0.8	1.1	BDL	Maintenance	1.9	6.0	BDL
1/13/2018 1:00	BDL	0.9	1.0	BDL	Maintenance	2.1	8.0	2.0
1/13/2018 2:00	Maintenance	Calibration	Calibration	BDL	Maintenance	2.2	3.0	4.0
1/13/2018 3:00	Maintenance	Calibration	Calibration	BDL	Maintenance	2.1	6.0	4.0
1/13/2018 4:00	Maintenance	1.1	1.4	Calibration	Maintenance	2.4	11.0	3.0
1/13/2018 5:00	Maintenance	0.7	0.8	BDL	Maintenance	2.4	7.0	1.0
1/13/2018 6:00	Maintenance	BDL	0.5	BDL	Maintenance	2.5	5.0	1.0
1/13/2018 7:00	Maintenance	Too few samples	Too few samples	BDL	Maintenance	2.5	4.0	BDL
1/13/2018 8:00	Maintenance	Calibration	Calibration	BDL	Maintenance	2.6	5.0	BDL
1/13/2018 9:00	Maintenance	Too few samples	Too few samples	BDL	Maintenance	2.6	6.0	3.0
1/13/2018 10:00	Maintenance	BDL	0.4	Too few samples	Maintenance	2.6	5.0	3.0
1/13/2018 11:00	Maintenance	BDL	0.5	Calibration	Maintenance	2.5	6.0	3.0
1/13/2018 12:00	BDL	BDL	0.4	BDL	0.1	2.5	8.0	4.0
1/13/2018 13:00	BDL	BDL	BDL	BDL	0.1	2.5	6.0	8.0
1/13/2018 14:00	BDL	BDL	BDL	BDL	0.1	2.6	6.0	6.0
1/13/2018 15:00	BDL	BDL	BDL	BDL	0.1	2.6	7.0	4.0
1/13/2018 16:00	BDL	BDL	BDL	BDL	0.1	2.5	7.0	5.0
1/13/2018 17:00	BDL	BDL	BDL	BDL	BDL	2.7	14.0	4.0
1/13/2018 18:00	BDL	BDL	BDL	BDL	BDL	2.6	11.0	6.0
1/13/2018 19:00	BDL	BDL	BDL	BDL	BDL	2.5	11.0	7.0
1/13/2018 20:00	BDL	BDL	BDL	BDL	BDL	2.6	10.0	6.0
1/13/2018 21:00	BDL	BDL	BDL	BDL	BDL	2.6	12.0	6.0
1/13/2018 22:00	BDL	BDL	BDL	1.5	BDL	2.7	8.0	6.0
1/13/2018 23:00	BDL	BDL	BDL	BDL	BDL	2.7	13.0	5.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 1/14/2018-1/20/2018								
1/14/2018 0:00	BDL	BDL	BDL	0.7	BDL	2.7	11.0	9.0
1/14/2018 1:00	BDL	BDL	BDL	BDL	BDL	2.7	11.0	6.0
1/14/2018 2:00	BDL	Calibration	Calibration	2.3	BDL	2.7	7.0	7.0
1/14/2018 3:00	BDL	Calibration	Calibration	3.2	BDL	2.8	12.0	5.0
1/14/2018 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.8	10.0	6.0
1/14/2018 5:00	BDL	BDL	BDL	1.7	BDL	Too few samples	11.0	8.0
1/14/2018 6:00	BDL	BDL	BDL	2.5	BDL	2.7	10.0	5.0
1/14/2018 7:00	Too few samples	BDL	BDL	Too few samples	Too few samples	2.7	11.0	4.0
1/14/2018 8:00	Too few samples	BDL	BDL	Calibration	Too few samples	2.6	8.0	5.0
1/14/2018 9:00	1.1	BDL	BDL	Calibration	0.1	2.6	8.0	4.0
1/14/2018 10:00	BDL	BDL	BDL	Calibration	0.2	2.5	7.0	3.0
1/14/2018 11:00	BDL	BDL	BDL	Calibration	0.2	2.5	7.0	1.0
1/14/2018 12:00	BDL	BDL	BDL	Calibration	0.2	2.5	7.0	BDL
1/14/2018 13:00	BDL	BDL	BDL	Calibration	0.2	2.5	8.0	1.0
1/14/2018 14:00	BDL	BDL	BDL	Calibration	0.2	2.4	7.0	3.0
1/14/2018 15:00	BDL	BDL	BDL	Calibration	0.2	2.5	10.0	5.0
1/14/2018 16:00	BDL	BDL	BDL	Calibration	0.2	2.4	15.0	7.0
1/14/2018 17:00	BDL	BDL	BDL	Calibration	0.2	2.4	10.0	6.0
1/14/2018 18:00	BDL	BDL	BDL	Calibration	0.2	2.4	8.0	4.0
1/14/2018 19:00	0.4	BDL	BDL	Calibration	0.3	2.4	16.0	6.0
1/14/2018 20:00	BDL	BDL	BDL	Calibration	0.3	2.4	14.0	8.0
1/14/2018 21:00	BDL	BDL	BDL	Calibration	0.3	2.4	10.0	7.0
1/14/2018 22:00	BDL	BDL	BDL	Calibration	0.3	2.4	12.0	6.0
1/14/2018 23:00	1.0	BDL	BDL	Calibration	0.3	2.4	12.0	5.0
1/15/2018 0:00	1.3	BDL	BDL	Calibration	0.3	2.4	9.0	4.0
1/15/2018 1:00	1.6	BDL	BDL	Calibration	0.3	2.4	12.0	6.0
1/15/2018 2:00	0.6	Calibration	Calibration	Calibration	0.2	2.5	15.0	6.0
1/15/2018 3:00	0.4	Calibration	Calibration	Calibration	0.2	2.5	11.0	6.0
1/15/2018 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.5	8.0	4.0
1/15/2018 5:00	0.4	BDL	BDL	Calibration	0.3	Too few samples	10.0	2.0
1/15/2018 6:00	0.8	Calibration	Calibration	Calibration	0.3	2.4	15.0	3.0
1/15/2018 7:00	1.7	Calibration	Calibration	Calibration	0.3	2.4	35.0	5.0
1/15/2018 8:00	Calibration	1.0	BDL	Calibration	Calibration	2.5	44.0	8.0
1/15/2018 9:00	2.0	1.5	0.5	50.7	0.4	2.5	31.0	11.0
1/15/2018 10:00	1.8	1.6	0.5	51.2	0.4	2.5	36.0	14.0
1/15/2018 11:00	2.1	2.1	0.6	56.2	0.4	2.5	33.0	13.0
1/15/2018 12:00	2.1	1.7	0.5	47.9	0.4	2.5	29.0	10.0
1/15/2018 13:00	1.9	1.6	0.5	43.5	0.3	2.4	32.0	9.0
1/15/2018 14:00	1.1	1.0	BDL	29.5	0.3	2.3	29.0	8.0
1/15/2018 15:00	BDL	1.0	0.4	31.1	0.3	2.3	23.0	11.0
1/15/2018 16:00	BDL	0.7	BDL	23.9	0.3	2.3	25.0	9.0
1/15/2018 17:00	BDL	0.6	BDL	22.2	0.3	2.3	23.0	7.0
1/15/2018 18:00	BDL	0.5	BDL	19.2	0.3	2.3	21.0	6.0
1/15/2018 19:00	BDL	0.5	BDL	19.0	0.3	2.3	13.0	5.0
1/15/2018 20:00	BDL	0.6	0.4	20.6	0.3	2.3	20.0	12.0
1/15/2018 21:00	BDL	0.5	BDL	20.7	0.3	2.3	21.0	9.0
1/15/2018 22:00	BDL	0.6	BDL	20.8	0.3	2.4	23.0	10.0
1/15/2018 23:00	BDL	0.5	BDL	27.8	0.3	2.3	22.0	16.0
1/16/2018 0:00	BDL	0.4	BDL	18.3	0.3	2.3	21.0	10.0
1/16/2018 1:00	BDL	0.4	BDL	16.3	0.2	2.4	21.0	11.0
1/16/2018 2:00	BDL	Calibration	Calibration	19.1	0.2	2.4	25.0	10.0
1/16/2018 3:00	BDL	Calibration	Calibration	29.3	0.3	2.4	19.0	14.0
1/16/2018 4:00	Calibration	0.4	BDL	Calibration	Calibration	2.4	25.0	11.0
1/16/2018 5:00	BDL	1.1	0.6	41.3	0.4	Too few samples	27.0	14.0
1/16/2018 6:00	BDL	1.7	0.6	47.0	0.4	2.5	26.0	11.0
1/16/2018 7:00	BDL	Calibration	Calibration	48.8	0.5	2.6	21.0	16.0
1/16/2018 8:00	0.5	Calibration	Calibration	58.4	0.5	2.5	31.0	16.0
1/16/2018 9:00	0.7	1.7	0.8	60.0	0.5	2.4	41.0	14.0
1/16/2018 10:00	0.6	1.5	0.7	50.2	0.4	2.4	38.0	13.0
1/16/2018 11:00	0.4	1.2	0.5	36.3	0.3	2.3	30.0	13.0
1/16/2018 12:00	0.5	0.6	BDL	20.5	0.3	2.3	25.0	7.0
1/16/2018 13:00	0.4	0.4	BDL	18.3	0.2	2.3	24.0	6.0
1/16/2018 14:00	0.4	0.6	BDL	20.5	0.2	2.3	25.0	7.0
1/16/2018 15:00	0.6	0.5	BDL	20.4	0.2	2.5	21.0	6.0
1/16/2018 16:00	0.4	0.6	BDL	27.0	0.3	2.6	29.0	9.0
1/16/2018 17:00	0.8	0.9	0.4	36.6	0.4	3.1	33.0	13.0
1/16/2018 18:00	1.0	1.3	0.5	47.7	0.5	2.9	32.0	13.0
1/16/2018 19:00	0.4	1.0	0.5	28.8	0.3	2.2	27.0	10.0
1/16/2018 20:00	BDL	0.7	0.5	26.2	0.4	2.3	19.0	8.0
1/16/2018 21:00	BDL	0.8	0.6	29.9	0.4	2.4	20.0	5.0
1/16/2018 22:00	0.4	0.8	0.4	31.4	0.4	2.6	21.0	8.0
1/16/2018 23:00	BDL	0.7	BDL	25.8	0.4	2.5	16.0	7.0
1/17/2018 0:00	BDL	0.9	BDL	34.5	0.4	3.0	15.0	10.0
1/17/2018 1:00	0.6	1.5	0.6	46.7	0.5	3.1	25.0	21.0
1/17/2018 2:00	0.7	Calibration	Calibration	44.5	0.4	2.9	23.0	17.0
1/17/2018 3:00	0.6	Calibration	Calibration	40.7	0.4	3.0	18.0	17.0
1/17/2018 4:00	Calibration	0.8	0.5	Calibration	Calibration	3.0	17.0	18.0
1/17/2018 5:00	0.4	1.1	0.5	32.6	0.3	Too few samples	21.0	15.0
1/17/2018 6:00	0.6	0.9	0.5	27.9	0.3	2.8	23.0	21.0
1/17/2018 7:00	0.6	Audit	Audit	20.2	0.4	2.6	25.0	20.0
1/17/2018 8:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	2.7	21.0	20.0
1/17/2018 9:00	0.5	BDL	BDL	Calibration	0.2	Too few samples	12.0	11.0
1/17/2018 10:00	0.5	BDL	BDL	9.2	0.2	2.4	10.0	9.0
1/17/2018 11:00	0.5	BDL	BDL	11.3	0.3	2.6	12.0	7.0
1/17/2018 12:00	0.5	BDL	BDL	10.8	0.2	2.6	21.0	8.0
1/17/2018 13:00	0.7	BDL	BDL	10.8	0.2	2.5	20.0	11.0
1/17/2018 14:00	1.2	BDL	BDL	11.0	0.2	2.5	21.0	11.0
1/17/2018 15:00	1.4	BDL	BDL	13.3	0.2	2.8	26.0	16.0
1/17/2018 16:00	1.3	BDL	BDL	11.8	0.2	2.6	24.0	15.0
1/17/2018 17:00	1.1	BDL	BDL	11.2	0.2	2.6	17.0	16.0
1/17/2018 18:00	0.9	BDL	BDL	12.4	0.2	2.7	23.0	13.0
1/17/2018 19:00	0.9	BDL	BDL	11.8	0.2	2.7	22.0	18.0
1/17/2018 20:00	0.7	BDL	BDL	11.7	0.2	2.5	21.0	14.0
1/17/2018 21:00	0.7	BDL	BDL	13.6	0.2	2.6	20.0	14.0
1/17/2018 22:00	0.6	BDL	BDL	12.3	0.2	2.5	19.0	14.0
1/17/2018 23:00	0.6	BDL	BDL	12.0	0.2	2.7	22.0	16.0
1/18/2018 0:00	0.5	BDL	BDL	10.6	0.2	2.6	20.0	13.0
1/18/2018 1:00	BDL	BDL	BDL	11.8	0.2	2.6	17.0	10.0
1/18/2018 2:00	0.4	Calibration	Calibration	9.4	0.2	2.7	14.0	13.0
1/18/2018 3:00	0.4	Calibration	Calibration	10.4	0.2	2.6	17.0	14.0
1/18/2018 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.7	18.0	11.0
1/18/2018 5:00	BDL	BDL	BDL	12.8	0.2	Too few samples	16.0	15.0
1/18/2018 6:00	0.4	BDL	BDL	17.1	0.2	2.4	24.0	17.0
1/18/2018 7:00	0.7	Calibration	Calibration	28.3	0.3	2.5	27.0	15.0
1/18/2018 8:00	1.2	Calibration	Calibration	19.4	0.2	2.4	28.0	11.0
1/18/2018 9:00	0.7	BDL	BDL	13.4	0.2	2.5	27.0	13.0
1/18/2018 10:00	0.8	BDL	BDL	13.8	0.2	2.5	24.0	13.0
1/18/2018 11:00	0.8	BDL	BDL	10.2	0.2	2.4	20.0	11.0
1/18/2018 12:00	0.8	BDL	BDL	9.2	0.2	2.9	18.0	11.0
1/18/2018 13:00	0.8	BDL	BDL	9.9	0.2	2.4	20.0	12.0
1/18/2018 14:00	0.9	BDL	0.4	10.2	0.2	2.4	27.0	9.0
1/18/2018 15:00	1.0	BDL	BDL	9.8	0.2	2.4	19.0	9.0
1/18/2018 16:00	0.9	BDL	BDL	11.7	0.2	2.5	23.0	10.0
1/18/2018 17:00	0.8	0.5	0.4	19.0	0.2	2.5	30.0	14.0
1/18/2018 18:00	1.0	0.4	0.4	16.8	0.2	2.5	24.0	13.0
1/18/2018 19:00	1.3	BDL	BDL	15.3	0.2	2.4	25.0	14.0
1/18/2018 20:00	1.4	0.5	BDL	22.0	0.2	2.6	25.0	16.0
1/18/2018 21:00	1.6	0.9	BDL	33.9	0.3	3.0	33.0	21.0
1/18/2018 22:00	1.8	1.2	0.4	39.5	0.4	3.0	31.0	14.0
1/18/2018 23:00	2.0	1.3	0.7	42.9	0.5	2.9	37.0	19.0
1/19/2018 0:00	4.1	0.8	0.5	28.1	0.3	2.9	35.0	21.0
1/19/2018 1:00	2.4	1.6	0.5	50.6	0.5	4.0	38.0	20.0
1/19/2018 2:00	2.0	Calibration	Calibration	58.3	0.4	3.8	28.0	23.0
1/19/2018 3:00	2.3	Calibration	Calibration	57.4	0.4	3.5	31.0	23.0
1/19/2018 4:00	Calibration	1.8	0.9	Calibration	Calibration	3.6	29.0	20.0
1/19/2018 5:00	2.7	4.1	1.6	114.2	0.8	Too few samples	48.0	25.0
1/19/2018 6:00	2.9	5.1	2.0	131.1	0.8	3.3	64.0	24.0
1/19/2018 7:00	3.0	4.7	2.0	123.0	0.9	3.7	72.0	27.0
1/19/2018 8:00	3.1	4.0	1.5	102.9	0.6	3.6	50.0	27.0
1/19/2018 9:00	5.5	2.1	0.9	55.0	0.4	2.7	41.0	19.0
1/19/2018 10:00	8.3	1.7	0.7	42.4	0.3	2.5	46.0	21.0
1/19/2018 11:00	6.1	0.8	0.6	17.8	0.2	2.3	28.0	8.0
1/19/2018 12:00	5.1	0.6	0.5	15.9	0.2	2.4	27.0	13.0
1/19/2018 13:00	4.2	0.5	0.4	15.6	0.2	2.5	30.0	12.0
1/19/2018 14:00	4.4	0.6	0.4	17.1	0.2	2.4	28.0	8.0
1/19/2018 15:00	4.4	0.6	0.5	18.8	0.2	2.4	25.0	11.0
1/19/2018 16:00	5.0	0.8	0.6	22.3	0.2	2.4	29.0	11.0
1/19/2018 17:00	2.1	1.1	0.5	35.1	0.3	2.4	36.0	12.0
1/19/2018 18:00	2.8	1.5	0.7	47.5	0.4	2.6	35.0	14.0
1/19/2018 19:00	4.9	2.0	0.9	57.1	0.5	3.0	39.0	19.0
1/19/2018 20:00	3.6	1.7	0.7	46.0	0.3	3.0	32.0	13.0
1/19/2018 21:00	3.6	1.8	0.8	48.6	0.4	3.2	38.0	15.0
1/19/2018 22:00	2.5	1.5	0.7	34.1	0.3	3.1	27.0	12.0
1/19/2018 23:00	5.2	1.2	0.6	27.5	0.3	2.8	35.0	15.0
1/20/2018 0:00	3.0	1.1	0.6	27.7	0.3	2.9	26.0	11.0
1/20/2018 1:00	5.1	1.0	0.7	25.5	0.3	2.9	27.0	13.0
1/20/2018 2:00	4.1	Calibration	Calibration	30.6	0.3	3.1	21.0	17.0
1/20/2018 3:00	2.4	Calibration	Calibration	24.6	0.2	3.1	20.0	9.0
1/20/2018 4:00	Calibration	0.7	0.6	Calibration	Calibration	3.1	19.0	10.0
1/20/2018 5:00	2.1	1.8	1.0	50.8	0.3	2.8	28.0	13.0
1/20/2018 6:00	5.2	1.7	0.7	30.5	0.3	2.9	25.0	14.0
1/20/2018 7:00	5.2	1.4	0.8	33.0	0.3	2.8	27.0	14.0
1/20/2018 8:00	4.6	1.6	0.8	43.2	0.3	2.7	30.0	14.0
1/20/2018 9:00	4.5	1.5	0.7	35.8	0.3	2.7	29.0	13.0
1/20/2018 10:00	3.9	1.2	0.6	29.9	0.3	2.6	24.0	11.0
1/20/2018 11:00	5.4	1.0	0.6	24.9	0.2	2.7	29.0	9.0
1/20/2018 12:00	2.9	0.7	0.5	17.5	0.2	2.4	42.0	9.0
1/20/2018 13:00	3.4	0.7	0.6	15.2	0.2	2.5	21.0	7.0
1/20/2018 14:00	3.3	0.7	0.6	17.1	0.2	2.4	36.0	7.0
1/20/2018 15:00	1.9	0.5	0.5	11.4	0.1	2.3	21.0	6.0
1/20/2018 16:00	1.5	BDL	0.5	7.1	0.1	2.3	19.0	5.0
1/20/2018 17:00	1.3	BDL	BDL	8.5	0.1	2.4	17.0	6.0
1/20/2018 18:00	1.4	0.5	BDL	19.0	0.2	2.5	20.0	9.0
1/20/2018 19:00	1.5	0.6	0.4	19.4	0.2	2.5	14.0	8.0
1/20/2018 20:00	1.4	0.5	0.4	17.6	0.2	2.6	20.0	11.0
1/20/2018 21:00	1.3	0.6	0.4	18.3	0.3	2.7	22.0	13.0
1/20/2018 22:00	1.5	1.2	0.4	36.6	0.4	3.0	24.0	14.0
1/20/2018 23:00	1.7	2.4	0.8	63.9	0.8	3.3	45.0	21.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 1/21/2018-1/27/2018								
1/21/2018 0:00	2.4	3.6	1.1	101.5	1.0	4.4	47.0	16.0
1/21/2018 1:00	2.6	3.9	0.9	101.9	0.8	5.6	42.0	14.0
1/21/2018 2:00	2.5	Calibration	Calibration	87.3	0.9	4.0	35.0	17.0
1/21/2018 3:00	2.8	Calibration	Calibration	83.0	0.8	4.3	35.0	25.0
1/21/2018 4:00	Calibration	3.0	1.4	Calibration	Calibration	4.0	36.0	22.0
1/21/2018 5:00	3.0	3.7	1.4	98.3	0.8	4.7	35.0	21.0
1/21/2018 6:00	3.2	Too few samples	Too few samples	102.0	0.8	4.0	34.0	23.0
1/21/2018 7:00	3.7	Calibration	Calibration	109.5	0.8	4.1	32.0	26.0
1/21/2018 8:00	4.4	Too few samples	Too few samples	112.9	0.9	4.8	44.0	28.0
1/21/2018 9:00	5.3	Calibration	Calibration	106.0	0.8	4.7	75.0	34.0
1/21/2018 10:00	4.3	Calibration	Calibration	65.5	0.6	3.6	38.0	24.0
1/21/2018 11:00	4.3	Calibration	Calibration	54.5	0.4	3.0	38.0	19.0
1/21/2018 12:00	3.4	BDL	0.6	10.7	0.2	2.5	28.0	10.0
1/21/2018 13:00	2.8	BDL	0.4	8.9	0.2	2.7	27.0	11.0
1/21/2018 14:00	2.7	BDL	BDL	8.0	0.2	2.5	26.0	14.0
1/21/2018 15:00	3.2	BDL	BDL	14.1	0.2	2.4	23.0	13.0
1/21/2018 16:00	3.2	BDL	BDL	17.4	0.3	2.4	33.0	16.0
1/21/2018 17:00	2.5	BDL	0.4	23.5	0.3	2.6	30.0	17.0
1/21/2018 18:00	2.3	BDL	0.5	40.9	0.5	2.5	45.0	19.0
1/21/2018 19:00	1.9	BDL	0.8	27.8	0.4	3.0	38.0	16.0
1/21/2018 20:00	1.8	BDL	0.8	25.2	0.4	2.6	35.0	20.0
1/21/2018 21:00	1.9	BDL	1.1	30.5	0.5	2.5	38.0	21.0
1/21/2018 22:00	2.1	0.6	1.1	44.8	0.6	2.6	56.0	28.0
1/21/2018 23:00	2.1	0.4	1.0	40.8	0.6	2.6	60.0	21.0
1/22/2018 0:00	1.6	BDL	0.8	32.0	0.4	2.9	40.0	17.0
1/22/2018 1:00	1.5	BDL	0.9	23.3	0.3	2.9	31.0	10.0
1/22/2018 2:00	1.7	Calibration	Calibration	37.3	0.3	2.9	27.0	14.0
1/22/2018 3:00	1.7	Calibration	Calibration	47.2	0.4	3.5	28.0	15.0
1/22/2018 4:00	Calibration	1.5	1.4	Calibration	Calibration	3.2	51.0	17.0
1/22/2018 5:00	2.2	2.5	1.9	86.3	0.5	Too few samples	50.0	14.0
1/22/2018 6:00	1.9	1.9	1.8	74.0	0.6	2.6	82.0	17.0
1/22/2018 7:00	2.1	Too few samples	Too few samples	84.9	0.6	3.2	69.0	19.0
1/22/2018 8:00	2.1	Calibration	Calibration	85.8	0.6	3.1	61.0	18.0
1/22/2018 9:00	Too few samples	1.2	1.1	Too few samples	Too few samples	2.7	60.0	20.0
1/22/2018 10:00	Calibration	1.9	1.5	Calibration	Calibration	2.8	52.0	16.0
1/22/2018 11:00	2.0	BDL	1.2	27.2	0.2	2.4	27.0	14.0
1/22/2018 12:00	2.1	BDL	1.0	19.6	0.2	2.3	22.0	13.0
1/22/2018 13:00	1.9	BDL	0.8	23.7	0.3	2.3	35.0	11.0
1/22/2018 14:00	1.9	BDL	0.7	21.3	0.3	2.3	28.0	10.0
1/22/2018 15:00	2.1	BDL	0.7	15.6	0.3	2.2	28.0	11.0
1/22/2018 16:00	2.6	0.6	1.3	53.6	0.7	2.3	55.0	11.0
1/22/2018 17:00	3.5	3.3	2.3	134.3	1.6	3.0	115.0	27.0
1/22/2018 18:00	2.9	3.1	1.8	131.2	1.3	3.3	98.0	25.0
1/22/2018 19:00	2.8	3.0	1.6	124.6	1.3	3.4	76.0	23.0
1/22/2018 20:00	2.2	1.9	1.5	77.0	0.8	3.1	54.0	18.0
1/22/2018 21:00	1.7	1.3	1.6	55.8	0.7	3.2	36.0	16.0
1/22/2018 22:00	1.7	1.1	1.3	49.5	0.6	2.8	36.0	14.0
1/22/2018 23:00	1.3	BDL	0.5	5.5	0.2	2.5	14.0	8.0
1/23/2018 0:00	1.1	BDL	0.6	4.6	0.2	2.2	13.0	4.0
1/23/2018 1:00	1.1	BDL	0.6	3.9	0.1	2.2	15.0	5.0
1/23/2018 2:00	1.0	Calibration	Calibration	5.8	0.2	2.3	13.0	6.0
1/23/2018 3:00	1.0	Calibration	Calibration	16.5	0.2	2.7	15.0	7.0
1/23/2018 4:00	Calibration	BDL	0.6	Calibration	Calibration	2.6	22.0	8.0
1/23/2018 5:00	0.9	BDL	0.6	8.6	0.2	Too few samples	18.0	6.0
1/23/2018 6:00	0.9	BDL	0.6	8.8	0.2	2.1	15.0	4.0
1/23/2018 7:00	0.9	Too few samples	Too few samples	6.2	0.2	2.0	14.0	9.0
1/23/2018 8:00	0.8	Calibration	Calibration	2.8	0.2	2.0	12.0	6.0
1/23/2018 9:00	0.9	BDL	0.9	5.0	0.2	2.1	10.0	6.0
1/23/2018 10:00	0.8	BDL	1.0	7.0	0.2	2.2	7.0	5.0
1/23/2018 11:00	1.0	BDL	0.9	7.2	0.2	2.3	7.0	4.0
1/23/2018 12:00	0.9	BDL	0.6	3.9	0.2	2.2	7.0	2.0
1/23/2018 13:00	1.3	BDL	0.5	2.8	0.2	2.6	Invalid	Invalid
1/23/2018 14:00	1.9	BDL	0.6	3.8	0.2	2.1	8.0	6.0
1/23/2018 15:00	Too few samples	BDL	0.6	3.7	0.2	2.2	17.0	5.0
1/23/2018 16:00	Invalid	BDL	0.5	BDL	0.2	2.3	12.0	5.0
1/23/2018 17:00	Invalid	BDL	BDL	1.6	0.1	2.2	18.0	6.0
1/23/2018 18:00	Invalid	BDL	BDL	3.7	0.1	2.2	17.0	6.0
1/23/2018 19:00	Invalid	BDL	BDL	0.6	0.1	2.2	7.0	7.0
1/23/2018 20:00	Invalid	BDL	0.4	2.7	0.1	2.3	13.0	5.0
1/23/2018 21:00	Invalid	BDL	0.4	4.7	0.1	2.3	9.0	5.0
1/23/2018 22:00	Invalid	BDL	0.4	8.6	0.2	2.3	11.0	6.0
1/23/2018 23:00	Invalid	BDL	0.4	10.6	0.2	2.3	9.0	7.0
1/24/2018 0:00	Invalid	BDL	0.5	13.4	0.1	2.2	13.0	7.0
1/24/2018 1:00	Invalid	BDL	0.8	16.4	0.1	2.5	13.0	5.0
1/24/2018 2:00	Invalid	Calibration	Calibration	14.6	0.2	2.8	11.0	9.0
1/24/2018 3:00	Calibration	Calibration	Calibration	16.2	0.2	2.8	17.0	8.0
1/24/2018 4:00	Calibration	BDL	0.8	Calibration	Calibration	2.6	13.0	8.0
1/24/2018 5:00	Invalid	BDL	0.5	2.5	0.1	Too few samples	11.0	6.0
1/24/2018 6:00	Invalid	BDL	BDL	7.1	0.2	2.3	17.0	4.0
1/24/2018 7:00	Too few samples	Calibration	Calibration	2.8	0.1	2.3	17.0	4.0
1/24/2018 8:00	0.5	Calibration	Calibration	1.9	0.1	2.3	13.0	2.0
1/24/2018 9:00	0.4	BDL	BDL	BDL	0.1	2.3	12.0	BDL
1/24/2018 10:00	0.4	BDL	BDL	BDL	0.1	2.3	10.0	BDL
1/24/2018 11:00	0.4	BDL	BDL	0.7	0.1	2.5	7.0	3.0
1/24/2018 12:00	0.4	BDL	BDL	BDL	0.1	2.3	9.0	2.0
1/24/2018 13:00	BDL	BDL	BDL	BDL	0.1	2.2	14.0	BDL
1/24/2018 14:00	BDL	BDL	BDL	BDL	0.1	2.4	11.0	BDL
1/24/2018 15:00	BDL	BDL	BDL	1.0	0.1	2.3	12.0	3.0
1/24/2018 16:00	BDL	BDL	BDL	BDL	0.1	2.3	11.0	4.0
1/24/2018 17:00	BDL	BDL	BDL	BDL	0.1	2.4	11.0	3.0
1/24/2018 18:00	BDL	BDL	BDL	BDL	0.1	2.3	9.0	2.0
1/24/2018 19:00	BDL	BDL	BDL	BDL	0.1	2.3	11.0	1.0
1/24/2018 20:00	BDL	BDL	BDL	BDL	0.1	2.2	6.0	BDL
1/24/2018 21:00	BDL	BDL	BDL	BDL	0.1	2.3	7.0	1.0
1/24/2018 22:00	BDL	BDL	BDL	BDL	0.1	2.3	13.0	3.0
1/24/2018 23:00	BDL	BDL	BDL	BDL	0.1	2.3	8.0	3.0
1/25/2018 0:00	BDL	BDL	BDL	BDL	0.1	2.3	7.0	4.0
1/25/2018 1:00	BDL	BDL	BDL	0.8	0.1	2.4	10.0	5.0
1/25/2018 2:00	BDL	Calibration	Calibration	0.6	0.1	2.3	9.0	8.0
1/25/2018 3:00	BDL	Calibration	Calibration	1.1	0.1	2.3	8.0	7.0
1/25/2018 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.3	8.0	6.0
1/25/2018 5:00	BDL	BDL	BDL	5.7	0.2	2.3	14.0	7.0
1/25/2018 6:00	BDL	BDL	BDL	8.4	0.2	2.4	17.0	6.0
1/25/2018 7:00	BDL	Calibration	Calibration	10.2	0.2	2.4	22.0	6.0
1/25/2018 8:00	BDL	Calibration	Calibration	8.3	0.1	2.5	19.0	5.0
1/25/2018 9:00	BDL	BDL	BDL	4.4	0.1	2.5	15.0	3.0
1/25/2018 10:00	BDL	BDL	BDL	2.9	0.1	2.5	13.0	1.0
1/25/2018 11:00	BDL	BDL	BDL	1.0	0.2	2.5	12.0	3.0
1/25/2018 12:00	BDL	Too few samples	Too few samples	BDL	0.1	2.4	11.0	3.0
1/25/2018 13:00	BDL	Calibration	Calibration	BDL	0.1	2.4	14.0	3.0
1/25/2018 14:00	BDL	BDL	BDL	BDL	0.1	2.4	14.0	4.0
1/25/2018 15:00	BDL	BDL	BDL	0.6	0.1	2.4	10.0	3.0
1/25/2018 16:00	BDL	BDL	BDL	1.9	0.2	2.5	16.0	1.0
1/25/2018 17:00	BDL	BDL	BDL	3.3	0.2	2.5	13.0	3.0
1/25/2018 18:00	BDL	BDL	BDL	7.8	0.2	2.4	16.0	6.0
1/25/2018 19:00	BDL	BDL	BDL	12.2	0.2	2.5	13.0	6.0
1/25/2018 20:00	BDL	BDL	BDL	15.8	0.2	2.5	16.0	7.0
1/25/2018 21:00	BDL	BDL	BDL	17.3	0.2	2.6	15.0	7.0
1/25/2018 22:00	BDL	0.5	BDL	37.4	0.4	3.4	22.0	14.0
1/25/2018 23:00	BDL	0.7	BDL	33.8	0.3	2.8	23.0	11.0
1/26/2018 0:00	BDL	0.9	BDL	38.3	0.3	3.2	21.0	11.0
1/26/2018 1:00	BDL	0.9	BDL	33.0	0.3	3.0	17.0	12.0
1/26/2018 2:00	BDL	Calibration	Calibration	32.7	0.3	2.9	18.0	15.0
1/26/2018 3:00	0.6	Calibration	Calibration	49.9	0.3	3.4	20.0	13.0
1/26/2018 4:00	Calibration	0.6	BDL	Calibration	Calibration	2.9	18.0	14.0
1/26/2018 5:00	0.5	0.9	BDL	42.5	0.3	Too few samples	20.0	17.0
1/26/2018 6:00	0.9	2.0	BDL	61.7	0.4	3.2	21.0	12.0
1/26/2018 7:00	1.1	1.9	0.4	68.2	0.4	3.3	36.0	13.0
1/26/2018 8:00	1.8	3.6	0.8	92.8	0.5	2.7	46.0	13.0
1/26/2018 9:00	1.3	1.7	0.6	62.6	0.5	2.6	38.0	12.0
1/26/2018 10:00	1.1	1.3	0.4	49.4	0.3	2.4	42.0	15.0
1/26/2018 11:00	0.5	BDL	BDL	20.0	0.2	2.3	19.0	9.0
1/26/2018 12:00	0.5	BDL	BDL	12.1	0.2	2.3	19.0	7.0
1/26/2018 13:00	0.4	BDL	BDL	8.4	0.2	2.3	20.0	7.0
1/26/2018 14:00	0.4	BDL	BDL	7.8	0.2	2.4	19.0	7.0
1/26/2018 15:00	0.5	BDL	BDL	4.9	0.1	2.4	16.0	6.0
1/26/2018 16:00	0.4	BDL	BDL	7.5	0.2	2.5	21.0	8.0
1/26/2018 17:00	0.5	BDL	0.4	8.1	0.2	2.6	29.0	10.0
1/26/2018 18:00	BDL	0.6	0.6	13.6	0.2	2.4	23.0	15.0
1/26/2018 19:00	BDL	0.6	0.6	14.7	0.3	2.4	22.0	10.0
1/26/2018 20:00	BDL	BDL	BDL	18.6	0.3	2.5	22.0	9.0
1/26/2018 21:00	BDL	0.4	BDL	16.7	0.3	2.8	24.0	13.0
1/26/2018 22:00	BDL	BDL	BDL	16.1	0.3	2.4	21.0	14.0
1/26/2018 23:00	BDL	0.4	BDL	20.5	0.3	3.1	22.0	15.0
1/27/2018 0:00	BDL	1.0	0.6	32.7	0.4	2.4	23.0	11.0
1/27/2018 1:00	BDL	1.5	0.8	39.0	0.4	2.5	25.0	19.0
1/27/2018 2:00	0.4	Calibration	Calibration	49.1	0.6	2.6	27.0	17.0
1/27/2018 3:00	0.5	Calibration	Calibration	52.9	0.4	2.5	26.0	16.0
1/27/2018 4:00	Calibration	2.0	1.0	Calibration	Calibration	2.5	23.0	17.0
1/27/2018 5:00	0.4	2.2	1.0	49.7	0.3	3.1	22.0	11.0
1/27/2018 6:00	BDL	1.3	0.7	22.3	0.2	3.0	18.0	10.0
1/27/2018 7:00	0.8	1.5	0.8	42.9	0.3	3.3	20.0	18.0
1/27/2018 8:00	1.0	0.9	0.7	20.0	0.2	2.9	15.0	10.0
1/27/2018 9:00	1.5	0.7	0.5	17.9	0.2	2.7	17.0	6.0
1/27/2018 10:00	1.5	BDL	BDL	7.2	0.1	2.5	16.0	4.0
1/27/2018 11:00	1.2	BDL	BDL	3.3	0.1	2.5	13.0	3.0
1/27/2018 12:00	1.0	BDL	BDL	2.1	0.1	2.5	17.0	3.0
1/27/2018 13:00	1.1	BDL	BDL	1.3	0.1	2.6	42.0	4.0
1/27/2018 14:00	0.9	BDL	BDL	BDL	0.1	2.6	20.0	4.0
1/27/2018 15:00	0.7	BDL	BDL	BDL	0.1	2.5	23.0	4.0
1/27/2018 16:00	0.6	BDL	BDL	BDL	0.1	2.4	17.0	5.0
1/27/2018 17:00	BDL	BDL	BDL	BDL	0.1	2.3	17.0	5.0
1/27/2018 18:00	0.4	BDL	BDL	4.8	0.2	2.4	17.0	4.0
1/27/2018 19:00	BDL	BDL	BDL	1.9	0.2	2.3	20.0	2.0
1/27/2018 20:00	BDL	BDL	BDL	0.9	0.2	2.4	9.0	3.0
1/27/2018 21:00	BDL	BDL	BDL	7.5	0.2	2.3	19.0	5.0
1/27/2018 22:00	BDL	BDL	BDL	BDL	0.1	2.3	12.0	5.0
1/27/2018 23:00	BDL	BDL	0.4	BDL	0.1	2.3	10.0	6.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 1/28/2018-2/3/2018								
1/28/2018 0:00	BDL	BDL	0.5	2.1	0.1	2.4	12.0	6.0
1/28/2018 1:00	BDL	BDL	0.5	1.8	0.1	2.4	11.0	5.0
1/28/2018 2:00	BDL	Calibration	Calibration	2.0	0.2	2.4	10.0	3.0
1/28/2018 3:00	0.4	Calibration	Calibration	6.0	0.2	2.4	16.0	6.0
1/28/2018 4:00	Calibration	BDL	0.5	Calibration	Calibration	2.5	19.0	6.0
1/28/2018 5:00	1.7	0.6	0.5	13.9	0.2	2.2	14.0	9.0
1/28/2018 6:00	1.4	BDL	0.4	7.8	0.2	2.5	14.0	11.0
1/28/2018 7:00	0.8	Too few samples	Too few samples	11.6	0.3	2.5	13.0	8.0
1/28/2018 8:00	0.4	Calibration	Calibration	7.6	0.3	2.6	10.0	4.0
1/28/2018 9:00	Too few samples	BDL	BDL	Too few samples	Too few samples	2.5	16.0	8.0
1/28/2018 10:00	Too few samples	0.7	0.4	Too few samples	Too few samples	2.9	16.0	9.0
1/28/2018 11:00	0.7	1.1	0.5	32.8	0.5	2.6	23.0	13.0
1/28/2018 12:00	0.6	0.5	0.4	11.0	0.4	2.4	11.0	10.0
1/28/2018 13:00	0.4	0.4	BDL	6.3	0.4	2.3	11.0	8.0
1/28/2018 14:00	0.4	BDL	BDL	6.2	0.4	2.3	9.0	11.0
1/28/2018 15:00	0.4	0.6	BDL	13.2	0.5	2.3	19.0	8.0
1/28/2018 16:00	BDL	BDL	BDL	8.8	0.4	2.4	10.0	8.0
1/28/2018 17:00	0.4	0.4	BDL	11.7	0.5	2.3	15.0	8.0
1/28/2018 18:00	0.4	BDL	BDL	8.1	0.4	2.3	15.0	12.0
1/28/2018 19:00	0.4	BDL	BDL	4.3	0.3	2.3	12.0	9.0
1/28/2018 20:00	BDL	BDL	BDL	3.7	0.3	2.3	12.0	8.0
1/28/2018 21:00	BDL	BDL	BDL	4.5	0.3	2.4	16.0	12.0
1/28/2018 22:00	BDL	BDL	BDL	3.4	0.3	2.3	13.0	10.0
1/28/2018 23:00	BDL	BDL	BDL	1.6	0.2	2.3	15.0	7.0
1/29/2018 0:00	BDL	BDL	BDL	BDL	0.2	2.2	11.0	6.0
1/29/2018 1:00	BDL	BDL	BDL	4.1	0.2	2.3	15.0	5.0
1/29/2018 2:00	BDL	Calibration	Calibration	4.6	0.2	2.3	11.0	4.0
1/29/2018 3:00	BDL	Calibration	Calibration	7.8	0.3	2.4	18.0	9.0
1/29/2018 4:00	Calibration	0.6	0.4	Calibration	Calibration	2.5	17.0	10.0
1/29/2018 5:00	BDL	0.9	0.4	23.8	0.4	Too few samples	16.0	9.0
1/29/2018 6:00	BDL	0.8	BDL	20.6	0.4	2.3	16.0	8.0
1/29/2018 7:00	BDL	Calibration	Calibration	20.0	0.3	2.3	21.0	8.0
1/29/2018 8:00	0.4	Calibration	Calibration	24.4	0.3	2.3	24.0	8.0
1/29/2018 9:00	0.4	0.5	BDL	22.7	0.3	2.2	25.0	5.0
1/29/2018 10:00	BDL	0.7	BDL	17.6	0.3	2.2	28.0	12.0
1/29/2018 11:00	0.5	0.8	0.4	22.9	0.3	2.2	26.0	13.0
1/29/2018 12:00	0.5	0.8	0.5	24.0	0.3	2.2	23.0	9.0
1/29/2018 13:00	0.5	0.9	0.4	26.9	0.3	2.2	19.0	10.0
1/29/2018 14:00	BDL	0.6	BDL	12.6	0.3	2.2	23.0	10.0
1/29/2018 15:00	BDL	0.5	BDL	13.4	0.3	2.1	30.0	10.0
1/29/2018 16:00	BDL	0.5	BDL	13.7	0.3	2.2	33.0	8.0
1/29/2018 17:00	BDL	0.6	BDL	13.7	0.3	2.2	28.0	10.0
1/29/2018 18:00	BDL	0.6	BDL	14.0	0.3	2.2	28.0	12.0
1/29/2018 19:00	BDL	0.5	BDL	11.4	0.3	2.2	19.0	8.0
1/29/2018 20:00	BDL	0.4	BDL	12.1	0.3	2.3	23.0	6.0
1/29/2018 21:00	BDL	0.5	BDL	8.6	0.3	2.3	21.0	8.0
1/29/2018 22:00	BDL	0.4	BDL	9.1	0.3	2.2	21.0	7.0
1/29/2018 23:00	BDL	BDL	BDL	8.4	0.3	2.2	11.0	11.0
1/30/2018 0:00	BDL	1.0	BDL	14.3	0.2	2.2	15.0	11.0
1/30/2018 1:00	BDL	0.7	0.4	11.2	0.3	2.3	15.0	11.0
1/30/2018 2:00	BDL	Calibration	Calibration	8.2	0.3	2.3	18.0	10.0
1/30/2018 3:00	BDL	Calibration	Calibration	9.1	0.2	2.2	13.0	8.0
1/30/2018 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.2	17.0	8.0
1/30/2018 5:00	BDL	0.7	0.4	16.9	0.3	Too few samples	18.0	11.0
1/30/2018 6:00	0.4	1.0	0.6	30.9	0.4	2.2	13.0	12.0
1/30/2018 7:00	BDL	0.9	0.4	18.2	0.3	2.4	11.0	9.0
1/30/2018 8:00	BDL	0.6	0.4	14.4	0.3	2.6	12.0	10.0
1/30/2018 9:00	BDL	1.0	0.5	27.0	0.3	2.5	17.0	10.0
1/30/2018 10:00	BDL	0.6	BDL	17.2	0.3	2.5	19.0	9.0
1/30/2018 11:00	BDL	0.9	0.4	17.0	0.3	2.5	15.0	13.0
1/30/2018 12:00	BDL	BDL	BDL	BDL	0.2	2.4	10.0	7.0
1/30/2018 13:00	BDL	BDL	BDL	BDL	0.2	2.4	6.0	1.0
1/30/2018 14:00	BDL	BDL	BDL	BDL	0.1	2.4	7.0	6.0
1/30/2018 15:00	BDL	BDL	BDL	BDL	0.1	2.4	7.0	5.0
1/30/2018 16:00	BDL	BDL	BDL	BDL	0.1	2.3	9.0	2.0
1/30/2018 17:00	BDL	BDL	BDL	BDL	0.1	2.4	8.0	5.0
1/30/2018 18:00	BDL	BDL	BDL	BDL	0.1	2.5	9.0	3.0
1/30/2018 19:00	BDL	BDL	BDL	BDL	0.1	2.6	11.0	2.0
1/30/2018 20:00	BDL	BDL	BDL	BDL	0.1	2.5	12.0	4.0
1/30/2018 21:00	BDL	BDL	BDL	BDL	0.1	2.6	11.0	3.0
1/30/2018 22:00	BDL	BDL	BDL	BDL	0.1	2.6	11.0	2.0
1/30/2018 23:00	BDL	BDL	BDL	BDL	0.1	2.6	16.0	3.0
1/31/2018 0:00	BDL	BDL	BDL	BDL	0.1	2.6	9.0	6.0
1/31/2018 1:00	BDL	BDL	BDL	BDL	0.1	2.6	10.0	5.0
1/31/2018 2:00	BDL	Calibration	Calibration	BDL	0.1	2.3	13.0	3.0
1/31/2018 3:00	BDL	Calibration	Calibration	BDL	0.1	2.5	11.0	3.0
1/31/2018 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.3	11.0	3.0
1/31/2018 5:00	BDL	BDL	BDL	BDL	0.1	Too few samples	9.0	2.0
1/31/2018 6:00	0.5	BDL	BDL	BDL	0.1	2.4	14.0	3.0
1/31/2018 7:00	0.5	Audit	Audit	BDL	0.1	2.3	17.0	5.0
1/31/2018 8:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	2.6	18.0	3.0
1/31/2018 9:00	0.6	BDL	0.6	Calibration	0.2	Too few samples	Maintenance	Maintenance
1/31/2018 10:00	0.6	BDL	BDL	BDL	0.1	2.4	15.0	6.0
1/31/2018 11:00	BDL	BDL	BDL	BDL	0.1	2.3	14.0	4.0
1/31/2018 12:00	0.4	Too few samples	Too few samples	1.7	0.1	2.3	13.0	6.0
1/31/2018 13:00	0.9	Calibration	Calibration	1.9	0.1	2.4	20.0	6.0
1/31/2018 14:00	0.6	Too few samples	Too few samples	0.7	0.1	2.4	18.0	7.0
1/31/2018 15:00	0.6	BDL	BDL	BDL	0.1	2.3	12.0	6.0
1/31/2018 16:00	BDL	BDL	BDL	BDL	0.1	2.2	11.0	4.0
1/31/2018 17:00	BDL	BDL	BDL	BDL	0.2	2.1	16.0	5.0
1/31/2018 18:00	BDL	BDL	BDL	0.4	0.2	2.1	12.0	7.0
1/31/2018 19:00	BDL	BDL	BDL	BDL	0.2	2.1	19.0	7.0
1/31/2018 20:00	BDL	BDL	0.6	BDL	0.1	2.3	12.0	7.0
1/31/2018 21:00	BDL	BDL	0.4	BDL	0.1	2.3	10.0	6.0
1/31/2018 22:00	BDL	BDL	0.4	BDL	0.1	2.5	7.0	7.0
1/31/2018 23:00	BDL	BDL	BDL	BDL	0.1	2.4	7.0	7.0
2/1/2018 0:00	BDL	BDL	0.4	BDL	0.1	2.2	17.0	4.0
2/1/2018 1:00	BDL	BDL	0.4	BDL	0.1	2.4	13.0	5.0
2/1/2018 2:00	BDL	Calibration	Calibration	11.8	0.2	2.5	17.0	6.0
2/1/2018 3:00	BDL	Calibration	Calibration	14.0	0.2	2.2	18.0	6.0
2/1/2018 4:00	Calibration	0.6	0.8	Calibration	Calibration	2.5	17.0	6.0
2/1/2018 5:00	BDL	1.3	Calibration	18.7	0.3	Too few samples	22.0	10.0
2/1/2018 6:00	BDL	Calibration	Calibration	22.0	0.3	2.2	24.0	10.0
2/1/2018 7:00	BDL	0.5	0.8	14.8	0.2	2.3	34.0	8.0
2/1/2018 8:00	BDL	Calibration	Calibration	13.0	0.2	2.4	20.0	7.0
2/1/2018 9:00	0.4	Calibration	Calibration	10.0	0.2	2.4	20.0	8.0
2/1/2018 10:00	0.7	BDL	0.4	4.2	0.2	2.4	18.0	10.0
2/1/2018 11:00	1.1	0.5	0.5	4.1	0.2	2.4	20.0	7.0
2/1/2018 12:00	1.0	0.4	0.4	BDL	0.2	2.4	16.0	9.0
2/1/2018 13:00	1.2	BDL	0.4	3.0	0.2	2.4	20.0	9.0
2/1/2018 14:00	0.9	0.5	0.4	8.2	0.2	2.3	26.0	10.0
2/1/2018 15:00	0.8	0.5	BDL	8.0	0.2	2.3	32.0	10.0
2/1/2018 16:00	1.4	0.8	0.5	21.7	0.3	2.3	27.0	12.0
2/1/2018 17:00	1.1	1.5	0.7	39.0	0.5	2.2	46.0	13.0
2/1/2018 18:00	1.2	1.7	0.9	43.2	0.5	2.6	36.0	15.0
2/1/2018 19:00	1.2	2.1	1.1	51.4	0.6	2.6	48.0	15.0
2/1/2018 20:00	1.0	2.0	1.2	41.5	0.6	2.3	42.0	15.0
2/1/2018 21:00	0.8	1.8	1.1	31.1	0.4	2.7	30.0	16.0
2/1/2018 22:00	1.0	2.2	1.1	47.4	0.5	3.0	24.0	13.0
2/1/2018 23:00	0.5	0.9	0.6	13.3	0.3	2.6	20.0	13.0
2/2/2018 0:00	BDL	0.6	0.5	7.1	0.3	2.4	16.0	14.0
2/2/2018 1:00	BDL	BDL	BDL	BDL	0.2	2.2	11.0	10.0
2/2/2018 2:00	BDL	Calibration	Calibration	BDL	0.2	2.2	12.0	13.0
2/2/2018 3:00	BDL	Calibration	Calibration	0.4	0.2	2.3	10.0	12.0
2/2/2018 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.2	12.0	8.0
2/2/2018 5:00	BDL	BDL	BDL	BDL	0.2	Too few samples	8.0	5.0
2/2/2018 6:00	BDL	BDL	BDL	BDL	0.1	2.4	8.0	5.0
2/2/2018 7:00	BDL	BDL	BDL	BDL	0.1	2.4	8.0	3.0
2/2/2018 8:00	BDL	BDL	BDL	BDL	0.1	2.4	9.0	4.0
2/2/2018 9:00	BDL	BDL	BDL	BDL	0.1	2.4	16.0	8.0
2/2/2018 10:00	BDL	BDL	BDL	BDL	0.1	2.4	13.0	9.0
2/2/2018 11:00	BDL	BDL	BDL	BDL	0.1	2.5	16.0	6.0
2/2/2018 12:00	BDL	BDL	BDL	BDL	0.1	2.4	17.0	7.0
2/2/2018 13:00	BDL	BDL	BDL	BDL	0.1	2.5	10.0	9.0
2/2/2018 14:00	BDL	BDL	BDL	BDL	0.1	2.5	16.0	8.0
2/2/2018 15:00	BDL	BDL	BDL	BDL	0.1	2.6	8.0	8.0
2/2/2018 16:00	BDL	BDL	BDL	BDL	0.1	2.5	16.0	5.0
2/2/2018 17:00	BDL	BDL	BDL	BDL	0.1	2.4	11.0	4.0
2/2/2018 18:00	BDL	BDL	BDL	BDL	0.1	2.4	8.0	6.0
2/2/2018 19:00	BDL	BDL	BDL	BDL	0.1	2.4	9.0	7.0
2/2/2018 20:00	BDL	BDL	BDL	BDL	0.1	2.5	9.0	5.0
2/2/2018 21:00	BDL	BDL	BDL	BDL	0.1	2.6	7.0	2.0
2/2/2018 22:00	BDL	BDL	BDL	BDL	0.1	2.7	11.0	3.0
2/2/2018 23:00	BDL	BDL	BDL	BDL	0.1	2.6	9.0	2.0
2/3/2018 0:00	BDL	BDL	BDL	BDL	0.1	2.5	10.0	2.0
2/3/2018 1:00	BDL	BDL	BDL	BDL	0.1	2.4	9.0	3.0
2/3/2018 2:00	BDL	Calibration	Calibration	BDL	0.1	2.3	6.0	2.0
2/3/2018 3:00	BDL	Calibration	Calibration	BDL	0.1	2.4	6.0	6.0
2/3/2018 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.3	9.0	6.0
2/3/2018 5:00	0.4	BDL	BDL	24.7	0.1	Too few samples	13.0	9.0
2/3/2018 6:00	0.5	0.5	BDL	20.3	0.2	2.4	12.0	13.0
2/3/2018 7:00	1.2	Calibration	Calibration	27.6	0.2	2.4	15.0	11.0
2/3/2018 8:00	1.4	Calibration	Calibration	11.3	0.2	2.3	27.0	11.0
2/3/2018 9:00	1.1	BDL	BDL	1.0	0.2	2.4	15.0	10.0
2/3/2018 10:00	1.0	BDL	BDL	BDL	0.1	2.4	19.0	11.0
2/3/2018 11:00	0.8	BDL	BDL	BDL	0.1	2.4	17.0	9.0
2/3/2018 12:00	0.7	BDL	BDL	BDL	0.1	2.3	16.0	6.0
2/3/2018 13:00	0.5	BDL	BDL	BDL	0.1	2.3	17.0	10.0
2/3/2018 14:00	0.7	BDL	BDL	BDL	0.1	2.3	23.0	10.0
2/3/2018 15:00	1.7	BDL	BDL	BDL	0.1	2.4	18.0	10.0
2/3/2018 16:00	1.5	BDL	BDL	BDL	0.2	2.4	17.0	10.0
2/3/2018 17:00	0.8	BDL	BDL	BDL	0.1	2.4	12.0	9.0
2/3/2018 18:00	0.7	BDL	BDL	BDL	0.1	2.3	14.0	8.0
2/3/2018 19:00	0.6	BDL	BDL	0.4	0.2	2.2	14.0	9.0
2/3/2018 20:00	0.4	BDL	BDL	BDL	0.2	2.2	12.0	7.0
2/3/2018 21:00	0.4	BDL	BDL	BDL	0.1	2.3	14.0	11.0
2/3/2018 22:00	0.5	BDL	BDL	BDL	0.1	2.4	15.0	14.0
2/3/2018 23:00	BDL	BDL	BDL	BDL	0.1	2.3	13.0	7.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Site Downwind Weekly: 2/4/2018-2/10/2018

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
2/4/2018 0:00	BDL	BDL	BDL	BDL	0.2	2.3	13.0	11.0
2/4/2018 1:00	BDL	BDL	BDL	BDL	0.1	2.2	10.0	8.0
2/4/2018 2:00	BDL	Calibration	Calibration	BDL	0.1	2.4	13.0	7.0
2/4/2018 3:00	BDL	Calibration	Calibration	BDL	0.1	2.4	14.0	4.0
2/4/2018 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.3	12.0	3.0
2/4/2018 5:00	BDL	BDL	BDL	BDL	0.2	Too few samples	8.0	6.0
2/4/2018 6:00	BDL	BDL	BDL	BDL	0.2	2.3	12.0	9.0
2/4/2018 7:00	BDL	BDL	BDL	BDL	0.2	2.2	17.0	6.0
2/4/2018 8:00	BDL	BDL	BDL	BDL	0.2	2.1	12.0	7.0
2/4/2018 9:00	BDL	BDL	BDL	BDL	0.2	2.1	13.0	5.0
2/4/2018 10:00	BDL	BDL	BDL	BDL	0.1	2.3	13.0	5.0
2/4/2018 11:00	1.6	BDL	0.4	2.9	0.2	2.5	17.0	7.0
2/4/2018 12:00	0.9	BDL	0.4	1.8	0.2	2.5	16.0	6.0
2/4/2018 13:00	BDL	0.7	0.5	9.9	0.3	2.7	38.0	7.0
2/4/2018 14:00	BDL	1.2	0.6	27.4	0.4	2.9	20.0	13.0
2/4/2018 15:00	0.5	1.8	0.9	45.6	0.6	2.6	26.0	12.0
2/4/2018 16:00	0.4	2.0	0.9	45.4	0.7	2.9	19.0	11.0
2/4/2018 17:00	1.1	2.3	1.0	56.7	0.7	3.4	22.0	13.0
2/4/2018 18:00	1.0	2.1	1.0	44.0	0.6	3.2	17.0	12.0
2/4/2018 19:00	1.8	1.8	0.8	34.5	0.5	3.7	19.0	14.0
2/4/2018 20:00	1.7	0.8	0.7	4.5	0.3	3.0	11.0	8.0
2/4/2018 21:00	1.4	0.7	0.7	4.9	0.3	2.9	11.0	9.0
2/4/2018 22:00	1.0	0.9	0.6	13.6	0.3	2.9	9.0	10.0
2/4/2018 23:00	0.8	0.9	0.7	11.1	0.3	2.4	14.0	13.0
2/5/2018 0:00	0.7	0.5	0.6	BDL	0.2	2.2	11.0	7.0
2/5/2018 1:00	0.7	BDL	0.5	BDL	0.2	2.3	11.0	6.0
2/5/2018 2:00	0.6	Calibration	Calibration	BDL	0.2	2.3	13.0	12.0
2/5/2018 3:00	0.6	Calibration	Calibration	BDL	0.2	2.2	12.0	10.0
2/5/2018 4:00	Calibration	BDL	0.6	Calibration	Calibration	2.2	21.0	19.0
2/5/2018 5:00	Calibration	0.6	0.6	6.0	0.2	Too few samples	22.0	19.0
2/5/2018 6:00	Too few samples	0.7	0.7	11.9	0.2	2.4	24.0	19.0
2/5/2018 7:00	0.8	0.5	0.4	5.5	0.2	2.3	14.0	13.0
2/5/2018 8:00	0.9	BDL	BDL	BDL	0.2	2.4	13.0	7.0
2/5/2018 9:00	1.0	BDL	BDL	BDL	0.1	2.5	10.0	4.0
2/5/2018 10:00	0.9	BDL	BDL	BDL	0.1	2.4	11.0	3.0
2/5/2018 11:00	0.7	BDL	BDL	BDL	0.1	2.4	11.0	3.0
2/5/2018 12:00	0.5	BDL	BDL	BDL	0.1	Too few samples	8.0	2.0
2/5/2018 13:00	0.5	BDL	BDL	BDL	0.1	2.4	13.0	2.0
2/5/2018 14:00	BDL	BDL	BDL	BDL	0.1	2.3	11.0	3.0
2/5/2018 15:00	0.4	BDL	BDL	BDL	0.1	2.3	13.0	3.0
2/5/2018 16:00	BDL	BDL	BDL	BDL	0.1	2.3	10.0	3.0
2/5/2018 17:00	BDL	BDL	BDL	BDL	0.1	2.2	14.0	4.0
2/5/2018 18:00	BDL	BDL	BDL	BDL	0.2	2.2	9.0	4.0
2/5/2018 19:00	BDL	BDL	BDL	BDL	0.2	2.3	14.0	5.0
2/5/2018 20:00	BDL	BDL	BDL	BDL	0.2	2.3	17.0	4.0
2/5/2018 21:00	BDL	BDL	BDL	BDL	0.2	2.4	15.0	10.0
2/5/2018 22:00	0.4	BDL	BDL	8.1	0.3	2.5	21.0	8.0
2/5/2018 23:00	BDL	0.6	BDL	23.5	0.3	2.6	25.0	14.0
2/6/2018 0:00	BDL	0.8	BDL	24.9	0.3	2.5	19.0	8.0
2/6/2018 1:00	BDL	1.1	BDL	35.6	0.3	2.5	23.0	9.0
2/6/2018 2:00	BDL	Calibration	Calibration	33.0	0.3	2.4	28.0	11.0
2/6/2018 3:00	BDL	Calibration	Calibration	23.9	0.3	2.7	18.0	9.0
2/6/2018 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.5	15.0	12.0
2/6/2018 5:00	BDL	0.4	BDL	12.2	0.3	Too few samples	20.0	9.0
2/6/2018 6:00	0.4	0.8	BDL	27.1	0.3	2.3	26.0	8.0
2/6/2018 7:00	0.9	1.1	BDL	31.1	0.4	2.3	27.0	10.0
2/6/2018 8:00	Maintenance	1.3	0.5	48.2	0.4	2.2	34.0	11.0
2/6/2018 9:00	0.5	1.3	0.5	35.7	0.3	2.2	39.0	13.0
2/6/2018 10:00	1.3	1.8	0.6	46.9	0.3	2.2	40.0	13.0
2/6/2018 11:00	1.4	1.7	0.7	33.0	0.3	2.3	30.0	13.0
2/6/2018 12:00	2.7	1.0	0.6	19.9	0.2	2.4	28.0	13.0
2/6/2018 13:00	2.3	0.9	0.5	14.0	0.2	2.4	24.0	10.0
2/6/2018 14:00	1.5	0.4	BDL	3.8	0.2	2.5	22.0	16.0
2/6/2018 15:00	1.5	BDL	BDL	5.1	0.2	2.5	20.0	13.0
2/6/2018 16:00	1.4	BDL	BDL	3.8	0.2	2.4	28.0	13.0
2/6/2018 17:00	1.4	BDL	BDL	3.1	0.2	2.4	26.0	13.0
2/6/2018 18:00	1.3	BDL	BDL	6.0	0.2	2.5	24.0	10.0
2/6/2018 19:00	1.3	BDL	BDL	5.2	0.2	2.4	20.0	15.0
2/6/2018 20:00	1.4	BDL	BDL	12.0	0.2	2.8	20.0	11.0
2/6/2018 21:00	1.6	BDL	BDL	3.9	0.2	2.9	23.0	12.0
2/6/2018 22:00	1.3	BDL	BDL	8.5	0.3	2.5	25.0	12.0
2/6/2018 23:00	1.2	BDL	BDL	11.8	0.3	2.4	25.0	10.0
2/7/2018 0:00	1.5	BDL	BDL	11.8	0.3	2.4	15.0	9.0
2/7/2018 1:00	1.4	0.7	BDL	24.7	0.4	2.5	28.0	10.0
2/7/2018 2:00	1.5	Calibration	Calibration	50.0	0.4	2.8	35.0	15.0
2/7/2018 3:00	1.8	Calibration	Calibration	41.9	0.4	2.6	30.0	13.0
2/7/2018 4:00	Calibration	0.6	BDL	Calibration	Calibration	2.5	33.0	15.0
2/7/2018 5:00	1.6	1.6	0.4	41.3	0.4	Too few samples	41.0	19.0
2/7/2018 6:00	1.7	2.3	0.8	56.1	0.5	2.5	36.0	24.0
2/7/2018 7:00	1.4	1.9	0.8	45.9	0.5	2.5	44.0	21.0
2/7/2018 8:00	1.5	2.0	0.7	51.3	0.5	2.4	43.0	21.0
2/7/2018 9:00	1.7	2.0	0.7	59.5	0.5	2.5	35.0	17.0
2/7/2018 10:00	1.7	1.9	0.6	48.0	0.5	3.5	Maintenance	Maintenance
2/7/2018 11:00	1.8	1.8	0.7	49.6	0.4	2.5	34.0	19.0
2/7/2018 12:00	1.6	1.8	0.7	51.7	0.5	2.7	43.0	21.0
2/7/2018 13:00	1.7	2.3	0.9	55.1	0.5	2.8	31.0	19.0
2/7/2018 14:00	1.3	1.9	0.9	40.0	0.4	2.5	19.0	13.0
2/7/2018 15:00	1.1	1.4	0.7	17.4	0.3	2.6	17.0	7.0
2/7/2018 16:00	1.4	2.0	1.2	21.2	0.3	2.9	21.0	6.0
2/7/2018 17:00	1.5	1.4	1.4	20.5	0.2	2.7	13.0	7.0
2/7/2018 18:00	1.2	0.8	0.8	5.9	0.2	2.4	13.0	5.0
2/7/2018 19:00	1.0	0.4	0.5	1.0	0.2	2.3	15.0	8.0
2/7/2018 20:00	1.0	BDL	0.5	BDL	0.2	2.4	14.0	7.0
2/7/2018 21:00	1.0	BDL	BDL	BDL	0.2	2.4	17.0	3.0
2/7/2018 22:00	1.1	BDL	BDL	BDL	0.2	2.4	14.0	3.0
2/7/2018 23:00	1.3	BDL	BDL	BDL	0.2	2.4	14.0	5.0
2/8/2018 0:00	1.4	BDL	BDL	BDL	0.2	2.4	15.0	7.0
2/8/2018 1:00	1.2	BDL	BDL	BDL	0.1	2.6	16.0	7.0
2/8/2018 2:00	1.1	Calibration	Calibration	BDL	0.2	2.5	12.0	9.0
2/8/2018 3:00	1.1	Calibration	Calibration	BDL	0.2	2.4	15.0	8.0
2/8/2018 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.4	18.0	12.0
2/8/2018 5:00	1.1	BDL	BDL	BDL	0.2	Too few samples	17.0	9.0
2/8/2018 6:00	1.2	BDL	BDL	BDL	0.2	2.3	22.0	8.0
2/8/2018 7:00	1.0	BDL	BDL	BDL	0.2	2.4	22.0	11.0
2/8/2018 8:00	1.1	BDL	BDL	BDL	0.2	2.5	23.0	10.0
2/8/2018 9:00	1.2	BDL	BDL	BDL	0.2	2.4	21.0	9.0
2/8/2018 10:00	1.1	BDL	BDL	BDL	0.1	2.5	13.0	6.0
2/8/2018 11:00	1.2	BDL	BDL	BDL	0.1	2.4	16.0	11.0
2/8/2018 12:00	1.1	BDL	BDL	BDL	0.1	2.4	19.0	10.0
2/8/2018 13:00	0.9	BDL	BDL	BDL	0.1	2.3	21.0	11.0
2/8/2018 14:00	1.0	BDL	BDL	BDL	0.1	2.3	21.0	9.0
2/8/2018 15:00	0.9	BDL	BDL	BDL	0.1	2.4	13.0	9.0
2/8/2018 16:00	1.0	BDL	BDL	BDL	0.1	2.3	23.0	10.0
2/8/2018 17:00	0.9	BDL	BDL	BDL	0.2	2.3	25.0	12.0
2/8/2018 18:00	0.9	BDL	BDL	BDL	0.2	2.4	23.0	13.0
2/8/2018 19:00	1.5	BDL	BDL	1.0	0.2	2.4	29.0	19.0
2/8/2018 20:00	1.6	BDL	BDL	BDL	0.2	2.4	30.0	17.0
2/8/2018 21:00	2.2	BDL	BDL	8.2	0.2	2.4	43.0	30.0
2/8/2018 22:00	3.8	BDL	BDL	11.5	0.2	2.4	49.0	28.0
2/8/2018 23:00	2.7	0.4	BDL	13.0	0.2	2.6	36.0	21.0
2/9/2018 0:00	2.0	0.4	BDL	15.1	0.3	2.7	36.0	23.0
2/9/2018 1:00	2.0	0.4	BDL	19.9	0.3	2.7	36.0	22.0
2/9/2018 2:00	1.2	Calibration	Calibration	18.3	0.3	2.9	35.0	24.0
2/9/2018 3:00	1.4	Calibration	Calibration	44.5	0.4	3.1	38.0	25.0
2/9/2018 4:00	Calibration	1.8	BDL	Calibration	Calibration	3.4	38.0	27.0
2/9/2018 5:00	1.4	1.4	0.5	44.5	0.4	Too few samples	36.0	24.0
2/9/2018 6:00	1.7	2.4	0.8	69.8	0.5	3.2	43.0	25.0
2/9/2018 7:00	2.4	3.1	0.8	89.1	0.6	3.2	50.0	23.0
2/9/2018 8:00	2.3	2.8	0.7	76.4	0.5	2.6	59.0	27.0
2/9/2018 9:00	2.2	0.9	0.4	35.8	0.3	2.4	42.0	18.0
2/9/2018 10:00	1.8	0.7	BDL	20.4	0.3	2.4	46.0	20.0
2/9/2018 11:00	1.7	BDL	BDL	1.6	0.2	2.4	26.0	17.0
2/9/2018 12:00	1.7	BDL	BDL	BDL	0.2	2.3	21.0	10.0
2/9/2018 13:00	1.6	BDL	BDL	BDL	0.2	2.3	29.0	13.0
2/9/2018 14:00	1.6	BDL	BDL	BDL	0.2	2.3	26.0	12.0
2/9/2018 15:00	1.4	BDL	BDL	BDL	0.2	2.3	31.0	15.0
2/9/2018 16:00	1.4	BDL	BDL	BDL	0.2	2.2	23.0	11.0
2/9/2018 17:00	1.2	BDL	BDL	BDL	0.2	2.2	24.0	12.0
2/9/2018 18:00	1.1	BDL	BDL	BDL	0.2	2.2	20.0	15.0
2/9/2018 19:00	1.0	BDL	BDL	4.1	0.2	2.3	28.0	9.0
2/9/2018 20:00	0.9	BDL	BDL	3.4	0.2	2.3	25.0	8.0
2/9/2018 21:00	0.8	BDL	BDL	4.0	0.3	2.3	24.0	11.0
2/9/2018 22:00	0.8	0.4	BDL	14.6	0.4	2.3	26.0	13.0
2/9/2018 23:00	0.8	0.8	0.4	22.7	0.6	2.5	27.0	11.0
2/10/2018 0:00	0.9	1.3	0.6	35.2	0.6	2.5	31.0	12.0
2/10/2018 1:00	1.2	1.4	0.7	41.4	0.5	2.4	28.0	12.0
2/10/2018 2:00	1.1	Calibration	Calibration	40.9	0.6	2.5	25.0	11.0
2/10/2018 3:00	1.1	Calibration	Calibration	39.9	0.6	2.6	21.0	14.0
2/10/2018 4:00	Calibration	2.1	0.8	Calibration	Calibration	2.8	30.0	18.0
2/10/2018 5:00	2.1	3.7	1.3	97.3	1.0	Too few samples	30.0	21.0
2/10/2018 6:00	2.5	4.3	1.6	113.4	1.0	3.3	32.0	18.0
2/10/2018 7:00	2.6	4.3	1.5	112.4	0.9	3.2	43.0	26.0
2/10/2018 8:00	2.3	4.1	1.5	99.6	0.8	3.0	43.0	17.0
2/10/2018 9:00	1.8	2.8	1.3	62.3	0.6	2.8	43.0	20.0
2/10/2018 10:00	1.6	2.1	1.1	47.5	0.4	2.7	41.0	20.0
2/10/2018 11:00	1.4	2.0	0.9	44.7	0.4	2.7	33.0	19.0
2/10/2018 12:00	1.2	1.5	0.7	35.3	0.4	2.7	39.0	20.0
2/10/2018 13:00	1.2	1.2	0.7	22.3	0.4	3.2	28.0	22.0
2/10/2018 14:00	1.2	1.2	0.7	23.0	0.4	3.0	29.0	14.0
2/10/2018 15:00	1.4	1.8	1.0	40.8	0.6	2.7	33.0	13.0
2/10/2018 16:00	1.9	2.7	1.4	69.9	0.9	3.0	38.0	20.0
2/10/2018 17:00	2.3	3.4	1.5	87.0	1.2	4.1	38.0	25.0
2/10/2018 18:00	3.0	4.5	1.8	116.5	1.5	4.4	38.0	25.0
2/10/2018 19:00	2.8	4.4	1.9	115.6	1.3	3.7	41.0	31.0
2/10/2018 20:00	2.6	4.4	1.9	108.9	1.2	3.5	33.0	30.0
2/10/2018 21:00	1.9	3.0	1.4	65.3	0.8	3.6	25.0	15.0
2/10/2018 22:00	1.6	2.6	1.5	44.6	0.5	3.5	17.0	15.0
2/10/2018 23:00	1.1	1.4	1.2	12.9	0.3	3.2	14.0	9.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 2/11/2018-2/17/2018								
2/11/2018 0:00	1.5	1.5	1.5	11.1	0.2	2.8	8.0	9.0
2/11/2018 1:00	1.3	1.2	1.1	8.0	0.3	2.8	6.0	6.0
2/11/2018 2:00	1.2	Calibration	Calibration	18.6	0.3	3.0	8.0	7.0
2/11/2018 3:00	1.2	Calibration	Calibration	15.8	0.3	3.0	7.0	7.0
2/11/2018 4:00	Calibration	0.6	0.6	Calibration	Calibration	2.8	11.0	11.0
2/11/2018 5:00	0.9	0.8	0.7	3.3	0.3	Too few samples	12.0	6.0
2/11/2018 6:00	1.2	1.3	1.0	25.7	0.6	2.9	9.0	3.0
2/11/2018 7:00	1.6	1.7	1.1	25.9	0.5	3.6	8.0	7.0
2/11/2018 8:00	Calibration	1.7	1.0	Calibration	Calibration	3.0	8.0	5.0
2/11/2018 9:00	1.4	1.7	1.2	29.1	0.5	3.3	10.0	8.0
2/11/2018 10:00	1.4	1.7	1.1	28.4	0.5	2.9	11.0	5.0
2/11/2018 11:00	1.6	2.1	1.4	39.7	0.6	2.9	10.0	10.0
2/11/2018 12:00	1.6	2.6	1.7	40.2	0.6	2.8	13.0	6.0
2/11/2018 13:00	1.2	1.2	1.3	BDL	0.2	2.5	7.0	3.0
2/11/2018 14:00	1.5	0.5	0.8	BDL	0.2	2.3	3.0	6.0
2/11/2018 15:00	1.5	0.4	0.7	BDL	0.2	2.3	4.0	6.0
2/11/2018 16:00	1.6	0.6	0.9	BDL	0.3	2.4	7.0	3.0
2/11/2018 17:00	1.5	0.8	1.1	BDL	0.2	2.2	11.0	BDL
2/11/2018 18:00	1.4	0.9	1.1	BDL	0.3	2.2	10.0	4.0
2/11/2018 19:00	1.3	0.9	1.1	BDL	0.3	2.0	8.0	6.0
2/11/2018 20:00	1.2	0.8	1.2	BDL	0.3	2.2	9.0	5.0
2/11/2018 21:00	1.6	0.8	1.0	8.7	0.3	2.3	7.0	4.0
2/11/2018 22:00	1.4	0.7	0.9	2.5	0.3	2.3	7.0	5.0
2/11/2018 23:00	1.5	0.9	1.1	4.2	0.3	2.3	17.0	6.0
2/12/2018 0:00	2.2	0.9	1.2	7.0	0.3	2.3	13.0	7.0
2/12/2018 1:00	3.9	0.8	1.0	9.3	0.3	2.4	16.0	10.0
2/12/2018 2:00	2.5	Calibration	Calibration	BDL	0.3	2.4	7.0	6.0
2/12/2018 3:00	1.7	Calibration	Calibration	BDL	0.3	2.7	6.0	3.0
2/12/2018 4:00	Calibration	BDL	0.6	Calibration	Calibration	2.6	4.0	3.0
2/12/2018 5:00	BDL	BDL	BDL	BDL	0.3	2.8	3.0	4.0
2/12/2018 6:00	0.4	BDL	BDL	BDL	0.3	2.8	6.0	3.0
2/12/2018 7:00	0.6	Calibration	Calibration	BDL	0.3	2.7	5.0	5.0
2/12/2018 8:00	1.0	Calibration	Calibration	BDL	0.3	2.5	7.0	5.0
2/12/2018 9:00	0.9	BDL	BDL	1.0	0.2	2.5	8.0	6.0
2/12/2018 10:00	1.0	BDL	BDL	BDL	0.2	2.5	10.0	7.0
2/12/2018 11:00	1.0	BDL	BDL	BDL	0.2	2.5	12.0	8.0
2/12/2018 12:00	1.0	BDL	BDL	BDL	0.2	2.5	13.0	7.0
2/12/2018 13:00	1.0	BDL	BDL	BDL	0.2	2.4	13.0	8.0
2/12/2018 14:00	1.0	BDL	BDL	BDL	0.2	2.5	11.0	9.0
2/12/2018 15:00	0.8	BDL	BDL	BDL	0.1	2.4	15.0	6.0
2/12/2018 16:00	0.9	BDL	BDL	BDL	0.1	2.5	12.0	6.0
2/12/2018 17:00	0.9	BDL	BDL	BDL	0.2	2.6	18.0	6.0
2/12/2018 18:00	0.9	BDL	BDL	5.0	0.2	2.4	17.0	8.0
2/12/2018 19:00	0.9	BDL	BDL	1.8	0.2	2.8	18.0	8.0
2/12/2018 20:00	1.0	BDL	BDL	7.7	0.2	3.2	12.0	8.0
2/12/2018 21:00	1.0	BDL	BDL	2.7	0.2	2.8	14.0	5.0
2/12/2018 22:00	0.9	BDL	BDL	0.4	0.2	2.6	11.0	3.0
2/12/2018 23:00	0.9	BDL	BDL	BDL	0.2	2.5	12.0	4.0
2/13/2018 0:00	0.8	BDL	BDL	BDL	0.2	2.4	19.0	11.0
2/13/2018 1:00	0.8	BDL	BDL	BDL	0.1	2.4	11.0	7.0
2/13/2018 2:00	0.7	Calibration	Calibration	BDL	0.1	2.4	14.0	10.0
2/13/2018 3:00	0.7	Calibration	Calibration	BDL	0.1	2.4	16.0	9.0
2/13/2018 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.5	19.0	12.0
2/13/2018 5:00	0.6	BDL	BDL	0.6	0.2	Too few samples	16.0	10.0
2/13/2018 6:00	0.7	BDL	BDL	6.2	0.2	2.4	20.0	8.0
2/13/2018 7:00	0.7	BDL	BDL	7.9	0.2	2.4	21.0	8.0
2/13/2018 8:00	0.7	BDL	BDL	7.6	0.2	2.3	18.0	8.0
2/13/2018 9:00	0.8	BDL	BDL	12.9	0.2	2.3	19.0	8.0
2/13/2018 10:00	0.8	BDL	BDL	8.2	0.2	2.3	20.0	12.0
2/13/2018 11:00	0.9	0.4	BDL	10.5	0.2	2.4	22.0	9.0
2/13/2018 12:00	0.8	Calibration	Calibration	8.8	0.2	2.3	19.0	9.0
2/13/2018 13:00	0.8	Calibration	Calibration	10.5	0.2	2.3	21.0	9.0
2/13/2018 14:00	0.8	BDL	BDL	4.5	0.2	2.3	15.0	8.0
2/13/2018 15:00	0.7	BDL	BDL	1.2	0.2	2.3	12.0	8.0
2/13/2018 16:00	0.7	BDL	BDL	1.2	0.2	2.3	12.0	5.0
2/13/2018 17:00	0.7	BDL	BDL	1.0	0.2	2.2	15.0	2.0
2/13/2018 18:00	0.7	BDL	BDL	BDL	0.2	2.3	17.0	2.0
2/13/2018 19:00	0.6	BDL	BDL	BDL	0.2	2.3	14.0	5.0
2/13/2018 20:00	0.6	BDL	BDL	BDL	0.1	2.3	9.0	4.0
2/13/2018 21:00	0.6	BDL	BDL	BDL	0.2	2.3	11.0	2.0
2/13/2018 22:00	0.5	BDL	BDL	BDL	0.2	2.3	17.0	6.0
2/13/2018 23:00	0.7	BDL	BDL	BDL	0.2	2.3	14.0	5.0
2/14/2018 0:00	0.6	BDL	BDL	BDL	0.2	2.3	17.0	4.0
2/14/2018 1:00	0.6	BDL	BDL	BDL	0.1	2.3	17.0	7.0
2/14/2018 2:00	0.7	Calibration	Calibration	1.8	0.1	2.4	14.0	8.0
2/14/2018 3:00	0.7	Calibration	Calibration	2.0	0.2	2.4	17.0	6.0
2/14/2018 4:00	Calibration	0.4	BDL	Calibration	Calibration	2.5	20.0	7.0
2/14/2018 5:00	0.8	1.0	0.5	9.4	0.2	2.5	20.0	9.0
2/14/2018 6:00	0.8	1.1	0.7	1.9	0.2	2.6	25.0	5.0
2/14/2018 7:00	1.5	Audit	Audit	11.2	0.2	2.6	26.0	5.0
2/14/2018 8:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	2.6	27.0	8.0
2/14/2018 9:00	1.7	0.6	BDL	Calibration	0.2	Too few samples	25.0	8.0
2/14/2018 10:00	1.6	0.7	BDL	5.2	0.2	2.4	24.0	11.0
2/14/2018 11:00	1.7	0.7	BDL	4.6	0.2	2.4	20.0	10.0
2/14/2018 12:00	2.0	0.6	BDL	0.7	0.2	2.4	27.0	9.0
2/14/2018 13:00	2.1	0.7	BDL	4.7	0.2	2.5	23.0	8.0
2/14/2018 14:00	2.2	0.7	BDL	3.7	0.2	2.5	29.0	13.0
2/14/2018 15:00	2.9	0.6	BDL	2.0	0.2	2.5	23.0	10.0
2/14/2018 16:00	2.1	0.6	BDL	3.2	0.2	2.5	19.0	9.0
2/14/2018 17:00	1.6	0.6	BDL	3.9	0.2	2.7	18.0	9.0
2/14/2018 18:00	1.8	0.7	0.4	6.8	0.2	2.6	19.0	12.0
2/14/2018 19:00	2.5	0.8	BDL	8.4	0.2	2.5	19.0	11.0
2/14/2018 20:00	2.9	0.8	BDL	9.6	0.2	2.6	19.0	11.0
2/14/2018 21:00	2.3	1.0	0.4	10.1	0.2	2.7	16.0	10.0
2/14/2018 22:00	1.4	1.1	0.5	8.3	0.2	2.7	13.0	14.0
2/14/2018 23:00	1.1	1.4	0.9	7.0	0.2	2.7	22.0	10.0
2/15/2018 0:00	1.0	1.3	1.0	2.9	0.2	2.6	15.0	17.0
2/15/2018 1:00	1.0	1.1	0.8	BDL	0.1	2.6	11.0	12.0
2/15/2018 2:00	1.0	Calibration	Calibration	3.9	0.2	3.0	12.0	8.0
2/15/2018 3:00	1.9	Calibration	Calibration	3.0	0.2	2.7	18.0	9.0
2/15/2018 4:00	Calibration	1.4	1.2	Calibration	Calibration	2.7	19.0	14.0
2/15/2018 5:00	1.5	2.3	1.4	18.8	0.3	2.7	23.0	15.0
2/15/2018 6:00	1.7	Calibration	Calibration	30.3	0.3	2.8	23.0	11.0
2/15/2018 7:00	2.2	Calibration	Calibration	35.7	0.3	2.8	24.0	18.0
2/15/2018 8:00	2.4	Calibration	Calibration	34.5	0.3	2.7	26.0	12.0
2/15/2018 9:00	2.7	Calibration	Calibration	28.8	0.3	2.8	23.0	14.0
2/15/2018 10:00	2.7	Calibration	Calibration	23.9	0.3	2.6	23.0	18.0
2/15/2018 11:00	3.1	Calibration	Calibration	25.0	0.3	2.8	20.0	18.0
2/15/2018 12:00	Calibration	1.4	0.9	Calibration	Calibration	2.7	18.0	13.0
2/15/2018 13:00	3.9	1.5	0.8	25.0	0.3	2.9	24.0	16.0
2/15/2018 14:00	4.7	1.4	0.7	21.9	0.3	Too few samples	18.0	13.0
2/15/2018 15:00	4.6	1.3	0.7	19.1	0.3	2.8	16.0	9.0
2/15/2018 16:00	3.9	1.1	0.7	12.9	0.2	2.7	16.0	7.0
2/15/2018 17:00	2.6	1.2	0.8	16.2	0.3	2.4	17.0	8.0
2/15/2018 18:00	2.0	1.4	0.9	21.8	0.4	2.3	18.0	7.0
2/15/2018 19:00	1.4	1.2	0.8	13.0	0.3	2.5	14.0	6.0
2/15/2018 20:00	1.5	1.5	1.0	29.0	Maintenance	2.6	17.0	8.0
2/15/2018 21:00	1.9	2.1	1.1	43.3	Maintenance	4.0	17.0	9.0
2/15/2018 22:00	1.9	2.1	1.1	48.7	Maintenance	3.1	18.0	14.0
2/15/2018 23:00	2.4	2.5	1.3	57.0	Maintenance	4.7	29.0	21.0
2/16/2018 0:00	2.2	2.6	1.2	52.9	Maintenance	3.5	13.0	11.0
2/16/2018 1:00	1.5	1.9	1.2	27.1	Maintenance	3.5	12.0	8.0
2/16/2018 2:00	1.9	Calibration	Calibration	29.8	Maintenance	4.1	12.0	8.0
2/16/2018 3:00	1.7	Calibration	Calibration	31.2	Maintenance	3.2	8.0	12.0
2/16/2018 4:00	Calibration	1.9	1.2	Calibration	Maintenance	3.0	14.0	14.0
2/16/2018 5:00	2.3	1.9	1.2	23.8	Maintenance	Too few samples	18.0	14.0
2/16/2018 6:00	3.3	2.2	1.8	22.4	Maintenance	2.8	16.0	12.0
2/16/2018 7:00	2.4	1.8	1.3	34.0	Maintenance	2.9	13.0	10.0
2/16/2018 8:00	2.0	1.1	0.7	12.7	Maintenance	2.4	12.0	6.0
2/16/2018 9:00	3.4	1.4	1.0	10.0	Maintenance	2.3	17.0	8.0
2/16/2018 10:00	3.7	1.2	0.9	13.7	Maintenance	2.5	16.0	8.0
2/16/2018 11:00	4.2	1.7	1.1	18.1	Maintenance	2.6	16.0	10.0
2/16/2018 12:00	5.0	1.8	1.4	12.4	Maintenance	2.3	19.0	11.0
2/16/2018 13:00	Calibration	0.9	0.8	Calibration	Calibration	2.3	12.0	6.0
2/16/2018 14:00	Calibration	0.6	0.5	Calibration	0.4	2.3	8.0	1.0
2/16/2018 15:00	Calibration	0.4	BDL	Calibration	0.3	2.3	7.0	3.0
2/16/2018 16:00	Calibration	BDL	BDL	Calibration	0.3	2.3	4.0	3.0
2/16/2018 17:00	Calibration	BDL	0.4	Calibration	0.2	2.3	6.0	3.0
2/16/2018 18:00	Calibration	0.4	BDL	Calibration	0.2	2.4	10.0	5.0
2/16/2018 19:00	Calibration	BDL	BDL	Calibration	0.2	2.7	9.0	7.0
2/16/2018 20:00	Calibration	BDL	BDL	Calibration	0.2	2.7	8.0	6.0
2/16/2018 21:00	Calibration	BDL	BDL	Calibration	0.2	2.7	7.0	5.0
2/16/2018 22:00	Calibration	BDL	BDL	Calibration	0.2	2.9	8.0	4.0
2/16/2018 23:00	Calibration	BDL	BDL	Calibration	0.2	3.2	12.0	6.0
2/17/2018 0:00	Calibration	BDL	BDL	Calibration	0.2	3.2	11.0	4.0
2/17/2018 1:00	Calibration	BDL	BDL	Calibration	0.2	3.5	9.0	4.0
2/17/2018 2:00	Calibration	Calibration	Calibration	Calibration	0.2	2.9	15.0	4.0
2/17/2018 3:00	Calibration	Calibration	Calibration	Calibration	0.2	2.6	11.0	4.0
2/17/2018 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.3	9.0	4.0
2/17/2018 5:00	Calibration	BDL	BDL	Calibration	0.2	Too few samples	11.0	4.0
2/17/2018 6:00	Calibration	BDL	BDL	Calibration	0.2	2.3	9.0	6.0
2/17/2018 7:00	Calibration	BDL	BDL	Calibration	0.3	2.3	14.0	7.0
2/17/2018 8:00	Calibration	Calibration	Calibration	Calibration	0.3	2.2	13.0	5.0
2/17/2018 9:00	Calibration	Calibration	Calibration	Calibration	0.3	2.2	14.0	4.0
2/17/2018 10:00	Calibration	BDL	BDL	Calibration	0.3	2.2	12.0	4.0
2/17/2018 11:00	Calibration	BDL	BDL	Calibration	0.2	2.1	8.0	3.0
2/17/2018 12:00	Calibration	BDL	BDL	Calibration	0.2	2.1	9.0	5.0
2/17/2018 13:00	Calibration	BDL	BDL	Calibration	0.2	2.1	8.0	5.0
2/17/2018 14:00	Calibration	BDL	BDL	Calibration	0.2	2.1	10.0	4.0
2/17/2018 15:00	Calibration	0.4	BDL	Calibration	0.2	2.1	7.0	3.0
2/17/2018 16:00	Calibration	BDL	BDL	Calibration	0.2	2.1	7.0	3.0
2/17/2018 17:00	Calibration	BDL	BDL	Calibration	0.2	2.1	8.0	4.0
2/17/2018 18:00	Calibration	0.5	BDL	Calibration	0.3	2.2	10.0	8.0
2/17/2018 19:00	Calibration	0.8	BDL	Calibration	0.4	2.5	11.0	6.0
2/17/2018 20:00	Calibration	1.6	0.5	Calibration	0.5	2.6	16.0	10.0
2/17/2018 21:00	Calibration	1.3	0.6	Calibration	0.4	2.4	14.0	8.0
2/17/2018 22:00	Calibration	1.2	0.5	Calibration	0.4	3.4	13.0	7.0
2/17/2018 23:00	Calibration	1.4	0.5	Calibration	0.4	3.2	12.0	6.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 2/18/2018-2/24/2018								
2/18/2018 0:00	Calibration	1.2	0.4	Calibration	0.4	3.2	9.0	5.0
2/18/2018 1:00	Calibration	1.0	0.4	Calibration	0.4	2.6	12.0	7.0
2/18/2018 2:00	Calibration	Calibration	Calibration	Calibration	0.3	2.4	17.0	13.0
2/18/2018 3:00	Calibration	Calibration	Calibration	Calibration	0.2	2.4	10.0	9.0
2/18/2018 4:00	Calibration	0.4	0.4	Calibration	Calibration	2.4	9.0	10.0
2/18/2018 5:00	Calibration	0.6	BDL	Calibration	0.2	Too few samples	17.0	15.0
2/18/2018 6:00	Calibration	0.4	BDL	Calibration	0.2	2.4	14.0	12.0
2/18/2018 7:00	Calibration	BDL	BDL	Calibration	0.2	2.3	12.0	10.0
2/18/2018 8:00	Calibration	BDL	BDL	Calibration	0.2	2.3	9.0	10.0
2/18/2018 9:00	Calibration	BDL	BDL	Calibration	0.2	2.4	11.0	6.0
2/18/2018 10:00	Calibration	BDL	BDL	Calibration	0.2	2.4	9.0	7.0
2/18/2018 11:00	Calibration	BDL	BDL	Calibration	0.2	2.4	9.0	8.0
2/18/2018 12:00	Calibration	BDL	BDL	Calibration	0.2	2.4	15.0	7.0
2/18/2018 13:00	Calibration	BDL	BDL	Calibration	0.2	2.3	12.0	6.0
2/18/2018 14:00	Calibration	BDL	BDL	Calibration	0.2	2.4	9.0	6.0
2/18/2018 15:00	Calibration	BDL	BDL	Calibration	0.2	2.6	12.0	9.0
2/18/2018 16:00	Calibration	BDL	BDL	Calibration	0.2	2.4	8.0	11.0
2/18/2018 17:00	Calibration	BDL	BDL	Calibration	0.2	2.4	14.0	8.0
2/18/2018 18:00	Calibration	BDL	BDL	Calibration	0.2	2.5	17.0	10.0
2/18/2018 19:00	Calibration	BDL	BDL	Calibration	0.3	2.9	17.0	12.0
2/18/2018 20:00	Calibration	0.9	BDL	Calibration	0.6	3.0	26.0	11.0
2/18/2018 21:00	Calibration	2.0	0.4	Calibration	0.8	2.7	48.0	10.0
2/18/2018 22:00	Calibration	2.9	0.7	Calibration	0.8	2.8	41.0	19.0
2/18/2018 23:00	Calibration	2.6	0.6	Calibration	0.8	3.1	38.0	16.0
2/19/2018 0:00	Calibration	1.6	0.4	Calibration	0.5	2.4	29.0	14.0
2/19/2018 1:00	Calibration	1.5	BDL	Calibration	0.5	2.3	23.0	15.0
2/19/2018 2:00	Calibration	Calibration	Calibration	Calibration	0.3	2.3	16.0	10.0
2/19/2018 3:00	Calibration	Calibration	Calibration	Calibration	0.3	2.3	16.0	8.0
2/19/2018 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.6	15.0	6.0
2/19/2018 5:00	Calibration	1.4	0.6	Calibration	0.4	Too few samples	15.0	13.0
2/19/2018 6:00	Too few samples	1.4	0.7	Too few samples	0.4	2.5	20.0	13.0
2/19/2018 7:00	BDL	1.8	0.8	26.6	0.4	2.6	19.0	12.0
2/19/2018 8:00	BDL	1.4	0.7	14.9	0.3	2.5	26.0	12.0
2/19/2018 9:00	BDL	1.1	0.5	8.0	0.3	2.3	22.0	8.0
2/19/2018 10:00	BDL	0.6	BDL	1.7	0.2	2.3	21.0	4.0
2/19/2018 11:00	BDL	0.9	0.6	BDL	0.2	2.4	13.0	3.0
2/19/2018 12:00	BDL	0.4	BDL	BDL	0.2	2.3	15.0	4.0
2/19/2018 13:00	BDL	0.4	BDL	1.3	0.2	2.3	12.0	2.0
2/19/2018 14:00	BDL	0.5	BDL	4.2	0.3	2.2	21.0	4.0
2/19/2018 15:00	BDL	0.5	BDL	BDL	0.3	2.7	17.0	4.0
2/19/2018 16:00	BDL	0.7	BDL	6.7	0.3	2.5	19.0	5.0
2/19/2018 17:00	BDL	0.8	BDL	6.0	0.3	2.3	27.0	6.0
2/19/2018 18:00	BDL	0.7	0.4	4.3	0.3	2.5	21.0	6.0
2/19/2018 19:00	BDL	0.8	0.4	5.4	0.3	2.6	25.0	8.0
2/19/2018 20:00	BDL	0.8	0.5	9.2	0.3	2.7	30.0	9.0
2/19/2018 21:00	BDL	1.4	0.8	17.8	0.4	3.0	24.0	11.0
2/19/2018 22:00	BDL	1.8	1.0	19.1	0.4	2.9	22.0	14.0
2/19/2018 23:00	BDL	1.7	1.2	11.7	0.3	3.1	16.0	15.0
2/20/2018 0:00	BDL	1.5	1.2	4.3	0.3	2.7	20.0	15.0
2/20/2018 1:00	0.4	1.5	1.4	5.5	0.3	2.6	24.0	17.0
2/20/2018 2:00	BDL	Calibration	Calibration	5.4	0.2	2.5	21.0	12.0
2/20/2018 3:00	BDL	Calibration	Calibration	4.5	0.2	2.5	15.0	16.0
2/20/2018 4:00	Calibration	0.9	0.6	Calibration	Calibration	2.8	13.0	9.0
2/20/2018 5:00	BDL	1.1	0.7	8.0	0.3	Too few samples	16.0	9.0
2/20/2018 6:00	BDL	0.9	0.4	5.7	0.3	2.5	11.0	9.0
2/20/2018 7:00	BDL	Calibration	Calibration	6.9	0.3	2.4	19.0	10.0
2/20/2018 8:00	BDL	Calibration	Calibration	8.9	0.3	2.5	14.0	10.0
2/20/2018 9:00	Too few samples	0.7	0.4	Too few samples	Too few samples	2.5	13.0	8.0
2/20/2018 10:00	Too few samples	0.7	0.4	Too few samples	Too few samples	2.5	17.0	10.0
2/20/2018 11:00	0.4	0.6	BDL	6.6	0.3	2.4	20.0	15.0
2/20/2018 12:00	0.8	0.5	BDL	4.3	0.3	2.3	17.0	13.0
2/20/2018 13:00	2.1	0.6	0.4	4.0	0.3	2.5	20.0	14.0
2/20/2018 14:00	2.1	0.7	0.5	5.0	0.4	2.5	24.0	10.0
2/20/2018 15:00	0.8	0.6	0.4	5.6	0.3	2.7	22.0	6.0
2/20/2018 16:00	BDL	BDL	BDL	BDL	0.3	2.5	15.0	6.0
2/20/2018 17:00	BDL	0.4	BDL	BDL	0.3	2.3	17.0	10.0
2/20/2018 18:00	BDL	0.7	0.5	7.4	0.4	2.2	19.0	8.0
2/20/2018 19:00	BDL	0.8	0.7	BDL	0.3	2.2	12.0	5.0
2/20/2018 20:00	BDL	0.8	0.7	BDL	0.3	2.3	15.0	4.0
2/20/2018 21:00	BDL	0.7	0.7	BDL	0.4	2.3	10.0	8.0
2/20/2018 22:00	BDL	0.9	0.7	8.6	0.4	2.3	16.0	7.0
2/20/2018 23:00	BDL	0.9	0.8	BDL	0.3	2.2	14.0	6.0
2/21/2018 0:00	BDL	0.9	0.8	3.1	0.3	2.3	9.0	5.0
2/21/2018 1:00	BDL	0.7	0.6	BDL	0.3	2.2	10.0	8.0
2/21/2018 2:00	BDL	Calibration	Calibration	BDL	0.3	2.3	14.0	8.0
2/21/2018 3:00	BDL	Calibration	Calibration	BDL	0.3	2.5	10.0	8.0
2/21/2018 4:00	Calibration	1.1	0.8	Calibration	Calibration	2.9	16.0	7.0
2/21/2018 5:00	BDL	1.7	0.9	33.9	0.4	3.3	19.0	10.0
2/21/2018 6:00	0.6	Calibration	Calibration	44.0	0.5	3.1	27.0	14.0
2/21/2018 7:00	BDL	Too few samples	Too few samples	20.2	0.3	2.8	Invalid	Invalid
2/21/2018 8:00	BDL	1.1	0.7	9.3	0.3	2.5	Invalid	Invalid
2/21/2018 9:00	0.5	1.0	0.7	9.4	0.3	2.4	30.0	14.0
2/21/2018 10:00	0.6	0.7	0.4	5.6	0.3	2.3	25.0	13.0
2/21/2018 11:00	0.9	0.6	BDL	2.0	0.2	2.5	26.0	11.0
2/21/2018 12:00	0.4	BDL	BDL	BDL	0.2	2.5	21.0	9.0
2/21/2018 13:00	BDL	0.4	BDL	BDL	0.2	2.5	24.0	10.0
2/21/2018 14:00	BDL	0.4	0.4	BDL	0.2	2.5	22.0	8.0
2/21/2018 15:00	0.4	0.4	BDL	BDL	0.2	2.5	28.0	6.0
2/21/2018 16:00	BDL	0.4	0.4	BDL	0.2	2.4	16.0	9.0
2/21/2018 17:00	BDL	0.5	0.4	BDL	0.2	2.4	15.0	6.0
2/21/2018 18:00	BDL	0.6	0.5	BDL	0.2	2.3	12.0	7.0
2/21/2018 19:00	BDL	0.8	0.6	10.0	0.3	2.3	18.0	7.0
2/21/2018 20:00	BDL	0.7	0.7	3.9	0.2	2.5	18.0	7.0
2/21/2018 21:00	BDL	0.5	0.4	BDL	0.3	2.6	21.0	7.0
2/21/2018 22:00	BDL	0.4	0.4	BDL	0.2	2.1	10.0	5.0
2/21/2018 23:00	BDL	0.5	0.4	BDL	0.2	2.2	8.0	2.0
2/22/2018 0:00	BDL	BDL	BDL	BDL	0.2	2.3	6.0	BDL
2/22/2018 1:00	BDL	BDL	BDL	BDL	0.2	2.2	6.0	BDL
2/22/2018 2:00	BDL	Calibration	Calibration	BDL	0.2	2.2	3.0	BDL
2/22/2018 3:00	BDL	Calibration	Calibration	BDL	0.2	2.2	2.0	BDL
2/22/2018 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.2	6.0	1.0
2/22/2018 5:00	BDL	Too few samples	Too few samples	BDL	0.2	Too few samples	7.0	1.0
2/22/2018 6:00	BDL	Calibration	Calibration	6.6	0.3	2.3	9.0	2.0
2/22/2018 7:00	BDL	0.4	BDL	13.0	0.3	2.3	20.0	1.0
2/22/2018 8:00	BDL	0.8	BDL	12.3	0.3	2.3	9.0	1.0
2/22/2018 9:00	BDL	0.6	BDL	14.4	0.3	2.3	9.0	4.0
2/22/2018 10:00	BDL	0.6	BDL	11.2	0.3	2.3	14.0	3.0
2/22/2018 11:00	BDL	1.0	BDL	25.2	0.3	2.4	12.0	2.0
2/22/2018 12:00	BDL	1.7	0.5	28.1	0.3	2.3	14.0	3.0
2/22/2018 13:00	BDL	0.7	BDL	9.0	0.2	2.3	16.0	7.0
2/22/2018 14:00	BDL	0.5	BDL	8.7	0.2	2.3	20.0	5.0
2/22/2018 15:00	BDL	0.4	BDL	5.8	0.2	2.3	22.0	7.0
2/22/2018 16:00	BDL	0.5	BDL	10.6	0.2	2.3	13.0	6.0
2/22/2018 17:00	BDL	0.7	BDL	11.2	0.3	2.3	9.0	3.0
2/22/2018 18:00	BDL	0.7	BDL	12.0	0.3	2.4	8.0	7.0
2/22/2018 19:00	BDL	0.8	BDL	15.4	0.3	2.4	5.0	8.0
2/22/2018 20:00	BDL	0.7	BDL	12.2	0.3	2.3	10.0	6.0
2/22/2018 21:00	BDL	0.4	BDL	3.2	0.2	2.3	9.0	8.0
2/22/2018 22:00	BDL	0.4	BDL	1.9	0.2	2.3	9.0	5.0
2/22/2018 23:00	BDL	BDL	BDL	1.7	0.2	2.3	7.0	4.0
2/23/2018 0:00	BDL	0.5	BDL	11.9	0.2	2.4	10.0	6.0
2/23/2018 1:00	BDL	BDL	BDL	BDL	0.2	2.3	9.0	4.0
2/23/2018 2:00	BDL	Calibration	Calibration	BDL	0.1	2.3	15.0	8.0
2/23/2018 3:00	BDL	Calibration	Calibration	0.6	0.1	2.4	14.0	6.0
2/23/2018 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.3	13.0	4.0
2/23/2018 5:00	BDL	0.6	BDL	9.6	0.2	Too few samples	12.0	2.0
2/23/2018 6:00	BDL	0.7	BDL	17.1	0.2	2.3	17.0	3.0
2/23/2018 7:00	BDL	Calibration	Calibration	12.5	0.2	2.3	16.0	5.0
2/23/2018 8:00	BDL	Calibration	Calibration	21.3	0.3	2.3	16.0	5.0
2/23/2018 9:00	BDL	0.7	BDL	20.2	0.3	2.3	10.0	4.0
2/23/2018 10:00	BDL	1.0	BDL	22.3	0.3	2.3	9.0	8.0
2/23/2018 11:00	BDL	1.1	BDL	25.3	0.3	2.3	10.0	6.0
2/23/2018 12:00	BDL	0.8	BDL	13.8	0.3	2.3	8.0	3.0
2/23/2018 13:00	BDL	0.9	BDL	16.4	0.3	2.3	6.0	1.0
2/23/2018 14:00	BDL	0.7	BDL	14.2	0.3	2.4	9.0	4.0
2/23/2018 15:00	BDL	0.8	BDL	19.4	0.3	2.3	11.0	6.0
2/23/2018 16:00	BDL	0.9	BDL	15.5	0.3	2.4	15.0	5.0
2/23/2018 17:00	BDL	0.9	0.4	21.6	0.4	2.4	9.0	6.0
2/23/2018 18:00	BDL	0.9	0.4	15.5	0.4	2.4	13.0	4.0
2/23/2018 19:00	BDL	0.8	0.4	11.4	0.3	2.4	10.0	7.0
2/23/2018 20:00	BDL	0.7	BDL	12.7	0.3	2.6	17.0	7.0
2/23/2018 21:00	BDL	0.8	0.4	8.3	0.2	2.6	10.0	8.0
2/23/2018 22:00	BDL	0.9	0.6	5.4	0.2	2.5	13.0	9.0
2/23/2018 23:00	BDL	0.8	0.6	2.0	0.2	2.6	13.0	6.0
2/24/2018 0:00	0.4	0.6	0.4	1.0	0.2	2.4	17.0	7.0
2/24/2018 1:00	1.0	0.7	0.4	2.6	0.2	2.4	8.0	8.0
2/24/2018 2:00	4.8	Calibration	Calibration	5.0	0.2	2.3	16.0	11.0
2/24/2018 3:00	5.3	Calibration	Calibration	2.4	0.2	2.4	16.0	16.0
2/24/2018 4:00	Calibration	0.5	0.4	Calibration	Calibration	2.5	11.0	6.0
2/24/2018 5:00	BDL	0.7	0.6	BDL	0.2	Too few samples	11.0	7.0
2/24/2018 6:00	BDL	0.6	0.5	1.2	0.3	2.4	13.0	12.0
2/24/2018 7:00	BDL	0.8	0.5	8.7	0.3	2.6	18.0	16.0
2/24/2018 8:00	BDL	1.1	0.6	20.7	0.4	2.5	24.0	14.0
2/24/2018 9:00	BDL	1.2	0.6	23.4	0.4	2.5	25.0	19.0
2/24/2018 10:00	BDL	1.4	0.7	26.0	0.4	2.6	36.0	24.0
2/24/2018 11:00	0.5	1.7	0.8	36.2	0.4	2.5	33.0	19.0
2/24/2018 12:00	0.7	1.7	0.9	37.9	0.4	2.6	30.0	23.0
2/24/2018 13:00	0.6	2.0	0.9	45.1	0.6	3.0	31.0	23.0
2/24/2018 14:00	0.4	2.3	1.0	56.5	0.7	2.6	26.0	19.0
2/24/2018 15:00	BDL	1.3	0.6	23.9	0.5	2.5	17.0	13.0
2/24/2018 16:00	BDL	0.9	0.4	12.0	0.4	2.4	14.0	12.0
2/24/2018 17:00	BDL	0.8	0.5	10.5	0.4	2.3	13.0	9.0
2/24/2018 18:00	BDL	0.8	0.4	8.7	0.4	2.2	12.0	9.0
2/24/2018 19:00	BDL	0.7	BDL	8.1	0.4	2.3	14.0	9.0
2/24/2018 20:00	BDL	0.8	0.4	10.2	0.4	2.3	17.0	9.0
2/24/2018 21:00	BDL	0.8	0.4	7.4	0.4	2.4	17.0	9.0
2/24/2018 22:00	BDL	0.7	0.4	9.3	0.4	2.4	14.0	7.0
2/24/2018 23:00	BDL	0.8	BDL	12.9	0.3	2.5	17.0	9.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Site Downwind Weekly: 2/25/2018-3/3/2018

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
2/25/2018 0:00	BDL	0.8	0.5	9.6	0.4	2.5	15.0	11.0
2/25/2018 1:00	BDL	0.8	0.4	11.6	0.3	2.5	15.0	10.0
2/25/2018 2:00	BDL	Calibration	Calibration	3.0	0.3	2.4	14.0	9.0
2/25/2018 3:00	BDL	Calibration	Calibration	BDL	0.2	2.5	7.0	5.0
2/25/2018 4:00	Calibration	0.5	0.5	Calibration	Calibration	2.3	5.0	2.0
2/25/2018 5:00	BDL	0.5	0.4	BDL	0.2	2.4	6.0	4.0
2/25/2018 6:00	BDL	0.5	0.4	BDL	0.2	2.3	6.0	2.0
2/25/2018 7:00	BDL	0.5	BDL	2.0	0.3	2.3	5.0	4.0
2/25/2018 8:00	BDL	0.6	BDL	3.4	0.3	2.4	6.0	2.0
2/25/2018 9:00	BDL	0.6	0.4	3.8	0.3	2.4	7.0	4.0
2/25/2018 10:00	BDL	0.6	0.4	6.2	0.3	2.3	6.0	6.0
2/25/2018 11:00	BDL	0.8	0.5	6.1	0.3	2.4	5.0	4.0
2/25/2018 12:00	BDL	0.7	0.4	4.1	0.3	2.6	5.0	2.0
2/25/2018 13:00	BDL	0.6	0.4	4.5	0.3	2.4	4.0	8.0
2/25/2018 14:00	BDL	0.7	0.4	5.1	0.3	2.2	8.0	7.0
2/25/2018 15:00	BDL	0.8	0.4	6.2	0.3	2.3	12.0	6.0
2/25/2018 16:00	BDL	0.8	0.4	8.4	0.4	2.2	9.0	6.0
2/25/2018 17:00	BDL	0.8	0.5	8.7	0.4	2.3	10.0	11.0
2/25/2018 18:00	BDL	1.1	0.5	18.9	0.5	2.3	22.0	13.0
2/25/2018 19:00	BDL	1.1	0.6	15.3	0.4	2.4	14.0	11.0
2/25/2018 20:00	BDL	0.9	0.5	9.8	0.4	2.6	20.0	9.0
2/25/2018 21:00	BDL	1.0	0.5	17.4	0.4	2.5	22.0	13.0
2/25/2018 22:00	BDL	0.9	0.5	11.7	0.4	2.8	15.0	12.0
2/25/2018 23:00	BDL	1.3	0.8	24.7	0.5	2.5	20.0	10.0
2/26/2018 0:00	BDL	1.3	0.6	25.0	0.5	2.4	22.0	12.0
2/26/2018 1:00	BDL	1.2	0.6	20.7	0.4	2.7	25.0	12.0
2/26/2018 2:00	BDL	Calibration	Calibration	11.6	0.3	3.0	22.0	19.0
2/26/2018 3:00	BDL	Calibration	Calibration	0.9	0.3	2.5	18.0	12.0
2/26/2018 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.6	17.0	16.0
2/26/2018 5:00	BDL	BDL	BDL	8.8	0.3	Too few samples	20.0	17.0
2/26/2018 6:00	BDL	BDL	BDL	13.8	0.3	2.6	22.0	14.0
2/26/2018 7:00	BDL	BDL	BDL	17.3	0.3	2.7	12.0	14.0
2/26/2018 8:00	BDL	BDL	BDL	21.1	0.3	2.8	18.0	8.0
2/26/2018 9:00	BDL	BDL	BDL	4.6	0.2	2.5	13.0	6.0
2/26/2018 10:00	BDL	BDL	BDL	1.9	0.2	2.4	35.0	5.0
2/26/2018 11:00	BDL	BDL	BDL	BDL	0.2	2.3	9.0	1.0
2/26/2018 12:00	BDL	BDL	BDL	BDL	0.1	2.4	16.0	BDL
2/26/2018 13:00	BDL	BDL	BDL	BDL	0.1	2.4	10.0	4.0
2/26/2018 14:00	BDL	BDL	BDL	BDL	0.1	2.3	7.0	4.0
2/26/2018 15:00	BDL	BDL	BDL	BDL	0.1	2.4	10.0	4.0
2/26/2018 16:00	BDL	BDL	BDL	BDL	0.1	2.4	12.0	1.0
2/26/2018 17:00	BDL	BDL	BDL	BDL	0.1	2.4	15.0	3.0
2/26/2018 18:00	BDL	BDL	BDL	3.7	0.2	2.5	12.0	8.0
2/26/2018 19:00	BDL	BDL	BDL	2.9	0.2	2.4	24.0	10.0
2/26/2018 20:00	BDL	BDL	BDL	6.3	0.2	2.6	19.0	9.0
2/26/2018 21:00	BDL	BDL	BDL	18.6	0.4	2.9	20.0	5.0
2/26/2018 22:00	BDL	BDL	BDL	42.6	0.6	3.4	24.0	10.0
2/26/2018 23:00	BDL	BDL	BDL	21.3	0.4	2.8	14.0	12.0
2/27/2018 0:00	BDL	BDL	BDL	45.9	0.5	3.4	17.0	10.0
2/27/2018 1:00	BDL	BDL	BDL	27.0	0.3	3.1	13.0	10.0
2/27/2018 2:00	BDL	Calibration	Calibration	12.5	0.2	2.6	17.0	6.0
2/27/2018 3:00	BDL	Calibration	Calibration	12.7	0.2	2.9	13.0	6.0
2/27/2018 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.7	20.0	6.0
2/27/2018 5:00	BDL	Calibration	Calibration	43.2	0.4	3.3	18.0	5.0
2/27/2018 6:00	BDL	Calibration	Calibration	66.5	0.5	3.4	12.0	6.0
2/27/2018 7:00	0.9	Too few samples	Too few samples	96.2	0.7	4.1	28.0	13.0
2/27/2018 8:00	BDL	Calibration	Calibration	47.8	0.4	3.0	20.0	10.0
2/27/2018 9:00	BDL	Calibration	Too few samples	24.3	0.3	2.7	18.0	6.0
2/27/2018 10:00	0.8	Maintenance	Maintenance	30.7	0.3	2.5	21.0	9.0
2/27/2018 11:00	0.5	Maintenance	Maintenance	22.3	0.2	2.3	16.0	7.0
2/27/2018 12:00	BDL	Too few samples	Too few samples	BDL	0.2	2.4	17.0	6.0
2/27/2018 13:00	0.4	BDL	BDL	BDL	0.2	2.4	15.0	5.0
2/27/2018 14:00	0.8	BDL	BDL	BDL	0.1	2.4	14.0	6.0
2/27/2018 15:00	0.8	BDL	BDL	0.6	0.2	2.4	12.0	7.0
2/27/2018 16:00	3.2	BDL	BDL	1.0	0.1	2.4	14.0	5.0
2/27/2018 17:00	BDL	BDL	BDL	BDL	0.2	2.6	12.0	5.0
2/27/2018 18:00	BDL	BDL	BDL	7.1	0.2	2.6	13.0	5.0
2/27/2018 19:00	1.0	BDL	BDL	12.3	0.2	2.6	17.0	8.0
2/27/2018 20:00	BDL	BDL	BDL	2.4	0.2	2.5	14.0	5.0
2/27/2018 21:00	BDL	BDL	BDL	11.0	0.3	2.2	16.0	2.0
2/27/2018 22:00	BDL	BDL	BDL	3.6	0.2	2.3	16.0	3.0
2/27/2018 23:00	BDL	BDL	BDL	BDL	0.1	2.6	9.0	6.0
2/28/2018 0:00	BDL	BDL	BDL	5.3	0.2	2.5	9.0	6.0
2/28/2018 1:00	BDL	BDL	BDL	BDL	0.1	2.6	8.0	3.0
2/28/2018 2:00	BDL	Calibration	Calibration	BDL	0.1	2.7	12.0	5.0
2/28/2018 3:00	BDL	Calibration	Calibration	5.0	0.1	2.8	14.0	6.0
2/28/2018 4:00	Calibration	BDL	0.5	Calibration	Calibration	2.6	13.0	4.0
2/28/2018 5:00	BDL	0.8	0.7	21.5	0.3	Too few samples	16.0	5.0
2/28/2018 6:00	BDL	1.9	1.0	43.9	0.3	2.5	62.0	8.0
2/28/2018 7:00	BDL	Audit	Audit	15.4	0.2	2.6	39.0	9.0
2/28/2018 8:00	Calibration	1.2	2.6	Calibration	Calibration	2.7	29.0	8.0
2/28/2018 9:00	BDL	BDL	BDL	Calibration	0.2	Too few samples	19.0	6.0
2/28/2018 10:00	BDL	BDL	BDL	BDL	0.2	2.5	25.0	6.0
2/28/2018 11:00	1.9	BDL	BDL	1.9	0.2	2.4	29.0	11.0
2/28/2018 12:00	0.8	BDL	BDL	BDL	0.2	2.4	16.0	11.0
2/28/2018 13:00	2.6	Calibration	Calibration	BDL	0.2	2.5	32.0	8.0
2/28/2018 14:00	0.7	Calibration	Calibration	BDL	0.2	2.5	21.0	7.0
2/28/2018 15:00	0.6	BDL	BDL	BDL	0.2	2.5	17.0	4.0
2/28/2018 16:00	1.0	BDL	BDL	1.5	0.3	2.5	16.0	4.0
2/28/2018 17:00	0.4	BDL	BDL	3.5	0.3	2.5	13.0	7.0
2/28/2018 18:00	0.4	BDL	BDL	11.6	0.3	2.5	16.0	8.0
2/28/2018 19:00	BDL	BDL	BDL	15.9	0.3	2.4	21.0	7.0
2/28/2018 20:00	BDL	BDL	BDL	9.5	0.3	2.5	18.0	10.0
2/28/2018 21:00	BDL	BDL	0.6	8.3	0.2	2.5	19.0	8.0
2/28/2018 22:00	BDL	BDL	0.5	7.5	0.2	2.6	18.0	10.0
2/28/2018 23:00	BDL	BDL	0.4	6.5	0.2	2.8	19.0	13.0
3/1/2018 0:00	BDL	BDL	0.4	6.8	0.2	3.0	21.0	14.0
3/1/2018 1:00	0.4	BDL	BDL	12.8	0.3	2.8	30.0	16.0
3/1/2018 2:00	BDL	Calibration	Calibration	16.8	0.3	2.9	19.0	10.0
3/1/2018 3:00	BDL	Calibration	Calibration	29.8	0.4	3.5	23.0	13.0
3/1/2018 4:00	Calibration	1.2	0.6	Calibration	Calibration	3.9	44.0	18.0
3/1/2018 5:00	0.6	2.3	1.0	64.3	0.5	Too few samples	29.0	17.0
3/1/2018 6:00	0.7	2.3	1.1	67.7	0.5	2.8	39.0	12.0
3/1/2018 7:00	0.4	2.1	0.8	55.5	0.5	3.6	44.0	17.0
3/1/2018 8:00	1.6	3.2	1.6	91.3	0.7	2.9	46.0	19.0
3/1/2018 9:00	1.9	3.7	1.9	107.3	0.7	2.8	55.0	26.0
3/1/2018 10:00	1.2	1.4	0.7	50.1	0.5	2.5	36.0	13.0
3/1/2018 11:00	1.3	1.1	0.8	47.8	0.4	2.4	41.0	17.0
3/1/2018 12:00	0.9	0.9	0.6	30.1	0.4	2.3	33.0	14.0
3/1/2018 13:00	0.7	0.5	0.5	17.2	0.4	2.3	27.0	10.0
3/1/2018 14:00	0.4	0.4	0.5	17.4	0.4	2.2	23.0	9.0
3/1/2018 15:00	0.6	0.7	0.7	40.8	0.4	2.2	25.0	9.0
3/1/2018 16:00	BDL	1.1	0.7	33.4	0.4	2.3	21.0	12.0
3/1/2018 17:00	BDL	BDL	0.5	16.8	0.4	2.2	16.0	9.0
3/1/2018 18:00	BDL	BDL	BDL	8.0	0.3	2.3	23.0	9.0
3/1/2018 19:00	BDL	BDL	0.4	6.5	0.3	2.4	21.0	15.0
3/1/2018 20:00	BDL	0.4	0.7	14.5	0.3	2.4	17.0	15.0
3/1/2018 21:00	BDL	BDL	0.6	6.4	0.3	2.4	21.0	11.0
3/1/2018 22:00	BDL	BDL	0.6	15.1	0.3	2.7	17.0	10.0
3/1/2018 23:00	BDL	BDL	0.6	11.4	0.3	2.6	14.0	10.0
3/2/2018 0:00	BDL	BDL	0.5	3.7	0.2	2.5	11.0	9.0
3/2/2018 1:00	BDL	BDL	0.5	3.2	0.2	2.4	9.0	5.0
3/2/2018 2:00	BDL	Calibration	Calibration	3.1	0.2	2.5	5.0	3.0
3/2/2018 3:00	BDL	Calibration	Calibration	BDL	0.2	2.5	7.0	3.0
3/2/2018 4:00	Calibration	BDL	0.5	Calibration	Calibration	2.4	7.0	2.0
3/2/2018 5:00	BDL	BDL	0.4	BDL	0.2	Too few samples	9.0	1.0
3/2/2018 6:00	BDL	BDL	BDL	BDL	0.2	2.3	9.0	3.0
3/2/2018 7:00	BDL	BDL	0.4	BDL	0.2	2.4	5.0	2.0
3/2/2018 8:00	BDL	BDL	BDL	BDL	0.2	2.4	3.0	BDL
3/2/2018 9:00	BDL	BDL	BDL	BDL	0.2	2.6	3.0	4.0
3/2/2018 10:00	BDL	BDL	BDL	BDL	0.2	2.5	1.0	3.0
3/2/2018 11:00	BDL	BDL	BDL	BDL	0.2	2.5	BDL	BDL
3/2/2018 12:00	BDL	BDL	BDL	BDL	0.2	2.5	2.0	BDL
3/2/2018 13:00	BDL	BDL	BDL	BDL	0.2	Too few samples	2.0	1.0
3/2/2018 14:00	BDL	BDL	BDL	BDL	0.2	2.9	4.0	2.0
3/2/2018 15:00	BDL	BDL	BDL	BDL	0.2	2.9	4.0	2.0
3/2/2018 16:00	BDL	BDL	BDL	BDL	0.1	2.9	5.0	5.0
3/2/2018 17:00	BDL	BDL	BDL	BDL	0.2	2.9	4.0	3.0
3/2/2018 18:00	BDL	BDL	BDL	BDL	0.1	3.0	5.0	BDL
3/2/2018 19:00	BDL	BDL	BDL	BDL	0.1	3.0	7.0	5.0
3/2/2018 20:00	BDL	BDL	BDL	BDL	0.1	3.0	6.0	4.0
3/2/2018 21:00	BDL	BDL	BDL	BDL	0.1	3.0	6.0	4.0
3/2/2018 22:00	BDL	BDL	BDL	BDL	0.1	3.0	7.0	4.0
3/2/2018 23:00	BDL	BDL	BDL	BDL	0.1	2.9	6.0	3.0
3/3/2018 0:00	BDL	BDL	BDL	BDL	0.1	2.7	5.0	2.0
3/3/2018 1:00	BDL	BDL	BDL	BDL	0.1	2.6	3.0	1.0
3/3/2018 2:00	BDL	Calibration	Calibration	BDL	0.1	2.7	5.0	2.0
3/3/2018 3:00	BDL	Calibration	Calibration	BDL	0.1	2.7	6.0	5.0
3/3/2018 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.8	5.0	4.0
3/3/2018 5:00	BDL	BDL	BDL	BDL	0.1	Too few samples	3.0	3.0
3/3/2018 6:00	BDL	BDL	BDL	BDL	0.1	2.7	6.0	2.0
3/3/2018 7:00	BDL	BDL	BDL	BDL	0.1	2.5	5.0	5.0
3/3/2018 8:00	BDL	BDL	BDL	BDL	0.2	2.3	3.0	2.0
3/3/2018 9:00	BDL	BDL	BDL	BDL	0.2	2.4	9.0	BDL
3/3/2018 10:00	BDL	BDL	BDL	BDL	0.2	2.4	10.0	BDL
3/3/2018 11:00	BDL	BDL	BDL	BDL	0.2	2.4	12.0	2.0
3/3/2018 12:00	BDL	BDL	BDL	BDL	0.2	2.4	12.0	3.0
3/3/2018 13:00	BDL	BDL	BDL	BDL	0.1	2.6	8.0	5.0
3/3/2018 14:00	BDL	BDL	BDL	BDL	0.1	2.6	8.0	4.0
3/3/2018 15:00	BDL	BDL	BDL	BDL	0.1	2.7	14.0	3.0
3/3/2018 16:00	BDL	BDL	BDL	BDL	0.2	2.4	9.0	BDL
3/3/2018 17:00	BDL	BDL	BDL	BDL	0.1	2.5	8.0	2.0
3/3/2018 18:00	BDL	BDL	BDL	BDL	0.1	2.5	7.0	4.0
3/3/2018 19:00	BDL	BDL	BDL	BDL	0.1	2.6	8.0	1.0
3/3/2018 20:00	BDL	BDL	BDL	BDL	0.2	2.5	7.0	3.0
3/3/2018 21:00	BDL	BDL	BDL	BDL	0.1	2.5	10.0	5.0
3/3/2018 22:00	BDL	BDL	BDL	BDL	0.2	2.5	8.0	5.0
3/3/2018 23:00	BDL	BDL	BDL	BDL	0.2	2.6	9.0	3.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 3/4/2018-3/10/2018								
3/4/2018 0:00	BDL	BDL	BDL	BDL	0.1	2.7	6.0	2.0
3/4/2018 1:00	BDL	BDL	BDL	BDL	0.1	2.6	5.0	2.0
3/4/2018 2:00	BDL	Calibration	Calibration	BDL	0.1	2.6	10.0	1.0
3/4/2018 3:00	BDL	Calibration	Calibration	BDL	0.1	2.7	6.0	1.0
3/4/2018 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.7	2.0	1.0
3/4/2018 5:00	BDL	BDL	BDL	BDL	0.1	2.6	9.0	1.0
3/4/2018 6:00	BDL	BDL	BDL	BDL	0.1	2.7	10.0	2.0
3/4/2018 7:00	BDL	BDL	BDL	BDL	0.1	2.7	10.0	2.0
3/4/2018 8:00	BDL	BDL	BDL	BDL	0.1	2.4	7.0	3.0
3/4/2018 9:00	BDL	BDL	BDL	BDL	0.1	2.4	5.0	3.0
3/4/2018 10:00	BDL	BDL	BDL	BDL	0.1	2.4	5.0	2.0
3/4/2018 11:00	BDL	BDL	BDL	BDL	0.1	2.4	8.0	1.0
3/4/2018 12:00	BDL	BDL	BDL	BDL	0.1	2.3	10.0	3.0
3/4/2018 13:00	BDL	BDL	BDL	BDL	0.1	2.4	9.0	3.0
3/4/2018 14:00	BDL	BDL	BDL	BDL	0.1	2.4	11.0	2.0
3/4/2018 15:00	BDL	BDL	BDL	BDL	0.1	2.4	11.0	2.0
3/4/2018 16:00	BDL	BDL	BDL	BDL	0.1	2.5	6.0	1.0
3/4/2018 17:00	BDL	BDL	BDL	BDL	0.1	2.4	13.0	1.0
3/4/2018 18:00	BDL	BDL	BDL	BDL	0.1	2.3	11.0	3.0
3/4/2018 19:00	BDL	BDL	BDL	BDL	0.1	2.3	8.0	2.0
3/4/2018 20:00	BDL	BDL	BDL	BDL	0.1	2.4	7.0	1.0
3/4/2018 21:00	BDL	BDL	BDL	BDL	0.1	2.4	7.0	1.0
3/4/2018 22:00	BDL	BDL	BDL	BDL	0.1	2.6	5.0	4.0
3/4/2018 23:00	BDL	BDL	BDL	BDL	0.1	2.4	4.0	4.0
3/5/2018 0:00	BDL	BDL	BDL	BDL	0.1	2.5	6.0	4.0
3/5/2018 1:00	BDL	BDL	BDL	BDL	0.1	2.5	5.0	5.0
3/5/2018 2:00	BDL	Calibration	Calibration	BDL	0.1	2.6	7.0	5.0
3/5/2018 3:00	BDL	Calibration	Calibration	BDL	0.1	2.4	8.0	3.0
3/5/2018 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.4	7.0	4.0
3/5/2018 5:00	BDL	BDL	BDL	BDL	0.1	Too few samples	6.0	3.0
3/5/2018 6:00	BDL	BDL	BDL	BDL	0.1	2.5	10.0	2.0
3/5/2018 7:00	BDL	BDL	BDL	3.7	0.2	2.4	20.0	7.0
3/5/2018 8:00	BDL	Calibration	Calibration	2.5	0.2	2.6	16.0	5.0
3/5/2018 9:00	BDL	Calibration	Calibration	1.4	0.2	2.5	8.0	1.0
3/5/2018 10:00	BDL	BDL	BDL	BDL	0.1	2.6	9.0	BDL
3/5/2018 11:00	BDL	BDL	BDL	BDL	0.1	2.6	14.0	2.0
3/5/2018 12:00	BDL	BDL	BDL	BDL	0.1	2.4	11.0	2.0
3/5/2018 13:00	BDL	BDL	BDL	BDL	0.1	2.7	15.0	BDL
3/5/2018 14:00	BDL	BDL	BDL	BDL	0.2	2.5	18.0	BDL
3/5/2018 15:00	BDL	BDL	BDL	BDL	0.2	2.3	14.0	2.0
3/5/2018 16:00	BDL	BDL	BDL	0.5	0.2	2.3	12.0	1.0
3/5/2018 17:00	BDL	BDL	BDL	BDL	0.2	2.4	12.0	3.0
3/5/2018 18:00	BDL	BDL	BDL	BDL	0.2	2.4	13.0	4.0
3/5/2018 19:00	BDL	BDL	BDL	0.8	0.2	2.4	12.0	4.0
3/5/2018 20:00	BDL	BDL	BDL	2.1	0.2	2.3	13.0	3.0
3/5/2018 21:00	BDL	BDL	BDL	BDL	0.2	2.3	13.0	4.0
3/5/2018 22:00	BDL	BDL	BDL	0.4	0.2	2.2	13.0	4.0
3/5/2018 23:00	BDL	BDL	BDL	BDL	0.2	2.4	11.0	3.0
3/6/2018 0:00	BDL	BDL	BDL	7.5	0.2	2.7	11.0	2.0
3/6/2018 1:00	BDL	BDL	BDL	13.1	0.2	2.8	14.0	5.0
3/6/2018 2:00	BDL	Calibration	Calibration	4.5	0.2	2.4	9.0	5.0
3/6/2018 3:00	BDL	Calibration	Calibration	0.8	0.2	2.5	10.0	5.0
3/6/2018 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.6	14.0	5.0
3/6/2018 5:00	BDL	BDL	BDL	22.8	0.2	Too few samples	17.0	5.0
3/6/2018 6:00	BDL	BDL	BDL	23.2	0.3	2.4	14.0	6.0
3/6/2018 7:00	BDL	BDL	BDL	34.1	0.4	2.4	28.0	8.0
3/6/2018 8:00	BDL	BDL	BDL	31.2	0.4	2.3	24.0	7.0
3/6/2018 9:00	BDL	BDL	BDL	28.7	0.3	2.3	22.0	7.0
3/6/2018 10:00	BDL	BDL	BDL	13.3	0.2	2.3	21.0	9.0
3/6/2018 11:00	BDL	BDL	BDL	6.0	0.2	2.2	17.0	7.0
3/6/2018 12:00	BDL	BDL	BDL	BDL	0.2	2.2	17.0	4.0
3/6/2018 13:00	BDL	BDL	BDL	BDL	0.1	2.2	12.0	4.0
3/6/2018 14:00	BDL	BDL	BDL	BDL	0.2	2.3	17.0	4.0
3/6/2018 15:00	BDL	BDL	BDL	BDL	0.2	2.3	9.0	5.0
3/6/2018 16:00	BDL	BDL	BDL	BDL	0.2	2.4	10.0	5.0
3/6/2018 17:00	BDL	BDL	BDL	BDL	0.2	2.4	19.0	5.0
3/6/2018 18:00	BDL	BDL	BDL	BDL	0.2	2.2	24.0	2.0
3/6/2018 19:00	BDL	BDL	BDL	2.0	0.2	2.2	12.0	3.0
3/6/2018 20:00	BDL	BDL	BDL	BDL	0.2	2.1	16.0	3.0
3/6/2018 21:00	BDL	BDL	BDL	6.8	0.2	2.2	15.0	4.0
3/6/2018 22:00	BDL	BDL	BDL	BDL	0.2	2.2	16.0	6.0
3/6/2018 23:00	BDL	BDL	BDL	BDL	0.2	2.3	10.0	7.0
3/7/2018 0:00	BDL	BDL	BDL	15.1	0.3	2.5	11.0	7.0
3/7/2018 1:00	BDL	BDL	BDL	13.9	0.3	2.4	7.0	4.0
3/7/2018 2:00	BDL	Calibration	Calibration	9.7	0.2	2.4	7.0	5.0
3/7/2018 3:00	BDL	Calibration	Calibration	1.2	0.2	2.3	5.0	5.0
3/7/2018 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.2	9.0	3.0
3/7/2018 5:00	BDL	BDL	BDL	4.3	0.2	Too few samples	9.0	3.0
3/7/2018 6:00	BDL	BDL	BDL	8.0	0.2	2.2	6.0	3.0
3/7/2018 7:00	BDL	BDL	BDL	13.3	0.2	2.3	8.0	1.0
3/7/2018 8:00	BDL	BDL	BDL	11.8	0.2	2.2	6.0	BDL
3/7/2018 9:00	BDL	BDL	0.4	15.1	0.2	2.2	4.0	2.0
3/7/2018 10:00	BDL	BDL	BDL	8.7	0.2	2.2	7.0	2.0
3/7/2018 11:00	BDL	BDL	BDL	9.0	0.2	2.3	8.0	3.0
3/7/2018 12:00	BDL	BDL	0.4	13.9	0.3	2.3	6.0	2.0
3/7/2018 13:00	BDL	BDL	BDL	8.0	0.2	2.4	6.0	2.0
3/7/2018 14:00	BDL	BDL	BDL	4.1	0.2	2.2	3.0	2.0
3/7/2018 15:00	BDL	BDL	BDL	4.7	0.2	2.3	5.0	3.0
3/7/2018 16:00	BDL	BDL	BDL	3.3	0.2	2.3	7.0	5.0
3/7/2018 17:00	BDL	BDL	BDL	4.4	0.2	2.4	7.0	6.0
3/7/2018 18:00	BDL	BDL	BDL	1.6	0.2	2.4	9.0	4.0
3/7/2018 19:00	BDL	BDL	BDL	1.7	0.2	2.4	8.0	4.0
3/7/2018 20:00	BDL	BDL	BDL	0.7	0.2	2.3	7.0	4.0
3/7/2018 21:00	BDL	BDL	BDL	0.7	0.2	2.3	6.0	4.0
3/7/2018 22:00	BDL	BDL	BDL	5.7	0.2	2.3	7.0	5.0
3/7/2018 23:00	BDL	BDL	BDL	0.9	0.2	2.3	4.0	3.0
3/8/2018 0:00	BDL	BDL	BDL	5.6	0.2	2.4	10.0	6.0
3/8/2018 1:00	BDL	BDL	BDL	BDL	0.2	2.5	11.0	5.0
3/8/2018 2:00	BDL	Calibration	Calibration	BDL	0.2	2.5	10.0	4.0
3/8/2018 3:00	BDL	Calibration	Calibration	BDL	0.2	2.4	8.0	7.0
3/8/2018 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.4	9.0	6.0
3/8/2018 5:00	BDL	BDL	BDL	BDL	0.2	2.5	11.0	6.0
3/8/2018 6:00	BDL	BDL	BDL	4.3	0.2	2.4	8.0	5.0
3/8/2018 7:00	BDL	BDL	BDL	3.7	0.2	2.4	8.0	5.0
3/8/2018 8:00	BDL	BDL	BDL	BDL	0.2	2.4	6.0	4.0
3/8/2018 9:00	BDL	BDL	BDL	BDL	0.2	2.3	5.0	2.0
3/8/2018 10:00	BDL	BDL	BDL	BDL	0.2	2.4	8.0	3.0
3/8/2018 11:00	BDL	BDL	BDL	BDL	0.1	2.4	9.0	2.0
3/8/2018 12:00	BDL	BDL	BDL	BDL	0.1	2.4	8.0	3.0
3/8/2018 13:00	BDL	BDL	BDL	BDL	0.1	2.4	16.0	9.0
3/8/2018 14:00	0.5	BDL	BDL	BDL	0.1	2.3	14.0	9.0
3/8/2018 15:00	BDL	BDL	BDL	0.4	0.1	2.5	10.0	6.0
3/8/2018 16:00	BDL	BDL	BDL	BDL	0.1	2.4	13.0	6.0
3/8/2018 17:00	BDL	BDL	BDL	BDL	0.1	2.3	9.0	6.0
3/8/2018 18:00	BDL	BDL	BDL	BDL	0.2	2.3	10.0	6.0
3/8/2018 19:00	BDL	BDL	BDL	BDL	0.2	2.3	11.0	6.0
3/8/2018 20:00	BDL	BDL	BDL	BDL	0.2	2.3	14.0	6.0
3/8/2018 21:00	BDL	BDL	BDL	3.4	0.2	2.4	9.0	6.0
3/8/2018 22:00	0.8	BDL	BDL	7.1	0.2	2.4	18.0	14.0
3/8/2018 23:00	1.3	BDL	BDL	5.0	0.2	2.4	13.0	9.0
3/9/2018 0:00	BDL	BDL	BDL	BDL	0.2	2.5	7.0	6.0
3/9/2018 1:00	3.0	BDL	BDL	5.5	0.2	2.3	21.0	12.0
3/9/2018 2:00	2.0	Calibration	Calibration	16.4	0.2	2.5	14.0	10.0
3/9/2018 3:00	0.6	Calibration	Calibration	16.2	0.2	2.5	19.0	12.0
3/9/2018 4:00	Calibration	1.1	1.8	Calibration	Calibration	2.5	15.0	10.0
3/9/2018 5:00	BDL	1.9	2.9	24.1	0.2	Too few samples	13.0	6.0
3/9/2018 6:00	0.9	2.1	2.8	16.5	0.2	2.4	17.0	10.0
3/9/2018 7:00	1.1	BDL	0.4	9.7	0.2	2.5	18.0	6.0
3/9/2018 8:00	0.7	BDL	BDL	6.3	0.2	2.6	14.0	3.0
3/9/2018 9:00	0.6	BDL	BDL	BDL	0.2	2.8	14.0	6.0
3/9/2018 10:00	BDL	BDL	BDL	BDL	0.2	2.8	18.0	5.0
3/9/2018 11:00	BDL	BDL	BDL	BDL	0.2	2.8	16.0	1.0
3/9/2018 12:00	BDL	BDL	BDL	BDL	0.1	2.8	12.0	3.0
3/9/2018 13:00	BDL	BDL	BDL	0.7	0.2	2.8	19.0	5.0
3/9/2018 14:00	BDL	BDL	BDL	1.1	0.2	2.7	18.0	5.0
3/9/2018 15:00	1.6	BDL	BDL	4.0	0.2	2.6	26.0	9.0
3/9/2018 16:00	1.0	BDL	BDL	4.1	0.2	2.7	29.0	10.0
3/9/2018 17:00	BDL	BDL	BDL	2.1	0.2	2.7	16.0	7.0
3/9/2018 18:00	0.5	BDL	BDL	6.0	0.2	2.6	19.0	13.0
3/9/2018 19:00	0.9	BDL	BDL	7.0	0.2	2.5	17.0	8.0
3/9/2018 20:00	2.2	BDL	BDL	6.4	0.2	2.3	13.0	10.0
3/9/2018 21:00	1.8	BDL	BDL	7.3	0.2	2.5	17.0	12.0
3/9/2018 22:00	0.9	BDL	BDL	5.2	0.2	2.6	16.0	13.0
3/9/2018 23:00	BDL	BDL	BDL	3.2	0.2	2.6	20.0	9.0
3/10/2018 0:00	0.4	BDL	BDL	3.6	0.2	2.5	24.0	9.0
3/10/2018 1:00	BDL	BDL	BDL	7.1	0.2	2.7	14.0	7.0
3/10/2018 2:00	0.7	Calibration	Calibration	3.9	0.2	2.4	22.0	13.0
3/10/2018 3:00	2.7	Calibration	Calibration	7.2	0.2	2.5	21.0	12.0
3/10/2018 4:00	Calibration	BDL	0.8	Calibration	Calibration	2.6	18.0	10.0
3/10/2018 5:00	1.6	BDL	0.5	11.9	0.2	2.5	29.0	9.0
3/10/2018 6:00	1.4	BDL	0.7	16.1	0.2	2.6	22.0	15.0
3/10/2018 7:00	2.0	BDL	0.8	18.3	0.2	2.5	23.0	13.0
3/10/2018 8:00	2.5	BDL	0.5	8.9	0.2	2.5	25.0	13.0
3/10/2018 9:00	0.6	BDL	BDL	BDL	0.2	2.7	18.0	11.0
3/10/2018 10:00	1.0	BDL	BDL	BDL	0.2	2.5	20.0	7.0
3/10/2018 11:00	BDL	BDL	BDL	BDL	0.1	2.5	16.0	8.0
3/10/2018 12:00	BDL	BDL	BDL	BDL	0.1	2.5	22.0	15.0
3/10/2018 13:00	0.5	BDL	BDL	0.8	0.1	2.4	16.0	7.0
3/10/2018 14:00	BDL	BDL	BDL	BDL	0.1	2.4	25.0	7.0
3/10/2018 15:00	BDL	BDL	BDL	BDL	0.1	2.4	16.0	7.0
3/10/2018 16:00	BDL	BDL	BDL	BDL	0.1	2.4	12.0	6.0
3/10/2018 17:00	BDL	BDL	BDL	BDL	0.2	2.4	16.0	8.0
3/10/2018 18:00	BDL	BDL	BDL	BDL	0.2	2.4	13.0	7.0
3/10/2018 19:00	BDL	BDL	BDL	0.8	0.2	2.3	13.0	5.0
3/10/2018 20:00	BDL	BDL	BDL	1.4	0.2	2.4	14.0	4.0
3/10/2018 21:00	BDL	BDL	BDL	6.3	0.2	2.6	13.0	5.0
3/10/2018 22:00	BDL	BDL	BDL	7.0	0.2	2.7	14.0	5.0
3/10/2018 23:00	BDL	BDL	BDL	4.0	0.2	2.4	14.0	2.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 3/11/2018-3/17/2018								
3/11/2018 0:00	BDL	BDL	BDL	3.5	0.2	2.4	11.0	3.0
3/11/2018 1:00	BDL	BDL	BDL	6.6	0.2	2.5	12.0	5.0
3/11/2018 2:00	BDL	Calibration	Calibration	10.7	0.3	2.7	9.0	7.0
3/11/2018 3:00	BDL	Calibration	Calibration	8.5	0.2	2.7	9.0	4.0
3/11/2018 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.8	12.0	4.0
3/11/2018 5:00	BDL	BDL	BDL	15.3	0.2	Too few samples	13.0	3.0
3/11/2018 6:00	BDL	BDL	BDL	6.2	0.2	2.7	10.0	2.0
3/11/2018 7:00	BDL	BDL	BDL	1.0	0.2	2.4	10.0	3.0
3/11/2018 8:00	BDL	BDL	BDL	BDL	0.1	2.4	7.0	4.0
3/11/2018 9:00	BDL	BDL	BDL	BDL	0.1	2.4	4.0	4.0
3/11/2018 10:00	BDL	BDL	BDL	BDL	0.1	2.4	7.0	4.0
3/11/2018 11:00	BDL	BDL	BDL	BDL	0.1	2.4	9.0	5.0
3/11/2018 12:00	BDL	BDL	BDL	BDL	0.1	2.3	9.0	2.0
3/11/2018 13:00	BDL	BDL	BDL	BDL	0.1	2.3	7.0	4.0
3/11/2018 14:00	BDL	BDL	BDL	BDL	0.1	2.3	9.0	6.0
3/11/2018 15:00	BDL	BDL	BDL	BDL	0.1	2.3	12.0	5.0
3/11/2018 16:00	BDL	BDL	BDL	BDL	0.1	2.3	11.0	6.0
3/11/2018 17:00	BDL	BDL	BDL	BDL	0.1	2.4	8.0	5.0
3/11/2018 18:00	BDL	BDL	BDL	BDL	0.2	2.4	10.0	3.0
3/11/2018 19:00	BDL	BDL	BDL	2.6	0.3	2.3	17.0	5.0
3/11/2018 20:00	BDL	BDL	BDL	8.8	0.3	2.4	17.0	7.0
3/11/2018 21:00	BDL	BDL	BDL	25.6	0.5	2.6	29.0	6.0
3/11/2018 22:00	BDL	BDL	BDL	14.0	0.3	2.4	21.0	6.0
3/11/2018 23:00	BDL	BDL	BDL	6.5	0.2	2.3	12.0	7.0
3/12/2018 0:00	BDL	BDL	BDL	BDL	0.2	2.3	10.0	5.0
3/12/2018 1:00	BDL	BDL	BDL	BDL	0.2	2.3	8.0	3.0
3/12/2018 2:00	BDL	Calibration	Calibration	BDL	0.2	2.2	8.0	6.0
3/12/2018 3:00	BDL	Calibration	Calibration	5.2	0.2	2.3	13.0	7.0
3/12/2018 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.3	13.0	9.0
3/12/2018 5:00	BDL	BDL	BDL	17.2	0.3	Too few samples	17.0	5.0
3/12/2018 6:00	BDL	BDL	BDL	28.0	0.4	2.3	40.0	4.0
3/12/2018 7:00	BDL	0.4	BDL	36.6	0.4	2.4	32.0	8.0
3/12/2018 8:00	BDL	0.5	BDL	40.1	0.4	2.3	33.0	6.0
3/12/2018 9:00	BDL	BDL	BDL	26.7	0.3	2.3	30.0	7.0
3/12/2018 10:00	BDL	BDL	BDL	29.3	0.3	2.4	29.0	6.0
3/12/2018 11:00	BDL	BDL	BDL	24.2	0.3	2.3	33.0	4.0
3/12/2018 12:00	BDL	BDL	BDL	15.5	0.3	2.3	46.0	6.0
3/12/2018 13:00	BDL	BDL	BDL	12.5	0.3	2.3	35.0	4.0
3/12/2018 14:00	BDL	BDL	BDL	6.6	0.3	2.2	27.0	4.0
3/12/2018 15:00	BDL	BDL	BDL	3.7	0.3	2.2	32.0	4.0
3/12/2018 16:00	BDL	BDL	BDL	6.6	0.2	2.1	15.0	4.0
3/12/2018 17:00	BDL	BDL	BDL	2.0	0.2	2.1	14.0	3.0
3/12/2018 18:00	BDL	BDL	BDL	3.6	0.3	2.2	12.0	2.0
3/12/2018 19:00	BDL	BDL	BDL	6.3	0.3	2.2	12.0	3.0
3/12/2018 20:00	BDL	BDL	BDL	6.8	0.3	2.2	11.0	7.0
3/12/2018 21:00	BDL	BDL	BDL	5.5	0.3	2.4	14.0	8.0
3/12/2018 22:00	BDL	BDL	BDL	5.3	0.3	2.2	17.0	6.0
3/12/2018 23:00	BDL	BDL	BDL	6.2	0.3	2.3	11.0	5.0
3/13/2018 0:00	BDL	BDL	BDL	4.2	0.2	2.2	10.0	8.0
3/13/2018 1:00	BDL	BDL	BDL	BDL	0.2	2.3	7.0	7.0
3/13/2018 2:00	BDL	Calibration	Calibration	BDL	0.2	2.3	8.0	6.0
3/13/2018 3:00	BDL	Calibration	Calibration	BDL	0.2	2.2	10.0	6.0
3/13/2018 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.2	10.0	8.0
3/13/2018 5:00	BDL	BDL	BDL	4.6	0.2	Too few samples	9.0	8.0
3/13/2018 6:00	BDL	Too few samples	Too few samples	3.8	0.2	2.4	4.0	5.0
3/13/2018 7:00	BDL	Calibration	Calibration	1.3	0.2	2.3	8.0	3.0
3/13/2018 8:00	BDL	BDL	BDL	BDL	0.2	2.4	7.0	3.0
3/13/2018 9:00	BDL	BDL	BDL	BDL	0.2	2.4	5.0	4.0
3/13/2018 10:00	BDL	BDL	BDL	BDL	0.2	2.4	9.0	6.0
3/13/2018 11:00	BDL	BDL	BDL	BDL	0.1	2.4	10.0	8.0
3/13/2018 12:00	BDL	BDL	BDL	BDL	0.1	2.4	12.0	6.0
3/13/2018 13:00	BDL	BDL	BDL	BDL	0.2	2.4	16.0	8.0
3/13/2018 14:00	BDL	BDL	BDL	BDL	0.1	2.4	20.0	9.0
3/13/2018 15:00	BDL	BDL	BDL	BDL	0.1	2.3	9.0	7.0
3/13/2018 16:00	BDL	BDL	BDL	BDL	0.1	2.3	15.0	8.0
3/13/2018 17:00	BDL	BDL	BDL	BDL	0.1	2.3	8.0	6.0
3/13/2018 18:00	BDL	BDL	BDL	BDL	0.1	2.4	10.0	5.0
3/13/2018 19:00	BDL	BDL	BDL	3.6	0.2	2.5	11.0	3.0
3/13/2018 20:00	0.4	BDL	BDL	3.4	0.2	2.2	15.0	5.0
3/13/2018 21:00	BDL	BDL	BDL	4.0	0.2	2.5	9.0	6.0
3/13/2018 22:00	1.3	BDL	BDL	3.1	0.2	2.3	21.0	9.0
3/13/2018 23:00	2.1	BDL	BDL	3.3	0.2	2.2	15.0	10.0
3/14/2018 0:00	0.4	BDL	BDL	5.7	0.2	2.4	10.0	6.0
3/14/2018 1:00	2.3	BDL	BDL	3.9	0.2	2.2	18.0	14.0
3/14/2018 2:00	1.1	Calibration	Calibration	4.6	0.2	2.3	14.0	9.0
3/14/2018 3:00	3.0	Calibration	Calibration	5.0	0.2	2.3	18.0	8.0
3/14/2018 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.3	17.0	10.0
3/14/2018 5:00	3.1	0.5	BDL	7.6	0.2	2.8	17.0	9.0
3/14/2018 6:00	2.5	Calibration	Calibration	6.1	0.2	2.3	20.0	8.0
3/14/2018 7:00	2.3	Calibration	Calibration	6.6	0.2	2.3	26.0	7.0
3/14/2018 8:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	2.4	28.0	5.0
3/14/2018 9:00	1.0	1.0	BDL	Calibration	0.1	Too few samples	23.0	4.0
3/14/2018 10:00	BDL	0.7	BDL	BDL	0.1	2.5	29.0	5.0
3/14/2018 11:00	BDL	0.4	BDL	BDL	0.1	2.5	22.0	5.0
3/14/2018 12:00	BDL	BDL	BDL	BDL	0.1	2.4	23.0	5.0
3/14/2018 13:00	1.2	0.9	BDL	4.3	0.2	2.4	25.0	8.0
3/14/2018 14:00	BDL	1.1	BDL	BDL	0.1	2.6	36.0	8.0
3/14/2018 15:00	BDL	0.6	BDL	BDL	0.1	2.6	36.0	6.0
3/14/2018 16:00	BDL	0.9	BDL	BDL	0.2	2.6	24.0	4.0
3/14/2018 17:00	BDL	0.7	BDL	BDL	0.2	2.6	19.0	4.0
3/14/2018 18:00	0.4	1.2	BDL	0.8	0.2	2.7	24.0	6.0
3/14/2018 19:00	0.4	0.9	BDL	1.7	0.2	2.6	13.0	5.0
3/14/2018 20:00	0.5	1.0	BDL	2.8	0.2	2.6	19.0	7.0
3/14/2018 21:00	BDL	BDL	BDL	BDL	0.1	2.6	16.0	8.0
3/14/2018 22:00	BDL	BDL	BDL	BDL	0.2	2.6	13.0	6.0
3/14/2018 23:00	BDL	0.4	BDL	BDL	0.2	2.5	13.0	3.0
3/15/2018 0:00	BDL	0.6	BDL	BDL	0.2	2.5	9.0	7.0
3/15/2018 1:00	BDL	BDL	BDL	BDL	0.1	2.5	8.0	8.0
3/15/2018 2:00	BDL	Calibration	Calibration	BDL	0.1	2.4	16.0	9.0
3/15/2018 3:00	1.9	Calibration	Calibration	4.4	0.2	2.2	19.0	12.0
3/15/2018 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.3	13.0	11.0
3/15/2018 5:00	1.7	Too few samples	Too few samples	8.0	0.2	Too few samples	23.0	17.0
3/15/2018 6:00	1.7	Calibration	Calibration	14.9	0.2	2.7	27.0	14.0
3/15/2018 7:00	2.9	Too few samples	Too few samples	18.7	0.2	2.6	31.0	19.0
3/15/2018 8:00	2.1	3.7	0.6	13.7	0.2	2.4	23.0	12.0
3/15/2018 9:00	1.5	3.3	0.6	5.8	0.2	2.3	22.0	10.0
3/15/2018 10:00	1.0	2.2	0.4	2.7	0.2	2.3	26.0	10.0
3/15/2018 11:00	1.1	1.6	BDL	1.6	0.2	2.2	25.0	10.0
3/15/2018 12:00	1.2	1.6	BDL	4.2	0.2	2.3	39.0	9.0
3/15/2018 13:00	1.8	2.7	0.4	10.2	0.2	2.4	53.0	13.0
3/15/2018 14:00	0.7	2.7	0.4	4.4	0.2	2.2	26.0	14.0
3/15/2018 15:00	BDL	2.5	BDL	3.7	0.2	2.3	25.0	15.0
3/15/2018 16:00	0.4	1.5	BDL	1.0	0.2	2.4	29.0	22.0
3/15/2018 17:00	BDL	1.0	BDL	BDL	0.2	2.4	23.0	14.0
3/15/2018 18:00	BDL	0.5	BDL	BDL	0.2	2.5	23.0	12.0
3/15/2018 19:00	BDL	1.0	BDL	BDL	0.2	2.5	22.0	11.0
3/15/2018 20:00	BDL	0.5	BDL	BDL	0.2	2.4	16.0	11.0
3/15/2018 21:00	BDL	BDL	BDL	BDL	0.2	2.3	13.0	9.0
3/15/2018 22:00	BDL	BDL	BDL	BDL	0.2	2.3	14.0	8.0
3/15/2018 23:00	BDL	0.9	BDL	2.4	0.2	2.5	12.0	11.0
3/16/2018 0:00	0.4	1.3	BDL	1.9	0.2	2.3	16.0	10.0
3/16/2018 1:00	BDL	0.8	BDL	BDL	0.2	2.4	10.0	9.0
3/16/2018 2:00	BDL	Calibration	Calibration	BDL	0.2	2.4	8.0	9.0
3/16/2018 3:00	BDL	Calibration	Calibration	BDL	0.2	2.4	8.0	8.0
3/16/2018 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.5	9.0	6.0
3/16/2018 5:00	BDL	Calibration	Calibration	5.4	0.2	2.4	16.0	7.0
3/16/2018 6:00	BDL	Calibration	Calibration	3.4	0.2	2.3	22.0	8.0
3/16/2018 7:00	BDL	BDL	BDL	1.6	0.2	2.3	Maintenance	8.0
3/16/2018 8:00	BDL	BDL	BDL	BDL	0.1	2.4	Maintenance	Maintenance
3/16/2018 9:00	BDL	BDL	BDL	BDL	0.1	2.4	Maintenance	Maintenance
3/16/2018 10:00	BDL	BDL	BDL	BDL	0.1	2.4	15.0	6.0
3/16/2018 11:00	BDL	BDL	BDL	BDL	0.1	2.4	13.0	4.0
3/16/2018 12:00	BDL	BDL	BDL	BDL	0.1	2.5	34.0	2.0
3/16/2018 13:00	BDL	BDL	BDL	BDL	0.1	2.5	27.0	4.0
3/16/2018 14:00	BDL	BDL	BDL	BDL	0.1	2.5	25.0	7.0
3/16/2018 15:00	BDL	BDL	BDL	BDL	0.1	2.5	15.0	8.0
3/16/2018 16:00	BDL	BDL	BDL	BDL	0.1	2.5	20.0	6.0
3/16/2018 17:00	BDL	BDL	BDL	BDL	0.1	2.4	10.0	4.0
3/16/2018 18:00	BDL	BDL	BDL	BDL	0.1	2.4	11.0	4.0
3/16/2018 19:00	BDL	BDL	BDL	BDL	0.1	2.4	9.0	3.0
3/16/2018 20:00	BDL	BDL	BDL	BDL	0.1	2.6	10.0	4.0
3/16/2018 21:00	BDL	BDL	BDL	BDL	0.1	2.5	11.0	4.0
3/16/2018 22:00	BDL	BDL	BDL	BDL	0.1	2.4	6.0	9.0
3/16/2018 23:00	BDL	BDL	BDL	BDL	0.1	2.3	7.0	8.0
3/17/2018 0:00	BDL	BDL	BDL	BDL	0.1	2.4	8.0	4.0
3/17/2018 1:00	0.8	BDL	BDL	3.4	0.2	2.4	10.0	9.0
3/17/2018 2:00	BDL	Calibration	Calibration	BDL	0.2	2.4	11.0	6.0
3/17/2018 3:00	BDL	Calibration	Calibration	BDL	0.1	2.4	12.0	4.0
3/17/2018 4:00	Calibration	BDL	BDL	Calibration	Calibration	2.4	9.0	6.0
3/17/2018 5:00	BDL	BDL	BDL	BDL	0.2	2.3	6.0	5.0
3/17/2018 6:00	BDL	BDL	BDL	BDL	0.2	2.3	10.0	5.0
3/17/2018 7:00	BDL	BDL	BDL	BDL	0.2	2.4	11.0	6.0
3/17/2018 8:00	BDL	BDL	BDL	BDL	0.1	2.3	9.0	4.0
3/17/2018 9:00	BDL	BDL	BDL	BDL	0.1	2.3	10.0	4.0
3/17/2018 10:00	1.5	BDL	BDL	BDL	0.1	2.3	13.0	3.0
3/17/2018 11:00	0.8	BDL	BDL	1.2	0.1	2.4	27.0	3.0
3/17/2018 12:00	1.4	BDL	BDL	3.9	0.1	2.4	22.0	9.0
3/17/2018 13:00	1.1	BDL	BDL	2.7	0.1	2.4	20.0	6.0
3/17/2018 14:00	1.6	BDL	0.4	5.3	0.2	2.4	40.0	7.0
3/17/2018 15:00	1.9	BDL	BDL	3.8	0.2	2.3	17.0	7.0
3/17/2018 16:00	1.6	0.4	0.4	8.1	0.2	2.4	22.0	5.0
3/17/2018 17:00	2.7	0.4	BDL	3.3	0.2	2.2	14.0	8.0
3/17/2018 18:00	2.9	BDL	BDL	3.0	0.2	2.3	21.0	9.0
3/17/2018 19:00	1.4	BDL	BDL	5.6	0.2	2.4	20.0	13.0
3/17/2018 20:00	2.4	BDL	BDL	1.6	0.2	2.2	23.0	17.0
3/17/2018 21:00	0.9	BDL	BDL	4.4	0.2	2.3	19.0	14.0
3/17/2018 22:00	BDL	BDL	BDL	6.2	0.3	2.4	22.0	18.0
3/17/2018 23:00	BDL	0.5	BDL	16.8	0.3	2.6	26.0	23.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 3/18/2018-3/24/2018								
3/18/2018 0:00	BDL	0.7	BDL	18.6	0.4	2.7	23.0	14.0
3/18/2018 1:00	BDL	1.3	0.4	42.5	0.4	3.1	23.0	13.0
3/18/2018 2:00	BDL	Calibration	Calibration	46.4	0.4	3.0	22.0	15.0
3/18/2018 3:00	BDL	Calibration	Calibration	29.7	0.3	2.9	17.0	12.0
3/18/2018 4:00	Calibration	0.5	BDL	Calibration	Calibration	2.8	18.0	11.0
3/18/2018 5:00	BDL	0.4	BDL	10.0	0.2	Too few samples	18.0	10.0
3/18/2018 6:00	BDL	BDL	BDL	6.8	0.2	2.2	21.0	7.0
3/18/2018 7:00	BDL	BDL	BDL	3.0	0.2	2.2	16.0	6.0
3/18/2018 8:00	BDL	BDL	BDL	BDL	0.2	2.2	14.0	6.0
3/18/2018 9:00	BDL	BDL	BDL	BDL	0.1	2.3	15.0	3.0
3/18/2018 10:00	BDL	BDL	BDL	BDL	0.1	2.2	9.0	1.0
3/18/2018 11:00	BDL	BDL	BDL	BDL	0.1	2.3	8.0	1.0
3/18/2018 12:00	BDL	BDL	BDL	BDL	0.1	2.2	7.0	2.0
3/18/2018 13:00	BDL	BDL	BDL	BDL	0.1	2.1	8.0	3.0
3/18/2018 14:00	BDL	BDL	BDL	BDL	0.1	2.2	11.0	4.0
3/18/2018 15:00	BDL	BDL	BDL	BDL	0.1	2.3	10.0	7.0
3/18/2018 16:00	BDL	BDL	BDL	BDL	0.1	2.2	11.0	5.0
3/18/2018 17:00	BDL	BDL	BDL	BDL	0.1	2.3	7.0	4.0
3/18/2018 18:00	BDL	BDL	BDL	1.4	0.2	2.3	11.0	4.0
3/18/2018 19:00	BDL	0.4	BDL	20.7	0.4	2.5	25.0	7.0
3/18/2018 20:00	BDL	0.6	BDL	18.6	0.5	2.3	20.0	7.0
3/18/2018 21:00	BDL	BDL	BDL	6.3	0.2	2.5	12.0	6.0
3/18/2018 22:00	BDL	0.9	BDL	24.3	0.5	2.5	21.0	13.0
3/18/2018 23:00	BDL	0.8	BDL	18.1	0.3	2.4	24.0	13.0
3/19/2018 0:00	BDL	1.2	0.9	7.6	0.2	2.7	11.0	9.0
3/19/2018 1:00	BDL	0.8	0.6	5.9	0.2	2.6	14.0	6.0
3/19/2018 2:00	0.7	Calibration	Calibration	9.1	0.2	3.0	17.0	12.0
3/19/2018 3:00	BDL	Calibration	Calibration	24.9	0.3	3.1	22.0	12.0
3/19/2018 4:00	Calibration	1.4	0.4	Calibration	Calibration	3.1	28.0	15.0
3/19/2018 5:00	0.8	2.7	1.0	78.8	0.5	3.4	49.0	19.0
3/19/2018 6:00	1.1	3.8	0.8	90.1	0.6	3.7	59.0	18.0
3/19/2018 7:00	1.0	1.8	0.5	40.6	0.4	2.5	37.0	15.0
3/19/2018 8:00	0.6	0.7	BDL	13.6	0.3	2.2	30.0	10.0
3/19/2018 9:00	BDL	BDL	BDL	7.1	0.2	2.2	23.0	6.0
3/19/2018 10:00	BDL	BDL	BDL	3.2	0.2	2.1	21.0	7.0
3/19/2018 11:00	BDL	BDL	BDL	1.3	0.2	2.1	19.0	6.0
3/19/2018 12:00	BDL	BDL	BDL	1.4	0.2	2.1	20.0	4.0
3/19/2018 13:00	BDL	BDL	BDL	BDL	0.2	2.1	26.0	4.0
3/19/2018 14:00	BDL	BDL	BDL	BDL	0.2	2.2	16.0	6.0
3/19/2018 15:00	BDL	BDL	BDL	BDL	0.2	2.3	15.0	6.0
3/19/2018 16:00	BDL	BDL	BDL	1.4	0.2	2.1	18.0	5.0
3/19/2018 17:00	BDL	BDL	BDL	6.5	0.3	2.1	25.0	4.0
3/19/2018 18:00	BDL	BDL	BDL	11.7	0.3	2.1	20.0	7.0
3/19/2018 19:00	BDL	0.5	BDL	18.0	0.4	2.2	24.0	6.0
3/19/2018 20:00	BDL	0.7	BDL	10.4	0.4	2.1	45.0	27.0
3/19/2018 21:00	BDL	0.9	0.5	13.7	0.4	2.1	44.0	31.0
3/19/2018 22:00	BDL	1.3	0.7	25.4	0.4	2.2	39.0	17.0
3/19/2018 23:00	BDL	1.5	0.8	24.6	0.3	2.2	28.0	14.0
3/20/2018 0:00	BDL	1.1	0.5	21.7	0.3	2.3	30.0	16.0
3/20/2018 1:00	BDL	Calibration	Calibration	3.8	0.2	2.2	15.0	6.0
3/20/2018 2:00	BDL	Calibration	Calibration	4.1	0.2	2.2	19.0	4.0
3/20/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.2	16.0	5.0
3/20/2018 4:00	BDL	0.4	BDL	13.9	0.3	Too few samples	23.0	7.0
3/20/2018 5:00	BDL	0.6	BDL	15.7	0.3	2.1	15.0	10.0
3/20/2018 6:00	BDL	0.7	BDL	15.6	0.3	2.1	23.0	6.0
3/20/2018 7:00	BDL	0.8	BDL	19.2	0.3	2.1	30.0	6.0
3/20/2018 8:00	BDL	0.9	0.4	25.8	0.3	2.1	26.0	5.0
3/20/2018 9:00	BDL	0.7	BDL	16.7	0.3	2.1	28.0	4.0
3/20/2018 10:00	BDL	0.8	BDL	15.3	0.3	2.1	42.0	5.0
3/20/2018 11:00	BDL	0.7	BDL	15.1	0.3	2.1	20.0	3.0
3/20/2018 12:00	BDL	0.8	BDL	15.2	0.3	2.1	17.0	1.0
3/20/2018 13:00	BDL	0.8	BDL	21.3	0.3	2.1	21.0	3.0
3/20/2018 14:00	BDL	0.8	BDL	19.9	0.3	2.1	24.0	6.0
3/20/2018 15:00	BDL	1.8	0.4	40.8	0.4	2.2	18.0	6.0
3/20/2018 16:00	BDL	1.4	0.4	31.1	0.4	2.2	20.0	7.0
3/20/2018 17:00	BDL	1.1	0.4	26.6	0.4	2.2	18.0	6.0
3/20/2018 18:00	BDL	0.9	BDL	19.8	0.3	2.2	15.0	7.0
3/20/2018 19:00	BDL	0.9	BDL	19.1	0.3	2.2	15.0	7.0
3/20/2018 20:00	BDL	0.9	0.4	20.6	0.3	2.2	17.0	11.0
3/20/2018 21:00	BDL	1.1	BDL	23.8	0.4	2.3	20.0	7.0
3/20/2018 22:00	BDL	0.9	BDL	21.2	0.3	2.2	17.0	8.0
3/20/2018 23:00	BDL	0.7	BDL	15.6	0.3	2.2	18.0	6.0
3/21/2018 0:00	BDL	0.7	BDL	14.0	0.3	2.2	15.0	8.0
3/21/2018 1:00	BDL	Calibration	Calibration	5.4	0.2	2.1	12.0	7.0
3/21/2018 2:00	BDL	Calibration	Calibration	2.7	0.2	2.1	10.0	4.0
3/21/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.1	19.0	3.0
3/21/2018 4:00	BDL	0.4	BDL	7.4	0.2	2.1	17.0	5.0
3/21/2018 5:00	BDL	0.4	BDL	3.7	0.2	2.0	18.0	4.0
3/21/2018 6:00	BDL	0.4	BDL	6.2	0.2	2.0	16.0	5.0
3/21/2018 7:00	BDL	0.5	BDL	6.5	0.2	2.0	17.0	6.0
3/21/2018 8:00	BDL	0.6	BDL	10.0	0.3	2.0	7.0	5.0
3/21/2018 9:00	BDL	0.7	BDL	10.9	0.3	2.0	15.0	6.0
3/21/2018 10:00	BDL	0.7	BDL	11.1	0.3	2.1	13.0	6.0
3/21/2018 11:00	BDL	0.5	BDL	8.3	0.3	2.1	10.0	3.0
3/21/2018 12:00	BDL	0.5	BDL	5.7	0.2	2.1	8.0	3.0
3/21/2018 13:00	BDL	0.4	BDL	6.5	0.2	2.0	6.0	5.0
3/21/2018 14:00	BDL	0.4	BDL	5.5	0.2	2.0	7.0	3.0
3/21/2018 15:00	BDL	BDL	BDL	2.3	0.2	2.0	8.0	1.0
3/21/2018 16:00	BDL	BDL	BDL	BDL	0.2	2.0	11.0	4.0
3/21/2018 17:00	BDL	BDL	BDL	BDL	0.2	2.0	8.0	3.0
3/21/2018 18:00	BDL	BDL	BDL	BDL	0.2	2.0	8.0	1.0
3/21/2018 19:00	BDL	BDL	BDL	BDL	0.2	2.0	8.0	3.0
3/21/2018 20:00	BDL	BDL	BDL	BDL	0.2	2.0	10.0	6.0
3/21/2018 21:00	BDL	BDL	BDL	BDL	0.2	2.1	11.0	6.0
3/21/2018 22:00	BDL	BDL	BDL	BDL	0.2	2.0	8.0	6.0
3/21/2018 23:00	BDL	BDL	BDL	BDL	0.2	2.1	6.0	3.0
3/22/2018 0:00	BDL	BDL	BDL	0.6	0.2	2.2	10.0	1.0
3/22/2018 1:00	BDL	Calibration	Calibration	4.0	0.2	2.2	12.0	6.0
3/22/2018 2:00	BDL	Calibration	Calibration	0.6	0.2	2.3	11.0	6.0
3/22/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.3	12.0	8.0
3/22/2018 4:00	BDL	BDL	BDL	2.8	0.2	Too few samples	12.0	6.0
3/22/2018 5:00	BDL	BDL	BDL	1.0	0.2	2.3	9.0	4.0
3/22/2018 6:00	BDL	BDL	BDL	1.1	0.2	2.2	7.0	5.0
3/22/2018 7:00	BDL	BDL	BDL	2.2	0.2	2.3	8.0	4.0
3/22/2018 8:00	BDL	BDL	BDL	3.2	0.2	2.3	11.0	7.0
3/22/2018 9:00	BDL	BDL	BDL	1.3	0.2	2.3	19.0	6.0
3/22/2018 10:00	BDL	BDL	BDL	BDL	0.2	2.3	16.0	4.0
3/22/2018 11:00	BDL	BDL	BDL	BDL	0.2	2.3	10.0	5.0
3/22/2018 12:00	BDL	BDL	BDL	BDL	0.2	2.4	15.0	7.0
3/22/2018 13:00	BDL	BDL	BDL	BDL	0.2	2.3	9.0	5.0
3/22/2018 14:00	BDL	BDL	BDL	BDL	0.2	2.3	8.0	3.0
3/22/2018 15:00	BDL	BDL	BDL	BDL	0.1	2.3	12.0	5.0
3/22/2018 16:00	BDL	BDL	BDL	BDL	0.1	2.3	12.0	5.0
3/22/2018 17:00	BDL	BDL	BDL	BDL	0.2	2.2	12.0	6.0
3/22/2018 18:00	BDL	BDL	BDL	BDL	0.2	2.3	11.0	6.0
3/22/2018 19:00	BDL	BDL	BDL	4.3	0.2	2.5	11.0	3.0
3/22/2018 20:00	BDL	0.4	BDL	13.4	0.2	2.6	18.0	4.0
3/22/2018 21:00	BDL	BDL	BDL	3.1	0.2	2.3	14.0	5.0
3/22/2018 22:00	BDL	BDL	BDL	BDL	0.2	2.3	13.0	5.0
3/22/2018 23:00	BDL	BDL	BDL	BDL	0.1	2.3	11.0	6.0
3/23/2018 0:00	BDL	BDL	BDL	0.4	0.1	2.3	10.0	2.0
3/23/2018 1:00	BDL	Calibration	Calibration	BDL	0.2	2.5	8.0	2.0
3/23/2018 2:00	BDL	Calibration	Calibration	BDL	0.1	2.4	9.0	6.0
3/23/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.4	12.0	6.0
3/23/2018 4:00	BDL	BDL	BDL	BDL	0.2	Too few samples	11.0	6.0
3/23/2018 5:00	BDL	BDL	BDL	0.5	0.2	2.4	16.0	6.0
3/23/2018 6:00	BDL	BDL	BDL	2.2	0.2	2.3	20.0	4.0
3/23/2018 7:00	BDL	BDL	BDL	3.6	0.2	2.7	22.0	5.0
3/23/2018 8:00	BDL	BDL	BDL	BDL	0.2	2.7	14.0	7.0
3/23/2018 9:00	BDL	BDL	BDL	BDL	0.2	2.4	10.0	7.0
3/23/2018 10:00	BDL	BDL	BDL	BDL	0.2	2.4	10.0	5.0
3/23/2018 11:00	BDL	BDL	BDL	BDL	0.1	2.4	11.0	4.0
3/23/2018 12:00	BDL	BDL	BDL	BDL	0.2	2.3	10.0	2.0
3/23/2018 13:00	BDL	BDL	BDL	BDL	0.1	2.3	15.0	3.0
3/23/2018 14:00	BDL	BDL	BDL	BDL	0.1	2.3	11.0	3.0
3/23/2018 15:00	BDL	BDL	BDL	BDL	0.1	2.4	11.0	2.0
3/23/2018 16:00	BDL	BDL	BDL	BDL	0.1	2.3	11.0	4.0
3/23/2018 17:00	BDL	BDL	BDL	BDL	0.1	2.3	12.0	6.0
3/23/2018 18:00	BDL	BDL	BDL	BDL	0.2	2.3	18.0	8.0
3/23/2018 19:00	BDL	BDL	BDL	BDL	0.2	2.3	12.0	5.0
3/23/2018 20:00	BDL	BDL	BDL	BDL	0.2	2.3	11.0	3.0
3/23/2018 21:00	BDL	BDL	BDL	BDL	0.2	2.3	16.0	4.0
3/23/2018 22:00	BDL	BDL	BDL	BDL	0.2	2.2	12.0	5.0
3/23/2018 23:00	BDL	BDL	BDL	BDL	0.2	2.3	16.0	6.0
3/24/2018 0:00	BDL	BDL	BDL	BDL	0.2	2.4	15.0	3.0
3/24/2018 1:00	BDL	Calibration	Calibration	BDL	0.2	2.4	11.0	4.0
3/24/2018 2:00	BDL	Calibration	Calibration	BDL	0.2	2.5	15.0	7.0
3/24/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.4	11.0	6.0
3/24/2018 4:00	BDL	BDL	BDL	0.6	0.2	Too few samples	12.0	7.0
3/24/2018 5:00	BDL	Calibration	Calibration	1.7	0.2	2.5	16.0	6.0
3/24/2018 6:00	BDL	Calibration	Calibration	3.8	0.2	2.5	13.0	5.0
3/24/2018 7:00	BDL	BDL	BDL	1.3	0.2	2.4	18.0	3.0
3/24/2018 8:00	BDL	BDL	BDL	BDL	0.2	2.3	12.0	4.0
3/24/2018 9:00	BDL	BDL	BDL	BDL	0.2	2.4	14.0	5.0
3/24/2018 10:00	BDL	BDL	BDL	BDL	0.1	2.3	10.0	3.0
3/24/2018 11:00	BDL	BDL	BDL	BDL	0.1	2.2	9.0	BDL
3/24/2018 12:00	BDL	BDL	BDL	BDL	0.2	2.2	6.0	BDL
3/24/2018 13:00	BDL	BDL	BDL	BDL	0.2	2.3	8.0	1.0
3/24/2018 14:00	BDL	BDL	BDL	BDL	0.1	2.3	7.0	5.0
3/24/2018 15:00	BDL	BDL	BDL	BDL	0.1	2.3	9.0	5.0
3/24/2018 16:00	BDL	BDL	BDL	BDL	0.1	2.2	9.0	4.0
3/24/2018 17:00	BDL	BDL	BDL	BDL	0.1	2.2	12.0	5.0
3/24/2018 18:00	BDL	BDL	BDL	BDL	0.2	2.3	11.0	6.0
3/24/2018 19:00	BDL	BDL	BDL	BDL	0.2	2.3	17.0	6.0
3/24/2018 20:00	BDL	BDL	BDL	0.9	0.2	2.5	16.0	8.0
3/24/2018 21:00	BDL	BDL	BDL	8.1	0.2	2.6	19.0	9.0
3/24/2018 22:00	BDL	BDL	BDL	1.0	0.2	2.2	15.0	6.0
3/24/2018 23:00	BDL	BDL	BDL	BDL	0.2	2.3	12.0	4.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Site Downwind Weekly: 3/25/2018-3/31/2018

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
3/25/2018 0:00	BDL	BDL	BDL	BDL	0.2	2.2	13.0	6.0
3/25/2018 1:00	BDL	Calibration	Calibration	BDL	0.2	2.2	11.0	4.0
3/25/2018 2:00	BDL	Calibration	Calibration	BDL	0.2	2.2	11.0	7.0
3/25/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.2	11.0	6.0
3/25/2018 4:00	BDL	BDL	BDL	BDL	0.2	2.2	10.0	6.0
3/25/2018 5:00	BDL	BDL	BDL	BDL	0.2	2.2	9.0	5.0
3/25/2018 6:00	BDL	BDL	BDL	0.5	0.2	2.2	8.0	8.0
3/25/2018 7:00	BDL	BDL	BDL	2.8	0.2	2.2	9.0	6.0
3/25/2018 8:00	BDL	BDL	BDL	1.1	0.2	2.2	15.0	5.0
3/25/2018 9:00	BDL	BDL	BDL	0.9	0.2	2.2	15.0	8.0
3/25/2018 10:00	BDL	BDL	BDL	0.4	0.2	2.2	17.0	6.0
3/25/2018 11:00	BDL	BDL	BDL	3.9	0.3	2.2	23.0	6.0
3/25/2018 12:00	BDL	BDL	BDL	2.0	0.3	2.2	18.0	6.0
3/25/2018 13:00	BDL	BDL	BDL	8.3	0.3	2.2	17.0	8.0
3/25/2018 14:00	BDL	BDL	BDL	0.5	0.2	2.2	8.0	5.0
3/25/2018 15:00	BDL	BDL	BDL	BDL	0.2	2.2	18.0	5.0
3/25/2018 16:00	BDL	BDL	BDL	BDL	0.2	2.2	16.0	8.0
3/25/2018 17:00	BDL	BDL	BDL	BDL	0.2	2.2	29.0	6.0
3/25/2018 18:00	BDL	BDL	BDL	4.8	0.3	2.2	38.0	6.0
3/25/2018 19:00	BDL	BDL	BDL	8.1	0.3	2.2	24.0	6.0
3/25/2018 20:00	BDL	BDL	BDL	4.8	0.3	2.2	20.0	6.0
3/25/2018 21:00	BDL	BDL	BDL	9.0	0.4	2.3	25.0	4.0
3/25/2018 22:00	BDL	BDL	BDL	8.0	0.3	2.2	28.0	6.0
3/25/2018 23:00	BDL	BDL	BDL	11.5	0.3	2.3	22.0	9.0
3/26/2018 0:00	BDL	BDL	BDL	10.2	0.3	2.3	19.0	9.0
3/26/2018 1:00	BDL	Calibration	Calibration	8.9	0.2	2.3	19.0	9.0
3/26/2018 2:00	BDL	Calibration	Calibration	10.4	0.2	2.4	19.0	8.0
3/26/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.5	24.0	7.0
3/26/2018 4:00	BDL	0.7	BDL	24.9	0.3	2.4	23.0	6.0
3/26/2018 5:00	BDL	1.1	BDL	37.7	0.4	2.5	34.0	7.0
3/26/2018 6:00	BDL	1.0	BDL	32.2	0.4	2.4	38.0	6.0
3/26/2018 7:00	BDL	1.1	BDL	33.1	0.4	2.5	43.0	11.0
3/26/2018 8:00	BDL	0.5	BDL	18.0	0.3	2.3	27.0	10.0
3/26/2018 9:00	BDL	BDL	BDL	14.5	0.3	2.3	Audit	Audit
3/26/2018 10:00	BDL	BDL	BDL	12.4	0.2	2.3	27.0	3.0
3/26/2018 11:00	BDL	BDL	BDL	2.7	0.2	2.2	23.0	4.0
3/26/2018 12:00	BDL	BDL	BDL	3.3	0.2	2.2	22.0	4.0
3/26/2018 13:00	BDL	BDL	BDL	BDL	0.2	2.2	17.0	5.0
3/26/2018 14:00	BDL	BDL	BDL	BDL	0.2	2.2	16.0	3.0
3/26/2018 15:00	BDL	BDL	BDL	1.5	0.2	2.2	20.0	3.0
3/26/2018 16:00	BDL	BDL	BDL	BDL	0.2	2.2	19.0	2.0
3/26/2018 17:00	BDL	BDL	BDL	BDL	0.2	2.2	18.0	5.0
3/26/2018 18:00	BDL	BDL	BDL	2.0	0.2	2.2	20.0	8.0
3/26/2018 19:00	BDL	BDL	BDL	0.8	0.2	2.3	14.0	5.0
3/26/2018 20:00	BDL	BDL	BDL	8.2	0.3	2.2	25.0	3.0
3/26/2018 21:00	BDL	BDL	BDL	5.8	0.3	2.3	22.0	6.0
3/26/2018 22:00	BDL	BDL	BDL	11.1	0.3	2.3	31.0	6.0
3/26/2018 23:00	BDL	BDL	BDL	7.2	0.5	3.0	25.0	5.0
3/27/2018 0:00	BDL	BDL	BDL	13.4	0.3	2.8	26.0	8.0
3/27/2018 1:00	BDL	Calibration	Calibration	28.2	0.4	3.2	30.0	6.0
3/27/2018 2:00	BDL	Calibration	Calibration	39.0	0.5	2.6	29.0	8.0
3/27/2018 3:00	Calibration	1.4	0.4	Calibration	Calibration	2.5	34.0	10.0
3/27/2018 4:00	BDL	1.7	0.4	48.2	0.6	Too few samples	34.0	9.0
3/27/2018 5:00	BDL	2.8	0.7	72.1	0.6	2.5	49.0	12.0
3/27/2018 6:00	BDL	2.0	0.5	50.6	0.5	2.5	43.0	6.0
3/27/2018 7:00	BDL	0.5	BDL	35.4	0.4	2.4	41.0	6.0
3/27/2018 8:00	BDL	BDL	BDL	15.5	0.3	2.3	23.0	5.0
3/27/2018 9:00	BDL	BDL	BDL	14.5	0.2	2.3	28.0	7.0
3/27/2018 10:00	BDL	0.5	BDL	12.1	0.2	2.3	24.0	4.0
3/27/2018 11:00	BDL	BDL	BDL	5.5	0.2	2.3	20.0	3.0
3/27/2018 12:00	BDL	BDL	BDL	BDL	0.2	2.3	27.0	5.0
3/27/2018 13:00	BDL	BDL	BDL	BDL	0.2	2.3	46.0	5.0
3/27/2018 14:00	BDL	BDL	BDL	BDL	0.2	2.2	20.0	4.0
3/27/2018 15:00	BDL	BDL	BDL	BDL	0.2	2.3	16.0	6.0
3/27/2018 16:00	BDL	BDL	BDL	BDL	0.2	2.5	18.0	7.0
3/27/2018 17:00	BDL	BDL	BDL	2.2	0.2	2.7	31.0	7.0
3/27/2018 18:00	BDL	0.7	0.7	1.1	0.2	2.5	33.0	7.0
3/27/2018 19:00	BDL	0.7	0.7	0.5	0.2	2.3	20.0	6.0
3/27/2018 20:00	BDL	0.7	0.8	BDL	0.2	2.4	20.0	7.0
3/27/2018 21:00	BDL	0.8	0.9	BDL	0.2	2.7	23.0	4.0
3/27/2018 22:00	BDL	0.5	0.6	BDL	0.2	2.6	18.0	5.0
3/27/2018 23:00	BDL	BDL	BDL	BDL	0.2	2.2	20.0	4.0
3/28/2018 0:00	BDL	BDL	BDL	BDL	0.2	2.3	15.0	3.0
3/28/2018 1:00	BDL	Calibration	Calibration	BDL	0.2	2.3	19.0	3.0
3/28/2018 2:00	BDL	Calibration	Calibration	BDL	0.2	2.3	21.0	4.0
3/28/2018 3:00	Calibration	BDL	0.4	Calibration	Calibration	2.6	19.0	9.0
3/28/2018 4:00	Too few samples	0.9	0.7	Too few samples	Too few samples	2.3	22.0	7.0
3/28/2018 5:00	BDL	1.3	0.9	2.7	0.5	2.3	22.0	6.0
3/28/2018 6:00	Maintenance	1.7	1.3	Maintenance	Maintenance	2.3	21.0	6.0
3/28/2018 7:00	Maintenance	Audit	Audit	Maintenance	Maintenance	3.3	32.0	17.0
3/28/2018 8:00	Maintenance	Too few samples	Too few samples	Maintenance	Maintenance	2.8	39.0	17.0
3/28/2018 9:00	Maintenance	0.9	1.4	Calibration	Maintenance	Audit	41.0	17.0
3/28/2018 10:00	Calibration	1.1	0.9	Calibration	Calibration	Audit	Audit	Audit
3/28/2018 11:00	Calibration	Audit	Audit	Calibration	Calibration	2.7	Audit	Audit
3/28/2018 12:00	Audit	Calibration	Calibration	Calibration	Calibration	2.3	Audit	Audit
3/28/2018 13:00	Too few samples	Too few samples	Too few samples	Calibration	Calibration	2.3	32.0	17.0
3/28/2018 14:00	Too few samples	1.3	1.0	Calibration	Calibration	2.3	35.0	19.0
3/28/2018 15:00	1.1	1.4	1.0	Too few samples	Calibration	2.4	36.0	16.0
3/28/2018 16:00	2.2	1.3	1.1	24.3	0.3	2.8	31.0	18.0
3/28/2018 17:00	2.4	1.3	1.0	26.0	0.3	2.7	31.0	13.0
3/28/2018 18:00	2.3	1.4	1.0	27.1	0.4	2.9	30.0	17.0
3/28/2018 19:00	1.4	1.4	1.0	29.6	0.4	2.4	37.0	18.0
3/28/2018 20:00	1.1	1.3	0.8	30.1	0.4	2.6	27.0	15.0
3/28/2018 21:00	1.1	1.2	0.7	26.9	0.4	2.7	30.0	18.0
3/28/2018 22:00	0.7	1.3	0.8	27.4	0.4	2.5	26.0	18.0
3/28/2018 23:00	0.6	0.9	0.7	20.5	0.3	2.5	30.0	20.0
3/29/2018 0:00	0.5	1.4	0.9	32.1	0.3	2.5	32.0	14.0
3/29/2018 1:00	0.4	Calibration	Calibration	11.8	0.3	2.7	22.0	14.0
3/29/2018 2:00	BDL	Calibration	Calibration	13.5	0.3	2.4	26.0	14.0
3/29/2018 3:00	Calibration	1.5	1.3	Calibration	Calibration	2.6	27.0	19.0
3/29/2018 4:00	0.5	1.7	1.1	44.0	0.4	Too few samples	29.0	16.0
3/29/2018 5:00	0.8	Calibration	Calibration	60.3	0.5	2.3	32.0	16.0
3/29/2018 6:00	Too few samples	Too few samples	Too few samples	Too few samples	Too few samples	2.4	30.0	15.0
3/29/2018 7:00	Too few samples	0.9	1.5	Too few samples	Too few samples	2.3	28.0	20.0
3/29/2018 8:00	0.9	0.7	1.2	37.6	0.5	2.3	31.0	20.0
3/29/2018 9:00	0.9	BDL	1.0	26.5	0.4	2.1	30.0	16.0
3/29/2018 10:00	0.7	BDL	0.7	8.4	0.3	2.1	25.0	17.0
3/29/2018 11:00	1.0	BDL	0.5	BDL	0.3	2.0	21.0	12.0
3/29/2018 12:00	1.2	BDL	0.6	2.4	0.4	2.1	31.0	14.0
3/29/2018 13:00	1.5	BDL	0.9	9.3	0.5	2.1	35.0	17.0
3/29/2018 14:00	0.7	BDL	0.8	3.4	0.4	2.1	32.0	15.0
3/29/2018 15:00	0.6	BDL	BDL	BDL	0.4	2.1	29.0	15.0
3/29/2018 16:00	0.6	BDL	0.4	BDL	0.3	2.3	28.0	11.0
3/29/2018 17:00	0.8	BDL	0.7	BDL	0.4	2.3	34.0	12.0
3/29/2018 18:00	1.0	BDL	1.1	9.6	0.5	2.1	28.0	13.0
3/29/2018 19:00	0.7	BDL	1.1	8.5	0.5	2.2	31.0	16.0
3/29/2018 20:00	0.5	BDL	1.2	6.0	0.5	2.2	30.0	21.0
3/29/2018 21:00	BDL	BDL	0.6	8.7	0.5	2.4	29.0	16.0
3/29/2018 22:00	BDL	BDL	0.6	19.3	0.5	2.5	36.0	14.0
3/29/2018 23:00	0.4	BDL	0.7	28.1	0.5	2.6	38.0	18.0
3/30/2018 0:00	0.6	BDL	0.8	15.3	0.4	2.6	22.0	10.0
3/30/2018 1:00	1.0	Calibration	Calibration	BDL	0.3	2.6	24.0	8.0
3/30/2018 2:00	1.2	Calibration	Calibration	2.3	0.3	2.5	20.0	11.0
3/30/2018 3:00	Calibration	BDL	1.1	Calibration	Calibration	2.7	20.0	10.0
3/30/2018 4:00	0.7	Calibration	Calibration	6.9	0.4	2.4	28.0	11.0
3/30/2018 5:00	0.6	Calibration	Calibration	2.7	0.4	2.3	25.0	13.0
3/30/2018 6:00	0.5	BDL	0.5	1.6	0.4	2.3	27.0	15.0
3/30/2018 7:00	0.5	0.4	0.6	BDL	0.4	2.4	24.0	14.0
3/30/2018 8:00	0.9	BDL	0.4	2.5	0.4	2.4	20.0	9.0
3/30/2018 9:00	0.7	BDL	BDL	2.2	0.4	2.4	30.0	13.0
3/30/2018 10:00	2.2	BDL	BDL	3.0	0.4	2.3	28.0	14.0
3/30/2018 11:00	1.8	BDL	BDL	0.6	0.4	2.3	26.0	14.0
3/30/2018 12:00	1.0	BDL	BDL	BDL	0.4	2.4	16.0	9.0
3/30/2018 13:00	0.6	BDL	BDL	BDL	0.4	2.3	14.0	6.0
3/30/2018 14:00	BDL	BDL	BDL	BDL	0.3	2.3	9.0	3.0
3/30/2018 15:00	BDL	BDL	BDL	BDL	0.3	2.5	7.0	3.0
3/30/2018 16:00	0.4	BDL	BDL	BDL	0.3	2.4	6.0	5.0
3/30/2018 17:00	BDL	BDL	BDL	BDL	0.2	2.4	7.0	3.0
3/30/2018 18:00	BDL	BDL	BDL	BDL	0.2	2.3	11.0	4.0
3/30/2018 19:00	BDL	BDL	BDL	BDL	0.2	2.5	11.0	6.0
3/30/2018 20:00	0.4	BDL	BDL	BDL	0.2	2.4	11.0	8.0
3/30/2018 21:00	BDL	BDL	BDL	BDL	0.2	2.5	12.0	7.0
3/30/2018 22:00	BDL	BDL	BDL	BDL	0.2	2.5	12.0	7.0
3/30/2018 23:00	BDL	BDL	BDL	BDL	0.2	2.5	10.0	9.0
3/31/2018 0:00	BDL	BDL	BDL	BDL	0.2	2.4	10.0	6.0
3/31/2018 1:00	BDL	Calibration	Calibration	BDL	0.2	2.4	8.0	2.0
3/31/2018 2:00	BDL	Calibration	Calibration	BDL	0.2	2.5	8.0	4.0
3/31/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.5	9.0	6.0
3/31/2018 4:00	BDL	BDL	BDL	BDL	0.2	Too few samples	9.0	4.0
3/31/2018 5:00	Calibration	BDL	BDL	Calibration	Calibration	2.5	9.0	8.0
3/31/2018 6:00	0.4	BDL	BDL	10.9	0.2	2.6	14.0	6.0
3/31/2018 7:00	0.5	BDL	BDL	5.7	0.2	2.4	11.0	2.0
3/31/2018 8:00	0.5	BDL	BDL	2.3	0.2	2.4	9.0	2.0
3/31/2018 9:00	0.6	BDL	BDL	4.2	0.2	2.3	10.0	8.0
3/31/2018 10:00	0.6	BDL	BDL	5.5	0.2	2.3	12.0	9.0
3/31/2018 11:00	0.9	BDL	BDL	7.8	0.2	2.3	14.0	6.0
3/31/2018 12:00	0.6	BDL	BDL	3.3	0.2	2.3	11.0	6.0
3/31/2018 13:00	0.7	BDL	BDL	1.9	0.2	2.3	11.0	8.0
3/31/2018 14:00	0.8	BDL	BDL	1.6	0.2	2.3	7.0	6.0
3/31/2018 15:00	BDL	BDL	BDL	BDL	0.2	2.3	6.0	3.0
3/31/2018 16:00	BDL	BDL	BDL	BDL	0.2	2.2	10.0	5.0
3/31/2018 17:00	BDL	BDL	BDL	BDL	0.2	2.2	11.0	4.0
3/31/2018 18:00	BDL	BDL	BDL	1.5	0.2	2.3	9.0	3.0
3/31/2018 19:00	BDL	BDL	BDL	7.5	0.2	2.3	6.0	6.0
3/31/2018 20:00	BDL	BDL	BDL	1.9	0.2	2.4	13.0	8.0
3/31/2018 21:00	BDL	BDL	BDL	1.6	0.2	2.6	9.0	6.0
3/31/2018 22:00	0.4	BDL	BDL	1.5	0.2	2.6	11.0	4.0
3/31/2018 23:00	BDL	BDL	BDL	3.4	0.2	2.5	9.0	5.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 4/1/2018-4/7/2018								
4/1/2018 0:00	BDL	BDL	BDL	2.0	0.2	2.5	7.0	2.0
4/1/2018 1:00	BDL	Calibration	Calibration	0.7	0.2	2.5	9.0	5.0
4/1/2018 2:00	BDL	Calibration	Calibration	BDL	0.2	2.5	10.0	6.0
4/1/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.5	10.0	7.0
4/1/2018 4:00	BDL	BDL	BDL	3.7	0.2	Too few samples	15.0	9.0
4/1/2018 5:00	0.4	BDL	BDL	9.1	0.3	2.6	17.0	8.0
4/1/2018 6:00	BDL	BDL	BDL	11.0	0.3	2.4	16.0	6.0
4/1/2018 7:00	0.7	Too few samples	Too few samples	15.5	0.2	2.7	18.0	10.0
4/1/2018 8:00	1.9	Calibration	Calibration	11.9	0.2	2.4	24.0	15.0
4/1/2018 9:00	2.8	BDL	BDL	14.9	0.3	2.6	19.0	11.0
4/1/2018 10:00	2.8	BDL	BDL	16.0	0.2	2.6	19.0	9.0
4/1/2018 11:00	2.1	BDL	BDL	11.9	0.2	2.3	16.0	8.0
4/1/2018 12:00	1.3	BDL	BDL	6.8	0.3	2.6	12.0	5.0
4/1/2018 13:00	0.5	BDL	BDL	1.4	0.3	2.5	11.0	4.0
4/1/2018 14:00	BDL	BDL	BDL	BDL	0.3	2.4	7.0	4.0
4/1/2018 15:00	0.8	BDL	BDL	6.6	0.3	2.7	17.0	5.0
4/1/2018 16:00	BDL	BDL	BDL	2.3	0.3	2.7	12.0	8.0
4/1/2018 17:00	BDL	BDL	BDL	2.7	0.3	2.6	17.0	6.0
4/1/2018 18:00	BDL	BDL	BDL	3.1	0.3	2.5	6.0	6.0
4/1/2018 19:00	BDL	BDL	BDL	4.8	0.3	2.4	7.0	3.0
4/1/2018 20:00	BDL	BDL	BDL	5.7	0.3	2.6	6.0	1.0
4/1/2018 21:00	BDL	BDL	BDL	29.2	0.4	2.9	15.0	2.0
4/1/2018 22:00	BDL	BDL	BDL	36.8	0.5	2.7	17.0	5.0
4/1/2018 23:00	BDL	BDL	BDL	22.4	0.4	2.4	16.0	5.0
4/2/2018 0:00	BDL	BDL	BDL	7.3	0.2	2.2	15.0	5.0
4/2/2018 1:00	BDL	Calibration	Calibration	4.5	0.2	2.1	11.0	4.0
4/2/2018 2:00	BDL	Calibration	Calibration	5.8	0.2	2.2	14.0	4.0
4/2/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.1	12.0	7.0
4/2/2018 4:00	BDL	BDL	BDL	11.2	0.2	Too few samples	11.0	4.0
4/2/2018 5:00	BDL	BDL	BDL	15.3	0.3	2.1	13.0	5.0
4/2/2018 6:00	BDL	BDL	BDL	27.5	0.3	2.1	19.0	6.0
4/2/2018 7:00	BDL	BDL	BDL	28.1	0.3	2.2	15.0	8.0
4/2/2018 8:00	BDL	0.4	BDL	38.0	0.4	2.2	10.0	6.0
4/2/2018 9:00	0.4	0.6	BDL	51.1	0.3	2.2	14.0	7.0
4/2/2018 10:00	BDL	0.5	BDL	32.5	0.4	2.2	10.0	9.0
4/2/2018 11:00	BDL	BDL	BDL	31.1	0.4	2.2	15.0	8.0
4/2/2018 12:00	BDL	BDL	BDL	23.1	0.3	2.2	10.0	8.0
4/2/2018 13:00	BDL	BDL	BDL	17.7	0.3	2.2	21.0	7.0
4/2/2018 14:00	BDL	BDL	BDL	12.7	0.3	2.2	13.0	4.0
4/2/2018 15:00	BDL	BDL	BDL	6.7	0.2	2.1	12.0	2.0
4/2/2018 16:00	BDL	BDL	BDL	5.2	0.2	2.2	11.0	6.0
4/2/2018 17:00	BDL	BDL	BDL	5.4	0.2	2.2	17.0	6.0
4/2/2018 18:00	BDL	BDL	BDL	7.0	0.3	2.2	11.0	7.0
4/2/2018 19:00	BDL	BDL	BDL	8.7	0.3	2.3	13.0	11.0
4/2/2018 20:00	BDL	BDL	BDL	15.4	0.3	2.1	15.0	11.0
4/2/2018 21:00	BDL	BDL	BDL	17.8	0.3	2.1	20.0	9.0
4/2/2018 22:00	BDL	BDL	BDL	26.9	0.4	2.3	21.0	10.0
4/2/2018 23:00	BDL	BDL	BDL	23.0	0.3	2.2	22.0	14.0
4/3/2018 0:00	BDL	BDL	BDL	8.6	0.2	2.2	16.0	7.0
4/3/2018 1:00	BDL	Calibration	Calibration	4.8	0.2	2.3	12.0	5.0
4/3/2018 2:00	BDL	Calibration	Calibration	7.4	0.2	2.3	13.0	6.0
4/3/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.4	14.0	5.0
4/3/2018 4:00	BDL	BDL	BDL	11.1	0.3	Too few samples	14.0	4.0
4/3/2018 5:00	BDL	BDL	BDL	26.7	0.3	2.1	19.0	7.0
4/3/2018 6:00	BDL	BDL	BDL	27.8	0.4	2.1	25.0	10.0
4/3/2018 7:00	BDL	BDL	BDL	28.5	0.3	2.1	27.0	11.0
4/3/2018 8:00	BDL	0.4	BDL	35.9	0.3	2.1	15.0	9.0
4/3/2018 9:00	BDL	0.5	0.4	29.3	0.3	2.1	11.0	5.0
4/3/2018 10:00	BDL	BDL	BDL	27.2	0.3	2.1	20.0	5.0
4/3/2018 11:00	BDL	0.6	BDL	32.1	0.3	2.1	13.0	6.0
4/3/2018 12:00	BDL	BDL	BDL	23.1	0.3	2.0	13.0	8.0
4/3/2018 13:00	BDL	BDL	BDL	22.4	0.3	2.1	9.0	6.0
4/3/2018 14:00	BDL	BDL	BDL	25.5	0.3	2.1	6.0	4.0
4/3/2018 15:00	BDL	BDL	BDL	17.7	0.3	2.1	9.0	2.0
4/3/2018 16:00	BDL	BDL	BDL	14.9	0.3	2.1	14.0	4.0
4/3/2018 17:00	BDL	BDL	BDL	13.2	0.3	2.3	11.0	7.0
4/3/2018 18:00	BDL	BDL	BDL	21.7	0.4	2.1	16.0	7.0
4/3/2018 19:00	BDL	BDL	BDL	32.5	0.5	2.2	17.0	12.0
4/3/2018 20:00	BDL	0.6	BDL	40.0	0.5	2.3	29.0	14.0
4/3/2018 21:00	BDL	0.4	BDL	24.3	0.4	2.7	21.0	16.0
4/3/2018 22:00	BDL	0.6	BDL	37.3	0.5	2.4	29.0	21.0
4/3/2018 23:00	BDL	0.5	BDL	32.4	0.5	2.5	33.0	26.0
4/4/2018 0:00	BDL	0.6	BDL	30.5	0.4	2.5	23.0	15.0
4/4/2018 1:00	BDL	Calibration	Calibration	22.3	0.4	2.8	13.0	14.0
4/4/2018 2:00	BDL	Calibration	Calibration	26.3	0.4	2.7	15.0	16.0
4/4/2018 3:00	Calibration	0.7	0.4	Calibration	Calibration	2.4	18.0	9.0
4/4/2018 4:00	BDL	1.5	0.6	48.4	0.6	Too few samples	28.0	14.0
4/4/2018 5:00	0.8	1.9	1.0	69.4	0.7	2.5	32.0	18.0
4/4/2018 6:00	1.2	2.5	1.2	86.0	0.8	2.8	30.0	19.0
4/4/2018 7:00	1.8	3.4	1.5	111.1	0.9	3.3	36.0	19.0
4/4/2018 8:00	1.4	2.7	1.7	74.2	0.7	3.7	30.0	25.0
4/4/2018 9:00	2.4	1.3	1.1	28.6	0.4	3.0	24.0	12.0
4/4/2018 10:00	4.0	0.9	1.0	21.8	0.4	2.6	23.0	9.0
4/4/2018 11:00	3.0	0.4	0.8	11.2	0.4	2.5	25.0	16.0
4/4/2018 12:00	0.6	BDL	0.4	6.1	0.3	3.6	9.0	3.0
4/4/2018 13:00	1.1	BDL	0.4	5.0	0.3	3.8	10.0	2.0
4/4/2018 14:00	0.9	BDL	0.4	4.5	0.2	4.0	27.0	2.0
4/4/2018 15:00	0.8	BDL	BDL	3.8	0.2	3.7	33.0	7.0
4/4/2018 16:00	0.6	BDL	BDL	3.0	0.2	3.6	17.0	5.0
4/4/2018 17:00	0.6	BDL	BDL	4.9	0.2	3.6	20.0	3.0
4/4/2018 18:00	0.4	BDL	BDL	1.4	0.1	3.3	14.0	2.0
4/4/2018 19:00	0.9	BDL	BDL	4.8	0.2	3.9	13.0	6.0
4/4/2018 20:00	0.9	BDL	BDL	4.4	0.1	3.8	10.0	6.0
4/4/2018 21:00	0.7	BDL	BDL	1.1	0.1	3.0	9.0	6.0
4/4/2018 22:00	0.5	BDL	BDL	0.6	0.1	2.6	8.0	5.0
4/4/2018 23:00	0.4	BDL	BDL	0.6	0.1	2.9	6.0	5.0
4/5/2018 0:00	BDL	BDL	BDL	BDL	0.1	2.7	6.0	5.0
4/5/2018 1:00	BDL	Calibration	Calibration	BDL	0.1	2.5	6.0	5.0
4/5/2018 2:00	BDL	Calibration	Calibration	0.7	0.1	3.0	5.0	4.0
4/5/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.7	7.0	5.0
4/5/2018 4:00	BDL	BDL	BDL	0.7	0.1	Too few samples	8.0	6.0
4/5/2018 5:00	BDL	BDL	BDL	2.0	0.1	2.5	9.0	4.0
4/5/2018 6:00	BDL	BDL	BDL	5.3	0.2	2.7	15.0	2.0
4/5/2018 7:00	BDL	BDL	BDL	4.7	0.1	2.7	17.0	2.0
4/5/2018 8:00	BDL	BDL	BDL	4.1	0.1	2.9	16.0	2.0
4/5/2018 9:00	BDL	BDL	BDL	6.5	0.1	3.1	32.0	6.0
4/5/2018 10:00	0.5	BDL	BDL	5.9	0.1	3.0	24.0	4.0
4/5/2018 11:00	0.5	BDL	BDL	5.5	0.1	2.9	27.0	2.0
4/5/2018 12:00	0.4	BDL	BDL	5.6	0.1	3.0	48.0	10.0
4/5/2018 13:00	0.4	BDL	BDL	5.4	0.1	3.1	36.0	8.0
4/5/2018 14:00	BDL	BDL	BDL	2.6	0.1	2.8	29.0	6.0
4/5/2018 15:00	0.4	BDL	BDL	2.6	0.1	2.7	29.0	7.0
4/5/2018 16:00	0.4	BDL	BDL	2.9	0.1	2.7	17.0	7.0
4/5/2018 17:00	0.6	BDL	BDL	4.6	0.1	2.9	21.0	10.0
4/5/2018 18:00	0.6	BDL	BDL	3.4	0.1	2.8	20.0	10.0
4/5/2018 19:00	BDL	BDL	BDL	4.4	0.2	2.4	14.0	6.0
4/5/2018 20:00	BDL	BDL	BDL	15.4	0.2	2.8	14.0	5.0
4/5/2018 21:00	0.4	BDL	BDL	25.0	0.3	2.5	21.0	14.0
4/5/2018 22:00	0.6	0.4	BDL	39.9	0.4	2.6	18.0	14.0
4/5/2018 23:00	0.4	0.5	BDL	34.0	0.4	2.9	25.0	12.0
4/6/2018 0:00	0.4	0.6	BDL	33.6	0.3	2.3	23.0	17.0
4/6/2018 1:00	BDL	Calibration	Calibration	15.3	0.2	2.3	17.0	11.0
4/6/2018 2:00	BDL	Calibration	Calibration	13.7	0.2	2.5	17.0	14.0
4/6/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.3	19.0	10.0
4/6/2018 4:00	BDL	BDL	BDL	8.3	0.2	Too few samples	16.0	11.0
4/6/2018 5:00	BDL	BDL	BDL	24.1	0.2	2.2	19.0	11.0
4/6/2018 6:00	BDL	0.5	BDL	33.1	0.4	2.1	19.0	12.0
4/6/2018 7:00	0.5	1.4	0.6	59.6	0.4	2.2	19.0	11.0
4/6/2018 8:00	0.4	1.3	0.6	23.3	0.3	2.1	17.0	8.0
4/6/2018 9:00	BDL	0.4	0.5	8.2	0.2	2.1	15.0	7.0
4/6/2018 10:00	BDL	BDL	0.4	6.7	0.2	2.2	17.0	10.0
4/6/2018 11:00	0.4	BDL	0.4	3.4	0.2	2.3	19.0	9.0
4/6/2018 12:00	0.7	BDL	BDL	3.3	0.2	2.4	29.0	9.0
4/6/2018 13:00	1.0	BDL	BDL	4.6	0.2	2.4	30.0	10.0
4/6/2018 14:00	1.0	BDL	BDL	4.8	0.3	2.4	26.0	8.0
4/6/2018 15:00	1.9	BDL	0.5	8.3	0.3	2.4	28.0	11.0
4/6/2018 16:00	1.9	BDL	0.4	9.3	0.3	2.3	25.0	15.0
4/6/2018 17:00	BDL	BDL	BDL	10.1	0.3	2.3	31.0	9.0
4/6/2018 18:00	0.6	BDL	0.5	15.2	0.5	2.2	27.0	10.0
4/6/2018 19:00	BDL	0.4	0.6	12.4	0.4	2.3	23.0	13.0
4/6/2018 20:00	0.4	0.7	0.8	26.0	0.3	2.6	27.0	11.0
4/6/2018 21:00	0.8	1.8	1.0	46.4	0.4	2.5	34.0	10.0
4/6/2018 22:00	0.4	1.4	1.0	28.9	0.5	2.3	28.0	10.0
4/6/2018 23:00	BDL	0.6	0.7	12.6	0.4	2.7	26.0	13.0
4/7/2018 0:00	0.4	BDL	0.5	11.5	0.3	2.5	23.0	12.0
4/7/2018 1:00	0.7	Calibration	Calibration	4.4	0.3	2.2	17.0	6.0
4/7/2018 2:00	BDL	Calibration	Calibration	2.1	0.2	2.3	9.0	4.0
4/7/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.3	10.0	7.0
4/7/2018 4:00	BDL	BDL	BDL	1.5	0.2	Too few samples	7.0	5.0
4/7/2018 5:00	BDL	BDL	BDL	1.1	0.2	2.3	10.0	4.0
4/7/2018 6:00	BDL	BDL	BDL	1.6	0.1	2.4	10.0	4.0
4/7/2018 7:00	BDL	BDL	BDL	2.4	0.1	2.3	8.0	6.0
4/7/2018 8:00	BDL	BDL	BDL	2.5	0.2	2.2	15.0	4.0
4/7/2018 9:00	BDL	BDL	BDL	2.5	0.1	2.2	13.0	3.0
4/7/2018 10:00	BDL	BDL	BDL	3.1	0.2	2.1	9.0	2.0
4/7/2018 11:00	BDL	BDL	BDL	1.9	0.2	2.1	10.0	2.0
4/7/2018 12:00	BDL	BDL	BDL	1.4	0.1	2.2	12.0	2.0
4/7/2018 13:00	BDL	BDL	BDL	0.4	0.1	2.1	9.0	BDL
4/7/2018 14:00	BDL	BDL	BDL	0.7	0.1	2.1	6.0	BDL
4/7/2018 15:00	BDL	BDL	BDL	BDL	0.1	2.2	8.0	2.0
4/7/2018 16:00	BDL	BDL	BDL	0.5	0.1	2.1	7.0	2.0
4/7/2018 17:00	BDL	BDL	BDL	0.8	0.2	2.2	8.0	2.0
4/7/2018 18:00	BDL	BDL	BDL	0.6	0.1	2.2	9.0	2.0
4/7/2018 19:00	1.0	BDL	BDL	4.0	0.1	2.2	14.0	4.0
4/7/2018 20:00	3.3	BDL	BDL	13.0	0.2	2.3	29.0	21.0
4/7/2018 21:00	BDL	BDL	BDL	5.3	0.2	2.7	20.0	6.0
4/7/2018 22:00	BDL	BDL	BDL	4.3	0.2	2.2	18.0	4.0
4/7/2018 23:00	BDL	BDL	BDL	4.6	0.2	2.1	19.0	10.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 4/8/2018-4/14/2018								
4/8/2018 0:00	BDL	BDL	BDL	1.9	0.1	2.1	7.0	2.0
4/8/2018 1:00	BDL	Calibration	Calibration	1.4	0.1	2.1	9.0	5.0
4/8/2018 2:00	BDL	Calibration	Calibration	2.6	0.1	2.1	10.0	6.0
4/8/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.1	10.0	7.0
4/8/2018 4:00	BDL	BDL	BDL	4.1	0.2	Too few samples	15.0	9.0
4/8/2018 5:00	BDL	Calibration	Calibration	4.4	0.2	2.1	17.0	8.0
4/8/2018 6:00	BDL	Calibration	Calibration	4.9	0.2	2.1	16.0	6.0
4/8/2018 7:00	BDL	BDL	BDL	5.2	0.2	2.1	18.0	10.0
4/8/2018 8:00	BDL	BDL	BDL	2.2	0.2	2.2	24.0	15.0
4/8/2018 9:00	BDL	BDL	BDL	1.6	0.2	2.1	19.0	11.0
4/8/2018 10:00	0.4	BDL	BDL	BDL	0.1	2.3	19.0	9.0
4/8/2018 11:00	BDL	BDL	BDL	BDL	0.1	2.2	16.0	8.0
4/8/2018 12:00	BDL	BDL	BDL	BDL	0.1	2.3	12.0	5.0
4/8/2018 13:00	BDL	BDL	BDL	BDL	0.1	2.4	11.0	4.0
4/8/2018 14:00	BDL	BDL	BDL	BDL	0.1	2.3	7.0	4.0
4/8/2018 15:00	BDL	BDL	BDL	BDL	0.1	2.4	17.0	5.0
4/8/2018 16:00	BDL	BDL	BDL	BDL	0.1	2.4	12.0	8.0
4/8/2018 17:00	BDL	BDL	BDL	BDL	0.1	2.4	17.0	6.0
4/8/2018 18:00	BDL	BDL	BDL	2.0	0.1	2.4	6.0	6.0
4/8/2018 19:00	BDL	BDL	BDL	4.5	0.2	2.8	7.0	3.0
4/8/2018 20:00	BDL	BDL	BDL	7.7	0.2	2.8	6.0	1.0
4/8/2018 21:00	BDL	BDL	BDL	9.2	0.2	2.4	15.0	2.0
4/8/2018 22:00	BDL	BDL	BDL	9.2	0.2	2.9	17.0	5.0
4/8/2018 23:00	BDL	BDL	BDL	6.9	0.2	2.6	16.0	5.0
4/9/2018 0:00	BDL	BDL	BDL	6.1	0.2	2.4	15.0	5.0
4/9/2018 1:00	BDL	Calibration	Calibration	3.7	0.2	2.4	11.0	4.0
4/9/2018 2:00	BDL	Calibration	Calibration	2.8	0.1	2.5	14.0	4.0
4/9/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.4	12.0	7.0
4/9/2018 4:00	BDL	BDL	BDL	17.2	0.2	Too few samples	11.0	4.0
4/9/2018 5:00	BDL	BDL	BDL	21.2	0.3	2.3	13.0	5.0
4/9/2018 6:00	0.5	BDL	BDL	23.5	0.3	2.3	19.0	6.0
4/9/2018 7:00	BDL	BDL	BDL	11.3	0.2	analyzer malfunction	15.0	8.0
4/9/2018 8:00	BDL	BDL	BDL	6.4	0.2	analyzer malfunction	10.0	6.0
4/9/2018 9:00	BDL	BDL	BDL	8.6	0.2	analyzer malfunction	14.0	7.0
4/9/2018 10:00	0.9	BDL	BDL	16.3	0.2	analyzer malfunction	10.0	9.0
4/9/2018 11:00	1.5	BDL	BDL	13.7	0.2	analyzer malfunction	15.0	8.0
4/9/2018 12:00	2.0	BDL	BDL	15.9	0.2	analyzer malfunction	10.0	8.0
4/9/2018 13:00	1.2	BDL	BDL	13.2	0.2	analyzer malfunction	21.0	7.0
4/9/2018 14:00	0.8	BDL	BDL	7.1	0.2	analyzer malfunction	13.0	4.0
4/9/2018 15:00	1.0	BDL	BDL	6.2	0.2	analyzer malfunction	12.0	2.0
4/9/2018 16:00	0.4	BDL	0.4	4.6	0.2	analyzer malfunction	11.0	6.0
4/9/2018 17:00	BDL	BDL	BDL	5.4	0.2	analyzer malfunction	17.0	6.0
4/9/2018 18:00	BDL	BDL	BDL	6.0	0.2	analyzer malfunction	11.0	7.0
4/9/2018 19:00	BDL	BDL	BDL	8.7	0.2	analyzer malfunction	13.0	11.0
4/9/2018 20:00	BDL	BDL	BDL	6.9	0.2	analyzer malfunction	15.0	11.0
4/9/2018 21:00	BDL	BDL	BDL	2.7	0.2	analyzer malfunction	20.0	9.0
4/9/2018 22:00	BDL	BDL	BDL	3.6	0.2	analyzer malfunction	21.0	10.0
4/9/2018 23:00	BDL	BDL	BDL	12.9	0.2	analyzer malfunction	22.0	14.0
4/10/2018 0:00	BDL	BDL	BDL	5.3	0.2	analyzer malfunction	16.0	7.0
4/10/2018 1:00	BDL	Calibration	Calibration	15.0	0.2	analyzer malfunction	12.0	5.0
4/10/2018 2:00	BDL	Calibration	Calibration	14.2	0.2	analyzer malfunction	13.0	6.0
4/10/2018 3:00	Calibration	BDL	0.4	Calibration	Calibration	analyzer malfunction	14.0	5.0
4/10/2018 4:00	BDL	0.4	0.5	14.2	0.2	analyzer malfunction	14.0	4.0
4/10/2018 5:00	BDL	0.4	0.5	15.2	0.2	analyzer malfunction	19.0	7.0
4/10/2018 6:00	BDL	BDL	0.5	10.9	0.2	analyzer malfunction	25.0	10.0
4/10/2018 7:00	BDL	BDL	0.5	8.3	0.2	analyzer malfunction	27.0	11.0
4/10/2018 8:00	BDL	BDL	0.5	7.4	0.2	analyzer malfunction	15.0	9.0
4/10/2018 9:00	BDL	BDL	0.5	6.3	0.2	2.4	11.0	5.0
4/10/2018 10:00	BDL	BDL	BDL	4.7	0.2	2.4	20.0	5.0
4/10/2018 11:00	BDL	BDL	0.4	2.6	0.2	2.5	13.0	6.0
4/10/2018 12:00	BDL	BDL	0.4	1.9	0.2	2.5	13.0	8.0
4/10/2018 13:00	BDL	BDL	0.4	1.6	0.2	2.3	9.0	6.0
4/10/2018 14:00	BDL	BDL	BDL	2.1	0.2	2.4	6.0	4.0
4/10/2018 15:00	BDL	BDL	0.4	2.3	0.2	2.4	9.0	2.0
4/10/2018 16:00	BDL	BDL	0.4	2.6	0.1	2.4	14.0	4.0
4/10/2018 17:00	BDL	BDL	0.4	2.3	0.2	2.4	11.0	7.0
4/10/2018 18:00	BDL	BDL	0.4	3.1	0.2	2.4	16.0	7.0
4/10/2018 19:00	BDL	BDL	0.5	5.9	0.2	2.4	17.0	12.0
4/10/2018 20:00	BDL	BDL	0.4	6.2	0.2	2.2	29.0	14.0
4/10/2018 21:00	BDL	BDL	0.4	9.0	0.2	2.2	21.0	16.0
4/10/2018 22:00	BDL	BDL	0.4	11.5	0.2	2.2	29.0	21.0
4/10/2018 23:00	BDL	BDL	0.5	14.5	0.2	2.2	33.0	26.0
4/11/2018 0:00	BDL	0.7	0.6	29.9	0.4	2.3	23.0	15.0
4/11/2018 1:00	BDL	Calibration	Calibration	42.8	0.4	2.3	13.0	14.0
4/11/2018 2:00	BDL	Calibration	Calibration	34.7	0.3	2.4	15.0	16.0
4/11/2018 3:00	Calibration	1.8	0.8	Calibration	Calibration	2.8	18.0	9.0
4/11/2018 4:00	BDL	Too few samples	Too few samples	48.6	0.4	2.4	28.0	14.0
4/11/2018 5:00	0.4	Too few samples	Too few samples	60.1	0.4	3.1	32.0	18.0
4/11/2018 6:00	0.8	3.0	1.2	75.8	0.4	3.2	30.0	19.0
4/11/2018 7:00	0.7	Audit	Audit	44.1	0.3	2.3	36.0	19.0
4/11/2018 8:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	2.2	30.0	25.0
4/11/2018 9:00	BDL	0.4	0.5	Calibration	0.2	Too few samples	24.0	12.0
4/11/2018 10:00	0.7	BDL	0.5	10.0	0.2	2.2	23.0	9.0
4/11/2018 11:00	1.5	Too few samples	Too few samples	8.2	0.2	2.2	25.0	16.0
4/11/2018 12:00	1.1	Calibration	Calibration	7.2	0.2	2.2	9.0	3.0
4/11/2018 13:00	0.9	Calibration	Calibration	6.7	0.2	2.3	10.0	2.0
4/11/2018 14:00	0.9	Calibration	Calibration	4.0	0.2	2.2	27.0	2.0
4/11/2018 15:00	1.4	BDL	BDL	10.0	0.2	2.4	33.0	7.0
4/11/2018 16:00	1.3	0.4	BDL	11.2	0.2	2.4	17.0	5.0
4/11/2018 17:00	0.8	BDL	BDL	9.0	0.2	2.2	20.0	3.0
4/11/2018 18:00	1.0	BDL	BDL	10.9	0.2	2.5	14.0	2.0
4/11/2018 19:00	0.8	0.6	BDL	16.9	0.2	2.5	13.0	6.0
4/11/2018 20:00	0.4	0.5	BDL	9.8	0.2	2.5	10.0	6.0
4/11/2018 21:00	0.4	BDL	BDL	7.5	0.2	2.5	9.0	6.0
4/11/2018 22:00	BDL	0.4	BDL	9.5	0.2	2.2	8.0	5.0
4/11/2018 23:00	BDL	0.4	BDL	10.4	0.2	2.3	6.0	5.0
4/12/2018 0:00	BDL	0.6	BDL	12.5	0.2	2.2	6.0	5.0
4/12/2018 1:00	BDL	Calibration	Calibration	14.1	0.2	2.1	6.0	5.0
4/12/2018 2:00	BDL	Calibration	Calibration	11.2	0.3	3.0	5.0	4.0
4/12/2018 3:00	Calibration	0.4	BDL	Calibration	Calibration	2.4	7.0	5.0
4/12/2018 4:00	BDL	Calibration	Calibration	19.5	0.3	Too few samples	8.0	6.0
4/12/2018 5:00	BDL	Calibration	Calibration	33.3	0.4	2.4	9.0	4.0
4/12/2018 6:00	BDL	Calibration	Calibration	34.4	0.3	2.2	15.0	2.0
4/12/2018 7:00	1.0	Calibration	Calibration	35.3	0.3	2.5	17.0	2.0
4/12/2018 8:00	0.5	Calibration	Calibration	21.1	0.3	2.7	16.0	2.0
4/12/2018 9:00	1.7	0.9	BDL	22.7	0.3	2.5	32.0	6.0
4/12/2018 10:00	3.1	1.1	BDL	18.9	0.3	2.4	24.0	4.0
4/12/2018 11:00	3.4	0.7	BDL	16.6	0.3	2.6	27.0	2.0
4/12/2018 12:00	1.1	0.5	BDL	13.4	0.3	2.2	48.0	10.0
4/12/2018 13:00	0.5	BDL	BDL	8.2	0.3	2.2	36.0	8.0
4/12/2018 14:00	BDL	BDL	BDL	3.3	0.3	2.2	29.0	6.0
4/12/2018 15:00	BDL	BDL	BDL	2.2	0.2	2.3	29.0	7.0
4/12/2018 16:00	BDL	BDL	BDL	1.0	0.2	2.4	17.0	7.0
4/12/2018 17:00	0.4	BDL	BDL	0.8	0.2	2.4	21.0	10.0
4/12/2018 18:00	0.5	BDL	BDL	2.0	0.3	2.1	20.0	10.0
4/12/2018 19:00	0.6	BDL	BDL	3.1	0.3	2.2	14.0	6.0
4/12/2018 20:00	0.5	BDL	BDL	3.7	0.3	2.1	14.0	5.0
4/12/2018 21:00	BDL	BDL	BDL	3.8	0.3	2.0	21.0	14.0
4/12/2018 22:00	BDL	BDL	BDL	5.9	0.3	2.2	18.0	14.0
4/12/2018 23:00	BDL	BDL	BDL	4.7	0.3	2.2	25.0	12.0
4/13/2018 0:00	BDL	BDL	BDL	0.7	0.3	2.2	23.0	17.0
4/13/2018 1:00	BDL	Calibration	Calibration	1.8	0.3	2.3	17.0	11.0
4/13/2018 2:00	0.9	Calibration	Calibration	10.4	0.4	2.4	17.0	14.0
4/13/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.3	19.0	10.0
4/13/2018 4:00	0.6	Calibration	Calibration	12.2	0.4	2.3	16.0	11.0
4/13/2018 5:00	2.5	Calibration	Calibration	16.4	0.4	2.4	19.0	11.0
4/13/2018 6:00	3.3	BDL	BDL	18.3	0.4	2.3	19.0	12.0
4/13/2018 7:00	2.7	0.7	BDL	25.4	0.4	2.4	19.0	11.0
4/13/2018 8:00	2.3	0.4	BDL	18.7	0.4	2.4	17.0	8.0
4/13/2018 9:00	2.6	BDL	BDL	13.7	0.3	2.2	15.0	7.0
4/13/2018 10:00	2.2	BDL	BDL	10.5	0.3	2.3	17.0	10.0
4/13/2018 11:00	3.3	BDL	BDL	7.4	0.3	2.4	19.0	9.0
4/13/2018 12:00	1.3	BDL	BDL	6.3	0.2	2.3	29.0	9.0
4/13/2018 13:00	0.8	BDL	BDL	2.8	0.2	2.4	30.0	10.0
4/13/2018 14:00	0.8	BDL	BDL	2.5	0.2	2.4	26.0	8.0
4/13/2018 15:00	0.8	BDL	BDL	2.1	0.2	2.4	28.0	11.0
4/13/2018 16:00	0.7	BDL	BDL	2.4	0.2	2.4	25.0	15.0
4/13/2018 17:00	0.5	BDL	BDL	2.6	0.3	2.2	31.0	9.0
4/13/2018 18:00	0.6	BDL	BDL	3.2	0.2	2.4	27.0	10.0
4/13/2018 19:00	0.6	0.5	BDL	5.3	0.2	2.4	23.0	13.0
4/13/2018 20:00	0.4	BDL	BDL	2.0	0.2	2.3	27.0	11.0
4/13/2018 21:00	0.9	0.4	BDL	6.3	0.3	2.4	34.0	10.0
4/13/2018 22:00	0.8	0.5	BDL	8.6	0.3	2.5	28.0	10.0
4/13/2018 23:00	1.0	0.4	BDL	4.5	0.3	2.3	26.0	13.0
4/14/2018 0:00	0.7	0.5	BDL	3.5	0.3	2.3	23.0	12.0
4/14/2018 1:00	0.8	Calibration	Calibration	5.7	0.3	2.4	17.0	6.0
4/14/2018 2:00	0.9	Calibration	Calibration	8.1	0.3	2.5	9.0	4.0
4/14/2018 3:00	Calibration	0.7	BDL	Calibration	Calibration	2.5	10.0	7.0
4/14/2018 4:00	0.4	1.0	0.5	7.4	0.3	Too few samples	7.0	5.0
4/14/2018 5:00	0.7	1.1	0.6	12.6	0.3	2.4	10.0	4.0
4/14/2018 6:00	0.6	Calibration	Calibration	14.2	0.3	2.3	10.0	4.0
4/14/2018 7:00	BDL	Calibration	Calibration	9.3	0.3	2.3	8.0	6.0
4/14/2018 8:00	1.0	0.5	BDL	6.1	0.3	2.2	15.0	4.0
4/14/2018 9:00	1.2	BDL	BDL	2.6	0.2	2.3	13.0	3.0
4/14/2018 10:00	1.0	BDL	BDL	3.4	0.2	2.2	9.0	2.0
4/14/2018 11:00	0.6	BDL	BDL	0.9	0.2	2.1	10.0	2.0
4/14/2018 12:00	0.8	BDL	BDL	0.9	0.2	2.1	12.0	2.0
4/14/2018 13:00	0.6	BDL	BDL	0.7	0.2	2.2	9.0	BDL
4/14/2018 14:00	0.6	BDL	BDL	0.8	0.3	2.1	6.0	BDL
4/14/2018 15:00	0.5	BDL	BDL	1.0	0.3	2.2	8.0	2.0
4/14/2018 16:00	0.5	BDL	BDL	1.1	0.3	2.3	7.0	2.0
4/14/2018 17:00	0.8	BDL	BDL	5.1	0.3	2.3	8.0	2.0
4/14/2018 18:00	0.4	0.4	BDL	4.6	0.3	2.1	9.0	2.0
4/14/2018 19:00	BDL	0.4	BDL	6.0	0.3	2.1	14.0	4.0
4/14/2018 20:00	1.0	BDL	BDL	5.2	0.3	2.0	29.0	21.0
4/14/2018 21:00	0.4	BDL	BDL	2.5	0.3	2.0	20.0	6.0
4/14/2018 22:00	BDL	BDL	BDL	2.7	0.3	2.0	18.0	4.0
4/14/2018 23:00	BDL	BDL	BDL	BDL	0.2	2.0	19.0	10.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 4/15/2018-4/21/2018								
4/15/2018 0:00	BDL	BDL	BDL	3.3	0.2	2.0	52.0	13.0
4/15/2018 1:00	BDL	Calibration	Calibration	4.1	0.2	2.0	45.0	13.0
4/15/2018 2:00	BDL	Calibration	Calibration	BDL	0.2	2.0	30.0	12.0
4/15/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.0	34.0	10.0
4/15/2018 4:00	BDL	BDL	BDL	0.5	0.2	Too few samples	28.0	9.0
4/15/2018 5:00	BDL	BDL	BDL	1.0	0.2	2.0	13.0	7.0
4/15/2018 6:00	BDL	BDL	BDL	1.7	0.2	2.0	8.0	6.0
4/15/2018 7:00	BDL	BDL	BDL	4.1	0.2	2.0	6.0	4.0
4/15/2018 8:00	BDL	BDL	BDL	4.2	0.2	2.0	8.0	3.0
4/15/2018 9:00	BDL	BDL	BDL	3.6	0.2	2.0	11.0	2.0
4/15/2018 10:00	BDL	BDL	BDL	4.4	0.2	2.0	7.0	7.0
4/15/2018 11:00	BDL	BDL	BDL	5.1	0.2	2.0	9.0	5.0
4/15/2018 12:00	BDL	BDL	BDL	4.3	0.2	2.0	8.0	6.0
4/15/2018 13:00	BDL	BDL	BDL	4.3	0.2	2.0	10.0	5.0
4/15/2018 14:00	BDL	BDL	BDL	3.6	0.2	2.0	9.0	8.0
4/15/2018 15:00	BDL	BDL	BDL	5.0	0.2	2.0	7.0	6.0
4/15/2018 16:00	BDL	BDL	BDL	3.7	0.2	2.0	11.0	5.0
4/15/2018 17:00	BDL	BDL	BDL	4.4	0.2	2.0	8.0	7.0
4/15/2018 18:00	BDL	BDL	BDL	8.6	0.2	2.0	6.0	5.0
4/15/2018 19:00	BDL	BDL	BDL	2.8	0.2	2.0	6.0	2.0
4/15/2018 20:00	BDL	BDL	BDL	2.9	0.2	2.0	6.0	2.0
4/15/2018 21:00	BDL	BDL	BDL	3.8	0.2	2.0	4.0	2.0
4/15/2018 22:00	BDL	BDL	BDL	7.2	0.2	2.0	3.0	1.0
4/15/2018 23:00	BDL	BDL	BDL	2.2	0.2	2.0	5.0	1.0
4/16/2018 0:00	BDL	BDL	BDL	5.1	0.2	2.0	5.0	2.0
4/16/2018 1:00	BDL	Calibration	Calibration	1.5	0.2	2.0	3.0	2.0
4/16/2018 2:00	BDL	Calibration	Calibration	3.2	0.2	2.0	5.0	1.0
4/16/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.1	5.0	1.0
4/16/2018 4:00	BDL	0.4	BDL	12.7	0.2	Too few samples	6.0	2.0
4/16/2018 5:00	BDL	0.7	BDL	18.3	0.3	2.2	10.0	3.0
4/16/2018 6:00	0.4	1.5	BDL	42.0	0.5	2.5	10.0	2.0
4/16/2018 7:00	0.4	1.6	0.4	40.5	0.5	2.3	8.0	2.0
4/16/2018 8:00	0.5	1.6	0.5	39.7	0.5	2.4	10.0	4.0
4/16/2018 9:00	0.9	1.6	0.7	20.6	0.4	2.1	11.0	5.0
4/16/2018 10:00	0.5	0.8	0.4	3.7	0.3	1.9	17.0	4.0
4/16/2018 11:00	BDL	0.7	BDL	4.3	0.3	1.9	28.0	11.0
4/16/2018 12:00	BDL	0.4	BDL	3.0	0.3	1.9	29.0	8.0
4/16/2018 13:00	0.7	0.7	BDL	7.4	0.3	2.3	11.0	6.0
4/16/2018 14:00	1.1	1.0	0.5	15.1	0.3	2.0	14.0	8.0
4/16/2018 15:00	0.7	0.9	0.4	11.2	0.3	2.2	11.0	6.0
4/16/2018 16:00	1.0	1.0	BDL	14.5	0.3	2.1	12.0	5.0
4/16/2018 17:00	0.5	0.7	BDL	10.5	0.2	2.2	11.0	4.0
4/16/2018 18:00	0.5	0.6	BDL	10.7	0.2	2.2	11.0	4.0
4/16/2018 19:00	BDL	0.4	BDL	7.5	0.2	2.3	10.0	2.0
4/16/2018 20:00	0.4	0.4	BDL	6.0	0.2	2.3	10.0	4.0
4/16/2018 21:00	BDL	BDL	BDL	0.6	0.2	2.2	9.0	3.0
4/16/2018 22:00	BDL	BDL	BDL	BDL	0.2	2.2	8.0	3.0
4/16/2018 23:00	BDL	BDL	BDL	1.3	0.2	2.2	8.0	3.0
4/17/2018 0:00	BDL	BDL	BDL	1.4	0.2	2.2	9.0	5.0
4/17/2018 1:00	BDL	Calibration	Calibration	3.5	0.2	2.2	8.0	5.0
4/17/2018 2:00	BDL	Calibration	Calibration	2.6	0.2	2.2	11.0	7.0
4/17/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.2	11.0	4.0
4/17/2018 4:00	BDL	BDL	BDL	1.0	0.2	2.1	9.0	3.0
4/17/2018 5:00	BDL	BDL	BDL	8.6	0.2	2.2	7.0	4.0
4/17/2018 6:00	1.2	0.5	BDL	12.9	0.2	2.1	9.0	4.0
4/17/2018 7:00	1.1	0.6	BDL	13.7	0.2	2.1	16.0	6.0
4/17/2018 8:00	0.5	0.5	BDL	9.2	0.2	2.3	15.0	9.0
4/17/2018 9:00	0.7	0.6	BDL	9.9	0.2	2.2	19.0	6.0
4/17/2018 10:00	1.0	0.6	BDL	11.7	0.2	2.2	20.0	4.0
4/17/2018 11:00	1.0	0.6	BDL	13.3	0.2	2.2	17.0	6.0
4/17/2018 12:00	1.2	0.7	BDL	13.1	0.2	2.1	20.0	9.0
4/17/2018 13:00	1.2	0.7	BDL	13.6	0.2	2.2	18.0	6.0
4/17/2018 14:00	1.0	0.6	BDL	10.3	0.2	2.2	16.0	5.0
4/17/2018 15:00	0.8	0.5	BDL	8.8	0.2	2.2	14.0	4.0
4/17/2018 16:00	0.7	0.6	BDL	9.0	0.2	2.1	11.0	3.0
4/17/2018 17:00	BDL	BDL	BDL	5.2	0.2	2.2	9.0	4.0
4/17/2018 18:00	BDL	BDL	BDL	1.8	0.2	2.1	8.0	4.0
4/17/2018 19:00	2.0	0.4	BDL	10.4	0.2	2.0	21.0	14.0
4/17/2018 20:00	0.7	BDL	BDL	6.2	0.2	2.2	8.0	8.0
4/17/2018 21:00	0.4	BDL	BDL	6.1	0.2	2.2	7.0	5.0
4/17/2018 22:00	BDL	BDL	BDL	5.1	0.2	2.2	9.0	4.0
4/17/2018 23:00	0.5	0.4	BDL	10.1	0.2	2.2	12.0	6.0
4/18/2018 0:00	0.5	0.4	BDL	10.4	0.1	2.2	11.0	6.0
4/18/2018 1:00	0.9	Calibration	Calibration	10.4	0.2	2.1	14.0	8.0
4/18/2018 2:00	3.1	Calibration	Calibration	10.1	0.2	2.0	17.0	14.0
4/18/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.1	18.0	11.0
4/18/2018 4:00	2.8	0.4	BDL	13.3	0.2	2.2	14.0	9.0
4/18/2018 5:00	2.2	1.3	0.5	19.6	0.2	2.3	18.0	8.0
4/18/2018 6:00	2.9	1.0	BDL	15.5	0.2	2.1	22.0	7.0
4/18/2018 7:00	2.5	0.9	BDL	11.4	0.2	2.1	17.0	8.0
4/18/2018 8:00	1.7	0.5	BDL	7.0	0.2	2.1	19.0	6.0
4/18/2018 9:00	1.4	0.4	BDL	8.2	0.2	2.2	15.0	7.0
4/18/2018 10:00	1.6	BDL	BDL	7.3	0.2	2.2	17.0	9.0
4/18/2018 11:00	1.1	BDL	BDL	5.9	0.2	2.1	20.0	7.0
4/18/2018 12:00	1.9	0.4	BDL	6.3	0.2	2.1	21.0	8.0
4/18/2018 13:00	1.6	0.4	BDL	5.8	0.2	2.1	20.0	10.0
4/18/2018 14:00	2.5	0.4	BDL	6.3	0.2	2.0	23.0	13.0
4/18/2018 15:00	2.0	0.5	BDL	6.2	0.2	2.0	20.0	11.0
4/18/2018 16:00	1.7	0.6	BDL	8.1	0.2	2.0	15.0	11.0
4/18/2018 17:00	0.7	0.5	BDL	2.9	0.2	2.1	18.0	6.0
4/18/2018 18:00	0.9	0.4	BDL	4.1	0.3	2.1	15.0	6.0
4/18/2018 19:00	0.5	0.5	BDL	12.9	0.4	2.1	18.0	8.0
4/18/2018 20:00	0.7	0.9	BDL	24.2	0.4	2.2	16.0	11.0
4/18/2018 21:00	0.4	1.2	BDL	32.9	0.5	2.1	26.0	12.0
4/18/2018 22:00	0.4	1.2	0.4	21.8	0.3	2.0	20.0	11.0
4/18/2018 23:00	BDL	1.1	BDL	16.5	0.3	2.1	18.0	10.0
4/19/2018 0:00	BDL	1.4	0.5	22.0	0.2	2.0	17.0	9.0
4/19/2018 1:00	BDL	Calibration	Calibration	11.6	0.2	2.0	20.0	7.0
4/19/2018 2:00	BDL	Calibration	Calibration	12.3	0.3	2.0	18.0	11.0
4/19/2018 3:00	Calibration	0.7	BDL	Calibration	Calibration	2.0	22.0	12.0
4/19/2018 4:00	BDL	1.1	BDL	15.1	0.3	Too few samples	22.0	11.0
4/19/2018 5:00	0.4	1.3	BDL	27.2	0.3	2.1	21.0	7.0
4/19/2018 6:00	0.5	1.6	0.5	32.3	0.4	Too few samples	31.0	6.0
4/19/2018 7:00	0.5	1.5	0.5	33.2	0.4	2.3	32.0	11.0
4/19/2018 8:00	BDL	1.2	BDL	20.8	0.3	2.3	25.0	12.0
4/19/2018 9:00	BDL	1.1	BDL	16.7	0.3	2.2	21.0	12.0
4/19/2018 10:00	BDL	0.9	BDL	12.6	0.3	2.2	23.0	14.0
4/19/2018 11:00	BDL	0.9	BDL	13.2	0.2	2.4	26.0	13.0
4/19/2018 12:00	BDL	0.7	BDL	8.6	0.2	2.4	17.0	11.0
4/19/2018 13:00	BDL	0.7	BDL	7.3	0.2	2.4	16.0	6.0
4/19/2018 14:00	BDL	0.6	BDL	3.1	0.2	2.4	7.0	8.0
4/19/2018 15:00	0.4	BDL	BDL	1.6	0.2	2.4	9.0	6.0
4/19/2018 16:00	BDL	BDL	BDL	1.4	0.2	2.4	9.0	4.0
4/19/2018 17:00	BDL	BDL	BDL	1.0	0.1	2.4	8.0	1.0
4/19/2018 18:00	BDL	BDL	BDL	0.9	0.1	2.5	9.0	1.0
4/19/2018 19:00	BDL	BDL	BDL	1.3	0.1	2.5	7.0	5.0
4/19/2018 20:00	BDL	BDL	BDL	1.3	0.1	2.4	7.0	6.0
4/19/2018 21:00	BDL	BDL	BDL	2.1	0.1	2.3	6.0	5.0
4/19/2018 22:00	BDL	BDL	BDL	2.3	0.1	2.4	10.0	2.0
4/19/2018 23:00	BDL	BDL	BDL	0.8	0.1	2.4	6.0	2.0
4/20/2018 0:00	BDL	BDL	BDL	2.5	0.1	2.4	8.0	5.0
4/20/2018 1:00	BDL	Calibration	Calibration	1.2	0.1	2.4	12.0	8.0
4/20/2018 2:00	BDL	Calibration	Calibration	0.5	0.1	2.4	12.0	7.0
4/20/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.3	12.0	6.0
4/20/2018 4:00	BDL	BDL	BDL	2.0	0.1	Too few samples	10.0	9.0
4/20/2018 5:00	BDL	BDL	BDL	5.6	0.1	2.3	11.0	8.0
4/20/2018 6:00	BDL	BDL	BDL	5.4	0.2	2.4	11.0	4.0
4/20/2018 7:00	BDL	BDL	BDL	5.9	0.2	2.4	14.0	1.0
4/20/2018 8:00	BDL	BDL	BDL	3.9	0.1	2.4	16.0	4.0
4/20/2018 9:00	BDL	BDL	BDL	3.1	0.1	2.5	17.0	4.0
4/20/2018 10:00	BDL	BDL	BDL	0.7	0.1	2.5	21.0	3.0
4/20/2018 11:00	BDL	BDL	BDL	1.2	0.1	2.4	27.0	3.0
4/20/2018 12:00	BDL	BDL	BDL	BDL	0.1	2.5	25.0	4.0
4/20/2018 13:00	BDL	BDL	BDL	0.4	0.1	2.4	11.0	1.0
4/20/2018 14:00	BDL	BDL	BDL	BDL	0.1	2.4	14.0	3.0
4/20/2018 15:00	BDL	BDL	BDL	BDL	0.1	2.5	18.0	3.0
4/20/2018 16:00	BDL	BDL	BDL	BDL	0.2	2.5	13.0	4.0
4/20/2018 17:00	BDL	BDL	BDL	0.8	0.2	2.4	11.0	4.0
4/20/2018 18:00	BDL	BDL	BDL	3.2	0.2	2.3	11.0	4.0
4/20/2018 19:00	BDL	BDL	BDL	4.0	0.2	2.3	14.0	6.0
4/20/2018 20:00	BDL	BDL	BDL	4.6	0.2	2.3	10.0	5.0
4/20/2018 21:00	BDL	BDL	BDL	4.4	0.2	2.3	10.0	7.0
4/20/2018 22:00	BDL	BDL	BDL	5.3	0.2	2.3	10.0	6.0
4/20/2018 23:00	BDL	BDL	BDL	5.7	0.2	2.4	10.0	5.0
4/21/2018 0:00	BDL	BDL	BDL	8.8	0.2	2.4	14.0	4.0
4/21/2018 1:00	BDL	Calibration	Calibration	10.2	0.2	2.5	11.0	6.0
4/21/2018 2:00	BDL	Calibration	Calibration	12.8	0.2	2.6	8.0	5.0
4/21/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.5	5.0	4.0
4/21/2018 4:00	BDL	BDL	BDL	6.7	0.2	2.5	8.0	3.0
4/21/2018 5:00	BDL	0.5	BDL	17.4	0.2	2.7	13.0	8.0
4/21/2018 6:00	BDL	0.7	BDL	17.8	0.2	2.6	19.0	10.0
4/21/2018 7:00	BDL	BDL	BDL	5.0	0.2	2.5	12.0	9.0
4/21/2018 8:00	BDL	BDL	BDL	5.0	0.2	2.4	8.0	7.0
4/21/2018 9:00	BDL	BDL	BDL	3.8	0.2	2.4	9.0	8.0
4/21/2018 10:00	BDL	BDL	BDL	BDL	0.1	2.4	10.0	5.0
4/21/2018 11:00	BDL	BDL	BDL	BDL	0.2	2.4	8.0	1.0
4/21/2018 12:00	0.7	BDL	BDL	0.9	0.2	2.5	7.0	BDL
4/21/2018 13:00	BDL	BDL	BDL	BDL	0.2	2.4	7.0	2.0
4/21/2018 14:00	BDL	BDL	BDL	0.5	0.2	2.4	9.0	2.0
4/21/2018 15:00	1.1	0.4	BDL	1.8	0.2	2.3	9.0	6.0
4/21/2018 16:00	BDL	BDL	BDL	1.8	0.2	2.4	15.0	6.0
4/21/2018 17:00	BDL	BDL	BDL	4.5	0.2	2.4	19.0	9.0
4/21/2018 18:00	1.4	0.4	BDL	8.2	0.3	2.3	20.0	8.0
4/21/2018 19:00	3.4	0.5	BDL	11.3	0.3	2.2	24.0	15.0
4/21/2018 20:00	3.6	0.7	BDL	13.7	0.3	2.3	29.0	15.0
4/21/2018 21:00	5.5	0.7	BDL	17.9	0.3	2.3	30.0	22.0
4/21/2018 22:00	BDL	0.8	BDL	10.6	0.3	3.0	19.0	6.0
4/21/2018 23:00	BDL	0.6	BDL	13.7	0.4	3.0	19.0	11.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 4/22/2018-4/28/2018								
4/22/2018 0:00	BDL	1.0	BDL	29.5	0.9	3.1	26.0	11.0
4/22/2018 1:00	BDL	Calibration	Calibration	41.3	0.8	3.9	27.0	12.0
4/22/2018 2:00	BDL	Calibration	Calibration	16.6	0.4	2.5	13.0	7.0
4/22/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.5	12.0	4.0
4/22/2018 4:00	BDL	0.7	BDL	20.6	0.4	Too few samples	13.0	7.0
4/22/2018 5:00	BDL	1.2	BDL	26.5	0.4	3.6	12.0	8.0
4/22/2018 6:00	0.6	1.1	BDL	23.7	0.3	3.1	14.0	12.0
4/22/2018 7:00	BDL	0.8	BDL	14.1	0.3	2.3	14.0	6.0
4/22/2018 8:00	0.4	0.7	BDL	8.7	0.3	2.2	11.0	1.0
4/22/2018 9:00	BDL	0.4	BDL	2.5	0.2	2.2	9.0	1.0
4/22/2018 10:00	BDL	0.4	BDL	4.7	0.3	2.2	13.0	1.0
4/22/2018 11:00	BDL	BDL	BDL	3.6	0.3	2.2	10.0	1.0
4/22/2018 12:00	BDL	BDL	BDL	4.6	0.2	2.2	9.0	4.0
4/22/2018 13:00	0.4	BDL	BDL	3.8	0.2	2.2	12.0	5.0
4/22/2018 14:00	BDL	BDL	BDL	4.1	0.2	2.2	13.0	5.0
4/22/2018 15:00	BDL	BDL	BDL	3.0	0.2	2.3	14.0	6.0
4/22/2018 16:00	1.8	0.4	BDL	6.8	0.2	2.3	18.0	7.0
4/22/2018 17:00	2.0	0.4	BDL	9.5	0.2	2.4	15.0	10.0
4/22/2018 18:00	1.3	0.5	BDL	9.3	0.3	2.5	17.0	8.0
4/22/2018 19:00	0.9	0.7	BDL	12.3	0.3	2.5	19.0	5.0
4/22/2018 20:00	BDL	0.7	BDL	7.5	0.3	2.3	14.0	5.0
4/22/2018 21:00	BDL	0.6	BDL	10.5	0.3	2.3	16.0	10.0
4/22/2018 22:00	BDL	0.8	BDL	13.7	0.3	2.4	18.0	10.0
4/22/2018 23:00	0.5	1.3	0.6	20.9	0.3	2.6	20.0	10.0
4/23/2018 0:00	0.4	1.5	0.8	18.8	0.3	2.8	16.0	10.0
4/23/2018 1:00	0.7	Calibration	Calibration	21.6	0.3	3.3	22.0	13.0
4/23/2018 2:00	BDL	Calibration	Calibration	21.7	0.3	2.8	22.0	9.0
4/23/2018 3:00	Calibration	0.7	BDL	Calibration	Calibration	2.7	21.0	10.0
4/23/2018 4:00	BDL	0.7	BDL	9.1	0.2	2.7	20.0	9.0
4/23/2018 5:00	0.4	1.9	0.7	56.7	0.5	3.4	34.0	7.0
4/23/2018 6:00	1.4	3.8	1.3	84.6	0.7	3.4	55.0	20.0
4/23/2018 7:00	2.3	4.9	2.1	109.0	0.8	2.9	81.0	22.0
4/23/2018 8:00	2.1	3.6	1.4	69.6	0.6	2.7	63.0	18.0
4/23/2018 9:00	0.8	1.4	0.6	22.1	0.4	2.3	32.0	7.0
4/23/2018 10:00	BDL	0.9	BDL	13.4	0.3	2.2	28.0	8.0
4/23/2018 11:00	BDL	0.5	BDL	8.8	0.2	2.2	26.0	9.0
4/23/2018 12:00	BDL	0.5	BDL	7.7	0.2	2.2	35.0	15.0
4/23/2018 13:00	BDL	0.5	BDL	8.5	0.2	2.2	26.0	8.0
4/23/2018 14:00	0.7	0.5	BDL	4.5	0.2	2.4	Invalid	9.0
4/23/2018 15:00	0.6	0.6	BDL	4.9	0.2	2.4	26.0	7.0
4/23/2018 16:00	BDL	0.5	BDL	2.5	0.2	2.3	18.0	7.0
4/23/2018 17:00	BDL	0.5	BDL	4.0	0.2	2.3	16.0	4.0
4/23/2018 18:00	0.4	0.7	BDL	6.4	0.2	2.4	14.0	3.0
4/23/2018 19:00	BDL	0.8	BDL	4.9	0.3	2.3	18.0	6.0
4/23/2018 20:00	BDL	0.5	BDL	3.9	0.3	2.2	9.0	3.0
4/23/2018 21:00	BDL	0.5	BDL	5.0	0.3	2.2	10.0	4.0
4/23/2018 22:00	BDL	0.6	BDL	9.6	0.3	2.4	9.0	6.0
4/23/2018 23:00	BDL	0.8	BDL	20.6	0.3	2.3	12.0	7.0
4/24/2018 0:00	BDL	1.3	BDL	29.3	0.3	2.3	20.0	9.0
4/24/2018 1:00	BDL	Calibration	Calibration	33.9	0.4	2.3	analyzer malfunction	8.0
4/24/2018 2:00	BDL	Calibration	Calibration	42.3	0.4	2.4	analyzer malfunction	9.0
4/24/2018 3:00	Calibration	1.5	0.5	Calibration	Calibration	2.4	analyzer malfunction	9.0
4/24/2018 4:00	BDL	2.4	1.0	47.1	0.5	Too few samples	analyzer malfunction	7.0
4/24/2018 5:00	0.4	2.9	1.2	47.6	0.4	2.3	analyzer malfunction	10.0
4/24/2018 6:00	0.6	2.7	1.2	47.5	0.4	2.3	analyzer malfunction	11.0
4/24/2018 7:00	0.6	1.9	0.6	26.0	0.3	2.2	analyzer malfunction	7.0
4/24/2018 8:00	0.8	1.4	0.6	17.7	0.3	2.3	analyzer malfunction	analyzer malfunction
4/24/2018 9:00	0.4	1.0	0.4	10.9	0.3	2.1	30.0	BDL
4/24/2018 10:00	BDL	0.8	BDL	9.0	0.2	2.1	22.0	5.0
4/24/2018 11:00	BDL	0.6	BDL	7.0	0.2	2.1	26.0	5.0
4/24/2018 12:00	BDL	0.7	BDL	9.0	0.2	2.1	26.0	9.0
4/24/2018 13:00	BDL	0.8	BDL	9.3	0.3	2.1	24.0	5.0
4/24/2018 14:00	BDL	0.8	BDL	8.3	0.3	2.1	23.0	BDL
4/24/2018 15:00	BDL	0.8	0.4	10.0	0.3	2.1	19.0	11.0
4/24/2018 16:00	0.4	0.9	0.4	7.5	0.3	2.1	30.0	6.0
4/24/2018 17:00	0.4	0.9	0.5	8.1	0.3	2.0	23.0	2.0
4/24/2018 18:00	0.4	1.0	0.5	10.6	0.4	2.0	20.0	6.0
4/24/2018 19:00	BDL	0.9	0.5	6.9	0.3	2.0	22.0	4.0
4/24/2018 20:00	BDL	0.9	0.6	8.6	0.3	2.0	24.0	5.0
4/24/2018 21:00	BDL	1.0	0.6	9.5	0.4	2.1	21.0	5.0
4/24/2018 22:00	BDL	1.0	0.6	10.7	0.3	2.1	17.0	10.0
4/24/2018 23:00	BDL	1.0	0.5	7.7	0.3	2.1	10.0	9.0
4/25/2018 0:00	BDL	0.9	0.5	7.5	0.3	2.1	8.0	4.0
4/25/2018 1:00	BDL	Calibration	Calibration	5.8	0.3	2.1	7.0	3.0
4/25/2018 2:00	BDL	Calibration	Calibration	6.0	0.3	2.0	6.0	3.0
4/25/2018 3:00	Calibration	1.1	0.7	Calibration	Calibration	2.0	6.0	3.0
4/25/2018 4:00	BDL	1.4	0.8	15.2	0.3	Too few samples	7.0	2.0
4/25/2018 5:00	BDL	1.4	0.9	19.8	0.4	2.0	8.0	BDL
4/25/2018 6:00	BDL	1.6	1.0	19.8	0.4	2.0	9.0	1.0
4/25/2018 7:00	BDL	Audit	Audit	15.9	0.4	2.0	12.0	1.0
4/25/2018 8:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	2.0	9.0	3.0
4/25/2018 9:00	BDL	1.6	0.9	Calibration	0.4	Too few samples	17.0	5.0
4/25/2018 10:00	BDL	1.6	0.8	24.4	0.4	2.0	13.0	3.0
4/25/2018 11:00	Calibration	1.6	1.0	Calibration	Calibration	2.0	11.0	2.0
4/25/2018 12:00	BDL	1.5	1.0	19.5	0.3	2.0	13.0	3.0
4/25/2018 13:00	BDL	1.6	0.9	13.2	0.3	2.0	13.0	5.0
4/25/2018 14:00	BDL	1.3	0.8	5.7	0.3	2.1	17.0	7.0
4/25/2018 15:00	BDL	1.4	0.9	11.5	0.4	2.0	21.0	14.0
4/25/2018 16:00	BDL	1.2	0.9	4.9	0.3	2.8	14.0	8.0
4/25/2018 17:00	BDL	1.2	0.9	BDL	0.2	2.5	13.0	3.0
4/25/2018 18:00	BDL	1.2	0.8	BDL	0.2	2.4	13.0	3.0
4/25/2018 19:00	0.4	1.3	1.0	1.0	0.3	2.5	9.0	5.0
4/25/2018 20:00	BDL	1.2	0.9	BDL	0.3	2.3	15.0	5.0
4/25/2018 21:00	BDL	1.2	1.1	BDL	0.3	2.5	10.0	7.0
4/25/2018 22:00	BDL	1.3	1.0	BDL	0.3	2.5	8.0	6.0
4/25/2018 23:00	BDL	1.3	0.9	BDL	0.3	2.5	15.0	6.0
4/26/2018 0:00	BDL	1.1	0.8	BDL	0.2	2.1	8.0	6.0
4/26/2018 1:00	BDL	Calibration	Calibration	BDL	0.2	2.3	8.0	5.0
4/26/2018 2:00	BDL	Calibration	Calibration	BDL	0.2	2.1	6.0	4.0
4/26/2018 3:00	Calibration	0.9	0.7	Calibration	Calibration	2.2	4.0	2.0
4/26/2018 4:00	BDL	1.0	0.6	BDL	0.2	Too few samples	8.0	3.0
4/26/2018 5:00	BDL	0.8	0.4	BDL	0.2	2.2	10.0	2.0
4/26/2018 6:00	BDL	0.6	BDL	BDL	0.2	2.2	10.0	2.0
4/26/2018 7:00	BDL	0.7	0.4	BDL	0.2	2.3	17.0	3.0
4/26/2018 8:00	BDL	0.9	0.5	BDL	0.2	2.3	9.0	1.0
4/26/2018 9:00	BDL	0.8	0.5	BDL	0.2	2.2	19.0	1.0
4/26/2018 10:00	0.6	1.1	0.6	2.8	0.2	2.2	32.0	2.0
4/26/2018 11:00	BDL	0.8	0.5	BDL	0.2	2.3	18.0	2.0
4/26/2018 12:00	0.5	0.8	0.4	2.2	0.2	2.3	23.0	5.0
4/26/2018 13:00	0.7	0.8	0.4	2.7	0.1	2.2	36.0	5.0
4/26/2018 14:00	BDL	0.7	0.4	BDL	0.1	2.3	9.0	4.0
4/26/2018 15:00	0.9	0.7	0.5	BDL	0.1	2.3	19.0	2.0
4/26/2018 16:00	BDL	0.6	BDL	BDL	0.1	2.3	7.0	1.0
4/26/2018 17:00	0.9	0.6	BDL	BDL	0.1	2.3	13.0	1.0
4/26/2018 18:00	0.9	0.8	BDL	BDL	0.2	2.3	13.0	7.0
4/26/2018 19:00	BDL	0.8	0.6	BDL	0.2	2.4	13.0	6.0
4/26/2018 20:00	BDL	0.9	0.6	0.8	0.2	2.5	11.0	1.0
4/26/2018 21:00	BDL	0.9	0.4	BDL	0.3	2.7	10.0	3.0
4/26/2018 22:00	BDL	1.3	0.6	18.8	0.3	2.7	12.0	4.0
4/26/2018 23:00	BDL	1.8	0.8	25.8	0.4	3.0	15.0	6.0
4/27/2018 0:00	BDL	1.8	0.8	23.3	0.3	2.3	21.0	5.0
4/27/2018 1:00	BDL	Calibration	Calibration	14.0	0.3	2.2	14.0	6.0
4/27/2018 2:00	BDL	Calibration	Calibration	23.4	0.4	2.3	22.0	5.0
4/27/2018 3:00	Calibration	2.2	1.2	Calibration	Calibration	2.3	27.0	13.0
4/27/2018 4:00	0.4	2.6	1.2	30.9	0.5	Too few samples	26.0	18.0
4/27/2018 5:00	BDL	2.7	1.3	52.0	0.5	3.2	36.0	14.0
4/27/2018 6:00	BDL	Too few samples	Too few samples	59.8	0.5	2.2	28.0	13.0
4/27/2018 7:00	BDL	Calibration	Calibration	40.3	0.5	2.2	23.0	10.0
4/27/2018 8:00	BDL	1.7	0.7	30.6	0.4	2.1	19.0	13.0
4/27/2018 9:00	BDL	2.1	0.9	24.7	0.4	2.0	18.0	11.0
4/27/2018 10:00	BDL	1.6	0.9	13.0	0.3	2.0	13.0	8.0
4/27/2018 11:00	BDL	1.4	0.7	7.2	0.3	1.9	10.0	6.0
4/27/2018 12:00	BDL	1.2	0.8	10.3	0.3	1.9	18.0	6.0
4/27/2018 13:00	BDL	1.3	0.8	6.9	0.3	2.0	19.0	8.0
4/27/2018 14:00	BDL	1.3	0.7	14.3	0.4	2.1	17.0	8.0
4/27/2018 15:00	BDL	1.3	0.7	11.9	0.4	2.1	24.0	9.0
4/27/2018 16:00	BDL	1.3	0.8	8.0	0.4	2.5	21.0	12.0
4/27/2018 17:00	BDL	1.4	0.8	13.0	0.4	2.6	21.0	10.0
4/27/2018 18:00	BDL	1.4	0.8	12.2	0.4	2.2	20.0	16.0
4/27/2018 19:00	BDL	1.5	0.8	16.9	0.4	2.3	22.0	13.0
4/27/2018 20:00	BDL	1.6	0.8	15.9	0.4	2.4	19.0	15.0
4/27/2018 21:00	BDL	1.6	0.8	19.2	0.5	2.1	22.0	16.0
4/27/2018 22:00	BDL	1.8	0.9	26.4	0.5	2.8	29.0	18.0
4/27/2018 23:00	BDL	2.2	1.0	34.5	0.6	2.6	29.0	22.0
4/28/2018 0:00	BDL	2.5	1.2	43.7	0.7	3.0	30.0	25.0
4/28/2018 1:00	BDL	Calibration	Calibration	61.9	0.7	3.6	37.0	22.0
4/28/2018 2:00	0.4	Calibration	Calibration	54.9	0.7	3.3	37.0	24.0
4/28/2018 3:00	Calibration	2.9	1.1	Calibration	Calibration	4.0	37.0	24.0
4/28/2018 4:00	0.6	3.3	1.5	56.7	0.7	Too few samples	41.0	28.0
4/28/2018 5:00	0.5	2.8	1.4	38.9	0.6	2.9	38.0	27.0
4/28/2018 6:00	BDL	2.0	1.1	20.4	0.3	2.4	32.0	19.0
4/28/2018 7:00	BDL	1.7	0.9	12.5	0.3	2.4	27.0	21.0
4/28/2018 8:00	0.6	1.6	1.0	8.3	0.3	2.4	26.0	16.0
4/28/2018 9:00	BDL	1.5	1.1	2.6	0.3	2.2	17.0	8.0
4/28/2018 10:00	BDL	1.5	1.2	BDL	0.2	2.1	15.0	6.0
4/28/2018 11:00	BDL	1.2	1.0	BDL	0.2	2.1	10.0	6.0
4/28/2018 12:00	BDL	0.9	0.6	BDL	0.1	2.1	14.0	4.0
4/28/2018 13:00	BDL	0.8	0.5	BDL	0.1	2.1	18.0	4.0
4/28/2018 14:00	BDL	0.7	0.5	BDL	0.1	2.2	22.0	13.0
4/28/2018 15:00	BDL	0.9	0.6	BDL	0.1	2.2	18.0	8.0
4/28/2018 16:00	BDL	1.0	0.6	BDL	0.1	2.1	20.0	6.0
4/28/2018 17:00	BDL	0.9	0.7	BDL	0.2	2.2	15.0	7.0
4/28/2018 18:00	BDL	1.1	0.8	BDL	0.2	2.7	17.0	12.0
4/28/2018 19:00	BDL	1.2	0.9	1.8	0.3	2.0	10.0	9.0
4/28/2018 20:00	BDL	1.1	0.9	0.7	0.2	2.2	11.0	7.0
4/28/2018 21:00	BDL	1.1	0.7	4.1	0.3	2.0	19.0	10.0
4/28/2018 22:00	BDL	1.1	0.7	4.1	0.3	2.3	14.0	9.0
4/28/2018 23:00	BDL	1.1	0.7	2.5	0.3	2.2	17.0	9.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 4/29/2018-5/5/2018								
4/29/2018 0:00	BDL	1.0	0.8	BDL	0.2	2.4	13.0	15.0
4/29/2018 1:00	BDL	Calibration	Calibration	BDL	0.2	2.3	14.0	5.0
4/29/2018 2:00	BDL	Calibration	Calibration	BDL	0.2	2.3	8.0	4.0
4/29/2018 3:00	Calibration	0.7	0.5	Calibration	Calibration	2.3	6.0	2.0
4/29/2018 4:00	BDL	0.8	0.5	BDL	0.1	2.3	7.0	2.0
4/29/2018 5:00	BDL	Calibration	Calibration	BDL	0.1	2.4	7.0	5.0
4/29/2018 6:00	BDL	Calibration	Calibration	BDL	0.1	2.4	10.0	6.0
4/29/2018 7:00	BDL	0.6	0.4	BDL	0.1	2.5	8.0	4.0
4/29/2018 8:00	BDL	0.7	0.4	BDL	0.1	2.5	12.0	6.0
4/29/2018 9:00	BDL	0.7	0.5	BDL	0.1	2.3	8.0	7.0
4/29/2018 10:00	BDL	0.8	0.4	BDL	0.1	2.5	13.0	5.0
4/29/2018 11:00	BDL	0.7	0.4	BDL	0.1	2.4	8.0	3.0
4/29/2018 12:00	BDL	0.8	0.5	BDL	0.1	2.3	6.0	2.0
4/29/2018 13:00	BDL	0.8	0.6	BDL	0.1	2.4	6.0	6.0
4/29/2018 14:00	BDL	0.8	0.6	BDL	0.1	2.3	8.0	5.0
4/29/2018 15:00	BDL	0.8	0.5	BDL	0.1	2.4	8.0	4.0
4/29/2018 16:00	BDL	0.7	0.5	BDL	0.1	2.3	9.0	4.0
4/29/2018 17:00	BDL	0.7	0.4	BDL	0.1	2.4	10.0	5.0
4/29/2018 18:00	BDL	0.7	BDL	BDL	0.1	2.3	7.0	7.0
4/29/2018 19:00	BDL	0.5	BDL	BDL	0.1	2.5	7.0	5.0
4/29/2018 20:00	BDL	0.6	BDL	BDL	0.1	2.5	7.0	7.0
4/29/2018 21:00	1.0	0.7	BDL	2.7	0.1	2.2	14.0	8.0
4/29/2018 22:00	4.3	0.9	0.4	4.4	0.1	2.2	23.0	13.0
4/29/2018 23:00	0.6	0.9	0.4	7.0	0.1	2.3	11.0	8.0
4/30/2018 0:00	BDL	1.0	0.5	7.7	0.1	2.4	9.0	4.0
4/30/2018 1:00	BDL	Calibration	Calibration	4.9	0.1	2.4	6.0	6.0
4/30/2018 2:00	BDL	Calibration	Calibration	BDL	0.1	2.4	9.0	6.0
4/30/2018 3:00	Calibration	0.6	0.4	Calibration	Calibration	2.4	10.0	3.0
4/30/2018 4:00	BDL	0.8	0.5	2.9	0.1	Too few samples	14.0	3.0
4/30/2018 5:00	BDL	0.7	0.4	2.9	0.1	2.4	15.0	4.0
4/30/2018 6:00	BDL	0.8	0.4	5.4	0.1	2.4	19.0	4.0
4/30/2018 7:00	0.7	1.0	0.5	10.1	0.1	2.5	maintenance	maintenance
4/30/2018 8:00	1.0	1.1	0.4	11.3	0.1	2.4	36.0	13.0
4/30/2018 9:00	0.4	0.8	0.4	3.9	0.1	2.5	48.0	12.0
4/30/2018 10:00	BDL	0.7	0.4	BDL	0.1	2.6	23.0	6.0
4/30/2018 11:00	BDL	0.7	0.4	BDL	0.1	2.5	16.0	3.0
4/30/2018 12:00	0.4	0.7	0.4	BDL	0.1	2.4	11.0	1.0
4/30/2018 13:00	BDL	0.9	0.5	BDL	0.1	2.5	25.0	4.0
4/30/2018 14:00	BDL	0.9	0.6	BDL	0.1	2.3	14.0	5.0
4/30/2018 15:00	BDL	0.7	0.5	BDL	0.1	2.3	17.0	4.0
4/30/2018 16:00	BDL	0.7	BDL	BDL	0.1	2.4	27.0	5.0
4/30/2018 17:00	BDL	0.6	0.5	BDL	0.1	2.4	15.0	4.0
4/30/2018 18:00	BDL	0.7	0.4	1.1	0.1	2.3	13.0	2.0
4/30/2018 19:00	0.4	1.2	0.6	16.9	0.3	2.1	22.0	4.0
4/30/2018 20:00	BDL	1.2	0.5	13.6	0.3	2.2	21.0	6.0
4/30/2018 21:00	BDL	1.6	0.6	20.6	0.4	2.2	24.0	6.0
4/30/2018 22:00	BDL	1.7	0.6	23.5	0.4	2.3	20.0	6.0
4/30/2018 23:00	BDL	1.5	0.6	16.1	0.3	2.5	19.0	8.0
5/1/2018 0:00	BDL	1.5	0.8	10.3	0.2	3.1	9.0	9.0
5/1/2018 1:00	BDL	Calibration	Calibration	14.6	0.3	3.0	13.0	8.0
5/1/2018 2:00	BDL	Calibration	Calibration	6.5	0.1	3.0	16.0	6.0
5/1/2018 3:00	Calibration	1.0	0.6	Calibration	Calibration	2.6	17.0	7.0
5/1/2018 4:00	BDL	1.7	0.7	16.3	0.3	Too few samples	21.0	10.0
5/1/2018 5:00	0.8	2.0	1.1	33.8	0.3	3.0	36.0	12.0
5/1/2018 6:00	2.0	3.4	1.5	63.5	0.5	3.3	46.0	18.0
5/1/2018 7:00	3.5	3.2	1.6	56.4	0.5	3.1	43.0	16.0
5/1/2018 8:00	2.2	2.2	1.1	19.5	0.2	2.5	38.0	10.0
5/1/2018 9:00	BDL	1.0	0.4	BDL	0.1	2.5	40.0	8.0
5/1/2018 10:00	0.5	0.9	0.4	2.6	0.1	2.5	38.0	10.0
5/1/2018 11:00	0.5	0.9	0.5	1.6	0.1	2.4	45.0	13.0
5/1/2018 12:00	1.5	0.9	0.5	0.6	0.1	2.4	47.0	15.0
5/1/2018 13:00	1.3	1.0	0.5	4.3	0.1	2.3	49.0	12.0
5/1/2018 14:00	2.6	1.0	0.6	4.6	0.1	2.3	46.0	13.0
5/1/2018 15:00	1.3	0.9	0.5	1.5	0.1	2.3	37.0	15.0
5/1/2018 16:00	2.4	1.2	0.6	5.1	0.1	2.3	51.0	17.0
5/1/2018 17:00	2.5	1.1	0.7	3.6	0.1	2.4	40.0	8.0
5/1/2018 18:00	3.0	1.4	0.8	16.7	0.2	2.5	32.0	11.0
5/1/2018 19:00	2.6	1.6	0.7	16.8	0.2	2.7	27.0	8.0
5/1/2018 20:00	3.5	1.6	0.8	15.7	0.2	2.6	32.0	13.0
5/1/2018 21:00	1.6	1.6	0.7	14.4	0.2	2.6	36.0	13.0
5/1/2018 22:00	1.2	1.5	0.9	10.8	0.2	2.6	24.0	8.0
5/1/2018 23:00	2.7	1.5	1.0	9.4	0.2	2.4	31.0	7.0
5/2/2018 0:00	1.6	1.7	1.1	12.6	0.2	2.5	22.0	10.0
5/2/2018 1:00	0.9	Calibration	Calibration	14.6	0.2	2.5	23.0	9.0
5/2/2018 2:00	2.0	Calibration	Calibration	26.5	0.3	2.8	23.0	10.0
5/2/2018 3:00	Calibration	2.1	1.2	Calibration	Calibration	3.4	24.0	16.0
5/2/2018 4:00	1.1	Calibration	Calibration	42.9	0.6	Too few samples	37.0	13.0
5/2/2018 5:00	1.9	Calibration	Calibration	41.7	0.5	3.2	45.0	11.0
5/2/2018 6:00	3.6	Calibration	Calibration	52.4	0.5	3.2	44.0	17.0
5/2/2018 7:00	3.9	2.3	1.3	52.8	0.5	3.1	52.0	17.0
5/2/2018 8:00	5.0	3.6	1.9	46.2	0.4	2.8	43.0	17.0
5/2/2018 9:00	2.8	3.5	1.8	34.9	0.3	2.9	41.0	13.0
5/2/2018 10:00	1.7	3.3	1.9	19.8	0.2	2.6	45.0	13.0
5/2/2018 11:00	1.6	2.3	1.6	6.8	0.1	2.5	45.0	11.0
5/2/2018 12:00	2.1	2.2	1.2	4.7	0.1	2.4	65.0	9.0
5/2/2018 13:00	1.3	1.9	1.1	5.0	0.1	2.4	48.0	7.0
5/2/2018 14:00	1.2	1.4	1.0	BDL	0.1	2.4	47.0	9.0
5/2/2018 15:00	1.7	1.4	0.9	2.5	0.1	2.4	59.0	9.0
5/2/2018 16:00	1.4	1.5	1.0	4.4	0.1	2.4	40.0	12.0
5/2/2018 17:00	2.3	1.7	1.1	9.5	0.2	2.5	39.0	10.0
5/2/2018 18:00	4.7	2.2	1.3	22.2	0.2	2.5	42.0	12.0
5/2/2018 19:00	3.1	2.3	1.2	21.4	0.2	2.5	40.0	15.0
5/2/2018 20:00	2.2	2.2	1.3	15.2	0.2	2.7	35.0	11.0
5/2/2018 21:00	1.2	2.1	1.4	9.6	0.1	2.6	38.0	15.0
5/2/2018 22:00	0.7	2.2	1.6	7.9	0.2	2.7	30.0	9.0
5/2/2018 23:00	1.2	2.6	1.7	23.0	0.3	2.6	34.0	11.0
5/3/2018 0:00	1.3	2.8	2.0	19.5	0.2	2.6	52.0	13.0
5/3/2018 1:00	1.1	Calibration	Calibration	12.9	0.2	2.7	35.0	17.0
5/3/2018 2:00	1.5	Calibration	Calibration	13.5	0.2	2.7	28.0	15.0
5/3/2018 3:00	Calibration	2.0	1.5	Calibration	Calibration	2.7	37.0	12.0
5/3/2018 4:00	1.1	2.4	1.5	15.1	0.3	Too few samples	37.0	15.0
5/3/2018 5:00	1.9	2.8	1.7	27.3	0.3	2.7	54.0	12.0
5/3/2018 6:00	2.8	2.6	1.5	24.8	0.3	2.6	52.0	17.0
5/3/2018 7:00	3.5	2.5	1.4	23.7	0.2	2.6	56.0	23.0
5/3/2018 8:00	3.1	2.5	1.6	25.8	0.2	2.6	53.0	20.0
5/3/2018 9:00	2.2	2.3	1.4	12.9	0.2	2.5	45.0	17.0
5/3/2018 10:00	2.1	2.1	1.4	5.6	0.2	2.3	74.0	19.0
5/3/2018 11:00	1.9	1.6	1.1	0.6	0.2	2.6	67.0	15.0
5/3/2018 12:00	1.9	1.6	1.2	BDL	0.2	2.5	90.0	19.0
5/3/2018 13:00	1.2	1.6	1.3	BDL	0.2	2.6	73.0	16.0
5/3/2018 14:00	1.3	1.6	1.3	BDL	0.2	2.7	91.0	19.0
5/3/2018 15:00	2.1	1.6	1.2	1.3	0.2	2.6	95.0	19.0
5/3/2018 16:00	1.6	1.7	1.3	2.3	0.2	2.7	48.0	14.0
5/3/2018 17:00	1.2	1.7	1.3	1.9	0.2	2.6	38.0	9.0
5/3/2018 18:00	3.2	2.2	1.6	14.1	0.2	2.5	46.0	11.0
5/3/2018 19:00	1.2	2.2	1.6	4.4	0.2	2.4	43.0	15.0
5/3/2018 20:00	0.9	2.2	1.8	1.1	0.2	2.4	36.0	16.0
5/3/2018 21:00	1.4	2.6	2.0	7.2	0.2	2.6	46.0	19.0
5/3/2018 22:00	2.5	2.4	1.9	9.4	0.2	2.7	44.0	19.0
5/3/2018 23:00	1.4	2.5	1.9	15.3	0.3	2.3	42.0	17.0
5/4/2018 0:00	1.1	2.8	1.9	17.9	0.2	2.5	39.0	15.0
5/4/2018 1:00	1.1	Calibration	Calibration	19.9	0.2	2.8	40.0	17.0
5/4/2018 2:00	1.0	Calibration	Calibration	13.6	0.3	3.2	45.0	15.0
5/4/2018 3:00	Calibration	2.7	1.9	Calibration	Calibration	4.2	37.0	15.0
5/4/2018 4:00	1.1	4.8	2.6	64.1	0.5	2.7	48.0	22.0
5/4/2018 5:00	1.5	Calibration	Calibration	57.6	0.6	3.5	79.0	20.0
5/4/2018 6:00	2.4	Calibration	Calibration	61.7	0.6	3.6	65.0	28.0
5/4/2018 7:00	3.0	3.2	1.9	50.5	0.5	3.1	70.0	21.0
5/4/2018 8:00	3.1	Calibration	Calibration	49.2	0.3	2.5	87.0	21.0
5/4/2018 9:00	2.6	Too few samples	Too few samples	19.1	0.3	2.6	48.0	23.0
5/4/2018 10:00	3.4	2.3	1.5	15.2	0.3	2.4	45.0	17.0
5/4/2018 11:00	3.1	2.0	1.4	4.5	0.2	2.3	53.0	19.0
5/4/2018 12:00	1.4	1.6	1.3	BDL	0.2	2.3	50.0	12.0
5/4/2018 13:00	1.3	1.6	1.2	BDL	0.2	2.3	58.0	16.0
5/4/2018 14:00	1.3	1.5	1.2	BDL	0.2	2.4	52.0	15.0
5/4/2018 15:00	0.8	1.4	1.1	BDL	0.2	2.4	52.0	16.0
5/4/2018 16:00	0.8	1.4	1.1	BDL	0.2	2.4	42.0	15.0
5/4/2018 17:00	0.9	1.6	1.2	2.3	0.3	2.5	44.0	14.0
5/4/2018 18:00	1.2	1.7	1.3	BDL	0.2	2.4	48.0	18.0
5/4/2018 19:00	1.0	1.7	1.3	3.2	0.2	2.4	48.0	17.0
5/4/2018 20:00	3.4	1.8	1.4	6.1	0.3	2.6	61.0	18.0
5/4/2018 21:00	4.0	1.7	1.4	5.9	0.3	2.6	48.0	17.0
5/4/2018 22:00	3.1	1.6	1.2	BDL	0.2	2.7	43.0	12.0
5/4/2018 23:00	0.4	1.2	0.9	BDL	0.1	2.4	18.0	8.0
5/5/2018 0:00	BDL	1.1	0.9	BDL	0.1	2.6	27.0	7.0
5/5/2018 1:00	BDL	Calibration	Calibration	BDL	0.1	2.6	13.0	6.0
5/5/2018 2:00	BDL	Calibration	Calibration	BDL	0.1	2.6	14.0	4.0
5/5/2018 3:00	Calibration	1.1	0.9	Calibration	Calibration	2.6	19.0	3.0
5/5/2018 4:00	BDL	1.1	0.9	BDL	0.1	2.6	23.0	BDL
5/5/2018 5:00	BDL	Too few samples	Too few samples	BDL	0.1	2.3	17.0	3.0
5/5/2018 6:00	BDL	Calibration	Calibration	BDL	0.1	2.3	20.0	3.0
5/5/2018 7:00	BDL	1.0	0.8	BDL	0.1	2.4	14.0	1.0
5/5/2018 8:00	BDL	1.0	0.8	BDL	0.1	2.4	14.0	3.0
5/5/2018 9:00	BDL	0.9	0.8	BDL	0.1	2.3	19.0	4.0
5/5/2018 10:00	BDL	1.0	0.8	BDL	0.1	2.2	12.0	3.0
5/5/2018 11:00	BDL	1.0	0.7	BDL	0.1	2.2	19.0	2.0
5/5/2018 12:00	BDL	1.0	0.8	BDL	0.1	2.2	18.0	4.0
5/5/2018 13:00	0.7	1.1	0.9	4.4	0.1	2.2	24.0	4.0
5/5/2018 14:00	BDL	1.1	0.9	BDL	0.1	2.2	21.0	5.0
5/5/2018 15:00	0.4	1.3	0.9	4.0	0.1	2.2	17.0	6.0
5/5/2018 16:00	BDL	1.2	0.9	BDL	0.1	2.4	18.0	6.0
5/5/2018 17:00	1.4	1.3	0.9	1.1	0.2	2.4	18.0	5.0
5/5/2018 18:00	1.9	1.5	1.1	3.8	0.2	2.4	20.0	8.0
5/5/2018 19:00	BDL	1.4	1.0	BDL	0.2	2.4	20.0	10.0
5/5/2018 20:00	BDL	1.3	1.0	1.6	0.2	2.4	19.0	8.0
5/5/2018 21:00	BDL	1.7	1.3	2.7	0.2	2.3	23.0	8.0
5/5/2018 22:00	BDL	1.7	1.4	BDL	0.2	2.2	18.0	5.0
5/5/2018 23:00	BDL	1.7	1.3	2.0	0.2	2.2	15.0	2.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 5/6/2018-5/12/2018								
5/6/2018 0:00	BDL	1.6	1.4	BDL	0.2	2.1	13.0	6.0
5/6/2018 1:00	BDL	Calibration	Calibration	BDL	0.2	2.2	15.0	6.0
5/6/2018 2:00	BDL	Calibration	Calibration	4.0	0.2	2.3	15.0	6.0
5/6/2018 3:00	Calibration	1.5	1.4	Calibration	Calibration	2.4	16.0	7.0
5/6/2018 4:00	BDL	1.8	1.3	5.3	0.2	2.4	20.0	8.0
5/6/2018 5:00	BDL	1.6	1.2	4.3	0.3	2.3	18.0	6.0
5/6/2018 6:00	BDL	1.7	1.3	3.3	0.3	2.1	22.0	7.0
5/6/2018 7:00	BDL	1.2	0.8	4.5	0.2	2.3	30.0	7.0
5/6/2018 8:00	BDL	Too few samples	Too few samples	3.7	0.2	2.4	30.0	8.0
5/6/2018 9:00	0.5	Calibration	Calibration	3.2	0.1	2.3	35.0	8.0
5/6/2018 10:00	0.4	1.1	0.8	5.8	0.1	2.2	31.0	8.0
5/6/2018 11:00	BDL	1.3	0.9	1.3	0.1	2.2	27.0	7.0
5/6/2018 12:00	BDL	1.1	0.7	1.0	0.1	2.1	24.0	6.0
5/6/2018 13:00	BDL	1.1	0.7	BDL	0.1	2.1	25.0	7.0
5/6/2018 14:00	BDL	1.2	0.8	3.3	0.1	2.1	23.0	6.0
5/6/2018 15:00	0.8	1.2	0.8	0.5	0.1	2.1	22.0	10.0
5/6/2018 16:00	0.6	1.2	0.9	1.9	0.1	2.1	27.0	9.0
5/6/2018 17:00	BDL	1.4	1.0	2.2	0.2	2.4	31.0	11.0
5/6/2018 18:00	BDL	1.4	1.0	BDL	0.1	2.4	22.0	10.0
5/6/2018 19:00	BDL	1.2	0.8	BDL	0.1	2.1	15.0	9.0
5/6/2018 20:00	BDL	1.1	0.8	0.4	0.1	2.2	14.0	8.0
5/6/2018 21:00	BDL	1.1	0.8	BDL	0.1	2.2	20.0	9.0
5/6/2018 22:00	BDL	1.2	0.8	BDL	0.1	2.2	17.0	11.0
5/6/2018 23:00	BDL	1.1	0.7	BDL	0.1	2.2	14.0	9.0
5/7/2018 0:00	BDL	1.1	0.8	BDL	0.1	2.2	14.0	7.0
5/7/2018 1:00	BDL	Calibration	Calibration	BDL	0.1	2.2	14.0	7.0
5/7/2018 2:00	BDL	Calibration	Calibration	BDL	0.1	2.1	14.0	7.0
5/7/2018 3:00	Calibration	1.3	0.9	Calibration	Calibration	2.2	14.0	8.0
5/7/2018 4:00	BDL	1.4	0.8	5.0	0.1	Too few samples	16.0	6.0
5/7/2018 5:00	BDL	1.3	0.8	5.6	0.1	2.2	16.0	9.0
5/7/2018 6:00	Too few samples	1.5	0.9	Too few samples	Too few samples	2.3	21.0	7.0
5/7/2018 7:00	Too few samples	1.6	1.0	Too few samples	Too few samples	Too few samples	20.0	8.0
5/7/2018 8:00	1.1	1.9	1.4	13.7	0.3	analyzer malfucntion	17.0	8.0
5/7/2018 9:00	BDL	1.7	1.2	10.3	0.2	analyzer malfucntion	23.0	10.0
5/7/2018 10:00	BDL	1.4	0.9	5.8	0.2	Too few samples	28.0	9.0
5/7/2018 11:00	BDL	1.3	0.9	2.9	0.2	analyzer malfucntion	18.0	10.0
5/7/2018 12:00	BDL	1.3	0.9	2.8	0.2	analyzer malfucntion	24.0	6.0
5/7/2018 13:00	BDL	1.2	0.9	1.1	0.2	analyzer malfucntion	23.0	8.0
5/7/2018 14:00	BDL	1.1	1.0	BDL	0.2	analyzer malfucntion	15.0	8.0
5/7/2018 15:00	BDL	1.2	0.9	BDL	0.2	analyzer malfucntion	19.0	8.0
5/7/2018 16:00	BDL	1.1	0.9	BDL	0.2	analyzer malfucntion	18.0	6.0
5/7/2018 17:00	BDL	1.1	0.9	BDL	0.2	analyzer malfucntion	17.0	6.0
5/7/2018 18:00	BDL	1.3	0.9	BDL	0.2	analyzer malfucntion	20.0	10.0
5/7/2018 19:00	BDL	1.0	0.7	BDL	0.2	analyzer malfucntion	21.0	11.0
5/7/2018 20:00	BDL	1.2	1.0	BDL	0.2	analyzer malfucntion	22.0	9.0
5/7/2018 21:00	BDL	1.4	1.1	BDL	0.2	analyzer malfucntion	11.0	7.0
5/7/2018 22:00	BDL	1.4	1.3	5.2	0.3	analyzer malfucntion	11.0	7.0
5/7/2018 23:00	BDL	1.6	1.3	10.0	0.3	analyzer malfucntion	16.0	9.0
5/8/2018 0:00	BDL	1.5	1.2	5.6	0.2	analyzer malfucntion	11.0	8.0
5/8/2018 1:00	BDL	Calibration	Calibration	0.4	0.3	analyzer malfucntion	14.0	8.0
5/8/2018 2:00	BDL	Calibration	Calibration	4.1	0.3	analyzer malfucntion	12.0	5.0
5/8/2018 3:00	Calibration	1.3	1.1	Calibration	Calibration	Calibration	14.0	3.0
5/8/2018 4:00	BDL	Calibration	Calibration	21.9	0.4	Calibration	16.0	11.0
5/8/2018 5:00	BDL	Calibration	Calibration	20.3	0.4	analyzer malfucntion	27.0	14.0
5/8/2018 6:00	Too few samples	1.6	1.2	Too few samples	Too few samples	Too few samples	20.0	10.0
5/8/2018 7:00	Too few samples	1.6	0.6	Too few samples	Too few samples	Too few samples	24.0	7.0
5/8/2018 8:00	BDL	1.9	0.9	13.9	0.2	Too few samples	26.0	9.0
5/8/2018 9:00	Too few samples	1.8	0.9	Too few samples	Too few samples	Calibration	30.0	10.0
5/8/2018 10:00	Calibration	1.8	1.1	Calibration	Calibration	2.1	29.0	7.0
5/8/2018 11:00	BDL	1.4	0.9	BDL	0.1	2.0	29.0	6.0
5/8/2018 12:00	BDL	1.4	1.0	BDL	0.1	2.0	38.0	6.0
5/8/2018 13:00	BDL	1.4	0.9	BDL	0.1	2.0	24.0	5.0
5/8/2018 14:00	BDL	1.3	1.0	BDL	0.1	2.0	24.0	4.0
5/8/2018 15:00	BDL	1.4	1.0	BDL	0.1	2.0	11.0	9.0
5/8/2018 16:00	BDL	1.2	0.9	BDL	0.1	2.0	18.0	6.0
5/8/2018 17:00	BDL	1.2	0.9	BDL	0.1	2.0	17.0	7.0
5/8/2018 18:00	BDL	1.5	1.1	4.2	0.2	2.0	21.0	5.0
5/8/2018 19:00	BDL	1.6	1.0	BDL	0.1	2.0	21.0	5.0
5/8/2018 20:00	BDL	1.6	0.9	0.8	0.1	2.0	17.0	5.0
5/8/2018 21:00	BDL	1.4	1.0	BDL	0.1	2.1	16.0	10.0
5/8/2018 22:00	BDL	1.4	0.9	BDL	0.2	2.5	13.0	7.0
5/8/2018 23:00	BDL	1.5	1.0	3.4	0.2	2.8	16.0	4.0
5/9/2018 0:00	BDL	1.8	1.1	15.4	0.2	2.2	16.0	6.0
5/9/2018 1:00	BDL	Calibration	Calibration	18.5	0.2	2.5	16.0	9.0
5/9/2018 2:00	BDL	Calibration	Calibration	7.0	0.2	2.1	15.0	12.0
5/9/2018 3:00	Calibration	2.3	1.2	Calibration	Calibration	2.3	24.0	13.0
5/9/2018 4:00	BDL	Calibration	Calibration	29.6	0.4	Too few samples	19.0	11.0
5/9/2018 5:00	BDL	Calibration	Calibration	33.6	0.4	2.4	24.0	10.0
5/9/2018 6:00	BDL	2.0	1.1	28.6	0.3	2.3	26.0	9.0
5/9/2018 7:00	0.4	Audit	Audit	22.1	0.3	2.2	31.0	10.0
5/9/2018 8:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	2.2	41.0	12.0
5/9/2018 9:00	BDL	1.8	1.1	Calibration	0.2	Too few samples	29.0	9.0
5/9/2018 10:00	BDL	2.2	1.0	16.4	0.2	2.1	26.0	6.0
5/9/2018 11:00	BDL	1.7	1.0	BDL	0.2	2.1	26.0	10.0
5/9/2018 12:00	BDL	1.4	1.0	BDL	0.1	2.1	30.0	6.0
5/9/2018 13:00	BDL	1.3	0.9	BDL	0.1	2.0	21.0	6.0
5/9/2018 14:00	BDL	1.4	1.0	BDL	0.1	2.0	21.0	5.0
5/9/2018 15:00	BDL	1.4	1.0	BDL	0.1	2.0	31.0	9.0
5/9/2018 16:00	BDL	1.4	1.0	BDL	0.1	2.0	25.0	11.0
5/9/2018 17:00	BDL	1.3	1.0	BDL	0.1	2.0	46.0	7.0
5/9/2018 18:00	BDL	1.4	1.0	BDL	0.1	2.0	26.0	9.0
5/9/2018 19:00	BDL	1.4	0.9	BDL	0.1	2.0	19.0	9.0
5/9/2018 20:00	BDL	1.4	0.9	7.1	0.2	2.1	17.0	9.0
5/9/2018 21:00	BDL	1.4	1.0	2.2	0.2	2.2	16.0	6.0
5/9/2018 22:00	BDL	1.5	1.0	4.5	0.2	2.1	17.0	6.0
5/9/2018 23:00	BDL	1.8	1.2	14.9	0.1	2.2	24.0	7.0
5/10/2018 0:00	BDL	2.1	1.3	14.1	0.2	2.4	22.0	7.0
5/10/2018 1:00	BDL	Calibration	Calibration	34.4	0.2	2.4	21.0	11.0
5/10/2018 2:00	BDL	Calibration	Calibration	18.8	0.2	2.3	16.0	7.0
5/10/2018 3:00	Calibration	1.9	1.4	Calibration	Calibration	2.2	12.0	6.0
5/10/2018 4:00	BDL	2.5	1.6	19.8	0.2	2.2	13.0	7.0
5/10/2018 5:00	BDL	Too few samples	Too few samples	15.8	0.2	2.4	13.0	7.0
5/10/2018 6:00	Too few samples	Audit	Audit	Too few samples	Too few samples	Too few samples	14.0	7.0
5/10/2018 7:00	Too few samples	Audit	Audit	Too few samples	Too few samples	Too few samples	21.0	7.0
5/10/2018 8:00	BDL	Audit	Audit	10.5	0.1	2.0	33.0	7.0
5/10/2018 9:00	BDL	Audit	Audit	3.0	0.1	2.0	28.0	4.0
5/10/2018 10:00	BDL	Audit	Audit	BDL	0.1	2.0	34.0	6.0
5/10/2018 11:00	BDL	Audit	Audit	BDL	0.1	2.1	57.0	6.0
5/10/2018 12:00	BDL	Audit	Audit	1.6	0.1	2.1	51.0	7.0
5/10/2018 13:00	BDL	Audit	Audit	2.8	0.2	2.0	70.0	11.0
5/10/2018 14:00	BDL	2.6	2.2	BDL	0.1	2.1	48.0	10.0
5/10/2018 15:00	0.7	2.2	1.8	BDL	0.2	2.2	37.0	9.0
5/10/2018 16:00	0.9	2.1	1.8	BDL	0.2	2.3	63.0	12.0
5/10/2018 17:00	0.8	2.0	1.6	BDL	0.2	2.3	43.0	11.0
5/10/2018 18:00	1.8	2.1	1.8	0.9	0.2	2.3	40.0	17.0
5/10/2018 19:00	1.8	2.2	1.7	9.0	0.3	2.3	39.0	14.0
5/10/2018 20:00	2.6	2.2	1.8	8.9	0.2	2.3	54.0	18.0
5/10/2018 21:00	2.8	2.3	1.8	4.5	0.2	2.2	25.0	7.0
5/10/2018 22:00	2.8	2.0	1.7	3.2	0.2	2.3	24.0	11.0
5/10/2018 23:00	2.1	2.2	1.6	4.9	0.2	2.3	21.0	10.0
5/11/2018 0:00	0.7	1.9	1.5	BDL	0.2	2.4	16.0	8.0
5/11/2018 1:00	0.5	Calibration	Calibration	1.7	0.2	2.5	17.0	8.0
5/11/2018 2:00	0.7	Calibration	Calibration	5.3	0.2	2.4	27.0	10.0
5/11/2018 3:00	Calibration	2.0	1.6	Calibration	Calibration	2.6	23.0	9.0
5/11/2018 4:00	BDL	2.0	1.6	BDL	0.2	3.0	21.0	13.0
5/11/2018 5:00	BDL	2.0	1.5	BDL	0.2	3.4	25.0	13.0
5/11/2018 6:00	Calibration	2.1	1.6	Calibration	Calibration	3.0	32.0	19.0
5/11/2018 7:00	BDL	2.2	1.6	5.6	0.2	2.5	30.0	7.0
5/11/2018 8:00	Calibration	1.9	1.5	Calibration	Calibration	2.2	26.0	8.0
5/11/2018 9:00	BDL	1.9	1.4	2.0	0.1	2.1	26.0	11.0
5/11/2018 10:00	BDL	1.7	1.4	BDL	0.1	2.2	27.0	9.0
5/11/2018 11:00	BDL	1.6	1.3	BDL	0.1	2.3	29.0	7.0
5/11/2018 12:00	BDL	1.5	1.2	BDL	0.1	2.2	26.0	7.0
5/11/2018 13:00	BDL	1.5	1.3	BDL	0.1	2.2	36.0	6.0
5/11/2018 14:00	BDL	1.5	1.3	BDL	0.1	2.6	37.0	7.0
5/11/2018 15:00	BDL	1.5	1.3	BDL	0.1	2.4	44.0	6.0
5/11/2018 16:00	BDL	1.4	1.2	BDL	0.1	2.3	26.0	6.0
5/11/2018 17:00	BDL	1.4	1.2	BDL	0.1	2.3	20.0	6.0
5/11/2018 18:00	BDL	1.4	1.2	BDL	0.1	2.2	17.0	5.0
5/11/2018 19:00	BDL	1.4	1.1	BDL	0.1	2.1	21.0	4.0
5/11/2018 20:00	BDL	1.6	1.2	4.9	0.2	2.1	26.0	4.0
5/11/2018 21:00	BDL	1.6	1.2	3.9	0.2	2.0	50.0	14.0
5/11/2018 22:00	BDL	1.7	1.2	BDL	0.1	2.1	25.0	9.0
5/11/2018 23:00	BDL	1.5	1.1	0.5	0.1	2.0	23.0	7.0
5/12/2018 0:00	BDL	1.6	1.2	3.9	0.1	2.0	21.0	9.0
5/12/2018 1:00	BDL	Calibration	Calibration	4.8	0.1	2.0	24.0	11.0
5/12/2018 2:00	BDL	Calibration	Calibration	1.3	0.1	2.1	21.0	8.0
5/12/2018 3:00	Calibration	1.5	1.3	Calibration	Calibration	2.1	42.0	11.0
5/12/2018 4:00	BDL	1.7	1.3	BDL	0.1	2.1	13.0	7.0
5/12/2018 5:00	BDL	1.6	1.4	2.1	0.1	2.1	16.0	5.0
5/12/2018 6:00	BDL	Too few samples	Too few samples	4.7	0.2	2.1	12.0	5.0
5/12/2018 7:00	BDL	Calibration	Calibration	6.1	0.2	2.1	15.0	12.0
5/12/2018 8:00	BDL	1.6	1.3	4.9	0.2	2.0	18.0	12.0
5/12/2018 9:00	BDL	1.9	1.4	5.2	0.2	2.0	16.0	10.0
5/12/2018 10:00	BDL	2.0	1.6	7.6	0.2	2.0	17.0	10.0
5/12/2018 11:00	BDL	1.8	1.5	2.2	0.2	2.0	27.0	11.0
5/12/2018 12:00	BDL	1.9	1.5	1.9	0.2	2.0	25.0	16.0
5/12/2018 13:00	BDL	1.9	1.5	3.4	0.2	2.1	34.0	19.0
5/12/2018 14:00	BDL	2.0	1.6	3.9	0.2	2.2	38.0	20.0
5/12/2018 15:00	BDL	1.9	1.6	1.8	0.2	2.2	37.0	22.0
5/12/2018 16:00	BDL	1.8	1.5	8.1	0.3	2.1	37.0	17.0
5/12/2018 17:00	BDL	1.9	1.5	10.7	0.4	2.1	42.0	19.0
5/12/2018 18:00	BDL	2.0	1.5	5.0	0.3	2.1	39.0	17.0
5/12/2018 19:00	BDL	1.8	1.4	2.6	0.3	2.1	34.0	26.0
5/12/2018 20:00	BDL	1.9	1.5	4.1	0.3	2.1	21.0	15.0
5/12/2018 21:00	BDL	1.8	1.5	5.1	0.3	2.1	16.0	15.0
5/12/2018 22:00	BDL	1.9	1.4	6.7	0.3	2.2	18.0	18.0
5/12/2018 23:00	BDL	1.9	1.6	4.3	0.2	2.2	28.0	23.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 5/13/2018-5/19/2018								
5/13/2018 0:00	BDL	2.0	1.7	5.9	0.3	2.2	28.0	23.0
5/13/2018 1:00	BDL	Calibration	Calibration	5.3	0.3	2.2	33.0	17.0
5/13/2018 2:00	BDL	Calibration	Calibration	2.9	0.2	2.1	27.0	19.0
5/13/2018 3:00	Calibration	1.8	1.6	Calibration	Calibration	2.2	16.0	16.0
5/13/2018 4:00	BDL	2.0	1.6	BDL	0.2	Too few samples	18.0	13.0
5/13/2018 5:00	BDL	1.8	1.5	BDL	0.2	2.0	23.0	12.0
5/13/2018 6:00	BDL	1.9	1.6	BDL	0.2	2.0	16.0	10.0
5/13/2018 7:00	BDL	2.1	1.7	5.8	0.2	2.2	12.0	11.0
5/13/2018 8:00	BDL	2.2	1.7	6.5	0.2	2.2	14.0	13.0
5/13/2018 9:00	BDL	2.2	1.7	5.1	0.2	2.2	24.0	14.0
5/13/2018 10:00	BDL	2.2	1.8	4.8	0.2	2.2	21.0	16.0
5/13/2018 11:00	BDL	2.2	1.9	4.8	0.2	2.1	27.0	10.0
5/13/2018 12:00	BDL	2.1	1.7	3.5	0.2	2.0	19.0	18.0
5/13/2018 13:00	BDL	2.1	1.6	2.8	0.2	2.0	9.0	7.0
5/13/2018 14:00	BDL	2.0	1.6	4.1	0.2	2.0	8.0	4.0
5/13/2018 15:00	BDL	1.9	1.6	7.5	0.2	2.0	11.0	6.0
5/13/2018 16:00	BDL	2.0	1.5	1.9	0.2	2.0	7.0	5.0
5/13/2018 17:00	BDL	1.9	1.6	2.9	0.2	1.9	8.0	4.0
5/13/2018 18:00	BDL	1.9	1.6	1.7	0.2	1.9	9.0	5.0
5/13/2018 19:00	BDL	2.0	1.6	3.1	0.2	1.9	11.0	4.0
5/13/2018 20:00	BDL	2.0	1.5	5.5	0.2	1.9	8.0	3.0
5/13/2018 21:00	BDL	1.9	1.5	2.2	0.1	2.0	5.0	5.0
5/13/2018 22:00	BDL	2.0	1.6	3.1	0.1	2.0	5.0	5.0
5/13/2018 23:00	BDL	2.2	1.8	4.2	0.1	2.1	7.0	4.0
5/14/2018 0:00	BDL	2.1	1.7	4.8	0.1	2.1	4.0	2.0
5/14/2018 1:00	BDL	Calibration	Calibration	6.5	0.1	2.1	4.0	3.0
5/14/2018 2:00	BDL	Calibration	Calibration	6.8	0.1	2.2	10.0	2.0
5/14/2018 3:00	Calibration	2.1	1.7	Calibration	Calibration	2.2	7.0	1.0
5/14/2018 4:00	BDL	2.3	1.7	7.1	0.2	Too few samples	9.0	3.0
5/14/2018 5:00	BDL	2.4	1.7	11.6	0.2	2.0	8.0	1.0
5/14/2018 6:00	BDL	2.6	1.9	22.5	0.3	2.1	11.0	5.0
5/14/2018 7:00	BDL	2.8	1.9	24.8	0.3	2.2	24.0	9.0
5/14/2018 8:00	BDL	3.0	2.0	26.1	0.3	2.3	20.0	11.0
5/14/2018 9:00	BDL	3.0	2.1	26.8	0.3	2.3	25.0	16.0
5/14/2018 10:00	BDL	3.3	2.2	27.2	0.2	2.2	32.0	Invalid
5/14/2018 11:00	BDL	3.2	2.3	27.2	0.3	2.3	32.0	19.0
5/14/2018 12:00	0.4	3.2	2.4	25.3	0.3	2.3	29.0	19.0
5/14/2018 13:00	0.6	2.9	2.3	19.1	0.3	2.2	36.0	20.0
5/14/2018 14:00	1.0	3.2	2.5	17.6	0.2	2.2	32.0	21.0
5/14/2018 15:00	1.0	2.8	2.4	11.5	0.3	2.3	27.0	15.0
5/14/2018 16:00	0.8	2.8	2.5	7.8	0.2	2.2	25.0	13.0
5/14/2018 17:00	0.5	3.0	2.5	4.1	0.3	2.2	27.0	15.0
5/14/2018 18:00	BDL	2.6	2.4	1.6	0.2	2.3	24.0	16.0
5/14/2018 19:00	BDL	2.7	2.4	2.9	0.3	2.2	18.0	15.0
5/14/2018 20:00	BDL	2.8	2.3	5.3	0.3	2.5	26.0	14.0
5/14/2018 21:00	BDL	2.7	2.4	2.8	0.2	2.1	28.0	19.0
5/14/2018 22:00	BDL	2.8	2.5	2.8	0.2	2.1	21.0	14.0
5/14/2018 23:00	BDL	2.5	2.3	3.6	0.2	2.1	17.0	17.0
5/15/2018 0:00	BDL	2.3	2.0	6.8	0.2	2.1	15.0	13.0
5/15/2018 1:00	BDL	Calibration	Calibration	12.3	0.2	2.1	20.0	11.0
5/15/2018 2:00	BDL	Calibration	Calibration	12.2	0.2	2.3	22.0	9.0
5/15/2018 3:00	Calibration	3.0	2.3	Calibration	Calibration	2.5	25.0	14.0
5/15/2018 4:00	0.5	3.4	2.7	24.2	0.4	Too few samples	26.0	17.0
5/15/2018 5:00	0.4	3.3	2.5	30.2	0.5	2.7	23.0	12.0
5/15/2018 6:00	0.5	3.2	2.3	29.1	0.4	2.6	25.0	16.0
5/15/2018 7:00	0.7	2.6	1.9	19.3	0.3	2.5	25.0	12.0
5/15/2018 8:00	1.6	2.1	1.5	13.7	0.2	2.3	30.0	10.0
5/15/2018 9:00	2.4	2.0	1.5	11.2	0.2	2.2	31.0	11.0
5/15/2018 10:00	2.1	1.9	1.5	5.9	0.2	2.3	35.0	10.0
5/15/2018 11:00	1.3	1.8	1.5	5.0	0.2	2.2	49.0	12.0
5/15/2018 12:00	0.9	1.5	1.1	1.7	0.2	2.2	34.0	15.0
5/15/2018 13:00	0.7	1.5	1.2	1.0	0.2	2.3	55.0	12.0
5/15/2018 14:00	0.5	1.5	1.3	BDL	0.2	2.5	50.0	19.0
5/15/2018 15:00	0.6	1.3	1.0	BDL	0.2	2.4	52.0	19.0
5/15/2018 16:00	0.6	1.4	1.1	BDL	0.2	2.3	42.0	21.0
5/15/2018 17:00	0.8	1.2	1.0	0.6	0.2	2.4	49.0	20.0
5/15/2018 18:00	0.4	0.9	0.7	BDL	0.1	2.4	44.0	9.0
5/15/2018 19:00	BDL	1.0	1.0	3.6	0.2	2.3	17.0	9.0
5/15/2018 20:00	BDL	1.1	0.7	7.3	0.2	2.4	18.0	6.0
5/15/2018 21:00	BDL	1.4	0.9	11.7	0.3	2.7	19.0	14.0
5/15/2018 22:00	BDL	1.5	0.9	22.6	0.4	2.8	23.0	15.0
5/15/2018 23:00	BDL	1.9	1.1	21.8	0.3	2.4	19.0	13.0
5/16/2018 0:00	BDL	1.5	0.9	8.4	0.3	2.4	19.0	17.0
5/16/2018 1:00	BDL	Calibration	Calibration	5.8	0.2	2.6	21.0	14.0
5/16/2018 2:00	BDL	Calibration	Calibration	1.8	0.2	2.3	23.0	11.0
5/16/2018 3:00	Calibration	1.3	0.9	Calibration	Calibration	2.1	19.0	8.0
5/16/2018 4:00	BDL	1.3	0.8	12.0	0.2	Too few samples	17.0	7.0
5/16/2018 5:00	BDL	1.5	0.9	19.5	0.2	2.0	21.0	7.0
5/16/2018 6:00	BDL	Too few samples	Too few samples	16.0	0.3	2.2	18.0	7.0
5/16/2018 7:00	BDL	Calibration	Calibration	14.0	0.2	2.2	21.0	8.0
5/16/2018 8:00	BDL	Calibration	Calibration	23.1	0.3	2.1	21.0	6.0
5/16/2018 9:00	BDL	1.7	0.8	16.7	0.3	2.1	17.0	7.0
5/16/2018 10:00	BDL	1.5	1.0	16.4	0.3	2.0	13.0	8.0
5/16/2018 11:00	BDL	1.5	0.9	14.3	0.3	2.0	9.0	7.0
5/16/2018 12:00	BDL	1.3	0.8	11.5	0.2	2.0	16.0	10.0
5/16/2018 13:00	BDL	1.3	0.8	11.2	0.3	2.0	20.0	8.0
5/16/2018 14:00	BDL	1.3	0.8	10.2	0.3	2.0	9.0	5.0
5/16/2018 15:00	BDL	1.4	0.9	11.8	0.3	2.0	12.0	4.0
5/16/2018 16:00	BDL	1.6	0.9	21.3	0.3	2.0	12.0	4.0
5/16/2018 17:00	BDL	1.3	0.9	6.1	0.3	2.0	10.0	4.0
5/16/2018 18:00	BDL	1.2	0.9	12.2	0.3	2.0	14.0	7.0
5/16/2018 19:00	BDL	1.3	0.8	7.6	0.2	2.0	8.0	5.0
5/16/2018 20:00	BDL	1.2	0.8	7.9	0.2	2.1	11.0	2.0
5/16/2018 21:00	BDL	1.1	0.8	4.3	0.2	2.2	12.0	2.0
5/16/2018 22:00	BDL	1.2	0.8	4.2	0.2	2.2	10.0	3.0
5/16/2018 23:00	BDL	1.2	0.8	5.1	0.2	2.2	8.0	5.0
5/17/2018 0:00	BDL	1.2	0.8	4.4	0.2	2.1	8.0	7.0
5/17/2018 1:00	BDL	Calibration	Calibration	6.4	0.1	2.1	10.0	8.0
5/17/2018 2:00	BDL	Calibration	Calibration	6.5	0.1	2.1	8.0	7.0
5/17/2018 3:00	Calibration	1.1	0.8	Calibration	Calibration	2.2	7.0	5.0
5/17/2018 4:00	BDL	1.3	0.8	7.4	0.1	Too few samples	6.0	3.0
5/17/2018 5:00	BDL	1.4	0.9	12.5	0.3	2.2	7.0	2.0
5/17/2018 6:00	BDL	1.9	1.1	25.3	0.4	2.2	7.0	2.0
5/17/2018 7:00	BDL	2.0	1.3	27.6	0.3	2.3	5.0	1.0
5/17/2018 8:00	BDL	2.3	1.4	31.5	0.4	2.3	11.0	5.0
5/17/2018 9:00	BDL	2.3	1.3	32.1	0.4	2.3	15.0	5.0
5/17/2018 10:00	BDL	2.5	1.5	37.9	0.4	2.3	15.0	4.0
5/17/2018 11:00	BDL	2.3	1.3	28.7	0.4	2.3	12.0	3.0
5/17/2018 12:00	BDL	2.0	1.2	21.4	0.3	2.2	14.0	3.0
5/17/2018 13:00	BDL	2.0	1.3	23.0	0.4	2.2	16.0	6.0
5/17/2018 14:00	BDL	2.0	1.3	25.8	0.4	2.2	17.0	8.0
5/17/2018 15:00	BDL	1.9	1.2	23.9	0.4	2.1	23.0	8.0
5/17/2018 16:00	BDL	1.9	1.2	19.7	0.4	2.1	19.0	10.0
5/17/2018 17:00	BDL	2.0	1.3	16.6	0.4	2.1	17.0	10.0
5/17/2018 18:00	BDL	1.9	1.3	16.0	0.4	2.1	17.0	9.0
5/17/2018 19:00	BDL	1.8	1.2	16.2	0.4	2.1	13.0	6.0
5/17/2018 20:00	BDL	1.9	1.4	21.3	0.5	2.1	16.0	6.0
5/17/2018 21:00	BDL	2.0	1.4	21.9	0.6	2.2	17.0	6.0
5/17/2018 22:00	BDL	2.3	1.5	29.3	0.7	2.3	17.0	8.0
5/17/2018 23:00	BDL	2.6	1.8	32.9	0.5	3.1	20.0	13.0
5/18/2018 0:00	0.4	2.9	1.8	46.6	0.6	2.7	23.0	11.0
5/18/2018 1:00	BDL	Calibration	Calibration	26.0	0.4	2.4	23.0	11.0
5/18/2018 2:00	BDL	Calibration	Calibration	29.9	0.5	2.4	19.0	9.0
5/18/2018 3:00	Calibration	3.0	1.7	Calibration	Calibration	2.5	26.0	11.0
5/18/2018 4:00	BDL	2.9	1.7	32.1	0.4	Too few samples	17.0	12.0
5/18/2018 5:00	BDL	2.7	1.8	29.7	0.4	2.4	12.0	10.0
5/18/2018 6:00	BDL	2.4	1.6	27.7	0.4	2.3	19.0	14.0
5/18/2018 7:00	BDL	2.3	1.4	27.2	0.4	2.2	21.0	13.0
5/18/2018 8:00	BDL	2.1	1.5	20.0	0.3	2.2	14.0	9.0
5/18/2018 9:00	BDL	2.2	1.5	21.7	0.3	2.4	19.0	10.0
5/18/2018 10:00	BDL	1.8	1.3	10.2	0.3	2.1	17.0	11.0
5/18/2018 11:00	BDL	1.6	1.1	6.3	0.2	2.1	22.0	9.0
5/18/2018 12:00	BDL	1.5	1.0	5.5	0.2	2.1	30.0	8.0
5/18/2018 13:00	BDL	1.5	1.1	7.3	0.2	2.1	41.0	7.0
5/18/2018 14:00	BDL	1.4	1.0	3.1	0.2	2.0	59.0	6.0
5/18/2018 15:00	BDL	1.4	0.9	2.2	0.1	2.1	52.0	9.0
5/18/2018 16:00	BDL	1.3	0.7	2.4	0.1	2.1	48.0	8.0
5/18/2018 17:00	BDL	1.3	0.9	3.7	0.1	2.1	42.0	9.0
5/18/2018 18:00	BDL	1.3	0.9	1.1	0.1	2.1	38.0	7.0
5/18/2018 19:00	BDL	1.2	0.8	0.6	0.1	2.1	30.0	5.0
5/18/2018 20:00	BDL	1.2	0.9	BDL	0.1	2.1	27.0	10.0
5/18/2018 21:00	BDL	1.2	0.8	BDL	0.1	2.1	25.0	6.0
5/18/2018 22:00	BDL	1.2	0.9	BDL	0.1	2.1	29.0	7.0
5/18/2018 23:00	BDL	1.2	0.8	2.9	0.1	2.1	25.0	7.0
5/19/2018 0:00	BDL	1.5	0.8	0.6	0.1	2.1	18.0	10.0
5/19/2018 1:00	BDL	Calibration	Calibration	BDL	0.1	2.1	19.0	7.0
5/19/2018 2:00	BDL	Calibration	Calibration	1.3	0.1	2.1	14.0	5.0
5/19/2018 3:00	Calibration	1.2	0.9	Calibration	Calibration	2.1	12.0	5.0
5/19/2018 4:00	BDL	1.2	1.0	BDL	0.1	Too few samples	8.0	4.0
5/19/2018 5:00	BDL	1.3	0.9	2.3	0.1	2.1	5.0	3.0
5/19/2018 6:00	BDL	Calibration	Calibration	2.4	0.1	2.1	6.0	3.0
5/19/2018 7:00	BDL	Calibration	Calibration	3.0	0.1	2.1	8.0	8.0
5/19/2018 8:00	BDL	1.3	0.9	4.0	0.1	2.1	6.0	5.0
5/19/2018 9:00	BDL	1.5	1.1	7.4	0.2	2.1	5.0	2.0
5/19/2018 10:00	BDL	1.5	1.1	5.5	0.2	2.1	6.0	3.0
5/19/2018 11:00	BDL	1.6	1.1	4.8	0.2	2.1	6.0	1.0
5/19/2018 12:00	BDL	1.7	1.2	9.2	0.2	2.1	6.0	BDL
5/19/2018 13:00	BDL	1.6	1.1	4.5	0.2	2.1	10.0	2.0
5/19/2018 14:00	BDL	1.5	1.1	4.5	0.2	2.1	12.0	10.0
5/19/2018 15:00	BDL	1.7	1.1	5.6	0.3	2.1	15.0	6.0
5/19/2018 16:00	BDL	1.7	1.3	7.5	0.3	2.1	18.0	10.0
5/19/2018 17:00	BDL	1.9	1.5	13.1	0.3	2.1	20.0	7.0
5/19/2018 18:00	BDL	2.1	1.5	16.0	0.4	2.2	15.0	11.0
5/19/2018 19:00	BDL	2.0	1.6	19.0	0.4	2.4	19.0	11.0
5/19/2018 20:00	BDL	2.6	2.0	29.2	0.6	2.6	28.0	13.0
5/19/2018 21:00	BDL	2.6	2.0	28.6	0.6	2.5	25.0	14.0
5/19/2018 22:00	BDL	2.8	2.2	29.5	0.5	2.6	29.0	12.0
5/19/2018 23:00	BDL	3.1	2.3	30.3	0.6	2.5	21.0	9.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 5/20/2018-5/26/2018								
5/20/2018 0:00	BDL	2.1	1.9	BDL	0.1	2.4	14.0	4.0
5/20/2018 1:00	BDL	Calibration	Calibration	BDL	0.1	2.3	11.0	BDL
5/20/2018 2:00	BDL	Calibration	Calibration	BDL	0.1	2.3	13.0	1.0
5/20/2018 3:00	Calibration	1.9	1.7	Calibration	Calibration	2.3	9.0	BDL
5/20/2018 4:00	BDL	1.8	1.5	BDL	0.1	2.3	11.0	BDL
5/20/2018 5:00	BDL	1.7	1.5	BDL	0.1	2.2	10.0	BDL
5/20/2018 6:00	BDL	1.8	1.6	BDL	0.1	2.4	7.0	1.0
5/20/2018 7:00	BDL	1.8	1.6	2.8	0.2	2.3	15.0	3.0
5/20/2018 8:00	BDL	2.0	1.7	6.8	0.2	2.3	14.0	6.0
5/20/2018 9:00	0.5	1.7	1.5	2.7	0.2	2.4	21.0	11.0
5/20/2018 10:00	1.3	1.7	1.4	2.0	0.2	2.3	22.0	9.0
5/20/2018 11:00	1.8	1.6	1.4	1.9	0.2	2.3	22.0	10.0
5/20/2018 12:00	2.1	1.8	1.6	0.5	0.2	2.3	26.0	11.0
5/20/2018 13:00	1.5	1.7	1.5	BDL	0.2	2.3	20.0	9.0
5/20/2018 14:00	0.5	1.7	1.4	BDL	0.2	2.3	13.0	7.0
5/20/2018 15:00	BDL	1.5	1.4	BDL	0.1	2.3	17.0	5.0
5/20/2018 16:00	BDL	1.8	1.6	BDL	0.1	2.3	16.0	8.0
5/20/2018 17:00	BDL	1.6	1.5	BDL	0.1	2.3	18.0	10.0
5/20/2018 18:00	BDL	1.5	1.4	BDL	0.1	2.4	17.0	7.0
5/20/2018 19:00	BDL	1.6	1.4	BDL	0.1	2.5	18.0	5.0
5/20/2018 20:00	BDL	1.6	1.4	BDL	0.2	2.4	14.0	4.0
5/20/2018 21:00	BDL	1.7	1.4	0.9	0.2	2.1	20.0	5.0
5/20/2018 22:00	BDL	1.6	1.3	BDL	0.2	2.1	12.0	8.0
5/20/2018 23:00	BDL	1.6	1.3	BDL	0.2	2.1	16.0	5.0
5/21/2018 0:00	BDL	1.7	1.4	BDL	0.2	2.1	11.0	2.0
5/21/2018 1:00	BDL	Calibration	Calibration	0.7	0.2	2.1	9.0	1.0
5/21/2018 2:00	BDL	Calibration	Calibration	BDL	0.1	2.2	10.0	BDL
5/21/2018 3:00	Calibration	1.5	1.2	Calibration	Calibration	2.1	16.0	1.0
5/21/2018 4:00	BDL	1.7	1.3	3.9	0.1	Too few samples	11.0	4.0
5/21/2018 5:00	BDL	Calibration	Calibration	7.6	0.2	2.3	10.0	4.0
5/21/2018 6:00	BDL	Calibration	Calibration	12.5	0.2	2.2	12.0	3.0
5/21/2018 7:00	BDL	1.7	1.3	11.6	0.2	2.1	Maintenance	Maintenance
5/21/2018 8:00	BDL	1.7	1.3	4.5	0.1	analyzer malfunction	23.0	5.0
5/21/2018 9:00	BDL	1.6	1.3	3.6	0.1	analyzer malfunction	22.0	5.0
5/21/2018 10:00	BDL	1.8	1.3	7.5	0.1	analyzer malfunction	15.0	7.0
5/21/2018 11:00	BDL	1.5	1.3	BDL	0.1	analyzer malfunction	17.0	6.0
5/21/2018 12:00	BDL	1.4	1.0	1.8	0.1	analyzer malfunction	16.0	8.0
5/21/2018 13:00	BDL	1.5	1.3	3.8	0.1	analyzer malfunction	16.0	6.0
5/21/2018 14:00	0.5	1.4	1.1	0.7	0.1	analyzer malfunction	22.0	4.0
5/21/2018 15:00	BDL	1.4	1.1	2.4	0.1	analyzer malfunction	27.0	4.0
5/21/2018 16:00	BDL	1.5	1.2	1.3	0.1	analyzer malfunction	25.0	6.0
5/21/2018 17:00	0.6	1.6	1.3	2.2	0.1	analyzer malfunction	21.0	6.0
5/21/2018 18:00	0.4	1.6	1.3	1.8	0.1	analyzer malfunction	22.0	9.0
5/21/2018 19:00	BDL	1.6	1.2	4.2	0.2	analyzer malfunction	29.0	8.0
5/21/2018 20:00	BDL	1.8	1.4	4.9	0.2	analyzer malfunction	22.0	6.0
5/21/2018 21:00	BDL	1.6	1.3	3.9	0.1	analyzer malfunction	29.0	6.0
5/21/2018 22:00	BDL	1.7	1.4	3.4	0.2	analyzer malfunction	24.0	7.0
5/21/2018 23:00	BDL	1.6	1.3	6.3	0.1	analyzer malfunction	17.0	7.0
5/22/2018 0:00	BDL	2.0	1.7	7.7	0.2	analyzer malfunction	16.0	6.0
5/22/2018 1:00	BDL	Calibration	Calibration	9.1	0.1	analyzer malfunction	11.0	8.0
5/22/2018 2:00	BDL	Calibration	Calibration	22.7	0.1	analyzer malfunction	18.0	6.0
5/22/2018 3:00	Calibration	3.1	2.3	Calibration	Calibration	analyzer malfunction	19.0	7.0
5/22/2018 4:00	BDL	3.7	2.3	33.4	0.2	analyzer malfunction	15.0	7.0
5/22/2018 5:00	BDL	3.1	2.3	27.0	0.3	analyzer malfunction	24.0	6.0
5/22/2018 6:00	BDL	3.7	2.4	33.5	0.3	analyzer malfunction	25.0	10.0
5/22/2018 7:00	BDL	Calibration	Calibration	21.2	0.2	analyzer malfunction	20.0	7.0
5/22/2018 8:00	BDL	Too few samples	Too few samples	24.9	0.2	analyzer malfunction	21.0	8.0
5/22/2018 9:00	BDL	2.8	2.1	19.2	0.2	analyzer malfunction	26.0	5.0
5/22/2018 10:00	BDL	2.9	2.0	22.8	0.2	analyzer malfunction	29.0	5.0
5/22/2018 11:00	BDL	2.4	1.8	11.5	0.2	analyzer malfunction	36.0	10.0
5/22/2018 12:00	BDL	2.1	1.7	8.4	0.2	2.1	15.0	7.0
5/22/2018 13:00	BDL	2.8	1.9	30.5	0.3	2.2	33.0	13.0
5/22/2018 14:00	BDL	3.2	2.2	35.6	0.3	2.3	18.0	13.0
5/22/2018 15:00	BDL	3.0	2.2	18.3	0.3	2.3	16.0	10.0
5/22/2018 16:00	BDL	2.9	2.1	16.4	0.2	2.1	18.0	9.0
5/22/2018 17:00	BDL	2.7	2.3	16.0	0.3	2.1	21.0	7.0
5/22/2018 18:00	BDL	2.7	2.2	13.9	0.3	2.1	15.0	8.0
5/22/2018 19:00	BDL	2.5	2.1	11.1	0.3	2.2	15.0	11.0
5/22/2018 20:00	BDL	2.8	2.3	11.4	0.3	2.3	17.0	12.0
5/22/2018 21:00	BDL	2.9	2.5	10.3	0.3	2.2	18.0	10.0
5/22/2018 22:00	BDL	2.5	2.0	9.3	0.3	2.1	18.0	10.0
5/22/2018 23:00	BDL	2.6	2.2	10.4	0.3	2.3	13.0	13.0
5/23/2018 0:00	BDL	2.7	2.3	10.7	0.2	2.2	22.0	11.0
5/23/2018 1:00	BDL	Calibration	Calibration	11.2	0.2	2.3	20.0	10.0
5/23/2018 2:00	BDL	Calibration	Calibration	15.2	0.2	2.5	24.0	16.0
5/23/2018 3:00	Calibration	2.8	2.4	Calibration	Calibration	2.5	27.0	17.0
5/23/2018 4:00	0.5	3.8	2.9	47.9	0.2	Too few samples	35.0	20.0
5/23/2018 5:00	0.5	Too few samples	Too few samples	52.3	0.3	2.2	27.0	17.0
5/23/2018 6:00	BDL	Calibration	Calibration	22.5	0.3	2.2	25.0	13.0
5/23/2018 7:00	BDL	Calibration	Calibration	35.4	0.3	2.4	32.0	19.0
5/23/2018 8:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	2.9	38.0	23.0
5/23/2018 9:00	BDL	1.2	BDL	Calibration	0.2	Too few samples	24.0	11.0
5/23/2018 10:00	BDL	0.6	BDL	BDL	0.1	2.4	23.0	7.0
5/23/2018 11:00	BDL	0.4	BDL	BDL	0.2	analyzer malfunction	14.0	7.0
5/23/2018 12:00	BDL	Calibration	Calibration	BDL	0.1	analyzer malfunction	27.0	6.0
5/23/2018 13:00	BDL	Calibration	Calibration	BDL	0.1	2.2	18.0	3.0
5/23/2018 14:00	BDL	0.4	BDL	BDL	0.1	2.4	16.0	3.0
5/23/2018 15:00	BDL	BDL	BDL	BDL	0.1	2.4	14.0	4.0
5/23/2018 16:00	BDL	BDL	BDL	BDL	0.1	2.3	22.0	2.0
5/23/2018 17:00	BDL	BDL	BDL	BDL	0.1	2.3	23.0	3.0
5/23/2018 18:00	BDL	BDL	BDL	BDL	0.1	2.3	34.0	9.0
5/23/2018 19:00	BDL	BDL	BDL	BDL	0.1	2.4	18.0	7.0
5/23/2018 20:00	BDL	BDL	BDL	3.3	0.1	2.5	22.0	6.0
5/23/2018 21:00	BDL	0.4	BDL	5.2	0.2	2.4	17.0	8.0
5/23/2018 22:00	BDL	0.5	BDL	4.0	0.1	2.4	23.0	9.0
5/23/2018 23:00	BDL	0.4	BDL	2.2	0.2	2.9	25.0	11.0
5/24/2018 0:00	BDL	0.5	BDL	3.3	0.2	3.1	18.0	10.0
5/24/2018 1:00	BDL	Calibration	Calibration	1.0	0.1	2.9	19.0	11.0
5/24/2018 2:00	BDL	Calibration	Calibration	4.6	0.1	3.0	19.0	7.0
5/24/2018 3:00	Calibration	0.4	BDL	Calibration	Calibration	3.0	20.0	4.0
5/24/2018 4:00	BDL	0.6	BDL	4.6	0.1	2.5	21.0	8.0
5/24/2018 5:00	BDL	0.5	BDL	5.5	0.1	2.8	24.0	10.0
5/24/2018 6:00	BDL	0.5	BDL	6.1	0.1	2.6	25.0	10.0
5/24/2018 7:00	BDL	0.6	BDL	7.8	0.1	2.5	27.0	14.0
5/24/2018 8:00	BDL	0.6	BDL	7.8	0.1	2.4	37.0	13.0
5/24/2018 9:00	BDL	0.6	BDL	7.0	0.2	2.2	32.0	9.0
5/24/2018 10:00	BDL	BDL	BDL	3.1	0.1	Too few samples	46.0	6.0
5/24/2018 11:00	BDL	BDL	BDL	2.3	0.1	Too few samples	19.0	8.0
5/24/2018 12:00	BDL	BDL	BDL	0.5	0.1	Too few samples	21.0	6.0
5/24/2018 13:00	BDL	BDL	BDL	BDL	0.0	2.3	21.0	5.0
5/24/2018 14:00	BDL	BDL	BDL	BDL	0.1	2.3	20.0	5.0
5/24/2018 15:00	0.4	BDL	BDL	BDL	0.1	2.2	22.0	11.0
5/24/2018 16:00	BDL	BDL	BDL	BDL	0.1	2.3	22.0	10.0
5/24/2018 17:00	1.3	BDL	BDL	1.2	0.1	2.4	23.0	10.0
5/24/2018 18:00	1.9	0.4	BDL	2.9	0.1	2.4	24.0	10.0
5/24/2018 19:00	1.1	0.4	BDL	3.3	0.1	2.6	27.0	12.0
5/24/2018 20:00	0.6	0.6	BDL	8.3	0.2	2.6	29.0	10.0
5/24/2018 21:00	BDL	0.7	BDL	5.6	0.1	2.4	27.0	9.0
5/24/2018 22:00	BDL	0.4	BDL	0.4	0.1	2.4	19.0	6.0
5/24/2018 23:00	0.6	0.9	BDL	17.8	0.2	2.4	22.0	10.0
5/25/2018 0:00	0.5	1.1	BDL	11.2	0.2	2.9	25.0	12.0
5/25/2018 1:00	0.6	Calibration	Calibration	13.1	0.2	3.0	26.0	14.0
5/25/2018 2:00	0.5	Calibration	Calibration	16.9	0.2	3.0	23.0	10.0
5/25/2018 3:00	Calibration	1.6	BDL	Calibration	Calibration	2.4	26.0	8.0
5/25/2018 4:00	0.8	2.0	0.5	18.7	0.2	Too few samples	40.0	8.0
5/25/2018 5:00	0.5	Calibration	Calibration	21.5	0.3	3.6	30.0	14.0
5/25/2018 6:00	0.5	Calibration	Calibration	19.7	0.3	3.2	38.0	20.0
5/25/2018 7:00	0.7	2.0	0.6	31.1	0.3	2.9	36.0	20.0
5/25/2018 8:00	1.7	2.0	0.4	23.2	0.3	2.8	37.0	17.0
5/25/2018 9:00	2.5	1.6	BDL	18.1	0.2	2.6	35.0	20.0
5/25/2018 10:00	2.4	1.2	BDL	12.8	0.2	2.5	52.0	19.0
5/25/2018 11:00	1.9	1.0	BDL	4.0	0.2	2.4	44.0	13.0
5/25/2018 12:00	1.5	0.7	BDL	BDL	0.2	2.4	51.0	16.0
5/25/2018 13:00	1.1	0.7	BDL	BDL	0.2	2.3	65.0	12.0
5/25/2018 14:00	1.0	0.7	BDL	BDL	analyzer malfunction	2.4	52.0	14.0
5/25/2018 15:00	1.5	0.7	BDL	BDL	analyzer malfunction	2.4	37.0	16.0
5/25/2018 16:00	1.2	0.8	BDL	BDL	analyzer malfunction	2.4	33.0	13.0
5/25/2018 17:00	0.8	0.7	BDL	0.4	analyzer malfunction	2.4	31.0	16.0
5/25/2018 18:00	0.7	0.9	BDL	0.9	analyzer malfunction	2.4	23.0	9.0
5/25/2018 19:00	1.0	0.7	BDL	3.5	analyzer malfunction	2.4	28.0	17.0
5/25/2018 20:00	0.4	0.9	BDL	BDL	analyzer malfunction	2.4	42.0	9.0
5/25/2018 21:00	BDL	0.8	BDL	BDL	analyzer malfunction	2.4	27.0	11.0
5/25/2018 22:00	BDL	1.1	BDL	4.8	analyzer malfunction	2.4	27.0	11.0
5/25/2018 23:00	BDL	1.2	BDL	0.5	analyzer malfunction	2.5	23.0	11.0
5/26/2018 0:00	BDL	1.1	BDL	BDL	analyzer malfunction	2.4	26.0	15.0
5/26/2018 1:00	BDL	Calibration	Calibration	3.8	analyzer malfunction	2.5	25.0	10.0
5/26/2018 2:00	BDL	Calibration	Calibration	3.6	analyzer malfunction	2.6	20.0	13.0
5/26/2018 3:00	Calibration	1.7	0.7	Calibration	analyzer malfunction	2.6	15.0	11.0
5/26/2018 4:00	BDL	1.9	0.8	5.2	analyzer malfunction	Too few samples	23.0	12.0
5/26/2018 5:00	BDL	1.8	0.7	6.4	analyzer malfunction	2.3	25.0	15.0
5/26/2018 6:00	BDL	Calibration	Calibration	6.6	analyzer malfunction	2.6	27.0	15.0
5/26/2018 7:00	0.6	Calibration	Calibration	8.3	analyzer malfunction	2.7	26.0	13.0
5/26/2018 8:00	1.5	BDL	0.8	5.9	analyzer malfunction	2.3	38.0	15.0
5/26/2018 9:00	2.4	BDL	0.9	11.9	analyzer malfunction	2.2	33.0	16.0
5/26/2018 10:00	2.2	BDL	1.1	8.7	analyzer malfunction	2.1	32.0	16.0
5/26/2018 11:00	1.8	BDL	1.0	4.5	analyzer malfunction	2.3	35.0	18.0
5/26/2018 12:00	1.5	BDL	Maintenance	1.8	analyzer malfunction	Maintenance	35.0	19.0
5/26/2018 13:00	1.2	BDL	1.1	BDL	analyzer malfunction	15.0	29.0	17.0
5/26/2018 14:00	1.2	BDL	0.5	BDL	analyzer malfunction	2.7	36.0	19.0
5/26/2018 15:00	0.8	BDL	0.7	BDL	0.1	3.0	45.0	16.0
5/26/2018 16:00	1.5	BDL	0.8	BDL	0.1	2.7	37.0	21.0
5/26/2018 17:00	1.3	BDL	0.7	BDL	0.1	2.6	39.0	17.0
5/26/2018 18:00	0.5	BDL	0.5	BDL	0.1	2.3	23.0	8.0
5/26/2018 19:00	BDL	BDL	0.6	2.4	0.1	2.4	27.0	13.0
5/26/2018 20:00	BDL	BDL	0.8	10.4	0.2	2.4	25.0	17.0
5/26/2018 21:00	BDL	BDL	0.9	14.2	0.3	2.6	29.0	13.0
5/26/2018 22:00	0.4	BDL	0.9	8.5	0.3	2.2	22.0	17.0
5/26/2018 23:00	BDL	BDL	1.0	6.0	0.3	2.2	24.0	8.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 5/27/2018-6/2/2018								
5/27/2018 0:00	BDL	BDL	1.0	1.8	0.2	2.2	21.0	12.0
5/27/2018 1:00	BDL	Calibration	Calibration	4.4	0.2	3.0	19.0	8.0
5/27/2018 2:00	0.4	Calibration	Calibration	3.0	0.2	2.9	13.0	7.0
5/27/2018 3:00	Calibration	BDL	1.0	Calibration	Calibration	2.2	15.0	9.0
5/27/2018 4:00	BDL	BDL	1.0	3.7	0.1	Too few samples	24.0	8.0
5/27/2018 5:00	BDL	BDL	1.0	2.9	0.1	2.5	12.0	6.0
5/27/2018 6:00	BDL	BDL	1.4	4.0	0.1	2.2	15.0	6.0
5/27/2018 7:00	Calibration	0.5	1.7	Calibration	Calibration	2.1	14.0	7.0
5/27/2018 8:00	Too few samples	BDL	1.5	Too few samples	Too few samples	2.1	11.0	7.0
5/27/2018 9:00	BDL	BDL	0.6	BDL	0.4	2.1	7.0	3.0
5/27/2018 10:00	BDL	BDL	0.6	BDL	0.4	2.1	6.0	2.0
5/27/2018 11:00	BDL	BDL	0.6	BDL	0.4	2.1	13.0	5.0
5/27/2018 12:00	BDL	BDL	0.5	BDL	0.4	2.0	17.0	7.0
5/27/2018 13:00	BDL	BDL	0.5	BDL	0.3	2.0	6.0	5.0
5/27/2018 14:00	BDL	BDL	0.4	BDL	0.3	2.0	14.0	10.0
5/27/2018 15:00	BDL	BDL	0.4	BDL	0.3	2.0	17.0	9.0
5/27/2018 16:00	BDL	BDL	BDL	BDL	0.3	2.0	12.0	5.0
5/27/2018 17:00	BDL	BDL	BDL	BDL	0.3	2.0	12.0	4.0
5/27/2018 18:00	BDL	BDL	BDL	BDL	0.3	2.0	12.0	7.0
5/27/2018 19:00	BDL	BDL	BDL	BDL	0.3	2.0	10.0	5.0
5/27/2018 20:00	BDL	BDL	BDL	BDL	0.3	2.0	6.0	3.0
5/27/2018 21:00	BDL	BDL	BDL	BDL	0.3	2.0	10.0	2.0
5/27/2018 22:00	BDL	BDL	BDL	BDL	0.3	2.0	7.0	4.0
5/27/2018 23:00	BDL	BDL	BDL	BDL	0.3	2.0	6.0	6.0
5/28/2018 0:00	BDL	BDL	BDL	BDL	0.3	2.0	6.0	3.0
5/28/2018 1:00	BDL	Calibration	Calibration	BDL	0.2	2.0	9.0	1.0
5/28/2018 2:00	BDL	Calibration	Calibration	BDL	0.2	2.0	10.0	2.0
5/28/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.0	12.0	2.0
5/28/2018 4:00	BDL	BDL	BDL	BDL	0.2	2.1	10.0	4.0
5/28/2018 5:00	BDL	BDL	BDL	BDL	0.3	2.0	14.0	6.0
5/28/2018 6:00	BDL	BDL	BDL	BDL	0.3	2.0	11.0	6.0
5/28/2018 7:00	BDL	BDL	BDL	BDL	0.3	2.0	13.0	6.0
5/28/2018 8:00	BDL	BDL	BDL	1.5	0.2	2.0	11.0	4.0
5/28/2018 9:00	BDL	BDL	BDL	BDL	0.2	2.0	9.0	4.0
5/28/2018 10:00	BDL	BDL	BDL	BDL	0.3	2.0	11.0	5.0
5/28/2018 11:00	BDL	BDL	BDL	BDL	0.3	2.0	15.0	9.0
5/28/2018 12:00	BDL	BDL	BDL	BDL	0.3	2.0	16.0	8.0
5/28/2018 13:00	BDL	BDL	BDL	1.6	0.3	2.2	19.0	6.0
5/28/2018 14:00	0.5	BDL	BDL	BDL	0.3	2.2	10.0	9.0
5/28/2018 15:00	BDL	BDL	BDL	BDL	0.3	2.1	12.0	7.0
5/28/2018 16:00	BDL	BDL	BDL	BDL	0.3	2.1	19.0	6.0
5/28/2018 17:00	BDL	BDL	BDL	BDL	0.3	2.2	15.0	7.0
5/28/2018 18:00	BDL	BDL	BDL	BDL	0.3	2.2	16.0	6.0
5/28/2018 19:00	BDL	BDL	0.5	BDL	0.3	2.3	13.0	4.0
5/28/2018 20:00	BDL	BDL	1.0	BDL	0.3	2.2	11.0	6.0
5/28/2018 21:00	BDL	BDL	0.8	BDL	0.3	2.2	15.0	4.0
5/28/2018 22:00	BDL	BDL	0.9	BDL	0.3	2.1	11.0	4.0
5/28/2018 23:00	BDL	BDL	1.0	BDL	0.3	2.2	17.0	5.0
5/29/2018 0:00	BDL	BDL	0.9	BDL	0.3	2.2	17.0	8.0
5/29/2018 1:00	BDL	Calibration	Calibration	BDL	0.3	2.2	18.0	12.0
5/29/2018 2:00	BDL	Calibration	Calibration	BDL	0.2	2.2	21.0	8.0
5/29/2018 3:00	Calibration	BDL	0.6	Calibration	Calibration	2.0	18.0	10.0
5/29/2018 4:00	BDL	BDL	1.0	6.1	0.3	Too few samples	15.0	11.0
5/29/2018 5:00	BDL	BDL	1.1	12.0	0.3	2.2	18.0	13.0
5/29/2018 6:00	BDL	BDL	1.3	11.0	0.4	2.2	18.0	9.0
5/29/2018 7:00	BDL	0.8	1.6	20.3	0.4	2.4	29.0	16.0
5/29/2018 8:00	BDL	0.5	1.3	11.6	0.3	2.9	36.0	15.0
5/29/2018 9:00	BDL	0.4	1.2	7.5	0.4	2.5	28.0	9.0
5/29/2018 10:00	BDL	BDL	1.2	4.4	0.4	2.2	30.0	7.0
5/29/2018 11:00	BDL	0.6	1.4	10.6	0.4	2.2	43.0	13.0
5/29/2018 12:00	0.8	0.5	1.4	4.2	0.4	2.3	38.0	12.0
5/29/2018 13:00	1.0	0.4	1.4	2.9	0.4	2.3	31.0	13.0
5/29/2018 14:00	1.0	0.5	1.5	2.9	0.4	2.3	32.0	15.0
5/29/2018 15:00	0.7	0.4	1.5	BDL	0.4	2.1	26.0	12.0
5/29/2018 16:00	0.4	0.5	1.5	BDL	0.4	2.1	49.0	10.0
5/29/2018 17:00	BDL	0.5	1.6	BDL	0.4	2.1	28.0	12.0
5/29/2018 18:00	BDL	0.6	1.7	BDL	0.4	2.2	29.0	13.0
5/29/2018 19:00	BDL	0.6	1.7	BDL	0.4	2.1	31.0	14.0
5/29/2018 20:00	BDL	0.7	1.9	BDL	0.4	2.3	23.0	10.0
5/29/2018 21:00	BDL	0.9	2.0	BDL	0.4	2.4	18.0	9.0
5/29/2018 22:00	BDL	1.4	2.5	2.4	0.4	2.6	23.0	15.0
5/29/2018 23:00	0.5	1.8	2.7	11.0	0.4	2.9	21.0	12.0
5/30/2018 0:00	0.5	2.1	3.0	2.5	0.5	3.5	20.0	12.0
5/30/2018 1:00	BDL	Calibration	Calibration	4.8	0.5	2.8	23.0	13.0
5/30/2018 2:00	BDL	Calibration	Calibration	8.7	0.4	2.3	22.0	13.0
5/30/2018 3:00	Calibration	1.7	2.5	Calibration	Calibration	2.4	21.0	9.0
5/30/2018 4:00	BDL	1.9	2.5	12.5	0.3	Too few samples	16.0	7.0
5/30/2018 5:00	BDL	1.5	2.2	12.9	0.4	2.3	13.0	7.0
5/30/2018 6:00	0.4	2.6	2.9	33.9	0.5	2.2	30.0	13.0
5/30/2018 7:00	BDL	1.8	2.5	15.3	0.4	2.0	57.0	11.0
5/30/2018 8:00	BDL	1.3	2.2	6.8	0.4	2.0	21.0	12.0
5/30/2018 9:00	BDL	1.4	2.3	3.9	0.4	2.0	21.0	12.0
5/30/2018 10:00	BDL	1.2	2.3	0.6	0.3	1.9	21.0	9.0
5/30/2018 11:00	BDL	1.5	2.4	12.0	0.3	1.9	12.0	7.0
5/30/2018 12:00	BDL	1.5	2.3	0.8	0.3	1.9	13.0	6.0
5/30/2018 13:00	BDL	1.1	2.3	BDL	0.3	1.9	17.0	4.0
5/30/2018 14:00	BDL	1.1	2.1	BDL	0.3	1.8	29.0	1.0
5/30/2018 15:00	BDL	0.9	2.1	BDL	0.3	1.8	32.0	2.0
5/30/2018 16:00	BDL	1.0	2.1	BDL	0.3	1.8	12.0	4.0
5/30/2018 17:00	BDL	1.0	2.2	BDL	0.3	1.8	18.0	2.0
5/30/2018 18:00	BDL	1.0	2.1	BDL	0.3	1.8	5.0	BDL
5/30/2018 19:00	BDL	0.9	2.1	BDL	0.3	1.9	5.0	4.0
5/30/2018 20:00	BDL	0.9	2.0	BDL	0.3	1.9	8.0	4.0
5/30/2018 21:00	BDL	0.8	2.1	BDL	0.3	1.9	11.0	3.0
5/30/2018 22:00	BDL	1.1	2.1	BDL	0.3	2.0	25.0	3.0
5/30/2018 23:00	BDL	1.1	2.1	BDL	0.3	2.0	9.0	4.0
5/31/2018 0:00	BDL	1.1	2.1	BDL	0.3	2.0	12.0	4.0
5/31/2018 1:00	BDL	Calibration	Calibration	BDL	0.3	2.0	16.0	6.0
5/31/2018 2:00	BDL	Calibration	Calibration	BDL	0.3	2.0	14.0	5.0
5/31/2018 3:00	Calibration	1.0	2.2	Calibration	Calibration	2.0	19.0	4.0
5/31/2018 4:00	BDL	1.1	2.1	BDL	0.3	Too few samples	32.0	6.0
5/31/2018 5:00	BDL	1.4	2.4	3.1	0.4	2.1	24.0	7.0
5/31/2018 6:00	BDL	1.8	2.6	9.6	0.4	2.1	19.0	9.0
5/31/2018 7:00	BDL	2.1	2.7	12.7	0.4	2.1	23.0	8.0
5/31/2018 8:00	BDL	2.2	3.0	12.0	0.4	2.1	19.0	9.0
5/31/2018 9:00	BDL	2.7	3.5	13.6	0.4	2.0	19.0	12.0
5/31/2018 10:00	BDL	2.8	3.8	12.1	0.4	3.3	25.0	10.0
5/31/2018 11:00	BDL	2.7	3.5	13.3	0.4	2.0	22.0	12.0
5/31/2018 12:00	BDL	2.4	3.4	3.2	0.3	1.9	20.0	10.0
5/31/2018 13:00	BDL	2.3	3.3	5.1	0.3	1.9	33.0	17.0
5/31/2018 14:00	BDL	2.4	3.3	2.3	0.4	1.9	29.0	9.0
5/31/2018 15:00	BDL	2.1	3.2	BDL	0.3	2.0	21.0	6.0
5/31/2018 16:00	BDL	2.0	3.3	BDL	0.3	1.9	25.0	6.0
5/31/2018 17:00	BDL	2.0	3.3	BDL	0.3	1.9	23.0	8.0
5/31/2018 18:00	BDL	2.1	3.4	BDL	0.3	1.9	25.0	8.0
5/31/2018 19:00	BDL	2.4	3.9	BDL	0.3	2.0	14.0	8.0
5/31/2018 20:00	BDL	2.4	3.7	BDL	0.3	1.9	16.0	6.0
5/31/2018 21:00	BDL	2.7	3.8	BDL	0.3	1.9	15.0	4.0
5/31/2018 22:00	BDL	3.0	4.0	BDL	0.3	1.8	12.0	4.0
5/31/2018 23:00	BDL	2.7	4.0	BDL	0.3	1.8	8.0	2.0
6/1/2018 0:00	BDL	2.8	4.0	BDL	0.2	1.9	13.0	4.0
6/1/2018 1:00	BDL	Calibration	Calibration	BDL	0.2	1.9	15.0	4.0
6/1/2018 2:00	BDL	Calibration	Calibration	BDL	0.3	1.9	17.0	9.0
6/1/2018 3:00	Calibration	3.2	4.3	Calibration	Calibration	2.0	17.0	8.0
6/1/2018 4:00	BDL	3.1	4.3	6.1	0.3	Too few samples	14.0	7.0
6/1/2018 5:00	BDL	Maintenance	Maintenance	10.3	0.4	2.1	13.0	6.0
6/1/2018 6:00	BDL	Maintenance	Maintenance	15.0	0.4	2.0	20.0	8.0
6/1/2018 7:00	BDL	Maintenance	Maintenance	9.8	0.4	2.1	15.0	11.0
6/1/2018 8:00	BDL	Maintenance	Maintenance	10.3	0.4	2.1	20.0	13.0
6/1/2018 9:00	BDL	Maintenance	Maintenance	17.4	0.4	2.1	30.0	19.0
6/1/2018 10:00	BDL	Maintenance	Maintenance	16.0	0.4	2.1	32.0	16.0
6/1/2018 11:00	BDL	0.4	0.9	17.1	0.4	2.3	35.0	17.0
6/1/2018 12:00	BDL	BDL	0.9	6.5	0.3	2.2	20.0	12.0
6/1/2018 13:00	0.9	BDL	1.0	7.9	0.3	2.1	35.0	11.0
6/1/2018 14:00	0.9	BDL	0.9	BDL	0.3	2.1	24.0	13.0
6/1/2018 15:00	0.7	BDL	1.1	1.6	0.3	2.1	35.0	17.0
6/1/2018 16:00	0.7	BDL	1.1	BDL	0.3	2.2	28.0	18.0
6/1/2018 17:00	0.4	BDL	0.8	BDL	0.3	2.0	26.0	17.0
6/1/2018 18:00	BDL	BDL	0.7	BDL	0.3	2.2	29.0	15.0
6/1/2018 19:00	BDL	BDL	0.7	BDL	0.4	2.4	31.0	15.0
6/1/2018 20:00	BDL	BDL	0.7	BDL	0.4	2.2	27.0	18.0
6/1/2018 21:00	BDL	BDL	0.7	3.4	0.4	2.7	22.0	17.0
6/1/2018 22:00	BDL	BDL	0.8	7.1	0.4	2.7	22.0	14.0
6/1/2018 23:00	BDL	0.6	1.5	5.7	0.4	3.0	20.0	14.0
6/2/2018 0:00	BDL	0.8	1.6	0.4	0.3	2.8	23.0	14.0
6/2/2018 1:00	BDL	Calibration	Calibration	6.0	0.4	2.4	30.0	21.0
6/2/2018 2:00	0.6	Calibration	Calibration	BDL	0.3	2.5	25.0	13.0
6/2/2018 3:00	Calibration	BDL	0.7	Calibration	Calibration	2.5	15.0	9.0
6/2/2018 4:00	BDL	BDL	0.7	BDL	0.3	2.3	12.0	6.0
6/2/2018 5:00	BDL	BDL	0.7	BDL	0.3	2.5	16.0	8.0
6/2/2018 6:00	BDL	Calibration	Calibration	BDL	0.3	2.2	19.0	9.0
6/2/2018 7:00	BDL	Calibration	Calibration	0.4	0.3	2.1	20.0	9.0
6/2/2018 8:00	BDL	BDL	BDL	BDL	0.3	2.1	24.0	8.0
6/2/2018 9:00	BDL	BDL	BDL	BDL	0.3	2.0	24.0	6.0
6/2/2018 10:00	BDL	BDL	BDL	BDL	0.3	1.9	12.0	6.0
6/2/2018 11:00	BDL	BDL	BDL	BDL	0.3	1.9	17.0	5.0
6/2/2018 12:00	BDL	BDL	BDL	BDL	0.3	1.9	20.0	11.0
6/2/2018 13:00	BDL	BDL	BDL	BDL	0.3	2.0	19.0	9.0
6/2/2018 14:00	BDL	BDL	BDL	BDL	0.3	2.2	28.0	11.0
6/2/2018 15:00	BDL	BDL	0.4	5.5	0.5	2.0	29.0	15.0
6/2/2018 16:00	BDL	BDL	0.4	3.1	0.5	2.0	21.0	15.0
6/2/2018 17:00	BDL	BDL	BDL	BDL	0.4	1.9	15.0	9.0
6/2/2018 18:00	BDL	BDL	BDL	BDL	0.4	1.9	15.0	8.0
6/2/2018 19:00	BDL	BDL	BDL	BDL	0.4	2.1	15.0	6.0
6/2/2018 20:00	BDL	BDL	BDL	7.4	0.5	2.0	18.0	6.0
6/2/2018 21:00	BDL	BDL	BDL	7.3	0.5	2.2	19.0	10.0
6/2/2018 22:00	BDL	BDL	BDL	BDL	0.3	2.0	12.0	7.0
6/2/2018 23:00	BDL	BDL	BDL	BDL	0.3	2.0	15.0	7.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 6/3/2018-6/9/2018								
6/3/2018 0:00	BDL	BDL	BDL	BDL	0.3	2.0	19.0	10.0
6/3/2018 1:00	BDL	Calibration	Calibration	BDL	0.3	1.9	21.0	12.0
6/3/2018 2:00	BDL	Calibration	Calibration	BDL	0.3	1.9	18.0	9.0
6/3/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	1.9	13.0	7.0
6/3/2018 4:00	BDL	BDL	BDL	BDL	0.2	Too few samples	18.0	4.0
6/3/2018 5:00	BDL	BDL	BDL	BDL	0.2	2.0	12.0	3.0
6/3/2018 6:00	BDL	Calibration	Calibration	BDL	0.2	1.9	13.0	4.0
6/3/2018 7:00	BDL	Calibration	Calibration	BDL	0.2	2.0	14.0	3.0
6/3/2018 8:00	BDL	BDL	BDL	BDL	0.2	2.0	16.0	6.0
6/3/2018 9:00	BDL	BDL	BDL	BDL	0.2	1.9	29.0	8.0
6/3/2018 10:00	BDL	BDL	BDL	BDL	0.2	1.9	22.0	6.0
6/3/2018 11:00	BDL	BDL	BDL	BDL	0.2	1.9	18.0	5.0
6/3/2018 12:00	BDL	BDL	BDL	BDL	0.2	1.9	23.0	6.0
6/3/2018 13:00	BDL	BDL	BDL	BDL	0.2	1.9	19.0	3.0
6/3/2018 14:00	BDL	BDL	BDL	BDL	0.2	1.9	26.0	4.0
6/3/2018 15:00	BDL	BDL	BDL	BDL	0.2	1.9	20.0	7.0
6/3/2018 16:00	BDL	BDL	BDL	BDL	0.2	1.9	20.0	5.0
6/3/2018 17:00	BDL	BDL	BDL	BDL	0.2	1.9	14.0	8.0
6/3/2018 18:00	BDL	BDL	BDL	BDL	0.2	1.9	13.0	8.0
6/3/2018 19:00	BDL	BDL	BDL	BDL	0.2	1.9	14.0	6.0
6/3/2018 20:00	BDL	BDL	BDL	BDL	0.2	1.9	9.0	3.0
6/3/2018 21:00	BDL	BDL	BDL	BDL	0.2	1.9	7.0	1.0
6/3/2018 22:00	BDL	BDL	BDL	BDL	0.2	2.0	7.0	BDL
6/3/2018 23:00	BDL	BDL	BDL	BDL	0.2	2.0	7.0	1.0
6/4/2018 0:00	BDL	BDL	BDL	BDL	0.2	2.0	6.0	2.0
6/4/2018 1:00	BDL	Calibration	Calibration	4.3	0.2	2.0	5.0	1.0
6/4/2018 2:00	BDL	Calibration	Calibration	BDL	0.2	2.0	4.0	1.0
6/4/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.1	3.0	BDL
6/4/2018 4:00	BDL	BDL	BDL	BDL	0.2	Too few samples	2.0	1.0
6/4/2018 5:00	BDL	BDL	BDL	BDL	0.2	2.1	3.0	1.0
6/4/2018 6:00	BDL	BDL	BDL	4.3	0.2	2.1	6.0	BDL
6/4/2018 7:00	BDL	BDL	BDL	4.2	0.2	2.1	8.0	BDL
6/4/2018 8:00	BDL	1.0	0.6	37.7	0.3	2.2	12.0	3.0
6/4/2018 9:00	BDL	BDL	BDL	BDL	0.2	2.2	13.0	5.0
6/4/2018 10:00	BDL	BDL	BDL	BDL	0.2	2.2	12.0	2.0
6/4/2018 11:00	BDL	BDL	BDL	BDL	0.2	2.2	11.0	2.0
6/4/2018 12:00	BDL	BDL	BDL	BDL	0.2	2.2	15.0	4.0
6/4/2018 13:00	BDL	BDL	BDL	BDL	0.2	2.3	20.0	4.0
6/4/2018 14:00	BDL	BDL	BDL	BDL	0.2	2.3	22.0	6.0
6/4/2018 15:00	BDL	BDL	BDL	BDL	0.2	2.3	20.0	9.0
6/4/2018 16:00	BDL	BDL	BDL	BDL	0.2	2.3	18.0	9.0
6/4/2018 17:00	BDL	BDL	BDL	BDL	0.2	2.2	19.0	6.0
6/4/2018 18:00	BDL	BDL	BDL	BDL	0.2	2.1	26.0	8.0
6/4/2018 19:00	BDL	BDL	BDL	BDL	0.2	2.1	21.0	8.0
6/4/2018 20:00	0.7	BDL	0.4	4.8	0.2	2.2	31.0	11.0
6/4/2018 21:00	0.4	BDL	BDL	5.1	0.2	2.2	18.0	9.0
6/4/2018 22:00	BDL	BDL	BDL	BDL	0.2	2.4	19.0	8.0
6/4/2018 23:00	BDL	BDL	BDL	BDL	0.1	2.4	17.0	9.0
6/5/2018 0:00	BDL	BDL	BDL	BDL	0.1	2.4	10.0	5.0
6/5/2018 1:00	BDL	Calibration	Calibration	BDL	0.1	2.4	19.0	4.0
6/5/2018 2:00	BDL	Calibration	Calibration	BDL	0.1	2.4	11.0	6.0
6/5/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.6	12.0	4.0
6/5/2018 4:00	BDL	BDL	BDL	BDL	0.1	Too few samples	13.0	6.0
6/5/2018 5:00	BDL	Calibration	Calibration	8.3	0.3	2.7	17.0	7.0
6/5/2018 6:00	0.9	Calibration	Calibration	15.2	0.3	2.8	19.0	6.0
6/5/2018 7:00	2.2	0.4	0.4	11.6	0.2	2.3	23.0	8.0
6/5/2018 8:00	3.2	0.6	0.6	15.6	0.3	2.4	35.0	9.0
6/5/2018 9:00	2.9	1.2	1.0	8.8	0.4	2.4	37.0	7.0
6/5/2018 10:00	2.7	BDL	0.4	6.2	0.2	2.3	63.0	8.0
6/5/2018 11:00	2.3	BDL	0.4	2.5	0.2	2.3	36.0	8.0
6/5/2018 12:00	1.5	BDL	BDL	BDL	0.2	2.6	54.0	7.0
6/5/2018 13:00	1.4	BDL	BDL	1.4	0.1	2.4	78.0	5.0
6/5/2018 14:00	1.4	BDL	BDL	BDL	0.2	2.4	41.0	5.0
6/5/2018 15:00	1.8	BDL	BDL	2.6	0.1	2.4	57.0	6.0
6/5/2018 16:00	1.7	BDL	BDL	4.0	0.1	2.4	43.0	6.0
6/5/2018 17:00	1.7	BDL	BDL	3.5	0.1	2.4	38.0	12.0
6/5/2018 18:00	BDL	BDL	BDL	BDL	0.2	2.4	32.0	13.0
6/5/2018 19:00	BDL	BDL	BDL	BDL	0.2	2.4	27.0	8.0
6/5/2018 20:00	BDL	BDL	BDL	BDL	0.2	2.4	13.0	8.0
6/5/2018 21:00	BDL	BDL	BDL	1.2	0.3	2.6	13.0	8.0
6/5/2018 22:00	BDL	BDL	BDL	BDL	0.3	2.6	16.0	8.0
6/5/2018 23:00	BDL	BDL	BDL	BDL	0.2	2.4	16.0	7.0
6/6/2018 0:00	BDL	BDL	BDL	BDL	0.2	2.2	18.0	5.0
6/6/2018 1:00	BDL	Calibration	Calibration	BDL	0.2	2.0	21.0	7.0
6/6/2018 2:00	BDL	Calibration	Calibration	BDL	0.2	2.0	17.0	8.0
6/6/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.1	15.0	10.0
6/6/2018 4:00	BDL	BDL	BDL	11.0	0.3	2.2	16.0	9.0
6/6/2018 5:00	BDL	0.5	BDL	18.3	0.3	2.1	15.0	9.0
6/6/2018 6:00	BDL	BDL	BDL	15.0	0.3	2.2	22.0	12.0
6/6/2018 7:00	BDL	Audit	Audit	8.7	0.2	2.1	17.0	9.0
6/6/2018 8:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	2.0	31.0	8.0
6/6/2018 9:00	BDL	BDL	BDL	Calibration	0.2	Too few samples	19.0	6.0
6/6/2018 10:00	BDL	BDL	BDL	BDL	0.2	2.0	18.0	4.0
6/6/2018 11:00	BDL	BDL	BDL	BDL	0.2	2.1	22.0	6.0
6/6/2018 12:00	BDL	BDL	BDL	BDL	0.2	2.1	17.0	5.0
6/6/2018 13:00	BDL	BDL	BDL	1.6	0.2	2.1	18.0	5.0
6/6/2018 14:00	BDL	BDL	BDL	5.0	0.3	2.1	32.0	6.0
6/6/2018 15:00	BDL	BDL	BDL	BDL	0.2	2.1	20.0	7.0
6/6/2018 16:00	BDL	BDL	BDL	BDL	0.2	2.7	10.0	3.0
6/6/2018 17:00	BDL	BDL	BDL	BDL	0.3	2.1	13.0	6.0
6/6/2018 18:00	BDL	BDL	BDL	0.7	0.3	2.0	19.0	11.0
6/6/2018 19:00	BDL	BDL	BDL	BDL	0.2	2.2	15.0	6.0
6/6/2018 20:00	BDL	BDL	BDL	BDL	0.2	2.3	13.0	3.0
6/6/2018 21:00	BDL	BDL	BDL	BDL	0.2	2.1	12.0	1.0
6/6/2018 22:00	BDL	BDL	BDL	BDL	0.2	2.2	10.0	2.0
6/6/2018 23:00	BDL	BDL	BDL	BDL	0.2	2.2	11.0	5.0
6/7/2018 0:00	BDL	BDL	BDL	BDL	0.2	2.3	11.0	3.0
6/7/2018 1:00	BDL	Calibration	Calibration	BDL	0.2	2.7	8.0	4.0
6/7/2018 2:00	BDL	Calibration	Calibration	BDL	0.2	2.0	10.0	4.0
6/7/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.4	11.0	5.0
6/7/2018 4:00	BDL	BDL	BDL	1.0	0.1	2.1	9.0	10.0
6/7/2018 5:00	BDL	BDL	BDL	3.2	0.2	2.2	12.0	6.0
6/7/2018 6:00	BDL	Calibration	Calibration	9.4	0.2	2.2	17.0	2.0
6/7/2018 7:00	BDL	Too few samples	Too few samples	3.0	0.2	2.2	19.0	4.0
6/7/2018 8:00	BDL	BDL	BDL	4.7	0.2	2.1	21.0	6.0
6/7/2018 9:00	0.8	0.5	0.6	6.7	0.2	2.3	22.0	4.0
6/7/2018 10:00	0.7	BDL	BDL	BDL	0.2	2.1	16.0	3.0
6/7/2018 11:00	BDL	BDL	BDL	BDL	0.1	2.1	18.0	4.0
6/7/2018 12:00	BDL	BDL	BDL	BDL	0.1	2.1	18.0	3.0
6/7/2018 13:00	BDL	BDL	BDL	BDL	0.1	2.1	22.0	6.0
6/7/2018 14:00	BDL	BDL	BDL	BDL	0.1	2.1	26.0	6.0
6/7/2018 15:00	BDL	BDL	BDL	BDL	0.1	2.1	28.0	6.0
6/7/2018 16:00	BDL	BDL	BDL	BDL	0.2	2.2	19.0	7.0
6/7/2018 17:00	BDL	BDL	BDL	BDL	0.1	2.2	26.0	9.0
6/7/2018 18:00	0.6	BDL	BDL	BDL	0.1	2.2	23.0	6.0
6/7/2018 19:00	0.4	BDL	BDL	BDL	0.2	2.2	14.0	5.0
6/7/2018 20:00	BDL	BDL	BDL	BDL	0.1	2.3	17.0	5.0
6/7/2018 21:00	BDL	BDL	BDL	BDL	0.2	2.2	10.0	4.0
6/7/2018 22:00	BDL	BDL	BDL	BDL	0.1	2.3	8.0	3.0
6/7/2018 23:00	BDL	BDL	BDL	BDL	0.1	2.2	9.0	6.0
6/8/2018 0:00	BDL	BDL	BDL	BDL	0.1	2.1	13.0	5.0
6/8/2018 1:00	BDL	Calibration	Calibration	2.6	0.2	2.2	10.0	5.0
6/8/2018 2:00	BDL	Calibration	Calibration	2.0	0.2	2.0	12.0	6.0
6/8/2018 3:00	Calibration	BDL	0.5	Calibration	Calibration	2.2	11.0	5.0
6/8/2018 4:00	BDL	1.2	1.3	5.6	0.2	Too few samples	12.0	6.0
6/8/2018 5:00	BDL	1.2	1.3	11.7	0.3	2.4	16.0	6.0
6/8/2018 6:00	0.7	1.4	1.2	24.3	0.4	3.4	31.0	7.0
6/8/2018 7:00	0.7	Calibration	Calibration	14.7	0.3	2.7	17.0	7.0
6/8/2018 8:00	1.9	Calibration	Calibration	17.5	0.3	2.8	29.0	6.0
6/8/2018 9:00	3.3	0.5	BDL	19.0	0.3	2.8	71.0	16.0
6/8/2018 10:00	1.8	BDL	BDL	8.1	0.3	2.7	49.0	9.0
6/8/2018 11:00	1.8	BDL	BDL	13.3	0.3	2.9	50.0	9.0
6/8/2018 12:00	1.8	BDL	BDL	5.1	0.3	2.3	53.0	13.0
6/8/2018 13:00	1.5	BDL	BDL	BDL	0.2	2.2	50.0	15.0
6/8/2018 14:00	0.8	BDL	BDL	BDL	0.2	2.3	51.0	7.0
6/8/2018 15:00	0.8	BDL	BDL	BDL	0.2	2.3	29.0	11.0
6/8/2018 16:00	0.4	BDL	BDL	BDL	0.2	2.2	25.0	13.0
6/8/2018 17:00	0.4	BDL	BDL	BDL	0.3	2.3	27.0	9.0
6/8/2018 18:00	0.6	BDL	BDL	BDL	0.3	2.3	28.0	13.0
6/8/2018 19:00	1.0	BDL	BDL	BDL	0.3	2.3	33.0	13.0
6/8/2018 20:00	0.4	BDL	BDL	BDL	0.3	2.3	26.0	11.0
6/8/2018 21:00	BDL	BDL	0.4	1.1	0.3	2.3	23.0	10.0
6/8/2018 22:00	BDL	BDL	0.4	4.0	0.3	2.3	27.0	11.0
6/8/2018 23:00	BDL	BDL	0.5	12.8	0.5	2.5	27.0	15.0
6/9/2018 0:00	BDL	0.7	0.8	13.2	0.6	2.8	22.0	12.0
6/9/2018 1:00	BDL	Calibration	Calibration	13.9	0.4	2.5	27.0	15.0
6/9/2018 2:00	BDL	Calibration	Calibration	17.7	0.6	2.8	28.0	12.0
6/9/2018 3:00	Calibration	0.5	0.7	Calibration	Calibration	3.0	23.0	17.0
6/9/2018 4:00	BDL	0.6	0.6	12.9	0.5	Too few samples	37.0	17.0
6/9/2018 5:00	BDL	1.2	0.9	20.8	0.6	3.4	38.0	22.0
6/9/2018 6:00	BDL	Calibration	Calibration	12.7	0.4	4.1	52.0	21.0
6/9/2018 7:00	BDL	Calibration	Calibration	5.9	0.4	2.4	37.0	17.0
6/9/2018 8:00	BDL	BDL	BDL	3.1	0.3	2.2	34.0	13.0
6/9/2018 9:00	BDL	BDL	BDL	1.7	0.3	2.2	30.0	17.0
6/9/2018 10:00	BDL	BDL	BDL	BDL	0.3	2.3	40.0	15.0
6/9/2018 11:00	BDL	BDL	BDL	BDL	0.3	2.2	27.0	16.0
6/9/2018 12:00	BDL	BDL	BDL	BDL	0.3	2.2	41.0	19.0
6/9/2018 13:00	BDL	BDL	BDL	BDL	0.3	2.4	39.0	19.0
6/9/2018 14:00	BDL	BDL	BDL	BDL	0.3	2.2	37.0	17.0
6/9/2018 15:00	BDL	BDL	BDL	BDL	0.3	2.2	42.0	16.0
6/9/2018 16:00	BDL	BDL	BDL	BDL	0.3	2.1	34.0	14.0
6/9/2018 17:00	BDL	BDL	BDL	BDL	0.3	2.1	19.0	16.0
6/9/2018 18:00	BDL	BDL	BDL	BDL	0.3	2.1	21.0	6.0
6/9/2018 19:00	BDL	BDL	BDL	BDL	0.3	2.1	16.0	7.0
6/9/2018 20:00	BDL	BDL	BDL	BDL	0.3	2.2	15.0	11.0
6/9/2018 21:00	BDL	BDL	BDL	BDL	0.3	2.1	14.0	7.0
6/9/2018 22:00	BDL	BDL	BDL	BDL	0.3	2.1	14.0	7.0
6/9/2018 23:00	BDL	BDL	BDL	BDL	0.3	2.3	21.0	10.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 6/10/2018-6/16/2018								
6/10/2018 0:00	BDL	BDL	BDL	BDL	0.4	2.2	14.0	7.0
6/10/2018 1:00	BDL	Calibration	Calibration	BDL	0.3	2.2	18.0	8.0
6/10/2018 2:00	BDL	Calibration	Calibration	0.9	0.4	2.1	17.0	9.0
6/10/2018 3:00	Calibration	BDL	0.4	Calibration	Calibration	2.2	27.0	15.0
6/10/2018 4:00	BDL	BDL	0.5	BDL	0.3	2.3	21.0	16.0
6/10/2018 5:00	BDL	BDL	0.5	BDL	0.3	2.4	25.0	19.0
6/10/2018 6:00	BDL	BDL	BDL	BDL	0.3	2.4	30.0	17.0
6/10/2018 7:00	BDL	Calibration	Calibration	1.2	0.4	2.5	27.0	16.0
6/10/2018 8:00	BDL	Calibration	Calibration	14.0	0.5	2.7	28.0	14.0
6/10/2018 9:00	BDL	BDL	BDL	5.9	0.4	2.4	28.0	14.0
6/10/2018 10:00	BDL	Calibration	Calibration	2.6	0.3	2.2	23.0	12.0
6/10/2018 11:00	BDL	Calibration	Calibration	6.2	0.3	2.2	21.0	10.0
6/10/2018 12:00	BDL	BDL	BDL	BDL	0.3	2.1	17.0	9.0
6/10/2018 13:00	BDL	BDL	BDL	BDL	0.3	2.0	31.0	7.0
6/10/2018 14:00	BDL	BDL	BDL	BDL	0.2	2.0	17.0	5.0
6/10/2018 15:00	BDL	BDL	BDL	BDL	0.3	2.0	19.0	4.0
6/10/2018 16:00	BDL	BDL	BDL	BDL	0.3	2.0	9.0	6.0
6/10/2018 17:00	BDL	BDL	BDL	BDL	0.2	2.0	15.0	5.0
6/10/2018 18:00	BDL	BDL	BDL	BDL	0.2	2.0	14.0	6.0
6/10/2018 19:00	BDL	BDL	BDL	BDL	0.2	2.1	8.0	6.0
6/10/2018 20:00	BDL	BDL	BDL	BDL	0.2	2.0	10.0	7.0
6/10/2018 21:00	BDL	BDL	BDL	BDL	0.2	2.1	10.0	5.0
6/10/2018 22:00	BDL	BDL	BDL	BDL	0.2	2.0	11.0	5.0
6/10/2018 23:00	BDL	BDL	BDL	BDL	0.2	2.0	8.0	6.0
6/11/2018 0:00	BDL	BDL	BDL	BDL	0.2	2.1	5.0	5.0
6/11/2018 1:00	BDL	Calibration	Calibration	6.1	0.2	2.2	5.0	3.0
6/11/2018 2:00	BDL	Calibration	Calibration	BDL	0.2	2.1	5.0	3.0
6/11/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.1	3.0	4.0
6/11/2018 4:00	BDL	BDL	BDL	BDL	0.2	Too few samples	3.0	2.0
6/11/2018 5:00	BDL	BDL	BDL	BDL	0.2	2.1	11.0	3.0
6/11/2018 6:00	BDL	BDL	BDL	3.7	0.2	2.1	11.0	5.0
6/11/2018 7:00	BDL	BDL	BDL	4.2	0.2	2.0	7.0	5.0
6/11/2018 8:00	BDL	BDL	BDL	4.1	0.2	2.0	9.0	5.0
6/11/2018 9:00	BDL	BDL	BDL	5.9	0.2	2.0	12.0	7.0
6/11/2018 10:00	BDL	BDL	BDL	10.1	0.2	2.0	13.0	9.0
6/11/2018 11:00	BDL	BDL	BDL	1.2	0.2	2.0	57.0	7.0
6/11/2018 12:00	BDL	BDL	BDL	BDL	0.2	2.0	16.0	6.0
6/11/2018 13:00	BDL	BDL	BDL	BDL	0.2	2.0	11.0	3.0
6/11/2018 14:00	BDL	BDL	BDL	BDL	0.2	2.0	14.0	3.0
6/11/2018 15:00	BDL	BDL	BDL	BDL	0.2	2.0	15.0	3.0
6/11/2018 16:00	BDL	BDL	BDL	BDL	0.2	2.0	19.0	9.0
6/11/2018 17:00	BDL	BDL	BDL	BDL	0.2	2.0	9.0	7.0
6/11/2018 18:00	BDL	BDL	BDL	BDL	0.1	2.0	16.0	3.0
6/11/2018 19:00	BDL	BDL	BDL	BDL	0.2	2.0	14.0	4.0
6/11/2018 20:00	BDL	BDL	BDL	0.5	0.2	2.0	9.0	4.0
6/11/2018 21:00	BDL	BDL	BDL	4.4	0.2	2.0	14.0	7.0
6/11/2018 22:00	BDL	BDL	BDL	1.8	0.2	2.0	11.0	7.0
6/11/2018 23:00	BDL	BDL	BDL	4.7	0.2	2.1	11.0	6.0
6/12/2018 0:00	BDL	BDL	BDL	5.0	0.3	2.1	12.0	10.0
6/12/2018 1:00	BDL	Calibration	Calibration	4.4	0.3	2.1	12.0	7.0
6/12/2018 2:00	BDL	Calibration	Calibration	13.5	0.3	2.2	23.0	8.0
6/12/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.2	21.0	9.0
6/12/2018 4:00	BDL	BDL	BDL	28.0	0.3	2.3	22.0	9.0
6/12/2018 5:00	BDL	0.7	0.5	44.5	0.6	2.3	22.0	9.0
6/12/2018 6:00	0.4	Calibration	Calibration	44.3	0.4	2.5	29.0	13.0
6/12/2018 7:00	BDL	Calibration	Calibration	20.5	0.3	2.4	31.0	15.0
6/12/2018 8:00	BDL	BDL	BDL	14.8	0.3	2.5	Invalid	Invalid
6/12/2018 9:00	BDL	BDL	BDL	8.7	0.2	2.1	45.0	11.0
6/12/2018 10:00	BDL	BDL	BDL	8.5	0.2	2.1	23.0	8.0
6/12/2018 11:00	BDL	BDL	BDL	BDL	0.1	2.2	23.0	7.0
6/12/2018 12:00	BDL	BDL	BDL	BDL	0.1	2.1	22.0	5.0
6/12/2018 13:00	BDL	BDL	BDL	BDL	0.2	2.1	17.0	5.0
6/12/2018 14:00	BDL	BDL	BDL	BDL	0.1	2.1	17.0	6.0
6/12/2018 15:00	BDL	BDL	BDL	BDL	0.1	2.2	25.0	3.0
6/12/2018 16:00	BDL	BDL	BDL	BDL	0.1	2.2	19.0	3.0
6/12/2018 17:00	BDL	BDL	BDL	BDL	0.1	2.3	19.0	7.0
6/12/2018 18:00	BDL	BDL	BDL	BDL	0.1	2.2	19.0	7.0
6/12/2018 19:00	BDL	BDL	BDL	BDL	0.2	2.2	19.0	4.0
6/12/2018 20:00	BDL	BDL	BDL	BDL	0.2	2.4	20.0	3.0
6/12/2018 21:00	BDL	BDL	BDL	BDL	0.2	2.1	20.0	5.0
6/12/2018 22:00	BDL	BDL	BDL	BDL	0.2	2.5	17.0	6.0
6/12/2018 23:00	BDL	BDL	BDL	BDL	0.2	2.2	16.0	7.0
6/13/2018 0:00	BDL	BDL	BDL	BDL	0.1	2.3	13.0	6.0
6/13/2018 1:00	BDL	Calibration	Calibration	BDL	0.2	2.1	19.0	5.0
6/13/2018 2:00	BDL	Calibration	Calibration	BDL	0.1	2.0	20.0	4.0
6/13/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.3	17.0	2.0
6/13/2018 4:00	BDL	BDL	BDL	BDL	0.2	Too few samples	16.0	3.0
6/13/2018 5:00	BDL	Calibration	Calibration	0.8	0.3	2.3	22.0	4.0
6/13/2018 6:00	BDL	Calibration	Calibration	3.9	0.3	2.2	20.0	6.0
6/13/2018 7:00	BDL	BDL	0.5	4.6	0.2	2.3	19.0	6.0
6/13/2018 8:00	BDL	0.4	0.9	11.4	0.2	2.3	23.0	6.0
6/13/2018 9:00	BDL	BDL	0.7	6.5	0.2	2.3	25.0	7.0
6/13/2018 10:00	BDL	BDL	0.5	BDL	0.2	2.3	23.0	7.0
6/13/2018 11:00	BDL	BDL	BDL	BDL	0.2	2.3	24.0	6.0
6/13/2018 12:00	BDL	BDL	BDL	BDL	0.2	2.3	20.0	7.0
6/13/2018 13:00	BDL	BDL	BDL	BDL	0.2	2.3	27.0	9.0
6/13/2018 14:00	0.7	BDL	BDL	BDL	0.2	2.2	34.0	14.0
6/13/2018 15:00	1.4	BDL	BDL	BDL	0.2	2.2	26.0	12.0
6/13/2018 16:00	1.1	BDL	BDL	BDL	0.3	2.3	25.0	9.0
6/13/2018 17:00	0.8	BDL	BDL	BDL	0.3	2.4	21.0	9.0
6/13/2018 18:00	0.8	BDL	0.4	BDL	0.3	2.4	25.0	15.0
6/13/2018 19:00	1.0	BDL	0.5	4.5	0.4	2.5	30.0	13.0
6/13/2018 20:00	0.8	BDL	0.4	3.0	0.3	2.6	21.0	12.0
6/13/2018 21:00	0.5	BDL	0.5	1.7	0.4	2.5	18.0	13.0
6/13/2018 22:00	0.5	BDL	0.5	4.6	0.4	2.4	19.0	10.0
6/13/2018 23:00	0.4	BDL	0.5	BDL	0.3	2.3	27.0	14.0
6/14/2018 0:00	0.5	BDL	0.5	BDL	0.3	2.3	23.0	11.0
6/14/2018 1:00	1.0	Calibration	Calibration	BDL	0.3	2.4	26.0	20.0
6/14/2018 2:00	1.9	Calibration	Calibration	BDL	0.3	2.2	22.0	6.0
6/14/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.1	24.0	9.0
6/14/2018 4:00	0.8	BDL	BDL	BDL	0.2	Too few samples	21.0	8.0
6/14/2018 5:00	BDL	BDL	BDL	BDL	0.1	2.5	17.0	10.0
6/14/2018 6:00	BDL	Too few samples	Too few samples	BDL	0.1	2.3	22.0	6.0
6/14/2018 7:00	BDL	Calibration	Calibration	BDL	0.1	2.3	25.0	1.0
6/14/2018 8:00	Calibration	BDL	BDL	Calibration	Calibration	2.4	24.0	4.0
6/14/2018 9:00	BDL	BDL	BDL	BDL	0.1	2.9	38.0	6.0
6/14/2018 10:00	BDL	BDL	BDL	BDL	0.1	2.6	47.0	3.0
6/14/2018 11:00	BDL	BDL	BDL	BDL	0.1	2.4	33.0	3.0
6/14/2018 12:00	BDL	BDL	BDL	BDL	0.1	2.3	44.0	5.0
6/14/2018 13:00	BDL	BDL	BDL	BDL	0.1	2.6	42.0	6.0
6/14/2018 14:00	BDL	BDL	BDL	BDL	0.1	2.5	30.0	4.0
6/14/2018 15:00	BDL	BDL	BDL	BDL	0.1	2.5	27.0	3.0
6/14/2018 16:00	BDL	BDL	BDL	BDL	0.1	2.3	23.0	4.0
6/14/2018 17:00	BDL	BDL	BDL	BDL	0.1	2.5	24.0	3.0
6/14/2018 18:00	BDL	BDL	BDL	BDL	0.1	2.3	26.0	3.0
6/14/2018 19:00	BDL	BDL	BDL	BDL	0.1	2.2	19.0	5.0
6/14/2018 20:00	BDL	BDL	BDL	BDL	0.1	2.5	17.0	4.0
6/14/2018 21:00	BDL	BDL	BDL	BDL	0.2	4.1	19.0	6.0
6/14/2018 22:00	BDL	BDL	BDL	0.8	0.2	2.9	17.0	8.0
6/14/2018 23:00	BDL	BDL	BDL	BDL	0.2	2.7	20.0	10.0
6/15/2018 0:00	BDL	BDL	BDL	3.8	0.2	2.7	17.0	6.0
6/15/2018 1:00	BDL	Calibration	Calibration	1.2	0.2	2.6	24.0	5.0
6/15/2018 2:00	BDL	Calibration	Calibration	3.4	0.2	2.4	12.0	4.0
6/15/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.6	20.0	8.0
6/15/2018 4:00	BDL	BDL	BDL	BDL	0.1	Too few samples	23.0	9.0
6/15/2018 5:00	BDL	BDL	BDL	1.3	0.2	2.9	19.0	8.0
6/15/2018 6:00	BDL	Calibration	Calibration	7.4	0.2	2.7	25.0	10.0
6/15/2018 7:00	BDL	Calibration	Calibration	1.6	0.1	2.4	30.0	11.0
6/15/2018 8:00	BDL	BDL	BDL	BDL	0.1	2.3	17.0	5.0
6/15/2018 9:00	BDL	BDL	BDL	BDL	0.1	2.3	20.0	BDL
6/15/2018 10:00	BDL	BDL	BDL	BDL	0.1	2.3	37.0	3.0
6/15/2018 11:00	BDL	BDL	BDL	BDL	0.1	2.3	18.0	3.0
6/15/2018 12:00	BDL	BDL	BDL	BDL	0.1	2.3	19.0	5.0
6/15/2018 13:00	BDL	BDL	BDL	BDL	0.1	2.0	22.0	4.0
6/15/2018 14:00	BDL	BDL	BDL	BDL	0.1	2.2	13.0	4.0
6/15/2018 15:00	BDL	BDL	BDL	BDL	0.1	2.1	16.0	5.0
6/15/2018 16:00	BDL	BDL	BDL	BDL	0.1	2.2	16.0	6.0
6/15/2018 17:00	BDL	BDL	BDL	BDL	0.1	2.4	15.0	4.0
6/15/2018 18:00	BDL	BDL	BDL	BDL	0.1	2.4	13.0	1.0
6/15/2018 19:00	BDL	BDL	BDL	BDL	0.1	2.2	17.0	5.0
6/15/2018 20:00	BDL	BDL	BDL	BDL	0.2	2.1	12.0	5.0
6/15/2018 21:00	BDL	BDL	BDL	5.1	0.3	2.5	16.0	8.0
6/15/2018 22:00	BDL	BDL	0.4	13.8	0.5	2.3	19.0	8.0
6/15/2018 23:00	BDL	BDL	0.7	4.4	0.4	2.2	24.0	7.0
6/16/2018 0:00	BDL	BDL	0.7	4.7	0.3	2.4	16.0	8.0
6/16/2018 1:00	BDL	Calibration	Calibration	5.3	0.3	2.2	19.0	8.0
6/16/2018 2:00	BDL	Calibration	Calibration	9.4	0.3	2.4	17.0	6.0
6/16/2018 3:00	Calibration	BDL	0.6	Calibration	Calibration	2.3	21.0	7.0
6/16/2018 4:00	BDL	0.5	0.9	10.3	0.4	Too few samples	24.0	10.0
6/16/2018 5:00	BDL	0.8	1.1	21.1	0.5	3.6	22.0	12.0
6/16/2018 6:00	0.7	0.7	0.7	45.2	0.6	3.1	26.0	13.0
6/16/2018 7:00	0.8	0.4	0.4	22.8	0.4	2.4	26.0	9.0
6/16/2018 8:00	0.8	BDL	BDL	9.2	0.2	2.3	13.0	7.0
6/16/2018 9:00	0.6	BDL	BDL	1.9	0.2	2.2	15.0	9.0
6/16/2018 10:00	BDL	BDL	BDL	BDL	0.1	2.2	13.0	4.0
6/16/2018 11:00	BDL	BDL	BDL	BDL	0.1	2.3	12.0	4.0
6/16/2018 12:00	BDL	BDL	BDL	BDL	0.1	2.2	11.0	5.0
6/16/2018 13:00	0.4	BDL	BDL	BDL	0.1	2.2	11.0	3.0
6/16/2018 14:00	BDL	BDL	BDL	BDL	0.1	2.2	15.0	4.0
6/16/2018 15:00	0.8	BDL	BDL	BDL	0.1	2.2	19.0	7.0
6/16/2018 16:00	0.9	BDL	BDL	BDL	0.1	2.2	14.0	6.0
6/16/2018 17:00	1.5	BDL	0.4	0.6	0.2	2.2	18.0	8.0
6/16/2018 18:00	0.6	BDL	BDL	BDL	0.2	2.4	20.0	13.0
6/16/2018 19:00	BDL	BDL	BDL	6.1	0.3	2.3	25.0	9.0
6/16/2018 20:00	1.0	BDL	BDL	3.0	0.2	2.4	41.0	12.0
6/16/2018 21:00	0.8	BDL	BDL	5.4	0.2	2.4	36.0	15.0
6/16/2018 22:00	BDL	BDL	0.7	10.1	0.3	2.5	33.0	9.0
6/16/2018 23:00	BDL	0.6	1.0	10.6	0.3	2.3	31.0	11.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 6/17/2018-6/23/2018								
6/17/2018 0:00	BDL	1.1	1.6	15.7	0.4	2.7	14.0	7.0
6/17/2018 1:00	BDL	Calibration	Calibration	13.8	0.4	2.7	18.0	8.0
6/17/2018 2:00	BDL	Calibration	Calibration	15.2	0.3	2.8	17.0	9.0
6/17/2018 3:00	Calibration	1.7	2.2	Calibration	Calibration	3.1	27.0	15.0
6/17/2018 4:00	BDL	1.8	2.4	10.1	0.4	Too few samples	21.0	16.0
6/17/2018 5:00	BDL	1.8	2.6	9.4	0.6	3.2	25.0	19.0
6/17/2018 6:00	BDL	Calibration	Calibration	23.7	0.5	2.9	30.0	17.0
6/17/2018 7:00	0.6	Calibration	Calibration	25.5	0.4	2.8	27.0	16.0
6/17/2018 8:00	0.7	0.7	0.9	14.9	0.3	2.8	28.0	14.0
6/17/2018 9:00	1.0	1.1	1.5	23.2	0.4	2.9	28.0	14.0
6/17/2018 10:00	2.8	1.1	1.3	31.7	0.4	2.6	23.0	12.0
6/17/2018 11:00	1.6	BDL	BDL	BDL	0.2	2.1	21.0	10.0
6/17/2018 12:00	0.9	BDL	BDL	BDL	0.2	2.1	17.0	9.0
6/17/2018 13:00	0.7	BDL	BDL	BDL	0.2	2.1	31.0	7.0
6/17/2018 14:00	0.7	BDL	BDL	BDL	0.2	2.1	17.0	5.0
6/17/2018 15:00	1.3	BDL	BDL	BDL	0.2	2.3	19.0	4.0
6/17/2018 16:00	1.5	BDL	BDL	BDL	0.2	2.2	9.0	6.0
6/17/2018 17:00	1.8	BDL	BDL	3.5	0.2	2.3	15.0	5.0
6/17/2018 18:00	2.2	BDL	BDL	0.5	0.2	2.4	14.0	6.0
6/17/2018 19:00	2.1	BDL	BDL	0.9	0.2	2.4	8.0	6.0
6/17/2018 20:00	0.5	BDL	0.9	BDL	0.2	2.4	10.0	7.0
6/17/2018 21:00	BDL	BDL	0.5	BDL	0.2	2.4	10.0	5.0
6/17/2018 22:00	BDL	BDL	0.6	BDL	0.2	2.3	11.0	5.0
6/17/2018 23:00	BDL	BDL	0.7	BDL	0.3	2.4	8.0	6.0
6/18/2018 0:00	BDL	BDL	0.9	6.4	0.3	2.2	5.0	5.0
6/18/2018 1:00	BDL	Calibration	Calibration	5.2	0.3	2.2	5.0	3.0
6/18/2018 2:00	BDL	Calibration	Calibration	16.0	0.2	2.1	5.0	3.0
6/18/2018 3:00	Calibration	1.0	1.7	Calibration	Calibration	2.3	3.0	4.0
6/18/2018 4:00	BDL	1.1	1.9	BDL	0.2	2.6	3.0	2.0
6/18/2018 5:00	BDL	Calibration	Calibration	4.5	0.2	2.9	11.0	3.0
6/18/2018 6:00	0.7	Calibration	Calibration	26.7	0.4	3.2	11.0	5.0
6/18/2018 7:00	BDL	1.1	1.4	24.9	0.3	2.3	7.0	5.0
6/18/2018 8:00	0.5	0.9	1.3	19.8	0.3	2.9	9.0	5.0
6/18/2018 9:00	2.1	0.5	1.1	14.1	0.3	2.7	12.0	7.0
6/18/2018 10:00	2.1	BDL	0.7	6.0	0.3	2.6	13.0	9.0
6/18/2018 11:00	1.8	BDL	0.5	1.7	0.3	2.5	57.0	7.0
6/18/2018 12:00	1.1	BDL	0.4	BDL	0.3	2.7	16.0	6.0
6/18/2018 13:00	0.8	BDL	0.4	BDL	0.2	2.6	11.0	3.0
6/18/2018 14:00	0.9	BDL	0.4	BDL	0.2	2.5	14.0	3.0
6/18/2018 15:00	1.0	BDL	0.5	BDL	0.2	2.5	15.0	3.0
6/18/2018 16:00	0.9	BDL	0.5	BDL	0.3	2.5	19.0	9.0
6/18/2018 17:00	0.5	BDL	0.6	BDL	0.3	2.5	9.0	7.0
6/18/2018 18:00	0.4	BDL	0.6	BDL	0.3	2.5	16.0	3.0
6/18/2018 19:00	BDL	BDL	0.9	BDL	0.3	2.5	14.0	4.0
6/18/2018 20:00	BDL	0.5	1.5	BDL	0.3	2.5	9.0	4.0
6/18/2018 21:00	BDL	BDL	0.8	BDL	0.3	2.3	14.0	7.0
6/18/2018 22:00	BDL	BDL	0.8	BDL	0.3	2.6	11.0	7.0
6/18/2018 23:00	BDL	BDL	1.0	4.2	0.3	2.7	11.0	6.0
6/19/2018 0:00	BDL	BDL	1.1	2.6	0.3	2.6	12.0	10.0
6/19/2018 1:00	BDL	Calibration	Calibration	1.2	0.3	2.7	12.0	7.0
6/19/2018 2:00	BDL	Calibration	Calibration	0.4	0.3	2.7	23.0	8.0
6/19/2018 3:00	Calibration	BDL	0.8	Calibration	Calibration	2.5	21.0	9.0
6/19/2018 4:00	0.4	BDL	0.6	BDL	0.2	2.4	22.0	9.0
6/19/2018 5:00	BDL	Calibration	Calibration	BDL	0.2	2.4	22.0	9.0
6/19/2018 6:00	BDL	Calibration	Calibration	BDL	0.2	2.3	29.0	13.0
6/19/2018 7:00	BDL	BDL	0.7	BDL	0.2	2.4	31.0	15.0
6/19/2018 8:00	BDL	BDL	0.7	BDL	0.2	2.3	Maintenance	Maintenance
6/19/2018 9:00	BDL	BDL	0.8	BDL	0.2	2.4	45.0	11.0
6/19/2018 10:00	BDL	BDL	0.7	BDL	0.2	2.4	23.0	8.0
6/19/2018 11:00	BDL	BDL	0.5	BDL	0.2	2.3	23.0	7.0
6/19/2018 12:00	BDL	BDL	0.5	BDL	0.2	2.5	22.0	5.0
6/19/2018 13:00	BDL	BDL	0.6	BDL	0.2	2.3	17.0	5.0
6/19/2018 14:00	BDL	BDL	0.6	BDL	0.2	2.3	17.0	6.0
6/19/2018 15:00	BDL	BDL	0.4	BDL	0.2	2.2	25.0	3.0
6/19/2018 16:00	BDL	BDL	0.4	BDL	0.2	2.1	19.0	3.0
6/19/2018 17:00	BDL	BDL	BDL	BDL	0.2	2.1	19.0	7.0
6/19/2018 18:00	BDL	BDL	BDL	BDL	0.2	2.2	19.0	7.0
6/19/2018 19:00	BDL	BDL	BDL	BDL	0.2	2.2	19.0	4.0
6/19/2018 20:00	BDL	BDL	BDL	BDL	0.2	2.1	20.0	3.0
6/19/2018 21:00	BDL	BDL	BDL	BDL	0.2	2.4	20.0	5.0
6/19/2018 22:00	BDL	BDL	0.4	BDL	0.2	2.2	17.0	6.0
6/19/2018 23:00	BDL	BDL	0.4	2.3	0.3	2.2	16.0	7.0
6/20/2018 0:00	BDL	BDL	BDL	2.1	0.2	2.2	13.0	6.0
6/20/2018 1:00	BDL	Calibration	Calibration	4.2	0.2	2.6	19.0	5.0
6/20/2018 2:00	BDL	Calibration	Calibration	1.7	0.2	2.7	20.0	4.0
6/20/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.4	17.0	2.0
6/20/2018 4:00	BDL	BDL	0.4	4.8	0.2	Too few samples	16.0	3.0
6/20/2018 5:00	BDL	Calibration	Calibration	11.0	0.3	2.2	22.0	4.0
6/20/2018 6:00	BDL	Calibration	Calibration	16.4	0.3	2.2	20.0	6.0
6/20/2018 7:00	BDL	Calibration	Calibration	15.5	0.3	2.2	19.0	6.0
6/20/2018 8:00	BDL	Too few samples	Too few samples	14.6	0.3	2.2	23.0	6.0
6/20/2018 9:00	0.5	0.5	1.1	Calibration	0.3	2.0	25.0	7.0
6/20/2018 10:00	BDL	BDL	0.6	2.3	0.3	2.0	23.0	7.0
6/20/2018 11:00	BDL	BDL	0.6	BDL	0.3	2.0	24.0	6.0
6/20/2018 12:00	BDL	BDL	0.5	BDL	0.3	2.1	20.0	7.0
6/20/2018 13:00	Too few samples	BDL	0.5	BDL	Too few samples	Too few samples	27.0	9.0
6/20/2018 14:00	Audit	BDL	0.5	BDL	0.2	2.7	34.0	14.0
6/20/2018 15:00	BDL	BDL	0.8	Audit	0.3	2.6	26.0	12.0
6/20/2018 16:00	BDL	BDL	0.7	Audit	0.3	2.6	25.0	9.0
6/20/2018 17:00	0.8	BDL	0.8	Audit	0.2	2.6	21.0	9.0
6/20/2018 18:00	0.9	BDL	0.8	Audit	0.2	2.7	25.0	15.0
6/20/2018 19:00	0.4	BDL	0.9	Audit	0.3	2.4	30.0	13.0
6/20/2018 20:00	BDL	BDL	0.9	Audit	0.3	2.5	21.0	12.0
6/20/2018 21:00	BDL	BDL	0.7	Audit	0.3	2.3	18.0	13.0
6/20/2018 22:00	BDL	BDL	0.8	Audit	0.3	2.1	19.0	10.0
6/20/2018 23:00	BDL	BDL	1.1	Audit	0.3	2.4	27.0	14.0
6/21/2018 0:00	BDL	BDL	0.9	Audit	0.3	2.5	23.0	11.0
6/21/2018 1:00	BDL	Calibration	Calibration	Audit	0.3	2.8	26.0	20.0
6/21/2018 2:00	BDL	Calibration	Calibration	Audit	0.3	2.8	22.0	6.0
6/21/2018 3:00	Calibration	BDL	0.8	Audit	Calibration	4.1	24.0	9.0
6/21/2018 4:00	BDL	BDL	0.6	Audit	0.3	Too few samples	21.0	8.0
6/21/2018 5:00	BDL	BDL	0.6	Audit	0.3	2.0	17.0	10.0
6/21/2018 6:00	BDL	Calibration	Calibration	Audit	0.4	2.0	22.0	6.0
6/21/2018 7:00	BDL	Calibration	Calibration	Audit	0.3	2.0	25.0	1.0
6/21/2018 8:00	BDL	Calibration	Calibration	Audit	0.3	2.0	24.0	4.0
6/21/2018 9:00	BDL	Audit	Audit	4.2	0.3	2.1	38.0	6.0
6/21/2018 10:00	BDL	BDL	0.4	3.4	0.3	2.1	47.0	3.0
6/21/2018 11:00	BDL	BDL	0.5	1.5	0.3	2.1	33.0	3.0
6/21/2018 12:00	BDL	BDL	0.5	BDL	0.3	2.0	44.0	5.0
6/21/2018 13:00	BDL	BDL	0.5	2.5	0.3	2.0	42.0	6.0
6/21/2018 14:00	BDL	BDL	0.5	1.1	0.3	2.1	30.0	4.0
6/21/2018 15:00	BDL	BDL	0.6	BDL	0.3	2.1	27.0	3.0
6/21/2018 16:00	BDL	BDL	0.6	2.2	0.3	2.1	23.0	4.0
6/21/2018 17:00	BDL	BDL	0.7	0.5	0.3	2.0	24.0	3.0
6/21/2018 18:00	BDL	BDL	0.5	BDL	0.2	2.5	26.0	3.0
6/21/2018 19:00	BDL	BDL	0.4	BDL	0.2	2.0	19.0	5.0
6/21/2018 20:00	BDL	BDL	0.5	4.8	0.4	2.1	17.0	4.0
6/21/2018 21:00	BDL	BDL	0.8	11.8	0.4	2.1	19.0	6.0
6/21/2018 22:00	BDL	BDL	0.9	19.7	0.4	2.3	17.0	8.0
6/21/2018 23:00	BDL	BDL	1.2	8.5	0.4	2.2	20.0	10.0
6/22/2018 0:00	BDL	BDL	1.2	9.6	0.3	2.3	17.0	6.0
6/22/2018 1:00	BDL	Calibration	Calibration	8.5	0.4	2.8	24.0	5.0
6/22/2018 2:00	BDL	Calibration	Calibration	4.8	0.3	2.2	12.0	4.0
6/22/2018 3:00	Calibration	1.6	2.4	Calibration	Calibration	2.1	20.0	8.0
6/22/2018 4:00	BDL	1.4	2.3	8.3	0.3	2.3	23.0	9.0
6/22/2018 5:00	BDL	BDL	0.8	7.1	0.3	2.0	19.0	8.0
6/22/2018 6:00	BDL	BDL	Too few samples	10.6	0.3	2.0	25.0	10.0
6/22/2018 7:00	BDL	Calibration	Calibration	2.1	0.2	2.0	30.0	11.0
6/22/2018 8:00	BDL	BDL	0.4	2.6	0.2	1.9	17.0	5.0
6/22/2018 9:00	BDL	BDL	0.6	3.7	0.2	1.9	20.0	BDL
6/22/2018 10:00	BDL	BDL	0.5	BDL	0.2	1.9	37.0	3.0
6/22/2018 11:00	BDL	BDL	0.4	8.1	0.2	1.9	18.0	3.0
6/22/2018 12:00	BDL	BDL	0.4	0.6	0.2	1.9	19.0	5.0
6/22/2018 13:00	BDL	BDL	0.4	BDL	0.2	1.9	22.0	4.0
6/22/2018 14:00	BDL	BDL	0.5	BDL	0.2	1.9	13.0	4.0
6/22/2018 15:00	BDL	BDL	0.4	BDL	0.2	1.9	16.0	5.0
6/22/2018 16:00	BDL	BDL	0.5	BDL	0.2	1.9	16.0	6.0
6/22/2018 17:00	BDL	BDL	0.5	BDL	0.2	1.9	15.0	4.0
6/22/2018 18:00	BDL	BDL	0.5	BDL	0.2	1.9	13.0	1.0
6/22/2018 19:00	BDL	BDL	0.5	BDL	0.2	1.9	17.0	5.0
6/22/2018 20:00	BDL	BDL	0.4	BDL	0.2	1.9	12.0	5.0
6/22/2018 21:00	BDL	BDL	0.5	BDL	0.2	1.9	16.0	8.0
6/22/2018 22:00	BDL	BDL	0.5	BDL	0.2	2.0	19.0	8.0
6/22/2018 23:00	BDL	BDL	0.5	BDL	0.2	2.0	24.0	7.0
6/23/2018 0:00	BDL	BDL	0.6	BDL	0.2	1.9	16.0	8.0
6/23/2018 1:00	BDL	Calibration	Calibration	BDL	0.2	2.0	19.0	8.0
6/23/2018 2:00	BDL	Calibration	Calibration	BDL	0.2	1.9	17.0	6.0
6/23/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	1.9	21.0	7.0
6/23/2018 4:00	BDL	BDL	0.4	BDL	0.2	Too few samples	24.0	10.0
6/23/2018 5:00	BDL	BDL	0.5	BDL	0.2	2.0	22.0	12.0
6/23/2018 6:00	BDL	BDL	0.6	BDL	0.2	2.0	26.0	13.0
6/23/2018 7:00	BDL	BDL	0.5	BDL	0.2	2.0	26.0	9.0
6/23/2018 8:00	BDL	BDL	0.6	BDL	0.2	2.0	13.0	7.0
6/23/2018 9:00	BDL	BDL	0.4	1.4	0.2	1.9	15.0	9.0
6/23/2018 10:00	BDL	BDL	0.6	3.1	0.2	2.0	13.0	4.0
6/23/2018 11:00	BDL	BDL	0.6	1.6	0.2	2.0	12.0	4.0
6/23/2018 12:00	BDL	BDL	0.7	2.3	0.3	2.0	11.0	5.0
6/23/2018 13:00	BDL	BDL	0.7	1.5	0.3	2.0	11.0	3.0
6/23/2018 14:00	BDL	BDL	0.7	BDL	0.3	2.0	15.0	4.0
6/23/2018 15:00	BDL	BDL	0.9	2.5	0.3	2.0	19.0	7.0
6/23/2018 16:00	BDL	BDL	0.7	BDL	0.3	2.0	14.0	6.0
6/23/2018 17:00	BDL	BDL	1.1	1.9	0.3	2.0	18.0	8.0
6/23/2018 18:00	BDL	BDL	1.1	1.4	0.3	2.0	20.0	13.0
6/23/2018 19:00	BDL	BDL	0.8	2.3	0.4	2.1	25.0	9.0
6/23/2018 20:00	BDL	BDL	1.0	2.6	0.3	2.0	41.0	12.0
6/23/2018 21:00	BDL	BDL	0.7	BDL	0.3	1.9	36.0	15.0
6/23/2018 22:00	BDL	BDL	1.0	0.5	0.3	1.9	33.0	9.0
6/23/2018 23:00	BDL	BDL	0.8	BDL	0.3	1.9	31.0	11.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Site Downwind Weekly: 6/24/2018-6/30/2018

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
6/24/2018 0:00	BDL	BDL	0.9	0.5	0.3	1.9	23.0	14.0
6/24/2018 1:00	BDL	Calibration	Calibration	BDL	0.3	1.9	18.0	22.0
6/24/2018 2:00	BDL	Calibration	Calibration	BDL	0.3	1.9	16.0	14.0
6/24/2018 3:00	Calibration	BDL	0.9	Calibration	Calibration	2.2	16.0	12.0
6/24/2018 4:00	BDL	BDL	1.0	BDL	0.3	2.4	20.0	13.0
6/24/2018 5:00	BDL	0.4	1.4	3.6	0.3	3.4	27.0	16.0
6/24/2018 6:00	BDL	BDL	1.3	BDL	0.3	3.2	18.0	11.0
6/24/2018 7:00	Too few samples	0.4	1.3	Too few samples	Too few samples	3.0	25.0	15.0
6/24/2018 8:00	Calibration	BDL	1.3	Calibration	Calibration	2.5	17.0	10.0
6/24/2018 9:00	BDL	Calibration	Calibration	9.5	0.2	2.3	15.0	13.0
6/24/2018 10:00	BDL	Calibration	Calibration	4.4	0.2	Too few samples	20.0	7.0
6/24/2018 11:00	0.5	BDL	1.2	BDL	0.2	2.2	17.0	10.0
6/24/2018 12:00	0.9	BDL	1.2	BDL	0.2	2.3	13.0	8.0
6/24/2018 13:00	1.0	BDL	1.0	1.2	0.2	2.2	16.0	10.0
6/24/2018 14:00	0.9	BDL	1.0	BDL	0.2	2.6	13.0	7.0
6/24/2018 15:00	0.8	BDL	0.9	BDL	0.2	2.2	19.0	10.0
6/24/2018 16:00	0.8	BDL	0.8	BDL	0.2	2.3	20.0	13.0
6/24/2018 17:00	1.2	BDL	0.9	0.8	0.2	2.4	19.0	12.0
6/24/2018 18:00	1.0	BDL	0.8	BDL	0.2	2.4	19.0	9.0
6/24/2018 19:00	0.9	BDL	0.9	2.4	0.2	2.5	23.0	12.0
6/24/2018 20:00	0.6	BDL	0.9	BDL	0.2	2.9	10.0	7.0
6/24/2018 21:00	BDL	BDL	0.9	3.4	0.2	2.2	10.0	8.0
6/24/2018 22:00	BDL	BDL	0.9	BDL	0.2	2.4	13.0	5.0
6/24/2018 23:00	BDL	BDL	0.9	BDL	0.2	3.3	12.0	3.0
6/25/2018 0:00	BDL	BDL	0.8	BDL	0.1	2.8	6.0	3.0
6/25/2018 1:00	BDL	Calibration	Calibration	BDL	0.1	2.6	6.0	5.0
6/25/2018 2:00	BDL	Calibration	Calibration	BDL	0.2	3.1	10.0	6.0
6/25/2018 3:00	Calibration	BDL	0.8	Calibration	Calibration	2.7	9.0	6.0
6/25/2018 4:00	BDL	BDL	0.9	BDL	0.2	4.1	12.0	5.0
6/25/2018 5:00	BDL	BDL	0.7	BDL	0.1	3.5	7.0	4.0
6/25/2018 6:00	BDL	BDL	0.6	BDL	0.1	3.3	6.0	2.0
6/25/2018 7:00	BDL	BDL	0.5	BDL	0.1	2.8	9.0	BDL
6/25/2018 8:00	BDL	BDL	0.6	BDL	0.1	2.4	14.0	4.0
6/25/2018 9:00	BDL	BDL	0.6	BDL	0.1	2.5	10.0	8.0
6/25/2018 10:00	BDL	BDL	0.6	BDL	0.1	2.7	14.0	10.0
6/25/2018 11:00	BDL	BDL	0.5	BDL	0.1	2.8	15.0	7.0
6/25/2018 12:00	BDL	BDL	0.4	BDL	0.1	3.0	17.0	6.0
6/25/2018 13:00	BDL	BDL	0.5	BDL	0.1	2.6	18.0	4.0
6/25/2018 14:00	BDL	BDL	0.5	BDL	0.1	2.8	16.0	4.0
6/25/2018 15:00	BDL	BDL	0.4	BDL	0.1	2.9	13.0	4.0
6/25/2018 16:00	BDL	BDL	0.4	BDL	0.1	2.5	16.0	6.0
6/25/2018 17:00	BDL	BDL	0.4	BDL	0.1	2.5	14.0	5.0
6/25/2018 18:00	BDL	BDL	BDL	BDL	0.1	2.6	22.0	5.0
6/25/2018 19:00	BDL	BDL	BDL	BDL	0.1	2.9	13.0	7.0
6/25/2018 20:00	BDL	BDL	BDL	BDL	0.1	2.3	13.0	6.0
6/25/2018 21:00	BDL	BDL	BDL	BDL	0.2	2.3	12.0	8.0
6/25/2018 22:00	BDL	BDL	BDL	1.7	0.2	2.3	13.0	10.0
6/25/2018 23:00	BDL	BDL	BDL	BDL	0.1	2.2	11.0	9.0
6/26/2018 0:00	BDL	BDL	BDL	1.9	0.1	2.2	11.0	5.0
6/26/2018 1:00	BDL	Calibration	Calibration	2.2	0.1	2.2	12.0	5.0
6/26/2018 2:00	BDL	Calibration	Calibration	4.5	0.1	2.2	9.0	5.0
6/26/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.3	12.0	8.0
6/26/2018 4:00	BDL	BDL	BDL	BDL	0.1	Too few samples	9.0	7.0
6/26/2018 5:00	BDL	BDL	BDL	5.4	0.2	2.2	15.0	6.0
6/26/2018 6:00	BDL	BDL	0.5	16.0	0.2	2.2	19.0	6.0
6/26/2018 7:00	BDL	Audit	Audit	19.4	0.2	2.3	30.0	7.0
6/26/2018 8:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	2.4	39	8.0
6/26/2018 9:00	BDL	1.1	1.0	Calibration	0.2	Too few samples	24.0	7.0
6/26/2018 10:00	BDL	0.4	0.7	10.0	0.2	2.2	31.0	11.0
6/26/2018 11:00	BDL	BDL	0.4	BDL	0.1	2.1	19.0	11.0
6/26/2018 12:00	BDL	BDL	BDL	BDL	0.1	2.5	18.0	10.0
6/26/2018 13:00	BDL	BDL	BDL	BDL	0.1	2.8	18.0	8.0
6/26/2018 14:00	BDL	BDL	BDL	BDL	0.1	2.9	22.0	8.0
6/26/2018 15:00	BDL	BDL	0.5	BDL	0.1	2.4	26.0	11.0
6/26/2018 16:00	BDL	BDL	0.5	BDL	0.1	2.1	21.0	8.0
6/26/2018 17:00	BDL	BDL	0.5	BDL	0.1	2.1	15.0	7.0
6/26/2018 18:00	BDL	BDL	0.4	BDL	0.1	2.2	15.0	10.0
6/26/2018 19:00	BDL	BDL	0.4	BDL	0.1	2.3	16.0	9.0
6/26/2018 20:00	BDL	BDL	0.5	BDL	0.1	2.3	15.0	6.0
6/26/2018 21:00	BDL	BDL	0.5	BDL	0.1	2.1	14.0	4.0
6/26/2018 22:00	BDL	BDL	0.6	1.8	0.2	2.2	16.0	4.0
6/26/2018 23:00	BDL	BDL	0.6	BDL	0.1	2.1	13.0	6.0
6/27/2018 0:00	BDL	BDL	0.7	BDL	0.1	2.2	20.0	6.0
6/27/2018 1:00	BDL	Calibration	Calibration	0.6	0.1	2.1	13.0	4.0
6/27/2018 2:00	BDL	Calibration	Calibration	BDL	0.1	2.0	19.0	5.0
6/27/2018 3:00	Calibration	BDL	0.7	Calibration	Calibration	2.1	16.0	6.0
6/27/2018 4:00	BDL	BDL	0.8	BDL	0.1	Too few samples	18.0	4.0
6/27/2018 5:00	BDL	BDL	0.9	3.3	0.2	2.1	17.0	2.0
6/27/2018 6:00	BDL	BDL	1.1	5.9	0.2	2.2	22.0	3.0
6/27/2018 7:00	BDL	BDL	1.3	5.9	0.2	2.1	18.0	5.0
6/27/2018 8:00	BDL	BDL	1.2	5.8	0.2	2.1	39.0	6.0
6/27/2018 9:00	BDL	BDL	1.1	2.5	0.2	2.1	27.0	4.0
6/27/2018 10:00	BDL	BDL	1.0	2.0	0.1	2.0	24.0	5.0
6/27/2018 11:00	BDL	BDL	0.8	3.8	0.2	2.0	33.0	5.0
6/27/2018 12:00	BDL	BDL	0.7	BDL	0.2	2.0	15.0	4.0
6/27/2018 13:00	BDL	BDL	0.7	BDL	0.1	2.0	23.0	8.0
6/27/2018 14:00	BDL	BDL	0.7	BDL	0.2	2.0	27.0	7.0
6/27/2018 15:00	BDL	BDL	0.8	1.9	0.2	2.0	26.0	5.0
6/27/2018 16:00	BDL	BDL	0.9	BDL	0.2	2.0	26.0	7.0
6/27/2018 17:00	BDL	BDL	1.1	BDL	0.1	2.1	24.0	5.0
6/27/2018 18:00	BDL	BDL	1.1	BDL	0.1	2.1	25.0	3.0
6/27/2018 19:00	BDL	BDL	1.1	BDL	0.2	2.1	22.0	7.0
6/27/2018 20:00	BDL	BDL	1.0	BDL	0.2	2.0	27.0	8.0
6/27/2018 21:00	BDL	BDL	0.9	BDL	0.2	2.0	25.0	6.0
6/27/2018 22:00	BDL	BDL	0.9	BDL	0.2	2.0	17.0	5.0
6/27/2018 23:00	BDL	BDL	0.9	BDL	0.1	2.0	23.0	6.0
6/28/2018 0:00	BDL	BDL	0.8	BDL	0.1	2.3	22.0	5.0
6/28/2018 1:00	BDL	Calibration	Calibration	BDL	0.1	2.2	23.0	2.0
6/28/2018 2:00	BDL	Calibration	Calibration	BDL	0.2	2.4	23.0	3.0
6/28/2018 3:00	Calibration	BDL	1.2	Calibration	Calibration	2.0	26.0	2.0
6/28/2018 4:00	BDL	BDL	1.5	BDL	0.2	Too few samples	27.0	3.0
6/28/2018 5:00	BDL	0.4	1.7	1.8	0.2	2.1	21.0	5.0
6/28/2018 6:00	BDL	0.9	2.0	9.8	0.3	2.5	27.0	8.0
6/28/2018 7:00	BDL	1.1	2.2	9.5	0.3	2.5	26.0	7.0
6/28/2018 8:00	BDL	0.9	1.9	5.4	0.3	2.5	37.0	7.0
6/28/2018 9:00	BDL	0.6	1.8	6.8	0.3	2.4	27.0	9.0
6/28/2018 10:00	BDL	0.5	1.5	5.1	0.3	2.1	21.0	8.0
6/28/2018 11:00	BDL	0.4	1.5	6.8	0.2	2.1	21.0	7.0
6/28/2018 12:00	BDL	BDL	1.3	1.4	0.2	2.4	18.0	8.0
6/28/2018 13:00	BDL	BDL	1.2	2.6	0.2	2.3	24.0	6.0
6/28/2018 14:00	BDL	BDL	1.3	2.4	0.2	2.2	18.0	5.0
6/28/2018 15:00	BDL	BDL	1.2	3.1	0.2	2.3	27.0	4.0
6/28/2018 16:00	BDL	BDL	1.1	2.9	0.2	2.3	24.0	6.0
6/28/2018 17:00	0.6	BDL	1.1	0.5	0.2	2.3	19.0	6.0
6/28/2018 18:00	0.5	BDL	1.0	BDL	0.2	2.2	21.0	5.0
6/28/2018 19:00	BDL	BDL	1.1	BDL	0.2	2.6	9.0	6.0
6/28/2018 20:00	BDL	BDL	1.0	BDL	0.2	3.0	17.0	1.0
6/28/2018 21:00	BDL	BDL	0.9	BDL	0.2	4.0	16.0	BDL
6/28/2018 22:00	BDL	BDL	1.0	BDL	0.2	3.7	17.0	5.0
6/28/2018 23:00	BDL	BDL	1.0	BDL	0.2	4.1	10.0	4.0
6/29/2018 0:00	BDL	BDL	1.2	BDL	0.2	5.0	12.0	5.0
6/29/2018 1:00	BDL	Calibration	Calibration	2.3	0.2	5.0	13.0	5.0
6/29/2018 2:00	BDL	Calibration	Calibration	0.6	0.3	2.9	10.0	4.0
6/29/2018 3:00	Calibration	BDL	1.1	Calibration	Calibration	4.4	14.0	3.0
6/29/2018 4:00	BDL	BDL	1.2	1.7	0.3	7.2	16.0	2.0
6/29/2018 5:00	BDL	BDL	1.2	10.8	0.3	5.7	15.0	4.0
6/29/2018 6:00	BDL	BDL	1.1	9.7	0.3	3.0	20.0	7.0
6/29/2018 7:00	BDL	BDL	1.0	4.9	0.2	2.7	17.0	9.0
6/29/2018 8:00	BDL	BDL	0.9	0.6	0.2	2.7	22.0	7.0
6/29/2018 9:00	BDL	BDL	0.9	BDL	0.2	3.5	18.0	7.0
6/29/2018 10:00	BDL	BDL	1.1	7.2	0.2	3.0	24.0	11.0
6/29/2018 11:00	BDL	BDL	0.9	BDL	0.2	3.1	22.0	9.0
6/29/2018 12:00	BDL	BDL	0.8	BDL	0.2	3.6	17.0	9.0
6/29/2018 13:00	BDL	BDL	0.8	BDL	0.1	2.9	23.0	11.0
6/29/2018 14:00	0.5	BDL	0.8	BDL	0.1	3.1	27.0	11.0
6/29/2018 15:00	BDL	BDL	0.8	BDL	0.1	2.9	25.0	9.0
6/29/2018 16:00	BDL	BDL	0.7	BDL	0.1	2.5	26.0	8.0
6/29/2018 17:00	BDL	BDL	0.7	BDL	0.1	2.9	18.0	11.0
6/29/2018 18:00	BDL	BDL	0.7	BDL	0.1	3.0	21.0	9.0
6/29/2018 19:00	BDL	BDL	0.7	BDL	0.1	2.9	23.0	8.0
6/29/2018 20:00	BDL	BDL	0.7	BDL	0.2	2.9	21.0	9.0
6/29/2018 21:00	BDL	BDL	0.8	BDL	0.2	5.2	26.0	8.0
6/29/2018 22:00	BDL	BDL	0.8	3.7	0.3	4.9	32.0	12.0
6/29/2018 23:00	BDL	BDL	0.9	5.4	0.3	4.4	30.0	10.0
6/30/2018 0:00	BDL	BDL	0.9	6.6	0.3	3.6	20.0	12.0
6/30/2018 1:00	BDL	Calibration	Calibration	12.7	0.5	4.6	25.0	13.0
6/30/2018 2:00	BDL	Calibration	Calibration	18.3	0.6	4.4	35.0	16.0
6/30/2018 3:00	Calibration	1.8	2.7	Calibration	Calibration	4.6	26.0	15.0
6/30/2018 4:00	BDL	1.0	1.7	20.0	0.6	3.6	28.0	14.0
6/30/2018 5:00	0.4	1.2	1.5	41.6	0.4	5.9	27.0	14.0
6/30/2018 6:00	0.5	Too few samples	Too few samples	47.6	0.7	3.0	32.0	15.0
6/30/2018 7:00	BDL	Calibration	Calibration	18.7	0.4	2.7	38.0	15.0
6/30/2018 8:00	BDL	BDL	0.8	10.8	0.3	2.5	26.0	13.0
6/30/2018 9:00	BDL	BDL	0.9	3.8	0.3	2.4	30.0	9.0
6/30/2018 10:00	BDL	BDL	0.8	BDL	0.2	2.4	29.0	16.0
6/30/2018 11:00	0.5	BDL	0.7	BDL	0.2	2.2	27.0	9.0
6/30/2018 12:00	0.5	BDL	0.7	BDL	0.2	2.3	26.0	17.0
6/30/2018 13:00	1.5	BDL	0.7	BDL	0.2	3.1	27.0	17.0
6/30/2018 14:00	1.6	BDL	0.8	BDL	0.2	3.3	24.0	17.0
6/30/2018 15:00	0.9	BDL	0.7	BDL	0.2	3.0	24.0	13.0
6/30/2018 16:00	BDL	BDL	0.9	BDL	0.2	3.2	30.0	14.0
6/30/2018 17:00	BDL	BDL	0.8	BDL	0.2	2.9	25.0	12.0
6/30/2018 18:00	0.4	BDL	0.9	BDL	0.2	2.8	27.0	9.0
6/30/2018 19:00	0.8	BDL	0.9	BDL	0.2	2.3	35.0	18.0
6/30/2018 20:00	1.1	BDL	1.0	9.0	0.3	2.6	32.0	13.0
6/30/2018 21:00	1.3	BDL	1.0	1.1	0.3	3.1	34.0	19.0
6/30/2018 22:00	0.7	BDL	1.0	2.1	0.3	3.3	38.0	26.0
6/30/2018 23:00	0.5	BDL	1.3	1.9	0.3	2.6	38.0	21.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Site Downwind Weekly: 7/1/2018-7/7/2018

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
7/1/2018 0:00	0.6	0.8	1.9	7.6	0.3	2.6	29.0	17.0
7/1/2018 1:00	0.6	Calibration	Calibration	5.2	0.3	2.6	27.0	20.0
7/1/2018 2:00	0.8	Calibration	Calibration	7.1	0.4	3.0	35.0	22.0
7/1/2018 3:00	Calibration	1.2	2.1	Calibration	Calibration	4.4	35.0	20.0
7/1/2018 4:00	0.5	1.3	2.1	4.8	0.3	Too few samples	38.0	23.0
7/1/2018 5:00	BDL	0.7	1.7	4.3	0.3	3.1	27.0	22.0
7/1/2018 6:00	BDL	Too few samples	Too few samples	BDL	0.3	3.8	32.0	19.0
7/1/2018 7:00	BDL	Calibration	Calibration	BDL	0.2	3.6	26.0	18.0
7/1/2018 8:00	BDL	BDL	0.8	BDL	0.2	2.9	30.0	10.0
7/1/2018 9:00	BDL	BDL	0.9	BDL	0.2	3.6	23.0	18.0
7/1/2018 10:00	BDL	BDL	0.9	BDL	0.2	4.0	24.0	16.0
7/1/2018 11:00	0.7	BDL	0.8	BDL	0.2	2.7	15.0	15.0
7/1/2018 12:00	0.8	BDL	0.8	BDL	0.2	2.7	25.0	9.0
7/1/2018 13:00	0.8	BDL	0.9	BDL	0.2	2.4	30.0	17.0
7/1/2018 14:00	0.7	BDL	0.9	BDL	0.2	2.2	25.0	11.0
7/1/2018 15:00	1.2	BDL	0.9	BDL	0.2	2.4	27.0	19.0
7/1/2018 16:00	1.3	BDL	1.1	1.4	0.2	2.4	28.0	17.0
7/1/2018 17:00	1.1	BDL	0.9	BDL	0.2	2.4	21.0	14.0
7/1/2018 18:00	0.5	BDL	0.9	BDL	0.2	2.4	22.0	14.0
7/1/2018 19:00	BDL	BDL	1.2	BDL	0.3	2.2	36.0	17.0
7/1/2018 20:00	BDL	0.6	1.6	BDL	0.3	2.3	34.0	19.0
7/1/2018 21:00	BDL	1.1	2.2	BDL	0.2	2.5	40.0	23.0
7/1/2018 22:00	BDL	1.2	2.4	2.9	0.3	2.7	37.0	21.0
7/1/2018 23:00	BDL	0.5	1.7	3.4	0.3	2.8	35.0	19.0
7/2/2018 0:00	0.6	0.9	1.9	14.9	0.4	2.8	30.0	15.0
7/2/2018 1:00	0.4	Calibration	Calibration	11.1	0.4	3.1	30.0	19.0
7/2/2018 2:00	BDL	Calibration	Calibration	6.7	0.4	3.1	32.0	19.0
7/2/2018 3:00	Calibration	1.0	1.7	Calibration	Calibration	3.3	33.0	23.0
7/2/2018 4:00	BDL	0.6	1.7	2.0	0.3	Too few samples	30.0	20.0
7/2/2018 5:00	BDL	1.8	2.6	33.4	0.5	2.9	40.0	21.0
7/2/2018 6:00	BDL	1.5	2.0	29.0	0.4	2.7	30.0	23.0
7/2/2018 7:00	BDL	1.1	1.7	23.6	0.4	2.9	51.0	25.0
7/2/2018 8:00	BDL	Too few samples	Too few samples	31.0	0.4	2.6	55.0	27.0
7/2/2018 9:00	BDL	Calibration	Calibration	24.6	0.4	2.7	52.0	26.0
7/2/2018 10:00	BDL	0.7	1.2	7.4	0.3	2.3	49.0	20.0
7/2/2018 11:00	BDL	BDL	1.3	0.8	0.2	2.7	35.0	18.0
7/2/2018 12:00	BDL	BDL	1.1	0.8	0.2	2.7	32.0	17.0
7/2/2018 13:00	BDL	BDL	1.1	BDL	0.2	2.3	35.0	23.0
7/2/2018 14:00	BDL	BDL	1.2	BDL	0.2	2.8	32.0	23.0
7/2/2018 15:00	BDL	BDL	1.2	BDL	0.2	2.2	35.0	22.0
7/2/2018 16:00	BDL	BDL	1.1	BDL	0.2	2.0	36.0	17.0
7/2/2018 17:00	BDL	BDL	1.1	BDL	0.2	2.2	30.0	18.0
7/2/2018 18:00	BDL	BDL	1.2	BDL	0.2	2.3	27.0	18.0
7/2/2018 19:00	BDL	BDL	1.4	BDL	0.2	2.5	40.0	19.0
7/2/2018 20:00	BDL	1.0	2.2	BDL	0.2	2.4	33.0	19.0
7/2/2018 21:00	BDL	0.9	2.1	BDL	0.2	2.5	32.0	18.0
7/2/2018 22:00	BDL	0.8	1.9	BDL	0.2	2.2	28.0	20.0
7/2/2018 23:00	BDL	0.8	1.7	0.4	0.3	2.3	28.0	17.0
7/3/2018 0:00	BDL	0.8	1.7	4.7	0.3	2.3	29.0	14.0
7/3/2018 1:00	BDL	Calibration	Calibration	12.6	0.3	2.3	32.0	22.0
7/3/2018 2:00	BDL	Calibration	Calibration	12.3	0.3	2.6	34.0	23.0
7/3/2018 3:00	Calibration	1.4	2.1	Calibration	Calibration	2.5	29.0	22.0
7/3/2018 4:00	BDL	1.6	2.6	5.1	0.2	2.3	36.0	17.0
7/3/2018 5:00	BDL	1.9	2.8	6.8	0.3	2.6	36.0	17.0
7/3/2018 6:00	BDL	2.0	2.8	8.7	0.3	2.6	39.0	39.0
7/3/2018 7:00	BDL	1.8	2.8	9.2	0.3	2.5	35.0	23.0
7/3/2018 8:00	BDL	2.2	3.1	17.5	0.3	3.0	60	24
7/3/2018 9:00	BDL	2.4	3.1	22.6	0.3	2.9	59.0	31.0
7/3/2018 10:00	BDL	1.2	2.1	6.5	0.2	2.3	43.0	28.0
7/3/2018 11:00	BDL	0.7	1.6	BDL	0.2	2.2	42.0	18.0
7/3/2018 12:00	BDL	0.5	1.5	BDL	0.3	2.1	39.0	25.0
7/3/2018 13:00	BDL	BDL	1.4	BDL	0.2	3.0	50.0	28.0
7/3/2018 14:00	BDL	BDL	1.5	BDL	0.2	2.3	41.0	22.0
7/3/2018 15:00	BDL	BDL	1.5	BDL	0.2	3.3	38.0	26.0
7/3/2018 16:00	BDL	BDL	1.7	BDL	0.3	2.1	39.0	23.0
7/3/2018 17:00	BDL	BDL	1.6	2.4	0.2	2.1	52.0	22.0
7/3/2018 18:00	BDL	BDL	1.2	1.4	0.3	2.1	27.0	17.0
7/3/2018 19:00	BDL	BDL	1.4	3.0	0.3	2.2	26.0	12.0
7/3/2018 20:00	BDL	0.5	1.6	2.4	0.3	2.6	20.0	15.0
7/3/2018 21:00	BDL	0.8	1.7	18.3	0.4	2.6	38.0	17.0
7/3/2018 22:00	BDL	0.8	1.8	15.9	0.4	2.6	23.0	17.0
7/3/2018 23:00	BDL	1.1	2.4	17.0	0.5	2.3	32.0	17.0
7/4/2018 0:00	BDL	1.0	2.0	24.0	0.4	2.3	27.0	20.0
7/4/2018 1:00	BDL	Calibration	Calibration	21.6	0.3	2.3	26.0	10.0
7/4/2018 2:00	BDL	Calibration	Calibration	9.0	0.3	2.2	31.0	16.0
7/4/2018 3:00	Calibration	0.7	1.6	Calibration	Calibration	2.2	24.0	14.0
7/4/2018 4:00	1.7	0.8	1.7	4.9	0.3	2.2	30.0	13.0
7/4/2018 5:00	0.4	0.9	1.8	7.7	0.4	2.3	29.0	12.0
7/4/2018 6:00	BDL	0.7	1.8	7.4	0.3	2.2	38.0	24.0
7/4/2018 7:00	BDL	Calibration	Calibration	8.2	0.3	2.2	28.0	19.0
7/4/2018 8:00	BDL	Calibration	Calibration	BDL	0.3	2.1	22.0	18.0
7/4/2018 9:00	BDL	0.6	1.6	1.7	0.2	2.2	24.0	16.0
7/4/2018 10:00	Calibration	0.4	1.4	Calibration	Calibration	2.1	29.0	16.0
7/4/2018 11:00	Calibration	BDL	1.2	4.6	0.2	2.1	23.0	18.0
7/4/2018 12:00	2.5	BDL	1.1	3.7	0.2	2.0	23.0	14.0
7/4/2018 13:00	1.2	BDL	1.0	3.9	0.2	2.0	22.0	12.0
7/4/2018 14:00	0.7	BDL	0.8	1.8	0.2	2.0	18.0	10.0
7/4/2018 15:00	0.4	BDL	1.1	2.4	0.2	2.0	21.0	12.0
7/4/2018 16:00	BDL	BDL	1.2	2.0	0.2	1.9	23.0	11.0
7/4/2018 17:00	BDL	BDL	1.1	6.4	0.1	1.9	18.0	8.0
7/4/2018 18:00	BDL	BDL	1.1	4.2	0.1	2.0	25.0	7.0
7/4/2018 19:00	BDL	BDL	1.1	5.4	0.1	2.2	17.0	6.0
7/4/2018 20:00	BDL	BDL	1.5	6.7	0.1	2.4	24.0	7.0
7/4/2018 21:00	BDL	BDL	1.5	6.8	0.1	2.2	25.0	17.0
7/4/2018 22:00	BDL	BDL	1.5	4.4	0.2	2.2	32.0	15.0
7/4/2018 23:00	BDL	0.5	1.6	5	0.2	2.4	37.0	21.0
7/5/2018 0:00	BDL	0.5	1.7	5.1	0.2	2.2	23.0	11.0
7/5/2018 1:00	BDL	Calibration	Calibration	4.2	0.2	2.1	20.0	7.0
7/5/2018 2:00	BDL	Calibration	Calibration	4.1	0.2	2.0	18.0	9.0
7/5/2018 3:00	Calibration	0.6	1.6	Calibration	Calibration	2.2	17.0	7.0
7/5/2018 4:00	BDL	0.6	1.8	8.5	0.2	2.2	17.0	8.0
7/5/2018 5:00	BDL	0.6	1.8	9.5	0.2	2.2	19.0	6.0
7/5/2018 6:00	BDL	Calibration	Calibration	10.4	0.2	2.2	21.0	7.0
7/5/2018 7:00	BDL	Calibration	Calibration	10.6	0.2	2.1	16.0	6.0
7/5/2018 8:00	Calibration	0.6	1.2	Calibration	Calibration	2.0	18.0	9.0
7/5/2018 9:00	Too few samples	BDL	1.3	Too few samples	Too few samples	2.0	18.0	6.0
7/5/2018 10:00	3.8	Audit	Audit	BDL	0.1	2.0	14.0	4.0
7/5/2018 11:00	BDL	Too few samples	Too few samples	0.4	0.1	Too few samples	17.0	3.0
7/5/2018 12:00	BDL	BDL	1.4	BDL	0.1	2.0	20.0	6.0
7/5/2018 13:00	BDL	BDL	1.3	BDL	0.1	2.0	17.0	6.0
7/5/2018 14:00	BDL	BDL	1.1	BDL	0.1	2.1	14.0	6.0
7/5/2018 15:00	BDL	BDL	1.3	BDL	0.1	2.2	21.0	5.0
7/5/2018 16:00	BDL	BDL	1.4	BDL	0.1	2.1	17.0	7.0
7/5/2018 17:00	BDL	BDL	1.2	BDL	0.1	2.0	19.0	7.0
7/5/2018 18:00	BDL	BDL	1.2	BDL	0.1	2.1	26.0	8.0
7/5/2018 19:00	BDL	BDL	1.2	BDL	0.1	2.1	18.0	6.0
7/5/2018 20:00	BDL	BDL	1.2	BDL	0.1	2.1	20.0	11.0
7/5/2018 21:00	BDL	0.4	1.5	BDL	0.1	2.1	21.0	9.0
7/5/2018 22:00	BDL	0.8	1.9	BDL	0.1	2.1	16.0	6.0
7/5/2018 23:00	BDL	1.2	2.2	BDL	0.1	2.3	21.0	8.0
7/6/2018 0:00	BDL	0.9	2.1	BDL	0.1	2.3	18.0	8.0
7/6/2018 1:00	BDL	Calibration	Calibration	BDL	0.2	2.3	15.0	6.0
7/6/2018 2:00	BDL	Calibration	Calibration	BDL	0.2	2.3	22.0	7.0
7/6/2018 3:00	Calibration	1.0	2.2	Calibration	Calibration	2.3	16.0	7.0
7/6/2018 4:00	BDL	1.0	2.5	BDL	0.1	Too few samples	17.0	6.0
7/6/2018 5:00	BDL	0.5	1.8	1.1	0.2	2.4	17.0	5.0
7/6/2018 6:00	BDL	Calibration	Calibration	9.0	0.2	2.4	26.0	6.0
7/6/2018 7:00	BDL	Calibration	Calibration	9.6	0.2	2.4	15.0	7.0
7/6/2018 8:00	BDL	1.0	1.8	11.1	0.1	2.3	24.0	10.0
7/6/2018 9:00	BDL	0.7	1.6	2.0	0.1	2.2	19.0	9.0
7/6/2018 10:00	BDL	BDL	1.2	BDL	0.2	2.3	27.0	10.0
7/6/2018 11:00	BDL	BDL	1.3	BDL	0.2	2.3	31.0	12.0
7/6/2018 12:00	BDL	BDL	1.3	BDL	0.2	2.5	15.0	8.0
7/6/2018 13:00	BDL	BDL	1.2	BDL	0.2	2.5	15.0	6.0
7/6/2018 14:00	BDL	BDL	1.2	BDL	0.2	2.5	18.0	12.0
7/6/2018 15:00	BDL	BDL	1.1	Calibration	0.2	2.4	18.0	13.0
7/6/2018 16:00	BDL	BDL	1.2	BDL	0.2	2.4	20.0	12.0
7/6/2018 17:00	BDL	BDL	1.1	BDL	0.2	2.4	25.0	12.0
7/6/2018 18:00	BDL	BDL	1.1	BDL	0.2	2.4	23.0	12.0
7/6/2018 19:00	BDL	BDL	1.1	BDL	0.2	2.1	21.0	10.0
7/6/2018 20:00	BDL	BDL	1.0	BDL	0.3	2.1	17.0	12.0
7/6/2018 21:00	BDL	BDL	1.0	1.5	0.3	2.1	21.0	12.0
7/6/2018 22:00	BDL	BDL	0.9	BDL	0.2	2.1	18.0	12.0
7/6/2018 23:00	BDL	BDL	0.9	3.9	0.2	2.2	17.0	10.0
7/7/2018 0:00	BDL	BDL	0.8	BDL	0.1	2.2	15.0	8.0
7/7/2018 1:00	BDL	Calibration	Calibration	BDL	0.1	2.2	15.0	6.0
7/7/2018 2:00	BDL	Calibration	Calibration	BDL	0.1	2.2	17.0	7.0
7/7/2018 3:00	Calibration	BDL	0.7	Calibration	Calibration	2.1	12.0	6.0
7/7/2018 4:00	BDL	BDL	0.6	BDL	0.1	Too few samples	13.0	6.0
7/7/2018 5:00	BDL	BDL	0.7	0.6	0.1	2.1	16.0	8.0
7/7/2018 6:00	BDL	BDL	0.7	1.3	0.1	2.1	18.0	8.0
7/7/2018 7:00	BDL	BDL	0.7	1.6	0.1	2.1	15.0	8.0
7/7/2018 8:00	BDL	BDL	0.7	3.3	0.1	2.1	15.0	6.0
7/7/2018 9:00	BDL	BDL	0.7	3.4	0.1	2.1	14.0	4.0
7/7/2018 10:00	BDL	BDL	0.6	0.4	0.1	2.1	13.0	4.0
7/7/2018 11:00	BDL	BDL	0.5	BDL	0.1	2.1	13.0	8.0
7/7/2018 12:00	BDL	BDL	0.5	BDL	0.1	2.1	11.0	7.0
7/7/2018 13:00	BDL	BDL	0.5	BDL	0.1	2.1	14.0	8.0
7/7/2018 14:00	BDL	BDL	0.5	BDL	0.1	2.1	12.0	6.0
7/7/2018 15:00	BDL	BDL	0.6	0.8	0.1	2.1	17.0	8.0
7/7/2018 16:00	BDL	BDL	0.6	BDL	0.1	2.1	14.0	8.0
7/7/2018 17:00	BDL	BDL	0.6	BDL	0.1	2.1	13.0	6.0
7/7/2018 18:00	BDL	BDL	0.6	BDL	0.1	2.1	12.0	5.0
7/7/2018 19:00	BDL	BDL	0.7	1.0	0.1	2.1	13.0	7.0
7/7/2018 20:00	BDL	BDL	0.6	BDL	0.1	2.1	19.0	9.0
7/7/2018 21:00	BDL	BDL	0.7	BDL	0.1	2.1	13.0	8.0
7/7/2018 22:00	BDL	BDL	0.6	BDL	0.1	2.1	14.0	11.0
7/7/2018 23:00	BDL	BDL	0.7	4.1	0.2	2.5	16.0	12.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 7/8/2018-7/14/2018								
7/8/2018 0:00	BDL	BDL	0.6	11.6	0.2	2.4	16.0	9.0
7/8/2018 1:00	BDL	Calibration	Calibration	15.2	0.2	2.1	20.0	7.0
7/8/2018 2:00	BDL	Calibration	Calibration	11.5	0.3	2.3	18.0	7.0
7/8/2018 3:00	Calibration	0.4	0.9	Calibration	Calibration	2.8	22.0	11.0
7/8/2018 4:00	BDL	0.6	0.8	18.8	0.4	Too few samples	27.0	13.0
7/8/2018 5:00	BDL	BDL	1.0	17.6	0.3	2.3	16.0	9.0
7/8/2018 6:00	BDL	0.5	0.9	13.8	0.2	2.6	23.0	10.0
7/8/2018 7:00	BDL	Calibration	Calibration	8.0	0.2	2.5	22.0	12.0
7/8/2018 8:00	BDL	Calibration	Calibration	3.3	0.1	2.3	15.0	10.0
7/8/2018 9:00	BDL	BDL	0.7	0.7	0.1	2.2	12.0	11.0
7/8/2018 10:00	BDL	BDL	0.7	BDL	0.1	2.2	16.0	12.0
7/8/2018 11:00	BDL	BDL	0.6	BDL	0.1	2.1	11.0	8.0
7/8/2018 12:00	BDL	BDL	0.6	BDL	0.1	2.1	9.0	7.0
7/8/2018 13:00	BDL	BDL	0.7	BDL	0.1	2.2	12.0	6.0
7/8/2018 14:00	BDL	BDL	0.7	BDL	0.1	2.2	17.0	6.0
7/8/2018 15:00	BDL	BDL	0.7	BDL	0.1	2.2	12.0	8.0
7/8/2018 16:00	BDL	BDL	0.7	BDL	0.1	2.1	14.0	9.0
7/8/2018 17:00	BDL	BDL	0.9	BDL	0.1	2.1	18.0	13.0
7/8/2018 18:00	BDL	BDL	0.7	BDL	0.1	2.1	19.0	12.0
7/8/2018 19:00	BDL	BDL	0.8	BDL	0.1	2.1	12.0	11.0
7/8/2018 20:00	BDL	BDL	0.6	0.7	0.1	2.1	11.0	10.0
7/8/2018 21:00	BDL	BDL	0.8	1.6	0.1	2.2	15.0	11.0
7/8/2018 22:00	BDL	BDL	0.8	4.8	0.2	2.1	15.0	12.0
7/8/2018 23:00	BDL	BDL	0.7	4.3	0.1	2.1	16.0	12.0
7/9/2018 0:00	BDL	BDL	1.0	11.1	0.2	2.2	14.0	11.0
7/9/2018 1:00	BDL	Calibration	Calibration	14.2	0.2	2.4	19.0	9.0
7/9/2018 2:00	BDL	Calibration	Calibration	8.8	0.1	2.7	13.0	11.0
7/9/2018 3:00	Calibration	0.4	1.0	Calibration	Calibration	2.7	17.0	12.0
7/9/2018 4:00	BDL	BDL	1.0	3.3	0.1	2.9	11.0	9.0
7/9/2018 5:00	BDL	0.4	1.2	5.0	0.1	2.7	16.0	8.0
7/9/2018 6:00	BDL	BDL	1.0	9.8	0.1	2.8	14.0	12.0
7/9/2018 7:00	BDL	BDL	1.0	5.6	0.1	2.6	27.0	10.0
7/9/2018 8:00	BDL	BDL	1.1	5.5	0.1	2.5	47.0	11.0
7/9/2018 9:00	BDL	Calibration	Calibration	1.4	0.1	2.3	20.0	9.0
7/9/2018 10:00	BDL	Too few samples	Too few samples	3.3	0.1	2.3	29.0	8.0
7/9/2018 11:00	BDL	BDL	0.9	1.8	0.1	2.3	27.0	12.0
7/9/2018 12:00	0.4	BDL	1.0	5.2	0.1	2.2	29.0	14.0
7/9/2018 13:00	0.5	BDL	1.0	3.4	0.1	2.2	26.0	12.0
7/9/2018 14:00	1.3	BDL	1.0	4.3	0.1	2.3	33.0	14.0
7/9/2018 15:00	2.3	BDL	1.1	6.0	0.1	2.3	27.0	16.0
7/9/2018 16:00	1.4	0.4	1.2	4.0	0.1	2.3	27.0	14.0
7/9/2018 17:00	1.7	0.4	1.3	4.6	0.1	2.5	28.0	18.0
7/9/2018 18:00	1.7	BDL	1.1	4.2	0.1	2.4	28.0	10.0
7/9/2018 19:00	1.5	BDL	1.2	5.5	0.1	2.5	22.0	16.0
7/9/2018 20:00	0.8	0.5	1.5	5.4	0.1	2.5	26.0	12.0
7/9/2018 21:00	BDL	0.4	1.2	BDL	0.1	2.4	17.0	14.0
7/9/2018 22:00	BDL	BDL	1.2	3.2	0.1	2.3	20.0	15.0
7/9/2018 23:00	BDL	0.4	1.1	9.2	0.1	2.4	19.0	12.0
7/10/2018 0:00	BDL	1.0	1.7	9.6	0.2	2.9	18.0	16.0
7/10/2018 1:00	0.7	Calibration	Calibration	8.9	0.1	3.1	23.0	12.0
7/10/2018 2:00	0.5	Calibration	Calibration	20.3	0.2	2.6	28.0	15.0
7/10/2018 3:00	Calibration	1.7	2.2	Calibration	Calibration	2.4	19.0	11.0
7/10/2018 4:00	BDL	2.6	2.6	30.7	0.3	Too few samples	29.0	16.0
7/10/2018 5:00	0.4	2.7	3.3	24.2	0.5	3.8	30.0	14.0
7/10/2018 6:00	0.5	2.8	3.1	36.0	0.5	3.7	37.0	18.0
7/10/2018 7:00	0.8	2.0	2.2	20.4	0.2	3.1	29.0	18.0
7/10/2018 8:00	0.7	Too few samples	Too few samples	12.7	0.2	2.8	BDL	Invalid
7/10/2018 9:00	0.5	Calibration	Calibration	6.8	0.2	2.5	40.0	15.0
7/10/2018 10:00	BDL	BDL	1.2	1.1	0.2	2.2	24.0	12.0
7/10/2018 11:00	BDL	BDL	1.1	BDL	0.1	2.2	28.0	14.0
7/10/2018 12:00	1.0	Too few samples	Too few samples	3.0	0.2	2.5	35.0	18.0
7/10/2018 13:00	1.4	Too few samples	Too few samples	1.9	0.1	2.3	29.0	20.0
7/10/2018 14:00	1.1	BDL	BDL	3.8	0.1	2.4	35.0	21.0
7/10/2018 15:00	1.3	BDL	BDL	4.3	0.2	2.2	43.0	18.0
7/10/2018 16:00	0.7	BDL	BDL	0.6	0.2	2.3	34.0	17.0
7/10/2018 17:00	0.6	BDL	BDL	BDL	0.2	2.5	Invalid	19.0
7/10/2018 18:00	0.4	BDL	BDL	BDL	0.2	2.5	31.0	15.0
7/10/2018 19:00	BDL	BDL	BDL	BDL	0.2	2.6	32.0	18.0
7/10/2018 20:00	BDL	BDL	BDL	BDL	0.2	2.8	32.0	19.0
7/10/2018 21:00	BDL	BDL	BDL	BDL	0.2	2.7	30.0	18.0
7/10/2018 22:00	BDL	BDL	BDL	1.6	0.2	2.8	29.0	20.0
7/10/2018 23:00	BDL	BDL	BDL	9.2	0.3	2.5	36.0	23.0
7/11/2018 0:00	BDL	1.1	0.6	18.1	0.3	2.6	34.0	20.0
7/11/2018 1:00	BDL	Calibration	Calibration	4.9	0.2	3.0	31.0	21.0
7/11/2018 2:00	BDL	Calibration	Calibration	2.0	0.2	2.3	27.0	18.0
7/11/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.3	25.0	17.0
7/11/2018 4:00	BDL	BDL	BDL	3.3	0.2	Too few samples	24.0	15.0
7/11/2018 5:00	BDL	BDL	BDL	7.4	0.2	2.1	21.0	10.0
7/11/2018 6:00	BDL	BDL	BDL	13.1	0.2	2.2	19.0	17.0
7/11/2018 7:00	BDL	Calibration	Calibration	11.3	0.2	2.1	24.0	16.0
7/11/2018 8:00	BDL	Calibration	Calibration	7.5	0.2	2.1	27.0	13.0
7/11/2018 9:00	0.6	BDL	BDL	4.2	0.2	2.1	26.0	15.0
7/11/2018 10:00	0.5	BDL	BDL	0.9	0.1	2.2	24.0	10.0
7/11/2018 11:00	BDL	BDL	BDL	BDL	0.1	2.3	33.0	11.0
7/11/2018 12:00	BDL	BDL	BDL	BDL	0.1	2.1	28.0	15.0
7/11/2018 13:00	BDL	BDL	BDL	BDL	0.1	2.0	35.0	15.0
7/11/2018 14:00	BDL	BDL	BDL	BDL	0.1	2.1	20.0	10.0
7/11/2018 15:00	BDL	BDL	BDL	BDL	0.1	2.2	24.0	9.0
7/11/2018 16:00	BDL	BDL	BDL	BDL	0.1	2.3	26.0	13.0
7/11/2018 17:00	BDL	BDL	BDL	BDL	0.1	2.2	25.0	16.0
7/11/2018 18:00	BDL	BDL	BDL	BDL	0.2	2.3	27.0	16.0
7/11/2018 19:00	BDL	BDL	BDL	BDL	0.2	2.0	21.0	13.0
7/11/2018 20:00	BDL	BDL	BDL	BDL	0.2	2.0	29.0	18.0
7/11/2018 21:00	BDL	BDL	BDL	BDL	0.2	2.1	21.0	20.0
7/11/2018 22:00	BDL	BDL	BDL	4.7	0.1	2.0	21.0	12.0
7/11/2018 23:00	BDL	BDL	BDL	0.7	0.1	2.2	18.0	8.0
7/12/2018 0:00	BDL	BDL	BDL	1.2	0.2	2.0	21.0	7.0
7/12/2018 1:00	BDL	Calibration	Calibration	0.7	0.2	1.9	31.0	19.0
7/12/2018 2:00	BDL	Calibration	Calibration	1.0	0.2	1.9	34.0	19.0
7/12/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	1.9	32.0	18.0
7/12/2018 4:00	BDL	BDL	BDL	6.2	0.3	Too few samples	32.0	18.0
7/12/2018 5:00	BDL	BDL	BDL	16.8	0.4	2.3	36.0	21.0
7/12/2018 6:00	BDL	0.8	BDL	22.7	0.3	2.1	39.0	18.0
7/12/2018 7:00	BDL	Calibration	Calibration	16.3	0.3	2.1	41.0	18.0
7/12/2018 8:00	BDL	Calibration	Calibration	13.4	0.3	2.0	36.0	17.0
7/12/2018 9:00	BDL	BDL	BDL	5.6	0.2	2.0	37.0	16.0
7/12/2018 10:00	BDL	BDL	BDL	5.1	0.2	2.0	33.0	14.0
7/12/2018 11:00	BDL	BDL	BDL	4.9	0.2	2.0	33.0	12.0
7/12/2018 12:00	BDL	BDL	BDL	0.6	0.2	1.9	31.0	14.0
7/12/2018 13:00	BDL	BDL	BDL	0.6	0.2	1.9	31.0	13.0
7/12/2018 14:00	BDL	BDL	BDL	0.5	0.2	2.0	33.0	14.0
7/12/2018 15:00	BDL	BDL	BDL	BDL	0.2	2.0	30.0	18.0
7/12/2018 16:00	BDL	BDL	BDL	2.7	0.2	2.0	28.0	10.0
7/12/2018 17:00	BDL	BDL	BDL	2.2	0.3	2.0	45.0	16.0
7/12/2018 18:00	BDL	BDL	BDL	13.9	0.3	1.9	29.0	17.0
7/12/2018 19:00	BDL	BDL	BDL	7.1	0.2	1.9	25.0	13.0
7/12/2018 20:00	BDL	BDL	BDL	4.6	0.2	1.9	20.0	12.0
7/12/2018 21:00	BDL	BDL	BDL	0.4	0.2	2.1	20.0	12.0
7/12/2018 22:00	BDL	BDL	BDL	2.5	0.2	2.1	24.0	14.0
7/12/2018 23:00	BDL	BDL	BDL	3.3	0.2	2.0	17.0	11.0
7/13/2018 0:00	BDL	BDL	BDL	1.4	0.2	2.2	22.0	12.0
7/13/2018 1:00	BDL	Calibration	Calibration	6.8	0.2	2.2	25.0	13.0
7/13/2018 2:00	BDL	Calibration	Calibration	2.2	0.2	2.0	23.0	12.0
7/13/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.9	27.0	13.0
7/13/2018 4:00	BDL	0.6	BDL	24.7	0.4	Too few samples	24.0	19.0
7/13/2018 5:00	BDL	1.3	BDL	49.1	0.6	2.4	39.0	17.0
7/13/2018 6:00	0.6	2.4	0.7	63.8	0.6	3.1	31.0	16.0
7/13/2018 7:00	0.5	2.2	1.1	39.9	0.5	2.4	41.0	17.0
7/13/2018 8:00	0.5	1.1	BDL	30.4	0.3	2.4	Audit	Audit
7/13/2018 9:00	0.6	0.8	BDL	21.1	0.2	2.1	Audit	Audit
7/13/2018 10:00	Too few samples	0.4	BDL	Too few samples	Too few samples	2.3	Audit	Audit
7/13/2018 11:00	Maintenance	BDL	BDL	Calibration	Calibration	2.0	62.0	17.0
7/13/2018 12:00	BDL	BDL	BDL	2.7	0.1	2.0	52.0	10.0
7/13/2018 13:00	BDL	BDL	BDL	0.9	0.1	2.0	31.0	9.0
7/13/2018 14:00	BDL	BDL	BDL	0.9	0.1	1.9	29.0	11.0
7/13/2018 15:00	BDL	BDL	BDL	BDL	0.1	2.0	25.0	11.0
7/13/2018 16:00	BDL	BDL	BDL	BDL	0.1	2.0	20.0	10.0
7/13/2018 17:00	BDL	BDL	BDL	0.5	0.2	2.1	53.0	9.0
7/13/2018 18:00	BDL	BDL	BDL	0.6	0.2	2.0	32.0	8.0
7/13/2018 19:00	BDL	0.6	BDL	BDL	0.1	2.1	22.0	7.0
7/13/2018 20:00	BDL	0.7	0.4	BDL	0.1	2.2	27.0	7.0
7/13/2018 21:00	BDL	1.0	0.5	3.1	0.1	2.3	50.0	4.0
7/13/2018 22:00	BDL	0.6	0.4	5.4	0.1	2.3	21.0	8.0
7/13/2018 23:00	BDL	0.8	BDL	13.0	0.2	2.4	26.0	8.0
7/14/2018 0:00	BDL	0.8	BDL	8.6	0.1	2.3	22.0	6.0
7/14/2018 1:00	BDL	Calibration	Calibration	13.6	0.2	2.4	24.0	8.0
7/14/2018 2:00	BDL	Calibration	Calibration	23.9	0.2	2.2	20.0	10.0
7/14/2018 3:00	Calibration	1.4	0.6	Calibration	Calibration	2.8	22.0	13.0
7/14/2018 4:00	0.5	1.3	0.6	13.9	0.2	2.9	30.0	13.0
7/14/2018 5:00	0.6	1.5	0.5	21.2	0.3	2.9	31.0	11.0
7/14/2018 6:00	0.8	1.7	0.7	25.0	0.3	2.8	30.0	14.0
7/14/2018 7:00	4.2	1.5	0.7	21.3	0.3	2.4	387.0	95.0
7/14/2018 8:00	12.9	1.3	0.7	9.3	0.2	2.2	211.0	62.0
7/14/2018 9:00	14.4	1.3	0.9	4.7	0.1	2.2	556.0	140.0
7/14/2018 10:00	3.3	1.0	0.4	6.1	0.1	2.3	28.0	8.0
7/14/2018 11:00	4.3	BDL	BDL	4.4	0.1	2.2	33.0	13.0
7/14/2018 12:00	2.0	BDL	BDL	0.9	0.1	2.3	27.0	16.0
7/14/2018 13:00	0.9	BDL	BDL	BDL	0.1	2.3	27.0	11.0
7/14/2018 14:00	2.3	BDL	BDL	0.8	0.1	2.4	27.0	9.0
7/14/2018 15:00	1.3	BDL	BDL	BDL	0.1	2.3	22.0	9.0
7/14/2018 16:00	2.0	BDL	BDL	2.0	0.1	2.3	23.0	12.0
7/14/2018 17:00	1.3	BDL	BDL	1.8	0.1	2.3	19.0	12.0
7/14/2018 18:00	1.1	BDL	BDL	2.5	0.1	2.3	24.0	10.0
7/14/2018 19:00	0.4	BDL	BDL	BDL	0.1	2.3	24.0	7.0
7/14/2018 20:00	BDL	BDL	BDL	3.5	0.1	2.3	27.0	12.0
7/14/2018 21:00	0.8	BDL	BDL	9.1	0.1	2.6	21.0	13.0
7/14/2018 22:00	1.8	1.2	0.7	14.6	0.1	2.7	21.0	14.0
7/14/2018 23:00	1.4	0.8	0.4	9.3	0.1	2.5	22.0	14.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 7/15/2018-7/21/2018								
7/15/2018 0:00	0.7	0.7	BDL	4.4	0.1	2.5	19.0	12.0
7/15/2018 1:00	0.9	Calibration	Calibration	3.3	0.1	2.5	16.0	12.0
7/15/2018 2:00	0.8	Calibration	Calibration	4.8	0.1	2.6	19.0	9.0
7/15/2018 3:00	Calibration	0.6	BDL	Calibration	Calibration	2.5	18.0	13.0
7/15/2018 4:00	BDL	1.0	0.4	13.8	0.2	Too few samples	18.0	9.0
7/15/2018 5:00	BDL	1.1	0.6	8.1	0.2	2.4	16.0	10.0
7/15/2018 6:00	0.5	1.1	0.7	8.8	0.2	2.2	19.0	15.0
7/15/2018 7:00	0.4	1.4	1.0	10.4	0.3	2.1	17.0	12.0
7/15/2018 8:00	0.6	1.1	0.6	10.2	0.3	2.4	23.0	15.0
7/15/2018 9:00	2.2	0.7	BDL	13.3	0.2	2.4	29.0	12.0
7/15/2018 10:00	1.8	0.5	BDL	4.6	0.2	2.6	25.0	17.0
7/15/2018 11:00	0.4	BDL	BDL	0.6	0.2	2.1	15.0	7.0
7/15/2018 12:00	BDL	0.8	BDL	1.2	0.2	2.1	14.0	6.0
7/15/2018 13:00	BDL	0.6	0.7	5.0	0.1	2.1	12.0	6.0
7/15/2018 14:00	BDL	0.5	0.4	7.8	0.2	2.3	26.0	11.0
7/15/2018 15:00	0.6	0.5	BDL	9.9	0.2	2.3	24.0	16.0
7/15/2018 16:00	1.6	0.5	BDL	7.4	0.2	2.3	24.0	17.0
7/15/2018 17:00	1.4	0.6	BDL	5.7	0.2	2.2	22.0	17.0
7/15/2018 18:00	1.3	0.6	BDL	7.1	0.3	2.3	36.0	15.0
7/15/2018 19:00	1.2	BDL	BDL	2.2	0.3	2.1	36.0	26.0
7/15/2018 20:00	0.4	0.4	BDL	0.4	0.2	2.2	29.0	19.0
7/15/2018 21:00	BDL	0.5	0.4	4.1	0.2	2.2	56.0	26.0
7/15/2018 22:00	BDL	0.9	0.4	12.5	0.3	3.0	36.0	17.0
7/15/2018 23:00	BDL	1.1	0.6	13.7	0.3	3.1	30.0	20.0
7/16/2018 0:00	BDL	1.2	0.6	15.9	0.4	3.0	57.0	15.0
7/16/2018 1:00	BDL	Calibration	Calibration	17.9	0.3	3.1	27.0	19.0
7/16/2018 2:00	BDL	Calibration	Calibration	13.4	0.2	3.1	27.0	22.0
7/16/2018 3:00	Calibration	1.7	1.1	Calibration	Calibration	3.1	24.0	21.0
7/16/2018 4:00	BDL	2.0	1.6	14.6	0.3	Too few samples	32.0	21.0
7/16/2018 5:00	BDL	2.5	2.2	24.0	0.3	3.5	38.0	22.0
7/16/2018 6:00	BDL	3.1	2.2	29.4	0.4	3.5	37.0	24.0
7/16/2018 7:00	BDL	1.6	1.0	17.1	0.3	3.2	47.0	26.0
7/16/2018 8:00	BDL	1.0	0.4	11.0	0.3	Too few samples	30.0	25.0
7/16/2018 9:00	BDL	1.0	0.5	16.2	0.3	2.5	33.0	26.0
7/16/2018 10:00	BDL	0.9	BDL	11.2	0.3	2.4	27.0	17.0
7/16/2018 11:00	BDL	0.6	BDL	4.5	0.2	2.3	25.0	19.0
7/16/2018 12:00	BDL	0.4	BDL	1.0	0.2	2.3	28.0	14.0
7/16/2018 13:00	BDL	BDL	BDL	2.5	0.2	2.3	34.0	17.0
7/16/2018 14:00	0.4	0.5	BDL	2.6	0.3	2.3	28.0	17.0
7/16/2018 15:00	1.0	BDL	BDL	2.8	0.2	2.3	37.0	22.0
7/16/2018 16:00	1.0	0.4	BDL	0.8	0.2	2.3	35.0	18.0
7/16/2018 17:00	0.5	0.6	0.4	1.4	0.2	2.5	32.0	25.0
7/16/2018 18:00	BDL	0.5	BDL	0.9	0.2	2.3	36.0	21.0
7/16/2018 19:00	BDL	0.7	0.4	0.7	0.2	2.2	30.0	22.0
7/16/2018 20:00	BDL	1.2	1.0	5.9	0.2	2.3	37.0	19.0
7/16/2018 21:00	BDL	1.5	1.2	4.7	0.2	2.5	32.0	19.0
7/16/2018 22:00	BDL	1.0	1.0	5.3	0.2	2.5	28.0	20.0
7/16/2018 23:00	BDL	0.9	0.6	1.9	0.2	2.4	30.0	19.0
7/17/2018 0:00	BDL	0.8	0.7	1.9	0.2	2.4	30.0	19.0
7/17/2018 1:00	BDL	Calibration	Calibration	3.1	0.2	2.3	28.0	18.0
7/17/2018 2:00	BDL	Calibration	Calibration	2.2	0.2	2.3	32.0	17.0
7/17/2018 3:00	Calibration	1.9	1.6	Calibration	Calibration	2.4	35.0	16.0
7/17/2018 4:00	BDL	1.6	1.4	2.0	0.2	2.4	25.0	13.0
7/17/2018 5:00	BDL	1.8	1.6	4.7	0.2	2.3	32.0	20.0
7/17/2018 6:00	BDL	2.1	2.0	6.3	0.2	2.3	27.0	14.0
7/17/2018 7:00	BDL	Calibration	Calibration	4.4	0.2	2.3	32.0	17.0
7/17/2018 8:00	BDL	Calibration	Calibration	4.0	0.2	2.4	34.0	20
7/17/2018 9:00	BDL	1.3	0.8	0.9	0.2	2.3	34.0	18.0
7/17/2018 10:00	BDL	1.0	0.9	3.1	0.2	2.3	42.0	19.0
7/17/2018 11:00	BDL	0.7	0.6	2.4	0.2	2.3	45.0	20.0
7/17/2018 12:00	BDL	0.6	0.4	1.5	0.2	2.3	37.0	20.0
7/17/2018 13:00	BDL	0.6	0.5	BDL	0.2	2.6	40.0	21.0
7/17/2018 14:00	BDL	1.0	0.9	1.2	0.2	2.7	38.0	17.0
7/17/2018 15:00	BDL	0.7	0.6	1.1	0.2	3.0	32.0	12.0
7/17/2018 16:00	BDL	0.4	BDL	BDL	0.2	2.9	10.0	7.0
7/17/2018 17:00	BDL	0.5	0.4	8.2	0.2	2.0	21.0	6.0
7/17/2018 18:00	BDL	0.5	BDL	5.8	0.2	1.9	20.0	11.0
7/17/2018 19:00	BDL	0.6	BDL	12.2	0.3	1.9	18.0	11.0
7/17/2018 20:00	BDL	0.9	0.5	6.5	0.3	1.9	12.0	9.0
7/17/2018 21:00	BDL	1.0	0.7	6.2	0.3	2.0	15.0	9.0
7/17/2018 22:00	BDL	0.7	0.5	7.6	0.3	2.5	15.0	16.0
7/17/2018 23:00	BDL	0.8	0.5	9.6	0.3	4.8	44.0	36.0
7/18/2018 0:00	BDL	0.6	0.4	4.8	0.2	4.1	18.0	4.0
7/18/2018 1:00	BDL	Calibration	Calibration	1.8	0.2	2.9	13.0	5.0
7/18/2018 2:00	BDL	Calibration	Calibration	0.4	0.1	2.8	17.0	13.0
7/18/2018 3:00	Calibration	0.6	BDL	Calibration	Calibration	2.6	19.0	14.0
7/18/2018 4:00	BDL	0.5	BDL	2.9	0.1	Too few samples	18.0	12.0
7/18/2018 5:00	BDL	0.5	BDL	5.1	0.2	2.5	21.0	14.0
7/18/2018 6:00	BDL	0.6	BDL	9.1	0.2	2.2	21.0	10.0
7/18/2018 7:00	BDL	Calibration	Calibration	6.4	0.1	3.0	17.0	14.0
7/18/2018 8:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	3.0	21.0	9.0
7/18/2018 9:00	BDL	0.5	BDL	Calibration	0.1	Too few samples	25.0	11.0
7/18/2018 10:00	BDL	0.5	BDL	3.6	0.1	2.5	17.0	11.0
7/18/2018 11:00	BDL	Too few samples	Too few samples	1.4	0.1	2.6	18.0	13.0
7/18/2018 12:00	BDL	Calibration	Calibration	1.3	0.1	2.4	25.0	12.0
7/18/2018 13:00	BDL	Calibration	Calibration	1.6	0.1	2.1	23.0	10.0
7/18/2018 14:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	2.3	19.0	10.0
7/18/2018 15:00	BDL	BDL	BDL	BDL	0.1	2.7	15.0	11.0
7/18/2018 16:00	BDL	BDL	BDL	BDL	0.1	2.9	19.0	11.0
7/18/2018 17:00	BDL	BDL	BDL	BDL	0.1	2.4	17.0	11.0
7/18/2018 18:00	BDL	BDL	BDL	BDL	0.1	2.7	17.0	10.0
7/18/2018 19:00	BDL	BDL	BDL	BDL	0.1	2.6	15.0	10.0
7/18/2018 20:00	BDL	BDL	BDL	BDL	0.1	2.5	19.0	10.0
7/18/2018 21:00	BDL	BDL	BDL	3.5	0.2	2.2	23.0	10.0
7/18/2018 22:00	BDL	BDL	BDL	4.3	0.2	2.3	18.0	12.0
7/18/2018 23:00	BDL	BDL	BDL	2.4	0.1	2.2	17.0	9.0
7/19/2018 0:00	BDL	BDL	BDL	2.6	0.1	2.2	17.0	10.0
7/19/2018 1:00	BDL	Calibration	Calibration	2.3	0.1	2.1	19.0	11.0
7/19/2018 2:00	BDL	Calibration	Calibration	2.2	0.1	2.2	16.0	9.0
7/19/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.5	15.0	14.0
7/19/2018 4:00	BDL	BDL	BDL	4.9	0.1	2.8	15.0	13.0
7/19/2018 5:00	BDL	0.5	BDL	12.2	0.1	2.7	19.0	11.0
7/19/2018 6:00	BDL	0.8	BDL	16.2	0.1	2.6	21.0	10.0
7/19/2018 7:00	0.9	0.8	BDL	13.4	0.1	2.6	21.0	15.0
7/19/2018 8:00	0.8	0.6	BDL	10.2	0.1	2.9	17.0	11.0
7/19/2018 9:00	0.5	0.7	BDL	11.8	0.1	2.6	15.0	8.0
7/19/2018 10:00	BDL	0.6	BDL	10.3	0.2	Too few samples	24.0	14.0
7/19/2018 11:00	BDL	BDL	BDL	5.7	0.1	2.1	14.0	11.0
7/19/2018 12:00	BDL	BDL	BDL	4.4	0.1	2.4	23.0	7.0
7/19/2018 13:00	BDL	BDL	BDL	4.1	0.1	2.4	21.0	9.0
7/19/2018 14:00	BDL	BDL	BDL	4.5	0.1	2.3	21.0	13.0
7/19/2018 15:00	BDL	BDL	BDL	3.2	0.1	2.4	26.0	14.0
7/19/2018 16:00	BDL	BDL	BDL	1.4	0.1	2.2	24.0	11.0
7/19/2018 17:00	BDL	BDL	BDL	5.0	0.1	2.0	21.0	14.0
7/19/2018 18:00	0.5	BDL	BDL	2.3	0.1	2.3	20.0	12.0
7/19/2018 19:00	BDL	BDL	BDL	BDL	0.1	2.4	18.0	7.0
7/19/2018 20:00	BDL	BDL	BDL	2.2	0.1	1.9	26.0	17.0
7/19/2018 21:00	BDL	BDL	BDL	1.0	0.1	2.1	17.0	14.0
7/19/2018 22:00	BDL	BDL	BDL	2.1	0.1	2.0	15.0	11.0
7/19/2018 23:00	BDL	0.4	BDL	6.4	0.2	1.9	15.0	8.0
7/20/2018 0:00	BDL	0.4	BDL	2.7	0.2	2.2	8.0	8.0
7/20/2018 1:00	BDL	Calibration	Calibration	1.3	0.2	2.1	16.0	11.0
7/20/2018 2:00	BDL	Calibration	Calibration	4.4	0.2	2.1	18.0	13.0
7/20/2018 3:00	Calibration	1.2	0.8	Calibration	Calibration	2.4	21.0	15.0
7/20/2018 4:00	BDL	1.5	1.0	16.5	0.3	2.4	28.0	13.0
7/20/2018 5:00	BDL	1.5	0.8	18.9	0.4	2.4	21.0	12.0
7/20/2018 6:00	BDL	1.7	0.9	23.9	0.4	2.0	23.0	14.0
7/20/2018 7:00	BDL	Calibration	Calibration	28.3	0.4	2.1	32.0	16.0
7/20/2018 8:00	BDL	Calibration	Calibration	26.5	0.4	2.2	34.0	20.0
7/20/2018 9:00	0.4	1.8	0.6	22.3	0.3	2.0	28.0	18.0
7/20/2018 10:00	BDL	0.7	BDL	5.1	0.2	2.0	19.0	17.0
7/20/2018 11:00	BDL	BDL	BDL	1.4	0.1	1.9	18.0	14.0
7/20/2018 12:00	BDL	BDL	BDL	BDL	0.1	1.9	18.0	12.0
7/20/2018 13:00	BDL	BDL	BDL	BDL	0.1	2.0	18.0	10.0
7/20/2018 14:00	BDL	0.4	BDL	BDL	0.1	1.9	18.0	14.0
7/20/2018 15:00	BDL	0.5	BDL	4.7	0.1	1.9	17.0	8.0
7/20/2018 16:00	BDL	0.5	BDL	0.9	0.1	1.9	19.0	8.0
7/20/2018 17:00	BDL	BDL	BDL	1.4	0.1	1.9	18.0	9.0
7/20/2018 18:00	BDL	BDL	BDL	BDL	0.1	2.0	15.0	11.0
7/20/2018 19:00	BDL	BDL	BDL	1.2	0.1	1.9	17.0	11.0
7/20/2018 20:00	BDL	BDL	BDL	0.5	0.1	1.9	16.0	12.0
7/20/2018 21:00	BDL	BDL	BDL	BDL	0.1	1.9	14.0	14.0
7/20/2018 22:00	BDL	0.4	BDL	2.4	0.1	1.9	17.0	10.0
7/20/2018 23:00	BDL	0.5	BDL	4.8	0.2	1.9	19.0	11.0
7/21/2018 0:00	BDL	0.5	BDL	2.4	0.1	1.9	14.0	9.0
7/21/2018 1:00	BDL	Calibration	Calibration	1.8	0.1	1.9	12.0	13.0
7/21/2018 2:00	BDL	Calibration	Calibration	6.1	0.1	2.0	16.0	10.0
7/21/2018 3:00	Calibration	1.3	0.8	Calibration	Calibration	2.0	19.0	9.0
7/21/2018 4:00	BDL	2.0	1.6	5.1	0.1	2.0	18.0	7.0
7/21/2018 5:00	BDL	2.9	2.2	5.7	0.1	2.0	21.0	9.0
7/21/2018 6:00	BDL	1.6	1.2	6.0	0.1	2.0	19.0	9.0
7/21/2018 7:00	BDL	1.3	0.8	4.8	0.1	1.9	18.0	9.0
7/21/2018 8:00	BDL	0.8	BDL	4.0	0.1	1.9	24.0	9.0
7/21/2018 9:00	BDL	0.6	BDL	7.4	0.1	1.9	14.0	8.0
7/21/2018 10:00	BDL	0.5	BDL	1.9	0.1	1.9	19.0	9.0
7/21/2018 11:00	BDL	0.4	BDL	1.2	0.1	1.9	15.0	12.0
7/21/2018 12:00	BDL	0.5	BDL	BDL	0.1	1.9	21.0	8.0
7/21/2018 13:00	BDL	0.4	BDL	0.7	0.1	1.9	28.0	8.0
7/21/2018 14:00	BDL	0.4	BDL	1.3	0.1	1.9	24.0	9.0
7/21/2018 15:00	BDL	BDL	BDL	2.3	0.2	1.9	24.0	10.0
7/21/2018 16:00	BDL	0.5	BDL	2.6	0.2	1.9	23.0	9.0
7/21/2018 17:00	BDL	0.4	BDL	BDL	0.2	1.9	19.0	11.0
7/21/2018 18:00	BDL	0.4	BDL	BDL	0.2	1.9	15.0	11.0
7/21/2018 19:00	BDL	0.5	BDL	BDL	0.2	1.9	11.0	10.0
7/21/2018 20:00	BDL	0.5	BDL	BDL	0.2	1.9	8.0	8.0
7/21/2018 21:00	BDL	0.5	BDL	BDL	0.1	1.9	7.0	6.0
7/21/2018 22:00	BDL	0.4	0.4	BDL	0.1	1.9	11.0	11.0
7/21/2018 23:00	BDL	0.5	0.4	BDL	0.1	1.8	10.0	9.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 7/22/2018-7/28/2018								
7/22/2018 0:00	BDL	0.5	0.5	BDL	BDL	1.9	5.0	7.0
7/22/2018 1:00	BDL	Calibration	Calibration	BDL	BDL	1.8	12.0	8.0
7/22/2018 2:00	BDL	Calibration	Calibration	BDL	0.1	1.8	13.0	5.0
7/22/2018 3:00	Calibration	1.0	0.7	Calibration	Calibration	1.7	54*	3.0
7/22/2018 4:00	BDL	0.9	0.8	BDL	0.1	1.8	8.0	6.0
7/22/2018 5:00	BDL	0.9	0.9	0.5	0.1	1.9	9.0	4.0
7/22/2018 6:00	BDL	0.9	0.8	2.9	0.1	2.1	8.0	10.0
7/22/2018 7:00	BDL	0.8	0.6	3.4	0.1	Too few samples	16.0	8.0
7/22/2018 8:00	BDL	0.7	0.5	0.6	0.1	2.0	14.0	4.0
7/22/2018 9:00	BDL	0.7	0.4	1.1	0.1	2.0	9.0	5.0
7/22/2018 10:00	BDL	0.7	0.5	BDL	0.1	2.0	9.0	6.0
7/22/2018 11:00	BDL	0.7	0.5	BDL	0.1	1.9	14.0	4.0
7/22/2018 12:00	BDL	0.5	BDL	BDL	0.1	1.8	14.0	6.0
7/22/2018 13:00	BDL	0.6	0.5	BDL	0.1	1.8	17.0	14.0
7/22/2018 14:00	BDL	0.4	0.5	BDL	0.1	1.8	17.0	8.0
7/22/2018 15:00	BDL	0.4	0.4	BDL	0.1	1.8	18.0	9.0
7/22/2018 16:00	BDL	0.5	0.5	BDL	0.1	1.7	22.0	15.0
7/22/2018 17:00	BDL	0.5	0.4	BDL	0.1	1.7	21.0	15.0
7/22/2018 18:00	BDL	0.5	0.5	BDL	0.1	1.7	26.0	15.0
7/22/2018 19:00	BDL	0.4	0.5	BDL	0.1	1.7	37.0	12.0
7/22/2018 20:00	BDL	0.6	0.5	4.6	0.1	1.7	33.0	13.0
7/22/2018 21:00	BDL	0.5	0.4	BDL	0.1	1.7	40.0	12.0
7/22/2018 22:00	BDL	0.5	0.4	2.5	0.1	1.7	32.0	10.0
7/22/2018 23:00	BDL	0.6	0.4	BDL	0.1	1.7	43.0	15.0
7/23/2018 0:00	BDL	0.6	0.4	BDL	0.1	1.8	33.0	14.0
7/23/2018 1:00	BDL	Calibration	Calibration	BDL	0.0	1.7	37.0	11.0
7/23/2018 2:00	BDL	Calibration	Calibration	3.9	0.1	1.7	35.0	10.0
7/23/2018 3:00	Calibration	1.1	1.0	Calibration	Calibration	1.7	37.0	13.0
7/23/2018 4:00	BDL	1.0	1.0	BDL	0.1	Too few samples	44.0	10.0
7/23/2018 5:00	BDL	1.1	1.0	3.2	0.1	1.8	33.0	9.0
7/23/2018 6:00	BDL	0.9	0.7	3.6	0.1	1.8	38.0	16.0
7/23/2018 7:00	BDL	0.7	0.6	2.5	0.1	1.8	42.0	11.0
7/23/2018 8:00	BDL	0.7	0.6	4.8	0.1	1.8	40.0	9.0
7/23/2018 9:00	BDL	0.7	0.7	3.7	0.1	1.8	39.0	4.0
7/23/2018 10:00	BDL	0.7	0.5	1.3	0.1	1.8	27.0	6.0
7/23/2018 11:00	BDL	0.7	0.5	1.7	0.1	1.8	26.0	8.0
7/23/2018 12:00	BDL	0.7	0.6	BDL	0.1	1.8	40.0	9.0
7/23/2018 13:00	BDL	0.8	0.7	1.4	0.1	1.8	28.0	7.0
7/23/2018 14:00	BDL	0.7	0.6	BDL	0.1	1.8	35.0	14.0
7/23/2018 15:00	BDL	0.5	0.5	BDL	0.1	1.8	26.0	10.0
7/23/2018 16:00	BDL	0.5	0.5	BDL	0.1	1.8	26.0	8.0
7/23/2018 17:00	BDL	0.6	0.5	BDL	0.1	1.8	16.0	7.0
7/23/2018 18:00	BDL	0.6	0.6	BDL	0.1	1.8	20.0	6.0
7/23/2018 19:00	BDL	0.6	0.5	BDL	0.1	1.8	42.0	4.0
7/23/2018 20:00	BDL	0.5	0.5	BDL	0.1	1.8	29.0	4.0
7/23/2018 21:00	BDL	0.5	BDL	BDL	0.0	1.8	35.0	5.0
7/23/2018 22:00	BDL	0.4	BDL	BDL	0.0	1.8	35.0	14.0
7/23/2018 23:00	BDL	0.5	0.5	BDL	BDL	1.8	38.0	12.0
7/24/2018 0:00	BDL	0.6	0.6	BDL	BDL	1.8	30.0	8.0
7/24/2018 1:00	BDL	Calibration	Calibration	BDL	BDL	1.8	35.0	8.0
7/24/2018 2:00	BDL	Calibration	Calibration	BDL	BDL	1.8	36.0	10.0
7/24/2018 3:00	Calibration	0.5	0.4	Calibration	Calibration	1.8	33.0	11.0
7/24/2018 4:00	BDL	0.7	0.5	BDL	BDL	Too few samples	36.0	9.0
7/24/2018 5:00	BDL	0.6	0.6	BDL	0.1	1.8	37.0	9.0
7/24/2018 6:00	BDL	0.6	0.5	1.1	0.1	1.9	29.0	11.0
7/24/2018 7:00	Calibration	BDL	0.5	Calibration	Calibration	1.8	36.0	7.0
7/24/2018 8:00	BDL	Calibration	Calibration	0.9	0.1	1.8	31.0	5.0
7/24/2018 9:00	BDL	Calibration	Calibration	1.8	0.1	1.8	34.0	6.0
7/24/2018 10:00	BDL	1.0	1.2	3.3	0.1	Too few samples	Maintenance	Maintenance
7/24/2018 11:00	BDL	0.7	0.7	2.8	0.1	1.9	29.0	2.0
7/24/2018 12:00	BDL	0.5	0.5	2.2	0.1	1.9	22.0	8.0
7/24/2018 13:00	BDL	0.6	0.6	0.9	0.1	1.9	21.0	12.0
7/24/2018 14:00	BDL	0.6	0.5	0.9	0.1	1.9	25.0	11.0
7/24/2018 15:00	BDL	0.5	0.6	BDL	0.1	1.9	26.0	9.0
7/24/2018 16:00	BDL	0.5	0.6	BDL	0.1	1.9	22.0	11.0
7/24/2018 17:00	BDL	0.5	0.4	BDL	0.1	1.9	28.0	8.0
7/24/2018 18:00	BDL	0.5	0.5	BDL	0.1	2.0	25.0	9.0
7/24/2018 19:00	BDL	0.5	0.5	6.6	0.1	2.0	29.0	6.0
7/24/2018 20:00	BDL	0.4	BDL	BDL	0.1	2.0	24.0	8.0
7/24/2018 21:00	BDL	0.4	BDL	BDL	0.1	1.9	21.0	12.0
7/24/2018 22:00	BDL	0.4	0.4	BDL	0.1	1.9	28.0	8.0
7/24/2018 23:00	BDL	0.4	0.5	BDL	0.0	1.9	32.0	6.0
7/25/2018 0:00	BDL	0.4	0.4	BDL	0.0	2.0	25.0	4.0
7/25/2018 1:00	BDL	Calibration	Calibration	BDL	BDL	2.0	26.0	6.0
7/25/2018 2:00	BDL	Calibration	Calibration	BDL	BDL	1.9	27.0	6.0
7/25/2018 3:00	Calibration	0.9	0.5	Calibration	Calibration	1.9	8.0	5.0
7/25/2018 4:00	BDL	0.6	0.4	2.9	0.1	2.0	11.0	3.0
7/25/2018 5:00	BDL	0.7	1.0	BDL	0.1	2.0	6.0	5.0
7/25/2018 6:00	BDL	1.1	1.7	5.5	0.1	1.9	12.0	5.0
7/25/2018 7:00	BDL	Calibration	Calibration	3.4	0.1	2.0	11.0	2.0
7/25/2018 8:00	BDL	Calibration	Calibration	3.9	0.1	2.0	12.0	5.0
7/25/2018 9:00	Calibration	1.0	0.7	Calibration	Calibration	1.9	17.0	5.0
7/25/2018 10:00	BDL	1.0	0.7	11.1	0.1	1.9	17.0	4.0
7/25/2018 11:00	BDL	0.7	0.5	6.1	0.1	2.1	17.0	9.0
7/25/2018 12:00	BDL	0.7	0.5	6.7	0.1	2.1	15.0	8.0
7/25/2018 13:00	BDL	0.7	0.5	6.7	0.1	2.0	19.0	7.0
7/25/2018 14:00	BDL	0.6	0.5	5.5	0.1	2.0	22.0	6.0
7/25/2018 15:00	BDL	0.5	BDL	6.4	0.1	2.0	12.0	5.0
7/25/2018 16:00	BDL	0.6	BDL	7.3	0.1	2.0	21.0	4.0
7/25/2018 17:00	BDL	0.7	0.5	5.1	0.1	2.0	16.0	6.0
7/25/2018 18:00	BDL	1.0	0.6	5.8	0.1	2.2	14.0	10.0
7/25/2018 19:00	BDL	0.7	0.4	7.4	0.1	2.0	15.0	7.0
7/25/2018 20:00	BDL	0.8	0.4	12.2	0.2	2.1	13.0	7.0
7/25/2018 21:00	BDL	0.8	0.6	8.1	0.1	2.0	14.0	6.0
7/25/2018 22:00	BDL	0.7	0.4	8.8	0.1	2.1	14.0	4.0
7/25/2018 23:00	BDL	0.5	BDL	8.0	0.1	2.0	13.0	4.0
7/26/2018 0:00	BDL	0.7	0.5	10.4	0.1	2.4	10.0	4.0
7/26/2018 1:00	BDL	Calibration	Calibration	11.6	0.1	2.2	12.0	5.0
7/26/2018 2:00	BDL	Calibration	Calibration	8.8	0.1	2.5	18.0	5.0
7/26/2018 3:00	Calibration	0.6	BDL	Calibration	Calibration	2.4	14.0	6.0
7/26/2018 4:00	0.8	0.7	0.4	3.8	0.1	Too few samples	16.0	6.0
7/26/2018 5:00	BDL	0.8	0.7	5.5	0.1	3.2	20.0	6.0
7/26/2018 6:00	BDL	1.1	0.4	28.5	0.1	3.4	14.0	6.0
7/26/2018 7:00	Calibration	0.9	0.5	Calibration	Calibration	4.4	19.0	5.0
7/26/2018 8:00	Too few samples	0.6	BDL	Too few samples	Too few samples	3.5	19.0	6.0
7/26/2018 9:00	BDL	0.5	BDL	7.6	0.1	3.4	13.0	7.0
7/26/2018 10:00	BDL	0.4	BDL	8.3	0.1	3.1	17.0	6.0
7/26/2018 11:00	BDL	0.4	BDL	5.1	0.1	3.3	18.0	11.0
7/26/2018 12:00	BDL	0.4	BDL	7.3	0.1	3.0	24.0	10.0
7/26/2018 13:00	BDL	0.4	BDL	9.3	0.1	2.2	26.0	13.0
7/26/2018 14:00	BDL	0.6	BDL	9.4	0.1	2.2	22.0	10.0
7/26/2018 15:00	BDL	0.6	BDL	9.6	0.1	2.3	25.0	18.0
7/26/2018 16:00	BDL	0.4	BDL	7.2	0.1	2.3	19.0	15.0
7/26/2018 17:00	BDL	0.4	BDL	5.8	0.1	2.3	25.0	18.0
7/26/2018 18:00	BDL	0.5	BDL	7.8	0.1	2.4	21.0	15.0
7/26/2018 19:00	BDL	0.5	BDL	11.0	0.2	2.4	21.0	12.0
7/26/2018 20:00	BDL	0.6	BDL	13.9	0.2	3.1	26.0	16.0
7/26/2018 21:00	BDL	0.5	BDL	12.9	0.2	2.8	23.0	16.0
7/26/2018 22:00	BDL	1.1	0.9	19.0	0.2	2.6	29.0	11.0
7/26/2018 23:00	BDL	1.1	0.6	25.3	0.3	2.4	22.0	14.0
7/27/2018 0:00	BDL	1.2	0.8	18.0	0.3	2.4	21.0	12.0
7/27/2018 1:00	BDL	Calibration	Calibration	17.7	0.2	2.6	25.0	16.0
7/27/2018 2:00	BDL	Calibration	Calibration	17.0	0.3	2.6	30.0	14.0
7/27/2018 3:00	Calibration	0.9	0.6	Calibration	Calibration	2.4	23.0	13.0
7/27/2018 4:00	BDL	1.0	0.8	18.8	0.2	Too few samples	29.0	19.0
7/27/2018 5:00	BDL	1.4	1.0	27.7	0.3	2.3	34.0	22.0
7/27/2018 6:00	BDL	1.7	1.2	36.2	0.3	2.3	25.0	18.0
7/27/2018 7:00	BDL	2.1	1.7	29.4	0.2	2.4	33.0	22.0
7/27/2018 8:00	BDL	2.0	1.6	18.5	0.2	2.4	31.0	21.0
7/27/2018 9:00	BDL	1.8	1.4	23.1	0.2	2.4	42.0	22.0
7/27/2018 10:00	BDL	1.3	1.1	12.7	0.2	2.3	35.0	23.0
7/27/2018 11:00	BDL	0.8	0.6	7.4	0.1	2.2	29.0	19.0
7/27/2018 12:00	BDL	0.8	0.5	5.6	0.1	2.1	25.0	13.0
7/27/2018 13:00	BDL	0.4	BDL	5.1	0.1	2.1	24.0	12.0
7/27/2018 14:00	BDL	0.4	BDL	5.9	0.2	2.1	24.0	11.0
7/27/2018 15:00	BDL	0.4	BDL	Too few samples	0.2	2.1	26.0	15.0
7/27/2018 16:00	BDL	0.5	BDL	4.6	0.1	2.2	27.0	11.0
7/27/2018 17:00	BDL	0.4	BDL	6.6	0.1	2.1	17.0	14.0
7/27/2018 18:00	BDL	BDL	BDL	6.3	0.2	2.2	18.0	15.0
7/27/2018 19:00	BDL	0.4	BDL	6.3	0.1	2.3	22.0	12.0
7/27/2018 20:00	BDL	0.5	BDL	11.9	0.2	2.3	21.0	10.0
7/27/2018 21:00	BDL	0.5	BDL	13.3	0.2	2.3	13.0	14.0
7/27/2018 22:00	BDL	0.7	BDL	18.0	0.3	3.8	22.0	15.0
7/27/2018 23:00	BDL	0.9	0.4	42.0	0.5	3.1	27.0	13.0
7/28/2018 0:00	BDL	1.1	0.5	42.9	0.5	4.9	24.0	16.0
7/28/2018 1:00	BDL	Calibration	Calibration	40.8	0.6	3.6	23.0	17.0
7/28/2018 2:00	BDL	Calibration	Calibration	Calibration	0.5	3.6	25.0	20.0
7/28/2018 3:00	Calibration	0.9	BDL	Calibration	Calibration	2.7	34.0	20.0
7/28/2018 4:00	BDL	0.7	0.4	18.2	0.4	2.4	34.0	20.0
7/28/2018 5:00	BDL	0.8	0.4	21.0	0.4	2.5	41.0	30.0
7/28/2018 6:00	BDL	1.4	1.3	18.7	0.4	6.6	32.0	22.0
7/28/2018 7:00	BDL	0.6	0.5	20.4	0.3	4.7	37.0	15.0
7/28/2018 8:00	BDL	0.8	0.4	19.5	0.3	2.6	40.0	18.0
7/28/2018 9:00	BDL	1.1	0.7	20.1	0.2	2.7	31.0	18.0
7/28/2018 10:00	BDL	0.8	0.5	13.4	0.2	2.7	27.0	14.0
7/28/2018 11:00	BDL	0.5	BDL	10.0	0.2	2.6	24.0	24.0
7/28/2018 12:00	BDL	0.4	BDL	6.1	0.2	2.7	22.0	13.0
7/28/2018 13:00	BDL	BDL	BDL	3.4	0.2	2.7	20.0	12.0
7/28/2018 14:00	BDL	BDL	BDL	4.7	0.2	2.8	25.0	14.0
7/28/2018 15:00	BDL	0.4	BDL	12.3	0.2	2.3	25.0	14.0
7/28/2018 16:00	BDL	BDL	BDL	6.0	0.1	2.5	21.0	16.0
7/28/2018 17:00	BDL	BDL	BDL	10.5	0.1	2.5	16.0	17.0
7/28/2018 18:00	BDL	BDL	BDL	7.6	0.1	2.5	24.0	12.0
7/28/2018 19:00	BDL	BDL	BDL	4.5	0.1	2.9	36.0	16.0
7/28/2018 20:00	BDL	BDL	BDL	4.0	0.1	3.0	40.0	17.0
7/28/2018 21:00	BDL	BDL	BDL	5.8	0.2	3.2	61.0	24.0
7/28/2018 22:00	BDL	BDL	BDL	8.9	0.2	3.0	42.0	18.0
7/28/2018 23:00	BDL	BDL	BDL	5.9	0.2	2.9	29.0	17.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 7/22/2018-7/28/2018								
7/29/2018 0:00	BDL	BDL	BDL	4.4	0.1	3.0	17.0	14.0
7/29/2018 1:00	BDL	Calibration	Calibration	3.6	0.1	3.7	19.0	11.0
7/29/2018 2:00	BDL	Calibration	Calibration	Calibration	0.1	3.6	20.0	12.0
7/29/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	3.1	20.0	13.0
7/29/2018 4:00	BDL	BDL	BDL	9.5	0.1	Too few samples	23.0	9.0
7/29/2018 5:00	BDL	BDL	BDL	6.9	0.1	2.8	21.0	21.0
7/29/2018 6:00	BDL	BDL	BDL	6.7	0.1	2.5	16.0	16.0
7/29/2018 7:00	BDL	BDL	BDL	8.7	0.1	2.7	15.0	10.0
7/29/2018 8:00	BDL	BDL	BDL	5.9	0.1	2.5	21.0	13.0
7/29/2018 9:00	BDL	BDL	BDL	5.8	0.1	2.6	13.0	13.0
7/29/2018 10:00	BDL	BDL	BDL	5.7	0.1	2.4	16.0	10.0
7/29/2018 11:00	BDL	BDL	BDL	3.7	0.1	2.3	16.0	14.0
7/29/2018 12:00	BDL	BDL	BDL	1.3	0.1	2.3	15.0	13.0
7/29/2018 13:00	BDL	BDL	BDL	2.1	0.04	2.4	17.0	13.0
7/29/2018 14:00	0.8	BDL	BDL	3.7	0.1	2.5	12.0	14.0
7/29/2018 15:00	1.0	BDL	BDL	3.6	0.04	2.5	11.0	9.0
7/29/2018 16:00	0.4	BDL	BDL	2.2	BDL	2.5	12.0	8.0
7/29/2018 17:00	1.1	BDL	BDL	4.3	0.04	2.4	10.0	11.0
7/29/2018 18:00	BDL	BDL	BDL	1.4	BDL	2.5	15.0	11.0
7/29/2018 19:00	BDL	BDL	BDL	3.3	0.1	2.6	16.0	14.0
7/29/2018 20:00	BDL	BDL	BDL	2.0	0.1	3.1	24.0	11.0
7/29/2018 21:00	BDL	BDL	BDL	5.4	0.1	3.2	20.0	10.0
7/29/2018 22:00	BDL	0.6	BDL	12.0	0.2	3.4	22.0	10.0
7/29/2018 23:00	BDL	0.8	0.5	14.7	0.3	2.5	21.0	13.0
7/30/2018 0:00	BDL	1.9	1.5	13.0	0.2	2.9	19.0	11.0
7/30/2018 1:00	BDL	Calibration	Calibration	15.4	0.3	2.9	22.0	19.0
7/30/2018 2:00	BDL	Calibration	Calibration	Calibration	0.2	2.8	36.0	16.0
7/30/2018 3:00	Calibration	0.6	BDL	Calibration	Calibration	2.5	21.0	17.0
7/30/2018 4:00	BDL	1.8	1.7	22.1	0.4	Too few samples	28.0	16.0
7/30/2018 5:00	BDL	1.4	0.4	41.2	0.4	2.9	23.0	15.0
7/30/2018 6:00	0.4	1.1	0.5	Too few samples	0.5	2.6	31.0	16.0
7/30/2018 7:00	BDL	1.0	BDL	38.6	0.4	2.6	33.0	17.0
7/30/2018 8:00	BDL	0.8	BDL	32.2	0.4	2.4	28.0	17.0
7/30/2018 9:00	0.4	0.9	BDL	25.2	0.3	2.3	35.0	14.0
7/30/2018 10:00	BDL	1.0	0.5	26.8	0.2	2.3	28.0	13.0
7/30/2018 11:00	BDL	0.9	0.4	23.9	0.2	2.2	29.0	14.0
7/30/2018 12:00	BDL	0.6	BDL	22.4	0.2	2.1	29.0	18.0
7/30/2018 13:00	BDL	0.6	BDL	14.5	0.2	2.1	35.0	19.0
7/30/2018 14:00	BDL	1.0	0.6	10.1	0.1	2.1	48.0	15.0
7/30/2018 15:00	BDL	0.7	0.4	9.6	0.2	2.1	21.0	12.0
7/30/2018 16:00	BDL	0.4	BDL	5.0	0.1	2.1	22.0	15.0
7/30/2018 17:00	BDL	BDL	BDL	4.0	0.2	2.1	19.0	13.0
7/30/2018 18:00	BDL	0.4	BDL	4.5	0.2	2.1	21.0	11.0
7/30/2018 19:00	BDL	0.4	BDL	8.1	0.2	2.1	22.0	12.0
7/30/2018 20:00	BDL	0.4	BDL	8.4	0.1	2.2	20.0	15.0
7/30/2018 21:00	BDL	0.4	BDL	9.8	0.1	2.1	23.0	16.0
7/30/2018 22:00	BDL	0.5	BDL	12.4	0.1	2.1	25.0	16.0
7/30/2018 23:00	BDL	0.8	0.6	14.9	0.2	2.1	26.0	14.0
7/31/2018 0:00	BDL	0.8	0.4	17.1	0.1	2.1	25.0	13.0
7/31/2018 1:00	BDL	Calibration	Calibration	8.8	0.1	2.1	23.0	17.0
7/31/2018 2:00	BDL	Calibration	Calibration	11.6	0.1	2.1	17.0	7.0
7/31/2018 3:00	Calibration	0.8	BDL	Calibration	Calibration	2.3	21.0	9.0
7/31/2018 4:00	BDL	0.5	BDL	9.5	0.1	Too few samples	24.0	14.0
7/31/2018 5:00	BDL	0.5	BDL	12.4	0.1	2.2	22.0	16.0
7/31/2018 6:00	BDL	0.5	BDL	20.8	0.2	2.2	29.0	11.0
7/31/2018 7:00	BDL	0.6	BDL	23.5	0.2	2.2	33.0	16.0
7/31/2018 8:00	BDL	0.8	BDL	24.4	0.2	2.1	38.0	17.0
7/31/2018 9:00	BDL	0.6	BDL	13.7	0.1	2.1	27.0	8.0
7/31/2018 10:00	BDL	0.4	BDL	13.8	0.1	2.0	25.0	14
7/31/2018 11:00	BDL	0.5	BDL	13.7	0.1	2.0	23.0	10.0
7/31/2018 12:00	BDL	0.4	BDL	13.5	0.1	2.0	21.0	10.0
7/31/2018 13:00	BDL	0.4	BDL	9.4	0.1	2.0	30.0	7.0
7/31/2018 14:00	BDL	0.7	BDL	12.7	0.1	2.0	17.0	11.0
7/31/2018 15:00	BDL	0.4	BDL	10.5	0.1	2.0	15.0	9.0
7/31/2018 16:00	BDL	BDL	BDL	4.8	0.1	2.0	16.0	5.0
7/31/2018 17:00	BDL	0.4	BDL	6.9	0.1	1.9	12.0	3.0
7/31/2018 18:00	BDL	0.4	BDL	7.3	0.1	1.9	16.0	9.0
7/31/2018 19:00	BDL	0.4	BDL	7.3	0.1	1.9	18.0	9.0
7/31/2018 20:00	BDL	BDL	BDL	6.9	0.1	1.9	12.0	10.0
7/31/2018 21:00	BDL	0.4	BDL	5.9	0.1	1.9	36.0	9.0
7/31/2018 22:00	BDL	0.4	BDL	7.0	0.1	2.0	22.0	9.0
7/31/2018 23:00	BDL	0.5	BDL	12.8	0.1	2.0	25.0	9.0
8/1/2018 0:00	BDL	0.6	0.4	11.7	0.1	2.0	19.0	6.0
8/1/2018 1:00	BDL	Calibration	Calibration	9.0	0.1	2.0	21.0	9.0
8/1/2018 2:00	BDL	Calibration	Calibration	9.3	0.1	2.0	25.0	9.0
8/1/2018 3:00	Calibration	0.7	0.6	Calibration	Calibration	2.0	23.0	9.0
8/1/2018 4:00	BDL	0.8	0.6	18.2	0.1	Too few samples	21.0	8.0
8/1/2018 5:00	BDL	0.9	0.6	22.8	0.1	2.1	18.0	8.0
8/1/2018 6:00	BDL	0.7	0.5	21.2	0.2	2.0	14.0	9.0
8/1/2018 7:00	BDL	Audit	Audit	22.6	0.1	2.1	22.0	6.0
8/1/2018 8:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	2.1	25.0	5.0
8/1/2018 9:00	BDL	0.7	0.5	Calibration	0.1	Too few samples	15.0	7.0
8/1/2018 10:00	BDL	0.7	0.5	7.2	0.1	2.3	61.0	9.0
8/1/2018 11:00	BDL	0.7	0.5	5.8	0.1	2.3	18.0	8.0
8/1/2018 12:00	BDL	0.9	0.4	6.1	0.1	2.4	23.0	8.0
8/1/2018 13:00	BDL	0.5	BDL	4.7	0.1	2.3	14.0	16.0
8/1/2018 14:00	BDL	0.6	0.4	4.5	0.1	2.5	18.0	10.0
8/1/2018 15:00	BDL	0.7	BDL	4.2	0.1	2.6	21.0	9.0
8/1/2018 16:00	BDL	0.6	0.5	2.4	0.1	2.3	17.0	11.0
8/1/2018 17:00	BDL	0.5	BDL	3.3	0.1	2.2	17.0	9.0
8/1/2018 18:00	BDL	0.6	0.5	3	0.1	2.3	21.0	10.0
8/1/2018 19:00	BDL	0.7	0.5	3.9	0.1	2.3	16.0	12.0
8/1/2018 20:00	BDL	0.8	0.7	5.1	0.1	2.2	21.0	11.0
8/1/2018 21:00	BDL	0.8	0.7	4	0.1	2.2	22.0	13.0
8/1/2018 22:00	BDL	0.9	0.9	5.1	0.04	2.3	18.0	10.0
8/1/2018 23:00	BDL	1.3	1.2	7.9	0.1	2.4	22.0	15.0
8/2/2018 0:00	BDL	1.3	1.0	9.1	0.1	2.5	19.0	13.0
8/2/2018 1:00	BDL	Calibration	Calibration	7.2	0.1	2.4	12.0	9.0
8/2/2018 2:00	BDL	Calibration	Calibration	11.1	0.1	2.4	13.0	5.0
8/2/2018 3:00	Calibration	0.9	0.6	Calibration	Calibration	2.5	14.0	3.0
8/2/2018 4:00	BDL	1.0	0.7	19.4	0.2	Too few samples	16.0	4.0
8/2/2018 5:00	BDL	0.9	0.7	13.4	0.2	2.5	14.0	8.0
8/2/2018 6:00	BDL	1.3	0.9	30.4	0.3	2.5	23.0	10.0
8/2/2018 7:00	BDL	1.2	0.9	17.1	0.1	2.5	24.0	8.0
8/2/2018 8:00	Calibration	0.8	0.7	Calibration	Calibration	2.3	27.0	8.0
8/2/2018 9:00	Too few samples	0.8	0.5	Calibration	Too few samples	2.2	20.0	8.0
8/2/2018 10:00	BDL	0.7	0.5	7.2	0.1	2.2	17.0	9.0
8/2/2018 11:00	BDL	0.6	0.5	6.5	0.1	2.2	26.0	11.0
8/2/2018 12:00	BDL	0.7	0.5	6.3	0.1	2.3	38.0	12.0
8/2/2018 13:00	BDL	0.9	0.5	8.7	0.1	2.3	22.0	7.0
8/2/2018 14:00	BDL	0.6	0.5	4.7	0.1	2.3	23.0	7.0
8/2/2018 15:00	BDL	0.7	0.5	4.9	0.1	2.2	36.0	11.0
8/2/2018 16:00	BDL	0.8	0.6	4.4	0.1	2.2	18.0	10.0
8/2/2018 17:00	BDL	0.7	0.6	5.2	0.1	2.3	17.0	10.0
8/2/2018 18:00	BDL	0.8	0.7	9.7	0.1	2.4	20.0	17.0
8/2/2018 19:00	BDL	0.9	0.7	4.8	0.1	2.0	34.0	12.0
8/2/2018 20:00	BDL	0.9	0.6	8.3	0.1	2.3	18.0	10.0
8/2/2018 21:00	BDL	1.3	0.8	18.9	0.2	2.3	19.0	8.0
8/2/2018 22:00	BDL	1.3	1.0	20.6	0.2	2.3	17.0	9.0
8/2/2018 23:00	BDL	1.0	0.8	11.3	0.1	2.0	19.0	9.0
8/3/2018 0:00	BDL	1.3	1.0	7.9	0.1	2.1	13.0	7.0
8/3/2018 1:00	BDL	Calibration	Calibration	10.6	0.04	2.4	20.0	6.0
8/3/2018 2:00	BDL	Calibration	Calibration	17.1	0.04	2.3	17.0	7.0
8/3/2018 3:00	Calibration	2.1	2.0	Calibration	Calibration	2.4	23.0	6.0
8/3/2018 4:00	0.6	1.0	0.9	8.9	0.1	Too few samples	9.0	9.0
8/3/2018 5:00	BDL	1.1	0.9	10.5	0.1	2.0	18.0	7.0
8/3/2018 6:00	BDL	1.1	0.9	15.0	0.1	2.2	24.0	6.0
8/3/2018 7:00	BDL	1.3	1.0	18.3	0.1	2.3	17.0	11.0
8/3/2018 8:00	BDL	1.2	0.9	14.1	0.1	2.2	29.0	10.0
8/3/2018 9:00	BDL	1.2	1.0	8.3	0.04	2.2	30.0	9.0
8/3/2018 10:00	BDL	1.2	1.0	8.0	0.04	2.1	25.0	13.0
8/3/2018 11:00	BDL	1.1	0.9	6.0	0.04	2.0	27.0	8.0
8/3/2018 12:00	BDL	0.9	0.7	5.7	0.04	2.3	52.0	10.0
8/3/2018 13:00	BDL	0.7	0.5	12.1	0.1	2.2	17.0	10.0
8/3/2018 14:00	BDL	0.9	0.6	15.0	0.1	2.1	33.0	9.0
8/3/2018 15:00	BDL	1.0	0.7	7.8	0.1	2.0	20.0	11.0
8/3/2018 16:00	BDL	1.1	0.8	7.6	0.1	2.0	22.0	8.0
8/3/2018 17:00	BDL	0.8	0.7	7.2	0.1	2.1	19.0	6.0
8/3/2018 18:00	BDL	0.9	0.6	9.8	0.1	3.0	12.0	3.0
8/3/2018 19:00	BDL	1.1	0.7	20.6	0.2	2.1	14.0	6.0
8/3/2018 20:00	BDL	1.0	0.7	16.7	0.2	2.4	17.0	7.0
8/3/2018 21:00	BDL	0.8	0.6	10.0	0.1	2.0	15.0	7.0
8/3/2018 22:00	BDL	1.3	1.4	17.2	0.2	3.6	17.0	9.0
8/3/2018 23:00	BDL	1.3	1.1	12.0	0.2	2.1	15.0	9.0
8/4/2018 0:00	BDL	2.0	2.1	12.2	0.1	2.3	14.0	7.0
8/4/2018 1:00	BDL	Calibration	Calibration	7.2	0.1	2.2	17.0	6.0
8/4/2018 2:00	BDL	Calibration	Calibration	5.8	0.1	2.2	19.0	5.0
8/4/2018 3:00	Calibration	1.9	1.8	Calibration	Calibration	2.0	18.0	4.0
8/4/2018 4:00	1.5	1.8	1.7	4.7	0.04	Too few samples	21.0	4.0
8/4/2018 5:00	0.4	1.4	1.4	6.9	0.1	2.0	17.0	6.0
8/4/2018 6:00	Calibration	1.4	1.3	Calibration	Calibration	2.3	18.0	9.0
8/4/2018 7:00	1.2	1.5	1.3	8.2	0.2	2.3	17.0	8.0
8/4/2018 8:00	BDL	1.2	1.0	3.7	0.1	2.3	8.0	5.0
8/4/2018 9:00	BDL	1.0	0.8	4.8	0.1	6.2	9.0	3.0
8/4/2018 10:00	0.7	1.0	0.9	2.6	0.2	15.5	9.0	3.0
8/4/2018 11:00	0.5	0.9	0.9	0.5	0.2	14.0	11.0	3.0
8/4/2018 12:00	BDL	0.8	0.8	BDL	0.1	9.6	16.0	2.0
8/4/2018 13:00	BDL	0.8	0.7	BDL	0.2	5.6	13.0	10.0
8/4/2018 14:00	BDL	0.8	0.6	BDL	0.2	6.1	17.0	9.0
8/4/2018 15:00	BDL	0.8	0.6	1.2	0.2	5.3	17.0	10.0
8/4/2018 16:00	BDL	1.0	0.7	BDL	0.2	5.5	15.0	12.0
8/4/2018 17:00	BDL	0.9	0.8	2.7	0.2	3.1	20.0	11.0
8/4/2018 18:00	BDL	1.0	0.6	3.4	0.2	2.8	21.0	14.0
8/4/2018 19:00	BDL	0.9	0.7	3.9	0.2	3.1	20.0	15.0
8/4/2018 20:00	BDL	0.8	0.6	9.5	0.2	2.2	38.0	17.0
8/4/2018 21:00	BDL	0.9	0.7	7.1	0.2	2.6	28.0	18.0
8/4/2018 22:00	BDL	1.3	1.2	8.9	0.2	2.2	21.0	8.0
8/4/2018 23:00	BDL	1.1	1.1	7.5	0.2	3.0	27.0	14.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 8/5/2018-8/11/2018								
8/5/2018 0:00	BDL	1.7	1.4	17.6	0.5	3.2	25.0	14.0
8/5/2018 1:00	BDL	Calibration	Calibration	17.4	0.5	9.5	26.0	15.0
8/5/2018 2:00	BDL	Calibration	Calibration	15.8	0.5	4.0	31.0	19.0
8/5/2018 3:00	Calibration	2.6	2.3	Calibration	Calibration	4.5	28.0	20.0
8/5/2018 4:00	BDL	2.0	1.8	10.6	0.4	14.7	29.0	18.0
8/5/2018 5:00	0.5	2.4	2.3	6.9	0.4	8.9	24.0	17.0
8/5/2018 6:00	BDL	2.1	2.0	14.8	0.5	7.0	31.0	21.0
8/5/2018 7:00	BDL	1.7	1.5	8.1	0.4	14.0	30.0	26.0
8/5/2018 8:00	0.7	1.4	1.2	3.9	0.3	14.8	28.0	17.0
8/5/2018 9:00	0.4	1.0	0.8	3.3	0.3	8.1	27.0	14.0
8/5/2018 10:00	BDL	0.9	0.7	BDL	0.2	5.5	28.0	20.0
8/5/2018 11:00	BDL	0.9	0.7	BDL	0.3	5.5	26.0	19.0
8/5/2018 12:00	BDL	0.8	0.7	BDL	0.2	4.2	23.0	11.0
8/5/2018 13:00	BDL	0.9	0.6	BDL	0.2	2.5	23.0	16.0
8/5/2018 14:00	BDL	0.8	0.6	1.2	0.2	2.6	26.0	18.0
8/5/2018 15:00	BDL	1.0	0.7	5.0	0.2	2.6	30.0	21.0
8/5/2018 16:00	BDL	1.0	0.8	8.5	0.2	3.0	26.0	20.0
8/5/2018 17:00	0.5	1.1	0.9	4.3	0.2	2.7	33.0	18.0
8/5/2018 18:00	0.6	1.3	0.9	6.8	0.2	2.7	29.0	24.0
8/5/2018 19:00	0.5	1.2	0.9	12.3	0.3	2.6	29.0	20.0
8/5/2018 20:00	0.7	1.2	1.0	9.5	0.3	2.8	28.0	23.0
8/5/2018 21:00	BDL	1.4	1.1	11.6	0.3	2.7	28.0	18.0
8/5/2018 22:00	BDL	1.6	1.6	4.3	0.2	2.7	29.0	17.0
8/5/2018 23:00	BDL	1.6	1.3	10.5	0.3	2.3	28.0	17.0
8/6/2018 0:00	BDL	1.8	1.5	14.5	0.4	2.6	32.0	15.0
8/6/2018 1:00	BDL	Calibration	Calibration	15.8	0.4	6.7	34.0	15.0
8/6/2018 2:00	BDL	Calibration	Calibration	13.3	0.3	6.0	29.0	20.0
8/6/2018 3:00	Calibration	2.5	2.1	Calibration	Calibration	3.2	30.0	19.0
8/6/2018 4:00	BDL	2.9	2.4	13.8	0.4	Too few samples	33.0	18.0
8/6/2018 5:00	BDL	2.4	2.0	16.8	0.4	5.6	33.0	22.0
8/6/2018 6:00	BDL	2.3	2.0	20.3	0.5	5.5	42.0	25.0
8/6/2018 7:00	0.4	2.5	1.9	48.1	0.5	3.2	47.0	20.0
8/6/2018 8:00	BDL	2.4	1.8	28.2	0.4	3.2	51.0	24.0
8/6/2018 9:00	BDL	2.1	1.6	23.7	0.4	3.9	68.0	21.0
8/6/2018 10:00	BDL	2.0	1.4	31.9	0.5	3.0	47.0	21.0
8/6/2018 11:00	BDL	1.5	1.2	10.7	0.3	2.8	45.0	31.0
8/6/2018 12:00	BDL	1.3	1.1	4.4	0.3	2.8	36.0	23.0
8/6/2018 13:00	BDL	1.4	1.2	5.3	0.3	3.9	29.0	20.0
8/6/2018 14:00	BDL	1.4	1.1	6.3	0.3	3.9	41.0	19.0
8/6/2018 15:00	BDL	1.6	1.4	5.5	0.3	8.0	25.0	19.0
8/6/2018 16:00	BDL	1.7	1.4	8.3	0.4	6.3	36.0	21.0
8/6/2018 17:00	BDL	1.5	1.2	11.0	0.5	2.9	38.0	25.0
8/6/2018 18:00	BDL	1.5	1.2	7.4	0.4	2.3	35.0	17.0
8/6/2018 19:00	BDL	1.6	1.5	5.3	0.3	2.6	25.0	17.0
8/6/2018 20:00	BDL	1.6	1.5	5.3	0.3	2.5	35.0	14.0
8/6/2018 21:00	BDL	1.5	1.4	5.3	0.3	2.5	25.0	17.0
8/6/2018 22:00	BDL	1.8	1.6	8.3	0.3	2.7	26.0	17.0
8/6/2018 23:00	BDL	1.6	1.5	7.2	0.2	2.6	24.0	15.0
8/7/2018 0:00	BDL	1.9	1.8	11.4	0.3	2.5	20.0	13.0
8/7/2018 1:00	BDL	Calibration	Calibration	9.1	0.2	2.5	29.0	24.0
8/7/2018 2:00	BDL	Calibration	Calibration	7.5	0.2	2.8	26.0	14.0
8/7/2018 3:00	Calibration	2.2	2.1	Calibration	Calibration	2.6	26.0	19.0
8/7/2018 4:00	BDL	2.4	2.2	13.8	0.3	Too few samples	32.0	17.0
8/7/2018 5:00	BDL	2.6	2.3	19.2	0.3	2.6	32.0	17.0
8/7/2018 6:00	BDL	2.6	2.2	26.9	0.3	2.5	33.0	20.0
8/7/2018 7:00	BDL	2.4	2.1	17.6	0.3	2.3	22.0	13.0
8/7/2018 8:00	BDL	Calibration	Calibration	15.9	0.3	2.4	34.0	15.0
8/7/2018 9:00	BDL	Calibration	Calibration	13.9	0.3	2.5	35.0	17.0
8/7/2018 10:00	BDL	0.6	BDL	7.4	0.2	2.2	31.0	19
8/7/2018 11:00	BDL	0.4	BDL	2.1	0.2	2.3	34.0	12.0
8/7/2018 12:00	BDL	0.4	BDL	2.1	0.2	2.3	38.0	17.0
8/7/2018 13:00	BDL	0.4	BDL	2.4	0.2	2.4	39.0	20.0
8/7/2018 14:00	BDL	0.4	BDL	1.3	0.2	2.5	36.0	20.0
8/7/2018 15:00	BDL	0.5	BDL	1.5	0.2	2.5	35.0	19.0
8/7/2018 16:00	BDL	0.5	BDL	1.0	0.2	2.5	31.0	18.0
8/7/2018 17:00	BDL	BDL	BDL	0.9	0.2	2.5	31.0	22.0
8/7/2018 18:00	BDL	0.7	BDL	2.1	0.2	2.5	23.0	14.0
8/7/2018 19:00	BDL	0.8	BDL	2.4	0.3	2.4	28.0	15.0
8/7/2018 20:00	BDL	0.6	BDL	2.6	0.2	3.7	23.0	18.0
8/7/2018 21:00	BDL	BDL	BDL	2.0	0.2	3.9	20.0	10.0
8/7/2018 22:00	BDL	0.4	BDL	9.1	0.3	3.5	24.0	11.0
8/7/2018 23:00	BDL	0.6	BDL	18.5	0.4	2.9	19.0	13.0
8/8/2018 0:00	BDL	0.8	BDL	20.5	0.3	2.9	19.0	12.0
8/8/2018 1:00	BDL	Calibration	Calibration	12.7	0.3	3.4	18.0	13.0
8/8/2018 2:00	BDL	Calibration	Calibration	19.3	0.3	3.4	25.0	18.0
8/8/2018 3:00	Calibration	0.4	BDL	Calibration	Calibration	10.8	18.0	6.0
8/8/2018 4:00	1.2	0.7	BDL	8.3	0.3	Too few samples	25.0	10.0
8/8/2018 5:00	0.4	1.7	BDL	26.6	0.5	3.2	24.0	21.0
8/8/2018 6:00	0.6	1.9	0.4	36.4	0.4	13.1	37.0	16.0
8/8/2018 7:00	1.2	1.5	BDL	15.3	0.3	19.4	25.0	19.0
8/8/2018 8:00	1.0	0.9	BDL	8.1	0.3	13.4	23.0	8.0
8/8/2018 9:00	0.4	0.8	BDL	13.7	0.3	6.3	30.0	17.0
8/8/2018 10:00	BDL	0.8	BDL	18.8	0.3	2.6	41.0	15.0
8/8/2018 11:00	BDL	0.9	BDL	18.4	0.3	2.7	33.0	15.0
8/8/2018 12:00	BDL	0.7	BDL	7.7	0.3	3.4	33.0	18.0
8/8/2018 13:00	BDL	0.6	BDL	5.6	0.3	3.6	32.0	18.0
8/8/2018 14:00	BDL	0.6	BDL	3.5	0.2	3.5	30.0	16.0
8/8/2018 15:00	BDL	0.6	BDL	2.7	0.2	4.3	45.0	17.0
8/8/2018 16:00	BDL	0.6	BDL	3.3	0.2	3.3	35.0	16.0
8/8/2018 17:00	BDL	0.6	BDL	2.7	0.2	2.8	30.0	19.0
8/8/2018 18:00	BDL	0.7	BDL	9.1	0.2	2.3	32.0	18.0
8/8/2018 19:00	BDL	0.5	BDL	6.5	0.2	2.5	23.0	14.0
8/8/2018 20:00	BDL	0.6	BDL	6.3	0.2	2.9	29.0	17.0
8/8/2018 21:00	BDL	1.1	BDL	11.9	0.3	2.7	27.0	17.0
8/8/2018 22:00	BDL	0.7	BDL	7.2	0.3	2.5	30.0	15.0
8/8/2018 23:00	BDL	1.1	BDL	10.8	0.3	2.5	28.0	18.0
8/9/2018 0:00	BDL	1.2	BDL	11.2	0.2	2.8	34.0	23.0
8/9/2018 1:00	BDL	Calibration	Calibration	7.0	0.2	4.1	17.0	9.0
8/9/2018 2:00	0.4	Calibration	Calibration	0.4	0.2	10.5	16.0	9.0
8/9/2018 3:00	Calibration	1.0	BDL	Calibration	Calibration	2.6	22.0	15.0
8/9/2018 4:00	1.2	1.1	BDL	8.6	0.2	4.1	26.0	15.0
8/9/2018 5:00	0.5	0.9	BDL	8.1	0.2	6.2	28.0	14.0
8/9/2018 6:00	0.5	0.8	BDL	6.8	0.2	10.0	24.0	11.0
8/9/2018 7:00	0.6	0.9	BDL	6.2	0.2	11.0	Audit	Audit
8/9/2018 8:00	0.6	0.7	BDL	5.5	0.2	8.2	Audit	Audit
8/9/2018 9:00	BDL	0.6	BDL	4.6	0.2	4.2	20.0	9.0
8/9/2018 10:00	BDL	0.6	BDL	5.6	0.2	3.0	25.0	12.0
8/9/2018 11:00	BDL	0.5	BDL	2.6	0.2	2.5	62.0	11.0
8/9/2018 12:00	BDL	0.6	BDL	BDL	0.2	2.6	27.0	9.0
8/9/2018 13:00	BDL	0.6	BDL	BDL	0.2	2.6	21.0	11.0
8/9/2018 14:00	BDL	0.6	BDL	0.5	0.2	4.6	24.0	9.0
8/9/2018 15:00	BDL	0.6	BDL	BDL	0.2	3.7	34.0	10.0
8/9/2018 16:00	BDL	0.6	BDL	BDL	0.2	3.5	25.0	11.0
8/9/2018 17:00	BDL	0.6	BDL	0.7	0.2	3.6	23.0	13.0
8/9/2018 18:00	BDL	0.6	BDL	BDL	0.1	3.0	24.0	9.0
8/9/2018 19:00	BDL	0.6	BDL	BDL	0.2	3.2	15.0	15.0
8/9/2018 20:00	BDL	0.7	BDL	0.9	0.2	2.7	17.0	14.0
8/9/2018 21:00	BDL	0.7	BDL	4.7	0.2	2.9	24.0	10.0
8/9/2018 22:00	BDL	0.7	BDL	4.1	0.2	2.9	18.0	15.0
8/9/2018 23:00	BDL	0.7	BDL	8.1	0.2	3.4	21.0	11.0
8/10/2018 0:00	BDL	0.7	BDL	20.8	0.4	3.1	21.0	13.0
8/10/2018 1:00	BDL	Calibration	Calibration	15.1	0.3	4.7	20.0	14.0
8/10/2018 2:00	BDL	Calibration	Calibration	20.9	0.3	4.3	26.0	14.0
8/10/2018 3:00	Calibration	0.9	BDL	Calibration	Calibration	4.1	28.0	16.0
8/10/2018 4:00	BDL	1.0	BDL	31.6	0.4	Too few samples	23.0	17.0
8/10/2018 5:00	0.6	1.5	BDL	55.4	0.6	2.9	38.0	19.0
8/10/2018 6:00	1.1	2.7	0.6	85.4	0.7	4.4	173.0	20.0
8/10/2018 7:00	0.5	1.8	BDL	42.6	0.5	4.2	89.0	14.0
8/10/2018 8:00	0.4	1.3	BDL	27.8	0.4	4.3	50.0	22.0
8/10/2018 9:00	0.5	1.1	BDL	14.7	0.3	3.1	34.0	13.0
8/10/2018 10:00	1.0	1.5	BDL	26.1	0.3	2.6	45.0	21.0
8/10/2018 11:00	1.1	1.0	BDL	11.1	0.2	2.6	39.0	19.0
8/10/2018 12:00	1.5	1.0	BDL	6.4	0.2	3.4	40.0	19.0
8/10/2018 13:00	1.2	0.9	BDL	5.9	0.2	3.6	42.0	13.0
8/10/2018 14:00	1.5	0.9	BDL	6.0	0.2	3.5	46.0	21.0
8/10/2018 15:00	1.5	1.1	BDL	5.7	0.2	3.1	45.0	20.0
8/10/2018 16:00	0.6	0.8	BDL	0.7	0.2	2.7	26.0	14.0
8/10/2018 17:00	0.4	0.7	BDL	2.4	0.2	2.6	28.0	17.0
8/10/2018 18:00	BDL	0.8	BDL	4.2	0.2	2.5	31.0	16.0
8/10/2018 19:00	BDL	0.8	BDL	5.1	0.3	2.5	25.0	15.0
8/10/2018 20:00	BDL	1.0	BDL	8.6	0.3	2.2	31.0	14.0
8/10/2018 21:00	BDL	0.9	BDL	9.1	0.4	2.2	30.0	19.0
8/10/2018 22:00	BDL	1.1	BDL	10.3	0.3	2.3	27.0	17.0
8/10/2018 23:00	BDL	1.6	0.5	5.9	0.3	2.4	24.0	17.0
8/11/2018 0:00	BDL	1.6	0.6	9.9	0.3	2.3	22.0	17.0
8/11/2018 1:00	BDL	Calibration	Calibration	5.1	0.3	2.4	26.0	14.0
8/11/2018 2:00	BDL	Calibration	Calibration	3.8	0.2	2.4	29.0	20.0
8/11/2018 3:00	Calibration	1.2	BDL	Calibration	Calibration	2.4	26.0	15.0
8/11/2018 4:00	BDL	0.7	BDL	3.1	0.2	2.3	18.0	11.0
8/11/2018 5:00	BDL	1.3	BDL	6.1	0.2	2.9	29.0	15.0
8/11/2018 6:00	BDL	1.1	BDL	6.5	0.2	2.6	25.0	16.0
8/11/2018 7:00	BDL	1.2	BDL	16.4	0.3	2.6	25.0	14.0
8/11/2018 8:00	BDL	1.1	BDL	12.2	0.3	2.3	24.0	17.0
8/11/2018 9:00	BDL	1.2	BDL	14.1	0.3	2.2	23.0	18.0
8/11/2018 10:00	BDL	1.2	BDL	7.6	0.3	2.1	26.0	15.0
8/11/2018 11:00	BDL	1.1	BDL	4.7	0.3	2.1	27.0	17.0
8/11/2018 12:00	BDL	1.1	BDL	5.0	0.3	2.1	17.0	11.0
8/11/2018 13:00	BDL	1.1	BDL	4.1	0.2	2.0	22.0	14.0
8/11/2018 14:00	BDL	0.9	BDL	4.3	0.2	2.1	21.0	11.0
8/11/2018 15:00	BDL	1.1	BDL	12.2	0.2	2.0	9.0	9.0
8/11/2018 16:00	BDL	1.0	BDL	7.2	0.2	2.0	12.0	9.0
8/11/2018 17:00	BDL	0.9	BDL	6.3	0.2	2.1	19.0	10.0
8/11/2018 18:00	BDL	1.1	BDL	10.7	0.3	2.2	25.0	10.0
8/11/2018 19:00	BDL	1.2	BDL	12.8	0.3	2.2	18.0	8.0
8/11/2018 20:00	BDL	1.5	BDL	12.3	0.3	2.2	20.0	11.0
8/11/2018 21:00	BDL	1.1	BDL	5.7	0.2	2.2	22.0	10.0
8/11/2018 22:00	BDL	1.0	BDL	6.0	0.3	2.2	19.0	11.0
8/11/2018 23:00	BDL	1.1	BDL	8.3	0.3	3.3	21.0	11.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 8/12/2018-8/18/2018								
8/12/2018 0:00	BDL	1.3	BDL	13.1	0.3	2.4	17.0	9.0
8/12/2018 1:00	BDL	Calibration	Calibration	14.6	0.4	2.4	19.0	15.0
8/12/2018 2:00	BDL	Calibration	Calibration	11.3	0.4	2.4	22.0	16.0
8/12/2018 3:00	Calibration	1.2	BDL	Calibration	Calibration	2.3	18.0	14.0
8/12/2018 4:00	BDL	1.1	BDL	7.3	0.3	Too few samples	27.0	17.0
8/12/2018 5:00	BDL	1.1	BDL	9.3	0.4	2.3	19.0	12.0
8/12/2018 6:00	BDL	1.2	BDL	9.4	0.3	2.3	20.0	12.0
8/12/2018 7:00	BDL	1.1	BDL	11.0	0.3	2.3	17.0	13.0
8/12/2018 8:00	BDL	1.0	BDL	6.4	0.3	2.2	23.0	21.0
8/12/2018 9:00	BDL	1.0	BDL	5.1	0.3	2.2	18.0	12.0
8/12/2018 10:00	BDL	1.1	BDL	5.6	0.3	2.2	21.0	14.0
8/12/2018 11:00	BDL	1.0	BDL	4.2	0.3	2.3	25.0	12.0
8/12/2018 12:00	BDL	1.0	BDL	2.0	0.2	2.2	19.0	10.0
8/12/2018 13:00	BDL	1.0	BDL	2.0	0.2	2.4	19.0	11.0
8/12/2018 14:00	BDL	0.9	BDL	BDL	0.2	2.4	18.0	14.0
8/12/2018 15:00	BDL	0.9	BDL	BDL	0.2	2.4	17.0	14.0
8/12/2018 16:00	BDL	1.0	BDL	BDL	0.2	2.5	19.0	11.0
8/12/2018 17:00	BDL	1.0	BDL	2.7	0.2	2.3	16.0	15.0
8/12/2018 18:00	BDL	1.0	BDL	4.8	0.3	2.0	18.0	15.0
8/12/2018 19:00	BDL	1.0	BDL	2.8	0.2	2.3	22.0	14.0
8/12/2018 20:00	BDL	1.1	BDL	5.8	0.3	2.4	18.0	13.0
8/12/2018 21:00	BDL	1.0	BDL	5.7	0.2	2.0	15.0	10.0
8/12/2018 22:00	BDL	1.1	BDL	3.4	0.2	2.1	18.0	8.0
8/12/2018 23:00	BDL	1.2	BDL	4.5	0.2	2.0	20.0	8.0
8/13/2018 0:00	BDL	1.0	BDL	3.3	0.2	2.0	17.0	6.0
8/13/2018 1:00	BDL	Calibration	Calibration	2.6	0.2	2.1	11.0	5.0
8/13/2018 2:00	BDL	Calibration	Calibration	7.6	0.2	2.3	27.0	3.0
8/13/2018 3:00	Calibration	1.2	BDL	Calibration	Calibration	2.2	25.0	5.0
8/13/2018 4:00	BDL	1.1	BDL	6.0	0.2	Too few samples	19.0	6.0
8/13/2018 5:00	BDL	1.1	BDL	6.0	0.2	2.1	21.0	3.0
8/13/2018 6:00	BDL	1.2	BDL	8.2	0.2	2.1	24.0	8.0
8/13/2018 7:00	BDL	1.3	BDL	11.1	0.2	2.1	23.0	6.0
8/13/2018 8:00	BDL	1.3	BDL	8.5	0.2	2.1	17.0	9.0
8/13/2018 9:00	BDL	1.5	0.4	6.9	0.2	2.6	9.0	8.0
8/13/2018 10:00	BDL	1.3	BDL	12.1	0.2	2.3	5.0	7.0
8/13/2018 11:00	BDL	1.3	BDL	13.4	0.3	2.2	8.0	5.0
8/13/2018 12:00	BDL	1.4	BDL	13.3	0.3	2.2	12.0	5.0
8/13/2018 13:00	BDL	1.4	BDL	10.7	0.3	2.2	9.0	9.0
8/13/2018 14:00	BDL	1.3	BDL	9.7	0.3	2.1	13.0	11.0
8/13/2018 15:00	BDL	1.3	BDL	7.1	0.2	2.1	11.0	8.0
8/13/2018 16:00	BDL	1.4	BDL	11.5	0.3	2.2	17.0	6.0
8/13/2018 17:00	BDL	1.4	BDL	11.6	0.3	2.2	15.0	9.0
8/13/2018 18:00	BDL	1.4	BDL	15.1	0.3	2.1	17.0	12.0
8/13/2018 19:00	BDL	1.4	BDL	12.7	0.3	2.0	10.0	9.0
8/13/2018 20:00	BDL	1.4	BDL	12.8	0.3	2.2	12.0	8.0
8/13/2018 21:00	BDL	1.2	BDL	5.0	0.2	2.6	12.0	6.0
8/13/2018 22:00	BDL	1.3	BDL	12.2	0.3	2.4	19.0	4.0
8/13/2018 23:00	BDL	1.5	BDL	14.9	0.3	2.7	16.0	9.0
8/14/2018 0:00	BDL	1.5	0.4	11.2	0.2	2.6	18.0	11.0
8/14/2018 1:00	BDL	Calibration	Calibration	13.9	0.2	3.1	18.0	10.0
8/14/2018 2:00	BDL	Calibration	Calibration	14.1	0.2	3.1	19.0	Invalid
8/14/2018 3:00	Calibration	1.9	0.5	Calibration	Calibration	2.8	25.0	17.0
8/14/2018 4:00	0.4	1.9	0.7	20.1	0.3	3.1	28.0	9.0
8/14/2018 5:00	BDL	2.0	0.8	16.5	0.2	3.1	27.0	10.0
8/14/2018 6:00	BDL	2.1	1.0	16.1	0.2	2.9	32.0	16.0
8/14/2018 7:00	BDL	2.0	1.0	8.8	0.2	3.1	20.0	11.0
8/14/2018 8:00	0.4	2.2	0.8	24.9	0.3	2.8	32.0	12.0
8/14/2018 9:00	0.4	2.0	0.7	19.1	0.2	2.8	22.0	10.0
8/14/2018 10:00	0.5	1.7	0.7	12.5	0.2	2.6	17.0	9.0
8/14/2018 11:00	0.5	1.6	0.5	11.7	0.2	2.5	24.0	6.0
8/14/2018 12:00	0.5	1.6	0.5	5.7	0.2	2.5	19.0	11.0
8/14/2018 13:00	0.6	1.6	0.7	7.2	0.2	2.6	17.0	9.0
8/14/2018 14:00	0.5	1.5	BDL	6.4	0.2	2.6	17.0	9.0
8/14/2018 15:00	BDL	1.7	0.5	11.2	0.2	2.5	20.0	8.0
8/14/2018 16:00	BDL	1.7	0.5	9.7	0.2	2.2	15.0	5.0
8/14/2018 17:00	BDL	1.5	0.6	6.4	0.2	2.5	14.0	7.0
8/14/2018 18:00	0.5	1.7	0.5	9.5	0.2	2.4	23.0	10.0
8/14/2018 19:00	1.3	1.9	0.7	12.8	0.2	2.5	17.0	10.0
8/14/2018 20:00	1.1	2.2	0.8	14.2	0.3	2.8	28.0	12.0
8/14/2018 21:00	1.5	1.9	0.8	7.9	0.2	2.2	23.0	16.0
8/14/2018 22:00	1.1	2.0	0.8	7.6	0.2	2.3	23.0	12.0
8/14/2018 23:00	1.1	1.7	0.6	8.7	0.2	2.4	20.0	14.0
8/15/2018 0:00	1.3	2.1	1.1	13.6	0.2	2.6	19.0	14.0
8/15/2018 1:00	1.7	Calibration	Calibration	14.6	0.2	2.8	20.0	16.0
8/15/2018 2:00	2.4	Calibration	Calibration	12.3	0.2	2.3	28.0	19.0
8/15/2018 3:00	Calibration	1.8	0.9	Calibration	Calibration	2.6	22.0	13.0
8/15/2018 4:00	1.2	1.5	0.4	3.9	0.1	Too few samples	24.0	11.0
8/15/2018 5:00	0.8	1.7	0.5	8.6	0.1	2.6	25.0	15.0
8/15/2018 6:00	0.7	1.6	0.5	5.1	0.1	2.6	27.0	16.0
8/15/2018 7:00	0.5	Audit	Audit	4.7	0.2	2.6	27.0	14.0
8/15/2018 8:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	2.6	21.0	15.0
8/15/2018 9:00	0.5	1.5	0.6	Calibration	0.2	Too few samples	30.0	18.0
8/15/2018 10:00	0.4	1.5	0.5	3.2	0.2	2.6	29.0	17.0
8/15/2018 11:00	BDL	1.5	0.5	0.9	0.2	2.5	27.0	18.0
8/15/2018 12:00	BDL	1.5	0.4	BDL	0.2	2.6	31.0	14.0
8/15/2018 13:00	0.5	1.6	0.4	5.0	0.2	2.4	30.0	21.0
8/15/2018 14:00	0.9	1.6	0.5	9.6	0.2	2.3	36.0	23.0
8/15/2018 15:00	0.8	1.5	0.4	4.9	0.2	2.4	37.0	21.0
8/15/2018 16:00	0.6	1.5	0.4	3.7	0.1	2.4	35.0	20.0
8/15/2018 17:00	0.5	1.5	0.5	3.7	0.2	2.4	34.0	26.0
8/15/2018 18:00	0.6	2.1	0.9	4.8	0.2	2.3	34.0	22.0
8/15/2018 19:00	1.2	2.5	1.3	9.3	0.2	2.2	41.0	29.0
8/15/2018 20:00	1.6	2.0	0.9	6	0.2	2.5	37.0	26.0
8/15/2018 21:00	2.6	2.4	1.5	11.1	0.3	3.0	38.0	21.0
8/15/2018 22:00	3.0	2.5	1.5	12.5	0.3	3.0	37.0	24.0
8/15/2018 23:00	1.4	2.5	1.6	11.7	0.3	2.8	35.0	25.0
8/16/2018 0:00	0.8	2.8	1.7	12.3	0.3	2.7	31.0	23.0
8/16/2018 1:00	0.4	Calibration	Calibration	7.7	0.2	2.7	29.0	18.0
8/16/2018 2:00	0.5	Calibration	Calibration	11.5	0.2	2.6	37.0	24.0
8/16/2018 3:00	Calibration	2.5	1.6	Calibration	Calibration	3.1	39.0	25.0
8/16/2018 4:00	1.3	2.7	1.4	21.4	0.4	Too few samples	49.0	26.0
8/16/2018 5:00	0.6	2.7	1.4	24.9	0.5	3.3	41.0	26.0
8/16/2018 6:00	0.7	3.0	1.7	38.6	0.6	3.5	55.0	30.0
8/16/2018 7:00	0.7	Too few samples	Too few samples	28.8	0.5	3.5	44.0	26.0
8/16/2018 8:00	0.7	Calibration	Calibration	18.8	0.3	3.1	43.0	25.0
8/16/2018 9:00	0.5	Calibration	Calibration	13.2	0.3	2.6	47.0	24.0
8/16/2018 10:00	0.5	Calibration	Calibration	21.0	0.4	2.6	47.0	28.0
8/16/2018 11:00	0.4	2.2	1.0	23.0	0.4	2.6	52.0	30.0
8/16/2018 12:00	0.8	2.1	0.8	19.4	0.4	2.5	47.0	29.0
8/16/2018 13:00	1.6	1.9	0.8	11.9	0.3	2.6	45.0	24.0
8/16/2018 14:00	1.7	1.9	0.8	12.1	0.3	2.4	44.0	28.0
8/16/2018 15:00	2.0	1.9	0.9	6.7	0.3	2.6	41.0	29.0
8/16/2018 16:00	1.7	2.0	1.2	6.6	0.3	2.7	48.0	30.0
8/16/2018 17:00	1.0	1.8	0.7	4.9	0.3	2.6	40.0	24.0
8/16/2018 18:00	0.7	1.8	0.8	7.1	0.3	2.4	40.0	22.0
8/16/2018 19:00	0.4	1.9	0.9	10.4	0.4	2.4	33.0	22.0
8/16/2018 20:00	0.8	2.2	1.1	19.6	0.4	3.0	39.0	24.0
8/16/2018 21:00	0.6	2.3	1.1	28.5	0.4	2.5	37.0	18.0
8/16/2018 22:00	BDL	2.2	1.2	9.3	0.3	2.6	37.0	18.0
8/16/2018 23:00	BDL	2.6	1.6	16.7	0.3	2.4	33.0	19.0
8/17/2018 0:00	BDL	2.9	1.7	23.2	0.3	2.4	30.0	15.0
8/17/2018 1:00	BDL	Calibration	Calibration	18.2	0.3	2.5	28.0	15.0
8/17/2018 2:00	BDL	Calibration	Calibration	13.3	0.3	3.3	29.0	22.0
8/17/2018 3:00	Calibration	2.8	1.9	Calibration	Calibration	3.3	36.0	22.0
8/17/2018 4:00	BDL	3.0	2.1	14.4	0.3	Too few samples	34.0	21.0
8/17/2018 5:00	BDL	2.8	2.1	15.0	0.3	2.8	32.0	13.0
8/17/2018 6:00	BDL	3.0	2.1	29.1	0.4	2.7	44.0	24.0
8/17/2018 7:00	BDL	3.6	2.5	28.8	0.3	2.6	38.0	21.0
8/17/2018 8:00	BDL	3.5	2.4	26.6	0.3	2.6	42.0	24.0
8/17/2018 9:00	BDL	2.9	1.9	19.6	0.3	2.5	38.0	18.0
8/17/2018 10:00	BDL	2.7	1.7	12.9	0.3	2.3	39.0	19.0
8/17/2018 11:00	BDL	2.2	1.3	4.5	0.2	2.4	41.0	21.0
8/17/2018 12:00	BDL	2.2	1.3	2.3	0.3	2.3	40.0	18.0
8/17/2018 13:00	BDL	2.2	1.3	3.7	0.3	2.4	41.0	19.0
8/17/2018 14:00	BDL	2.2	1.3	0.9	0.2	2.5	49.0	29.0
8/17/2018 15:00	BDL	2.4	1.5	3.7	0.3	2.4	44.0	26.0
8/17/2018 16:00	BDL	2.4	1.5	3.7	0.3	2.3	45.0	23.0
8/17/2018 17:00	BDL	2.4	1.4	3.0	0.3	2.5	37.0	27.0
8/17/2018 18:00	BDL	2.3	1.5	5.1	0.3	2.3	36.0	24.0
8/17/2018 19:00	BDL	2.4	1.5	5.7	0.3	2.5	41.0	25.0
8/17/2018 20:00	BDL	2.4	1.6	6.6	0.3	2.5	43.0	21.0
8/17/2018 21:00	BDL	2.7	1.9	3.3	0.3	2.6	43.0	22.0
8/17/2018 22:00	BDL	3.1	2.2	5.9	0.3	2.9	47.0	25.0
8/17/2018 23:00	BDL	3.2	2.3	6.3	0.3	2.8	43.0	26.0
8/18/2018 0:00	BDL	3.1	2.4	6.8	0.3	3.0	38.0	21.0
8/18/2018 1:00	BDL	Calibration	Calibration	11.0	0.2	2.3	32.0	15.0
8/18/2018 2:00	BDL	Calibration	Calibration	8.8	0.2	2.8	21.0	14.0
8/18/2018 3:00	Calibration	2.8	2.1	Calibration	Calibration	3.0	21.0	10.0
8/18/2018 4:00	0.6	2.5	1.6	10.8	0.2	Too few samples	40.0	7.0
8/18/2018 5:00	BDL	2.7	1.8	12.0	0.2	2.7	23.0	13.0
8/18/2018 6:00	Calibration	3.7	2.6	Calibration	Calibration	2.8	21.0	11.0
8/18/2018 7:00	BDL	3.3	2.1	14.0	0.2	3.3	25.0	12.0
8/18/2018 8:00	BDL	3.1	1.9	14.7	0.2	2.7	26.0	16.0
8/18/2018 9:00	BDL	2.8	2.2	10.2	0.2	2.7	31.0	13.0
8/18/2018 10:00	BDL	2.8	1.9	12.3	0.2	2.6	28.0	21.0
8/18/2018 11:00	BDL	2.6	1.7	8.4	0.2	2.4	29.0	9.0
8/18/2018 12:00	BDL	2.9	2.0	7.6	0.2	2.4	22.0	11.0
8/18/2018 13:00	BDL	2.9	2.0	5.3	0.2	2.3	18.0	12.0
8/18/2018 14:00	BDL	2.6	1.7	5.8	0.2	2.4	19.0	12.0
8/18/2018 15:00	BDL	2.8	2.0	3.2	0.2	2.5	23.0	14.0
8/18/2018 16:00	BDL	2.8	1.9	4.5	0.2	2.6	22.0	14.0
8/18/2018 17:00	BDL	2.8	1.7	5.7	0.2	2.6	12.0	8.0
8/18/2018 18:00	BDL	2.5	1.7	4.2	0.2	2.9	23.0	9.0
8/18/2018 19:00	BDL	2.7	1.8	8.4	0.2	2.6	21.0	7.0
8/18/2018 20:00	BDL	2.6	1.8	3.6	0.2	2.8	14.0	6.0
8/18/2018 21:00	BDL	2.6	1.7	4.4	0.2	2.4	17.0	10.0
8/18/2018 22:00	BDL	2.6	1.7	6.2	0.3	2.7	19.0	6.0
8/18/2018 23:00	BDL	2.5	1.6	5.8	0.2	2.1	17.0	13.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 8/19/2018-8/25/2018								
8/19/2018 0:00	BDL	2.5	1.6	4.0	0.2	2.0	4.0	8.0
8/19/2018 1:00	BDL	Calibration	Calibration	3.1	0.2	2.0	11.0	7.0
8/19/2018 2:00	BDL	Calibration	Calibration	1.2	0.2	2.0	13.0	12.0
8/19/2018 3:00	Calibration	2.4	1.6	Calibration	Calibration	2.0	17.0	9.0
8/19/2018 4:00	BDL	2.4	1.5	3.7	0.2	Too few samples	15.0	10.0
8/19/2018 5:00	BDL	2.4	1.5	3.3	0.2	2.0	16.0	10.0
8/19/2018 6:00	BDL	Calibration	Calibration	3.8	0.2	2.1	19.0	10.0
8/19/2018 7:00	BDL	Calibration	Calibration	6.9	0.2	2.1	11.0	7.0
8/19/2018 8:00	BDL	BDL	BDL	6.3	0.2	2.1	15.0	8.0
8/19/2018 9:00	BDL	BDL	BDL	6.0	0.2	2.2	15.0	6.0
8/19/2018 10:00	BDL	BDL	BDL	4.6	0.2	2.2	12.0	5.0
8/19/2018 11:00	BDL	BDL	BDL	6.2	0.2	2.1	8.0	7.0
8/19/2018 12:00	BDL	BDL	BDL	4.9	0.2	2.1	7.0	6.0
8/19/2018 13:00	BDL	BDL	BDL	9.5	0.2	2.2	16.0	4.0
8/19/2018 14:00	BDL	BDL	BDL	6.5	0.2	2.1	4.0	4.0
8/19/2018 15:00	BDL	BDL	BDL	8.0	0.2	2.1	10.0	4.0
8/19/2018 16:00	BDL	BDL	BDL	7.0	0.2	2.1	13.0	5.0
8/19/2018 17:00	BDL	BDL	BDL	4.3	0.2	2.1	20.0	6.0
8/19/2018 18:00	BDL	BDL	BDL	5.1	0.2	2.1	20.0	7.0
8/19/2018 19:00	BDL	BDL	BDL	4.5	0.2	2.1	15.0	12.0
8/19/2018 20:00	BDL	BDL	BDL	2.7	0.2	2.1	14.0	7.0
8/19/2018 21:00	BDL	BDL	BDL	1.7	0.1	2.1	11.0	8.0
8/19/2018 22:00	BDL	BDL	BDL	0.7	0.1	2.0	10.0	8.0
8/19/2018 23:00	BDL	BDL	BDL	3.8	0.2	2.1	19.0	7.0
8/20/2018 0:00	BDL	BDL	BDL	5.5	0.1	2.1	17.0	8.0
8/20/2018 1:00	BDL	Calibration	Calibration	5.1	0.1	2.2	18.0	12.0
8/20/2018 2:00	BDL	Calibration	Calibration	3.4	0.1	2.1	19.0	8.0
8/20/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.1	19.0	11.0
8/20/2018 4:00	BDL	BDL	BDL	5.9	0.1	Too few samples	20.0	11.0
8/20/2018 5:00	BDL	BDL	BDL	8.8	0.2	2.1	22.0	12.0
8/20/2018 6:00	BDL	BDL	BDL	14.0	0.2	2.1	18.0	13.0
8/20/2018 7:00	BDL	0.4	BDL	16.0	0.2	2.2	21.0	12.0
8/20/2018 8:00	BDL	BDL	BDL	14.8	0.2	2.2	24.0	12.0
8/20/2018 9:00	BDL	0.4	BDL	14.7	0.2	2.2	20.0	8.0
8/20/2018 10:00	BDL	BDL	BDL	10.0	0.1	2.2	16.0	6.0
8/20/2018 11:00	BDL	BDL	BDL	10.9	0.1	2.1	17.0	7.0
8/20/2018 12:00	BDL	0.4	BDL	14.5	0.1	2.1	17.0	15.0
8/20/2018 13:00	BDL	BDL	BDL	11.5	0.2	2.2	17.0	12.0
8/20/2018 14:00	BDL	BDL	BDL	12.2	0.2	2.1	15.0	10.0
8/20/2018 15:00	BDL	BDL	BDL	11.1	0.2	2.2	19.0	11.0
8/20/2018 16:00	BDL	BDL	BDL	10.6	0.2	2.2	18.0	7.0
8/20/2018 17:00	BDL	BDL	BDL	7.8	0.2	2.1	15.0	6.0
8/20/2018 18:00	BDL	BDL	BDL	7.1	0.2	2.0	14.0	7.0
8/20/2018 19:00	BDL	BDL	BDL	8.1	0.2	2.0	11.0	7.0
8/20/2018 20:00	BDL	BDL	BDL	5.8	0.2	2.0	12.0	7.0
8/20/2018 21:00	BDL	BDL	BDL	7.6	0.2	2.0	16.0	5.0
8/20/2018 22:00	BDL	BDL	BDL	5.2	0.2	2.0	14.0	7.0
8/20/2018 23:00	BDL	0.5	BDL	4.9	0.2	2.1	16.0	5.0
8/21/2018 0:00	BDL	0.8	0.5	11.8	0.2	2.1	17.0	5.0
8/21/2018 1:00	BDL	Calibration	Calibration	7.1	0.2	2.2	19.0	4.0
8/21/2018 2:00	BDL	Calibration	Calibration	5.3	0.1	2.2	23.0	6.0
8/21/2018 3:00	Calibration	0.4	BDL	Calibration	Calibration	2.1	27.0	14.0
8/21/2018 4:00	BDL	BDL	BDL	8.9	0.2	2.2	22.0	10.0
8/21/2018 5:00	BDL	BDL	BDL	11.2	0.2	2.2	21.0	10.0
8/21/2018 6:00	BDL	0.7	0.4	17.1	0.3	2.2	21.0	6.0
8/21/2018 7:00	BDL	0.9	0.5	15.4	0.2	2.1	26.0	9.0
8/21/2018 8:00	BDL	0.6	0.4	14.7	0.2	3.8	Maintenance	Maintenance
8/21/2018 9:00	BDL	0.5	BDL	13.0	0.2	2.1	4.0	BDL
8/21/2018 10:00	BDL	0.7	BDL	24.9	0.2	2.0	2.0	BDL
8/21/2018 11:00	BDL	0.4	BDL	5.0	0.2	2.0	3.0	BDL
8/21/2018 12:00	BDL	0.4	BDL	5.4	0.2	2.0	6.0	BDL
8/21/2018 13:00	BDL	0.4	BDL	7.5	0.2	2.0	4.0	BDL
8/21/2018 14:00	BDL	0.5	BDL	8.3	0.2	2.0	7.0	BDL
8/21/2018 15:00	BDL	0.4	BDL	5.4	0.2	2.0	4.0	BDL
8/21/2018 16:00	BDL	0.5	BDL	3.5	0.2	2.0	BDL	BDL
8/21/2018 17:00	BDL	0.4	BDL	8.5	0.2	2.0	BDL	BDL
8/21/2018 18:00	BDL	0.4	BDL	5.1	0.2	2.0	BDL	BDL
8/21/2018 19:00	BDL	0.4	BDL	3.9	0.2	2.0	BDL	BDL
8/21/2018 20:00	BDL	0.4	BDL	4.4	0.2	2.0	BDL	BDL
8/21/2018 21:00	BDL	0.5	0.4	5.3	0.2	2.0	3.0	BDL
8/21/2018 22:00	BDL	0.5	BDL	4.4	0.2	2.0	4.0	BDL
8/21/2018 23:00	BDL	0.4	BDL	1.7	0.1	2.1	2.0	BDL
8/22/2018 0:00	BDL	0.6	0.5	4.7	0.1	3.2	BDL	BDL
8/22/2018 1:00	BDL	Calibration	Calibration	8.3	0.2	3.4	BDL	BDL
8/22/2018 2:00	BDL	Calibration	Calibration	5.2	0.2	3.0	BDL	BDL
8/22/2018 3:00	Calibration	1.0	1.0	Calibration	Calibration	3.9	7.0	BDL
8/22/2018 4:00	BDL	1.7	1.3	19.6	0.2	Too few samples	7.0	1.0
8/22/2018 5:00	BDL	1.0	0.8	11.7	0.2	2.5	12.0	3.0
8/22/2018 6:00	BDL	1.3	1.1	8.6	0.2	2.3	10.0	1.0
8/22/2018 7:00	BDL	1.2	1.0	11.0	0.2	2.1	18.0	4.0
8/22/2018 8:00	BDL	1.0	0.8	9.1	0.2	2.2	7.0	5.0
8/22/2018 9:00	BDL	1.0	0.8	9.4	0.2	2.2	13.0	5.0
8/22/2018 10:00	BDL	0.8	0.6	5.9	0.2	2.2	20.0	1.0
8/22/2018 11:00	BDL	0.8	0.6	5.1	0.2	2.3	10.0	1.0
8/22/2018 12:00	BDL	0.9	0.6	5.4	0.2	2.3	10.0	2.0
8/22/2018 13:00	BDL	0.8	0.6	3.9	0.2	2.3	6.0	BDL
8/22/2018 14:00	BDL	0.8	0.6	5.7	0.2	2.3	16.0	3.0
8/22/2018 15:00	0.4	0.8	0.5	6.4	0.1	2.3	13.0	5.0
8/22/2018 16:00	0.4	0.7	0.5	5.9	0.1	2.3	12.0	6.0
8/22/2018 17:00	BDL	0.8	0.5	2.1	0.1	2.5	14.0	7.0
8/22/2018 18:00	0.4	0.7	0.6	5.1	0.2	2.4	14.0	10.0
8/22/2018 19:00	0.5	0.8	0.6	7	0.2	2.4	21.0	13.0
8/22/2018 20:00	BDL	0.7	0.4	2.1	0.2	2.5	17.0	13.0
8/22/2018 21:00	BDL	0.6	0.4	1.6	0.1	2.5	19.0	13.0
8/22/2018 22:00	BDL	0.7	0.5	2.4	0.1	2.5	21.0	12.0
8/22/2018 23:00	BDL	0.7	0.5	2.4	0.2	2.6	19.0	13.0
8/23/2018 0:00	BDL	0.7	0.5	1.7	0.1	2.7	12.0	10.0
8/23/2018 1:00	BDL	Calibration	Calibration	0.4	0.2	2.6	16.0	9.0
8/23/2018 2:00	BDL	Calibration	Calibration	0.6	0.2	2.6	12.0	12.0
8/23/2018 3:00	Calibration	0.7	0.6	Calibration	Calibration	2.6	12.0	6.0
8/23/2018 4:00	BDL	0.7	0.5	1.2	0.1	Too few samples	13.0	13.0
8/23/2018 5:00	BDL	0.6	0.5	1.3	0.2	2.5	16.0	8.0
8/23/2018 6:00	BDL	0.6	0.5	1.6	0.2	2.6	10.0	7.0
8/23/2018 7:00	BDL	0.6	0.5	6.0	0.2	2.8	16.0	8.0
8/23/2018 8:00	BDL	0.7	0.4	7.1	0.2	2.8	24.0	9.0
8/23/2018 9:00	BDL	0.6	0.4	7.2	0.2	2.6	19.0	14.0
8/23/2018 10:00	BDL	0.7	BDL	6.3	0.2	2.6	23.0	11.0
8/23/2018 11:00	BDL	0.6	BDL	5.0	0.1	2.4	17.0	11.0
8/23/2018 12:00	BDL	0.5	0.4	1.7	0.1	2.4	12.0	8.0
8/23/2018 13:00	BDL	0.6	BDL	2.3	0.1	2.5	Maintenance	Maintenance
8/23/2018 14:00	BDL	0.6	BDL	3.2	0.1	2.6	15.0	5.0
8/23/2018 15:00	BDL	0.6	0.4	1.1	0.1	2.5	15.0	6.0
8/23/2018 16:00	BDL	0.5	0.4	BDL	0.1	2.4	9.0	3.0
8/23/2018 17:00	BDL	0.6	BDL	BDL	0.1	2.4	12.0	6.0
8/23/2018 18:00	BDL	0.6	0.4	BDL	0.1	2.5	18.0	4.0
8/23/2018 19:00	BDL	0.6	0.4	2.0	0.1	2.7	9.0	5.0
8/23/2018 20:00	2.3	0.7	0.4	7.2	0.2	2.2	18.0	15.0
8/23/2018 21:00	0.7	0.7	0.5	6.5	0.1	2.5	20.0	10.0
8/23/2018 22:00	BDL	0.7	0.4	8.6	0.2	2.8	17.0	6.0
8/23/2018 23:00	BDL	0.7	0.5	8.2	0.2	2.8	19.0	6.0
8/24/2018 0:00	BDL	0.8	0.5	8.7	0.1	2.9	17.0	4.0
8/24/2018 1:00	BDL	Calibration	Calibration	8.4	0.1	3.2	12.0	6.0
8/24/2018 2:00	BDL	Calibration	Calibration	11.8	0.1	3.1	15.0	7.0
8/24/2018 3:00	Calibration	0.8	0.7	Calibration	Calibration	2.9	15.0	7.0
8/24/2018 4:00	0.5	0.9	0.6	19.5	0.2	Too few samples	21.0	7.0
8/24/2018 5:00	0.8	1.7	0.9	50.5	0.5	3.3	29.0	8.0
8/24/2018 6:00	0.9	2.0	0.6	52.4	0.3	4.6	24.0	10.0
8/24/2018 7:00	1.1	1.9	0.9	53.1	0.4	Too few samples	43.0	11.0
8/24/2018 8:00	1.3	2.0	0.9	49.2	0.4	2.6	29.0	9.0
8/24/2018 9:00	1.1	1.6	0.8	33.4	0.3	2.4	24.0	15.0
8/24/2018 10:00	0.7	1.4	0.9	20.6	0.2	2.3	30.0	9.0
8/24/2018 11:00	BDL	1.0	0.6	9.7	0.2	2.3	26.0	11.0
8/24/2018 12:00	BDL	0.8	0.5	5.0	0.2	2.2	19.0	11.0
8/24/2018 13:00	BDL	0.8	0.5	2.3	0.2	2.2	29.0	15.0
8/24/2018 14:00	BDL	0.7	0.5	3.8	0.2	2.1	23.0	16.0
8/24/2018 15:00	BDL	0.7	0.6	4.5	0.1	2.1	25.0	11.0
8/24/2018 16:00	BDL	0.8	0.5	1.8	0.2	2.1	25.0	14.0
8/24/2018 17:00	BDL	0.7	0.5	0.4	0.1	2.2	21.0	14.0
8/24/2018 18:00	0.6	0.8	0.5	4.7	0.2	2.4	22.0	12.0
8/24/2018 19:00	1.2	1.0	0.7	9.1	0.2	2.7	23.0	17.0
8/24/2018 20:00	1.2	1.5	0.9	17.4	0.3	2.7	28.0	16.0
8/24/2018 21:00	BDL	1.4	1.0	9.0	0.2	2.2	27.0	16.0
8/24/2018 22:00	BDL	1.4	1.1	9.5	0.2	2.3	23.0	16.0
8/24/2018 23:00	BDL	1.1	0.8	7.2	0.2	2.1	13.0	15.0
8/25/2018 0:00	BDL	1.1	0.7	14.9	0.2	2.3	14.0	13.0
8/25/2018 1:00	BDL	Calibration	Calibration	12.6	0.2	2.7	18.0	9.0
8/25/2018 2:00	BDL	Calibration	Calibration	12.4	0.3	2.8	18.0	7.0
8/25/2018 3:00	Calibration	1.4	1.1	Calibration	Calibration	2.7	17.0	10.0
8/25/2018 4:00	0.5	2.0	1.4	33.9	0.5	2.7	22.0	11.0
8/25/2018 5:00	0.6	1.9	1.2	44.9	0.5	2.5	21.0	14.0
8/25/2018 6:00	0.8	3.0	2.0	62.5	0.6	2.6	27.0	14.0
8/25/2018 7:00	0.7	2.1	1.3	42.4	0.5	2.7	27.0	16.0
8/25/2018 8:00	0.7	2.0	1.5	27.8	0.4	2.5	33.0	15.0
8/25/2018 9:00	0.8	2.0	1.6	20.0	0.3	2.3	19.0	10.0
8/25/2018 10:00	BDL	1.1	0.9	5.8	0.1	2.0	13.0	8.0
8/25/2018 11:00	BDL	0.9	0.7	2.2	0.1	2.1	12.0	7.0
8/25/2018 12:00	BDL	0.9	0.7	1.5	0.1	2.1	10.0	5.0
8/25/2018 13:00	BDL	0.9	0.7	BDL	0.1	2.1	13.0	7.0
8/25/2018 14:00	BDL	0.8	0.7	BDL	0.1	2.1	12.0	6.0
8/25/2018 15:00	BDL	0.9	0.8	BDL	0.0	2.1	12.0	5.0
8/25/2018 16:00	BDL	0.9	0.8	0.5	0.0	2.2	11.0	2.0
8/25/2018 17:00	BDL	1.0	0.8	2.8	0.1	2.1	9.0	5.0
8/25/2018 18:00	0.5	1.0	1.0	4.4	0.1	2.2	14.0	8.0
8/25/2018 19:00	0.5	1.3	0.9	9.1	0.2	2.1	14.0	7.0
8/25/2018 20:00	BDL	1.3	1.1	5.5	0.2	2.2	16.0	9.0
8/25/2018 21:00	BDL	1.2	1.0	4.4	0.2	2.0	17.0	8.0
8/25/2018 22:00	BDL	1.1	0.9	4.4	0.2	2.0	16.0	6.0
8/25/2018 23:00	BDL	1.0	0.9	3.6	0.2	2.0	23.0	8.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 8/26/2018-9/1/2018								
8/26/2018 0:00	BDL	1.0	0.9	5.3	0.2	2.0	11.0	6.0
8/26/2018 1:00	BDL	Calibration	Calibration	5.8	0.2	2.5	12.0	4.0
8/26/2018 2:00	BDL	Calibration	Calibration	17.4	0.3	2.5	13.0	6.0
8/26/2018 3:00	Calibration	2.2	2.0	Calibration	Calibration	2.3	18.0	6.0
8/26/2018 4:00	BDL	1.8	1.6	14.3	0.2	Too few samples	12.0	7.0
8/26/2018 5:00	BDL	2.0	1.8	26.9	0.3	2.3	12.0	9.0
8/26/2018 6:00	BDL	1.9	1.7	20.4	0.3	2.4	11.0	7.0
8/26/2018 7:00	0.5	2.0	1.6	23.1	0.3	2.5	14.0	6.0
8/26/2018 8:00	0.9	2.0	1.8	17.1	0.2	2.7	17.0	5.0
8/26/2018 9:00	1.5	1.9	1.6	11.9	0.2	2.5	17.0	6.0
8/26/2018 10:00	1.3	1.4	1.3	5.0	0.1	2.4	20.0	9.0
8/26/2018 11:00	1.5	1.3	1.2	4.0	0.1	2.3	18.0	9.0
8/26/2018 12:00	0.7	1.3	1.1	1.1	0.1	2.3	19.0	7.0
8/26/2018 13:00	0.6	1.3	1.1	1.3	0.1	2.5	18.0	10.0
8/26/2018 14:00	0.5	1.3	1.1	0.8	0.1	2.4	23.0	7.0
8/26/2018 15:00	0.5	1.3	1.2	1.5	0.1	2.3	18.0	6.0
8/26/2018 16:00	0.9	1.3	1.1	4.1	0.2	2.4	20.0	9.0
8/26/2018 17:00	1.2	1.4	1.1	5.7	0.2	2.4	22.0	10.0
8/26/2018 18:00	1.4	1.4	1.3	6.3	0.2	2.5	19.0	14.0
8/26/2018 19:00	1.5	1.7	1.3	10.8	0.3	2.5	25.0	10.0
8/26/2018 20:00	0.6	1.5	1.3	7.2	0.2	2.7	30.0	11.0
8/26/2018 21:00	0.9	1.8	1.5	12.7	0.3	2.9	17.0	11.0
8/26/2018 22:00	1.2	2.0	1.9	15.7	0.3	3.0	21.0	12.0
8/26/2018 23:00	0.9	2.3	2.2	9.9	0.2	2.8	20.0	17.0
8/27/2018 0:00	0.6	2.1	2.0	9.5	0.2	2.9	19.0	15.0
8/27/2018 1:00	BDL	Calibration	Calibration	9.1	0.2	2.9	19.0	14.0
8/27/2018 2:00	BDL	Calibration	Calibration	8.2	0.3	3.2	22.0	14.0
8/27/2018 3:00	Calibration	2.2	2.2	Calibration	Calibration	3.1	20.0	15.0
8/27/2018 4:00	BDL	2.1	1.8	11.5	0.3	3.3	21.0	13.0
8/27/2018 5:00	BDL	2.5	2.5	25.4	0.4	3.4	28.0	15.0
8/27/2018 6:00	BDL	1.9	1.6	16.8	0.3	3.1	30.0	17.0
8/27/2018 7:00	BDL	1.8	1.6	13.6	0.3	3.0	38.0	13.0
8/27/2018 8:00	BDL	1.8	1.5	13.9	0.3	2.7	36.0	17.0
8/27/2018 9:00	BDL	1.7	1.4	8.4	0.3	2.5	32.0	21.0
8/27/2018 10:00	BDL	1.7	1.4	5.8	0.3	2.3	35.0	26.0
8/27/2018 11:00	BDL	1.7	1.4	4.8	0.3	2.3	40.0	23.0
8/27/2018 12:00	BDL	1.6	1.4	2.6	0.3	2.3	40.0	20.0
8/27/2018 13:00	BDL	1.7	1.5	5.5	0.3	2.3	50.0	25.0
8/27/2018 14:00	0.5	1.9	1.7	7.3	0.3	2.4	42.0	21.0
8/27/2018 15:00	0.6	2.0	1.6	6.2	0.3	2.3	42.0	23.0
8/27/2018 16:00	BDL	1.8	1.6	0.8	0.2	2.5	33.0	19.0
8/27/2018 17:00	BDL	1.8	1.6	1.3	0.3	2.5	35.0	26.0
8/27/2018 18:00	BDL	1.9	1.7	4.7	0.2	2.3	37.0	25.0
8/27/2018 19:00	BDL	2.0	1.8	4.0	0.2	2.4	40.0	22.0
8/27/2018 20:00	BDL	2.6	BDL	10.0	0.3	2.6	45.0	28.0
8/27/2018 21:00	BDL	1.8	BDL	17.0	0.4	3.7	44.0	30.0
8/27/2018 22:00	BDL	BDL	BDL	13.8	0.4	3.3	45.0	32.0
8/27/2018 23:00	BDL	BDL	BDL	24.1	0.3	2.7	43.0	26.0
8/28/2018 0:00	BDL	BDL	BDL	34.7	0.3	2.7	38.0	30.0
8/28/2018 1:00	BDL	Calibration	Calibration	25.5	0.5	3.2	38.0	28.0
8/28/2018 2:00	BDL	Calibration	Calibration	14.3	0.4	3.6	40.0	24.0
8/28/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	3.5	40.0	29.0
8/28/2018 4:00	BDL	BDL	BDL	29.6	0.5	Too few samples	40.0	37.0
8/28/2018 5:00	BDL	BDL	BDL	32.6	0.5	3.1	44.0	31.0
8/28/2018 6:00	0.4	BDL	BDL	51.2	0.7	3.4	61.0	36.0
8/28/2018 7:00	0.6	Too few samples	Too few samples	66.6	0.7	3.3	70.0	36.0
8/28/2018 8:00	BDL	Calibration	Calibration	30.0	0.5	3.2	43.0	29.0
8/28/2018 9:00	BDL	Audit	Audit	30.0	0.5	3.0	49.0	28.0
8/28/2018 10:00	BDL	Calibration	Calibration	22.7	0.4	3.1	80.0	30.0
8/28/2018 11:00	BDL	Calibration	Calibration	18.3	0.3	3.0	55.0	26.0
8/28/2018 12:00	BDL	Too few samples	Too few samples	10.2	0.3	3.0	63.0	27.0
8/28/2018 13:00	BDL	0.7	Too few samples	6.7	0.3	2.7	44.0	22.0
8/28/2018 14:00	0.7	1.7	2.5	5.5	0.2	2.6	61.0	18.0
8/28/2018 15:00	0.9	1.8	2.6	4.1	0.2	2.4	48.0	23.0
8/28/2018 16:00	0.6	1.6	2.4	3.4	0.2	2.4	37.0	20.0
8/28/2018 17:00	0.7	1.6	2.4	3.6	0.2	2.5	29.0	18.0
8/28/2018 18:00	0.8	1.5	2.4	4.4	0.2	2.5	31.0	17.0
8/28/2018 19:00	0.8	1.8	2.5	11.0	0.3	2.6	22.0	14.0
8/28/2018 20:00	0.8	1.8	2.6	12.9	0.3	2.8	28.0	17.0
8/28/2018 21:00	0.5	1.8	2.6	15.2	0.3	2.8	27.0	22.0
8/28/2018 22:00	BDL	2.1	2.9	15.4	0.3	3.0	32.0	18.0
8/28/2018 23:00	BDL	2.0	2.9	12.1	0.3	3.0	33.0	21.0
8/29/2018 0:00	BDL	2.1	3.0	11.3	0.3	3.3	29.0	20.0
8/29/2018 1:00	BDL	Calibration	Calibration	15.1	0.3	3.3	31.0	21.0
8/29/2018 2:00	BDL	Calibration	Calibration	16.4	0.3	3.5	36.0	20.0
8/29/2018 3:00	Calibration	2.4	3.1	Calibration	Calibration	3.2	31.0	23.0
8/29/2018 4:00	BDL	2.3	3.0	36.6	0.5	Too few samples	36.0	25.0
8/29/2018 5:00	BDL	2.1	2.8	30.6	0.5	2.9	35.0	26.0
8/29/2018 6:00	BDL	2.4	3.1	44.7	0.5	2.5	44.0	27.0
8/29/2018 7:00	BDL	Audit	Audit	34.3	0.4	2.8	43.0	27.0
8/29/2018 8:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	2.9	51.0	25.0
8/29/2018 9:00	1.6	2.2	2.9	Calibration	0.3	Too few samples	41.0	24.0
8/29/2018 10:00	BDL	2.0	2.6	29.6	0.3	2.7	59.0	25.0
8/29/2018 11:00	BDL	1.9	2.6	17.0	0.3	2.5	45.0	17.0
8/29/2018 12:00	BDL	Too few samples	2.5	8.6	0.3	2.4	45.0	22.0
8/29/2018 13:00	BDL	Calibration	36.3	9.2	0.2	2.5	73.0	18.0
8/29/2018 14:00	BDL	0.8	BDL	5.0	0.2	2.6	59.0	17.0
8/29/2018 15:00	BDL	0.7	BDL	5.8	0.2	2.4	36.0	18.0
8/29/2018 16:00	BDL	0.5	BDL	4.5	0.2	2.4	33.0	16.0
8/29/2018 17:00	BDL	0.4	BDL	2.4	0.2	2.4	33.0	16.0
8/29/2018 18:00	BDL	0.5	BDL	5	0.2	2.5	32.0	15.0
8/29/2018 19:00	BDL	0.6	BDL	10.2	0.3	2.6	31.0	14.0
8/29/2018 20:00	0.4	0.9	BDL	12.3	0.3	2.8	33.0	17.0
8/29/2018 21:00	0.6	0.9	BDL	12.9	0.3	2.7	36.0	21.0
8/29/2018 22:00	0.7	1.2	BDL	16.1	0.3	2.8	29.0	17.0
8/29/2018 23:00	BDL	0.9	BDL	8.4	0.3	2.8	24.0	17.0
8/30/2018 0:00	BDL	1.0	0.6	8.3	0.2	3.0	27.0	16.0
8/30/2018 1:00	BDL	Calibration	Calibration	11.3	0.3	2.8	31.0	18.0
8/30/2018 2:00	BDL	Calibration	Calibration	7.1	0.2	2.9	24.0	19.0
8/30/2018 3:00	Calibration	0.8	BDL	Calibration	Calibration	2.7	31.0	21.0
8/30/2018 4:00	BDL	1.0	BDL	12.4	0.3	Too few samples	29.0	22.0
8/30/2018 5:00	BDL	0.8	BDL	9.1	0.2	2.5	27.0	20.0
8/30/2018 6:00	BDL	0.8	0.4	7.4	0.2	2.7	27.0	17.0
8/30/2018 7:00	BDL	0.5	BDL	6.2	0.2	2.7	21.0	9.0
8/30/2018 8:00	BDL	0.5	BDL	6.7	0.2	Too few samples	31.0	7.0
8/30/2018 9:00	0.6	0.7	BDL	24.1	0.2	2.2	27.0	7.0
8/30/2018 10:00	0.5	0.8	BDL	25.5	0.2	2.2	37.0	10.0
8/30/2018 11:00	0.4	0.4	BDL	11.8	0.2	2.1	46.0	9.0
8/30/2018 12:00	BDL	0.4	BDL	6.5	0.1	2.2	28.0	6.0
8/30/2018 13:00	BDL	BDL	BDL	3.4	0.1	2.1	23.0	4.0
8/30/2018 14:00	BDL	BDL	BDL	1.6	0.1	2.2	22.0	5.0
8/30/2018 15:00	BDL	BDL	BDL	0.9	0.1	2.2	16.0	8.0
8/30/2018 16:00	BDL	BDL	BDL	BDL	0.1	2.3	27.0	6.0
8/30/2018 17:00	BDL	BDL	BDL	0.7	0.1	2.5	13.0	7.0
8/30/2018 18:00	BDL	BDL	BDL	2.9	0.1	2.4	19.0	7.0
8/30/2018 19:00	BDL	BDL	BDL	6.0	0.2	2.3	17.0	6.0
8/30/2018 20:00	BDL	BDL	BDL	6.3	0.2	2.2	17.0	10.0
8/30/2018 21:00	BDL	BDL	BDL	5.3	0.2	2.2	16.0	9.0
8/30/2018 22:00	BDL	BDL	BDL	5.8	0.2	2.1	16.0	7.0
8/30/2018 23:00	BDL	0.4	BDL	4.2	0.2	2.1	12.0	3.0
8/31/2018 0:00	BDL	BDL	BDL	4.0	0.1	2.2	10.0	5.0
8/31/2018 1:00	BDL	Calibration	Calibration	6.1	0.1	2.2	9.0	4.0
8/31/2018 2:00	BDL	Calibration	Calibration	4.7	0.1	2.1	12.0	5.0
8/31/2018 3:00	Calibration	0.4	BDL	Calibration	Calibration	2.2	17.0	5.0
8/31/2018 4:00	BDL	0.5	BDL	9.1	0.2	2.2	13.0	7.0
8/31/2018 5:00	BDL	0.4	BDL	8.8	0.2	2.1	21.0	8.0
8/31/2018 6:00	BDL	BDL	BDL	7.7	0.2	2.1	16.0	9.0
8/31/2018 7:00	BDL	BDL	BDL	7.9	0.2	2.0	14.0	6.0
8/31/2018 8:00	BDL	0.6	BDL	13.7	0.2	2.0	21.0	7.0
8/31/2018 9:00	BDL	0.4	BDL	8.0	0.2	2.0	17.0	9.0
8/31/2018 10:00	BDL	0.4	BDL	9.1	0.2	2.0	21.0	9.0
8/31/2018 11:00	BDL	BDL	BDL	7.0	0.2	2.0	27.0	7.0
8/31/2018 12:00	BDL	0.4	BDL	7.2	0.2	2.0	27.0	9.0
8/31/2018 13:00	BDL	0.4	BDL	7.1	0.2	2.0	24.0	7.0
8/31/2018 14:00	BDL	BDL	BDL	6.0	0.2	2.0	33.0	7.0
8/31/2018 15:00	BDL	0.4	BDL	6.7	0.2	2.0	21.0	7.0
8/31/2018 16:00	BDL	0.4	BDL	7.3	0.2	2.0	19.0	6.0
8/31/2018 17:00	BDL	0.4	BDL	6.1	0.2	2.0	20.0	4.0
8/31/2018 18:00	BDL	BDL	BDL	5.3	0.2	2.0	19.0	6.0
8/31/2018 19:00	BDL	BDL	BDL	4.4	0.2	2.0	19.0	8.0
8/31/2018 20:00	BDL	BDL	BDL	Calibration	0.2	2.0	18.0	8.0
8/31/2018 21:00	Calibration	0.4	BDL	Calibration	Calibration	2.1	26.0	7.0
8/31/2018 22:00	BDL	0.4	BDL	4.8	0.2	2.1	21.0	4.0
8/31/2018 23:00	BDL	0.6	BDL	4.5	0.2	2.2	17.0	5.0
9/1/2018 0:00	BDL	0.5	BDL	6.2	0.2	2.2	19.0	10.0
9/1/2018 1:00	BDL	Calibration	Calibration	4.4	0.2	2.1	19.0	8.0
9/1/2018 2:00	BDL	Calibration	Calibration	3.8	0.2	2.1	20.0	8.0
9/1/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.1	20.0	7.0
9/1/2018 4:00	BDL	BDL	BDL	2.4	0.2	Too few samples	26.0	9.0
9/1/2018 5:00	BDL	BDL	BDL	2.8	0.2	2.1	18.0	7.0
9/1/2018 6:00	BDL	BDL	BDL	5.4	0.2	2.2	20.0	7.0
9/1/2018 7:00	BDL	BDL	BDL	8.5	0.2	2.2	24.0	11.0
9/1/2018 8:00	BDL	0.4	BDL	9.9	0.2	2.2	18.0	10.0
9/1/2018 9:00	BDL	BDL	BDL	7.3	0.2	2.1	17.0	6.0
9/1/2018 10:00	BDL	0.4	BDL	6.8	0.2	2.1	20.0	5.0
9/1/2018 11:00	BDL	0.4	BDL	7.4	0.2	2.1	13.0	7.0
9/1/2018 12:00	BDL	BDL	BDL	6.3	0.2	2.1	18.0	6.0
9/1/2018 13:00	BDL	BDL	BDL	5.3	0.2	2.1	15.0	3.0
9/1/2018 14:00	BDL	BDL	BDL	3.9	0.2	2.1	19.0	6.0
9/1/2018 15:00	BDL	BDL	BDL	6.9	0.2	2.0	17.0	7.0
9/1/2018 16:00	BDL	BDL	BDL	3.2	0.2	2.0	20.0	5.0
9/1/2018 17:00	BDL	BDL	BDL	2.3	0.2	2.0	17.0	6.0
9/1/2018 18:00	BDL	BDL	BDL	3.2	0.2	2.0	12.0	6.0
9/1/2018 19:00	BDL	BDL	BDL	3.9	0.2	2.1	21.0	7.0
9/1/2018 20:00	BDL	BDL	BDL	2.3	0.2	2.1	20.0	6.0
9/1/2018 21:00	BDL	BDL	BDL	3.2	0.2	2.1	19.0	6.0
9/1/2018 22:00	BDL	BDL	BDL	11.4	0.2	2.1	22.0	5.0
9/1/2018 23:00	BDL	0.6	BDL	10.0	0.2	2.1	20.0	7.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 9/2/2018-9/8/2018								
9/2/2018 0:00	BDL	0.5	BDL	7.0	0.2	2.1	19.0	5.0
9/2/2018 1:00	BDL	Calibration	Calibration	4.1	0.2	2.1	19.0	6.0
9/2/2018 2:00	BDL	Calibration	Calibration	4.8	0.2	2.2	24.0	5.0
9/2/2018 3:00	Calibration	0.6	BDL	Calibration	Calibration	2.1	18.0	9.0
9/2/2018 4:00	BDL	BDL	BDL	3.7	0.2	2.1	22.0	9.0
9/2/2018 5:00	BDL	0.7	BDL	4.1	0.2	2.2	20.0	7.0
9/2/2018 6:00	BDL	0.6	BDL	5.7	0.2	2.2	19.0	8.0
9/2/2018 7:00	BDL	0.6	BDL	5.8	0.2	2.2	25.0	9.0
9/2/2018 8:00	BDL	0.6	BDL	8.2	0.3	2.2	21.0	13.0
9/2/2018 9:00	BDL	0.6	BDL	9.3	0.2	2.2	22.0	9.0
9/2/2018 10:00	BDL	0.4	BDL	7.9	0.2	2.1	22.0	9.0
9/2/2018 11:00	BDL	BDL	BDL	1.8	0.2	2.1	19.0	11.0
9/2/2018 12:00	BDL	BDL	BDL	3.1	0.2	2.2	16.0	11.0
9/2/2018 13:00	BDL	0.4	BDL	3.4	0.2	2.3	19.0	9.0
9/2/2018 14:00	0.5	0.5	BDL	3.3	0.1	2.3	12.0	8.0
9/2/2018 15:00	1.1	0.5	BDL	6.8	0.1	2.3	23.0	11.0
9/2/2018 16:00	0.5	BDL	BDL	1.0	0.1	2.3	17.0	9.0
9/2/2018 17:00	BDL	0.5	BDL	2.6	0.2	2.0	13.0	6.0
9/2/2018 18:00	BDL	0.5	BDL	1.2	0.2	2.0	9.0	5.0
9/2/2018 19:00	BDL	0.5	BDL	1.6	0.2	2.1	10.0	6.0
9/2/2018 20:00	BDL	0.4	BDL	2.1	0.2	2.3	13.0	8.0
9/2/2018 21:00	BDL	BDL	BDL	2.0	0.2	2.2	18.0	6.0
9/2/2018 22:00	BDL	0.5	BDL	3.4	0.2	2.1	13.0	6.0
9/2/2018 23:00	BDL	0.5	BDL	4.2	0.2	2.1	16.0	4.0
9/3/2018 0:00	BDL	0.6	BDL	3.8	0.2	2.1	14.0	5.0
9/3/2018 1:00	BDL	Calibration	Calibration	2.4	0.2	2.3	14.0	6.0
9/3/2018 2:00	BDL	Calibration	Calibration	1.4	0.2	2.1	16.0	6.0
9/3/2018 3:00	Calibration	1.4	0.9	Calibration	Calibration	2.1	12.0	6.0
9/3/2018 4:00	BDL	0.9	0.4	3.7	0.2	2.2	11.0	7.0
9/3/2018 5:00	BDL	0.7	0.4	6.4	0.2	2.7	17.0	13.0
9/3/2018 6:00	BDL	0.8	0.4	9.1	0.2	2.6	22.0	21.0
9/3/2018 7:00	BDL	0.8	0.4	11.3	0.2	2.4	31.0	23.0
9/3/2018 8:00	BDL	0.8	0.4	11.4	0.2	2.6	32.0	25.0
9/3/2018 9:00	BDL	0.8	BDL	14.0	0.2	2.6	38.0	26.0
9/3/2018 10:00	BDL	0.8	BDL	18.1	0.2	2.7	36.0	30.0
9/3/2018 11:00	BDL	0.9	BDL	18.9	0.2	2.6	31.0	22.0
9/3/2018 12:00	BDL	0.7	BDL	10.3	0.2	3.0	32.0	18.0
9/3/2018 13:00	BDL	0.5	BDL	4.8	0.1	2.9	16.0	14.0
9/3/2018 14:00	BDL	0.4	BDL	4.1	0.1	3.0	16.0	10.0
9/3/2018 15:00	BDL	0.4	BDL	3.2	0.1	3.3	13.0	7.0
9/3/2018 16:00	BDL	0.5	BDL	3.1	0.1	3.3	23.0	12.0
9/3/2018 17:00	BDL	0.5	BDL	8.7	0.1	3.0	17.0	19.0
9/3/2018 18:00	BDL	0.5	BDL	6.0	0.1	3.2	23.0	17.0
9/3/2018 19:00	BDL	0.6	BDL	9.6	0.2	3.2	19.0	12.0
9/3/2018 20:00	BDL	0.7	BDL	8.3	0.2	2.9	15.0	12.0
9/3/2018 21:00	BDL	0.7	BDL	6.2	0.2	2.5	17.0	9.0
9/3/2018 22:00	BDL	0.6	BDL	10.2	0.2	2.7	19.0	6.0
9/3/2018 23:00	BDL	0.8	0.4	6.0	0.2	2.6	13.0	6.0
9/4/2018 0:00	BDL	0.9	0.4	9.3	0.1	3.0	13.0	11.0
9/4/2018 1:00	BDL	Calibration	Calibration	10.5	0.1	2.7	16.0	7.0
9/4/2018 2:00	BDL	Calibration	Calibration	10.6	0.1	3.5	20.0	8.0
9/4/2018 3:00	Calibration	0.8	0.4	Calibration	Calibration	4.1	20.0	10.0
9/4/2018 4:00	BDL	1.0	0.6	20.0	0.3	Too few samples	21.0	11.0
9/4/2018 5:00	BDL	1.1	BDL	26.8	0.4	3.8	18.0	11.0
9/4/2018 6:00	0.5	1.4	0.4	43.5	0.5	4.1	26.0	9.0
9/4/2018 7:00	0.4	1.4	BDL	41.7	0.4	analyzer malfunction	72.0	16.0
9/4/2018 8:00	BDL	0.9	BDL	37.5	0.3	analyzer malfunction	36.0	11.0
9/4/2018 9:00	BDL	1.0	BDL	41.0	0.3	analyzer malfunction	81.0	12.0
9/4/2018 10:00	BDL	1.1	BDL	34.8	0.2	analyzer malfunction	56.0	11.0
9/4/2018 11:00	BDL	0.7	BDL	16.3	0.2	analyzer malfunction	79.0	15.0
9/4/2018 12:00	BDL	0.6	BDL	4.4	0.1	analyzer malfunction	22.0	12.0
9/4/2018 13:00	BDL	0.6	BDL	3.9	0.1	analyzer malfunction	74.0	19.0
9/4/2018 14:00	BDL	0.5	BDL	1.4	0.1	analyzer malfunction	34.0	12.0
9/4/2018 15:00	BDL	0.4	BDL	0.8	0.1	analyzer malfunction	17.0	10.0
9/4/2018 16:00	BDL	0.5	BDL	0.7	0.1	analyzer malfunction	17.0	11.0
9/4/2018 17:00	BDL	0.5	BDL	0.6	0.1	analyzer malfunction	15.0	9.0
9/4/2018 18:00	BDL	0.5	BDL	0.7	0.1	analyzer malfunction	17.0	13.0
9/4/2018 19:00	BDL	0.6	BDL	3.9	0.1	analyzer malfunction	18.0	10.0
9/4/2018 20:00	BDL	0.6	BDL	9.9	0.2	analyzer malfunction	17.0	10.0
9/4/2018 21:00	BDL	0.5	BDL	8.7	0.2	analyzer malfunction	20.0	15.0
9/4/2018 22:00	BDL	0.5	BDL	9.1	0.2	analyzer malfunction	15.0	6.0
9/4/2018 23:00	BDL	0.6	BDL	13.1	0.2	analyzer malfunction	19.0	12.0
9/5/2018 0:00	BDL	0.8	BDL	15.8	0.2	analyzer malfunction	24.0	15.0
9/5/2018 1:00	BDL	Calibration	Calibration	20.7	0.3	analyzer malfunction	20.0	14.0
9/5/2018 2:00	BDL	Calibration	Calibration	17.5	0.2	analyzer malfunction	16.0	10.0
9/5/2018 3:00	Calibration	0.6	BDL	Calibration	Calibration	analyzer malfunction	10.0	7.0
9/5/2018 4:00	BDL	0.6	BDL	12.8	0.2	analyzer malfunction	21.0	9.0
9/5/2018 5:00	BDL	0.9	BDL	27.1	0.3	analyzer malfunction	17.0	15.0
9/5/2018 6:00	BDL	1.0	BDL	36.8	0.4	analyzer malfunction	25.0	10.0
9/5/2018 7:00	BDL	1.2	BDL	38.6	0.4	analyzer malfunction	49.0	16.0
9/5/2018 8:00	BDL	1.1	BDL	30.3	0.3	analyzer malfunction	48.0	7.0
9/5/2018 9:00	BDL	0.9	BDL	20.9	0.2	analyzer malfunction	Maintenance	Maintenance
9/5/2018 10:00	BDL	1.0	0.4	11.1	0.2	analyzer malfunction	28.0	11.0
9/5/2018 11:00	BDL	0.9	BDL	8.6	0.2	analyzer malfunction	30.0	8.0
9/5/2018 12:00	BDL	0.6	BDL	3.7	0.1	analyzer malfunction	20.0	8.0
9/5/2018 13:00	BDL	0.6	BDL	4.7	0.2	2.5	44.0	11.0
9/5/2018 14:00	BDL	0.6	BDL	5.6	0.2	2.1	24.0	8.0
9/5/2018 15:00	BDL	0.7	BDL	3.6	0.1	2.1	22.0	10.0
9/5/2018 16:00	BDL	0.9	BDL	4.6	0.1	2.3	20.0	11.0
9/5/2018 17:00	BDL	0.7	BDL	3	0.2	2.1	16.0	14.0
9/5/2018 18:00	BDL	1.1	0.7	1.4	0.2	2.0	19.0	16.0
9/5/2018 19:00	BDL	1.3	0.9	1.6	0.2	2.0	17.0	15.0
9/5/2018 20:00	BDL	1.0	0.6	1.5	0.2	2.0	24.0	11.0
9/5/2018 21:00	BDL	1.0	0.5	2.3	0.2	2.1	21.0	16.0
9/5/2018 22:00	BDL	0.9	0.5	6.4	0.2	2.0	20.0	13.0
9/5/2018 23:00	BDL	1.0	0.5	2.4	0.2	2.1	17.0	17.0
9/6/2018 0:00	BDL	1.1	0.7	4.1	0.1	2.5	20.0	16.0
9/6/2018 1:00	BDL	Calibration	Calibration	6.0	0.1	2.7	22.0	15.0
9/6/2018 2:00	BDL	Calibration	Calibration	7.0	0.1	2.6	25.0	15.0
9/6/2018 3:00	Calibration	1.2	0.7	Calibration	Calibration	3.0	23.0	17.0
9/6/2018 4:00	BDL	1.1	0.7	3.8	0.2	2.8	17.0	11.0
9/6/2018 5:00	BDL	1.3	0.9	9.6	0.2	2.6	21.0	11.0
9/6/2018 6:00	BDL	1.6	1.2	13	0.2	2.7	31.0	15.0
9/6/2018 7:00	BDL	1.5	1.1	15.8	0.2	2.8	35.0	22.0
9/6/2018 8:00	BDL	1.5	1.1	22.2	0.2	2.9	47.0	28.0
9/6/2018 9:00	BDL	1.5	0.9	25.1	0.2	3.1	46.0	29.0
9/6/2018 10:00	BDL	1.4	0.8	22.8	0.2	3.2	57.0	20.0
9/6/2018 11:00	BDL	1.1	0.5	11.1	0.2	4.3	53.0	21.0
9/6/2018 12:00	BDL	1.0	BDL	6.4	0.1	4.3	48.0	13.0
9/6/2018 13:00	BDL	0.9	0.4	5.8	0.1	4.3	35.0	16.0
9/6/2018 14:00	BDL	0.9	BDL	4.5	0.1	4.6	40.0	15.0
9/6/2018 15:00	BDL	0.8	BDL	4.2	0.1	4.0	41.0	17.0
9/6/2018 16:00	BDL	0.8	BDL	4.0	0.1	3.3	43.0	15.0
9/6/2018 17:00	BDL	0.8	BDL	4.8	0.1	3.2	24.0	12.0
9/6/2018 18:00	BDL	0.9	BDL	6.5	0.2	3.1	33.0	17.0
9/6/2018 19:00	BDL	0.8	BDL	4.4	0.2	2.9	36.0	17.0
9/6/2018 20:00	BDL	0.8	BDL	4.5	0.1	2.5	26.0	9.0
9/6/2018 21:00	BDL	0.8	BDL	10.3	0.2	2.2	17.0	7.0
9/6/2018 22:00	BDL	0.8	BDL	5.1	0.2	2.1	13.0	7.0
9/6/2018 23:00	BDL	0.8	BDL	9.7	0.2	2.1	14.0	8.0
9/7/2018 0:00	BDL	1.0	BDL	10.5	0.2	2.3	21.0	8.0
9/7/2018 1:00	BDL	Calibration	Calibration	5.8	0.1	2.3	8.0	7.0
9/7/2018 2:00	BDL	Calibration	Calibration	3.9	0.1	2.2	12.0	4.0
9/7/2018 3:00	Calibration	0.8	BDL	Calibration	Calibration	2.2	10.0	6.0
9/7/2018 4:00	BDL	0.8	BDL	5.9	0.1	Too few samples	13.0	5.0
9/7/2018 5:00	BDL	0.8	BDL	9.7	0.2	2.2	16.0	5.0
9/7/2018 6:00	BDL	1.0	BDL	17.4	0.2	2.2	22.0	11.0
9/7/2018 7:00	BDL	1.0	BDL	18.1	0.2	2.2	24.0	13.0
9/7/2018 8:00	BDL	1.1	0.4	22.0	0.3	2.3	32.0	13.0
9/7/2018 9:00	BDL	1.1	0.5	17.0	0.2	2.2	28.0	11.0
9/7/2018 10:00	BDL	1.1	0.4	10.9	0.1	2.1	24.0	12.0
9/7/2018 11:00	BDL	1.0	0.4	9.1	0.1	2.2	31.0	11.0
9/7/2018 12:00	BDL	0.9	BDL	9.8	0.2	2.2	28.0	8.0
9/7/2018 13:00	BDL	1.1	0.4	15.3	0.2	2.2	52.0	11.0
9/7/2018 14:00	BDL	1.1	0.4	15.1	0.2	2.2	38.0	10.0
9/7/2018 15:00	BDL	1.0	BDL	8.2	0.2	2.2	21.0	15.0
9/7/2018 16:00	BDL	0.9	0.4	5.8	0.2	2.1	20.0	12.0
9/7/2018 17:00	BDL	1.0	0.4	4.7	0.2	2.1	31.0	12.0
9/7/2018 18:00	BDL	0.9	0.4	4.3	0.2	2.2	18.0	12.0
9/7/2018 19:00	BDL	0.9	0.4	4.5	0.1	2.3	15.0	12.0
9/7/2018 20:00	BDL	1.0	0.4	6.3	0.2	2.2	15.0	10.0
9/7/2018 21:00	BDL	0.9	0.4	4.6	0.1	2.3	15.0	11.0
9/7/2018 22:00	BDL	0.9	0.4	4.6	0.2	2.2	13.0	10.0
9/7/2018 23:00	BDL	0.9	0.4	6.0	0.2	2.3	16.0	8.0
9/8/2018 0:00	BDL	0.8	0.4	4.0	0.1	2.2	25.0	11.0
9/8/2018 1:00	BDL	Calibration	Calibration	2.1	0.1	2.2	24.0	11.0
9/8/2018 2:00	BDL	Calibration	Calibration	2.0	0.1	2.2	11.0	7.0
9/8/2018 3:00	Calibration	0.9	0.4	Calibration	Calibration	2.2	18.0	5.0
9/8/2018 4:00	BDL	0.9	0.4	6.7	0.2	2.3	13.0	5.0
9/8/2018 5:00	BDL	1.0	0.4	10.4	0.2	3.7	7.0	5.0
9/8/2018 6:00	BDL	0.9	BDL	5.7	0.2	2.2	9.0	4.0
9/8/2018 7:00	BDL	0.8	BDL	5.2	0.1	2.1	9.0	5.0
9/8/2018 8:00	BDL	0.9	BDL	5.1	0.1	2.1	11.0	9.0
9/8/2018 9:00	BDL	0.9	BDL	8.0	0.1	2.1	11.0	9.0
9/8/2018 10:00	BDL	0.9	BDL	7.1	0.2	2.1	11.0	10.0
9/8/2018 11:00	BDL	0.9	BDL	7.9	0.2	2.1	15.0	6.0
9/8/2018 12:00	BDL	1.0	0.4	10.8	0.2	2.1	15.0	6.0
9/8/2018 13:00	BDL	0.9	BDL	8.8	0.2	2.2	21.0	6.0
9/8/2018 14:00	BDL	1.0	0.4	10.5	0.2	2.2	17.0	9.0
9/8/2018 15:00	BDL	1.0	0.4	7.0	0.2	2.2	15.0	11.0
9/8/2018 16:00	BDL	0.9	BDL	6.7	0.2	2.2	15.0	10.0
9/8/2018 17:00	BDL	0.8	BDL	5.6	0.1	2.2	18.0	7.0
9/8/2018 18:00	BDL	0.9	BDL	5.0	0.2	2.1	13.0	4.0
9/8/2018 19:00	BDL	0.9	BDL	5.4	0.2	2.1	15.0	11.0
9/8/2018 20:00	BDL	0.8	BDL	4.4	0.1	2.2	12.0	10.0
9/8/2018 21:00	BDL	0.9	BDL	5.0	0.1	2.2	10.0	7.0
9/8/2018 22:00	BDL	1.0	BDL	8.2	0.1	2.2	16.0	5.0
9/8/2018 23:00	BDL	0.9	BDL	6.3	0.1	2.2	13.0	6.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 9/9/2018-9/15/2018								
9/9/2018 0:00	BDL	0.9	BDL	4.9	0.1	2.2	9.0	9.0
9/9/2018 1:00	BDL	Calibration	Calibration	5.0	0.1	2.2	7.0	6.0
9/9/2018 2:00	BDL	Calibration	Calibration	3.0	0.1	2.2	10.0	5.0
9/9/2018 3:00	Calibration	0.9	0.4	Calibration	Calibration	2.1	7.0	5.0
9/9/2018 4:00	BDL	0.9	BDL	2.5	0.1	Too few samples	7.0	4.0
9/9/2018 5:00	BDL	0.8	BDL	2.3	0.04	2.1	9.0	4.0
9/9/2018 6:00	BDL	0.8	BDL	2.8	0.04	2.1	11.0	5.0
9/9/2018 7:00	BDL	0.9	BDL	5.3	0.1	2.1	8.0	4.0
9/9/2018 8:00	BDL	0.9	BDL	4.6	0.1	2.1	8.0	2.0
9/9/2018 9:00	BDL	1.0	BDL	7.8	0.1	2.2	11.0	2.0
9/9/2018 10:00	BDL	1.0	0.4	8.3	0.1	2.2	8.0	5.0
9/9/2018 11:00	BDL	1.0	0.4	8.9	0.1	2.2	7.0	4.0
9/9/2018 12:00	BDL	1.0	0.4	9.9	0.1	2.2	6.0	4.0
9/9/2018 13:00	BDL	1.1	0.4	13.0	0.1	2.2	6.0	6.0
9/9/2018 14:00	BDL	1.1	0.4	8.6	0.2	2.3	8.0	5.0
9/9/2018 15:00	BDL	1.1	0.4	10.3	0.1	2.2	9.0	3.0
9/9/2018 16:00	BDL	0.9	0.4	4.4	0.1	2.1	7.0	3.0
9/9/2018 17:00	BDL	0.9	BDL	4.1	0.1	2.1	7.0	4.0
9/9/2018 18:00	BDL	0.9	0.4	3.1	0.1	2.1	8.0	4.0
9/9/2018 19:00	BDL	0.9	BDL	2.8	0.1	2.0	10.0	1.0
9/9/2018 20:00	BDL	0.8	BDL	2.5	0.1	2.1	8.0	1.0
9/9/2018 21:00	BDL	0.8	BDL	3.0	0.1	2.1	8.0	5.0
9/9/2018 22:00	BDL	0.9	BDL	1.6	0.04	2.1	6.0	3.0
9/9/2018 23:00	BDL	0.8	BDL	0.5	0.04	2.0	8.0	1.0
9/10/2018 0:00	BDL	0.8	BDL	1.2	BDL	2.0	8.0	4.0
9/10/2018 1:00	BDL	Calibration	Calibration	3.1	BDL	2.0	8.0	4.0
9/10/2018 2:00	BDL	Calibration	Calibration	1.1	BDL	2.1	6.0	3.0
9/10/2018 3:00	Calibration	0.8	0.5	Calibration	Calibration	2.2	3.0	3.0
9/10/2018 4:00	BDL	0.9	BDL	6.2	BDL	2.2	1.0	3.0
9/10/2018 5:00	BDL	1.0	0.4	8.4	0.1	2.2	1.0	3.0
9/10/2018 6:00	BDL	1.1	BDL	9.3	0.1	2.2	5.0	4.0
9/10/2018 7:00	BDL	1.0	BDL	9.3	0.1	2.1	8.0	3.0
9/10/2018 8:00	BDL	1.0	0.4	12.1	0.1	2.1	7.0	7.0
9/10/2018 9:00	BDL	1.1	0.5	16.4	0.1	2.1	8.0	4.0
9/10/2018 10:00	BDL	1.0	BDL	12.4	0.1	2.1	10.0	2.0
9/10/2018 11:00	BDL	1.0	0.4	13.5	0.2	2.1	8.0	2.0
9/10/2018 12:00	BDL	1.2	0.5	15.1	0.2	2.2	7.0	BDL
9/10/2018 13:00	BDL	1.1	0.4	11.6	0.1	2.2	6.0	3.0
9/10/2018 14:00	BDL	1.1	0.5	9.8	0.1	2.2	7.0	4.0
9/10/2018 15:00	BDL	1.0	0.5	7.7	0.1	2.1	14.0	4.0
9/10/2018 16:00	BDL	1.0	0.5	6.8	0.1	2.1	13.0	7.0
9/10/2018 17:00	BDL	1.0	0.4	6.7	0.1	2.1	16.0	6.0
9/10/2018 18:00	BDL	1.0	0.5	6.0	0.1	2.1	9.0	4.0
9/10/2018 19:00	BDL	1.0	0.4	5.9	0.1	2.1	8.0	3.0
9/10/2018 20:00	BDL	1.0	0.5	6.4	0.1	2.1	9.0	8.0
9/10/2018 21:00	BDL	1.1	0.5	7.0	0.2	2.1	16.0	6.0
9/10/2018 22:00	BDL	1.1	0.5	8.2	0.2	2.1	12.0	5.0
9/10/2018 23:00	BDL	1.1	0.6	8.8	0.1	2.2	7.0	3.0
9/11/2018 0:00	BDL	1.1	0.6	10.3	0.2	2.2	9.0	8.0
9/11/2018 1:00	BDL	Calibration	Calibration	11.0	0.1	2.2	11.0	8.0
9/11/2018 2:00	BDL	Calibration	Calibration	9.6	0.1	2.2	12.0	4.0
9/11/2018 3:00	Calibration	1.1	0.6	Calibration	Calibration	2.2	10.0	7.0
9/11/2018 4:00	BDL	1.2	0.6	13.7	0.1	Too few samples	16.0	8.0
9/11/2018 5:00	BDL	1.1	0.6	14.9	0.2	2.2	15.0	6.0
9/11/2018 6:00	BDL	1.3	0.6	23.3	0.2	2.2	15.0	10.0
9/11/2018 7:00	BDL	1.5	0.7	29.2	0.3	2.3	14.0	6.0
9/11/2018 8:00	BDL	1.6	0.7	32.8	0.3	2.2	17.0	11.0
9/11/2018 9:00	BDL	1.7	0.8	33.2	0.3	2.4	25.0	8.0
9/11/2018 10:00	BDL	1.7	0.7	33.3	0.3	2.5	21.0	10.0
9/11/2018 11:00	BDL	1.7	0.7	31.3	0.3	2.6	18.0	9.0
9/11/2018 12:00	BDL	1.8	0.8	36.8	0.4	2.6	24.0	14.0
9/11/2018 13:00	BDL	1.7	0.8	32.8	0.4	2.5	29.0	15.0
9/11/2018 14:00	BDL	1.5	0.6	23.7	0.3	2.3	20.0	8.0
9/11/2018 15:00	BDL	1.6	0.7	24.1	0.4	2.3	28.0	9.0
9/11/2018 16:00	BDL	1.5	0.7	21.7	0.3	2.3	21.0	10.0
9/11/2018 17:00	BDL	1.5	0.7	19.8	0.4	2.3	20.0	10.0
9/11/2018 18:00	BDL	1.5	0.7	21.5	0.4	2.3	27.0	10.0
9/11/2018 19:00	BDL	1.4	0.7	20.4	0.4	2.2	20.0	12.0
9/11/2018 20:00	BDL	1.4	0.7	19.4	0.4	2.3	26.0	11.0
9/11/2018 21:00	BDL	1.3	0.6	17.1	0.3	2.3	24.0	10.0
9/11/2018 22:00	BDL	1.4	0.7	15.6	0.3	2.3	28.0	11.0
9/11/2018 23:00	BDL	1.3	0.7	16.0	0.3	2.4	31.0	14.0
9/12/2018 0:00	BDL	1.4	0.7	20.0	0.3	2.5	25.0	21.0
9/12/2018 1:00	BDL	Calibration	Calibration	20.4	0.3	2.6	27.0	15.0
9/12/2018 2:00	BDL	Calibration	Calibration	23.4	0.3	2.6	37.0	18.0
9/12/2018 3:00	Calibration	1.7	0.9	Calibration	Calibration	2.7	28.0	18.0
9/12/2018 4:00	BDL	1.7	0.8	29.8	0.3	Too few samples	41.0	17.0
9/12/2018 5:00	0.4	1.7	0.8	29.3	0.3	2.7	32.0	9.0
9/12/2018 6:00	0.5	2.0	0.9	38.3	0.4	2.7	29.0	16.0
9/12/2018 7:00	0.5	Audit	Audit	42.0	0.5	2.5	26.0	15.0
9/12/2018 8:00	BDL	Too few samples	Too few samples	25.1	0.3	2.2	13.0	9.0
9/12/2018 9:00	BDL	1.9	0.9	36.6	0.4	Too few samples	25.0	11.0
9/12/2018 10:00	BDL	1.8	0.9	28.0	0.3	2.3	14.0	9.0
9/12/2018 11:00	Too few samples	1.6	0.8	Too few samples	Too few samples	2.2	14.0	5.0
9/12/2018 12:00	BDL	Too few samples	Too few samples	15.8	0.1	2.3	16.0	7.0
9/12/2018 13:00	BDL	8.6	6.2	19.1	0.2	2.5	22.0	8.0
9/12/2018 14:00	BDL	1.9	0.9	15.9	0.2	3.0	16.0	7.0
9/12/2018 15:00	BDL	1.4	0.8	16.2	0.2	3.0	19.0	9.0
9/12/2018 16:00	BDL	1.3	0.8	10.9	0.2	2.2	17.0	7.0
9/12/2018 17:00	BDL	1.4	0.9	10.1	0.2	2.0	11.0	5.0
9/12/2018 18:00	BDL	1.4	0.9	13.6	0.2	2.1	10.0	3.0
9/12/2018 19:00	BDL	1.3	0.9	12.4	0.2	2.2	9.0	5.0
9/12/2018 20:00	BDL	1.3	0.9	11.7	0.2	2.1	10.0	7.0
9/12/2018 21:00	BDL	1.3	0.9	11.5	0.2	2.2	11.0	7.0
9/12/2018 22:00	BDL	1.3	0.9	9.6	0.2	2.2	16.0	6.0
9/12/2018 23:00	BDL	1.3	0.9	5.7	0.1	2.0	6.0	5.0
9/13/2018 0:00	BDL	1.2	0.9	5.1	0.04	2.1	9.0	4.0
9/13/2018 1:00	BDL	Calibration	Calibration	4.2	BDL	2.1	7.0	4.0
9/13/2018 2:00	BDL	Calibration	Calibration	8.0	0.04	2.2	14.0	4.0
9/13/2018 3:00	Calibration	1.2	0.9	Calibration	Calibration	2.2	17.0	5.0
9/13/2018 4:00	BDL	1.1	0.8	5.5	0.04	Too few samples	14.0	3.0
9/13/2018 5:00	BDL	1.2	0.9	8.0	0.1	2.0	10.0	BDL
9/13/2018 6:00	BDL	1.3	0.9	10.9	0.1	2.0	8.0	2.0
9/13/2018 7:00	BDL	1.3	0.9	9.7	0.1	17.2	Audit	Audit
9/13/2018 8:00	BDL	Calibration	Calibration	10.6	0.1	2.9	Audit	Audit
9/13/2018 9:00	BDL	Calibration	Calibration	16.2	0.2	2.1	Audit	Audit
9/13/2018 10:00	BDL	1.7	1.2	15.3	0.2	2.0	20.0	5.0
9/13/2018 11:00	BDL	1.7	1.2	12.3	0.2	2.1	13.0	4.0
9/13/2018 12:00	BDL	1.9	1.4	12.7	0.2	2.1	10.0	3.0
9/13/2018 13:00	BDL	1.8	1.3	10.9	0.2	2.5	Audit	Audit
9/13/2018 14:00	BDL	1.7	1.2	12.9	0.2	2.1	Audit	Audit
9/13/2018 15:00	BDL	1.6	1.1	10.0	0.2	2.1	11.0	1.0
9/13/2018 16:00	BDL	1.6	1.0	9.7	0.2	2.0	13.0	6.0
9/13/2018 17:00	BDL	1.5	1.1	10.3	0.2	2.0	8.0	5.0
9/13/2018 18:00	BDL	1.4	0.9	5.1	0.2	2.0	7.0	3.0
9/13/2018 19:00	BDL	1.5	1.0	6.2	0.2	2.0	7.0	2.0
9/13/2018 20:00	BDL	1.5	1.0	5.3	0.1	2.0	8.0	2.0
9/13/2018 21:00	BDL	1.4	1.0	4.9	0.1	2.0	7.0	1.0
9/13/2018 22:00	BDL	1.4	1.0	3.1	0.1	2.0	9.0	BDL
9/13/2018 23:00	BDL	1.4	1.1	1.8	0.1	2.0	7.0	4.0
9/14/2018 0:00	BDL	1.5	1.0	5.8	0.1	2.0	4.0	6.0
9/14/2018 1:00	BDL	Calibration	Calibration	1.3	0.1	2.1	6.0	5.0
9/14/2018 2:00	BDL	Calibration	Calibration	3.6	0.1	2.1	6.0	3.0
9/14/2018 3:00	Calibration	1.6	1.2	Calibration	Calibration	2.1	13.0	4.0
9/14/2018 4:00	BDL	1.7	1.0	13.8	0.1	Too few samples	11.0	4.0
9/14/2018 5:00	BDL	1.4	0.9	7.5	0.1	2.1	10.0	2.0
9/14/2018 6:00	BDL	1.5	1.0	11.2	0.1	2.1	13.0	6.0
9/14/2018 7:00	BDL	1.5	1.0	12.8	0.2	2.1	12.0	5.0
9/14/2018 8:00	BDL	1.6	1.1	16.7	0.2	2.1	11.0	3.0
9/14/2018 9:00	BDL	1.5	1.0	13.6	0.2	2.1	8.0	5.0
9/14/2018 10:00	BDL	1.6	1.1	13.3	0.2	2.1	17.0	5.0
9/14/2018 11:00	BDL	1.6	1.0	10.8	0.2	2.1	22.0	11.0
9/14/2018 12:00	BDL	1.6	1.0	9.6	0.1	2.0	24.0	9.0
9/14/2018 13:00	BDL	1.6	1.0	10.5	0.2	2.0	Maintenance	Maintenance
9/14/2018 14:00	BDL	1.6	1.1	9.1	0.2	2.0	20.0	3.0
9/14/2018 15:00	BDL	1.6	1.1	12.5	0.2	2.0	20.0	9.0
9/14/2018 16:00	BDL	1.6	1.1	9.3	0.2	2.0	17.0	8.0
9/14/2018 17:00	BDL	1.7	1.1	8.5	0.2	2.1	18.0	7.0
9/14/2018 18:00	BDL	1.5	1.1	6.4	0.2	2.0	17.0	4.0
9/14/2018 19:00	BDL	1.6	1.1	5.2	0.2	2.0	16.0	3.0
9/14/2018 20:00	BDL	1.5	1.0	Calibration	0.2	2.0	15.0	6.0
9/14/2018 21:00	Calibration	1.5	1.0	Calibration	Calibration	2.0	17.0	10.0
9/14/2018 22:00	BDL	1.5	1.0	5.0	0.2	2.0	17.0	7.0
9/14/2018 23:00	BDL	1.4	1.0	4.6	0.1	2.1	14.0	9.0
9/15/2018 0:00	BDL	1.6	1.1	7.4	0.1	2.2	14.0	7.0
9/15/2018 1:00	BDL	Calibration	Calibration	5.1	0.1	2.2	16.0	5.0
9/15/2018 2:00	BDL	Calibration	Calibration	6.7	0.1	2.4	17.0	5.0
9/15/2018 3:00	Calibration	1.7	1.2	Calibration	Calibration	2.3	17.0	6.0
9/15/2018 4:00	BDL	1.6	1.2	4.7	0.1	Too few samples	15.0	5.0
9/15/2018 5:00	BDL	1.6	1.2	7.5	0.1	2.3	17.0	4.0
9/15/2018 6:00	BDL	1.7	1.2	9.4	0.1	2.3	7.0	3.0
9/15/2018 7:00	BDL	1.7	1.1	11.0	0.2	2.2	14.0	6.0
9/15/2018 8:00	BDL	1.8	1.2	11.3	0.2	2.2	15.0	7.0
9/15/2018 9:00	BDL	1.7	1.2	9.1	0.1	2.2	16.0	6.0
9/15/2018 10:00	BDL	1.7	1.2	6.8	0.1	2.2	15.0	5.0
9/15/2018 11:00	BDL	1.5	1.1	5.1	0.1	2.1	16.0	9.0
9/15/2018 12:00	BDL	1.6	1.1	2.9	0.1	2.1	14.0	7.0
9/15/2018 13:00	BDL	1.6	1.1	5.8	0.2	2.1	13.0	4.0
9/15/2018 14:00	BDL	1.6	1.0	4.2	0.2	2.1	14.0	7.0
9/15/2018 15:00	BDL	1.6	1.1	6.2	0.2	2.1	11.0	6.0
9/15/2018 16:00	BDL	1.6	1.1	4.5	0.2	2.1	14.0	8.0
9/15/2018 17:00	BDL	1.6	1.1	5.2	0.2	2.1	11.0	6.0
9/15/2018 18:00	BDL	1.7	1.2	8.5	0.2	2.2	11.0	5.0
9/15/2018 19:00	BDL	1.7	1.1	7.2	0.2	2.1	11.0	6.0
9/15/2018 20:00	BDL	1.7	1.3	8.1	0.3	2.0	13.0	8.0
9/15/2018 21:00	BDL	1.7	1.1	7.8	0.2	2.1	15.0	7.0
9/15/2018 22:00	BDL	1.8	1.2	10.5	0.3	2.1	14.0	12.0
9/15/2018 23:00	BDL	1.9	1.3	16.5	0.4	2.2	19.0	12.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 9/16/2018-9/22/2018								
9/16/2018 0:00	BDL	2.0	1.4	19.1	0.5	2.2	19.0	8.0
9/16/2018 1:00	BDL	Calibration	Calibration	12.6	0.3	2.3	19.0	9.0
9/16/2018 2:00	BDL	Calibration	Calibration	13.1	0.3	2.3	16.0	14.0
9/16/2018 3:00	Calibration	1.9	1.3	Calibration	Calibration	2.3	14.0	11.0
9/16/2018 4:00	BDL	1.7	1.3	1.4	0.1	Too few samples	10.0	5.0
9/16/2018 5:00	BDL	1.6	1.2	4.6	0.1	2.1	15.0	5.0
9/16/2018 6:00	BDL	1.7	1.3	4.5	0.1	2.1	16.0	6.0
9/16/2018 7:00	BDL	1.7	1.3	4.9	0.1	2.1	12.0	8.0
9/16/2018 8:00	BDL	1.7	1.3	7.8	0.1	2.2	13.0	8.0
9/16/2018 9:00	BDL	1.8	1.3	8.0	0.1	2.2	14.0	8.0
9/16/2018 10:00	BDL	1.7	1.3	5.4	0.2	2.2	17.0	7.0
9/16/2018 11:00	BDL	1.8	1.3	3.7	0.2	2.2	14.0	5.0
9/16/2018 12:00	BDL	1.7	1.2	2.1	0.1	2.1	9.0	3.0
9/16/2018 13:00	BDL	1.6	1.2	1.6	0.1	2.0	9.0	4.0
9/16/2018 14:00	BDL	1.6	1.2	2.0	0.1	2.0	9.0	3.0
9/16/2018 15:00	BDL	1.6	1.2	2.0	0.1	2.1	8.0	3.0
9/16/2018 16:00	BDL	1.5	1.1	1.9	0.1	2.1	16.0	7.0
9/16/2018 17:00	BDL	1.7	1.3	4.5	0.1	2.1	15.0	6.0
9/16/2018 18:00	BDL	1.6	1.2	2.4	0.1	2.0	13.0	3.0
9/16/2018 19:00	BDL	1.7	1.3	5.7	0.2	2.1	13.0	6.0
9/16/2018 20:00	BDL	1.6	1.3	3.6	0.1	2.1	11.0	5.0
9/16/2018 21:00	BDL	1.7	1.3	8.9	0.2	2.0	15.0	4.0
9/16/2018 22:00	BDL	1.8	1.4	6.7	0.2	2.1	13.0	6.0
9/16/2018 23:00	BDL	1.9	1.5	6.6	0.2	2.1	13.0	5.0
9/17/2018 0:00	BDL	2.0	1.5	14.1	0.2	2.1	14.0	5.0
9/17/2018 1:00	BDL	Calibration	Calibration	12.0	0.1	2.1	20.0	4.0
9/17/2018 2:00	BDL	Calibration	Calibration	8.9	0.1	2.2	12.0	5.0
9/17/2018 3:00	Calibration	2.4	2.0	Calibration	Calibration	2.2	10.0	3.0
9/17/2018 4:00	BDL	2.4	2.0	10.6	0.1	Too few samples	18.0	6.0
9/17/2018 5:00	BDL	2.8	2.4	14.6	0.2	2.3	16.0	12.0
9/17/2018 6:00	BDL	2.8	2.3	20.7	0.2	2.2	27.0	10.0
9/17/2018 7:00	BDL	2.8	2.2	26.6	0.3	2.3	31.0	7.0
9/17/2018 8:00	BDL	2.6	2.1	24.8	0.3	2.3	29.0	9.0
9/17/2018 9:00	BDL	2.5	2.0	22.3	0.2	2.0	31.0	9.0
9/17/2018 10:00	BDL	2.3	1.9	13.6	0.2	2.0	23.0	5.0
9/17/2018 11:00	BDL	2.3	1.8	14.1	0.2	2.0	28.0	4.0
9/17/2018 12:00	BDL	2.3	1.9	6.3	0.1	2.0	24.0	6.0
9/17/2018 13:00	Calibration	2.3	1.8	Calibration	Calibration	2.1	28.0	7.0
9/17/2018 14:00	BDL	2.3	1.9	8.1	0.1	2.0	16.0	4.0
9/17/2018 15:00	BDL	2.3	1.9	9.0	0.2	2.0	21.0	2.0
9/17/2018 16:00	BDL	2.2	1.8	5.0	0.1	1.9	15.0	5.0
9/17/2018 17:00	BDL	2.1	1.7	5.5	0.1	2.0	26.0	6.0
9/17/2018 18:00	BDL	2.1	1.8	5.3	0.1	2.0	24.0	4.0
9/17/2018 19:00	BDL	2.1	1.7	3.2	0.1	2.0	19.0	6.0
9/17/2018 20:00	BDL	2.1	1.8	1.2	0.1	2.0	22.0	4.0
9/17/2018 21:00	BDL	2.2	1.8	3.9	0.1	2.1	21.0	4.0
9/17/2018 22:00	BDL	2.2	1.9	2.9	0.1	2.0	19.0	6.0
9/17/2018 23:00	BDL	2.2	1.9	3.5	0.1	2.1	22.0	6.0
9/18/2018 0:00	BDL	2.3	2.0	5.6	0.1	2.2	17.0	4.0
9/18/2018 1:00	BDL	Calibration	Calibration	3.1	0.04	2.2	22.0	6.0
9/18/2018 2:00	BDL	Calibration	Calibration	0.9	BDL	2.3	23.0	7.0
9/18/2018 3:00	Calibration	2.7	2.3	Calibration	Calibration	2.3	25.0	8.0
9/18/2018 4:00	BDL	2.7	2.4	0.5	0.1	Too few samples	18.0	5.0
9/18/2018 5:00	BDL	2.5	2.3	1.8	0.04	2.3	7.0	3.0
9/18/2018 6:00	BDL	2.7	2.3	17.9	0.1	2.5	8.0	3.0
9/18/2018 7:00	BDL	3.0	2.5	20.6	0.1	2.6	17.0	6.0
9/18/2018 8:00	BDL	3.2	2.7	19.1	0.1	2.6	11.0	6.0
9/18/2018 9:00	BDL	2.8	2.5	6.6	0.1	2.4	17.0	5.0
9/18/2018 10:00	BDL	2.6	2.3	5.2	0.1	2.4	19.0	8.0
9/18/2018 11:00	BDL	2.6	2.2	4.7	0.1	2.4	22.0	12.0
9/18/2018 12:00	BDL	2.6	2.2	8.8	0.2	2.5	13.0	10.0
9/18/2018 13:00	BDL	2.5	2.2	2.3	0.1	3.7	9.0	7.0
9/18/2018 14:00	BDL	2.5	2.2	5.4	0.1	3.1	4.0	4.0
9/18/2018 15:00	BDL	2.5	2.2	5.4	0.1	3.5	10.0	2.0
9/18/2018 16:00	BDL	2.4	2.1	5.4	0.2	2.1	8.0	3.0
9/18/2018 17:00	BDL	2.5	2.1	4.3	0.2	1.9	8.0	3.0
9/18/2018 18:00	BDL	2.4	2.1	6.7	0.2	1.9	5.0	2.0
9/18/2018 19:00	BDL	2.4	2.1	10.9	0.2	1.9	11.0	5.0
9/18/2018 20:00	BDL	2.6	2.1	11.3	0.2	1.9	10.0	6.0
9/18/2018 21:00	BDL	2.6	2.1	13.9	0.3	1.9	12.0	6.0
9/18/2018 22:00	BDL	2.7	2.2	21.7	0.3	5.8	12.0	7.0
9/18/2018 23:00	BDL	2.8	2.3	19.0	0.3	5.9	16.0	9.0
9/19/2018 0:00	BDL	2.8	2.3	20.1	0.2	6.4	16.0	7.0
9/19/2018 1:00	BDL	Calibration	Calibration	15.2	0.2	5.5	12.0	4.0
9/19/2018 2:00	BDL	Calibration	Calibration	9.0	0.1	4.6	15.0	6.0
9/19/2018 3:00	Calibration	2.5	2.1	Calibration	Calibration	3.8	17.0	11.0
9/19/2018 4:00	0.7	2.6	2.1	8.0	0.1	Too few samples	23.0	8.0
9/19/2018 5:00	BDL	2.6	2.1	11.7	0.1	3.9	20.0	12.0
9/19/2018 6:00	BDL	Calibration	Calibration	17.2	0.2	3.9	28.0	9.0
9/19/2018 7:00	BDL	Calibration	Calibration	14.0	0.2	3.4	Maintenance	Maintenance
9/19/2018 8:00	BDL	2.5	2.0	10.6	0.2	2.5	19.0	10.0
9/19/2018 9:00	BDL	2.5	2.1	10.4	0.2	2.5	27.0	13.0
9/19/2018 10:00	BDL	7.0	1.9	9.0	0.2	2.2	22.0	15.0
9/19/2018 11:00	BDL	Calibration	Calibration	15.7	0.2	2.1	20.0	10.0
9/19/2018 12:00	BDL	0.4	2.8	6.8	0.1	2.2	21.0	11.0
9/19/2018 13:00	BDL	BDL	BDL	3.8	0.1	2.1	21.0	15.0
9/19/2018 14:00	BDL	BDL	BDL	3.1	0.1	2.2	17.0	6.0
9/19/2018 15:00	BDL	BDL	BDL	1.5	0.1	2.4	17.0	11.0
9/19/2018 16:00	BDL	BDL	BDL	1.1	0.1	2.5	27.0	8.0
9/19/2018 17:00	BDL	BDL	BDL	0.8	0.1	2.6	19.0	10.0
9/19/2018 18:00	BDL	BDL	BDL	2.5	0.1	2.5	23.0	8.0
9/19/2018 19:00	BDL	BDL	BDL	6.1	0.1	2.3	15.0	7.0
9/19/2018 20:00	BDL	0.5	BDL	11.8	0.2	2.3	19.0	9.0
9/19/2018 21:00	BDL	0.5	BDL	10.9	0.2	2.1	18.0	9.0
9/19/2018 22:00	BDL	0.5	BDL	4.7	0.2	2.0	18.0	8.0
9/19/2018 23:00	BDL	0.4	BDL	2.1	0.1	2.0	16.0	7.0
9/20/2018 0:00	BDL	0.4	BDL	6.3	0.1	1.9	17.0	9.0
9/20/2018 1:00	BDL	Calibration	Calibration	6.2	0.1	1.9	14.0	7.0
9/20/2018 2:00	BDL	Calibration	Calibration	5.5	0.1	1.9	20.0	3.0
9/20/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	1.9	20.0	6.0
9/20/2018 4:00	BDL	BDL	BDL	4.3	0.1	Too few samples	22.0	7.0
9/20/2018 5:00	BDL	0.4	BDL	8.3	0.1	2.0	22.0	5.0
9/20/2018 6:00	BDL	0.4	BDL	10.6	0.1	2.0	27.0	11.0
9/20/2018 7:00	BDL	16.6	11.1	11.2	0.1	2.0	21.0	11.0
9/20/2018 8:00	BDL	38.2	36.2	13.9	0.1	2.0	33.0	8.0
9/20/2018 9:00	BDL	23.1	21.2	13.0	0.1	2.0	24.0	6.0
9/20/2018 10:00	BDL	6.7	7.6	21.1	0.1	2.0	28.0	8.0
9/20/2018 11:00	BDL	0.5	BDL	20.6	0.1	2.0	27.0	7.0
9/20/2018 12:00	BDL	BDL	BDL	8.0	0.1	2.0	20.0	7.0
9/20/2018 13:00	BDL	0.4	BDL	10.9	0.1	Too few samples	27.0	6.0
9/20/2018 14:00	BDL	0.4	BDL	9.4	0.1	2.0	30.0	6.0
9/20/2018 15:00	BDL	BDL	BDL	11.0	0.1	2.0	34.0	9.0
9/20/2018 16:00	BDL	BDL	BDL	8.2	0.1	2.0	16.0	7.0
9/20/2018 17:00	BDL	BDL	BDL	7.2	0.1	2.0	14.0	7.0
9/20/2018 18:00	BDL	BDL	BDL	6.1	0.1	2.0	20.0	6.0
9/20/2018 19:00	BDL	0.5	BDL	5.3	0.1	2.0	16.0	9.0
9/20/2018 20:00	BDL	0.4	BDL	4.4	0.1	2.0	11.0	11.0
9/20/2018 21:00	BDL	BDL	BDL	5.5	0.1	2.0	12.0	6.0
9/20/2018 22:00	BDL	BDL	BDL	3.3	0.1	2.0	13.0	2.0
9/20/2018 23:00	BDL	BDL	BDL	3.8	0.04	2.0	13.0	4.0
9/21/2018 0:00	BDL	0.4	BDL	7.8	BDL	2.0	10.0	6.0
9/21/2018 1:00	BDL	Calibration	Calibration	5.2	0.04	2.1	12.0	7.0
9/21/2018 2:00	BDL	Calibration	Calibration	2.8	0.04	2.1	13.0	6.0
9/21/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.2	10.0	5.0
9/21/2018 4:00	BDL	0.4	BDL	6.6	0.1	2.2	19.0	6.0
9/21/2018 5:00	BDL	0.7	0.4	13.4	0.1	2.1	19.0	5.0
9/21/2018 6:00	BDL	1.2	0.8	20.3	0.1	2.1	21.0	5.0
9/21/2018 7:00	BDL	1.4	1.0	17.9	0.2	2.1	17.0	4.0
9/21/2018 8:00	BDL	1.3	0.9	16.9	0.1	2.2	15.0	3.0
9/21/2018 9:00	BDL	1.0	0.5	11.7	0.1	2.1	27.0	4.0
9/21/2018 10:00	Calibration	0.7	BDL	Calibration	Calibration	2.1	19.0	4.0
9/21/2018 11:00	Calibration	0.7	0.4	7.8	0.1	2.1	16.0	5.0
9/21/2018 12:00	Calibration	0.6	BDL	6.6	0.1	2.1	19.0	9.0
9/21/2018 13:00	Calibration	0.6	0.4	6.0	0.1	2.1	22.0	7.0
9/21/2018 14:00	Calibration	0.5	BDL	4.9	0.1	2.3	26.0	8.0
9/21/2018 15:00	Calibration	0.8	0.5	4.5	0.1	2.3	26.0	9.0
9/21/2018 16:00	Calibration	0.8	0.6	3.7	0.1	2.3	18.0	9.0
9/21/2018 17:00	Calibration	0.9	0.6	4.0	0.1	2.2	18.0	6.0
9/21/2018 18:00	Calibration	0.9	0.6	3.9	0.1	2.5	19.0	8.0
9/21/2018 19:00	Calibration	1.0	0.8	4.3	0.1	2.3	17.0	8.0
9/21/2018 20:00	Calibration	0.8	0.6	4.1	0.1	2.3	23.0	5.0
9/21/2018 21:00	Calibration	0.9	0.7	1.8	0.1	2.2	15.0	2.0
9/21/2018 22:00	Calibration	1.0	0.8	3.5	0.04	2.4	15.0	3.0
9/21/2018 23:00	Calibration	0.9	0.7	2.9	0.1	2.5	16.0	5.0
9/22/2018 0:00	Calibration	0.9	0.8	1.0	0.04	2.3	17.0	6.0
9/22/2018 1:00	Calibration	Calibration	Calibration	1.9	0.04	2.4	16.0	5.0
9/22/2018 2:00	Calibration	Calibration	Calibration	8.2	0.1	2.4	18.0	5.0
9/22/2018 3:00	Calibration	1.2	1.3	Calibration	Calibration	2.6	22.0	11.0
9/22/2018 4:00	Calibration	2.0	1.3	7.2	0.2	3.0	25.0	9.0
9/22/2018 5:00	Calibration	1.4	1.1	8.7	0.1	2.4	24.0	17.0
9/22/2018 6:00	Calibration	1.1	0.8	7.1	0.1	2.6	26.0	12.0
9/22/2018 7:00	Calibration	1.0	0.8	3.5	0.1	3.0	18.0	11.0
9/22/2018 8:00	Calibration	0.7	0.5	2.6	0.1	2.4	16.0	10.0
9/22/2018 9:00	Calibration	0.6	0.4	2.3	0.04	2.3	19.0	7.0
9/22/2018 10:00	Calibration	0.6	0.4	4.5	0.1	2.2	20.0	7.0
9/22/2018 11:00	Calibration	0.5	BDL	1.1	BDL	2.2	14.0	5.0
9/22/2018 12:00	Calibration	0.4	BDL	0.9	BDL	2.3	14.0	2.0
9/22/2018 13:00	Calibration	0.4	BDL	1.3	BDL	2.3	19.0	3.0
9/22/2018 14:00	Calibration	0.5	BDL	1.4	BDL	2.4	13.0	5.0
9/22/2018 15:00	Calibration	0.5	BDL	1.2	BDL	2.4	8.0	3.0
9/22/2018 16:00	Calibration	0.5	BDL	2.5	BDL	2.3	9.0	2.0
9/22/2018 17:00	Calibration	0.5	BDL	3.6	BDL	2.3	9.0	3.0
9/22/2018 18:00	Calibration	0.5	BDL	3.5	BDL	2.3	8.0	2.0
9/22/2018 19:00	Calibration	0.5	BDL	5.2	0.1	2.3	14.0	2.0
9/22/2018 20:00	Calibration	0.5	BDL	6.0	0.1	2.2	10.0	5.0
9/22/2018 21:00	Calibration	0.6	BDL	7.9	0.1	2.2	8.0	6.0
9/22/2018 22:00	Calibration	0.6	BDL	9.6	0.1	2.2	13.0	3.0
9/22/2018 23:00	Calibration	0.7	BDL	8.2	0.1	2.2	11.0	5.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 9/23/2018-9/29/2018								
9/23/2018 0:00	Calibration	0.8	0.4	14.9	0.2	2.3	11.0	6.0
9/23/2018 1:00	Calibration	Calibration	Calibration	7.5	0.1	2.5	10.0	8.0
9/23/2018 2:00	Calibration	Calibration	Calibration	9.4	0.1	2.3	11.0	6.0
9/23/2018 3:00	Calibration	0.7	0.4	Calibration	Calibration	2.3	15.0	6.0
9/23/2018 4:00	Calibration	0.7	0.4	9.7	0.1	Too few samples	13.0	7.0
9/23/2018 5:00	Calibration	0.6	0.4	9.9	0.1	2.3	14.0	8.0
9/23/2018 6:00	Calibration	0.8	0.4	11.7	0.1	2.3	13.0	6.0
9/23/2018 7:00	Calibration	0.9	0.4	12.6	0.1	2.3	14.0	7.0
9/23/2018 8:00	Calibration	1.0	0.5	21.0	0.1	2.3	13.0	6.0
9/23/2018 9:00	Calibration	0.9	0.5	13.7	0.1	2.3	10.0	6.0
9/23/2018 10:00	Calibration	1.0	0.5	16.4	0.2	2.3	10.0	8.0
9/23/2018 11:00	Calibration	1.0	0.6	17.4	0.2	2.3	13.0	13.0
9/23/2018 12:00	Calibration	1.0	0.5	16.6	0.2	2.3	11.0	8.0
9/23/2018 13:00	Calibration	0.9	0.5	18.7	0.2	2.3	15.0	9.0
9/23/2018 14:00	Calibration	1.0	0.5	13.7	0.2	2.2	8.0	6.0
9/23/2018 15:00	Calibration	1.0	0.5	16.3	0.2	2.2	13.0	4.0
9/23/2018 16:00	Calibration	0.8	0.5	10.2	0.2	2.2	12.0	6.0
9/23/2018 17:00	Calibration	0.8	0.5	10.1	0.2	2.2	13.0	6.0
9/23/2018 18:00	Calibration	0.9	0.6	11.2	0.2	2.2	17.0	7.0
9/23/2018 19:00	Calibration	0.9	0.5	14.7	0.2	2.2	15.0	8.0
9/23/2018 20:00	Calibration	1.0	0.6	22.3	0.2	2.3	14.0	7.0
9/23/2018 21:00	Calibration	1.1	0.7	19.8	0.2	2.3	13.0	10.0
9/23/2018 22:00	Calibration	1.2	0.6	22.6	0.3	2.4	16.0	10.0
9/23/2018 23:00	Calibration	1.2	0.7	17.4	0.2	2.4	13.0	13.0
9/24/2018 0:00	Calibration	1.1	0.7	10.5	0.1	2.3	9.0	7.0
9/24/2018 1:00	Calibration	Calibration	Calibration	6.8	0.1	2.2	8.0	7.0
9/24/2018 2:00	Calibration	Calibration	Calibration	2.6	BDL	2.1	5.0	6.0
9/24/2018 3:00	Calibration	0.7	0.5	Calibration	Calibration	2.1	6.0	4.0
9/24/2018 4:00	Calibration	0.7	0.4	6.4	0.04	Too few samples	8.0	3.0
9/24/2018 5:00	Calibration	0.8	BDL	9.9	0.1	2.1	9.0	4.0
9/24/2018 6:00	Calibration	0.8	0.5	16.1	0.1	2.2	11.0	4.0
9/24/2018 7:00	Calibration	1.1	0.6	19.4	0.1	2.2	10.0	5.0
9/24/2018 8:00	Calibration	1.3	0.7	25.4	0.2	2.4	18.0	10.0
9/24/2018 9:00	Calibration	1.3	0.8	19.9	0.2	2.3	15.0	6.0
9/24/2018 10:00	Calibration	1.1	0.7	16.5	0.1	2.2	12.0	8.0
9/24/2018 11:00	Calibration	1.0	0.7	17.0	0.1	2.2	17.0	6.0
9/24/2018 12:00	Calibration	1.0	0.6	14.4	0.1	2.1	16.0	6.0
9/24/2018 13:00	Calibration	0.8	0.5	7.4	0.1	2.1	10.0	4.0
9/24/2018 14:00	Calibration	0.9	0.4	11.2	0.1	2.1	17.0	6.0
9/24/2018 15:00	Calibration	1.0	0.5	11.0	0.1	2.1	24.0	5.0
9/24/2018 16:00	Calibration	0.8	0.5	6.3	0.1	2.1	17.0	6.0
9/24/2018 17:00	Calibration	0.8	0.5	6.0	0.1	2.1	13.0	7.0
9/24/2018 18:00	Calibration	4.4	2.1	15.9	0.2	2.5	analyzer malfunction	analyzer malfunction
9/24/2018 19:00	Calibration	2.0	1.6	11.0	BDL	2.1	17.0	5.0
9/24/2018 20:00	Calibration	1.8	1.5	4.8	0.04	2.1	24.0	3.0
9/24/2018 21:00	Calibration	1.8	1.5	2.5	0.04	2.1	24.0	3.0
9/24/2018 22:00	Calibration	1.6	1.4	3.9	BDL	2.1	25.0	6.0
9/24/2018 23:00	Calibration	1.8	1.4	7.0	BDL	2.1	26.0	8.0
9/25/2018 0:00	Calibration	1.7	1.6	8.6	BDL	2.1	28.0	10.0
9/25/2018 1:00	Calibration	Calibration	Calibration	6.8	BDL	2.1	25.0	6.0
9/25/2018 2:00	Calibration	Calibration	Calibration	2.0	BDL	2.1	14.0	4.0
9/25/2018 3:00	Calibration	1.8	1.6	Calibration	Calibration	2.1	9.0	3.0
9/25/2018 4:00	Calibration	2.1	1.8	5.4	BDL	Too few samples	7.0	1.0
9/25/2018 5:00	Calibration	1.9	1.6	8.2	0.1	2.1	13.0	2.0
9/25/2018 6:00	Too few samples	Calibration	Calibration	10.2	0.1	2.1	9.0	3.0
9/25/2018 7:00	BDL	Calibration	Calibration	13.8	0.2	2.1	11.0	7.0
9/25/2018 8:00	BDL	2.2	1.7	25.4	0.2	2.2	17.0	7.0
9/25/2018 9:00	BDL	2.9	2.1	31.6	0.3	2.2	23.0	7.0
9/25/2018 10:00	BDL	2.2	1.9	18.0	0.1	2.0	27.0	12.0
9/25/2018 11:00	BDL	2.0	1.8	10.4	0.1	2.0	29.0	12.0
9/25/2018 12:00	BDL	2.0	1.7	5.9	0.1	2.2	27.0	11.0
9/25/2018 13:00	BDL	2.0	1.7	5.9	0.1	2.2	26.0	8.0
9/25/2018 14:00	BDL	2.1	1.8	7.2	0.1	2.3	23.0	5.0
9/25/2018 15:00	BDL	2.2	1.8	11.7	0.1	2.1	26.0	6.0
9/25/2018 16:00	BDL	2.2	2.0	4.5	0.1	2.5	14.0	6.0
9/25/2018 17:00	BDL	2.3	2.0	15.9	0.2	2.4	17.0	6.0
9/25/2018 18:00	BDL	2.6	2.2	26.9	0.4	2.4	17.0	8.0
9/25/2018 19:00	BDL	2.9	2.4	34.4	0.5	2.3	21.0	12.0
9/25/2018 20:00	BDL	2.7	2.3	24.8	0.4	2.4	23.0	11.0
9/25/2018 21:00	BDL	2.8	2.5	20.1	0.3	2.3	17.0	7.0
9/25/2018 22:00	BDL	2.7	2.5	8.8	0.2	2.2	25.0	7.0
9/25/2018 23:00	BDL	2.9	2.6	15.3	0.2	2.1	27.0	5.0
9/26/2018 0:00	BDL	2.5	2.4	17.3	0.2	2.1	28.0	1.0
9/26/2018 1:00	BDL	Calibration	Calibration	16.0	0.1	2.4	26.0	3.0
9/26/2018 2:00	BDL	Calibration	Calibration	25.1	0.1	2.8	20.0	6.0
9/26/2018 3:00	Calibration	3.2	3.0	Calibration	Calibration	3.1	22.0	5.0
9/26/2018 4:00	BDL	3.0	3.0	11.8	0.1	2.9	25.0	2.0
9/26/2018 5:00	BDL	2.5	2.4	7.4	0.1	2.7	21.0	8.0
9/26/2018 6:00	BDL	Calibration	Calibration	13.2	0.1	2.8	20.0	6.0
9/26/2018 7:00	BDL	Calibration	Calibration	23.6	0.2	2.2	17.0	5.0
9/26/2018 8:00	BDL	Calibration	Calibration	25.1	0.2	2.2	16.0	7.0
9/26/2018 9:00	BDL	0.9	BDL	15.6	0.1	2.4	13.0	4.0
9/26/2018 10:00	BDL	0.9	BDL	11.5	0.1	2.7	17.0	7.0
9/26/2018 11:00	Audit	Audit	Audit	Audit	Audit	Audit	11.0	10.0
9/26/2018 12:00	Audit	Audit	Audit	Audit	Too few samples	Too few samples	Audit	Audit
9/26/2018 13:00	Audit	Audit	Audit	Audit	0.1	2.2	Audit	Audit
9/26/2018 14:00	Audit	Audit	Audit	Audit	0.1	2.3	Audit	Audit
9/26/2018 15:00	Audit	Audit	Audit	Audit	0.1	2.3	Audit	Audit
9/26/2018 16:00	Audit	Audit	Audit	Audit	0.1	2.4	Audit	Audit
9/26/2018 17:00	Audit	Audit	Audit	Audit	0.1	2.4	Audit	Audit
9/26/2018 18:00	Audit	Audit	Audit	Audit	0.1	2.7	Audit	Audit
9/26/2018 19:00	Audit	Audit	Audit	Audit	0.1	2.6	Audit	Audit
9/26/2018 20:00	Audit	Audit	Audit	Audit	0.1	2.8	Audit	Audit
9/26/2018 21:00	Audit	Audit	Audit	Audit	0.1	2.4	Audit	Audit
9/26/2018 22:00	Audit	Audit	Audit	Audit	0.1	2.6	Audit	Audit
9/26/2018 23:00	Audit	Audit	Audit	Audit	0.1	2.3	Audit	Audit
9/27/2018 0:00	Audit	Audit	Audit	Audit	0.1	2.6	Audit	Audit
9/27/2018 1:00	Audit	Audit	Audit	Audit	0.1	2.3	Audit	Audit
9/27/2018 2:00	Audit	Audit	Audit	Audit	0.1	2.1	Audit	Audit
9/27/2018 3:00	Audit	Audit	Audit	Audit	Calibration	2.0	Audit	Audit
9/27/2018 4:00	Audit	Audit	Audit	Audit	0.1	2.1	Audit	Audit
9/27/2018 5:00	Audit	Audit	Audit	Audit	0.1	2.1	Audit	Audit
9/27/2018 6:00	Audit	Audit	Audit	Audit	0.1	2.1	Audit	Audit
9/27/2018 7:00	Audit	Audit	Audit	Audit	0.1	2.1	Audit	Audit
9/27/2018 8:00	Audit	Audit	Audit	Audit	0.1	2.1	Audit	Audit
9/27/2018 9:00	Too few samples	Audit	Audit	Audit	0.1	2.1	17.0	2.0
9/27/2018 10:00	BDL	Audit	Audit	Audit	BDL	2.1	13.0	3.0
9/27/2018 11:00	BDL	Audit	Audit	10.1	BDL	2.1	14.0	2.0
9/27/2018 12:00	BDL	0.5	BDL	11.2	0.1	2.0	10.0	4.0
9/27/2018 13:00	BDL	0.5	BDL	8.9	0.04	2.0	9.0	9.0
9/27/2018 14:00	BDL	0.6	BDL	11.7	0.1	2.1	12.0	11.0
9/27/2018 15:00	BDL	0.6	BDL	15.7	0.1	2.1	18.0	6.0
9/27/2018 16:00	BDL	0.7	BDL	14.9	0.1	2.1	17.0	5.0
9/27/2018 17:00	BDL	0.6	BDL	12.5	0.1	2.1	14.0	10.0
9/27/2018 18:00	BDL	0.6	BDL	12.5	0.2	2.4	17.0	5.0
9/27/2018 19:00	BDL	0.5	BDL	6.2	0.1	2.2	10.0	2.0
9/27/2018 20:00	BDL	0.6	BDL	9.8	0.1	2.1	15.0	4.0
9/27/2018 21:00	BDL	0.5	BDL	8.5	0.1	2.1	14.0	8.0
9/27/2018 22:00	BDL	0.6	BDL	10.6	0.1	2.1	11.0	7.0
9/27/2018 23:00	BDL	0.6	BDL	10.3	0.1	2.1	11.0	5.0
9/28/2018 0:00	BDL	0.7	BDL	9.8	0.1	2.2	8.0	6.0
9/28/2018 1:00	BDL	Calibration	Calibration	9.8	0.1	2.3	14.0	10.0
9/28/2018 2:00	BDL	Calibration	Calibration	10.0	0.1	2.1	18.0	6.0
9/28/2018 3:00	Calibration	0.8	BDL	Calibration	Calibration	2.5	12.0	8.0
9/28/2018 4:00	BDL	0.7	BDL	7.2	0.1	2.3	7.0	6.0
9/28/2018 5:00	BDL	0.8	BDL	14.9	0.2	2.3	4.0	4.0
9/28/2018 6:00	BDL	0.8	BDL	7.7	0.1	2.6	5.0	2.0
9/28/2018 7:00	BDL	Audit	Audit	9.3	0.1	2.4	5.0	1.0
9/28/2018 8:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	2.4	6.0	4.0
9/28/2018 9:00	BDL	0.7	BDL	Calibration	0.1	Too few samples	7.0	5.0
9/28/2018 10:00	BDL	0.7	BDL	9.9	0.1	2.2	6.0	2.0
9/28/2018 11:00	BDL	0.7	BDL	8.3	0.1	2.1	4.0	BDL
9/28/2018 12:00	BDL	0.6	BDL	5.8	BDL	2.2	3.0	BDL
9/28/2018 13:00	BDL	Too few samples	Too few samples	5.5	BDL	2.1	6.0	2.0
9/28/2018 14:00	BDL	0.5	BDL	5.0	0.1	2.0	6.0	2.0
9/28/2018 15:00	BDL	0.5	BDL	3.6	BDL	2.1	5.0	2.0
9/28/2018 16:00	BDL	0.5	BDL	3.4	BDL	2.1	11.0	6.0
9/28/2018 17:00	BDL	0.4	BDL	2.5	BDL	2.1	10.0	8.0
9/28/2018 18:00	BDL	0.6	BDL	7.0	0.1	2.1	10.0	5.0
9/28/2018 19:00	BDL	1.1	BDL	24.1	0.3	2.1	13.0	7.0
9/28/2018 20:00	BDL	0.9	BDL	18.4	0.3	2.1	15.0	8.0
9/28/2018 21:00	BDL	1.0	BDL	24.5	0.3	2.2	14.0	8.0
9/28/2018 22:00	BDL	0.9	BDL	20.7	0.3	2.2	15.0	7.0
9/28/2018 23:00	BDL	0.9	BDL	17.4	0.2	2.2	16.0	7.0
9/29/2018 0:00	BDL	1.0	BDL	23.9	0.2	2.2	17.0	6.0
9/29/2018 1:00	BDL	Calibration	Calibration	16.8	0.2	2.2	15.0	9.0
9/29/2018 2:00	BDL	Calibration	Calibration	15.6	0.2	2.5	18.0	8.0
9/29/2018 3:00	Calibration	1.5	0.5	Calibration	Calibration	3.0	22.0	9.0
9/29/2018 4:00	BDL	1.7	BDL	30.5	0.3	Too few samples	17.0	13.0
9/29/2018 5:00	0.4	1.9	0.7	32.4	0.2	2.5	19.0	11.0
9/29/2018 6:00	0.7	2.7	1.2	48.0	0.2	2.9	17.0	12.0
9/29/2018 7:00	0.8	2.8	1.2	51.6	0.4	3.7	29.0	16.0
9/29/2018 8:00	0.5	2.2	0.9	32.4	0.3	3.3	30.0	12.0
9/29/2018 9:00	0.4	1.7	0.6	16.2	0.2	2.8	23.0	10.0
9/29/2018 10:00	0.4	0.8	BDL	4.8	0.1	2.6	16.0	8.0
9/29/2018 11:00	BDL	0.6	BDL	2.0	BDL	2.4	15.0	5.0
9/29/2018 12:00	BDL	0.7	BDL	1.7	0.0	2.3	8.0	9.0
9/29/2018 13:00	BDL	0.6	BDL	BDL	BDL	2.4	10.0	7.0
9/29/2018 14:00	BDL	0.5	BDL	BDL	BDL	2.5	14.0	6.0
9/29/2018 15:00	BDL	0.6	BDL	0.4	BDL	2.5	20.0	9.0
9/29/2018 16:00	BDL	0.6	BDL	BDL	BDL	2.5	17.0	10.0
9/29/2018 17:00	BDL	0.6	BDL	1.5	0.0	2.5	12.0	8.0
9/29/2018 18:00	BDL	0.6	BDL	1.5	0.0	2.7	13.0	11.0
9/29/2018 19:00	BDL	0.7	BDL	3.7	0.1	2.3	19.0	9.0
9/29/2018 20:00	BDL	0.8	BDL	5.1	0.1	2.5	17.0	8.0
9/29/2018 21:00	BDL	0.8	BDL	8.0	0.1	2.5	16.0	11.0
9/29/2018 22:00	BDL	0.8	BDL	9.1	0.1	2.5	19.0	9.0
9/29/2018 23:00	BDL	1.0	BDL	17.5	0.3	2.5	18.0	11.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Site Downwind Weekly: 9/30/2018-10/6/2018

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
9/30/2018 0:00	BDL	1.0	BDL	15.5	0.2	2.6	21.0	12.0
9/30/2018 1:00	BDL	Calibration	Calibration	19.7	0.3	2.8	21.0	12.0
9/30/2018 2:00	BDL	Calibration	Calibration	17.7	0.3	3.5	25.0	14.0
9/30/2018 3:00	Calibration	0.9	BDL	Calibration	Calibration	3.6	18.0	11.0
9/30/2018 4:00	BDL	1.0	BDL	14.1	0.2	Too few samples	23.0	10.0
9/30/2018 5:00	BDL	0.9	BDL	8.9	0.1	2.6	18.0	12.0
9/30/2018 6:00	BDL	0.9	BDL	10.7	0.1	2.7	18.0	10.0
9/30/2018 7:00	BDL	1.0	BDL	10.6	0.1	3.0	17.0	9.0
9/30/2018 8:00	BDL	0.9	BDL	9.5	0.1	2.4	22.0	17.0
9/30/2018 9:00	1.3	1.0	BDL	13.5	0.1	2.3	18.0	9.0
9/30/2018 10:00	0.6	1.0	BDL	12.7	0.1	2.3	18.0	9.0
9/30/2018 11:00	0.4	1.0	BDL	9.8	0.1	2.3	15.0	8.0
9/30/2018 12:00	BDL	1.0	BDL	7.3	0.1	2.3	16.0	9.0
9/30/2018 13:00	BDL	0.8	BDL	4.7	BDL	2.3	16.0	7.0
9/30/2018 14:00	BDL	0.8	BDL	3.5	BDL	2.2	14.0	5.0
9/30/2018 15:00	0.6	0.9	BDL	6.1	BDL	2.3	15.0	9.0
9/30/2018 16:00	2.2	0.9	BDL	7.8	0.04	2.4	14.0	14.0
9/30/2018 17:00	3.5	1.1	BDL	9.5	0.1	2.5	24.0	11.0
9/30/2018 18:00	1.8	1.0	BDL	12.0	0.1	2.4	16.0	9.0
9/30/2018 19:00	0.7	1.3	BDL	17.8	0.2	2.2	21.0	13.0
9/30/2018 20:00	0.7	1.8	0.5	32.5	0.2	2.3	22.0	10.0
9/30/2018 21:00	0.9	2.2	0.8	29.5	0.2	2.8	22.0	12.0
9/30/2018 22:00	BDL	1.7	0.6	13.7	0.2	2.3	21.0	9.0
9/30/2018 23:00	BDL	1.9	0.9	10.0	0.2	2.7	22.0	10.0
10/1/2018 0:00	BDL	2.4	1.5	15.5	0.2	2.9	16.0	12.0
10/1/2018 1:00	BDL	Calibration	24.3	15.2	0.1	2.8	19.0	10.0
10/1/2018 2:00	BDL	Calibration	28.6	10.7	0.1	2.9	20.0	11.0
10/1/2018 3:00	Calibration	4.0	3.3	Calibration	Calibration	2.7	20.0	12.0
10/1/2018 4:00	BDL	3.7	2.8	15.0	0.1	Too few samples	18.0	13.0
10/1/2018 5:00	BDL	3.7	2.6	20.9	0.2	2.3	18.0	13.0
10/1/2018 6:00	BDL	4.0	2.6	44.1	0.3	2.4	27.0	12.0
10/1/2018 7:00	0.4	3.9	2.6	46.6	0.2	2.6	32.0	17.0
10/1/2018 8:00	0.4	3.0	1.8	35.0	0.2	2.5	36.0	17.0
10/1/2018 9:00	0.5	2.2	1.1	19.6	0.2	2.6	26.0	14.0
10/1/2018 10:00	0.6	0.9	BDL	6.2	0.1	2.6	24.0	12.0
10/1/2018 11:00	0.9	1.0	BDL	6.4	0.1	2.5	31.0	14.0
10/1/2018 12:00	1.0	Too few samples	Too few samples	3.9	0.1	2.5	27.0	10.0
10/1/2018 13:00	0.6	BDL	BDL	3.9	0.1	2.5	25.0	15.0
10/1/2018 14:00	0.6	BDL	BDL	3.2	0.1	2.4	33.0	9.0
10/1/2018 15:00	0.6	BDL	BDL	3.6	0.1	2.4	27.0	12.0
10/1/2018 16:00	0.7	BDL	BDL	4.2	0.1	2.5	22.0	9.0
10/1/2018 17:00	0.4	BDL	BDL	5.8	0.1	2.3	19.0	9.0
10/1/2018 18:00	BDL	0.6	BDL	15.9	0.2	2.2	20.0	12.0
10/1/2018 19:00	BDL	0.5	BDL	5.1	0.2	2.1	20.0	12.0
10/1/2018 20:00	BDL	0.7	BDL	17.2	0.1	2.2	24.0	13.0
10/1/2018 21:00	BDL	0.7	BDL	5.3	0.1	2.2	22.0	11.0
10/1/2018 22:00	BDL	0.9	BDL	12.8	0.2	2.2	18.0	13.0
10/1/2018 23:00	BDL	1.3	BDL	16.4	0.2	2.2	17.0	13.0
10/2/2018 0:00	BDL	1.4	0.4	11.1	0.1	2.8	18.0	10.0
10/2/2018 1:00	BDL	Calibration	Calibration	7.1	0.1	3.0	21.0	9.0
10/2/2018 2:00	BDL	Calibration	Calibration	3.6	0.1	2.8	23.0	10.0
10/2/2018 3:00	Calibration	1.5	0.8	Calibration	Calibration	2.6	18.0	14.0
10/2/2018 4:00	BDL	1.5	0.6	8.4	0.1	2.5	16.0	14.0
10/2/2018 5:00	BDL	1.6	0.6	17.6	0.1	2.2	18.0	10.0
10/2/2018 6:00	BDL	1.7	0.7	19.7	0.2	2.1	19.0	8.0
10/2/2018 7:00	BDL	2.0	0.7	34.0	0.2	2.3	26.0	7.0
10/2/2018 8:00	BDL	2.0	0.8	28.0	0.1	2.7	29.0	12.0
10/2/2018 9:00	BDL	1.7	0.8	13.9	0.1	2.6	17.0	14.0
10/2/2018 10:00	0.4	1.3	0.4	7.5	0.1	2.5	27.0	9.0
10/2/2018 11:00	BDL	1.0	BDL	5.1	0.1	2.3	30.0	11.0
10/2/2018 12:00	BDL	0.9	BDL	4.2	0.1	2.3	38.0	12.0
10/2/2018 13:00	BDL	1.0	BDL	2.9	0.1	2.5	34.0	7.0
10/2/2018 14:00	BDL	1.0	BDL	4.2	0.1	2.5	32.0	13.0
10/2/2018 15:00	BDL	1.0	BDL	5.2	0.1	2.4	27.0	11.0
10/2/2018 16:00	BDL	0.9	BDL	4.3	0.1	2.5	27.0	11.0
10/2/2018 17:00	BDL	1.0	BDL	5.8	0.1	2.5	22.0	11.0
10/2/2018 18:00	BDL	0.9	BDL	4.8	0.1	2.5	18.0	14.0
10/2/2018 19:00	BDL	1.0	BDL	7.4	0.1	2.6	23.0	15.0
10/2/2018 20:00	BDL	1.3	BDL	5.0	0.1	2.6	19.0	10.0
10/2/2018 21:00	BDL	1.1	BDL	5.3	0.1	2.6	22.0	17.0
10/2/2018 22:00	BDL	1.5	0.5	9.0	0.1	2.7	24.0	14.0
10/2/2018 23:00	BDL	0.9	BDL	2.6	BDL	2.2	6.0	8.0
10/3/2018 0:00	BDL	1.0	BDL	5.9	0.04	2.1	9.0	6.0
10/3/2018 1:00	BDL	Calibration	Calibration	9.9	0.04	2.1	10.0	4.0
10/3/2018 2:00	BDL	Calibration	Calibration	17.1	0.1	2.3	11.0	9.0
10/3/2018 3:00	Calibration	1.5	0.6	Calibration	Calibration	2.4	13.0	8.0
10/3/2018 4:00	BDL	1.5	BDL	25.8	0.2	2.3	15.0	7.0
10/3/2018 5:00	BDL	1.9	0.5	46.8	0.3	2.9	18.0	11.0
10/3/2018 6:00	1.0	3.0	1.2	78.8	0.4	3.5	34.0	13.0
10/3/2018 7:00	0.8	2.8	1.2	64.1	0.4	3.6	39.0	21.0
10/3/2018 8:00	0.5	2.1	0.9	41.2	0.4	3.4	36.0	15.0
10/3/2018 9:00	BDL	0.6	BDL	14.0	0.1	4.5	BDL	BDL
10/3/2018 10:00	BDL	BDL	BDL	6.9	0.1	15.1	13.0	BDL
10/3/2018 11:00	BDL	BDL	BDL	3.8	analyzer malfunction	2.4	14.0	8.0
10/3/2018 12:00	BDL	BDL	BDL	0.9	analyzer malfunction	2.4	12.0	8.0
10/3/2018 13:00	BDL	BDL	BDL	1.9	analyzer malfunction	2.3	15.0	13.0
10/3/2018 14:00	BDL	BDL	BDL	0.7	analyzer malfunction	2.3	14.0	9.0
10/3/2018 15:00	BDL	BDL	BDL	1.5	analyzer malfunction	2.3	11.0	7.0
10/3/2018 16:00	BDL	BDL	BDL	0.5	analyzer malfunction	2.3	18.0	11.0
10/3/2018 17:00	BDL	BDL	BDL	1.2	analyzer malfunction	2.5	18.0	7.0
10/3/2018 18:00	BDL	BDL	BDL	2.0	analyzer malfunction	2.7	12.0	7.0
10/3/2018 19:00	BDL	BDL	BDL	10.9	analyzer malfunction	2.9	21.0	8.0
10/3/2018 20:00	BDL	BDL	BDL	18.4	analyzer malfunction	2.2	18.0	9.0
10/3/2018 21:00	BDL	BDL	BDL	14.5	analyzer malfunction	2.1	22.0	8.0
10/3/2018 22:00	BDL	BDL	BDL	18.3	analyzer malfunction	2.2	18.0	8.0
10/3/2018 23:00	BDL	BDL	BDL	14.9	analyzer malfunction	2.3	14.0	9.0
10/4/2018 0:00	BDL	BDL	BDL	21.4	analyzer malfunction	2.7	31.0	11.0
10/4/2018 1:00	BDL	Calibration	Calibration	27.4	analyzer malfunction	2.6	21.0	14.0
10/4/2018 2:00	BDL	Calibration	Calibration	26.5	Calibration	2.5	28.0	12.0
10/4/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.5	21.0	13.0
10/4/2018 4:00	BDL	BDL	BDL	22.3	analyzer malfunction	2.4	26.0	11.0
10/4/2018 5:00	BDL	BDL	BDL	16.7	analyzer malfunction	2.2	26.0	17.0
10/4/2018 6:00	BDL	BDL	BDL	18.9	analyzer malfunction	2.2	22.0	13.0
10/4/2018 7:00	BDL	Too few samples	Too few samples	26.7	Too few samples	2.4	18.0	13.0
10/4/2018 8:00	BDL	Calibration	Calibration	33.8	0.2	2.2	19.0	9.0
10/4/2018 9:00	BDL	1.0	1.1	20.3	0.2	2.6	18.0	14.0
10/4/2018 10:00	0.5	1.7	1.5	24.4	0.2	2.6	29.0	14.0
10/4/2018 11:00	0.7	1.7	1.8	18.0	0.2	2.7	27.0	11.0
10/4/2018 12:00	0.9	1.4	1.4	14.5	0.2	2.6	27.0	14.0
10/4/2018 13:00	1.1	0.9	0.9	10.2	0.1	2.6	32.0	13.0
10/4/2018 14:00	0.8	0.6	0.6	7.3	0.1	2.5	27.0	13.0
10/4/2018 15:00	1.2	0.5	0.4	7.5	0.1	2.4	32.0	14.0
10/4/2018 16:00	1.4	0.5	0.5	6.3	0.1	2.5	29.0	16.0
10/4/2018 17:00	1.2	0.5	0.5	10.4	0.1	2.5	35.0	12.0
10/4/2018 18:00	0.4	0.6	0.7	10.6	0.2	2.6	28.0	20.0
10/4/2018 19:00	BDL	0.6	0.6	14.0	0.3	2.6	29.0	16.0
10/4/2018 20:00	BDL	0.9	0.8	21.1	0.3	2.5	32.0	20.0
10/4/2018 21:00	BDL	0.7	0.7	11.4	0.2	2.9	22.0	17.0
10/4/2018 22:00	BDL	0.5	0.6	4.5	0.2	2.9	22.0	13.0
10/4/2018 23:00	BDL	0.5	0.5	6.4	0.2	3.1	24.0	12.0
10/5/2018 0:00	BDL	0.5	0.5	5.9	0.2	2.5	23.0	14.0
10/5/2018 1:00	BDL	Calibration	Calibration	2.2	0.1	2.1	12.0	11.0
10/5/2018 2:00	BDL	Calibration	Calibration	3.3	BDL	2.1	11.0	7.0
10/5/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.1	10.0	4.0
10/5/2018 4:00	BDL	BDL	BDL	5.7	BDL	2.2	10.0	5.0
10/5/2018 5:00	BDL	BDL	BDL	8.7	0.1	2.2	17.0	4.0
10/5/2018 6:00	BDL	BDL	BDL	11.3	0.1	2.1	13.0	6.0
10/5/2018 7:00	BDL	BDL	BDL	10.1	0.04	2.1	14.0	5.0
10/5/2018 8:00	BDL	BDL	BDL	12.1	0.1	2.2	17.0	2.0
10/5/2018 9:00	BDL	BDL	BDL	14.0	0.1	2.1	17.0	2.0
10/5/2018 10:00	BDL	0.4	BDL	14.5	0.1	2.1	25.0	7.0
10/5/2018 11:00	0.4	0.5	BDL	19.2	0.1	2.2	27.0	11.0
10/5/2018 12:00	0.5	0.5	BDL	24.0	0.1	2.2	24.0	7.0
10/5/2018 13:00	0.4	0.6	BDL	21.9	0.1	2.2	20.0	7.0
10/5/2018 14:00	BDL	0.5	BDL	20.0	0.2	2.2	32.0	7.0
10/5/2018 15:00	BDL	0.5	0.4	22.4	0.2	2.2	22.0	7.0
10/5/2018 16:00	BDL	0.5	BDL	15.5	0.2	2.1	22.0	7.0
10/5/2018 17:00	BDL	0.4	BDL	8.3	0.1	2.1	18.0	6.0
10/5/2018 18:00	BDL	BDL	BDL	9.8	0.1	2.1	24.0	4.0
10/5/2018 19:00	BDL	0.4	BDL	18.0	0.2	2.1	19.0	9.0
10/5/2018 20:00	BDL	0.4	BDL	14.0	0.1	2.0	19.0	6.0
10/5/2018 21:00	BDL	BDL	BDL	7.4	0.1	2.0	30.0	7.0
10/5/2018 22:00	BDL	BDL	BDL	8.1	0.1	2.0	29.0	6.0
10/5/2018 23:00	BDL	BDL	BDL	6.6	0.04	2.0	27.0	5.0
10/6/2018 0:00	BDL	BDL	BDL	7.7	0.1	2.0	26.0	7.0
10/6/2018 1:00	BDL	Calibration	Calibration	7.2	0.04	2.0	16.0	12.0
10/6/2018 2:00	BDL	Calibration	Calibration	4.2	BDL	2.0	22.0	7.0
10/6/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.0	19.0	4.0
10/6/2018 4:00	BDL	BDL	BDL	8.0	0.1	2.1	21.0	8.0
10/6/2018 5:00	BDL	BDL	BDL	10.1	0.1	2.0	21.0	7.0
10/6/2018 6:00	BDL	BDL	BDL	15.6	0.1	2.0	17.0	5.0
10/6/2018 7:00	BDL	BDL	BDL	11.3	0.1	2.0	15.0	2.0
10/6/2018 8:00	BDL	0.4	BDL	11.5	0.1	2.0	15.0	4.0
10/6/2018 9:00	BDL	BDL	BDL	8.7	0.1	2.0	15.0	6.0
10/6/2018 10:00	BDL	BDL	BDL	8.2	0.1	2.0	13.0	7.0
10/6/2018 11:00	BDL	BDL	BDL	5.6	0.1	2.0	13.0	3.0
10/6/2018 12:00	BDL	BDL	BDL	4.1	0.1	2.0	14.0	3.0
10/6/2018 13:00	BDL	BDL	BDL	5.0	0.1	2.0	10.0	4.0
10/6/2018 14:00	BDL	BDL	BDL	4.2	0.1	2.0	9.0	4.0
10/6/2018 15:00	BDL	BDL	BDL	10.3	0.1	2.1	16.0	6.0
10/6/2018 16:00	BDL	BDL	BDL	5.2	0.1	2.0	18.0	6.0
10/6/2018 17:00	BDL	BDL	BDL	5.8	0.1	2.0	13.0	6.0
10/6/2018 18:00	BDL	0.5	0.5	11.7	0.1	2.0	26.0	9.0
10/6/2018 19:00	BDL	0.6	0.6	10.5	0.1	2.0	21.0	7.0
10/6/2018 20:00	BDL	0.7	0.6	11.5	0.1	2.2	21.0	8.0
10/6/2018 21:00	BDL	0.6	0.7	9.2	0.1	2.3	17.0	8.0
10/6/2018 22:00	BDL	0.6	0.6	5.7	0.1	2.0	16.0	6.0
10/6/2018 23:00	BDL	0.5	0.6	5.4	0.2	2.0	17.0	4.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 10/7/2018-10/13/2018								
10/7/2018 0:00	BDL	0.5	0.5	7.0	0.1	2.3	11.0	5.0
10/7/2018 1:00	BDL	Calibration	Calibration	6.2	0.1	2.2	16.0	6.0
10/7/2018 2:00	BDL	Calibration	Calibration	12.0	0.1	2.6	18.0	5.0
10/7/2018 3:00	Calibration	0.5	0.6	Calibration	Calibration	3.2	19.0	4.0
10/7/2018 4:00	BDL	0.4	0.5	5.6	0.1	2.5	16.0	7.0
10/7/2018 5:00	BDL	0.6	0.7	6.1	0.1	2.8	13.0	8.0
10/7/2018 6:00	BDL	0.7	0.7	8.5	0.1	2.7	25.0	10.0
10/7/2018 7:00	0.5	0.6	0.6	9.7	0.1	3.0	14.0	7.0
10/7/2018 8:00	0.5	0.6	0.6	13.1	0.1	2.8	22.0	6.0
10/7/2018 9:00	0.5	0.6	0.7	11.6	0.1	2.5	26.0	8.0
10/7/2018 10:00	0.5	0.5	0.5	6.7	0.1	2.5	21.0	13.0
10/7/2018 11:00	0.5	0.4	0.4	10.0	0.1	2.5	27.0	11.0
10/7/2018 12:00	0.6	0.4	0.4	6.3	0.1	2.4	24.0	11.0
10/7/2018 13:00	0.5	BDL	BDL	6.0	0.1	2.4	18.0	12.0
10/7/2018 14:00	0.4	BDL	BDL	4.7	0.1	2.4	18.0	9.0
10/7/2018 15:00	0.4	BDL	BDL	3.4	0.1	2.4	16.0	12.0
10/7/2018 16:00	BDL	BDL	BDL	5.5	0.1	2.4	18.0	13.0
10/7/2018 17:00	BDL	BDL	BDL	7.1	0.2	2.2	25.0	13.0
10/7/2018 18:00	BDL	0.4	BDL	12.8	0.3	2.2	21.0	17.0
10/7/2018 19:00	BDL	0.6	0.5	25.2	0.4	2.4	24.0	17.0
10/7/2018 20:00	BDL	0.7	0.5	30.9	0.4	2.6	28.0	20.0
10/7/2018 21:00	BDL	0.7	0.4	33.6	0.6	3.9	36.0	20.0
10/7/2018 22:00	BDL	1.1	0.7	41.9	0.7	4.2	35.0	20.0
10/7/2018 23:00	BDL	0.6	0.4	29.0	0.4	2.7	28.0	16.0
10/8/2018 0:00	BDL	0.5	BDL	24.4	0.5	3.4	29.0	24.0
10/8/2018 1:00	BDL	Calibration	Calibration	26.8	0.4	2.4	26.0	18.0
10/8/2018 2:00	BDL	Calibration	Calibration	32.2	0.3	2.4	33.0	18.0
10/8/2018 3:00	Calibration	0.9	0.7	Calibration	Calibration	3.3	33.0	16.0
10/8/2018 4:00	0.4	1.4	1.0	45.6	0.4	2.9	31.0	20.0
10/8/2018 5:00	0.6	1.3	1.0	49.2	0.6	3.0	36.0	21.0
10/8/2018 6:00	0.4	0.9	0.6	36.8	0.4	2.7	33.0	20.0
10/8/2018 7:00	BDL	1.1	0.8	33.8	0.4	3.3	33.0	22.0
10/8/2018 8:00	BDL	1.0	0.7	26.2	0.4	2.7	36.0	24.0
10/8/2018 9:00	BDL	0.6	0.5	22.4	0.3	2.5	38.0	25.0
10/8/2018 10:00	BDL	0.5	0.5	15.6	0.2	2.3	34.0	14.0
10/8/2018 11:00	BDL	BDL	0.4	11.8	0.2	2.1	16.0	12.0
10/8/2018 12:00	BDL	BDL	BDL	14.0	0.2	2.1	21.0	15.0
10/8/2018 13:00	BDL	0.4	0.4	13.0	0.2	2.1	22.0	13.0
10/8/2018 14:00	BDL	0.4	0.4	18.6	0.2	2.1	22.0	14.0
10/8/2018 15:00	BDL	0.4	BDL	17.3	0.2	2.1	21.0	12.0
10/8/2018 16:00	BDL	0.4	0.4	12.2	0.2	2.1	15.0	9.0
10/8/2018 17:00	BDL	0.5	0.5	10.8	0.2	2.1	12.0	5.0
10/8/2018 18:00	BDL	0.4	0.4	7.7	0.2	2.1	8.0	4.0
10/8/2018 19:00	BDL	BDL	0.4	7.6	0.2	2.1	5.0	4.0
10/8/2018 20:00	BDL	0.4	0.4	10.4	0.2	2.1	7.0	6.0
10/8/2018 21:00	BDL	BDL	BDL	8.7	0.2	2.1	9.0	6.0
10/8/2018 22:00	BDL	0.5	0.5	6.2	0.1	2.1	14.0	6.0
10/8/2018 23:00	BDL	0.4	0.4	7.0	0.1	2.1	15.0	7.0
10/9/2018 0:00	BDL	0.4	BDL	7.3	0.1	2.0	15.0	5.0
10/9/2018 1:00	BDL	Calibration	Calibration	7.9	0.1	2.0	21.0	8.0
10/9/2018 2:00	BDL	Calibration	Calibration	6.8	0.1	2.1	24.0	6.0
10/9/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.1	20.0	5.0
10/9/2018 4:00	BDL	BDL	BDL	10.3	0.1	Too few samples	18.0	4.0
10/9/2018 5:00	BDL	BDL	BDL	11.6	0.2	2.1	21.0	5.0
10/9/2018 6:00	BDL	0.7	0.5	34.2	0.3	2.2	27.0	6.0
10/9/2018 7:00	BDL	0.5	0.4	22.7	0.2	2.1	21.0	8.0
10/9/2018 8:00	BDL	0.5	0.4	18.4	0.2	2.1	24.0	8.0
10/9/2018 9:00	BDL	0.5	0.4	15.0	0.2	2.1	24.0	11.0
10/9/2018 10:00	BDL	0.4	0.4	10.1	0.1	2.3	28.0	9.0
10/9/2018 11:00	BDL	0.4	BDL	8.4	0.1	2.2	18.0	9.0
10/9/2018 12:00	BDL	BDL	BDL	4.9	0.1	2.1	18.0	6.0
10/9/2018 13:00	BDL	BDL	BDL	4.2	0.0	2.1	14.0	6.0
10/9/2018 14:00	BDL	BDL	BDL	3.9	0.1	2.1	15.0	8.0
10/9/2018 15:00	BDL	BDL	BDL	7.0	0.1	2.0	19.0	9.0
10/9/2018 16:00	BDL	0.5	0.4	10.3	0.1	2.0	20.0	7.0
10/9/2018 17:00	BDL	0.4	0.4	14.1	0.2	2.0	27.0	11.0
10/9/2018 18:00	BDL	0.4	0.4	17.7	0.2	2.1	22.0	11.0
10/9/2018 19:00	BDL	0.5	0.4	11.9	0.1	2.0	18.0	6.0
10/9/2018 20:00	BDL	0.5	0.5	8.5	0.1	2.0	19.0	4.0
10/9/2018 21:00	BDL	0.7	0.5	14.7	0.1	2.1	15.0	5.0
10/9/2018 22:00	BDL	0.5	0.5	8.7	0.2	2.2	17.0	8.0
10/9/2018 23:00	BDL	0.5	0.5	6.3	0.1	2.1	15.0	6.0
10/10/2018 0:00	BDL	0.6	0.6	6.1	0.1	2.1	18.0	4.0
10/10/2018 1:00	BDL	Calibration	Calibration	14.1	0.1	2.1	9.0	6.0
10/10/2018 2:00	BDL	Calibration	Calibration	11.8	0.1	2.5	19.0	6.0
10/10/2018 3:00	Calibration	0.8	0.7	Calibration	Calibration	2.5	18.0	7.0
10/10/2018 4:00	BDL	0.6	0.5	13.6	0.1	Too few samples	10.0	5.0
10/10/2018 5:00	BDL	0.9	0.8	19.4	0.2	2.3	19.0	8.0
10/10/2018 6:00	BDL	0.6	0.5	20.7	0.2	2.0	17.0	9.0
10/10/2018 7:00	BDL	Audit	Audit	17.6	0.2	2.0	19.0	6.0
10/10/2018 8:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	2.2	34.0	9.0
10/10/2018 9:00	BDL	0.7	0.6	Calibration	0.1	Too few samples	24.0	11.0
10/10/2018 10:00	BDL	0.7	0.7	14.8	0.1	2.4	21.0	11.0
10/10/2018 11:00	BDL	0.5	0.5	9.6	0.1	2.6	21.0	9.0
10/10/2018 12:00	BDL	0.4	0.4	6.1	0.1	2.4	20.0	7.0
10/10/2018 13:00	BDL	0.4	0.4	5.2	BDL	2.4	23.0	5.0
10/10/2018 14:00	BDL	0.4	0.4	4.5	0.04	2.3	22.0	2.0
10/10/2018 15:00	BDL	0.4	0.4	5.3	0.04	2.3	26.0	7.0
10/10/2018 16:00	BDL	0.4	0.4	5.8	0.1	2.1	24.0	6.0
10/10/2018 17:00	BDL	0.4	0.4	7.0	0.1	2.1	28.0	6.0
10/10/2018 18:00	BDL	0.5	0.5	5.9	0.1	2.0	21.0	6.0
10/10/2018 19:00	BDL	0.4	0.4	3.9	0.1	2.0	21.0	6.0
10/10/2018 20:00	BDL	0.6	0.7	4.1	0.1	2.0	17.0	5.0
10/10/2018 21:00	BDL	1.0	1.0	2.8	0.1	1.9	20.0	6.0
10/10/2018 22:00	BDL	1.0	1.1	7.6	0.04	2.1	20.0	6.0
10/10/2018 23:00	BDL	0.9	0.9	2.8	BDL	2.3	17.0	4.0
10/11/2018 0:00	BDL	0.9	0.9	5.2	BDL	2.7	21.0	2.0
10/11/2018 1:00	BDL	Calibration	Calibration	2.1	BDL	2.0	16.0	5.0
10/11/2018 2:00	BDL	Calibration	Calibration	0.8	BDL	2.2	18.0	4.0
10/11/2018 3:00	Calibration	0.8	0.8	Calibration	Calibration	2.6	24.0	6.0
10/11/2018 4:00	BDL	0.8	0.8	8.4	0.1	2.0	22.0	5.0
10/11/2018 5:00	BDL	0.8	0.9	9.1	0.1	2.0	18.0	7.0
10/11/2018 6:00	BDL	0.9	0.9	14.9	0.1	1.9	22.0	6.0
10/11/2018 7:00	BDL	0.8	0.8	10.2	0.1	1.9	27.0	4.0
10/11/2018 8:00	BDL	0.8	0.9	5.9	0.1	2.0	17.0	5.0
10/11/2018 9:00	BDL	0.8	0.9	9.7	BDL	1.9	7.0	6.0
10/11/2018 10:00	BDL	0.7	0.8	6.3	BDL	1.9	5.0	3.0
10/11/2018 11:00	BDL	1.0	1.0	10.4	BDL	2.2	9.0	4.0
10/11/2018 12:00	BDL	0.9	0.9	4.8	BDL	2.4	10.0	8.0
10/11/2018 13:00	BDL	0.7	0.8	5.1	BDL	2.6	16.0	7.0
10/11/2018 14:00	BDL	0.7	0.8	5.5	BDL	2.4	15.0	5.0
10/11/2018 15:00	BDL	0.6	0.6	5.9	BDL	2.3	18.0	14.0
10/11/2018 16:00	BDL	0.6	0.6	6.7	BDL	2.5	15.0	10.0
10/11/2018 17:00	BDL	0.6	0.6	7.3	BDL	2.5	17.0	7.0
10/11/2018 18:00	BDL	0.9	0.8	17.7	0.2	2.9	14.0	8.0
10/11/2018 19:00	BDL	0.7	0.7	9.2	0.1	2.1	18.0	7.0
10/11/2018 20:00	BDL	0.7	0.7	9.0	0.1	2.2	15.0	5.0
10/11/2018 21:00	BDL	0.6	0.6	9.6	0.1	2.0	10.0	3.0
10/11/2018 22:00	BDL	0.7	0.7	9.0	0.1	3.0	7.0	3.0
10/11/2018 23:00	BDL	0.6	0.6	7.0	0.1	2.1	5.0	3.0
10/12/2018 0:00	BDL	0.7	0.7	11.1	0.1	2.3	5.0	3.0
10/12/2018 1:00	BDL	Calibration	Calibration	5.6	0.1	2.1	5.0	3.0
10/12/2018 2:00	BDL	Calibration	Calibration	0.9	0.04	1.9	15.0	3.0
10/12/2018 3:00	Calibration	0.5	0.6	Calibration	Calibration	2.0	16.0	9.0
10/12/2018 4:00	BDL	0.5	0.6	1.0	0.04	Too few samples	21.0	6.0
10/12/2018 5:00	BDL	0.5	0.5	BDL	BDL	2.6	14.0	5.0
10/12/2018 6:00	BDL	0.5	0.5	1.3	BDL	2.7	14.0	6.0
10/12/2018 7:00	BDL	0.5	0.5	8.1	BDL	Too few samples	17.0	8.0
10/12/2018 8:00	BDL	0.5	0.5	3.8	BDL	Too few samples	19.0	8.0
10/12/2018 9:00	BDL	0.5	0.5	2.0	BDL	3.0	15.0	7.0
10/12/2018 10:00	BDL	0.4	0.4	2.4	BDL	2.9	11.0	4.0
10/12/2018 11:00	BDL	0.4	0.4	3.8	BDL	2.8	15.0	3.0
10/12/2018 12:00	BDL	BDL	0.4	0.7	BDL	2.7	12.0	5.0
10/12/2018 13:00	BDL	BDL	BDL	1.1	BDL	2.4	16.0	4.0
10/12/2018 14:00	BDL	0.4	0.4	1.7	BDL	2.5	10.0	4.0
10/12/2018 15:00	BDL	BDL	0.4	0.8	BDL	2.4	7.0	5.0
10/12/2018 16:00	BDL	BDL	0.4	0.7	BDL	2.5	10.0	4.0
10/12/2018 17:00	BDL	BDL	BDL	0.8	BDL	2.3	13.0	4.0
10/12/2018 18:00	BDL	BDL	BDL	1.0	BDL	2.3	11.0	3.0
10/12/2018 19:00	BDL	0.4	0.4	5.4	BDL	2.4	11.0	3.0
10/12/2018 20:00	BDL	0.4	BDL	5.0	BDL	2.4	14.0	5.0
10/12/2018 21:00	BDL	0.4	0.4	4.8	BDL	2.4	18.0	7.0
10/12/2018 22:00	BDL	0.4	0.4	4.1	BDL	2.7	12.0	6.0
10/12/2018 23:00	BDL	0.4	0.4	2.6	BDL	3.6	11.0	3.0
10/13/2018 0:00	BDL	0.4	0.4	2.8	BDL	2.8	9.0	6.0
10/13/2018 1:00	BDL	Calibration	Calibration	1.7	BDL	3.1	12.0	9.0
10/13/2018 2:00	BDL	Calibration	Calibration	3.4	BDL	2.9	13.0	6.0
10/13/2018 3:00	Calibration	0.4	0.4	Calibration	Calibration	2.5	10.0	5.0
10/13/2018 4:00	BDL	0.4	0.4	6.3	BDL	2.9	7.0	4.0
10/13/2018 5:00	BDL	BDL	BDL	1.5	BDL	2.7	7.0	7.0
10/13/2018 6:00	BDL	BDL	BDL	2.6	BDL	2.7	6.0	6.0
10/13/2018 7:00	BDL	BDL	0.4	2.9	BDL	2.6	7.0	6.0
10/13/2018 8:00	BDL	BDL	BDL	2.5	BDL	2.6	8.0	10.0
10/13/2018 9:00	BDL	BDL	BDL	2.3	BDL	2.4	13.0	8.0
10/13/2018 10:00	BDL	BDL	BDL	3.4	BDL	2.5	8.0	4.0
10/13/2018 11:00	BDL	BDL	BDL	2.7	BDL	2.3	6.0	4.0
10/13/2018 12:00	0.4	BDL	BDL	3.7	BDL	2.4	7.0	6.0
10/13/2018 13:00	BDL	BDL	BDL	1.5	BDL	2.3	8.0	5.0
10/13/2018 14:00	BDL	BDL	BDL	1.5	BDL	2.4	7.0	3.0
10/13/2018 15:00	BDL	BDL	BDL	2.6	BDL	2.3	9.0	2.0
10/13/2018 16:00	BDL	BDL	BDL	0.6	BDL	2.3	6.0	2.0
10/13/2018 17:00	BDL	BDL	BDL	2.1	BDL	2.6	4.0	3.0
10/13/2018 18:00	BDL	BDL	BDL	2.3	BDL	2.6	12.0	4.0
10/13/2018 19:00	BDL	0.5	0.4	8.3	BDL	2.4	7.0	4.0
10/13/2018 20:00	BDL	0.4	BDL	7.6	BDL	2.6	12.0	5.0
10/13/2018 21:00	BDL	0.4	BDL	9.8	0.1	2.8	14.0	11.0
10/13/2018 22:00	BDL	BDL	BDL	7.6	0.1	2.9	13.0	11.0
10/13/2018 23:00	BDL	BDL	BDL	9.6	0.1	3.0	15.0	13.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 10/14/2018-10/20/2018								
10/14/2018 0:00	BDL	BDL	BDL	7.0	0.1	2.3	11.0	5.0
10/14/2018 1:00	BDL	Calibration	Calibration	6.2	0.1	2.2	16.0	6.0
10/14/2018 2:00	BDL	Calibration	Calibration	12.0	0.1	2.6	18.0	5.0
10/14/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	3.2	19.0	4.0
10/14/2018 4:00	BDL	BDL	BDL	5.6	0.1	2.5	16.0	7.0
10/14/2018 5:00	BDL	BDL	BDL	6.1	0.1	2.8	13.0	8.0
10/14/2018 6:00	BDL	0.5	BDL	8.5	0.1	2.7	25.0	10.0
10/14/2018 7:00	BDL	0.4	BDL	9.7	0.1	3.0	14.0	7.0
10/14/2018 8:00	BDL	0.5	BDL	13.1	0.1	2.8	22.0	6.0
10/14/2018 9:00	BDL	0.5	BDL	11.6	0.1	2.5	26.0	8.0
10/14/2018 10:00	0.4	0.5	BDL	6.7	0.1	2.5	21.0	13.0
10/14/2018 11:00	BDL	0.4	BDL	10.0	0.1	2.5	27.0	11.0
10/14/2018 12:00	0.4	0.6	BDL	6.3	0.1	2.4	24.0	11.0
10/14/2018 13:00	BDL	0.4	BDL	6.0	0.1	2.4	18.0	12.0
10/14/2018 14:00	0.7	0.6	0.4	4.7	0.1	2.4	18.0	9.0
10/14/2018 15:00	1.9	0.4	BDL	3.4	0.1	2.4	16.0	12.0
10/14/2018 16:00	2.5	0.4	BDL	5.5	0.1	2.4	18.0	13.0
10/14/2018 17:00	1.2	0.5	BDL	7.1	0.2	2.2	25.0	13.0
10/14/2018 18:00	0.7	0.6	BDL	12.8	0.3	2.2	21.0	17.0
10/14/2018 19:00	BDL	0.6	0.4	25.2	0.4	2.4	24.0	17.0
10/14/2018 20:00	BDL	0.7	0.5	30.9	0.4	2.6	28.0	20.0
10/14/2018 21:00	BDL	0.8	0.6	33.6	0.6	3.9	36.0	20.0
10/14/2018 22:00	0.5	1.3	0.8	41.9	0.7	4.2	35.0	20.0
10/14/2018 23:00	BDL	1.0	0.8	29.0	0.4	2.7	28.0	16.0
10/15/2018 0:00	BDL	1.2	1.0	24.4	0.5	3.4	29.0	24.0
10/15/2018 1:00	BDL	Calibration	Calibration	26.8	0.4	2.4	26.0	18.0
10/15/2018 2:00	BDL	Calibration	Calibration	32.2	0.3	2.4	33.0	18.0
10/15/2018 3:00	Calibration	1.1	0.9	Calibration	Calibration	3.3	33.0	16.0
10/15/2018 4:00	BDL	1.1	1.0	45.6	0.4	2.9	31.0	20.0
10/15/2018 5:00	BDL	1.2	1.0	49.2	0.6	3.0	36.0	21.0
10/15/2018 6:00	BDL	1.0	0.8	36.8	0.4	2.7	33.0	20.0
10/15/2018 7:00	BDL	0.9	0.7	33.8	0.4	3.3	33.0	22.0
10/15/2018 8:00	BDL	0.9	0.7	26.2	0.4	2.7	36.0	24.0
10/15/2018 9:00	BDL	0.9	0.8	22.4	0.3	2.5	38.0	25.0
10/15/2018 10:00	BDL	1.2	1.2	15.6	0.2	2.3	34.0	14.0
10/15/2018 11:00	BDL	0.8	0.8	11.8	0.2	2.1	16.0	12.0
10/15/2018 12:00	BDL	0.9	0.8	14.0	0.2	2.1	21.0	15.0
10/15/2018 13:00	BDL	0.7	0.7	13.0	0.2	2.1	22.0	13.0
10/15/2018 14:00	BDL	0.7	0.7	18.6	0.2	2.1	22.0	14.0
10/15/2018 15:00	BDL	0.7	0.6	17.3	0.2	2.1	21.0	12.0
10/15/2018 16:00	BDL	0.6	0.5	12.2	0.2	2.1	15.0	9.0
10/15/2018 17:00	0.4	0.6	0.5	10.8	0.2	2.1	12.0	5.0
10/15/2018 18:00	0.4	0.7	0.6	7.7	0.2	2.1	8.0	4.0
10/15/2018 19:00	0.8	0.7	0.6	7.6	0.2	2.1	5.0	4.0
10/15/2018 20:00	1.1	0.6	0.5	10.4	0.2	2.1	7.0	6.0
10/15/2018 21:00	1.4	0.6	0.5	8.7	0.2	2.1	9.0	6.0
10/15/2018 22:00	2.3	0.7	0.6	6.2	0.1	2.1	14.0	6.0
10/15/2018 23:00	2.6	0.7	0.6	7.0	0.1	2.1	15.0	7.0
10/16/2018 0:00	1.0	BDL	BDL	7.3	0.1	2.0	15.0	5.0
10/16/2018 1:00	0.4	Calibration	Calibration	7.9	0.1	2.0	21.0	8.0
10/16/2018 2:00	BDL	Calibration	Calibration	6.8	0.1	2.1	24.0	6.0
10/16/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.1	20.0	5.0
10/16/2018 4:00	BDL	BDL	BDL	10.3	0.1	Too few samples	18.0	4.0
10/16/2018 5:00	BDL	BDL	BDL	11.6	0.2	2.1	21.0	5.0
10/16/2018 6:00	BDL	BDL	BDL	34.2	0.3	2.2	27.0	6.0
10/16/2018 7:00	BDL	BDL	BDL	22.7	0.2	2.1	21.0	8.0
10/16/2018 8:00	BDL	BDL	BDL	18.4	0.2	2.1	24.0	8.0
10/16/2018 9:00	BDL	BDL	BDL	15.0	0.2	2.1	24.0	11.0
10/16/2018 10:00	BDL	BDL	BDL	10.1	0.1	2.3	28.0	9.0
10/16/2018 11:00	BDL	BDL	BDL	8.4	0.1	2.2	18.0	9.0
10/16/2018 12:00	BDL	BDL	BDL	4.9	0.1	2.1	18.0	6.0
10/16/2018 13:00	BDL	BDL	BDL	4.2	0.0	2.1	14.0	6.0
10/16/2018 14:00	2.0	0.4	BDL	3.9	0.1	2.1	15.0	8.0
10/16/2018 15:00	1.9	BDL	BDL	7.0	0.1	2.0	19.0	9.0
10/16/2018 16:00	0.9	BDL	BDL	10.3	0.1	2.0	20.0	7.0
10/16/2018 17:00	BDL	0.4	BDL	14.1	0.2	2.0	27.0	11.0
10/16/2018 18:00	BDL	BDL	BDL	17.7	0.2	2.1	22.0	11.0
10/16/2018 19:00	BDL	BDL	BDL	11.9	0.1	2.0	18.0	6.0
10/16/2018 20:00	0.6	0.5	BDL	8.5	0.1	2.0	19.0	4.0
10/16/2018 21:00	1.8	0.8	0.5	14.7	0.1	2.1	15.0	5.0
10/16/2018 22:00	1.2	1.4	1.2	8.7	0.2	2.2	17.0	8.0
10/16/2018 23:00	2.5	1.3	1.1	6.3	0.1	2.1	15.0	6.0
10/17/2018 0:00	3.2	1.1	0.9	6.1	0.1	2.1	18.0	4.0
10/17/2018 1:00	2.8	Calibration	Calibration	14.1	0.1	2.1	9.0	6.0
10/17/2018 2:00	1.1	Calibration	Calibration	11.8	0.1	2.5	19.0	6.0
10/17/2018 3:00	Calibration	1.3	1.2	Calibration	Calibration	2.5	18.0	7.0
10/17/2018 4:00	2.4	1.2	1.0	13.6	0.1	Too few samples	10.0	5.0
10/17/2018 5:00	0.6	1.0	0.9	19.4	0.2	2.3	19.0	8.0
10/17/2018 6:00	0.5	0.6	0.5	20.7	0.2	2.0	17.0	9.0
10/17/2018 7:00	2.2	0.8	0.7	17.6	0.2	2.0	19.0	6.0
10/17/2018 8:00	3.0	1.3	1.0	Calibration	Calibration	2.2	34.0	9.0
10/17/2018 9:00	3.7	1.4	1.2	Calibration	0.1	Too few samples	24.0	11.0
10/17/2018 10:00	2.4	1.1	1.0	14.8	0.1	2.4	21.0	11.0
10/17/2018 11:00	2.1	0.7	0.4	9.6	0.1	2.6	21.0	9.0
10/17/2018 12:00	2.0	0.6	0.4	6.1	0.1	2.4	20.0	7.0
10/17/2018 13:00	1.3	0.5	0.4	5.2	BDL	2.4	23.0	5.0
10/17/2018 14:00	1.4	0.5	0.4	4.5	0.04	2.3	22.0	2.0
10/17/2018 15:00	1.1	0.5	0.4	5.3	0.04	2.3	26.0	7.0
10/17/2018 16:00	0.7	0.5	0.4	5.8	0.1	2.1	24.0	6.0
10/17/2018 17:00	0.4	BDL	BDL	7.0	0.1	2.1	28.0	6.0
10/17/2018 18:00	BDL	BDL	BDL	5.9	0.1	2.0	21.0	6.0
10/17/2018 19:00	BDL	BDL	BDL	3.9	0.1	2.0	21.0	6.0
10/17/2018 20:00	BDL	BDL	BDL	4.1	0.1	2.0	17.0	5.0
10/17/2018 21:00	BDL	BDL	BDL	2.8	0.1	1.9	20.0	6.0
10/17/2018 22:00	BDL	BDL	BDL	7.6	0.04	2.1	20.0	6.0
10/17/2018 23:00	BDL	BDL	BDL	2.8	BDL	2.3	17.0	4.0
10/18/2018 0:00	BDL	BDL	BDL	5.2	BDL	2.7	21.0	2.0
10/18/2018 1:00	BDL	Calibration	Calibration	2.1	BDL	2.0	16.0	5.0
10/18/2018 2:00	BDL	Calibration	Calibration	0.8	BDL	2.2	18.0	4.0
10/18/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.6	24.0	6.0
10/18/2018 4:00	BDL	BDL	BDL	8.4	0.1	2.0	22.0	5.0
10/18/2018 5:00	BDL	BDL	BDL	9.1	0.1	2.0	18.0	7.0
10/18/2018 6:00	BDL	0.5	BDL	14.9	0.1	1.9	22.0	6.0
10/18/2018 7:00	BDL	0.6	0.4	10.2	0.1	1.9	27.0	4.0
10/18/2018 8:00	BDL	0.5	BDL	5.9	0.1	2.0	17.0	5.0
10/18/2018 9:00	BDL	BDL	BDL	9.7	BDL	1.9	7.0	6.0
10/18/2018 10:00	BDL	BDL	BDL	6.3	BDL	1.9	5.0	3.0
10/18/2018 11:00	BDL	BDL	BDL	10.4	BDL	2.2	9.0	4.0
10/18/2018 12:00	BDL	BDL	BDL	4.8	BDL	2.4	10.0	8.0
10/18/2018 13:00	BDL	BDL	BDL	5.1	BDL	2.6	16.0	7.0
10/18/2018 14:00	BDL	BDL	BDL	5.5	BDL	2.4	15.0	5.0
10/18/2018 15:00	BDL	BDL	BDL	5.9	BDL	2.3	18.0	14.0
10/18/2018 16:00	BDL	BDL	BDL	6.7	BDL	2.5	15.0	10.0
10/18/2018 17:00	BDL	BDL	BDL	7.3	BDL	2.5	17.0	7.0
10/18/2018 18:00	BDL	BDL	BDL	17.7	0.2	2.9	14.0	8.0
10/18/2018 19:00	BDL	BDL	BDL	9.2	0.1	2.1	18.0	7.0
10/18/2018 20:00	1.0	BDL	BDL	9.0	0.1	2.2	15.0	5.0
10/18/2018 21:00	0.5	BDL	BDL	9.6	0.1	2.0	10.0	3.0
10/18/2018 22:00	BDL	0.6	0.5	9.0	0.1	3.0	7.0	3.0
10/18/2018 23:00	BDL	0.8	0.6	7.0	0.1	2.1	5.0	3.0
10/19/2018 0:00	BDL	0.6	0.4	11.1	0.1	2.3	5.0	3.0
10/19/2018 1:00	BDL	Calibration	Calibration	5.6	0.1	2.1	5.0	3.0
10/19/2018 2:00	BDL	Calibration	Calibration	0.9	0.04	1.9	15.0	3.0
10/19/2018 3:00	Calibration	0.7	0.5	Calibration	Calibration	2.0	16.0	9.0
10/19/2018 4:00	BDL	1.7	1.2	1.0	0.04	Too few samples	21.0	6.0
10/19/2018 5:00	0.8	1.6	0.8	BDL	BDL	2.6	14.0	5.0
10/19/2018 6:00	1.6	3.0	1.7	1.3	BDL	2.7	14.0	6.0
10/19/2018 7:00	1.8	2.8	1.7	8.1	BDL	Too few samples	17.0	8.0
10/19/2018 8:00	2.1	3.1	1.8	3.8	BDL	Too few samples	19.0	8.0
10/19/2018 9:00	3.3	1.9	1.4	2.0	BDL	3.0	15.0	7.0
10/19/2018 10:00	2.8	1.9	1.5	2.4	BDL	2.9	11.0	4.0
10/19/2018 11:00	3.2	1.1	0.9	3.8	BDL	2.8	15.0	3.0
10/19/2018 12:00	1.9	0.4	BDL	0.7	BDL	2.7	12.0	5.0
10/19/2018 13:00	1.8	BDL	BDL	1.1	BDL	2.4	16.0	4.0
10/19/2018 14:00	3.6	BDL	BDL	1.7	BDL	2.5	10.0	4.0
10/19/2018 15:00	1.5	BDL	BDL	0.8	BDL	2.4	7.0	5.0
10/19/2018 16:00	1.1	0.4	BDL	0.7	BDL	2.5	10.0	4.0
10/19/2018 17:00	0.7	0.4	BDL	0.8	BDL	2.3	13.0	4.0
10/19/2018 18:00	0.5	0.6	BDL	1.0	BDL	2.3	11.0	3.0
10/19/2018 19:00	0.4	0.7	0.5	5.4	BDL	2.4	11.0	3.0
10/19/2018 20:00	BDL	0.8	0.8	5.0	BDL	2.4	14.0	5.0
10/19/2018 21:00	BDL	0.8	0.7	4.8	BDL	2.4	18.0	7.0
10/19/2018 22:00	0.4	0.8	0.7	4.1	BDL	2.7	12.0	6.0
10/19/2018 23:00	BDL	0.9	0.8	2.6	BDL	3.6	11.0	3.0
10/20/2018 0:00	BDL	0.7	0.7	2.8	BDL	2.8	9.0	6.0
10/20/2018 1:00	BDL	Calibration	Calibration	1.7	BDL	3.1	12.0	9.0
10/20/2018 2:00	BDL	Calibration	Calibration	3.4	BDL	2.9	13.0	6.0
10/20/2018 3:00	Calibration	1.0	1.0	Calibration	Calibration	2.5	10.0	5.0
10/20/2018 4:00	BDL	1.0	1.0	6.3	BDL	2.9	7.0	4.0
10/20/2018 5:00	BDL	0.9	0.9	1.5	BDL	2.7	7.0	7.0
10/20/2018 6:00	BDL	0.7	0.7	2.6	BDL	2.7	6.0	6.0
10/20/2018 7:00	0.5	0.7	0.6	2.9	BDL	2.6	7.0	6.0
10/20/2018 8:00	1.3	0.6	0.5	2.5	BDL	2.6	8.0	10.0
10/20/2018 9:00	1.2	0.6	0.5	2.3	BDL	2.4	13.0	8.0
10/20/2018 10:00	2.1	0.6	0.6	3.4	BDL	2.5	8.0	4.0
10/20/2018 11:00	2.6	0.6	0.6	2.7	BDL	2.3	6.0	4.0
10/20/2018 12:00	2.3	0.6	0.6	3.7	BDL	2.4	7.0	6.0
10/20/2018 13:00	1.3	0.5	0.5	1.5	BDL	2.3	8.0	5.0
10/20/2018 14:00	1.5	0.5	0.5	1.5	BDL	2.4	7.0	3.0
10/20/2018 15:00	1.4	0.6	0.5	2.6	BDL	2.3	9.0	2.0
10/20/2018 16:00	0.6	0.5	0.5	0.6	BDL	2.3	6.0	2.0
10/20/2018 17:00	0.4	0.5	0.5	2.1	BDL	2.6	4.0	3.0
10/20/2018 18:00	0.6	0.4	0.4	2.3	BDL	2.6	12.0	4.0
10/20/2018 19:00	1.0	0.4	0.5	8.3	BDL	2.4	7.0	4.0
10/20/2018 20:00	1.1	1.3	1.0	7.6	BDL	2.6	12.0	5.0
10/20/2018 21:00	0.8	1.6	1.3	9.8	0.1	2.8	14.0	11.0
10/20/2018 22:00	1.9	1.3	1.1	7.6	0.1	2.9	13.0	11.0
10/20/2018 23:00	0.5	0.4	0.4	9.6	0.1	3.0	15.0	13.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Site Downwind Weekly: 10/21/2018-10/27/2018

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
10/21/2018 0:00	BDL	BDL	BDL	1.3	BDL	2.3	5.0	3.0
10/21/2018 1:00	BDL	Calibration	Calibration	0.4	BDL	2.3	5.0	5.0
10/21/2018 2:00	BDL	Calibration	Calibration	BDL	BDL	2.3	6.0	5.0
10/21/2018 3:00	Calibration	BDL	0.5	Calibration	Calibration	2.2	6.0	3.0
10/21/2018 4:00	BDL	BDL	0.4	BDL	BDL	Too few samples	7.0	6.0
10/21/2018 5:00	BDL	BDL	BDL	BDL	BDL	2.5	6.0	5.0
10/21/2018 6:00	BDL	BDL	BDL	0.4	BDL	2.4	4.0	3.0
10/21/2018 7:00	BDL	BDL	BDL	1.9	BDL	2.4	4.0	6.0
10/21/2018 8:00	BDL	BDL	BDL	2.7	BDL	2.6	5.0	6.0
10/21/2018 9:00	BDL	BDL	BDL	2.1	BDL	2.7	9.0	4.0
10/21/2018 10:00	BDL	BDL	BDL	1.9	BDL	2.7	7.0	2.0
10/21/2018 11:00	BDL	BDL	BDL	0.8	BDL	2.7	7.0	1.0
10/21/2018 12:00	BDL	BDL	BDL	0.8	BDL	2.7	12.0	1.0
10/21/2018 13:00	BDL	BDL	BDL	BDL	BDL	2.6	7.0	2.0
10/21/2018 14:00	BDL	BDL	BDL	BDL	BDL	2.5	8.0	2.0
10/21/2018 15:00	BDL	BDL	BDL	0.5	BDL	2.7	9.0	4.0
10/21/2018 16:00	BDL	BDL	BDL	1.1	BDL	2.7	8.0	5.0
10/21/2018 17:00	BDL	BDL	BDL	1.1	BDL	2.6	10.0	5.0
10/21/2018 18:00	BDL	BDL	BDL	2.4	BDL	2.6	9.0	3.0
10/21/2018 19:00	BDL	BDL	BDL	3.5	BDL	2.5	8.0	4.0
10/21/2018 20:00	BDL	BDL	BDL	3.1	BDL	2.4	8.0	4.0
10/21/2018 21:00	BDL	BDL	BDL	5.3	BDL	2.6	6.0	3.0
10/21/2018 22:00	BDL	BDL	BDL	3.3	BDL	2.4	6.0	8.0
10/21/2018 23:00	BDL	BDL	BDL	17.0	BDL	2.8	10.0	6.0
10/22/2018 0:00	BDL	BDL	BDL	12.5	BDL	2.5	9.0	6.0
10/22/2018 1:00	BDL	Calibration	Calibration	7.6	BDL	2.5	6.0	6.0
10/22/2018 2:00	BDL	Calibration	Calibration	9.5	BDL	2.6	6.0	4.0
10/22/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.7	6.0	5.0
10/22/2018 4:00	BDL	BDL	BDL	10.8	BDL	Too few samples	6.0	3.0
10/22/2018 5:00	BDL	0.4	BDL	12.2	BDL	2.9	12.0	BDL
10/22/2018 6:00	BDL	0.6	0.5	16.1	BDL	2.8	11.0	5.0
10/22/2018 7:00	0.4	0.8	0.6	21.7	BDL	2.9	19.0	6.0
10/22/2018 8:00	1.1	1.0	0.7	22.2	BDL	2.5	25.0	8.0
10/22/2018 9:00	3.5	0.7	0.5	21.0	BDL	2.5	22.0	10.0
10/22/2018 10:00	3.7	0.5	BDL	18.5	BDL	2.4	20.0	14.0
10/22/2018 11:00	2.1	BDL	BDL	10.2	BDL	2.4	22.0	12.0
10/22/2018 12:00	1.3	BDL	BDL	8.0	BDL	2.4	15.0	7.0
10/22/2018 13:00	0.9	BDL	BDL	5.6	BDL	2.3	25.0	7.0
10/22/2018 14:00	0.5	BDL	BDL	4.3	BDL	2.2	18.0	8.0
10/22/2018 15:00	0.5	BDL	BDL	4.9	BDL	2.3	14.0	7.0
10/22/2018 16:00	0.6	BDL	BDL	4.7	BDL	2.3	19.0	6.0
10/22/2018 17:00	0.9	BDL	BDL	4.9	BDL	2.4	16.0	5.0
10/22/2018 18:00	1.5	0.4	BDL	10.7	BDL	2.5	13.0	5.0
10/22/2018 19:00	0.8	BDL	BDL	10.1	BDL	2.4	14.0	7.0
10/22/2018 20:00	BDL	0.4	BDL	8.0	BDL	2.4	12.0	7.0
10/22/2018 21:00	BDL	0.6	0.5	7.7	BDL	2.4	29.0	6.0
10/22/2018 22:00	BDL	0.8	0.6	11.8	BDL	2.2	14.0	6.0
10/22/2018 23:00	BDL	0.6	0.5	12.4	BDL	2.1	14.0	6.0
10/23/2018 0:00	BDL	0.7	0.5	11.6	BDL	2.1	11.0	6.0
10/23/2018 1:00	BDL	Calibration	Calibration	9.7	BDL	2.2	11.0	4.0
10/23/2018 2:00	BDL	Calibration	Calibration	15.8	BDL	2.3	9.0	4.0
10/23/2018 3:00	Calibration	0.5	0.4	Calibration	Calibration	2.2	9.0	4.0
10/23/2018 4:00	BDL	0.7	0.4	14.6	BDL	Too few samples	12.0	10.0
10/23/2018 5:00	BDL	0.9	0.7	20.6	0.1	2.2	21.0	8.0
10/23/2018 6:00	0.5	1.4	1.0	37.3	0.1	2.2	17.0	7.0
10/23/2018 7:00	0.6	1.7	1.2	42.6	0.1	2.2	20.0	9.0
10/23/2018 8:00	0.7	1.9	1.4	39.4	0.1	2.5	25.0	9.0
10/23/2018 9:00	1.2	1.2	0.8	27.7	0.1	3.0	19.0	7.0
10/23/2018 10:00	3.6	0.9	0.6	24.7	0.0	2.7	31.0	10.0
10/23/2018 11:00	6.2	1.0	0.6	29.1	0.1	2.5	33.0	18.0
10/23/2018 12:00	5.2	1.1	0.8	23.1	BDL	2.4	46.0	12.0
10/23/2018 13:00	3.1	0.8	0.7	13.6	BDL	2.6	36.0	10.0
10/23/2018 14:00	3.1	0.6	0.4	9.7	BDL	2.4	50.0	13.0
10/23/2018 15:00	2.8	0.4	0.4	9.2	BDL	2.5	50.0	10.0
10/23/2018 16:00	4.1	0.6	0.4	12.9	BDL	2.4	53.0	10.0
10/23/2018 17:00	1.4	0.4	0.4	11.0	BDL	2.3	33.0	7.0
10/23/2018 18:00	0.5	BDL	BDL	4.8	BDL	2.3	29.0	6.0
10/23/2018 19:00	BDL	BDL	BDL	4.6	BDL	2.6	25.0	11.0
10/23/2018 20:00	BDL	BDL	BDL	4.3	BDL	2.5	22.0	9.0
10/23/2018 21:00	BDL	BDL	BDL	5.2	BDL	2.5	18.0	10.0
10/23/2018 22:00	BDL	BDL	BDL	4.8	BDL	2.5	19.0	9.0
10/23/2018 23:00	BDL	BDL	BDL	3.9	BDL	2.6	19.0	7.0
10/24/2018 0:00	BDL	BDL	BDL	2.3	BDL	2.6	10.0	8.0
10/24/2018 1:00	BDL	Calibration	Calibration	1.5	BDL	2.4	16.0	6.0
10/24/2018 2:00	BDL	Calibration	Calibration	0.8	BDL	2.4	9.0	4.0
10/24/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.4	6.0	5.0
10/24/2018 4:00	BDL	BDL	BDL	1.9	BDL	Too few samples	6.0	6.0
10/24/2018 5:00	BDL	BDL	BDL	3.3	BDL	2.4	19.0	5.0
10/24/2018 6:00	BDL	BDL	BDL	9.0	BDL	2.6	14.0	6.0
10/24/2018 7:00	BDL	Audit	Audit	15.0	BDL	2.5	23.0	5.0
10/24/2018 8:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	2.4	22.0	5.0
10/24/2018 9:00	BDL	BDL	BDL	Calibration	BDL	Too few samples	25.0	5.0
10/24/2018 10:00	BDL	BDL	BDL	9.4	BDL	2.7	51.0	5.0
10/24/2018 11:00	BDL	BDL	BDL	5.7	BDL	2.7	32.0	2.0
10/24/2018 12:00	BDL	BDL	BDL	4.8	BDL	2.6	25.0	BDL
10/24/2018 13:00	BDL	BDL	BDL	4.4	BDL	2.6	26.0	5.0
10/24/2018 14:00	BDL	BDL	BDL	3.4	BDL	2.5	33.0	6.0
10/24/2018 15:00	BDL	BDL	BDL	2.2	BDL	2.6	18.0	6.0
10/24/2018 16:00	BDL	BDL	BDL	3.2	BDL	2.5	16.0	4.0
10/24/2018 17:00	BDL	BDL	BDL	5.6	BDL	2.4	17.0	3.0
10/24/2018 18:00	BDL	BDL	BDL	5.9	BDL	2.2	15.0	9.0
10/24/2018 19:00	BDL	BDL	BDL	6.5	BDL	2.3	14.0	6.0
10/24/2018 20:00	BDL	BDL	BDL	11.0	BDL	2.5	16.0	4.0
10/24/2018 21:00	BDL	BDL	BDL	14.3	BDL	2.9	10.0	7.0
10/24/2018 22:00	BDL	BDL	BDL	12.5	BDL	2.9	10.0	6.0
10/24/2018 23:00	BDL	0.4	BDL	13.6	BDL	2.9	8.0	7.0
10/25/2018 0:00	BDL	BDL	BDL	9.2	BDL	2.5	8.0	7.0
10/25/2018 1:00	BDL	Calibration	Calibration	5.0	BDL	2.7	7.0	5.0
10/25/2018 2:00	BDL	Calibration	Calibration	6.2	BDL	2.7	6.0	4.0
10/25/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.7	9.0	3.0
10/25/2018 4:00	BDL	BDL	BDL	9.3	BDL	Too few samples	7.0	3.0
10/25/2018 5:00	BDL	BDL	BDL	10.8	BDL	2.6	9.0	6.0
10/25/2018 6:00	BDL	0.5	BDL	14.1	BDL	2.5	14.0	7.0
10/25/2018 7:00	BDL	0.6	0.4	19.5	BDL	2.8	15.0	7.0
10/25/2018 8:00	0.4	0.7	0.4	26.0	BDL	2.6	23.0	9.0
10/25/2018 9:00	0.4	BDL	BDL	7.5	BDL	2.5	18.0	9.0
10/25/2018 10:00	BDL	BDL	BDL	6.2	BDL	2.5	Maintenance	Maintenance
10/25/2018 11:00	BDL	BDL	BDL	3.1	BDL	2.4	Maintenance	Maintenance
10/25/2018 12:00	BDL	BDL	BDL	3.2	BDL	2.3	13.0	3.0
10/25/2018 13:00	BDL	BDL	BDL	3.1	BDL	2.4	16.0	3.0
10/25/2018 14:00	BDL	BDL	BDL	3.3	BDL	2.4	15.0	4.0
10/25/2018 15:00	BDL	BDL	BDL	3.0	BDL	2.3	20.0	4.0
10/25/2018 16:00	BDL	BDL	BDL	2.8	BDL	2.4	7.0	2.0
10/25/2018 17:00	BDL	BDL	BDL	5.0	BDL	2.4	16.0	1.0
10/25/2018 18:00	0.4	BDL	BDL	8.8	BDL	2.6	16.0	7.0
10/25/2018 19:00	0.4	BDL	BDL	12.9	0.04	2.5	18.0	9.0
10/25/2018 20:00	BDL	0.5	BDL	17.4	0.1	2.8	19.0	9.0
10/25/2018 21:00	BDL	0.7	BDL	25.8	0.1	3.2	14.0	9.0
10/25/2018 22:00	0.4	0.7	BDL	23.3	0.1	2.6	19.0	6.0
10/25/2018 23:00	0.8	0.4	BDL	16.0	BDL	2.3	17.0	6.0
10/26/2018 0:00	0.6	BDL	BDL	13.6	BDL	2.2	9.0	5.0
10/26/2018 1:00	BDL	Calibration	Calibration	13.5	BDL	2.2	6.0	5.0
10/26/2018 2:00	BDL	Calibration	Calibration	11.2	BDL	2.2	9.0	4.0
10/26/2018 3:00	Calibration	0.6	BDL	Calibration	Calibration	2.3	11.0	6.0
10/26/2018 4:00	BDL	0.5	BDL	19.1	BDL	Too few samples	9.0	6.0
10/26/2018 5:00	BDL	0.5	BDL	21.6	0.1	2.7	16.0	7.0
10/26/2018 6:00	BDL	0.7	BDL	29.5	0.1	3.0	19.0	5.0
10/26/2018 7:00	BDL	0.8	BDL	30.8	0.1	2.1	13.0	4.0
10/26/2018 8:00	BDL	0.8	BDL	32.6	0.1	2.2	31.0	4.0
10/26/2018 9:00	0.4	0.7	BDL	25.9	BDL	2.1	13.0	3.0
10/26/2018 10:00	0.4	0.7	BDL	27.7	0.1	2.2	21.0	8.0
10/26/2018 11:00	0.4	0.7	BDL	29.5	0.1	2.2	34.0	9.0
10/26/2018 12:00	0.4	0.7	BDL	24.9	0.04	2.1	23.0	6.0
10/26/2018 13:00	0.4	0.7	BDL	24.7	BDL	2.1	27.0	3.0
10/26/2018 14:00	0.5	0.6	BDL	23.9	BDL	2.1	21.0	3.0
10/26/2018 15:00	0.4	0.7	BDL	24.4	0.1	2.1	15.0	6.0
10/26/2018 16:00	0.5	0.8	0.4	22.6	0.1	2.2	17.0	6.0
10/26/2018 17:00	0.4	0.7	0.4	17.3	0.1	2.2	16.0	6.0
10/26/2018 18:00	BDL	0.5	BDL	18.7	0.1	2.1	15.0	5.0
10/26/2018 19:00	BDL	0.6	BDL	17.8	0.1	2.1	13.0	3.0
10/26/2018 20:00	BDL	0.5	BDL	15.5	0.1	2.2	15.0	5.0
10/26/2018 21:00	BDL	0.5	BDL	15.8	0.1	2.2	13.0	8.0
10/26/2018 22:00	BDL	0.5	BDL	15.8	0.1	2.1	13.0	8.0
10/26/2018 23:00	BDL	0.4	BDL	6.1	BDL	2.0	9.0	5.0
10/27/2018 0:00	BDL	BDL	BDL	3.4	BDL	2.0	7.0	5.0
10/27/2018 1:00	BDL	Calibration	Calibration	2.9	BDL	2.0	5.0	5.0
10/27/2018 2:00	BDL	Calibration	Calibration	2.4	BDL	2.0	6.0	3.0
10/27/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.0	2.0	1.0
10/27/2018 4:00	BDL	BDL	BDL	2.1	BDL	Too few samples	BDL	BDL
10/27/2018 5:00	BDL	BDL	BDL	1.9	BDL	2.0	6.0	BDL
10/27/2018 6:00	BDL	0.4	0.4	2.4	BDL	1.9	5.0	BDL
10/27/2018 7:00	BDL	0.4	0.4	5.0	BDL	1.9	3.0	BDL
10/27/2018 8:00	BDL	0.6	0.5	7.5	BDL	1.9	3.0	1.0
10/27/2018 9:00	BDL	0.5	0.5	7.2	BDL	1.9	3.0	BDL
10/27/2018 10:00	BDL	0.5	0.4	8.2	BDL	1.9	3.0	BDL
10/27/2018 11:00	BDL	0.6	0.5	10.9	BDL	2.0	4.0	BDL
10/27/2018 12:00	BDL	0.6	0.5	8.4	BDL	1.9	5.0	2.0
10/27/2018 13:00	BDL	0.5	0.4	7.3	BDL	1.9	7.0	2.0
10/27/2018 14:00	BDL	0.5	0.5	8.1	BDL	1.9	7.0	2.0
10/27/2018 15:00	BDL	0.5	0.5	9.6	BDL	1.9	6.0	2.0
10/27/2018 16:00	BDL	0.5	0.5	8.4	BDL	2.1	4.0	3.0
10/27/2018 17:00	BDL	0.5	0.5	5.3	BDL	2.6	2.0	4.0
10/27/2018 18:00	BDL	0.4	0.4	3.5	BDL	2.2	2.0	3.0
10/27/2018 19:00	BDL	0.5	0.5	3.8	BDL	2.8	5.0	3.0
10/27/2018 20:00	BDL	0.5	0.5	5.3	BDL	2.5	7.0	4.0
10/27/2018 21:00	BDL	0.5	0.4	4.4	BDL	2.4	4.0	4.0
10/27/2018 22:00	BDL	0.5	0.5	6.7	BDL	2.3	6.0	2.0
10/27/2018 23:00	1.8	0.6	0.5	9.5	BDL	2.2	15.0	12.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Site Downwind Weekly: 10/28/2018-11/3/2018

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
10/28/2018 0:00	2.4	0.6	0.5	8.3	BDL	2.1	13.0	10.0
10/28/2018 1:00	2.4	Calibration	Calibration	9.8	BDL	2.1	12.0	6.0
10/28/2018 2:00	3.5	Calibration	Calibration	9.3	BDL	2.1	14.0	7.0
10/28/2018 3:00	Calibration	0.7	0.7	Calibration	Calibration	2.5	11.0	10.0
10/28/2018 4:00	1.7	0.6	0.5	9.5	BDL	Too few samples	17.0	11.0
10/28/2018 5:00	3.5	0.6	0.5	12.0	BDL	2.1	16.0	10.0
10/28/2018 6:00	3.3	0.8	0.6	14.5	BDL	2.0	10.0	8.0
10/28/2018 7:00	2.7	0.6	0.5	11.9	BDL	2.3	9.0	5.0
10/28/2018 8:00	2.4	0.7	0.5	14.7	0.04	2.5	12.0	4.0
10/28/2018 9:00	2.0	0.7	0.5	17.5	0.1	2.6	10.0	5.0
10/28/2018 10:00	4.8	0.7	0.5	15.9	BDL	2.2	10.0	11.0
10/28/2018 11:00	4.6	0.6	0.5	10.6	BDL	2.3	13.0	9.0
10/28/2018 12:00	1.5	0.6	0.6	4.0	BDL	2.7	9.0	5.0
10/28/2018 13:00	1.1	0.5	0.5	5.0	BDL	2.6	11.0	4.0
10/28/2018 14:00	3.0	0.6	0.5	10.4	BDL	2.2	10.0	7.0
10/28/2018 15:00	4.0	0.5	0.4	7.5	BDL	2.2	14.0	6.0
10/28/2018 16:00	4.6	0.7	0.6	11.3	0.04	2.3	11.0	5.0
10/28/2018 17:00	4.3	0.5	0.5	9.3	BDL	2.1	14.0	11.0
10/28/2018 18:00	3.3	0.7	0.5	11.4	BDL	2.2	12.0	6.0
10/28/2018 19:00	2.6	0.6	0.5	11.9	0.1	2.5	10.0	4.0
10/28/2018 20:00	1.2	0.8	0.5	22.4	0.1	2.2	9.0	4.0
10/28/2018 21:00	0.7	0.6	0.4	15.6	0.2	2.1	9.0	3.0
10/28/2018 22:00	0.6	0.7	0.5	17.5	0.1	2.3	11.0	9.0
10/28/2018 23:00	0.4	1.2	1.0	21.7	0.2	2.2	10.0	7.0
10/29/2018 0:00	0.4	1.3	1.3	11.5	0.1	2.2	7.0	6.0
10/29/2018 1:00	0.5	Calibration	Calibration	3.1	BDL	2.3	8.0	4.0
10/29/2018 2:00	0.7	Calibration	Calibration	5.0	BDL	2.4	8.0	4.0
10/29/2018 3:00	Calibration	0.8	0.7	Calibration	Calibration	2.4	11.0	11.0
10/29/2018 4:00	4.0	0.7	0.6	11.7	BDL	2.4	23.0	12.0
10/29/2018 5:00	4.5	0.7	0.5	13.1	BDL	2.4	12.0	9.0
10/29/2018 6:00	7.2	0.7	0.5	16.6	BDL	2.3	13.0	9.0
10/29/2018 7:00	3.9	1.1	0.8	23.2	BDL	2.4	9.0	6.0
10/29/2018 8:00	4.1	1.3	0.8	22.2	BDL	2.4	12.0	8.0
10/29/2018 9:00	2.9	1.0	0.9	18.9	BDL	2.3	15.0	8.0
10/29/2018 10:00	2.4	0.8	0.5	13.6	BDL	2.2	13.0	6.0
10/29/2018 11:00	1.1	0.5	0.4	7.1	BDL	2.3	11.0	4.0
10/29/2018 12:00	0.7	0.4	0.4	3.3	BDL	2.5	8.0	2.0
10/29/2018 13:00	0.5	0.4	0.4	5.9	BDL	2.5	11.0	4.0
10/29/2018 14:00	0.7	0.5	0.4	9.1	BDL	2.4	9.0	5.0
10/29/2018 15:00	0.6	0.4	0.4	7.3	BDL	2.3	10.0	2.0
10/29/2018 16:00	0.4	0.4	BDL	7.8	BDL	2.3	10.0	BDL
10/29/2018 17:00	BDL	0.4	BDL	6.0	BDL	2.3	11.0	4.0
10/29/2018 18:00	0.4	0.4	BDL	9.5	BDL	2.4	11.0	4.0
10/29/2018 19:00	0.7	0.4	BDL	9.2	BDL	2.3	10.0	2.0
10/29/2018 20:00	0.6	0.5	BDL	13.0	BDL	2.4	6.0	BDL
10/29/2018 21:00	0.5	0.5	BDL	10.2	BDL	2.4	6.0	2.0
10/29/2018 22:00	BDL	0.4	BDL	6.7	BDL	2.4	7.0	2.0
10/29/2018 23:00	0.4	0.4	BDL	11.4	BDL	2.3	4.0	1.0
10/30/2018 0:00	BDL	0.5	BDL	10.8	BDL	2.6	6.0	6.0
10/30/2018 1:00	0.5	Calibration	Calibration	5.8	BDL	2.1	6.0	5.0
10/30/2018 2:00	0.9	Calibration	Calibration	6.6	BDL	2.1	9.0	5.0
10/30/2018 3:00	Calibration	0.4	BDL	Calibration	Calibration	2.1	12.0	6.0
10/30/2018 4:00	0.7	0.4	BDL	9.9	BDL	2.2	8.0	8.0
10/30/2018 5:00	0.8	0.4	BDL	9.1	BDL	2.2	9.0	6.0
10/30/2018 6:00	0.8	0.5	BDL	14.0	BDL	2.3	11.0	6.0
10/30/2018 7:00	0.8	0.7	0.4	24.4	BDL	2.3	18.0	8.0
10/30/2018 8:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	2.5	22.0	7.0
10/30/2018 9:00	1.0	Calibration	Calibration	12.1	BDL	2.4	17.0	4.0
10/30/2018 10:00	0.5	Calibration	Calibration	2.8	BDL	2.5	8.0	4.0
10/30/2018 11:00	0.4	Calibration	Calibration	1.8	BDL	2.7	10.0	4.0
10/30/2018 12:00	BDL	BDL	BDL	1.9	BDL	2.7	9.0	2.0
10/30/2018 13:00	BDL	BDL	BDL	1.8	BDL	Too few samples	7.0	1.0
10/30/2018 14:00	BDL	BDL	BDL	2.3	BDL	2.7	12.0	2.0
10/30/2018 15:00	BDL	BDL	BDL	1.4	BDL	2.6	7.0	4.0
10/30/2018 16:00	BDL	BDL	BDL	1.7	BDL	2.6	9.0	6.0
10/30/2018 17:00	BDL	BDL	BDL	3.9	BDL	3.0	7.0	4.0
10/30/2018 18:00	BDL	BDL	BDL	8.5	BDL	3.0	18.0	7.0
10/30/2018 19:00	0.8	0.4	BDL	12.2	BDL	2.6	10.0	5.0
10/30/2018 20:00	0.6	0.5	BDL	12.5	BDL	3.0	11.0	5.0
10/30/2018 21:00	0.6	0.6	0.5	20.1	0.2	2.9	12.0	6.0
10/30/2018 22:00	2.5	3.0	1.8	82.5	0.5	3.0	24.0	8.0
10/30/2018 23:00	1.9	2.3	1.4	81.4	0.5	3.3	22.0	10.0
10/31/2018 0:00	1.3	2.4	1.5	66.0	0.5	4.2	20.0	14.0
10/31/2018 1:00	1.2	Calibration	Calibration	59.7	0.3	3.7	18.0	12.0
10/31/2018 2:00	1.5	Calibration	Calibration	82.4	0.5	3.9	30.0	14.0
10/31/2018 3:00	Calibration	3.4	1.9	1.9	Calibration	3.9	23.0	13.0
10/31/2018 4:00	1.6	3.9	2.4	102.1	0.5	3.3	17.0	15.0
10/31/2018 5:00	2.5	4.0	2.2	136.3	0.6	3.3	27.0	18.0
10/31/2018 6:00	2.0	3.2	1.6	111.6	0.5	2.9	24.0	11.0
10/31/2018 7:00	1.6	2.9	1.8	88.7	0.4	2.7	27.0	13.0
10/31/2018 8:00	1.9	3.2	1.8	100.8	0.5	2.7	37.0	10.0
10/31/2018 9:00	1.1	1.7	1.0	49.1	0.2	2.6	32.0	14.0
10/31/2018 10:00	1.2	1.4	0.9	36.2	0.1	2.4	24.0	14.0
10/31/2018 11:00	1.1	1.1	1.0	10.2	BDL	2.4	22.0	8.0
10/31/2018 12:00	1.0	0.8	0.7	8.4	BDL	2.5	21.0	7.0
10/31/2018 13:00	0.7	0.7	0.6	5.8	BDL	2.4	18.0	7.0
10/31/2018 14:00	0.6	0.5	0.5	5.6	BDL	2.3	27.0	8.0
10/31/2018 15:00	0.5	0.4	0.4	5.0	BDL	2.3	16.0	8.0
10/31/2018 16:00	0.4	0.4	0.4	7.8	BDL	2.3	14.0	6.0
10/31/2018 17:00	0.4	0.7	0.5	14.0	BDL	2.4	12.0	5.0
10/31/2018 18:00	0.4	0.9	0.8	10.8	BDL	2.5	14.0	6.0
10/31/2018 19:00	BDL	0.7	0.6	8.0	BDL	2.5	15.0	7.0
10/31/2018 20:00	BDL	0.5	0.5	2.6	BDL	2.3	13.0	9.0
10/31/2018 21:00	0.4	0.5	0.5	2.7	BDL	2.3	16.0	10.0
10/31/2018 22:00	0.5	0.8	0.7	10.7	0.04	2.4	12.0	11.0
10/31/2018 23:00	0.7	1.1	1.0	11.5	0.1	2.6	16.0	8.0
11/1/2018 0:00	1.8	0.9	0.9	11.8	0.04	2.5	15.0	10.0
11/1/2018 1:00	0.7	Calibration	Calibration	19.4	0.1	2.8	17.0	9.0
11/1/2018 2:00	0.6	Calibration	Calibration	31.5	0.1	2.3	20.0	13.0
11/1/2018 3:00	Calibration	1.7	1.4	Calibration	Calibration	2.2	15.0	9.0
11/1/2018 4:00	BDL	2.0	1.8	24.3	0.1	Too few samples	19.0	14.0
11/1/2018 5:00	0.4	2.4	2.2	27.4	0.1	2.7	21.0	11.0
11/1/2018 6:00	0.7	2.6	2.2	32.9	0.2	2.8	24.0	11.0
11/1/2018 7:00	0.6	Too few samples	Too few samples	32.7	0.1	2.8	21.0	11.0
11/1/2018 8:00	1.1	Calibration	Calibration	50.9	0.2	2.6	29.0	15.0
11/1/2018 9:00	1.8	1.4	0.9	44.0	0.2	2.5	36.0	18.0
11/1/2018 10:00	Calibration	1.0	0.7	Calibration	Calibration	2.5	30.0	12.0
11/1/2018 11:00	1.7	0.7	0.5	14.7	0.1	2.4	28.0	15.0
11/1/2018 12:00	1.4	0.6	0.6	9.5	0.1	2.4	23.0	13.0
11/1/2018 13:00	1.1	0.6	0.5	7.6	0.1	2.5	29.0	11.0
11/1/2018 14:00	0.8	0.6	0.5	5.5	0.1	2.4	27.0	11.0
11/1/2018 15:00	0.6	0.6	0.5	5.9	0.1	2.4	28.0	8.0
11/1/2018 16:00	0.6	0.6	0.5	8.3	0.1	2.3	26.0	17.0
11/1/2018 17:00	0.6	0.6	0.5	8.9	0.1	2.2	24.0	12.0
11/1/2018 18:00	0.4	0.6	0.5	9.2	0.1	2.1	16.0	9.0
11/1/2018 19:00	BDL	0.7	0.6	15.3	0.1	2.1	18.0	7.0
11/1/2018 20:00	0.4	0.7	0.5	15.8	0.1	2.1	15.0	7.0
11/1/2018 21:00	0.4	0.7	0.6	12.7	BDL	2.1	13.0	5.0
11/1/2018 22:00	BDL	0.7	0.6	6.7	BDL	2.3	13.0	5.0
11/1/2018 23:00	BDL	0.6	0.6	4.1	BDL	2.1	31.0	4.0
11/2/2018 0:00	BDL	0.8	0.8	1.4	BDL	2.2	13.0	3.0
11/2/2018 1:00	BDL	Calibration	Calibration	3.9	BDL	2.2	13.0	3.0
11/2/2018 2:00	BDL	Calibration	Calibration	9.3	BDL	2.0	14.0	3.0
11/2/2018 3:00	Calibration	0.9	0.9	Calibration	Calibration	2.0	11.0	3.0
11/2/2018 4:00	BDL	0.7	0.7	2.2	BDL	Too few samples	12.0	6.0
11/2/2018 5:00	BDL	0.6	0.7	3.3	BDL	2.0	17.0	7.0
11/2/2018 6:00	BDL	0.9	0.9	9.3	BDL	2.0	9.0	4.0
11/2/2018 7:00	BDL	0.7	0.7	4.2	BDL	2.1	18.0	3.0
11/2/2018 8:00	BDL	0.7	0.8	4.5	BDL	2.1	18.0	7.0
11/2/2018 9:00	BDL	0.7	0.8	3.5	BDL	2.1	17.0	5.0
11/2/2018 10:00	BDL	0.7	0.7	3.6	BDL	2.1	16.0	4.0
11/2/2018 11:00	BDL	0.7	0.7	3.9	BDL	2.1	18.0	3.0
11/2/2018 12:00	BDL	0.6	0.6	3.5	BDL	2.1	Power loss	Power loss
11/2/2018 13:00	Power loss	Power loss	Power loss	Power loss	Power loss	Power loss	Power loss	Power loss
11/2/2018 14:00	Power loss	Power loss	Power loss	Power loss	Power loss	Power loss	Power loss	Power loss
11/2/2018 15:00	Power loss	Power loss	Power loss	Power loss	Power loss	Power loss	Power loss	Power loss
11/2/2018 16:00	Power loss	Power loss	Power loss	Power loss	Power loss	Power loss	Power loss	Power loss
11/2/2018 17:00	BDL	0.9	0.8	10.8	0.1	1.9	21.0	7.0
11/2/2018 18:00	BDL	0.9	0.9	7.1	0.1	1.8	16.0	9.0
11/2/2018 19:00	BDL	0.9	0.9	3.8	0.0	1.8	14.0	5.0
11/2/2018 20:00	BDL	0.9	1.0	4.5	0.1	1.9	12.0	4.0
11/2/2018 21:00	BDL	0.8	0.8	1.4	BDL	1.9	11.0	5.0
11/2/2018 22:00	BDL	0.6	0.6	0.4	BDL	1.9	17.0	4.0
11/2/2018 23:00	BDL	0.7	0.7	6.7	BDL	1.8	21.0	2.0
11/3/2018 0:00	BDL	0.6	0.6	2.3	BDL	2.3	8.0	3.0
11/3/2018 1:00	BDL	Calibration	Calibration	1.7	BDL	2.3	4.0	2.0
11/3/2018 2:00	BDL	Calibration	Calibration	2.0	BDL	3.0	3.0	BDL
11/3/2018 3:00	Calibration	0.6	0.7	Calibration	Calibration	5.0	4.0	1.0
11/3/2018 4:00	BDL	0.6	0.6	1.3	BDL	Too few samples	1.0	1.0
11/3/2018 5:00	BDL	0.6	0.7	1.9	BDL	5.9	2.0	BDL
11/3/2018 6:00	Calibration	0.6	0.6	Calibration	Calibration	2.9	5.0	6.0
11/3/2018 7:00	1.1	0.6	0.6	59.9	0.1	Too few samples	6.0	4.0
11/3/2018 8:00	Too few samples	0.6	0.5	Too few samples	Too few samples	2.0	7.0	6.0
11/3/2018 9:00	Too few samples	0.7	0.6	Too few samples	Too few samples	1.6	7.0	6.0
11/3/2018 10:00	2.1	0.6	0.5	8.9	0.1	1.6	9.0	8.0
11/3/2018 11:00	2.1	0.5	0.4	4.7	0.1	1.7	16.0	6.0
11/3/2018 12:00	1.6	0.4	0.4	3.9	0.1	1.7	16.0	2.0
11/3/2018 13:00	1.8	0.5	0.5	6.2	0.1	1.7	11.0	1.0
11/3/2018 14:00	1.3	0.4	0.4	2.0	0.1	1.8	9.0	2.0
11/3/2018 15:00	1.3	BDL	0.4	0.9	0.1	1.8	7.0	5.0
11/3/2018 16:00	1.2	BDL	BDL	BDL	0.1	1.7	10.0	2.0
11/3/2018 17:00	1.5	BDL	BDL	4.3	0.1	1.7	6.0	4.0
11/3/2018 18:00	2.8	0.4	BDL	9.1	0.1	1.5	16.0	5.0
11/3/2018 19:00	3.4	0.5	0.4	9.7	0.1	1.5	13.0	7.0
11/3/2018 20:00	3.2	0.4	BDL	9.3	0.1	1.5	10.0	8.0
11/3/2018 21:00	2.6	0.4	BDL	10.1	0.1	1.5	11.0	8.0
11/3/2018 22:00	1.8	0.4	BDL	13.1	0.1	1.7	8.0	5.0
11/3/2018 23:00	1.2	0.4	BDL	7.8	0.1	1.9	8.0	6.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 11/04/2018-11/10/2018								
11/4/2018 0:00	1.1	BDL	BDL	5.3	0.1	1.8	9.0	5.0
11/4/2018 1:00	1.0	Calibration	Calibration	2.8	0.1	1.9	6.0	4.0
11/4/2018 2:00	0.9	Calibration	Calibration	4.5	0.1	2.3	3.0	2.0
11/4/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.2	6.0	3.0
11/4/2018 4:00	0.9	BDL	BDL	4.1	0.1	2.1	8.0	3.0
11/4/2018 5:00	0.9	BDL	BDL	5.6	0.1	2.0	11.0	5.0
11/4/2018 6:00	0.9	BDL	BDL	5.1	0.1	2.3	7.0	4.0
11/4/2018 7:00	1.0	0.6	BDL	24.8	0.2	2.9	7.0	3.0
11/4/2018 8:00	1.2	0.8	BDL	33.8	0.2	2.1	7.0	5.0
11/4/2018 9:00	1.2	0.4	BDL	12.8	0.1	1.6	7.0	4.0
11/4/2018 10:00	1.2	BDL	BDL	5.3	0.1	1.5	9.0	3.0
11/4/2018 11:00	1.1	BDL	BDL	3.1	0.1	1.5	7.0	5.0
11/4/2018 12:00	1.1	BDL	BDL	3.6	0.1	1.5	8.0	5.0
11/4/2018 13:00	1.1	BDL	BDL	4.5	0.1	1.5	7.0	5.0
11/4/2018 14:00	1.1	BDL	BDL	5.2	0.1	1.4	10.0	4.0
11/4/2018 15:00	1.1	BDL	BDL	3.8	0.1	1.4	10.0	6.0
11/4/2018 16:00	1.1	BDL	BDL	3.4	0.1	1.5	10.0	7.0
11/4/2018 17:00	1.1	BDL	BDL	4.6	0.2	1.4	9.0	6.0
11/4/2018 18:00	1.3	0.6	BDL	26.3	0.6	1.5	22.0	6.0
11/4/2018 19:00	1.1	1.1	0.8	16.7	0.3	1.5	12.0	7.0
11/4/2018 20:00	1.0	1.4	1.3	9.0	0.2	1.5	13.0	6.0
11/4/2018 21:00	1.0	1.1	1.0	12.5	0.2	1.5	12.0	7.0
11/4/2018 22:00	0.9	0.6	0.5	12.3	0.2	1.5	13.0	10.0
11/4/2018 23:00	1.0	0.5	BDL	14.0	0.2	1.5	11.0	6.0
11/5/2018 0:00	0.9	0.6	BDL	15.5	0.2	1.6	12.0	6.0
11/5/2018 1:00	0.9	Calibration	Calibration	10.0	0.2	1.6	11.0	7.0
11/5/2018 2:00	0.9	Calibration	Calibration	12.1	0.2	1.5	16.0	6.0
11/5/2018 3:00	Calibration	0.5	0.5	Calibration	Calibration	1.6	13.0	6.0
11/5/2018 4:00	0.9	0.6	0.5	10.6	0.2	1.7	13.0	6.0
11/5/2018 5:00	0.9	0.7	0.5	11.7	0.2	1.7	17.0	8.0
11/5/2018 6:00	1.0	0.6	0.5	16.3	0.2	1.5	12.0	6.0
11/5/2018 7:00	1.0	0.7	0.4	18.2	0.2	1.5	12.0	6.0
11/5/2018 8:00	1.1	0.8	0.4	26.6	0.3	1.6	16.0	5.0
11/5/2018 9:00	Calibration	0.8	0.5	Calibration	Calibration	1.5	14.0	4.0
11/5/2018 10:00	1.3	0.8	0.5	32.1	0.2	1.4	9.0	5.0
11/5/2018 11:00	1.0	0.4	BDL	14.1	0.2	1.4	12.0	4.0
11/5/2018 12:00	1.1	0.5	BDL	15.3	0.2	1.4	13.0	2.0
11/5/2018 13:00	1.1	0.5	BDL	17.8	0.2	1.4	13.0	4.0
11/5/2018 14:00	1.1	0.4	BDL	15.9	0.2	1.4	13.0	4.0
11/5/2018 15:00	1.1	0.5	BDL	13.5	0.2	1.4	14.0	2.0
11/5/2018 16:00	1.1	0.4	BDL	11.6	0.2	1.4	10.0	3.0
11/5/2018 17:00	1.0	0.4	BDL	14.0	0.2	1.3	7.0	1.0
11/5/2018 18:00	1.0	0.4	BDL	10.9	0.2	1.3	5.0	1.0
11/5/2018 19:00	1.0	0.4	BDL	9.2	0.2	1.4	4.0	1.0
11/5/2018 20:00	1.0	0.4	BDL	9.2	0.2	1.4	4.0	0.0
11/5/2018 21:00	1.0	0.5	0.4	12.6	0.2	1.5	8.0	3.0
11/5/2018 22:00	1.0	0.4	BDL	11.2	0.2	1.5	7.0	3.0
11/5/2018 23:00	1.0	0.4	BDL	11.3	0.2	1.4	5.0	2.0
11/6/2018 0:00	1.0	0.5	0.4	15.5	0.2	1.5	5.0	1.0
11/6/2018 1:00	1.0	Calibration	Calibration	13.6	0.2	1.5	5.0	2.0
11/6/2018 2:00	1.1	Calibration	Calibration	13.6	0.2	1.4	9.0	2.0
11/6/2018 3:00	Calibration	0.5	0.4	Calibration	Calibration	1.5	8.0	3.0
11/6/2018 4:00	1.0	0.8	0.7	19.4	0.2	Too few samples	5.0	3.0
11/6/2018 5:00	1.2	0.8	0.6	25.3	0.3	1.6	6.0	2.0
11/6/2018 6:00	1.3	0.9	0.6	30.7	0.3	1.6	11.0	4.0
11/6/2018 7:00	1.2	0.9	0.6	26.5	0.3	1.4	6.0	4.0
11/6/2018 8:00	1.2	1.0	0.7	25.2	0.2	Too few samples	9.0	3.0
11/6/2018 9:00	1.3	1.4	1.2	34.4	0.2	1.6	10.0	2.0
11/6/2018 10:00	1.4	1.8	1.6	26.8	0.2	1.7	7.0	BDL
11/6/2018 11:00	1.1	1.0	0.9	9.7	0.2	1.8	5.0	1.0
11/6/2018 12:00	1.2	1.2	1.2	7.8	0.2	1.8	2.0	BDL
11/6/2018 13:00	1.4	1.3	1.2	23.2	0.3	2.0	4.0	BDL
11/6/2018 14:00	1.4	1.3	1.1	27.6	0.3	1.6	7.0	BDL
11/6/2018 15:00	1.3	1.2	0.9	24.7	0.3	1.8	10.0	3.0
11/6/2018 16:00	1.6	1.4	1.2	25.5	0.3	1.9	8.0	4.0
11/6/2018 17:00	1.4	1.2	1.0	24.6	0.3	1.7	7.0	3.0
11/6/2018 18:00	1.3	1.0	0.9	15.7	0.2	1.8	13.0	3.0
11/6/2018 19:00	1.7	1.3	1.2	17.1	0.2	1.9	13.0	6.0
11/6/2018 20:00	2.6	1.1	1.1	11.7	0.2	1.9	17.0	11.0
11/6/2018 21:00	2.5	0.9	0.8	16.6	0.2	2.0	13.0	8.0
11/6/2018 22:00	3.2	1.0	0.8	20.7	0.2	2.1	14.0	11.0
11/6/2018 23:00	6.4	1.0	0.8	21.7	0.2	2.0	16.0	11.0
11/7/2018 0:00	6.9	1.3	1.1	19.7	0.2	1.9	13.0	7.0
11/7/2018 1:00	5.3	Calibration	Calibration	15.8	0.2	1.8	12.0	8.0
11/7/2018 2:00	3.7	Calibration	Calibration	7.7	0.1	1.5	15.0	7.0
11/7/2018 3:00	Calibration	0.6	0.6	Calibration	Calibration	1.6	16.0	6.0
11/7/2018 4:00	3.0	0.7	0.6	7.4	0.1	Too few samples	19.0	6.0
11/7/2018 5:00	4.5	0.9	0.9	11.9	0.1	1.7	18.0	6.0
11/7/2018 6:00	6.1	1.2	1.0	17.2	0.1	2.0	11.0	6.0
11/7/2018 7:00	8.7	Audit	Audit	23.6	0.2	2.2	20.0	13.0
11/7/2018 8:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	2.0	22.0	13.0
11/7/2018 9:00	6.6	1.1	0.8	Calibration	0.2	Too few samples	18.0	9.0
11/7/2018 10:00	4.2	0.9	0.8	13.3	0.1	1.6	10.0	7.0
11/7/2018 11:00	4.8	0.6	0.5	10.4	0.1	1.6	16.0	10.0
11/7/2018 12:00	5.4	0.7	0.6	11.9	0.1	1.8	19.0	12.0
11/7/2018 13:00	6	0.6	0.4	13.9	0.1	1.8	24.0	9.0
11/7/2018 14:00	4.7	0.6	0.4	15.0	0.1	1.8	19.0	7.0
11/7/2018 15:00	6.3	0.6	0.4	16.2	0.1	1.9	24.0	12.0
11/7/2018 16:00	5.9	0.8	0.5	19.8	0.2	1.9	23.0	11.0
11/7/2018 17:00	4.6	0.7	0.4	20.3	0.2	1.8	14.0	8.0
11/7/2018 18:00	5.2	0.7	0.4	19.2	0.2	1.8	11.0	5.0
11/7/2018 19:00	5.3	0.7	0.4	23.8	0.2	1.9	15.0	9.0
11/7/2018 20:00	12.6	0.7	0.5	20.4	0.2	2.1	25.0	13.0
11/7/2018 21:00	14.7	0.8	0.6	25.1	0.2	1.9	27.0	15.0
11/7/2018 22:00	10.5	0.8	0.5	21.5	0.2	1.8	18.0	9.0
11/7/2018 23:00	3.8	0.8	0.5	18.4	0.2	1.8	13.0	7.0
11/8/2018 0:00	1.9	0.7	0.6	12.0	0.2	2.0	15.0	9.0
11/8/2018 1:00	1.6	Calibration	Calibration	7.0	0.1	2.0	10.0	6.0
11/8/2018 2:00	1.5	Calibration	Calibration	8.3	0.1	1.8	6.0	2.0
11/8/2018 3:00	Calibration	0.4	BDL	Calibration	Calibration	1.8	8.0	2.0
11/8/2018 4:00	1.4	0.5	BDL	12.9	0.1	Too few samples	10.0	3.0
11/8/2018 5:00	1.6	0.5	BDL	15.1	0.1	1.8	14.0	6.0
11/8/2018 6:00	1.6	0.6	0.4	17.2	0.2	1.8	13.0	6.0
11/8/2018 7:00	1.6	0.8	0.4	26.6	0.2	1.8	14.0	5.0
11/8/2018 8:00	1.5	0.7	0.4	17.9	0.1	1.9	13.0	9.0
11/8/2018 9:00	1.3	0.4	BDL	12.3	0.1	1.7	12.0	5.0
11/8/2018 10:00	1.3	0.4	BDL	12.6	0.1	1.6	14.0	2.0
11/8/2018 11:00	1.3	0.4	BDL	8.6	0.1	1.7	12.0	5.0
11/8/2018 12:00	1.3	BDL	BDL	8.1	0.1	1.7	17.0	5.0
11/8/2018 13:00	1.2	BDL	BDL	7.2	0.1	1.6	10.0	6.0
11/8/2018 14:00	1.4	BDL	BDL	7.8	0.1	1.7	10.0	6.0
11/8/2018 15:00	1.3	BDL	BDL	7.0	0.1	1.8	10.0	5.0
11/8/2018 16:00	1.4	0.4	BDL	11.1	0.1	2.0	15.0	6.0
11/8/2018 17:00	1.5	0.7	0.4	21.0	0.2	2.3	17.0	5.0
11/8/2018 18:00	1.5	0.8	0.4	29.6	0.2	2.4	16.0	6.0
11/8/2018 19:00	1.6	0.9	0.4	33.6	0.2	2.3	18.0	11.0
11/8/2018 20:00	1.5	0.6	BDL	20.3	0.2	1.9	15.0	7.0
11/8/2018 21:00	1.2	0.5	BDL	16.4	0.2	1.7	15.0	6.0
11/8/2018 22:00	1.2	0.4	BDL	15.6	0.1	1.6	10.0	4.0
11/8/2018 23:00	1.1	BDL	BDL	8.2	0.1	1.6	10.0	7.0
11/9/2018 0:00	1.1	BDL	BDL	11.3	0.1	1.6	12.0	4.0
11/9/2018 1:00	1.0	Calibration	Calibration	10.1	0.1	1.6	8.0	6.0
11/9/2018 2:00	1.1	Calibration	Calibration	11.1	0.1	1.6	8.0	4.0
11/9/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	1.6	9.0	3.0
11/9/2018 4:00	1.1	0.6	BDL	21.6	0.1	Too few samples	11.0	4.0
11/9/2018 5:00	1.2	0.7	BDL	30.0	0.2	1.7	10.0	6.0
11/9/2018 6:00	1.4	1.0	0.4	33.8	0.2	1.7	14.0	8.0
11/9/2018 7:00	1.4	1.0	0.5	30.6	0.2	1.7	12.0	6.0
11/9/2018 8:00	1.4	1.0	0.6	33.3	0.3	1.8	17.0	6.0
11/9/2018 9:00	1.5	1.1	0.6	37.5	0.3	1.7	17.0	5.0
11/9/2018 10:00	1.6	1.2	0.6	40.4	0.3	1.7	21.0	6.0
11/9/2018 11:00	1.5	1.1	0.5	36.2	0.3	1.7	18.0	9.0
11/9/2018 12:00	1.5	0.9	0.5	25.5	0.2	1.6	18.0	6.0
11/9/2018 13:00	1.4	0.7	0.4	22.8	0.2	1.6	13.0	6.0
11/9/2018 14:00	1.4	0.8	0.4	23.0	0.2	1.6	13.0	6.0
11/9/2018 15:00	1.1	0.7	0.4	20.4	0.2	1.6	11.0	6.0
11/9/2018 16:00	1.3	0.7	0.5	18.5	0.2	1.8	12.0	5.0
11/9/2018 17:00	1.2	0.6	0.4	16.6	0.2	1.6	6.0	6.0
11/9/2018 18:00	1.2	0.6	0.4	16.6	0.2	1.6	4.0	4.0
11/9/2018 19:00	1.2	0.7	0.5	15.4	0.2	1.6	3.0	1.0
11/9/2018 20:00	1.3	0.9	0.6	22.2	0.3	1.7	5.0	4.0
11/9/2018 21:00	1.3	0.9	0.6	20.3	0.2	2.2	6.0	5.0
11/9/2018 22:00	1.3	0.8	0.6	20.6	0.2	2.0	3.0	3.0
11/9/2018 23:00	1.3	0.8	0.6	18.7	0.2	1.8	5.0	4.0
11/10/2018 0:00	1.2	0.6	0.5	11.0	0.2	1.7	5.0	6.0
11/10/2018 1:00	1.3	Calibration	Calibration	13.6	0.2	1.8	6.0	5.0
11/10/2018 2:00	1.2	Calibration	Calibration	7.8	0.1	1.8	4.0	2.0
11/10/2018 3:00	Calibration	0.5	0.5	Calibration	Calibration	1.8	4.0	2.0
11/10/2018 4:00	1.4	0.7	0.5	14.1	0.1	1.7	6.0	3.0
11/10/2018 5:00	1.5	0.7	0.5	15.7	0.1	1.8	9.0	2.0
11/10/2018 6:00	1.4	0.6	0.5	11.0	0.1	1.8	8.0	4.0
11/10/2018 7:00	1.3	0.5	0.4	7.7	0.1	1.8	9.0	6.0
11/10/2018 8:00	1.4	0.4	0.4	4.9	0.1	1.7	11.0	5.0
11/10/2018 9:00	1.4	BDL	0.4	7.4	0.1	1.8	10.0	5.0
11/10/2018 10:00	1.7	0.5	0.4	11.0	0.1	1.8	11.0	3.0
11/10/2018 11:00	1.7	0.4	0.4	7.7	0.1	1.7	11.0	3.0
11/10/2018 12:00	1.6	BDL	BDL	6.9	BDL	1.8	16.0	6.0
11/10/2018 13:00	1.4	BDL	BDL	4.7	BDL	1.8	12.0	5.0
11/10/2018 14:00	1.3	BDL	BDL	3.5	BDL	1.8	13.0	5.0
11/10/2018 15:00	1.2	BDL	BDL	3.1	BDL	1.8	8.0	4.0
11/10/2018 16:00	1.1	BDL	BDL	2.4	BDL	1.8	11.0	6.0
11/10/2018 17:00	0.9	BDL	BDL	3.4	0.04	1.8	8.0	6.0
11/10/2018 18:00	1.0	BDL	BDL	6.7	BDL	1.7	7.0	4.0
11/10/2018 19:00	1.4	BDL	BDL	11.3	BDL	1.7	8.0	7.0
11/10/2018 20:00	2.5	0.4	BDL	12.1	BDL	1.7	14.0	11.0
11/10/2018 21:00	2.0	0.5	BDL	12.3	BDL	1.8	15.0	15.0
11/10/2018 22:00	1.7	0.6	BDL	20.6	BDL	2.2	12.0	8.0
11/10/2018 23:00	2.7	0.5	BDL	14.5	BDL	1.8	15.0	8.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Site Downwind Weekly: 11/11/2018-11/17/2018

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
11/11/2018 0:00	1.5	0.5	BDL	16.8	BDL	1.9	9.0	8.0
11/11/2018 1:00	1.6	Calibration	Calibration	12.2	BDL	1.8	13.0	14.0
11/11/2018 2:00	2.4	Calibration	Calibration	9.3	BDL	1.7	14.0	13.0
11/11/2018 3:00	Calibration	0.4	BDL	Calibration	Calibration	1.8	8.0	8.0
11/11/2018 4:00	1.6	0.5	0.4	10.4	BDL	1.7	12.0	3.0
11/11/2018 5:00	1.5	0.4	BDL	10.8	BDL	1.8	14.0	7.0
11/11/2018 6:00	1.7	BDL	BDL	9.7	BDL	1.8	12.0	12.0
11/11/2018 7:00	1.4	0.5	BDL	15.0	0.1	2.1	8.0	6.0
11/11/2018 8:00	1.6	0.4	BDL	13.6	0.1	2.0	7.0	7.0
11/11/2018 9:00	1.5	BDL	BDL	7.3	BDL	1.9	6.0	6.0
11/11/2018 10:00	1.6	BDL	BDL	4.9	0.04	1.7	7.0	4.0
11/11/2018 11:00	1.5	BDL	BDL	4.3	0.1	1.7	6.0	5.0
11/11/2018 12:00	1.4	BDL	BDL	2.5	0.04	1.7	8.0	5.0
11/11/2018 13:00	1.5	BDL	BDL	3.2	0.1	1.8	6.0	4.0
11/11/2018 14:00	1.4	BDL	BDL	3.7	0.1	1.8	7.0	4.0
11/11/2018 15:00	2.3	BDL	BDL	6.2	0.1	1.8	11.0	5.0
11/11/2018 16:00	2.9	BDL	BDL	7.0	0.1	1.8	14.0	9.0
11/11/2018 17:00	3.0	BDL	BDL	5.7	0.1	1.6	15.0	13.0
11/11/2018 18:00	1.5	BDL	BDL	10.8	0.1	1.9	9.0	9.0
11/11/2018 19:00	1.8	0.5	BDL	16.3	0.2	2.0	17.0	8.0
11/11/2018 20:00	1.7	0.5	BDL	18.1	0.2	2.1	20.0	11.0
11/11/2018 21:00	1.7	0.7	BDL	28.4	0.4	2.1	16.0	15.0
11/11/2018 22:00	1.8	1.1	0.5	37.0	0.6	2.1	28.0	17.0
11/11/2018 23:00	1.9	1.4	0.7	51.9	0.6	2.2	27.0	20.0
11/12/2018 0:00	2.2	2.0	1.1	71.6	0.9	2.2	29.0	19.0
11/12/2018 1:00	1.9	Calibration	Calibration	63.9	0.6	2.0	19.0	17.0
11/12/2018 2:00	2.0	Calibration	Calibration	59.0	0.4	2.8	20.0	22.0
11/12/2018 3:00	Calibration	2.3	1.1	Calibration	Calibration	2.5	22.0	20.0
11/12/2018 4:00	3.1	3.3	1.4	124.0	0.7	Too few samples	32.0	21.0
11/12/2018 5:00	2.9	3.2	1.2	113.5	0.7	3.2	30.0	19.0
11/12/2018 6:00	3.5	4.0	1.6	138.0	0.8	3.3	35.0	23.0
11/12/2018 7:00	2.7	2.6	1.2	89.9	0.5	2.3	29.0	19.0
11/12/2018 8:00	2.9	2.5	1.1	93.0	0.5	2.5	Maintenance	Maintenance
11/12/2018 9:00	3.6	2.8	1.2	101.4	0.5	2.1	34.0	20.0
11/12/2018 10:00	2.8	2.0	1.0	70.3	0.3	2.0	27.0	20.0
11/12/2018 11:00	2.1	0.8	0.5	26.2	0.1	1.7	10.0	5.0
11/12/2018 12:00	1.6	0.7	BDL	19.0	0.1	1.7	20.0	5.0
11/12/2018 13:00	1.6	0.5	BDL	13.4	0.1	1.7	11.0	4.0
11/12/2018 14:00	1.5	0.5	0.4	12.7	0.1	1.6	12.0	5.0
11/12/2018 15:00	1.6	0.7	0.4	19.3	0.2	1.7	9.0	6.0
11/12/2018 16:00	1.5	0.7	0.5	18.7	0.2	1.8	10.0	8.0
11/12/2018 17:00	1.6	0.9	0.6	25.0	0.3	1.6	17.0	6.0
11/12/2018 18:00	1.6	1.1	0.7	37.3	0.3	1.6	20.0	10.0
11/12/2018 19:00	1.5	1.2	0.7	35.1	0.3	1.6	18.0	11.0
11/12/2018 20:00	1.4	1.1	0.6	31.6	0.4	1.7	19.0	12.0
11/12/2018 21:00	1.2	1.1	0.7	30.0	0.3	1.8	14.0	12.0
11/12/2018 22:00	1.2	1.0	0.5	30.1	0.3	1.7	16.0	14.0
11/12/2018 23:00	1.1	0.9	0.6	26.3	0.3	1.8	17.0	13.0
11/13/2018 0:00	1.2	0.9	0.6	27.8	0.3	2.0	17.0	12.0
11/13/2018 1:00	1.2	Calibration	Calibration	25.6	0.2	2.0	17.0	16.0
11/13/2018 2:00	1.2	Calibration	Calibration	24.4	0.2	1.8	10.0	6.0
11/13/2018 3:00	Calibration	0.7	0.5	Calibration	Calibration	1.7	7.0	6.0
11/13/2018 4:00	1.3	0.9	0.6	26.1	0.2	Too few samples	7.0	6.0
11/13/2018 5:00	1.4	1.1	0.7	34.8	0.3	1.9	6.0	6.0
11/13/2018 6:00	1.5	1.4	0.8	46.6	0.4	2.0	5.0	3.0
11/13/2018 7:00	1.6	1.5	0.8	47.9	0.4	2.2	6.0	BDL
11/13/2018 8:00	1.5	1.2	0.7	35.8	0.3	2.2	5.0	2.0
11/13/2018 9:00	1.4	1.0	0.7	25.0	0.3	2.6	4.0	4.0
11/13/2018 10:00	1.4	0.9	0.7	19.4	0.2	2.8	6.0	3.0
11/13/2018 11:00	1.4	0.8	0.6	15.3	0.2	3.0	6.0	3.0
11/13/2018 12:00	1.4	0.7	0.6	10.6	0.1	2.5	12.0	3.0
11/13/2018 13:00	1.3	0.7	0.6	9.0	0.1	2.1	9.0	4.0
11/13/2018 14:00	1.3	0.7	0.6	9.1	0.1	2.8	7.0	3.0
11/13/2018 15:00	1.4	0.6	0.5	7.9	0.1	2.0	6.0	1.0
11/13/2018 16:00	1.5	0.6	0.5	7.8	0.1	1.9	11.0	4.0
11/13/2018 17:00	1.7	0.5	0.4	8.2	0.1	2.0	13.0	7.0
11/13/2018 18:00	1.7	0.4	0.4	6.5	0.1	2.1	13.0	9.0
11/13/2018 19:00	1.5	0.4	0.4	5.2	0.1	1.9	16.0	9.0
11/13/2018 20:00	1.4	0.4	0.4	4.5	0.1	1.9	9.0	8.0
11/13/2018 21:00	1.4	0.4	BDL	5.3	0.1	1.9	8.0	7.0
11/13/2018 22:00	1.3	0.4	0.4	3.6	0.1	1.9	6.0	6.0
11/13/2018 23:00	1.1	BDL	BDL	2.3	0.1	1.8	4.0	5.0
11/14/2018 0:00	1.2	BDL	BDL	4.1	0.04	1.9	4.0	2.0
11/14/2018 1:00	1.2	Calibration	Calibration	5.0	0.04	1.8	6.0	2.0
11/14/2018 2:00	1.2	Calibration	Calibration	3.2	BDL	1.8	6.0	4.0
11/14/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	1.8	9.0	4.0
11/14/2018 4:00	1.0	BDL	BDL	3.2	0.04	Too few samples	7.0	5.0
11/14/2018 5:00	1.0	BDL	BDL	6.6	0.04	1.9	12.0	6.0
11/14/2018 6:00	1.1	BDL	BDL	10.9	0.1	1.9	11.0	4.0
11/14/2018 7:00	1.1	0.5	BDL	15.6	0.1	2.0	18.0	6.0
11/14/2018 8:00	1.3	0.4	BDL	10.4	0.1	2.1	8.0	4.0
11/14/2018 9:00	1.4	BDL	BDL	5.6	BDL	2.2	11.0	5.0
11/14/2018 10:00	1.4	BDL	BDL	8.4	BDL	2.3	11.0	3.0
11/14/2018 11:00	1.4	BDL	BDL	5.6	BDL	2.1	10.0	5.0
11/14/2018 12:00	1.5	BDL	BDL	5.8	BDL	2.0	9.0	6.0
11/14/2018 13:00	1.3	BDL	BDL	6.7	0.04	1.8	8.0	4.0
11/14/2018 14:00	1.4	BDL	BDL	7.5	0.1	1.8	11.0	3.0
11/14/2018 15:00	1.2	BDL	BDL	7.2	0.1	1.8	12.0	2.0
11/14/2018 16:00	1.1	BDL	BDL	10.0	0.04	1.8	7.0	BDL
11/14/2018 17:00	1.0	BDL	BDL	10.7	0.1	1.7	7.0	1.0
11/14/2018 18:00	1.0	BDL	BDL	11.2	0.1	1.6	9.0	3.0
11/14/2018 19:00	1.0	BDL	BDL	11.0	0.2	1.7	9.0	4.0
11/14/2018 20:00	1.0	BDL	BDL	12.2	0.2	1.6	11.0	7.0
11/14/2018 21:00	1.0	BDL	BDL	8.9	0.1	1.6	10.0	3.0
11/14/2018 22:00	1.1	BDL	BDL	10.2	0.1	1.6	7.0	3.0
11/14/2018 23:00	1.0	BDL	BDL	7.5	0.1	1.6	6.0	4.0
11/15/2018 0:00	1.2	BDL	BDL	13.9	0.1	1.6	7.0	3.0
11/15/2018 1:00	1.3	Calibration	Calibration	9.1	0.1	1.6	5.0	3.0
11/15/2018 2:00	1.3	Calibration	Calibration	7.8	0.04	1.7	4.0	2.0
11/15/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	1.6	5.0	2.0
11/15/2018 4:00	1.3	BDL	BDL	13.6	0.1	Too few samples	7.0	BDL
11/15/2018 5:00	1.4	0.5	BDL	22.6	0.1	1.7	13.0	1.0
11/15/2018 6:00	1.3	0.5	BDL	23.4	0.2	1.7	10.0	3.0
11/15/2018 7:00	1.3	0.6	BDL	23.9	0.2	1.7	13.0	1.0
11/15/2018 8:00	1.5	0.5	BDL	20.8	0.1	1.7	17.0	2.0
11/15/2018 9:00	1.7	0.9	BDL	37.6	0.2	1.7	18.0	4.0
11/15/2018 10:00	2.1	1.0	0.5	33.2	0.2	1.7	30.0	5.0
11/15/2018 11:00	1.9	1.2	0.6	41.0	0.3	1.7	9.0	6.0
11/15/2018 12:00	1.6	1.2	0.6	42.9	0.3	1.7	8.0	7.0
11/15/2018 13:00	1.6	1.1	0.6	41.1	0.3	1.6	6.0	6.0
11/15/2018 14:00	1.3	0.8	0.5	27.1	0.3	1.5	6.0	3.0
11/15/2018 15:00	1.7	1.1	0.6	41.3	0.4	1.6	6.0	5.0
11/15/2018 16:00	1.6	1.1	0.6	41.2	0.4	1.6	6.0	4.0
11/15/2018 17:00	1.3	0.8	0.5	24.3	0.3	1.5	6.0	2.0
11/15/2018 18:00	1.2	0.6	0.4	19.8	0.3	1.5	2.0	2.0
11/15/2018 19:00	1.2	0.7	0.5	22.1	0.3	1.5	2.0	BDL
11/15/2018 20:00	1.2	1.0	0.6	26.9	0.3	1.6	5.0	BDL
11/15/2018 21:00	1.3	0.9	0.6	19.9	0.3	1.5	3.0	2.0
11/15/2018 22:00	1.3	0.7	0.6	11.7	0.2	1.5	8.0	1.0
11/15/2018 23:00	1.5	0.7	0.6	12.5	0.2	1.5	6.0	BDL
11/16/2018 0:00	1.5	0.7	0.6	12.0	0.2	1.4	BDL	BDL
11/16/2018 1:00	1.4	Calibration	Calibration	11.0	0.2	1.4	2.0	BDL
11/16/2018 2:00	1.6	Calibration	Calibration	10.1	0.2	1.4	2.0	BDL
11/16/2018 3:00	Calibration	0.5	0.5	Calibration	Calibration	1.5	3.0	BDL
11/16/2018 4:00	1.2	0.6	0.6	6.0	0.2	Too few samples	3.0	BDL
11/16/2018 5:00	1.1	0.6	0.6	5.7	0.2	1.9	1.0	BDL
11/16/2018 6:00	1.1	0.6	0.6	6.9	0.2	2.1	2.0	BDL
11/16/2018 7:00	1.2	0.6	0.5	11.8	0.2	1.6	4.0	2.0
11/16/2018 8:00	1.5	0.7	0.5	13.5	0.2	1.6	4.0	1.0
11/16/2018 9:00	1.4	0.5	0.4	7.3	0.2	1.6	6.0	BDL
11/16/2018 10:00	Too few samples	0.5	0.5	Too few samples	Too few samples	1.7	5.0	2.0
11/16/2018 11:00	Calibration	0.6	0.6	Calibration	Calibration	1.7	7.0	2.0
11/16/2018 12:00	1.7	0.8	0.6	Calibration	0.3	1.8	11.0	2.0
11/16/2018 13:00	2.0	0.8	0.6	Calibration	0.3	1.8	9.0	5.0
11/16/2018 14:00	1.8	0.8	0.6	Calibration	0.3	Too few samples	10.0	5.0
11/16/2018 15:00	1.5	0.8	0.5	Calibration	0.2	1.8	9.0	4.0
11/16/2018 16:00	1.8	0.7	0.5	Calibration	0.2	1.6	17.0	5.0
11/16/2018 17:00	1.9	0.7	0.5	Calibration	0.2	1.6	16.0	6.0
11/16/2018 18:00	2.2	0.7	0.4	Calibration	0.2	1.5	15.0	8.0
11/16/2018 19:00	2.0	0.6	0.4	Calibration	0.2	1.5	15.0	10.0
11/16/2018 20:00	1.7	0.7	0.5	Calibration	0.2	1.5	16.0	8.0
11/16/2018 21:00	1.8	0.6	0.5	Calibration	0.2	1.5	24.0	11.0
11/16/2018 22:00	2.6	0.8	0.7	Calibration	0.2	1.7	24.0	11.0
11/16/2018 23:00	5.6	1.0	0.9	Calibration	0.2	2.0	23.0	18.0
11/17/2018 0:00	7.5	1.3	1.2	Calibration	0.2	1.9	25.0	17.0
11/17/2018 1:00	2.5	Calibration	Calibration	Calibration	0.2	1.6	18.0	11.0
11/17/2018 2:00	3.5	Calibration	Calibration	Calibration	0.2	1.7	25.0	17.0
11/17/2018 3:00	Calibration	1.5	1.5	Calibration	Calibration	1.8	21.0	14.0
11/17/2018 4:00	3.0	1.3	1.2	Calibration	0.3	1.7	24.0	15.0
11/17/2018 5:00	3.3	1.0	0.9	Calibration	0.2	1.7	20.0	15.0
11/17/2018 6:00	4.1	0.9	0.8	Calibration	0.2	1.7	26.0	16.0
11/17/2018 7:00	5.0	0.8	1.1	Calibration	0.2	1.6	30.0	21.0
11/17/2018 8:00	6.9	0.8	0.6	Calibration	0.2	1.7	21.0	14.0
11/17/2018 9:00	3.6	0.7	0.6	Calibration	0.2	2.0	10.0	10.0
11/17/2018 10:00	1.8	0.5	0.5	Calibration	0.2	2.1	9.0	7.0
11/17/2018 11:00	1.4	0.4	0.4	Calibration	0.2	2.1	10.0	6.0
11/17/2018 12:00	1.4	0.4	0.4	Calibration	0.2	1.9	15.0	5.0
11/17/2018 13:00	1.4	0.5	0.5	Calibration	0.2	2.1	10.0	6.0
11/17/2018 14:00	1.3	BDL	0.4	Calibration	0.2	2.0	13.0	7.0
11/17/2018 15:00	1.2	BDL	BDL	Calibration	0.2	2.2	11.0	6.0
11/17/2018 16:00	1.2	0.4	0.4	Calibration	0.2	1.9	12.0	7.0
11/17/2018 17:00	1.3	0.4	BDL	Calibration	0.2	1.9	15.0	7.0
11/17/2018 18:00	1.4	0.5	0.4	Calibration	0.3	1.8	17.0	8.0
11/17/2018 19:00	1.3	0.7	0.5	Calibration	0.3	2.0	18.0	9.0
11/17/2018 20:00	1.2	0.6	0.5	Calibration	0.3	2.1	19.0	12.0
11/17/2018 21:00	1.1	0.5	0.4	Calibration	0.3	2.0	14.0	13.0
11/17/2018 22:00	1.2	0.5	0.4	Calibration	0.2	2.2	15.0	14.0
11/17/2018 23:00	1.3	0.4	BDL	Calibration	0.3	2.0	25.0	13.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 11/18/2018-11/24/2018								
11/18/2018 0:00	1.2	0.7	0.4	Calibration	0.4	2.5	18.0	17.0
11/18/2018 1:00	1.4	Calibration	Calibration	Calibration	0.4	4.2	20.0	12.0
11/18/2018 2:00	1.5	Calibration	Calibration	Calibration	0.4	4.3	18.0	12.0
11/18/2018 3:00	Calibration	1.7	0.8	Calibration	Calibration	3.7	20.0	14.0
11/18/2018 4:00	2.0	1.9	0.8	Calibration	0.7	Too few samples	15.0	11.0
11/18/2018 5:00	2.4	2.3	1.0	Calibration	0.8	2.7	19.0	10.0
11/18/2018 6:00	2.6	2.8	1.4	Calibration	0.8	2.6	27.0	16.0
11/18/2018 7:00	3.1	3.5	1.7	Calibration	1.0	2.8	28.0	18.0
11/18/2018 8:00	2.0	1.6	0.7	Calibration	0.5	2.0	17.0	15.0
11/18/2018 9:00	1.6	1.0	0.6	Calibration	0.4	1.7	16.0	9.0
11/18/2018 10:00	1.6	0.7	0.4	Too few samples	0.3	1.6	8.0	4.0
11/18/2018 11:00	1.4	0.4	BDL	6.8	0.3	1.5	8.0	2.0
11/18/2018 12:00	1.3	BDL	BDL	0.6	0.2	1.5	9.0	2.0
11/18/2018 13:00	1.2	BDL	BDL	BDL	0.2	1.6	8.0	3.0
11/18/2018 14:00	1.2	BDL	BDL	1.5	0.2	1.5	8.0	2.0
11/18/2018 15:00	1.3	0.7	0.6	2.9	0.3	1.5	7.0	1.0
11/18/2018 16:00	1.4	1.2	0.9	17.9	0.4	1.5	14.0	5.0
11/18/2018 17:00	1.4	1.4	1.0	25.8	0.5	1.5	16.0	7.0
11/18/2018 18:00	1.5	1.5	1.1	27.4	0.6	1.6	20.0	8.0
11/18/2018 19:00	2.0	2.3	1.4	62.9	0.9	1.9	26.0	10.0
11/18/2018 20:00	2.0	2.5	1.4	63.9	0.9	1.8	25.0	14.0
11/18/2018 21:00	1.7	1.9	1.0	53.7	0.8	1.8	23.0	18.0
11/18/2018 22:00	1.3	1.2	0.7	32.3	0.5	1.7	17.0	13.0
11/18/2018 23:00	1.2	0.9	0.6	20.0	0.4	1.8	13.0	9.0
11/19/2018 0:00	1.3	1.1	0.6	25.1	0.4	1.7	16.0	11.0
11/19/2018 1:00	1.8	Calibration	Calibration	58.1	0.6	2.0	19.0	14.0
11/19/2018 2:00	2.2	Calibration	Calibration	76.2	0.6	2.1	23.0	12.0
11/19/2018 3:00	Calibration	2.4	1.3	Calibration	Calibration	2.1	25.0	15.0
11/19/2018 4:00	2.4	3.2	1.5	97.2	0.8	Too few samples	21.0	14.0
11/19/2018 5:00	3.7	4.4	2.0	159.0	1.0	2.7	32.0	21.0
11/19/2018 6:00	4.6	5.7	2.4	197.6	1.3	3.4	32.0	20.0
11/19/2018 7:00	4.1	5.3	2.4	154.9	1.1	4.2	46.0	25.0
11/19/2018 8:00	2.1	2.1	1.2	53.9	0.6	3.3	27.0	18.0
11/19/2018 9:00	2.7	2.6	1.3	76.0	0.6	3.3	37.0	26.0
11/19/2018 10:00	2.0	1.7	1.0	34.2	0.5	2.7	24.0	16.0
11/19/2018 11:00	3.0	2.1	1.2	58.2	0.5	1.9	40.0	36.0
11/19/2018 12:00	3.2	2.1	1.3	52.6	0.5	1.8	44.0	29.0
11/19/2018 13:00	3.3	2.3	1.3	63.3	0.6	1.9	53.0	37.0
11/19/2018 14:00	2.8	1.8	1.1	52.7	0.5	1.8	41.0	31.0
11/19/2018 15:00	2.4	1.7	0.9	44.9	0.5	1.8	40.0	25.0
11/19/2018 16:00	2.2	1.8	1.0	53.7	0.7	1.9	43.0	24.0
11/19/2018 17:00	2.6	2.4	1.4	72.2	1.0	2.3	50.0	28.0
11/19/2018 18:00	2.3	2.3	1.2	69.3	0.9	2.2	48.0	34.0
11/19/2018 19:00	2.4	2.5	1.4	70.8	0.9	2.1	45.0	28.0
11/19/2018 20:00	2.4	2.4	1.3	73.7	1.0	2.2	47.0	33.0
11/19/2018 21:00	2.4	2.3	1.2	72.1	1.0	2.3	43.0	31.0
11/19/2018 22:00	2.3	2.1	1.2	61.4	0.8	2.5	44.0	31.0
11/19/2018 23:00	2.5	2.8	1.5	77.0	1.0	2.7	43.0	30.0
11/20/2018 0:00	2.8	3.1	1.6	93.9	1.0	2.9	43.0	28.0
11/20/2018 1:00	2.8	Calibration	Calibration	93.5	1.0	3.1	38.0	30.0
11/20/2018 2:00	2.6	Calibration	Calibration	78.2	0.8	2.7	37.0	29.0
11/20/2018 3:00	Calibration	2.9	1.7	Calibration	Calibration	2.7	36.0	27.0
11/20/2018 4:00	3.3	3.9	1.6	110.2	0.9	4.3	40.0	31.0
11/20/2018 5:00	2.9	3.1	1.6	86.3	0.8	6.2	38.0	29.0
11/20/2018 6:00	2.3	2.5	1.3	63.2	0.7	5.2	40.0	31.0
11/20/2018 7:00	2.0	1.9	1.1	43.6	0.6	4.5	50.0	28.0
11/20/2018 8:00	2.1	1.3	0.9	26.3	0.5	3.5	38.0	31.0
11/20/2018 9:00	1.8	1.1	0.8	17.3	0.4	3.7	Maintenance	Maintenance
11/20/2018 10:00	2.0	0.8	0.5	8.0	0.3	3.1	20.0	8.0
11/20/2018 11:00	2.2	0.9	0.8	5.5	0.3	2.8	16.0	9.0
11/20/2018 12:00	1.9	0.7	0.7	2.6	0.3	3.7	13.0	6.0
11/20/2018 13:00	1.6	0.6	0.6	1.1	0.2	2.9	14.0	4.0
11/20/2018 14:00	1.5	0.5	0.5	0.7	0.2	2.1	19.0	7.0
11/20/2018 15:00	1.4	0.5	0.5	2.2	0.2	2.2	11.0	5.0
11/20/2018 16:00	1.5	0.5	0.5	4.2	0.2	1.8	20.0	4.0
11/20/2018 17:00	1.3	0.4	0.4	2.0	0.2	1.8	11.0	7.0
11/20/2018 18:00	1.3	0.4	0.4	2.1	0.2	1.9	10.0	5.0
11/20/2018 19:00	1.3	0.5	0.4	4.2	0.2	2.0	9.0	6.0
11/20/2018 20:00	1.3	0.4	0.4	1.5	0.2	1.9	9.0	4.0
11/20/2018 21:00	1.2	0.5	0.4	3.0	0.2	1.9	7.0	3.0
11/20/2018 22:00	1.3	0.5	0.4	3.3	0.2	1.9	8.0	4.0
11/20/2018 23:00	1.3	0.5	0.4	3.6	0.2	1.9	7.0	3.0
11/21/2018 0:00	1.2	0.5	0.4	4.7	0.2	2.0	7.0	2.0
11/21/2018 1:00	1.5	Calibration	Calibration	11.7	0.2	1.8	6.0	3.0
11/21/2018 2:00	2.1	Calibration	Calibration	4.0	0.2	1.7	9.0	4.0
11/21/2018 3:00	Calibration	0.5	0.5	Calibration	Calibration	1.6	13.0	9.0
11/21/2018 4:00	3.1	0.9	0.8	8.1	0.2	Too few samples	19.0	6.0
11/21/2018 5:00	4.9	1.0	0.8	18.0	0.3	2.1	18.0	8.0
11/21/2018 6:00	4.2	1.1	0.8	21.2	0.2	2.0	19.0	11.0
11/21/2018 7:00	4.4	Audit	Audit	19.5	0.3	1.8	20.0	13.0
11/21/2018 8:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	1.8	32.0	11.0
11/21/2018 9:00	5.8	1.1	0.7	Calibration	0.3	Too few samples	31.0	13.0
11/21/2018 10:00	5.5	0.8	0.6	16.2	0.2	1.8	29.0	12.0
11/21/2018 11:00	4.1	1.1	0.8	13.7	0.2	1.7	49.0	13.0
11/21/2018 12:00	3.7	1.1	0.8	15.5	0.2	1.7	37.0	9.0
11/21/2018 13:00	3.0	0.8	0.6	12.6	0.2	1.7	31.0	11.0
11/21/2018 14:00	2.7	0.6	0.5	8.0	0.2	1.8	38.0	8.0
11/21/2018 15:00	1.9	0.5	0.5	5.4	0.2	1.9	24.0	7.0
11/21/2018 16:00	1.8	0.5	0.4	3.7	0.2	2.0	32.0	10.0
11/21/2018 17:00	1.5	0.4	0.4	BDL	0.2	1.8	23.0	8.0
11/21/2018 18:00	1.5	0.4	0.4	3.3	0.2	1.8	14.0	7.0
11/21/2018 19:00	1.5	0.5	0.4	3.7	0.2	1.9	12.0	7.0
11/21/2018 20:00	1.4	0.4	0.4	2.1	0.2	1.9	11.0	8.0
11/21/2018 21:00	1.3	BDL	0.4	BDL	0.2	2.2	8.0	7.0
11/21/2018 22:00	1.2	BDL	BDL	BDL	0.2	2.0	10.0	4.0
11/21/2018 23:00	1.1	BDL	BDL	BDL	0.2	2.1	10.0	2.0
11/22/2018 0:00	1.2	BDL	BDL	BDL	0.2	2.0	7.0	2.0
11/22/2018 1:00	1.2	Calibration	Calibration	BDL	0.2	1.8	4.0	2.0
11/22/2018 2:00	1.1	Calibration	Calibration	BDL	0.2	1.7	4.0	3.0
11/22/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	1.7	10.0	3.0
11/22/2018 4:00	1.0	BDL	BDL	BDL	0.1	Too few samples	7.0	3.0
11/22/2018 5:00	1.1	BDL	BDL	1.7	0.1	2.3	6.0	2.0
11/22/2018 6:00	1.0	BDL	BDL	2.0	0.1	2.2	4.0	1.0
11/22/2018 7:00	1.0	BDL	BDL	2.3	0.1	2.1	2.0	1.0
11/22/2018 8:00	1.2	BDL	BDL	0.8	0.1	1.9	3.0	2.0
11/22/2018 9:00	1.2	BDL	BDL	BDL	0.1	2.0	7.0	2.0
11/22/2018 10:00	1.2	BDL	BDL	BDL	0.1	2.1	5.0	1.0
11/22/2018 11:00	1.2	BDL	BDL	BDL	0.1	2.1	3.0	2.0
11/22/2018 12:00	1.1	BDL	BDL	BDL	0.1	2.0	4.0	2.0
11/22/2018 13:00	1.1	BDL	BDL	BDL	0.1	2.0	2.0	1.0
11/22/2018 14:00	1.2	BDL	BDL	BDL	0.1	2.1	4.0	3.0
11/22/2018 15:00	1.1	BDL	BDL	BDL	0.2	2.1	6.0	3.0
11/22/2018 16:00	1.1	BDL	BDL	BDL	0.2	2.3	4.0	2.0
11/22/2018 17:00	1.1	BDL	BDL	2.8	0.2	2.3	4.0	4.0
11/22/2018 18:00	1.1	BDL	BDL	1.3	0.2	1.9	6.0	1.0
11/22/2018 19:00	1.0	BDL	BDL	2.5	0.2	1.8	6.0	BDL
11/22/2018 20:00	1.3	BDL	BDL	1.6	0.2	1.8	9.0	2.0
11/22/2018 21:00	1.3	BDL	BDL	2.5	0.2	1.8	8.0	BDL
11/22/2018 22:00	1.2	BDL	BDL	2.7	0.1	1.8	8.0	1.0
11/22/2018 23:00	1.2	BDL	BDL	2.4	0.1	1.9	10.0	1.0
11/23/2018 0:00	1.2	BDL	BDL	1.1	0.1	1.9	6.0	2.0
11/23/2018 1:00	1.2	Calibration	Calibration	1.6	0.1	1.8	4.0	5.0
11/23/2018 2:00	1.3	Calibration	Calibration	2.0	0.1	1.7	6.0	1.0
11/23/2018 3:00	Calibration	BDL	BDL	Calibration	Calibration	1.8	6.0	1.0
11/23/2018 4:00	1.4	BDL	BDL	8.6	0.1	Too few samples	5.0	4.0
11/23/2018 5:00	1.3	0.4	BDL	13.7	0.2	1.8	5.0	2.0
11/23/2018 6:00	1.3	0.5	BDL	19.6	0.2	1.8	5.0	1.0
11/23/2018 7:00	2.7	0.6	BDL	22.7	0.3	Too few samples	8.0	2.0
11/23/2018 8:00	2.4	0.7	BDL	27.2	0.3	1.7	9.0	4.0
11/23/2018 9:00	1.7	0.7	BDL	22.1	0.2	1.7	12.0	6.0
11/23/2018 10:00	1.7	0.7	BDL	22.5	0.2	1.6	17.0	5.0
11/23/2018 11:00	1.5	BDL	BDL	10.3	0.2	1.6	10.0	3.0
11/23/2018 12:00	1.4	BDL	BDL	7.9	0.2	1.7	6.0	2.0
11/23/2018 13:00	1.9	BDL	BDL	7.6	0.2	1.7	9.0	2.0
11/23/2018 14:00	1.5	BDL	BDL	4.5	0.2	1.7	10.0	4.0
11/23/2018 15:00	1.5	BDL	BDL	4.3	0.2	1.8	10.0	5.0
11/23/2018 16:00	1.8	BDL	BDL	6.3	0.2	2.0	11.0	3.0
11/23/2018 17:00	1.9	0.5	0.4	11.2	0.3	2.2	10.0	2.0
11/23/2018 18:00	2.2	0.7	0.4	16.2	0.4	2.2	11.0	3.0
11/23/2018 19:00	2.0	1.2	0.7	32.4	0.3	1.8	38.0	9.0
11/23/2018 20:00	2.1	1.3	0.7	37.8	0.4	2.2	17.0	9.0
11/23/2018 21:00	2.4	1.5	0.8	41.9	0.4	2.3	19.0	16.0
11/23/2018 22:00	2.1	1.8	1.0	51.6	0.6	2.4	38.0	14.0
11/23/2018 23:00	2.3	1.9	1.0	56.0	0.6	2.5	29.0	11.0
11/24/2018 0:00	2.3	2.0	1.0	58.6	0.6	2.2	27.0	16.0
11/24/2018 1:00	2.4	Calibration	Calibration	72.5	0.6	2.3	38.0	18.0
11/24/2018 2:00	2.5	Calibration	Calibration	74.0	0.7	2.0	40.0	17.0
11/24/2018 3:00	Calibration	2.6	1.3	Calibration	Calibration	2.2	31.0	13.0
11/24/2018 4:00	1.9	2.2	1.4	54.5	0.6	Too few samples	26.0	14.0
11/24/2018 5:00	1.6	1.6	1.0	35.0	0.4	1.9	15.0	9.0
11/24/2018 6:00	1.7	1.7	1.1	38.4	0.5	1.9	17.0	9.0
11/24/2018 7:00	1.9	1.9	1.1	50.6	0.6	1.9	18.0	10.0
11/24/2018 8:00	2.0	1.8	1.0	47.5	0.6	2.0	19.0	14.0
11/24/2018 9:00	2.6	1.8	1.0	44.6	0.5	2.5	21.0	11.0
11/24/2018 10:00	3.5	2.0	1.0	46.5	0.5	2.5	19.0	10.0
11/24/2018 11:00	2.8	1.4	0.8	31.9	0.5	2.1	21.0	9.0
11/24/2018 12:00	2.4	1.3	0.9	30.5	0.5	1.9	26.0	9.0
11/24/2018 13:00	2.1	1.4	0.8	35.3	0.6	1.9	24.0	9.0
11/24/2018 14:00	2.1	1.4	0.9	35.7	0.6	2.0	26.0	8.0
11/24/2018 15:00	1.7	1.2	0.8	27.4	0.5	2.0	21.0	4.0
11/24/2018 16:00	1.6	1.2	0.8	25.7	0.5	2.0	13.0	8.0
11/24/2018 17:00	1.5	1.2	0.8	26.2	0.5	1.9	17.0	8.0
11/24/2018 18:00	1.5	1.1	0.9	25.1	0.5	1.8	6.0	5.0
11/24/2018 19:00	1.4	1.0	0.8	14.7	0.4	1.8	4.0	3.0
11/24/2018 20:00	1.5	1.0	0.8	17.4	0.4	1.8	7.0	6.0
11/24/2018 21:00	1.5	1.3	1.0	20.8	0.5	3.0	6.0	5.0
11/24/2018 22:00	1.5	1.1	0.9	14.3	0.4	2.7	4.0	1.0
11/24/2018 23:00	1.4	0.7	0.6	4.7	0.3	1.6	6.0	BDL

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Site Downwind Weekly: 11/25/2018-12/1/2018

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
11/25/2018 0:00	1.5	0.6	0.6	1.7	0.3	1.6	4.0	BDL
11/25/2018 1:00	1.5	Calibration	Calibration	2.7	0.3	2.3	2.0	BDL
11/25/2018 2:00	1.6	Calibration	Calibration	3.6	0.3	2.5	4.0	2.0
11/25/2018 3:00	Calibration	0.7	0.8	Calibration	Calibration	2.5	3.0	2.0
11/25/2018 4:00	1.3	0.7	0.7	3.1	0.3	2.3	2.0	5.0
11/25/2018 5:00	1.3	0.6	0.6	2.2	0.3	2.2	BDL	3.0
11/25/2018 6:00	1.3	0.8	0.7	6.2	0.3	2.6	7.0	5.0
11/25/2018 7:00	1.4	0.7	0.7	2.4	0.3	2.4	6.0	6.0
11/25/2018 8:00	1.5	0.7	0.7	2.0	0.3	Too few samples	10.0	8.0
11/25/2018 9:00	1.7	0.7	0.8	1.5	0.3	2.9	8.0	8.0
11/25/2018 10:00	1.7	0.7	0.8	0.5	0.3	3.3	8.0	6.0
11/25/2018 11:00	1.7	0.6	0.6	BDL	0.3	2.3	9.0	7.0
11/25/2018 12:00	1.7	0.5	0.6	BDL	0.2	1.8	9.0	6.0
11/25/2018 13:00	1.7	0.6	0.6	BDL	0.3	2.3	13.0	6.0
11/25/2018 14:00	1.7	0.5	0.6	BDL	0.3	1.9	11.0	6.0
11/25/2018 15:00	1.7	0.5	0.6	BDL	0.3	2.0	8.0	13.0
11/25/2018 16:00	1.7	0.7	0.7	4.6	0.3	2.7	16.0	8.0
11/25/2018 17:00	1.5	0.9	0.7	10.7	0.4	2.9	20.0	8.0
11/25/2018 18:00	1.6	1.2	0.8	27.9	0.5	3.8	27.0	12.0
11/25/2018 19:00	2.1	1.6	1.0	52.3	0.8	2.5	26.0	15.0
11/25/2018 20:00	2.3	1.9	1.0	57.6	1.0	3.0	27.0	18.0
11/25/2018 21:00	2.6	2.2	1.1	74.9	0.9	2.0	31.0	18.0
11/25/2018 22:00	3.6	3.5	1.7	122.4	1.3	2.5	38.0	20.0
11/25/2018 23:00	3.6	3.7	1.8	124.3	1.2	2.4	38.0	23.0
11/26/2018 0:00	3.0	2.8	1.4	84.2	1.1	3.0	37.0	25.0
11/26/2018 1:00	3.3	Calibration	Calibration	91.6	1.0	3.9	analyzer malfunction	analyzer malfunction
11/26/2018 2:00	3.4	Calibration	Calibration	107.2	1.0	2.8	analyzer malfunction	analyzer malfunction
11/26/2018 3:00	Calibration	3.5	1.7	Calibration	Calibration	2.5	analyzer malfunction	analyzer malfunction
11/26/2018 4:00	2.5	2.2	1.2	67.5	0.8	2.3	analyzer malfunction	analyzer malfunction
11/26/2018 5:00	2.1	1.7	1.0	46.9	0.6	1.9	analyzer malfunction	analyzer malfunction
11/26/2018 6:00	2.1	1.5	1.0	38.8	0.5	1.7	analyzer malfunction	analyzer malfunction
11/26/2018 7:00	2.1	1.7	1.2	38.3	0.5	1.6	analyzer malfunction	analyzer malfunction
11/26/2018 8:00	2.0	1.8	1.3	37.6	0.5	1.6	analyzer malfunction	analyzer malfunction
11/26/2018 9:00	1.9	1.4	1.1	23.3	0.4	1.6	analyzer malfunction	analyzer malfunction
11/26/2018 10:00	1.7	1.0	0.7	17.2	0.4	1.5	analyzer malfunction	analyzer malfunction
11/26/2018 11:00	1.7	1.0	0.6	15.4	0.3	1.6	analyzer malfunction	analyzer malfunction
11/26/2018 12:00	1.7	0.9	0.7	17.7	0.3	1.7	analyzer malfunction	analyzer malfunction
11/26/2018 13:00	1.7	1.1	0.8	19.7	0.4	1.7	analyzer malfunction	analyzer malfunction
11/26/2018 14:00	1.7	1.2	0.8	21.0	0.4	1.7	analyzer malfunction	analyzer malfunction
11/26/2018 15:00	1.7	1.1	0.8	18.7	0.5	1.6	analyzer malfunction	analyzer malfunction
11/26/2018 16:00	1.6	1.0	0.8	14.0	0.4	5.6	analyzer malfunction	analyzer malfunction
11/26/2018 17:00	1.8	1.1	0.9	14.7	0.4	4.1	7.0	4.0
11/26/2018 18:00	2.3	1.6	1.4	19.3	0.5	22.1	6.0	6.0
11/26/2018 19:00	2.2	1.3	1.1	16.8	0.4	5.4	16.0	6.0
11/26/2018 20:00	2.7	1.0	0.8	11.1	0.4	1.5	10.0	4.0
11/26/2018 21:00	2.0	0.8	0.8	1.2	0.3	2.3	7.0	1.0
11/26/2018 22:00	2.1	0.8	0.8	2.1	0.3	2.5	6.0	BDL
11/26/2018 23:00	2.1	0.8	0.8	5.2	0.3	2.1	6.0	BDL
11/27/2018 0:00	2.1	0.9	0.8	8.2	0.3	1.9	3.0	3.0
11/27/2018 1:00	2.8	Calibration	Calibration	12.1	0.3	1.6	22.0	6.0
11/27/2018 2:00	3.0	Calibration	Calibration	8.0	0.3	1.5	23.0	6.0
11/27/2018 3:00	Calibration	1.0	0.9	Calibration	Calibration	1.5	19.0	8.0
11/27/2018 4:00	3.7	1.1	1.0	11.9	0.3	Too few samples	37.0	11.0
11/27/2018 5:00	3.4	1.3	1.0	13.0	0.3	1.5	15.0	6.0
11/27/2018 6:00	3.6	1.0	0.8	13.7	0.3	1.5	21.0	4.0
11/27/2018 7:00	4.2	1.0	0.8	13.6	0.3	1.4	26.0	6.0
11/27/2018 8:00	4.2	1.1	0.8	16.5	0.3	1.5	20.0	5.0
11/27/2018 9:00	2.9	0.9	0.8	10.1	0.3	1.9	9.0	2.0
11/27/2018 10:00	2.3	0.7	0.6	3.8	0.2	2.1	12.0	BDL
11/27/2018 11:00	2.2	0.8	0.6	5.7	0.2	2.0	8.0	BDL
11/27/2018 12:00	2.2	0.7	0.7	6.4	0.2	1.8	7.0	BDL
11/27/2018 13:00	2.0	0.8	0.7	7.9	0.3	1.8	11.0	BDL
11/27/2018 14:00	1.8	0.8	0.6	4.0	0.2	2.1	32.0	BDL
11/27/2018 15:00	1.9	0.8	0.7	4.3	0.2	2.2	46.0	4.0
11/27/2018 16:00	1.7	0.6	0.6	0.8	0.2	2.0	19.0	5.0
11/27/2018 17:00	1.6	0.6	0.6	2.0	0.2	2.1	3.0	1.0
11/27/2018 18:00	1.7	0.7	0.6	3.9	0.2	1.9	5.0	BDL
11/27/2018 19:00	1.8	0.7	0.7	6.4	0.2	1.8	4.0	1.0
11/27/2018 20:00	1.9	0.7	0.7	6.3	0.2	1.8	5.0	1.0
11/27/2018 21:00	1.8	0.7	0.6	5.8	0.2	1.8	5.0	1.0
11/27/2018 22:00	2.1	0.8	0.7	8.6	0.2	1.8	8.0	BDL
11/27/2018 23:00	2.1	0.8	0.7	8.7	0.2	1.7	9.0	BDL
11/28/2018 0:00	1.8	0.7	0.7	3.8	0.2	1.9	10.0	BDL
11/28/2018 1:00	1.8	Calibration	Calibration	2.4	0.2	1.9	5.0	2.0
11/28/2018 2:00	1.8	Calibration	Calibration	1.2	0.2	2.0	2.0	2.0
11/28/2018 3:00	Calibration	0.6	0.7	Calibration	Calibration	2.0	2.0	4.0
11/28/2018 4:00	1.6	0.6	0.6	1.1	0.2	2.3	4.0	3.0
11/28/2018 5:00	1.7	0.6	0.6	3.4	0.2	1.8	7.0	3.0
11/28/2018 6:00	1.8	0.7	0.6	7.1	0.2	1.9	9.0	2.0
11/28/2018 7:00	1.8	0.8	0.6	8.8	0.2	1.8	10.0	BDL
11/28/2018 8:00	1.8	0.7	0.7	4.6	0.2	1.8	15.0	3.0
11/28/2018 9:00	2.0	0.8	0.7	6.5	0.2	1.7	17.0	4.0
11/28/2018 10:00	1.9	0.7	0.7	5.5	0.2	1.9	29.0	2.0
11/28/2018 11:00	1.8	0.6	0.7	2.4	0.2	1.9	22.0	1.0
11/28/2018 12:00	1.9	0.7	0.7	3.8	0.2	1.9	19.0	3.0
11/28/2018 13:00	1.5	0.6	0.6	2.3	0.2	1.8	44.0	4.0
11/28/2018 14:00	1.2	0.4	0.4	3.4	0.2	2.0	17.0	3.0
11/28/2018 15:00	1.7	0.5	0.5	3.5	0.1	1.8	33.0	2.0
11/28/2018 16:00	1.9	0.7	0.6	6.9	0.1	1.8	21.0	6.0
11/28/2018 17:00	1.9	0.7	0.6	7.2	0.1	1.8	12.0	6.0
11/28/2018 18:00	1.8	0.7	0.6	6.1	0.2	1.8	13.0	5.0
11/28/2018 19:00	1.9	0.6	0.5	7.0	0.2	1.8	11.0	6.0
11/28/2018 20:00	1.8	0.6	0.5	4.1	0.2	1.9	8.0	4.0
11/28/2018 21:00	1.8	0.7	0.5	6.8	0.2	1.8	6.0	2.0
11/28/2018 22:00	1.8	0.6	0.5	5.7	0.2	2.2	11.0	2.0
11/28/2018 23:00	1.7	0.6	0.5	6.6	0.1	1.9	8.0	3.0
11/29/2018 0:00	1.8	0.7	0.6	7.3	0.1	1.8	7.0	4.0
11/29/2018 1:00	1.8	Calibration	Calibration	5.2	0.1	1.9	8.0	6.0
11/29/2018 2:00	1.9	Calibration	Calibration	4.7	0.1	2.0	7.0	5.0
11/29/2018 3:00	Calibration	0.5	0.5	Calibration	Calibration	2.1	8.0	4.0
11/29/2018 4:00	1.6	0.5	0.5	BDL	0.1	Too few samples	6.0	6.0
11/29/2018 5:00	1.6	0.4	0.5	BDL	0.2	2.5	11.0	6.0
11/29/2018 6:00	1.6	0.5	0.6	2.6	0.2	4.1	10.0	7.0
11/29/2018 7:00	1.8	0.7	0.6	9.6	0.2	3.2	16.0	4.0
11/29/2018 8:00	1.9	0.7	0.6	9.3	0.2	3.7	20.0	4.0
11/29/2018 9:00	1.8	0.5	0.6	1.4	0.2	3.8	5.0	5.0
11/29/2018 10:00	1.7	0.5	0.5	0.6	0.2	4.1	9.0	8.0
11/29/2018 11:00	1.7	0.5	0.6	0.9	0.2	4.6	11.0	6.0
11/29/2018 12:00	1.7	0.6	0.5	1.6	0.2	5.0	9.0	6.0
11/29/2018 13:00	1.8	0.5	0.5	1.0	0.2	4.4	13.0	5.0
11/29/2018 14:00	1.7	0.5	0.5	0.7	0.1	3.7	14.0	3.0
11/29/2018 15:00	1.7	0.5	0.6	BDL	0.2	5.1	8.0	BDL
11/29/2018 16:00	1.7	0.5	0.5	1.5	0.2	3.1	18.0	BDL
11/29/2018 17:00	1.6	0.5	0.5	2.1	0.2	3.5	16.0	3.0
11/29/2018 18:00	1.7	0.6	0.5	9.2	0.2	2.3	12.0	4.0
11/29/2018 19:00	1.9	0.8	0.5	14.4	0.2	2.7	17.0	5.0
11/29/2018 20:00	1.8	0.8	0.6	11.8	0.2	4.0	9.0	6.0
11/29/2018 21:00	1.6	0.6	0.7	5.2	0.2	6.5	15.0	5.0
11/29/2018 22:00	1.8	0.8	0.8	10.2	0.2	8.8	10.0	4.0
11/29/2018 23:00	1.8	0.9	0.8	11.3	0.2	9.0	7.0	5.0
11/30/2018 0:00	1.8	0.8	0.7	11.3	0.2	8.9	5.0	6.0
11/30/2018 1:00	1.7	Calibration	Calibration	6.0	0.2	6.1	6.0	8.0
11/30/2018 2:00	1.8	Calibration	Calibration	7.4	0.2	9.1	9.0	7.0
11/30/2018 3:00	Calibration	0.9	0.9	Calibration	Calibration	13.6	11.0	5.0
11/30/2018 4:00	1.9	1.2	0.7	28.7	0.3	1.8	10.0	4.0
11/30/2018 5:00	2.0	1.1	0.6	28.7	0.3	1.9	13.0	5.0
11/30/2018 6:00	2.3	1.6	0.8	47.0	0.4	1.8	17.0	8.0
11/30/2018 7:00	2.6	1.8	1.0	55.1	0.4	1.8	18.0	10.0
11/30/2018 8:00	2.9	2.1	1.0	61.9	0.4	1.9	27.0	10.0
11/30/2018 9:00	3.0	2.2	1.1	64.4	0.4	1.8	27.0	8.0
11/30/2018 10:00	2.3	1.2	0.7	29.5	0.3	1.9	17.0	8.0
11/30/2018 11:00	2.0	1.0	0.7	17.6	0.2	1.7	17.0	4.0
11/30/2018 12:00	2.1	1.1	0.7	18.8	0.2	2.3	15.0	6.0
11/30/2018 13:00	2.2	0.9	0.6	18.9	0.3	1.6	17.0	6.0
11/30/2018 14:00	2.7	1.6	0.9	42.9	0.4	1.7	27.0	16.0
11/30/2018 15:00	2.6	1.6	0.8	42.7	0.5	1.9	28.0	13.0
11/30/2018 16:00	2.7	1.8	0.9	53.4	0.6	1.8	23.0	12.0
11/30/2018 17:00	2.7	1.7	0.8	49.0	0.5	1.9	28.0	13.0
11/30/2018 18:00	2.8	1.9	1.0	54.9	0.6	3.9	28.0	8.0
11/30/2018 19:00	2.7	1.7	0.9	49.4	0.5	3.7	23.0	16.0
11/30/2018 20:00	2.5	1.7	0.8	47.5	0.5	4.6	25.0	13.0
11/30/2018 21:00	2.6	1.7	1.2	40.0	0.4	12.7	27.0	17.0
11/30/2018 22:00	2.3	1.2	0.8	26.6	0.3	5.8	17.0	15.0
11/30/2018 23:00	2.2	1.2	1.0	20.0	0.3	10.0	22.0	10.0
12/1/2018 0:00	2.3	1.9	1.6	24.5	0.3	12.7	20.0	14.0
12/1/2018 1:00	2.2	Calibration	Calibration	24.2	0.3	9.2	26.0	21.0
12/1/2018 2:00	2.1	Calibration	Calibration	19.9	0.3	4.0	27.0	23.0
12/1/2018 3:00	Calibration	1.3	1.1	Calibration	Calibration	11.1	25.0	17.0
12/1/2018 4:00	2.3	1.6	1.3	27.4	0.3	Too few samples	25.0	17.0
12/1/2018 5:00	2.2	1.2	0.7	27.1	0.3	2.9	27.0	18.0
12/1/2018 6:00	2.3	1.3	0.8	32.3	0.4	2.2	28.0	19.0
12/1/2018 7:00	2.3	1.2	0.7	29.1	0.4	2.0	20.0	17.0
12/1/2018 8:00	2.7	1.4	0.7	36.1	0.4	2.7	60.0	26.0
12/1/2018 9:00	2.7	1.0	0.6	25.4	0.4	1.7	22.0	19.0
12/1/2018 10:00	2.4	0.9	0.6	23.5	0.4	1.7	24.0	17.0
12/1/2018 11:00	2.6	1.0	0.6	24.3	0.4	1.7	23.0	15.0
12/1/2018 12:00	2.5	1.0	0.7	23.5	0.4	1.8	24.0	18.0
12/1/2018 13:00	2.4	1.0	0.6	21.0	0.4	1.8	20.0	20.0
12/1/2018 14:00	2.2	0.9	0.6	19.2	0.4	1.7	22.0	14.0
12/1/2018 15:00	2.1	1.0	0.6	23.3	0.4	1.7	18.0	13.0
12/1/2018 16:00	2.0	1.2	0.7	28.8	0.5	1.7	20.0	11.0
12/1/2018 17:00	1.8	0.8	0.5	15.8	0.4	1.6	16.0	13.0
12/1/2018 18:00	1.8	0.5	BDL	10.1	0.3	1.6	6.0	9.0
12/1/2018 19:00	1.9	0.6	0.5	16.7	0.3	1.6	11.0	12.0
12/1/2018 20:00	1.8	0.7	0.5	12.5	0.4	1.6	12.0	11.0
12/1/2018 21:00	1.7	0.6	0.4	12.2	0.4	1.6	14.0	13.0
12/1/2018 22:00	1.7	0.7	0.5	11.7	0.3	1.6	12.0	12.0
12/1/2018 23:00	1.6	0.7	0.6	7.7	0.3	1.6	17.0	9.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 12/2/2018-12/8/2018								
12/2/2018 0:00	1.7	0.8	0.6	11.8	0.3	1.6	7.0	6.0
12/2/2018 1:00	1.8	Calibration	Calibration	8.9	0.3	1.7	6.0	3.0
12/2/2018 2:00	1.8	Calibration	Calibration	6.1	0.2	1.6	9.0	4.0
12/2/2018 3:00	Calibration	0.7	0.7	Calibration	Calibration	1.9	5.0	2.0
12/2/2018 4:00	1.6	0.8	0.6	8.3	0.3	Too few samples	6.0	1.0
12/2/2018 5:00	1.8	0.9	0.7	13.0	0.3	1.7	8.0	3.0
12/2/2018 6:00	1.9	0.9	0.6	10.9	0.3	1.8	5.0	BDL
12/2/2018 7:00	1.8	1.0	0.8	15.2	0.3	1.9	3.0	BDL
12/2/2018 8:00	2.2	1.4	0.9	34.4	0.5	2.0	9.0	2.0
12/2/2018 9:00	2.2	1.5	1.0	37.1	0.6	2.0	12.0	6.0
12/2/2018 10:00	2.9	2.3	1.5	64.0	0.9	6.8	15.0	8.0
12/2/2018 11:00	2.8	2.0	1.3	45.8	0.6	5.9	8.0	7.0
12/2/2018 12:00	2.4	1.6	1.1	29.4	0.5	2.9	6.0	6.0
12/2/2018 13:00	3.0	1.3	1.1	13.0	0.3	2.2	10.0	7.0
12/2/2018 14:00	4.4	1.1	1.0	6.9	0.3	1.7	17.0	18.0
12/2/2018 15:00	3.2	1.2	1.1	6.9	0.3	1.8	14.0	9.0
12/2/2018 16:00	2.7	1.2	1.0	14.3	0.4	2.1	16.0	10.0
12/2/2018 17:00	2.9	1.4	1.1	23.6	0.4	2.3	17.0	10.0
12/2/2018 18:00	3.2	1.6	1.2	32.2	0.5	2.7	15.0	8.0
12/2/2018 19:00	5.0	1.4	1.2	16.8	0.4	1.9	22.0	14.0
12/2/2018 20:00	5.3	1.2	1.0	15.4	0.4	1.8	15.0	9.0
12/2/2018 21:00	4.9	1.1	0.9	9.3	0.3	1.8	17.0	10.0
12/2/2018 22:00	4.3	1.1	0.9	13.8	0.4	2.0	14.0	10.0
12/2/2018 23:00	5.3	1.2	1.1	12.5	0.4	2.0	18.0	11.0
12/3/2018 0:00	6.2	1.3	1.1	13.1	0.4	2.1	22.0	18.0
12/3/2018 1:00	3.7	Calibration	Calibration	8.7	0.4	2.0	16.0	11.0
12/3/2018 2:00	6.7	Calibration	Calibration	6.9	0.3	1.7	22.0	14.0
12/3/2018 3:00	Calibration	1.2	1.1	Calibration	Calibration	1.9	19.0	13.0
12/3/2018 4:00	5.7	1.0	0.9	8.0	0.3	Too few samples	25.0	11.0
12/3/2018 5:00	7.4	1.3	1.1	14.1	0.3	1.9	23.0	12.0
12/3/2018 6:00	4.7	1.3	1.0	17.7	0.3	5.9	19.0	9.0
12/3/2018 7:00	4.1	1.1	0.8	15.7	0.3	2.8	21.0	9.0
12/3/2018 8:00	3.5	0.9	0.8	7.1	0.2	2.3	19.0	8.0
12/3/2018 9:00	3.3	0.9	0.7	10.7	0.2	2.0	16.0	9.0
12/3/2018 10:00	Calibration	1.0	0.8	Calibration	Calibration	1.9	72.0	11.0
12/3/2018 11:00	3.2	0.8	0.7	Calibration	0.2	2.0	32.0	7.0
12/3/2018 12:00	2.9	0.6	0.5	Calibration	0.2	2.0	18.0	8.0
12/3/2018 13:00	2.8	0.7	0.6	Calibration	0.1	4.1	40.0	7.0
12/3/2018 14:00	2.5	0.7	0.7	Calibration	0.1	4.9	15.0	4.0
12/3/2018 15:00	2.5	0.7	0.7	Calibration	0.2	4.8	11.0	3.0
12/3/2018 16:00	2.3	0.7	0.7	Calibration	0.2	4.0	11.0	7.0
12/3/2018 17:00	2.4	0.8	0.7	Calibration	0.2	3.5	12.0	6.0
12/3/2018 18:00	2.8	0.8	0.7	Calibration	0.2	3.1	11.0	4.0
12/3/2018 19:00	2.9	1.0	0.7	Calibration	0.2	2.9	9.0	5.0
12/3/2018 20:00	3.8	0.9	0.7	Calibration	0.2	2.0	11.0	8.0
12/3/2018 21:00	5.1	0.9	0.8	Calibration	0.2	1.8	10.0	7.0
12/3/2018 22:00	4.4	0.9	0.7	Calibration	0.2	1.7	11.0	8.0
12/3/2018 23:00	3.5	0.8	0.6	Calibration	0.2	1.8	11.0	6.0
12/4/2018 0:00	2.8	0.8	0.7	Calibration	0.2	3.3	8.0	5.0
12/4/2018 1:00	2.5	Calibration	Calibration	Calibration	0.1	4.2	6.0	6.0
12/4/2018 2:00	2.7	Calibration	Calibration	Calibration	0.1	8.5	4.0	3.0
12/4/2018 3:00	Calibration	0.6	0.7	Calibration	Calibration	6.1	4.0	3.0
12/4/2018 4:00	2.2	0.5	0.6	Calibration	0.1	Too few samples	2.0	2.0
12/4/2018 5:00	2.3	0.6	0.6	Calibration	0.1	10.4	BDL	3.0
12/4/2018 6:00	2.4	0.6	0.7	Calibration	0.1	10.9	BDL	4.0
12/4/2018 7:00	2.4	0.6	0.7	Calibration	0.1	11.0	3.0	2.0
12/4/2018 8:00	2.3	0.6	0.6	Calibration	0.1	7.9	4.0	1.0
12/4/2018 9:00	2.3	BDL	0.4	Calibration	0.1	6.5	3.0	3.0
12/4/2018 10:00	2.3	0.5	0.5	Calibration	0.1	6.7	12.0	5.0
12/4/2018 11:00	2.2	0.5	0.6	Calibration	0.1	7.8	10.0	3.0
12/4/2018 12:00	2.2	0.5	0.5	BDL	0.1	6.8	12.0	BDL
12/4/2018 13:00	2.3	0.4	0.5	BDL	0.1	7.1	27.0	1.0
12/4/2018 14:00	2.3	0.5	0.6	BDL	0.1	6.7	20.0	6.0
12/4/2018 15:00	2.3	0.5	0.6	BDL	0.1	6.9	8.0	3.0
12/4/2018 16:00	2.3	0.5	0.6	1.2	0.1	7.2	8.0	BDL
12/4/2018 17:00	2.4	0.7	0.6	5.4	0.1	9.8	8.0	2.0
12/4/2018 18:00	2.2	0.6	0.5	6.7	0.2	3.2	5.0	5.0
12/4/2018 19:00	2.1	0.6	0.4	5.3	0.2	1.7	6.0	4.0
12/4/2018 20:00	2.1	0.5	BDL	4.4	0.1	1.8	7.0	3.0
12/4/2018 21:00	2.1	0.5	0.4	2.8	0.1	1.9	5.0	3.0
12/4/2018 22:00	2.1	0.6	0.4	7.0	0.2	1.7	8.0	4.0
12/4/2018 23:00	2.1	0.6	0.4	8.5	0.2	1.8	12.0	2.0
12/5/2018 0:00	2.1	0.7	0.5	11.8	0.2	1.9	10.0	1.0
12/5/2018 1:00	2	Calibration	Calibration	5.6	0.1	1.6	7.0	2.0
12/5/2018 2:00	2.4	Calibration	Calibration	6.0	0.1	1.6	5.0	3.0
12/5/2018 3:00	Calibration	0.7	0.4	Calibration	Calibration	1.7	7.0	5.0
12/5/2018 4:00	2.4	0.7	0.4	11.4	0.2	1.6	10.0	6.0
12/5/2018 5:00	2.3	0.9	0.5	18.5	0.2	1.8	12.0	5.0
12/5/2018 6:00	2.3	1.2	0.6	31.2	0.2	2.2	14.0	6.0
12/5/2018 7:00	2.5	Audit	Audit	38.3	0.3	2.1	10.0	5.0
12/5/2018 8:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	1.9	22.0	6.0
12/5/2018 9:00	3.2	1.5	0.7	Calibration	0.3	Too few samples	17.0	7.0
12/5/2018 10:00	3.8	1.5	0.8	42.6	0.3	1.7	18.0	9.0
12/5/2018 11:00	3.2	1.4	0.7	37.1	0.3	2.6	20.0	7.0
12/5/2018 12:00	2.6	1.2	0.7	28.1	0.2	4.5	15.0	9.0
12/5/2018 13:00	Calibration	1.1	0.6	Calibration	Calibration	5.5	29.0	7.0
12/5/2018 14:00	BDL	1.1	0.7	27.9	0.2	6.9	82.0	16.0
12/5/2018 15:00	BDL	1.0	0.7	21.4	0.2	8.9	52.0	7.0
12/5/2018 16:00	BDL	0.9	0.6	20.8	0.2	5.9	19.0	9.0
12/5/2018 17:00	BDL	0.9	0.7	21.5	0.2	6.9	13.0	8.0
12/5/2018 18:00	BDL	1.1	0.8	26.3	0.3	7.7	17.0	8.0
12/5/2018 19:00	BDL	0.9	0.6	24.2	0.3	3.9	17.0	9.0
12/5/2018 20:00	BDL	0.9	0.6	25.3	0.3	3.3	20.0	9.0
12/5/2018 21:00	BDL	0.9	0.6	21.7	0.2	4.1	21.0	10.0
12/5/2018 22:00	BDL	0.9	0.6	19.8	0.2	3.9	22.0	11.0
12/5/2018 23:00	BDL	0.8	0.5	18.0	0.2	2.9	16.0	8.0
12/6/2018 0:00	BDL	0.7	0.6	14.6	0.2	3.0	16.0	11.0
12/6/2018 1:00	BDL	Calibration	Calibration	16.3	0.2	2.9	17.0	10.0
12/6/2018 2:00	BDL	Calibration	Calibration	18.2	0.2	3.6	20.0	12.0
12/6/2018 3:00	Calibration	1.0	0.8	Calibration	Calibration	4.2	21.0	16.0
12/6/2018 4:00	BDL	1.0	0.7	18.6	0.2	Too few samples	20.0	17.0
12/6/2018 5:00	BDL	0.8	0.6	15.1	0.2	2.9	24.0	15.0
12/6/2018 6:00	BDL	0.8	0.6	20.4	0.2	2.9	29.0	18.0
12/6/2018 7:00	0.6	0.9	0.5	22.5	0.2	2.3	62.0	17.0
12/6/2018 8:00	0.9	1.1	0.6	31.3	0.3	2.5	90.0	19.0
12/6/2018 9:00	0.9	1.0	0.6	23.3	0.2	2.3	27.0	16.0
12/6/2018 10:00	1.7	1.0	0.7	26.2	0.2	1.9	60.0	15.0
12/6/2018 11:00	2.3	1.1	0.8	20.7	0.2	1.9	50.0	22.0
12/6/2018 12:00	1.8	0.9	0.6	16.0	0.1	1.8	20.0	7.0
12/6/2018 13:00	1.6	0.9	0.7	21.6	0.1	1.8	39.0	17.0
12/6/2018 14:00	1.8	0.9	0.6	19.9	0.1	1.7	75.0	13.0
12/6/2018 15:00	2.4	0.6	0.5	10.9	0.1	1.8	19.0	12.0
12/6/2018 16:00	3.5	0.7	0.6	12.0	0.1	1.8	18.0	13.0
12/6/2018 17:00	2.0	0.7	0.5	13.9	0.2	1.9	9.0	9.0
12/6/2018 18:00	1.5	0.6	0.5	13.5	0.2	1.9	17.0	10.0
12/6/2018 19:00	1.6	0.7	0.5	16.6	0.2	1.9	11.0	8.0
12/6/2018 20:00	1.2	0.7	0.5	15.6	0.2	1.9	10.0	8.0
12/6/2018 21:00	1.1	0.7	0.5	14.8	0.2	1.9	11.0	7.0
12/6/2018 22:00	1.1	0.7	0.5	15.3	0.2	1.9	9.0	5.0
12/6/2018 23:00	3.1	0.6	0.4	12.5	0.1	1.7	20.0	12.0
12/7/2018 0:00	6.1	0.7	0.5	13.4	0.1	1.8	21.0	20.0
12/7/2018 1:00	6.9	Calibration	Calibration	18.0	0.1	1.9	24.0	11.0
12/7/2018 2:00	6.1	Calibration	Calibration	17.3	0.2	1.8	22.0	14.0
12/7/2018 3:00	Calibration	0.9	0.8	Calibration	Calibration	1.7	11.0	10.0
12/7/2018 4:00	1.1	0.9	0.6	21.6	0.2	Too few samples	16.0	10.0
12/7/2018 5:00	0.8	0.6	0.5	8.8	0.1	6.3	16.0	11.0
12/7/2018 6:00	0.6	0.5	0.5	7.9	0.1	4.9	12.0	9.0
12/7/2018 7:00	0.5	0.7	0.6	11.0	0.2	8.4	12.0	8.0
12/7/2018 8:00	0.6	0.6	0.5	10.3	0.2	6.2	14.0	6.0
12/7/2018 9:00	0.5	0.5	0.5	8.0	0.1	5.9	8.0	3.0
12/7/2018 10:00	0.4	0.4	0.4	6.5	0.1	5.3	10.0	4.0
12/7/2018 11:00	BDL	BDL	0.4	4.2	0.1	4.5	9.0	3.0
12/7/2018 12:00	BDL	BDL	0.4	3.4	0.1	4.4	14.0	2.0
12/7/2018 13:00	BDL	BDL	0.4	3.8	0.1	4.3	17.0	3.0
12/7/2018 14:00	BDL	0.4	0.4	5.4	0.1	4.7	21.0	5.0
12/7/2018 15:00	BDL	0.4	0.4	4.8	0.1	4.6	15.0	5.0
12/7/2018 16:00	BDL	0.5	0.5	8.9	0.1	6.1	10.0	4.0
12/7/2018 17:00	BDL	0.6	0.5	11.6	0.1	6.2	11.0	4.0
12/7/2018 18:00	BDL	0.6	0.5	13.2	0.1	7.0	11.0	6.0
12/7/2018 19:00	BDL	0.6	0.5	16.5	0.2	6.9	14.0	6.0
12/7/2018 20:00	BDL	0.4	BDL	11.0	0.2	3.9	7.0	4.0
12/7/2018 21:00	BDL	0.6	0.5	16.3	0.2	6.3	7.0	7.0
12/7/2018 22:00	BDL	0.6	0.4	17.0	0.2	2.6	6.0	6.0
12/7/2018 23:00	BDL	0.7	BDL	21.5	0.2	1.8	8.0	4.0
12/8/2018 0:00	BDL	0.5	BDL	16.0	0.2	1.8	9.0	5.0
12/8/2018 1:00	BDL	Calibration	Calibration	12.4	0.2	1.8	14.0	5.0
12/8/2018 2:00	BDL	Calibration	Calibration	21.1	0.3	1.9	12.0	4.0
12/8/2018 3:00	Calibration	1.5	0.7	Calibration	Calibration	2.5	16.0	5.0
12/8/2018 4:00	1.1	2.2	0.9	78.7	0.7	Too few samples	21.0	10.0
12/8/2018 5:00	1.8	3.1	1.2	109.8	0.7	2.8	28.0	15.0
12/8/2018 6:00	1.7	3.0	1.1	99.7	0.8	3.4	28.0	15.0
12/8/2018 7:00	2.2	2.9	1.1	105.3	0.8	4.6	26.0	17.0
12/8/2018 8:00	1.3	2.0	0.8	64.7	0.4	2.1	21.0	9.0
12/8/2018 9:00	0.6	0.6	BDL	16.3	0.2	2.0	20.0	7.0
12/8/2018 10:00	1.4	0.8	0.6	19.5	0.2	2.2	19.0	7.0
12/8/2018 11:00	2.9	0.9	0.6	17.6	0.1	2.0	42.0	14.0
12/8/2018 12:00	1.7	0.7	0.6	9.8	0.1	2.9	19.0	17.0
12/8/2018 13:00	1.5	0.5	0.5	6.8	0.1	3.9	63.0	15.0
12/8/2018 14:00	0.8	0.5	0.5	6.9	0.1	4.5	22.0	15.0
12/8/2018 15:00	0.4	0.4	0.4	4.8	0.1	2.9	19.0	15.0
12/8/2018 16:00	0.5	0.6	0.5	9.9	0.1	9.1	20.0	12.0
12/8/2018 17:00	0.5	0.6	0.6	11.6	0.2	7.6	21.0	14.0
12/8/2018 18:00	0.4	0.6	0.5	14.0	0.2	6.5	23.0	15.0
12/8/2018 19:00	0.5	0.9	0.7	20.1	0.2	11.6	26.0	16.0
12/8/2018 20:00	0.6	0.9	0.7	20.0	0.2	9.3	24.0	20.0
12/8/2018 21:00	0.6	1.0	0.7	23.1	0.3	10.5	27.0	19.0
12/8/2018 22:00	0.9	1.3	0.9	35.0	0.3	11.2	21.0	17.0
12/8/2018 23:00	0.6	1.0	0.6	23.6	0.3	6.7	16.0	13.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 12/9/2018-12/15/2018								
12/9/2018 0:00	0.4	0.7	0.5	18.7	0.2	5.1	15.0	13.0
12/9/2018 1:00	0.7	Calibration	Calibration	20.7	0.2	7.7	25.0	15.0
12/9/2018 2:00	0.8	Calibration	Calibration	29.9	0.3	6.5	18.0	15.0
12/9/2018 3:00	Calibration	0.9	0.6	Calibration	Calibration	6.4	22.0	13.0
12/9/2018 4:00	BDL	0.8	0.5	20.7	0.2	Too few samples	18.0	13.0
12/9/2018 5:00	0.4	0.8	0.4	23.1	0.2	2.0	14.0	11.0
12/9/2018 6:00	0.8	0.8	0.4	26.1	0.3	1.9	14.0	13.0
12/9/2018 7:00	0.7	0.9	0.4	28.2	0.3	1.9	18.0	10.0
12/9/2018 8:00	0.5	0.7	0.4	22.8	0.3	1.8	13.0	7.0
12/9/2018 9:00	0.6	0.8	0.4	22.6	0.2	1.8	13.0	10.0
12/9/2018 10:00	0.6	0.7	0.4	20.5	0.2	1.8	17.0	9.0
12/9/2018 11:00	0.6	0.6	BDL	17.0	0.2	1.8	13.0	11.0
12/9/2018 12:00	0.6	0.7	0.4	17.5	0.2	2.7	12.0	11.0
12/9/2018 13:00	0.6	0.8	0.4	24.4	0.3	3.1	21.0	14.0
12/9/2018 14:00	0.9	1.0	0.6	27.8	0.3	6.8	20.0	13.0
12/9/2018 15:00	0.7	0.9	0.6	24.8	0.3	5.1	18.0	11.0
12/9/2018 16:00	0.7	0.9	0.6	22.9	0.3	5.5	22.0	14.0
12/9/2018 17:00	0.5	1.0	0.5	25.7	0.3	4.8	19.0	14.0
12/9/2018 18:00	0.7	0.7	0.5	16.0	0.2	6.0	21.0	11.0
12/9/2018 19:00	0.6	0.9	0.5	20.5	0.2	3.1	18.0	13.0
12/9/2018 20:00	0.6	1.0	0.6	25.3	0.3	3.1	20.0	11.0
12/9/2018 21:00	0.5	0.9	0.6	21.8	0.3	2.2	17.0	12.0
12/9/2018 22:00	0.5	0.9	0.6	19.9	0.2	2.2	16.0	11.0
12/9/2018 23:00	0.6	0.8	0.5	16.0	0.2	2.3	18.0	11.0
12/10/2018 0:00	0.7	0.9	0.6	22.5	0.2	3.6	17.0	13.0
12/10/2018 1:00	0.6	Calibration	Calibration	22.6	0.2	2.7	23.0	18.0
12/10/2018 2:00	0.7	Calibration	Calibration	18.6	0.2	1.9	20.0	18.0
12/10/2018 3:00	Calibration	0.8	0.6	Calibration	Calibration	1.9	20.0	16.0
12/10/2018 4:00	BDL	0.9	0.6	19.6	0.2	Too few samples	22.0	17.0
12/10/2018 5:00	0.7	0.9	0.6	23.1	0.2	2.3	24.0	16.0
12/10/2018 6:00	0.7	1.0	0.6	28.2	0.2	1.9	24.0	15.0
12/10/2018 7:00	0.7	1.1	0.6	31.3	0.3	1.9	28.0	14.0
12/10/2018 8:00	Calibration	1.2	0.7	Calibration	Calibration	1.9	27.0	15.0
12/10/2018 9:00	Calibration	1.1	0.6	Calibration	Calibration	1.9	30.0	17.0
12/10/2018 10:00	Calibration	0.8	0.6	Calibration	Calibration	1.7	27.0	16.0
12/10/2018 11:00	0.9	0.6	0.5	12.1	0.2	1.6	21.0	8.0
12/10/2018 12:00	0.7	0.6	0.5	13.6	0.2	1.8	19.0	15.0
12/10/2018 13:00	0.7	0.8	0.5	14.3	0.2	2.7	20.0	10.0
12/10/2018 14:00	0.9	0.7	0.5	13.9	0.1	4.4	43.0	12.0
12/10/2018 15:00	0.8	0.6	0.5	9.1	0.1	3.4	37.0	11.0
12/10/2018 16:00	0.9	0.8	0.6	18.8	0.2	4.2	23.0	19.0
12/10/2018 17:00	1.1	1.2	0.7	33.8	0.3	4.4	24.0	13.0
12/10/2018 18:00	0.8	1.3	0.7	43.7	0.4	2.4	25.0	18.0
12/10/2018 19:00	1.6	2.0	0.9	64.7	0.5	5.2	31.0	22.0
12/10/2018 20:00	1.2	1.7	0.9	48.9	0.4	4.2	27.0	17.0
12/10/2018 21:00	1.2	1.7	0.9	51.2	0.5	2.6	30.0	13.0
12/10/2018 22:00	0.9	1.4	0.7	42.7	0.5	1.9	22.0	10.0
12/10/2018 23:00	1.1	1.8	0.8	54.1	0.5	2.0	26.0	17.0
12/11/2018 0:00	0.6	1.1	0.6	31.6	0.3	1.9	19.0	17.0
12/11/2018 1:00	1.1	Calibration	Calibration	56.6	0.4	2.2	20.0	12.0
12/11/2018 2:00	1.3	Calibration	Calibration	64.8	0.4	2.2	21.0	13.0
12/11/2018 3:00	Calibration	2.1	1.0	Calibration	Calibration	2.1	20.0	13.0
12/11/2018 4:00	1.6	2.6	1.1	82.1	0.6	Too few samples	33.0	13.0
12/11/2018 5:00	2.0	2.7	1.1	93.2	0.6	2.3	27.0	15.0
12/11/2018 6:00	3.1	Calibration	Calibration	136.6	0.8	2.6	36.0	17.0
12/11/2018 7:00	3.4	Calibration	Calibration	147.3	0.7	3.0	40.0	18.0
12/11/2018 8:00	2.7	Calibration	Calibration	113.4	0.8	2.3	35.0	19.0
12/11/2018 9:00	2.4	Calibration	Calibration	84.2	0.6	2.0	38.0	17.0
12/11/2018 10:00	2.8	2.6	1.3	82.4	0.5	2.0	53.0	26.0
12/11/2018 11:00	3.5	2.4	1.2	70.9	0.4	2.4	44.0	21.0
12/11/2018 12:00	3.9	1.2	0.7	31.1	0.2	2.0	26.0	13.0
12/11/2018 13:00	3.3	1.2	0.7	31.7	0.3	2.0	35.0	16.0
12/11/2018 14:00	2.8	1.1	0.7	24.2	0.2	1.9	32.0	21.0
12/11/2018 15:00	3.6	2.3	1.9	23.6	0.2	2.0	39.0	25.0
12/11/2018 16:00	2.1	1.0	0.9	15.6	0.2	2.3	32.0	20.0
12/11/2018 17:00	2.2	1.1	0.8	18.1	0.2	2.2	38.0	22.0
12/11/2018 18:00	1.6	1.2	0.9	25.1	0.3	3.6	33.0	20.0
12/11/2018 19:00	1.8	1.6	1.0	39.1	0.4	4.8	38.0	25.0
12/11/2018 20:00	2	1.8	1.1	43.9	0.4	4.6	41.0	29.0
12/11/2018 21:00	2.1	2.1	1.1	56.9	0.5	4.1	42.0	26.0
12/11/2018 22:00	2.1	1.6	1.0	42.6	0.3	3.8	32.0	28.0
12/11/2018 23:00	2.4	1.5	0.9	38.2	0.3	2.7	29.0	23.0
12/12/2018 0:00	2	1.3	0.9	30.3	0.3	3.2	30.0	23.0
12/12/2018 1:00	2.2	Calibration	Calibration	26.5	0.2	2.3	32.0	25.0
12/12/2018 2:00	1.8	Calibration	Calibration	22.6	0.3	2.4	37.0	23.0
12/12/2018 3:00	Calibration	0.9	0.7	Calibration	Calibration	2.1	33.0	27.0
12/12/2018 4:00	1.1	0.8	0.6	13.7	0.2	Too few samples	32.0	21.0
12/12/2018 5:00	1.1	0.9	0.6	16.3	0.2	2.3	29.0	24.0
12/12/2018 6:00	1.2	1.0	0.6	26.5	0.3	2.1	37.0	22.0
12/12/2018 7:00	1.5	1.4	0.8	41.7	0.4	2.4	Maintenance	Maintenance
12/12/2018 8:00	1.4	1.2	0.7	30.3	0.3	2.4	34.0	16.0
12/12/2018 9:00	1.6	0.6	0.5	10.9	0.2	2.1	20.0	17.0
12/12/2018 10:00	1.6	0.5	0.5	6.2	0.1	2.0	22.0	14.0
12/12/2018 11:00	1.5	0.5	0.4	7.0	0.1	1.9	14.0	10.0
12/12/2018 12:00	1.3	0.5	0.4	6.7	0.1	1.8	23.0	12.0
12/12/2018 13:00	1.3	0.5	0.5	6.1	0.1	1.9	17.0	13.0
12/12/2018 14:00	1.6	0.6	0.5	9.4	0.1	2.0	35.0	15.0
12/12/2018 15:00	1.2	0.6	0.6	8.6	0.1	2.0	27.0	14.0
12/12/2018 16:00	1.2	0.7	0.6	14.8	0.2	2.0	27.0	15.0
12/12/2018 17:00	1.3	1.1	0.7	26.3	0.3	2.0	29.0	17.0
12/12/2018 18:00	1.3	1.2	0.8	30.0	0.4	2.0	29.0	14.0
12/12/2018 19:00	2.0	2.0	1.2	64.2	0.6	1.9	35.0	21.0
12/12/2018 20:00	2.3	2.5	1.2	74.2	0.8	1.9	44.0	15.0
12/12/2018 21:00	2.7	2.9	1.4	92.8	0.7	2.1	110*	24.0
12/12/2018 22:00	2.7	2.9	1.4	90.2	0.8	2.0	53.0	24.0
12/12/2018 23:00	2.1	2.1	1.1	65.3	0.6	1.9	39.0	23.0
12/13/2018 0:00	1.6	1.5	0.7	44.6	0.4	1.8	31.0	20.0
12/13/2018 1:00	1.6	Calibration	Calibration	42.5	0.3	1.8	24.0	13.0
12/13/2018 2:00	1.5	Calibration	Calibration	35.8	0.3	1.9	26.0	16.0
12/13/2018 3:00	184.3	1.3	0.8	Calibration	Calibration	1.9	26.0	16.0
12/13/2018 4:00	1.4	1.4	0.8	38.2	0.4	Too few samples	28.0	15.0
12/13/2018 5:00	1.6	1.6	0.9	44.7	0.4	1.8	32.0	16.0
12/13/2018 6:00	1.9	1.8	0.9	54.4	0.4	1.8	26.0	18.0
12/13/2018 7:00	2.0	2.0	1.0	59.0	0.5	1.9	38.0	19.0
12/13/2018 8:00	2.2	2.1	1.1	67.7	0.6	1.9	43.0	22.0
12/13/2018 9:00	2.4	2.3	1.1	71.4	0.5	2.1	46.0	20.0
12/13/2018 10:00	2.5	2.2	1.2	67.8	0.5	2.1	46.0	27.0
12/13/2018 11:00	2.3	2.1	1.4	45.2	0.4	1.8	43.0	18.0
12/13/2018 12:00	2.0	1.3	1.0	18.9	0.2	1.6	22.0	11.0
12/13/2018 13:00	2.0	1.0	0.8	22.1	0.2	1.6	27.0	9.0
12/13/2018 14:00	1.8	1.0	0.6	27.2	0.3	1.6	26.0	10.0
12/13/2018 15:00	1.7	1.0	0.6	25.9	0.4	1.6	27.0	9.0
12/13/2018 16:00	1.5	1.0	0.6	32.4	0.5	1.7	25.0	11.0
12/13/2018 17:00	1.4	1.1	0.6	37.4	0.5	1.8	27.0	11.0
12/13/2018 18:00	1.1	1.2	0.7	31.6	0.5	1.8	22.0	11.0
12/13/2018 19:00	2.1	1.9	0.9	70.7	0.7	2.1	38.0	25.0
12/13/2018 20:00	2.4	2.4	1.1	85.6	0.7	2.2	35.0	17.0
12/13/2018 21:00	2.3	2.3	1.0	78.7	0.7	2.2	29.0	15.0
12/13/2018 22:00	2.2	2.2	1.0	76.6	0.7	2.2	30.0	16.0
12/13/2018 23:00	2.2	2.1	1.0	72.8	0.6	2.2	28.0	15.0
12/14/2018 0:00	2.2	2.1	1.0	74.8	0.6	2.2	28.0	16.0
12/14/2018 1:00	2.1	Calibration	Calibration	71.1	0.6	2.1	27.0	16.0
12/14/2018 2:00	1.8	Calibration	Calibration	53.5	0.5	2.1	33.0	20.0
12/14/2018 3:00	Calibration	1.4	0.8	Calibration	Calibration	2.1	25.0	18.0
12/14/2018 4:00	1.6	1.6	0.8	52.7	0.5	Too few samples	25.0	14.0
12/14/2018 5:00	2.1	2.0	1.0	67.1	0.6	2.2	30.0	18.0
12/14/2018 6:00	2.3	2.2	1.0	76.5	0.6	2.2	29.0	16.0
12/14/2018 7:00	2.6	2.5	1.1	85.5	0.7	2.4	39.0	19.0
12/14/2018 8:00	2.5	2.3	1.1	81.2	0.7	2.3	35.0	17.0
12/14/2018 9:00	2.8	2.7	1.3	89.3	0.7	2.3	analyzer malfunction	analyzer malfunction
12/14/2018 10:00	2.4	2.1	1.1	68.2	0.6	2.1	analyzer malfunction	analyzer malfunction
12/14/2018 11:00	2.3	1.9	1.0	60.6	0.5	2.0	analyzer malfunction	analyzer malfunction
12/14/2018 12:00	1.7	1.2	0.8	24.9	0.3	1.6	analyzer malfunction	analyzer malfunction
12/14/2018 13:00	1.6	1.0	0.7	25.2	0.3	1.6	analyzer malfunction	analyzer malfunction
12/14/2018 14:00	1.8	1.4	0.9	40.5	0.4	1.7	analyzer malfunction	analyzer malfunction
12/14/2018 15:00	1.7	1.5	0.9	40.1	0.5	1.7	analyzer malfunction	analyzer malfunction
12/14/2018 16:00	1.7	1.5	0.9	50.0	0.6	1.7	analyzer malfunction	analyzer malfunction
12/14/2018 17:00	1.6	1.3	0.7	42.5	0.6	1.7	analyzer malfunction	analyzer malfunction
12/14/2018 18:00	1.7	1.5	0.8	48.9	0.7	1.8	analyzer malfunction	analyzer malfunction
12/14/2018 19:00	1.6	1.7	1.0	42.8	0.6	2.0	analyzer malfunction	analyzer malfunction
12/14/2018 20:00	1.6	1.3	0.8	42.7	0.6	1.8	analyzer malfunction	analyzer malfunction
12/14/2018 21:00	1.7	1.5	0.9	52.3	0.6	1.9	analyzer malfunction	analyzer malfunction
12/14/2018 22:00	1.4	1.3	0.8	38.5	0.5	1.9	analyzer malfunction	analyzer malfunction
12/14/2018 23:00	1.3	1.1	0.6	29.5	0.5	1.9	analyzer malfunction	analyzer malfunction
12/15/2018 0:00	1.2	1.1	0.6	27.2	0.5	1.9	analyzer malfunction	analyzer malfunction
12/15/2018 1:00	1.3	Calibration	Calibration	29.5	0.5	1.8	analyzer malfunction	analyzer malfunction
12/15/2018 2:00	1.3	Calibration	Calibration	26.5	0.4	2.0	analyzer malfunction	analyzer malfunction
12/15/2018 3:00	Calibration	1.0	0.6	Calibration	Calibration	2.2	analyzer malfunction	analyzer malfunction
12/15/2018 4:00	1.2	1.1	0.7	29.4	0.4	Too few samples	analyzer malfunction	analyzer malfunction
12/15/2018 5:00	1.2	1.1	0.6	29.0	0.4	1.9	analyzer malfunction	analyzer malfunction
12/15/2018 6:00	1.3	1.2	0.8	31.9	0.4	2.1	analyzer malfunction	analyzer malfunction
12/15/2018 7:00	1.3	1.3	0.9	32.6	0.4	2.2	analyzer malfunction	analyzer malfunction
12/15/2018 8:00	1.3	1.1	0.7	24.8	0.4	1.9	analyzer malfunction	analyzer malfunction
12/15/2018 9:00	1.2	1.1	0.7	27.1	0.4	1.9	analyzer malfunction	analyzer malfunction
12/15/2018 10:00	1.3	1.1	0.7	27.4	0.4	1.8	analyzer malfunction	analyzer malfunction
12/15/2018 11:00	1.4	1.2	0.8	31.1	0.5	1.8	analyzer malfunction	analyzer malfunction
12/15/2018 12:00	1.3	1.1	0.7	28.5	0.5	1.7	analyzer malfunction	analyzer malfunction
12/15/2018 13:00	1.3	0.9	0.6	20.7	0.4	1.6	analyzer malfunction	analyzer malfunction
12/15/2018 14:00	1.3	0.9	0.7	21.9	0.4	1.6	analyzer malfunction	analyzer malfunction
12/15/2018 15:00	1.4	1.3	0.7	36.9	0.4	1.7	analyzer malfunction	analyzer malfunction
12/15/2018 16:00	1.4	1.4	0.9	37.7	0.5	2.0	analyzer malfunction	analyzer malfunction
12/15/2018 17:00	1.6	1.6	0.9	42.7	0.5	2.1	analyzer malfunction	analyzer malfunction
12/15/2018 18:00	1.6	1.5	0.9	39.5	0.5	2.0	analyzer malfunction	analyzer malfunction
12/15/2018 19:00	1.6	1.2	0.8	31.2	0.4	1.8	analyzer malfunction	analyzer malfunction
12/15/2018 20:00	1.5	1.1	0.7	24.2	0.4	1.8	analyzer malfunction	analyzer malfunction
12/15/2018 21:00	1.3	1.0	0.6	19.2	0.3	1.7	analyzer malfunction	analyzer malfunction
12/15/2018 22:00	1.5	1.0	0.6	14.9	0.3	1.6	analyzer malfunction	analyzer malfunction
12/15/2018 23:00	1.4	0.7	0.6	6.3	0.2	1.6	analyzer malfunction	analyzer malfunction

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Site Downwind Weekly: 12/16/2018-12/22/2018

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
12/16/2018 0:00	1.4	0.6	0.6	8.4	0.2	1.5	analyzer malfunction	analyzer malfunction
12/16/2018 1:00	1.3	Calibration	Calibration	4.4	0.2	1.5	analyzer malfunction	analyzer malfunction
12/16/2018 2:00	1.3	Calibration	Calibration	5.7	0.2	1.5	analyzer malfunction	analyzer malfunction
12/16/2018 3:00	Calibration	0.6	0.6	Calibration	Calibration	1.5	analyzer malfunction	analyzer malfunction
12/16/2018 4:00	1.2	0.6	0.5	3.7	0.2	Too few samples	analyzer malfunction	analyzer malfunction
12/16/2018 5:00	1.2	0.5	0.5	5.3	0.2	1.5	analyzer malfunction	analyzer malfunction
12/16/2018 6:00	1.2	0.6	0.5	6.2	0.2	1.5	analyzer malfunction	analyzer malfunction
12/16/2018 7:00	1.2	0.7	0.6	7.3	0.2	1.5	analyzer malfunction	analyzer malfunction
12/16/2018 8:00	1.3	0.7	0.6	8.1	0.2	1.5	analyzer malfunction	analyzer malfunction
12/16/2018 9:00	1.3	0.7	0.6	11.3	0.2	1.5	analyzer malfunction	analyzer malfunction
12/16/2018 10:00	1.3	0.7	0.7	8.2	0.2	1.6	analyzer malfunction	analyzer malfunction
12/16/2018 11:00	1.3	0.8	0.6	8.7	0.2	1.6	analyzer malfunction	analyzer malfunction
12/16/2018 12:00	1.4	0.8	0.6	10.2	0.2	1.5	analyzer malfunction	analyzer malfunction
12/16/2018 13:00	1.4	0.9	0.7	17.4	0.3	1.6	analyzer malfunction	analyzer malfunction
12/16/2018 14:00	1.1	0.9	0.7	14.2	0.3	1.6	analyzer malfunction	analyzer malfunction
12/16/2018 15:00	1.3	0.9	0.7	15.3	0.3	1.6	analyzer malfunction	analyzer malfunction
12/16/2018 16:00	1.3	0.7	0.6	10.0	0.2	1.6	analyzer malfunction	analyzer malfunction
12/16/2018 17:00	1.3	0.7	0.6	7.0	0.2	1.6	analyzer malfunction	analyzer malfunction
12/16/2018 18:00	1.3	0.6	0.6	5.6	0.2	1.7	analyzer malfunction	analyzer malfunction
12/16/2018 19:00	1.4	0.7	0.6	5.5	0.2	1.7	analyzer malfunction	analyzer malfunction
12/16/2018 20:00	1.4	0.7	0.6	5.9	0.2	1.7	analyzer malfunction	analyzer malfunction
12/16/2018 21:00	1.4	0.6	0.6	5.9	0.2	1.8	analyzer malfunction	analyzer malfunction
12/16/2018 22:00	1.4	0.7	0.6	5.7	0.2	1.9	analyzer malfunction	analyzer malfunction
12/16/2018 23:00	1.5	0.7	0.6	7.7	0.2	2.1	analyzer malfunction	analyzer malfunction
12/17/2018 0:00	1.4	0.7	0.6	7.1	0.2	2.1	analyzer malfunction	analyzer malfunction
12/17/2018 1:00	1.4	Calibration	Calibration	5.2	0.2	1.8	analyzer malfunction	analyzer malfunction
12/17/2018 2:00	1.5	Calibration	Calibration	7.1	0.2	1.9	analyzer malfunction	analyzer malfunction
12/17/2018 3:00	Calibration	0.6	0.6	Calibration	Calibration	1.8	analyzer malfunction	analyzer malfunction
12/17/2018 4:00	1.5	0.7	0.6	7.7	0.2	Too few samples	analyzer malfunction	analyzer malfunction
12/17/2018 5:00	1.5	0.8	0.6	13.0	0.2	1.8	analyzer malfunction	analyzer malfunction
12/17/2018 6:00	1.8	0.9	0.7	15.1	0.2	1.7	analyzer malfunction	analyzer malfunction
12/17/2018 7:00	Too few samples	1.2	0.8	Too few samples	Too few samples	2.1	analyzer malfunction	analyzer malfunction
12/17/2018 8:00	Calibration	1.2	0.8	Calibration	Calibration	1.7	15.0	9.0
12/17/2018 9:00	3.3	1.2	0.8	21.9	0.2	1.7	23.0	10.0
12/17/2018 10:00	2.8	0.9	0.7	14.6	0.2	1.8	40.0	9.0
12/17/2018 11:00	2.5	0.8	0.8	9.7	0.2	1.8	21.0	12.0
12/17/2018 12:00	2.3	0.8	0.8	7.1	0.2	1.8	18.0	13.0
12/17/2018 13:00	2.0	0.7	0.7	4.5	0.2	1.9	23.0	11.0
12/17/2018 14:00	1.8	0.7	0.7	4.8	0.2	1.9	21.0	13.0
12/17/2018 15:00	1.6	0.7	0.7	5.2	0.2	2.0	18.0	12.0
12/17/2018 16:00	1.7	0.7	0.6	5.7	0.2	1.7	31.0	13.0
12/17/2018 17:00	1.6	0.6	0.6	4.2	0.1	1.7	16.0	10.0
12/17/2018 18:00	1.5	0.6	0.6	4.5	0.1	2.1	12.0	10.0
12/17/2018 19:00	1.5	0.6	0.6	2.8	0.1	1.8	9.0	6.0
12/17/2018 20:00	1.5	0.5	0.5	1.9	0.1	1.7	6.0	5.0
12/17/2018 21:00	1.4	0.5	0.6	1.5	0.1	1.7	4.0	4.0
12/17/2018 22:00	1.4	0.5	0.6	1.2	0.1	1.7	5.0	2.0
12/17/2018 23:00	1.4	0.5	0.5	1.1	0.1	1.7	6.0	4.0
12/18/2018 0:00	1.4	0.5	0.6	2.4	0.1	2.0	4.0	2.0
12/18/2018 1:00	1.4	Calibration	Calibration	1.0	0.1	1.8	5.0	4.0
12/18/2018 2:00	1.5	Calibration	Calibration	0.6	0.1	2.0	5.0	5.0
12/18/2018 3:00	Calibration	0.4	0.5	Calibration	Calibration	1.9	8.0	4.0
12/18/2018 4:00	1.3	0.5	0.6	1.9	0.1	Too few samples	6.0	2.0
12/18/2018 5:00	1.4	0.6	0.5	5.9	0.1	2.0	6.0	1.0
12/18/2018 6:00	1.3	0.6	0.5	9.9	0.1	2.0	8.0	1.0
12/18/2018 7:00	1.4	0.6	0.5	7.8	0.1	1.9	7.0	4.0
12/18/2018 8:00	1.4	0.6	0.5	8.5	0.1	1.9	7.0	4.0
12/18/2018 9:00	1.6	0.5	0.5	5.7	0.1	1.9	Audit	Audit
12/18/2018 10:00	1.5	0.4	0.4	3.2	0.1	2.1	Audit	Audit
12/18/2018 11:00	1.3	0.5	0.5	5.1	0.1	2.2	8.0	6.0
12/18/2018 12:00	1.4	0.4	0.4	3.3	0.1	2.0	9.0	5.0
12/18/2018 13:00	1.5	0.4	0.4	4.4	0.1	1.9	11.0	4.0
12/18/2018 14:00	1.5	0.4	0.4	2.6	0.1	1.9	10.0	4.0
12/18/2018 15:00	1.5	0.4	0.4	4.1	0.1	2.0	12.0	3.0
12/18/2018 16:00	1.4	0.5	0.5	7.8	0.1	2.0	10.0	3.0
12/18/2018 17:00	1.4	0.5	0.5	10.0	0.1	1.9	8.0	5.0
12/18/2018 18:00	1.6	0.6	0.5	12.7	0.2	1.8	12.0	5.0
12/18/2018 19:00	1.5	0.6	0.4	12.9	0.2	1.8	9.0	5.0
12/18/2018 20:00	1.5	0.7	0.4	17.0	0.2	2.2	8.0	5.0
12/18/2018 21:00	1.6	1.0	0.5	30.4	0.3	2.0	14.0	7.0
12/18/2018 22:00	1.9	1.4	0.7	43.8	0.4	2.3	17.0	9.0
12/18/2018 23:00	1.9	1.5	0.7	43.9	0.4	3.6	18.0	10.0
12/19/2018 0:00	2.5	2.8	1.6	70.0	0.5	8.2	18.0	13.0
12/19/2018 1:00	2.6	Calibration	Calibration	71.7	0.5	6.1	17.0	13.0
12/19/2018 2:00	2.9	Calibration	Calibration	76.9	0.5	3.8	analyzer malfunction	16.0
12/19/2018 3:00	Calibration	2.2	1.0	Calibration	Calibration	3.7	analyzer malfunction	6.0
12/19/2018 4:00	2.8	1.8	0.8	57.0	0.4	Too few samples	analyzer malfunction	6.0
12/19/2018 5:00	3.1	2.2	0.9	79.1	0.5	2.6	analyzer malfunction	7.0
12/19/2018 6:00	4.7	4.0	1.5	135.6	0.8	2.8	analyzer malfunction	10.0
12/19/2018 7:00	5.0	Calibration	Calibration	139.3	0.8	3.3	analyzer malfunction	14.0
12/19/2018 8:00	5.5	Calibration	Calibration	136.8	0.6	2.8	42.0	21.0
12/19/2018 9:00	6.7	Calibration	Calibration	113.2	0.7	2.9	47.0	28.0
12/19/2018 10:00	5.7	Calibration	Calibration	78.4	0.4	2.4	36.0	18.0
12/19/2018 11:00	5.8	Calibration	Calibration	54.6	0.3	2.3	28.0	17.0
12/19/2018 12:00	4.1	Too few samples	Too few samples	21.9	0.2	Too few samples	16.0	8.0
12/19/2018 13:00	4.3	Calibration	Calibration	28.4	0.2	2.0	27.0	10.0
12/19/2018 14:00	3.6	Too few samples	Too few samples	Audit	0.2	1.8	29.0	11.0
12/19/2018 15:00	Too few samples	1.1	0.7	Too few samples	Too few samples	1.7	15.0	7.0
12/19/2018 16:00	2.8	Audit	Audit	28.7	0.3	Too few samples	21.0	9.0
12/19/2018 17:00	3.1	1.4	0.9	42.5	0.4	1.6	22.0	7.0
12/19/2018 18:00	3.0	1.6	1	33.5	0.3	1.6	21.0	8.0
12/19/2018 19:00	2.7	1.5	1.2	26.6	0.4	1.6	19.0	10.0
12/19/2018 20:00	2.8	1.6	1.3	29.8	0.4	2.0	18.0	11.0
12/19/2018 21:00	2.9	1.8	1.2	39.3	0.5	1.7	21.0	12.0
12/19/2018 22:00	2.8	1.8	1.2	39.6	0.5	1.7	19.0	13.0
12/19/2018 23:00	2.8	1.8	1.1	46.3	0.4	1.8	25.0	13.0
12/20/2018 0:00	2.9	2	1.3	48.9	0.4	2.1	20.0	13.0
12/20/2018 1:00	2.9	Calibration	Calibration	50.3	0.4	2.1	24.0	14.0
12/20/2018 2:00	2.8	Calibration	Calibration	42.8	0.4	1.9	23.0	17.0
12/20/2018 3:00	Calibration	2.8	1.7	Calibration	Calibration	2.2	24.0	13.0
12/20/2018 4:00	5.3	4.3	2.1	135.7	0.7	Too few samples	25.0	20.0
12/20/2018 5:00	6.6	5.4	2.6	179.2	0.9	2.6	42.0	20.0
12/20/2018 6:00	6.0	5.0	2.6	157.0	0.9	2.3	41.0	20.0
12/20/2018 7:00	7.4	Audit	Audit	197.9	1.3	2.6	44.0	20.0
12/20/2018 8:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	2.8	61.0	37.0
12/20/2018 9:00	6.0	5.0	2.5	111.1	1.0	Too few samples	56.0	27.0
12/20/2018 10:00	5.6	3.9	2.1	124.3	0.9	2.3	45.0	25.0
12/20/2018 11:00	5.9	3.9	2.1	130.4	0.8	2.3	48.0	28.0
12/20/2018 12:00	5.8	3.3	1.7	107.0	0.8	2.2	46.0	26.0
12/20/2018 13:00	5.7	3.1	1.5	98.4	0.7	2.2	37.0	18.0
12/20/2018 14:00	4.7	2.5	1.3	74.7	0.6	2.5	30.0	17.0
12/20/2018 15:00	4.3	2.2	1.2	65.5	0.5	2.2	18.0	16.0
12/20/2018 16:00	3.8	1.8	1.1	50.4	0.5	2.0	17.0	13.0
12/20/2018 17:00	3.7	1.6	1.0	47.2	0.5	1.9	17.0	11.0
12/20/2018 18:00	3.7	1.5	0.9	38.5	0.5	1.9	15.0	13.0
12/20/2018 19:00	3.4	1.3	0.9	30.5	0.4	1.9	12.0	9.0
12/20/2018 20:00	3.5	1.4	0.9	31.6	0.4	1.8	19.0	10.0
12/20/2018 21:00	3.5	1.2	0.8	25.0	0.4	1.8	18.0	9.0
12/20/2018 22:00	3.6	1.3	0.9	27.3	0.4	1.9	15.0	6.0
12/20/2018 23:00	3.0	0.8	0.7	7.3	0.2	1.5	7.0	3.0
12/21/2018 0:00	3.0	0.7	0.7	3.9	0.2	1.3	6.0	BDL
12/21/2018 1:00	2.9	Calibration	Calibration	6.6	0.2	1.3	4.0	3.0
12/21/2018 2:00	2.8	Calibration	Calibration	2.6	0.2	1.3	3.0	3.0
12/21/2018 3:00	Calibration	0.9	0.9	Calibration	Calibration	1.3	5.0	3.0
12/21/2018 4:00	2.6	0.8	0.8	0.6	0.2	1.4	7.0	5.0
12/21/2018 5:00	2.3	0.9	0.9	4.1	0.2	1.7	6.0	3.0
12/21/2018 6:00	2.1	0.8	0.8	4.4	0.2	1.4	6.0	3.0
12/21/2018 7:00	2.1	Calibration	Calibration	6.7	0.2	1.3	9.0	4.0
12/21/2018 8:00	2.0	Calibration	Calibration	11.7	0.2	1.4	11.0	3.0
12/21/2018 9:00	2.2	1.2	1.0	27.1	0.3	1.9	Maintenance	Maintenance
12/21/2018 10:00	2.3	1.5	1.0	28.8	0.3	1.4	Maintenance	Maintenance
12/21/2018 11:00	2.2	1.2	1.0	24.7	0.3	1.5	10.0	BDL
12/21/2018 12:00	2.2	1.1	0.9	13.4	0.3	1.3	10.0	1.0
12/21/2018 13:00	2.2	1.0	0.9	15.4	0.3	1.3	7.0	2.0
12/21/2018 14:00	2.2	1.1	0.9	15.1	0.3	1.4	6.0	4.0
12/21/2018 15:00	2.1	1.0	1.0	6.8	0.2	1.3	6.0	8.0
12/21/2018 16:00	2.0	1.0	1.0	6.6	0.3	1.4	7.0	6.0
12/21/2018 17:00	2.0	1.2	1.1	12.0	0.3	1.4	17.0	5.0
12/21/2018 18:00	2.2	1.1	1.0	7.0	0.3	1.4	11.0	2.0
12/21/2018 19:00	2.1	1.1	1.0	10.9	0.2	1.5	20.0	6.0
12/21/2018 20:00	2.2	1.1	1.0	13.2	0.2	1.6	18.0	8.0
12/21/2018 21:00	2.1	1.0	1.0	9.3	0.3	1.5	22.0	10.0
12/21/2018 22:00	2.2	1.1	0.9	9.9	0.3	2.2	24.0	8.0
12/21/2018 23:00	2.2	1.2	1.1	16.1	0.3	2.3	24.0	6.0
12/22/2018 0:00	2.5	1.1	1.1	8.2	0.2	1.9	18.0	7.0
12/22/2018 1:00	2.7	Calibration	Calibration	16.9	0.2	2.1	7.0	4.0
12/22/2018 2:00	2.8	Calibration	Calibration	15.4	0.2	1.8	16.0	2.0
12/22/2018 3:00	Calibration	1.0	1.0	Calibration	Calibration	1.7	13.0	4.0
12/22/2018 4:00	2.5	1.0	0.9	6.3	0.2	Too few samples	8.0	3.0
12/22/2018 5:00	2.3	0.9	0.8	3.3	0.2	1.7	7.0	4.0
12/22/2018 6:00	2.4	0.8	0.8	5.0	0.2	1.7	5.0	3.0
12/22/2018 7:00	2.3	0.8	0.8	3.3	0.1	1.7	5.0	3.0
12/22/2018 8:00	2.2	0.7	0.7	1.2	0.1	1.7	4.0	3.0
12/22/2018 9:00	2.2	0.7	0.7	1.7	0.1	1.7	4.0	1.0
12/22/2018 10:00	2.2	0.6	0.7	0.8	0.1	1.7	5.0	3.0
12/22/2018 11:00	2.2	0.7	0.7	3.2	0.1	1.8	4.0	3.0
12/22/2018 12:00	2.3	0.7	0.7	7.5	0.1	1.7	5.0	4.0
12/22/2018 13:00	2.2	0.8	0.7	6.0	0.1	1.8	6.0	3.0
12/22/2018 14:00	2.0	0.6	0.7	2.9	0.2	1.8	6.0	BDL
12/22/2018 15:00	2.0	0.6	0.6	3.3	0.1	1.8	12.0	4.0
12/22/2018 16:00	1.9	0.6	0.6	2.2	0.1	1.8	7.0	4.0
12/22/2018 17:00	1.9	0.6	0.6	4.0	0.2	1.9	6.0	5.0
12/22/2018 18:00	1.9	0.5	0.6	0.8	0.1	1.8	4.0	4.0
12/22/2018 19:00	1.8	0.5	0.5	2.2	0.1	1.8	4.0	2.0
12/22/2018 20:00	1.8	0.5	0.5	1.7	0.1	1.9	9.0	1.0
12/22/2018 21:00	1.8	0.5	0.5	1.0	0.1	1.8	6.0	BDL
12/22/2018 22:00	1.8	0.5	0.5	1.8	0.1	1.8	5.0	BDL
12/22/2018 23:00	1.8	0.5	0.5	2.6	0.1	1.9	5.0	1.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 12/23/2018-12/29/2018								
12/23/2018 0:00	1.8	0.5	0.5	1.6	0.1	1.9	3.0	3.0
12/23/2018 1:00	1.8	Calibration	Calibration	3.0	0.1	1.8	2.0	2.0
12/23/2018 2:00	1.8	Calibration	Calibration	0.8	0.1	1.8	4.0	4.0
12/23/2018 3:00	Calibration	0.4	0.5	Calibration	Calibration	1.9	6.0	4.0
12/23/2018 4:00	1.8	0.4	0.5	2.5	0.1	Too few samples	7.0	3.0
12/23/2018 5:00	1.8	0.5	0.4	2.8	0.1	2.0	10.0	3.0
12/23/2018 6:00	1.8	0.5	0.5	4.4	0.1	2.0	7.0	3.0
12/23/2018 7:00	1.8	0.5	0.5	4.3	0.1	Too few samples	8.0	3.0
12/23/2018 8:00	1.8	0.5	0.5	5.3	0.1	2.1	6.0	4.0
12/23/2018 9:00	1.8	0.5	0.5	2.7	0.1	2.1	5.0	6.0
12/23/2018 10:00	1.9	0.5	0.5	1.1	0.1	2.1	8.0	4.0
12/23/2018 11:00	2.0	0.5	0.5	3.1	0.1	2.0	8.0	5.0
12/23/2018 12:00	2.6	0.5	0.5	5.1	0.1	1.7	16.0	14.0
12/23/2018 13:00	4.0	0.7	0.6	9.4	0.2	1.8	16.0	17.0
12/23/2018 14:00	3.9	0.8	0.8	7.0	0.2	1.9	16.0	12.0
12/23/2018 15:00	2.9	0.6	0.6	6.6	0.2	1.8	12.0	11.0
12/23/2018 16:00	2.6	0.9	0.6	17.7	0.3	1.7	14.0	14.0
12/23/2018 17:00	2.5	0.8	0.6	15.3	0.3	1.6	17.0	16.0
12/23/2018 18:00	2.5	1.0	0.7	23.2	0.3	1.6	17.0	11.0
12/23/2018 19:00	2.7	1.2	0.7	30.1	0.3	1.8	22.0	14.0
12/23/2018 20:00	2.8	1.0	0.7	21.6	0.3	2.4	17.0	13.0
12/23/2018 21:00	2.5	1.1	1.0	15.0	0.2	1.9	15.0	12.0
12/23/2018 22:00	2.3	1.5	1.4	11.9	0.3	1.7	13.0	12.0
12/23/2018 23:00	2.2	2.2	2.0	24.8	0.3	1.7	15.0	16.0
12/24/2018 0:00	2.5	1.9	1.5	25.9	0.3	2.2	27.0	19.0
12/24/2018 1:00	2.3	Calibration	Calibration	21.7	0.4	1.9	32.0	28.0
12/24/2018 2:00	2.3	Calibration	Calibration	19.0	0.2	2.2	17.0	15.0
12/24/2018 3:00	Calibration	1.0	0.9	Calibration	Calibration	2.3	24.0	22.0
12/24/2018 4:00	2.4	1.1	0.8	23.3	0.4	2.1	30.0	26.0
12/24/2018 5:00	2.3	0.9	0.7	14.2	0.2	2.1	17.0	12.0
12/24/2018 6:00	2.3	0.9	0.8	11.4	0.2	2.2	14.0	11.0
12/24/2018 7:00	2.5	1.2	1.0	13.9	0.2	1.9	17.0	17.0
12/24/2018 8:00	2.7	2.1	1.5	15.9	0.2	1.9	23.0	18.0
12/24/2018 9:00	2.6	0.7	0.6	7.3	0.2	1.9	14.0	10.0
12/24/2018 10:00	2.8	0.6	0.6	5.5	0.2	2.0	9.0	6.0
12/24/2018 11:00	2.6	0.5	0.6	2.8	0.1	2.0	10.0	3.0
12/24/2018 12:00	2.4	0.5	0.6	1.3	0.1	1.9	7.0	5.0
12/24/2018 13:00	2.4	0.4	0.5	2.9	0.1	1.8	7.0	6.0
12/24/2018 14:00	2.3	0.5	0.5	4.6	0.1	1.8	9.0	7.0
12/24/2018 15:00	2.3	0.5	0.5	4.2	0.1	1.7	9.0	8.0
12/24/2018 16:00	2.4	0.6	0.5	8.4	0.1	1.8	12.0	9.0
12/24/2018 17:00	2.6	0.7	0.5	14.1	0.1	1.8	12.0	5.0
12/24/2018 18:00	3.0	0.7	0.6	13.6	0.2	1.8	10.0	5.0
12/24/2018 19:00	2.4	0.6	0.5	7.6	0.1	1.9	10.0	4.0
12/24/2018 20:00	2.5	0.6	0.5	8.6	0.1	1.9	8.0	11.0
12/24/2018 21:00	2.3	0.5	0.5	2.9	0.1	1.8	11.0	10.0
12/24/2018 22:00	2.2	0.4	0.5	2.0	0.1	1.8	7.0	6.0
12/24/2018 23:00	2.1	0.4	0.4	3.2	0.1	1.8	11.0	7.0
12/25/2018 0:00	2.2	0.6	0.5	8.2	0.1	1.9	8.0	8.0
12/25/2018 1:00	2.2	Calibration	Calibration	5.2	0.1	1.9	7.0	7.0
12/25/2018 2:00	2.2	Calibration	Calibration	5.3	0.1	1.9	9.0	6.0
12/25/2018 3:00	Calibration	1.2	1.1	Calibration	Calibration	1.9	7.0	8.0
12/25/2018 4:00	2.9	2.8	3.3	12.2	0.1	1.8	10.0	16.0
12/25/2018 5:00	2.1	0.6	0.5	6.4	0.1	2.2	9.0	5.0
12/25/2018 6:00	2.2	0.6	0.5	7.8	0.1	2.0	7.0	6.0
12/25/2018 7:00	2.2	0.6	0.5	9.3	0.2	2.0	9.0	5.0
12/25/2018 8:00	2.2	0.6	0.5	8.5	0.1	2.0	11.0	6.0
12/25/2018 9:00	2.2	0.5	0.5	3.6	0.1	2.1	9.0	6.0
12/25/2018 10:00	2.2	0.4	0.4	0.7	0.1	2.0	5.0	8.0
12/25/2018 11:00	2.2	0.4	0.4	0.6	0.1	2.0	3.0	6.0
12/25/2018 12:00	2.2	BDL	0.4	0.4	0.1	1.9	3.0	5.0
12/25/2018 13:00	2.2	0.4	0.4	1.1	0.1	2.0	5.0	3.0
12/25/2018 14:00	2.2	0.4	0.5	0.7	0.1	2.0	6.0	5.0
12/25/2018 15:00	2.2	0.4	0.5	3.1	0.1	2.1	8.0	6.0
12/25/2018 16:00	2.1	0.4	0.4	2.1	0.1	2.1	10.0	4.0
12/25/2018 17:00	2.1	0.5	0.4	6.3	0.1	2.1	9.0	6.0
12/25/2018 18:00	2.2	0.4	0.4	4.8	0.2	2.2	8.0	6.0
12/25/2018 19:00	2.0	0.5	0.4	7.0	0.2	2.3	13.0	5.0
12/25/2018 20:00	2.2	0.6	0.4	9.6	0.2	2.1	12.0	11.0
12/25/2018 21:00	2.2	0.6	0.4	11.6	0.3	2.1	15.0	13.0
12/25/2018 22:00	2.2	0.8	0.5	20.4	0.3	2.5	16.0	11.0
12/25/2018 23:00	2.4	0.9	0.6	23.4	0.3	3.0	14.0	16.0
12/26/2018 0:00	2.3	0.9	0.5	24.2	0.3	2.5	12.0	16.0
12/26/2018 1:00	2.3	Calibration	Calibration	19.6	0.3	3.0	16.0	10.0
12/26/2018 2:00	2.7	Calibration	Calibration	36.3	0.3	4.1	19.0	15.0
12/26/2018 3:00	Calibration	1.1	0.7	Calibration	Calibration	3.4	19.0	11.0
12/26/2018 4:00	2.9	1.5	0.7	46.7	0.2	Too few samples	19.0	12.0
12/26/2018 5:00	2.9	1.4	0.7	42.6	0.2	2.9	12.0	10.0
12/26/2018 6:00	2.7	1.1	0.6	33.1	0.3	3.4	18.0	10.0
12/26/2018 7:00	2.8	1.4	0.7	40.0	0.3	3.3	22.0	12.0
12/26/2018 8:00	3.0	1.4	0.7	41.2	0.3	2.7	25.0	12.0
12/26/2018 9:00	2.7	1.0	0.6	24.7	0.3	2.5	23.0	16.0
12/26/2018 10:00	2.5	0.7	0.5	12.1	0.2	2.6	15.0	12.0
12/26/2018 11:00	4.2	0.7	0.5	12.1	0.2	2.0	24.0	10.0
12/26/2018 12:00	4.8	0.6	0.5	10.9	0.2	2.0	18.0	12.0
12/26/2018 13:00	5.1	0.6	0.5	13.3	0.2	1.9	22.0	13.0
12/26/2018 14:00	5.1	0.7	0.6	11.0	0.2	1.9	27.0	13.0
12/26/2018 15:00	3.7	0.6	0.5	8.6	0.16	2.0	19.0	13.0
12/26/2018 16:00	3.1	0.5	0.5	7.0	0.2	2.1	22.0	12.0
12/26/2018 17:00	3.0	0.6	0.5	11.1	0.2	2.3	26.0	18.0
12/26/2018 18:00	3.5	0.6	0.5	11.6	0.2	2.1	25.0	21.0
12/26/2018 19:00	4.3	1.2	0.8	30.0	0.3	2.6	29.0	18.0
12/26/2018 20:00	4.3	1.4	0.8	43.9	0.4	2.4	27.0	20.0
12/26/2018 21:00	4.2	0.9	0.6	21.4	0.3	2.1	30.0	19.0
12/26/2018 22:00	4.0	0.7	0.5	15.3	0.3	2.0	24.0	17.0
12/26/2018 23:00	3.7	1.2	0.8	29.3	0.4	2.7	33.0	25.0
12/27/2018 0:00	3.8	1.8	1.0	49.7	0.5	2.7	33.0	24.0
12/27/2018 1:00	4.1	Calibration	Calibration	59.1	0.5	3.0	32.0	23.0
12/27/2018 2:00	4.0	Calibration	Calibration	56.6	0.5	3.3	30.0	22.0
12/27/2018 3:00	Calibration	2.6	1.4	Calibration	Calibration	3.1	33.0	23.0
12/27/2018 4:00	4.9	2.8	1.4	93.8	0.6	Too few samples	40.0	25.0
12/27/2018 5:00	5.7	3.4	1.5	123.9	0.8	3.2	44.0	25.0
12/27/2018 6:00	8.4	5.9	2.3	220.0	1.3	3.6	56.0	31.0
12/27/2018 7:00	8.3	5.5	2.4	205.1	1.2	2.8	54.0	26.0
12/27/2018 8:00	8.7	5.7	2.4	212.6	1.1	2.8	54.0	37.0
12/27/2018 9:00	5.9	2.6	1.1	84.8	0.6	2.2	38.0	25.0
12/27/2018 10:00	5.0	1.5	0.8	46.8	0.4	2.0	31.0	20.0
12/27/2018 11:00	4.9	1.1	0.7	33.5	0.3	1.9	21.0	18.0
12/27/2018 12:00	4.3	0.8	0.5	20.0	0.2	1.7	18.0	11.0
12/27/2018 13:00	4.3	0.8	0.6	24.0	0.3	1.7	22.0	13.0
12/27/2018 14:00	4.1	0.8	0.6	20.5	0.3	1.7	20.0	11.0
12/27/2018 15:00	3.9	0.7	0.5	14.3	0.3	1.7	21.0	8.0
12/27/2018 16:00	3.7	0.9	0.7	13.7	0.2	1.7	17.0	5.0
12/27/2018 17:00	3.4	0.7	0.4	15.0	0.2	1.7	16.0	10.0
12/27/2018 18:00	3.5	0.7	0.5	16.9	0.3	1.6	10.0	9.0
12/27/2018 19:00	3.5	0.7	0.5	18.3	0.3	1.6	17.0	7.0
12/27/2018 20:00	3.4	0.8	0.4	21.6	0.3	1.7	16.0	9.0
12/27/2018 21:00	3.5	0.9	0.5	23.2	0.3	1.7	17.0	9.0
12/27/2018 22:00	3.5	1.1	0.8	20.6	0.3	1.7	19.0	11.0
12/27/2018 23:00	3.5	1.5	1.3	17.8	0.3	1.7	18.0	8.0
12/28/2018 0:00	3.6	1.7	1.4	21.7	0.2	1.7	16.0	9.0
12/28/2018 1:00	3.5	Calibration	Calibration	18.3	0.2	1.7	11.0	12.0
12/28/2018 2:00	3.5	Calibration	Calibration	17.7	0.2	1.8	12.0	10.0
12/28/2018 3:00	Calibration	0.8	0.6	Calibration	Calibration	1.7	15.0	9.0
12/28/2018 4:00	3.6	0.9	0.6	23.7	0.2	1.7	17.0	7.0
12/28/2018 5:00	4.1	1.6	0.8	50.9	0.4	1.8	12.0	7.0
12/28/2018 6:00	4.1	1.7	1.0	52.2	0.4	2.0	15.0	7.0
12/28/2018 7:00	4.8	2.1	1.2	68.4	0.6	2.2	14.0	8.0
12/28/2018 8:00	Too few samples	1.6	1.0	Too few samples	Too few samples	1.7	13.0	7.0
12/28/2018 9:00	Calibration	0.9	0.8	Calibration	Calibration	1.6	7.0	2.0
12/28/2018 10:00	3.5	0.9	0.8	8.8	0.2	1.7	5.0	3.0
12/28/2018 11:00	3.7	1.1	1.0	7.2	0.2	1.7	4.0	6.0
12/28/2018 12:00	3.8	1.3	1.2	11.5	0.2	1.8	4.0	3.0
12/28/2018 13:00	3.8	1.3	1.3	10.3	0.2	1.8	4.0	3.0
12/28/2018 14:00	3.9	1.3	1.1	14.7	0.2	2.0	7.0	3.0
12/28/2018 15:00	4.2	1.3	1.1	19.5	0.3	1.9	12.0	4.0
12/28/2018 16:00	4.2	1.2	1.1	18.1	0.3	1.9	9.0	4.0
12/28/2018 17:00	4.1	0.9	0.8	11.3	0.2	1.8	8.0	2.0
12/28/2018 18:00	4.7	1	0.9	14.1	0.3	1.8	8.0	6.0
12/28/2018 19:00	4.6	1.1	0.9	15.8	0.3	1.9	10.0	6.0
12/28/2018 20:00	4.5	1.1	1.0	14.5	0.3	2.0	9.0	6.0
12/28/2018 21:00	4.7	1.1	1.0	11.5	0.3	1.9	12.0	10.0
12/28/2018 22:00	4.7	1.3	1.2	12.8	0.3	2.0	11.0	8.0
12/28/2018 23:00	4.7	1.2	1.0	10.9	0.3	2.0	8.0	7.0
12/29/2018 0:00	4.9	1.0	0.9	12.9	0.3	1.9	10.0	7.0
12/29/2018 1:00	5.8	Calibration	Calibration	13.4	0.3	2.2	17.0	8.0
12/29/2018 2:00	5.5	Calibration	Calibration	9.5	0.3	4.4	11.0	9.0
12/29/2018 3:00	Calibration	1.1	1.0	Calibration	Calibration	2.5	14.0	8.0
12/29/2018 4:00	5.2	1.4	1.2	19.5	0.3	Too few samples	17.0	11.0
12/29/2018 5:00	5.6	1.1	0.9	16.9	0.2	3.8	12.0	8.0
12/29/2018 6:00	5.3	0.9	0.9	7.8	0.2	9.8	10.0	5.0
12/29/2018 7:00	5.4	1.0	1.1	8.2	0.2	19.9	14.0	4.0
12/29/2018 8:00	5.1	0.8	0.8	4.3	0.2	7.6	9.0	4.0
12/29/2018 9:00	5.1	0.8	0.9	2.8	0.2	12.1	5.0	4.0
12/29/2018 10:00	4.7	0.7	0.8	2.1	0.2	9.3	3.0	4.0
12/29/2018 11:00	4.6	0.7	0.8	2.1	0.2	8.2	5.0	4.0
12/29/2018 12:00	4.2	0.6	0.6	0.5	0.1	3.8	6.0	2.0
12/29/2018 13:00	4.3	0.6	0.7	1.5	0.2	6.4	7.0	1.0
12/29/2018 14:00	4.4	0.7	0.7	1.9	0.2	7.1	4.0	2.0
12/29/2018 15:00	4.0	0.5	0.6	1.3	0.2	3.6	1.0	1.0
12/29/2018 16:00	4.0	0.6	0.7	1.2	0.2	6.1	2.0	BDL
12/29/2018 17:00	4.0	0.5	0.6	1.7	0.2	4.8	4.0	1.0
12/29/2018 18:00	4.0	0.5	0.6	3.3	0.2	4.8	6.0	4.0
12/29/2018 19:00	4.1	0.6	0.6	9.1	0.2	5.4	5.0	4.0
12/29/2018 20:00	4.2	0.7	0.7	9.7	0.2	5.5	6.0	3.0
12/29/2018 21:00	4.2	0.7	0.7	9.4	0.2	6.0	7.0	2.0
12/29/2018 22:00	4.5	0.8	0.8	8.9	0.2	13.9	6.0	4.0
12/29/2018 23:00	4.8	1.0	0.9	13.4	0.2	17.2	6.0	2.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 12/30/2018-1/5/2019								
12/30/2018 0:00	4.3	0.8	0.7	10.3	0.2	4.9	6.0	2.0
12/30/2018 1:00	4.2	Calibration	Calibration	11.0	0.2	9.4	9.0	6.0
12/30/2018 2:00	4.2	Calibration	Calibration	17.2	0.3	7.7	8.0	6.0
12/30/2018 3:00	Calibration	1.0	0.8	Calibration	Calibration	4.9	8.0	6.0
12/30/2018 4:00	4.4	1.0	0.9	16.4	0.3	12.8	6.0	6.0
12/30/2018 5:00	5.0	1.4	1.3	18.6	0.3	28.6	7.0	4.0
12/30/2018 6:00	4.9	1.1	1.1	13.8	0.2	20.9	8.0	5.0
12/30/2018 7:00	4.9	1.1	1.1	16.0	0.3	21.6	7.0	4.0
12/30/2018 8:00	4.6	0.9	0.8	10.0	0.2	9.8	6.0	6.0
12/30/2018 9:00	4.6	0.7	0.7	8.3	0.2	9.8	10.0	4.0
12/30/2018 10:00	5.1	0.9	0.9	7.8	0.2	10.8	8.0	2.0
12/30/2018 11:00	6.1	0.8	0.7	8.0	0.2	4.0	12.0	14.0
12/30/2018 12:00	5.2	0.7	0.8	3.1	0.2	8.6	15.0	8.0
12/30/2018 13:00	5.2	0.7	0.7	2.9	0.2	11.0	10.0	9.0
12/30/2018 14:00	5.1	0.7	0.8	2.8	0.2	12.6	12.0	8.0
12/30/2018 15:00	5.1	0.7	0.8	3.8	0.2	11.4	11.0	6.0
12/30/2018 16:00	5.1	0.7	0.8	4.1	0.2	14.7	14.0	9.0
12/30/2018 17:00	5.2	1.1	0.9	21.0	0.3	11.8	17.0	13.0
12/30/2018 18:00	4.9	1.6	1.0	44.6	0.6	4.0	20.0	17.0
12/30/2018 19:00	4.7	1.4	0.8	37.5	0.6	1.9	23.0	18.0
12/30/2018 20:00	4.9	1.5	0.9	45.3	0.6	1.9	25.0	18.0
12/30/2018 21:00	4.6	1.3	0.8	33.1	0.5	1.9	25.0	13.0
12/30/2018 22:00	4.6	1.3	0.8	37.9	0.4	1.8	22.0	14.0
12/30/2018 23:00	5.0	1.7	1.0	48.4	0.4	1.8	19.0	14.0
12/31/2018 0:00	4.5	1.6	1.1	27.0	0.3	1.7	14.0	14.0
12/31/2018 1:00	4.4	Calibration	Calibration	29.2	0.3	1.8	16.0	12.0
12/31/2018 2:00	4.5	Calibration	Calibration	30.0	0.4	1.8	18.0	8.0
12/31/2018 3:00	Calibration	1.8	1.5	Calibration	Calibration	1.8	13.0	12.0
12/31/2018 4:00	5.4	2.6	1.7	59.6	0.5	Too few samples	15.0	11.0
12/31/2018 5:00	5.7	3.1	2.1	67.9	0.5	1.9	23.0	13.0
12/31/2018 6:00	6.4	3.7	2.5	93.2	0.6	2.0	29.0	15.0
12/31/2018 7:00	6.5	3.7	2.3	98.1	0.7	2.1	26.0	17.0
12/31/2018 8:00	6.0	2.9	1.8	75.5	0.6	2.1	23.0	15.0
12/31/2018 9:00	6.5	3.2	1.9	82.8	0.6	2.1	31.0	15.0
12/31/2018 10:00	6.3	2.9	1.8	76.0	0.6	2.0	28.0	12.0
12/31/2018 11:00	6.0	2.5	1.6	64.2	0.6	1.9	25.0	11.0
12/31/2018 12:00	Too few samples	1.8	1.3	37.3	0.4	1.7	17.0	8.0
12/31/2018 13:00	Invalid	1.5	1.1	29.3	0.3	1.6	15.0	6.0
12/31/2018 14:00	Invalid	1.2	0.8	26.9	0.4	1.6	14.0	6.0
12/31/2018 15:00	Invalid	1.3	0.9	27.6	0.3	1.7	9.0	6.0
12/31/2018 16:00	Invalid	1.1	0.9	17.3	0.3	1.6	10.0	8.0
12/31/2018 17:00	Invalid	0.9	0.7	10.7	0.2	1.5	7.0	6.0
12/31/2018 18:00	Invalid	0.8	0.7	12.1	0.3	1.6	7.0	2.0
12/31/2018 19:00	Invalid	0.8	0.7	11.6	0.3	1.7	11.0	3.0
12/31/2018 20:00	Invalid	0.9	0.7	16.0	0.3	2.2	7.0	5.0
12/31/2018 21:00	Invalid	1.4	1.4	25.3	0.4	19.7	10.0	5.0
12/31/2018 22:00	Invalid	1.3	0.9	29.6	0.4	2.5	8.0	7.0
12/31/2018 23:00	Invalid	1.1	0.9	16.2	0.3	1.9	7.0	5.0
1/1/2019 0:00	Invalid	1.2	1.2	6.5	0.2	2.3	6.0	2.0
1/1/2019 1:00	Invalid	Calibration	1.0	5.5	0.2	2.0	4.0	3.0
1/1/2019 2:00	Calibration	Calibration	1.0	6.3	0.2	2.0	14.0	9.0
1/1/2019 3:00	Calibration	1.3	1.3	Calibration	Calibration	1.9	31.0	22.0
1/1/2019 4:00	Invalid	1.5	1.3	16.9	0.2	Too few samples	13.0	7.0
1/1/2019 5:00	Invalid	1.1	1.0	8.7	0.2	1.8	19.0	10.0
1/1/2019 6:00	Invalid	1.2	1.1	9.1	0.3	1.8	24.0	16.0
1/1/2019 7:00	Invalid	Calibration	Calibration	7.4	0.2	1.7	23.0	13.0
1/1/2019 8:00	Calibration	Too few samples	Too few samples	15.8	0.3	1.8	18.0	13.0
1/1/2019 9:00	Calibration	1.1	1.0	Calibration	Calibration	2.6	9.0	8.0
1/1/2019 10:00	Calibration	0.8	0.9	BDL	0.2	10.4	7.0	3.0
1/1/2019 11:00	Calibration	1.0	1.1	BDL	0.2	13.1	4.0	BDL
1/1/2019 12:00	Calibration	0.9	1.1	BDL	0.2	10.1	2.0	BDL
1/1/2019 13:00	Calibration	0.8	0.9	BDL	0.2	8.5	1.0	BDL
1/1/2019 14:00	Calibration	0.8	1.0	BDL	0.2	15.8	BDL	1.0
1/1/2019 15:00	Calibration	0.9	1.1	BDL	0.2	23.0	3.0	4.0
1/1/2019 16:00	Calibration	1.0	1.3	BDL	0.2	33.4	5.0	3.0
1/1/2019 17:00	Calibration	1.1	1.3	BDL	0.2	36.6	3.0	3.0
1/1/2019 18:00	Calibration	1.2	1.3	BDL	0.2	41.9	2.0	4.0
1/1/2019 19:00	Calibration	1.1	1.3	BDL	0.2	40.6	3.0	4.0
1/1/2019 20:00	Calibration	0.8	1.0	BDL	0.2	19.9	3.0	3.0
1/1/2019 21:00	Calibration	0.6	0.8	BDL	0.1	11.5	3.0	2.0
1/1/2019 22:00	Calibration	0.9	1.2	BDL	0.2	34.5	5.0	2.0
1/1/2019 23:00	Calibration	1.2	1.4	BDL	0.2	38.3	5.0	5.0
1/2/2019 0:00	Calibration	1.1	1.4	BDL	0.2	39.9	6.0	5.0
1/2/2019 1:00	Calibration	Calibration	Calibration	3.5	0.2	55.5	4.0	3.0
1/2/2019 2:00	Calibration	Calibration	Calibration	9.3	0.2	72.9	7.0	1.0
1/2/2019 3:00	Calibration	2.0	1.9	Calibration	Calibration	71.6	7.0	2.0
1/2/2019 4:00	Calibration	1.6	1.6	8.4	0.2	31.9	8.0	5.0
1/2/2019 5:00	Calibration	2.5	2.5	17.3	0.3	78.0	8.0	7.0
1/2/2019 6:00	Calibration	2.7	2.5	34.7	0.3	64.9	8.0	6.0
1/2/2019 7:00	Calibration	Audit	Audit	52.9	0.5	2.1	17.0	10.0
1/2/2019 8:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	1.8	15.0	7.0
1/2/2019 9:00	1.5	1.4	0.9	Calibration	0.3	Too few samples	14.0	10.0
1/2/2019 10:00	1.5	1.3	0.8	22.2	0.3	1.7	11.0	7.0
1/2/2019 11:00	1.4	1.1	0.7	20.3	0.3	1.6	14.0	5.0
1/2/2019 12:00	1.4	1.1	0.8	16.5	0.3	1.6	12.0	8.0
1/2/2019 13:00	Calibration	1.0	0.7	Calibration	Calibration	1.6	12.0	6.0
1/2/2019 14:00	Calibration	0.9	0.7	Calibration	Calibration	1.6	10.0	8.0
1/2/2019 15:00	BDL	0.8	0.6	5.9	0.3	1.6	10.0	5.0
1/2/2019 16:00	BDL	0.8	0.6	5.1	0.3	1.6	12.0	7.0
1/2/2019 17:00	BDL	1.0	0.8	7.0	0.2	1.6	9.0	13.0
1/2/2019 18:00	BDL	1.2	1.0	8.3	0.2	1.5	6.0	8.0
1/2/2019 19:00	BDL	1.4	1.1	19.2	0.2	1.5	8.0	5.0
1/2/2019 20:00	BDL	1.0	0.9	2.9	0.2	1.5	8.0	5.0
1/2/2019 21:00	BDL	0.9	0.8	1.0	0.2	1.5	10.0	3.0
1/2/2019 22:00	BDL	1.0	0.8	8.4	0.2	1.7	9.0	2.0
1/2/2019 23:00	BDL	1.1	0.8	13.2	0.2	1.6	10.0	6.0
1/3/2019 0:00	BDL	0.9	0.7	6.2	0.2	1.7	9.0	6.0
1/3/2019 1:00	BDL	Calibration	Calibration	15.8	0.3	1.7	8.0	4.0
1/3/2019 2:00	BDL	Calibration	Calibration	13.6	0.2	1.7	11.0	8.0
1/3/2019 3:00	Calibration	1.4	1.0	Calibration	Calibration	1.7	16.0	6.0
1/3/2019 4:00	BDL	1.3	0.9	19.2	0.3	1.6	13.0	7.0
1/3/2019 5:00	0.9	1.4	1.1	14.1	0.3	2.9	15.0	9.0
1/3/2019 6:00	1.8	1.4	1.1	14.3	0.2	2.0	17.0	10.0
1/3/2019 7:00	1.1	1.4	1.1	12.7	0.2	1.9	22.0	12.0
1/3/2019 8:00	1.0	1.6	1.2	14.9	0.3	2.3	18.0	12.0
1/3/2019 9:00	1.3	1.2	1.0	2.6	0.2	2.7	18.0	12.0
1/3/2019 10:00	1.5	0.9	0.8	BDL	0.2	2.8	14.0	7.0
1/3/2019 11:00	1.1	0.8	0.8	BDL	0.2	2.4	10.0	3.0
1/3/2019 12:00	0.7	0.8	0.8	BDL	0.2	2.5	6.0	1.0
1/3/2019 13:00	0.5	0.8	0.8	BDL	0.2	2.2	5.0	1.0
1/3/2019 14:00	0.4	0.8	0.8	BDL	0.2	2.1	7.0	3.0
1/3/2019 15:00	BDL	0.7	0.7	BDL	0.2	2.0	7.0	2.0
1/3/2019 16:00	BDL	0.7	0.7	BDL	0.2	2.1	5.0	1.0
1/3/2019 17:00	BDL	0.9	0.7	5.5	0.2	2.0	9.0	4.0
1/3/2019 18:00	0.6	1.0	0.8	8.7	0.2	1.8	15.0	9.0
1/3/2019 19:00	0.6	1.0	0.8	4.3	0.2	1.6	9.0	7.0
1/3/2019 20:00	0.5	1.1	0.8	10.5	0.2	1.8	12.0	8.0
1/3/2019 21:00	BDL	0.9	0.8	5.4	0.2	1.9	14.0	9.0
1/3/2019 22:00	BDL	0.9	0.7	2.9	0.2	1.9	10.0	7.0
1/3/2019 23:00	0.4	0.7	0.7	BDL	0.2	1.7	11.0	9.0
1/4/2019 0:00	BDL	0.9	0.8	3.4	0.2	2.2	13.0	10.0
1/4/2019 1:00	BDL	Calibration	Calibration	20.0	0.3	2.5	13.0	9.0
1/4/2019 2:00	0.5	Calibration	Calibration	25.1	0.3	2.1	16.0	13.0
1/4/2019 3:00	Calibration	2.3	1.5	Calibration	Calibration	2.7	18.0	9.0
1/4/2019 4:00	2.1	3.4	2.0	68.3	0.5	Too few samples	19.0	18.0
1/4/2019 5:00	2.3	3.5	2.2	73.8	0.6	3.1	27.0	15.0
1/4/2019 6:00	3.3	2.8	1.9	57.2	0.5	2.9	31.0	17.0
1/4/2019 7:00	3.0	2.7	1.7	53.4	0.4	2.9	17.0	13.0
1/4/2019 8:00	2.6	2.5	1.5	55.1	0.4	2.6	26.0	15.0
1/4/2019 9:00	2.6	1.9	1.2	36.7	0.3	2.2	22.0	13.0
1/4/2019 10:00	4.9	1.6	1.1	21.4	0.2	1.9	29.0	16.0
1/4/2019 11:00	4.5	1.6	1.1	26.6	0.3	2.0	21.0	12.0
1/4/2019 12:00	3.2	1.4	1.0	19.8	0.3	2.0	20.0	11.0
1/4/2019 13:00	2.4	1.4	1.0	16.7	0.3	1.9	22.0	9.0
1/4/2019 14:00	2.2	1.3	1.0	13.3	0.3	2.0	22.0	15.0
1/4/2019 15:00	1.4	1.2	1.0	13.5	0.3	1.8	26.0	14.0
1/4/2019 16:00	1.1	1.4	1.0	17.1	0.3	1.6	23.0	14.0
1/4/2019 17:00	0.9	1.4	1.0	17.0	0.4	1.7	22.0	14.0
1/4/2019 18:00	0.7	1.4	1.2	9.8	0.3	1.6	16.0	9.0
1/4/2019 19:00	1.0	1.6	1.3	21.9	0.4	1.6	19.0	17.0
1/4/2019 20:00	0.9	1.7	1.3	22.2	0.4	1.6	20.0	16.0
1/4/2019 21:00	0.7	1.8	1.4	13.2	0.4	1.6	15.0	11.0
1/4/2019 22:00	0.6	1.5	1.1	15.6	0.4	1.8	14.0	11.0
1/4/2019 23:00	BDL	1.5	1.2	10.8	0.3	1.7	15.0	10.0
1/5/2019 0:00	BDL	1.5	1.2	13.8	0.3	1.6	11.0	8.0
1/5/2019 1:00	BDL	Calibration	Calibration	11.1	0.3	1.6	8.0	6.0
1/5/2019 2:00	BDL	Calibration	Calibration	8.6	0.3	1.8	5.0	4.0
1/5/2019 3:00	Calibration	1.4	1.2	Calibration	Calibration	1.8	9.0	10.0
1/5/2019 4:00	BDL	1.4	1.2	7.7	0.3	Too few samples	9.0	8.0
1/5/2019 5:00	BDL	1.4	1.1	6.5	0.3	1.7	7.0	5.0
1/5/2019 6:00	BDL	1.2	1.1	4.9	0.3	1.6	5.0	4.0
1/5/2019 7:00	BDL	1.3	1.0	9.8	0.3	1.6	2.0	3.0
1/5/2019 8:00	BDL	1.3	1.0	10.4	0.3	1.6	6.0	BDL
1/5/2019 9:00	BDL	1.3	1.1	9.7	0.3	Too few samples	6.0	BDL
1/5/2019 10:00	BDL	1.4	1.2	11.4	0.3	1.7	4.0	1.0
1/5/2019 11:00	0.6	1.7	1.3	22.6	0.4	2.0	5.0	4.0
1/5/2019 12:00	0.5	1.5	1.1	16.7	0.3	2.2	5.0	3.0
1/5/2019 13:00	0.4	1.2	1.1	4.1	0.3	2.2	3.0	4.0
1/5/2019 14:00	BDL	1.2	1.0	1.7	0.3	2.0	4.0	5.0
1/5/2019 15:00	BDL	1.1	1.0	BDL	0.3	1.9	4.0	2.0
1/5/2019 16:00	BDL	1.0	1.0	BDL	0.3	1.9	5.0	2.0
1/5/2019 17:00	BDL	1.0	1.0	BDL	0.3	2.0	4.0	3.0
1/5/2019 18:00	BDL	0.9	0.9	BDL	0.2	1.9	7.0	3.0
1/5/2019 19:00	BDL	0.9	0.8	BDL	0.2	1.7	10.0	5.0
1/5/2019 20:00	BDL	0.8	0.8	BDL	0.2	1.7	8.0	4.0
1/5/2019 21:00	BDL	0.9	0.8	2.1	0.3	1.8	7.0	4.0
1/5/2019 22:00	BDL	0.9	0.8	0.8	0.3	1.9	9.0	3.0
1/5/2019 23:00	BDL	0.9	0.9	BDL	0.2	1.8	10.0	12.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Site Downwind Weekly: 1/6/2019-1/12/2019

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
1/6/2019 0:00	BDL	0.7	0.7	BDL	0.2	1.7	9.0	12.0
1/6/2019 1:00	BDL	Calibration	Calibration	BDL	0.2	1.8	13.0	11.0
1/6/2019 2:00	BDL	Calibration	Calibration	4.3	0.2	1.9	15.0	7.0
1/6/2019 3:00	Calibration	1.1	1.0	Calibration	Calibration	1.8	15.0	9.0
1/6/2019 4:00	1.0	1.2	1.1	2.7	0.2	Too few samples	16.0	15.0
1/6/2019 5:00	1.1	1.6	1.4	6.9	0.2	1.6	12.0	9.0
1/6/2019 6:00	1.8	1.6	1.2	14.9	0.2	1.8	17.0	8.0
1/6/2019 7:00	9.5	1.4	1.2	10.5	0.2	1.8	21.0	13.0
1/6/2019 8:00	4.0	1.7	1.4	11.2	0.2	1.7	15.0	14.0
1/6/2019 9:00	3.5	1.4	1.3	3.9	0.2	1.6	20.0	12.0
1/6/2019 10:00	2.7	1.0	0.9	4.4	0.2	1.8	12.0	11.0
1/6/2019 11:00	1.3	0.7	0.7	BDL	0.1	1.8	8.0	10.0
1/6/2019 12:00	0.6	0.7	0.7	BDL	0.1	1.9	6.0	5.0
1/6/2019 13:00	BDL	0.6	0.7	BDL	0.1	1.9	5.0	2.0
1/6/2019 14:00	BDL	0.5	0.7	BDL	0.1	1.8	5.0	3.0
1/6/2019 15:00	BDL	0.5	0.6	BDL	0.1	1.8	6.0	2.0
1/6/2019 16:00	BDL	0.6	0.6	BDL	0.1	1.9	5.0	4.0
1/6/2019 17:00	BDL	0.6	0.6	BDL	0.1	2.0	2.0	4.0
1/6/2019 18:00	BDL	0.6	0.6	BDL	0.1	2.0	5.0	2.0
1/6/2019 19:00	BDL	0.6	0.6	BDL	0.1	2.3	4.0	2.0
1/6/2019 20:00	BDL	0.6	0.6	BDL	0.1	2.3	3.0	3.0
1/6/2019 21:00	BDL	0.6	0.6	BDL	0.1	1.9	3.0	3.0
1/6/2019 22:00	BDL	0.5	0.5	BDL	0.1	1.7	6.0	2.0
1/6/2019 23:00	BDL	0.5	0.5	BDL	0.1	1.7	4.0	4.0
1/7/2019 0:00	BDL	0.5	0.5	BDL	0.1	1.8	BDL	3.0
1/7/2019 1:00	BDL	Calibration	Calibration	BDL	0.1	1.8	6.0	6.0
1/7/2019 2:00	BDL	Calibration	Calibration	BDL	0.1	1.8	6.0	5.0
1/7/2019 3:00	Calibration	0.4	0.5	Calibration	Calibration	1.8	4.0	6.0
1/7/2019 4:00	BDL	0.6	0.5	0.5	0.2	1.7	5.0	4.0
1/7/2019 5:00	BDL	0.8	0.5	10.5	0.2	1.7	6.0	3.0
1/7/2019 6:00	BDL	0.8	0.5	10.8	0.2	1.8	7.0	3.0
1/7/2019 7:00	BDL	0.7	0.5	5.9	0.2	2.0	8.0	2.0
1/7/2019 8:00	BDL	0.7	0.5	5.3	0.2	2.0	6.0	3.0
1/7/2019 9:00	BDL	0.7	0.5	7.9	0.2	1.9	5.0	6.0
1/7/2019 10:00	BDL	0.7	0.5	9.6	0.2	1.7	7.0	7.0
1/7/2019 11:00	BDL	0.8	0.5	12.2	0.2	1.7	9.0	7.0
1/7/2019 12:00	BDL	0.7	0.5	7.4	0.2	1.6	7.0	4.0
1/7/2019 13:00	BDL	0.8	0.5	7.8	0.2	1.7	13.0	4.0
1/7/2019 14:00	BDL	0.9	0.6	17.1	0.3	1.7	15.0	5.0
1/7/2019 15:00	BDL	1.3	0.7	27.2	0.3	1.7	26.0	9.0
1/7/2019 16:00	BDL	1.0	0.6	17.4	0.3	1.7	16.0	6.0
1/7/2019 17:00	BDL	1.0	0.6	15.4	0.3	1.7	14.0	6.0
1/7/2019 18:00	BDL	1.0	0.6	19.6	0.3	1.7	29.0	10.0
1/7/2019 19:00	BDL	1.0	0.7	11.4	0.3	1.7	13.0	8.0
1/7/2019 20:00	BDL	1.1	1.0	3.8	0.2	1.6	11.0	5.0
1/7/2019 21:00	BDL	1.1	1.0	3.2	0.2	1.7	9.0	2.0
1/7/2019 22:00	BDL	1.2	1.1	7.5	0.2	1.6	8.0	2.0
1/7/2019 23:00	BDL	1.2	1.0	4.2	0.2	1.6	10.0	4.0
1/8/2019 0:00	BDL	1.3	1.0	12.3	0.2	1.8	11.0	9.0
1/8/2019 1:00	BDL	Calibration	Calibration	12.1	0.2	2.0	10.0	6.0
1/8/2019 2:00	BDL	Calibration	Calibration	17.3	0.2	1.6	12.0	2.0
1/8/2019 3:00	Calibration	1.2	1.0	Calibration	Calibration	1.6	10.0	4.0
1/8/2019 4:00	BDL	1.3	0.9	17.0	0.3	Too few samples	13.0	4.0
1/8/2019 5:00	BDL	1.8	1.1	37.6	0.3	1.7	16.0	4.0
1/8/2019 6:00	0.6	2.0	1.2	47.7	0.5	1.8	10.0	6.0
1/8/2019 7:00	0.9	2.4	1.4	59.3	0.6	1.8	15.0	8.0
1/8/2019 8:00	1.2	2.5	1.4	61.8	0.7	1.9	18.0	15.0
1/8/2019 9:00	2.0	3.1	1.7	86.2	0.8	2.0	36.0	14.0
1/8/2019 10:00	1.7	2.8	1.6	75.9	0.7	2.1	32.0	16.0
1/8/2019 11:00	1.7	2.9	1.6	73.7	0.7	2.2	42.0	19.0
1/8/2019 12:00	1.3	2.7	1.7	58.4	0.4	2.1	24.0	16.0
1/8/2019 13:00	0.5	2.0	1.3	30.9	0.4	1.8	21.0	15.0
1/8/2019 14:00	BDL	1.7	1.3	18.9	0.3	1.7	23.0	12.0
1/8/2019 15:00	0.4	1.7	1.3	21.5	0.3	2.1	24.0	10.0
1/8/2019 16:00	0.5	2.0	1.4	28.4	0.4	2.7	28.0	13.0
1/8/2019 17:00	1.0	2.2	1.5	45.2	0.5	2.1	31.0	13.0
1/8/2019 18:00	2.1	3.1	2.0	77.7	0.9	2.1	42.0	14.0
1/8/2019 19:00	1.8	3.0	1.8	69.1	0.8	2.3	34.0	14.0
1/8/2019 20:00	1.1	2.5	1.6	47.9	0.7	2.2	32.0	13.0
1/8/2019 21:00	0.8	2.2	1.5	44.3	0.7	2.2	27.0	14.0
1/8/2019 22:00	0.8	2.1	1.5	33.6	0.5	2.6	17.0	11.0
1/8/2019 23:00	0.8	2.1	1.5	36.7	0.4	2.2	13.0	10.0
1/9/2019 0:00	0.5	1.7	1.4	15.1	0.3	2.5	11.0	8.0
1/9/2019 1:00	0.6	Calibration	Calibration	9.5	0.3	1.8	10.0	6.0
1/9/2019 2:00	0.8	Calibration	Calibration	2.8	0.2	1.7	7.0	7.0
1/9/2019 3:00	Calibration	1.1	1.0	Calibration	Calibration	1.7	5.0	4.0
1/9/2019 4:00	0.6	0.9	0.9	BDL	0.2	Too few samples	4.0	2.0
1/9/2019 5:00	BDL	0.9	0.9	BDL	0.2	1.8	4.0	5.0
1/9/2019 6:00	0.5	0.9	0.8	4.0	0.2	1.7	10.0	6.0
1/9/2019 7:00	1.4	1.1	0.9	9.7	0.2	1.5	11.0	7.0
1/9/2019 8:00	1.3	1.2	1.0	8.7	0.2	1.7	9.0	6.0
1/9/2019 9:00	0.9	1.0	0.9	0.9	0.2	1.8	8.0	5.0
1/9/2019 10:00	0.4	0.9	0.8	BDL	0.2	1.8	13.0	3.0
1/9/2019 11:00	0.4	0.9	0.9	BDL	0.2	1.7	12.0	2.0
1/9/2019 12:00	BDL	0.8	0.9	BDL	0.1	1.8	14.0	2.0
1/9/2019 13:00	BDL	0.9	0.8	BDL	0.2	1.8	12.0	2.0
1/9/2019 14:00	BDL	0.9	0.9	BDL	0.2	1.8	23.0	4.0
1/9/2019 15:00	0.5	0.9	0.9	0.7	0.2	1.8	7.0	6.0
1/9/2019 16:00	0.5	1.0	0.8	0.9	0.2	1.9	11.0	2.0
1/9/2019 17:00	BDL	0.8	0.8	BDL	0.1	1.8	9.0	3.0
1/9/2019 18:00	BDL	0.7	0.8	BDL	0.1	1.7	5.0	4.0
1/9/2019 19:00	BDL	0.8	0.9	BDL	0.1	1.8	7.0	6.0
1/9/2019 20:00	BDL	0.8	0.8	BDL	0.1	1.8	6.0	2.0
1/9/2019 21:00	BDL	0.8	0.8	BDL	0.1	1.8	5.0	BDL
1/9/2019 22:00	BDL	0.8	0.8	BDL	0.1	1.9	4.0	2.0
1/9/2019 23:00	BDL	0.8	0.8	BDL	0.1	1.9	3.0	7.0
1/10/2019 0:00	BDL	0.9	0.8	BDL	0.1	1.8	5.0	4.0
1/10/2019 1:00	BDL	Calibration	Calibration	BDL	0.1	1.7	7.0	BDL
1/10/2019 2:00	BDL	Calibration	Calibration	BDL	0.1	1.8	6.0	3.0
1/10/2019 3:00	Calibration	0.7	0.8	Calibration	Calibration	1.7	5.0	4.0
1/10/2019 4:00	BDL	0.8	0.9	BDL	0.1	Too few samples	5.0	3.0
1/10/2019 5:00	BDL	0.9	0.8	BDL	0.1	1.8	10.0	4.0
1/10/2019 6:00	BDL	0.9	0.8	BDL	0.1	1.7	13.0	3.0
1/10/2019 7:00	BDL	0.9	0.9	BDL	0.2	1.8	16.0	2.0
1/10/2019 8:00	BDL	0.8	0.8	BDL	0.2	1.9	16.0	4.0
1/10/2019 9:00	BDL	0.7	0.7	BDL	0.1	1.8	17.0	4.0
1/10/2019 10:00	BDL	0.7	0.8	BDL	0.1	2.0	19.0	4.0
1/10/2019 11:00	BDL	0.8	0.8	BDL	0.1	2.2	7.0	3.0
1/10/2019 12:00	BDL	0.6	0.7	BDL	0.1	1.9	8.0	3.0
1/10/2019 13:00	BDL	0.7	0.7	BDL	0.1	2.1	10.0	4.0
1/10/2019 14:00	BDL	0.7	0.7	BDL	0.1	2.1	8.0	4.0
1/10/2019 15:00	BDL	0.6	0.7	BDL	0.1	2.0	8.0	1.0
1/10/2019 16:00	BDL	0.6	0.7	BDL	0.1	2.1	8.0	1.0
1/10/2019 17:00	BDL	0.6	0.7	BDL	0.1	1.8	7.0	3.0
1/10/2019 18:00	BDL	0.6	0.7	BDL	0.1	1.8	8.0	4.0
1/10/2019 19:00	BDL	0.6	0.7	BDL	0.1	1.8	6.0	3.0
1/10/2019 20:00	BDL	0.6	0.7	BDL	0.1	1.8	5.0	5.0
1/10/2019 21:00	BDL	0.5	0.6	BDL	0.1	1.9	5.0	4.0
1/10/2019 22:00	BDL	0.6	0.7	BDL	0.1	2.1	4.0	4.0
1/10/2019 23:00	BDL	0.6	0.6	BDL	0.1	2.0	4.0	6.0
1/11/2019 0:00	BDL	0.6	0.6	BDL	0.1	2.0	6.0	4.0
1/11/2019 1:00	BDL	Calibration	Calibration	BDL	0.1	2.0	9.0	3.0
1/11/2019 2:00	BDL	Calibration	Calibration	BDL	0.1	2.1	6.0	3.0
1/11/2019 3:00	Calibration	0.6	0.7	Calibration	Calibration	2.3	5.0	3.0
1/11/2019 4:00	BDL	0.6	0.7	BDL	0.1	Too few samples	10.0	3.0
1/11/2019 5:00	BDL	0.6	0.7	BDL	0.1	2.2	8.0	9.0
1/11/2019 6:00	BDL	0.6	0.6	BDL	0.2	2.1	5.0	7.0
1/11/2019 7:00	BDL	0.7	0.6	BDL	0.2	2.2	12.0	5.0
1/11/2019 8:00	BDL	0.6	0.6	BDL	0.2	2.2	7.0	4.0
1/11/2019 9:00	BDL	0.6	0.6	BDL	0.2	2.2	12.0	4.0
1/11/2019 10:00	BDL	0.6	0.6	BDL	0.2	3.1	11.0	BDL
1/11/2019 11:00	BDL	0.5	0.5	BDL	0.1	2.6	17.0	BDL
1/11/2019 12:00	BDL	0.5	0.6	BDL	0.1	2.2	14.0	3.0
1/11/2019 13:00	BDL	0.6	0.6	BDL	0.2	2.0	16.0	5.0
1/11/2019 14:00	BDL	0.6	0.7	BDL	0.2	2.7	13.0	5.0
1/11/2019 15:00	BDL	0.6	0.6	BDL	0.2	2.3	15.0	2.0
1/11/2019 16:00	BDL	0.7	0.6	0.8	0.2	2.2	9.0	5.0
1/11/2019 17:00	BDL	0.7	0.6	1.1	0.2	2.2	10.0	6.0
1/11/2019 18:00	BDL	0.7	0.6	4.1	0.2	2.1	15.0	6.0
1/11/2019 19:00	BDL	0.9	0.7	9.3	0.3	2.6	16.0	7.0
1/11/2019 20:00	BDL	0.7	0.5	5.3	0.3	1.7	19.0	6.0
1/11/2019 21:00	BDL	0.6	0.5	2.9	0.2	2.1	13.0	5.0
1/11/2019 22:00	BDL	0.6	0.5	2.7	0.2	2.0	12.0	4.0
1/11/2019 23:00	BDL	0.7	0.5	6.9	0.2	2.3	18.0	4.0
1/12/2019 0:00	BDL	1.3	0.9	23.6	0.2	3.8	11.0	7.0
1/12/2019 1:00	BDL	Calibration	Calibration	14.3	0.3	2.2	10.0	4.0
1/12/2019 2:00	BDL	Calibration	Calibration	9.1	0.3	2.0	9.0	5.0
1/12/2019 3:00	Calibration	0.6	0.5	Calibration	Calibration	2.0	10.0	5.0
1/12/2019 4:00	BDL	0.6	0.5	2.4	0.2	Too few samples	9.0	5.0
1/12/2019 5:00	BDL	0.6	0.5	9.1	0.2	2.0	6.0	4.0
1/12/2019 6:00	BDL	1.0	0.6	22.0	0.3	Too few samples	11.0	4.0
1/12/2019 7:00	0.4	1.0	0.6	20.7	0.3	1.8	14.0	6.0
1/12/2019 8:00	BDL	0.9	0.5	14.0	0.3	2.0	15.0	6.0
1/12/2019 9:00	BDL	0.9	0.6	16.1	0.3	2.1	14.0	7.0
1/12/2019 10:00	BDL	0.8	0.6	10.4	0.2	2.8	11.0	8.0
1/12/2019 11:00	BDL	0.8	0.5	7.6	0.2	2.4	13.0	6.0
1/12/2019 12:00	BDL	0.8	0.5	7.2	0.2	2.2	10.0	3.0
1/12/2019 13:00	BDL	0.6	0.5	1.5	0.2	2.1	6.0	3.0
1/12/2019 14:00	BDL	0.6	0.5	1.3	0.2	2.1	10.0	6.0
1/12/2019 15:00	BDL	0.6	0.5	1.0	0.2	2.8	7.0	4.0
1/12/2019 16:00	BDL	0.6	0.6	2.5	0.2	2.7	4.0	4.0
1/12/2019 17:00	BDL	0.8	0.5	11.1	0.3	1.9	15.0	3.0
1/12/2019 18:00	0.4	0.8	0.6	12.7	0.2	1.8	16.0	4.0
1/12/2019 19:00	0.6	0.7	0.5	4.7	0.2	1.7	14.0	9.0
1/12/2019 20:00	BDL	0.6	0.5	3.6	0.2	1.7	22.0	8.0
1/12/2019 21:00	BDL	0.6	0.5	2.8	0.2	1.8	15.0	15.0
1/12/2019 22:00	BDL	0.7	0.5	5.1	0.2	1.7	18.0	12.0
1/12/2019 23:00	BDL	0.8	0.6	13.0	0.2	1.7	25.0	11.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 1/13/2019-1/19/2019								
1/13/2019 0:00	BDL	0.7	0.5	7.1	0.3	1.7	22.0	12.0
1/13/2019 1:00	BDL	Calibration	Calibration	6.8	0.2	1.7	19.0	9.0
1/13/2019 2:00	BDL	Calibration	Calibration	6.5	0.3	1.7	17.0	14.0
1/13/2019 3:00	Calibration	0.6	0.5	Calibration	Calibration	1.7	17.0	9.0
1/13/2019 4:00	BDL	0.6	0.5	2.0	0.2	Too few samples	14.0	8.0
1/13/2019 5:00	BDL	0.8	0.5	8.9	0.3	1.7	23.0	11.0
1/13/2019 6:00	BDL	0.8	0.5	12.0	0.3	1.8	17.0	10.0
1/13/2019 7:00	BDL	0.8	0.6	10.7	0.3	1.8	18.0	15.0
1/13/2019 8:00	BDL	0.8	0.6	10.6	0.3	1.7	19.0	13.0
1/13/2019 9:00	BDL	0.8	0.5	12.1	0.3	1.8	19.0	12.0
1/13/2019 10:00	BDL	1.0	0.6	18.7	0.3	1.8	18.0	14.0
1/13/2019 11:00	BDL	0.8	0.6	9.5	0.3	1.7	15.0	10.0
1/13/2019 12:00	BDL	1.0	0.6	14.2	0.3	1.7	13.0	8.0
1/13/2019 13:00	BDL	1.0	0.7	16.3	0.4	1.8	43.0	8.0
1/13/2019 14:00	BDL	1.1	0.7	19.2	0.4	1.8	39.0	6.0
1/13/2019 15:00	BDL	1.2	0.7	22.4	0.4	1.8	43.0	9.0
1/13/2019 16:00	BDL	1.1	0.7	20.0	0.4	1.8	39.0	7.0
1/13/2019 17:00	BDL	1.2	0.7	23.1	0.4	1.8	37.0	8.0
1/13/2019 18:00	BDL	1.2	0.8	22.4	0.4	1.9	39.0	12.0
1/13/2019 19:00	BDL	1.1	0.7	17.0	0.4	1.8	28.0	10.0
1/13/2019 20:00	BDL	0.9	0.6	11.9	0.3	1.7	22.0	9.0
1/13/2019 21:00	BDL	0.9	0.6	11.1	0.3	1.7	17.0	7.0
1/13/2019 22:00	BDL	0.8	0.6	7.6	0.3	1.7	14.0	5.0
1/13/2019 23:00	BDL	0.7	0.6	4.9	0.2	1.7	14.0	6.0
1/14/2019 0:00	BDL	0.7	0.6	2.9	0.2	1.7	14.0	6.0
1/14/2019 1:00	BDL	Calibration	Calibration	1.0	0.2	1.6	10.0	6.0
1/14/2019 2:00	BDL	Calibration	Calibration	0.6	0.2	1.6	13.0	8.0
1/14/2019 3:00	Calibration	0.5	0.5	Calibration	Calibration	1.6	12.0	6.0
1/14/2019 4:00	BDL	0.7	0.6	2.5	0.2	Too few samples	11.0	7.0
1/14/2019 5:00	BDL	0.7	0.6	5.5	0.2	1.7	16.0	5.0
1/14/2019 6:00	BDL	0.9	0.5	10.9	0.3	1.7	19.0	3.0
1/14/2019 7:00	BDL	1.1	0.7	20.8	0.3	1.9	19.0	7.0
1/14/2019 8:00	BDL	1.1	0.6	17.6	0.3	1.8	21.0	7.0
1/14/2019 9:00	BDL	1.0	0.6	16.1	0.3	1.7	29.0	10.0
1/14/2019 10:00	BDL	0.9	0.6	8.5	0.3	1.7	17.0	5.0
1/14/2019 11:00	BDL	0.9	0.6	10.1	0.3	1.6	19.0	2.0
1/14/2019 12:00	BDL	0.9	0.6	14.7	0.2	1.7	20.0	2.0
1/14/2019 13:00	BDL	1.1	0.6	16.7	0.2	1.9	20.0	2.0
1/14/2019 14:00	BDL	0.8	0.6	2.2	0.2	1.9	10.0	2.0
1/14/2019 15:00	BDL	0.7	0.6	1.9	0.2	2.1	13.0	5.0
1/14/2019 16:00	BDL	0.8	0.7	3.6	0.2	2.5	16.0	4.0
1/14/2019 17:00	BDL	1.0	0.8	8.8	0.3	2.9	24.0	7.0
1/14/2019 18:00	BDL	1.3	0.9	19.1	0.4	3.1	24.0	6.0
1/14/2019 19:00	BDL	1.4	0.9	23.4	0.4	2.5	28.0	9.0
1/14/2019 20:00	BDL	1.3	1.0	16.2	0.3	2.9	25.0	13.0
1/14/2019 21:00	BDL	1.3	0.9	14.0	0.3	2.4	25.0	14.0
1/14/2019 22:00	BDL	1.4	0.9	20.1	0.3	2.3	23.0	14.0
1/14/2019 23:00	0.7	2.1	1.2	45.7	0.5	4.3	36.0	16.0
1/15/2019 0:00	0.9	2.3	1.6	51.8	0.6	5.1	25.0	15.0
1/15/2019 1:00	0.9	Calibration	Calibration	47.8	0.5	4.2	23.0	13.0
1/15/2019 2:00	1.6	Calibration	Calibration	65.6	0.4	4.6	28.0	15.0
1/15/2019 3:00	Calibration	2.2	1.2	Calibration	Calibration	4.3	21.0	15.0
1/15/2019 4:00	0.5	1.2	0.9	15.0	0.3	2.4	17.0	8.0
1/15/2019 5:00	0.4	1.0	0.8	7.2	0.2	2.4	17.0	9.0
1/15/2019 6:00	0.4	1.3	0.9	18.7	0.3	2.4	20.0	11.0
1/15/2019 7:00	1.2	2.0	1.2	46.2	0.5	3.2	20.0	11.0
1/15/2019 8:00	1.9	2.3	1.3	51.8	0.5	3.0	40.0	19.0
1/15/2019 9:00	1.1	1.1	0.8	16.9	0.3	2.2	25.0	10.0
1/15/2019 10:00	1.2	1.5	0.9	23.2	0.3	2.1	33.0	16.0
1/15/2019 11:00	0.4	1.0	0.7	7.2	0.2	2.3	24.0	11.0
1/15/2019 12:00	0.4	0.9	0.7	3.7	0.2	2.2	20.0	8.0
1/15/2019 13:00	BDL	0.8	0.7	4.2	0.2	2.1	25.0	12.0
1/15/2019 14:00	0.5	0.8	0.7	2.0	0.2	2.1	24.0	11.0
1/15/2019 15:00	0.5	0.9	0.8	6.9	0.2	2.4	27.0	11.0
1/15/2019 16:00	0.5	1.0	0.8	8.5	0.2	2.6	26.0	11.0
1/15/2019 17:00	0.5	1.1	0.8	11.1	0.3	2.5	29.0	15.0
1/15/2019 18:00	BDL	1.1	0.9	11.3	0.3	2.3	25.0	14.0
1/15/2019 19:00	BDL	1.1	0.9	9.9	0.3	2.6	24.0	12.0
1/15/2019 20:00	BDL	1.3	1.0	16.1	0.3	2.9	28.0	17.0
1/15/2019 21:00	BDL	1.5	1.1	24.9	0.4	3.1	27.0	18.0
1/15/2019 22:00	0.4	1.7	1.1	32.9	0.5	2.2	34.0	17.0
1/15/2019 23:00	0.8	2.0	1.2	45.8	0.6	2.5	40.0	20.0
1/16/2019 0:00	1.4	2.6	1.6	69.7	0.6	3.0	38.0	21.0
1/16/2019 1:00	1.2	Calibration	Calibration	60.6	0.6	3.5	33.0	26.0
1/16/2019 2:00	1.3	Calibration	Calibration	51.9	0.5	3.4	37.0	30.0
1/16/2019 3:00	Calibration	2.9	1.7	Calibration	Calibration	2.9	35.0	30.0
1/16/2019 4:00	1.8	2.3	1.5	40.8	0.4	Too few samples	38.0	29.0
1/16/2019 5:00	2.5	2.2	1.4	44.7	0.5	2.9	41.0	26.0
1/16/2019 6:00	1.9	2.2	1.2	50.5	0.5	2.9	39.0	29.0
1/16/2019 7:00	4.7	Audit	Audit	36.3	0.4	2.5	36.0	28.0
1/16/2019 8:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	2.6	Maintenance	Maintenance
1/16/2019 9:00	3.6	2.4	1.9	Calibration	0.4	Too few samples	37.0	29.0
1/16/2019 10:00	3.5	2.5	2.1	23.9	0.3	2.1	41.0	25.0
1/16/2019 11:00	3.8	1.9	1.3	31.5	0.3	2.2	36.0	25.0
1/16/2019 12:00	4.3	1.8	1.3	27.9	0.3	2.1	38.0	24.0
1/16/2019 13:00	3.4	1.2	0.9	9.3	0.2	1.8	35.0	22.0
1/16/2019 14:00	2.6	1.2	0.9	8.5	0.2	1.9	27.0	17.0
1/16/2019 15:00	2.1	1.0	0.8	6.2	0.2	2.0	17.0	11.0
1/16/2019 16:00	1.7	1.0	0.8	4.9	0.2	2.0	12.0	11.0
1/16/2019 17:00	1.1	0.9	0.8	BDL	0.2	1.9	17.0	9.0
1/16/2019 18:00	0.6	0.7	0.7	BDL	0.2	1.9	6.0	6.0
1/16/2019 19:00	0.7	0.8	0.7	1.8	0.2	1.8	12.0	4.0
1/16/2019 20:00	1.2	0.9	0.8	2.3	0.2	1.8	14.0	10.0
1/16/2019 21:00	1.0	1.0	0.8	6.0	0.2	1.9	9.0	7.0
1/16/2019 22:00	0.7	1.0	0.7	5.9	0.2	1.8	7.0	7.0
1/16/2019 23:00	0.6	1.1	0.8	8.8	0.2	2.0	13.0	6.0
1/17/2019 0:00	BDL	1.0	0.8	7.0	0.2	2.6	15.0	9.0
1/17/2019 1:00	BDL	Calibration	Calibration	13.6	0.2	3.1	11.0	7.0
1/17/2019 2:00	BDL	Calibration	Calibration	10.1	0.2	2.3	8.0	5.0
1/17/2019 3:00	Calibration	0.6	0.6	Calibration	Calibration	1.8	8.0	4.0
1/17/2019 4:00	BDL	0.7	0.6	3.5	0.2	Too few samples	9.0	3.0
1/17/2019 5:00	BDL	0.9	0.6	9.0	0.3	1.8	18.0	4.0
1/17/2019 6:00	BDL	1.0	0.7	16.4	0.3	1.7	18.0	6.0
1/17/2019 7:00	BDL	17.7	86.5	14.1	0.3	1.7	19.0	8.0
1/17/2019 8:00	Calibration	2.1	1.1	Calibration	Calibration	1.8	25.0	6.0
1/17/2019 9:00	Calibration	1.2	0.8	Calibration	Calibration	1.7	26.0	6.0
1/17/2019 10:00	BDL	Calibration	Calibration	13.9	0.3	1.7	20.0	6.0
1/17/2019 11:00	BDL	Calibration	Calibration	19.2	0.3	1.7	20.0	5.0
1/17/2019 12:00	BDL	0.8	0.7	12.3	0.3	1.7	19.0	6.0
1/17/2019 13:00	BDL	1.2	0.7	17.8	0.3	1.7	25.0	7.0
1/17/2019 14:00	BDL	Too few samples	Too few samples	18.4	0.3	1.7	23.0	6.0
1/17/2019 15:00	BDL	Calibration	Calibration	15.7	0.3	1.6	22.0	5.0
1/17/2019 16:00	BDL	0.8	0.7	9.4	0.3	1.6	18.0	5.0
1/17/2019 17:00	BDL	1.0	0.7	13.9	0.3	1.6	21.0	6.0
1/17/2019 18:00	BDL	1.6	1.3	11.5	0.3	1.6	22.0	5.0
1/17/2019 19:00	BDL	1.4	1.1	13.3	0.3	1.6	13.0	7.0
1/17/2019 20:00	BDL	1.2	0.9	16.3	0.3	1.7	20.0	6.0
1/17/2019 21:00	BDL	1.1	0.8	11.0	0.3	1.6	20.0	12.0
1/17/2019 22:00	BDL	1.0	0.7	10.6	0.3	1.6	14.0	9.0
1/17/2019 23:00	BDL	1.2	0.8	15.2	0.3	1.7	16.0	11.0
1/18/2019 0:00	BDL	1.2	0.7	17.4	0.3	1.8	25.0	20.0
1/18/2019 1:00	BDL	Calibration	Calibration	17.8	0.3	1.9	25.0	14.0
1/18/2019 2:00	BDL	Calibration	Calibration	18.0	0.3	1.8	17.0	12.0
1/18/2019 3:00	Calibration	1.2	0.8	Calibration	Calibration	1.9	22.0	14.0
1/18/2019 4:00	BDL	1.4	0.9	26.5	0.3	Too few samples	24.0	11.0
1/18/2019 5:00	BDL	1.5	0.9	33.1	0.4	1.9	25.0	15.0
1/18/2019 6:00	0.4	1.7	1.0	39.9	0.5	1.9	23.0	12.0
1/18/2019 7:00	0.6	2.1	1.1	56.5	0.6	2.0	23.0	14.0
1/18/2019 8:00	0.9	2.2	1.2	60.2	0.5	2.1	29.0	18.0
1/18/2019 9:00	0.9	2.1	1.2	56.0	0.5	2.1	24.0	17.0
1/18/2019 10:00	1.1	2.3	1.2	62.3	0.6	2.1	27.0	21.0
1/18/2019 11:00	0.9	2.2	1.2	59.3	0.6	2.1	29.0	17.0
1/18/2019 12:00	1.0	2.3	1.2	60.4	0.6	2.7	33.0	24.0
1/18/2019 13:00	1.6	2.8	1.4	83.6	0.7	2.5	47.0	30.0
1/18/2019 14:00	0.6	1.8	1.1	36.8	0.4	3.2	32.0	27.0
1/18/2019 15:00	BDL	1.3	1.0	13.4	0.3	3.0	20.0	20.0
1/18/2019 16:00	BDL	1.3	1.0	9.9	0.3	3.1	24.0	21.0
1/18/2019 17:00	BDL	1.3	1.0	15.4	0.3	2.7	26.0	23.0
1/18/2019 18:00	BDL	1.4	1.1	17.2	0.4	3.3	33.0	27.0
1/18/2019 19:00	BDL	1.4	1.1	19.0	0.4	2.6	33.0	30.0
1/18/2019 20:00	0.4	1.4	1.1	21.1	0.4	2.4	37.0	34.0
1/18/2019 21:00	0.9	1.7	1.2	20.6	0.4	2.3	42.0	41.0
1/18/2019 22:00	0.7	1.5	1.1	23.6	0.4	2.8	38.0	33.0
1/18/2019 23:00	0.4	1.5	1.1	19.5	0.4	3.0	44.0	34.0
1/19/2019 0:00	0.5	1.9	1.3	28.7	0.4	6.2	38.0	31.0
1/19/2019 1:00	0.7	Calibration	Calibration	32.8	0.4	5.2	35.0	31.0
1/19/2019 2:00	0.7	Calibration	Calibration	31.1	0.4	3.3	29.0	25.0
1/19/2019 3:00	Calibration	1.3	1.0	Calibration	Calibration	2.2	25.0	19.0
1/19/2019 4:00	BDL	1.3	0.9	23.2	0.4	Too few samples	48.0	15.0
1/19/2019 5:00	0.6	1.8	1.0	39.2	0.6	2.0	62.0	23.0
1/19/2019 6:00	0.6	1.9	1.2	38.0	0.6	2.0	47.0	23.0
1/19/2019 7:00	0.5	1.6	1.0	34.9	0.5	1.9	44.0	17.0
1/19/2019 8:00	0.4	1.5	0.9	24.8	0.4	1.9	35.0	15.0
1/19/2019 9:00	BDL	1.3	0.9	18.1	0.4	1.8	30.0	15.0
1/19/2019 10:00	0.4	1.1	0.8	13.1	0.4	1.7	24.0	13.0
1/19/2019 11:00	0.4	1.3	0.9	14.2	0.3	1.7	24.0	12.0
1/19/2019 12:00	0.4	1.1	0.8	10.2	0.4	1.7	25.0	12.0
1/19/2019 13:00	0.4	1.1	0.8	11.4	0.4	1.7	29.0	12.0
1/19/2019 14:00	BDL	1.1	0.8	9.7	0.3	1.7	23.0	12.0
1/19/2019 15:00	BDL	1.1	0.8	12.9	0.4	1.7	29.0	11.0
1/19/2019 16:00	BDL	1.2	0.8	15.2	0.4	1.7	28.0	12.0
1/19/2019 17:00	BDL	1.2	0.8	15.2	0.4	1.8	26.0	14.0
1/19/2019 18:00	BDL	1.2	0.9	13.2	0.4	1.8	23.0	15.0
1/19/2019 19:00	BDL	1.2	0.9	10.6	0.4	1.8	29.0	15.0
1/19/2019 20:00	BDL	1.2	0.9	9.8	0.4	1.8	23.0	15.0
1/19/2019 21:00	BDL	1.1	0.9	5.9	0.3	1.7	12.0	12.0
1/19/2019 22:00	BDL	1.2	0.9	11.8	0.3	1.7	11.0	8.0
1/19/2019 23:00	BDL	1.2	0.9	7.3	0.3	1.8	16.0	10.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 1/20/2019-1/26/2019								
1/20/2019 0:00	BDL	1.2	0.9	5.5	0.3	2.1	13.0	8.0
1/20/2019 1:00	BDL	Calibration	Calibration	5.6	0.3	1.7	7.0	5.0
1/20/2019 2:00	BDL	Calibration	Calibration	6.4	0.3	1.8	4.0	2.0
1/20/2019 3:00	Calibration	1.2	1.1	Calibration	Calibration	1.9	5.0	4.0
1/20/2019 4:00	BDL	1.3	1.1	4.8	0.3	Too few samples	4.0	5.0
1/20/2019 5:00	BDL	1.5	1.2	10.9	0.4	2.1	12.0	9.0
1/20/2019 6:00	BDL	1.6	1.3	12.2	0.4	2.4	8.0	7.0
1/20/2019 7:00	BDL	1.9	1.4	24.4	0.5	2.5	8.0	6.0
1/20/2019 8:00	0.8	2.3	1.5	41.7	0.7	2.4	25.0	20.0
1/20/2019 9:00	1.3	2.7	1.7	57.1	0.8	2.8	26.0	16.0
1/20/2019 10:00	0.4	1.5	1.3	BDL	0.3	1.8	4.0	5.0
1/20/2019 11:00	BDL	1.2	1.2	BDL	0.3	1.9	4.0	2.0
1/20/2019 12:00	BDL	1.0	1.1	BDL	0.3	1.8	7.0	1.0
1/20/2019 13:00	BDL	1.0	1.0	BDL	0.2	1.8	10.0	5.0
1/20/2019 14:00	BDL	0.8	0.9	BDL	0.2	1.8	11.0	5.0
1/20/2019 15:00	BDL	0.9	0.9	BDL	0.2	1.8	6.0	2.0
1/20/2019 16:00	BDL	0.8	0.9	BDL	0.2	1.9	7.0	5.0
1/20/2019 17:00	BDL	0.8	0.9	BDL	0.2	2.0	13.0	7.0
1/20/2019 18:00	BDL	0.8	0.8	BDL	0.2	2.0	19.0	8.0
1/20/2019 19:00	BDL	0.8	0.8	BDL	0.2	2.1	13.0	5.0
1/20/2019 20:00	BDL	0.8	0.8	BDL	0.2	2.0	10.0	5.0
1/20/2019 21:00	BDL	0.7	0.8	BDL	0.2	1.8	20.0	6.0
1/20/2019 22:00	BDL	0.6	0.7	BDL	0.2	1.8	12.0	5.0
1/20/2019 23:00	BDL	0.6	0.7	BDL	0.2	1.8	8.0	4.0
1/21/2019 0:00	BDL	0.6	0.7	BDL	0.2	1.7	8.0	5.0
1/21/2019 1:00	BDL	Calibration	Calibration	BDL	0.2	1.7	12.0	3.0
1/21/2019 2:00	BDL	Calibration	Calibration	BDL	0.2	1.7	10.0	9.0
1/21/2019 3:00	Calibration	0.6	0.7	Calibration	Calibration	1.8	10.0	6.0
1/21/2019 4:00	BDL	0.6	0.7	BDL	0.2	1.8	15.0	4.0
1/21/2019 5:00	BDL	0.5	0.7	BDL	0.1	1.8	15.0	2.0
1/21/2019 6:00	BDL	0.6	0.7	BDL	0.2	1.9	17.0	1.0
1/21/2019 7:00	BDL	0.5	0.7	BDL	0.2	2.6	17.0	BDL
1/21/2019 8:00	BDL	0.6	0.6	BDL	0.2	1.9	28.0	BDL
1/21/2019 9:00	BDL	0.5	0.6	BDL	0.2	1.9	20.0	1.0
1/21/2019 10:00	BDL	0.5	0.6	BDL	0.2	1.9	18.0	1.0
1/21/2019 11:00	BDL	0.5	0.6	BDL	0.2	4.9	19.0	1.0
1/21/2019 12:00	BDL	0.5	0.6	BDL	0.2	2.1	15.0	4.0
1/21/2019 13:00	BDL	0.5	0.6	BDL	0.2	2.0	18.0	7.0
1/21/2019 14:00	BDL	2.1	1.9	BDL	0.2	2.7	15.0	5.0
1/21/2019 15:00	BDL	0.5	0.6	BDL	0.2	2.0	15.0	3.0
1/21/2019 16:00	BDL	0.5	0.6	BDL	0.2	1.9	10.0	4.0
1/21/2019 17:00	BDL	0.5	0.6	BDL	0.2	1.9	8.0	4.0
1/21/2019 18:00	BDL	0.4	0.5	BDL	0.2	2.0	10.0	2.0
1/21/2019 19:00	BDL	0.5	0.5	BDL	0.2	2.0	8.0	BDL
1/21/2019 20:00	BDL	0.5	0.5	BDL	0.2	2.1	6.0	BDL
1/21/2019 21:00	BDL	0.5	0.5	BDL	0.2	2.1	7.0	1.0
1/21/2019 22:00	BDL	0.4	0.5	BDL	0.2	2.0	6.0	5.0
1/21/2019 23:00	BDL	0.4	0.5	BDL	0.2	2.0	3.0	4.0
1/22/2019 0:00	BDL	0.4	0.5	BDL	0.2	2.1	4.0	2.0
1/22/2019 1:00	BDL	Calibration	Calibration	BDL	0.2	1.9	3.0	4.0
1/22/2019 2:00	BDL	Calibration	Calibration	BDL	0.2	1.9	6.0	3.0
1/22/2019 3:00	Calibration	0.4	0.5	Calibration	Calibration	1.9	9.0	3.0
1/22/2019 4:00	BDL	0.4	0.5	BDL	0.2	Too few samples	8.0	5.0
1/22/2019 5:00	BDL	0.5	0.5	BDL	0.2	2.1	5.0	BDL
1/22/2019 6:00	BDL	0.7	0.5	7.6	0.2	2.2	10.0	BDL
1/22/2019 7:00	BDL	0.9	0.6	13.9	0.2	2.2	10.0	9.0
1/22/2019 8:00	BDL	0.6	0.5	3.9	0.2	2.1	11.0	7.0
1/22/2019 9:00	BDL	0.6	0.5	7.1	0.2	2.0	13.0	5.0
1/22/2019 10:00	BDL	0.7	0.5	7.6	0.2	2.0	18.0	2.0
1/22/2019 11:00	BDL	0.6	0.5	6.1	0.2	1.9	14.0	2.0
1/22/2019 12:00	BDL	0.7	0.5	8.5	0.3	1.9	20.0	4.0
1/22/2019 13:00	BDL	0.7	0.6	9.3	0.2	Calibration	17.0	5.0
1/22/2019 14:00	BDL	0.8	0.5	13.5	0.3	2.6	19.0	10.0
1/22/2019 15:00	0.9	1.0	0.6	19.1	0.3	2.5	20.0	8.0
1/22/2019 16:00	0.8	1.1	0.7	20.1	0.3	2.6	17.0	8.0
1/22/2019 17:00	0.6	1.0	0.6	17.8	0.3	2.4	22.0	6.0
1/22/2019 18:00	0.5	1.1	0.7	19.2	0.3	2.8	20.0	6.0
1/22/2019 19:00	0.5	1.2	0.7	24.8	0.3	2.6	16.0	8.0
1/22/2019 20:00	BDL	1.0	0.7	13.2	0.3	2.7	13.0	8.0
1/22/2019 21:00	BDL	0.8	0.7	8.0	0.3	2.5	18.0	9.0
1/22/2019 22:00	BDL	0.9	0.7	7.5	0.3	2.6	12.0	10.0
1/22/2019 23:00	BDL	0.9	0.7	6.1	0.2	2.4	11.0	9.0
1/23/2019 0:00	BDL	1.0	0.9	1.0	0.2	2.6	16.0	10.0
1/23/2019 1:00	BDL	Calibration	Calibration	BDL	0.2	2.7	12.0	7.0
1/23/2019 2:00	BDL	Calibration	Calibration	BDL	0.2	2.7	12.0	5.0
1/23/2019 3:00	Calibration	0.8	0.8	Calibration	Calibration	2.5	11.0	4.0
1/23/2019 4:00	BDL	0.9	0.9	0.7	0.2	Too few samples	8.0	6.0
1/23/2019 5:00	BDL	1.0	0.9	2.4	0.2	2.7	15.0	6.0
1/23/2019 6:00	BDL	1.1	1.0	5.6	0.2	2.7	16.0	6.0
1/23/2019 7:00	BDL	1.4	1.0	20.3	0.3	2.5	23.0	14.0
1/23/2019 8:00	BDL	1.3	1.0	12.2	0.3	2.7	23.0	8.0
1/23/2019 9:00	BDL	1.2	1.0	5.2	0.2	Too few samples	20.0	6.0
1/23/2019 10:00	BDL	1.1	0.9	5.2	0.2	2.4	21.0	4.0
1/23/2019 11:00	0.7	1.2	1.0	8.1	0.2	2.3	16.0	4.0
1/23/2019 12:00	0.4	1.2	1.0	4.2	0.2	2.2	12.0	6.0
1/23/2019 13:00	0.8	1.1	0.9	5.3	0.2	2.3	12.0	7.0
1/23/2019 14:00	0.7	1.3	0.9	15.5	0.2	2.3	18.0	8.0
1/23/2019 15:00	0.4	1.3	0.9	12.7	0.3	2.4	18.0	8.0
1/23/2019 16:00	BDL	1.2	0.9	8.7	0.3	2.4	12.0	6.0
1/23/2019 17:00	BDL	1.6	1.1	27.1	0.5	1.9	27.0	8.0
1/23/2019 18:00	BDL	1.9	1.2	34.2	0.5	2.4	20.0	7.0
1/23/2019 19:00	BDL	1.8	1.2	29.2	0.5	2.3	20.0	10.0
1/23/2019 20:00	BDL	1.4	1.1	10.2	0.4	2.1	13.0	6.0
1/23/2019 21:00	BDL	1.1	1.0	BDL	0.2	2.3	9.0	1.0
1/23/2019 22:00	BDL	1.1	1	BDL	0.2	2.3	6.0	2.0
1/23/2019 23:00	BDL	0.9	0.9	BDL	0.2	2.1	7.0	2.0
1/24/2019 0:00	BDL	0.9	0.9	BDL	0.2	2.1	7.0	1.0
1/24/2019 1:00	BDL	Calibration	Calibration	BDL	0.2	1.9	9.0	5.0
1/24/2019 2:00	BDL	Calibration	Calibration	BDL	0.2	2.2	9.0	4.0
1/24/2019 3:00	Calibration	0.9	0.9	Calibration	Calibration	2.8	8.0	1.0
1/24/2019 4:00	BDL	0.9	1.0	BDL	0.2	Too few samples	10.0	2.0
1/24/2019 5:00	BDL	1.0	0.9	BDL	0.2	1.7	10.0	2.0
1/24/2019 6:00	BDL	1.1	1.0	BDL	0.2	1.7	9.0	BDL
1/24/2019 7:00	BDL	1.1	1.1	BDL	0.2	1.7	6.0	BDL
1/24/2019 8:00	BDL	1.2	1.2	BDL	0.2	1.7	5.0	BDL
1/24/2019 9:00	BDL	1.4	1.3	BDL	0.2	1.7	6.0	2.0
1/24/2019 10:00	BDL	1.3	1.3	BDL	0.2	1.7	6.0	2.0
1/24/2019 11:00	BDL	1.2	1.2	BDL	0.2	1.8	5.0	BDL
1/24/2019 12:00	BDL	1.2	1.1	BDL	0.3	1.9	3.0	BDL
1/24/2019 13:00	BDL	1.0	1.0	BDL	0.2	2.3	3.0	BDL
1/24/2019 14:00	BDL	1.1	1.1	BDL	0.2	2.0	3.0	BDL
1/24/2019 15:00	BDL	1.1	1.1	BDL	0.2	2.9	6.0	BDL
1/24/2019 16:00	BDL	1.0	1.0	BDL	0.2	2.0	6.0	5.0
1/24/2019 17:00	BDL	1.1	1.1	0.8	0.3	2.2	5.0	7.0
1/24/2019 18:00	BDL	1.0	1.0	0.7	0.3	2.2	9.0	4.0
1/24/2019 19:00	BDL	0.9	0.9	BDL	0.2	2.2	9.0	5.0
1/24/2019 20:00	BDL	0.9	0.9	BDL	0.2	2.2	9.0	5.0
1/24/2019 21:00	BDL	0.9	0.9	BDL	0.2	2.1	6.0	7.0
1/24/2019 22:00	BDL	0.8	0.8	BDL	0.2	2.1	10.0	7.0
1/24/2019 23:00	BDL	0.8	0.8	BDL	0.2	2.3	8.0	6.0
1/25/2019 0:00	BDL	0.7	0.8	BDL	0.2	2.4	7.0	6.0
1/25/2019 1:00	BDL	Calibration	Calibration	BDL	0.2	2.5	7.0	6.0
1/25/2019 2:00	BDL	Calibration	Calibration	BDL	0.2	2.3	7.0	6.0
1/25/2019 3:00	Calibration	0.8	0.8	Calibration	Calibration	2.5	6.0	9.0
1/25/2019 4:00	BDL	0.9	0.9	1.4	0.2	Too few samples	17.0	12.0
1/25/2019 5:00	BDL	1.3	1.0	8.4	0.2	2.3	15.0	9.0
1/25/2019 6:00	0.9	1.4	1.1	10.7	0.3	2.2	19.0	17.0
1/25/2019 7:00	1.1	1.4	1.1	12.0	0.3	2.0	15.0	12.0
1/25/2019 8:00	0.9	1.2	1.0	10.4	0.3	2.2	19.0	13.0
1/25/2019 9:00	1.2	1.0	0.9	5.8	0.2	2.1	15.0	10.0
1/25/2019 10:00	1.1	0.9	0.8	3.0	0.2	2.2	17.0	14.0
1/25/2019 11:00	0.9	0.9	0.8	1.8	0.2	2.2	11.0	9.0
1/25/2019 12:00	0.7	0.8	0.8	BDL	0.2	2.2	17.0	9.0
1/25/2019 13:00	0.8	0.9	0.8	2.8	0.2	2.1	18.0	14.0
1/25/2019 14:00	0.7	0.9	0.8	2.6	0.2	2.2	22.0	12.0
1/25/2019 15:00	0.8	0.9	0.8	3.7	0.2	2.1	15.0	8.0
1/25/2019 16:00	0.6	0.9	0.7	3.7	0.2	2.1	17.0	8.0
1/25/2019 17:00	0.7	0.8	0.7	4.4	0.2	2.0	18.0	6.0
1/25/2019 18:00	0.6	0.8	0.7	2.9	0.2	2.1	17.0	10.0
1/25/2019 19:00	BDL	0.7	0.7	BDL	0.2	2.2	12.0	8.0
1/25/2019 20:00	0.5	0.7	0.7	BDL	0.2	2.4	14.0	6.0
1/25/2019 21:00	BDL	0.7	0.7	BDL	0.2	2.4	10.0	6.0
1/25/2019 22:00	BDL	0.7	0.8	BDL	0.2	3.0	10.0	7.0
1/25/2019 23:00	BDL	0.9	0.7	5.7	0.2	2.9	14.0	4.0
1/26/2019 0:00	BDL	0.9	0.8	4.3	0.2	2.8	15.0	7.0
1/26/2019 1:00	BDL	Calibration	Calibration	2.3	0.2	3.1	11.0	8.0
1/26/2019 2:00	BDL	Calibration	Calibration	BDL	0.2	3.0	11.0	7.0
1/26/2019 3:00	Calibration	0.8	0.8	Calibration	Calibration	3.2	14.0	6.0
1/26/2019 4:00	BDL	0.9	0.7	9.7	0.3	Too few samples	12.0	10.0
1/26/2019 5:00	0.4	1.5	0.9	32.5	0.5	2.3	18.0	7.0
1/26/2019 6:00	1.2	2.5	1.3	69.0	0.5	2.3	25.0	12.0
1/26/2019 7:00	1.8	2.9	1.5	86.2	0.6	2.3	26.0	14.0
1/26/2019 8:00	0.9	1.9	1.0	44.2	0.4	2.2	23.0	13.0
1/26/2019 9:00	0.6	1.2	0.8	16.5	0.3	2.1	20.0	7.0
1/26/2019 10:00	0.9	0.9	0.7	7.7	0.2	2.1	13.0	5.0
1/26/2019 11:00	1.9	0.9	0.7	6.7	0.2	2.2	14.0	9.0
1/26/2019 12:00	1.5	0.8	0.7	1.8	0.2	2.1	14.0	7.0
1/26/2019 13:00	1.1	0.8	0.7	BDL	0.2	2.0	10.0	7.0
1/26/2019 14:00	0.8	0.7	0.7	BDL	0.2	2.0	11.0	10.0
1/26/2019 15:00	0.6	0.7	0.7	BDL	0.2	2.0	13.0	7.0
1/26/2019 16:00	0.8	0.8	0.7	0.4	0.2	2.1	14.0	7.0
1/26/2019 17:00	0.7	1.0	0.9	4.2	0.3	2.2	13.0	9.0
1/26/2019 18:00	0.7	1.2	1.0	13.5	0.4	2.2	16.0	11.0
1/26/2019 19:00	0.7	1.4	0.9	21.6	0.3	2.1	18.0	11.0
1/26/2019 20:00	BDL	1.4	0.9	21.3	0.5	2.0	20.0	14.0
1/26/2019 21:00	BDL	1.2	0.9	13.4	0.4	2.0	25.0	12.0
1/26/2019 22:00	BDL	1.2	0.8	11.5	0.4	2.0	19.0	10.0
1/26/2019 23:00	BDL	1.1	0.8	11.9	0.4	2.0	17.0	11.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 1/27/2019-2/2/2019								
1/27/2019 0:00	BDL	1.3	0.9	26.7	0.5	2.1	17.0	8.0
1/27/2019 1:00	BDL	Calibration	Calibration	38.7	0.5	2.1	18.0	11.0
1/27/2019 2:00	BDL	Calibration	Calibration	36.9	0.7	2.2	17.0	12.0
1/27/2019 3:00	Calibration	1.7	1.1	Calibration	Calibration	2.3	17.0	13.0
1/27/2019 4:00	BDL	2.2	1.4	46.8	0.7	2.4	17.0	9.0
1/27/2019 5:00	0.4	2.4	1.6	47.6	0.7	2.3	17.0	6.0
1/27/2019 6:00	BDL	2.2	1.6	38.4	0.6	2.3	12.0	13.0
1/27/2019 7:00	BDL	2.2	1.5	40.0	0.6	2.3	20.0	10.0
1/27/2019 8:00	BDL	1.7	1.2	20.3	0.4	2.1	14.0	8.0
1/27/2019 9:00	BDL	1.1	1.0	BDL	0.2	2.5	10.0	6.0
1/27/2019 10:00	0.4	1.3	1.2	BDL	0.2	2.2	12.0	5.0
1/27/2019 11:00	0.6	1.1	1.0	BDL	0.2	2.2	12.0	6.0
1/27/2019 12:00	0.6	1.0	1.1	BDL	0.2	2.1	11.0	6.0
1/27/2019 13:00	0.6	1.0	0.9	BDL	0.2	2.1	9.0	9.0
1/27/2019 14:00	0.5	0.8	0.8	BDL	0.2	2.1	9.0	8.0
1/27/2019 15:00	0.6	0.9	0.8	BDL	0.2	2.2	11.0	5.0
1/27/2019 16:00	0.5	0.9	0.9	BDL	0.2	2.3	11.0	11.0
1/27/2019 17:00	0.6	1.1	1.0	1.0	0.3	2.4	13.0	9.0
1/27/2019 18:00	1.3	1.2	1.0	10.4	0.3	2.6	13.0	9.0
1/27/2019 19:00	2.0	1.5	1.0	18.0	0.4	2.7	20.0	10.0
1/27/2019 20:00	1.0	1.2	1.0	7.3	0.3	2.7	18.0	12.0
1/27/2019 21:00	0.5	1.2	0.9	10.3	0.3	2.6	17.0	8.0
1/27/2019 22:00	BDL	1.0	0.8	2.6	0.2	2.8	7.0	9.0
1/27/2019 23:00	BDL	1.0	0.9	3.2	0.2	2.9	16.0	11.0
1/28/2019 0:00	0.4	0.8	0.8	BDL	0.2	2.3	13.0	11.0
1/28/2019 1:00	0.4	Calibration	Calibration	BDL	0.2	2.3	11.0	8.0
1/28/2019 2:00	BDL	Calibration	Calibration	BDL	0.2	2.2	8.0	4.0
1/28/2019 3:00	Calibration	0.7	0.8	Calibration	Calibration	2.2	7.0	4.0
1/28/2019 4:00	BDL	0.7	0.8	BDL	0.2	Too few samples	10.0	7.0
1/28/2019 5:00	BDL	0.8	0.8	BDL	0.2	2.1	12.0	6.0
1/28/2019 6:00	BDL	0.8	0.8	1.2	0.2	2.1	11.0	11.0
1/28/2019 7:00	BDL	1.0	0.8	8.3	0.3	2.1	16.0	10.0
1/28/2019 8:00	BDL	1.1	0.8	10.8	0.3	2.0	14.0	7.0
1/28/2019 9:00	BDL	1.0	0.8	9.2	0.3	2.0	19.0	15.0
1/28/2019 10:00	BDL	1.0	0.8	9.4	0.3	1.9	19.0	12.0
1/28/2019 11:00	BDL	1.0	0.8	10.4	0.3	2.0	19.0	8.0
1/28/2019 12:00	BDL	1.0	0.8	9.7	0.3	1.9	12.0	8.0
1/28/2019 13:00	BDL	1.0	0.8	10.1	0.3	1.9	18.0	12.0
1/28/2019 14:00	BDL	1.0	0.8	8.9	0.3	1.9	15.0	14.0
1/28/2019 15:00	BDL	1.1	0.8	13.5	0.3	2.0	20.0	14.0
1/28/2019 16:00	BDL	1.3	0.8	17.0	0.4	1.9	24.0	14.0
1/28/2019 17:00	BDL	1.3	0.9	20.5	0.4	2.0	26.0	13.0
1/28/2019 18:00	BDL	1.6	1.0	30.3	0.5	2.0	28.0	14.0
1/28/2019 19:00	0.5	1.8	1.1	37.7	0.6	2.1	255*	24.0
1/28/2019 20:00	0.4	1.7	1.1	37.2	0.5	2.1	81.0	17.0
1/28/2019 21:00	0.6	1.7	1.1	37.1	0.5	2.2	65.0	29.0
1/28/2019 22:00	0.6	1.9	1.1	42.0	0.5	2.1	36.0	18.0
1/28/2019 23:00	BDL	1.6	1.0	31.9	0.5	2.1	32.0	18.0
1/29/2019 0:00	BDL	1.5	0.9	26.0	0.4	2.0	29.0	15.0
1/29/2019 1:00	0.6	Calibration	Calibration	48.3	0.5	2.2	28.0	16.0
1/29/2019 2:00	0.9	Calibration	Calibration	55.9	0.5	2.2	31.0	19.0
1/29/2019 3:00	Calibration	2.2	1.2	Calibration	Calibration	2.2	36.0	19.0
1/29/2019 4:00	0.5	2.0	1.2	45.1	0.5	Too few samples	29.0	11.0
1/29/2019 5:00	1.3	2.6	1.5	65.3	0.6	2.3	44.0	21.0
1/29/2019 6:00	1.8	3.0	1.5	82.4	0.6	2.2	33.0	12.0
1/29/2019 7:00	1.8	2.8	1.6	78.1	0.6	2.1	36.0	23.0
1/29/2019 8:00	1.7	2.7	1.5	74.3	0.6	2.1	Audit	Audit
1/29/2019 9:00	1.3	2.5	1.4	62.8	0.5	2.0	35.0	17.0
1/29/2019 10:00	BDL	1.6	1.1	24.9	0.3	1.9	28.0	11.0
1/29/2019 11:00	BDL	1.4	1.0	14.5	0.3	1.8	23.0	12.0
1/29/2019 12:00	BDL	1.2	1.0	5.1	0.3	1.8	19.0	9.0
1/29/2019 13:00	BDL	1.3	1.1	7.7	0.3	1.9	22.0	6.0
1/29/2019 14:00	BDL	1.3	1.1	10.6	0.3	1.8	14.0	7.0
1/29/2019 15:00	BDL	1.3	1.0	8.2	0.3	1.8	13.0	4.0
1/29/2019 16:00	BDL	1.1	1.0	5.8	0.3	2.3	13.0	4.0
1/29/2019 17:00	BDL	1.4	1.2	7.3	0.2	2.0	16.0	12.0
1/29/2019 18:00	BDL	1.4	1.3	2.8	0.3	2.5	17.0	9.0
1/29/2019 19:00	BDL	1.4	1.3	3.4	0.3	2.5	9.0	7.0
1/29/2019 20:00	BDL	1.5	1.2	12.8	0.3	2.1	14.0	14.0
1/29/2019 21:00	0.5	1.3	1.0	6.7	0.3	2.1	25.0	21.0
1/29/2019 22:00	BDL	1.3	1.1	5.9	0.3	2.4	20.0	16.0
1/29/2019 23:00	BDL	1.1	1.0	BDL	0.2	2.4	19.0	21.0
1/30/2019 0:00	0.5	0.8	0.9	BDL	0.2	2.3	13.0	9.0
1/30/2019 1:00	BDL	Calibration	Calibration	BDL	0.2	2.5	17.0	8.0
1/30/2019 2:00	0.6	Calibration	Calibration	BDL	0.2	2.3	14.0	9.0
1/30/2019 3:00	Calibration	0.7	0.8	Calibration	Calibration	2.4	13.0	9.0
1/30/2019 4:00	BDL	0.7	0.8	BDL	0.2	2.3	10.0	6.0
1/30/2019 5:00	BDL	0.8	0.8	BDL	0.2	2.4	8.0	6.0
1/30/2019 6:00	BDL	0.9	0.8	0.6	0.2	2.5	14.0	8.0
1/30/2019 7:00	BDL	0.9	0.9	1.9	0.2	2.8	16.0	11.0
1/30/2019 8:00	Calibration	1.3	0.9	Calibration	Calibration	2.1	31.0	12.0
1/30/2019 9:00	1.1	1.1	0.9	Calibration	0.2	Too few samples	24.0	11.0
1/30/2019 10:00	0.8	0.9	0.8	1.4	0.2	1.9	16.0	10.0
1/30/2019 11:00	0.5	0.9	0.9	BDL	0.2	2.0	18.0	8.0
1/30/2019 12:00	BDL	0.9	0.9	BDL	0.2	2.0	19.0	9.0
1/30/2019 13:00	BDL	0.9	0.9	BDL	0.2	2.1	24.0	9.0
1/30/2019 14:00	0.6	1.0	0.9	1.0	0.2	2.0	44.0	14.0
1/30/2019 15:00	BDL	0.8	0.8	BDL	0.2	2.1	32.0	7.0
1/30/2019 16:00	BDL	Audit	Audit	BDL	0.2	2.1	61.0	4.0
1/30/2019 17:00	BDL	Calibration	Calibration	BDL	0.2	2.1	22.0	4.0
1/30/2019 18:00	BDL	Too few samples	Too few samples	BDL	0.2	2.2	21.0	3.0
1/30/2019 19:00	BDL	Calibration	Calibration	BDL	0.2	2.2	14.0	3.0
1/30/2019 20:00	BDL	0.6	0.7	BDL	0.2	2.2	14.0	2.0
1/30/2019 21:00	BDL	0.6	0.6	BDL	0.2	2.2	18.0	4.0
1/30/2019 22:00	BDL	0.6	0.7	BDL	0.2	2.2	11.0	7.0
1/30/2019 23:00	BDL	0.5	0.6	BDL	0.2	2.2	8.0	6.0
1/31/2019 0:00	0.5	0.6	0.7	BDL	0.2	2.2	6.0	4.0
1/31/2019 1:00	0.7	Calibration	Calibration	BDL	0.2	5.4	14.0	9.0
1/31/2019 2:00	2.1	Calibration	Calibration	2.6	0.2	4.1	17.0	10.0
1/31/2019 3:00	Calibration	0.7	0.7	Calibration	Calibration	2.3	18.0	8.0
1/31/2019 4:00	3.3	0.8	0.7	4.2	0.2	Too few samples	17.0	10.0
1/31/2019 5:00	3.9	0.8	0.7	5.5	0.2	2.3	19.0	9.0
1/31/2019 6:00	4.9	0.9	0.7	9.4	0.2	2.2	22.0	11.0
1/31/2019 7:00	1.9	0.9	0.7	10.1	0.2	2.1	44.0	20.0
1/31/2019 8:00	2.0	0.9	0.7	10.3	0.2	2.2	28.0	10.0
1/31/2019 9:00	1.2	0.7	0.6	BDL	0.2	2.2	20.0	7.0
1/31/2019 10:00	1.9	Audit	Audit	2.4	0.2	2.2	20.0	7.0
1/31/2019 11:00	1.7	1.0	1.1	1.1	0.2	2.2	22.0	6.0
1/31/2019 12:00	1.5	Calibration	Calibration	BDL	0.2	2.3	14.0	7.0
1/31/2019 13:00	1.7	Too few samples	Too few samples	3.0	0.2	2.2	25.0	11.0
1/31/2019 14:00	1.0	0.7	0.7	BDL	0.2	2.2	18.0	7.0
1/31/2019 15:00	1.1	0.7	0.7	3.5	0.2	2.2	analyzer malfunction	analyzer malfunction
1/31/2019 16:00	0.9	0.8	0.7	3.2	0.2	2.1	analyzer malfunction	analyzer malfunction
1/31/2019 17:00	0.6	0.8	0.7	3.7	0.2	2.1	analyzer malfunction	analyzer malfunction
1/31/2019 18:00	BDL	0.6	0.6	BDL	0.2	2.3	analyzer malfunction	analyzer malfunction
1/31/2019 19:00	BDL	0.6	0.6	0.6	0.2	2.4	analyzer malfunction	analyzer malfunction
1/31/2019 20:00	1.2	0.7	0.6	4.3	0.2	2.3	analyzer malfunction	analyzer malfunction
1/31/2019 21:00	0.4	0.6	0.6	BDL	0.2	2.2	analyzer malfunction	analyzer malfunction
1/31/2019 22:00	0.8	1.1	0.8	19.4	0.4	2.7	analyzer malfunction	analyzer malfunction
1/31/2019 23:00	1.6	1.1	0.8	14.9	0.3	2.3	analyzer malfunction	analyzer malfunction
2/1/2019 0:00	1.6	0.9	0.7	7.5	0.2	2.2	analyzer malfunction	analyzer malfunction
2/1/2019 1:00	0.5	Calibration	Calibration	11.8	0.3	2.9	analyzer malfunction	analyzer malfunction
2/1/2019 2:00	0.4	Calibration	Calibration	17.8	0.3	3.2	analyzer malfunction	analyzer malfunction
2/1/2019 3:00	Calibration	1.2	0.9	Calibration	Calibration	3.1	analyzer malfunction	analyzer malfunction
2/1/2019 4:00	0.6	1.5	1.0	31.5	0.3	Too few samples	analyzer malfunction	analyzer malfunction
2/1/2019 5:00	1.5	1.2	0.8	22.0	0.3	2.4	analyzer malfunction	analyzer malfunction
2/1/2019 6:00	2.7	1.0	0.7	9.5	0.2	2.4	analyzer malfunction	analyzer malfunction
2/1/2019 7:00	3.4	0.9	0.7	10.8	0.3	2.3	analyzer malfunction	analyzer malfunction
2/1/2019 8:00	1.4	0.8	0.7	7.1	0.2	2.3	24.0	11.0
2/1/2019 9:00	1.0	1.1	0.8	16.6	0.3	2.3	29.0	11.0
2/1/2019 10:00	1.4	1.3	0.8	24.1	0.3	2.2	28.0	17.0
2/1/2019 11:00	1.2	1.3	0.7	22.0	0.3	2.1	38.0	10.0
2/1/2019 12:00	1.6	1.3	0.7	21.8	0.3	2.2	25.0	11.0
2/1/2019 13:00	0.6	1.2	0.8	22.8	0.3	2.3	35.0	14.0
2/1/2019 14:00	BDL	1.2	0.8	17.5	0.3	2.4	25.0	8.0
2/1/2019 15:00	BDL	1.2	0.8	18.2	0.3	2.6	25.0	13.0
2/1/2019 16:00	BDL	1.3	0.8	22.5	0.3	2.7	23.0	13.0
2/1/2019 17:00	BDL	1.4	0.8	27.3	0.4	2.9	24.0	15.0
2/1/2019 18:00	BDL	1.3	0.9	23.6	0.4	3.2	24.0	17.0
2/1/2019 19:00	BDL	1.2	0.8	18.3	0.3	3.0	23.0	18.0
2/1/2019 20:00	BDL	1.1	0.8	14.6	0.3	2.7	24.0	20.0
2/1/2019 21:00	BDL	1.3	0.9	20.9	0.4	3.2	32.0	27.0
2/1/2019 22:00	BDL	1.4	0.9	25.3	0.4	3.0	32.0	31.0
2/1/2019 23:00	BDL	1.3	0.8	22.2	0.4	3.0	34.0	28.0
2/2/2019 0:00	BDL	1.3	0.9	19.5	0.4	3.4	34.0	34.0
2/2/2019 1:00	BDL	Calibration	Calibration	28.5	0.3	3.4	33.0	29.0
2/2/2019 2:00	BDL	Calibration	Calibration	21.6	0.3	3.1	34.0	28.0
2/2/2019 3:00	Calibration	1.5	0.9	Calibration	Calibration	2.9	30.0	26.0
2/2/2019 4:00	0.4	1.5	1.0	31.2	0.3	Too few samples	35.0	29.0
2/2/2019 5:00	0.7	1.6	1.0	37.0	0.4	3.1	34.0	26.0
2/2/2019 6:00	0.8	1.5	1.0	30.5	0.4	2.5	37.0	34.0
2/2/2019 7:00	1.2	2.0	1.1	51.9	0.5	3.0	35.0	28.0
2/2/2019 8:00	1.6	1.9	1.1	42.8	0.5	2.9	38.0	35.0
2/2/2019 9:00	3.3	2.1	1.2	44.4	0.5	2.8	47.0	41.0
2/2/2019 10:00	3.8	1.7	1.1	30.0	0.4	2.8	38.0	37.0
2/2/2019 11:00	4.1	1.7	1.2	21.9	0.4	2.7	44.0	35.0
2/2/2019 12:00	3.5	1.1	0.9	10.5	0.3	2.4	38.0	30.0
2/2/2019 13:00	3.2	1.0	0.9	7.4	0.3	2.3	32.0	27.0
2/2/2019 14:00	3.2	1.1	0.9	8.5	0.3	2.4	27.0	20.0
2/2/2019 15:00	3.3	1.5	1.5	7.6	0.3	2.5	30.0	19.0
2/2/2019 16:00	3.0	1.2	1.3	6.9	0.3	2.4	27.0	24.0
2/2/2019 17:00	2.1	1.3	1.1	7.8	0.3	2.4	30.0	26.0
2/2/2019 18:00	1.7	1.1	0.9	8.5	0.3	2.4	28.0	25.0
2/2/2019 19:00	1.6	1.4	1.1	8.1	0.3	2.5	31.0	22.0
2/2/2019 20:00	1.5	1.7	1.3	10.7	0.3	2.7	34.0	27.0
2/2/2019 21:00	1.7	1.9	1.7	8.7	0.3	2.3	31.0	29.0
2/2/2019 22:00	1.0	1.4	1.2	8.7	0.3	2.4	33.0	21.0
2/2/2019 23:00	1.2	1.6	1.5	15.9	0.4	2.8	34.0	28.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 2/3/2019-2/9/2019								
2/3/2019 0:00	0.8	1.6	1.1	19.9	0.4	2.6	34.0	30.0
2/3/2019 1:00	0.9	Calibration	Calibration	23.8	0.4	2.9	37.0	31.0
2/3/2019 2:00	0.8	Calibration	Calibration	24.6	0.5	2.9	38.0	36.0
2/3/2019 3:00	Calibration	2.0	1.5	Calibration	Calibration	3.1	40.0	35.0
2/3/2019 4:00	1.0	2.6	1.6	53.0	0.7	Too few samples	39.0	35.0
2/3/2019 5:00	1.6	3.1	1.6	73.7	0.7	3.0	37.0	33.0
2/3/2019 6:00	1.7	2.9	1.7	73.4	0.7	2.8	40.0	31.0
2/3/2019 7:00	1.7	2.9	1.6	73.0	0.8	3.2	38.0	33.0
2/3/2019 8:00	1.8	2.7	1.5	62.0	0.6	3.9	45.0	39.0
2/3/2019 9:00	3.1	2.7	1.6	54.0	0.6	3.7	57.0	46.0
2/3/2019 10:00	4.6	2.7	1.7	55.6	0.7	3.7	59.0	50.0
2/3/2019 11:00	5.5	2.7	1.6	61.5	0.7	2.9	88.0	47.0
2/3/2019 12:00	4.6	2.2	1.4	43.8	0.5	2.4	65.0	37.0
2/3/2019 13:00	3.1	1.6	1.1	24.2	0.5	2.3	56.0	27.0
2/3/2019 14:00	2.2	1.3	1.0	12.9	0.4	2.3	48.0	23.0
2/3/2019 15:00	1.8	1.3	1.0	9.2	0.4	2.4	37.0	20.0
2/3/2019 16:00	1.7	1.3	1.1	11.0	0.5	2.7	39.0	15.0
2/3/2019 17:00	1.4	1.5	1.1	20.3	0.5	2.8	35.0	17.0
2/3/2019 18:00	1.2	2.1	1.5	37.3	0.8	3.1	52.0	22.0
2/3/2019 19:00	0.8	1.7	1.2	24.5	0.5	2.4	31.0	18.0
2/3/2019 20:00	0.6	2.1	1.7	23.3	0.4	3.2	25.0	17.0
2/3/2019 21:00	1.2	3.3	2.3	62.1	0.9	3.1	31.0	22.0
2/3/2019 22:00	2.0	4.1	2.5	86.4	1.2	4.7	33.0	28.0
2/3/2019 23:00	2.9	5.1	3.1	112.8	1.3	4.3	33.0	29.0
2/4/2019 0:00	3.1	5.1	3.1	120.0	1.1	4.1	37.0	32.0
2/4/2019 1:00	3.5	Calibration	Calibration	136.0	1.2	6.0	36.0	34.0
2/4/2019 2:00	5.8	Calibration	Calibration	218.4	1.4	5.2	42.0	36.0
2/4/2019 3:00	Calibration	6.3	3.1	Calibration	Calibration	4.1	37.0	33.0
2/4/2019 4:00	6.2	7.4	3.3	237.7	1.2	Too few samples	41.0	33.0
2/4/2019 5:00	4.9	6.1	2.9	188.1	1.2	3.4	37.0	32.0
2/4/2019 6:00	2.6	4.0	2.1	109.8	0.9	3.0	34.0	24.0
2/4/2019 7:00	1.8	Calibration	Calibration	92.6	0.9	2.6	23.0	17.0
2/4/2019 8:00	5.5	Calibration	Calibration	230.3	1.5	4.7	39.0	32.0
2/4/2019 9:00	Too few samples	7.9	3.3	Too few samples	Too few samples	5.0	67.0	50.0
2/4/2019 10:00	Calibration	7.6	3.4	Calibration	Calibration	Too few samples	78.0	50.0
2/4/2019 11:00	5.2	5.5	2.7	158.9	0.9	3.2	74.0	46.0
2/4/2019 12:00	3.3	2.5	1.6	41.9	0.4	2.4	45.0	27.0
2/4/2019 13:00	3.8	2.0	1.4	27.4	0.4	2.4	39.0	20.0
2/4/2019 14:00	3.0	1.7	1.3	15.6	0.3	2.2	30.0	18.0
2/4/2019 15:00	2.0	1.5	1.2	9.8	0.3	2.4	25.0	15.0
2/4/2019 16:00	1.6	1.3	1.2	5.5	0.3	2.4	21.0	11.0
2/4/2019 17:00	0.8	1.3	1.1	9.5	0.3	2.6	24.0	10.0
2/4/2019 18:00	1.2	2.3	1.5	48.3	0.8	3.1	60.0	21.0
2/4/2019 19:00	1.5	2.5	1.6	53.6	0.6	2.6	31.0	19.0
2/4/2019 20:00	0.9	2.4	1.6	42.0	0.6	3.1	34.0	20.0
2/4/2019 21:00	1.0	2.7	1.8	53.2	0.9	3.2	34.0	19.0
2/4/2019 22:00	1.1	2.8	1.8	55.9	0.9	3.3	35.0	18.0
2/4/2019 23:00	2.1	3.5	2.0	93.4	0.8	3.2	35.0	22.0
2/5/2019 0:00	2.5	4.0	2.2	108.3	0.7	3.4	34.0	28.0
2/5/2019 1:00	2.4	Calibration	Calibration	103.3	0.7	3.4	36.0	26.0
2/5/2019 2:00	3.0	Calibration	Calibration	123.6	0.8	7.0	36.0	32.0
2/5/2019 3:00	Calibration	5.1	2.5	Calibration	Calibration	4.8	37.0	30.0
2/5/2019 4:00	3.9	5.3	2.4	149.3	1.0	Too few samples	33.0	27.0
2/5/2019 5:00	5.0	6.1	2.7	184.8	1.3	5.0	40.0	31.0
2/5/2019 6:00	4.5	5.7	2.7	158.7	1.0	4.1	36.0	28.0
2/5/2019 7:00	5.8	6.9	3.6	202.1	1.2	4.3	53.0	38.0
2/5/2019 8:00	6.4	7.0	3.6	195.1	1.3	4.8	60.0	52.0
2/5/2019 9:00	6.6	5.1	2.9	119.6	0.7	3.6	60.0	40.0
2/5/2019 10:00	5.0	3.6	2.4	58.8	0.5	2.9	51.0	27.0
2/5/2019 11:00	6.7	2.8	2.0	41.2	0.5	2.6	53.0	29.0
2/5/2019 12:00	4.7	2.5	1.9	33.4	0.5	2.4	42.0	19.0
2/5/2019 13:00	5.5	2.4	1.8	30.2	0.5	2.6	43.0	19.0
2/5/2019 14:00	5.3	2.0	1.6	16.7	0.4	2.5	35.0	12.0
2/5/2019 15:00	1.9	1.4	1.2	3.6	0.3	2.3	25.0	9.0
2/5/2019 16:00	1.4	Calibration	Calibration	5.6	0.3	2.4	27.0	18.0
2/5/2019 17:00	1.1	1.3	1.1	9.7	0.4	2.6	35.0	14.0
2/5/2019 18:00	0.9	1.5	1.2	8.3	0.4	2.9	29.0	15.0
2/5/2019 19:00	0.6	1.4	1.2	8.3	0.5	3.8	34.0	20.0
2/5/2019 20:00	0.6	1.8	1.4	30.4	0.7	4.0	32.0	21.0
2/5/2019 21:00	0.4	2.0	1.3	27.4	0.6	5.7	20.0	18.0
2/5/2019 22:00	BDL	1.4	1.2	10.4	0.3	3.8	15.0	10.0
2/5/2019 23:00	BDL	1.4	1.2	9.8	0.3	2.5	14.0	11.0
2/6/2019 0:00	BDL	1.2	1.1	1.2	0.3	2.1	11.0	9.0
2/6/2019 1:00	BDL	Calibration	Calibration	2.1	0.3	2.1	14.0	8.0
2/6/2019 2:00	BDL	Calibration	Calibration	4.1	0.3	2.2	14.0	7.0
2/6/2019 3:00	Calibration	1.3	1.1	Calibration	Calibration	2.6	13.0	11.0
2/6/2019 4:00	BDL	1.4	1.2	9.2	0.3	Too few samples	11.0	9.0
2/6/2019 5:00	BDL	1.5	1.1	15.0	0.4	2.1	15.0	11.0
2/6/2019 6:00	BDL	1.9	1.3	31.0	0.5	2.1	27.0	8.0
2/6/2019 7:00	0.4	2.0	1.3	34.0	0.5	2.2	29.0	8.0
2/6/2019 8:00	BDL	1.9	1.3	27.3	0.5	2.2	37.0	6.0
2/6/2019 9:00	0.4	1.8	1.3	22.5	0.4	2.1	25.0	6.0
2/6/2019 10:00	0.5	1.6	1.2	17.4	0.3	2.0	23.0	6.0
2/6/2019 11:00	BDL	1.5	1.1	14.1	0.3	2.0	23.0	7.0
2/6/2019 12:00	BDL	1.5	1.1	9.7	0.3	2.0	23.0	7.0
2/6/2019 13:00	BDL	1.4	1.2	11.3	0.3	1.9	19.0	5.0
2/6/2019 14:00	BDL	1.5	1.2	10.2	0.3	1.9	22.0	5.0
2/6/2019 15:00	BDL	1.5	1.2	10.2	0.4	1.9	29.0	5.0
2/6/2019 16:00	BDL	1.4	1.1	7.5	0.4	1.9	28.0	6.0
2/6/2019 17:00	BDL	1.3	1.1	5.7	0.4	1.9	23.0	5.0
2/6/2019 18:00	BDL	1.3	1.1	3.9	0.3	1.9	25.0	11.0
2/6/2019 19:00	BDL	1.1	0.9	4.4	0.3	2.0	24.0	7.0
2/6/2019 20:00	BDL	1.2	1.1	5.6	0.4	2.0	15.0	5.0
2/6/2019 21:00	BDL	1.4	1.2	9.0	0.4	2.1	15.0	7.0
2/6/2019 22:00	BDL	1.4	1.2	9.5	0.4	2.1	13.0	6.0
2/6/2019 23:00	BDL	1.4	1.2	9.8	0.4	2.1	7.0	5.0
2/7/2019 0:00	BDL	1.3	1.1	3.1	0.3	2.1	5.0	5.0
2/7/2019 1:00	BDL	Calibration	Calibration	3.2	0.3	2.1	6.0	3.0
2/7/2019 2:00	BDL	Calibration	Calibration	3.6	0.3	2.0	8.0	2.0
2/7/2019 3:00	Calibration	1.2	1.1	Calibration	Calibration	2.1	7.0	3.0
2/7/2019 4:00	BDL	1.4	1.2	8.1	0.3	Too few samples	9.0	6.0
2/7/2019 5:00	BDL	1.5	1.2	12.3	0.4	2.0	12.0	11.0
2/7/2019 6:00	BDL	1.8	1.3	22.3	0.4	2.1	10.0	8.0
2/7/2019 7:00	BDL	1.6	1.3	19.7	0.5	2.1	11.0	6.0
2/7/2019 8:00	BDL	1.6	1.2	16.7	0.4	2.1	14.0	10.0
2/7/2019 9:00	BDL	1.7	1.3	19.2	0.4	2.0	16.0	9.0
2/7/2019 10:00	BDL	1.7	1.3	18.0	0.4	2.3	17.0	9.0
2/7/2019 11:00	BDL	1.6	1.3	16.5	0.4	2.1	17.0	10.0
2/7/2019 12:00	BDL	1.5	1.2	13.0	0.4	Too few samples	18.0	13.0
2/7/2019 13:00	Calibration	1.6	1.2	Calibration	Calibration	2.0	21.0	12.0
2/7/2019 14:00	Too few samples	1.8	1.3	Too few samples	Too few samples	2.0	23.0	9.0
2/7/2019 15:00	BDL	1.7	1.3	22.0	0.5	2.0	17.0	10.0
2/7/2019 16:00	BDL	1.7	1.3	19.9	0.5	2.0	19.0	12.0
2/7/2019 17:00	BDL	1.7	1.3	18.9	0.4	2.0	22.0	12.0
2/7/2019 18:00	BDL	1.7	1.3	19.7	0.5	2.0	19.0	14.0
2/7/2019 19:00	BDL	1.6	1.3	18.5	0.4	2.0	16.0	15.0
2/7/2019 20:00	BDL	1.5	1.2	10.4	0.4	1.9	18.0	8.0
2/7/2019 21:00	BDL	1.4	1.2	4.9	0.3	1.9	10.0	5.0
2/7/2019 22:00	BDL	1.5	1.2	9.7	0.3	1.9	9.0	2.0
2/7/2019 23:00	BDL	1.9	1.4	22.8	0.3	1.9	11.0	7.0
2/8/2019 0:00	BDL	1.4	1.4	3.9	0.3	2.6	10.0	8.0
2/8/2019 1:00	BDL	Calibration	Calibration	6.8	0.3	2.1	9.0	7.0
2/8/2019 2:00	BDL	Calibration	Calibration	7.9	0.3	2.1	11.0	6.0
2/8/2019 3:00	Calibration	1.6	1.3	Calibration	Calibration	2.2	9.0	4.0
2/8/2019 4:00	BDL	1.6	1.3	12.2	0.3	2.0	9.0	5.0
2/8/2019 5:00	BDL	1.5	1.4	12.6	0.4	2.5	9.0	5.0
2/8/2019 6:00	0.4	2.2	1.6	37.4	0.5	2.5	14.0	9.0
2/8/2019 7:00	0.8	2.5	1.7	45.9	0.5	2.3	20.0	11.0
2/8/2019 8:00	0.4	2.1	1.7	27.5	0.4	2.4	20.0	15.0
2/8/2019 9:00	BDL	1.9	1.7	13.6	0.3	2.2	Maintenance	Maintenance
2/8/2019 10:00	0.7	Calibration	Calibration	28.9	0.4	2.6	Maintenance	11.0
2/8/2019 11:00	0.6	Calibration	Calibration	28.1	0.4	2.6	21.0	11.0
2/8/2019 12:00	0.7	Calibration	Calibration	10.6	0.3	2.3	11.0	9.0
2/8/2019 13:00	0.7	Too few samples	Too few samples	BDL	0.2	2.3	13.0	5.0
2/8/2019 14:00	0.9	1.4	1.3	3.5	0.2	2.2	27.0	7.0
2/8/2019 15:00	0.6	1.3	1.2	0.8	0.2	2.2	26.0	6.0
2/8/2019 16:00	BDL	1.2	1.2	BDL	0.2	2.2	6.0	5.0
2/8/2019 17:00	BDL	1.2	1.1	BDL	0.2	2.3	9.0	4.0
2/8/2019 18:00	BDL	1.1	1.1	BDL	0.2	2.3	14.0	5.0
2/8/2019 19:00	BDL	1.0	1.1	BDL	0.2	2.4	12.0	7.0
2/8/2019 20:00	BDL	1.0	1.0	BDL	0.2	2.3	9.0	5.0
2/8/2019 21:00	BDL	0.9	1.0	BDL	0.2	2.2	6.0	1.0
2/8/2019 22:00	BDL	0.9	1.0	BDL	0.2	2.2	6.0	2.0
2/8/2019 23:00	BDL	0.9	1.0	BDL	0.2	2.2	8.0	5.0
2/9/2019 0:00	BDL	0.9	1.0	BDL	0.2	2.2	11.0	5.0
2/9/2019 1:00	BDL	Calibration	Calibration	BDL	0.2	2.3	11.0	4.0
2/9/2019 2:00	BDL	Calibration	Calibration	BDL	0.2	2.2	10.0	7.0
2/9/2019 3:00	Calibration	0.9	1.0	Calibration	Calibration	2.3	9.0	8.0
2/9/2019 4:00	BDL	0.9	1.0	BDL	0.2	Too few samples	9.0	5.0
2/9/2019 5:00	BDL	0.8	0.9	BDL	0.2	2.4	7.0	3.0
2/9/2019 6:00	BDL	0.9	0.9	BDL	0.2	2.4	9.0	6.0
2/9/2019 7:00	BDL	0.8	0.9	BDL	0.2	2.3	10.0	6.0
2/9/2019 8:00	BDL	0.8	0.9	BDL	0.2	2.5	14.0	4.0
2/9/2019 9:00	BDL	0.8	0.8	BDL	0.2	2.6	9.0	3.0
2/9/2019 10:00	BDL	0.7	0.8	BDL	0.2	2.5	5.0	3.0
2/9/2019 11:00	BDL	0.8	0.8	BDL	0.2	2.4	7.0	4.0
2/9/2019 12:00	BDL	0.8	0.8	BDL	0.2	2.4	6.0	2.0
2/9/2019 13:00	BDL	0.8	0.8	BDL	0.2	2.4	5.0	2.0
2/9/2019 14:00	BDL	0.7	0.8	BDL	0.2	2.3	9.0	4.0
2/9/2019 15:00	BDL	0.8	0.9	BDL	0.2	2.4	11.0	6.0
2/9/2019 16:00	BDL	0.7	0.8	BDL	0.2	2.3	8.0	6.0
2/9/2019 17:00	BDL	0.8	0.8	BDL	0.2	2.2	8.0	4.0
2/9/2019 18:00	BDL	0.7	0.8	BDL	0.2	2.2	11.0	5.0
2/9/2019 19:00	BDL	0.8	0.8	BDL	0.3	2.3	9.0	4.0
2/9/2019 20:00	BDL	0.9	0.9	BDL	0.3	2.4	8.0	4.0
2/9/2019 21:00	BDL	1.0	0.9	3.8	0.3	2.6	9.0	1.0
2/9/2019 22:00	BDL	1.0	0.9	7.0	0.3	2.6	9.0	BDL
2/9/2019 23:00	BDL	1.1	0.9	6.4	0.3	2.5	9.0	2.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Site Downwind Weekly: 2/10/2019-2/16/2019

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
2/10/2019 0:00	BDL	1.0	0.8	2.9	0.3	2.2	9.0	4.0
2/10/2019 1:00	BDL	Calibration	Calibration	5.7	0.3	2.2	10.0	3.0
2/10/2019 2:00	0.9	Calibration	Calibration	11.6	0.3	2.5	13.0	4.0
2/10/2019 3:00	Calibration	1.1	0.9	Calibration	Calibration	2.3	16.0	5.0
2/10/2019 4:00	BDL	1.3	1.0	18.1	0.3	Too few samples	14.0	9.0
2/10/2019 5:00	BDL	1.3	0.9	16.5	0.3	2.8	13.0	8.0
2/10/2019 6:00	BDL	1.6	1.0	28.9	0.4	2.6	14.0	6.0
2/10/2019 7:00	0.4	2.0	1.1	42.0	0.4	3.4	12.0	9.0
2/10/2019 8:00	BDL	1.6	1.1	25.0	0.3	3.4	12.0	11.0
2/10/2019 9:00	BDL	0.9	0.8	0.5	0.2	2.6	10.0	7.0
2/10/2019 10:00	0.5	0.9	0.8	BDL	0.2	2.1	14.0	6.0
2/10/2019 11:00	0.7	0.9	0.9	BDL	0.2	2.2	10.0	7.0
2/10/2019 12:00	0.8	1.1	1.0	0.5	0.3	2.2	10.0	7.0
2/10/2019 13:00	1.1	1.2	1.1	0.5	0.3	2.2	14.0	6.0
2/10/2019 14:00	0.9	1.1	1.0	BDL	0.3	2.2	14.0	6.0
2/10/2019 15:00	0.8	1.1	1.0	BDL	0.2	2.2	8.0	6.0
2/10/2019 16:00	0.5	1.1	1.0	0.4	0.2	2.2	16.0	7.0
2/10/2019 17:00	0.5	1.0	1.0	BDL	0.2	2.2	13.0	11.0
2/10/2019 18:00	0.6	0.9	0.9	BDL	0.2	2.2	14.0	7.0
2/10/2019 19:00	1.0	1.0	1.0	1.0	0.3	2.3	17.0	11.0
2/10/2019 20:00	0.7	1.2	1.0	3.6	0.3	2.5	18.0	12.0
2/10/2019 21:00	2.1	1.4	1.2	5.7	0.3	2.6	17.0	12.0
2/10/2019 22:00	BDL	1.2	1.1	2.9	0.3	2.2	26.0	17.0
2/10/2019 23:00	BDL	1.3	1.1	7.7	0.3	2.2	20.0	13.0
2/11/2019 0:00	BDL	1.5	1.1	15.1	0.3	2.3	22.0	17.0
2/11/2019 1:00	BDL	Calibration	Calibration	12.0	0.3	2.2	22.0	11.0
2/11/2019 2:00	BDL	Calibration	Calibration	20.5	0.3	2.2	23.0	16.0
2/11/2019 3:00	Calibration	1.7	1.3	Calibration	Calibration	2.3	27.0	19.0
2/11/2019 4:00	BDL	2.2	1.5	41.4	0.4	2.3	30.0	18.0
2/11/2019 5:00	BDL	2.1	1.5	39.1	0.4	2.3	41.0	24.0
2/11/2019 6:00	BDL	2.1	1.4	39.0	0.5	2.2	38.0	22.0
2/11/2019 7:00	BDL	1.9	1.4	31.7	0.4	2.1	35.0	19.0
2/11/2019 8:00	0.5	2.3	1.6	48.0	0.5	2.1	43.0	21.0
2/11/2019 9:00	BDL	2.2	1.4	41.7	0.5	2.2	41.0	27.0
2/11/2019 10:00	0.7	2.3	1.5	46.9	0.6	2.3	39.0	25.0
2/11/2019 11:00	0.5	2.3	1.5	41.5	0.5	2.3	36.0	28.0
2/11/2019 12:00	BDL	2.1	1.5	35.6	0.5	2.3	35.0	28.0
2/11/2019 13:00	BDL	2.1	1.5	32.7	0.5	2.1	29.0	30.0
2/11/2019 14:00	BDL	2.0	1.4	28.4	0.5	2.0	34.0	26.0
2/11/2019 15:00	BDL	1.7	1.3	19.9	0.4	2.0	26.0	19.0
2/11/2019 16:00	BDL	1.8	1.3	25.2	0.5	2.1	28.0	22.0
2/11/2019 17:00	BDL	1.8	1.3	24.1	0.5	2.1	29.0	24.0
2/11/2019 18:00	BDL	2.0	1.4	33.6	0.5	2.1	27.0	19.0
2/11/2019 19:00	BDL	1.9	1.4	25.7	0.5	2.1	39.0	28.0
2/11/2019 20:00	BDL	1.8	1.4	21.7	0.5	2.1	30.0	23.0
2/11/2019 21:00	BDL	1.6	1.2	17.1	0.4	2.0	28.0	17.0
2/11/2019 22:00	BDL	1.5	1.1	15.2	0.4	2.0	27.0	17.0
2/11/2019 23:00	BDL	1.5	1.2	14.1	0.4	2.0	26.0	14.0
2/12/2019 0:00	BDL	1.4	1.2	7.3	0.3	2.0	17.0	11.0
2/12/2019 1:00	BDL	Calibration	Calibration	6.6	0.3	2.0	17.0	10.0
2/12/2019 2:00	BDL	Calibration	Calibration	5.3	0.3	2.1	15.0	9.0
2/12/2019 3:00	Calibration	1.3	1.2	Calibration	Calibration	2.1	13.0	8.0
2/12/2019 4:00	BDL	1.5	1.2	8.8	0.3	Too few samples	21.0	10.0
2/12/2019 5:00	BDL	1.7	1.3	17.6	0.4	2.0	22.0	15.0
2/12/2019 6:00	BDL	1.7	1.3	20.3	0.4	2.0	28.0	11.0
2/12/2019 7:00	BDL	1.7	1.3	18.9	0.4	2.0	28.0	9.0
2/12/2019 8:00	BDL	1.8	1.3	21.2	0.4	2.0	22.0	12.0
2/12/2019 9:00	BDL	1.8	1.4	22.0	0.4	2.0	16.0	10.0
2/12/2019 10:00	BDL	1.8	1.5	22.3	0.4	2.0	12.0	9.0
2/12/2019 11:00	BDL	1.6	1.3	11.2	0.3	1.9	10.0	6.0
2/12/2019 12:00	BDL	1.6	1.3	11.6	0.3	1.9	18.0	6.0
2/12/2019 13:00	BDL	1.7	1.4	17.5	0.3	2.0	13.0	6.0
2/12/2019 14:00	BDL	1.6	1.4	10.1	0.3	2.0	17.0	4.0
2/12/2019 15:00	BDL	1.6	1.4	8.7	0.3	2.1	9.0	3.0
2/12/2019 16:00	BDL	1.6	1.3	8.4	0.3	2.3	8.0	1.0
2/12/2019 17:00	BDL	1.6	1.4	9.2	0.4	2.0	8.0	6.0
2/12/2019 18:00	BDL	1.6	1.4	10.5	0.4	2.0	7.0	4.0
2/12/2019 19:00	BDL	1.7	1.4	12.8	0.4	2.1	8.0	3.0
2/12/2019 20:00	BDL	1.7	1.4	8.7	0.4	2.1	7.0	3.0
2/12/2019 21:00	BDL	1.8	1.5	11.5	0.4	2.1	7.0	BDL
2/12/2019 22:00	BDL	1.8	1.5	13.6	0.4	2.1	10.0	1.0
2/12/2019 23:00	BDL	1.9	1.5	17.8	0.4	2.1	7.0	7.0
2/13/2019 0:00	BDL	2.0	1.5	16.3	0.4	2.3	6.0	4.0
2/13/2019 1:00	BDL	Calibration	Calibration	18.2	0.4	2.7	7.0	7.0
2/13/2019 2:00	BDL	Calibration	Calibration	9.9	0.3	2.7	8.0	5.0
2/13/2019 3:00	Calibration	1.7	1.6	Calibration	Calibration	2.1	15.0	14.0
2/13/2019 4:00	BDL	1.8	1.6	8.1	0.3	2.1	12.0	8.0
2/13/2019 5:00	BDL	1.7	1.6	4.4	0.3	1.9	16.0	12.0
2/13/2019 6:00	BDL	1.8	1.6	6.6	0.3	2.1	19.0	10.0
2/13/2019 7:00	0.6	Audit	Audit	11.1	0.3	2.0	19.0	16.0
2/13/2019 8:00	1.5	Too few samples	Too few samples	9.3	0.3	2.0	24.0	7.0
2/13/2019 9:00	2.0	1.8	1.6	5.5	0.2	Too few samples	19.0	8.0
2/13/2019 10:00	1.9	1.7	1.6	5.6	0.2	1.9	26.0	9.0
2/13/2019 11:00	1.4	1.7	1.6	6.3	0.2	2.0	23.0	14.0
2/13/2019 12:00	1.6	1.7	1.5	6.3	0.2	2.0	27.0	10.0
2/13/2019 13:00	1.7	1.7	1.6	8.2	0.2	2.0	21.0	10.0
2/13/2019 14:00	1.5	1.8	1.6	7.1	0.2	2.0	26.0	6.0
2/13/2019 15:00	1.0	1.7	1.6	4.6	0.2	2.0	20.0	7.0
2/13/2019 16:00	0.5	1.6	1.5	3.8	0.2	2.1	13.0	9.0
2/13/2019 17:00	0.4	1.6	1.5	3.6	0.2	2.2	11.0	8.0
2/13/2019 18:00	0.8	1.7	1.5	6.7	0.2	2.1	25.0	8.0
2/13/2019 19:00	1.3	1.6	1.4	5.8	0.2	1.9	27.0	12.0
2/13/2019 20:00	1.2	1.6	1.4	4.4	0.2	2.0	20.0	12.0
2/13/2019 21:00	1.0	1.6	1.5	2.9	0.3	2.0	17.0	9.0
2/13/2019 22:00	0.8	1.6	1.5	2.5	0.3	2.0	14.0	11.0
2/13/2019 23:00	0.8	1.6	1.5	3.5	0.2	2.0	15.0	9.0
2/14/2019 0:00	0.7	1.6	1.5	2.2	0.2	2.0	9.0	5.0
2/14/2019 1:00	0.5	Calibration	Calibration	0.6	0.2	2.1	13.0	6.0
2/14/2019 2:00	0.4	Calibration	Calibration	1.8	0.2	2.2	14.0	8.0
2/14/2019 3:00	Calibration	1.6	1.5	Calibration	Calibration	2.2	14.0	6.0
2/14/2019 4:00	0.7	1.8	1.6	7.6	0.3	2.3	10.0	6.0
2/14/2019 5:00	0.7	1.7	1.5	8.0	0.3	2.3	11.0	5.0
2/14/2019 6:00	0.6	1.6	1.4	7.4	0.3	2.2	11.0	5.0
2/14/2019 7:00	1.1	Audit	Audit	12.9	0.3	2.1	17.0	7.0
2/14/2019 8:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	2.1	22.0	7.0
2/14/2019 9:00	1.2	1.7	1.5	4.2	0.2	2.2	14.0	7.0
2/14/2019 10:00	1.5	Calibration	Calibration	1.1	0.2	2.1	20.0	6.0
2/14/2019 11:00	2.3	Too few samples	Too few samples	3.1	0.2	2.1	16.0	8.0
2/14/2019 12:00	1.1	Too few samples	Too few samples	BDL	0.2	2.1	15.0	6.0
2/14/2019 13:00	0.8	Calibration	Calibration	BDL	0.2	2.2	13.0	5.0
2/14/2019 14:00	1.2	BDL	BDL	BDL	0.2	2.0	16.0	4.0
2/14/2019 15:00	1.1	BDL	BDL	BDL	0.2	2.1	15.0	5.0
2/14/2019 16:00	1.3	0.4	BDL	3.3	0.3	2.0	15.0	5.0
2/14/2019 17:00	1.0	0.7	0.4	19.1	0.4	1.9	14.0	3.0
2/14/2019 18:00	0.9	1.1	0.5	32.0	0.6	1.9	23.0	6.0
2/14/2019 19:00	1.4	1.7	0.8	56.4	0.7	2.1	34.0	14.0
2/14/2019 20:00	0.6	1.0	0.5	24.9	0.5	2.0	20.0	10.0
2/14/2019 21:00	BDL	0.8	0.5	12.8	0.4	2.0	16.0	6.0
2/14/2019 22:00	BDL	1.1	0.6	21.6	0.3	1.9	10.0	6.0
2/14/2019 23:00	BDL	0.8	0.6	7.7	0.3	2.1	9.0	4.0
2/15/2019 0:00	BDL	0.6	0.5	1.3	0.2	1.9	7.0	3.0
2/15/2019 1:00	BDL	Calibration	Calibration	BDL	0.2	2.0	8.0	2.0
2/15/2019 2:00	BDL	Calibration	Calibration	3.4	0.2	1.9	8.0	BDL
2/15/2019 3:00	Calibration	0.5	0.5	Calibration	Calibration	2.0	6.0	4.0
2/15/2019 4:00	BDL	0.5	0.5	BDL	0.2	2.0	5.0	4.0
2/15/2019 5:00	BDL	0.6	0.6	BDL	0.3	2.3	15.0	5.0
2/15/2019 6:00	BDL	0.7	0.6	1.0	0.3	2.2	8.0	4.0
2/15/2019 7:00	BDL	0.8	0.6	7.7	0.3	2.0	Maintenance	Maintenance
2/15/2019 8:00	BDL	0.7	0.5	3.1	0.3	2.1	Maintenance	Maintenance
2/15/2019 9:00	BDL	0.6	0.6	BDL	0.2	2.2	12.0	8.0
2/15/2019 10:00	BDL	0.6	0.6	BDL	0.3	2.0	23.0	6.0
2/15/2019 11:00	0.4	0.6	0.5	BDL	0.3	2.1	18.0	6.0
2/15/2019 12:00	0.6	0.5	0.5	BDL	0.3	2.1	17.0	5.0
2/15/2019 13:00	0.7	0.4	0.5	BDL	0.3	2.1	16.0	6.0
2/15/2019 14:00	0.5	0.5	0.5	BDL	0.3	2.1	23.0	9.0
2/15/2019 15:00	0.8	0.6	0.6	BDL	0.3	2.0	Analyzer malfunction	Analyzer malfunction
2/15/2019 16:00	0.8	0.7	0.7	BDL	0.3	2.0	Analyzer malfunction	Analyzer malfunction
2/15/2019 17:00	BDL	0.6	0.6	BDL	0.3	2.0	Analyzer malfunction	Analyzer malfunction
2/15/2019 18:00	BDL	0.6	0.6	BDL	0.3	2.1	Analyzer malfunction	Analyzer malfunction
2/15/2019 19:00	0.9	0.7	0.5	6.4	0.3	2.1	Analyzer malfunction	Analyzer malfunction
2/15/2019 20:00	0.8	0.7	0.6	6.9	0.3	2.1	Analyzer malfunction	Analyzer malfunction
2/15/2019 21:00	BDL	0.5	0.5	BDL	0.3	2.1	Analyzer malfunction	Analyzer malfunction
2/15/2019 22:00	BDL	BDL	0.4	BDL	0.2	2.2	Analyzer malfunction	Analyzer malfunction
2/15/2019 23:00	BDL	BDL	0.4	BDL	0.2	2.2	Analyzer malfunction	Analyzer malfunction
2/16/2019 0:00	BDL	BDL	BDL	BDL	0.2	2.1	Analyzer malfunction	Analyzer malfunction
2/16/2019 1:00	BDL	Calibration	Calibration	BDL	0.2	2.3	Analyzer malfunction	Analyzer malfunction
2/16/2019 2:00	BDL	Calibration	Calibration	BDL	0.2	2.2	Analyzer malfunction	Analyzer malfunction
2/16/2019 3:00	Calibration	BDL	0.4	Calibration	Calibration	2.3	Analyzer malfunction	Analyzer malfunction
2/16/2019 4:00	BDL	BDL	BDL	BDL	0.2	Too few samples	Analyzer malfunction	Analyzer malfunction
2/16/2019 5:00	BDL	BDL	0.4	BDL	0.2	2.3	Analyzer malfunction	Analyzer malfunction
2/16/2019 6:00	BDL	BDL	0.4	BDL	0.2	2.3	Analyzer malfunction	Analyzer malfunction
2/16/2019 7:00	BDL	0.4	0.4	1.0	0.3	2.4	Analyzer malfunction	Analyzer malfunction
2/16/2019 8:00	BDL	BDL	BDL	BDL	0.2	2.4	Analyzer malfunction	Analyzer malfunction
2/16/2019 9:00	BDL	BDL	BDL	BDL	0.2	2.1	Analyzer malfunction	Analyzer malfunction
2/16/2019 10:00	BDL	BDL	BDL	BDL	0.2	2.2	Analyzer malfunction	Analyzer malfunction
2/16/2019 11:00	BDL	BDL	BDL	BDL	0.2	2.3	Analyzer malfunction	Analyzer malfunction
2/16/2019 12:00	BDL	BDL	BDL	BDL	0.3	2.0	Analyzer malfunction	Analyzer malfunction
2/16/2019 13:00	BDL	BDL	BDL	BDL	0.3	2.0	Analyzer malfunction	Analyzer malfunction
2/16/2019 14:00	BDL	BDL	BDL	BDL	0.2	2.0	Analyzer malfunction	Analyzer malfunction
2/16/2019 15:00	BDL	BDL	BDL	BDL	0.2	2.0	Analyzer malfunction	Analyzer malfunction
2/16/2019 16:00	BDL	BDL	BDL	BDL	0.2	2.2	Analyzer malfunction	Analyzer malfunction
2/16/2019 17:00	BDL	BDL	BDL	BDL	0.2	2.1	Analyzer malfunction	Analyzer malfunction
2/16/2019 18:00	BDL	BDL	BDL	BDL	0.3	1.9	Analyzer malfunction	Analyzer malfunction
2/16/2019 19:00	BDL	BDL	BDL	BDL	0.3	1.9	Analyzer malfunction	Analyzer malfunction
2/16/2019 20:00	BDL	BDL	BDL	BDL	0.3	1.9	Analyzer malfunction	Analyzer malfunction
2/16/2019 21:00	BDL	BDL	BDL	BDL	0.3	1.9	Analyzer malfunction	Analyzer malfunction
2/16/2019 22:00	BDL	BDL	BDL	BDL	0.3	1.9	Analyzer malfunction	Analyzer malfunction
2/16/2019 23:00	BDL	BDL	BDL	BDL	0.3	2.0	Analyzer malfunction	Analyzer malfunction

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 2/17/2019-2/23/2019								
2/17/2019 0:00	BDL	BDL	BDL	BDL	0.3	2.0	Analyzer malfunction	Analyzer malfunction
2/17/2019 1:00	BDL	Calibration	Calibration	BDL	0.3	1.9	Analyzer malfunction	Analyzer malfunction
2/17/2019 2:00	BDL	Calibration	Calibration	BDL	0.2	1.9	Analyzer malfunction	Analyzer malfunction
2/17/2019 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.0	Analyzer malfunction	Analyzer malfunction
2/17/2019 4:00	BDL	BDL	BDL	BDL	0.3	Too few samples	Analyzer malfunction	Analyzer malfunction
2/17/2019 5:00	BDL	BDL	BDL	BDL	0.3	2.0	Analyzer malfunction	Analyzer malfunction
2/17/2019 6:00	BDL	BDL	BDL	2.4	0.3	2.0	Analyzer malfunction	Analyzer malfunction
2/17/2019 7:00	BDL	BDL	BDL	0.7	0.3	1.9	Analyzer malfunction	Analyzer malfunction
2/17/2019 8:00	BDL	BDL	BDL	2.2	0.3	1.9	Analyzer malfunction	Analyzer malfunction
2/17/2019 9:00	BDL	BDL	BDL	BDL	0.3	1.9	Analyzer malfunction	Analyzer malfunction
2/17/2019 10:00	BDL	BDL	BDL	1.4	0.3	1.9	Analyzer malfunction	Analyzer malfunction
2/17/2019 11:00	BDL	BDL	BDL	0.8	0.3	1.9	Analyzer malfunction	Analyzer malfunction
2/17/2019 12:00	BDL	BDL	BDL	BDL	0.3	2.0	Analyzer malfunction	Analyzer malfunction
2/17/2019 13:00	BDL	BDL	BDL	2.3	0.3	2.1	Analyzer malfunction	Analyzer malfunction
2/17/2019 14:00	BDL	BDL	BDL	0.4	0.3	1.9	Analyzer malfunction	Analyzer malfunction
2/17/2019 15:00	BDL	BDL	BDL	0.4	0.3	2.0	Analyzer malfunction	Analyzer malfunction
2/17/2019 16:00	BDL	BDL	BDL	BDL	0.3	2.0	Analyzer malfunction	Analyzer malfunction
2/17/2019 17:00	BDL	BDL	BDL	BDL	0.3	2.0	Analyzer malfunction	Analyzer malfunction
2/17/2019 18:00	BDL	0.7	0.5	BDL	0.3	1.9	Analyzer malfunction	Analyzer malfunction
2/17/2019 19:00	BDL	0.7	0.7	BDL	0.3	1.8	Analyzer malfunction	Analyzer malfunction
2/17/2019 20:00	BDL	0.6	0.5	BDL	0.3	1.8	Analyzer malfunction	Analyzer malfunction
2/17/2019 21:00	BDL	0.5	0.4	1.1	0.3	1.8	Analyzer malfunction	Analyzer malfunction
2/17/2019 22:00	BDL	0.4	0.4	2.2	0.3	1.9	Analyzer malfunction	Analyzer malfunction
2/17/2019 23:00	BDL	0.6	0.4	10.4	0.3	1.9	Analyzer malfunction	Analyzer malfunction
2/18/2019 0:00	BDL	0.7	0.4	10.1	0.3	2.0	Analyzer malfunction	Analyzer malfunction
2/18/2019 1:00	BDL	Calibration	Calibration	13.8	0.3	1.9	Analyzer malfunction	Analyzer malfunction
2/18/2019 2:00	BDL	Calibration	Calibration	9.5	0.3	2.0	Analyzer malfunction	Analyzer malfunction
2/18/2019 3:00	Calibration	0.6	0.4	Calibration	Calibration	2.0	Analyzer malfunction	Analyzer malfunction
2/18/2019 4:00	BDL	0.7	0.5	8.9	0.3	2.1	Analyzer malfunction	Analyzer malfunction
2/18/2019 5:00	BDL	0.9	0.5	21.1	0.4	2.1	Analyzer malfunction	Analyzer malfunction
2/18/2019 6:00	BDL	1.1	0.6	31.8	0.4	2.2	Analyzer malfunction	Analyzer malfunction
2/18/2019 7:00	BDL	1.2	0.6	30.9	0.5	2.8	Analyzer malfunction	Analyzer malfunction
2/18/2019 8:00	0.6	1.3	0.7	25.6	0.4	2.2	Analyzer malfunction	Analyzer malfunction
2/18/2019 9:00	BDL	0.9	0.6	11.5	0.3	2.1	Analyzer malfunction	Analyzer malfunction
2/18/2019 10:00	BDL	0.6	0.5	6.0	0.3	2.2	Analyzer malfunction	Analyzer malfunction
2/18/2019 11:00	0.4	0.6	0.5	5.2	0.3	2.2	16.0	9.0
2/18/2019 12:00	0.4	0.5	0.5	1.5	0.3	2.3	18.0	13.0
2/18/2019 13:00	BDL	0.5	0.4	BDL	0.3	2.2	16.0	12.0
2/18/2019 14:00	BDL	BDL	0.4	BDL	0.2	2.2	10.0	9.0
2/18/2019 15:00	BDL	BDL	BDL	BDL	0.2	2.2	12.0	6.0
2/18/2019 16:00	BDL	BDL	BDL	BDL	0.2	2.2	9.0	7.0
2/18/2019 17:00	BDL	BDL	BDL	BDL	0.2	2.1	6.0	5.0
2/18/2019 18:00	BDL	BDL	BDL	BDL	0.2	2.3	5.0	4.0
2/18/2019 19:00	BDL	BDL	BDL	BDL	0.2	2.2	11.0	2.0
2/18/2019 20:00	BDL	BDL	BDL	BDL	0.2	2.4	10.0	3.0
2/18/2019 21:00	BDL	BDL	BDL	BDL	0.3	2.4	9.0	5.0
2/18/2019 22:00	BDL	BDL	BDL	BDL	0.2	2.5	11.0	3.0
2/18/2019 23:00	BDL	BDL	BDL	BDL	0.2	2.4	7.0	4.0
2/19/2019 0:00	BDL	BDL	BDL	BDL	0.2	4.3	5.0	8.0
2/19/2019 1:00	BDL	Calibration	Calibration	BDL	0.2	2.3	6.0	7.0
2/19/2019 2:00	BDL	Calibration	Calibration	BDL	0.2	2.1	6.0	5.0
2/19/2019 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.2	6.0	5.0
2/19/2019 4:00	BDL	BDL	BDL	BDL	0.2	Too few samples	4.0	6.0
2/19/2019 5:00	BDL	BDL	BDL	BDL	0.2	2.3	12.0	7.0
2/19/2019 6:00	BDL	BDL	BDL	4.6	0.3	2.4	11.0	7.0
2/19/2019 7:00	BDL	BDL	BDL	5.4	0.3	2.4	11.0	7.0
2/19/2019 8:00	BDL	BDL	BDL	0.4	0.2	2.3	14.0	6.0
2/19/2019 9:00	BDL	BDL	BDL	BDL	0.2	2.3	11.0	6.0
2/19/2019 10:00	BDL	BDL	BDL	BDL	0.2	2.2	13.0	6.0
2/19/2019 11:00	BDL	BDL	BDL	BDL	0.2	2.2	10.0	5.0
2/19/2019 12:00	BDL	BDL	BDL	BDL	0.2	2.2	10.0	3.0
2/19/2019 13:00	BDL	BDL	BDL	BDL	0.2	2.2	9.0	2.0
2/19/2019 14:00	BDL	BDL	BDL	BDL	0.2	2.3	16.0	2.0
2/19/2019 15:00	BDL	BDL	BDL	BDL	0.2	2.3	13.0	4.0
2/19/2019 16:00	BDL	BDL	BDL	BDL	0.2	2.3	11.0	7.0
2/19/2019 17:00	BDL	BDL	BDL	0.9	0.2	2.3	12.0	7.0
2/19/2019 18:00	BDL	BDL	BDL	5.0	0.3	2.4	13.0	6.0
2/19/2019 19:00	BDL	BDL	BDL	4.2	0.3	2.5	16.0	7.0
2/19/2019 20:00	BDL	BDL	BDL	6.5	0.3	2.5	13.0	8.0
2/19/2019 21:00	BDL	BDL	BDL	4.0	0.3	2.3	16.0	5.0
2/19/2019 22:00	BDL	BDL	BDL	4.2	0.3	2.3	17.0	5.0
2/19/2019 23:00	BDL	BDL	BDL	7.2	0.3	2.3	17.0	4.0
2/20/2019 0:00	BDL	0.5	BDL	16.4	0.4	2.1	18.0	5.0
2/20/2019 1:00	BDL	Calibration	Calibration	9.9	0.4	2.1	17.0	9.0
2/20/2019 2:00	BDL	Calibration	Calibration	16.4	0.4	2.1	19.0	8.0
2/20/2019 3:00	Calibration	0.4	BDL	Calibration	Calibration	2.1	13.0	8.0
2/20/2019 4:00	BDL	0.6	BDL	20.4	0.4	Too few samples	12.0	5.0
2/20/2019 5:00	BDL	0.5	BDL	16.1	0.4	2.1	14.0	2.0
2/20/2019 6:00	BDL	0.7	BDL	22.8	0.4	2.1	21.0	4.0
2/20/2019 7:00	BDL	0.8	BDL	29.7	0.4	2.2	23.0	6.0
2/20/2019 8:00	BDL	0.7	BDL	29.0	0.4	2.1	25.0	6.0
2/20/2019 9:00	BDL	0.5	BDL	19.9	0.3	2.0	25.0	5.0
2/20/2019 10:00	BDL	0.4	BDL	14.3	0.3	2.0	23.0	7.0
2/20/2019 11:00	BDL	0.8	BDL	27.1	0.4	2.1	20.0	7.0
2/20/2019 12:00	BDL	0.7	BDL	21.8	0.4	2.1	18.0	9.0
2/20/2019 13:00	Calibration	0.8	BDL	Calibration	Calibration	2.1	21.0	7.0
2/20/2019 14:00	BDL	0.9	0.4	33.0	0.4	2.1	25.0	9.0
2/20/2019 15:00	BDL	0.8	BDL	30.2	0.4	2.1	16.0	9.0
2/20/2019 16:00	BDL	0.8	BDL	29.1	0.4	2.1	9.0	9.0
2/20/2019 17:00	BDL	0.8	0.4	35.7	0.4	2.1	13.0	6.0
2/20/2019 18:00	BDL	0.9	0.4	35.1	0.5	2.2	11.0	5.0
2/20/2019 19:00	BDL	0.8	0.4	28.4	0.5	2.1	11.0	6.0
2/20/2019 20:00	BDL	0.7	0.4	24.5	0.4	2.1	8.0	5.0
2/20/2019 21:00	BDL	0.7	0.4	23.1	0.4	2.0	4.0	4.0
2/20/2019 22:00	BDL	0.6	0.4	19.7	0.4	2.1	5.0	3.0
2/20/2019 23:00	BDL	0.7	0.4	21.0	0.3	2.1	6.0	4.0
2/21/2019 0:00	BDL	0.7	0.4	22.7	0.4	2.0	5.0	6.0
2/21/2019 1:00	BDL	Calibration	Calibration	20.7	0.4	2.3	6.0	4.0
2/21/2019 2:00	BDL	Calibration	Calibration	27.1	0.3	3.5	11.0	6.0
2/21/2019 3:00	Calibration	0.9	0.6	Calibration	Calibration	3.3	7.0	5.0
2/21/2019 4:00	BDL	0.9	0.6	25.2	0.4	Too few samples	8.0	6.0
2/21/2019 5:00	BDL	0.8	0.5	23.8	0.4	2.5	9.0	5.0
2/21/2019 6:00	BDL	0.8	0.5	18.5	0.4	2.0	32.0	20.0
2/21/2019 7:00	BDL	0.8	0.6	19.7	0.4	2.1	27.0	23.0
2/21/2019 8:00	BDL	0.8	0.6	20.2	0.4	2.2	14.0	12.0
2/21/2019 9:00	BDL	0.8	0.6	18.7	0.4	2.2	13.0	12.0
2/21/2019 10:00	BDL	0.7	0.5	17.0	0.3	2.3	15.0	11.0
2/21/2019 11:00	BDL	0.5	0.5	8.3	0.3	2.2	9.0	10.0
2/21/2019 12:00	0.4	0.5	0.5	8.6	0.3	2.1	10.0	7.0
2/21/2019 13:00	0.6	0.5	0.5	9.2	0.3	2.2	16.0	10.0
2/21/2019 14:00	0.7	0.4	0.4	5.6	0.3	2.1	11.0	7.0
2/21/2019 15:00	0.6	0.4	0.4	8.3	0.3	2.2	9.0	7.0
2/21/2019 16:00	0.4	0.4	0.4	8.8	0.3	2.2	17.0	7.0
2/21/2019 17:00	BDL	0.5	0.4	11.9	0.3	2.3	17.0	9.0
2/21/2019 18:00	1.6	0.6	0.4	14.1	0.3	2.0	20.0	14.0
2/21/2019 19:00	2.3	0.7	0.5	15.7	0.3	2.1	33.0	19.0
2/21/2019 20:00	1.4	0.8	0.5	20.2	0.3	2.1	40.0	19.0
2/21/2019 21:00	2.4	0.6	0.5	16.4	0.4	2.1	37.0	19.0
2/21/2019 22:00	2.1	0.6	0.5	14.3	0.3	2.1	36.0	17.0
2/21/2019 23:00	1.7	0.5	0.4	13.0	0.3	2.0	33.0	15.0
2/22/2019 0:00	1.6	0.5	0.4	13.9	0.3	2.1	31.0	11.0
2/22/2019 1:00	BDL	Calibration	Calibration	9.8	0.2	2.4	8.0	6.0
2/22/2019 2:00	BDL	Calibration	Calibration	5.1	0.2	2.3	7.0	1.0
2/22/2019 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.7	12.0	4.0
2/22/2019 4:00	BDL	0.4	BDL	9.3	0.3	Too few samples	9.0	8.0
2/22/2019 5:00	BDL	0.4	BDL	13.5	0.3	2.1	15.0	7.0
2/22/2019 6:00	BDL	0.4	BDL	13.3	0.3	2.0	20.0	6.0
2/22/2019 7:00	BDL	0.4	BDL	13.6	0.3	2.1	22.0	11.0
2/22/2019 8:00	BDL	0.4	BDL	12.1	0.3	2.3	22.0	12.0
2/22/2019 9:00	BDL	BDL	BDL	9.2	0.3	2.3	17.0	15.0
2/22/2019 10:00	BDL	BDL	BDL	7.8	0.3	2.3	21.0	14.0
2/22/2019 11:00	BDL	BDL	BDL	7.9	0.3	2.2	25.0	11.0
2/22/2019 12:00	BDL	BDL	BDL	7.9	0.3	2.2	Audit	Audit
2/22/2019 13:00	BDL	BDL	BDL	7.7	0.3	2.2	27.0	12.0
2/22/2019 14:00	BDL	BDL	BDL	7.6	0.3	2.3	18.0	17.0
2/22/2019 15:00	BDL	BDL	BDL	7.1	0.3	3.4	20.0	14.0
2/22/2019 16:00	BDL	BDL	BDL	9.2	0.3	2.3	20.0	12.0
2/22/2019 17:00	BDL	BDL	BDL	12.1	0.3	2.1	21.0	13.0
2/22/2019 18:00	BDL	BDL	BDL	12.0	0.3	2.1	27.0	15.0
2/22/2019 19:00	BDL	0.4	BDL	14.6	0.3	2.1	21.0	14.0
2/22/2019 20:00	BDL	0.4	BDL	14.7	0.4	2.1	24.0	18.0
2/22/2019 21:00	BDL	0.5	BDL	19.2	0.5	2.1	20.0	9.0
2/22/2019 22:00	BDL	0.4	BDL	14.2	0.4	2.1	18.0	12.0
2/22/2019 23:00	BDL	BDL	BDL	13.3	0.4	2.1	24.0	12.0
2/23/2019 0:00	BDL	0.4	BDL	17.2	0.4	2.1	18.0	9.0
2/23/2019 1:00	BDL	Calibration	Calibration	13.2	0.3	2.1	10.0	6.0
2/23/2019 2:00	BDL	Calibration	Calibration	11.6	0.3	2.1	11.0	6.0
2/23/2019 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.0	13.0	5.0
2/23/2019 4:00	BDL	BDL	BDL	13.0	0.3	Too few samples	15.0	4.0
2/23/2019 5:00	BDL	0.5	BDL	19.4	0.4	2.1	13.0	6.0
2/23/2019 6:00	BDL	0.5	BDL	23.3	0.4	2.1	13.0	9.0
2/23/2019 7:00	BDL	0.7	BDL	30.2	0.5	2.1	21.0	10.0
2/23/2019 8:00	BDL	0.8	BDL	27.9	0.4	2.1	17.0	8.0
2/23/2019 9:00	BDL	0.7	0.4	28.6	0.4	2.1	21.0	10.0
2/23/2019 10:00	BDL	0.6	BDL	20.0	0.4	2.1	17.0	10.0
2/23/2019 11:00	BDL	0.4	BDL	15.6	0.3	2.0	17.0	7.0
2/23/2019 12:00	BDL	0.4	BDL	13.5	0.3	2.0	13.0	7.0
2/23/2019 13:00	BDL	0.4	BDL	11.9	0.3	1.9	13.0	6.0
2/23/2019 14:00	BDL	0.4	BDL	11.2	0.3	1.9	13.0	5.0
2/23/2019 15:00	BDL	0.4	0.4	11.8	0.4	1.9	17.0	4.0
2/23/2019 16:00	BDL	0.5	0.4	15.7	0.4	2.0	17.0	8.0
2/23/2019 17:00	BDL	0.6	BDL	21.6	0.5	2.0	18.0	8.0
2/23/2019 18:00	BDL	0.5	BDL	17.0	0.4	2.0	17.0	9.0
2/23/2019 19:00	BDL	0.5	BDL	18.1	0.4	1.9	22.0	7.0
2/23/2019 20:00	BDL	0.5	BDL	14.4	0.4	2.0	22.0	9.0
2/23/2019 21:00	BDL	0.5	0.4	16.7	0.4	2.0	21.0	9.0
2/23/2019 22:00	BDL	0.4	BDL	15.5	0.4	2.0	15.0	9.0
2/23/2019 23:00	BDL	0.7	0.4	20.8	0.4	2.0	15.0	10.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 2/24/2019-3/2/2019								
2/24/2019 0:00	BDL	0.6	0.4	15.1	0.4	2.0	11.0	6.0
2/24/2019 1:00	BDL	Calibration	Calibration	18.6	0.4	2.1	9.0	4.0
2/24/2019 2:00	BDL	Calibration	Calibration	13.3	0.3	2.1	8.0	6.0
2/24/2019 3:00	Calibration	0.5	0.5	Calibration	Calibration	2.0	4.0	5.0
2/24/2019 4:00	BDL	0.7	0.5	15.9	0.4	Too few samples	-1.0	3.0
2/24/2019 5:00	BDL	0.7	0.5	15.1	0.4	2.1	2.0	1.0
2/24/2019 6:00	BDL	0.8	0.6	16.7	0.4	3.1	3.0	3.0
2/24/2019 7:00	BDL	0.8	0.6	18.7	0.4	3.2	3.0	4.0
2/24/2019 8:00	BDL	0.7	0.6	14.0	0.3	3.0	2.0	3.0
2/24/2019 9:00	BDL	0.9	0.7	16.8	0.3	2.6	6.0	3.0
2/24/2019 10:00	BDL	0.9	0.9	10.5	0.3	2.4	5.0	3.0
2/24/2019 11:00	BDL	0.9	0.9	3.7	0.3	2.2	4.0	0.0
2/24/2019 12:00	BDL	1.0	1.0	3.9	0.3	2.2	4.0	2.0
2/24/2019 13:00	BDL	0.9	0.9	6.5	0.3	2.3	6.0	4.0
2/24/2019 14:00	BDL	1.1	1.0	8.8	0.3	2.4	8.0	7.0
2/24/2019 15:00	BDL	1.3	1.1	11.1	0.3	2.4	7.0	6.0
2/24/2019 16:00	BDL	0.8	0.8	7.8	0.3	2.2	7.0	5.0
2/24/2019 17:00	BDL	1.4	1.2	15.4	0.4	2.3	5.0	6.0
2/24/2019 18:00	0.4	1.0	1.0	11.3	0.4	1.8	13.0	7.0
2/24/2019 19:00	1.1	0.9	0.8	11.3	0.3	2.0	15.0	6.0
2/24/2019 20:00	2.5	0.8	0.7	12.7	0.3	2.0	14.0	5.0
2/24/2019 21:00	3.3	0.8	0.7	13.1	0.2	1.9	33.0	8.0
2/24/2019 22:00	3.1	0.8	0.7	13.5	0.2	1.9	19.0	12.0
2/24/2019 23:00	3.5	0.8	0.7	13.3	0.2	1.8	17.0	13.0
2/25/2019 0:00	2.8	0.8	0.7	13.2	0.2	1.8	15.0	8.0
2/25/2019 1:00	3.2	Calibration	Calibration	12.8	0.2	1.9	13.0	9.0
2/25/2019 2:00	2.9	Calibration	Calibration	13.1	0.2	1.9	16.0	6.0
2/25/2019 3:00	Calibration	0.6	0.6	Calibration	Calibration	2.0	17.0	6.0
2/25/2019 4:00	0.6	0.6	0.6	8.9	0.2	Too few samples	13.0	9.0
2/25/2019 5:00	0.6	0.6	0.6	9.6	0.2	2.1	15.0	7.0
2/25/2019 6:00	1.3	0.6	0.5	11.6	0.2	2.1	19.0	6.0
2/25/2019 7:00	1.7	0.7	0.6	13.4	0.2	2.1	28.0	8.0
2/25/2019 8:00	1.3	0.6	0.5	10.0	0.2	Too few samples	44.0	7.0
2/25/2019 9:00	0.8	0.5	0.5	8.3	0.2	2.3	35.0	8.0
2/25/2019 10:00	0.6	0.4	0.4	6.5	0.2	2.3	35.0	7.0
2/25/2019 11:00	0.6	0.5	0.5	7.6	0.2	2.3	31.0	10.0
2/25/2019 12:00	BDL	0.4	0.5	7.6	0.2	2.4	25.0	7.0
2/25/2019 13:00	BDL	BDL	0.4	3.6	0.2	2.4	33.0	6.0
2/25/2019 14:00	BDL	BDL	0.4	3.8	0.2	2.3	20.0	5.0
2/25/2019 15:00	BDL	BDL	0.4	4.7	0.2	2.3	20.0	2.0
2/25/2019 16:00	BDL	BDL	0.4	3.2	0.2	2.3	16.0	2.0
2/25/2019 17:00	BDL	BDL	BDL	5.1	0.2	2.3	20.0	5.0
2/25/2019 18:00	BDL	BDL	BDL	3.7	0.2	2.2	13.0	7.0
2/25/2019 19:00	BDL	BDL	BDL	2.8	0.2	2.2	9.0	5.0
2/25/2019 20:00	BDL	BDL	BDL	3.2	0.2	2.2	9.0	7.0
2/25/2019 21:00	BDL	BDL	BDL	3.7	0.2	2.3	12.0	6.0
2/25/2019 22:00	BDL	BDL	BDL	3.7	0.2	2.2	8.0	6.0
2/25/2019 23:00	BDL	BDL	BDL	3.3	0.2	2.2	12.0	5.0
2/26/2019 0:00	BDL	BDL	BDL	4.1	0.2	2.3	12.0	3.0
2/26/2019 1:00	BDL	Calibration	Calibration	6.7	0.3	2.5	10.0	2.0
2/26/2019 2:00	BDL	Calibration	Calibration	4.7	0.2	2.3	10.0	3.0
2/26/2019 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.4	11.0	4.0
2/26/2019 4:00	BDL	BDL	BDL	5.0	0.2	Too few samples	11.0	5.0
2/26/2019 5:00	BDL	BDL	BDL	5.6	0.3	2.4	12.0	9.0
2/26/2019 6:00	BDL	BDL	BDL	8.2	0.3	2.5	7.0	7.0
2/26/2019 7:00	BDL	0.4	BDL	10.4	0.3	2.4	13.0	6.0
2/26/2019 8:00	BDL	BDL	BDL	5.7	0.3	2.3	13.0	4.0
2/26/2019 9:00	BDL	BDL	BDL	4.5	0.3	2.7	10.0	6.0
2/26/2019 10:00	BDL	BDL	BDL	6.0	0.3	2.6	20.0	8.0
2/26/2019 11:00	BDL	BDL	0.4	8.0	0.2	2.4	23.0	9.0
2/26/2019 12:00	BDL	BDL	BDL	6.7	0.2	2.3	24.0	7.0
2/26/2019 13:00	BDL	BDL	BDL	5.6	0.2	2.3	18.0	9.0
2/26/2019 14:00	BDL	BDL	BDL	5.3	0.2	2.3	19.0	6.0
2/26/2019 15:00	BDL	BDL	BDL	4.4	0.2	2.3	17.0	9.0
2/26/2019 16:00	BDL	BDL	BDL	3.9	0.2	2.3	9.0	7.0
2/26/2019 17:00	BDL	BDL	BDL	6.2	0.3	2.8	13.0	10.0
2/26/2019 18:00	BDL	BDL	BDL	8.7	0.3	2.8	17.0	8.0
2/26/2019 19:00	BDL	BDL	BDL	8.2	0.3	2.3	16.0	5.0
2/26/2019 20:00	BDL	BDL	BDL	5.8	0.3	2.2	11.0	2.0
2/26/2019 21:00	BDL	BDL	BDL	5.6	0.3	2.2	8.0	2.0
2/26/2019 22:00	BDL	BDL	BDL	11.6	0.3	2.1	19.0	10.0
2/26/2019 23:00	BDL	BDL	BDL	14.4	0.3	2.1	8.0	7.0
2/27/2019 0:00	BDL	BDL	BDL	8.8	0.3	2.1	10.0	5.0
2/27/2019 1:00	BDL	Calibration	Calibration	8.3	0.3	2.1	11.0	6.0
2/27/2019 2:00	BDL	Calibration	Calibration	10.9	0.3	2.1	7.0	4.0
2/27/2019 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.1	11.0	4.0
2/27/2019 4:00	BDL	BDL	BDL	10.2	0.3	2.0	11.0	6.0
2/27/2019 5:00	BDL	0.5	BDL	20.7	0.4	2.1	15.0	7.0
2/27/2019 6:00	BDL	0.6	BDL	24.8	0.4	2.1	13.0	6.0
2/27/2019 7:00	BDL	Audit	Audit	28.4	0.4	2.0	14.0	4.0
2/27/2019 8:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	2.0	19.0	2.0
2/27/2019 9:00	BDL	0.6	0.4	Calibration	0.3	Too few samples	14.0	6.0
2/27/2019 10:00	BDL	0.7	0.4	25.4	0.3	2.0	16.0	6.0
2/27/2019 11:00	BDL	0.5	0.4	18.6	0.3	2.0	16.0	6.0
2/27/2019 12:00	BDL	0.4	BDL	12.4	0.3	2.0	6.0	6.0
2/27/2019 13:00	BDL	0.4	BDL	13.6	0.3	2.0	8.0	4.0
2/27/2019 14:00	BDL	0.5	0.4	12.5	0.3	2.0	11.0	4.0
2/27/2019 15:00	BDL	0.5	0.5	10.6	0.3	1.9	14.0	4.0
2/27/2019 16:00	BDL	0.5	0.4	10.7	0.3	1.9	13.0	5.0
2/27/2019 17:00	BDL	BDL	BDL	7.8	0.3	1.9	13.0	4.0
2/27/2019 18:00	BDL	0.4	0.4	11.3	0.3	1.9	12.0	3.0
2/27/2019 19:00	BDL	0.4	0.4	7.6	0.3	1.9	17.0	4.0
2/27/2019 20:00	BDL	0.4	0.4	6.1	0.3	1.9	18.0	3.0
2/27/2019 21:00	BDL	0.4	0.4	6.5	0.3	1.9	17.0	6.0
2/27/2019 22:00	BDL	0.4	0.4	8.9	0.3	1.9	23.0	6.0
2/27/2019 23:00	BDL	0.5	0.5	11.2	0.3	1.9	18.0	5.0
2/28/2019 0:00	BDL	0.5	0.5	11.4	0.3	1.9	18.0	8.0
2/28/2019 1:00	BDL	Calibration	Calibration	17.2	0.3	2.0	29.0	16.0
2/28/2019 2:00	BDL	Calibration	Calibration	20.9	0.3	2.2	37.0	11.0
2/28/2019 3:00	Calibration	0.7	0.6	Calibration	Calibration	2.3	43.0	17.0
2/28/2019 4:00	BDL	0.9	0.6	23.3	0.3	2.5	47.0	19.0
2/28/2019 5:00	BDL	0.8	0.6	21.0	0.3	2.6	43.0	15.0
2/28/2019 6:00	BDL	0.7	0.5	19.4	0.4	2.4	31.0	14.0
2/28/2019 7:00	BDL	0.9	0.5	24.6	0.4	2.1	30.0	12.0
2/28/2019 8:00	BDL	0.7	0.5	20.5	0.3	2.1	26.0	11.0
2/28/2019 9:00	BDL	0.4	0.4	9.8	0.3	2.2	15.0	6.0
2/28/2019 10:00	BDL	0.4	BDL	8.4	0.3	2.2	14.0	6.0
2/28/2019 11:00	BDL	0.4	0.4	7.3	0.3	2.2	17.0	7.0
2/28/2019 12:00	BDL	BDL	0.4	6.2	0.3	2.1	10.0	7.0
2/28/2019 13:00	BDL	BDL	0.4	5.4	0.3	2.2	16.0	7.0
2/28/2019 14:00	BDL	BDL	BDL	5.3	0.3	2.2	12.0	5.0
2/28/2019 15:00	BDL	BDL	BDL	5.7	0.3	2.3	12.0	5.0
2/28/2019 16:00	BDL	BDL	0.4	5.4	0.3	2.4	11.0	5.0
2/28/2019 17:00	BDL	0.4	0.4	8.6	0.3	2.7	15.0	3.0
2/28/2019 18:00	BDL	0.5	0.4	13.0	0.3	2.4	17.0	4.0
2/28/2019 19:00	BDL	0.5	0.4	16.5	0.4	2.1	24.0	5.0
2/28/2019 20:00	BDL	0.6	0.4	17.8	0.4	2.1	15.0	9.0
2/28/2019 21:00	BDL	0.6	0.4	19.8	0.4	2.1	17.0	7.0
2/28/2019 22:00	BDL	0.7	0.4	20.2	0.4	2.1	16.0	7.0
2/28/2019 23:00	BDL	0.7	0.5	19.6	0.4	2.0	22.0	6.0
3/1/2019 0:00	BDL	0.9	0.4	27.6	0.3	2.0	18.0	7.0
3/1/2019 1:00	BDL	Calibration	Calibration	14.8	0.3	2.0	19.0	10.0
3/1/2019 2:00	BDL	Calibration	Calibration	14.6	0.3	2.0	17.0	10.0
3/1/2019 3:00	Calibration	BDL	BDL	Calibration	Calibration	2.0	26.0	7.0
3/1/2019 4:00	BDL	0.5	0.4	16.2	0.3	Too few samples	12.0	6.0
3/1/2019 5:00	BDL	0.6	0.4	18.8	0.3	2.0	8.0	7.0
3/1/2019 6:00	BDL	0.7	0.4	23.7	0.4	2.0	17.0	8.0
3/1/2019 7:00	BDL	0.9	0.5	34.0	0.5	2.1	20.0	8.0
3/1/2019 8:00	BDL	1.1	0.5	39.8	0.5	2.1	23.0	11.0
3/1/2019 9:00	BDL	1.2	0.6	42.5	0.5	2.2	23.0	15.0
3/1/2019 10:00	BDL	1.2	0.6	40.9	0.5	2.2	27.0	14.0
3/1/2019 11:00	BDL	1.3	0.6	45.8	0.5	2.2	25.0	17.0
3/1/2019 12:00	BDL	1.1	0.5	34.9	0.5	2.1	20.0	11.0
3/1/2019 13:00	BDL	0.8	0.5	25.8	0.4	2.1	19.0	11.0
3/1/2019 14:00	BDL	0.9	0.5	27.4	0.4	2.1	16.0	11.0
3/1/2019 15:00	BDL	0.8	0.4	24.5	0.4	2.0	18.0	8.0
3/1/2019 16:00	BDL	0.7	0.4	21.4	0.4	2.0	17.0	9.0
3/1/2019 17:00	BDL	0.8	0.5	20.4	0.4	2.0	21.0	10.0
3/1/2019 18:00	BDL	0.6	0.4	16.9	0.4	2.0	13.0	8.0
3/1/2019 19:00	BDL	0.6	0.5	20.9	0.4	2.0	16.0	7.0
3/1/2019 20:00	BDL	0.6	0.4	13.2	0.4	2.0	10.0	4.0
3/1/2019 21:00	BDL	0.5	0.4	11.0	0.3	1.9	14.0	8.0
3/1/2019 22:00	BDL	0.5	0.4	11.4	0.3	1.9	13.0	6.0
3/1/2019 23:00	BDL	0.6	0.4	14.8	0.3	1.9	9.0	3.0
3/2/2019 0:00	BDL	0.5	0.4	14.3	0.4	2.0	7.0	6.0
3/2/2019 1:00	BDL	Calibration	Calibration	19.2	0.4	2.0	15.0	11.0
3/2/2019 2:00	BDL	Calibration	Calibration	17.9	0.4	2.1	14.0	12.0
3/2/2019 3:00	Calibration	0.7	0.5	Calibration	Calibration	2.0	14.0	9.0
3/2/2019 4:00	BDL	0.7	0.5	15.6	0.3	Too few samples	10.0	5.0
3/2/2019 5:00	BDL	0.6	0.5	14.4	0.3	2.0	10.0	3.0
3/2/2019 6:00	BDL	0.6	0.5	14.1	0.3	2.0	8.0	3.0
3/2/2019 7:00	BDL	0.7	0.5	16.8	0.3	2.0	11.0	4.0
3/2/2019 8:00	BDL	0.7	0.6	15.2	0.3	2.0	7.0	7.0
3/2/2019 9:00	BDL	0.6	0.5	13.5	0.3	2.0	7.0	5.0
3/2/2019 10:00	BDL	0.6	0.5	14.4	0.3	2.0	8.0	5.0
3/2/2019 11:00	BDL	0.6	0.5	14.0	0.4	2.2	9.0	7.0
3/2/2019 12:00	BDL	0.6	0.5	11.8	0.3	2.4	17.0	8.0
3/2/2019 13:00	BDL	0.6	0.5	11.4	0.3	2.2	11.0	7.0
3/2/2019 14:00	BDL	0.5	0.5	9.8	0.3	2.1	16.0	12.0
3/2/2019 15:00	BDL	0.6	0.5	9.5	0.3	2.2	13.0	10.0
3/2/2019 16:00	BDL	0.5	0.5	8.8	0.3	2.2	14.0	7.0
3/2/2019 17:00	BDL	0.6	0.5	11.7	0.3	2.2	20.0	12.0
3/2/2019 18:00	BDL	0.6	0.5	9.3	0.4	2.2	22.0	16.0
3/2/2019 19:00	BDL	0.7	0.6	16.1	0.4	2.4	27.0	21.0
3/2/2019 20:00	2.1	0.9	0.7	16.9	0.4	2.1	54.0	36.0
3/2/2019 21:00	1.0	0.7	0.6	17.9	0.4	2.3	53.0	31.0
3/2/2019 22:00	0.4	0.6	0.5	10.0	0.4	2.3	22.0	20.0
3/2/2019 23:00	0.5	0.8	0.7	16.5	0.4	2.4	29.0	24.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 3/3/2019-3/9/2019								
3/3/2019 0:00	0.9	1.0	0.7	25.7	0.4	2.4	38.0	31.0
3/3/2019 1:00	1.0	Calibration	Calibration	23.8	0.4	2.5	34.0	26.0
3/3/2019 2:00	0.8	Calibration	Calibration	13.6	0.4	2.8	31.0	23.0
3/3/2019 3:00	Calibration	0.7	0.7	Calibration	Calibration	2.9	33.0	34.0
3/3/2019 4:00	BDL	0.8	0.7	14.5	0.4	3.1	38.0	29.0
3/3/2019 5:00	BDL	0.8	0.6	18.0	0.3	3.0	25.0	22.0
3/3/2019 6:00	BDL	0.8	0.6	17.7	0.3	3.1	24.0	17.0
3/3/2019 7:00	BDL	0.9	0.7	17.1	0.3	3.5	21.0	16.0
3/3/2019 8:00	BDL	0.6	0.6	11.8	0.3	2.5	19.0	16.0
3/3/2019 9:00	0.4	0.6	0.5	11.9	0.4	2.1	18.0	14.0
3/3/2019 10:00	BDL	0.5	0.5	9.8	0.4	2.0	14.0	12.0
3/3/2019 11:00	BDL	0.5	0.5	9.0	0.3	2.0	18.0	11.0
3/3/2019 12:00	BDL	0.5	0.5	8.5	0.4	2.0	17.0	10.0
3/3/2019 13:00	BDL	0.6	0.6	10.7	0.3	2.0	21.0	11.0
3/3/2019 14:00	BDL	0.5	0.5	7.2	0.3	2.2	17.0	13.0
3/3/2019 15:00	BDL	0.5	0.5	7.2	0.3	2.1	18.0	16.0
3/3/2019 16:00	BDL	0.7	0.6	10.0	0.4	2.0	23.0	15.0
3/3/2019 17:00	BDL	1.0	0.7	25.3	0.5	2.1	25.0	19.0
3/3/2019 18:00	BDL	1.3	0.9	34.6	0.6	2.3	19.0	16.0
3/3/2019 19:00	BDL	1.3	0.9	30.8	0.5	2.2	19.0	12.0
3/3/2019 20:00	BDL	1.2	0.9	30.4	0.5	2.3	15.0	10.0
3/3/2019 21:00	BDL	1.0	0.7	23.0	0.5	2.2	12.0	7.0
3/3/2019 22:00	BDL	1.0	0.7	25.4	0.4	2.1	9.0	6.0
3/3/2019 23:00	BDL	0.8	0.7	16.1	0.4	2.1	10.0	4.0
3/4/2019 0:00	BDL	0.8	0.7	12.7	0.4	2.1	6.0	2.0
3/4/2019 1:00	BDL	Calibration	Calibration	15.4	0.4	2.1	8.0	1.0
3/4/2019 2:00	BDL	Calibration	Calibration	15.0	0.4	2.3	8.0	1.0
3/4/2019 3:00	Calibration	0.8	0.8	Calibration	Calibration	2.5	7.0	3.0
3/4/2019 4:00	BDL	0.9	0.8	14.2	0.4	Too few samples	6.0	8.0
3/4/2019 5:00	BDL	0.9	0.8	15.3	0.4	2.5	11.0	6.0
3/4/2019 6:00	BDL	0.8	0.7	11.8	0.4	2.5	10.0	8.0
3/4/2019 7:00	BDL	0.7	0.7	11.2	0.4	2.4	16.0	16.0
3/4/2019 8:00	BDL	0.7	0.7	8.7	0.3	2.5	14.0	8.0
3/4/2019 9:00	BDL	0.6	0.6	8.7	0.3	2.4	12.0	11.0
3/4/2019 10:00	BDL	0.5	0.6	6.4	0.3	2.2	16.0	12.0
3/4/2019 11:00	BDL	0.5	0.6	5.0	0.3	2.2	9.0	7.0
3/4/2019 12:00	BDL	0.5	0.6	5.2	0.3	2.1	11.0	10.0
3/4/2019 13:00	BDL	0.5	0.6	3.6	0.2	2.1	10.0	8.0
3/4/2019 14:00	BDL	0.5	0.6	4.4	0.2	2.0	9.0	8.0
3/4/2019 15:00	BDL	0.5	0.6	6.0	0.2	2.0	21.0	12.0
3/4/2019 16:00	BDL	0.6	0.6	8.4	0.2	2.0	24.0	10.0
3/4/2019 17:00	1.5	0.6	0.6	11.3	0.3	2.0	42.0	15.0
3/4/2019 18:00	1.3	0.8	0.6	16.2	0.3	2.1	32.0	9.0
3/4/2019 19:00	0.9	0.7	0.6	16.3	0.3	2.1	10.0	8.0
3/4/2019 20:00	BDL	0.5	0.5	5.8	0.3	2.1	7.0	7.0
3/4/2019 21:00	0.8	0.4	0.5	4.8	0.3	2.1	8.0	10.0
3/4/2019 22:00	0.9	0.4	0.5	6.0	0.3	2.2	10.0	7.0
3/4/2019 23:00	0.5	0.5	0.5	8.0	0.3	2.3	15.0	9.0
3/5/2019 0:00	BDL	0.4	0.4	6.3	0.3	2.3	13.0	7.0
3/5/2019 1:00	BDL	Calibration	Calibration	8.3	0.3	2.4	12.0	10.0
3/5/2019 2:00	BDL	Calibration	Calibration	8.3	0.3	2.3	9.0	7.0
3/5/2019 3:00	Calibration	0.5	0.5	Calibration	Calibration	2.3	8.0	8.0
3/5/2019 4:00	BDL	0.4	0.4	9.3	0.3	Too few samples	11.0	9.0
3/5/2019 5:00	BDL	0.5	0.5	13.8	0.3	2.3	14.0	11.0
3/5/2019 6:00	0.8	0.7	0.5	16.3	0.3	2.3	19.0	11.0
3/5/2019 7:00	BDL	0.6	0.6	12.7	0.3	2.4	22.0	10.0
3/5/2019 8:00	2.7	0.6	0.5	14.5	0.3	2.2	24.0	17.0
3/5/2019 9:00	2.2	0.6	0.6	12.2	0.3	2.1	18.0	7.0
3/5/2019 10:00	4.3	0.7	0.5	13.4	0.3	2.0	23.0	16.0
3/5/2019 11:00	3.0	0.7	0.5	13.1	0.3	2.1	15.0	6.0
3/5/2019 12:00	3.4	0.6	0.5	11.6	0.3	2.1	19.0	5.0
3/5/2019 13:00	1.7	0.6	0.6	9.8	0.3	2.1	20.0	10.0
3/5/2019 14:00	2.7	0.6	0.6	11.5	0.3	2.1	18.0	8.0
3/5/2019 15:00	2.6	0.5	0.6	7.4	0.3	2.2	18.0	6.0
3/5/2019 16:00	0.7	0.5	0.5	5.3	0.3	2.2	12.0	9.0
3/5/2019 17:00	0.6	0.5	0.5	6.8	0.3	2.3	11.0	8.0
3/5/2019 18:00	0.7	0.7	0.6	12.8	0.3	2.4	17.0	12.0
3/5/2019 19:00	0.5	0.7	0.6	15.3	0.3	2.5	19.0	9.0
3/5/2019 20:00	0.7	0.6	0.6	11.4	0.3	2.3	19.0	14.0
3/5/2019 21:00	0.8	0.6	0.6	10.8	0.3	2.4	23.0	11.0
3/5/2019 22:00	0.6	0.5	0.6	6.6	0.3	2.4	21.0	10.0
3/5/2019 23:00	BDL	0.4	0.5	6.0	0.3	2.5	21.0	10.0
3/6/2019 0:00	BDL	0.5	0.5	5.4	0.3	2.6	20.0	9.0
3/6/2019 1:00	BDL	Calibration	Calibration	6.7	0.3	2.2	14.0	10.0
3/6/2019 2:00	BDL	Calibration	Calibration	6.8	0.3	2.3	13.0	12.0
3/6/2019 3:00	Calibration	0.4	0.5	Calibration	Calibration	2.2	14.0	10.0
3/6/2019 4:00	BDL	0.4	0.5	5.9	0.3	2.2	17.0	10.0
3/6/2019 5:00	BDL	0.4	0.5	7.0	0.3	2.2	19.0	11.0
3/6/2019 6:00	BDL	0.5	0.5	7.6	0.3	2.2	24.0	12.0
3/6/2019 7:00	BDL	0.6	0.5	10.7	0.3	2.3	26.0	12.0
3/6/2019 8:00	BDL	0.5	0.5	7.9	0.3	2.3	30.0	8.0
3/6/2019 9:00	BDL	0.4	0.4	7.0	0.3	2.3	19.0	12.0
3/6/2019 10:00	BDL	BDL	0.4	6.0	0.3	2.2	23.0	12.0
3/6/2019 11:00	BDL	0.4	0.5	7.3	0.3	2.3	26.0	13.0
3/6/2019 12:00	0.8	0.5	0.6	10.3	0.3	2.3	35.0	17.0
3/6/2019 13:00	0.8	0.5	0.5	9.1	0.3	2.2	30.0	15.0
3/6/2019 14:00	0.5	0.5	0.5	9.2	0.3	2.2	27.0	16.0
3/6/2019 15:00	BDL	0.5	0.5	8.2	0.3	2.2	25.0	14.0
3/6/2019 16:00	BDL	0.5	0.5	10.4	0.3	2.3	23.0	10.0
3/6/2019 17:00	BDL	0.4	0.5	5.5	0.3	2.2	17.0	11.0
3/6/2019 18:00	BDL	0.5	0.5	9.6	0.3	2.2	13.0	10.0
3/6/2019 19:00	BDL	0.6	0.5	13.0	0.3	2.2	18.0	9.0
3/6/2019 20:00	BDL	0.7	0.5	14.2	0.3	2.3	16.0	12.0
3/6/2019 21:00	BDL	0.5	0.5	10.9	0.3	2.3	16.0	8.0
3/6/2019 22:00	BDL	0.5	0.5	9.7	0.3	2.3	15.0	6.0
3/6/2019 23:00	BDL	0.5	0.5	8.6	0.3	2.3	13.0	6.0
3/7/2019 0:00	BDL	0.5	0.4	11.0	0.3	2.3	11.0	9.0
3/7/2019 1:00	BDL	Calibration	Calibration	12.5	0.3	2.4	11.0	13.0
3/7/2019 2:00	BDL	Calibration	Calibration	15.5	0.3	2.5	19.0	12.0
3/7/2019 3:00	Calibration	0.8	0.6	Calibration	Calibration	2.7	21.0	15.0
3/7/2019 4:00	3.0	0.7	0.6	12.8	0.3	Too few samples	47.0	19.0
3/7/2019 5:00	1.3	0.7	0.5	17.1	0.3	2.6	24.0	14.0
3/7/2019 6:00	4.6	0.8	0.6	21.0	0.3	2.2	43.0	24.0
3/7/2019 7:00	8.5	1.0	0.7	27.1	0.4	2.2	59.0	29.0
3/7/2019 8:00	3.9	0.7	0.5	16.4	0.3	2.1	52.0	14.0
3/7/2019 9:00	3.2	0.6	0.5	15.9	0.3	2.1	44.0	16.0
3/7/2019 10:00	2.9	0.7	0.6	13.8	0.3	2.1	46.0	17.0
3/7/2019 11:00	2.3	0.7	0.6	14.6	0.3	2.1	39.0	17.0
3/7/2019 12:00	2.8	0.7	0.6	15.8	0.3	2.2	37.0	16.0
3/7/2019 13:00	1.7	0.5	0.5	9.4	0.3	2.2	32.0	11.0
3/7/2019 14:00	0.8	0.4	0.5	6.6	0.3	2.3	21.0	13.0
3/7/2019 15:00	1.4	0.5	0.5	10.2	0.3	2.2	29.0	19.0
3/7/2019 16:00	0.9	0.4	0.5	7.7	0.3	2.3	27.0	14.0
3/7/2019 17:00	0.8	0.5	0.4	10.4	0.3	2.3	27.0	15.0
3/7/2019 18:00	0.8	0.6	0.5	12.8	0.3	2.5	29.0	18.0
3/7/2019 19:00	1.0	0.7	0.5	19.9	0.4	2.5	29.0	17.0
3/7/2019 20:00	7.5	0.6	0.5	12.9	0.3	2.3	52.0	25.0
3/7/2019 21:00	1.6	0.8	0.6	20.1	0.3	2.5	27.0	13.0
3/7/2019 22:00	0.9	0.9	0.6	25.8	0.4	3.0	30.0	22.0
3/7/2019 23:00	0.7	0.9	0.6	25.7	0.4	3.0	25.0	20.0
3/8/2019 0:00	0.4	0.8	0.5	20.9	0.4	2.8	22.0	17.0
3/8/2019 1:00	0.6	Calibration	Calibration	15.4	0.3	2.8	24.0	17.0
3/8/2019 2:00	0.7	Calibration	Calibration	48.6	0.5	3.9	30.0	18.0
3/8/2019 3:00	Calibration	1.0	0.6	Calibration	Calibration	2.6	22.0	14.0
3/8/2019 4:00	0.8	2.0	0.9	77.3	0.5	3.0	28.0	14.0
3/8/2019 5:00	2.4	3.6	1.6	127.1	0.9	2.7	48.0	25.0
3/8/2019 6:00	2.3	3.4	1.6	114.8	0.9	2.7	64.0	36.0
3/8/2019 7:00	1.9	2.6	1.2	86.4	0.8	2.7	59.0	36.0
3/8/2019 8:00	1.8	2.4	1.3	74.3	0.7	2.8	58.0	39.0
3/8/2019 9:00	1.2	2.0	1.0	65.1	0.5	2.5	46.0	25.0
3/8/2019 10:00	1.7	1.4	0.7	41.5	0.4	2.4	34.0	23.0
3/8/2019 11:00	1.9	1.2	0.8	29.3	0.4	2.2	33.0	21.0
3/8/2019 12:00	0.8	0.9	0.7	17.7	0.3	2.2	27.0	15.0
3/8/2019 13:00	0.6	0.6	0.5	9.5	0.3	2.1	25.0	12.0
3/8/2019 14:00	BDL	0.4	0.5	5.5	0.3	2.1	16.0	11.0
3/8/2019 15:00	BDL	0.5	0.5	5.0	0.3	2.2	18.0	7.0
3/8/2019 16:00	BDL	0.5	0.5	4.6	0.2	2.2	15.0	10.0
3/8/2019 17:00	BDL	0.6	0.5	11.4	0.3	2.0	26.0	12.0
3/8/2019 18:00	BDL	0.6	0.5	14.7	0.3	2.0	20.0	13.0
3/8/2019 19:00	BDL	0.7	0.5	13.8	0.3	2.0	20.0	12.0
3/8/2019 20:00	BDL	0.8	0.6	16.5	0.4	2.0	19.0	11.0
3/8/2019 21:00	BDL	1.0	0.8	16.8	0.4	2.0	22.0	21.0
3/8/2019 22:00	BDL	0.9	0.8	14.2	0.4	2.0	19.0	16.0
3/8/2019 23:00	BDL	0.8	0.8	10.9	0.4	2.0	16.0	15.0
3/9/2019 0:00	BDL	0.7	0.6	11.2	0.4	2.0	19.0	12.0
3/9/2019 1:00	BDL	Calibration	Calibration	14.3	0.4	2.0	18.0	18.0
3/9/2019 2:00	BDL	Calibration	Calibration	24.6	0.4	2.9	26.0	17.0
3/9/2019 3:00	Calibration	0.8	0.7	Calibration	Calibration	2.6	24.0	20.0
3/9/2019 4:00	BDL	0.9	0.7	17.1	0.4	Too few samples	34.0	29.0
3/9/2019 5:00	BDL	0.8	0.8	15.9	0.4	2.7	30.0	23.0
3/9/2019 6:00	BDL	0.8	0.7	13.7	0.4	2.5	30.0	27.0
3/9/2019 7:00	BDL	0.9	0.8	15.1	0.4	2.5	41.0	28.0
3/9/2019 8:00	BDL	0.8	0.7	14.1	0.3	2.3	38.0	26.0
3/9/2019 9:00	0.5	0.8	0.7	13.1	0.3	2.2	30.0	20.0
3/9/2019 10:00	0.9	0.8	0.7	16.2	0.4	2.1	34.0	18.0
3/9/2019 11:00	0.6	0.7	0.6	11.2	0.3	2.0	30.0	19.0
3/9/2019 12:00	0.6	0.6	0.6	9.5	0.3	2.0	28.0	15.0
3/9/2019 13:00	0.6	0.7	0.7	10.0	0.3	2.0	29.0	15.0
3/9/2019 14:00	0.6	0.5	0.5	9.9	0.3	2.1	24.0	11.0
3/9/2019 15:00	0.5	0.6	0.6	10.2	0.3	2.0	28.0	14.0
3/9/2019 16:00	BDL	0.6	0.7	10.4	0.3	2.1	22.0	14.0
3/9/2019 17:00	0.5	0.9	0.8	16.7	0.4	2.3	29.0	20.0
3/9/2019 18:00	BDL	0.9	0.9	11.8	0.3	2.3	23.0	13.0
3/9/2019 19:00	BDL	1.0	0.9	13.5	0.3	2.0	16.0	12.0
3/9/2019 20:00	BDL	1.0	1.0	8.9	0.3	2.0	20.0	14.0
3/9/2019 21:00	BDL	1.2	1.1	10.8	0.4	2.0	19.0	18.0
3/9/2019 22:00	BDL	1.1	1.0	13.5	0.4	2.0	23.0	13.0
3/9/2019 23:00	BDL	1.1	0.9	17.3	0.4	2.1	34.0	25.0

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 3/10/2019-3/16/2019								
3/10/2019 0:00	BDL	1.0	1.0	12.2	0.4	2.1	29.0	20.0
3/10/2019 1:00	BDL	Calibration	Calibration	12.4	0.3	2.1	29.0	15.0
3/10/2019 2:00	BDL	Calibration	Calibration	11.7	0.4	2.0	21.0	17.0
3/10/2019 3:00	Calibration	0.8	0.8	Calibration	Calibration	2.1	19.0	13.0
3/10/2019 4:00	BDL	0.9	0.8	11.5	0.3	Too few samples	13.0	11.0
3/10/2019 5:00	BDL	0.7	0.8	8.2	0.3	2.1	8.0	6.0
3/10/2019 6:00	BDL	0.7	0.8	8.5	0.3	2.0	12.0	3.0
3/10/2019 7:00	BDL	0.9	0.8	16.2	0.4	2.1	10.0	6.0
3/10/2019 8:00	BDL	1.1	0.9	20.2	0.4	2.1	7.0	4.0
3/10/2019 9:00	BDL	1.2	0.9	25.4	0.5	2.1	9.0	4.0
3/10/2019 10:00	BDL	1.1	0.9	18.4	0.5	2.1	8.0	5.0
3/10/2019 11:00	BDL	1.1	0.9	16.1	0.5	2.1	7.0	4.0
3/10/2019 12:00	BDL	1.2	1.0	21.7	0.5	2.3	10.0	9.0
3/10/2019 13:00	BDL	1.3	1.1	19.5	0.4	2.3	15.0	8.0
3/10/2019 14:00	BDL	1.2	1.1	13.4	0.4	2.2	13.0	6.0
3/10/2019 15:00	BDL	1.2	1.1	13.1	0.3	2.2	11.0	7.0
3/10/2019 16:00	BDL	1.0	0.9	10.0	0.3	2.1	12.0	9.0
3/10/2019 17:00	BDL	1.0	0.9	9.4	0.3	2.2	11.0	12.0
3/10/2019 18:00	2.0	1.1	1.0	14.9	0.4	2.2	31.0	15.0
3/10/2019 19:00	BDL	1.0	1.0	10.7	0.4	2.6	19.0	13.0
3/10/2019 20:00	BDL	1.1	1.0	17.4	0.4	2.5	12.0	16.0
3/10/2019 21:00	BDL	1.1	1.1	15.1	0.4	2.4	14.0	17.0
3/10/2019 22:00	BDL	1.0	1.0	11.9	0.4	2.4	25.0	26.0
3/10/2019 23:00	BDL	1.0	1.0	12.2	0.4	2.5	23.0	16.0
3/11/2019 0:00	BDL	1.0	0.9	10.9	0.4	2.6	16.0	11.0
3/11/2019 1:00	BDL	Calibration	Calibration	10.3	0.4	3.5	15.0	11.0
3/11/2019 2:00	BDL	Calibration	Calibration	6.8	0.3	3.1	13.0	10.0
3/11/2019 3:00	Calibration	0.9	1.0	Calibration	Calibration	2.8	14.0	12.0
3/11/2019 4:00	BDL	0.9	0.9	7.4	0.3	Too few samples	12.0	8.0
3/11/2019 5:00	BDL	0.8	0.8	7.9	0.3	2.2	14.0	7.0
3/11/2019 6:00	BDL	1.0	0.9	17.4	0.3	2.3	20.0	8.0
3/11/2019 7:00	0.4	1.1	0.9	19.6	0.3	2.2	19.0	11.0
3/11/2019 8:00	5.7	1.2	1.0	20.3	0.3	2.1	32.0	14.0
3/11/2019 9:00	4.3	1.2	1.0	19.5	0.3	2.2	26.0	11.0
3/11/2019 10:00	2.5	1.1	1.0	14.9	0.3	2.3	29.0	10.0
3/11/2019 11:00	2.7	1.0	1.0	14.3	0.3	2.2	35.0	11.0
3/11/2019 12:00	3.1	1.0	0.9	13.7	0.3	2.1	61.0	9.0
3/11/2019 13:00	1.3	0.9	0.9	9.0	0.3	2.2	25.0	10.0
3/11/2019 14:00	1.2	0.9	0.9	11.2	0.3	2.2	30.0	10.0
3/11/2019 15:00	0.7	0.8	0.8	6.2	0.3	2.2	17.0	9.0
3/11/2019 16:00	1.2	0.9	0.9	10.6	0.3	2.2	21.0	5.0
3/11/2019 17:00	3.7	1.0	0.9	14.2	0.3	2.1	57.0	8.0
3/11/2019 18:00	2.8	0.9	0.8	9.9	0.3	2.0	53.0	9.0
3/11/2019 19:00	4.9	1.0	0.9	13.6	0.3	2.0	81.0	15.0
3/11/2019 20:00	2.2	1.0	0.9	14.0	0.3	2.2	24.0	9.0
3/11/2019 21:00	BDL	0.7	0.8	3.9	0.2	2.1	10.0	4.0
3/11/2019 22:00	BDL	0.7	0.8	2.2	0.2	2.2	11.0	BDL
3/11/2019 23:00	BDL	0.7	0.8	1.8	0.2	2.3	11.0	1.0
3/12/2019 0:00	BDL	0.7	0.8	1.8	0.2	2.2	9.0	4.0
3/12/2019 1:00	BDL	Calibration	Calibration	4.1	0.3	2.5	15.0	5.0
3/12/2019 2:00	BDL	Calibration	Calibration	4.7	0.3	2.5	14.0	5.0
3/12/2019 3:00	Calibration	0.7	0.8	Calibration	Calibration	2.3	11.0	6.0
3/12/2019 4:00	BDL	0.7	0.8	6.2	0.3	Too few samples	12.0	8.0
3/12/2019 5:00	BDL	0.7	0.7	6.9	0.3	2.3	13.0	6.0
3/12/2019 6:00	BDL	0.9	0.8	13.6	0.3	2.5	20.0	9.0
3/12/2019 7:00	BDL	0.8	0.8	11.5	0.3	2.7	Maintenance	Maintenance
3/12/2019 8:00	BDL	0.7	0.8	5.4	0.3	2.4	16.0	9.0
3/12/2019 9:00	BDL	0.7	0.8	6.8	0.3	2.2	8.0	7.0
3/12/2019 10:00	BDL	0.7	0.7	5.1	0.3	2.3	8.0	5.0
3/12/2019 11:00	BDL	0.6	0.7	4.1	0.3	2.3	9.0	6.0
3/12/2019 12:00	BDL	0.6	0.8	3.2	0.3	3.0	9.0	4.0
3/12/2019 13:00	BDL	0.6	0.8	2.6	0.3	2.4	9.0	3.0
3/12/2019 14:00	BDL	0.6	0.7	3.3	0.3	2.3	13.0	4.0
3/12/2019 15:00	BDL	0.7	0.7	2.9	0.3	2.3	13.0	3.0
3/12/2019 16:00	BDL	0.6	0.7	3.2	0.3	2.3	11.0	5.0
3/12/2019 17:00	BDL	0.6	0.7	4.1	0.3	2.4	11.0	4.0
3/12/2019 18:00	BDL	0.7	0.7	5.9	0.3	2.4	9.0	3.0
3/12/2019 19:00	BDL	0.8	0.8	13.8	0.3	2.4	11.0	4.0
3/12/2019 20:00	BDL	0.9	0.7	14.6	0.3	2.3	12.0	4.0
3/12/2019 21:00	BDL	0.9	0.7	18.6	0.4	2.1	15.0	5.0
3/12/2019 22:00	BDL	1.3	0.8	27.5	0.5	2.2	14.0	9.0
3/12/2019 23:00	BDL	1.5	0.9	38.9	0.5	2.4	13.0	7.0
3/13/2019 0:00	BDL	1.4	0.9	35.5	0.5	2.2	16.0	7.0
3/13/2019 1:00	BDL	Calibration	Calibration	55.5	0.5	2.4	23.0	10.0
3/13/2019 2:00	0.5	Calibration	Calibration	67.6	0.6	3.0	20.0	10.0
3/13/2019 3:00	Calibration	3.0	1.7	Calibration	Calibration	3.0	27.0	12.0
3/13/2019 4:00	2.7	4.6	2.2	146.2	0.9	Too few samples	37.0	14.0
3/13/2019 5:00	2.7	4.4	2.2	143.9	0.9	2.8	38.0	17.0
3/13/2019 6:00	3.7	5.2	2.7	175.7	1.1	2.9	51.0	17.0
3/13/2019 7:00	1.1	Audit	Audit	81.2	0.6	2.4	32.0	9.0
3/13/2019 8:00	Calibration	Too few samples	Too few samples	Calibration	Calibration	2.1	25.0	6.0
3/13/2019 9:00	BDL	1.3	0.9	Calibration	0.3	Too few samples	23.0	8.0
3/13/2019 10:00	1.0	1.2	0.9	19.9	0.3	2.2	18.0	8.0
3/13/2019 11:00	BDL	0.8	0.8	9.6	0.3	2.1	16.0	10.0
3/13/2019 12:00	BDL	0.9	0.8	9.0	0.3	2.1	20.0	9.0
3/13/2019 13:00	1.0	1.0	1.0	8.9	0.3	2.1	13.0	9.0
3/13/2019 14:00	0.5	1.0	1.0	5.1	0.3	2.1	11.0	7.0
3/13/2019 15:00	BDL	0.9	0.9	6.6	0.3	2.0	14.0	10.0
3/13/2019 16:00	BDL	0.9	0.8	11.6	0.3	2.0	17.0	8.0
3/13/2019 17:00	BDL	0.9	0.8	11.4	0.3	2.0	17.0	12.0
3/13/2019 18:00	BDL	1.0	0.9	13.8	0.3	2.4	22.0	8.0
3/13/2019 19:00	BDL	0.8	0.9	6.4	0.3	2.4	11.0	8.0
3/13/2019 20:00	BDL	0.8	0.8	3.8	0.3	2.2	7.0	7.0
3/13/2019 21:00	BDL	0.8	0.8	5.3	0.3	2.1	9.0	5.0
3/13/2019 22:00	BDL	0.9	0.9	7.8	0.3	2.1	10.0	5.0
3/13/2019 23:00	BDL	1.0	0.9	8.3	0.3	2.0	14.0	5.0
3/14/2019 0:00	BDL	1.0	0.9	6.7	0.3	2.3	10.0	7.0
3/14/2019 1:00	BDL	Calibration	Calibration	11.4	0.3	2.0	12.0	5.0
3/14/2019 2:00	BDL	Calibration	Calibration	10.9	0.3	2.0	9.0	6.0
3/14/2019 3:00	Calibration	1.2	1.1	Calibration	Calibration	2.0	9.0	6.0
3/14/2019 4:00	BDL	1.5	1.1	28.6	0.4	Too few samples	12.0	6.0
3/14/2019 5:00	BDL	1.9	1.2	48.4	0.5	2.2	27.0	6.0
3/14/2019 6:00	BDL	2.2	1.4	60.0	0.6	2.1	27.0	9.0
3/14/2019 7:00	BDL	1.9	1.2	41.2	0.5	2.1	Maintenance	Maintenance
3/14/2019 8:00	BDL	1.9	1.3	44.3	0.4	2.0	25.0	5.0
3/14/2019 9:00	BDL	1.4	1.2	21.5	0.3	2.0	23.0	6.0
3/14/2019 10:00	BDL	1.2	1.1	11.3	0.3	2.1	19.0	6.0
3/14/2019 11:00	BDL	1.1	1.1	6.0	0.3	2.0	19.0	6.0
3/14/2019 12:00	BDL	1.2	1.2	7.0	0.3	2.1	27.0	8.0
3/14/2019 13:00	BDL	1.1	1.1	5.3	0.3	2.1	24.0	7.0
3/14/2019 14:00	BDL	1.1	1.1	5.6	0.3	2.0	23.0	6.0
3/14/2019 15:00	BDL	1.0	1.0	4.0	0.3	2.0	24.0	6.0
3/14/2019 16:00	BDL	0.9	1.0	3.3	0.3	2.1	21.0	6.0
3/14/2019 17:00	BDL	1.0	1.0	6.5	0.3	1.8	20.0	6.0
3/14/2019 18:00	BDL	1.1	1.0	9.3	0.3	1.8	20.0	7.0
3/14/2019 19:00	BDL	1.0	1.0	5.8	0.3	1.8	16.0	6.0
3/14/2019 20:00	BDL	1.0	1.0	4.1	0.3	1.9	20.0	4.0
3/14/2019 21:00	BDL	1.0	1.1	5.0	0.3	2.4	17.0	8.0
3/14/2019 22:00	BDL	1.1	1.1	3.5	0.3	2.1	15.0	10.0
3/14/2019 23:00	BDL	1.1	1.2	3.2	0.3	2.1	14.0	9.0
3/15/2019 0:00	BDL	1.2	1.2	2.9	0.3	2.1	12.0	8.0
3/15/2019 1:00	BDL	Calibration	Calibration	2.7	0.3	2.1	10.0	6.0
3/15/2019 2:00	BDL	Calibration	Calibration	2.6	0.3	2.2	14.0	3.0
3/15/2019 3:00	Calibration	1.2	1.3	Calibration	Calibration	2.2	16.0	4.0
3/15/2019 4:00	BDL	1.3	1.3	3.4	0.3	Too few samples	14.0	8.0
3/15/2019 5:00	BDL	1.3	1.3	9.2	0.3	2.1	16.0	9.0
3/15/2019 6:00	BDL	1.3	1.3	7.5	0.3	2.1	19.0	7.0
3/15/2019 7:00	BDL	1.4	1.4	10.9	0.3	2.1	25.0	7.0
3/15/2019 8:00	BDL	1.3	1.3	4.6	0.3	2.0	18.0	7.0
3/15/2019 9:00	BDL	1.4	1.4	7.2	0.3	2.2	30.0	6.0
3/15/2019 10:00	BDL	1.3	1.3	7.4	0.4	2.3	27.0	5.0
3/15/2019 11:00	0.4	1.2	1.3	5.7	0.4	2.2	32.0	8.0
3/15/2019 12:00	BDL	1.2	1.3	3.8	0.4	2.1	38.0	10.0
3/15/2019 13:00	0.4	1.2	1.3	3.4	0.4	2.2	26.0	8.0
3/15/2019 14:00	BDL	1.3	1.3	2.9	0.4	2.2	32.0	9.0
3/15/2019 15:00	BDL	1.4	1.5	2.5	0.4	2.0	18.0	6.0
3/15/2019 16:00	BDL	1.4	1.5	3.5	0.4	1.9	17.0	6.0
3/15/2019 17:00	BDL	1.3	1.4	4.0	0.3	2.1	28.0	7.0
3/15/2019 18:00	BDL	1.4	1.4	5.4	0.3	2.1	26.0	8.0
3/15/2019 19:00	BDL	1.4	1.4	9.5	0.4	2.2	19.0	8.0
3/15/2019 20:00	1.3	1.3	1.3	8.0	0.3	2.0	22.0	7.0
3/15/2019 21:00	0.7	1.4	1.4	13.1	0.3	2.2	14.0	5.0
3/15/2019 22:00	0.4	1.2	1.2	3.8	0.3	2.6	14.0	3.0
3/15/2019 23:00	0.5	1.1	1.2	3.3	0.3	2.2	9.0	3.0
3/16/2019 0:00	BDL	1.1	1.2	2.7	0.3	2.2	7.0	6.0
3/16/2019 1:00	BDL	Calibration	Calibration	2.1	0.3	2.2	7.0	2.0
3/16/2019 2:00	BDL	Calibration	Calibration	2.0	0.3	2.3	5.0	BDL
3/16/2019 3:00	Calibration	1.0	1.2	Calibration	Calibration	2.3	3.0	BDL
3/16/2019 4:00	BDL	1.0	1.1	2.1	0.3	Too few samples	3.0	BDL
3/16/2019 5:00	BDL	1.0	1.1	2.0	0.3	2.2	6.0	BDL
3/16/2019 6:00	BDL	1.0	1.1	2.0	0.2	2.2	5.0	2.0
3/16/2019 7:00	BDL	1.0	1.1	4.6	0.3	2.2	5.0	BDL
3/16/2019 8:00	Calibration	1.0	1.1	Calibration	Calibration	2.4	7.0	1.0
3/16/2019 9:00	BDL	1.0	1.1	3.1	0.2	Too few samples	10.0	3.0
3/16/2019 10:00	BDL	0.9	1.0	3.2	0.2	2.2	8.0	4.0
3/16/2019 11:00	BDL	0.9	1.1	2.2	0.2	2.2	11.0	3.0
3/16/2019 12:00	BDL	0.9	1.0	3.1	0.3	2.1	8.0	3.0
3/16/2019 13:00	BDL	0.9	1.0	2.2	0.3	2.2	6.0	2.0
3/16/2019 14:00	BDL	1.0	1.0	2.9	0.3	2.2	6.0	BDL
3/16/2019 15:00	BDL	1.0	1.0	4.3	0.3	2.2	10.0	2.0
3/16/2019 16:00	BDL	1.0	1.0	3.1	0.3	2.2	9.0	2.0
3/16/2019 17:00	BDL	1.0	1.0	3.6	0.3	2.2	9.0	3.0
3/16/2019 18:00	BDL	0.9	1.0	2.4	0.3	2.1	7.0	6.0
3/16/2019 19:00	BDL	0.9	1.0	3.4	0.3	2.2	7.0	8.0
3/16/2019 20:00	BDL	0.9	0.9	3.6	0.3	2.2	7.0	6.0
3/16/2019 21:00	BDL	0.9	1.0	1.7	0.3	2.3	5.0	3.0
3/16/2019 22:00	BDL	0.8	0.9	0.4	0.2	2.2	2.0	1.0
3/16/2019 23:00	BDL	0.9	1.0	1.9	0.2	2.3	4.0	BDL

This report contains preliminary data that has not been subjected to QA procedures. After quality revew, this data may be corrected.
Quality data will be posted on a monthly basis.

Date & Time (EST)	SO2	H2S	TRS	NOx	CO	VOC	PM10	PM2.5
	PPB	PPB	PPB	PPB	PPM	PPM	µg/m3	ug/m3
Detection limit:	0.4 ppb	0.4 ppb	0.4 ppb	0.4 ppb	40.0 ppb	10.0 ppb	1.0 µg/m3	1.0 µg/m3
Site Downwind Weekly: 3/17/2019-3/23/2019								
3/17/2019 0:00	BDL	0.9	1.0	2.6	0.3	2.2	4.0	2.0
3/17/2019 1:00	BDL	Calibration	Calibration	9.3	0.2	2.2	3.0	2.0
3/17/2019 2:00	BDL	Calibration	Calibration	17.5	0.2	2.2	4.0	6.0
3/17/2019 3:00	Calibration	1.0	1.0	Calibration	Calibration	2.2	5.0	3.0
3/17/2019 4:00	BDL	1.2	1.0	17.4	0.3	Too few samples	3.0	5.0
3/17/2019 5:00	8.6	1.0	1.0	10.7	0.3	2.0	15.0	8.0
3/17/2019 6:00	14.4	1.1	1.1	11.6	0.3	2.1	32.0	15.0
3/17/2019 7:00	9.8	1.3	1.1	14.6	0.3	2.2	19.0	13.0
3/17/2019 8:00	BDL	0.8	1.0	2.5	0.3	2.3	6.0	5.0
3/17/2019 9:00	BDL	0.8	0.9	1.9	0.2	2.3	5.0	BDL
3/17/2019 10:00	BDL	0.8	1.0	2.0	0.2	2.2	2.0	1.0
3/17/2019 11:00	BDL	0.8	1.0	1.7	0.3	2.3	3.0	3.0
3/17/2019 12:00	0.7	0.9	1.0	3.7	0.3	2.1	8.0	4.0
3/17/2019 13:00	1.2	0.9	1.0	3.8	0.2	2.1	11.0	3.0
3/17/2019 14:00	1.2	1.0	1.0	6.1	0.2	2.1	10.0	2.0
3/17/2019 15:00	BDL	0.9	1.0	1.9	0.2	2.1	7.0	3.0
3/17/2019 16:00	BDL	0.9	1.0	3.6	0.2	2.1	7.0	1.0
3/17/2019 17:00	BDL	1.0	1.0	5.0	0.2	2.2	10.0	3.0
3/17/2019 18:00	BDL	0.9	1.0	4.8	0.3	2.3	7.0	3.0
3/17/2019 19:00	BDL	0.9	1.0	5.6	0.3	2.1	6.0	2.0
3/17/2019 20:00	BDL	0.9	0.9	6.6	0.3	2.1	5.0	1.0
3/17/2019 21:00	BDL	1.0	1.0	10.6	0.3	2.0	5.0	3.0
3/17/2019 22:00	BDL	1.4	1.0	21.9	0.4	2.1	7.0	3.0
3/17/2019 23:00	BDL	1.4	1.1	23.2	0.5	2.1	11.0	1.0
3/18/2019 0:00	BDL	1.2	1.0	18.3	0.4	2.0	7.0	1.0
3/18/2019 1:00	BDL	Calibration	Calibration	15.4	0.3	2.0	5.0	2.0
3/18/2019 2:00	BDL	Calibration	Calibration	13.3	0.3	2.0	7.0	4.0
3/18/2019 3:00	Calibration	1.1	1.0	Calibration	Calibration	2.0	9.0	4.0
3/18/2019 4:00	BDL	1.4	1.1	23.4	0.4	Too few samples	7.0	2.0
3/18/2019 5:00	BDL	1.5	1.1	26.9	0.4	2.0	9.0	3.0
3/18/2019 6:00	BDL	1.5	1.1	28.6	0.4	2.1	13.0	3.0
3/18/2019 7:00	BDL	1.7	1.2	34.0	0.4	2.1	19.0	9.0
3/18/2019 8:00	BDL	1.5	1.2	24.4	0.4	2.1	13.0	6.0
3/18/2019 9:00	BDL	1.2	1.0	17.7	0.3	2.0	10.0	4.0
3/18/2019 10:00	BDL	1.1	1.0	14.1	0.3	2.0	14.0	3.0
3/18/2019 11:00	BDL	1.1	1.0	13.4	0.3	2.1	13.0	4.0
3/18/2019 12:00	BDL	1.1	1.0	15.2	0.3	2.0	22.0	6.0
3/18/2019 13:00	3.6	1.1	1.0	11.3	0.3	2.1	17.0	6.0
3/18/2019 14:00	0.9	0.9	1.0	5.4	0.3	2.2	11.0	5.0
3/18/2019 15:00	BDL	0.9	1.0	4.2	0.3	2.2	11.0	6.0
3/18/2019 16:00	BDL	0.9	1.0	4.2	0.3	2.2	12.0	6.0
3/18/2019 17:00	BDL	0.9	1.0	6.2	0.3	2.2	14.0	6.0
3/18/2019 18:00	BDL	0.9	1.0	8.0	0.3	2.2	13.0	8.0
3/18/2019 19:00	BDL	1.1	1.0	10.7	0.3	2.3	18.0	7.0
3/18/2019 20:00	BDL	1.1	1.1	13.4	0.4	2.5	20.0	14.0
3/18/2019 21:00	BDL	1.3	1.1	21.7	0.4	2.8	23.0	15.0
3/18/2019 22:00	BDL	1.3	1.1	23.7	0.4	2.6	22.0	14.0
3/18/2019 23:00	BDL	1.8	1.2	41.0	0.6	2.8	24.0	15.0
3/19/2019 0:00	BDL	1.9	1.3	42.2	0.5	2.9	22.0	19.0
3/19/2019 1:00	BDL	Calibration	Calibration	34.4	0.4	2.8	26.0	16.0
3/19/2019 2:00	BDL	Calibration	Calibration	36.5	0.4	2.8	27.0	15.0
3/19/2019 3:00	Calibration	1.3	1.1	Calibration	Calibration	2.2	18.0	9.0
3/19/2019 4:00	BDL	1.5	1.1	29.0	0.4	Too few samples	19.0	8.0
3/19/2019 5:00	BDL	1.6	1.1	36.9	0.4	2.2	22.0	7.0
3/19/2019 6:00	0.4	2.3	1.4	62.4	0.6	2.3	30.0	9.0
3/19/2019 7:00	0.4	1.7	1.2	38.7	0.5	2.2	22.0	11.0
3/19/2019 8:00	1.0	1.3	1.0	20.7	0.4	2.0	21.0	6.0
3/19/2019 9:00	0.7	1.2	1.0	17.4	0.3	2.0	15.0	6.0
3/19/2019 10:00	BDL	1.0	0.9	12.5	0.3	2.1	14.0	6.0
3/19/2019 11:00	BDL	1.0	0.9	10.5	0.3	2.1	10.0	5.0
3/19/2019 12:00	0.8	1.0	0.9	9.6	0.3	2.1	16.0	3.0
3/19/2019 13:00	BDL	0.9	1.0	6.0	0.3	2.1	14.0	4.0
3/19/2019 14:00	BDL	1.0	0.9	7.8	0.3	2.0	10.0	4.0
3/19/2019 15:00	BDL	1.0	1.0	9.0	0.3	2.0	8.0	2.0
3/19/2019 16:00	1.5	1.0	1.1	6.1	0.3	2.2	8.0	1.0
3/19/2019 17:00	BDL	0.9	1.0	4.7	0.3	2.2	9.0	2.0
3/19/2019 18:00	BDL	0.9	1.0	5.4	0.3	2.2	10.0	6.0
3/19/2019 19:00	BDL	1.1	1.0	10.4	0.3	2.3	13.0	5.0
3/19/2019 20:00	BDL	1.2	1.1	14.1	0.3	2.5	18.0	7.0
3/19/2019 21:00	BDL	1.3	1.2	25.4	0.5	2.5	20.0	7.0
3/19/2019 22:00	BDL	1.6	1.2	26.4	0.4	2.2	20.0	9.0
3/19/2019 23:00	BDL	1.6	1.3	22.6	0.4	2.0	17.0	9.0
3/20/2019 0:00	BDL	1.5	1.3	14.6	0.4	2.1	20.0	9.0
3/20/2019 1:00	BDL	Calibration	Calibration	16.8	0.4	2.2	20.0	13.0
3/20/2019 2:00	BDL	Calibration	Calibration	30.6	0.5	2.5	20.0	17.0
3/20/2019 3:00	Calibration	2.7	2.0	Calibration	Calibration	2.3	24.0	14.0
3/20/2019 4:00	BDL	2.9	2.0	57.8	0.6	Too few samples	38.0	17.0
3/20/2019 5:00	1.7	4.0	2.5	113.0	0.7	2.6	47.0	19.0
3/20/2019 6:00	1.9	4.4	2.7	115.6	0.8	2.9	56.0	20.0
3/20/2019 7:00	2.1	4.4	2.7	112.7	0.8	2.8	58.0	27.0
3/20/2019 8:00	2.5	3.4	2.2	74.2	0.6	2.4	48.0	27.0
3/20/2019 9:00	2.3	2.4	1.9	31.9	0.4	2.2	43.0	17.0
3/20/2019 10:00	0.5	1.5	1.4	10.3	0.3	2.1	30.0	9.0
3/20/2019 11:00	BDL	1.2	1.3	6.2	0.3	2.1	19.0	10.0
3/20/2019 12:00	BDL	1.3	1.3	6.8	0.3	2.0	27.0	9.0
3/20/2019 13:00	BDL	1.3	1.4	4.9	0.3	2.1	18.0	7.0
3/20/2019 14:00	BDL	1.3	1.4	4.5	0.3	2.0	16.0	4.0
3/20/2019 15:00	BDL	1.2	1.2	6.0	0.3	1.9	19.0	3.0
3/20/2019 16:00	BDL	1.2	1.3	7.6	0.3	1.9	33.0	2.0
3/20/2019 17:00	BDL	1.3	1.3	6.6	0.3	1.9	18.0	1.0
3/20/2019 18:00	BDL	1.1	1.2	4.2	0.3	1.9	14.0	3.0
3/20/2019 19:00	BDL	1.3	1.3	8.1	0.3	1.9	13.0	4.0
3/20/2019 20:00	BDL	1.5	1.3	11.0	0.3	1.9	14.0	5.0
3/20/2019 21:00	BDL	1.4	1.3	9.8	0.4	1.9	17.0	5.0
3/20/2019 22:00	BDL	1.6	1.3	19.7	0.3	1.9	17.0	6.0
3/20/2019 23:00	BDL	1.4	1.3	12.4	0.3	1.9	18.0	6.0
3/21/2019 0:00	BDL	1.4	1.3	10.0	0.3	1.9	14.0	6.0
3/21/2019 1:00	BDL	Calibration	Calibration	10.8	0.3	1.9	15.0	3.0
3/21/2019 2:00	BDL	Calibration	Calibration	14.8	0.3	1.9	16.0	1.0
3/21/2019 3:00	Calibration	1.7	1.5	Calibration	Calibration	1.9	17.0	4.0
3/21/2019 4:00	BDL	1.9	1.6	26.1	0.4	Too few samples	19.0	5.0
3/21/2019 5:00	BDL	1.9	1.6	26.8	0.5	2.0	27.0	11.0
3/21/2019 6:00	BDL	2.0	1.7	27.6	0.5	2.0	21.0	11.0
3/21/2019 7:00	BDL	2.0	1.7	24.9	0.5	1.9	25.0	8.0
3/21/2019 8:00	BDL	2.0	1.7	26.8	0.5	1.9	16.0	6.0
3/21/2019 9:00	BDL	2.0	1.7	28.1	0.5	1.9	19.0	11.0
3/21/2019 10:00	BDL	2.0	1.7	29.2	0.4	1.9	11.0	6.0
3/21/2019 11:00	BDL	1.9	1.7	24.7	0.5	1.9	11.0	5.0
3/21/2019 12:00	BDL	1.9	1.6	21.1	0.4	1.9	14.0	5.0
3/21/2019 13:00	BDL	1.9	1.6	20.4	0.4	1.9	10.0	5.0
3/21/2019 14:00	BDL	1.9	1.6	20.3	0.4	1.9	17.0	5.0
3/21/2019 15:00	BDL	1.8	1.6	14.3	0.4	1.9	12.0	4.0
3/21/2019 16:00	BDL	1.9	1.7	14.2	0.4	1.9	12.0	2.0
3/21/2019 17:00	BDL	1.8	1.7	12.1	0.4	1.9	15.0	5.0
3/21/2019 18:00	BDL	1.7	1.7	12.4	0.4	1.8	16.0	5.0
3/21/2019 19:00	BDL	1.6	1.6	8.2	0.4	1.8	11.0	3.0
3/21/2019 20:00	BDL	1.6	1.6	7.4	0.4	1.8	8.0	5.0
3/21/2019 21:00	BDL	1.7	1.6	7.8	0.3	1.7	6.0	4.0
3/21/2019 22:00	BDL	1.7	1.7	10.5	0.3	1.7	6.0	4.0
3/21/2019 23:00	BDL	1.7	1.7	6.4	0.3	1.7	5.0	3.0
3/22/2019 0:00	BDL	1.7	1.8	8.2	0.3	1.8	3.0	BDL
3/22/2019 1:00	BDL	Calibration	Calibration	8.4	0.3	1.8	7.0	4.0
3/22/2019 2:00	BDL	Calibration	Calibration	7.3	0.3	2.0	5.0	3.0
3/22/2019 3:00	Calibration	1.7	1.8	Calibration	Calibration	2.0	1.0	2.0
3/22/2019 4:00	BDL	1.7	1.8	4.6	0.3	Too few samples	3.0	2.0
3/22/2019 5:00	BDL	1.7	1.7	6.9	0.3	2.1	3.0	1.0
3/22/2019 6:00	BDL	1.7	1.7	6.4	0.3	2.0	1.0	BDL
3/22/2019 7:00	BDL	1.8	1.8	6.9	0.3	2.0	6.0	BDL
3/22/2019 8:00	BDL	1.8	1.8	6.1	0.3	1.9	10.0	3.0
3/22/2019 9:00	BDL	1.6	1.7	4.5	0.3	2.0	10.0	6.0
3/22/2019 10:00	BDL	1.6	1.7	4.4	0.3	2.0	8.0	5.0
3/22/2019 11:00	BDL	1.6	1.7	3.8	0.3	2.0	8.0	2.0
3/22/2019 12:00	BDL	1.6	1.7	4.0	0.3	2.0	8.0	1.0
3/22/2019 13:00	BDL	1.6	1.7	4.7	0.3	2.0	13.0	4.0
3/22/2019 14:00	0.5	1.7	1.8	6.9	0.3	2.0	11.0	5.0
3/22/2019 15:00	BDL	1.8	1.8	9.1	0.3	2.1	12.0	5.0
3/22/2019 16:00	1.2	1.9	1.9	10.0	0.3	2.3	14.0	8.0
3/22/2019 17:00	BDL	1.6	1.7	4.4	0.3	2.2	10.0	6.0
3/22/2019 18:00	BDL	1.6	1.7	3.6	0.3	1.9	6.0	3.0
3/22/2019 19:00	BDL	1.5	1.6	3.8	0.3	1.9	7.0	4.0
3/22/2019 20:00	BDL	1.5	1.6	3.4	0.3	2.0	6.0	3.0
3/22/2019 21:00	BDL	1.6	1.6	4.6	0.3	2.0	6.0	2.0
3/22/2019 22:00	BDL	1.5	1.6	2.6	0.3	2.0	7.0	1.0
3/22/2019 23:00	BDL	1.6	1.7	6.2	0.3	2.1	5.0	BDL
3/23/2019 0:00	BDL	1.6	1.7	6.0	0.3	2.1	5.0	BDL
3/23/2019 1:00	BDL	Calibration	Calibration	6.4	0.3	2.1	6.0	BDL
3/23/2019 2:00	BDL	Calibration	Calibration	2.0	0.2	2.0	5.0	1.0
3/23/2019 3:00	Calibration	1.4	1.6	Calibration	Calibration	2.1	4.0	3.0
3/23/2019 4:00	BDL	1.4	1.5	2.6	0.3	Too few samples	5.0	2.0
3/23/2019 5:00	BDL	1.4	1.5	2.1	0.3	2.0	6.0	BDL
3/23/2019 6:00	BDL	1.4	1.5	3.4	0.3	2.0	7.0	4.0
3/23/2019 7:00	BDL	1.4	1.5	2.7	0.3	2.0	11.0	3.0
3/23/2019 8:00	BDL	1.4	1.5	2.3	0.3	2.1	7.0	2.0
3/23/2019 9:00	BDL	1.4	1.5	2.7	0.3	2.1	12.0	1.0
3/23/2019 10:00	BDL	1.3	1.5	2.1	0.3	2.2	13.0	2.0
3/23/2019 11:00	BDL	1.4	1.5	3.3	0.3	2.2	12.0	3.0
3/23/2019 12:00	BDL	1.3	1.4	2.0	0.3	2.1	8.0	1.0
3/23/2019 13:00	BDL	1.3	1.4	1.7	0.3	2.1	6.0	1.0
3/23/2019 14:00	BDL	1.3	1.4	1.3	0.2	2.1	6.0	2.0
3/23/2019 15:00	BDL	1.3	1.4	0.6	0.3	2.2	5.0	2.0
3/23/2019 16:00	BDL	1.3	1.4	0.8	0.3	2.2	4.0	BDL
3/23/2019 17:00	BDL	1.3	1.4	0.8	0.3	2.0	5.0	BDL
3/23/2019 18:00	BDL	1.2	1.4	3.0	0.3	2.1	4.0	BDL
3/23/2019 19:00	BDL	1.5	1.5	9.8	0.3	2.2	5.0	3.0
3/23/2019 20:00	BDL	1.5	1.5	10.2	0.3	2.2	4.0	4.0
3/23/2019 21:00	BDL	1.5	1.5	12.1	0.3	2.3	3.0	2.0
3/23/2019 22:00	BDL	1.6	1.5	13.9	0.3	2.3	5.0	BDL
3/23/2019 23:00	BDL	1.4	1.4	7.2	0.3	2.3	4.0	1.0

Abbrevations
BDL: below detection limit
SO2: sulfur dioxide
H2S: hydrogen sulfide
TRS: total reduced sulfur
NOx: oxides of nitrogen
CO: carbon monoxide
VOC: volatile organic compounds
PM10: particulate matter less than 10 micrometers in diameter or smaller
PM2.5: particulate matter less than 10 micrometers in diameter or smaller
PPB: parts per billion
PPM: parts per million
ug/m3: micrograms per cubic meter
mbar: millibar
pm: preventative maintenance
SO2, H2S, TRS, NOx - using the analyzer detection limit instead of the higher detection limit specified in the Consent Decree

* suspect reading
Errata
October 17, 2016: Recovered SO2, H2S, TRS and NOx data that erroneously showed multiple-day calibration in October and November 2015